

SETTING THE STANDARDS

15
YEARS

Special: More from your small laptop, PC, or Mac PAGE 196

BYTE

MARCH 1990

A MCGRAW-HILL PUBLICATION

THE SYSTEMPRO: COMPAQ'S BEST YET?



Irresistible

VGA

*26 monitors with great color,
great prices*

New Unix Benchmarks

Graphics on IBM's 8514/A

Chip Update

Inside SCSI

REVIEWS

OS/2 1.2

Jasmine AppleShare
Server

NetWare 386

Animator

Mail-Order SXes



\$3.50 U.S.A. / \$4.50 IN CANADA
0360-5280

UNCING DO OFF THE STEM 325.



THE NEW
DELL SYSTEM® 316SX
16 MHz; 386SX

The perfect low profile mainstream computer, combining 386SX power and compatibility with unprecedented value and support.

STANDARD FEATURES:

- Intel 80386SX microprocessor running at 16 MHz.
- Choice of 512 KB, 640 KB, 1 MB or 2 MB* of RAM expandable to 16 MB (8 MB on the system board).
- Page mode interleaved memory architecture.
- LIM 4.0 support for memory over 640 KB.
- Integrated diskette and high performance 16-bit VGA video controller on system board.
- Socket for Intel 80287 math coprocessor.
- 5.25" 1.2 MB or 3.5" 1.44 MB diskette drive.
- Integrated high performance hard disk interface on system board.
- Enhanced 101-key keyboard.
- 1 parallel and 2 serial ports.
- 3 full-sized 16-bit AT expansion slots available.

**Commercial Lease Plan. Lease for as low as \$72/month.
- Xerox Extended Service Plan pricing starts at \$187.

20 MB VGA Monochrome System	\$1,899
40 MB VGA Color Plus System	\$2,399
40 MB Super VGA System (800x600)	\$2,499
100 MB Super VGA System (800x600)	\$3,099

Prices reflect 512 KB of RAM. 640 KB versions of the above systems are available for an additional \$50, 1 MB versions for an additional \$150, and 2 MB versions for an additional \$300.



DELL SYSTEM® 210
12.5 MHz; 286



The price says it's an entry-level system. The performance says it's a lot more.

STANDARD FEATURES:


- 80286 microprocessor running at 12.5 MHz.
- Choice of 512 KB, 640 KB, 1 MB or 2 MB* of RAM expandable to 16 MB (6 MB on the system board).
- Page mode interleaved memory architecture.
- LIM 4.0 support for memory over 640 KB.
- Integrated diskette and high performance 16-bit VGA video controller on system board.
- Socket for Intel 80287 math coprocessor.
- 5.25" 1.2 MB or 3.5" 1.44 MB diskette drive.
- Integrated high performance hard disk interface on system board.
- Enhanced 101-key keyboard.
- 1 parallel and 2 serial ports.
- 3 full-sized 16-bit AT expansion slots available.

**Commercial Lease Plan. Lease for as low as \$61/month.
Xerox Extended Service Plan pricing starts at \$158.

NEW LOW PRICES

20 MB VGA Monochrome System	\$1,599
20 MB VGA Color Plus System	\$1,899
40 MB VGA Monochrome System	\$1,799
40 MB VGA Color Plus System	\$2,099

Prices listed reflect 512 KB of RAM. 640 KB versions of the above systems are available for an additional \$50, 1 MB versions for an additional \$150, and 2 MB versions for an additional \$300. 100 MB hard drive configurations also available.



THE NEW
DELL SYSTEM® 316LT

This new full-featured, battery powered 386SX laptop costs less than most 286 laptops.




STANDARD FEATURES:

- Intel 80386SX microprocessor running at 16 MHz.
- Choice of 1 MB or 2 MB* of RAM expandable to 8 MB (on the system board using 1 MB SIMMs).
- LIM 4.0 support for memory over 1 MB.
- Adjustable and detachable 640 x 480 VGA Liquid Crystal Display.
- One industry standard half-size 8-bit expansion slot.
- Socket for 16 MHz Intel 80387SX math coprocessor.
- 3.5" 1.44 MB diskette drive.
- 83-key keyboard with embedded numeric keypad and 12 function keys.
- 1 parallel, 1 serial, and external VGA monitor port.
- Connector for 101-key keyboard or numeric keypad.
- Removable and rechargeable NiCad battery pack utilizing Dell's "continuous power" battery system (patent pending).
- AC Adapter.

**Commercial Lease Plan. Lease for as low as \$127/month.
- Xerox Extended Service Plan pricing starts at \$295.

20 MB, 1 MB RAM	\$3,499
20 MB, 2 MB RAM	\$3,699
40 MB, 1 MB RAM	\$3,799
40 MB, 2 MB RAM	\$3,999

For a limited time, get an extra battery free with every 316LT purchase.



THE DELL SYSTEM® 325 25 MHz 386.

An even better value at these low prices.

STANDARD FEATURES:

- Intel 80386 microprocessor running at 25 MHz.
- Choice of 1 MB, 2 MB or 4 MB of RAM* expandable to 16 MB (using a dedicated high-speed 32-bit memory slot).
- Advanced Intel 82385 Cache Memory Controller with 32 KB of high speed static RAM cache.
- Page mode interleaved memory architecture.
- VGA systems include a high performance 16-bit video adapter.
- Socket for 25 MHz Intel 80387 or 25 MHz WEITEK 3167 math coprocessor.
- 5.25" 1.2 MB or 3.5" 1.44 MB diskette drive.
- Dual diskette and hard drive controller.
- Enhanced 101-key keyboard.
- 1 parallel and 2 serial ports.

- 200-watt power supply.
- 8 industry standard expansion slots (6 available).

**Commercial Lease Plan. Lease for as low as \$153/month.
- Xerox Extended Service Plan pricing starts at \$370.

NEW LOW PRICES:

40 MB VGA Monochrome System	\$4,199
100 MB VGA Color Plus System	\$5,099
100 MB Super VGA Color System (800x600)	\$5,199
150 MB Super VGA Color System (800x600)	\$5,699

Prices listed reflect 1 MB of RAM. 322 MB hard drive configurations also available. 4 MB versions available for an additional \$600.

*Performance Enhancements: Within the first megabyte of memory 128 KB (316SX, 316LT and 210), 384 KB (325) of memory is reserved for use by the system to enhance performance.
All systems are photographed with optional extra. All prices and specifications are subject to change without notice. Dell cannot be responsible for errors in typographic or photographic reproduction. **Payment based on 36-month, open-ended lease. Leasing arranged by Leasing Group, Inc. In Canada, configurations and prices may vary. DELL SYSTEM is a registered trademark of Dell Computer Corporation. Microwatt, MS, MS-DOS and XENIX are registered trademarks of Microsoft Corporation. Intel is a registered trademark, and 386 is a trademark of Intel Corporation. Dell UNIX System V is based on INTERACTIVE Systems Corporation's 386ix™ UNIX is a registered trademark of AT&T in the United States and other countries. Other trademarks and trade names are used to identify the entities claiming the marks and names or their products. Dell Computer Corporation disclaims any proprietary interest in trademarks and trade names other than its own. This site as well as may not be available in certain remote locations. For information on, and a copy of Dell's 32-day Total Satisfaction Guarantee, limited warranties, or Xerox's service contract, please write to Dell Computer Corporation, 9505 Arbovitae Boulevard, Austin, Texas 78759-7299. Attn: Warranties. © 1989 Dell Computer Corporation. All rights reserved.

**4 OUT OF 5
DELL
CUSTOMERS
WILL BE
COMPLETELY
SATISFIED.**

When customers asked us to lower prices on the 25 MHz 386™ system that won *PC Magazine's* Editor's Choice and *PC World's* Best Buy, we gave a typical Dell response: OK.

You see, we have an unusual relationship with our customers.

We deal directly with them.

That's why we can custom configure each system for each customer.

That's why we can provide them the most comprehensive service and support in the business.

And, with no retailers, we can actually offer high-end systems like this Dell System® 325 for as low as \$4,199. With other configurations \$2,500 below the comparable IBM or Compaq systems.

Or, a custom configured leasing plan can be designed for any business**

Which explains why Dell has won the last four *PC Week* polls for overall customer satisfaction.

As for the System 325, it's a thoroughbred. And it runs on either Microsoft® MS-DOS®, MS® OS/2, or our Dell UNIX® System V, which is compatible with AT&T System V Interface Definition. As well as XENIX®.

Equipped with VGA, optional Intel or WEITEK coprocessor, and hard drives ranging from 40 MB to 322 MB, it still leaves 6 expansion slots free.


And every Dell system includes a 30-day money-back satisfaction guarantee. As well as a full-year warranty, self-diagnostic software, and toll-free technical support that solves over 90% of customer problems by phone. With next day on-site service for the other 10%, provided by Xerox Corporation.△

Why don't you check out the specs and prices on the next page. Or look through some of our other new systems.

Then, if you'd like information on a specific configuration, or have any questions at all, pick up the phone and talk with one of our sales representatives.

For that one out of five, the computers may not be free. But the phones are.

ANNOUNCING UP TO \$1100 OFF DELL SYSTEMS



7) If you could make any changes or improvements to our products, what would they be? (Please list your top three suggestions)

Just keep lowering your prices

(28-30)

7) If you could make any changes or improvements to our products, what would they be? (Please list your top three suggestions)

Reduce Cost

(28-30)

7) If you could make any changes or improvements to our products, what would they be? (Please list your top three suggestions)

Sell them at an even lower price

(28-30)

7) If you could make any changes or improvements to our products, what would they be? (Please list your top three suggestions)

Drop the price!


(28-30)

7) If you could make any changes or improvements to our products, what would they be? (Please list your top three suggestions)

GIVE THEM AWAY FREE.

(28-30)

We've lowered, reduced and dropped the price of the Dell System® 325. See inside for details.




800-426-5150.

To order, call 800-426-5150. In Canada, call 800-387-5752. In Germany, call 06103/701100. In the U.K., call 0800 414535.

Circle 78 on Reader Service Card

World Radio History



powerCache 4... The most advanced What else would you expect



PC MAGAZINE, January 1989.
"In a field of powerhouse machines there can only be one winner, and ALR's FlexCache is it."

INFO WORLD, July 1989.
"ALR Systems Unleash 486 Power. The PowerCache 4 shines in the CPU-specific portion of the InfoWorld Automated Benchmark Test, gaining a score of 16.3."

PC WEEK, July 1989.
"Based on a series of benchmarks run last week on Advanced Logic Research, Inc.'s prototype 486 desktop system, ALR will enter the 486 market with a bang."

At ALR, we will never rest on our laurels. We strive to be the best, as proven by our past achievements. Now with the introduction of the new ALR PowerCache 4™, we've designed a system that is far beyond comparison. Again, we have taken PC-microprocessing power a step further by designing a unique proprietary PowerCache 4 cache controller using ALR's custom ASIC chips which deliver the fastest processing speed ever.

More important, PowerCache 4 is the first PC to fully utilize 128-bit burst mode and a "read and write-back" 128KB cache design, providing a better than zero wait state performance as compared to the i386. Furthermore, the ALR PowerCache 4 is 100% IBM® PS/2™ Micro Channel™-compatible supporting bus mastering devices and giving

	ALR M130 Desktop	ALR M150, M350 M650 Floor-Standing	IBM M70-A21 Power Platform™
CPU	25 MHz i486	25 MHz i486	25 MHz i486
Bus	MCA	MCA	MCA
External Cache	128 KB cache Read and Write-Back	128 KB cache Read and Write-Back	None
Video Opt. on board	640x480 1024x768	640x480 1024x768	640x480 None
I/O Slots	6 expansion slots	6 expansion slots	3 expansion slots
Storage Expansion	4-3 1/2"	1-full height 2-1/2 -height 2-3 1/2" drives	3-3 1/2" drives
Disk Capacity	130 MB-260 MB	150 MB-650 MB	110 MB
Price	\$9,990	Starting at \$11,490	\$12,990



**California Anza-Borrego
Desert State Park**

(Cannonball-shaped sandstone. These concretions are formed of onion-skin layers of minerals resistant to erosion.)


i486™ system in the world. from the leader in 386™ technology.

you a more efficient system for a variety of multi-user and fileserver applications. Like most ALR computers, the PowerCache 4 is a truly balanced system. The fastest power is achieved by enhancing our PowerCache 4 design with the industry's fastest disk drives and interface. The PowerCache 4 systems come standard with a high-speed 15MHz ESDI and 32 KB hard disk cache on the disk controller. What more could you possibly need.

It's no wonder ALR remains ahead of the pack with our innovative design expertise. As far back as 1986, we've been recognized in the industry as a leader in performance. Recently, the highly acclaimed 386/220 won us "Best of 1987" from *PC Magazine*. 1988 brought us the honor of receiving the *PC Magazine* Award for Technical Excellence for designing the industry's most advanced cache architecture. As for 1989 we've already begun to excite the industry with the PowerCache 4.

Now, what else would you expect from a company who is so committed to innovation and high-performance technology that we take you a step beyond. At ALR, we are concerned with your processing needs. Our technical support staff is available to assist you by one simple phone call. All our systems are backed by a one year warranty. Call today for more information on the new PowerCache 4 and the name of an authorized reseller nearest you.

1-800-444-4ALR



PowerCache 4 is the first PC to fully utilize 128-bit burst mode and a "read and write-back" 128KB cache design, providing better than zero wait state performance as compared to the i386.



Advanced Logic Research, Inc.
9401 Jeronimo Irvine, CA 92718
(714) 581-6770 FAX: (714) 581-9240
For our Canadian office:
1-800-443-4CAN
For our UK office:
0 635-521 922 FAX: 0 635-521 844
For our Singapore:
(65) 258-1286 FAX: (65) 258-1285

ALR and Advanced Logic Research, Inc. are registered trademarks. PowerCache 4 is a registered trademark of Advanced Logic Research, Inc. IBM and PC, PS/2, Micro Channel are registered trademarks of International Business Machines Corporation. Intel, 386 and i486 are registered trademarks of Intel Corporation.

Circle 12 on Reader Service Card (DEALERS: 13)


CONTENTS

March 1990
Volume 15, Number 3

COVER STORY

**Product Focus:
A VGA on Every Desk**
page 126

The BYTE Lab tests 26 low-cost color VGA monitors.



Life Within 1 Megabyte/196



NEWS

19 MICROBYTES

42 WHAT'S NEW

FIRST IMPRESSIONS

114 SHORT TAKES

DrawPerfect,
WordPerfect's graphics companion

Microsoft C 6.0,
a comprehensive package for professionals

Okilaser 400,
a low-price compact LED printer from Okidata

SuperScope,
GW Instruments makes data acquisition with the Mac easier

PC-File 5.0,
a flat-file database pack from ButtonWare

122 FIRST IMPRESSIONS
Compaq's Reason to Believe in EISA

Compaq's newest high-end system, the Systempro, may be its best yet.

REVIEWS

143 **Inexpensive SXes by Mail**
Two 80386SX systems that provide 80386 power at low prices.

151 **AppleShare Without a Mac**
Jasmine's DirectServe offers AppleShare file service without sacrificing a Mac.

160E **NetWare 386: Less Pain, Great Gain**
Novell's next-generation LAN operating system delivers radically improved performance.

167 **OS/2 1.2: A Zaftig System**
Beauty goes more than skin deep in IBM's newest OS/2 1.2.

173 **Art in Motion**
Autodesk's Animator lets anyone create animated graphics.

179 **Jack of all Trades**
IBM's Current is a personal information manager with desk-accessory-style functionality.

185 **Fast and Easy CAD on the Mac**
Deltasoft's Origins provides fast competition to AutoCAD on the Mac.

191 **Reviewer's Notebook**
An on-board uninterruptible power supply for PCs, a disassembler for the curious, and a flat-screen color monitor for the Mac.

IN DEPTH

196 **Introduction: LIFE WITHIN 1 MEGABYTE**

199 **The Succession Crisis**
Will DOS yield its crown to OS/2 or Unix?

205 **Expanding the Limits**
Unix and OS/2 are not the only solutions to memory problems.

219 **Mac at the Minimum**
Some suggestions and hints for running all you can on your 1-megabyte Mac.

227 **Easing the RAM-Cram Blues**
Take an active role in managing your applications and TSRs and their use of your memory.


237 **Saving Space**
Whatever size hard disk you have, it's probably nearly full. Data compression can help.

245 **More Bang for Your Buck**
Four integrated software packages that won't strain your budget.


257 **Coping with Diversity**
Incompatibility between computers with different architectures doesn't have to be an obstacle.

262 **1-Megabyte Life Support**
Products that help you stretch the resources of a low-cost computer.

The Spirit of '86s/266



NetWorks/107



FEATURES

- 266 **The Spirit of '86s**
The competition between PC-compatible CPUs heats up, as faster 80286s, 80386 clones, and the high-powered i486 emerge.
- 273 **The BYTE Unix Benchmarks**
Before you jump into the Unix pool, see how your favorite system stacks up against the rest of the pack.
- 279 **Drawing on the 8514/A**
An engineer exposes the inner workings of this graphics processor.

HANDS ON

- 291 **UNDER THE HOOD**
The SCSI Bus, Part 2
Brett looks at bus facilities, the common command set, the common access method, and SCSI devices.
- 301 **SOME ASSEMBLY REQUIRED**
Foreign File Systems
Using special file systems from within standard file systems.

DEPARTMENTS

- 6 **Spotlight**
- 10 **Editorial: Style and Substance**
- 34 **Letters, Ask BYTE, and Fixes**
RISC comments spark debate.

PERSPECTIVES

- 357 **CHAOS MANOR MAIL**
- 360 **PRINT QUEUE**
Our Man in Berkeley
A real page-turner. *The Cuckoo's Egg* is a computer book that reads like a classic espionage novel.
- 364 **STOP BIT**
A Foolish Consistency
A software engineer argues that consistency isn't always the best policy when it comes to user interfaces.

EXPERT ADVICE

65
COMPUTING
AT CHAOS MANOR
Double Your Pleasure
by Jerry Pournelle
A hard disk drive saga and a Comdex report.

79
THE UNIX /bin
Let Your Fingers Do the Talking
by David Fiedler
Unix has the programs to communicate with the outside world.

85
DOWN TO BUSINESS
The Family Jewels
by Wayne Rash Jr.
To make sure your data is secure, choose a strategy and see that it's carried out.

97
MACINATIONS
A Mac Mélange
by Don Crabb
Apple is suffering from the "not invented here" syndrome.

101
OS/2 NOTEBOOK
To HPFS or Not to HPFS
by Mark J. Minasi
Can OS/2's HPFS and the DOS file allocation table live together on the same disk?

107
NETWORKS
Serving the Power-Hungry
by Bill Catchings and Mark L. Van Name
The age of the super server is upon us.

READER SERVICE

- 350 Editorial Index by Company
- 352 Alphabetical Index to Advertisers
- 354 Index to Advertisers by Product Category
- Inquiry Reply Cards: after 356

PROGRAM LISTINGS

- From BIX: See 304
- From BYTEnet: call (617) 861-9764
- On disk: See card after 144

BYTE (ISSN 0360-5280) is published monthly with an additional issue in October by McGraw-Hill, Inc. U.S. subscriber rate \$29.95 per year. In Canada and Mexico \$31.95 per year. Single copies \$3.50 in the U.S., \$3.95 in Canada. Executive, Editorial, Circulation and Advertising Offices: One Phoenix Mill Lane, Peterborough, NH 03458. Second-class postage paid at Peterborough, NH, and additional mailing offices. Postage paid at Winnipeg, Manitoba. Registration number 9321. Printed in the United States of America. **Postmaster:** Send address changes USPS Form 3579, and fulfillment questions to BYTE Subscriptions, P.O. Box 551, Hightstown, NJ 08520.

PAINT POWERFUL DATA-ENTRY SCREENS WITH POWER SCREEN™



Design screens and menus with PAINT™, placing input fields and messages precisely where you want them to appear in your final application. PAINT stores screen definitions in a single file — which can be modified without recompiling or relinking your application. Your program manages screen display and I/O through the POWER SCREEN Runtime Library. All essential features are supported, including:

- ◆ Block multi-field or single-field I/O
- ◆ Automatic range checking
- ◆ Configurable editing/menu key definitions
- ◆ Application context-sensitive, cross-referenced help
- ◆ Virtual/automatic scrolling screens within viewports
- ◆ Multiple, overlapping viewport display
- ◆ Plus much, much more!

The Runtime Library can be linked directly with Turbo Pascal applications, or installed as memory resident.

All this for just \$149.00

Includes complete sample programs, a comprehensive reference manual, and the Norton Instant Access program and guides to assist you during program development. And, we offer a 30-day money back guarantee. Supports Microsoft C/QuickC, Turbo C, Turbo Pascal, QuickPascal and QuickBASIC.

Other powerful products from Blaise Computing:

C ASYNCH MANAGER™	\$189
ASYNCH PLUS™	\$189
View 232™	\$189
C TOOLS PLUS™	\$149
Turbo C TOOLSTM	\$149
POWER TOOLS PLUS™	\$149
POWER SEARCH™	\$149

Call today for more information

(800) 333-8087 Fax (415) 540-1938


BLAISE COMPUTING INC.

2560 Ninth Street, Suite 316 Berkeley, CA 94710 (415) 540-5441

Trademarks are property of their respective holders



S P O T L I G H T



Rick Grehan

Ben Smith

MASTERS OF UNIX VERSE

*Creating the BYTE
Unix benchmarks posed
interesting challenges*

Nothing worthwhile ever comes easy. For BYTE technical editor Ben Smith and Lab director Rick Grehan, that phrase has special meaning. Ben and Rick are the key architects of BYTE's new Unix benchmark suite (see "The BYTE Unix Benchmarks" on page 273).

Ben's greatest challenge was trying to establish tests that are valid for the 80286-based Xenix machines as well as significant for the high-performance multiple processor machines and new generation of RISC machines. Although Ben has six years of experience working in electronics hardware, he doesn't consider himself hardware oriented. "My focus of the last 10 years has been entirely on software development and Unix. Though I have a good appetite for fast and powerful computers, I'm much more interested in the operating system and application programs."

Since he came to BYTE, Ben has been responsible for the May 1989 Unix In Depth, setting up the BYTE Unix Lab, and keeping BYTE current with the Unix community.

Developing the Unix benchmarks was interesting for Ben because he enjoys pulling together ideas and code from other programmers into an integrated system. Even though he had to rewrite a major part of what he used, he finds it interesting to see how other people do things. "Editing other people's work is instructive because I have to thoroughly understand what I am working with before I can modify it, even comment it."

Rick wrote the database simulation portion of the Unix benchmarks. As its name implies, the benchmark simulates the operation of a multiuser database. It adheres to a client-server model, and as such is composed of two programs. The first program, the server, rides herd on a pre-built data file. The client program branches off to a user-selectable number of children tasks.

"The Unix benchmarks were a real challenge because until recently, micro-computer benchmarks only had to operate in a single-user environment," Rick says. This is BYTE's first attempt at multiuser system benchmarks; Rick encourages your feedback.

"I don't think anybody really enjoys writing benchmarks," says Ben. "You are always going to be criticized for them. Manufacturers will claim that they [the benchmarks] don't fairly test their machines. Editors claim they are too complex or not broad enough. But readers appreciate our work, and that is important." —Michael E. Nadeau

At last, an assistant that follows your directions



Wouldn't it be great to delegate your routing?

You can! We know your time is valuable. That's why Wintek pioneered comprehensive and affordable CAD packages for IBM personal computers. HiWIRE-Plus continued that tradition, integrating schematic-capture features and printed-circuit-artwork capabilities into one versatile package.

New autorouter.

The Autorouter for HiWIRE-Plus is powerful enough to handle the most demanding design problems, yet simple enough for a casual user. Just turn it loose on your design. It's hassle free because it works long hours, without supervision or errors.

100% autorouting.

The autorouter for HiWIRE-Plus rips-up, reroutes, and with appropriate design rules, racks up 100% completion.

- Forget gridded routers. This autorouter places vias and traces anywhere your design rules allow. With 1-mil resolution.
- Vary trace width and spacing for individual networks. Route 1, 2, 3, or more tracks between IC and connector pins.
- Set up boards from 1 to 250 layers, up to 60" x 60".
- Specify shape, size, and type of vias, layer-by-layer: through-hole, blind, buried, micro. Specify via types for individual networks.
- Use fewer vias and layers than comparably priced autorouters.
- For use on your IBM PC, XT, AT, PS/2, or compatible with 640K RAM.

Why pay more for a 100% autorouter?

Compare the features and performance to packages costing five times more. HiWIRE-Plus and the Autorouter for HiWIRE-Plus sell for \$895 each. Both have a no-nonsense, 30-day money-back guarantee. With unlimited, toll-free, no-charge technical support.

Let HiWIRE convince you that it makes a great assistant. Call us toll-free at (800) 742-6809 today and put HiWIRE-Plus and the Autorouter for HiWIRE-Plus to work for you tomorrow.



Wintek Corporation
1801 South Street
Lafayette, IN 47904-2993
Fax: (317) 448-4823
Phone: (317) 742-8428 or

(800) 742-6809

Australia: Wintek Software, Phone (08) 2720028, Fax (08) 3733145

Europe: RIVA Ltd, England, Phone 0420 226666, FAX 0420 237000 / Brazil: Comicro, Phone (11) 289-7193 / Japan: BEST, Phone: (03) 374-1161, FAX (03) 374-9450

Circle 400 on Reader Service Card

Word processing will two pages than it ha

What you see is what you get.

Also known as WYSIWYG, this on-screen editing feature lets you see exactly what your changes are the instant you make them.

Location, location, location.


Use the ruler to make everything flush left, or right. Or centered. Single-spaced. Double-spaced. Anywhere and any way you want it. With one simple click.

It's a wrap.

You can move or resize any positioned object, such as a chart or table, and watch the text automatically wrap the whole thing into a nice, neat package.

We've got tables covered.


This feature makes creating a table as easy as creating a spreadsheet, sending the TAB key the way of carbon paper.



Make sure your numbers add up.

Through dynamic data exchange (DDE), any changes made to the original spreadsheet will show up here automatically. It's convenience words can't describe.

Something happens the first time you look at new Microsoft® Word for Windows.™



You stare. A conscious close of the mouth may even be necessary.

Don't worry. It's a standard reaction. Because when it comes to word processing on a PC, Word for Windows

isn't like anything you have ever seen before.

In creating it, we took the collective experience of producing the two leading word processing programs, powerful Word for the PC and the Macintosh.® Consequently, every level of word processing, from the quick memo to the complex document, becomes very easy and simple to do. Down-right elementary, actually.

Gone is the need to memorize a series of key-

For more information, call (800) 541-1261, Dept. K51. Outside the U.S. and Canada, call (206) 882-8661. © 1990 Microsoft Corporation. Microsoft and the Microsoft logo are registered trademarks and Making it all make sense and Windows are trademarks of Microsoft Corporation. Word company. *The Working Model saves and prints documents up to two pages in length; the charge of \$9.95 covers shipping/handling, excluding sales tax, and is refundable upon acquisition of product, for a limited time. Offer good only in the 50 United States.

evolve more on these s in the last ten years.



See, point, do.

A liberal collection of icons located on the Ribbon replaces an endless string of commands to let you format characters by eye instead of by memory.


Help wanted.

Word for Windows context-sensitive, on-line help gets you up and running quickly. And keeps you there.



Customize your menu to serve you.

You can create your own time-saving menu commands to speed up your daily routine. And we've combined sophisticated features like macros, Styles and glossaries into Document Templates, bringing task automation to a new level.



Express yourself.

Change everything from the size of your type to the look on your face.

Choose your weapon.

Word for Windows was designed with the mouse in mind, but it can be used equally well with keyboard commands.

strokes. Now you can rely on icons that are instantly understandable. No more prompt this for that to happen. Prompt that for this to happen.


We've even devised a way for Word for Windows to utilize your existing work, by giving it the ability to directly read and write a number of file formats, including DCA, WordPerfect®, WordStar®, Word for the PC and MultiMate®.

To see exactly what we're talking about, call

(800) 541-1261, Dept. K51. We'll send you a free brochure or a fully-functional Working Model for \$9.95.* We truly believe that Word for Windows, and the graphical user interface, are the way of the future. And the future is now.

Microsoft
Making it all make sense®

* is a registered trademark of WordPerfect Corporation. WordStar is a registered trademark of MicroPro International Corporation. Macintosh is a registered trademark of Apple Computer, Inc. MultiMate is a registered trademark of MultiMate International Corporation, an Ashton-Tate



STYLE AND SUBSTANCE

A few changes in BYTE, and a curious tidbit in the Xerox vs. Apple lawsuit

Here's a common problem: You find a new software package that looks like just what you need. Then you open up the package and find that the documentation (if there is any) consists of a couple of folded sheets, an errata list, and a rabbit's foot. The "simple installation procedure" requires a Ph.D. in computer science, and the user interface could make strong men cry. The most frustrating part of this scenario is that the package may indeed be just what you need, if you could only figure out how to use it!

At BYTE, we are well aware that magazines can fall into the same trap as software publishers. BYTE has always provided the most in-depth technical information available among computer magazines. In the last few years, we've worked hard to make that information more readable and more practical. We've brought some of the top writers in the industry on-board to help us bring you substantive information in a clear, accessible style.

We've also made periodic adjustments to our "user interface"—the parts of the magazine that help you get *at* all that information. Five times a year, we ask a large number of randomly selected BYTE subscribers what they think of BYTE. We also get mail—boy, do we get mail—every day, from readers who take their own time to write to us. That all adds up to an impressive amount of suggestions, advice, and thoughtful observations that lets us know how we can make BYTE serve you better. Here are a few changes that we're instituting with this issue.

Spotlight

First, we've added a new Spotlight section on page 6, to help call your attention to unusual or especially noteworthy items in each issue's editorial lineup. For example, this month's Spotlight focuses on our new Unix benchmarks and lets you meet the folks who wrote them.

News

We've renamed our opening section News, which starts off with BYTE's award-winning Microbytes section. This is followed by our new product department, What's New, which has been given a modest face-lift.

Beta Hardware and Software

A bit further into the magazine, you'll now find all articles dealing with beta software and preproduction hardware grouped together.

On page 114, our redesigned Short Takes section brings you succinct summaries of the most interesting soon-to-be-released hardware and software we've learned of. Immediately after Short Takes, you'll find First Impressions on page 122 (this month's issue has only one); these are longer, more in-depth looks at especially significant forthcoming products. Naturally, the number of First Impressions each month varies with the level of innovation in the microcomputer industry.

New Columns

Two new columns have drawn so much attention that we're giving them their own section: Perspectives will contain our popular opinion column Stop Bit and Hugh Kenner's Print Queue column. Stop Bit and Print Queue will be joined by the ever-popular question-and-answer portion of Jerry Pournelle's Computing at Chaos Manor column, Chaos Manor Mail.

Please take a look at these changes, and tell me what you think. Your opinion matters, and it will help us make BYTE

exactly what you need in a computer magazine.

Xerox vs. Apple

The lawsuit that Xerox has filed against Apple, alleging that Apple had misappropriated Xerox technology in producing the Macintosh, sent some readers into their back issues of BYTE.

Back in February 1983, BYTE published an interview with three key members of the Apple Lisa design team: Wayne Rosing (technical manager of the entire Lisa project), Bruce Daniels (Lisa systems software), and Larry Tesler (Lisa applications software). The Lisa, of course, was the precursor to the Macintosh.

The interview goes on for many pages, revealing a number of interesting and little-known facts, including this tidbit:

BYTE: Do you have a Xerox Star here that you work with?

Tesler: No, we didn't have one here. We went to the NCC when the Star was announced and looked at it. And in fact it did have an immediate impact. A few months after looking at it we made some changes to our user interface based on ideas that we got from it. For example, the desktop manager we had before was completely different; it didn't use icons at all, and we never liked it very much. We decided to change ours to the icon base. . . .

If you're interested in the legal roots of one of today's thorniest computer-related lawsuits, there's lots more in the interview; it begins on page 90 of that issue. There's also substantial current discussion on BIX, especially in the "apple-case" topic of Jerry Pournelle's tojerry conference. (My thanks to "kkubik" on BIX, who brought this to my attention.) It's worth checking out.

—Fred Langa
Editor in Chief
(BIX name "flanga")

Be Objective.

Turbo Pascal®, the world-standard Pascal compiler, adds Object-Oriented Programming with our new version 5.5. We combined the simplicity of Apple's Object Pascal language with the power and efficiency of C++ to create Turbo Pascal 5.5, the object-oriented programming language for the rest of us.

It's easy to extend yourself

If you're already programming with Turbo Pascal, it's easy to extend yourself from structured programming to object-oriented programming. And, Turbo Pascal 5.5 is the *only* compiler that is 100% source-code compatible with your existing Turbo Pascal 4.0 and 5.0 programs.

A fast object lesson

Object-oriented application programs more closely model the way you think. Objects contain both data and code.

As in a spreadsheet cell, the value and the formula are together. Objects can *inherit* properties from other objects. For example, a Porsche Carrera inherits most

attributes from the base model 911, but it also sports a whale tail.

Turbo Pascal 5.5's object-oriented extensions give you code that's easier to change, extend, and support.


Turbo Pascal 5.5 Professional with Turbo Debugger® and Turbo Assembler®

The award-winning Turbo Debugger now includes an object inspector and hierarchy browser. And Turbo Debugger can debug any size program.

Upgrade objectively

Pascal owners: Upgrading from Turbo Pascal 5.0 to 5.5 is only \$34.95 plus \$5 shipping and handling (\$75 plus shipping and handling for owners of Turbo Pascal 4.0 or earlier). And upgrading from Turbo Pascal 5.0 and

earlier to Turbo Pascal 5.5 Professional is only \$99.95 plus \$10 shipping and handling. To order, CALL (800) 331-0877.



Inheritance provides powerful modeling capabilities by allowing objects to inherit attributes from other objects.

Turbo Pascal 5.5 Features

- Inheritance
- Static & dynamic objects
- Constructors & Destructors
- Object constants
- Compiles @ > 34,000 lines/minute
- New integrated environment tutorial
- Hypertext Help with copy and paste
- Enhanced smart linker & overlay manager
- Support for 8087/80287/80387
- Integrated source-level debugging



B O R L A N D

Code: MA49

Mail upgrade orders to: Borland, P.O. Box 660001, Scotts Valley, CA 95066-0001. For orders outside the U.S., call (408) 438-5300. Turbo Pascal, Turbo Debugger, and Turbo Assembler are registered trademarks of Borland International. Copyright ©1989, Borland International, Inc. All right reserved 1324

Circle 38 on Reader Service Card (DEALERS: 39)



You want

to move into the future without letting go of the past. OS/2 can do!

Making the move to OS/2® isn't all or nothing. In fact, OS/2 and DOS can work together—in the same office, on the same network and even on the same workstation. So it's easy to protect your hardware and software investment.

The key is compatibility. You can take advantage of powerful new OS/2 software, run most of the top DOS applications or toggle back and forth as the tasks demand it. A dual-boot feature also allows you to choose a pure DOS or OS/2 environment at any time.

And don't be surprised that most of your favorite DOS applications are now available for OS/2. They've been redesigned and go beyond DOS memory limits to provide additional functions that help you be more productive—with the benefits of multitasking and OS/2's graphical interface, Presentation Manager.™

Want to keep what you have and still move into the future? With OS/2, the solution is IBM.

To find out more about OS/2, just contact your IBM Authorized Dealer or marketing representative. For a dealer near you, call 1 800 IBM-2468, ext. 205.



IBM and OS/2 are registered trademarks and Presentation Manager is a trademark of International Business Machines Corporation. © 1989 IBM Corp.

The IBM logo, consisting of the letters 'IBM' in a stylized, blue, blocky font with horizontal stripes.

BYTE

EDITOR IN CHIEF
Frederic S. Langa

OPERATIONS

Glenn Hartwig *Associate Managing Editor*

REVIEWS (Hardware, Software, Product Focus)

Michael Nadeau *Associate Managing Editor*, Dennis Allen *Senior Technical Editor*, Software, Richard Grehan *Director*, BYTE Lab, Stephen Apiki *Testing Editor*, BYTE Lab, Stanford Diehl *Testing Editor*, BYTE Lab, Howard Eglowstein *Testing Editor*, BYTE Lab, Stanley Wszola *Testing Editor*, BYTE Lab

NEWS AND TECHNOLOGY

(Microbytes, What's New, Short Takes)

New York: Rich Malloy *Associate Managing Editor*, Andrew Reinhardt *Associate News Editor*

Peterborough: D. Barker *Senior Editor, News and Technology*, Anne Fischer *Senior Editor, New Products*, Roger Adams *Associate News Editor*, David Andrews *Associate News Editor*, Martha Hicks *Associate News Editor*

San Francisco: Nicholas Baran *Bureau Chief*, Owen Linderholm *News Editor*, Jeffrey Bertolucci *Associate News Editor*

SPECIAL PROJECTS EDITOR

Gene Smarte

SENIOR TECHNICAL EDITORS

Ken Sheldon *Features*, Jane Morrill *Tazelaar in Depth*, Tom Thompson *At Large*, Jon Udell *At Large*

TECHNICAL EDITORS

Janet J. Barron, Alan Joch, Robert Mitchell, Robert M. Ryan, Ben Smith, Tom Yager

SENIOR CONTRIBUTING EDITOR

Jerry Pournelle

CONTRIBUTING EDITORS

Bill Catchings, Don Crabb, David Fiedler, Hugh Kenner, Mark J. Minasi, Wayne Rash Jr., Mark L. Van Name

CONSULTING EDITORS

Jonathan Amsterdam, Laurence H. Loeb, Trevor Marshall, Stan Miastkowski, Dick Pountain, Philip Robinson, George A. Stewart, Peter Wayner

COPY EDITORS

Lauren Stickler *Chief*, Cathy Kingery *Copy Administrator*, Susan Colwell, Jeff Edmonds, Judy Grehan, Nancy Hayes, Margaret A. Richard, Warren Williamson

EDITORIAL ASSISTANTS

Peggy Dunham *Office Manager*, Linda C. Ryan, June N. Sheldon, Lynn Susan Valley

ART

Nancy Rice *Director*, Joseph A. Gallagher *Assistant Director*, Lisa Nardecchia *Assistant*, Jan Muller *Assistant*, Alan Easton *Technical Artist*

PRODUCTION

David R. Anderson *Director*, Virginia Reardon *Senior Editorial Production Coordinator*, Barbara Busenbark *Editorial Production Coordinator*, Denise Chartrand *Editorial Production Coordinator*, Michael J. Lonsky *Editorial Production Coordinator*

TYPOGRAPHY

Sherry Fiske *Systems Manager*, Donna Sweeney *Applications Manager*, Christa Patterson

ADVERTISING/PRODUCTION (603) 924-6448

Lisa Wozmak *Director of Advertising Services*, Christine W. Tourgee *Assistant*, Linda Fluhr *Customer Service Supervisor*, Dale Clark *Senior Account Coordinator*, Lyla Christensen, Karen Cilley, Roxanne Hollenbeck, Rod Holden, Susan Kingsbury *Creative Services Manager*, Lillian J. Doucet, Wai Chiu Li *Quality Control Manager*

ADMINISTRATION

Donna Nordlund *Publisher's Assistant*

MARKETING AND PLANNING

L. Bradley Browne *Director*, Pamela Petrakos-Wilson *Marketing Communications Manager*, Dawn Matthews *Public Relations Manager*, Lisa Jo Steiner *Assistant Promotion Manager*, Stephanie Warnesky *Marketing Art Director*, Sharon Price *Associate Art Director*, Julie Perron *Senior Market Research Analyst*, Faith Kluntz *Copyrights Coordinator*, Cynthia Damato *Sands Reader Service Coordinator*, Carol Pitman *Marketing Assistant*

FINANCIAL SERVICES

Philip L. Penny *Director of Finance and Services*, Kenneth A. King *Business Manager*, Marilyn Parker, Diane Henry, JoAnn Walter, Jaime Huber, Agnes Perry

CIRCULATION

Dan McLaughlin *Director*, Vicki Weston *Assistant Manager*, Karen Desroches *Distribution Coordinator*, Louise Menegus *Back Issues*, Ellen Dunbar *Direct Accounts Coordinator*, Karen Carpenter *Direct Accounts Telephone Sales Representative*

PERSONNEL

Patricia Burke *Human Resources Administrator*, Beverly Goss *Receptionist*

BUILDING SERVICES

Tony Bennett *Manager*, Cliff Monkton, Mark Monkton, Gary Graham

EXCHANGE EDITORS

Laurence H. Loeb *Macintosh Exchange*, Barry Nance *IBM Exchange*, David Reed *User Group Exchange*, Myrrh Mist *Interactive Game Exchange*, Joanne Dow *Amiga Exchange*, Wayne Rash Jr. *Writers Exchange*

BUSINESS AND MARKETING

Patricia Bausum *Secretary*, Denise A. Greene *Customer Service*, Brian Warnock *Customer Service*, Tammy Burgess *Customer Credit and Billing*

TECHNOLOGY

John Spadafora *Programmer/Analyst*, Peter Mancini *Programmer*

PUBLISHER/GROUP VICE PRESIDENT

J. Burt Totaro

ADVERTISING SALES

Steven M. Vito *Associate Publisher*, *Vice President of Marketing*

Carol Cochran *Administrative Assistant*

Arthur H. Kossack *Eastern Regional Sales Manager*, (312) 751-3700

Jennifer L. Bartel *Western Regional Sales Manager*, (214) 644-1111

Susan Vernon *Sales Assistant*

NEW ENGLAND

ME, NH, VT, MA, RI, ONTARIO, CANADA, & EASTERN CANADA
Daniel D. Savage (617) 262-1160

ATLANTIC

NY, NYC, CT, NJ (NORTH)
Kim Norris (212) 512-2645

EAST

PA, KY, NJ (SOUTH), MD, W. VA, DE, DC
Thomas J. Brun (215) 496-3833

SOUTHEAST

NC, SC, GA, FL, AL, TN, VA, MS, AR, LA
John Schilin (404) 252-0626

MIDWEST

IL, MO, KS, IA, ND, SD, MN, WI, NE, IN, MI, OH
Kurt Kelley (312) 751-3740

SOUTHWEST, ROCKY MOUNTAIN

CO, OK, TX
Alison Keenan (214) 644-1111

SOUTH PACIFIC

SOUTHERN CA, AZ, NM, LAS VEGAS, UT
Ron Cordek (714) 557-6292

Andrew B. Uphoff (213) 480-5243

NORTH PACIFIC

HI, WA, OR, ID, MT, NORTHERN CA, WY, NORTHERN NV, WESTERN CANADA
Bill McAfee (408) 679-0371
Roy J. Kops (415) 362-4600

OUTSERTS

Scott Gagnon (603) 924-4380

INSIDE SALES

Liz Coyman *Director*
Susan Boyd *Administrative Assistant*

NATIONAL SALES

Mary Ann Goulding (603) 924-9281
Patricia Payne (603) 924-2654
Jon Sawyer (603) 924-2665

BYTE BITS (2x3)

Mark Stone (603) 924-6830

THE BUYER'S MART (1x2)

Brian Higgins (603) 924-3754

REGIONAL ADVERTISING SERVICES

Larry Levine (603) 924-4379
Barry Echavarria (603) 924-2574

BYTE POSTCARD DECK MAILINGS

BYTE DECK

Ed Ware (603) 924-6166

COMPUTING FOR DESIGN & CONSTRUCTION

COMPUTING FOR ENGINEERS
Ellen Perham (603) 924-2598

INTERNATIONAL ADVERTISING SALES STAFF

See listing on page 353.

EDITORIAL AND BUSINESS OFFICE:

One Phoenix Mill Lane, Peterborough, NH 03458, (603) 924-9281.

West Coast Branch Offices: 425 Battery St., San Francisco, CA 94111, (415) 954-9718; 3001 Red Hill Ave., Building #1, Suite 222, Costa Mesa, CA 92626, (714) 557-6292.

New York Branch Editorial Office: 1221 Avenue of the Americas, New York, NY 10020, (212) 512-3175.

BYTEnet: (617) 861-9764 (set modem at 8-1-N or 7-1-E; 300 or 1200 baud).

Editorial Fax: (603) 924-2550. **Advertising Fax:** (603) 924-7507.

SUBSCRIPTION CUSTOMER SERVICE: Outside U.S. (609) 426-7070; inside U.S. (800) 232-BYTE. For a new subscription—(800) 257-9402 U.S. only, or write to BYTE Subscription Dept., P.O. Box 555, Hightstown, NJ 08520. Subscriptions are \$29.95 for one year, \$54.95 for two years, and \$74.95 for three years in the U.S. and its possessions. In Canada and Mexico, \$31.95 for one year, \$59.95 for two years, \$79.95 for three years. \$50 for one-year air delivery to Europe. Y28,800 for one-year air delivery to Japan. Y14,400 for one-year surface delivery to Japan, \$30 surface delivery elsewhere. Air delivery to selected areas at additional rates upon request. Single copy price is \$3.50 in the U.S. and its possessions, \$3.95 in Canada, \$4.50 in Europe, and \$5 elsewhere. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue.

EDITORIAL CORRESPONDENCE: Address editorial correspondence to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Unacceptable manuscripts will be returned if accompanied by sufficient postage. Not responsible for lost manuscripts or photos. Opinions expressed by the authors are not necessarily those of BYTE.

PHOTOCOPY PERMISSION: When necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 27 Congress St., Salem, MA 01970, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 27 Congress St., Salem, MA 01970. Specify ISSN 0360-5280/83, \$1.50. Copying done for other than personal or internal reference use without the permission of McGraw-Hill, Inc., is prohibited. Requests for special permission or bulk orders should be addressed to the publisher. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London WC1R 4EJ, England.

OFFICERS OF MCGRAW-HILL INC.: Joseph L. Dionne, Chairman, President and Chief Executive Officer; Robert N. Landes, Executive Vice President, General Counsel and Secretary; Walter D. Serwatka, Executive Vice President; Frank D. Penglase, Senior Vice President, Treasury Operations; Robert J. Bahash, Executive Vice President and Chief Financial Officer; Thomas J. Sullivan, Executive Vice President, Administration; Mary A. Cooper, Senior Vice President, Corporate Affairs, and Executive Assistant to the Chairman; Ralph R. Schulz, Senior Vice President, Editorial.

FOUNDER: James H. McGraw (1860-1948).

REGISTERED TRADEMARKS: Copyright © 1990 by McGraw-Hill, Inc. All rights reserved. BYTE and BYTE are registered trademarks of McGraw-Hill, Inc. Trademark registered in the United States Patent and Trademark Office.

MEMBER: Audit Bureau of Circulation

BIX BYTE INFORMATION EXCHANGE

DIRECTOR

Stephen M. Laliberte


MANAGING EDITOR

Tony Lockwood

MICROBYTES DAILY

D. Barker *Coordinator*, Peterborough, Rich Malloy *New York*, Nicholas Baran *San Francisco*, Jeffrey Bertolucci *San Francisco*, Laurence H. Loeb *Wallingford, CT*, Stan Miastkowski *Peterborough*, Wayne Rash Jr. *Washington, DC*, David Reed *Lexington, KY*, Andrew Reinhardt *New York*, Jan Ziff *Washington, DC*

Instant gratification.



Don't put off your desires any longer. *Carpe diem!* Live for the moment! Life is too short to wait on slow software.

Just press an Intel® Math CoProcessor into the motherboard of any IBM® or compatible PC. It will work effortlessly with the Intel microprocessor already inside, and will inspire over 300 database, spreadsheet, CAD or business graphics programs to race through

their functions—up to five times* faster.

For more information, contact your local dealer. Or call (800)538-3373 for "Intel Math CoProcessor Technotes," a collection of benchmarks and software lists. For instant gratification (and instant product literature), call our FaxBack™ number at (503)629-7576 and ask for Document #9970. We'll fax it directly to you.

So do it now. What are you waiting for?

intel®

© 1989 Intel Corporation. Intel is a registered trademark of Intel Corporation. FaxBack is a trademark of Intel Corporation. IBM is a registered trademark of International Business Machines Corporation. Intel Bulletin Board Service (503)645-6275 (modem parameters N-8-1); CompuServe: Mailbox 70307, 461; MCI Mail: Mailbox "INTEL SUPPORT" *Performance increase will vary.

Circle 131 on Reader Service Card

World Radio History

At last! A new HP LaserJet just for you.


At only \$1495*, it's got your name on it.

The HP LaserJet printer family has expanded—in a small way.

The new HP LaserJet IIP (as in Personal) fits right on your desk. And, with a price almost half of the multi-user LaserJet Series II*, into most budgets.

Its simple front panel gives you easy, push-button control over the menu, the 14 internal fonts, form feed and other functions. It handles four different paper sizes: letter, legal, executive and A4, as well as envelopes. In portrait

*Suggested U.S. list prices:
LaserJet IIP \$1495;
LaserJet Series II \$2695.
Dealer prices vary.



**HP LaserJet printer family
welcomes a small addition.**

The new HP LaserJet IIP printer is priced at \$195* - almost half the cost of the multi-user LaserJet Series II. But with all the family characteristics that have made HP LaserJets so widely popular, their superior text and graphics have helped well more than a million of them. Success like this has obviously spawned imitators. But none of them can match HP's record for reliability in getting the job done, beautifully and efficiently. Year in, year out.

We expect the break-through price and size of the new LaserJet IIP where it's never gone before. Right onto the desks of individuals, in companies up with PCs all over the world.

You'll find the newest member of our LaserJet family quietly humming away at your authorized HP dealer. Showing no doubts the print quality and graphics tricks that will make you want to take one back to the office.



*A chip off the old block.
The new HP LaserJet IIP printer (front)
with the best-selling powerhouse
LaserJet Series II.*

HEWLETT
PACKARD LaserJet IIP

or landscape configurations. At four pages a minute. From one or two paper bins (the second is optional).

The 512K standard memory is upgradable to 4.5 Mbytes for more complex graphics and publishing programs.

And, of course, our new printer is compatible with the HP LaserJet Series II and virtually all popular PC software.

So call 1-800-752-0900, Ext. 277J for your nearest authorized HP dealer. Then


introduce people at your company to their very own HP LaserJets.

There is a better way.



Circle 116 on Reader Service Card

Great Moments in C-Programmer Evolution



Code-dweller emerges from the jungle

It's a jungle in there," said the programmer looking at the code for the user interface of an application. "Every year it gets worse."

Don't despair. Finally, there is a way out. Vermont Views™ 2.0.

From Complexity to Simplicity

Vermont Views 2.0 replaces the complexities of interface coding with the simplicity of the Vermont Views Designer. This powerful interactive forms designer works in concert with our comprehensive library of over 550 functions to make interface development and management quicker and easier than ever before.

Development Will Never Be the Same Again

With the Vermont Views Designer you will quickly create operational prototypes of an application interface—and enjoy doing it! Because design is fast and visual, you will involve your clients actively from the beginning. Last-minute change requests will be accepted without battles or escalating costs.

No longer will you throw away months of prototype code—the prototype will become the implementation. And, integration and final testing will go faster, because all Designer objects are tested for validity as they are created.

No More Maintenance Blues

Software maintenance typically accounts for over 50 percent of total lifecycle programming effort—and a higher percentage of headaches. With the Vermont Views Designer, you will always be able to revise the interface quickly and easily, seeing the changes as you make them.

The Vermont Views Difference

Screen generators for most C-libraries require you to modify generated source code to create fully functional forms—after which you can no longer use the screen generator. Not so with the Vermont Views Designer. Designer forms and menus can incorporate any of the special capabilities of Vermont Views—such as nested menus, scroll bars, tickertape fields, scrollable form regions, choice lists, and memo fields—and still be revised interactively.

Message from the Jungle

"At a recent field staff meeting, we were able to get a consensus on what forms should look like by using the Designer on a big screen TV. Changes can be posted real-time, and a functioning prototype results from the exercise. The form designer is GREAT."

—Randy Jones, Beta Tester

Globally Applicable


Use Vermont Views with any database or file manager with a C-language interface, such as Oracle, Informix, dBase, Clipper, dbVista, Btrieve, and C-tree. Maintain the same interface with the same source code under DOS, OS/2, UNIX, XENIX, and VMS.

Create interfaces for any roman-based language. Truly a global solution for your interface needs.

100% No-Risk Guarantee

We believe in our product. Try Vermont Views for as long as you want.

No limits. If not fully satisfied, return for a full refund.



Free Test Drive

Call now for a free DOS working copy of the Designer, lacking only the ability to save forms. Get out of that jungle!

Call 800-848-1248

Fax 802-848-3502



**Vermont
Creative
Software**

Pinnacle Meadows, Richford, VT 05476
Phone: 802-848-7731 Telex: 510-601-4160

MICROBYTES

Staff-written highlights of developments in technology and the microcomputer industry, compiled from *Microbytes Daily* and *BYTEWEEK* reports

Multimillion-Transistor Chip Can Repair Itself

Engineers from TRW and Motorola, working together under contract for the Department of Defense, say that they've succeeded in putting more transistors on a chip than ever managed before. The new Central Processing Unit-Arithmetic Extended SuperChip holds about 4 million 0.5-micron CMOS devices and is capable of performing 200 million floating-point operations per second, according to Motorola. This amount of processors would put the single 1½-ounce chip on the same processing level as supercomputers.

One problem with a chip of this size and density is a tendency toward high failure rates. But the developers have equipped the SuperChip with a way of "repairing" itself if any of its parts fail.

The SuperChip is used with a "satellite" chip, the TRW-Motorola Universal Processor (UP), which configures the SuperChip initially, tests it, and monitors it during operation. The SuperChip's ability to repair itself is due to its modular nature. The SuperChip architecture consists of "macrocells" that are essentially processor building blocks. The chip holds 142 of these, of which only 61 are required for the SuperChip to be fully functional. The UP tests the SuperChip initially and marks those macrocells that do not work. It then configures the SuperChip to use a working combination of 61 macrocells and marks the rest of the functioning macrocells for later use if any part of the chip should fail. If any macrocells do fail, then the UP can reconfigure the SuperChip to use one of these spare macrocells.

Each of the macrocells represents a standard processor function and operates as an independent device. The macrocells range in size from 10,000 to 100,000 logic devices. The SuperChip uses the following macrocells: address generator, microcontrol unit, multiplier/accumulator, UP, read memory interface, write memory interface, column disable block unit, ALU, storage element, and one-port RAM unit. One or more of each of these is required to build a functioning SuperChip.

The SuperChip is intended to be used as the central processor for advanced digital signal processing systems, particularly in military systems, where the self-repairing design would be useful. However, Motorola and TRW also envisage future versions of the chip being used in commercial applications, particularly in complex imaging, medical diagnosis, and CAD.

The longer-term implications are also very interesting. Usually producing such complex chips at the limits of current technology is an expensive business because of the high failure rates of chips using these methods. The SuperChip architecture, however, allows for manufacturing flaws in the production of the SuperChip without affecting its ability to function. This results in a higher and more commercially viable manufacturing success rate. The technique could allow chip makers to produce more powerful processors much faster than they otherwise might. Perhaps Intel's 80786 CPU will be ready by the year 2000 after all.

—Owen Linderholm

Network Shell "Masks Differences"

VXM Technologies (Boston) has come up with a novel approach to the problems of distributed computing over a network of heterogeneous (and sometimes mutually hostile) systems. The VXM Network Shell essentially takes the concept of the Unix shell

commonly used in that environment and extends it to control a network.

According to VXM president Franco Vitaliano, the VXM shell "essentially masks differences between machines and operating

continued

NANOBYTES

Thinking Machines (Cambridge, MA) is aiming for a speed record of **1 trillion operations per second** with a future model of its parallel-processing Connection Machine. The current million-dollar machine uses 32,000 processors to zip through 8 billion floating-point operations per second, according to company figures. Thinking Machines, working under a Defense Advanced Research Projects Agency contract, plans to have the components of its new system working in 1992; there's no official word on when the Mega machine itself will be ready. The biggest river to cross, according to chief scientist Danny Hillis, is incorporating fault tolerance into the massively parallel machine.

Only a memory: After eight months of trying to garner investors and support, **U.S. Memories**, the proposed cooperative venture for making DRAM chips in the U.S., called it quits. Formed last June, the company had the backing of heavyweights like IBM, Digital Equipment, Hewlett-Packard, and Intel, but other computer makers, like Apple and Sun, refused to get involved, saying that their supplies of memory chips are adequate. The initial investors figured that they would need \$1 billion to make the proposal work. Some industry watchers lamented the demise of U.S. Memories, charging domestic computer companies with too much attention to short-term profits and too little memory of last year's shortage of DRAM chips.

More than one-half of the state departments of transportation are using **CAD systems** and are now requiring contractors to do the same, according to Design Systems Strategies (Scarborough, ME). The state agencies are using more Intergraph workstations than any other type of system, DSS says in a recent report.

NANOBYTES

Meanwhile, in Japan, the Japan Personal Computer Software Association (Tokyo) will start next month conducting **certification exams for CAD operators**. The organization hopes to increase the number of CAD users in the country, as well as boost their knowledge of the subject. Government agencies back the program.

IBM has developed a new hardware/software combo that lets **hearing-impaired people send voice messages from a PC** to someone using an ordinary push-button telephone, who can then reply using the telephone's keypad. The new \$600 Phone-Communicator, which works with the IBM PC or PS/2 Models 25 and 30, consists of a multifunction board with a modem and a speech synthesizer and software for writing and reading messages. The hearing-impaired user types a message on the computer keyboard, and the synthesizer speaks it over the telephone; the hearing user types a response using the letters on the telephone keypad, and the system translates tones and sends them to the computer screen. For information, contact the IBM National Center for Persons with Disabilities, P.O. Box 2150, Atlanta, GA 30055, (800) 426-3388 (voice) or (800) 426-2133 (TDD).

Borland International has sold off another of its Turbo packages. This time it's **Turbo Prolog**, which now is in the hands of its creator, the **Prolog Development Center**, based in Denmark and Atlanta. PDC will develop, market, and support future versions of the Prolog compiler, including a new OS/2 version (slated to be out last month) and one for The Santa Cruz Operation's Unix, scheduled for later this year. PDC says it has improved the current DOS edition by adding more than 40 new predicates and a better interactive development environment. The biggest difference is that PDC has rewritten Turbo Prolog to be more modular, making it easier to bring out versions for other operating systems.

systems." In each computer on a network, a small (128K-byte) VXI program written in ANSI C interprets ASCII scripts written in the VXI programming language. Vitaliano says that only about 10 percent of the VXI shell has to be customized for the operating system that it's running under. Each machine on the network "sees" the VXI shell as just another running application.

The result, according to Vitaliano, is that the VXI shell provides a way to develop software on one machine (e.g., a PC running DOS) and distribute the script across the network to run on any other system (e.g., a Sun workstation running Unix). Unlike applications developed in a portable language such as ANSI C, programs developed using the VXI language don't need to be modified and recompiled to run under a different operating system because they're plain-vanilla ASCII.

Currently, the VXI system, which Vitaliano calls a "SoftRobot," runs only on Novell and TCP/IP networks. But he expects the company to migrate the VXI system to OSI and proprietary networks in the near future. Whichever network it runs on, programmers won't need to learn any technical details of the network to

develop distributed applications, VXI claims; the VXI shell insulates them from network and operating-system particulars.

In a heterogeneous system, VXI says, the VXI system can automatically perform a complex series of actions, translate commands between unlike systems, start other tasks, supervise systems, run software, use communications and I/O facilities, read and write files, use file systems and databases, leave messages, unify different E-mail systems, operate equipment, and interact with users.

The VXI Network Programming language is similar to Lisp, although it uses C syntax. However, it's designed and optimized for operation on ASCII character strings. It consists of 85 primitives. VXI scripts can execute VXI programs simultaneously at several nodes across the network. Vitaliano says that one of VXI's most powerful features is its macro-generation capabilities. Previously defined scripts can call other scripts.

VXI Network Shell costs \$895 for DOS-based systems (\$295 for each additional node), \$2495 for Unix workstations, and \$2995 and up for VAX systems. The company expects to have a shell for the Macintosh soon.

—Stan Miastkowski

Microprocessors Are Bringing Down the High Cost of Supercomputing

Supercomputing no longer means liquid-nitrogen coolant and millions of dollars. New systems that use large arrays of microprocessors are providing computing capability comparable to that of some supercomputers at a significantly lower price.

The new iPSC/860 from Intel Scientific Computers (Beaverton, OR) is a parallel-processing system based on Intel's i860 RISC-like CPU, a high-speed chip with powerful floating-point capabilities. This machine, which starts at \$265,000, comes standard with eight i860 processors and can be configured with as many as 128. Intel claims that the top-of-the-line iPSC/860 can perform up to 7.6 billion floating-point operations per second, putting it in the same neighborhood as a Cray Y-MP supercomputer. The system supports as many as 128 I/O controllers, each of which is based on an Intel 80386 processor and can have as much as 2

gigabytes of memory. The iPSC runs a version of Unix optimized for parallel code execution and comes with software for generating parallel-processing applications.

As the cost of the i860 comes down, so will the price of systems using it. Intel's new machine suggests that a commercial Unix-based system with two to four processors could be built not too long from now and priced at \$30,000 or less.

MasPar Computer (Sunnyvale, CA) uses a massively parallel architecture in its new family of "minisupercomputers." The MP-1 system can be packed with thousands of processors—from 1024 to 16,384. This approach is similar to that of Thinking Machines, whose million-dollar Connection Machine strings together 32,000 processors. MasPar claims the low-end MP-1101 (\$117,000) can crank out 1875 million instructions

continued

You don't have to be a rocket scientist to program in BASIC.



Granted, with Microsoft's BASIC Professional Development System, rocket scientists can work wonders every day of the week.

But if you want to work better in this stratosphere, Microsoft® QuickBASIC is all you need.

Instead of an I.Q. test, you get a step-by-step printed tutorial that guides you through a complete working program. And our handy on-line electronic manual lets you put your finger on anything you want to know instantly, or copy and paste sample code into your program window.


Meanwhile, our on-line training and Easy Menus make you feel at home in your new environment in minutes—not hours. And to simplify things even more, our intuitive interface offers context-sensitive help. Plus a debugger that gets your program up and running in record time.

Naturally, this BASIC also turns out code at record speed—150,000 lines per minute.

Not surprisingly, *PC Magazine* called it "... perhaps one of the greatest software programs ever written" and gave it their Editor's Choice Award.

All of which only goes to prove one thing: you don't have to be a rocket scientist to conquer new frontiers.

Just smart enough to get a hold of our Microsoft QuickBASIC.



Microsoft
Making it all make sense®

Customers within the 50 United States, call (800) 426-9400. Customers in Canada, call (416) 673-7638. Outside the U.S. and Canada, call (205) 882-8861. © 1990 Microsoft Corporation. All rights reserved. Microsoft and the Microsoft logo are registered trademarks and Making it all make sense is a trademark of Microsoft Corporation.

YOU'VE GOT A FRIEND



Whether you are considering one computer or 1000 you can feel secure in buying from Gateway 2000. You are assured of getting fully loaded machines for the same price as the competition's stripped down models.

The standards in your new system will be second to none. From painstaking assembly by Gateway technicians to rigorous quality controls, the system you receive will be the best value in the industry.

Here is what the experts have to say:

"...when evaluating the whole package, the Gateway 386 surpasses all others."

Byte Magazine

Oct. 1988, Pg. 176

"...highly reliable and affordable."

PC Magazine

"Low-price, high quality components, solid performance, and the promise of support after the sale make the Gateway 2000 386/33 an attractive option."

PC Resource

You will discover that we stand behind your decision to purchase a Gateway 2000 system in every way.

- 30 Day Money Back Guarantee
- 1 Year Warranty
- Lifetime Toll-Free Technical Support
- BBS Technical Support Service
- Free Federal Express Shipment of Replacement Parts
- AND...

If you can't be helped through the phone, BBS or Federal Express, then we provide **FREE ON-SITE SERVICE** to most locations.

From your initial purchase from a knowledgeable sales representative to **lifetime**, toll-free technical support **you've got a friend in the business.**


Here's just a small sampling of what owners of Gateway 2000 systems have to say:

"I like the machine. I am rather picky but no one ever lost their cool. Courteous and polite all the way. Would I do it again? You bet."

Ralph Kissel, Senior Electronics Engineer

"We've standardized on Gateway 2000 systems in our department. Your prompt service and technical support has kept our sales operation running better than ever. Based on the quality and performance of your systems, I would strongly recommend them to other corporations."

**Elizabeth Coyman, McGraw-Hill
Director of Inside Sales**



Call Toll Free 800-523-2000

610 Gateway Drive • North Sioux City, South Dakota 57049 • Telephone 605-232-2000 • Fax 605-232-2023

Circle 109 on Reader Service Card

ND IN THE BUSINESS.



12 MHZ ■ 286 VGA

- 80286-12 Processor
 - 2 Megs RAM
 - 1.2 Meg 5¼" Drive
 - 1.44 Meg 3.5" Drive
 - 65 Meg 28ms RLL Drive
 - 16 Bit VGA with 512K
 - 14" 1024 x 768 Color Monitor
 - 1 Parallel & 2 Serial Ports
 - 101 Key Keyboard
 - MS DOS 3.3 or 4.01
- \$1995.00**

GATEWAY ■ 386SX

- 2 Megs RAM
 - 1.2 Meg 5¼" Drive
 - 1.44 Meg 3.5" Drive
 - 65 Meg 28ms RLL Drive
 - 16 Bit VGA with 512K
 - 14" 1024 x 768 Color Monitor
 - 1 Parallel & 2 Serial Ports
 - 101 Key Keyboard
 - MS DOS 3.3 or 4.01
- \$2195.00**

20 MHZ ■ 386 VGA

- 4 Megs RAM
 - 1.2 Meg 5¼" Drive
 - 1.44 Meg 3.5" Drive
 - 65 Meg 28ms RLL Drive
 - 16 Bit VGA with 512K
 - 14" 1024 x 768 Color Monitor
 - 1 Parallel & 2 Serial Ports
 - 101 Key Keyboard
 - MS DOS 3.3 or 4.01
- \$2695.00**
64K Cache Add \$500

25 MHZ ■ 386 VGA

- 4 Megs RAM
 - 1.2 Meg 5¼" Drive
 - 1.44 Meg 3.5" Drive
 - 160 Meg ESDI Drive
 - 32K Cache Controller
 - 16 Bit VGA with 512K
 - 14" 1024 x 768 Color Monitor
 - 1 Parallel & 2 Serial Ports
 - 101 Key Keyboard
 - MS DOS 3.3 or 4.01
- \$3395.00**
64K Cache Add \$500

33 MHZ ■ 386 VGA

- 64K Cache RAM
 - 4 Megs RAM
 - 1.2 Meg 5¼" Drive
 - 1.44 Meg 3.5" Drive
 - 160 Meg ESDI Drive
 - 32K Cache Controller
 - 16 Bit VGA with 512K
 - 14" 1024 x 768 Color Monitor
 - 1 Parallel & 2 Serial Ports
 - 101 Key Keyboard
 - MS DOS 3.3 or 4.01
- \$4395.00**

25 MHZ ■ 486 VGA

- 4 Megs RAM
 - 1.2 Meg 5¼" Drive
 - 1.44 Meg 3.5" Drive
 - 160 Meg ESDI Drive
 - 32K Cache Controller
 - 16 Bit VGA with 512K
 - 14" 1024 x 768 Color Monitor
 - 1 Parallel & 2 Serial Ports
 - 101 Key Keyboard
 - MS DOS 3.3 or 4.01
- Call For Price**

This device has not been approved by the Federal Communications Commission. This device is not, and may not be offered for sale or lease, or sold or leased until the approval of the FCC has been obtained.

Due to the volatility of the DRAM market all prices are subject to change.

NANOBYTES

Japanese schools have plenty of computers but few teachers who feel proficient with them, according to a survey by Japan's Ministry of Education. The average senior high school had 25 computers, but only about 13 percent of the teachers thought that they could install and operate them. (The figures were quite a bit lower in the lower grades.) Most of the systems in Japanese schools are 16-bit machines, the survey found. More than half of the computers are set up in the faculty room, indicating that the teachers are trying to learn how to use them.

High Tech Shows (Dallas) plans to go on the air this month with a TV program about new electronic products and new technologies. The Electronic Products Network will be a series of 30-minute shows featuring what's new in the consumer electronics market, including computers, software, and telecommunications gear. The producers hope to line up major manufacturers like Toshiba, Panasonic, NEC, Sharp, Fujitsu, and Lotus. High Tech hopes to have the show air in major TV markets, including Dallas, Houston, and Boston. Electronic Data Systems is backing the series.

Apple Computer and Quickview Systems have settled a lawsuit over **HyperCard**. The lawsuit claimed that HyperCard infringes on patents that Quickview received for its Zoomracks software. (In Zoomracks, you collect information on racks of "cards"; in HyperCard, you put information on stacks of cards.) The settlement includes a patent cross-licensing agreement that means that HyperCard users can't be charged with infringing on Quickview patents. "As long as you're using or developing for HyperCard on Apple equipment, you're covered," said Apple spokesperson Stacey Byrnes. Quickview founder Paul Heckel said the settlement also covers people using HyperCard clones on Apple computers. But HyperCard-like software running on non-Apple equipment will still be subject to licensing, he said.

per second and 94 million floating-point operations per second and that the high-end MP-1216 (\$810,000) can operate at 32,000 MIPS and 1500 MFLOPS. Although these prices are astronomical by microcomputing standards, the performance rating works out to about \$30 per MIPS.

The core of the MP-1 is the Processor Element Array; each processor element is a register-based load/store RISC processor designed by MasPar and operating at 1.8 MIPS. MasPar has crammed 32 processors onto a single chip, along with 40 32-bit registers for each processor. The system operates in a single-instruction multiple-data fashion, meaning that each processor in the array performs the same operation simultaneously but on a different item of data. The MP-1 uses Digital Equipment's Ultrix variant of Unix and employs the VAXstation 3520 for communicating with users and with other systems over Ethernet. The I/O subsystem can operate at 230 megabytes per second over a 64-bit channel, MasPar says.

Software is a significant challenge for these new computers. Very few massively parallel systems are available, and most computationally intensive code will have to be rewritten to take advantage of their power. MasPar officials believe that the MP-1's graphical, object-oriented programming environment, which is based on ParcPlace Systems' Objectworks for Smalltalk-80, will make it easier to develop code for parallel systems. Tom Blank, MasPar's vice president of architecture and applications, said that for most applications, the majority of code can be ported directly with minimal changes and that only the computational core of the program will have to be rewritten in parallel form.

The new Intel and MasPar systems are high-ticket items by personal computer standards, but they are commercial proof of the viability of multiprocessing microprocessor-based supercomputers.

—Nick Baran, Owen Linderholm, and Rich Malloy

Printer Generates Tactile Graphics for the Blind

While software that translates text into Braille and printers that punch out Braille characters have been available for years, the National Federation for the Blind says that visually impaired people have been left behind when it comes to computer-generated graphics.

Working with the NFB, Howtek (Hudson, NH) has modified its PixelMaster Color Ink Jet printer to print text in Braille in raised graphics that visually impaired users can easily interpret. The PixelMaster creates images by spraying plastic-based ink onto paper. The red, green, and blue inks dry instantly into raised dots. And according to Howtek vice president Ed Marino, it's the raised nature of the dots that makes tactile communications possible.

The company has made a few changes to the PixelMaster's firmware in order to add an extra layer of ink to the finished print. These alterations brought the ink-jet printer's raised output up to international Braille specifications.

The PixelMaster comes with software (for either DOS or Macintosh computers) that translates ASCII into Braille. Software also outputs on-

screen graphical images to the printer, creating a tactile version of the image, which can be annotated with remarks or explanations in Braille.

Tim Cramner, director of technology for the NFB, says the Howtek printer produces "tactile graphics." It's currently the only available product that can handle maps, charts, and other images for blind people. The NFB used the PixelMaster to create floor plans of its exhibit center at last July's national convention in Denver.

At Oregon State University, physics professor John Gardner is using the PixelMaster to generate charts and graphs produced by his graduate students. Previously unable to see his students' printed output, Gardner says the tactile graphics literally add a new dimension to his ability to interact with them.

With a price of \$6995 (including software), the PixelMaster obviously isn't designed for individuals. Howtek's Marino says that besides educational institutions, many major corporations have purchased the PixelMaster. New England Telephone uses it to keep its visually impaired employees more informed, allowing

continued

New FoxPro

Shifting the Balance Of Power in Database Management

There's a new leader in the relational database management world. Its name is FoxPro.

FoxPro is the first and *only* microcomputer database management system that combines astonishing performance with a sleek interface of amazing power and beauty.

- FoxPro offers all the elegance and accessibility of a graphic-style interface, yet operates at the stunning speeds possible only with character interfaces.
- FoxPro is so easy to learn and use, even beginners can become productive immediately; yet it's powerful and sophisticated enough to satisfy the needs of the most demanding developers and power-users.
- FoxPro gives you choices instead of limits: use a mouse or a keyboard; type commands or use the object-oriented interface; run in one window, or hundreds.
- FoxPro is so efficient, it runs in a 512K PC-XT, yet it's able to take advantage of the speed, expanded memory and extended video modes of the most advanced machines available. You don't even need a graphics card or special windowing software.



Nothing is Faster

Fox Software products are famous for their unmatched execution speed. FoxPro extends that tradition.

FoxPro is up to eight times faster than dBASE IV—more than 15 times faster than dBASE III PLUS!

And that blazing speed translates into unprecedented power. Now you can efficiently process gigantic databases with hundreds of thousands—even millions—of records.

Protecting Your Investment

With FoxPro, your existing FoxBASE+ or dBASE III PLUS programs will run perfectly—first time, every time, no excuses. And FoxPro is language-compatible with dBASE IV. But FoxPro doesn't stop there. It has over 140 language enhancements not found in any version of dBASE. We've outdone ourselves by adding more than 200 language extensions you won't find in FoxBASE+.

Best of all, FoxPro opens up whole new worlds for your applications by letting you move them onto a variety of different platforms.

The Tradition Continues

Fox Software is committed to excellence—our products prove it.

We've been producing superb database management software since 1983. And our products for both the PC and the Macintosh continue to win awards worldwide.

We've taken everything we know about software engineering, databases and interface design, and focused it into one remarkable product—FoxPro.

FREE Demo Disk

Shift the balance of power in *your* favor by trying FoxPro for yourself.

Call (419) 874-0162 now to get your free demo disk. Or ask for the FoxPro dealer nearest you. See for yourself: **Nothing Runs Like The Fox.**

FoxBASE+ Users: Call About Our Liberal Upgrade Offer!

System Requirements: FoxPro operates in 512K RAM (640K recommended) with MS-PC-DOS 2.0 or greater and an 8086/8088, 80286 or 80386 microprocessor. For optimum performance, FoxPro takes complete advantage of any available EMS (expanded memory) or a math coprocessor.

Trademark/Owner: FoxPro, FoxBASE+ /Fox Software; dBASE III PLUS, dBASE IV/ Ashton-Tate.

Fox Software

Nothing Runs Like The Fox.

Fox Software, Inc. (419) 874-0162
134 W. South Boundary FAX: (419) 874-8678
Perrysburg, Ohio 43551 Telex: 6503040827 FOX

Circle 105 on Reader Service Card



*"I suppose, Dorfman, in its broadest sense,
you could call this networking."*



How're you going to do it?

Information that goes flying around your company, but is out of reach when you need it, can't help you compete. An IBM Personal System/2[®] that lets you network effortlessly can.

The IBM PS/2: Unbeatable networking tool.


A high-performance PS/2[®] can act as a network server or a gateway to a host, in either a DOS or OS/2[®] environment. With a PS/2, you can connect the personal computers you already have to an IBM Token-Ring or PC Network, and share information and resources with incredible power and speed. The PS/2's Micro Channel™ architecture was designed to make the most of OS/2's full-function multitasking. It enables your PS/2 to act as a server while also running your workstation or PC applications.



PS/2 it!

That's when the cost benefits of your PS/2 really add up. And Micro Channel's advanced interrupt handling capability lets you run multiple programs with incredible reliability. So the PS/2 is ideal to meet the demands of the busiest network, even during peak-load conditions. The bottom line is this: networking with an IBM PS/2 can help your productivity soar.

The solution is IBM. If you want advanced technology you can start with and stay with, the PS/2 with Micro Channel and OS/2 on a network are for you. See your IBM Authorized Dealer or IBM marketing representative for all the details. For a dealer near you, call 1 800 IBM-2468, ext. 182.



NANOBYTES

"Rumors of the **death of the minicomputer** are greatly exaggerated, to paraphrase Mark Twain," said Hewlett-Packard CEO John Young as the company rolled out 24 new minicomputers and network servers. Some of the new systems will implement HP's new 0.8-micron RISC processor.

In Tokyo, **Toshiba** has improved the **usability of gates** in one of its lines of CMOS gate arrays by 20 percent, as well as increasing the packing density of the chips. The new 1-micron TC150G series can have as many as 100,000 usable gates, Toshiba says, which means that designers should be able to build larger and more powerful systems on a chip.

A new device from **Laser Communications, Inc.** (Lancaster, PA), uses infrared **laser beams to connect Token Rings** in separate buildings into a single LAN. The rooftop transceiver units can transmit data as far as a kilometer ($\frac{3}{8}$ mile) across unobstructed space at 4 megabits per second, LCI says. The system is compatible with IEEE 802.5 and IBM Token Ring specifications. Although the Lace Token Ring System eliminates wiring hassles, the units have to be carefully aligned and calibrated and could be useless on a foggy day. Like the company's earlier similar system for Ethernet LANs, the Token Ring setup is expensive: It starts at \$26,649.

If the **stock market** gets bearish, computer software and service stocks will suffer, says **Drexel Burnham Lambert** (New York) in a new report. "These stocks as a group tend to be one of the first groups impacted when investor sentiment turns negative, and to lag the market on the upside when sentiment turns positive," according to one analyst who worked on the report. The fortunes of companies selling packaged personal computer software, however, will be affected more by sales of computer systems than by market whims, the analyst notes. One company getting a "buy" recommendation: Ashton-Tate.

them to interpret the graphic as well as the textual information contained in memos. According to an NET spokesperson, before tactile graphics, it was "virtually impossible for a visually impaired person to interpret a

simple flowchart."

Marino says that Howtek plans to make the Braille and tactile graphics capabilities standard in future versions of the PixelMaster.

—Stan Miastkowski

Gigabit Data Density Promises Big Gains in Capacity of Magnetic Disks

Using prototype components and new recording-head technology, IBM scientists have squeezed 1 gigabit of data into 1 square inch of disk surface, claiming a world record for magnetic storage density. (On a typical hard disk today, data is stored at approximately 35 to 45 megabits per square inch.) Scientists at IBM's Almaden Research Center (San Jose, CA) say that their success at storing 1 billion bits in a small area of disk surface promises computer users a decade of steady gains in the capacity of magnetic storage devices. "Magnetic storage will be able to evolve in such a way to allow significantly more information to be stored on a magnetic disk," said IBM spokesperson Michael Ross. Computer users can expect to see disk capacity increase by as much as 30 times, he said.

The 5¼-inch aluminum disk used in the experimental system is coated with a magnetic cobalt alloy designed for higher bit density and lower magnetic noise than current disks. Bits were stored at a linear density of 158,000 bits per inch, IBM said. During the successful test, data was written and read at a rate of 3½ million bytes per second, according to the IBM scientists.

IBM researchers had to develop a new recording head to reliably read the ultra-small bit cells on the disk. What they came up with was a head that uses an inductive write element and a magneto-resistive read element. The experimental thin-film recording head flies just 0.000002 of an inch over the disk; current heads hover at about 0.000006 to 0.000015 of an inch above the platter, an IBM spokesperson said. This new head can detect bits too small for all-inductive recording heads to find.

Although the components used to achieve this level of storage density are experimental, IBM said that none of them, including the recording head, involves developing new manufacturing techniques.

It will be later in the 1990s before commercial products incorporate this gigabit technology. "Significant work is required to ensure that the components used in this demonstration could be reproducibly manufactured in volume and that storage devices with adequate reliability can be made at such low flying heights," said Barry Schechtman, manager of storage systems and technology at the Almaden Research Center.

—D. Barker

Group Seeking Common Fax Connection

At about the time you're reading this, members of the Telecommunication Industry Association (TIA), which is based in Washington, DC, will be voting on a proposal that could help standardize computer-based fax communications.

The TR-29.2 standard is being proposed by a technical subcommittee composed of leading hardware, software, and chip companies. The group's aim is to do away with the patchwork quilt approach of proprietary and often-conflicting hardware and software standards that plague the

computer fax marketplace.

Currently, it's impossible to send a fax through a fax modem using standard communications software such as Procomm or Crosstalk. But TR-29.2 hopes to change that with extensions to the Hayes AT command set that has become the industry standard for PC data communications.

The proposal initially defines several classes of service. The basic extension of the AT command set will allow for the easy development of general-purpose software designed for

continued

Run Your 80287 at 20 MHz!

Since 1982, MicroWay has been providing state-of-the-art numerics for the IBM-PC/AT, and compatibles. We are now pleased to introduce a new 20 MHz 80287 — the 287Turbo-20™. It runs twice as fast as our 10 MHz 287Turbo and is 80387 compatible. Because it employs a low power CMOS part, it can be used in portables and laptops. The 287Turbo-20 is based on a MicroWay-qualified Intel 80C287A that has been rewired, decoupled and relocked to run asynchronously in an ordinary 80287 socket. It is ideal for today's 16- and 20 MHz machines. The 287Turbo-20 will dramatically improve the performance of an old AT, especially in applications where elementary and transcendental functions are heavily used.

We are also pleased to introduce new releases of two MicroWay classics — MatrixPak and 87FFT. These products, along with 387Basic, make it possible to generate real

mode code with a numerics efficiency that approaches 100%, without resorting to global optimization or assembly language. **These products are important because most programmers are still using real mode tools in their 386 systems, despite the advantages of the 386's 32 bit architecture.** The tools solve problems with the Intel real mode segmented architecture which hinders the performance of numerics coprocessors. They employ algorithms that cannot be easily implemented by general purpose compilers.

For example, if you compare programs that multiply matrices, you will discover that the huge model code produced by an excellent product, such as Microsoft FORTRAN, runs 2 to 4 times slower than the MatrixPak matrix multiply. MatrixPak employs a unique storage algorithm in conjunction with runtime binding to produce its results. The same technique is

employed by 87FFT, which also employs an "in core" solver that makes it possible to perform FFTs on arrays stored on disk.

387Basic is another MicroWay classic. PC Magazine's November, 1989 review of the current BASICs says,

"387BASIC is the product to use if you have a program which is numeric intensive...the programs ran faster than any of the other BASICs and generated more accurate results."

Naturally, we still sell our NDP Fortran, C, and Pascal 386 compilers and the coprocessors you need to make them perform. PC users have been relying on MicroWay for 8 years to solve their numerics problems. If you have a question about which coprocessor is best suited to your application, call or write for our brochure, "The State of PC Numerics in 1990" by Stephen S. Fried.

287 Tools

87BASIC™ — Our 16-bit MS source compatible compiler is specifically designed to take advantage of the 8087 and introduces numeric register variables to produce the fastest 8087 code on the market. \$99

387BASIC™ — Is an upgraded version of 87Basic which generates code that takes specific advantage of the 80387 and 80387SX. For "floating-point and other complicated mathematical calculations, you'll appreciate the extraordinary speed with which 387BASIC handles these processes". PC Magazine 10/31/89 . . . \$250

MATRIXPAK™ — Library of 30 routines written in assembly language which manipulates dense matrices and utilizes the 8087/80287 math chip for optimum speed. The matrix size is limited only by the amount of contiguous RAM space in the computer. There can be any number of rows in a matrix, each containing up to 64K per row. Callable from most 16 bit compilers. \$99

87SFL™ — A library of 140 mathematical functions including elementary, trigonometric, hyperbolic, error, Bessel, Airy, Kelvin, probability, Weierstrass, Gamma, Psi, and Beta functions, plus exponential, elliptic, Fresnel and Dawson Integrals and the polynomials of Legendre through Chebyshev, plus 17 random number generators. Callable from most 16 bit compilers. \$149

87FFT™ — Written in assembly language, 87FFT performs single and two dimensional Forward and Inverse FFTs on real and complex arrays. Allows single and double precision data types. Also performs convolutions, auto correlations, hamming, complex vector multiplication, and complex to radial conversions. \$149

OBJ→ASM™ — Multipass object module translator and disassembler that disassembles OBJ files (not COM or EXE files). Adds labels and cross references to the output which may be directed to the screen, printer or disk file. The generated listing is complete with data and code segments, and ASSUME statements. \$149

386 Compilers

NDP FORTRAN-386™, NDP C-386™, NDP PASCAL-386™ — MicroWay's compilers generate globally optimized, mainframe quality code that runs on the 386 or 486 in protected mode under UNIX, XENIX or Phar Lap extended DOS. The compilers address 4 gigabytes of memory while supporting the 80287, 80387 and Weitek coprocessors. They all come with a library of over 70 device-independent graphics, keyboard and sound routines. Applications can mix code from all three compilers and assembly language. The DOS versions allow the user to write his own numeric error handlers and interface 386 real mode programs from protected mode. The VM versions use Phar Lap's Virtual Memory Manager to run programs which exceed the size of your system memory. NDP Fortran-386 is a full FORTRAN 77 that is 99% VMS compatible, with FORTRAN 66, BSD 4.2, and DOD extensions. NDP C-386 is a full K&R C with both MS and ANSI extensions. It is 100% compatible with UNIX C and is substantially faster than the C which comes with UNIX. NDP Pascal-386 is a full ANSI/IEEE Pascal, with extensions from C and BSD 4.2 Pascal.

DOS versions (require Phar Lap Tools) . . . \$595
VM version (requires VMM) \$695
UNIX/XENIX versions \$795
Phar Lap Development Tools \$495
Phar Lap Memory Manager (VMM) . . . \$295

NEW! AT Accelerator

NUMBER SMASHER-386™ — A full-sized card that replaces the 80286 microprocessor on your IBM AT or compatible motherboard with an 80386 that runs at 25 or 33 MHz. It runs numerically intensive applications up to a factor of 60 times faster, while maintaining full hardware and software compatibility, and runs all 386 applications. Includes sockets to optionally add up to 8 megabytes of 32-bit memory, an Intel 80387 or Weitek numeric coprocessor, and 64K or 256K of high speed cache memory. Can be enhanced in increments. from \$1195

NEW! 287Turbo-20™

287Turbo-20™ — This coprocessor board runs a specially qualified Intel CMOS 80287 at 20 MHz regardless of your 286's speed. . . . \$450

Intel Math Coprocessors

8087 \$84	8087-2 \$120
80287-8 \$195	80287-10 \$220
80387-16 . . . \$330	80387-16SX . . . \$310
80387-20 . . . \$375	80387-25 \$460
80C287A . . . \$280	80387-33 \$550

386 Tools

387/NDP FFT™ — The fastest running FFTs on a PC! 40 hand-coded routines that handle 1 and 2 dimensional data arrays. Includes an in core solver that spills to disk for arrays too large to fit in memory. Also includes support for Weitek 3167. NDP or 80x87 version \$250

NDP WINDOWS™ — 80 functions which create, store, and recall menus and windows. Works with NDP C and drives all popular graphics adapters. Library: \$125, C Source: \$250

NDP HOOPS™ — An NDP port of Ithaca Software's HOOPS, this 3D object-oriented graphics library, callable from NDP C, makes it possible to develop full-featured 386 CAD packages and front ends \$575

NDP C++™ — A MicroWay port of the UNIX C++ preprocessor version 1.2. It runs in protected mode on DOS, UNIX or XENIX, and is ideal for writing numerics and graphics applications. The product comes with an example of how to support complex numbers in C++ . . . \$295


NDP NAG™ — The NAG Workstation Library is a subset of the NAG mainframe libraries. It contains 268 commonly used routines to solve differential equations and eigenvalue problems, perform matrix operations, fit curves, do statistics and regression analysis, generate random numbers and compute special functions and integrals. \$795

MicroWay

World Leader in PC Numerics

Corporate Headquarters: P.O. Box 79, Kingston, MA 02364 USA (508) 746-7341
32 High St., Kingston-Upon-Thames, U.K., 01-541-5466
USA FAX 508-746-4678 Italy 02-74.90.749 Holland 40 836455 Germany 069-75-2023

Good.



The Intel® 80287


Soon after it was introduced in 1980, this math co-processor became famous for speeding things up.

In 286 PCs and workstations it made spreadsheets calculate noticeably faster. In CAD/CAM environments it delivered screen redraws in a fraction of the time. And it made scientific, engineering and graphics programs zoom along like never before.

In fact, for any application involving intensive floating-point arithmetic calculations, speed and productivity were dramatically improved.

A decidedly good solution by any measure. So good, in fact, that for over eight years it remained unchallenged.

Choice.



The IIT-2C87™

It's about time! Here's the IIT-2C87™ *enhanced* math co-processor from Integrated Information Technology. Pin-for-pin compatible, it does everything the other one does. And more.

Faster. Much faster in fact. And how did we do it? With our cool, efficient CMOS technology. With a unique architecture that significantly reduces the number of cycles required for virtually every math function. With operating speeds of up to 20 Mhz. And with numerous added features like our powerful 4x4 matrix transformation.

And it costs no more. Incredible but true. And now that you're up to speed on the IIT-2C87, we should tell you about the remarkable IIT-3C87™ math co-processor and all of the amazing advantages it delivers for 386™ applications.

The IIT-3C87. Oh, never mind. You can imagine the rest. Or you can call **1 800 624-8999**, Ext. 545 for more information, and for the name of your nearest dealer.

And why wait? After all, when you consider the IIT advantage, is there any question about whose math co-processor you'll choose?

Count on iit™



INTEGRATED
INFORMATION
TECHNOLOGY • I N C

Circle 130 on Reader Service Card

IIT, IIT-2C87, and IIT-3C87 are trademarks of Integrated Information Technology, Inc. Intel is a registered trademark, and 386 is a trademark of Intel Corporation. ©1989 Integrated Information Technology, Inc. All rights reserved.

NANOBYTES

Developers of embedded control applications using the MIPS Computer line of RISC processors (R3000 CPU and R3001 embedded processors) can now do their work on a **Mac II**, thanks to a new add-in NuBus board and software from **Integrated Device Technology** (Santa Clara, CA). The MacStation Development System (\$6900) allows engineers to prototype applications on the Mac under Unix. The software supports MultiFinder, so you can test applications in the background.

This spring, Hitachi, Fujitsu, and Mitsubishi Electric plan to start sampling the **32-bit TRON chip**, an important component of Japan's TRON computer architecture/grand scheme. The new Gmicro/3000, developed primarily by Fujitsu, will have an internal memory management unit, a 2K-byte instruction cache, and a 2K-byte data cache. The 25-MHz chip will include about 900,000 transistors.

The National Institute of Standards and Technology is compiling a bibliography related to **computer security** and wants to see glossaries of relevant terms. If you have such a book of definitions, or just the name of such a book, contact Samuel McCrea, NIST, A216 Technology Building, Gaithersburg, MD 20899, (301) 975-5237.

It's hard to imagine Merle Haggard singing about a **trucker and his wireless network**, but thousands of those 18-wheelers will be communicating with central computers from between the white lines within the next few years, a new study says. Waters Information Services (Binghamton, NY) projects that by 1995, more than 100,000 vehicles operated by big trucking firms will be transmitting data back to company facilities using **mobile computing equipment**, including cellular and wide-area radio networks. The report ("Fleet Management for the 90s: Opportunities for Mobile Computing in the Trucking Industry") doesn't predict whether truckers will still have handles like Fuzzy Bear and Road Stud.

both data and fax communication.

Class 1 service defines a very minimal (primarily serial) hardware interface between the computer and the modem; the CPU would handle all image processing, data conversion, and fax protocol operations. It's designed to provide the special modem transmission methods used for fax (CCITT V.21, V.27, and V.29), along with some basic operations used for fax-to-fax communications. Class 2 fax modems will add built-in control over the actual fax protocols, including options such as extended buffering and document-handling features.

If TR-29.2 is adopted, products integrating Class 1 and Class 2 should become available in the near future. But for the longer term, TR-29.2 also defines a sophisticated Class 3 level that should eventually result in modems that internally handle the actual processing and conversion of

fax images. All would be controlled by new variations of those familiar AT commands.

Although a TIA member says that it's nearly a foregone conclusion that the standard will be voted in, the longer-term question is whether or not the standard will become truly accepted. One factor that could help the standard become real is that the committee members represent a wide range of interests. They include makers of fax boards, stand-alone fax machines (those companies want a standard computer interface), ICs, and communications software. Standard-setter Hayes is on the committee, as are AT&T, Intel, Rockwell, and Xerox.

Meanwhile, prices for fax boards continue to fall. Intel recently reduced the price of its Connection CoProcessor from \$995 to \$695.

—Stan Miastkowski

Breakthrough Lithium Battery Lighter, Safer

Despite big improvements in power management techniques, neither users nor manufacturers of portable computers are happy with current battery options. Recent developments, however, indicate that better batteries could be on the road sooner than expected.

Rechargeable lithium batteries would be ideal for portables, according to George Morrow and other computer designers. But such batteries aren't practical today because of their potential to explode; the only commercial lithium cells now are non-rechargeable "coin" batteries used in cameras, watches, and calculators.

But recently scientists at the University of California's Lawrence Berkeley Laboratory (Berkeley, CA) announced that they have developed a new type of lithium battery that is based entirely on solid materials. Unlike lithium batteries with an aqueous or liquid electrolyte, the new batteries cannot leak or explode when exposed to heat, the researchers say.

They should also deliver higher power, additional recharge cycles, and a longer shelf life—all at lower cost—than any commercial batteries now available or known to be under development, the scientists claim. The battery's cathode is made of a new material (consisting of disulfide polymers) that's much lighter than the metal cathodes in contemporary batteries. The new cathode also suggests the possibility of very slim batteries, in which the terminals and electrolyte would be thin films laid on top of each other.

The Berkeley scientists say that the batteries can be recharged 100 times with virtually no loss of energy and that they have demonstrated as many as 350 "deep cycles" in tests. The raw materials are expected to cost less than those of current batteries, which would make replacement practical. Disposal problems would also be minimized because the batteries contain no toxic materials.

—Andrew Reinhardt

NEWS STAFF SEEKS NEWS. DIAL (603) 924-9281.

The BYTE news staff is always interested in hearing about new developments that might affect microcomputers, the way they work, or the way people work with them. If you know of a project that could shape the state of the art, please give us a call at (603) 924-9281 or write to us at One Phoenix Mill Lane, Peterborough, NH 03458. An electronic version of Microbytes, offering a wider variety of computer-related news on a daily basis, is available on BIX.

NOW YOUR SOFTWARE CAN TEST ITSELF.



Your customers expect software that works. All the time. The key to software quality is exhaustive testing. It's also an engineer's worst nightmare. But it doesn't have to be. Because now you can automate your software testing.

Introducing the Atron Evaluator. The first and only non-intrusive automated PC-based software testing tool.

The Atron Evaluator automatically runs your software regression testing programs. All of them. All day. All night. Giving you thoroughly tested, higher quality software.

The Atron Evaluator is hardware-based. And since it's non-intrusive, software behavior is tested without the risk of alteration. Once your tests have run, you can refer to automatically generated test reports to double-check test results.

The Atron Evaluator saves time. And time makes you money. Development cycles are shortened, so your software gets to market sooner. And while your test programs are running, you can be more productive. Start a new project. Or go home.

For more information about the Atron Evaluator, call us at **1-800-283-5933**. And put an end to your worst nightmares. Automatically.



A Division of CADRE Technologies

Saratoga Office Center
12950 Saratoga Avenue
Saratoga, California 95070

In Europe, contact:

Everex Limited, Enterprise House
Flassay Technology Park, Limerick, Ireland
Phone: 353 61 338177

QA Training Limited, Coedy Hill Castle
Cirencester, Gloucestershire, GL7 2PL, England
Phone: (0285) 655848



Introducing AvCase™ 8051.

Three finely-tuned instruments for embedded-system development.

AvCase™ 8051 C Compiler, Assembler, and Simulator from Avocet. Play them solo, for peak performance. Or bring them together in perfect harmony as an integrated system. AvCase will manage all the steps—from editing source code, compiling,

assembling, and linking, all the way to debugging. ■ *High-level language in the key of C.* AvCase C Compiler is our biggest seller. It produces fast, tight, optimized code that helps speed development time.

■ *Clear, concise scoring.* AvCase Assembler is the classic Avocet assembler tuned-up and ready for your most demanding applications.

AvCase Simulator lets you test code on

debugging feature you can work at both the C and assembly *begin*. If you want to meet your project deadlines—come in on bug-free product—you simply can't do better than AvCase.

Find out more about these finely-tuned instruments. Fax, write, or call toll-free 1-800-448-8500 for complete information, including a *free* AvCase Brochure and Avocet Catalog.



AVOCET
SYSTEMS, INC.

Avocet Systems, Inc., 120 Union St., P.O. Box 490, Rockport, Maine 04856. Telephone 1-800-448-8500/in Maine, or outside the U.S. call 207-236-9055/FAX 207-236-6713. TLX 467210 Avocet CI.

Circle 26 on Reader Service Card



were described in Hugh Kenner's review of Paul E. Ceruzzi's book, "Beyond the Limits" (Print Queue, November 1989).

During World War II, William D. Bell worked for Lockheed Aircraft's accounting department. A person of great curiosity, he discovered a roomful of people working with mechanical calculators. He investigated and thought he could help them do the work automatically. He labored surreptitiously at night while the accounting department was closed. After several months, he was processing a substantial volume of wind tunnel and stress analysis data. By this time, he required much interconnection between the IBM electromechanical machines. This was a flagrant violation of Lockheed's contract with IBM, and he had to remove his work each night.

The engineer who was receiving this work wrote a memo saying that it was greatly appreciated, but the time had come to put it on a more formal basis. He sent the memo to the head of the accounting department, who was mystified. Caught red-handed, the panicked 19-year-old expected to be fired or even jailed for "sabotaging" these vital machines during a war.

Instead, Thomas Watson, founder of IBM, hired Bill as his personal consultant. From this came the first IBM electronic computing machine, and Bill was hailed as the "father" of the IBM Card Programmed Calculator.

From 1956 to 1959, I had the privilege of working with this very creative man. He was already suffering from multiple sclerosis, which took his life a few years later.

Noel B. Braymer
Rancho Cordova, CA

In Search of Perfection

There is one sentence that stands out in James Hague's letter in the September 1989 BYTE: "Optimization shouldn't compensate for sloppy programming." Why not? There is no such thing as a perfect programmer. Given the best will in the world, no programmer can claim to write bug-free code. Therefore, any tool that can help produce perfection or "correctness" should be welcomed, not castigated.

Michael D. Mitchell
Buckinghamshire, UK

The End of Pascal?

I would like to comment on Jon Udell's "Clash of the Object-Oriented Pascals" (July 1989). I agree that object-oriented Pascal is a surprising development, but I think that Turbo tools such as the source

turbo debugger are more useful. Numerous Turbo Pascal extensions are available, but I worry about the future of the Turbo versions.

Turbo Pascal 2.0 comes on one disk; version 5.0 comes on 20 (with toolboxes). In my nightmare I see version 8.0. It occupies 1 gigabyte of disk space and has so many extensions that it's easier to make nonstandard word lists than to enumerate standard ones using the compiler. This version will need a sophisticated expert system in order to do any significant programming.

Standard Wirth Pascal's strength is its simplicity. What happened to the 30-page Pascal manuals? The new manuals are the largest ever.

These new non-Pascal Pascals could result in the destruction of the language. We could lose the best Pascal properties and keep the bad ones. I hope that both Borland and Microsoft do their best and that my fears are groundless.

M. I. Trofimov
Laboratory of Computer Chemistry
N. D. Zelinsky Institute
of Organic Chemistry
USSR Academy of Sciences
Moscow, USSR

I share your concern. Programming languages are getting bigger all the time. I, too, wonder whether I'll be able to lift, much less use, a typical programming toolkit five years hence. And I agree that Pascal's strength is its elegant simplicity. However, Turbo Pascal 5.5 isn't much larger than 5.0. In my view, the object-oriented extensions introduced by Microsoft and Borland confer enormous advantages yet add remarkably little bulk to Turbo Pascal and remain faithful to the spirit of that language.

It's true, of course, that Turbo Pascal has never conformed closely to Standard Pascal. Recently, the British Standards Institute evaluated seven MS-DOS-based Pascal compilers. Only Oregon Software's Pascal-2 and Prospero Software's Pro-Pascal and PC Pascal conformed to the International Standards Organization (ISO) 7185 standard. Visible Software's Dr. Pascal and interpreter did fairly well.

Microsoft Pascal, MetaWare Professional Pascal, and Turbo Pascal performed "quite badly" on the ISO 7185 validation suite. Clearly, if portability is a primary issue, then Turbo Pascal is not a good choice. I'd argue, though, that the object-oriented features of both Turbo Pascal 5.5 and Quick Pascal are well conceived and ought to be incorporated into the international standard.

—Jon Udell

OK, I Lied

But not on purpose. In December 1989, David Brammer asked about sound and speech on a PC compatible. Shortly after publication, we heard about the Audio F/X board and Sonata editing software from Forte, a standard PC (Industry Standard Architecture) board that offers 44-kHz sound and up to six simultaneous voices. Audio F/X comes in various flavors, complete with digitizing, playback, and editing software for about \$300. You can contact Forte at 72 Karenlee Dr., Rochester, NY 14618, (716) 427-8595.

—H. E.

The Acronym Swamp

Could you provide me with information on the following subjects: ESDI, SCSI, MFM, RLL, and BIOS? I am starting to buy some computer equipment, and all these terms are confusing to me.

Charles E. Green

Sometimes it seems as though the computer industry invented acronyms. It can get confusing.


The first few acronyms you mention (ESDI, SCSI, MFM, RLL) concern hard disk drive technology. ESDI (enhanced small device interface) and SCSI (small computer system interface) are methods by which your hard disk drive talks to the hard disk drive controller card in your computer. MFM (modified frequency modulation) and RLL (run length limited) describe the encoding scheme for the data transferred to the controller card. L. Brett Glass fully explains all these terms in "Hard Disk Interfaces" (February 1989).

BIOS (basic input/output system) is the built-in software that your computer uses to talk to its peripherals (screen, disk, printer, and so on). Once again, turn to Glass for a more in-depth explanation ("The IBM PC BIOS," April 1989). Perhaps next month we'll explain DMA, EISA, SQL, RISC, CISC, CMOS, and TGIF!—S. D.

In Search of Strings

I want to develop an application in which arbitrary text strings are placed into a list in alphanumeric order (i.e., ASCII collating sequence). Preferably, the system would allow most of the ASCII characters to appear in the text strings. I want the program to be able to search that list so that I can locate the string nearest to the one I specified in the search request.

continued



ZORTECH

"Zortech C++ is one of the best MS-DOS products I've had the luck to use. I can highly recommend Zortech V2.0"

Scott Robert Ladd – Dr. Dobbs Journal – January 1990

**NEW! AT&T
C++ V2.0
SPECIFICATION**

Zortech is first again with the release of its new C++ V2.0 Developer's Edition featuring the AT&T C++ V2.0 specification.

**NEW! MS
WINDOWS
COMPATIBILITY**

New V2.0 features like Multiple Inheritance and Type Safe Linkage make this the most advanced compiler available today.

**NEW! C++
SOURCE LEVEL
DEBUGGER**

You get 1500 pages of clear, high quality, professional documentation.

**NEW!
EXPANDED
C++ TOOLS**

**NEW! OS/2
COMPILER
UPGRADE**

**NEW! EASIER
PORTABILITY
FROM MSC**

Zortech C++ V2.0 makes it really easy for you to move code over from most other leading C compilers.

Zortech C++ V2.0 Developer's Edition comes with a great new environment that lets you edit, compile and debug with ease.

Zortech present another "World's First" with its new C++ Source Level Debugger for MS-DOS. Once you've used our

debugger you will never want to go back to any other.

The Developer's Edition also includes a 99% ANSI compatible C compiler, seamless LIM/EMS support, C++ Graphics Shell, TSR functions, C++ Tools, Optimizer, SAA/CUA style user interface, and full standard library source code.

Please call for our color brochure.

PRICES

C++ Compiler \$199.95
C++ Debugger \$149.95
C++ Tools \$149.95
Library Source \$149.95
Save \$200 – Get the Developer's Edition for only \$450 (includes all the above items).
OS/2 Compiler \$CALL
C++ Video \$499.95

USA: Zortech Inc.
1165 Massachusetts Ave.
ARLINGTON MA 02174
Voice: 617-646-6703
Fax: 617-643-7969

EUROPE: Zortech Ltd.
106-108 Powis Street
LONDON SE18 6LU
Voice: 44-1-316-7777
Fax: 44-1-316-4138

HOTLINE 1-800-848-8408

That is, I want to do proximity searching in text containing many—if not most—of the members of the ASCII character set.

I would prefer not to have to write such code myself, mainly because I believe someone else has already done so. Any suggestions?

Robert M. Gordon
Los Angeles, CA

If your final destination is the ability to search an arbitrary text file for strings, the first place you should look is any of the MS-DOS versions of the Unix grep utility. It could be that a "grep clone" is all you need.

Otherwise, a number of public domain and shareware utilities may fill the bill. Specifically, look for utilities that are supercharged editions of the MS-DOS Find command. The program Maxfind is one possibility; it allows searches based on incomplete spellings. There are many mail-order companies that sell public domain and shareware programs. One likely place is Computer Solutions (P.O. Box 354, Mason, MI 48854).

Finally, if you've just got to put your data into an index, many of the C toolkits on the market will work. The C Database Toolchest from Mix Software (1132 Commerce Dr., Richardson, TX 75081) comes with everything you need to build B-tree-based index files. You can even get source code, and the programs work with Power C (also from Mix Software), Turbo C, QuickC, and Microsoft C.—R. G.

If You've Seen One Laser Printer . . .
I am considering buying a laser printer and have tested several brands to find one that I can afford with the features I want. I have found that not all programs work well with a given laser printer.

Dot-matrix and daisy-wheel printers can, if you wish, print all the way from the top to the bottom of a page, ignoring any fanfold perforations. Laser printers, on the other hand, have a "hard-wired" top and bottom margin built into their logic circuits. What this means (at least on the printers that I have tested so far) is that a 66-line page (11 inches, 6 lines per inch) has a maximum print length of 60 lines. If you have a program that has a printer driver for LaserJet, you should be all right.

However, not all programs are aware of laser printers. I have discovered two programs that cause the same problem when I print on a laser printer. This problem concerns the way these programs handle the end-of-page-to-top-of-page printing routines. The visible symptom is that, starting with the second

page, each page has a large "blank" spot that moves progressively down the printed page. This blank spot seems to correspond to what would be a perforation skip when printing on a printer that uses continuous paper.

What I have deduced from this is that these programs—and probably others as well—use a series of linefeed characters (ASCII 10) to advance the paper from the end of the printing section to the top of the next section. This has the effect of skipping over the continuous paper perforation. Unfortunately, a laser printer—with built-in page-length logic—adds these extra linefeed commands to the printed area of the next page. The solution to this is actually quite easy. Programs can simply send one formfeed command (ASCII 12) in place of several linefeed commands. As far as I know, all types of PC printers recognize the formfeed command.

Does this sound reasonable?

Tom Smith
Vancouver, WA

Yes, it does. In fact, many programs written nowadays do handle the skip-to-next-page by outputting the formfeed character. The nameless software that you refer to is still doing it the old way—by using blank lines, just as you surmised. Your analysis was so thorough that perhaps you should be answering letters for Ask BYTE.

Alas, I can think of several inexpensive printers that still do not recognize the formfeed character. Not that that's reason enough for software to send linefeeds, because it isn't too difficult for a software author to provide the option. Assuming that your dilemma hasn't sworn you off laser printing for good, I may have a fix for you.

The HP LaserJet and compatibles support rather infinite control over their lpi (lines per inch) count. You suggested that the standard printer, at 6 lpi and an 11-inch page, should have 66 lines. Well, even in the "new" math, $6 \times 11 = 66$, but don't forget those top and bottom margins. The actual printable area of a LaserJet page is about 10.4 inches, allowing for the unprintable region at both top and bottom. By sending out an escape sequence to the printer, you can set a line height less than the standard $\frac{1}{6}$ inch, thereby giving the printer the full 66 lines. The 6-lpi figure comes from taking the 11-inch page and dividing it by 66 lines. $66 / 11 = 6$.

In this case, take 10.4 and divide by 66, for a new figure of 6.3 lpi. To get the LaserJet to do some magic, we have to put

a hex on it—specifically, an escape sequence. The Vertical Motion Index controls the vertical line spacing in increments of $1/48$ inch. In this case, you want $7.6/48$ inch instead of the usual $8/48$ inch (6 lpi).

Before you do that, you also have to account for the margin. You do that by setting the line height to $12/48$ inch, setting the top margin to one line, and then resetting the line height to our $7.6/48$ inch. Finally, use the lines-per-page command to set 66 lines.

Simply put, you would output the string [ESC]&l12c1e7.6c66F to a LaserJet-compatible printer (where [ESC] is the escape character, an ASCII 27), and that should give you a full 66 lines per page by printing them at 6.3 lpi. The text may be slightly squished, but it should be perfectly readable. You put this string in your software's printer initialization string, or you can run the following GWBASIC program first:

```
10 LPRINT CHR$(27);
   "&l12c1e7.6c66F";
   : REM Send string to LPT1:
20 SYSTEM
```

Laser printers are truly wonderful toys, and you always discover something new you can do with them. Don't give up on them because of wimpy applications software.—H. E.

Vectra vs. VGA

At my office, we have a fully IBM-compatible VGA card (it works on several other systems). Our computer is a Hewlett-Packard Vectra. Although we have tried many different options and followed the setup instructions carefully, the VGA card doesn't work in the Vectra. Apparently the system does not recognize the card. Do you have any suggestions?

Frederik Wessels
Herwynen, Netherlands

From your description, I can't tell which model of the Hewlett-Packard Vectra you have. The model name Vectra covers a wide range of 80x8, 80286, and 80386 computers. All I can assume is that you have an older Vectra that was released before VGA became available.

There is obviously a conflict between the BIOS in your Vectra and the VGA BIOS on your video card. Try to get an updated BIOS from your local HP dealer. A new set of BIOS ROMs costs approximately \$150 U.S., depending on your computer model.—S. W.

continued



BUY A RACEHORSE... GET A WORKHORSE!



FAST!

850cps/240 lpm!

And It Runs . . .

And Runs . . . And Runs . . .

The fastest serial dot matrix printer on the market today!

The all new **850XL** offers a world of benefits!

- Lightning fast at 850 cps (240 lpm throughput)
- Continuous printing capabilities with no overheating or unnecessary downtime!
- Over 300 local service centers nationwide to keep your jobs running day and night!*

The waiting game is over, as the **850XL** takes on mountains of data, round the clock, with no duty cycle restrictions! Any printing application you need is handled with rapid-fire reliability:

- | | | |
|-------------------|-----------------------|------------|
| • Data Processing | • Bar Codes | • Labels |
| • Financials | • Spreadsheets | • Graphics |
| | • Near-letter Quality | |

*Call for availability in your area.

OTC OUTPUT TECHNOLOGY CORPORATION



Output Technology Corporation BV • Saturnusstraat 25 2132 HB Hoofddorp • The Netherlands
Telephone: (31) 2503 32599 • Telefax: (31) 2503 39:55 • Telex: (844) 20000 REF. MMC27.NLX505

Standard features are better than ever!

- | | |
|--|--|
| • 5 to 18.2 Pitch Printing | • 8K Data Buffers |
| • Front Panel Menu Programming (No DIP Switches) | • Serial & Parallel Ports |
| • Quietized Enclosure | • Convenient Front & Bottom Paper Feed |
| • EPSON, DEC, and IBM ProPrinter XL Emulations | • Full International Character Set |

OTC . . . An American Winner!

Call today for more details.

1-800-4-OUTPUT (8 am - 5 pm PST)
(468-8788)

Call me, I'm interested: Circle 208

E. 9922 Montgomery Drive, Suite #6
Spokane, WA 99206-4199
Telex #15-2269 OJUTPUTSPOK
Fax (509) 922-4742
(509) 926-3855
1-800-468-8788

**Now You Can Lease
OTC Printers For
As Little As
\$52 / Mo.***

*Based on 60 Mo. Lease

Bits and Bits

Your In Depth discussion of 16 versus 32 bits in the November 1989 issue was excellent. It stimulated me to ask several questions.

First, seasoned programmer friends tell me that running under MS-DOS limits a word fetched from or written to memory to 16 bits, so a 32-bit-wide bus as found in 80386 machines adds nothing to memory access speed. Is this true? Does DOS limit the word length for operands, intermediate results, and so on, as passed between CPU and FPU to the same 16 bits as in RAM access? If so, how many machine cycles, for example, does it take to perform a typical floating-point multiplication or division, as compared to the cycles needed to pass operands from CPU to FPU? I expect that this ratio of FPU execution time to I/O time would be highest in the case of hard-wired trigonometrics and transcendental, less so for multiplies and divides, and least for adds and subtracts.

Tony Finch
Madison, WI

DOS imposes no limits on the size of operands. However, DOS itself is a real-mode program—it cannot take advantage of the extended register set of the 80386 or use 32-bit instructions. Operand limitations are imposed by hardware architecture and development tools, not by the operating system itself.

The processor and coprocessor are connected by a 32-bit data path. Operand transfers involve complex timings, because memory accesses may be involved between transfers; however, at least two clock cycles are required for processor to coprocessor, and three are required in the other direction. These times are quite small in comparison to the number of cycles required for full 80387 instruction execution, which usually ranges in tens of cycles.—S. A.

Electronic Chalkboard

I am paralyzed from the neck down, and I am looking for a program that I can use for algebra, calculus, trigonometry, and physics. My major is architectural technology, which requires me to take many math classes.

I need a program that will let me work through a problem just as you would on paper. It is important that the various math symbols appear on the screen, rather than in coded form. For example, I need a radical sign graphically displayed rather than SQRT(). I am trying to bypass paper and pencil completely, so I need to be able to visualize the prob-

lem as I would when a professor writes it on the chalkboard.

I have heard of the following programs: Mathematica, TK!Solver, MathCAD, Eureka, and TEX. I don't necessarily need a powerful program for solving equations. My main need is for a mathematical word processor.

Thomas J. Swiezy
Indianapolis, IN

If you're using a Macintosh, Mathematica will certainly work, but the cost of the software and memory upgrades that you'd need to run it is great. A more economical solution might be Math Type from Design Science (6475-B East Pacific Coast Hwy., Suite 392, Long Beach, CA 90803, (213) 433-0685). This is a desk accessory that lets you generate tricky mathematical formulas for pasting into your word processing document. As such, it's not much more than an electronic chalkboard.

If you use a PC, MathCAD will do what you need; in fact, it will probably do more than you need. Again, if you're cost-conscious, an alternative is Derive (from Soft Warehouse, 3615 Harding Ave., Suite 505, Honolulu, HI 96816). Derive has substantial symbolic and numeric capabilities; plus, it can display equations the way that you want to see them.—R. G.

Global Communications

I need to communicate with the world. For three years I have tried to work out the problem. I'm on CNCP Dialcom. I was in Saipan and ended up having to call long distance to check E-mail in Canada.

Which is better—Easylink, CompuServe, BIX, or any of the others? Go to a strange city sometime and try looking them up in the phone book; or ask the operator for the local Tymnet number.

International communication is a mess, and I can't find any information to help clear it all up. I still use telex because it's so easy. How can I send E-mail from Dialcom to someone on MCI Mail? After spending hours on Tymnet being denied access into Dialcom, I just phone long distance.

Norm Aylward
Homosassa, FL

International communication is a mess if you're a computer user. There's a lot of conversation about it in the "international" topic on BIX. It seems that if you intend to use a modem in a foreign country across that country's data communications network, you need a network user identifier (NUI). The NUI is your ac-

count with that country's network, and getting an NUI is not a trivial task.

As far as sending mail between Dialcom and MCI Mail goes, at the time of this writing, both companies were hard at work linking themselves together. (It should be complete by the time you read this.) MCI's end was just coming online—you send to a Dialcom user by entering "Dialcom" in the EMS address field. A representative of Dialcom told us that the connection would be available by the first of this year. Dialcom's customer-support number is (800) 435-7342.

Finally, if you need information on Tymnet's international connections, just log onto your local Tymnet number and enter "information" at the "please log in:" prompt. This will drop you into a menu-driven information database that can tell you all the countries providing Tymnet connections, as well as cities and phone numbers. Before your next long-distance trip, you might want to check into this database and get all the telephone numbers that you might need.

—R. G. and H. E.

FIXES

- The December 1989 Some Assembly Required column incorrectly stated that JPI TopSpeed Modula-2 terminates strings with a formfeed (CHR(12)). Actually, its strings are terminated with a null (CHR(0)), like C strings.

- There are two corrections to "The BYTE Awards" (January). The TIGA-340 from Texas Instruments was described as a graphics coprocessor card. The TIGA-340 is actually a new software interface, around which graphics coprocessor boards are being built. See the text box "Benchmarking the TIGA" on page 188 of the November BYTE. Also, we inadvertently omitted the name of Quarterdeck Software, which codeveloped the Virtual Control Program Interface (VCPI), a specification that facilitates running multiple 80386-aware programs. Our apologies and congratulations to Quarterdeck and codeveloper Phar Lap Software.

- In the January Connectivity section of What's New, we reported that a twisted-pair Ethernet version of pLAN is available as an option to the thin or thick coaxial versions. In fact, the twisted-pair version is sold separately for \$795. Cables are included. For more information, contact IQ Technologies at (800) 227-2817 or (206) 451-0232. ■

lost a few pounds.

At least in the 386/20 pictured
How do we pack a 20 MHz rea
into this space saving, smallest

We do it.

It comes with a VGA monitor a
Slim price too: \$2,499.00 for th
competition match this.

Come to think of it...there is no
kind. A Northgate original. If yo
call **1-800 548 1993**, and we'll t

Of course we still make the big
Northgate Computer Systems:





THE NORTHGATE OMNIKEY/PLUS

Keyboards have come a long way from the telegraph key to the Omnikey.

On May 24, 1844 Samuel F. B. Morse, father of the Telegraph, typed out the first message ever sent over a wire: "What Hath God Wrought?"

He didn't exactly type it. He tapped it. Samuel F. B. was a great inventor, but he was working at a disadvantage; he only had one key. Think what might have happened if he'd had the full Omnikey Plus keyboard, pictured above?

He might have invented the Computer. In the meantime, you may not realize that Northgate *did* invent a key of its own: the F-13 key, which we'll explain shortly. This was recently pointed out by the Computer Editor of The New York Times, Peter H. Lewis, in the Jan. 2, 1990 edition. There, in The Science section, was a very nice review of Northgate's Omnikey, which carried the headline:

A KEYBOARD WITH A DIFFERENCE.

Mr. Lewis told how he recently got his hands on Northgate's keyboard and, as a result, replaced his old "mushy keyboard...with the crisp Omnikey Plus."

"We like it a great deal," stated Lewis. Two days into the nineties, and already Northgate's upstart Omnikey Plus, was getting raves from the N.Y. Times. In the laid-back, conservative style of The N.Y. Times, "we like it a great deal!" may be considered a rave.



SAMUEL F.B. MORSE
(ONE KEY BUFF)

As long ago as August, 1988 a reviewer named Burton L. Alpers (Andrew Seybold's Outlook On Professional Computing) put it this way: "Northgate got it right. They have combined the best features of the I.B.M. keyboard layout with outstanding keyboard feedback. It's like coming home again, but better. In the first place, all the keys are where they should be...most important, all the function keys are back where they belong, on the left



TELEGRAPH KEY (CIRCA 1920)

side, in the same arrangement as the original PC keyboard.

As a point of reference, on a subjective 1-10 scale of mush to well defined feedback, I would rate the Compaq keyboard as a 1, an I.B.M. keyboard as an 8, and a Northgate Omnikey/102, as a 10."

What Hath Northgate Wrought?

So there you have it: Northgate up there right alongside Mary Lou Retton, a perfect 10.

Now to the previously celebrated F-13 key.

As Mr. Lewis pointed out in the Times, the F-13 key causes the period and comma keys to produce periods and commas in both upper and lower cases. No more shifting up and down stuff.

You might want to consider owning this extraordinary keyboard (in either of two models: The Omnikey/102, priced at \$99.00, or the Omnikey/Plus at \$119.00), which didn't arrive in time to help Mr. Morse. We are here to help *you*, however, 24 hours a day, seven days a week. Let's see them match that down at your



OMNIKEY 102 (CIRCA 1990)

neighborhood computer store.

Just call 1-800-526-2446, and we'll tell you more about this amazing keyboard which comes with a 10-day, no questions asked, money-back guarantee and a three year unconditional warranty. Like General Northgate, Morse apparently liked to be photographed with all his hardware displayed, as you can see on the actual archival photo at left. That's nice.

Of course the Omnikey has won a few medals too. For example:

- PC Magazine "Editor's Choice": December, 1989.
- Computer Shopper Magazine "Best Buy," November, 1989.

It has also been declared the "Official Keyboard of Chaos Manor" by Dr. Jerry Pournelle of Byte Magazine.

Why not make an Omnikey *your* official keyboard?

Just call Northgate and we'll take it from there.

Medals shmedals. Once you plug in your new Omnikey, you'll find out what Northgate has wrought.



NORTHGATE COMPUTER SYSTEMS, INC.
13705 First Avenue North
Plymouth, Minnesota 55441-41000
1-800-526-2446

© Northgate Computer Systems, Inc. 1990. All rights reserved. Northgate, OMNIKEY/102, OMNIKEY PLUS, and the Northgate "N" logo are trademarks of Northgate Computer Systems, Inc. All other product and brand names are trademarks and registered trademarks of their respective companies.

CREATED & PRODUCED BY FREBERG LTD.

North Slim D



Slimmer. Trimmer. The world's
as tall as America's favorite die

E l e g a n c e *




PHOTO: HARRY LANGDON

THE NORTHGATE 386 33 MHZ ELEGANCE SYSTEM

- *“**1**a. Refinement and grace in movement, appearance or manners.
b. Tasteful opulence in form, decoration or presentation.
2. Something that is elegant.” (American Heritage Dictionary)

above. But it hasn't lost anything else.
1 386 system with a 40 MB hard drive
386 ever introduced?

and all the usual Northgate guarantees.
the entire system. Let's see the

competition. This is one of a
you're thinking of slimming down,
tell you more about it.

regular 386. It's up to you.


regular or diet.



NORTHGATE COMPUTER SYSTEMS, INC.

13705 First Avenue North
Plymouth, Minnesota 55441-41000
1-800 548 1993

Dynamic Ribbon device are trademarks of The Coca Cola Co.



The Highly Decorated General Northgate

A bit pushy? Not at all. General George Patton would, on occasion, walk around with all of his medals in place. So would Generals Douglas MacArthur and Dwight D. Eisenhower when the spirit grabbed them.

And Samuel F.B. Morse, father of an earlier form of communications, before the world became computerized. (If you think we're making this up, check out Morse's be-medaled photo on the back page of this special Northgate insert.) In the meantime, we could go on and on with the reasons to buy a Northgate system, but we thought the awards said it better than we could.

1. PC Magazine "Editors' Choice" award: 80286 SuperMicro. (PC Magazine, January, 1989)
2. PC Magazine "Editors' Choice" award: 80386 Elegance 20 MHz. (PC Magazine, May, 1989)
3. PC Magazine "Editors' Choice" award: 80386 Elegance 25 MHz. (PC Magazine, May, 1989)
4. PC Magazine "Editors' Choice" award: 80386 Elegance 33 MHz. (PC Magazine, October, 1989)
5. Computer Shopper "Best Buy" awards, three years in a row, based on a vote of the magazine's readers. • Best Buy — complete computer system • Best Buy — overall (all products advertised in the magazine) • Best Buy — Input device: Northgate Omnikey Keyboard.
6. Infoworld. In April of 1989, they saluted Northgate's Elegance 386/25 with the headline: "The Elegance 3000 among the fastest 25-MHz systems" (Infoworld, April 10, 1989). In November, in their review of our Elegance 386/33, they said the following: "Northgate's Elegance 386-33/2000 computer is a top product in most of our scoring categories including value, where it earns just the second excellent mark we've awarded to 33 MHz systems." Overall rating 9.1, their highest ever.
7. PC Magazine "Editors' Choice" award: Northgate's Omnikey Keyboard. 8. "The Northgate Humility award" given to the most modest computer company in Plymouth Minnesota. So there you have it. And the year is still young. Northgate: "Semper Humilis." (Forever Humble).




NORTHGATE COMPUTER SYSTEMS, INC.
 13705 First Avenue North
 Plymouth, Minnesota 55441-4100
 1-800-548-1993

Northgate, OMNIKEY/102, Omnikey PLUS, and the Northgate "N" logo are trademarks of Northgate Computer Systems, Inc. All other product and brand names are trademarks and registered trademarks of their respective companies.

CREATED & PRODUCED BY FREBERG LTD.
 © Northgate Computer Systems, Inc. 1990. All rights reserved.
 386 IS A TRADEMARK OF INTEL CORPORATION

Northgate is Down!



Photographs: Harry Langdon

smallest 386, standing not even
t cola. Obviously Northgate has

You said it.

Since at least three of the medals garnered by General Northgate were for our highly acclaimed Elegance series (triple Editors' Choice awards from PC Magazine, for example), we thought we'd show you what the machine looks like and give you a few specs in case you might be inclined to buy this elegantly designed state-of-the-art computer.

First of all, to photograph an elegant machine . . . you need an elegant photographer. So we went to the most highly respected lensman in Hollywood: Harry Langdon. He normally lights and shoots such famous faces as Linda Evans, Victoria Principal, Cher, Arnold Schwarzenegger and Diana Ross, to name just a few. So shooting a different pretty face like a Northgate Computer is all in a day's work for Harry. For one thing, Northgate doesn't need a hairdresser.

The Elegance series to your left comes in three versions: The 20 and 25 MHz models, and our top of the line/highest performance Elegance: the 33 MHz which earned a 9.1 rating in Infoworld.

The price of the complete 386™ 33 MHz Elegance system pictured: \$5995.00. (Of course, you can buy a fully configured Elegance system starting at \$3395.00.)

The only thing more impressive than the price is the tech support which comes along with our usual 1 year parts and labor warranty. Did we mention that we also ship you replacement parts, should they be needed, overnight at our expense?

And that our tech support people are actually here for you 24 hours a day, every day, every night?

Put us to the test: give us a call some night at midnight. Or 3:00 AM.

Now to the specs:

Technobabble*

**Seemingly endless Technical specifications, without which you aren't about to buy this machine no matter how many awards it's won.*

Not only that... would this look like a real computer ad without them? Probably not. Here they are:

STANDARD CONFIGURATION

- ◆ 33 MHz Intel 80386 processor.
- ◆ 150 Mb ESDI Hard Drive 16MS.
- ◆ 4 Mb Ram.
- ◆ 64 K SRam Read-Writeback Cache (Optional 256 K Cache available)
- ◆ Zero wait state performance.
- ◆ 1.2 Mb—5.25" floppy drive (also reads, writes and formats low density diskettes).
- ◆ 1.44 Mb—3.5" floppy drive (also reads, writes and formats low density diskettes).
- ◆ Eight expansion card slots
- ◆ 80387 or Weitek coprocessor support

- ◆ Two serial ports and one parallel port (two with monographics systems)
- ◆ 14" Multifrequency VGA Color Monitor 1024x768 resolution with 16 bit controller.
- ◆ Sleek new Elegance 7 drive-bay custom vertical cabinet pictured. (Desktop style optional, save \$150.00.)
- ◆ Exclusive award winning Omnikey Keyboard.
- 24 Hr 7-days a week tech support: unlimited toll free phone.
- Additional Technobabble available upon request



NORTHGATE COMPUTER SYSTEMS, INC.
13705 First Avenue North
Plymouth, Minnesota 55441-41000
1-800-548-1993

Northgate, OMNIKEY/102, Omnikey PLUS, and the Northgate "N" logo are trademarks of Northgate Computer Systems, Inc. All other product and brand names are trademarks and registered trademarks of their respective companies.

CREATED & PRODUCED BY FREBERG LTD.
© NORTHGATE COMPUTER SYSTEMS, INC. 1990.
ALL RIGHTS RESERVED.

386 IS A TRADEMARK OF INTEL CORPORATION

And for the newest member of the Northgate 386 family, open up this fold-out. 

D I D W E
M E N T I O N

24

H O U R S / 7 D A Y S A W E E K
T O L L - F R E E T E C H N I C A L S U P P O R T

**NORTHGATE
COMPUTER SYSTEMS, INC.**
1 - 8 0 0 - 5 4 8 - 1 9 9 3

CREATED & PRODUCED BY FREBERG LTD. © NORTHGATE COMPUTER SYSTEMS, INC. 1990. ALL RIGHTS RESERVED.



NORTHGATE COMPUTER
SYSTEMS, INC.
13705 First Avenue North
Plymouth, Minnesota
55441-41000

Circle 204 on Reader Service Card

WHAT'S NEW

HARDWARE • SYSTEMS

Zeos Promotes Low-Priced SX

The 386SX from Zeos International includes an American Megatrends BIOS, 512K bytes of RAM (expandable to 4 megabytes on the motherboard), a 32-megabyte Seagate hard disk drive, a 5¼-inch 1.2-megabyte TEAC floppy disk drive, a Hercules monochrome monitor with controller, a 101-key keyboard, and room for expansion.

The 40-pound chassis, which measures 7 by 21 by 17 inches, can house a total of five half-height disk drives and six 16-bit and two 8-bit full-length expansion cards. The disk drive controller is an Adaptec with 8K bytes of cache that supports two floppy disk drives and two hard disk drives. The power unit is a 115-/230-V 200-W design.

Price: \$1395.

Contact: Zeos International, Ltd., 530 Fifth Ave. NW, St. Paul, MN 55112, (800) 423-5891 or (612) 633-4591.

Inquiry 1120.

Psion Touts Staying Power of Mobile Systems

Handheld-computer-maker Psion has introduced a new family of "mobile" computers that offer longer battery life, better data storage, and an easier user interface than other "notebook" computers.

Psion's 4½-pound MC-400 features a 640-by-400-pixel display, an 80C86 CPU, and power from eight AA batteries.



Solid features and expandability in a Zeos SX.

The three clamshell-style models each weigh 4½ pounds and are about the size of a ream of paper. All three use a 7.68-MHz 80C86 CPU, eight AA batteries, and new Intel solid-state flash EPROM memory cards for data storage.

Two of the models, the MC-200 and MC-400, employ a proprietary multitasking graphical operating system that uses icons and menus, and they feature a touchpad above the QWERTY keyboard.

The MC-400 comes with more RAM (256K bytes) and a

CGA display. Both the MC-200 and the MC-400 have a voice-processing capability for digitizing and playing back speech through a built-in microphone and speaker.

The MC-600 is a DOS-based machine with 768K bytes of RAM, a 1-megabyte RAM disk, an Award BIOS, flash-card slots, and the same display as the MC-400. Instead of the touchpad it has a row of function keys at the top of the keyboard. Battery life is 30 hours. Options include a 3½-inch 1.44-mega-

byte external floppy disk drive.

Price: MC-200, \$799; MC-400, \$1499; MC-600, \$2499.

Contact: Psion, Inc., 118 Echo Lake Rd., Watertown, CT 06795, (203) 274-7521.

Inquiry 1122.

CD-Based Computers from HeadStart

The new LX-CD and III-CD computers from HeadStart each feature a 5¼-inch 680-megabyte CD-ROM disk drive and bundled disks that are packed with dictionaries, encyclopedias, almanacs, directories, and more. And in the tradition of HeadStart systems, these models include a hard disk drive (40-megabyte) with an already-loaded DOS shell and bundled graphics, spreadsheet, desktop-publishing, and other software.

The LX-CD is a 10-MHz 8088 with 768K bytes of RAM (expandable to 1 megabyte), five full-length 8-bit expansion slots, 256K bytes of video RAM, a 101-key keyboard, and a mouse.

The III-CD is a 12-MHz 80286 with 1 megabyte of RAM (expandable to 3 megabytes), six 16-bit expansion slots (three half-length and three full-length), a 2400-bps modem, MNP software to level 5, and all the other standard features of its little brother, the LX-CD.

Price: LX-CD, \$1995; III-CD, \$2995.

Contact: HeadStart Technologies Co., 40 Cutter Mill Rd., Suite 438, Great Neck, NY 11021, (516) 482-4255.

Inquiry 1121.



Acer Monitors VGA and 8514/A with AcerView

The AcerView 15P is a 15-inch flat-screen monitor that displays both VGA and 8514/A graphics and the output of all backward-compatible graphics cards. It comes standard with a full-page VGA controller.

Multiscanning ranges from 15 to 70 kHz horizontally and from 45 to 90 Hz vertically. The AcerView 15P supports resolutions of up to 800 by 1000 pixels in full-page mode in 16 shades of gray, and 1024 by 768 pixels in graphics mode. The video bandwidth is 65 MHz.

The add-in board features include 512K bytes of display memory and drivers for Windows/286 and 386, GEM, Ventura Publisher, WordStar, WordPerfect 5.0, AutoCAD, and Lotus 1-2-3. The board also supports TTL standards to run EGA, CGA, MDA, and Hercules.

Price: \$1150.

Contact: Acer America Corp., 401 Charcot Ave., San Jose, CA 95131, (408) 922-0333.

Inquiry 1128.

GCC Gives Macs the WriteImpact and PLP II

The WriteImpact is a 24-pin letter-quality printer for your Macintosh. The print resolution is 180 vertical by 360 horizontal dpi. The Personal Laser Printer II (PLP II) is a low-priced 4-page-per-minute QuickDraw laser printer with a 300-dpi resolution. For faster printing, a 1-megabyte RAM module is



an available option.

Both printers include six Bitstream outline-font families: Courier, Symbol, Times, Helvetica, Palatino, and Helvetica Narrow. Because it uses outline-font technology, the WriteImpact can scale and rotate each character to any size and angle. The PLP II goes one better with the ability to reduce and enlarge text from 25 percent to 400 percent in 1 percent increments.

WriteImpact also features QuickSpool II, for background printing, and QuickEnvelope, which automatically aligns the address on an envelope and features a database that can hold (and help you manipulate) up to 1000 addresses. Also standard is one ribbon cassette, which prints about 400 pages, and a serial cable. The WriteImpact measures about 6 by 17 by 14 inches and weighs about 19 pounds.

The PLP II gives you QuickEnvelope, Print Manager (for print spooling without a separate processor), and five print options: preview, draft, medium draft, high-quality, and print later. The PLP II also includes an interactive LCD panel.

SEND US YOUR NEW PRODUCT RELEASE

We'd like to consider your product for publication. Send us full information, including price, ship date, and an address and telephone number where readers can get further information. Send to New Products Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Information contained in these items is based on manufacturers' written statements and/or telephone interviews with BYTE reporters. BYTE has not formally reviewed each product mentioned. These items, along with additional new product announcements, are posted regularly on BIX in the microbytes.sw and microbytes.hw conferences.

The PLP II measures approximately 6 by 18 by 18 inches and weighs 24 pounds.

Optional WriteImpact and PLP II font packages include Fonts Plus, Headliners, and Publishers' Choice. Another option on both models is Bitstream's MacFontware converter, which translates MacFontware fonts into a format that you can use with any of GCC's QuickDraw printers. The PLP II also supports Adobe Type Manager, giving you access to any of Adobe's PostScript fonts.

Price: WriteImpact, \$699; ribbons, \$13; PLP II, \$1399; cartridges, \$33.

Contact: GCC Technologies, 580 Winter St., Waltham, MA 02154, (800) 422-7777 or (617) 890-0880.
Inquiry 1127.

Lots of Laser Fonts for Less

The LZR-650 laser printer from Dataproducts features 16 built-in fonts, a 300-dpi print resolution, and 512K bytes of RAM (expandable to 4 megabytes).

WriteImpact, a 24-pin dot-matrix printer, features 180-by-360-dpi resolution, fonts, spooling, and print management software.

It prints at 6 pages per minute, has parallel and serial ports, and touts a 3000-page-per-month duty cycle. It also handles 250 sheets in its standard paper tray, emulates Diablo, Epson, and IBM printers as well as Hewlett-Packard, and has a footprint of 1½ square feet.

Price: \$1695.

Contact: Dataproducts Corp., 6200 Canoga Ave., P.O. Box 746, Woodland Hills, CA 91365, (818) 887-8000.

Inquiry 1130.

Low-Cost Laptop Printer

The OIP-200 Lapmate is a dot-matrix printer that prints text at 28 cps and graphics at 180 dpi. Including the rechargeable nickel-cadmium battery that lasts up to 3 hours, it weighs about 3 pounds and measures 1½ by 12 inches. It prints on 8½-inch-wide thermal paper and connects to a parallel port.

The OIP-200 employs a bi-directional 24-pin print head and prints 96 ASCII characters using standard Epson escape codes. Type options include Pica, Elite, Condense, Enlarge, and Proportional. Line spacings can be ¼ or ⅛ inch.

Price: \$349.95.

Contact: S.L.S. Technology, Inc., 245 Pegasus Ave., Northvale, NJ 07647, (201) 784-0987.

Inquiry 1129.

continued

"Business Imaging System" Uses Windows Imaging Model

The Exact-2000 is a single-slot AT-bus board that provides both display control and laser-printer control. A daughtercard controls a scanner, which lets you scan and print directly (without crossing the bus).

By using the Microsoft Windows Graphical Device Interface imaging model for printer control, the Exact-2000 skips the time-consuming process of converting pages to HP PCL or PostScript, while transparently supporting Windows applications such as Aldus

PageMaker, Micrografx Designer, Corel Draw, Computer Solutions Arts & Letters, and the AGA family of image retrieval systems.

The core Exact-2000 board contains a 40-MHz Texas Instruments 34010 processor, 2 to 4 megabytes of DRAM, and 1 megabyte of video RAM. It can control both a 1600- by 1200-pixel display (Alacrity sells a 19-inch full-page monochrome model) and a laser printer.

Using Bitstream fonts, the Exact-2000 can create on-the-fly scalable, rotatable fonts on your screen for

WYSIWYG representation and then use the same outlines to print the page to non-PostScript printers. Alacrity claims that Exact-2000's raster image processor can print, in as little as 40 seconds, pages that would otherwise take 20 minutes.

Price: Printer- and display-only boards, \$1695 each; core board, \$2395; scanner daughtercard, \$395 to \$550; 19-inch monitor, \$995.

Contact: Alacrity Systems, Inc., 88 Bartley Sq., C-6, Flanders, NJ 07836, (201) 584-0116.

Inquiry 1132.

VGA and 8514/A in a Single Chip for One Board

The TAVA 9000 and the TVGA 8900 are 8514/A-VGA and Super VGA (800- by 600-pixel) boards that use the manufacturer's own video chips.

Trident claims that the TVGA 8900 is the first board with "on-chip power" to drive 1024- by 768-pixel graphics in 256 colors, non-interlaced. Such high-resolution graphics require the optional 1 megabyte of DRAM. With less RAM, the standard 8900 is capable of running 800- by 600-pixel graphics in 16 colors or 640- by 480-pixel graphics in 256 colors with as few as six support chips, including two 256K-byte DRAM chips. A key feature involves a proprietary 32-bit video memory bus on the card and an internal cache with an intelligent sequencer.

The TVGA is unique, Trident says, because it uses a clock chip rather than a crystal oscillator. This offers an advantage by allowing the generation of up to eight differ-

ent clock frequency outputs. One of these frequencies can be used as a DRAM clock to increase DRAM speed. Monitor compatibility is ensured through an optional serial electrically erasable programmable ROM rather than in BIOS EPROMs.

The Trident Advanced Video Array 9000 combines both 8514/A functions and VGA functions on a single chip and is register-level compatible with IBM's 8514/A, VGA, EGA, CGA, MDA, and Hercules. Supported resolutions include 1024 by 768, 800 by 600, and 640 by 480 pixels, in 16 and 256 colors.

Each TAVA will support all 8514/A functions, including line draw, block transfers, polygon fill, and bit-mapped text.

Optional software drivers are available for Lotus 1-2-3, PageMaker, Ventura Publisher, WordPerfect, WordStar, Microsoft Windows, GEM, Framework II, and AutoCAD. **Price:** TVGA 8900, \$359; TVGA 8900 with 1 megabyte of RAM, \$595; TAVA, \$795. **Contact:** Trident Microsys-

tems, Inc., 321 Soquel Way, Sunnyvale, CA 94086, (408) 738-3194.

Inquiry 1134.

Computer Boards Aim at MetraByte's DAS-16

The CIO-AD16/50K and /100K are data acquisition boards that are compatible with MetraByte's DAS-16 boards.

Features include simultaneous sample and hold for separately and simultaneously triggering up to 16 analog channels, support for 32 digital I/O lines, analog inputs of up to 16 channels of single-ended input or eight channels of differential input, a counter/timer with three counters of 16 bits each, two 12-bit D/A converters, and triggering through internal and external means and through software. **Price:** 50 kHz, \$799; 100 kHz, \$859.

Contact: Computer Boards, Inc., 44 Wood Ave., Mansfield, MA 02048, (508) 261-1123.

Inquiry 1135.

CD-Quality Digital Audio System for Your Mac II

Audiomedia is the first low-priced, NuBus-based, digital audio recording and editing system for the Macintosh II, according to the manufacturer.

It features the Motorola 56001 digital signal processor used in the NeXT computer, and sound-editing software that lets you edit stereo sounds from microphones, compact disk players, and other sources.

The NuBus board has two RCA line-in and line-out jacks. Audiomedia also supports sampling rates of up to 44.1 kHz, the sampling rate frequency used for CD-quality digital audio. You can specify lower sampling frequencies to keep disk storage requirements low and to record lower-fidelity sounds such as voice and sound effects. Sounds recorded at the 44.1 kHz sampling rate require 10 megabytes of disk space per minute of sound.

Audiomedia supports HyperCard stacks and Apple's Sound Manager utility, so you can use sounds recorded with Audiomedia with other Mac software applications that support sound, such as the Macromind Director video animation program or the WingZ spreadsheet program. Audiomedia also includes its own software for music editing.

Price: \$995. **Contact:** Digidesign, Inc., 1360 Willow Rd., Suite 101, Menlo Park, CA 94025, (415) 327-8811.

Inquiry 1133.

continued

DBMS Case Study:

The Exxon Valdez Disaster



March 24, 1989. Exxon VALDEZ tanker runs aground, creating the worst oil spill in U.S. history. 11,000,000 gallons contaminate the pristine waters of Alaska's Prince William Sound.

The Problem

Major disasters, like the Exxon Valdez spill, require quick response based on careful data analysis. Fortunately, an easy-to-use database was already being created which would help.

The Application

The Alaskan Marine Contaminants Database lets oceanographic chemists easily access 60 megabytes of data covering the past decade. The database is provided free of charge on CD-ROM, and the Windows interface means they can get right to work, assessing damage to the ecosystems of Prince William Sound and other Alaskan waters.

The Solution

db_VISTA III is the only DBMS with the features this project required: C language support, Windows compatibility, royalty-free runtime distribution, quick performance in large databases, quality documentation and support. With the Alaskan Marine Contaminants Database, the difficult job of calculating the long-term effects of the Exxon spill is a little easier.*



A Microsoft Windows front end lets chemists select regions from a map to retrieve data. And, db_VISTA III's SQL-based query and report writer lets users perform complex SQL data searches.

Your DBMS problems may not make the headlines, but they are no less important and often no less challenging. If you develop applications for MS-DOS, MS Windows, UNIX, VMS, QNX, OS/2, Macintosh, and other environments, db_VISTA III is your solution.

Call 1-800-db-RAIMA (1-800-327-2462)

* Reprints of the story, as published in PC Week and Data Based Advisor, are available from Raima.

db_VISTA III™

Database Management System

Specifications: Complete C source code available. No Royalties
C Language Portability & High performance

Network Data Model. Relational B-tree indexing. Relational SQL query and report writer. Single & Multi-user. Automatic recovery. Built-in referential integrity. Complete revision capability. Supports: MS-DOS, MS Windows, UNIX, QNX, SunOS, XENIX, VMS, Macintosh. OS/2 compatible. Most C Compilers supported. LANs: 3COM, Novell, Banyan, Appleshare. Call for other environments.

Raima Corporation 3245 146th Place S.E., Bellevue, WA 98007 USA (206)747-5570 Telex: 6503018237 MCI UW FAX: (206)747-1991
International Distributors: U.K.: (0992) 500919 Germany: 07127/5244 Switzerland: (01)725 0410 Netherlands: (02159)46 814 Sweden: (013)1247 80 Italy: 045/584711 Norway: (02) 44 88 55
Denmark: 2867249 U.S.S.R.: (812)292-1965, (0132)35-99-08 Australia: 02 419 7177 Japan: (03)473 7432 Taiwan: (02)511 3277 Mexico: (83) 57 35 94 Central America: 506 28 07 64
Argentina: 1 313 5371 Chile: 2 696 4308 Uruguay: 2 920959 Copyright Raima Corporation © 1990

Power Tools For C Programmers



db_VISTA III DBMS rated number #1

For Performance and Flexibility of DBMS Programming Tools-
PCWEEK Poll of Corporate Satisfaction, August 28, 1989.

SAMSUNG/NOVELL

PCterminal/286

SAMSUNG/NOVELL

PCterminal/286

SAMSUNG/NOVELL

PCterminal/286

SAMS

PCterminal

SAMSUNG/NOVELL®

PCterminal/286



SAMSUNG
386AE FILE S

How to plan your LAN.

You'll need a pencil.

That's to write down the telephone number on the next page. Which will connect you with Samsung's nationwide network of resellers. And the Samsung/Novell co-labeled line of LAN hardware.

It's pretty much that simple.

With one call you can plan on substantial savings over the big name computers which, despite high clock rates and even higher price tags, are not really optimized for networking.

And you can plan on 100 percent compatibility with all versions of Novell's NetWare®, because Samsung's LAN hardware was co-designed by Novell. Just like the label says.

THE TESTING WENT IN BEFORE THE LABEL WENT ON.

Both the Samsung 386AE and PCterminal/286 have

been tested exhaustively and certified by Novell for compatibility with all popular networking hardware and software products. As a matter of fact, Samsung's 386AE is one of 3 file servers certified by Novell to run NetWare 386.

For example, engineers at Novell successfully tested the PCterminal/286 LAN Workstation in no less than 1200 different network configurations... with 50 units running at once! That's a claim no other computer manufacturer can make.

NETWORKING VS. NETWORKING.

What's the difference? Take our 386AE Fileserver, for instance. It includes Novell's Advanced BIOS, and eight expansion slots to accommodate multiple network interface cards and disk controllers. Plus an oversize power supply capable of driving dual high capacity hard disks and tape



SAMSUNG/NOVELL

PCterminal/286

SAMSUNG/NOVELL

PCterminal/286

SAMSUNG/NOVELL

SAMSUNG/NOVELL

PCterminal/286



SAMSUNG/NOVELL

PCterminal/286

SAMSUNG/NOVELL
SERVER

back-up system. Plus 4 megabytes of main memory or disk caching.

Then there's Samsung's PCterminal/286 Diskless Workstation which includes a built-in Ethernet interface and Novell's Remote Boot EPROM.

And not to be overlooked is our 16-bit SE2100 Ethernet Interface Card which provides up to twice the throughput for the price of an 8-bit card.

THE SAMSUNG COMMITMENT.

With 4 million monitors and half a million PC and LAN computers sold in 1988 alone, it's clear that Samsung has made a serious commitment to the marketplace. In all, Samsung offers no less than nine different PC and LAN computer models with seventeen color and monochrome monitors! And, as a 31-billion dollar international corporation, Samsung has the resources to provide continuous support for its customers.

So why not begin your network planning today? For the name of the Samsung reseller nearest you, write:

SAMSUNG, 3655 North First Street, San Jose, CA 95134, or call 1-800-446-0262.



SAMSUNG

Circle 245 on Reader Service Card (DEALERS: 246)

Make Your SCSI a GPIB Port

The GPIB-SCSI is a modem-size SCSI-to-general-purpose interface bus translator box that lets you control up to 14 GPIB instruments from a single SCSI port.

Two buffer options are available, and at least one is required for a key disconnect/reconnect feature that allows you to disconnect from the SCSI bus and still continue to communicate with the GPIB instrument. This ensures that the performance of the SCSI bus doesn't suffer because of the slower GPIB instrument.

The GPIB-SCSI has a built-in DMA controller for transferring data at rates of up to 900K bytes per second. It also supports all GPIB controller functions as well as normal and extended talker and listener addressing, serial and parallel polls, service requests, and passing and receiving control. It implements all the SCSI bus phases, including arbitration and selection/re-selection phases, asynchronous data transfer, and parity generation with optional checking.

Although drivers aren't necessarily needed, they are available for the DEC VAXstation, the Sun SPARCStation 1, and Macintosh computers.

If you want to work with SCSI devices, you can flip a switch and make the GPIB-SCSI an interface for SCSI devices to talk to dedicated GPIB controllers. You can use the GPIB-SCSI this way to interface up to seven SCSI devices.

Price: Without RAM, \$695; with 64K-byte RAM buffer, \$795; with 256K-byte RAM buffer, \$995.

Contact: National Instruments, 12109 Technology Blvd., Austin, TX 78727, (800) 433-3488 or (512) 794-0100.

Inquiry 1139.



GPIB-SCSI interface controls GPIB devices better.

Replace Your Power Unit with Power and UPS

The EP-550 is a 200-W power replacement unit for your AT that includes a standby power supply. You simply replace your power supply with the EP-550.

Maintenance-free batteries provide 5 to 10 minutes of backup power to your CPU's DC logic circuits and to the AC monitor. Power is 150 V AC at 60 Hz, and the unit accepts voltages from 80 V AC to 260 V AC and frequencies from 47 to 440 Hz. Optional equipment includes DOS-based software and an interface card for automatic shutdown.

Features include a battery charger, overcurrent protection, overload and short-circuit protection, and an audible alarm to warn you of power failure. Units are also available for Compaq, Zenith, and

Apple computers.

Price: \$795.

Contact: Enpower Corp., 7929 Silverton Ave., Suite 610, San Diego, CA 92126, (800) 322-7697 or (619) 536-9011.

Inquiry 1140.

Safe Computing Claims Radiation-Free Monitor

Safe Monitor is a backlit LCD for XT, AT, PS/2, and Macintosh computers that's compatible with CGA and VGA controllers, offering 4 and 16 shades of gray, respectively. The screen measures 10 inches diagonally, and the unit weighs 15 pounds.

Safe Computing claims that the monitor blocks several types of radiation, including electric and magnetic radiation, x-rays, and static buildup. The key to blocking radia-

tion is a patented mesh wiring that stands between you and the pixels. It also blocks 30 percent of the light that's emitted, but Safe Computing says that the screen remains quite readable.

An optional device, Safe Meter, can measure low-frequency magnetic radiation in two different bands of frequencies: from 20 to 50,000 Hz and from 300 to 50,000 Hz. **Price:** \$695; Safe Meter, \$145.

Contact: Safe Computing Co., 368 Hillside Ave., Needham, MA 02194, (800) 222-3003 or (617) 444-7778.

Inquiry 1141.

Flexible Digitizing Mat Is 1/32-inch Thick

The 4-ounce Grid Master Digitizing Mat is flexible, is only 1/32-inch thick, and can be rolled up like a poster.

With a four-button cursor and a slide-switch pen included, it gives you a resolution of 1000 lines per inch with accuracy to 0.01 inch, Numonics claims. It also maintains absolute positioning with all software and remembers its configuration even with the power off.

Included is an RS-232C cable, a setup menu template, and drivers for the Microsoft Mouse and Windows. A Macintosh adapter is also available.

Price: With cursor, \$469; with pen stylus, \$449.

Contact: Numonics Corp., 101 Commerce Dr., Montgomeryville, PA 18936, (215) 362-2766.

Inquiry 1143.

continued

Easy Power-On for Your Mac

The PowerKey is a smart power-on device for Macintosh systems and peripherals that lets you program specific on/off times. It also serves as a surge suppressor, noise filter, and overload protector.

PowerKey works with the Mac SE, SE/30, II, IIx, IIcx, and IIci. Rated voltage is 125 V AC, current is 15 amps,

peak power dissipation is 1.5 kw, energy rating is 70 joules, current peak is 6500 amps, and the circuit breaker is 15 amps.

Price: \$99.

Contact: Sophisticated Circuits, Inc., 19017 120th Ave. NE, Suite 106, Bothell, WA 98011, (206) 485-7979.

Inquiry 1144.



See Us At
HANNOVER FAIR
CeBIT '90
MARCH 21-23, 1990
Hall 006, Floor E06, Stand F15

QNX[®] The OS for over-achievers[™]

QNX programmers have a decided advantage.

You see, people who use QNX enjoy the freedom that comes only with a flexible, modular OS. They appreciate the elegance of a **message-passing architecture**. And they marvel at the fact that QNX runs so lean—under 150K—yet out-performs any other PC operating system.

QNX users never worry about whether their applications will make it at runtime, because they know QNX has proven itself again and again in the real world.

It's no wonder that QNX users have achieved so much since the product was first released for the PC in 1982: over 80,000 systems installed in 47 countries world-wide, in all kinds of applications—from making cars to selling books to handling online credit card transactions.

One reviewer dubbed QNX "The multi-everything OS." Now, you might expect

multiuser and multitasking, but realtime? *And* integrated networking? *And* true distributed processing? Best of all, these terms take on a new meaning with QNX.

Multiuser, for instance, means up to 32 terminals per micro. **Multitasking** cashes out as 150 tasks per machine.

Realtime means not only priority-driven, preemptive task scheduling, but also speed: at 6,896 task switches/sec on a 16MHz 286, QNX is at least a full order of magnitude faster than a typical UNIX system. **Integrated networking** means you won't need yet another layer of software to set up a LAN, and you can use *any mix* of Intel-based micros—from vintage '81 PCs to PS/2s.

Distributed processing with QNX sounds too good to be true. But it is: *Any task can access any resource*—programs, files, devices, even CPUs—without going through the bottleneck of a central file server.

Besides the satisfaction that QNX developers get from using a fast, powerful, and flexible OS, did we mention that they also enjoy *free technical support*?

If you're wondering why you don't already know all about this great OS, you could try asking the over-achievers who are smugly guarding the secret of their success.

Better yet, give us a call. We'll tell you everything you need to know to become an over-achiever yourself.



For more information or a free demo disk, please phone (613) 591-0931.

Quantum Software Systems Ltd., 175 Terrence Matthews Crescent, Kanata, Ontario, Canada K2M 1W8
QNX is a registered trademark of Quantum Software Systems Ltd. UNIX is a registered trademark of AT&T. PS/2 is a registered trademark of International Business Machines Corporation. © 1989 Quantum Software Systems Ltd.

Circle 233 on Reader Service Card

Network Scheduling to Enhance Group Productivity

PowerCore has enhanced its Network Scheduler II 1.11 to let you combine the scheduling of people and resources with Why and Where options to display the reason for and location of scheduled events. Network Scheduler is compatible with Novell, 3Com, and Banyan.

Version 1.11 works with or without E-mail such as cc:Mail, 3+, 3+Open Mail, and Message Handling Service-compliant services such as Da Vinci eMail and Action Technologies' The Coordinator II. Network Scheduler also supports wide-area networks through MHS-compatible networks, and the menu is designed to be compatible with IBM's Systems Application Architecture/Common User Interface.

A 4K-byte TSR program now lets you hot-key between your applications and Network Scheduler.

Other main features in-



PowerCore enhances groupware so everybody shares data.

clude support for remote users, easy insertion of recurring appointments without multiple entries, reminder notes, and programmable levels of security.

Price: For eight users, \$495; for 25 users, \$695; for 50 users, \$995.

Contact: PowerCore, Inc., One Diversatech Dr., P.O. Box 756, Manteno, IL 60950, (800) 237-4754 or (815) 468-3737.

Inquiry 1150.

Finalsoft Synchrony 1.0 is a comprehensive software package designed for group productivity that is compatible with DOS, Microsoft Win-

dows, NetBIOS LANs, and MHS.

It features personal and public functions, and mixes of the two. Synchrony comes with an agenda, a group scheduling function, a multidocument text editor, a multiuser database, a document creation and management function (whether text, pictures, or spreadsheets), and E-mail.

Price: For six users, \$445; for 10 users, \$695; for unlimited users, \$1995.

Contact: Finalsoft Corp., 3900 Northwest 79th Ave., Suite 215, Miami, FL 33166, (800) 232-8228 or (305) 477-2703.

Inquiry 1151.

RightWriter Now Checks Your Prose over Your LAN

A NetWare-compatible version of the grammar-checking software RightWriter now lets you share one copy among five colleagues.

It's the same RightWriter that's been available for DOS and Unix systems, with advanced parsing and an expert system that includes more than 4500 rules.

RightWriter checks your documents for errors in grammar, writing style, usage, and punctuation. It will tell you, for example, that "consensus of opinion" is redundant. And it includes features that let you customize rules or even turn them on or off so it won't flag every entry of "NeXT Computers" as unusual capitalization, for example.

Price: \$285.

Contact: RightSoft, Inc., 4545 Samuel St., Sarasota, FL 34233, (813) 923-0233.

Inquiry 1148.

continued

IBM Package Lets Hearing-Impaired People Communicate by Phone

The PhoneCommunicator is a hardware/software product that lets hearing-impaired people send voice messages from PCs and receive written replies from the keypad of a Touch-Tone phone.

Many hearing-impaired people now use Telecommunication Devices for the Deaf (TDD) terminals (small acoustic couplers with keyboards and screens) for conversation with one another and with organizations that offer TDD access, but most hearing individuals don't have such terminals. One common way to reach hearing people is through

"relay" services, offered by AT&T and other companies, in which an operator reads typed messages from a hearing-impaired caller aloud to the hearing person and then types back the spoken replies. Relay service is available only in certain regions at certain times of the day, and it has drawbacks, including cost and lack of privacy.

The PhoneCommunicator runs on a PC or PS/2 (Models 25 and 30) under DOS and consists of a multifunction board and software. The board has a modem for communication to ASCII BBSes or TDD devices, a voice syn-

thesizer for speech output, and an auto-answer function that records and timestamps incoming text messages when nobody is present to receive them.

The software provides a character-based interface for sending and receiving messages. To talk, the hearing-impaired person types words on the keyboard and the voice synthesizer speaks them over the phone. To respond, the hearing user enters letters on the telephone keypad.


You can initiate outgoing calls manually or use a built-in auto-dialer with a phone list. The user will typically

begin the call with a preprogrammed message that identifies him or her as hearing impaired and gives instructions on how to respond using the phone keypad. When a call is incoming, the screen flashes to alert the hearing-impaired user, and the synthesizer greets the caller with a programmed message. All conversations can be saved to disk.


Price: \$600.

Contact: IBM National Support Center for Persons with Disabilities, P.O. Box 2150, Atlanta, GA 30055, (800) 426-2133 (voice) or (800) 284-9482 (TDD).

Inquiry 1154.




Sage Software has merged with Polytron and acquired exclusive rights to publish Dan Bricklin's® Demo II™ and Plink86+. Sage is one of the fastest growing suppliers of "Best In Class" software development tools. And remember the best place to buy Sage tools - Programmer's Paradise.



PVCS

The Polytron Version Control System (PVCS) provides complete control over the configuration of your software and all its elements. Previous configurations are easily recovered at any time. Conflicting module changes can be detected or avoided. You always know who made a change, what it was, why it was made, and what revisions contain the change. You can coordinate revisions, special versions and upgrades - automatically.

PVCS is the market leader in version control. Our user list reads like a Who's Who of software development. The new version (3.2) adds fine-grained file and function security; enhanced parallel development support; and an even higher degree of customization and configuration control.




Dan Bricklin's® Demo II

Demo II is the perfect tool for:

- Creating realistic demos of your product without releasing any active code.
- Prototyping systems before coding them to ensure they meet users needs and expectations.
- Building tutorials or even full-blown Computer Based Training products.
- Any application where you need a way to simulate the action of a live program without creating or supplying the program.

Dan Bricklin's Demo II is a powerhouse prototyper, tamed by a superb interface. The rich control language permits complex demos so realistic that users will believe they are using an actual program. While any programmer will quickly feel right at home with the control language, it can be ignored completely for simpler demos, tutorials or prototypes.



Plink86+

Over 20,000 programmers rely on Plink86+ to manage program memory and to link large applications. Plink86+ is time tested, evolved technology with extensive capabilities to improve your software. It is more than just an overlay linker - it's an overlay editor, permitting you to quickly try different structures.

It's the industry standard overlay linker, so you know your application will run on the largest number of PCs. You can create programs as large as 16 MEG to run in as little as 192K of memory.

Code linked with Plink86+ automatically uses expanded or extended memory. No modifications to your source is required. If the memory is present your software runs faster; if not it overlays from disk as usual.

Source code necessary to customize prompts and messages for the overlay loader is included. Sage does not require a royalty for products including the overlay loader.


	List	Ours
Professional PVCS, MS-DOS	\$495	\$419
Professional PVCS, OS/2	\$595	\$505
Demo II	\$199	\$159
Plink86+	\$495	\$395

1-800-445-7899

Programmer's Paradise



Programmer's Paradise... for



WE'LL MATCH NATIONALLY ADVERTISED PRICES.

	LIST OURS
386 CONTROL PROGRAMS	
DESQview 386	190 169
Microsoft Windows v.386	195 129
VM/386	245 199
VM/386 Multi-User	895 819
VM/386 NetPak	150 119
386 DEVELOPMENT TOOLS	
386 ASM/LINK	495 435
Lahey F77L-EM/32 (w/ OS/386)	1090 975
Novell C Network Compiler/386	995 779
Paradox/386	895 629
WATCOM C 7.0/386	895 799
ASSEMBLY LANGUAGE	
Advantage Disassembler	295 279
ASMFlow	99 89
ASMTTool	90 80
MS Macro Assembler	150 95
OPTASM	125 109
Re:Source	150 129
Sourcer w/ Pre-Processor	140 125
Turbo Assembler/Debugger	150 105
Visible Computer: 80286	100 89
BASIC COMPILERS	
MS BASIC Prof. Devel. System	495 329
QuickBASIC	99 69
True BASIC	100 69
Turbo Basic	100 69
BASIC LIBS/UTILITIES	
db/LIB	139 121
DiaLogic	79 70
GraphPak	79 70
GraphPak Professional	149 125
LaserPak	79 70
P.D.Q.	99 89
ProBas	135 125
ProBas HyperHelp Toolkit	99 94
ProBas Telecomm. Toolkit	75 70
ProBas Toolkit	99 94
ProMath	99 94
ProScreen	99 89
QBase and Quickscreen	149 125
QuickComm	139 125
QuickMenu	59 55
QuickPak	79 70
QuickPak Professional	149 125
QuickPak Scientific	79 70
QuickScreen	79 70
QuickWindows Advanced	149 125
QuickWindows Advanced Corp.	500 445
C COMPILERS	
C Network Compiler	695 525
Lattice C 6.0	250 155
Microsoft C	450 289
MS QuickC	99 65
MS QuickC w/ QuickAssembler	199 135
Top Speed C	199 179
DOS Professional	399 359
OS/2 Professional	495 445
Turbo C	150 99
Turbo C Professional	250 169
WATCOM C 7.0	395 319

	LIST OURS
C++	
Guidelines C++	295 269
NDP C++	495 479
Zortech C++	200 165
Developer's Edition	450 385
Zortech C++ Tools	150 129
Zortech C++ Video Course	500 449
C-COMMUNICATIONS	
Breakout II	125 99
C Async Manager 3.0	189 139
Essential Communications	329 259
Greenleaf Comm. Library	299 215
Greenleaf ViewComm	559 475
SilverComm C Async Library	249 209
View-232	189 CALL
C-FILE MANAGEMENT	
Btrieve	245 185
Btrieve for DOS 3.1 Networks	595 449
CBTREE	159 135
C-Index	99 89
C-ISAM	225 209
Codebase IV	295 219
CQL w/ PASS	395 349
c-tree	395 315
DBC III	250 219
DBC III Plus	500 439
db_FILE Bundle	295 249
Essential B-Tree w/ source	199 149
FairCom Toolbox - Prof. Edition	1095 789
FairCom Toolbox - Special	695 509
Informix Products	CALL CALL
Xtrieve PLUS	595 459
C-GENERAL LIBRARIES	
C TOOLS PLUS/6.0	149 109
C Utility Library	249 175
Greenleaf Functions	229 159
Greenleaf Superfunctions	299 209
Power Search	149 99
Turbo C TOOLS/2.0	149 109
C SCREENS	
C-Worthy w/ forms and source	495 CALL
Facelt	99 89
Greenleaf DataWindows	395 309
Hi-Screen XL	149 129
Hi-Screen XL Prof. Series	325 275
JAM	595 529
Panel Plus	495 395
Power Screen	149 109
Vermont Views	395 319
Vitamin C	225 165
VC Screen	149 115
C-UTILITIES/OTHER	
Clear +	200 169
C-Terp	300 219
Heap Expander	80 70
Norton Guides for C	100 65
PC-lint	139 109
PCYACC Personal	249 125
PCYACC Professional	495 359
TimeSlicer	295 279
w/ source	1000 899

	LIST OURS
COBOL LANGUAGE	
Micro Focus:	
COBOL/2 w/ Toolset	1800 1499
Personal COBOL	149 129
MS COBOL	900 629
Realia COBOL	995 849
w/ RealMENU	1145 979
SCREENIO	400 375
CODE GENERATORS	
C Source	395 299
Logic Gem	99 89
Matrix Layout 3.0	200 169
PRO-C	399 339
DATABASE DEVELOPMENT	
Clarion 2.0	695 499
Clipper 5.0	695 519
dBASE IV	795 489
dBFast/PLUS	249 219
dGE	195 179
FlashTools!	89 79
FoxBASE+	395 249
Magic PC	299 249
R&R Report Writer	150 129
R&R Code Generator	150 129
Say What?!	50 45
SilverComm Library 2.0	189 165
Tom Rettig's Library	100 80
DOCUMENTING/ FLOWCHARTING	
Clear+	200 169
C-Clearly	130 115
Flow Charting II+	229 185
Interactive Easyflow	150 125
Pageinate	100 90
Source Print	99 89
The Documentor	295 245
Tree Diagrammer	99 89
EDITORS	
BRIEF 3.0	199 CALL
Edix	195 165
EMACS	325 265
Epsilon	195 138
KEDIT 4.0	150 125
MKS Vi	149 129
Multi-Edit	99 89
Multi-Edit Professional	179 159
Norton Editor	75 59
SLICK Editor	195 175
SPF/PC	245 199
VEDIT PLUS	185 115
Vq*	150 135
FORTRAN LANGUAGE	
Grumatic	135 119
Lahey F77L	595 529
Lahey Personal FORTRAN 77	95 89
MS FORTRAN	450 289
Piomatic	135 119
RM/FORTRAN	595 499
GRAPHICS LIBRARIES	
Baby Driver	250 199
Essential Graphics	399 279
Font-Tools	150 119
Font Window	125 109
GraphiC 5.0	395 319
Graphics-MENU	195 175
Data Entry Design	99 89
Data Entry Module	59 53
GSS Graphics Devel. Toolkit	595 509
HALO	395 279
HALO Window Toolkit	595 419
Icon-Tools/Plus	150 119
Menuet	250 199
MetaWindow	250 209
MetaWindow Plus	325 269
PCX Effects	99 89
PCX Programmer's Toolkit	195 175
PCX Text	149 135
Turbo Geometry Library	200 179
LINKERS/LIBRARIANS	
Plink86plus	495 395
PolyLibrarian II	149 135
.RTLInk	295 265
.RTLInk/Plus	495 CALL
MODULA-2	
LOGITECH Modula-2:	
Compiler Pack	99 75
Development System	249 199
TopSpeed Modula-2:	
B-Tree Toolkit	149 135
Communications Toolkit	149 135
Compiler Kit	100 89
DOS 3-Pack	200 179
NETWORK PROGRAMMING	
Btrieve/N	595 459
Novell C Network Compiler	695 559
dBASE IV LAN Pack	995 645
FoxBASE +/ LAN	595 479
NetWare C Interface	295 239
NetWare SQL	595 459
Paradox LAN Pack	995 697
Remote Procedure Calls	950 829

	LIST OURS
OS/2 TOOLS	
Brief	199 155
Btrieve	595 449
CASE-PM	995 949
Epsilon	195 159
Greenleaf DataWindows	395 330
MKS LEX:YACC (OS/2)	399 339
MKS Toolkit (DOS & OS/2)	399 339
MS OS/2 Pres. Mgr. Softset	150 105
MS OS/2 Pres. Mgr. Toolkit	500 339
MultiScope	299 229
Panel Plus	495 395
PC-lint	139 101
PCYACC	395 359
Smalltalk/V PM	495 395
Vitamin C (OS/2)	225 165
XVT/PM	595 509
PASCAL LANGUAGE	
Asynch PLUS	149 115
B-free Filer	125 99
MS QuickPASCAL	99 69
Object Professional	150 119
Power Tools PLUS/5.0	149 109
Topaz	75 67
Turbo Analyst	99 79
TurboMAGIC	199 179
Turbo Pascal 5.5	150 105
Turbo Pascal 5.5 Professional	250 175
Turbo-Plus 5.5	199 159
Turbo Professional 5.0	125 99
PROTOTYPING	
Dan Bricklin's Demo II	195 159
Instant Replay III	150 135
ProtoFinish	300 269
Show Partner F/X	350 319
Soft Demo	80 70
TRANSLATORS	
Bas_C Commercial	375 323
dBx Translator	550 467
FOR_C	575 519
PROMULA.FORTRAN	450 399
WINDOWS (MS) TOOLS	
Actor	495 395
Case:W	795 759
C-Talk/Views	450 375
dBFast/Windows	249 229
MS Windows Development Kit	500 349
RFFlow	79 69
WhiteWater Resource Toolkit	195 169
WinTrieve	395 339
ADDITIONAL LANGUAGES	
APL*PLUS	695 549
Janus Ada/Compiler System	300 269
Lattice RPG	1600 1469
Meridian AdaStudent	50 45
Meridian Ada Developer's Kit	1095 985
MKS AWK	99 85
Personal Rexx	150 139
PolyAWK	99 85
Smalltalk-80 (386)	595 535
Smalltalk/V	100 85
Smalltalk/V 286	200 169

NEW RELEASES

ProtoFinish by Genesis
ProtoFinish creates program prototypes, demos and tutorials. Screen design module for ASCII-based screens. Screen capture utility. 4th-generation language for simulating look and feel of program. Run-time utility. Assembly language routines for incorporating screens in C, PASCAL, BASIC, and Clipper code.
List: \$300 Ours: \$269

C-Clearly by V Communications
C source code formatter, ideal for making obtuse code clear. Allows all of your code to be presented in a consistent format of your choosing. Templates are included for several common styles as well as standard K & R.
List: \$130 Ours: \$115

Help/Build by Pacific Firmware
Help/Build is a complete help information and error screen generation tool. It allows you to develop any kind of pop-up help and error message system. Programmers and technical writers use it to create context-sensitive, truly user-friendly help for both novice and expert.
List: \$249 Ours: \$179

Service, Selection, Savings (800) 445-7899

Input Devices		
	List	Ours
FastTRAP Serial	119	99
FastTRAP Bus	139	119
PC-TRAC Serial	149	125
PC-TRAC Bus	169	143
PC-TRAC PS/2	119	99
Logitech Series 9 Bus Mouse for PS/2	129	85
Logitech Ser. 9 Serial Mouse for PS/2	109	69
Logitech Ser. 9 Serial Mouse for PS/2	119	79
MS Mouse w/ Paintbrush	139	89
MS Mouse w/ Wndws, Pbrsh	150	109
MS Mouse w/ Paintbrush	200	139
ScanMan Plus	339	199

LIST OURS

APPLICATION SOFTWARE

COMMUNICATIONS

Carbon Copy Plus	199	129
Laplink III	150	99
PC Anywhere III	145	99
Procomm Plus	75	50
SideTalk	120	90

DESKTOP PUBLISHING

Adobe Illustrator	695	409
Corel Draw!	595	399
Gem Desktop Publisher	299	183
HALO DPE	195	139
Lattice HighStyle	375	319
MKS SQPS	495	479
PageMaker	795	509
Ventura Publisher	895	525

MATHEMATICS

Derive	200	179
MathCAD	495	315
Mathematica 386	695	625

SCIENCE & ENGINEERING

AutoCAD Release 10	3000	CALL
AutoSketch	150	95
ChiWriter	150	129
Control System Toolbox	495	375
CSS	495	469
Design CAD 3-D	400	292
Drafix Windows CAD	695	CALL
EXACT	475	380
Generic CADD Level 3	300	179
LABTECH Acquire	195	179
LABTECH Chrom	995	779
LABTECH Notebook	995	779
MICRO-CAP III	1495	1269
Orcad PCB	1495	CALL
PC TEX	249	229
SCHEMA II+	495	449
STATGRAPHICS	895	586
Tango CAD Pack	995	949
Tango PCB Series II	595	559
TECH*GRAPH*PAD	395	319
T ¹	595	479

UTILITIES

386 MAX	75	66
386 MAX Professional	129	115
above DISC	100	84
Command Plus	130	109
FASTBACK Plus	189	109
Help Build	250	179
MACE GOLD	149	129
Magellan	139	99
Memory Mate	70	47
MKS Toolkit	249	199
Move'em	89	79
Norton Commander	89	58
Norton Utilities	100	65
Norton Utilities Advanced	150	99
PC/Tools Deluxe	129	80
Pizzazz Plus	149	79
QEMM/386	60	55
SpinRite	89	69
XTreePro	129	109

PRODUCTS BY VENDOR

BORLAND

Paradox 3.0	725	509
SideKick Plus	200	139
Turbo Assembler/Debugger	150	105
Turbo C 2.0	150	99
Turbo C 2.0 Professional	250	169
Turbo Pascal 5.5	150	105
Turbo Pascal 5.5 Professional	250	175

DIGITALK

Smalltalk/V	100	85
Communications	50	45
EGA/VGA Color Extension	50	45
Goodies #1, #2 or #3	50	45
Smalltalk/V 286	200	169
Smalltalk/V PM	495	395

IGC

VM/386	245	199
VM/386 Multi-User	895	819
VM/386 NetPak	150	119

MEDIA CYBERNETICS

Dr. HALO III	140	99
HALO DPE	195	139
HALO	395	279
HALO for OS/2	695	489
HALOvision III	495	349
HALO Window Toolkit	595	419
HALO for MS Developers	595	419

MICROSOFT

MS BASIC Prof. Devel. System	495	329
MS C	450	289
MS COBOL	900	629
MS FORTRAN	450	289
MS Macro Assembler	150	95
MS OS/2 Present. Mgr. Toolkit	500	339
MS OS/2 Softset	150	105
MS Pascal	300	209
MS Programmer's Library	395	275
MS QuickBASIC 4.5	99	69
MS QuickC 2.0	99	65
MS QuickC w/ QuickAssembler	199	135
MS QuickPASCAL	99	69
MS Windows	99	69
MS Windows/386	195	129
MS Windows Development Kit	500	349

PERISCOPE

Periscope I	495	429
Periscope I/512K	595	509
Periscope I/MCA	745	639
Periscope II	175	125
Periscope II-x	145	105
Periscope III/10 MHz	1395	1059
Periscope IV/25 MHz	2595	2195

POLYTRON

Dan Bricklin's Demo II Program	199	159
Personal PVCs	149	125
Plink86+	495	395
PolyAWK	99	85
PolyDoc	199	169
PolyMake	149	125
PolyShell	99	85
Professional PVCs	495	419

SOUTH MOUNTAIN SOFTWARE

Breakout II	125	99
C Utility Library	199	159
Essential B-Tree	99	79
w/ source	198	159
Essential Communications	249	199
Essential Graphics	299	239
w/ source	598	479
GUIDO	CALL	CALL
Hold Everything	129	109
/*resident C*/	99	79
w/ source	198	159
Screen Star	99	79
w/ source	198	159

WHITewater GROUP

Actor	495	395
Language Extensions I	99	85
Whitewater Resource Toolkit	195	169
WinTrieve	395	339

Programmer's Policies

Phone Orders

Hours 9 AM-7 PM EST. We accept MasterCard, Visa, American Express. Include \$4.00 per item for shipping and handling. All domestic shipments by UPS ground. Rush service available.

Mail Orders

POs by mail or fax are welcome. Please include phone number.

International Service

Phone number required with order. Call or fax for additional information.

Dealers and Corporate Accounts

Call for information.

Unbeatable Prices

We'll match nationally advertised prices. (Subject to same terms and conditions.)

Return Policy

30-day no-hassle return policy. Most manufacturer's products cannot be returned once disk seals are broken.

LIST OURS

ACTOR 2.0--New Version--More Memory

Actor® 2.0 is a significantly enhanced version of Actor, the most productive way to write programs for Microsoft Windows. Actor is an interactive, object-oriented programming system, featuring a large class library and source-code debugging. Since its release in 1987, Actor has enabled thousands of developers to learn object-oriented programming while creating MS-Windows applications in half the time it takes in C. This new version breaks the 640K barrier with automatic memory swapping. It also includes support for user-defined primitives, as well as advanced object-oriented programming features.



List: \$495 Ours: \$395

TheWhitewater Group®



Dr. Switch™

Run Dr. Switch from a program's Exit-to-DOS feature and swap all but 4k of it out of memory. Use Dr. Switch with MS Make or PolyMake to give your compiler, linker and version control system an additional 100K of RAM to work with.


Dr. Switch allows you to swap RAM resident programs such as desktop utilities and help guides out of the way while you compile, link and test your programs. The Doctor uses only 4k! And it can take full advantage of any expanded or extended memory you have available.

List: \$99 Ours: \$85

Black & White International, Inc.

MS Basic Prof. Development System

A complete solution for serious professional BASIC programmers. This system allows you to create large programs with up to 16 MB of compiled code. And speed optimizations and more granular run-time libraries mean smaller and faster executables. Microsoft BASIC includes many new language features including a completely integrated ISAM for creating fast, powerful database applications. Expect productivity gains using the MS QuickBASIC extended environment. Full EMS support allows you to handle larger programs than with QuickBASIC and the integrated debugger has twice the capacity. There's more, in fact everything you'll probably need in one package.



List: \$495 Ours: \$349 \$329

Microsoft®

HALO Window Toolkit: The Windowing Alternative

The HALO Window Toolkit is a graphical user interface tool that speeds development of graphics and imaging applications.



- Extensive memory management facility detects and uses internal, extended, expanded and disk memory as needed
- Includes HALO graphics toolkit
- Supports wide variety of graphics displays (including high resolution), imaging devices, printers and scanners
- Practical time-saver for Microsoft C Programmers
- Provides a source code compatible development path to target both the DOS and OS/2 operating environments

List: \$595 Ours: \$419

International: 201-389-9228
Customer Service: 201-389-9229
Fax: 201-389-9227

New Corporate Phone #:
800-422-6507

Call or Write for Latest Free Catalog!

1-800-445-7899

Programmer's Paradise™

A Division of Voyager Software Corp
1163 Shrewsbury Ave., Shrewsbury, NJ 07702



Circle 223 on Reader Service Card

World Radio History

Add PM or Windows Interfaces to Applications

With Choreographer, you can design a custom interface for your application running under Windows or OS/2's Presentation Manager. According to Guidance Technologies, the interface you create can compile into a dynamic-link-library or executable file. An application can drive the interface, or vice versa.


According to Guidance, you can call C code from within Choreographer or call Choreographer from C code using an Application Programmer Interface. And you aren't required to run everything from Choreographer: When you compile the application, the development environment can drop out; what's left is an object module that's linkable, similar to something you'd produce with a C compiler.

Choreographer includes display and bit-map editors, class and instance browsers, an object inspector, an interactive debugger, a thread manager, an interface object library, and a display editor.

Guidance says that you can use Choreographer to build graphical user interfaces for Unix Motif, LAN Manager, Logical Unit 2 and 6.2, and Structured Query Language. **Price:** \$2995 to \$7500. **Contact:** Guidance Technologies, Inc., 800 Vinial St., Suite 412, Pittsburgh, PA 15212, (412) 231-1300. **Inquiry 1155.**

Protected-Mode C Compiler

A new version of Rational Systems' Instant-C incremental compiler uses the company's DOS extender tech-



With Choreographer's display editor, you can create interface elements that appear inside the client area of the application (in this case, the icons that can display flight information).

nology to let you compile and run protected-mode versions of C applications that can support up to 16 megabytes of memory. The Instant-C 4.0 environment runs exclusively in protected mode, but you can use the compiler's Mixed Mode feature to run the application in real mode, allowing you to run larger programs. Mixed Mode also lets you compile an application without having to worry about the restrictions on assembly and object code that protected mode imposes.

Instant-C 4.0 includes a code browser, data inspection windows, dynamic cross-referencing for functions or data, and automatic generation of function prototypes. The com-

piler runs on the IBM AT with 1 megabyte of RAM. **Price:** \$795.

Contact: Rational Systems, Inc., 220 North Main St., Second Floor, P.O. Box 480, Natick, MA 01760, (508) 653-6006. **Inquiry 1157.**

CASE:PM Opens Up to COBOL and C

The programming toolkit CASE:PM, which is designed to simplify the often-frustrating job of creating Presentation Manager (PM) applications, now comes in a version that lets you develop OS/2 applications in COBOL.

With CASE:PM for COBOL (used along with the OS/2 1.2 Software Development Kit), you can develop new Systems Application Architecture-compliant applications or modify existing COBOL code for use under OS/2.

Caseworks has opened up the internal knowledge base on both the C and the COBOL versions of CASE:PM. This lets you customize CASE:PM's proprietary internal Software Engineering Language to incorporate your own common instructions, rules, and procedures.

Caseworks says that this is useful for programming teams, where incorporating standard routines such as communications or disk I/O into the SEL knowledge base eliminates the need for rewriting commonly used code.

Also added to the newest versions of CASE:PM is the ability to switch between a "build" view (for constructing PM screens) and a "test" view that lets you test your work (as though it were a running PM application) before generating and compiling code.

CASE:PM now supports multiple, overlapped, and tiled child windows. Also included is a code management facility that automatically brings forward programmer-added code each time you change or redesign the interface.

Price: CASE:PM for C: closed knowledge base, \$1995; open knowledge base, \$3995; CASE:PM for COBOL: closed knowledge base, \$2495; open knowledge base, \$4495. **Contact:** Caseworks, Inc., 1 Dunwoody Park, Suite 130, Atlanta, GA 30338, (404) 399-6236. **Inquiry 1158.**

continued

Design DSP Applications on the Mac

DSP Designer 1.0 from Zola Technologies is an integrated design environment for the development of digital signal processing applications for the Motorola 56001 processor.


The program uses the extensible environment of MPW 3.0 to develop and test digital filters, create test signals, and generate filter code. You can also perform real-time evaluations of DSP56001 programs run-

ning on a Digidesign Sound Accelerator card.

DSP Designer 1.0 runs on the Mac Plus or higher with at least 1 megabyte of memory (2 to 4 megabytes is recommended).

Price: \$895; with MPW 3.0, \$995. **Contact:** Zola Technologies, Inc., 6195 Heard's Creek Dr. NW, Suite 201, Atlanta, GA 30328, (404) 843-2972. **Inquiry 1156.**

If you're wondering which tablet is the industry standard...




...ask our competition.

More graphics software programs support the SummaSketch® format than any other format on the market. CAD, CAM, CAE, design graphics, business graphics, desktop publishing, cartography—over 250 software programs in all.

Most tablets provide a lot of their compatibility with these software programs by emulating Summagraphics SummaSketch (MM® Series) and Bit Pad® technology—just look it up in their manuals. In fact, in a recent article comparing IBM® PC version tablets, all nine competitive tablet manufacturers emulated Summagraphics for software compatibility.

So if you're trying to decide which tablet to purchase, this may help: If other tablet manufacturers depend on our experience, shouldn't you?

For literature and the name of a local dealer call 1-800-888-2028, Ext. 304. For technical information call 203-881-5400.



Free Software Compatibility Directory

- Send me my list of over 250 programs compatible with Summagraphics tablets.
- Send me reseller information. I sell _____ (qty) tablets annually.
- Send me OEM information.

Name: _____ Title: _____


Company: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: _____

Mail to: Summagraphics Corporation
Sixty Silvermine Road
Seymour, CT 06483



Summagraphics™

Every decision should be this easy.™

© 1989 Summagraphics Corporation. All rights reserved.

For IBM/Compatible information circle 272, for Macintosh information circle 273, for Dealer inquiries circle 274 on Reader Service Card.

SAS Coming for OS/2

SAS Institute is developing a version of its SAS System integrated software to run under the OS/2 Presentation Manager. The program will feature data management, statistical analysis, report writing, graphics, decision support, and applications development, while taking advantage of all OS/2 PM features.

The program, which should be available in the second quarter of this year, will run on the IBM AT with OS/2 1.1, a hard disk drive, and 6 megabytes of RAM.


Price: \$695 for a one-year single-workstation license; \$330 for renewal; quantity discounts are available.

Contact: SAS Institute, Inc., SAS Circle, Box 8000, Cary, NC 27512, (919) 467-8000.
Inquiry 1160.

Develop Realistic Plans with ProjectBASE

ProjectBASE, a front-end tool for scheduling and tracking packages, helps you compose project plans and cost estimates. It consists of four modules: Lifecycle, Planning, Estimating, and Customizer.

ProjectBASE now includes a form-generation utility that



The SAS program editor, log, and output. In the editor, you can tell SAS where to find your data, what data to analyze, and which application to invoke (here, an employee database).

will generate a prompt list for the project manager. With the list you can cross-reference tasks and deliverables and determine what is needed to complete each task.

As you select tasks from the Lifecycle module, the Planning module automatically computes a potential Program Evaluation Resource Technique diagram that displays task dependencies.

Once you've created a plan, the Estimating module helps you predict the cost and effort needed to complete the project using the historic database. When estimating, the program considers factors such as each employee's experience, knowledge, and predicted percentage of time available for work on the project.

You can then export the estimates to a program such as SuperProject, ViewPoint, or

Project WorkBench. ProjectBASE runs on the IBM PC with a hard disk drive.

Price: \$2950 for all four modules.

Contact: Center for Project Management, 18 Crow Canyon Court, Suite 290, San Ramon, CA 94583, (415) 837-0397.

Inquiry 1166.

Link Files Under the Toccata Umbrella

Toccata is a Structured Query Language-based database repository that runs under Microsoft Windows and lets you integrate dBASE, Lotus 1-2-3, flat, and other file formats into a common platform. You don't have to transfer or restructure data,

and because it runs under Windows, Toccata lets you build applications without seeing the command-line interface.

With Toccata's six application processors, you can create applications that perform such operations as joining a Lotus 1-2-3 worksheet with a dBASE table or aggregating a hierarchical file to the 1-2-3 format.

Toccata runs on the IBM AT with 512K bytes of RAM.
Price: \$495.

Contact: Business Planning Systems, Inc., P.O. Box 725, Carlisle, MA 01741, (508) 369-2574.

Inquiry 1161.

A Contact Management Program

The newest version of Maximizer, a contact management program, lets you set up client lists with up to 10 different columns, allowing one primary and up to nine secondary sorts.

Richmond has revamped the program's editor to support boldfacing, underlining, italics, centering, justification, page breaks, and other editing functions. You can insert client and contact names into letters, notes, or diaries via Maximizer's paste buffer.

In the day-at-a-glance portion of the program, you can add, move, print, or delete groups of appointments. You can now define, name, and store macro commands.

Maximizer 2.0 works on the IBM PC with a hard disk drive.

Price: \$295; network version, \$695.

Contact: Richmond Technologies and Software, Inc., 420-6400 Roberts St., Burnaby, BC, Canada V5G 4C9, (800) 663-2030 or (604) 299-2121.

Inquiry 1164.

Form Design Under Windows

FormMaster runs under Windows 2.0 and lets you create typeset-quality forms in WYSIWYG format and scale, move, delete, or copy each of the objects that make up the form.

You can use FormMaster to print blank forms, or you can type data into the form

and print the form and data together. The program can import and export dBASE III Plus and ASCII data files and handle text, numeric, and formula data field types.

FormMaster lets you save data entered into a form as a separate record. You can jump among data records

and print forms with selected records. You'll need 640K bytes of RAM to run the program.

Price: \$395.

Contact: Information Integration, Inc., 901 Russell Ave., Gaithersburg, MD 20879, (301) 840-8977.

Inquiry 1162.

UNIX WORLD
TOP • 10
PRODUCT
OF THE YEAR
1 • 9 • 8 • 9



INSTANT WORKSTATION. JUST ADD OPEN DESKTOP.

Take a look at the vast majority of graphical workstations developed over the past decade and you'll see something they all have in common:

An integrated UNIX® System environment.

Now take a look at the vast majority of businesses that have put computing power directly onto their office desktops over the past decade, and you'll see something they all have in common: Industry-standard personal computers.

It doesn't take a computer to forecast the platform that's going to put graphical workstations on the vast majority of business and engineering desktops in the next decade:

An integrated UNIX System environment for industry-standard personal computers.

And that's what Open Desktop™ is all about.

Open Desktop is the complete graphical operating system that's built on the most popular UNIX System platform of all time—SCO™. And it lets you create your own networked, icon-driven workstation environment using the industry-standard 386 or 486 computers and peripherals of your choice.

In a single, easy-to-use, fully supported—and completely integrated—package, Open Desktop delivers:

- the full 32-bit, multitasking computing power of SCO UNIX System V/386
- compliance with POSIX™ and X/Open® standards
- an OSF/Motif™-based, Presentation Manager-compatible, graphical user interface
- distributed SQL database management services
- compatibility with existing DOS, XENIX®, and UNIX System applications and data files
- NFS™, TCP/IP, and LAN Manager networking facilities

And all at an unbelievably affordable price.

Discover the complete graphical operating system that leading companies worldwide are choosing as their development platform for the '90s—and using to turn their 386 and 486 PCs into instant workstations today.

Open Desktop from SCO.



For more information, call SCO today and ask for ext. 8400

(800) SCO-UNIX (726-8649) (408) 425-7222 FAX: (408) 458-4227 E-MAIL: . . . !uunet!scolinfo info@sco.COM


SCO, the SCO logo, Open Desktop, and the Open Desktop logo are trademarks of The Santa Cruz Operation, Inc. UNIX is a registered trademark of AT&T in the USA and other countries. POSIX is a trademark of The Institute of Electrical and Electronics Engineers (IEEE). X/Open is a registered trademark of X/Open Company Ltd. OSF/Motif is a trademark of The Open Software Foundation, Inc. XENIX is a registered trademark of Microsoft Corporation. NFS is a trademark of Sun Microsystems, Inc. © 1989 The Santa Cruz Operation, Inc. All Rights Reserved. The Santa Cruz Operation, Inc., 400 Encinal Street, P.O. Box 1900, Santa Cruz, California 95061 USA The Santa Cruz Operation, Ltd., Grosvenor Centre, 10000 Lane, Watford WD1 1JN, Great Britain, +44 (0)923 86144, FAX: +44 (0)923 817781, TELE X: 917572 SCOLONG

Circle 249 on Reader Service Card

World Radio History

Why wait? Northgate[™]

Own the Northgate
SlimLine[™] 320 for
only \$72 per month.*



Own the Northgate
Elegance 386/25 for
only \$135 per month.**



*Based on purchase price of \$2399.

**Based on purchase price of \$4498.

Terms subject to credit approval. Prices subject to change without notice.

Offer not valid for APO or FPO customers.

Charge *any* system
on the Northgate
Big 'N' Credit Card
instead of your major credit cards



2753 09175 213608

JOHN J DOE

gives you credit now.

Pay for your Northgate system with budget-easing monthly installments.

Owning any Northgate system is easy and affordable when you use Northgate's Big 'N' credit card. Own the computer system voted Best Buy by *Computer Shopper* without straining your budget or tying up your major credit cards. When you Charge-it on Big 'N' your payments fit your budget every month.

Simply fill out the Big 'N' information form at the right and send it to Northgate Computer Systems, P.O. Box 41000, Minneapolis, MN 55441. We'll do the rest. Better yet, call our toll free number and talk to a Big 'N' representative.

After your credit is approved, one of our expert sales representatives will help you design the Northgate system that's just right for you. Best of all, your system will be shipped promptly.

Northgate also offers flexible long term leasing plans for your business. You can choose the plan that best suits your needs, with up to 5 year terms available.

Charge-it on Northgate's Big 'N' credit card! It's EASY to qualify, CONVENIENT to use with 24 hours a day, 7 days a week service, and assures FAST delivery after you order.

Northgate, the Northgate Big 'N' and SlimLine are registered trademarks of Northgate Computer Systems, Inc. ©Northgate Computer Systems, Inc. 1990 All rights reserved.

PHONE NORTHGATE NOW
24 HOURS A DAY,
7 DAYS A WEEK.

800-548-1993
FROM CANADA 800-338-8383



P.O. Box 41000, Minneapolis, MN 55441

Circle 205 on Reader Service Card

World Radio History

BIG 'N' REQUEST FOR CREDIT

NOTICE TO WISCONSIN RESIDENTS
You must disclose your marital status.

married
 unmarried
 legally separated

A married person may apply for individual credit. I am applying for (please check appropriate box):

JOINT CREDIT with another person. Complete entire application.
 INDIVIDUAL CREDIT but rely on income or assets of another person as a basis for repaying the credit requested. Complete entire application.
 INDIVIDUAL CREDIT. Complete sections "a" and "b" only.

Please complete all appropriate sections, providing at least two year's residence and employment history. This will enable your application to be processed as quickly as possible. If you are self-employed, please be sure to complete section "d" on back.

Applicants must be 18 years of age or older.

a. Your Personal Information Requested Line of Credit \$ _____

Your Name: First _____ Initial _____ Last _____ Date of Birth: Mo. _____ Day _____ Yr. _____ Social Security Number: _____

Present Address: Street _____ Apt. # _____ City _____ State _____ Zip _____ Home Phone () _____

Date of Residence: Month _____ Year _____ Monthly Payment: \$ _____ Buy Rent Other

Previous Address: _____ Dates of Residence: From _____ To _____

Your Employer: (If self-employed, see rear panel) _____ Date of Employment: Mo. _____ Yr. _____ Position: _____ Monthly Income: Gross \$ _____ Net \$ _____

Employer's Address: Street _____ City _____ State _____ Business Phone: () _____

Previous Employer: _____ Address: _____ Dates of Employment: From _____ To _____

Income from alimony, child support or separate maintenance payments: _____ Other Income: _____
need not be disclosed if you do not wish to have it considered as a basis for repaying this obligation.

I have received since: _____ Monthly Income: _____
 (Date) _____ Gross \$ _____ Net \$ _____

Name and Address of Nearest Relative Not Living With You: _____ Relationship _____

b. Credit Information Include joint applicant's information, if joint account requested.

Bank Account: Bank Name _____ Address _____ Checking Savings

Bank Account: _____ Checking Savings

Bank Loan Reference:	Payment	Balance
<input type="checkbox"/> VISA		
Bank Card Reference: <input type="checkbox"/> MasterCard		
Other Credit Card Reference		
Other Credit References: _____ Account No: _____ Expires: _____		
Driver's License No. _____ State: _____ Expires: _____		

c. Joint Applicant's Personal Information *If you are a married Wisconsin applicant, you must provide your spouse's information below, even though your spouse may not be signing this contract.

Joint Applicant's Name: First _____ Initial _____ Last _____ Date of Birth: Mo. _____ Day _____ Yr. _____ Social Security Number: _____

Address: Street _____ Apt. # _____ City _____ State _____ Zip _____ Date of Residence: Mo. _____ Yr. _____ Home Phone () _____

Employer: _____ Date of Employment: Mo. _____ Yr. _____ Position: _____ Monthly Income: Gross \$ _____ Net \$ _____

Employer's Address: Street _____ City _____ State _____ Business Phone: () _____

d. Self-Employed Information Complete this section only if you are self-employed.

Business Name: _____ Proprietorship Corporation Partnership

Business Address: _____ Business Telephone: () _____

Description of Business: _____ Your Position: _____ In Business Since: _____

Your annual income from business: _____ Business' annual income: (gross) _____ (net) _____

You must provide at least one of the following:

1. Business Bank: Name _____ Telephone () _____ Person / Banker's Name: _____

2. Accountant's Name _____ Telephone () _____

3. Financial statement on business attached.

BY1390



Analog Connection WorkBench for the PC


Strawberry Tree, a company that develops data acquisition products for the Macintosh and IBM PC, has released a PC version of its Analog Connection WorkBench program. Like the Macintosh version, WorkBench PC lets you set up and execute data acquisition applications by dragging icons and connecting wires on the screen to program, measure, and control analog and digital I/O without writing a single line of programming code. The company has also changed the name of the Analog Connection WorkBench 3.0 to WorkBench Mac.

In both versions, WorkBench has 14 icons (e.g., calculation, meter, chart, IEEE 488, pulse, and average) that you pull down and connect with wires to create a symbolic representation of what will actually happen in the hardware. Once the connections are made, you see the results immediately.

The program's fast mode supports data acquisition as fast as the hardware will allow. Strawberry Tree says the program can handle 80 percent of the data acquisition needs of a laboratory. It supports external functions, allowing you to program through a high-level language if the program doesn't support your required application.

WorkBench Mac requires at least 1 megabyte of RAM and is compatible with Excel and dBASE III. It works on the IBM PC with 640K bytes of RAM and a mouse.

Price: \$995 each.
Contact: Strawberry Tree, Inc., 160 South Wolfe Rd., Sunnyvale, CA 94086, (408) 736-8800.
Inquiry 1167.



With either version of WorkBench, data acquisition can be as easy as connecting the dots.

Tools for Electrical Engineers

A new version of DAPPER (Distribution Analysis for Power Planning, Evaluation, and Reporting) can handle transient motor starting analysis, allowing you to predict the effects on an electrical system when a large motor is turned on. DAPPER is a set of programs for the design and analysis of industrial and commercial distribution power systems.

According to SKM Systems Analysis, DAPPER 3.4's Concurrent interface provides a two-way communication channel between it and any CAD program that accepts a DXF transfer file. DAPPER 3.4 produces load schedules and generates automatic one-line diagrams. It can handle feeder and transformer sizing, load flow, and fault studies. It generates reports for three-phase, single line-to-ground, line-to-line, and double line-to-fault duties.

DAPPER 3.4 runs on the IBM XT with 640K bytes of RAM, any graphics adapter, and a hard disk drive.
Price: For 100 nodes, \$3950; for 300 nodes, \$6395.
Contact: SKM Systems

Analysis, Inc., P.O. Box 3376, Manhattan Beach, CA 90266, (800) 232-6789 or (213) 546-6121.

Inquiry 1169.

CircuitSoft is composed of four modules that use decision matrices to automatically apply requirements, limitations, comparisons, and restrictions as defined by manufacturers and the National Electrical Code (NEC). With CircuitSoft, you enter data once and forward it to the correct module. CSMmain serves as the main menu program.

The Busses module handles the basic tasks for an electrical design project, including load identification and determining the NEC load types.

Distrib, the load calculation program, calculates the load on each bus, the branch circuit loads, and the downstream loads that are served by that bus. Wirsiz is the module that calculates transformers, overcurrent devices, phase and neutral conductors, busway sizes, conduit, equipment ground wires, and system ground wires.

The Ctrl ^Z module calculates voltage drop, short circuit, and fault let-through of overcurrent protection devices.

CircuitSoft runs on the IBM AT with 640K bytes of

RAM and a hard disk drive.
Price: \$700 to \$1200 per module.

Contact: CHP Computer Services, 1726 Augusta Dr., Suite 118, Houston, TX 77057, (713) 977-3581.

Inquiry 1170.

Graphics and Data Analysis for the PC

Axum combines the capabilities of a business graphing package with statistics, data editing, and curve fitting, according to Tri-Metrix. After you import data in Lotus 1-2-3, dBASE, or ASCII format, Axum can produce two-dimensional, three-dimensional, and contour plots and charts, including logarithmic axes, three-dimensional mesh and line, and error bar plots.

With the data editor, you can transform, generate, and analyze data. You can perform statistical analyses, curve fitting, and smoothing on data sets as large as your system can handle, the company says. Axum's programming language includes 100 functions and operators. The graph editor lets you add comments, arrows, and symbols; you can combine multiple plots and rotate and reshape three-dimensional objects. More than 20 fonts, including scientific and Russian, are provided.

Axum can generate output for Hewlett-Packard Graphics Language, PostScript, GEM, Lotus PIC, and Tektronix devices. The program runs on the IBM PC with 640K bytes of RAM.

Price: \$495.
Contact: TriMetrix, Inc., 444 Northeast Ravenna Blvd., Suite 210, Seattle, WA 98115, (800) 548-5653 or (206) 527-1801.
Inquiry 1168.

continued

Here's How We Protect Your Software And Profits Better.



We'll Never Tell.

Because our key-interrogation routines are *encrypted*, and our hardware is custom-wired to distinguish each of our clients' keys, our clients have the highest degree of security available.

Unlike other manufacturers, our routines assume responsibility for all hardware, software and timing issues. And what this means is that your engineering time and money won't be wasted reinventing protection schemes.

We offer two high security products for copy control: the KEY™ and the MEMORY KEY™.

Our protection devices can also be used for serialization techniques, software leasing,

modular software management, creative revenue collection, demo control and a path for future upgrades.

The information stored in the MEMORY KEY can be conveniently reprogrammed by your application software or at the end user's site via software disk or modem.

All our products attach conveniently to the printer port, are transparent and allow for unlimited back up copies.

For serious software protection, call now. And start protecting your profits.

Hands down, we're better.

Encrypted routines provide the highest degree of security

Custom hardware and software for each developer

No batteries to fail or replace



No programming adapters necessary

Can be dynamically reprogrammed at the user site via diskette or modem.

Over 55 languages supported in DOS, XENIX and OS/2



In EUROPE:

Microphar, 42, Ave. Sainte Foy 92200, Neuilly Sur-Seine FRANCE

Tel: 33-1-47-38-21-21 Fax: 33-1-46-24-76-91

Call to obtain distributor addresses in:

BELGIUM, IRELAND, ITALY, NETHERLANDS, PORTUGAL, SPAIN, SWITZERLAND, U.K. & W. GERMANY.

PROTECH
MARKETING, INC.

1-800-843-0413 *Se Habla Español*

In the U.S., the AMERICAS & the PACIFIC:
ProTech, 9600-J Southern Pines Blvd. Charlotte, NC 28217
Tel: 704-523-9500 Fax: 704-523-7651
Hours: Mon-Thurs: 8:30-7:00 ET, Fri: 8:30-5:30 ET
FOR A DEMONSTRATION PACKAGE OR ADDITIONAL INFORMATION, PLEASE WRITE OR CALL.

Macintosh is a registered trademark of Apple Computer, Inc.

For Europe Circle 224 on Reader Service Card

For Americas & Pacific Circle 225 on Reader Service Card

Manage Duplicate Files with the Phantom Directory

Athena Software's Disc Director lets you visually reorganize your directory structure, eliminate duplicate files, and attach comments of up to 78 characters to programs and directories. The program can also function as a menu system, allowing you to launch programs from data or executable files when you're in a Disc Director session.


Disc Director uses what Athena Software calls a phantom, or virtual, directory to manage duplicate files. The program scans your hard disk for all duplicate filenames. The phantom directory contains a list of pointers to each file. You can manipulate the pointers as if they were actual files in a directory, performing such standard file functions as Copy, Browse, and Erase. The Remove command deletes the filename entry, but not the actual file.

With the program, you can search for a file in eight different ways: by comment, text, attributes, date, duplicate, byte size, filename, and commented files. The program displays information in bar graphs and directory trees. You can rearrange directories by highlighting a "branch" on a tree structure, dragging it to a different location, and then reattaching it.

Disc Director works on the IBM PC with 512K bytes of RAM.

Price: \$79.

Contact: Athena Software, 4915 Twin Lakes Rd., Suite 19, Boulder, CO 80301, (303) 666-9569.
Inquiry 1171.



Disc Director provides information on a branch as you highlight it and then paste it to another section of your hard disk.

Integrated Security Program for the Mac

Casady & Greene's Access Managed Environment (A.M.E.) is a security program for the Macintosh that the company says will prevent unauthorized access and copying and protect your system's hard disk drive.

With A.M.E., you can set access privileges for files, folders, programs, and disks that range from the basic, limited default for first-time users to access that requires a password or key disk. A TouchSafe Accessed Managed Environment (T.A.M.E.) option works with a scanner to check your fingerprint: The scanner checks for blood flow so a photocopy or wax copy

of the finger wouldn't fool the system, the company says.

A.M.E. lets you create a hierarchy of users with varying levels of privileges. The program also lets you group files and applications in access sets for identical access privileges, which can simplify the setting and modification of access on systems with many files. An activities log lets you define activities and users to log, filter for viewing specific activities or users, print the filtered log, and limit access to the log. With the log, you can bill clients for computer work.

A.M.E. can encrypt files using fast or DES encryption. You can also set it to erase actual data, not just the filename in the directory, when you delete a file. Another option is multipass erase, designed to meet Department of

Defense standards.

Passwords can be case-sensitive, and you can require that users change passwords regularly. And for those quick trips down the hall that turn into extended absences from your desk, you can set A.M.E. to black out the screen so that only authorized users can log on and see your data.

The INIT runs on the Mac Plus or higher and requires about 130K bytes of system memory.

Price: \$279; five sites, \$895; 10 sites, \$1495; T.A.M.E. starts at \$3000.

Contact: Casady & Greene, Inc., P.O. Box 223779, Carmel, CA 93922, (408) 624-8716.

Inquiry 1175.

Make Your Spelling Checker More Technical

Geocomp has released a program called TechWords that you can merge with a word processor's spelling checker, allowing it to check for technical terms not commonly found in a spelling checker.

TechWords has vocabulary from computer science; aeronautical, chemical, civil, electrical, industrial, and mechanical engineering; math; bioscience; physics; and space, planetary, and earth sciences. You can choose to integrate just the categories that pertain to your work.

The initial release will support WordPerfect and Microsoft Word for the IBM PC and Macintosh, and Xy-Write. Other word processors will be added, Geocomp reports.

Price: \$79.

Contact: Geocomp Corp., 66 Commonwealth Ave., Concord, MA 01742, (800) 822-2669 or (508) 369-8304.
Inquiry 1174.

Tempo Macro Utility for Windows

Tempo, the macro utility for the Macintosh that lets you record keystrokes, mouse-clicks, and mouse-drags to automate complex or repetitive tasks, is now available in a version for Microsoft Windows.

Tempo for Windows works within and between applications and supports loop and branch controls for

connecting or repeating macros and conditional statements. It can also replay macro commands at varying speeds.

Price: \$99.95.


Contact: Affinity Microsystems Ltd., 1050 Walnut St., Suite 425, Boulder, CO 80302, (800) 367-6771 or (303) 442-4840.

Inquiry 1173.

BYTE

REGIONAL

NORTHEAST



WHAT'S NEW

METRO NEW YORK • NEW ENGLAND

Computer Shows in Boston and Points North

MegaMeeting, a trade show for Macintosh products and the largest users group show in the Boston area, will be held on March 31 and April 1 at the Conte Forum on the Chestnut Hill campus of Boston College. The fourth annual show, sponsored by the Boston Computer Society Macintosh Users Group and the Boston College Microcomputer Users Group, is free to all members of BCS and to the students, faculty, and staff of Boston College. Nonmembers may attend for a nominal fee.

In addition to featuring product exhibits by Mac vendors, MegaMeeting will offer

training provided by BCS volunteers and extended product demonstrations by developers. A certified Apple dealer will be present to upgrade your system memory.

The Conte Forum is Boston College's new multi-million-dollar sports complex with state-of-the-art video equipment. The main show floor has space for 75 vendor booths.

Contact: MegaMeeting IV, Boston Computer Society Mac Office, 48 Grove St., Somerville, MA 02144, (617) 625-7080; for exhibitor information, call (617) 288-9664.

The Monadnock Computer Fair and Exposition, to be held on April 28 at Keene State College, will include exhibits and seminars by local users groups, vendors,

computer publications, and educational institutions. You can also sell your used computer equipment at the show's flea market.

The show will be held at the Spaulding Gymnasium from 10:00 a.m. to 4:00 p.m. **Contact:** Monadnock Music, P.O. Box 255, Peterborough, NH 03458, (800) 462-7536, or call Barry Mallis at (603) 352-1130 ext. 265.

On April 8, Bangor, Maine, will be the site of the third annual Downeast Computer Fair, which last year featured Pete Peterson, vice president of WordPerfect Corp., as its keynote speaker.

The fair is sponsored by the Island/Reach Computer Users Group and will be held at the Eastern Maine Voca-

tional Technical Institute.

Although only two years old, the group reports a membership of about 300, varying from home users to medium-size corporations. The group's library includes software for the IBM PC, Atari, Apple II, Macintosh, Amiga, Commodore, and other computers. A newsletter, the *Downeast Computer News*, is published bimonthly. The group reports that the topic of the March 22 general meeting will be HyperCard and hypertext. General meetings are usually held at the George Stevens Academy in Blue Hill, Maine. **Contact:** Island/Reach Computer Users Group, P.O. Box 273, Deer Isle, ME 04627, (207) 367-5955 or (207) 667-6412.

continued

DIAL
(617)

L · A · P · T · O · P · S
5 2 7 8 6 7 7

We can add cellular phone communications to your laptop

NEW ENGLAND'S AUTHORITY ON LAPTOPS AND PORTABLE COMPUTING

OVER 20 LAPTOPS ON DISPLAY
OVER 300 LAPTOPS IN STOCK

FREE LOANERS DURING SERVICE*

Toshiba, NEC, Zenith, Sharp, Mitsubishi,
Texas Instruments, Panasonic

INTRODUCING . . .

Sleek new models from Toshiba!
Texas Instruments 6.7 pound, 286
powerhouse!
New Zenith models for the 90s

Laptop Rentals • GSA Schedule Pricing • Lease • 30-day exchange policy

Zenith Preferred Service Center **Toshiba Service Center** **NEC Premier Service Center**

* If CPU is purchased from us

LAPTOPS, etc. 164 HAMPSHIRE STREET, CAMBRIDGE, MA 02139 (617) 527-8677

In MA dial 1-800-966-METRO for service

Other Store Locations: Falls Church, VA • Washington, D.C. • Baltimore, MD



HARMONY COMPUTERS

1801 FLATBUSH AVE.. (BET. AVES. J & K) BKLYN. NY 11210
ORDER DEPT. ONLY 800-441-1144 OR 718-692-3232 — INFORMATION 718-692-2828

10th Anniversary Specials

TOSHIBA T-1000 LAPTOP
\$629.00

H.P. LASERJET IIP
\$949.00

PANASONIC 1124
\$279.00

IBM PS/2 #30 (286) 20 Meg
\$1689.00

WORD PERFECT 5.1
\$244.00

NEC MULTISYNC 3D
\$579.00

"PRINTER SPECIALS"

Apple Image Writer II	439
Citizen GSX 140	339
Diconix Ink Jet 150 plus	314
Epson LX810	189
Epson FX 850	334
Epson FX 1050	449
Epson LQ 510	329
Epson LQ 850	489
Epson LQ 950	509
Epson LQ 105M	669
Epson LQ2550	899
Hewlett Packard Desk Jet Plus	659
Hewlett Packard Laser Jet II P	949
Hewlett Packard Deskwriter (Apple Macintosh)	789
Hewlett Packard Laser Jet II	1579



IBM Proprinter 3	429
IBM Proprinter X24E	599
IBM Proprinter 3XL	559
IBM Proprinter XL24E	799
NEC P2200XE	299
NEC P5200	489
NEC P5300	599
Okidata 172	199
Okidata 182 Turbo	224
Okidata 183 (Wide Carriage)	229
Okidata 320	329
Okidata 321	469
Okidata 380	349
Okidata 390	469
Okidata 391	639
Okidata 393	979



Panasonic 1180	164
Panasonic 1191	214
Panasonic 1124	279
Panasonic 1624	399
Panasonic 1625	399
Panasonic 1524	499
Seiko Smart Label Printer	189
Star NX 1000 II	159
Star NX 1000R (Color)	209
Star NX 1500	289
Star NX 2410	289
Toshiba 301 (24 Pin Portable Printer)	299
Toshiba Expresswriter 311	349
Toshiba 321 SL	419
Toshiba 341 SL	629
Toshiba 351 SX	949



IBM AND COMPATIBLES

IBM PS 2 #30 (286) 1.44 Meg Dr	1399
As above w/ IBM 20 Meg	1689
As above w/ IBM 30 Meg	1799
IBM PS 2 Mod-502 (30 Meg)	2149
IBM PS 2 Mod-502 (60 Meg)	2449
2 Meg Upgrade: PS 2-30 (286) 502.55SX 70.80	399
IBM PS 2 #55 SX 30 Meg (386SX)	2599
IBM PS 2 #55 SX 60 Meg (386SX)	2989
IBM P 5.2 Mono Monitor (8503)	209
IBM P 5.2 Color (8512) Monitor	449
IBM P 5.2 Color (8513) Monitor	539



TURBO 386 SYSTEM (20 MHZ) 1.2 Meg Drive	
Serial Parallel, 1 Meg. Video Card, Monitor	1249
TURBO AT 286 SYSTEM 12 MHZ, 1.2 Meg Drive	
Serial Parallel, 512K w/Monitor	699
TURBO XT SYSTEM 12 MHZ, Drive 512K	
Video Card and Monitor	579
Headstart 2 640K 10MHZ 5 1/4 & 3 1/2 Floppy Drives, Color Mono, Serial, Parallel, Game, DOS 3.3	799
Headstart 3 One Meg 12 MHZ 5 1/4 & 3 1/2 Floppy Drives, 32 Meg H D Serial, Parallel, Game, Mouse, DOS 3.3 VGA Adapter	1899
Headstart Explorer, 3 1/2 Drive Color Monitor	769
Mitsubishi 386SX (16MHz) 1.2 Meg. drive, 2 Meg. RAM Serial Parallel card, DOS 3.3 EGA card with EGA Monitor	1599

MONITORS

Amdex 732 (VGA)	399
Princeton VGA Paperwhite	129
Princeton Max 15	249
Princeton Ultra Sync (16 inch)	849
Princeton Ultra Sync (14 inch)	489
NEC MultiSync G.S.IIA (Paperwhite)	219
NEC MultiSync 2A (VGA)	459
NEC MultiSync 3D	579
Sony 1304 Multiscan (1024x768)	649
Sony 1302 Multiscan	599
Sony 1320 VGA	469
Seiko #1140 (Res. 1024 x 768)	589
Zenith 1492	589
Panasync C1391	489
Mitsubishi Diamondscan #1381A	469
Goldstar SuperScan #1440 (800 x 600)	449
Goldstar #1430 VGA	359
Packard Bell (EGA) #1431	369
Packard Bell TTL Amber 12 inch #1272A	89
Packard Bell TTL Amber 14 inch #1472A	129
Packard Bell (RGB) #1452	249



VIDEO CARDS

Hercules Monographic Plus w/ Ramfort	154
Hercules VGA Card	249
Genoa Super Hi Res Plus	99
Genoa 6400 VGA w/ 512K	249
Video 7 VGA	169
Video 7 VGA 1024/256K	209
Video 7 VGA 1024/512K	219
Video 7 VGA VRAM (512K)	399
Orchid Pro Designer (VGA) 256K	259
Orchid Pro Designer (VGA) Plus 512K	269
STB VGA Extra EM 16 256K	189
STB VGA Extra EM 16 512K	239
ATI VGA Wonder 256K	189
ATI VGA Wonder 256K w/ Mouse	219
ATI VGA Wonder 512K	239
ATI VGA Wonder 512K w/ Mouse	269
Paradise Auto Switch (480)	99
Paradise VGA Plus	159
Paradise VGA Plus (16 bit)	189
Paradise VGA Professional 512K	229
Paradise VGA 1024	209
Paradise VGA 1024 (512K)	259
Everex Auto Sync (480) Deluxe	99
Everex Viewpoint VGA 256K	169
Everex Viewpoint VGA 512K	219
Harmony VGA (800 x 600)	129
Harmony VGA (1024 x 768)	149



MODEMS

Hayes 1200 External	269
Hayes 1200B Internal	149
Hayes 1200B w/ Smartcom 2	179
Hayes 2400 External	324
Hayes 2400B Internal	199
Hayes 2400B w/ Smartcom 2	249
Hayes 2400P, PS 2 50 60 70 80	429
Hayes Smartcom II Software	89
ATI 2400 Internal	169
ATI 2400 External	199
Everex Internal #240B	74
Everex 2400 Plus Internal	169
Everex 2400 E Plus External	199
Everex 2400 Internal PS 2 40 55 60 70 80	229
Everex Faxboard	269
Packard Bell 1200 External	89
Prometheus 2400 External	169
Prometheus 2400 Internal	139
Prometheus 2400 Plus Internal	199
Cardinal 2400 Internal	99
Cardinal SendFax with 2400 BD Modem	149
Falcon 2400 External	109
Laptop Modem 1200 Internal	129
Laptop Modem 2400 Internal	169



IBM SOFTWARE

Aldus Pagemaker 3.0	479
Lotus 123 Release 3	359
Lotus 123 Version 2.2	324
D Base 4	459
Multimate Advantage II	289
Borland Paradox 3.0	429
Microsoft Excel	299
Microsoft Word 5.1	209
Microsoft Windows 286	84
Microsoft Windows 386	129
Word Perfect 5.1	244
Word Perfect Library 2.0	69
Q & A 3.0	209
PFS Professional Write (2.1) with PFS Graph	129
PC Tools Deluxe 5	79
Norton Utilities 4.5	54
Fastback Plus	89
Norton Utilities Advanced 4.5	99
Copy 2 PC Deluxe Board	109
Microsoft Flight Simulator Re 4.0	219
Wordstar Professional Re 5.5	449
Ventura Desk Top Publishing ver 2.0	499
Managing Your Money - Release 6	119
Fast Lynx (Data Transfer Software and cables)	99
MS DOS 3.3 w/Basic	89
MS DOS 4.01 w/Basic	89



MICE

Microsoft Mouse	99
Microsoft Mouse with Windows	139
Logitech H. Rez Mouse	84
Logitech Scanman Plus	179
Genius 3 Button H. Rez Mouse	59



FAX MACHINES

Sharp UX 110	529
Sharp FO 230	659
Sharp FO 330	849
Sharp UX 350	1029
Sharp FO 510	999
Sharp FO 550	1349
Panafax #120 w/ Answering Machine	799
Panafax #135	569
Panafax #140	659
Panafax #145	679
Panafax #155	719
Panafax #250	1189
Panafax #260	1349
Everex Faxboard	299
Cardinal SendFax with 2400 Baud Modem	149
98 Foot Fax Paper (6 Rolls)	29
164 Foot Fax Paper (6 Rolls)	49
308 Foot Fax Paper (6 Rolls)	79
SmartFax - Automatic Fax, Disk II Call to Fax or Telephone	159



LAPTOPS

NEC Prospeed 286 20 Meg.	2899
NEC Prospeed II 8640 Meg	3399
Toshiba T 1000	619
T 1000 1MB Upgrade Card	269
T 1000 Carrying Case	44
Toshiba T-1000SE	1199
T-1000SE Carrying Case	44
Toshiba 120L 2 Drive (Backlit)	1399
Toshiba 120E 20 Meg (Backlit)	1699
Mitsubishi 206L (20 Meg)	1749
Mitsubishi 216L (40 Meg)	2299
Zenith 184 1 Supersport (2 Drive)	1263
Zenith 184-2 Supersport 20 Meg	1749
Zenith Supersport 286 20 Meg	2499
Zenith Supersport 286 40 Meg	2749
Toshiba 301 (24 Pin Portable Printer)	299
Diconix 150 P us Portable Ink Jet Printer	314
Fast Lynx (Data Transfer Software 3 1/2 to 5 1/4)	95
Laptop Modem 1300 Baud	129
Laptop Modem 2400 Baud	169



HARD DRIVES

Seagate 20 Meg. w/ controller	249
Seagate 20 Meg.	229
Seagate 30 Meg. w/ controller	279
Seagate 40 Meg. #251 1	339
Seagate 80 Meg. #4096	579
Seagate 80 Meg. #118N SCSI Adapter	514
Western Digital XT Controller (20 40 80 Meg)	74
Western Digital AT Controller	144
Seagate 3C Meg Hard Drive Card	343
Tandor 20 Meg Hard Drive Card	275
Seagate 2C Meg External (for Macintosh)	475
Seagate 2C Meg 3 1/2 inch #125N SCSI Adapter	299
Seagate 2C Meg 3 1/2 inch #125	259
Seagate 3C Meg 3 1/2 inch #138N SCSI Adapter	333
Seagate 3C Meg 3 1/2 inch #138MFM	299
Seagate 5C Meg 3 1/2 inch #157NS SCSI Adapter	349
Seagate 5C Meg 2 1/2 inch #157	349
Host Adapter for SCSI Drives	49



PC BOARDS, DRIVES, MEMORY CHIPS

IBM Original 5 1/4 Disk Dr (360K)	89
Toshiba 5 1/4 Floppy Disk Dr (360 K)	89
Toshiba 3 1/2 Floppy Disk Dr (720 K)	89
Toshiba 3 1/2 Floppy Disk Dr (1.44 Meg)	89
Toshiba 5 1/4 Floppy Disk Dr (1.2 Meg)	89
PS 2 3 1/2 60K External Drive	189
PS 2 3 1/2 1.2 Meg External Drive	249
EVEREX MULTIFUNCTION (PCXT)	89
EVEREX EMS MEMORY CARD	79
AST Six Pack Plus 64K	119
AST Rampage Plus (286) 512K	379

AST Advantage 512K	199
Intel above board 286 Plus w 512K	379
Intel above board 286 Plus I O Parallel Serial	429
Intel above PS 2 (50,10)	289
AST Rampage PS 2 (50,60) 512K	439
64K DRAM chips	Call
256K DRAM chips	Call
256K Simm Module	Call
One Meg DRAM chips	Call
One Meg Simm Module	Call

INTEL MATH COPROCESSORS

Intel 8087 3 1/2 PC PC XT up to 6 MHz	89
Intel 8087 1 1/2 PC PC XT up to 8 MHz	119
Intel 8087 3 1/2 PC AT PS 2 10 MHz and faster	159
Intel 8028 3 1/2 PCAT up to 6 MHz	129
Intel 8028 1 1/2 PCAT PS 2 up to 6 MHz	189
Intel 8028 1 1/2 PCAT PS 2 up to 10 MHz	214
Intel 8038 1 1/2 PCAT PS 2 up to 10 MHz	319
Intel 8038 1 1/2 PCAT PS 2 up to 20 MHz	379
Intel 8038 1 1/2 PCAT PS 2 up to 25 MHz	419
Intel 8038 3 1/2 PCAT PS 2 up to 33 MHz and faster	519
Intel 8038 1 1/2 (For 40387 SX Computers)	219
Intel 80287	214



Visa, Master Card and Discover welcome at no additional charge. For your protection we check for stolen credit cards. Shipping & handling extra. Defective merchandise will be replaced or repaired at our discretion within the terms of our warranty. Price and availability subject to change without notice. We do not allow non-defective returns. For defective merchandise issues call customer service at (718) 692-2828. We are not responsible for typographical errors.

Meet You at the Echo Queen Diner

The Amateur Computer Group of New Jersey (ACGNJ) is the oldest continually operating users group in the U.S. Founded in May 1975, the group is centered in central New Jersey and helps sponsor a large computer festival held each April in Trenton.

Several ACGNJ special-interest groups meet regularly in the vicinity of the Echo Queen Diner (Route 22 near the Springfield exit), which sometimes serves as a post-meeting eating place.

According to David Cornell, coordinator of ACGNJ's symposium group, the topics at one such after-meeting gath-

ering included the night's presentation, club business, the difficulties of travel to Angkor Wat and Machu Picchu, and speculation as to why the clock in a \$5000 computer was less accurate than a \$10 plastic watch. Unmarried programmers who do their own cooking have been heard to say the food is "not bad," Cornell reports.

The number of people varies, but 25 is usually a pretty good turnout, he says.

The Echo Queen Diner is easy to find, but the best way to find it is to follow the crowd after the next meeting. **Contact:** Amateur Computer Group of New Jersey, Inc., P.O. Box 135, Scotch Plains, NJ 07076, (201) 889-7158. You can also leave electronic messages at (201) 739-3693 or (201) 886-8041.

Application Manager Shown to OS/2 Group

At the January meeting of the Boston Computer Society's OS/2 Technical special-interest group (SIG), representatives of Intelligent Environments (Tewksbury, MA) presented two new versions of Application Manager for OS/2.

Both AM Professional and AM Personal are development tools that help you integrate the communications, database, and graphical capabilities of OS/2.

According to the company, AM gives OS/2 a data integration and graphical front end that have up to now been available only with a combination

of Unix, Macintosh, and main-frame systems. For developers, AM is designed to relieve OS/2's heavy reliance on C. Intelligent Environments claims that few large corporations use C for their development efforts. AM combines CASE, 4GL, 3GL, and expert-system techniques to provide what the company calls a "unique environment."

Both AM Personal and AM Professional require OS/2 1.1 or 1.2.

Applications developed with AM Professional require run-time modules for each workstation.

Contact: For more information on the OS/2 Technical SIG, write to Boston Computer Society OS/2 Technical SIG, One Center Plaza, Boston, MA 02108, (617) 367-8080.

Excellent prices with:

- * Fast service
- * 30 Day money back guarantee (less shipping)
- * Free shipping for Visa & M.C. orders.

80386-33 MHz

64 KB cache RAM
4 MB RAM memory
1.2 + 1.44 floppy
153 MB 18ms ESDI NEC
1:1 Interleave+ D. Cache
16 bit super VGA card
512K RAM, 1024 x 768
14" VGA color monitor
1 parallel & 2 serial
101 key keyboard

\$3999

80386-20 MHz

1 MB RAM memory
1.2 or 1.44 floppy
42 MB 28ms MFM drive
16 bit 256K VGA card
14" VGA color monitor
1 parallel & 2 serial
101 key keyboard

\$1999

80386-25 MHz

64 KB cache RAM
4 MB RAM memory
1.2 + 1.44 floppy
68 Meg 23ms RLL Toshiba
1:1 Interleave+ D. Cache
16 bit super VGA card
512K RAM, 1024 x 768
14" VGA color monitor
1 parallel & 2 serial
101 key keyboard

\$2899

80386-16-SX

1 MB RAM memory
1.2 or 1.44 floppy
42 Meg 28ms MFM drive
16 bit 256K VGA card
14" VGA color monitor
1 parallel & 2 serial
101 key keyboard

\$1699

80386-20 MHz

4 MB RAM memory
384K shadow RAM
1.2 + 1.44 floppy
68 Meg 23ms RLL Toshiba
1:1 Interleave+ D. Cache
16 bit super VGA card
512K RAM, 1024 x 768
14" VGA color monitor
1 parallel & 2 serial
101 key keyboard

\$2399

80286-12 MHz

1 MB RAM memory
1.2 or 1.44 floppy
22 Meg 38ms MFM drive
16 bit 256K VGA card
14" VGA color monitor
1 parallel & 2 serial
101 key keyboard

\$1449

Orders: (708) 628-0344
Tech-Support: (708) 628-0304
Order Status: (708) 628-0323
Fax Orders: (708) 543-1859
Telex: 590369

Micro Image International Inc.

1010 W. Fullerton, Unit G
Addison, Illinois 60101

RESOURCE CONCEPTS COMPUTER OUTLET

MONITORS

12" VGA MONO PAPER WHITE PHOSPHORUS NEW 90 DAY WARRANTY	\$59.95
14" VGA COLOR MONITOR .41 DOT DEMO UNITS LIKE NEW/90 DAY WNTY	\$225.00

GRAPHIC BOARDS

OAK VGA 256K 800 x 600 16 BIT XT/AT	\$120.00
ABLE VGA II 256K EXPANDABLE TO 512 K 640x480 • 1024x768 16 BIT XT/AT	\$160.00
PVGA PLUS 16 256K EXPANDABLE TO 512K 640x480 • 800x600 16 BIT XT/AT	\$160.00
MICRO-LABS VSI 256K EXP TO 512K 640x480 • 1024x768 16 BIT AT	\$215.00

MOTHER BOARDS ØK

8088/10 MHZ XT	(PIM-TB10)	83.00
286/10MHZ AT MINI	(PTM-1030)	174.00
286/12MHZ AT MINI (2 SER/1PAR)	(PTM-1230C)	247.00
286/12MHZ AT MINI (UP TO 4 MB)	(PTM-1230S)	247.00
286/16MHZ AT MINI AT (PHOENIX BIOS)	(PTM-1630C)	327.00
286/12MHZ AT MINI (UP TO 8 MB)	(PTM-1233C)	260.00
386/20MHZ	(PEM-2000)	767.00
386/20MHZ MINI	(PEM-2030)	794.00
386/25MHZ	(PEM-2500)	1327.00
386/33MHZ	(PEM-3300)	2134.00
386/SX	(PPM-1630)	434.00

RAM UPGRADE

	150NS	120NS	100NS	80NS-
256K x 9 IBM SIMM	17.00	25.00	31.00	38.00
1M x 9 SIMM	—	—	95.00	105.00
1M x 1 DIP	—	—	9.25	9.50
256K x 1 DIP	2.00	2.25	2.50	3.25
256K x 4 DIP	—	9.00	9.25	9.50
64K x 1 DIP	1.00	1.35	1.65	—
64K x 4 DIP	3.00	3.50	3.95	—

COPROCESSORS

V-30 REPLACES 8086	5.00	80287-10 (10MHz)	219.00
8087-3 (5MHz)	85.00	80387-16 (16MHz)	310.00
8087-2 (8MHz)	119.00	80387-20 (20MHz)	360.00
8087-1 (10MHz)	159.00	80387-25 (25MHz)	460.00
80287-6 (6MHz)	129.00	80387-33 (33MHz)	575.00
80287-8 (8MHz)	199.00		

ADD ON CARDS

MONOCHROME TEXT ONLY CARD (MTO)	6.00	640K RAM CARD XT (Pii-129)	22.00
MGP Pii-143C	35.00	386 RAM CARD EXP TO 8M (PEI-301)	74.00
CLOCK CARD (Pii-146)	22.00	ARCNET CARD (PCL-001P)	74.00
COLOR GRAPHIC PRINTER	35.00	ACTIVE HUB (PCL-002)	167.00
RS 232 CARD XT/AT (Pii-108)	19.00	ETHERNET CARD	167.00
NO SLOT CLOCK ON CHIP XT	20.00	GAME CARD (Pii-116)	12.00
PRINTER CARD PAR XT/AT (Pii-109)	12.00	ELIMINATOR GAME CARD (GRAVIS)	31.33
AT/XT I/O S (OPTIONAL PAR)	30.00	AT IDE CONT WITH S/P/G (PTI-217)	69.95
AT/XT I/O S (OPTIONAL PAR/GAME)	26.00	AT IDE HD/FD CONT (PTI-215)	100.00
FDC XT W/CABLE (Pii-101)	19.00	JOY STICK PC/XT/AT ROC	13.33
XT/AT HI DEN FC 1 2/1.44 (Pii-151B)	34.00	ANALOG JOYSTICK XT/AT (GRAVIS)	45.00
XT/AT HI DEN 4 DRIVES (Pii-158)	43.00	EMBEDDED H/D CONTROLLER AT (PTI-216/470)	45.00

SPECIALS

SERIAL MOUSE WITH DR HALO III	35.00
IBM AT 512 MEMORY EXP BOARD HAS 512 K MEM. FOR 5170 AT	50.00
MICROSOFT WINDOWS/386	50.00
MS DOS VER 3.3	56.00
MS DOS VER 4.01	60.00

LIMITED QTY'S

XT FLOPPY CONTROLLER OEM PK	14.00
KEYTRONICS 101 KEYBD XT/AT	59.00
KEYTRONICS 101 KEYBD PS/2	59.00
COMPUTER CLOCK BATTERY, RAYOVAC 4.5V 200W POWER SUPPLY AT	3.00
WD 1007A ESDI CONTROLLER, OEM PK	125.00
MONITOR TILT & SWIVEL BASE	3.95
HARD DRIVE MOUNTING KIT 3.5 TO 5.25	7.00
AT HARD DRIVE RAILS	2.25
EGA CARD PARADISE OEM PK	85.00

SYSTEMS



DTK XT TURBO, 10 MHZ/0 WAIT, 150 WATT P/S, 640K RAM, 360K FLOPPY, 101 KEYBOARD, 1 YR. WARRANTY **\$429.00**

DTK 286/12, 80286/12 MHZ, 200 WATT P/S, 1 MB RAM, 1.2 MB FLOPPY, FD/HD CONTROLLER, 2 SER/1 PAR, 101 KEYBOARD, 1 YR. WARRANTY **\$650.00**

DTK 386/20, 80386/20 MHZ, 200 WATT P/S, 1 MB RAM, 1.2 MB FLOPPY, FD/HD CONTROLLER, 2 SER/1 PAR, 101 KEYBOARD, 1 YR. WARRANTY **\$1250.00**

DTK BAREBONE SYSTEMS

DTK-1000, 8088/10 MHZ, 0 WAIT STATES, 0K RAM, 150 WATT P/S, AT STYLE CASE, 1 YR. WARRANTY **\$180.00**

DTK-1230C, 80286/12 MHZ, 0 WAIT STATES, 0K RAM, 2 SER/1 PAR, 200 WATT P/S, MINI AT CASE, 1 YR. WARRANTY **\$380.00**

DTK-1230D, 80286/12 MHZ, 0 WAIT STATES, 0K RAM, 2 SER/1 PAR (full size), 200 WATT P/S, AT CASE, 1 YR. WARRANTY **\$395.00**

DTK-1260B, 80286/12 MHZ, 0 WAIT STATES, 0K RAM, BUILT-IN MPG-FDC-HDC-SER-PAR, 150 WATT P/S, MINI AT CASE, 1 YR. WARRANTY **\$487.00**

DTK-2000, 80386/20 MHZ, 0 WAIT STATES, 0K RAM, 2 SER/1 PAR, 200 WATT P/S, TOWER CASE, 1 YR. WARRANTY **\$1060.00**

DTK-2030, 80386/20 MHZ, 0 WAIT STATES, 0K RAM, 2 SER/1 PAR, 200 WATT P/S, MINI 386 CASE, 1 YR. WARRANTY **\$1000.00**

ACCESSORIES

SURGE PROTECTORS & POWER CENTERS

6 OUTLET W/SURGE METAL (WP002A)	9.26
6 OUTLET WALL MOUNT W/LIGHT (WY1031)	10.60
6 OUTLET W/EMI-RFI NOISE FILTER (WP003AN)	12.67
6 OUTLET EMI/RFI & MODEM (WP003C)	15.93
POWER CENTER 5 LIGHT ROCKER SWITCHES (WP005)	23.93

SWITCH BOXES

AB PARALLEL (CE362)	15.93	AA /BB PARALLEL	15.93
AB SERIAL (CE252L)	15.93	CROSSOVER (CE36X)	23.33
ABC SERIAL (CE254L)	22.60	AB 2 CENT 1 DB25 (CE25362)	19.95
AA/BB SERIAL (CE25X)	22.50	AB 2 DB25 1 CENT (CE36252)	19.95

STANDS

CPU STAND (UNIVERSAL) PLASTIC (CPUP)	7.33	PRINTER STAND 2 PC PLASTIC (PLP)	7.93
CPU STAND (UNIVERSAL) METAL (CPUM)	15.93	MO JITOR STAND 14" TILT & SWIVEL (41588)	3.95
CPU STAND W/CASTERS METAL (CPUMC)	23.93	ME AL SWING ARM COPY HOLDER 80 COL (CH80A)	14.60
KEYBOARD DRAWER OVER COUNTER (CKDB)	33.00	METAL SWING ARM COPY HOLDER 14" COL (CH132A)	18.60
KEYBOARD DRAWER UNDER CARRIAGE (UKDB)	23.95	COPY CUP PLASTIC (CHSA)	3.93
KEYBOARD SLIDE AWAY (KSA)	32.33	COPY HOLDER 80 COL (CH80)	7.33
PRINTER STAND 80 COL METAL (PSTM80)	9.26	COPY HOLDER 132 COL (CH132)	11.33
PRINTER STAND 132 COL METAL (PSTM132)	10.60	MOUSE PAD	3.33

OTHERS

MONITOR STATIC PROTECTOR (SB)	5.95	DISK BOX 5 1/4 100 PCS W/LOCK (54100L)	7.33
11 PC TOOL KIT (TK10)	13.27	DISK BOX 3 1/2 80 PCS W/LOCK (31280L)	7.13
COMPUTER SER KIT W VAC (TK25)	27.93	DISK HAND CARRIER 5 1/4 (DHC5410)	9.27
COMPUTER CLEANING KIT (CCK)	15.93	DISK HAND CARRIER 3 1/2 (DHC3210)	7.93
MINI VACUUM CLEANER (VAC)	7.00	LAPTOP COMPUTER CARRY CASE	44.00

GENDER CHANGER

9F/25F 3.86	9M/25F 3.86	36M/36M 5.26	25M/36M 4.66	25F/36F 4.66
9F/25M 3.86	9M/25M 3.86	36F/36F 5.26	25F/36M 4.66	25M/36F 4.66
9M/9M 2.80	9F/9F 2.80		25M/25M 3.10	25F/25F 3.10

CABLES

KEYBOARD EXT (KB-0506)	2.86	SER. MOD. 9F /25M 6' (SR-06)	4.20
MONITOR EXT (MR-0906)	3.93	PC TO TTL MONO (TTL MONO)	4.50
PAR. PRINTER 6FT (PA-1806)	3.50	LINE CORD (LC)	3.00
PAR. PRINTER 10FT (PA-1810)	4.95	MONITOR/CPU POWER EXT	2.87
PAR. R/A 6FT (PRM-2506)	5.95	XT HARD DRIVE (XTHD) 2 PC	3.95
RS232 M/F 6FT (RSA-2506)	5.00	AT HARD DRIVE (ATHDFD) 3 PC	5.00
RS232 M/M 6FT (RSA-2506M)	5.00	SCS 50P/50P (SCSI 50)	6.00
RS232 M/M 10FT (RSA-2510M)	6.33	SCSI 50P/25P (SCSI 25)	10.60
SERIAL F/F 10FT (RSA-2510F)	5.50	MONITOR EXT CABLE (MR 0906)	3.93

NEW MERCHANDISE DAILY!!! Some items limited to stock on hand **ORDER TOLL FREE 800-962-7795**

WE BUY ALL TYPES OF MERCHANDISE!!! SEND LIST OR CALL!!!

15203 Midway Road • 1 Block North of Beltline • Addison, TX 75244 • FAX (214) 386-5642 • Phone (214) 386-5515

TEXAS RESIDENTS ADD SALES TAX • PRICE MAY VARY FROM RETAIL STORE • PRICES SUBJECT TO CHANGE WITHOUT NOTICE • TERMS: COD, MC/VISA, PRE-PAID OR CASH

Super VGA, 8514/A Support Added to Image DBMS

PicturePower, an image DBMS, now supports 8514/A and Super VGA boards, bringing photographic-quality image management to standard display boards. PictureWare reports. With PicturePower 3.1, you can capture images with a video camera, place them in databases and applications with text and numeric data, transfer them among IBM PCs, and print them.

An expanded DBMS lets you query up to four fields using seven possible comparisons (e.g., equals, greater than, and less than). PicturePower supports dBASE III Plus and any database or application that makes calls to C.

Another version of PicturePower compresses Super VGA images to reduce by as much as 1000 percent the storage requirements for an image. Called PicturePower-HC, it includes version 3.1 and a hardware compression board.

PicturePower 3.1 runs on the IBM PC with 640K bytes of RAM and a hard disk drive.

Price: \$1995; PicturePower-HC, \$3900; LAN version, \$2995.

Contact: PictureWare, Inc., 111 North Presidential Blvd., Bala Cynwyd, PA 19004, (215) 667-0880.

Inquiry 994.

Native Code Compiler for dBASE

The Force debugger, which Sophco says is the first native code compiler based on the dBASE language, compiles all lines of programming code into machine language code, unlike other



PicturePower's ability to store images with text makes it suitable for security applications on VGA-compatible systems.

dBASE "compilers," which make decisions on a line-by-line basis.

With Force, a run-time engine is not attached to its code. It generates its own native code, resulting in smaller executable files than those produced by Clipper, the company reports. With Force, you can't use variables on the fly; you must declare the structure of the database and declare and type all your variables and parameters. You can't run a dBASE application with Force without modifying the application, but Force can check your syntax and flag undefined variables at compile time.

Other features include support for user-defined functions, one-dimensional arrays of up to 65,535 elements, multiple data types, conditional compilation to produce several .EXE files from a source file, and Include files to automatically make a change in several files.

Price: \$695.

Contact: Sophco, Inc., P.O. Box 7430, Boulder, CO 80306, (303) 444-1542.

Inquiry 997.

Simulate the 68000 on an IBM PC

PseudoMax 68K lets you test and debug programs written in Motorola 68000 assembly language for embedded systems without requiring you to have the 68000 and its associated hardware. With the simulator, you can watch a program execute in windows as the simulator single-steps through or runs the program code, PseudoCorp reports.

The simulator uses an internal-demand-page virtual memory addressing algorithm that lets you simulate up to 16 megabytes of addressing space. Each screen can contain up to 40 windows. You can set unlimited breakpoints, and the program supports memory mapping. A trace file function lets you record a session for later analysis.

PseudoMax 68K runs on the IBM PC with 512K bytes of RAM.

Price: \$100; cross assembler, \$50; disassembler, \$100; all three, \$200.

Contact: PseudoCorp, 716 Thimble Shoals Blvd., Suite E, Newport News, VA 23606, (804) 873-1947.

Inquiry 996.

Prepare Your Taxes with Ease

With the Tax Ease series of tax-preparation programs, you can combine both federal and state returns in a single program, available for 25 states.

New to the Tax Ease Corporate series are Partnership and Fiduciary programs and an Employer's Tax program that prepares forms W-2, 940, and 941.

Tax Ease and the Tax Ease Corporate series both require a spreadsheet and 384K bytes of RAM.

Price: Tax Ease Corporate, \$149 per program. Tax Ease: Individual, \$79; Professional, \$139.

Contact: Park Technologies, Inc., P.O. Box 1317, Clifton Park, NY 12065, (518) 877-5881.

Inquiry 995.

Communications Library for C Programmers

SilverWare's asynchronous communications library is fully interrupt-driven and supports the Micro Channel and the 16550 universal asynchronous receiver/transmitter, the company reports. The SilverComm C Async Library supports the huge memory model, letting you buffer data with queue sizes that can exceed 64K bytes.

The library includes free source code and supports all popular C compilers.

Price: \$249.

Contact: SilverWare, Inc., 3010 LBJ Frwy., Suite 740, Dallas, TX 75234, (214) 247-0131.

Inquiry 998.

continued



COMPUTER DISCOUNT CENTER

FOR INFORMATION:
1-201-444-7367
 PHONE ORDERS ONLY:
1-800-631-7111

CDC TECHNOLOGIES 286/16 MHZ VGA

- 80286 - 16 MHz Processor
- 1 Meg Ram Exp to 4 MB (Total 16 Meg)
- 1.2 Meg Floppy Drive
- 40 Meg Drive 28 MS
- 16 Bit VGA Board/256 Video Ram
- 14" VGA Color Monitor
- 1 Parallel + 2 Serial Ports
- 1 Game Port
- 101 Keyboard
- 1 Year Parts & Labor Warranty

\$1799

CDC TECHNOLOGIES 386 SX/16 MHZ VGA

- 80386 - 16 MHz Processor
- 1 Meg Ram Exp to 8 MB (Total 16 Meg)
- 1.2 Meg Floppy Drive
- 40 Meg Drive 28 MS
- 16 Bit VGA Board/256 Video Ram
- 14" VGA Color Monitor
- 1 Parallel + 2 Serial Ports
- 1 Game Port
- 101 Keyboard
- 1 Year Parts & Labor Warranty

\$1999

CDC TECHNOLOGIES 386/25 MHZ VGA

- 80386 - 25 MHz Processor
- 2 Meg Ram Exp to 6 MB (Total 16 Meg)
- 1.2 Meg Floppy Drive
- 40 Meg Drive 28 MS
- 16 Bit VGA Board/256 Video Ram
- 14" VGA Color Monitor
- 1 Parallel + 2 Serial Ports
- 1 Game Port
- 101 Keyboard
- 1 Year Parts & Labor Warranty
- 32k Cache Memory Add \$500

\$2499

CDC TECHNOLOGIES 386/33 MHZ VGA

- 80386 - 33 MHz Processor
- 64k Cache Memory
- 2 Meg Ram Exp to 6 MB (Total 16 Meg)
- 1.2 Meg Floppy Drive
- 80 Meg Drive 28 MS
- 16 Bit VGA Board/256 Video Ram
- 14" VGA Color Monitor
- 1 Parallel + 2 Serial Ports
- 1 Game Port
- 101 Keyboard
- 1 Year Parts & Labor Warranty

\$3999



EPSON EQUITY 1 +

- 8088 - 10 MHz Processor
- 640 K Ram Memory
- 360 K Floppy Drive
- 20 Meg Drive
- MDA/Hercules Display Card
- Monochrome Monitor
- 5 Expansion Slots
- Parallel Port
- Serial Port
- 101 Keyboard
- MS-DOS
- GW Basic

\$999

PANASONIC PRINTERS

- | | |
|-----------|-------|
| KX-P 1180 | \$175 |
| KX-P 1191 | \$225 |
| KX-P 1124 | \$295 |
| KX-P 1624 | \$449 |
| KX-P 4450 | Call |

HEADSTART III VGA COLOR SYSTEM

- 80286 - 12 MHz Processor
- 1 Meg Ram Exp to 3 MB
- 1.2 Meg Floppy Drive
- 1.44 Meg Disc Drive
- 32 Meg Drive
- 6 in 1 Color Card
- VGA Color Monitor
- 1 Parallel + 2 Serial Ports
- 1 Mouse + 1 Game Port
- 3 Button Mouse
- 101 Keyboard

\$2188

HEADSTART EXPLORER COLOR SYSTEM

- 8088 - 10 MHz Processor
- 512 K Ram Memory
- 720 K Floppy Drive
- CGA Graphics Card
- CGA Color Monitor
- Parallel + Serial Ports
- Mouse + Game Ports
- Clock/Calendar
- 3 Button Mouse
- At Style Keyboard

\$799

PANASONIC FX-1750/286

- 30286 - 8 MHz Processor
- 640 K Ram Exp to 768K
- 720K Floppy Drive
- 20 Meg Drive
- CGA/MDA/Hercules Display Card
- TTL Monitor
- Parallel + Serial Port
- 5 Expansion Slots
- Clock/Calendar
- 101 Keyboard

\$999

ALL SYSTEMS AVAILABLE WITH CUSTOM CONFIGURATIONS

OPEN 10 AM to 8 PM MONDAY THRU SATURDAY - TEANECK OPEN SUN. 11-5

PARAMUS

770 RT. 17 NORTH
 PARAMUS, N.J. 07652
 201-444-7367

TEANECK

506 CEDAR LANE
 TEANECK, N.J. 07666
 201-836-8666

Prices and availability subject to change without notice. *Must be sold with video card and monitor. In store prices may vary. \$4.95 minimum shipping, handling and insurance charge. All major credit cards accepted

Run-Time Graphing Modules

New England Software has released run-time versions of Graph-in-the-Box 2.0 and Graph-in-the-Box Analytic for business software developers. You can embed the run-time modules in your financial/accounting program to handle the graphing of numerical data, the company reports.

Both programs capture data in text format from the screens of any program and display the data as graphs. Version 2.0 can create 11 types of single-axis categorical plots, while Analytic can create 16 types of dual-axis *x,y* coordinate plots.

Each run-time module requires less than 100K bytes and supports Hewlett-Packard Graphics Language, VGA, MCGA, PostScript, and Computer Graphics Metafile.

Price: \$15 to \$45 each, depending on the number of programs you sell.

Contact: New England Software, Greenwich Office Park 3, Greenwich, CT 06831, (203) 625-0062.

Inquiry 999.

Convert Graphics Files into PICT

PICTure This converts graphics files from more than 10 formats into Macintosh PICT files. You can use the graphics as they are or edit them as you would any other PICT file, which lets you convert graphics files into a format that's readable by most packages that run on the Mac, FGM reports.

According to the company, PICTure This will convert TARGA 16, CGM, PCX, Sun Raster, IFF (Amiga), GIF, TIFF, RIFF, X.11 bit maps, Macintosh Encapsulated PostScript, and MacPaint formatted files into PICT format.

You can use the program as a desk accessory or as a separate application. The program works on the Mac SE/30 and the Mac II family with 1 megabyte of RAM and support for color.

Price: \$99.

Contact: FGM, Inc., 131 Elden St., Suite 108, Herndon, VA 22070, (703) 478-9881.

Inquiry 1002.

Unix/Xenix Kernel Debugger

Tronix is a symbolic debugger for system programmers who need to control the execution and environment of software within Unix or Xenix. You can use this kernel debugger to set conditional or unconditional breakpoints at instructions; single-step through code; display and modify registers, code, and data; trace any process's stack; and execute function calls, all within the kernel.

It supports SCO System V/386 and Xenix/386, Interactive Systems' 386/IX, Everex's Enix, and AT&T's system V release 3.2.

Tronix requires 150K bytes of hard disk drive memory during installation. Once installed, the new kernel is about 120K bytes larger than the regular kernel, the company says.

Price: \$475.

Contact: Tronix International Data Corp., 10601 South DeAnza Blvd., Suite 216, Cupertino, CA 95014, (408) 973-8559.

Inquiry 1003.

Desktop Publishing for Under \$60

With Spinnaker's new version of its Better-Working Word Publisher, you can work in text or graphics mode, letting you edit text in a WYSIWYG environment. The program combines word processing with the ability to create documents using fonts, columns, boxes, lines, and clip art images.

Other enhancements include the ability to scale documents to large, distorted, normal, reduced, and other sizes. You can also pick any column height, and the program automatically reformats the text, the company says. The program includes a spelling checker, outliner, and cut and paste capabilities. To run the program, you'll need an IBM PC with 512K bytes of RAM and a hard disk drive.

Price: \$59.95.

Contact: Spinnaker Software, One Kendall Sq., Cambridge, MA 02139, (617) 494-1200.

Inquiry 1004.

Reduce Mortgage Payments with the Banker's Secret

The Banker's Secret Software, a program helpful for people with long-term loans (e.g., a home mortgage), calculates how much money you can save over the years using the prepayment option, the practice of paying more each month than required by your loan agreement. The program can calculate how much money in interest you can save and how many mortgage payments you can eliminate using prepayments.

The program lets you use

what-if analysis to see how much money you can save using different prepayments. You can also use it to determine how much additional money you must pay above your normal monthly payment to reduce the term of a loan.

The program runs on the IBM PC with 256K bytes of RAM.

Price: \$29.95.

Contact: Good Advice Press, P.O. Box 78, Elizaville, NY 12523, (914) 758-1400.

Inquiry 1001.

Customized Reporting Added to System Architect

A new version of System Architect, the CASE tool for structured design analysis that runs under Microsoft Windows, will support customized reporting and automated documentation. Popkin Software reports. The new documentation preparation facility lets you integrate graphics and reports.

System Architect 2.0 combines diagramming, checks for rule compliance and balancing, and a dictionary/encyclopedia in one package.

Future versions, scheduled for delivery in the first half of the year, include an OS/2 Presentation Manager version, a Structured Query Language server interface, schema generation, and interfaces to code generators.

System Architect 2.0 runs on the IBM AT with Microsoft Windows, 640K bytes of RAM, and a hard disk drive. The program is available in network and merge versions.

Price: \$1395; Booch Object-Oriented Diagramming option, \$495.

Contact: Popkin Software & Systems, Inc., 111 Prospect St., Suite 505, Stamford, CT 06901, (203) 323-3434.

Inquiry 1000.

continued

Instant

3-D PARTS

From your CAD drawings



Desktop Techno CAM System
for Under \$11,110* ... Includes full
3-D MasterCAM® software package,
9" x 15" x 4" travel table plus all electronics!

Techno
Replicator™ System

DRAW IT Using your favorite CAD program: AutoCAD®, VersaCAD®, CadKEY®, etc. Then simply transfer it to MasterCAM through an IGES file.



See Us In
Thomcat:
Book 22

MAKE IT On the Techno Replicator™ using a variety of materials ranging from machineable wax, wood and plastic to non-ferrous metals.

ENGRAVE IT Using any font or design from your CAD package.

The MasterCAM program provides full 3-D tool path motions and tool path compensation. Make any 3-D curved surface you can draw using simple menu commands. Seven milling table sizes available up to 4 ft. x 4 ft. Write, fax or call for detailed literature.

See us at Booth #2201 at the National Design Engineering Show at McCormick Place, February 26th through March 1, 1990

*Does not include IBM PC or milling head.

MasterCAM® A registered trademark of CNC Software Inc.

Circle 512 on Reader Service Card (DEALERS: 513)



2101 Jericho Turnpike
New Hyde Park, NY 11040
TEL.: (516) 328-3970
FAX: (516) 326-8827

MARCH 1990 • BYTE 64NE-9

Two Programs for Word and Phrase Translation

Two companies recently released or updated programs that can help you translate words and phrases from one language to another.

MultiTrans, a TSR program for your word processor, can help you translate text in up to five languages. When you request a translation for a particular word, the program presents a literal translation and a set of alternatives. You can then choose the best word or phrase.

The program is available in two versions. A Professional version contains about 50,000 words in the core dictionary for each language, while the Standard version has about 20,000 words. You can switch from one language to another as you edit your document. MultiTrans is available in English, French, German, and Spanish. Microlytics says it will release versions for other languages, including kanji and katakana for the Japanese market, later this year.


The program runs on the IBM PC and consumes about 70K bytes of RAM.

Price: Professional, \$395 (includes three languages); \$99 for each additional language. Standard, \$149 and \$49, respectively.

Contact: Microlytics, Inc., Two Tobey Village Office Park, Pittsford, NY 14534, (716) 248-9150.

Inquiry 1005.

With Translate 2.0, an English-to-Spanish phrase-translation program, you input an ASCII file of English text, and the program returns the Spanish equivalent. The program's algorithms, based on an 80,000-word dic-



Once you tell MultiTrans to look up a word, the program gives you several options for both languages.

tionary, translate complete sentences with the correct gender and number suffixes, Finalsoft says. You can also enter text from within Translate and translate text interactively using a split-screen interface.

The company says that for basic, straightforward English sentences, you won't need to edit the translated text. You can customize the program's dictionary, adding often-encountered terminology.

Translate runs on the IBM PC with 512K bytes of RAM, DOS 3.0 or higher, and a hard disk drive.

Price: \$399 until June 30; \$495 after.

Contact: Finalsoft Corp., 3900 Northwest 79th Ave., Suite 215, Miami, FL 33166, (800) 232-8228 or (305) 477-2703.

Inquiry 1006.

Sideways Printing Utility for Unix

Flipside, a program for Unix spreadsheet and database users, prints ASCII files sideways on Epson and compatible dot-matrix printers. You can use the program to set margins, font

sizes, and character and line spacing from the command line or through an interactive menu interface, according to System Essentials.

The program is available for Xenix and SCO Unix 2.3 or higher systems and consumes 256K bytes of RAM.

Price: \$195 to \$995.

Contact: System Essentials, Inc., 14858 Grassmere Court, Chesterfield, MO 63017, (314) 537-9537.

Inquiry 1014.

Utility Lets You Boot from Drive B

YWSoft's B:Boot! utility lets you boot your IBM PC from the B drive, which is helpful when the operating system or program that you're trying to install requires you to boot from the A drive and that drive is the wrong size.

For example, if you install a 3½-inch floppy disk drive as drive A and a 5¼-inch floppy disk drive as drive B, you previously couldn't boot using 5¼-inch disks. B:Boot! requires DOS 2.0 or higher.

Price: \$19.90.

Contact: YWSoft Co., P.O. Box 2231, Bloomington, IN 47401, (812) 857-4772.

Inquiry 1015.

Hydraulic Calculator for Engineers

With H-Calc, a TSR hydraulic calculator for the fluid conveyance system design field, you can compute or verify hydraulic data within an application.

H-Calc offers the Mannings, Hazen-Williams, and Darcy-Wiesbach equations for modeling piping hydraulics. You can use English or metric units in your calculations. H-Calc determines the flow, diameter, or head loss for a pipe.

Price: \$95.

Contact: Engineering Software, P.O. Box 8128, Truckee, CA 95737, (916) 582-1525.

Inquiry 1009.

Color Scanning, Separation Module for Quark XPress

One limitation of Quark XPress, the pagination program for the Macintosh, is that it can generate four-color separations only from elements it creates or from graphics created in Adobe Illustrator and Aldus FreeHand. A company called Pre-Press Technologies says that its Quark extension, Spectre-Seps QX, solves this problem by letting you input images from a color scanner and create a four-color separation with a PostScript imagesetter.

The extension requires a Mac SE/30 or II and Quark XPress 2.11 or higher.

Price: \$295.

Contact: Pre-Press Technologies, Inc., 2441 Impala Dr., Carlsbad, CA 92008, (619) 931-2695.

Inquiry 1008.

continued

MYODA

MYODA computers are manufactured by PAO-KU Group, a highly respected, public-held corporation. The MYODA product line includes a full selection of desktop and laptop computers. Myoda is the one source supplier for customer looking for quality, service & price.

LT3500 \$2299 LT3200 \$1899

- INTEL 80286-12cpu
- 0 wait state
- 80287 coprocessor socket
- 1MB on board (expandable to 4MB)
- Gas Plasma 640 x 480 EGA mode, • 4 Gray scale
- 40M HDD (28 ms)
- 1.44MB FDD
- 2 serial, 1 parallel port
- 1 EGA/CGA /MGA CRT port

- INTEL 80286-12cpu
- 1 wait state
- 80287 coprocessor socket
- 640 KB on board (expandable to 2.6MB)
- Gas Plasma 640 x 400 CGA mode, * 4 Gray scale
- 40M HDD (28 ms)
- 1.44MB FDD
- 1 serial, 1 parallel port
- 1 CGA/MGA CRT port

NEW!

\$3599



LT5200CD

- INTEL 80386-25cpu
- 0wait state
- 80387 coprocessor socket
- 1MB on board(expandable to 8MB)
- 32KB CACHE memory
- Gas Plasma640/480
- VAG mode, 16 gray scale
- 40M HDD(28ms)
- 1.44MB Floppy Drive
- 2 serial, 1parallel port
- 1VGA/EGA CRT port
- 2 full size expansion slots

LT5200NV \$2599

- INTEL 80286-12 cup/0 wait state
- 80287 coprocessor socket
- 1MB on board (expandable to 4MB)
- Other configurations are same as LT5200CD (no CACHE memory)

MYODA 16Bit VGA Card

256K, Res. 800/600

\$149

with 512K **\$189**



SALE!

Options:

Memory expansion board(2MB/3MB/4MB)
Expansion chassis(4 external expansion slots)
converter(12V-110V) for use in car

External FDD(360ME/1.2MB)
33Key keypad
5hr external battery

QUANTITY
DISCOUNT
PRICE

CALL!

1-800-562-1071

SPECIAL ON MOTHERBOARD

SUNTAC/VLSI 286-12
AMI 386-25/64 cache
MYODA 386SX-16

Tower Case

Large, medium & small



MD3410 \$685 MD2000 \$319

- INTEL 80286-12cpu
- 0 wait state
- 80287 coprocessor socket
- 1MB on board (expandable to 4MB on motherboard)
- 101 key enhanced keyboard
- 1.2 MB Floppy Drive
- 1serial, 1parallel, 1 game port
- 8 expansion slots
- 1:1 interleave HFDC
- Baby AT case

- 8088-1(10MHZ) Microprocessor
- 4.77/10 MHZ Clock Speed
- 256KB installed, Expandable to 640KB on Board
- One 360 KB Floppy Drive with Controller
- Four 1/2 Height Drive Bays
- Turbo Switch & LED
- Reset Switch
- Hard Drive Access LED
- 150W Power Supply
- 101 key enhanced Keyboard

\$885

MD5030

- INTEL 80386SX-16cpu
- 80387 coprocessor socket
- 1MB on board (expandable to 8MB on motherboard)
- 101 key enhanced keyboard
- 1.2 MB Floppy Drive
- 1serial, 1parallel, 1 game port
- 8 expansion slots
- 1:1 erleave HFDC

\$2399

MD7240

- INTEL 80386-25cpu
- 0 wait state
- 80387 coprocessor socket
- AMI CACHE386-25 MarkII
- 64 KB cache memory
- 4MB on board (expandable to 16MB)
- 101 key enhanced keyboard
- 1.2 MB Floppy Drive
- 1serial, 1parallel, 1 game port
- 8 expansion slots
- 1:1 interleave HFDC

Options:

Hard Drive 20MB(65me) \$219 40MB(28me)\$339 80MB(28me)\$559 120MB(28me)\$659
MYODA 14"VGA Monitor \$339 12" Monochrome Monitor \$75 MGP \$41

For Regional Distrib. Centers, please call: 1-800-562-1071

Illinois: (708) 860-2290 Fax: (708) 860-7760

Volume Buyers Welcome

pao-ku international co., ltd.

241 James St. Bensenville, IL. 60106

HELP THE AMERICAN FOUNDATION FOR THE BLIND HELP YOU!

The American Foundation for the Blind's National Technology Center (NTC) maintains a Job Index/User Network which features information from over 1,100 blind and visually impaired people who use adaptive equipment in a variety of jobs.

The NTC is looking for additional participants. Blind and visually impaired individuals of all ages who have hands-on experience with computers, low vision aids, talking products, or other adaptive devices are needed as resource people and/or evaluators.

As a resource person, other users may contact you to share your knowledge and experience. As an evaluator, you may be asked to evaluate both existing and newly developed or adapted devices. Evaluations are published in the "Random Access" section of the *Journal of Visual Impairment & Blindness*.

If you are interested, please fill out the form below or call our hotline, 1-800-232-5463 (New York residents call 212-620-2147). Tell the operator you wish to be part of the Job Index/User Network.

Your response will be followed by a brief, confidential telephone survey. The information you provide will be used for NTC purposes only and will include the equipment you use, your experience with it, training and employment.

Your assistance will enable the Job Index/User Network to continue as a major information and support system for blind and visually impaired people nationwide.

Mail to: American Foundation for the Blind, National Technology Center, 15 West 16th Street, New York, NY 10011, Attn: A. Hypolite

Name _____

Address _____

City _____ State _____ Zip _____

Best time to contact _____ Telephone _____

Some of the most educational television takes place between the

You can learn a lot by watching 60 Minutes or Phil Donahue. You can also learn a lot from the commercials.

Advertising is important. It's informative. It lets you know your options. And helps you to make decisions.

Like where to invest your money. Which charity to support. Or what to serve for dinner.

So, next time you're watching television, don't tune out the commercials.

When you do, you miss out on a learning experience. ♦

programming.

ADVERTISING.

Without it you wouldn't know.



AMERICAN ADVERTISING
FEDERATION

ORDERS ONLY 1-800-332-8434

Customer Service, RMA, Tech Support 214-631-1574

- No Credit Card Surcharge
- Govt., Education, Hospitals
- Corporate P.O.'s Welcome

CALL FOR VOLUME PRICES

IN BUSINESS SINCE 1985

USA XT-TURBO SYSTEM \$549

- 8088-1 10 MHz
- 640K Memory
- 150 Watt P. Supply
- 360K Floppy Drive
- Floppy Controller
- 8 Expansion Slots
- Monographic Card
- Mono TTL Monitor
- AT/XT Keyboard
- With 2 Meg HardDisk \$789.00

USA AT CLONE SYSTEM \$949

- 80286-10 MHz
- 640K Memory
- 200 Watt P. Supply
- 1.2 Meg Floppy Drive
- 20 Meg Hard Disk
- Hard/Floppy Controller
- 8 Expansion Slots
- Mono Graphic Card
- Mono TTL Monitor
- Serial, Parallel, Clock/Cal
- Enhanced Keyboard
- Slide Case with key lock, LED, Turbo and Reset buttons



USA 386 UPRIGHT SYSTEM-20MHz \$1599

- 80386-20 MHz
- 1 Meg RAM
- 230 Watt P. Supply
- 1.2 Meg Floppy
- 40 Meg Hard Disk
- H/F Controller
- 8 Expansion Slots
- Monographic Card
- Serial, Parallel, Clock/Cal
- Mono TTL Monitor
- Enhanced Keyboard
- 25 Mhz System \$1769

USA 386 SX System 16MHz \$1289

- 80386 SX Genuine Intel Processor
- 1 Meg Mem Expandable to 8 Meg
- 1.2 Meg Floppy Drive
- 40 Meg Hard Disk Drive 28 M-Ser.
- Hard/Floppy Controller 1:1 Interleave
- Serial, Parallel, Clock/Cal
- Monographic Card
- Mono TTL Monitor
- 101 Enhanced Keyboard

MONEY BACK GUARANTEE • YOUR ORDER DESERVES PRIORITY; AND YOU, FULL SATISFACTION

MOTHERBOARDS

Turbo XT-640 4.77/8MHz, w/Bios	\$79.75
Turbo XT-640 4.77/10MHz w/Bios	\$89.75
Turbo XT-640 4.77/12MHz w/Bios	\$99.75
AT Super Turbo, 12MHz, multi layers	\$198.75
Baby AT NEAT 16 MHz	\$289.75
386-20MHz w/1 Meg MEM ins.	\$699.75
386-25 MHz w/1 Meg Mem. ins.	\$769.75
386-33 MHz, 1 Meg, 64K Cach. M. Inst.	\$1589.75
386-33MHz, 1 Meg, 64K Cach. M. Inst.	\$1589.75
386 SX - 16 MHz w/o mem.	\$349.75

MONITORS

Samsung /Goldstar. TTL	\$79.75
Samsung TTL flatscreen	\$98.75
Samsung Multisync 4551	\$439.75
Mitsubishi Multisync 1381A 14"	\$499.75
Mitsubishi Multisync FA325-14"	\$729.00
Magnavox RGB 8762	\$249.75
Samsung RGB CX 4656	\$329.75
Mitsubishi EGA XC 1410	\$369.75
Magnavox EGA 9CM043	\$329.75
Samsung EGA CM 4592	\$319.75
Magnavox EGA 9CM032	\$329.75
Mitsubishi VGA Xc 1429c	\$398.75
Samsung Mono VGA Paper White	\$159.75

POWER SUPPLIES

150 Watt-XT	\$44.75
200 Watt XT/Baby AT	\$59.75
200 Watt-AT	\$64.75
230W AT or 386	\$69.75
220-230 Watt for upright case	\$89.75
6" Cube Size XT/Baby AT 200W	\$69.75
6"x5 1/2"x3 1/4" 200 Watt	\$87.75

BATTERY BACKUPS

Triplate w/ISObar surge/ spike protection	
200 Watt	\$219.75
325 Watt	\$289.75
450 Watt	\$319.75
750 Watt	\$489.75
LAN Interface for auto shutdown	\$49.75

MODEMS/TAPE BACK-UP

Everex Intnl 1200/2400	\$69.75/119.75
Everex Extnl 2400 Baud	\$189.75
Irwin 40 Meg Int.	\$439.75
Extl	\$529.75
Controller Card	\$39.75
Colorado Memory - 40 Meg Int.	\$259.75
Colorado Memory - 40 Meg Ext.	\$359.75
Col. Mem 40 Meg Int.	\$259.75 Extl. \$359.75
Controller Card	\$98.75 F252 Kit \$50.60.80
Colorado Mem 150 to 500 Meg Intl	\$698.75
Colorado Mem 150 to 500 Meg Extl	\$898.75

FLOPPY DRIVES

Fujitsu, Toshiba, TEAC 360K	\$69.75
Fujitsu, Toshiba, TEAC 1.2 Meg	\$85.00
3-1/2" Toshiba, TEAC 720K	\$79.75
3-1/2" Toshiba, TEAC 1.44 Meg	\$89.75
PS 2 or Laptop Ext. Floppy Sys.	
5-1/4" 360K	\$189.75
1.2 Meg \$219.75	

IBM ADD ON BOARDS

FDC-501 Floppy disk cont./2 drives w/cable	\$19.75
FDC-502 Floppy cont. 4 Dr. - 360/720K XT	\$29.75
FDC-505 Floppy cont. for 4 Dr. w/cable AT	\$59.75
FDC-503 Floppy cont. for 1,2/1.44 meg XT/AT	\$39.75
FDC-504 Coexisting Floppy cont. - 2 dr. AT	\$69.75
FDC-507 Floppy cont. with Ser/Gam/Clk/Cal. XT	\$49.75
FDC-508 I/O Plus II Card with Ser/Gm/Clk/Cal. XT	\$44.75
HDC-515 Hard disk cont. w/cables W. Digital	\$59.75
HDC-517 Seag. W.DIGITAL or Adaptek. RLL HD con. XT	\$69.75

HDC-518 AT-2H/2 Floppy Contrl. 16 Bit MFM	\$109.75
HDC-519 AT - 2H/2 Floppy Contrl. 16 Bit RLL	\$129.75
HDC-520 16 Bit RLL Hard/Fl. cont. adap. 2372	\$139.75
HDC-521 AT 2 Hard/4 Floppy Contrl. 1:1 MFM	\$149.75
HDC-522 AT-2 Hard/4 Floppy Contrl. 1:1 RLL	\$169.75

VIDEO CARDS

VID-402 Color graphic w/printer port HiRes	\$39.75
VID-404 Hi-Res monographics w/printer port	\$39.75
VID-410 Dual Color or monographic card	\$49.75
VID-411 Monographics Card with I/O ports	\$89.75
VID-425 Everex EGA graphic card w/p port	\$109.75
VID-437 ATI/Window/ViewPerf. VGA-25/Res/1024x768	\$209.75
VID-438 Same as above with mouse.	\$249.75
VID-439 Sota VGA 1024x768 w/512K and mouse.	\$269.75
VID-433 Paradise EGA Autoswitch 650x480	\$109.75
VID-434 Paradise VGA Plus	\$159.75 Plus-16. \$209.75
Paradise VGA Professional	\$279.75
VID-435 Chicony VGA 1024x768 w/256K	\$169.75
VID-436 Genoa EGA 800x600	\$179.75 VGA. \$219.75

SERIAL PORT CARDS

SIO-250 Serial port card (second serial opt.)	\$19.75
SIO-251 Serial port card w/2 serial ports inst.	\$32.75
SIO-252 2nd ser. port kit w/chips & cable	\$19.75
SIO-253 AT ser. (2nd opt.) para & game I/O	\$39.75
SIO-254 Serial port card w/4 ports for AT/XT	\$99.75
SIO-255 SR Card oom 1 4 address select	\$37.75

MEMORY BOARDS

MFC-100 384K Multi-funct w/prs/clk/cal/game	\$79.75
MFC-120 576K memory expansion board	\$27.75
MFC-121 XT 2 meg. mem. expansion card	\$79.75
MFC-122 AT 2 m mem. exp. card	\$89.75
MFC-123 AT 3 meg. mem. exp. card by Everex	\$89.75
MFC-124 AT 10 Meg Mem. exp. card by Everex	\$149.75

MOUSE SYSTEM

Logi Mouse C-7 Package serial or Bus	\$59.75
Logi Mouse Hi-Res	\$79.75 Publisher \$119.75
Z-axis or Genius GM-600 Mouse with Dr. Halo	\$49.75

OTHER CARDS

PIO-255 Parallel printer port card	\$15.75
FDC-509 Clock Card	\$23.75
FDC-510 Game port card w/2 ports	\$15.75
FDC-513 Joy stick multi-funct. prem. quality	\$19.75
No slot clock on chip	\$29.75
Microsoft Dos-3.3 or 4.01 w/GW. Basic w system purchase	\$79.00
Accelerator Board-Accelerate	\$129.75
XT System To 12Mhz At Speed by Sota.	\$298.75
Logitech or DFI Hand Scanner 400 dpi	\$189.75
Super Eprom Programmer-4 Gang	\$179.75

HARD DISK SYSTEMS

ST-138R (30 Meg) w/contr. XT	\$299.75
20 Meg ST-225 w/contr. XT	\$239.75
30 Meg ST-238 w/RLL contr. XT	\$259.75
20 Meg ST-125 w/contr. XT 3 1/2"	\$279.75
102 Meg 1 1/2". (28 ms) ST-251-1	\$339.75
40 Meg 3-1/2" (24 ms) ST-151	\$349.75
80 Meg AT drive (28 ms) ST 4096	\$559.75
80 Meg SCSI (28 ms) 296N	\$499.75
64 Meg SCSI (28 ms) 57-277N-1 51/4	\$449.75
60 Meg SCSI (24 ms) 57-177N 31/2"	\$559.75
65 Meg (24ms) RLL ST-277R-1	\$359.75
120 Meg (40 ms) RLL ST-4144R	\$599.75
20 Meg Drive Card	\$299.75
30 Meg Drive Card	\$349.75

KEYBOARDS

UNI/BTC Chicony - 84 keys	\$44.75
Keytronic/BTC Enhanced 101	\$56.75
MAXISWITZ/Chicony Honeywell ENH-131	\$47.75
Chicony/UNI ENH-101 Click	\$59.75
Focus 101 ENH. W/Hard Plastic cover	\$69.75
102 KEY FOR AT.F. KEYS ON LEFT	\$69.75
ENH-101 with calculator	\$79.75
Chicony 101 click w/racking ball/3 bits	\$69.75

COMPUTER CASES

IBM XT type lock-a-like slide in type	\$32.95
IBM XT type lock-a-like flip-top	\$38.75
AT Jr. XT w/key lock, LED buttons	\$39.95
AT Full size w/key lock, LED buttons	\$59.75
Baby AT w/key lock, LED buttons	\$54.75
Upright/floor stand case w/p. supply	\$189.75
Baby Upright Case w/P. Supply	\$169.75
Mini Upright Case w/P. Supply	\$139.75
Mini XT AT Case w/P. Supply	\$119.75
Slim Case w/P. Supply	\$139.75

PRINTERS

STAR NX-1000 IBM Comp. 144 CPS	\$189.75
STAR Rainbow color	\$249.75
STAR NX-15 wide car. 120 CPS	\$329.75
STAR NX-24 10 260 CPS 24 pin	\$469.75
STAR NX-24 170 CPS/57 NLO	\$599.75
Panasonic 1092-2 288 CPS/32 NLO	\$339.75
Panasonic 1191-1 240 CPS/48 NLO	\$239.75
Panasonic 1180-1 240 CPS/48 NLO	\$189.75
Panasonic 1592 wide car. 180 CPS	\$439.75
Panasonic 1595 288 CPS/51 NLO	\$389.75
Panasonic 1124 192 CPS/63 NLO	\$289.75
Panasonic 1524 240 CPS/60 NLO	\$519.75
Panasonic 1624	\$CALL

DISKETTES/CARTRIDGES

Bulk DS-DD 5-1/4" (25 pk)	\$8.75 or \$32.75/100
Bulk DS-DD 1.2" (10 pk)	\$5.75 or \$25.75/100
Bulk DS-3-1/2" (10 pk)	\$14.75
Cartridge DC-2000, \$18.95 DC 200XL \$22.95	

CHIPS-IC's EPROMS

8087-3 (5MHz).....89.75	80387 (16MHz).....369.75
8087-2 (8MHz).....119.00	80387 (20MHz).....369.75
8087-1 (10MHz).....159.75	80387 (25MHz).....469.75
80287 (6MHz).....139.75	V-20 (8MHz).....10.95
80287 (8MHz).....189.75	V-20 (10MHz).....14.95
80287 (10MHz).....219.75	V-20 (6MHz).....19.75

(Credit Card - 3% surcharge on DRAMS Processors Only)

RAM CHECK DEVICE

Checks 256 and 64K memory chips in 2-3 secs. verifies if a chip is good or bad	\$189.75
w/Upgrade for 1 Meg or 256x4 DRAMS	\$159.75
Upgrade for speed checker	\$159.75

CABLES-DATA BOXES

CAB-96 Sr cab for multi I/O	\$6.75
CAB-300 IBM power cable 6'	\$4.75
CAB-301 IBM Power Extn. Cable	\$4.75
CAB-400 Dual 5-1/4" floppy disk drive cable	\$6.75
CAB-401 Dual floppy cable external use	\$19.75
CAB-425 Hard disk cable ext. XT	\$6.75
CAB-426 Dual hard disk cable set XT	\$12.75
CAB-450 AT cable (set dual hard & floppy)	\$14.75
CAB-500 Keyboard ext cable 6'	\$6.75
CAB-501 Keyboard cable 6'	\$6.75
CAB-502 Ps/2 Keyboard cable	\$14.75
CAB-550 Composite v.ideo cable 6'	\$4.75
CAB-602 Monitor ext. cable 6'/10'	\$6.75/\$10.75
CAB-603 VGA-RGB Adaptor cable	\$16.75
CAB-800 IBM Prnt. cable 6'/10'	\$6.75/\$9.75
CAB-803 IBM printer cable 15/25'	\$14.75/\$19.75
CAB-801 FI angle Pr. cable 6/9'	\$12.75/\$16.75
CAB-802 Printer cable Cent. Conn 6'/10'	\$14.75/\$19.75
CAB-825 Serial Cable, DB25 MM 6/9'	\$6.75/\$9.75
CAB-835 Serial Cable, DB25 MF 6/9'	\$6.75/\$9.75
CAB-875 IBM AT serial port cable 9-25 Pin	\$6.75
CAB-97 Adapter Cable P supply to monctr	\$6.75
CAB-99 "Y" Power Adapter cable	\$4.95
DATA Switch Box-AB-2 way	\$19.75
DATA Switch Box-ABDE-4 way	\$27.75
Gender Changer MM or F/F 25 Pin	\$4.75
Gender Changer MM or F/F 9 Pin	\$4.75
Gender Changer 25 Pin M to 9 Pin F	\$4.75
NULL Modem Gender Changer MM or F/F	\$6.75

NETWORKING PRODUCTS

Software	Call for price
Arnet Card 8 Bits.....\$89.75	16 Bits.....\$119.75
Ethernet Card 8 Bits.....\$159.75	16 Bits.....\$189.75
Western Digital Ethernet Card Plus.....\$229.75	
Passive Hub 4 Port.....\$176.75	
Active Hub 8 P.....\$176.75	
Terminators.....\$6.95 Coax Cable 25 Ft.....\$22.95	
BNC Twist Conn.....\$4.95	

ACCESSORIES

Keyboard drawer-strong & sturdy	\$29.75
CD Stand Plastic.....\$9.75	Metal.....\$24.75
Monitor stand-swivel/tilt heavy duty	\$12.75
Super Surge filter/6 outlets.....\$9.75	
Power Surge Protector and noise EMI filter with 6 front switches (This is placed in between top of case and monitor).....\$29.75	
5-1/4" or 3-1/2" Floppy head cleaning kit	\$4.75
Dust Cover Set for computer & keyboard	\$10.95
Printer Stand safety coated steel wire	\$12.95
Printer Stand Plastic.....\$9.75	Mouse Pad.....\$3.95
Premium Tool Kit w/ chip puller, in., etc.	\$19.95
Copy Holder.....\$19.95	Urts Clip.....\$4.75
Speaker w/bracket.....\$4.75	
Half-height drive filler plate	\$1.75
AT mounting rails.....\$4.75	
Dual drive mount bracket.....\$4.75	
5-1/2" Diskette box w/lock & key-100 diskettes	\$7.75
3-1/4" Diskette box w/lock & key-40 diskettes	\$6.75
Color Emulation on Mono Software	\$68.75

NEW IBM COMPATIBLE TEXAS ROM BIOS

A new 2 chip BIOS for compatible XT Motherboard 8MHz eliminates timing parity and Occasional hangup problems	\$24.95
For STD Motherboards, 1 Chip	\$19.95
For 10MHz Boards, 1 Chip	\$24.95
For AT-286 Boards, 2 Chips	\$49.95
24 Pin Bios Original IBM	\$49.75

VHS VIDEO TAPES IBM \$24.95

1 Introduction to Ventura	6 Intro to Wordstar
2 How to Build Your Own	7 Intro to Lotus 1-2-3
3 IBM AT-286 Computer	8 Advanced Lotus 1-2-3
4 Intro. to dBase IV	9 Intro to dBase III Plus
5 Intro to WordPerfect	10 Learning DOS
6 Intro to Excel	11, DOS Level II

COMPUTER BOOKS \$15.75

1 Autocad Re 9	6 Microsoft 10.DAC Easy 3.0
2 Programming Windows	11 Word Perfect 5.1
3 dBase-IV	7 Novell Net 12 Wordstar 7.5
4 Lotus 1-2-3	8 Word 2.15 13 PageMaker
5 Microsoft Excel	8 MS.DOS 4.0 14 Ventura


CLONE TECH MANUAL

A Manual with schematics for assembling XT Clones with different switch/jumper settings, formatting and troubleshooting techniques \$24.95

USA ☆ ELECTRONICS, INC.

YOUR DISCOUNT WAREHOUSE

9090 N. Stemmons Freeway (at Regal Row) • Dallas, TX 75247 • Tech. Support, R.M.A., All Inquiries (214) 631-1574 • FAX (214) 631-4817
 TERMS: Check/M.O. • COD's add \$3.90/min. shipping \$5.95 for small packages • Master Card, VISA, American Express, Diners Club. Discover accepted at no extra charge. Returns require authorization and may be subject to 15% restocking charge. A.P.O.'s, F.P.O.'s and overseas orders given priority. OPEN Mon. - Fri. 9 a.m. - 6 p.m. (CST); Sat. 9 a.m. - 4 p.m. IBM PC, XT, AT are registered trademarks of IBM. We honor, respect and acknowledge all other trademarks.



Pointech Distributors

36 West 22 Street, New York, NY 10010

Orders: (800) 666-8324 (212) 633-1530

Tech Support: (212) 633-1531 Fax: (212) 633-1532

NOVELL AUTHORIZED DEALER

System Kits

XT SYSTEM

10 MHz 8088 Motherboard
150 Watt Power Supply
256K RAM
360K Floppy Drive
Multi I/O with FDC
Clock and Calendar
84-Key Keyboard
\$339

AT SYSTEM

12 MHz Baby 286 Motherboard
200 Watt Power Supply
512K RAM
1.2M Floppy Drive
Multi I/O
Dual Hard/Floppy Controller
Clock and Calendar
101 Enhanced Keyboard
\$599

386SX SYSTEM

16 MHz INTEL 80386-SX CPU
80387-SX Coprocessor Socket
1 MEG on Board (Exp. to 8 MEG)
1.2M Floppy Drive
Multi I/O
1:1 Dual Hard/Floppy Controller
Clock and Calendar
101 Enhanced Keyboard
\$899

386 SYSTEM

25 MHz 386 Motherboard
200 Watt Power Supply
1 MEG RAM
1.2M Floppy Drive
Multi I/O
1:1 Dual Hard/Floppy Controller
Clock and Calendar
101 Enhanced Keyboard
\$1399

SPECIAL

MS DOS 4.01 . . . **\$69.00**

PRINTERS

Panasonic KXP 1180 **169**
Panasonic KXP 1124 **309**
Okidata 183 (132 Col) **250**
Brother M1709 (132 Col) **359**
Fujitsu DL3400 (132 Col) **549**
HP DeskJet Plus **699**
HP LaserJet IIP **1059**

HARD DRIVES

20M Seagate ST225 w/Ctrl **249**
30M Seagate ST238 w/Ctrl **269**
40M Seagate ST251-1 **349**
60M Seagate ST277RP **399**
80M Seagate ST4096 **599**
20M CMS Hardcard **329**
30M CMS Hardcard **399**
80M CDC **639**
155M CDC (ESDI) **1199**
330M CDC (ESDI) **1999**

FLOPPY DRIVES/CONTROLLERS

360K TEAC 5.25" **66**
1.2M TEAC 5.25" **82**
720K TEAC 3.50" **70**
1.44M TEAC 3.50" **82**
40/120M Colorado Tape Back Up **289**
360/720K Controller **24**
1.2/1.4M Controller **49**
Dual Hard/Floppy Ctrl (MFM) **89**
SR2 Hard/Floppy Ctrl (RL) **109**
Dual 1:1 Hard/Floppy Ctrl (MFM) **109**
ESDI Controller **249**
SCSI Controller **399**

I/O CARDS

Mono Graphics Printer Card **39**
Color Graphics Printer Card **39**
GTK EGA Card **109**
GTK VGA Card (8 Bits) **119**
Smart One VGA (16 Bits) **179**
Serial/Parallel/Game Card **39**
Parallel Card **19**
Serial Card **23**
2nd Serial Chip Set **20**
XT Multi I/O (w/FDC & Clock) **39**
Clock Card **23**
XT 640K RAM Card **39**
Everex 3MEG RAM Card **99**

POWER SUPPLY

150 Watt XT (110/220) **49**
200 Watt AT (110/220) **69**
250 Watt UPS **219**
500 Watt UPS **399**

MODEMS

2-Year Warranty

Turbo 4X Software **15**
Smart One 1200 Int **45**
Smart One 2400 Int **89**
Smart One 2400 Ext **109**
Smart One 2400 Mac Ext **169**
Smart One 2400 PS/2 Int **179**
Made in USA

MICE

Genius GM w/DrHalo **29**
Genius GM6000 Hi-Res w/DrHalo **49**
Logitech Bus w/Software **89**
GeniScan GS4500 Scanner w/OCR **199**
Joystick (IBM/Apple) **25**

KEYBOARDS

84 Key **39**
101 Key Enhanced **49**
101 Key Tactile **59**

CASES

XT Slide Case **32**
AT Slide Case **45**
Tower Case **119**


TERMS AND POLICY

Prices based on COD Cash or Certified Check. Everything shipped Factory Fresh and Warranted.
No non-defective returns. No returns without a RMA #. Minimum S/H \$5.00 per order.

VISA - MC - AMEX

Buy with

Confidence



In an effort to make your telephone purchasing a more successful and pleasurable activity, The Microcomputer Marketing Council of the Direct Marketing Association, Inc. offers this advice, "A knowledgeable buyer will be a successful buyer." These are specific facts you should know about the prospective seller before placing an order:

Ask These Important Questions

- How long has the company been in business?
- Does the company offer technical assistance?
- Is there a service facility?
- Are manufacturer's warranties handled through the company?
- Does the seller have formal return and refund policies?
- Is there an additional charge for use of credit cards?
- Are credit card charges held until time of shipment?
- What are shipping costs for items ordered?

Reputable computer dealers will answer all these questions to your satisfaction. Don't settle for less when buying your computer hardware, software, peripherals and supplies.

Purchasing Guidelines


- State as completely and accurately as you can what merchandise you want including brand name, model number, catalog number.
- Establish that the item is in stock and confirm shipping date.
- Confirm that the price is as advertised.
- Obtain an order number and identification of the sales representative.
- Make a record of your order, noting exact price including shipping, date of order, promised shipping date and order number.

If you ever have a problem, remember to deal first with the seller. If you cannot resolve the problem, write to MAIL ORDER ACTION LINE, c/o DMA, 6 E. 43rd St., New York, NY 10017.


This message is brought to you by:

the MICROCOMPUTER
MARKETING COUNCIL
of the Direct Marketing
Association, Inc.
6 E. 43rd St.,
New York, NY 10017

MMC
MICROCOMPUTER
MARKETING COUNCIL
of the Direct Marketing Association, Inc.



LET US BE THE MASCOT FOR YOUR TEAM!!!



<h2>Mascot Turbo AT 286</h2>	<h2>Mascot 386SX</h2>	<h2>Mascot 386-25</h2>																								
<p>For Heavy Duty or Business Use Name Brand & High Quality Parts Only 18 Months Labor & Parts Warranty 8/16 MHz Performance Rating 1 MB, 4MB Expandable on Board Fancy Mini Vertical Case, Speed Display, Turbo, Reset, Keylock, 3 LED 200 Watts, 110/220V Power Supply Teac 1.2MB High Capacity Floppy Dual Hard/Floppy Controller 101 Enhanced Tactile/Click Keyboard OS/2, Xenix, Novell Ready</p>	<p>For Heavy Duty or Business Use Name Brand & High Quality Parts Only 18 Months Labor & Parts Warranty 8/20 MHz Performance Rating 1 MB, 4MB Expandable on Board Fancy Mini Vertical Case, Speed Display, Turbo, Reset, Keylock, 3 LED 200 Watts, 110/220V Power Supply Teac 1.2MB High Capacity Floppy 1:1 High Speed Hard/Floppy Controller 101 Enhanced Tactile/Click Keyboard OS/2, Xenix, Novell Ready</p>	<p>For Heavy Duty or Business Use Name Brand & High Quality Parts Only 18 Months Labor & Parts Warranty 28/34.5 MHz Performance Rating 1 MB, 8MB Expandable on Board Middle Vertical Case, Speed Display, Turbo, Reset, Keylock, Light, 3 LED, 2 Serial/1 Parallel port 200 Watts, 110/220V Power Supply Teac 1.2MB High Capacity Floppy 1:1 High Speed Hard/Floppy Controller 101 Enhanced Tactile/Click Keyboard OS/2, Xenix, Novell Ready</p>																								
<p>14" Mono Flat 720 x 350</p> <table border="0"> <tr><td>Basic System</td><td>\$829</td></tr> <tr><td>20 MB, 65ms</td><td>\$1034</td></tr> <tr><td>40 MB, 28ms</td><td>\$1174</td></tr> <tr><td>80 MB, 18ms</td><td>\$1264</td></tr> </table>	Basic System	\$829	20 MB, 65ms	\$1034	40 MB, 28ms	\$1174	80 MB, 18ms	\$1264	<p>14" Mono Flat 720 x 350</p> <table border="0"> <tr><td>Basic System</td><td>\$1049</td></tr> <tr><td>40MB, 28ms</td><td>\$1394</td></tr> <tr><td>80MB, 18ms</td><td>\$1629</td></tr> <tr><td>150MB, ESDI</td><td>\$2129</td></tr> </table>	Basic System	\$1049	40MB, 28ms	\$1394	80MB, 18ms	\$1629	150MB, ESDI	\$2129	<p>14" Mono Flat 720 x 350</p> <table border="0"> <tr><td>Basic System</td><td>\$1588</td></tr> <tr><td>40MB, 28ms</td><td>\$1933</td></tr> <tr><td>80MB, 18ms</td><td>\$2168</td></tr> <tr><td>150MB, ESDI</td><td>\$2668</td></tr> </table>	Basic System	\$1588	40MB, 28ms	\$1933	80MB, 18ms	\$2168	150MB, ESDI	\$2668
Basic System	\$829																									
20 MB, 65ms	\$1034																									
40 MB, 28ms	\$1174																									
80 MB, 18ms	\$1264																									
Basic System	\$1049																									
40MB, 28ms	\$1394																									
80MB, 18ms	\$1629																									
150MB, ESDI	\$2129																									
Basic System	\$1588																									
40MB, 28ms	\$1933																									
80MB, 18ms	\$2168																									
150MB, ESDI	\$2668																									
<p>14" Mono VGA 720 x 350</p> <table border="0"> <tr><td>Basic System</td><td>\$929</td></tr> <tr><td>20 MB, 65ms</td><td>\$1134</td></tr> <tr><td>40 MB, 28ms</td><td>\$1274</td></tr> <tr><td>80 MB, 18ms</td><td>\$1364</td></tr> </table>	Basic System	\$929	20 MB, 65ms	\$1134	40 MB, 28ms	\$1274	80 MB, 18ms	\$1364	<p>14" Mono VGA 720 x 350</p> <table border="0"> <tr><td>Basic System</td><td>\$1149</td></tr> <tr><td>40MB, 28ms</td><td>\$1494</td></tr> <tr><td>80MB, 18ms</td><td>\$1729</td></tr> <tr><td>150MB, ESDI</td><td>\$2229</td></tr> </table>	Basic System	\$1149	40MB, 28ms	\$1494	80MB, 18ms	\$1729	150MB, ESDI	\$2229	<p>14" Mono VGA 720 x 350</p> <table border="0"> <tr><td>Basic System</td><td>\$1688</td></tr> <tr><td>40MB, 28ms</td><td>\$2033</td></tr> <tr><td>80MB, 18ms</td><td>\$2268</td></tr> <tr><td>150MB, ESDI</td><td>\$2768</td></tr> </table>	Basic System	\$1688	40MB, 28ms	\$2033	80MB, 18ms	\$2268	150MB, ESDI	\$2768
Basic System	\$929																									
20 MB, 65ms	\$1134																									
40 MB, 28ms	\$1274																									
80 MB, 18ms	\$1364																									
Basic System	\$1149																									
40MB, 28ms	\$1494																									
80MB, 18ms	\$1729																									
150MB, ESDI	\$2229																									
Basic System	\$1688																									
40MB, 28ms	\$2033																									
80MB, 18ms	\$2268																									
150MB, ESDI	\$2768																									
<p>14" Color VGA 640 x 480</p> <table border="0"> <tr><td>Basic System</td><td>\$1180</td></tr> <tr><td>20 MB, 65ms</td><td>\$1385</td></tr> <tr><td>40 MB, 28ms</td><td>\$1525</td></tr> <tr><td>80 MB, 18ms</td><td>\$1615</td></tr> </table>	Basic System	\$1180	20 MB, 65ms	\$1385	40 MB, 28ms	\$1525	80 MB, 18ms	\$1615	<p>14" Color VGA 640 x 480</p> <table border="0"> <tr><td>Basic System</td><td>\$1399</td></tr> <tr><td>40MB, 28ms</td><td>\$1744</td></tr> <tr><td>80MB, 18ms</td><td>\$1979</td></tr> <tr><td>150MB, ESDI</td><td>\$2479</td></tr> </table>	Basic System	\$1399	40MB, 28ms	\$1744	80MB, 18ms	\$1979	150MB, ESDI	\$2479	<p>14" Color VGA 640 x 480</p> <table border="0"> <tr><td>Basic System</td><td>\$1938</td></tr> <tr><td>40MB, 28ms</td><td>\$2283</td></tr> <tr><td>80MB, 18ms</td><td>\$2518</td></tr> <tr><td>150MB, ESDI</td><td>\$3018</td></tr> </table>	Basic System	\$1938	40MB, 28ms	\$2283	80MB, 18ms	\$2518	150MB, ESDI	\$3018
Basic System	\$1180																									
20 MB, 65ms	\$1385																									
40 MB, 28ms	\$1525																									
80 MB, 18ms	\$1615																									
Basic System	\$1399																									
40MB, 28ms	\$1744																									
80MB, 18ms	\$1979																									
150MB, ESDI	\$2479																									
Basic System	\$1938																									
40MB, 28ms	\$2283																									
80MB, 18ms	\$2518																									
150MB, ESDI	\$3018																									
<p>14" Super VGA 1024 x 768</p> <table border="0"> <tr><td>Basic System</td><td>\$1330</td></tr> <tr><td>20 MB, 65ms</td><td>\$1535</td></tr> <tr><td>40 MB, 28ms</td><td>\$1675</td></tr> <tr><td>80 MB, 18ms</td><td>\$1765</td></tr> </table>	Basic System	\$1330	20 MB, 65ms	\$1535	40 MB, 28ms	\$1675	80 MB, 18ms	\$1765	<p>14" Super VGA 1024 x 768</p> <table border="0"> <tr><td>Basic System</td><td>\$1579</td></tr> <tr><td>40MB, 28ms</td><td>\$1924</td></tr> <tr><td>80MB, 18ms</td><td>\$2159</td></tr> <tr><td>150MB, ESDI</td><td>\$2659</td></tr> </table>	Basic System	\$1579	40MB, 28ms	\$1924	80MB, 18ms	\$2159	150MB, ESDI	\$2659	<p>14" Super VGA 1024 x 768</p> <table border="0"> <tr><td>Basic System</td><td>\$2118</td></tr> <tr><td>40MB, 28ms</td><td>\$2463</td></tr> <tr><td>80MB, 18ms</td><td>\$2698</td></tr> <tr><td>150MB, ESDI</td><td>\$3198</td></tr> </table>	Basic System	\$2118	40MB, 28ms	\$2463	80MB, 18ms	\$2698	150MB, ESDI	\$3198
Basic System	\$1330																									
20 MB, 65ms	\$1535																									
40 MB, 28ms	\$1675																									
80 MB, 18ms	\$1765																									
Basic System	\$1579																									
40MB, 28ms	\$1924																									
80MB, 18ms	\$2159																									
150MB, ESDI	\$2659																									
Basic System	\$2118																									
40MB, 28ms	\$2463																									
80MB, 18ms	\$2698																									
150MB, ESDI	\$3198																									
	<p>Fancy Vertical Case/250W power add \$80</p>	<p>386-25 64K cache add \$550</p>																								

- We accept MasterCard & Visa, 3% surcharge.
- COD Order based on Cashiers Check, Money Order.
- 10% Restocking fee within 30 days from invoice date.
- All returns are subject to our approval.

Mascot Computer Corp.

Tel: (718) 321-1944 Fax: (718) 321-0136 Open 7 days 10:00 A.M. to 6:00 P.M.
42-20 College Point Blvd., Flushing, NY 11355 (5 minutes from Shea Stadium)
VARS Welcome

Can Your Data Modem Do This?



Ours Can...

Data+Fax... At Data Modem Prices

The ProModem® Data/Fax Series from Prometheus® adds Group III fax capabilities to a 2400 BPS data modem for a low cost solution to your data and fax needs. Thanks to Sendfax™ technology, you can now get Group III originate-only fax capability for the price you'd expect to pay for a data modem alone. The Data/Fax modems allow you to send faxes or data anywhere in the world.

The ProModem Data/Fax modems provide you the convenience and flexibility of your own personal data and fax modem whether you're at the office, home or on the road. Every computer can now afford to be a personal information center. These modems allow you to easily send documents by E-Mail or fax and also retrieve business information through on-line services, all for a suggested retail price of \$299.

Includes MacKNOWLEDGE

MacKNOWLEDGE™ is the first communications software package that makes using modems easy! MacKNOWLEDGE automatically configures your modem, allows you to send, receive and reply to electronic mail and access current business and financial information at

Sendfax is a trademark of Sierra Semiconductor Corp.
All other trademarks are acknowledged

the click of an icon. You'll be using your modem in minutes with MacKNOWLEDGE.

Effortless Faxes With BackFAX

Sending a fax with a Data/Fax modem is as easy as printing. Simply select the fax icon from the Chooser and print as you normally would from any Mac application. BackFAX™ will send it in the background, while you go back to work, with or without MultiFinder™! BackFAX supports automatic scheduled calling, customized cover sheets, and distribution lists.

The ProModem Data/Fax external works with any Macintosh®, or if you have a Mac Portable try our new internal TravelModem™. The ProModem Data/Fax Series is another reason why Prometheus is the leader in communication products.



Communication products from a communications company

7225 SW Bonita Road • Tigard, OR 97223
(800) 477-3473 • (503) 624-0571 • (503) 624-0843 (Fax)

Proudly Distributed By Ingram Micro D and MacAmerica

MS-DOS Versions Available Starting At \$199



DOUBLE YOUR PLEASURE

Jerry tries to teach an old hard disk drive some new tricks

You're getting this part of the column live. That is, as I'm writing this, out in the Great Hall I'm doing a backup of Roberta Pournelle's Kaypro 386i onto a Maximum Storage APX-4200 WORM (write once, read many times) drive attached to the Zenith Z-386. The files are being transferred over Traveling Software's LapLink III, but they're coming from downstairs, so I had to use the company's DeskLink cable adapters that allow you to send files through a telephone cable.

To make LapLink III do that—transfer files over a telephone cable instead of the big hydra-like cable Traveling Software furnishes with the program—you have to invoke LapLink III with the command "LL3 /3," where /3 stands for "3-wire" (even though there are four wires in a telephone cable). I know I've said all this before, but some may have tuned in late.

Anyway, while that's going on, I'm writing this intro. I'm also kicking myself because while LapLink in Turbo Serial mode is pretty fast, a much faster way to accomplish this would have been to take the WORM drive and its controller downstairs, install the WORM in Roberta's machine, and use XCOPY to transfer all her files; however, I didn't think of that until I'd done much of the job already.

I didn't think of it because her machine is set up in a manner that makes it awkward to get into its case, so we generally back up her stuff with a serial connection—but today the whole point of the exercise is to get a complete backup onto a WORM disk cartridge so that I can install a new disk drive controller into her

machine. Clearly that's going to require me to open the case.

Double Your Capacity

It all started at Comdex. For some time, my son Alex, who does data recovery and hard disk drive installation consulting, had told me I ought to connect up with Perstor, a disk drive controller company. Comdex in Las Vegas tends to be the most hectic week of my year, but I noticed that Perstor was having a reception at Bally's, which is where many exciting new start-ups are assigned.

At the reception, I started talking to Perstor Vice President Mark Fife, and I discovered that, in theory at least, they make exactly what we need to upgrade Roberta's favorite machine: a disk drive controller that will let us nearly double the capacity of her hard disk drive.

Since she mostly uses her machine for word processing and communications—she runs the education conference on BIX, as an example—she's more than happy with the speed of the Kaypro 386i, even though it's quite an old machine. I've offered to swap it for a newer computer, but she's not interested. She likes that Kaypro. The problem is that it came with a 40-megabyte hard disk drive, and she's just about filled that up.

"No problem," Mark Fife told me. "The Perstor controller will let you reformat that drive to about double the original capacity. It will be faster, too."

When we got back from Comdex, the Perstor controller, the PS180-16FN, was waiting for us; so now we'll see, which is why I'm backing everything up.

The "Gotcha" Syndrome

It's probably as well that I'm writing this while I wait for the backup, but that isn't what I'd intended to do. I'd intended to play a game called Star Command from Strategic Simulations. When I first got the game, it seemed to have most of the elements I like in a computer game: science fiction, exploration as well as con-

quest, and a varied scenario. Getting started is a bit tedious, and the user interface leaves much to be desired, but it looked interesting.

What I found, though, is that the purpose of this game isn't for the player to have fun: the purpose of the game is to demonstrate the cleverness of the programmer. No matter what you do in this silly game, there's going to be a "gotcha." If you spend time exploring to discover which planets need what items and then go find places that will sell them, you'll discover there's so little profit it's not worth your time. If you spend time bashing random bad guys—the only real way to raise money—so that you can buy expensive weapons, you'll find that the first thing that's destroyed in combat is that expensive new equipment.

Worse: it *can't* get better. You don't get any new experience points (and thus ability upgrades) until you complete missions, and about four missions into the game is one so tough that the only way to complete it, at the level you will have achieved by then, is sheer luck.

I know, because after the first couple of futile attempts, I took the time and effort to buy about the best equipment possible for my troops; and it's still a series of random events whether I can even get to the place I need to go to begin the mission scenario—and there the preliminary battle will unerringly destroy most of my expensive equipment before I can explore the stuff on the planet's surface. I suppose I could spend hours and hours collecting money to buy spares, but I doubt it would do any good.

I doubt it, because so far, no matter what I've done, the programmer has anticipated me. I can imagine the programmer cackling with glee as yet another obstacle is put into the game. "Think they'll outsmart me and have fun with this, do they? I'll fix them!"

In part, the game is controlled by a random-number generator, so if you play

continued

a scenario often enough, you'll probably get through it; but "often enough" can mean a dozen and more times, each time starting from the beginning because you can't save in intermediate situations. Where is the fun in that?

Meanwhile, the user interface is really stupid: if a character buys a new weapon, he has to go pick a fight with someone before he can equip himself with it, because the "change weapons" menu comes up only in combat. If you want to have characters exchange equipment, it must be done in space; you can't do it at the star base where you bought it. And on, and on, layer after layer of silly menus. They list a dozen play testers in the manual, but I can't believe they actually played this game.

The moral of all this is simple: games ought to be designed for the player, not to build the ego of the game designer. Strategic Simulations usually does better than this.

The Perstor Saga Continues

Once I'd backed up Roberta's hard disk, it was time to open the machine and change controllers; and that produced the

first problem. Kaypro set up the 386i so that you can't put the cables in wrong. They did this by filling in one hole in each cable connector and cutting off the corresponding pin on the controller board. Since there aren't any cut pins on the Perstor board, it's physically impossible to connect up their board.

That brought on the first of, alas, many calls to Perstor. "Be sure the little '1' etched on the board is in the same place on your old controller and ours, and then snip the corresponding pin," I was told. "No controller uses that line for anything." This took 5 minutes. I didn't bother to remove the hard disk drive.

Next: what kind of drive is this? As with many older machines, we have the user's manual for the 386i, but if there was ever a technical manual, it's long gone. It's a full-height Priam hard disk drive that formats to 40 megabytes and change. Typical of our experience with Priam and Kaypro equipment, it has never given us the slightest trouble despite its age and very hard usage. This was the first 80386 computer to come to Chaos Manor, and the drive has never been out of the machine.

The only real clue was a sticker proclaiming this a Priam ID40, but we couldn't find anything else about it. Unfortunately, the software wants to know the number of heads and cylinders on your drive. Another call to Perstor.

Perstor didn't have any record of the Priam ID40, which is apparently a designation used by Kaypro. Kaypro no longer makes the 386i, and whoever answered the phone didn't think they could find out about the disk drive. Priam is reorganizing, and I wasn't able to make contact there. Mark Fife suggested I try 1024 cylinders and five heads.

The PS180-16FN owner's manual is typical of stuff put out by real techno-weenies. In some places it gives you complete information, and in some places it doesn't bother. It's all clear enough, but there are a few glitches, particularly when it comes to telling you how to make a working copy of their software disk.

It's all fine if you have two floppy disk drives, but if you've got only one, it's going to drive you nuts: they have a batch file that copies about 20 files one at a time. This means if you have only one

continued

This Should Go On Your Desk For The Same Reasons It Goes On The Road.

Remember when sending a fax meant leaving your desk? Or when faxing on the road was almost impossible?

Those days are over. Introducing the WorldPort 2496™ portable fax and data modem.

Since it's external to your computer, it's easily shared around the office. And since it's battery powered and uses RJ11s or optional acoustic couplers, it connects to public phones and PBXs anywhere. Via Bell and CCITT standards worldwide. It even sends and receives fax and

data messages unattended or while you run applications.

But best of all, from your desktop or laptop, you can instantly connect with practically anyone anywhere who owns a fax or modem.

Unless, of course, they've ventured out on the road without one.

Call us today at 800-541-0345 (in New York, 516-261-0423) for more on the WorldPort line and the dealer nearest you.



Touchbase Systems, Inc.
160 Laurel Avenue
Northport, NY 11768
(516) 261-0423
Fax (516) 754-3491

WorldPort 2496 is a trademark of Touchbase Systems, Inc. © 1989 Touchbase Systems, Inc.

CHEETAH GOLD 425™

Cheetah Gold 425/D™

- INTEL 25MHZ i486 CPU/FPU
- FULL 16MB of 70NS System Memory
- Tower Case with 450/W Power Supply
- ESDI Caching Disk Controller with Dedicated Processor and 512K Memory
- Super Fast 383 MB ESDI Hard Drive
- 1024 x 768 Premium VGA Card
- 14" Premium VGA Color Monitor
- 1.2MB & 1.44Mb Floppy Drives
- 2 Serial & 2 Parallel Ports
- 101 Key Keyboard
- Cheetah Gold 425/D \$9,995 !
(Other models from \$5,995)

- Price subject to change.
- 20% Refundable deposit required
- Subject to availability of INTEL 25MHZ 80486 chips. A surcharge may apply if Cheetah's cost of i486 chips exceeds \$950 each.
- VISA, MasterCard and American Express add 4%
- Delivery date subject to the availability of i486 chips.

AWESOME... PERIOD



1989
BYTE
AWARD
OF
DISTINCTION

BENCHMARKS

LOW NUMBERS INDICATE SUPERIOR PERFORMANCE



SECONDS

Cheetah International, Inc.
1003 West Cotton Street
Longview, TX 75604

1-800-CHEETAH
(1-800-243-3824)
1-214-757-3001
1-214-753-0589 FAX

Circle 53 on Reader Service Card
World Radio History

PS/2® MEMORY

Introducing **OS/RAM8™**.

- ✓ 8 Mbytes of memory + 2 serial ports.
- ✓ Extended and expanded memory. LIM 4.0.
- ✓ Works with all of your programs.
- ✓ Run DOS or OS/2 effortlessly.
- ✓ Fast and simple switchless installation.
- ✓ Auto-configuration for all operating systems.
- ✓ Works in all Micro Channel™ computers.
- ✓ Expanded memory 10 times faster than Intel.
- ✓ Risk free guarantee. Two year warranty.
- ✓ IBM approved ID. Best price. Fast delivery.

Call today 1-800-234-4232 or 617-273-1818

cec Capital Equipment Corp.
Burlington, MA. 01803

PS/2 and Micro Channel are trademarks of IBM

puter has locked up. I stared at an unchanging screen long enough that I thought something was wrong and had dialed Perstor when suddenly things began to happen.

I let the call go through to get someone there to make a note: they really ought to put a message on-screen, or make things flash, or at least note in the manual that this can take several minutes. I'm told they'll do something about that in the future.

In our case, the proper interleave was 3-to-1. That number will be right for many older AT systems, and it's more or less independent of the kind of disk drive.

Problems

The next step is low-level formatting. Unlike high-level formatting, which is what you get with the DOS FORMAT command, low-level formatting completely and irrevocably removes all data from your disk. Some utilities can recover information after a high-level format, but *nothing* will get it back after the low-level job. I'd previously backed up everything onto the WORM drive, so I let the program have at it.

Everything seemed to go well. The job took about 10 minutes. Once the disk drive is formatted, the software asks if you want a media examination. You should definitely do that. The test will destroy any data on the disk, but after a low-level format there won't be any.

You're then asked whether you want to add any disk drive defects as listed by the manufacturer. The manual makes a point of saying it's important that you do it, but in fact you shouldn't. Often, the Perstor controller will be able to make use of sectors that your original controller had trouble with, and besides, the Perstor tests will have found any unusable sectors. If you're at all concerned, the thing to do is finish the installation, and when your system is up and running, use something like Golden Bow's Vmarkbad (which comes with their Vopt program, definitely recommended) to examine the disk drive just in case.

Once the format job is done you can re-boot, still with the floppy disk of course.

FDISK Is Stupid

It was then time to partition the newly formatted disk drive. Alex is fond of the SpeedStor utilities for doing this, but I try to keep Roberta's system as vanilla as possible, so I booted with my IBM DOS 3.3 master disk and ran FDISK.

FDISK couldn't find the hard disk drive.

disk drive, you'll be swapping disks until your arm is tired. My notes for this part of the operation start off with mild complaints and end up with unprintable language.

Barring tennis elbow from disk swapping while making a working floppy disk, there was no problem. First you use your AT Setup program to tell your system there is no hard disk drive, and then you boot up with the painfully constructed floppy disk and follow instructions. In a minute, I came to the question of interleaving.

The Interleave Obfuscation

In what was probably the best book ever written on the game of bridge (*Why You Lose at Bridge*, alas, long out of print), S. J. Simon said "a little knowledge is at least twice as dangerous." That's certainly true for interleave settings.

A disk drive is formatted into tracks and chunks of tracks known as sectors. Sectors are physically laid out end to end around the track; interleave refers to the way your disk drive controller reads information from those sectors. An interleave of 1-to-1 means that the sectors are numbered the way they lie on the track, in consecutive order. An interleave of 2-to-1 means that the disk drive is formatted so that consecutive logical sectors

don't correspond to the physical order; the controller reads every other sector. An interleave of 3-to-1 means that the controller reads every third sector.

You'd think, then, that you'd get the fastest data transfer with an interleave of 1-to-1, and indeed some controller manufacturers advertise that their systems have a 1-to-1 interleave, as if that's always the best. The fact is, though, that a 1-to-1 interleave isn't necessarily going to make for the fastest disk drive system, because the disk drive and controller aren't necessarily the slowest components of the system.

That's particularly true with the Perstor controller, which strips data off the hard disk at a full 9 megabits per second, which is faster than most computer buses can accept the data. At a 1-to-1 interleave, then, the controller gets a sector of data, but now, by the time the computer has accepted that data, the disk head has got past the beginning of the next sector. You now have to wait for the disk to rotate all the way around before you can get any more data. Thus, you have an effective interleave not of 1-to-1, but of 9-to-1.

The Perstor software offers to calculate the proper interleave for your computer system. You should let it do that. It takes longer than you think, and while it's doing that, it looks as if your com-

CHAOS MANOR

Now, FDISK isn't a very smart program. As I've reported before, it will not only allow, but encourage, you to do things you'll regret. Even so, it ought to find the drive. Time for another call to Perstor.

Mark Fife referred me to a technical-support person. After I described what I'd done, he wondered about one of the steps. "When you used the Setup program to tell the system you don't have a hard disk drive, what hard disk drive type did it think you already had?"

The Perstor installation instructions hadn't told me to record that, but fortunately I'd done it anyway, because if this Perstor upgrade didn't work, I'd have to put Roberta's machine back the way it was, and I would need that information. "Type 17," I said.

"There's your problem," he said. "That's five heads and 977 cylinders, not 1024. You'll have to reformat with the right information." He also assured me I'd done no harm: you can format a disk drive any way you like. It won't work properly if you lie to the controller, but you won't hurt the drive itself.

"How do you know what type 17 is?" I asked. It turns out Perstor has a table that relates drive "type" as demanded by the Setup program and the actual drive specifications of heads and cylinders.

Anyway, I gave the Perstor program the new parameters and set it to work, and then I had to go to an appointment. By the time I got back, it was after office hours in Perstor's time zone; and although I'd reformatted to the new (and correct) specifications and did everything else right, FDISK *still* couldn't find my hard disk drive.

Reinforcements

At this point, it was clearly time to call in the heavy artillery. I mean, what's the point of sending your kids to college if you can't pick their brains? So I called Alex, who got his degree in computer science and makes a good living recovering data from crashed hard disk drives. I explained the problem. "Worse," I said, "it's your mother's system, and she wants it working. *Now.*"

Alex came over, but he couldn't make it work either. The best we could do was put the system back the way it was with the original Western Digital controller. Alex noticed that Roberta has a lot of little bitty files in her system, and he used SpeedStor to change the sector size from 4K bytes to 2K bytes. This means that the minimum file size is now 2K bytes, thus saving some disk space at the minor expense of having the SpeedStor driver

software take up a bit of memory; but clearly we hadn't doubled Roberta's disk capacity despite our promises.

Alex couldn't figure it out. "I know Perstor works. We install it for clients. We've put Perstor controllers in a couple of dozen systems, and I've never had any problems."

All of which left me in a dilemma, because this column is based on what happens here, and what had happened here was that it didn't work.

Comes the Dawn

Next day Roberta needed her machine, so I left it alone; the morning after that she had an appointment. "Did you make any new files yesterday?" I asked, but that was silly. Of course she had. I strung the DeskLink cable between her machine and the Z-386 with its WORM drive and used LapLink III; this time, I noticed there was a "date" feature in the LL3 options.

You can tell it to copy all and only those files from a given date, before that date, or after that date. I set that to our last backup date and let fly; sure enough, LapLink searched through all the directories and subdirectories and found the half-dozen or so files she'd accessed and rewritten since the last backup. That's one great program.

That done, I took the machine apart, reinstalled the Perstor controller, and dialed—well, punched—the by-now-familiar Perstor number. This time they weren't fooling around: they put me through to Safa Matin, who's one of their best technical people. We went through a number of tests, including making certain that I'd chopped off the proper pins and had the cables connected up right. I removed the disk drive from the cage and checked to see that it had a terminating resistor. We did a bunch of other stuff.

"Cables. Have you got a spare data cable?"

I nearly kicked myself. For years I have been telling readers that if things go wrong, one of the first things to suspect is cables. Worse, I've known for years that the flat disk drive connector cables are subject to failure at the connector ends when you unplug them and plug them back in. I should have checked the cable first thing.

This time, though, it wasn't the cable. We still had a problem.

Under Safa Matin's direction, I loaded in DEBUG and did some tests. The results weren't good.

"The drive has changed state," he said. "Let's try this. Leave the system powered up but pull the power cable off

continued

PS/2® MEMORY

Introducing OS/RAM32™

- ✓ 8 Mbytes of fast 32 bit memory.
- ✓ Works in all Micro Channel™ computers.
- ✓ Fast LIM 4.0 driver included.
- ✓ Provides extended and expanded memory.
- ✓ Easy switchless installation.
- ✓ Automatic configuration for DOS, OS/2 or UNIX.
- ✓ Risk free guarantee. Two year warranty.
- ✓ IBM approved ID. Fast delivery.
- ✓ From \$299 to \$1249 with 8 Megabytes.
- ✓ PC Magazine "Hot Prospect" 1/16/90.

Call today 617-273-1818 or 1-800-234-4CEC


cec Capital Equipment Corp.
Burlington, MA. 01803

PS/2 and Micro Channel are trademarks of IBM



#1 PROGRAMMABLE EDITOR

- Mouse support
- Pull-Down Menus
- Columnar Blocks
- Compiler Support
- Regular Expressions
- Best Multi-Level Undo
- DOS, XENIX and FlexOS
- Also VEDIT \$69, VEDIT Jr. \$29



FREE Evaluation Copy Call 1-800-45-VEDIT

After VEDIT hit the pages of BYTE magazine in 1980 it became the #1 programmer's editor virtually overnight. In January 1982, VEDIT was the first editor available for the revolutionary IBM PC. Since then, nearly 100,000 programmers, engineers and writers have been enthusiastic users of VEDIT.

The new VEDIT PLUS version 3.2 offers stunning performance, versatility and ease of use. Completely written in assembly language, it's lightning fast and small (66K). New features include 1000 level undo, columnar blocks, regular expressions, pull-down menus with "hot" keys and context sensitive help. You also get multiple file editing, windows, unlimited keystroke macros, automatic indenting and total configurability.

Source level debugging and easy assignment to keystrokes are just two reasons our macro language is the most powerful and practical available. The integrated compiler support is menu driven, highly flexible and ready to use for Microsoft, Borland and many other compilers and assemblers.

Only VEDIT PLUS lets you edit really large files of up to 8 million lines and 8000 chars/line. Installation is easy; VEDIT.EXE is all you need — no overlays, no environment variables.

Join the legend. The new VEDIT PLUS is the productivity breakthrough you have been looking for. **\$185.**

CompuView

P.O. Box 1586, Ann Arbor, MI 48106
(313) 996-1299 • Fax (313) 996-1308

ITEMS DISCUSSED

AutoPilot \$99 Microcom Software Division 55 Federal Rd. Danbury, CT 06810 (203) 798-3800 Inquiry 983.	PS180-16FN \$345 Perstor Systems, Inc. 1335 South Park Lane Tempe, AZ 85281 (602) 894-3494 Inquiry 986.
Inductel Reference Series Funk & Wagnall's \$79.95 all others \$49.95 Inductel, Inc. 18661 McCoy Ave. Saratoga, CA 95070 (408) 866-8016 Inquiry 984.	Star Command \$49.95 Strategic Simulations, Inc. 675 Almanor Ave. Sunnyvale, CA 94086 (408) 737-6800 Inquiry 987.
PageGarden \$99.95 Software Garden, Inc. P.O. Box 373 Newton Highlands, MA 02161 (617) 332-2240 Inquiry 985.	

the disk drive." I did that and then went into DEBUG and used that to change several bytes in memory. I wouldn't have had the foggiest notion of what to do without directions.

"Now try FDISK."

No problem. FDISK could find the drive; but when I rebooted, it lost it again. Going in with DEBUG showed that we were back where we'd been.

"What is the model of that drive?"

When I'd pulled the drive out of the case, I found a new label plate. "It says V-150."

"It's the 'seek complete' problem," Safa said. "That is one of the oldest models of Priam disk drives. It doesn't properly handle the seek complete signal. We called Priam's attention to the problem years ago, and they fixed it on all their subsequent models." All of which was fine, but it wasn't going to help me now. I thanked him and hung up to think about the situation.

I could just put it back the way it was, but I hated to do that. Finally, I called Alex. "I need a hard disk drive. Got one in stock?"

An hour later he brought over a reconditioned CDC Wren-5 Model 94205-51, presumably one he'd refurbished after recovering data from it for a client. The 51 indicates that its nominal capacity is 51 megabytes unformatted, meaning that it normally formats to about 40 megabytes. It also comes with papers listing the number of heads and cylinders and other vital information.

For years, CDC and Priam have had

the reputation of being the best-quality drives on the market. Unfortunately, as I write this, Priam is in financial difficulty, and CDC has been bought out by Seagate, a company that, to put it delicately, doesn't have quite the same reputation for quality control that CDC has. Alex says that so far CDC remains an autonomous part of Seagate, with the same high standards as always.

Happy Ending

It took about 5 minutes to install the new CDC drive. Unlike the Priam drive it replaced, this drive is half-height, and it has a "selected" light on the drive itself. There was no problem fitting it into the Kaypro case.

There was no problem with the Perstor software, either. I merely followed instructions, letting the software compute the interleave factor (3-to-1), format the disk drive, and examine it for defects. When it asked for disk drive defect information, I didn't enter any, even though the drive had come with a list of about a dozen bad sectors.

FDISK had no trouble finding the disk drive, nor in partitioning it. We got drives C and D at 33 megabytes each and drive E at 11 megabytes, for a total of 77 megabytes formatted on a drive that's supposed to have only 51 megabytes unformatted (or 41 megabytes formatted). I then transferred all Roberta's software from the WORM drive—Alex says it ran faster because the data was flowing downhill—and ran Vmarkbad. No bad sectors. I

continued

THE NEW STANDARD FOR HIGH PERFORMANCE STATISTICAL SOFTWARE

CSS

COMPLETE STATISTICAL SYSTEM

WITH DATA BASE MANAGEMENT

AND GRAPHICS

A powerful, comprehensive, elegant, and super-fast statistical package for IBM (PC, AT, PS/2) and compatible computers. ■ The CSS optimized user interface with fast hierarchical menus incorporates elements of artificial intelligence; even complex analyses require only a few keystrokes (batch processing is also supported). ■ CSS features comprehensive, state of the art implementations of: *Basic statistics, Multi-way frequency tables, Nonparametric statistics, Exploratory data analysis with analytic graphs, Multiple regression methods, Time series analysis with modeling and forecasting (incl. full ARIMA), General ANOVA/ANCOVA/MANOVA, Contrast analysis, Discriminant function analysis, Factor analysis, Principal components, Multidimensional scaling, Item analysis/Reliability, Log-linear analysis, Cluster analysis, Non-linear estimation, Logit/Probit analysis, Canonical analysis, Survival and Failure Time analysis (Censored data), Quality Control analysis, and much more.* ■ All statistical procedures are integrated with fast data base management and instant, presentation quality graphics (over 100 types); full support for all mono and color graphics boards (incl. VGA) and over 100 plotters and printers (incl. the HP and Postscript standards). ■ All CSS screen output is displayed via customized Scrollsheets™ (i.e., dynamic, user controlled, multi-layered tables with cells expandable into pop-up windows); all numbers in a Scrollsheet™ can be instantly converted into a variety of presentation quality graphs; contents of different Scrollsheets™ can be instantly aggregated, combined, compared, plotted, printed, or saved. ■ The flexibility of the CSS input/output is practically unlimited: CSS offers an intelligent interface (read/write) to all common file formats (Lotus, Symphony, dBase, dBase III+, dBase IV, SYLK, ...) and special utilities to easily access data from incompatible programs; graphics can be saved in files compatible with desktop publishing programs (Aldus, Ventura). ■ CSS data files can be as large as your operating system (DOS) allows; OS/2 version coming soon. ■ CSS precision exceeds the standards of all common precision benchmarks. ■ *Technical note: The CSS user interface and all I/O were written in Assembler and bypass DOS; graphics and data management were written in Assembler and C; the computational algorithms were written in Assembler and optimized Fortran.* ■ \$495 (plus \$5 sh/h); 14-day money back guarantee.

Circle 269 on Reader Service Card



StatSoft

2325 East 13th Street ■ Tulsa, OK 74104 ■ (918) 583-4149

Fax: (918) 583-4376

Overseas Offices: StatSoft of Europe (Hamburg, FRG), ph: 040/4200347, fax: 040/4911310, StatSoft UK (London, UK), ph: 0462/482822, fax: 0462/482855, StatSoft Pacific (Melbourne, Australia), ph: 613-497-4755, fax: 613-499-7410, StatSoft Canada-CCO (Ontario), ph: 416-849-0737, fax: 416-849-0918 Available From: CORPORATE SOFTWARE and other Authorized Representatives Worldwide: Holland: Lemax BV 02968-94210; France: Conceptel (1) 45669700; Sweden: AkademiData 018-696201; Korea: Geul Bang (02) 272-1973.



People are talking about us.

F77L-EM/32

Port 4GB mainframe programs to 80386s with this 32-bit DOS compiler. Winner of *PC Magazine's* 1988 Technical Excellence Award. \$895*

F77L

The compiler of choice among reviewers and professionals. New Version 4.0 includes an Editor, Profiler, Linker, Make Utility, Weitek and 386 Real-Mode Support, Graphics. \$595

F77L-EM/16

Address up to 15MB on 80286s with this award winning extended-memory compiler. \$695*

Lahey Personal FORTRAN 77

Full ANSI77, Microsoft C and Borland C interfaces, Debugger, at an unbeatable price. \$95

* Requires DOS Extender (\$195)



When people talk about FORTRAN
the name mentioned most often is

Lahey
Computer Systems Inc.

Contact us to discuss our products and your needs. (800) 548-4778
Lahey Computer Systems, Inc. P.O. Box 6091, Incline Village, NV 89450
Tel: (702) 831-2500 FAX: (702) 831-8123 Tlx: 9102401256

F O R T R A N I S O U R F O R T E

A professional workstation environment for OS/2®

Hamilton C shell™

*"...much more powerful than CMD.EXE...blindingly fast...
we have a winner...a much-needed and well-done product."*

—MIPS Magazine

The superior alternative to the standard OS/2 command processor. Faithfully recreates the entire C shell language as described in the Berkeley 4.3 UNIX® *Programmer's Manual*. Created explicitly for OS/2. Not one line ported from or created on anything but OS/2. Extensively multithreaded.

Features: Command line editing • History • Filename and command completion • Arrow and function keys • Enormous 64KByte command lines • Aliases and shell procedures • PATH hashing • Recursive filename wildcarding • Fully nestable control structures • Powerful expression grammar • Command substitution • Background threads and processes.

Numerous utilities: cat, chmod, cls, cp, cut, diff, dirs, du, echo, eval, fgrep, grep, hashstat, head, history, label, ls, kill, markexe, more, mv, popd, ps, pushd, pwd, rm, setrows, sleep, split, strings, tabs, tail, tar, tee, time, touch, tr, uniq, vol, wait, wc and others.

Supports HPFS and long filenames.

Requires OS/2 1.1 or later. All executables will run properly in a Presentation Manager window. Not copy-protected.

\$350.00. Unconditional satisfaction guarantee. MasterCard & Visa accepted. (\$365.00 Canada/Mexico; \$395.00 elsewhere.)

Hamilton Laboratories

13 Old Farm Road, Wayland, MA 01778-3117, U.S.A.
Phone 508-358-5715 • FAX 508-358-1113 • BIX hamilton

tried Norton Disk Doctor. Same thing.

We ran Coretest, the disk drive speed test utility. Coretest reported the speed index for Roberta's system is 3.9; with the old controller it was 1.3, and although we changed the drive, that's about the improvement we would have got if we hadn't changed it, since the seek times and suchlike are about the same for the CDC and Priam drives. The speed difference is quite noticeable; even booting up is much faster.

So, Perstor's controller works fine. It will nearly double the capacity of your hard disk drive; it will make your disk drive system faster; and it may recover some "defective" sectors while it's doing all this. While we've only just installed it on Roberta's system, Alex has put Perstor upgrades into a number of client systems and has no hesitation in recommending them. Provided that you have a standard drive in good condition and no defective cables, installation is a snap.

The Perstor controller will work fine with most disk drives, including most older Priam drives; if you have any doubts, check with Perstor.

I especially commend Perstor's telephone-support troops. Certainly they knew who they were talking to; but I find from talking to other Perstor customers that I didn't get special treatment. These people know their product and know how to tell you what to do to locate the difficulty. Depending on just how much hand-holding you need, they reserve the right to charge you for telephone consultation; that doesn't happen often, and if it does, the advice you get ought to be worth the money.

Perstor has both 16-bit (AT) and 8-bit (XT) controller cards and software. If you have a computer that's good enough except that the hard disk drive is slow and doesn't have enough capacity, consider replacing your controller with a Perstor. Roberta is sure happy with hers. Highly recommended.

Comdex '89

It was by far the biggest Comdex yet. One notable event was the BYTE Breakfast, where we presented the Shelly Awards. Named for Comdex founder Sheldon Adelson, these are the BYTE editors' choices for hits of the show.

The best party at Comdex was given by Seikosa Industries on Sunday night. It was quiet and elegant, excellent food, no loud entertainment—I have never understood why one would want to fill a room with interesting people and then

continued

“Xerox this memo.” “FedEx this proposal.” “LapLink these files.”

When something becomes a standard, using it becomes second nature. That's true about LapLink. It's so effective that it has become the most popular laptop-to-desktop and desktop-to-desktop file transfer program ever.

And now Release III improves on the original with added power—while preserving the simple design that has made LapLink the choice of more major corporations.


LapLink III offers both serial and parallel file transfer, and you can take advantage of parallel transfer speeds of 500,000 baud or higher. It comes with a “six headed” universal cable that provides you with everything you need to use both serial and parallel modes.

And LapLink III will even install itself automatically on a remote computer.

That's in addition to ease-of-use and productivity features like our popular split screen design, flexible transfer options, and disk and printer sharing.

For the same fast, error-free file transfers between PCs and Macintoshes, get LapLink Mac. And for more information about any Traveling Software product, call us at (800)662-2652.

LapLink III. The standard in file transfer software.



Suggested Retail Price **\$149.95**

LAPLINK III



Traveling Software, Inc.
18702 North Creek Parkway, Borhell, WA 98011
(206) 483-8088

Traveling Software Europe
Lords Court, St Leonards Road, Windsor
Berks, SL4 3DB, England
(44) 0753 831855

LapLink is a reg. trademark of Traveling Software, Inc., Xerox is a reg. trademark of Xerox Corporation, FedEx is a reg. trademark of Federal Express Corporation. © 1989 Traveling Software, Inc. All Rights Reserved

Circle 291 on Reader Service Card

World Radio History

make it impossible for them to talk to each other. Seikosha has several innovations in printer technology, and I suspect you'll be hearing more about them.

The most courteous act at Comdex came when the Cheetah people tried to set up their new i486 machine as one of the exhibits in the Pick operating-system room and discovered they didn't have a working VGA monitor. Zenith Data Systems generously lent them a Flat Technology Monitor (FTM), not just for the

day but for the length of the show. The Cheetah 486 ran the Pick operating system at impressive speeds, and with that wonderful Zenith monitor, it was one of the more colorful demonstrations. I got to meet Dick Pick, and I'll go to Orange County to see him sometime next month. More on Pick in another column.

The most spectacular thing I saw at Comdex was a hospitality-suite demonstration of VideoLogic's new video boards. I am supposed to be getting one

soon, so more then: but imagine being able to have your favorite TV channel going in a small window in your Zenith FTM while you bang away at your word processor. And other such marvels.

The most impressive small company—actually one of the most impressive companies of any size—was Sota, with new state-of-the-art (which is what their name stands for) high-resolution, monochrome VGA systems, upgrades for older AT systems, and generally a broad line of high-tech capabilities. It's worth keeping up with Sota to see what they're doing.

I suppose the oddest event at Comdex was to be asked to go to the Ashton-Tate booth, where I was presented with a bottle of Russian cognac. It appears that the programmers' association over there had voted me the most popular computer columnist in the USSR and sent the cognac through the Ashton-Tate Moscow rep as a token. I haven't quite recovered from the shock, but then there are a lot of things happening over there. I certainly appreciate the honor.

Look That Up . . .

Comdex this year spread all through Las Vegas. When leaving town, we stopped at the Tropicana, the last hotel on the strip, where we saw the Inductel people.


Inductel, you may recall, publishes the Funk & Wagnall's Standard Desk Dictionary, as well as a 26-language translator and a bunch of McGraw-Hill technical dictionaries. The dictionaries reside on your hard disk, and all of them can be accessed through the same software; that software can be memory-resident or invoked as a stand-alone program. In my previous report, I was enthusiastic about the program but disgusted with their installation procedures.

Apparently someone at Inductel actually listens. They're revamping the manual, changing the installation, and getting to work on the user interface. By the time you read this, the Inductel Reference Series will be considerably improved, mostly along lines suggested in a previous column.

My previous rating was "infuriatingly excellent." We'll see what comes out of the improvements. Meanwhile, they've sent replacements for the bad distribution disks I had before, and this time I got the program running without a hitch in Big Cheetah. It really is fast, and although I still think the user interface is counter-intuitive, you *can* get used to it. If you want an on-line dictionary system, this is very complete, and I'm rapidly becoming addicted to it.

continued

Build your embedded PC or AT any way but big.



Little Board™ plus Minimodules™

Embedded applications. Ampro's Little Board PC and AT compatible single board systems are ideal for embedded or dedicated applications. Specifically, applications which demand small size, high reliability, rugged design and low power consumption. Now, Ampro MiniModules allow you to build Little Board systems into a wider range of applications while meeting these same requirements. **Little Board/PC or /286.** Take your pick. PC compatible or AT compatible. Both single board systems are equivalent to a mother-board and four expansion cards in a single 5.75" X 8" card. Both offer low power consumption, single 5V supply operation and 0 to 70°C operating range.

MiniModule Expansion. Extend your Little Board based embedded system using Ampro MiniModules. These compact 3.5" X 3.8" boards provide CGA or EGA video interfaces,

LCD or EL panel controllers, Arcnet LAN controller, 2400 baud modem, serial/parallel port expansion or an interface to hard disks with embedded AT controllers. Stack 'em vertically or side by side. Build a big system in small space.

Complete information. Fast. Call us at the number below. We'll immediately forward specifications and details on the Little Board family of single board systems and MiniModules. Then, you can build your embedded system. Any way but big.

All trademarks are the property of their respective owners

408-734-2800




SINGLE BOARD SYSTEMS
Ampro Computers, Inc., 1130 Mountain View/Alviso Road
Sunnyvale, CA 94089. FAX (408) 734-2939. TLX 4940302

Distributors: Reps: USA - contact AMPRO for the name of your nearest rep. Australia - 61 3 720-3298, Austria 43-222/3109110, Canada - (604) 438-0028, Denmark - 455 5 66 20 20, Finland - 358 0 585-322, France - 331 4842-2222, Germany, West - 49 6151 7305-15, Hong Kong/P.R.C. - 5 8613118, Israel - 972 3 49-16-95, Italy - 39 6 811-9406, Japan - 81 3 257-2630, Netherlands - 31 10-411 8521, Norway - 46 8 28-72-86, Sweden - 46 8 28-72-86, Switzerland - 41 1 740-41-05, United Kingdom - 44 2 964 55511

FINALLY. A debugging tool tough enough to handle the DOS Nasties.

New Version 2.0



How Soft-ICE Works

Soft-ICE uses the power of the 80386 to surround your program in a virtual machine.

This gives you complete control of the DOS environment, while Soft-ICE runs safely in protected mode. Soft-ICE uses the 80386 to provide real-time break points on memory locations, memory ranges, execution, I/O ports, hardware & software interrupts.

With Soft-ICE you get all the speed and power of a hardware-assisted debugger at a software price.

Don't want to switch debuggers?

You don't have to!

Soft-ICE can run stand-alone or it can add its powerful break points to the debugger you already use. Use your favorite debugger until you require Soft-ICE. Simply pop up the Soft-ICE window to set powerful real-time break points. When a break point is reached, your debugger will be activated automatically.

MagicCV with Soft-ICE

Using Soft-ICE with CodeView gives you the features necessary for professional level systems debugging. MagicCV and Soft-ICE can work in concert with CodeView to provide the most powerful debugging platform you will find anywhere.

"These may be the only two products I've seen in the last two or three years that exceeded my wildest expectations for power, compatibility and ease-of-use."

— Paul Mace
Paul Mace Software

Nasty over-write? No sweat!

Soft-ICE memory range break points help you track down memory over-write problems whether you are doing the over-writing or another program is over-writing you.

Hung program? No problem!

When the system hangs, you now have hope. With Soft-ICE you can break out of hung programs no matter how bad the system has been trashed. And with Soft-ICE's back trace ranges you can re-play the instructions that led up to the crash.

Program too large? Not with Soft-ICE!

Soft-ICE runs entirely in extended memory. This means you can debug even the largest DOS programs. And since your program runs at the same address whether Soft-ICE is loaded or not you can find those subtle bugs that change when the starting address of your code changes.

System debugging? Soft-ICE is a natural!

Soft-ICE is ideal for full source level debugging of TSRs, interrupt service routines, self booting programs, DOS loadable device drivers, real-time kernels, non-DOS O/Ss and ROMs. Soft-ICE can even debug within DOS & BIOS.

Soft-ICE	\$386
MagicCV	\$199
MagicCV for Windows	\$199
Buy Soft-ICE & MagicCV(W)	— Save \$86.
Buy MagicCV and MagicCVW	— Save \$100.
Buy All 3	— Save \$186.

30 day money-back guarantee
 Visa, MasterCard and
 AmEx accepted



New Product/New Idea

Finds overwrites and un-initialized pointers automatically
 All the protection of a protected O/S under DOS

Bounds Checker - \$249



Nu-Mega
 TECHNOLOGIES

CALL TODAY (603) 888-2386
 or FAX (603) 888-2465

RUN CODEVIEW IN 8K MagicCV



CodeView is a great integrated debugger, but it uses over 200K of conventional memory. MagicCV uses advanced features of the 80386 to load CodeView and symbols in extended memory. This allows MagicCV to run CodeView in less than 8K of conventional memory on your 80386 PC.

NEW—Version 2.0 includes EMS 4.0 driver.
Attention Windows Developers!
 Version available for CVW.

P.O. BOX 7607 ■ NASHUA, NH ■ 03060-7607

Circle 206 on Reader Service Card

AutoPilot

One of my pet peeves is inadequate Install programs, as, for instance, last month's example of the WORM software that wouldn't install from the B drive. Incidentally, we do make progress: Maximum Storage just sent me an update to its software, and this one will install from any drive you can get it on.

One way to make reasonable Install programs would be to use something like AutoPilot. This program advertises that it "picks up where DOS left off"; and that's not a bad description. AutoPilot is a job-control-language compiler. It will enhance your old DOS batch files, and much more. The language is rich and powerful. It will create menu-driven scripts. There's even an editor. It would be ideal for making Install programs.

Alas, you can't use AutoPilot that way, because it doesn't have any provision for making stand-alone programs. The result is that AutoPilot falls between the cracks. It's not a full-fledged language you can use to produce utilities for others to use; at the same time, it requires considerable knowledge of DOS to make intelligent use of AutoPilot. The manual says that experts can create scripts and programs for naive users, and that's correct—but so what? Their license agreement specifically says that each user has to have his or her own copy.

I can see AutoPilot used by a consultant in setting up a user system. The cost of the user's copy would be part of the fee. Indeed, I can recommend that people in the business of setting up computer systems for others look into AutoPilot; it could save a lot of time in such applications. In that context, recommended. I wish it had a stand-alone mode, though.

Objects

I'm only now beginning to appreciate the power of object-oriented programming (OOP). This may be one of the really significant breakthroughs of the small computer era. Specifically, I'm looking at Turbo Pascal 5.5; and every time I look, I am amazed at what you can do and how quickly you can get it done.

Longtime readers know that I consider Modula-2 the language of choice for most professional programming jobs. I say this despite the popularity of C and the known problems of Modula-2 in the library standard and I/O departments. One reason for my preference is that Modula-2 modules are much like the "objects" in OOP. I know there are significant differences, and I expect some mail about this statement; but my point is that Turbo Pascal 5.5 with its OOP fea-

tures is now a serious competitor of Modula-2, especially for The Rest Of Us.

For those interested in knowing more, there are two excellent books. Ben Ezzell's *Object-Oriented Programming in Turbo Pascal 5.5* (1989, Addison-Wesley, \$22.95) assumes you already program in Turbo Pascal and gets right down to what you can do with OOP and how to do it. The book will make little sense to those unfamiliar with Turbo Pascal, but for those doing Turbo Pascal programs who want to know about objects, this is the book to get.

Tom Swan's *Mastering Turbo Pascal 5.5* (1989, Hayden, \$25.95) is the third edition of a well-known standard introduction to Turbo Pascal. It assumes that you know something about computers and DOS, but not much more, and takes you from beginner's level to advanced intermediate. No single book will make you a programmer, but this one comes as close as any could. I do recommend that after you've gone through Swan's book, you get Ezzell's. They're both excellent.

Build Your Own Mac

Outfits like Broderbund keep making excellent print-shop tools for the IBM PC, but everyone I know who has access to both systems prefers the Macintosh for serious desktop publishing. This includes Alex, who produced the program book for the recent LOSCON science fiction convention on my Mac IIx but does most of his actual work on an 80386 PC.

The problem with the Mac is the cost. Good machines, but they do tend to be pricey. There are two solutions to the cost problem. One is to get an Atari ST and the Gadgets by Small cartridge that turns the ST into a Mac. Dave and Sandy Small were demonstrating it in the Atari booth, particularly with the Atari Stacy portable ST, and you couldn't get into the demonstration because it was so thickly crowded with Apple engineering people. Atari can't make the Stacy fast enough. More on that another time.

The other solution is to make your own Mac. That sounds harder than it is. The way to find out whether you want to try it is to get *Build Your Own Macintosh from Catalog Parts—The Cat Mac* by Bob Brant (Brant Associates, 4420 Southeast Mark Kelly Court, Portland, OR 97222). In the Mac tradition, this rather thin book carries a high price of \$24.95, but it's almost certainly worth it if you're serious about building your own Mac.

Indeed, it's worth having the book even if you have a standard Mac out of warranty (as most Macs are, Apple being less than generous in their warranty

terms). This book goes into what's available, from motherboards and hard disk drives to cables and connectors; who sells the stuff and for how much; and how difficult it is to replace or install. It covers everything from assembling a Mac from catalog parts, no soldering required, to fixing up a "Hackintosh." The book recommends that you build your own Mac SE and goes through the author's experiences in doing that.

I've had a few MacExpert friends look through this, and they think it's nifty.

Winding Down

As usual, there are piles of stuff here I haven't a hope of getting to. There's PowerBasic, a new non-Borland edition of Turbo Basic from the original author; looks interesting, but I haven't tried it. There's Dan Bricklin's PageGarden, a hard-to-use professional laser-printing program that is nearly indispensable if you're using the IBM PC for printing forms, notices, and anything repetitive. There are some new marvels from Sota, and at least three ways to refurbish your old AT into a machine that will last a few more years; I'll get to those next month.

Several books this month: *Z88 Magic* by Vic Gerhardi et al. (Kuma Computers Ltd., Pangbourne, Berkshire, UK), an excellent tour through the Cambridge Z88 computer. I still carry Sir Zed and remain fond of it. Second, *The Cuckoo's Egg* by Clifford Stoll, a fascinating account of how an astronomer tracked down a computer cracker (1989, Doubleday, \$19.95). [Editor's note: *In this month's Print Queue*, Hugh Kenner reviews *The Cuckoo's Egg*.] Finally, Terry Pratchett has a new "Discworld" book, *Wyrd Sisters* (Gollancz, London). If you don't know Pratchett and Discworld, you've a treat in store. He's the funniest fantasy writer I've come across.

Next month, the Annual Chaos Manor Awards for most useful computer products, and the Chaos Manor annual Orchid and Onion parade for the best and most annoying things to happen. ■

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. Jerry welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on BIX as "jerrypp."

Can your compiler meet the challenge?



We invite you to take an existing program and compile it using TopSpeed C. Then, compare the overall performance with the compiler you now use. If you are not 100% satisfied, return the entire package to us, and we will refund all of your money.

	TopSpeed® C Version 1.00	Microsoft® C Version 5.1	Turbo C® Version 2.0	Watcom® C Version 7.0
100% ANSI compatible*	✓			
Integrated environment	✓		✓	
Pass parameters in registers	✓			✓
Expand any function as inline code	✓			
Supports CS/2	✓	✓		
DOS Dynamic Link Libraries (or early code linked at load time)	✓			
Smart linking (only referenced code and data linked in)	✓			
Type-safe linking (function parameters and memory modes checked at link-time)	✓			
Fully automatic make works across libraries	✓			
Time-sliced scheduler for multi-tasking under DOS	✓			
Short pointers in any segment	✓			
Hypertext help with library online	✓		✓	

*Written by Neil Martin of the British Standards Institution (BSI) and printed in Personal Computer World June 1989, page 241

you now use. If you are not 100% satisfied, return the entire package to us, and we will refund all of your money.



See us at CeBIT '90
Hall 6 D21

TopSpeed

TopSpeed's seamlessly integrated multi-windowed environment



VID (Visual Interactive Debugger) a source-level, multi-windowed, symbolic debugger



In England & Europe contact:
Jensen & Partners UK Ltd.
63 Clerkenwell Road
London EC1M 5NP
Phone: (01)255-4333
Fax: (01)251-1442

C Standard Edition £149;
C Extended Edition £295;
C OS/2 Edition £370.

Call on handling & VAT charges, and TopSpeed Modula-2 product prices.



Standard Edition —

Optimizing DOS compiler, integrated source-level debugger, smart linker, automatic make, complete ANSI library, 6 memory models, BGI Interface, time-sliced scheduler, MS-DOS/BIOS interface, superset of MS and Turbo C libraries, and more.

Extended Edition —

Standard Edition plus full source code to libraries, post-mortem debugging, MS Windows support, support for DOS DLLs (overlays), assembler, disassembler, profiler, DOS call monitor, and more.

OS/2 Edition —

Extended Edition (except for DOS compiler) plus ability to generate DOS executables, full support of OS/2 Kernel & PM calls, OS/2 smart linker, fully automatic generation of DLLs, source for protected mode libraries, and more.

TopSpeed C:

Standard Edition \$199
(DOS Compiler & VID)

Extended Edition \$395

OS/2 Edition \$495

64-page TopSpeed C Technical Specifications booklet available upon request

Call on TopSpeed Modula-2 compiler (with objects) & toolkits.

To Order:

In the U.S., call:
1-800-543-5202
In Canada, call:
1-800-543-8452

Call on shipping & handling charges & volume discounts. VISA/MC accepted.


30-day unconditional money-back guarantee.

Developed & marketed by World
Hemel Hempstead, Herts, UK
Copyright © 1989, PC Bus
World and DRI Communications Ltd.

TopSpeed and TechKit are trademarks of Jensen & Partners International. Other brand and product names are trademarks or registered trademarks of their respective holders.

TERMINAL EMULATION FROM TERM ISN'T THE NEXT BEST THING TO BEING THERE. IT IS BEING THERE.

With TERM, you can operate remote systems exactly as if you were there.



TERM is considered the industry standard for exact terminal emulations, but emulation isn't the only issue – regardless how precise it is. The real objective is access, and accessibility requires that your machine act like their machine.

Exact Emulation.

With SCO Color Console and TERM, anything that runs on Xenix can now be operated remotely from your PC, Macintosh or Unix box. TERM literally puts you in front of the remote system. You can now take advantage of the full range of keyboard functions and screen attributes including function key programmability and complete color support. In short, your terminal becomes their terminal. This is access.

In addition to SCO ANSI, TERM features very exact VT220, VT102, Wyse50 and nine other terminal emulations on any physical display device. Other emulation features include a fully remappable keyboard, 132 columns, transparent print, graphics line draw and multinational character support.

Network & Asynchronous Access.

Exact emulations are merely one feature in a communications program which is considered the industry standard for asynchronous communications. And now Century Software introduces TermNET – all of the features of TERM in a network version.



TermNET operates identically to TERM and provides direct network connectivity featuring multisession TCP/IP, OSI and X.25 support. Both TERM and TermNET provide intelligent file transfer for fast data movement and a powerful, customizable script language that automates every aspect of communication sessions. They run identically on machines made by over 100 manufacturers, providing keystroke-for-keystroke compatibility across multiple operating systems including: MSDOS, UNIX, Xenix, Macintosh, VMS, BTOS, MS-Windows and X Windows.

Access & Connectivity Solutions.

Century Software is dedicated to meeting the challenges of systems interoperability. With the addition of TermACS (Asynchronous Communications Server) and TERM for X Windows to our family of software products, we are creating *The Access Standard* – a complete line of communications tools that provide state-of-the-art asynchronous and network connectivity. This means access to information from any system, any network.

CENTURY IS THE ACCESS STANDARD.

TERM AT A GLANCE

- Multi-session Network & Async Access.
- Direct TCP/IP, OSI & X.25 network support.
- Exact VT220, VT102, Wyse50 and SCO ANSI on all systems.
- Fully remappable keyboard.
- Full numeric keypad support.
- Full color support.
- Automatically restartable file transfers.
- State-of-the-art Lempel-Ziv-Welch data compression.
- 38.4K sliding window file transfers.
- KERMIT protocol for mainframes.
- XMODEM and YMODEM protocols for bulletin boards.
- Wildcard file send/receive capability.
- Auto-login, dial/radial modem control.
- Powerful script language for customized applications.
- Performs unattended polling/file transfers.
- Remote maintenance capability.
- Electronic mail/TELEX/FAX Easylink/IMCI Gateway.
- Superior X Windows xterm Replacement.

CENTURY SOFTWARE
The Access Standard

5284 South 320 West,
Suite C134
Salt Lake City, Utah 84107
Phone: 801-268-3088
Facsimile: 801-268-2772

UNITED KINGDOM
Systems Marketing
Phone: 0488-681004

FRANCE
Tauris Data
Phone: (1) 30-21-55-05

FRANCE
Top-Log
Phone: (1) 42-04-21-18

BELGIUM
Top-Log
Phone: 02/872-22-40

NETHERLANDS
T-Point Software
Phone: 074-912470

ITALY
ESA Computers
Phone: 0541-741113

WEST GERMANY
Tauris Data
Phone: (6121) 509392

AUSTRALIA
Qanix
Phone: (07) 831-8666

Circle 49 on Reader Service Card




LET YOUR FINGERS DO THE TALKING

Unix has programs that let you communicate with the outside world

A Unix environment can be productive and seductive at the same time: productive because of all those wonderful tools, and seductive because there are so many tools and options on Unix that you can spend an afternoon just learning new ways of doing things, without actually getting anything done.

Other than reading the manual and trying everything in it, or browsing the file tree and examining interesting files, there is probably no easier way of getting distracted than using the Unix mail and news facilities. For some people—I confess to being one of them—the ability to communicate with people all over the world from your terminal can be distracting beyond comprehension. While almost everyone likes to communicate, somehow adding technology to the experience makes it more interesting or (dare I say it?) fun. This explains the popularity of E-mail, amateur radio, fax machines, cellular phones, and even paper cups networked by a piece of string.

In the case of Unix, I have numerous ways to distract myself. The basic one is `cu`, which is a simple telecommunications utility that will dial out via modem and let you connect to other computers. Once connected, your terminal becomes a remote terminal on the other computer, which doesn't have to be running Unix. You can also use `cu` to test a dial-up to another Unix machine, or to send characters to a modem for setup and diagnostic purposes. Commands internal to `cu` allow you to exchange files with other Unix machines, though without any protocol or error checking. You can also run



commands (either locally or remotely) and send their output to your screen or to the modem.

UUCP

The next step up from `cu` is the set of commands that AT&T calls basic networking utilities. BNU includes programs to copy files (`uucp`, `uuto`) and execute commands across system boundaries (`uux`), as well as to perform a number of status and diagnostic functions (`uutry`, `uustat`, `uulog`). Everyone in the Unix world, however, refers to this entire command suite collectively as UUCP (for Unix-to-Unix copy).

Once properly installed, UUCP runs more or less automatically, executing your remote commands and transfer requests without your having to do anything but specify the name of the system you want to call. And while you generally find software of this sophistication only with LANs, UUCP just needs regu-

lar dial-up modems to operate. Log-in scripts for all systems are standardized and contained in a single file. Calls to a particular system can be made as soon as a request is issued for that system, or deferred until another time, perhaps when the phone rates are lower.

UUCP has reached several important milestones since its inception. Several years ago, it was completely rewritten to provide more security, more generality, and, best of all, easier setup and installation. Peter Honeyman, D. A. Nowitz, and Brian E. Redman created this version, and it is therefore generally known by the acronymish HoneyDanBer UUCP to distinguish it from the older version. HoneyDanBer (sometimes referred to as HDB) UUCP is the standard on all current AT&T-derived releases of Unix.

More recently, the number of UUCP users reached a critical size that led Teletbit (1345 Shorebird Way, Mountain

continued

Mixing REAL TIME With REAL UNIX[®] Is Not Magic...

It Is Technology.

VenturCom's real time UNIX product family has the only real time kernel for standard hardware platforms which is AT&T's UNIX System V. Not a simple UNIX clone. Not just UNIX on top of a real time executive.

Real UNIX provides designers with SVID and POSIX standards, RFS and NFS, X-windows, Streams, complete development tools, multiple DOS under UNIX tasks. And early access to future technologies.

Real time adds performance and functionality to UNIX with preemptive and biased scheduling, contiguous file system, average interrupt latency of 50 μ s, bounded context switches, memory locking, asynchronous I/O, and much more.

Ask us about VENIX[™] for 80286/80386 PCs and Single Board Computers; RTX[™] for other UNIX versions, such as Interactive System's 386/ix,[™] and small, diskless, and ROMable UNIX kernels. Find out why Foxboro, Toshiba, GE, and many others are using VenturCom's real time UNIX products.



Real Time/Real Unix

215 First Street
Cambridge, MA 02142
(617) 661-1230

Nippon VenturCom, Inc.
Tokyo 102 Japan 03-234-9381

UNIX is a registered trademark of AT&T
386/ix is a trademark of Interactive Systems Corp.
VENIX, RTX are trademarks of VenturCom, Inc.

THE UNIX /bin

View, CA 94043, (415) 969-3800) to design a series of modems with built-in support for the UUCP protocol. Its TrailBlazer Plus has its own 68000 CPU and digital signal processor and connects to your machine via a serial port at 19,200 bps. It needs that kind of speed to keep up, because it can converse with compatible modems at up to 18,000 bps while emulating UUCP in its own hardware. This approach takes a big load off your computer's CPU, allowing real-world throughput of between 900 and 1600 characters per second (at least, that's what I get). This corresponds to about a megabyte of data every 15 minutes or so and partly explains why the Telebit modems have become a de facto standard in the Unix community. Parenthetically, the TrailBlazer Plus also supports normal modem protocols at 300, 1200, and 2400 bps, and a new Telebit 2500 model supports the V.32 standard at 9600 bps as well.

E-Mail

Many first-time Unix users are astounded to find out that the regular mail command can be used to contact users on other systems. The mail command automatically invokes the UUCP subsystem to transfer mail messages to another Unix machine. The catch here is that a UUCP connection must already be set up with the other machine, or else you must know an explicit "path" to the other machine.

While I'll get into the specifics of setting up UUCP in a future column, all Unix users should know some of the ins and outs of mail addressing. The first thing to know is the "nodename" of your own machine—that is, the name by which other machines can address your machine. To find out, execute the command `uname -n`. The result should be a name of eight characters or less.

On my own computer, the nodename is `infopro` and my log-in is `david`, so my full E-mail address via UUCP would be `infopro!david`. While another user on my own machine would merely have to type `mail david` to reach me, a user on a machine with a direct UUCP connection to my machine would have to type `mail infopro!david`.

This is fine for a small number of connections, perhaps among company sites. But with thousands of Unix machines talking to each other, it's not possible to set up a connection to every machine directly. So an informal UUCP-Net has been set up with the mutual cooperation of system administrators around the world. Computers on UUCP-Net agree to pass mail messages to and through each

other, so that you only have to know the correct path between machines to route your message. For this reason, many people on UUCP-Net provide, as part of their electronic signature, a number of well-known machines that their machines "talk to." This allows people they correspond with to answer them reliably.

As an example, I might use the line

```
{bytepb,hoptoad,pyramid}
!infopro!david
```

as part of my signature (actually, a .signature file in my home directory that is automatically appended to all my outgoing mail). This signifies, in C-shell notation, that the three machines `bytepb`, `hoptoad`, and `pyramid` all talk to my machine, `infopro`, on a regular basis, and that mail sent through them should get to me. So, if your machine is called `hello`, your log-in name is `george`, and `hello` talks to `pyramid`, then typing `mail pyramid!infopro!david` would get a message to me. Similarly, I could talk to you by typing `mail pyramid!hello!george`.

You can see where this is leading. If your machine *doesn't* talk directly to `pyramid`, you'll have to find an intermediate machine that does. Four or five years ago, one of the most valuable items an E-mail freak could have was a copy of Mark Horton's net map, which let you figure out the paths to any other machine by actually following lines between machine names. Now, there are so many machines on the network that all routes are generated electronically, using special software and volunteers around the world who coordinate map entries.


My routing file contained 17,687 entries on the day this article was submitted, each one optimized for the fastest path from `infopro` to every other Unix computer on the planet known to be on UUCP-Net. Every morning, a set of shell programs that I wrote checks the latest map entries and regenerates the routing file if necessary. The mail software I use automatically reverses the path of any incoming mail messages for sending replies and uses the routing file to find a way to other computers where only the final nodename is known.

Usenet


So where do these maps, entries, and software packages come from? There's another set of programs, apart from BNU and mail, that takes advantage of your UUCP capabilities. It allows any user at a participating site to read and

continued


The new DigiCHANNEL series out-performs all other leading multi-user communications boards.



Raw Input: Primarily data received via host-to-host communications. The higher the better.



Raw Output: Processed data from host applications to terminal users (spreadsheet, word processing, etc.) The higher the better.



Processor Overhead: Percentage of host CPU time utilized for I/O processing tasks. The lower the better.



The new DigiCHANNEL series of multi-user communications boards sets the new performance standard for terminal response time, especially under heavy user-load conditions. The key to this performance is the synergy between our hardware and our new Front End Processing real-time Operating System (FEP O/S) software.

The proof is in the numbers, and a good example is the DigiCHANNEL PC/16i. In benchmark tests, it beats every other leading board in the two critical areas that determine board performance: *data throughput* and *processor overhead*.

Data throughput is calculated by measuring the total amount of data that a board can handle per port and per system. The higher the data throughput, the faster the response time for each user on the system.

Processor overhead is the amount of additional

processing imposed on the CPU to handle the data input/output being controlled by the communications board. The less time the CPU needs to spend on I/O chores, the more time it can spend processing applications for terminal users.

Call for our FREE technical white paper with all the details on our benchmark testing. While you're at it, ask for our FREE booklet, *How to Do Multi-User Right*.

No matter how simple or complex your multi-user systems, you can trust DigiBoard to put you at the head of the pack. And keep you there.

DigiBoard
Plugging you into tomorrow

6751 Oxford Street • St. Louis Park, MN 55426
1-800-344-4273 • In Minnesota (612) 922-8055



When we started selling MKS products in 1986, the Tax Collectors were among the first to notice. They assessed our promise to bring the power and flexibility of a UNIX environment to the DOS desktop.

And then they came to call.

We're happy to report that the Tax People* quickly decided that MKS products were the perfect way to train users on UNIX operating systems using the PCs everyone was already familiar with. And the perfect way to speed development of new programs and procedures.

Get the new - but don't give up the old

The MKS Programming Platform gives programmers the best of both worlds - virtually unrestricted access to the power and flexibility of UNIX operating systems, and full DOS or OS/2 capabilities. With MKS your PC becomes a powerful and productive UNIX workstation, whenever you need it.

The Platform includes four proven members of the MKS family of software: *MKS Toolkit*, *LEX & YACC*, *RCS*, and *Make*.

The heart of the Platform is the *MKS Toolkit*. It provides a complete set of utility programs and over 150 commands compatible with UNIX System V.3. It also includes the MKS Korn Shell, a command interpreter, MKS Vi editor, and the MKS AWK programming language.

Next is *MKS LEX & YACC*, which work together as a

highly efficient program generator, simplifying the creation of languages and compilers for DOS and OS/2. The set is completed with *MKS RCS* (Revision Control System), which gives total control of text file revisions, and *MKS Make*, which provides an efficient way to automate the production and maintenance of any size project.

All together they are the most efficient, most productive, and friendliest way to cross the bridge between DOS or OS/2, and UNIX.



Beyond multiple platform support

The Programming Platform performs on standard PC networks like Novell NetWare and PC NFS with the illusion of a complete UNIX timesharing system. This means you can hook your PC to PC NFS, allowing it to be used as a UNIX workstation.

MKS is an active participant on the POSIX standards committee, and we track the shell and utilities standard to the fullest extent. We take care to build the underlying POSIX kernel functionality on DOS and OS/2 into MKS software before moving utilities. That's why the Platform gives you 100% UNIX and POSIX compatibility, with no surprises.

Ideal training tools

Fast, painless training is another benefit of the Programming Platform. Developers can use their familiar PC keyboards while moving effortlessly to UNIX on the desktop, and exposure to new commands and functionality becomes part of the novice's working day.

The Taxman adds it up

When you stack up all the advantages of the Programming Platform - access to powerful development tools, time-saving management functions, full portability, easy training, and our unswerving dedication to the POSIX standard - it's no wonder that the people with the toughest jobs to do, like the Taxman, turn to MKS. To learn more about The Programming Platform and other MKS productivity and development tools, call us today. Maybe we can make your job a little less taxing.

After Long Investigation, The Taxman Came To Talk To Us

30 day money-back guarantee

MKS Programming Platform prices are:

DOS \$665
OS/2 \$1225

In Continental USA call: 1-800-265-2797
Outside Continental USA call: 1-519-884-2251
Fax: 1-519-884-8861

Authorized MKS Dealers:

Belgium 2-736-6064
England 364-53499 or
1-833-1022 or
0763-73455
Netherlands 20-14-24-63
West Germany 551-792488 or
061-214908 or
721-886-664

Head Office:

35 King Street North
Waterloo, Ontario
Canada, N2J 2W9



More Power to You

*We're not allowed to use their official name. But you know who we mean.
MKS is a trademark of Morteck Kern Systems Inc. Other trademarks have been cited and MKS acknowledges them.

write (or post) electronic articles in any one of hundreds of newsgroups. It is called Usenet News, Netnews, or simply "the news." The machines that run this software and that have agreed to pass the news articles on to others make up the Usenet.

Newsgroups range from the deeply technical to the merely bizarre, and each one is a sort of interactive mini-magazine that is written largely by the same people who read it. While it's hard to characterize Usenet in a few words, I believe I can honestly say there is something there for everyone. Think of it as an electronic version of Hyde Park.

If you aren't interested in communicating with other Usenuts, there are more pressing reasons to sign up (and by the way, Usenet is free). In the newsgroup `comp.mail.maps`, you will find the map entries that are vital to routing your E-mail. In addition, in `comp.sources.unix`, `comp.sources.misc`, and `alt.sources`, you will find more free and public domain software than you'll know what to do with. There are other groups specifically for source code for machines such as the Sun and Macintosh.

Usenet works in a way that will seem strange to anyone who has ever used an electronic information service such as BIX. On BIX, you place a call to one central computer where the information is stored. On Usenet, your computer calls another and gets all the current news articles. Then, everyone on your machine can read the news. This means that the news passes from one machine to another, each adding new articles generated or collected at that site before passing it on. This also means that you will sometimes find yourself reading the answer to a question before you see the question. Usenet is distributed network anarchy at its best—or worst, depending on what is posted on any particular day.

In the next few columns, I'll discuss the practical matters involved in setting up UUCP and getting on the network, as well as how to obtain the public domain software necessary to make efficient use of the network. Also, there are more networks available to Unix users, with even more mail-addressing schemes. ■

David Fiedler is publisher of the Unix Video Quarterly and the journal Root, as well as coauthor of the book Unix System Administration. He can be reached on BIX as "fiedler."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

OMNIS 5



Look Again!

Yes, look at OMNIS 5 from Blyth Software. Omnis 5 is the only database that produces identical applications for Macintosh and IBM PC's or compatibles! You pick the development platform, your Omnis 5 application runs in both environments with the same easy graphic interface.


Today's business requires short learning curves and the high productivity of OMNIS 5. OMNIS 5's cross-platform compatibility simplifies support! One application serves all users on your mixed-platform network!

OMNIS 5 is the development platform of the 1990's!

For more information, call or write:

**BLYTH
SOFTWARE**

1065 E. Hillsdale Blvd., Suite 300
Foster City, CA 94404
In the US 1-800-843-8615, or in
CA 1-800-223-8050 or 415-571-0222



TURBO EMS™ 5.0 – TWO PROGRAMS FOR THE PRICE OF ONE!

All on one diskette for your slowest PC or your fastest 386.

STANDARD 286 FEATURES:

- Up to 32 MB of LIM 4.0 expanded memory
- "Automatic Spillover" between any combination of expanded memory hardware, unused extended memory and disk file space
- Special support for Windows, Excel, DESQview, Ventura and Lotus 3.0
- Simulates LIM 4.0 expanded memory with LIM 3.2 hardware
- Supports the LIM extended memory specifications (XMS)

386 SPECIFIC FEATURES:

- Increases available DOS memory
- Backfills low DOS memory
- Shadows ROM to faster RAM
- Relocates TSR and DEVICE DRIVERS
- VCPI support
- True network compatibility



Turbo EMS 5.0 is your single solution for memory starvation. If you're using memory-hungry applications, you need the powerful leader in expanded memory technology — Turbo EMS 5.0. For an end to confusion about usable computer memory, you need to talk to our Sales and Technical Support experts today!

Suggested Retail \$99.95

© 1990 Merrill & Bryan Enterprises, Inc. Turbo EMS is a trademark of Tele-Ware Corporation. All other products mentioned are trademarked and/or registered by their respective manufacturers and are acknowledged.

9770 Carroll Center Rd., Suite C, San Diego, CA 92126, (619) 689-8611, FAX (619) 689-8821

Circle 178 on Reader Service Card (DEALERS: 179)

World Radio History



THE FAMILY JEWELS


If your company has lots of PCs, you need to develop a backup strategy and make sure it's carried out

I could see the company vice president's concern as I spoke with him. He explained to me that the company had started out using only a centralized computer system on a VAX, but over the years had given its executives personal computers rather than terminals. The executives were able to produce reports using the superior tools available in the PC world, and to handle their financial responsibilities faster and with greater accuracy using tools like Lotus 1-2-3.

There was little indication that their information was being protected against loss. The executives left their reports and their spreadsheets on their hard disks and rarely backed up anything. Eventually, the computers began to age and their disks began to fail. Suddenly, the truth struck home.

A vast portion of the company's business was residing on a collection of aging \$200 hard disks on computers spread all over the company. No longer was there a central repository for information. There was no way for the executives to be sure who had the latest copy of company-developed spreadsheet templates, nor any way for the company to ensure that everyone had the same version of important company data.

There was no doubt that information important to the company would be lost, for that had already happened. The question was when information *vital* to the company would be lost. Clearly, something had to be done.



Back to the VAX

The vice president had decided that a corporate LAN was the answer to the company's need. Individual departments or divisions bought file servers to support their employees. The employees were responsible for copying files to the server that needed to be backed up. Since the company was also installing network versions of WordPerfect and other software, most work stayed on the server anyway.

While most departments started to make it a practice to back up their data weekly, the company installed Novell NetWare for VMS on its VAX and began to back up the file servers on the company LAN to the VAX. The VAX was then backed up to tape by the computer room staff. Suddenly, corporate data was once again safe, software could be handled centrally, and one of the company's major assets, its data, was protected from loss.

But I Don't Own a VAX

Obviously, this was a large company with a professional data center, so it already had the personnel and financial resources necessary to handle this sort of project. But suppose you don't have a company with facilities this complete. Does this mean that you have to give up the idea of centralized data storage? In fact, it does not. There are ways to have all the benefits that this company had without investing in a VAX.

What is important is to realize the need to protect your information. While employees tend to think of the information on the computer assigned to them as "theirs," in fact it is not. It belongs to the company, and the company needs to make sure that it is protected against loss, improper alteration, or theft. One way to do that is to make data backup easy to accomplish so that your employees will do it.

continued

They can make the process easier by backing up their data files to a file server on a LAN. This is as easy as copying a file to a place on the server where the LAN administrator will back it up for archiving. Alternatively, you can access each person's hard disk remotely and back it up through the LAN. Either way works, and you can use both ways if you really want to be safe.

Regardless of which way you choose to handle security, you need to pick a backup medium. You have a choice of several, including removable hard disks, optical disks, and tape. For most companies, the medium of choice for backups is tape. Tape is reasonably fast, reasonably inexpensive, and quite reliable. It's also a medium with which most people, even those with very limited computer experience, are comfortable.

You will have to choose a tape system designed to work in conjunction with a LAN, and you will have to find something that will be able to hold all the information to be backed up. A 40-megabyte tape drive won't be suitable for a LAN with a gigabyte of data. Finally, you'll have to make sure that the system

ITEMS DISCUSSED	
Filetalk	\$495
Series 2100 8-mm tape drive ...	\$7495
(includes Filetalk)	
Mountain Computer, Inc.	
240 Hacienda Ave.	
Campbell, CA 95008	
(408) 379-4300	
Inquiry 1102.	

you buy will support the type of backup you plan to do and the network operating software you plan to use.

Planning Protection

Once you decide which way you're going to go, you need to develop a procedure to make sure that you keep your backups current. Most companies do this by making a complete system backup periodically (e.g., weekly or monthly) and then performing a backup every day of only those items that have changed. They keep enough tapes on hand to have one for each day of the week, plus a couple for the full system backups, which are usually stored in an off-site vault. These

tapes are rotated less often.

How you rotate the tapes is not as important as the fact that you do, and that you actually back up the information. Backup is usually one of the assigned tasks of the LAN administrator. For this reason, it has a better chance of being accomplished than if you depend on the company executives to remember.

Deciding on the Approach


First, you have to decide on the amount of data you need to back up. Second, decide where this data will reside. Once you have made these decisions, you can pick the type and size of backup unit you want. Remember that you should plan to have one entire backup fit on a single tape or disk, unless you plan to have someone hang around all night to change tapes.

Tape drives suitable for backing up a company's data are available from a variety of sources, as are optical disks. Removable disk drives are rarely large enough to back up more than a small LAN, and they are probably not sufficient for an entire company, or even a

continued

AutoKey 400 programmable macro keys !

Simplify DOS, D-base, Lotus 1-2-3.
Boost your CAD performance.
Automate word processing.



COMDEX/Europe
at **SICOB**
23-28 April
Booth 6 AB 6035

- Plugs into your keyboard line.
- Uses no system memory.
- Requires no software.
- Has its own microcomputer.
- Eliminates complicated memory resident macro programs such as SuperKey and ProKey.

Mextel Corp. 159 Beeline Road
Bensenville, Illinois 60106

AutoKey is trademark of Mextel Corp. All other product names are trademarks of their respective manufacturers. ©1989 MEXTEL CORP.

Call 1-800-888-4146
(inside IL call 312-595-4146)

AutoKey 40 \$139.00
AutoKey 20/20 \$289.00

Visa/MC/AmEx.

Circle 181 on Reader Service Card (DEALERS: 182)

MODEL	DESCRIPTION	RESOLUTION			Outputs	MEMORY	MEMORY	Onboard Processor	PROCESSING			
		Spatial	Gray Levels	Number					Zoom, Pan, & Scroll	NxM Conv.	Real-Time Frame Aver. Math & Logic	Hardw Window
DT2862-60Hz ² DT2862-50Hz ²	Arithmetic Frame Grabber	512 x 512	256	8							8-bit or 16-bit ²	
DT2862-60Hz ² w/ DT2858 ²	Frame Grabber & Frame Processor	512 x 512	256	8							8-bit or 16-bit ²	
DT2862-50Hz ² w/ DT2858 ²	Frame Grabber & Frame Processor	512 x 512	256	8							8-bit	
DT2861-60Hz ² DT2861-50Hz ²	Arithmetic Frame Grabber	512x512	256	8							8-bit or 16-bit ²	
DT2861-60Hz ² w/ DT2858 ²	Frame Grabber & Frame Processor	512x512	256	8							8-bit or 16-bit ²	
DT2861-50Hz ² w/ DT2858 ²	Frame Grabber & Frame Processor	512x512	256	8							4-bit	
DT2851-60Hz ² DT2851-50Hz ²	High Resolution Frame Grabber	512 x 512	256	8							4-bit or 16-bit ²	

MODEL	DESCRIPTION	RESOLUTION			Outputs	MEMORY	MEMORY	Onboard Processor	PROCESSING			
		Spatial	Number of Colors	Number of Bits					Zoom, Pan, & Scroll	NxM Conv.	Real-Time Frame Aver. Math & Logic	Hardw Window
DT2871-60Hz ² DT2871-50Hz ²	HSI Color Frame Grabber	512 x 512	16.8 million	16.8 million							4-bit or 16-bit ²	
DT2871-60Hz w/ DT2858	Color Frame Grabber and Frame Processor	512 x 512	16.8 million	16.8 million							4-bit	
DT2871-50Hz w/ DT2858	Color Frame Grabber and Frame Processor	512 x 512	16.8 million	16.8 million							4-bit	

DT2853-SQ-60Hz ² DT2853-SQ-50Hz ²	Low Cost, Square Pixel Frame Grabber	512 x 512	Square Pixel Option	8								
DT2803-60Hz DT2803-50Hz	Low Cost Frame Grabber	256 x 256	64	8								

-Fred Molinari, President

Why clown around in black and white when you can do it in color...just as easily.

The DT2871 Frame Grabber.
The next logical step.

Now, moving from monochrome to color image processing is as easy as plugging our DT2871 (HSI) Color™ Frame Grabber into your IBM® PC AT®-compatible computer.

The DT2871 features real-time 24-bit color capture and display. It also performs real-time RGB/HSI and HSI/RGB color-space conversion for processing captured images in either the red-green-blue or hue-saturation intensity domain . . . intensity being the link to

monochrome processing which performs gray scale operations.

The DT2871 connects directly to DT-Connect™ processor boards for faster compute-intensive color processing. And, is supported by our Aurora™ software for accelerated application development.

Now, color image processing can be much less complicated and quicker to execute.

So, add a little color to *your* act.

Call (508) 481-3700

In Canada, call (800) 268-0427

FREE 1990 Image Processing Handbook.



DATA TRANSLATION®

World Headquarters: Data Translation, Inc., 100 Locke Drive, Marlboro, MA 01752-1192 USA, (508) 481-3700 Tlx 951646
 United Kingdom Headquarters: Data Translation Ltd., The Mulberry Business Park, Wokingham, Berkshire RG11 2QJ U.K. (0734) 793838 Tlx 9401194
 West Germany Headquarters: Data Translation GmbH, Stuttgarter Strasse 66, 7120 Bietigheim-Bissingen, West Germany 07142-54025
 International Sales Offices: Australia (2) 662-4255; Belgium (2) 466-8199; Canada (416) 625-1907; China (1) 868-721 x4017; Denmark (42) 274511; Finland (0) 372144; France (1) 69077802; Greece (1) 361-4300; Hong Kong (5) 448963; India (22) 23-1040; Israel (52) 545685; Italy (2) 827 8701; Japan (3) 502-5550, (3) 348-8301, (3) 555-1111; Korea (2) 756-9954; Netherlands (70) 99-6360; New Zealand (64) 9-545312; Norway (2) 53 12 50; Portugal (1) 545313; Singapore (65) 7797621; South Africa (12) 8037680/93; Spain (1) 455-8112; Sweden (8) 761-7820; Switzerland (1) 723-1410; Taiwan (2) 702-0405

DT-Connect, (HSI) Color and Aurora are trademarks, and Data Translation is a registered trademark of Data Translation, Inc. All other trademarks and registered trademarks are the property of their respective holders.

Circle 75 on Reader Service Card

World Radio History

department within a company. Optical disks of up to about 800 megabytes are available for personal computers.

As I mentioned earlier, though, most LAN backup takes place using tape drives. These drives range from about 150 megabytes at the lower end to 2.2 gigabytes at the upper end. Most departments can store all the data from their LANs in 2.2 gigabytes, although engineering shops that perform a lot of CAD work can create prodigious amounts of data. The tape drives that I looked at came from Mountain Computer, although many other vendors make these devices.

Mountain Computer makes a compact 2.2-gigabyte drive, its Series 2100, that uses 8-mm tape as the storage medium. It uses the same easy-to-use software as the smaller drives. For the most part, its tape units are shipped ready to run after installation.

One extremely useful software package that Mountain Computer ships is Filetalk. This package lets workstations on an IPX- or NetBIOS-based network operate in a peer-to-peer environment. This environment lets you back up re-

motely the hard disks of any workstation on the network. In fact, the software can be set up so that it will simply access the remote workstations one by one, copying each hard disk to tape before it proceeds to the next.

Because it operates in a peer-to-peer manner, Filetalk doesn't require the use of the file server. In fact, you can operate it with the file server turned off and torn apart as I did. Filetalk will also let you use the hard disk of the remote machine to do anything you can from your own. The only difference is that all software loads a little more slowly, since it has to come across the network.

This method probably gives you the ultimate solution to company-wide backups, assuming you have enough tape on hand. First you back up the file servers, and then you back up all the hard disks on the system. This method is sure to preserve the company data and protect the company from catastrophic loss of the information it depends on.

The way you choose to back up your company information depends on how your company operates and how it stores its data. You can, if you want, depend on

each employee to remember and to take the time to do the backup. If you want to ensure backups really are being performed, you can use your LAN and have the network support the preservation of your company's records.

Before you decide that instituting reliable backup procedures is too hard or too expensive, ask yourself how much it would cost to replace the information stored on all the disks in your company offices. Then ask yourself whether or not you could replace the data at all, and if so, how long you could remain in business while you waited for the information to be replaced. ■

Wayne Rash Jr. is a contributing editor for BYTE and a member of the professional staff of American Management Systems, Inc. (Arlington, VA). He consults with the federal government on microcomputers and communications. You can contact him on BIX as "waynerash," or in the to.wayne conference.


Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

We Sell Know How

Printer Know-How

Tips & Tricks for your PC Printer is subtitled "understanding and using your PC printer more effectively". Your non-laser printer has dozens of built-in features that are probably untapped because you're not quite sure how to use them. This book makes it easy to understand and use all of these features. The companion disk has several practical printer utilities: online Printer Help; printer font editor; printer control aid, and more. Includes companion disk. Increase productivity with your printer by knowing how.

ISBN 1-55755-075-1
Book and companion disk with essential printer utilities.
\$34.95



Programming Know-How

PC System Programming for Developers an encyclopedia of PC technical and programming info. Features parallel working examples in MS-DOS, Pascal, C, ML. Includes memory layout, DOS operations, interrupts from ML, high level languages, using extended - expanded memory, device drivers, hard disks, PC ports, mouse drivers, fundamentals of BIOS, graphics and sound, TSR programs, complete appendices and more.

920+ page book includes 2 disks with over 1 meg of programs.
ISBN 1-55755-036-0, \$59.95



PC Tools Complete - A COMPLETE reference to the PC Tools software. Thoroughly covers all the many features of each of the utilities that make up this comprehensive package. Has many hints, tips that make using the software both easier and faster. Covers Version 5.5 of PC Tools.

ISBN 1-55755-076-X, 390 pages, \$22.95



PC Tools Companion - hard back quick reference guide.
ISBN 1-55755-012-3, 220 pages, \$12.95

Abacus

Dept. B3, 5370 52nd Street SE • Grand Rapids, MI 49512
Phone: (616) 698-0330 • Fax: (616) 698-0325

In US and Canada add \$4.00 postage and handling.
Foreign orders add \$12.00 postage per book.

Available at B Dalton Booksellers, Waldens, and Software Etc. nationwide. In the UK contact Computer Bookshops 021-706-1188. In Canada contact Addison Wesley 416-447-5101.

To order direct call TOLL FREE: 1-800-451-4319

We accept Visa, Master Card or American Express. Please write for your free catalog.

VIDEO COURSE

Learn C++



**NO RUSH!
NO TRAVEL!
NO HOTELS!
ONLY \$499.95**

Learn C++ Now!

The great exodus of programmers from C to C++ has begun! Since C++ builds on C, it's the easiest OOP language to learn. That's why it's called "the language of the 90's".

Why the rush?

PRODUCTIVITY! Yes, C++ programmers can write programs in less time requiring less maintenance. Large projects become much easier to manage.

Unfortunately, learning C++ can be very costly. Classroom instruction is expensive even without the travel and hotel costs. Of course, not learning will cost you even more in the long run. Now there is an alternative!

The top C++ video tutorial at the lowest possible price.

The C++ video tutorial from Zortech is the ultimate C++ training tool for work or home at only \$499.95. It comes on six VHS video tapes containing 32 clear, extensive tutorials.

Used in conjunction with the concise workbook and tutorial disk, you will find everything you need for fast-track C++ tuition.

The course is generic (i.e. compiler and hardware independent) and is available with or without the award winning Zortech C++ Compiler for MS-DOS and OS/2.

Start writing C++ code within a week.

As a C programmer, you will start producing C++ code within a week of concentrated use of this course. Alternatively, spend just an hour a day watching the video and working through the suggested exercises to learn C++ in only six weeks!

The Leader in video tutorials.

If you don't already know C, you can join tens of thousands of programmers world-wide who have learnt C with the Zortech Complete C Video Course, described as:

"An excellent bargain ...
... I heartily recommend"
Gary Ray, PC WEEK

Save your company thousands of \$\$\$'s.

One programmer can train for only \$499.95, but you can train ten programmers for just:

C++ Course \$499.95
9 Extra Workbooks \$269.55
Total 10 students \$769.50

Yes! Only \$76.95 each!
(With all the FREE refresher courses you need!)

Now, Zortech with its new C++ Video Tutorial has refined the art of video tuition and presentation even further for the 1990's.

IN USA CALL:

1-800-848-8408

Only \$499.95 complete

- Six Videos with 32 lessons
- 256 page workbook
- Tutorial disk
- Compiler & hardware independent
- NTSC or PAL format
- Tax deductible

Don't delay, order now!

Just mail the coupon or call the order hotline for same day shipment.

USA: Zortech Inc.,
1165 Massachusetts Avenue,
ARLINGTON, MA02174
Voice: 617-646-6703
Fax: 617-643-7969

EUROPE: Zortech Ltd.,
106-108 Powis Street, LONDON
SE18 6LU
Voice: 44-1-316-7777
Fax: 44-1-316-4138

Australia: Noble Systems
Voice: 02-564 1200
Fax: 02-564 1465

ORDER FORM

Please rush me these items:

Qty	Description	Price
—	C++ Video Tutorial	\$499.95
—	Extra C++ Workbooks	\$ 29.95
—	Zortech C++ Compiler	\$199.95
—	Developer's Edition	\$450.00

Please add \$7.50 Shipping in USA
International shipping charged at cost

Name _____

Company _____

Address _____

State _____ Zip _____

Phone _____

MC, VISA or CHECK _____ Expiry _____

Card No. _____

Your Connection now



Bitstream ... NCP

Fontware—55 different typeface packages in points sizes from 2 to 144 each \$99.
 Fundamentals—3 typeface packages specifically designed to produce Presentations, Reports & Proposals, & Spreadsheets ... each \$159.

3 1/2" format available from us. Specify when ordering.
 package includes both 5 1/4" and 3 1/2" disks.
 3 1/2" format available from manufacturer by request. Call us for details.
 CP—copy-protected; NCP—not copy-protected.

The four-digit number next to each product is the product's ITEM NUMBER. Please refer to this number when ordering. Thank you.

SOFTWARE


We only carry the latest versions of products. Version numbers in our ads are current at press time.



Corel Systems ... NCP

Corel Draw 1.1—PC Magazine called it "A walloping good freehand drawing program that is easy to learn and fun to use. Highly recommended." \$329.

- Aldus ... NCP**
 1332 PageMaker 3.0 call
- Alpha Software ... NCP**
 5104 ALPHA/four 1.1 319.
- Application Techniques ... NCP**
 1214 Pizazz Plus 1.3 69.
- Ashton-Tate ... NCP**
 4450 dBASE IV 1.0 499.
- Autodesk ... NCP**
 4519 Autosketch 2.0 95.
 6119 Autosketch Animator 1.0 189.
- Avery ... NCP**
 6006 Label Pro 1.0 49.
- Bitstream ... NCP**
 Fundamentals:
 Reports and Proposals, Presentations or Spreadsheets each 159.
 Headlines (1 to 6) each 99.
 Individual Fonts each 99.
- Bloc Publishing ... NCP**
 5414 Fast Pak Mail 4.0 49.
 1447 FormTool 2.01 55.
 6245 PopDropPLUS 1.0 59.
 4594 Form Filler 2.0 89.




Chipsoft ... NCP

Turbo Tax 1989 Personal 1040 7.0—Award winning tax preparation software with over 50 federal income tax forms & schedules. Includes a cross-referenced help system. 1989 World Class PC Award Winner . \$45.

- Borland International ... NCP**
 1498 Turbo C 2.0 105.
 4330 Turbo C Professional Pack 1.0 175.
 5335 Turbo Pascal 5.5 105.
 4332 Turbo Pascal Professional Pack 1.0. 175.
 6242 Quattro Pro 1.0 289.
 1514 Paradox 3.0 469.
- Brightbill-Roberts ... NCP**
 5408 Hyperpad 1.0 89.
 5843 Show Partner F/X 3.5 229.
- Broderbund ... CP**
 1434 New Print Shop (NCP) 39.
 1433 Memory Mate 3.01 (NCP) 45.
- ButtonWare ... NCP**
 6419 PC-File 5.0 59.
- Caere ... NCP**
 6004 Omnipage 386 2.0 599.
- Central Point ... NCP**
 5039 PC Tools Deluxe 5.5 77.
 5038 Copy II PC 5.0 27.

- Chipsoft ... NCP**
 1663 TurboTax for 1989 Taxes 7.0 \$45.
 Individual States each 34.
- Chronos Software ... NCP**
 4387 Who's What's When 1.09 119.
- Corel Systems ... NCP**
 5506 Corel Draw 1.1 329.
- Crosstalk Communications ... NCP**
 2908 Crosstalk XVI 3.7 109.
 5611 Crosstalk for Windows 1.0 129.
- DacEasy ... NCP**
 6398 Rapid Tax 1.0 45.
 1748 DacEasy Accounting 4.0 89.
- Data Storm ... NCP**
 4798 PROCMM PLUS 1.1 52.
- Delrina Technology ... NCP**
 4325 PerFORM 2.0 169.
- Delta Technology ... NCP**
 5829 Direct Access 4.1 52.
- Digital Composition Systems ... NCP**
 5876 db Publisher Report Maker 2.0 185.
- Dow Jones ... NCP**
 5494 News/Retrieval Membership Pkg. 24.
- 5th Generation ... NCP**
 5504 Brooklyn Bridge 3.0 79.
 2762 Mace Utilities 1990 89.
 3950 Fastback Plus 2.09 109.
- FormWorx ... NCP**
 5810 FormWorx with Fill & File 2.5 85.
- Fox Software ... NCP**
 6188 FoxPro 1.0 489.
 2233 Foxbase Plus 2.1 199.
- Funk Software ... NCP**
 2228 Sideways 3.21 42.
 4479 Allways 1.0 85.
- Generic Software ... NCP**
 2265 Generic CADD Level 3 1.13 169.
- Great American Software ... NCP**
 4880 One Write Plus Accounting Sys. 2.0 179.
 5825 Money Matters 1.0 55.
- Harvard Associates ... NCP**
 2324 PC Logo 3.0 59.
- Hayes ... NCP**
 2293 Smartcom II 3.0 89.



ButtonWare ... NCP

PC-File 5.0—The most friendly, comprehensive database available. It includes letter-writing with mail merge, business graphing, and a powerful report writer. It also works directly on dBase files \$59.


burns the midnight oil.

- Hilgraeve ... NCP**
 2323 HyperACCESS/5 1.0 (DOS & OS/2) \$115.
- IBM ... NCP**
 6187 Storyboard Plus 2.0 239.
- Individual Software ... NCP**
 2408 Professor DOS 4.0 27.
 6222 Resume Maker 1.0 29.
- Intuit ... NCP**
 2426 Quicken 3.0 39.
- Lord Publishing ... NCP**
 5191 Ronstadt's Financials 1.02 145.
- Lotus ... NCP**
 5417 1-2-3 3.0 call
 5653 1-2-3 2.2 call
 5134 Magellan 1.0 149.
 4131 Agenda 1.0 275.
 2660 Freelance Plus 3.01 345.
- MECA ... NCP**
 4603 Andrew Tobias' Tax Cut
 for 1989 Taxes 45.
 2798 Managing Your Money 6.0 119.
- Microcom ... NCP**
 2775 Carbon Copy Plus 5.1 (2 req.) ... 115.
- Micro Logic ... NCP**
 2968 Tornado 1.8 55.
- Microlytics ... NCP**
 2731 GOf'er 2.0 (new version) 45.
- Microsoft ... NCP**
 2860 Learning DOS 2.0 35.
 2899 Windows 286 2.1 69.
 2904 Works 2.0 99.
 2900 Windows 386 2.1 129.
 2901 Word 5.0 209.
 6195 Word for Windows 329.
 2856 Excel 2.1 (req. 80286/80386) ... call
 6133 Excel for OS/2 1.0 339.
 5188 QuickPascal 1.0 69.
 2894 QuickBASIC 4.5 69.
 2895 QuickC 2.0 69.
 2853 C Compiler 5.1 299.
- Multisoft ... NCP**
 4925 PC-Kwik Power Pak 1.5 79.
- New England Software ... NCP**
 4337 GB-Stat 1.5 159.

- Nolo Press ... NCP**
 2982 WillMaker 3.0 \$35.
- Norton-Lambert ... NCP**
 4928 Close-Up Customer 3.0 135.
 4929 Close-Up Support 3.0 165.
- Paperback Software ... NCP**
 3142 VP-Planner 3D 1.0 169.
- PC Globe ... NCP**
 5902 PC Globe 3.0 39.
 5900 PC USA 1.0 39.
- Personics ... NCP**
 3126 SeeMORE 2.0 54.
 4328 Look & Link 1.1 59.
- Peter Norton ... NCP**
 3152 Norton Commander 3.0 89.
 3146 Advanced Utilities 4.5 89.
 6397 The Norton Backup 1.0 89.
- Quarterdeck ... NCP**
 3221 Expanded Memory Mgr. 386 5.0 59.
 3220 DESQView 2.25 79.
 4586 DESQView 386 1.0 115.
 6400 Manifest 1.0 39.
 6422 QRAM 1.0 49.




MECA ... NCP
 Andrew Tobias' Tax Cut—Manage your taxes this year with MECA's new Tax Cut for '89. Includes expert system which lets you consult with the tax experts while you prepare your return. Editor's Choice! \$45.



Quarterdeck ... NCP
 Manifest 1.0—Gives you a snapshot of your PC with detailed information about its memory, hardware, DOS, and more. Included free with other listed Quarterdeck products through March 31, 1990 \$39.

- Software Publishing ... NCP**
 6289 Draw Partner 1.0 59.
 3499 PFS:First Publisher 2.1 89.
 3478 PFS:First Choice 3.02 105.
 3496 Professional Write 2.11 149.
 3493 Professional File 2.01 199.
 3482 Harvard Graphics 2.13 339.
- Symantec ... NCP**
 5383 Budget Express 1.0 99.
 3427 Q&A Write 1.01 139.
 3425 Q&A 3.0 229.
 3431 Timeline 3.0 399.
- Timeslips ... NCP**
 2987 Timeslips III 3.4 169.
- Timeworks ... NCP**
 6253 Publish-It! 1.1 115.
- TOPS ... NCP**
 3724 NetPrint 2.0 (share printers) 125.
 3726 TOPS Network Bundle 3.0 159.
 3720 Flashcard 2.1 (AppleTalk network card; 1 year warranty) 179.




Software Publishing ... NCP
 Draw Partner 1.0—Add flavor to your Harvard Graphics business presentation with Draw Partner. Zoom, Rotate, Flip, and Align are some of the advanced drawing tools available. (Requires Harvard Graphics) \$59.

- Reference Software ... NCP**
 4396 Grammatik IV 1.0 52.
- Revolution Software ... NCP**
 4480 VGA Dimmer 2.01 (screen saver) . 19.
- RightSoft ... NCP**
 4155 RightWriter 3.1 54.
- Samna ... NCP**
 5799 Ami Professional 1.0 319.
- Softlogic Solutions ... NCP**
 3546 Disk Optimizer 4.05 45.
 3542 Software Carousel 3.01 55.
- Softview ... NCP**
 3474 MacInTax for Windows (1989 taxes) 65.

1-800/776-7777

MMC **PC Connection** 00B
 6 Mill Street
 Marlow, NH 03456
SALES 603/446-7721 FAX 603/446-7791



Microsoft ... NCP
 Excel for OS/2 1.0—Spreadsheet which allows you to take full advantage of the power and flexibility of OS/2. Sophisticated analytical tools, easy-to-use Presentation Manager interface, and much more \$339.

While others sleep




DacEasy ... NCP

All new versions with all new features for your business or home. Let DacEasy provide your business accounting and tax solutions.

- Accounting 4.0..... \$89.
- Rapid Tax 1.0 for 1989 Taxes..... 45.

- Traveling Software ... NCP**
- 4190 Battery Watch 2.0 (3 1/2" only) 35.
 - 5179 LapLink III 3.0 85.
 - 3727 DeskLink 2.2 99.
- True BASIC ... NCP**
- 3561 True BASIC 2.1 52.
- Vericomp ... NCP**
- 3765 SoftBytes 2.0 35.
- WordPerfect Corp. ... NCP**
- 3799 WordPerfect Library 2.0 75.
 - 3804 WordPerfect 5.1 265.
 - 3806 Additional Network Stations 5.1 169.
- WordStar USA ... NCP**
- 2825 WordStar Prof. Release 5.5 229.
 - 5000 Upgrade to Release 5.5 89.
- Xerox ... NCP**
- 3812 Ventura Publisher 2.0 call
- XTREE ... NCP**
- 6161 XTREE Pro Gold 1.3 75.
- XYQUEST ... NCP**
- 4393 XyWrite III Plus 3.55 229.



Symantec ... NCP

Q&A 3.0—The top-rated, best-selling integrated database and word processor offers simple mail merge, detailed reporting, versatile word processing, advanced network support, and more..... \$229.

RECREATIONAL/EDUCATIONAL

- Broderbund ... CP**
- 1417 Where/Europe Carmen Sandiego? \$29.
 - 5701 Where/Time Carmen Sandiego? ... 32.
- Electronic Arts ... NCP**
- 5798 Ferrari Formula I 29.
 - 4659 Chessmaster 2100 (CP) 35.
 - 5804 Deluxe Paint II (Enhanced) 89.
- Microprose ... CP**
- 4454 F-19 Stealth Fighter 39.
 - 5823 Red Storm Rising 39.
- Microsoft ... NCP**
- 2858 Flight Simulator 4.0 39.
- Parlor Software ... CP**
- 3159 Bridge Parlor 2.3 49.
- Sierra On-Line ... CP**
- 6023 Leisure Suit Larry III 39.
 - 5695 Manhunter: San Francisco 33.
 - 4456 Police Quest II 39.
 - 5106 Space Quest III 36.
 - 6022 Colonel's Bequest 36.



Stone & Associates ... NCP

- 1st Math—Animated graphics teach addition, subtraction, & patterning. Ages 4-8... \$22.
- 2nd Math—Interactive tutorial and 7 games "teach" then "test" beginning addition through pre-calculus. Ages 7-16..... \$27.

- Spectrum Holobyte ... NCP**
- 5993 Welltris (Tetris sequel) 22.
- Spinnaker ... CP**
- 5580 Sargon IV 32.
- Stone & Assoc. ... NCP**
- 3435 My Letters, Numbers, Words (2 to 6) 22.
 - 3438 1st Math (ages 5 to 8) 22.
 - 3439 2nd Math (ages 7 to 16) 27.
- Sublogic ... NCP**
- 6190 Air Transport Pilot 33.
- True BASIC, Inc. ... NCP**
- Kemeny/Kurtz Math Series: 10 titles each 45.

HARDWARE

Manufacturer's standard limited warranty period for items shown is listed after each company name. Some products in their line may have different warranty periods.



Timeworks ... NCP

Publish-It! 1.1—This complete desktop publishing program includes advanced page layout, graphics, word processing, and typesetting..... \$115.

- AST Research ... 2 years**
- 1299 SixPakPlus 384k C/S/P 189.
 - 4107 RAMpage Plus 286 512k 419.
- Brother International ... 1 year**
- 5787 HL-8e Laser Printer 1899.
 - 5788 HL-8Ps PostScript Laser Printer call
 - 5786 Toner/Drum Kit 99.
- Central Point ... 1 year**
- 5042 Copy II PC Deluxe Option Board ... 115.
- Compuable ... 2 years**
- 1604 2-Position switch box 25.
 - 1605 3-Position switch box 35.
- Corvus ... 1 year**
- 6184 ReadyNet Starter Kit 319.
 - 6183 ReadyNet Add-On Kit 165.
- Cuesta ... 1 year**
- 1608 Datasaver 400 Watt (power backup) 429.
- Curtis ... lifetime**
- 1690 Diamond Plus SP-1 + 41.
 - 1694 Emerald SP-2 36.
 - 1707 Ruby SPF-2 (6 outlets) 55.
 - 1708 Ruby-Plus SPF-2 Plus 65.
- We carry the full line of Curtis products.
- Diconix ... 1 year**
- 5655 150 Plus Printer (Parallel) 359.
- Epson ... 1 year**
- We are an authorized Epson Service Center.
- 1906 FX-850 (80 col., 264 cps, 9 pin) ... 369.
 - 1904 FX-1050 (136 col., 264 cps, 9 pin) . 479.
 - 5183 LQ-510 (80 col., 180 cps, 24 pin) . 349.
 - 1930 LQ-850 (80 col., 264 cps, 24 pin) . 549.
 - 4117 LQ-950 (110 col., 220 cps, 24 pin) . 569.
 - 1917 LQ-1050 (136 col., 264 cps, 24 pin) 769.
 - 4116 LQ-2550 (136 col., 333 cps, 24 pin) 989.
 - 5184 LX-810 (80 col., 180 cps, 9 pin) ... 199.
 - 1052 Printer-to-IBM cable (6 feet) 15.
- 5th Generation ... 1 year**
- 3952 Logical Connection 512k 529.
- Hayes ... 2 years**
- 2304 Smartmodem 1200 289.
 - 2307 Smartmodem 2400 429.
 - 2308 Smartmodem 2400B (w/Smartcom II) 429.
- Hercules ... 2 years**
- 2318 Graphics Card Plus 189.

FIRST NIGHT MARLOW



PC Celebration.

Furrier & Jive.

(Or, welcome back to the gay nineties.)

People are always asking if the celebrated rural outpost of Marlow, NH (pop. 561, Car. Rt. Sort 03456), is really ready for the '90s. Ready????! Why, if you give us a few minutes to hitch up the horses, light the oil lamps, pop open the parasols, and set a few bonfires, we'll make Currier and Ives look like Bert and Ernie. You see, even though our picture postcard town now has more printers than people, we still know the traditional way to ring out the old and ring in the new.

Oh sure, we've heard the talk about how technology is going to

change everything. But, no matter how many megahertz you muscle into your micro, or how much resolution you ram into your rasters, or how many points per inch you output to print, you can still rely on us to deliver an irresistible combination of down-home prices and up-country personal service.

Better keep our sox on.

It's important that we all keep our tootsies toasty as we stroll down the old stage road into the last decade of the 20th Century. So we're giving a free pair of genuine 100% wool PC Connection Sox to everyone who places an order of \$500 or more between now and March 31.



Enjoy safe sox all winter long with warm and toasty 100% wool PC Connection Sox. Offer not available to accounts on net terms. One per customer.

PC CONNECTION®

©COPYRIGHT PC CONNECTION, INC., 1989. PC CONNECTION AND THE RACCOON CHARACTER(S) ARE REGISTERED TRADEMARKS OF PC CONNECTION, INC., MARLOW, NH.

World Radio History

**A Refreshing Idea....
A New Standard....
Computing Goes Better With CARRY-I**



CARRY-I

**The Book Size Computer
The Book you'll read over and over again**

CARRY-I 8088

10MHZ XT/AMI BIOS /256K RAM expandable to 640k/One to two 720KB 3.5" FDD
Serial/Parallel/Game/CGA/MGA/Standard keyboard connector/16Watt Power adapter
Dimension: 240mm x 185mm x 45mm Weight: 1.9kg-2.4kg

CARRY-I 80286

12MHZ, 0 Wait State AT/AMI BIOS with Diagnostic/1MB RAM/20MB Hard Disk
Drive optional/One to two 1 44MB 3.5" FDD/2 Serial/1 Parallel/CGA/MGA/Standard
keyboard connector/30Watt Power adapter
Dimension: 240mm x 185mm x 45mm Weight: 2.1kg-2.8kg

CARRY-I KEYBOARD

82 Key/XT-AT Autoswitch
Dimension: 310mm x 145mm x 27mm

*It's priced lower than you'd expect for a PC with this kind of power and portability.
But don't take our word for it. Call us today for more information.*



CeBIT '90 HANNOVER
HALL 8, D27/1 and HALL 5, E64

FLYTECH TECHNOLOGY CO., LTD.

HEAD OFFICE:

2 FL., NO. 8, LANE 50, SEC. 3,
NAN-KANG RD., TAIPEI, TAIWAN, R.O.C.
TEL: (02)785-2556 FAX: (02)785-2371
TELEX: 22233 FLTGO

U.S.A.:

3008 SCOTT BLVD., SANTA CLARA, CA. 95054 U.S.A
TEL: (408)727-7373, 727-7374 FAX: (408)727-7375

WEST GERMANY:

MENDELSSOHNSTRASSE 53,
6000 FRANKFURT AM MAIN 1, WEST GERMANY
TEL: (069)746-081, 746-453 FAX: (069)749-375

HONG KONG:

B12, 8 FL., BLOCK B, TONIC INDUSTRIAL CENTRE,
19 LAMHING ST. KOWLOON BAY, KOWLOON,
HONG KONG
TEL: 305-1268 FAX: 796-8427

Circle 103 on Reader Service Card

COCA-COLA is a registered trademark of COCA-COLA Company. PC/XT/AT, are registered trademarks of International Business Machines Corp.

World Radio History





A MAC MÉLANGE


A moral for Apple, and evaluations of a multimedia product and a font utility

Apple suffers from a serious disease. Not corporate malaise, whatever that is. Not bad fiscal management. Not even reorganizational plague (well, at least that disease shouldn't be fatal). No, Apple's real disease is the "not invented here" syndrome (or NIH for short). That is, if the software wasn't written at Apple, the company either is not interested in it or, worse, will implement a less practical way to do the same thing.

Apple has been suffering from this syndrome for years. Unfortunately, it's getting worse. And it's got to stop, or the Macintosh will eventually fade into the halls of computing obscurity now occupied by the likes of the Amiga and the Atari ST.

Murmurs the gentle reader, "OK, Don, what proof do you have of Apple's disease?" Simple: Apple loves proprietary system software. That's not my analysis, but a fact. The first Apple II didn't run CP/M, but Apple's own operating system. This proprietary seed fathered a whole series of proprietary operating systems for the Apple II, Apple III, Lisa, and Mac computers.

A/UX, which is Apple's Unix implementation, has been the company's one attempt to go with an industry-standard operating system. But even here, Apple has tried to wire in its own proprietary Mac Toolbox routines and graphical user interface, rather than relying on standard Unix device drivers and windowing systems, like the X Window System (although in a fit of sanity, the A/UX team has supported the X Window System and



many other Unix basics).

While proprietary operating systems themselves aren't necessarily bad, this acute NIH syndrome has fostered unfortunate developments. The worst of these are those lawsuits designed to protect Apple's proprietary systems. Lawsuits are no substitute for innovation. The speed of technological development in the past 10 years proves that markets can't be stalled for the long term when innovation revolves around proprietary ideas. In short, proprietary software equals development stagnation.

Meanwhile, critical non-Apple connectivity products have still not been released. Where is Network File System (NFS) for the Mac? TCP/IP? DECnet? Where is...?

If Apple doesn't snap out of this proprietary system software binge, the company will eventually be done in by cloners, who will succeed in spite of Apple's legal efforts. And Apple will get

clobbered by other systems whose specifications are released to the public domain (like Sun did with NFS), where they can be incorporated into other software. That would be a shame.

Record the Screen with MediaTracks

Whatever you think of multimedia (and I think the concept has been overmarketed before it's been ready to stand on its own technical merits), there is no doubt that the Mac is the preeminent multimedia platform. More software and hardware accessories for the manipulation of digitized images, sound, music, full-motion video, animation, and the like exist for the Mac than for any other general computing platform. If you're interested in doing multimedia development work, the Mac is the machine that you should look at first.

One of the most talented companies
continued

ITEMS DISCUSSED

Adobe Type Manager..... \$99
 Adobe Systems, Inc.
 1585 Charleston Rd.
 P.O. Box 7900
 Mountain View, CA 94039
 (800) 344-8335
Inquiry 981.

MediaTracks
 (Price not yet set, but it's expected
 to be under \$300.)
 Farallon Computing, Inc.
 2201 Dwight Way
 Berkeley, CA 94704
 (415) 849-2331
Inquiry 982.

trying to sell into this market is Farallon Computing. You may know the Farallon name from its twisted-pair AppleTalk networking products, but you should also know it from products such as ScreenRecorder and MacRecorder.

ScreenRecorder can record and play Mac screen events, but its capabilities are quite limited since it lacks basic video editing tools. It is useful for creating self-running demonstrations. Without editing tools, however, the demonstrations must be kept simple. MacRecorder, on the other hand, is a sound digitizer and editor that lets you capture sounds, including music, using its built-in microphone or a patch cord to another source, such as a compact disk player. Unlike ScreenRecorder, MacRecorder is quite flexible, letting you filter, edit, copy, and paste captured sounds.

To improve on ScreenRecorder and put some balance back between its two multimedia products, Farallon is releasing a program called MediaTracks. Unlike ScreenRecorder, MediaTracks is a real-time video editing system for editing "frames" of Mac images.

Essentially, MediaTracks works like an automated videotape editing system, the difference being that it records Mac screen images onto virtual "tapes" and edits them, rather than controlling an external video deck. These "tapes" can be chopped up into video clips and then re-assembled in any order that you like. Thus, you can create some amazingly sophisticated moving images on the Mac's screen.

MediaTracks also allows you to adapt sounds that you've captured with MacRecorder (or other sound applications) and play them along with the images. The results are pretty impressive, even with the beta copy I've been testing. The program includes a set of draw tools, so you can annotate your video clips; you can also add some rudimentary programming functionality to a clip. This works much like the demonstrations or tutorials that you can build using WingZ and its built-in scripting language. MediaTracks is a good choice for creating in-

teractive screen demonstrations or help systems.

Of course, MediaTracks won't cover the needs of everyone. First of all, it's not a full-motion video editor. It can't control external peripherals (e.g., videotape decks or laser disk players). It doesn't work with video frame grabbers, so its image source is strictly standard Mac screens. It lacks the video special effects that real videotape jockeys use all the time. While the first version of MediaTracks will lack these features, Farallon has every intention of incorporating many of these full-motion video features in a later release.

Its biggest limitation is that MediaTracks records only in black and white. You can paste color images from other applications, but that process is tedious if you plan to build a lengthy interactive screen session.

Since MediaTracks is still in beta testing, pricing hasn't been set (although MediaTracks should be out by the time you read this). Farallon expects to sell the system for less than \$300. Bundled with MacRecorder and called Multimedia MediaTracks, the full system will cost a bit more.

Tip of the Month

In the past, I've reported on bugs, problems, and fixes for the System and important Mac applications. To keep this information current, I'm going to start giving reports on these problems every month, as much as space allows.

You've probably heard of the Adobe Type Manager. This new utility from the people who make PostScript purports to get rid of the jaggies when you display fonts on the screen and on dot-matrix printers like the Apple ImageWriter II. It does this by essentially bypassing QuickDraw. Once you install ATM in your System Folder (it's a cdev), it's loaded at start-up time.

ATM works by intercepting QuickDraw font calls to the screen or printer and replacing them with outline fonts. That is, ATM displays screen fonts using Adobe font outlines. Unlike the normal

Mac screen fonts, which are bit maps, these outline fonts look crisp and clear at all sizes and on many output devices. I've used this utility for over a month now, and I've found some problems you should know about.

First of all, ATM can't fix the problem of "too few dots." On the ImageWriter II, for example, you are limited by its nine-pin print head and overall print density of less than 144 dots per inch. ATM can make large fonts (e.g., 72-point Helvetica) look good on an ImageWriter II because there are plenty of dots to work with. But smaller fonts, in the 10- to 18-point range, don't come out that much better than if the System had used QuickDraw and the old bit maps.

Second, ATM slows down your system. You can set its font cache to help overcome this, but I've found that unless you kick up the cache to 1 megabyte, the effect is minimal. Most Mac users don't have a megabyte of RAM to spare on a font cache.

Finally, ATM causes severe screen updating problems with some applications. Apart from its general slowness, ATM brings havoc to applications like Nisus, 4th Dimension, and WingZ. Screen updating is seriously impaired with ATM. You can even see the application stop the screen update while ATM sorts out the font details before continuing, which I find very annoying.


On the plus side, ATM displays or prints fonts (particularly at the large point sizes) without wasting megabytes of disk space for large bit-mapped font images. In PageMaker 3.0, it's handy for people who have to zero in on detail by displaying the page at the 200 percent setting and need the proper kerning for the text at this expanded scale.

As it stands now, I'd take a pass on ATM. Although it's inexpensive at \$99, it introduces some quirks into formerly stable systems. Keep in mind, also, that Apple will be releasing its outline fonts as part of System 7.0. How ATM and Adobe's fonts work with System 7.0 is anyone's guess, but I do know that Apple is very protective of its system software. Remember where you heard it. ■

Don Crabb is the director of laboratories and a senior lecturer for the computer science department at the University of Chicago. He is also a contributing editor for BYTE. He can be reached on BIX as "decrabb."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

HOW TO COMBINE SPEED, POWER AND GRACE WITH BRUTE FORCE.



AUTOCAD® 386. Zoom faster. Pan faster. Draw faster. AutoCAD 386 combines world-standard CAD performance with full-force 32-bit workstation power—right on your 80386™-based PC.

AutoCAD 386 is built for speed. It loads, redraws, and saves drawings up to 62% faster than before. It accesses up to 16 megabytes of RAM and 4 gigabytes of virtual memory, making more room available for larger AutoLISP® and other applications programs, memory-resident drivers, network interfaces and other utilities—which translates directly into more speed.

Quick! Call Autodesk now to arrange a power-demo at the authorized Autodesk reseller nearest you. And upgrade your present version of AutoCAD for as little as \$300.



AUTODESK

2320 Mainship Way, Sausalito, CA 94965
800-445-5415 Ext. 65

Autodesk, the Autodesk logo, AutoCAD and AutoLISP are registered in the U.S. Patent and Trademark Office by Autodesk, Inc. 80386 is a registered trademark of Intel Corporation.

Circle 25 on Reader Service Card

World Radio History



MICROVITEC HAS SOME BRIGHT IDEAS AT REASONABLE PRICES.

You're looking at Microvitec's new VGA-Scan color monitor. It's the first in a complete range of products that put maximum quality on your desk at a minimum price.

Ergonomics are everything to the VGA-Scan. Brilliant, sharp, stable pictures are displayed on a 14" non-glare screen. All controls are right up front, yet covered when not in use. And the small-



The new VGA-Scan monitor gives you a bright, sharp, stable display at an extremely competitive price.

Microvitec Plc, Bolling Road, Bradford, West Yorkshire, BD4 7TU, UK Tel: (+44) 274-390011
Microvitec, Inc., Atlanta, USA Tel: (+1) 404 991 2246
Microvitec GmbH, West Germany Tel: (+49) 211 24 30 51

footprint tilt/swivel base fits comfortably on any desk.

Microvitec thought hard about OEM needs, as well. We developed innovative 'common chassis' manufacturing techniques to meet custom needs in very short lead times.

Whether you want one display or one thousand, think Microvitec. We're sure to have some creative solutions for you.

MICROVITEC

Circle 190 on Reader Service Card (DEALERS: 191)

BRILLIANCE



TO HPFS OR NOT TO HPFS

How to use OS/2's High Performance File System without reformatting your boot-up disk

This is an early report detailing what I've found out about OS/2 1.2. In particular, I found out something that the manuals do not tell you about the new High Performance File System (HPFS). I want to share that with you and then move on to some other version 1.2 topics.


If you've read my previous columns, you know that the highlight of version 1.2 is the HPFS, which allows longer filenames, extended file attributes, and faster file access, for starters. However, version 1.2 seems to bring with it a dilemma: to HPFS or not to HPFS. The manual and the IBM support folks claim that in order to use HPFS, you

- must reformat your hard disk
- cannot use the dual-boot feature
- cannot access the hard disk under DOS

They're partly right: If you run the automatic installation program shipped with OS/2, it offers only the "HPFS or no HPFS" option. But there's a way around that limitation, assuming that you've previously partitioned your drive.

Using Partitions

If you don't know, you can, under DOS 3.3 and higher, divide a single physical drive into two partitions. The first one, called the C drive, is a *primary DOS partition*. Under DOS 3.3, the maximum size of this partition is 32 megabytes, and there is no minimum size. The remainder, no matter how large, can be given to an *extended DOS partition*, which is di-



vided into logical drives, each no larger than 32 megabytes.

For example, one of my OS/2 workstations has an 80-megabyte drive. This drive is divided into a 32-megabyte primary DOS partition (the C drive) and a 48-megabyte extended DOS partition, which is further divided into logical drive D (32 megabytes) and logical drive E (16 megabytes). Two partitions, three logical drives. This is all accomplished with the DOS program FDISK or, under OS/2 1.2, the new program FDISKPM.

Before I leave the subject of drive partitions, here are two not-well-documented tidbits:

Tidbit 1: If you have two physical drives, the drive letters are not assigned intuitively. The primary DOS partition on physical drive 0 is named C. The extended DOS partition on physical drive 0 is then skipped for the moment, and the primary DOS partition on physical drive

1 gets the name D. Only then are the logical drives in the extended DOS partition of drive 0 used as drives E, F, or whatever. The drive letters finish up with the logical drives in the extended DOS partition in physical drive 1.

Tidbit 2: If your primary DOS partition is lost or erased, DOS or OS/2 can't access the extended DOS partition. If I took my partitioned 80-megabyte drive and reformatted C as, say, an HPFS partition, logical drives D and E would be untouched but unreadable to DOS.

How to Protect Partitions and Still Use HPFS

With those partition basics out of the way, it's now possible to explain what OS/2 1.2's installation program does to my 80-megabyte drive. The installation program asks whether or not to reformat the boot partition with HPFS. Since

continued

TCP/2™

TCP/IP Networking for OS/2®

- Support for Ethernet,™
Token Ring, and SLIP
- Network accessibility from
protected and real modes
- Full server operation for
telnet, ftp, rsh, and rexec
- IP gateway capability
- VT102® emulation for
telnet and rlogin
- Coexistence with other
protocol manager packages
- Developer's kit
with socket library

A
Dan Lanciani
Product

TCP/2...\$475 Dev. kit...\$750
OEM inquiries are invited.

For further information contact:

Essex Systems, Inc.
One Essex Green Drive
Peabody, MA 01960
(508) 532-5511 (orders)
(508) 532-5510 (info)

TCP/2™ is a trademark of DLD Consulting. Ethernet™ is a trademark of Xerox Corporation. OS/2® is a registered trademark of International Business Machines Corporation. VT102® is a registered trademark of Digital Equipment Corporation. TCP/2 is based in part on work done by the University of California at Berkeley.

reformatting the boot partition—the C drive, recall—eliminates what used to be the primary DOS partition (OS/2 primary partitions were identical to DOS primary partitions prior to version 1.2), the extended DOS partition containing drives D and E disappears also as far as DOS is concerned.

Thus, HPFS becomes an all-or-nothing proposition. That's kind of a pain, because the machine is then, as you've seen, committed to OS/2, and its drives are unreadable by DOS. The only alternative offered by the installation program and the OS/2 manual is to forgo the HPFS altogether. That's not satisfactory for many people. Thankfully, there's an (undocumented) third alternative.

The trick is to realize that HPFS volumes can be created *after* install time: The FORMAT command under OS/2 can format a logical drive to either HPFS or file allocation table format. The syntax `FORMAT d:/FS:FAT` creates a FAT-based volume, and `FORMAT d:/FS:HPFS` creates an HPFS-based volume. (In both cases, d: refers to a drive letter.) So tell OS/2 to install itself as a FAT-type volume on C *without* reformatting the drive. Then you can format one or more of the logical drives in the extended DOS partition—D, E, or whatever—as an HPFS volume, and then you have an HPFS drive to experiment with.

Before you can do that, however, there is one more catch. The CONFIG.SYS file requires the following line for HPFS support:

```
DEVICE=C:\OS2\HPFS.IFS -C:64
```

You won't find that line in your CONFIG.SYS file if you didn't tell the installation program to reformat the partition under HPFS. Add it to the CONFIG.SYS file, reboot, and you're ready to reformat a drive in the extended DOS partition as an HPFS drive. Of course, once you reboot under DOS, only the FAT-based logical drives will be visible to DOS. This will save you a lot of trouble, as this way you needn't clean off your hard disk prior to installing HPFS on your drive.

HPFS Performance Measurements

I know you're all wondering if the HPFS is, indeed, High Performance. Here are the results of a few quick-and-dirty tests.

First, I wanted to test how both file systems performed with fragmented files. The easiest way I know of to create fragmented files is to start with a simple one-line file—call it AB—and then `COPY AB+AB CD` and `COPY CD+CD AB`. Do the two COPY commands over

and over until you get about a 3-megabyte file. I thought I'd try it on version 1.2.

To make the test as fair as possible, I partitioned a 30-megabyte drive into two 15-megabyte partitions: one HPFS, one FAT. I also installed a 64K-byte cache—the IBM default—on both the FAT and the HPFS partitions. Then I did the COPY commands to create the 3-megabyte file. Result: The HPFS partition took 41 seconds; the FAT partition took 38 seconds. Just for grins, I tried the test on the FAT partition again after booting under DOS: 26 seconds.

Ah, well, I thought, perhaps it's the COPY command. I decided to try a real-world application. I've been using Micrografx Designer in its beta version under OS/2 for a few months now, so I fired it up and loaded a drawing. The file is about 176K bytes, a fairly large drawing. I copied it to the HPFS partition and to the FAT partition, rebooted, and read the HPFS copy. Then I rebooted again and read the FAT copy.

The results were the same: The HPFS copy was a bit slower (53 seconds) than the FAT copy (43 seconds). Then I remembered that DOS handles disk partitions smaller than 16 megabytes differently than it does partitions larger than 16 megabytes, so I decided to get brave and reformat the 80-megabyte drive in the system.

When the FAT and HPFS partitions were each 32 megabytes, the story was a bit different. The COPY test took 31 seconds in the FAT partition and 28 seconds in the HPFS partition. The Designer test took 45 seconds in the FAT partition and 51 seconds in the HPFS partition.


Finally, I did a quick test of sequential and random reads. The sequential reads were identical for FAT and HPFS, but the random reads favored HPFS—1000 random reads took 12 seconds for the FAT-based partition but only 8 seconds for the HPFS-based partition. HPFS decreased by 33 percent the total read times.

So the initial results aren't exciting speedwise, save in the random access test. But the other features, like long file names and extended attributes (which I discussed in January), have been long in coming, so it's nice to see them at last. ■

Mark J. Minasi is a managing partner at Moulton, Minasi & Company, a Columbia, Maryland, firm specializing in technical seminars. He can be reached on BIX as "mjminasi."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

More Powerful Than Ever ...Up To 5 KVA



MINUTEMAN
UNINTERRUPTIBLE POWER SUPPLIES

STANDBY UPS MODELS

- 250 To 1600 Watt Output
- Synchronized Sinewave with 1 msec Switching Time
- Full One Year Warranty

ON-LINE UPS MODELS

- 1000 To 5000 VA Sinewave Output
- True On-Line — Total Isolation
- Static Bypass Switch Standard

SHUTDOWN SOFTWARE

- Auto Shutdown of Local Area Networks for Unattended Operation
- Compatible with SCO XENIX 2.2.3 and above
- Novell ELS 2.12 and above
Advanced Netware 2.11 & above
SFT Netware 2.11 and above



STANDBY UPS MODELS

Power Output	120 Volt Models	208-240 Volt Models
250 WATT	\$ 379.00	\$ 429.00
300 WATT	\$ 549.00	N/A
500 WATT	\$ 699.00	\$ 799.00
600 WATT	\$ 899.00	\$1049.00
900 WATT	\$1249.00	N/A
1200 WATT	\$1499.00	\$1749.00
1600 WATT	\$1999.00	\$2299.00

TRUE ON-LINE UPS MODELS

Power Output	120 Volt Models	208-240 Volt Models
1000 WATT	\$2249.00	Available
3000 WATT	\$5495.00	Available
5000 WATT	\$8950.00	Available



FOR L.A.N.
NOVELL LABS
TESTED AND
APPROVED
NetWare Compatible

PARA SYSTEMS, INC.

1455 LeMay Drive
Carrollton, TX 75007

Telephone:
(214) 446-7363

1-800-238-7272

FAX: (214) 446-9011

TELEX: 140275 OMEGA

Circle 216 on Reader Service Card



Smalltalk/V[®] PM.
 Think of it as a bold,
 “seat-of-the-pants” solution
 that cuts to the heart of the
 OS/2 Presentation Manager
 complexity challenge. Thus
 unlocking the potential of this
 powerful operating system.

With the introduction
 of Smalltalk/V PM, object-
 oriented programming



Introducing Smalltalk/V PM. The to fulfill the promise of OS/2.

moves out of the realm of mystery
 and into a new era of breakthrough
 applications that promises to be of
 legendary proportions.

OS/2 PM is designed to push

“user friendly” to a whole new level
 of sophistication. If you compare it
 to an orchestra, OS/2 has capabili-
 ties no ordinary assemblage of in-
 struments has ever dreamed of

possessing. Yet to tap

its potential, OS/2
 PM demands a con-
 ductor capable of true
 genius. That conduc-
 tor is Smalltalk/V
 PM.

You’ll find Small-
 talk/V PM a perfect
 language for repre-
 senting and manipu-
 lating high-level
 information. Because

you go from designing to prototyp-
 ing to delivering a completed appli-
 cation in one seamless step, you
 cleanly avoid the old costly “crash
 and burn” delays so common with
 languages born in the age of main-
 frames.

UNLEASHING THE AWESOME POWER OF OS/2 PM

Smalltalk/V PM. It helps stop
 the natural drift toward vaporware
 so common in software develop-
 ment today. It lets you dive right in
 and get to the creative parts with-
 out the usual grunt work. For ex-
 ample, if you want to ignore the
 complexities of understanding
 OS/2 PM details you can immedi-

Is The Most Important Part Of Your Developer’s Kit Missing?

OS/2 PM offers you a powerful, rich environment
 loaded with advantages like a Graphics Program-
 ming Interface (GPI), a LAN manager, multitask-
 ing, SQL, just for starters. And all of these
 components are accessible in a standard way using
 Smalltalk/V PM through Dynamic Link Libraries
 (DLLs). Combined with DDE (Dynamic Data
 Exchange), you can call and exchange data with
 other PM services or applications. Seamlessly.
 Now developers can write truly reusable compo-
 nents, which greatly increases their value. And
 you’ll find Smalltalk/V PM the perfect “glue”
 between applications written in other languages.





The Great cut through the convoluted challenge with one bold, swift stroke of his sword. This "seat-of-the-pants" solution set in motion the prophecy that whoever unraveled the knot would one day rule Asia.

"THIS IS THE RIGHT WAY TO DEVELOP APPLICATIONS FOR OS/2 PM.

OS/2 PM is a tremendously rich environment, which makes it inherently complex. Smalltalk/V PM removes that complexity, and lets you concentrate on writing great programs. Smalltalk/V PM is the kind of powerful tool that will make OS/2 the successor to MS/DOS."

*Bill Gates, Chairman
Microsoft Corp.*

grammer struggling with the complexities of Presentation Manager should take a close look at this product."

*Charles Petzold, Contributing Editor,
PC Magazine*

"Digitalk's Smalltalk/V PM is dazzling! This product makes Presentation Manager pay off."

*Jeff Duntemann, Contributing Editor,
Dr. Dobbs Journal*

"Smalltalk/V PM is an excellent tool for rapid delivery of prototypes which have all the functionality and user interface of a complete PM application."

*Richard A. Landsman,
System Architect, Lotus Development*

"Smalltalk/V PM from Digitalk is the greatest! This is an incredible product."

*J.D. Hildebrand
Editor-in-Chief, Computer Language*

THE BEST PM INVESTMENT YOU'LL EVER MAKE

Smalltalk/V PM \$499.95

Prices and information on these and other Digitalk products are available on request:

Smalltalk/V, Smalltalk/V 286,
Smalltalk/V Mac

Smalltalk/V: A product of Digitalk Inc., 9841 Airport Blvd., Los Angeles, CA 90045. For information or to find a dealer near you call:

1-800-922-8255

1-213-645-1082


CompuServe 71361,1636

FAX 1-213-645-1306

Smalltalk/V is a registered trademark of Digitalk Inc. Prices subject to change without notice. Other product names are trademarks or registered trademarks of their respective holders.



fast, seat-of-the-pants way



THE FIRST FULLY-COMPILED SMALLTALK.

Because Smalltalk/V PM is fully compiled it provides you with a more responsive environment than ever before. Now you'll be able to generate stand-alone applications (.EXE).

debugger simplifies application development and gives you instant response when you implement an idea. Our extensive user manuals and tutorials have earned us high praise.

SMALLTALK/V PM. THE TALKING HAS

ALREADY STARTED.

"Digitalk's Smalltalk/V PM is a masterful implementation of a classical object-oriented programming language and a state of the art graphical user interface. Any pro-


ately start creating without any limitations on your efficiency.

However, if you're the curious type, we have tools called browsers to help you fathom the masterpiece called OS/2 PM. You'll also find our incremental program development capability and push-button

Smalltalk/V

Circle 83 on Reader Service Card


NOW YOU SEE THEM...



NOW YOU DON'T!

WITHIN THE NOVELL FILESERVER....

- BATCH SERVER
- DIAL-IN SERVER
- PRINT SERVER
- DIAL-OUT SERVER
- E-MAIL SERVER



DEDICATED SERVER SYSTEMS

Dedicated server systems are a necessary part of today's high-powered LAN. Dedicated servers distribute the power of individual processors to specific LAN tasks. They protect your fileserver from the pitfalls of unexpected crashes, and increase performance by offloading tasks from your main system processor.

A GOOD IDEA—But look what you'll need:

- A standalone computer for each dedicated function.
- Extra networking hardware and expensive cabling to connect them together.
- A spare piece of office real estate in which to keep them.
- An explanation why you can't use your expensive computers for anything else.

DEDICATED SERVER BOARDS

QL Series boards—one, two, or four XT- and one or two AT-compatible computers on a card—are elegant replacements for dedicated, standalone machines. They have all the performance and processing power of a computer, but plug into the bus of your fileserver, bridged system, or expansion chassis—out of sight, ready to process tasks on demand.

A BETTER IDEA—Look what you can do:

- **ASYNCH DIAL-IN**—With QL boards and communications software, you can dial into network resources from your home or remote office PC.
- **ASYNCH DIAL-OUT**—Dial out using communications software from any network node to bulletin boards, information services, and other networks.
- **DEDICATED FILE SERVICES**—Manage unattended tasks such as message handling for electronic mail, background batch processing, and print queuing.

IBM, PC/AT, and PC/XT are registered trademarks of International Business Machines Corporation

**For better dedicated server solutions,
call Cubix Corporation today at 1-800-829-0550**



**Cubix Corporate Offices • 2800 Lockheed Way, Carson City, Nevada 89706 U.S.A. • Tel (702) 883-7611 • Fax (702) 882-2407
Europe • Unit 4 Colonial Business Park, Watford, Hertfordshire, WD2 4PR, England • Tel (44) 923 51150 • Fax (44) 923 37021**

Circle 71 on Reader Service Card (DEALERS: 72)

World Radio History

SERVING THE POWER-HUNGRY

A new generation of servers brings minicomputer power to PC LANs

For several years now, buying a LAN server hasn't involved much thought. You put together a fast 80286 (or an 80386), a couple megabytes of memory, and a 150-megabyte hard disk drive, and you were in business.

But now that's changing. Server technology is improving in every way—and just in time.

Servers had to get better. Faster LAN hardware, such as the 16-megabit Token Ring, and an ever-increasing number of PCs per LAN are pushing current servers to their breaking points. And, as more data finds its way onto those LANs, reaching that breaking point becomes less tolerable. To solve these problems, server vendors are trying to increase the performance and reliability of every aspect of their machines.

Faster Processors

The most obvious improvements are in processor power. When the first 16-MHz 80386 systems hit the streets, they were speed demons. Today, anything less than a 25-MHz 80386 is a performance yawn.

The real action in servers is with the 33-MHz 80386 and the i486. Vendors like Samsung now offer 33-MHz flagship systems, and every vendor has either announced an i486 server or will soon. You can still use most of these new machines to run DOS, but they're best suited to the server life.

If that's not enough processing power for you, don't panic; multiple processors are on the way. Compaq's new Systempro, for example, can run with dual



80386 or i486 processors, and special versions of such network operating systems as NetWare 386 and LAN Manager will be able to take advantage of both CPUs. LAN Manager 2.0, for example, uses one processor for network functions and one for server applications, such as the Structured Query Language Server database manager.

More and Faster Memory

But faster processors alone are just not enough. They need memory that's fast enough to let them run without wait states. Because such DRAM is prohibitively expensive, vendors long ago turned to small caches of high-speed memory. That technology is now a standard part of most servers.

The amount of memory commonly available in those servers has increased dramatically. The main reason is the drop in memory prices in the last year. We recently reviewed an 80386SX sys-

tem that offered an 8-megabyte upgrade for only \$1100; about a year ago, we paid more than \$400 for 1 megabyte.

Large system memory is particularly important for LANs with many users. Every client machine consumes some server memory for its current state, file locks, and so on. As the number of users increases, so, too, does the operating system's need for memory.

Intelligent Disk Drive Controllers

Intelligent disk drive controllers can also take advantage of extra memory for on-board caches. Controllers with caches of 4 megabytes or more are increasingly common, and they yield large performance gains. Many high-performance servers now use the popular Distributed Processing Technology (DPT) and Konan caching controllers with 4- to 8-megabyte caches. The hyperSTORE-1600 controller from Perceptive Solutions can

continued

have a cache as large as 20 megabytes.

Faster controllers become important as disk traffic increases. The best main processor in the world is no good if so many users are making disk requests simultaneously that the controller can't keep up. These intelligent controllers can bring average access times down from the range of tens of milliseconds to hundreds of nanoseconds—so individual users get what they want faster, and more users can get to the disk per unit of time.

Faster and Bigger Disks

The disks themselves are also faster and bigger than ever. Drives with average access times of less than 20 ms are common, and you now can get drives with average access times of 10 ms or less.

While access times are dropping, capacities are increasing. As more users store more data on their servers, a system with a single 300-megabyte hard disk drive is no longer a big server. Our 150-megabyte server disk filled up far faster than we ever anticipated.

Now coming to the rescue are servers whose drives dwarf ours. The Seattle-based Mission Cyrus Group, for exam-

ple, has a server whose base configuration includes a single 720-megabyte hard disk drive. Further, it has the drive bay and power supply capacity for four of those drives—2.8 gigabytes of hard disk.

In a few years, even that amount will be unimpressive, as erasable optical disks and WORM (write once, read many times) disk drives become more common on servers. Intelligent controllers can greatly improve the normally anemic performance of these devices.

Hard disk subsystems are also becoming more reliable. The Mission Cyrus server included an uninterruptible power supply as standard equipment. Some vendors are selling drives in matched pairs designed to support disk mirroring (a technique in which the server uses one disk drive as an ongoing exact duplicate of the other).

Sum of the Parts

When you put all these fast technologies together in a typical AT clone, you still have only a very fast, very high-capacity AT. Even that's beginning to change. These new servers are becoming mini-computers in PC-size cases—and the

cases are growing, too. (Many minicomputer vendors started offering similar small cases several years ago.)

One key aspect of this change is the system's bus. Servers are rapidly becoming the biggest battleground in the war of Micro Channel architecture versus Industry Standard Architecture (ISA) versus Extended Industry Standard Architecture (EISA). The main issue is the ability to support bus-master cards. Without such boards, the processor must spend cycles on work better suited to a disk drive controller or network adapter.

It's possible to build bus-master cards on an ISA (AT-architecture) bus. A few vendors, including Racal (in its Inter-LAN), already offer ISA bus-master network adapters. Still, the ISA bus wasn't designed to support such cards. Some systems just won't work with these cards, and others experience intermittent problems. Further, because there's no standard ISA protocol for bus-master cards, multiple bus masters in a single system are likely to collide.

Both Micro Channel and EISA, by contrast, were designed with bus-master

continued

Font on - the - fly **S**

Vector TeX and NewFase are trademarks of MicroPress.

Vector™ TeX

The most complete micro typesetting system available today. Scalable fonts, font effects, TeX standard and powerful new features. Saves more than 80% of storage as compared to other TeX's. Supports all major printers. Leaves other TeX's in the dust. Only \$249.

NewFase™ for WordPerfect

The instant font generator for WP 5.0/5.1. Create high-quality fonts as you need them. Use 90% less storage than with BitStream. Get camera-ready output on most lasers and dot-matrix printers. Comes with not 1 but 10 scalable fonts. Special symbols, foreign characters, and more. Optional Greek, Cyrillic, APL, astrological fonts. From \$149.

Fonts a-la-carte

LaserJet softfonts generated in seconds! Much faster than BitStream. Much higher quality than Glyphix. Save time, \$\$'s, space. From \$25.

MICRO

Call today for the latest catalog.



PRESS

(718) 575-1816

67-30 Clyde Street, #2N Forest Hills, NY 11375

X-BANDIT

Break the 640K DOS barrier and utilize the Advanced Features of the LIM 4.0 standard while using only one motherboard slot

DESIGN PHILOSOPHY

- The Teletek X-Bandit was specifically designed to utilize the advanced features of the Lotus/Intel/Microsoft EMS 4.0 Specification. Further, the X-Bandit's Segmented Memory Mapping capability allows the user to extend DOS size beyond the 640K barrier. It is available in both 8 and 16 bit versions for use in the IBM XT, AT, and compatible.

MEMORY

- Segmented Memory Mapping allows the user to fill out unused memory segments between 640K and 1024K. By "claiming" unused portions of memory in 16K increments, the user effectively increases TPA size. LAN or custom software modules, for example, can be loaded into these high memory areas thus relieving the lower 640K of TPA for other application programs.
- Split Memory Addressing allows the user to fill out conventional memory to 640K.
- Extended Memory Addressing is available for the PC/AT version.
- 2 Mb capacity in a single slot. Up to 8 Mb/system.
- Parity checking.

SOFTWARE

- Easy menu-driven auto configuration software.
- Device driver includes print spooler and RAM drive.
- Supports multitasking with the appropriate shell-resident software package.

SPEED

- 6/8/10 MHz speed with 0 wait states. 12 MHz speed with 1 wait state.

WARRANTY

- One year parts and labor.
- Now includes SYSTEM SLEUTH™ from DTG, Inc. A \$149 value.

TELETEK 4600 Peil Drive
Sacramento, CA 95838
(916) 920-4600
Fax (916) 927-7884

3X-LINK16, THE LIGHT AND DIGESTIBLE LAN FOR SMALL WORKGROUPS AT \$ 139 PER NODE.

"Once configured, using it is a breeze as it seems to transfer files and print documents among PCs several times faster than software LANs we've used"


Computer buyers guide and handbook

"It all works, and the nice part is that it's easy to set it up, use it"

Jerry Pournelle/Infoworld

"3X Link16 is an extremely cost effective, high speed zero-Slot Lan"

Doug Allinger/LAN Technology



As your stomach takes a long time to digest heavy meals, so do small workgroups with heavy LANs. Expensive and heavy LANs sold nowadays are hard to install, to use and maintain. They require qualified people and are not suitable for small workgroups.

We offer you a light solution: the 3X-Link16. It's a zero slot LAN, extremely easy to use without any special qualification. It has been specially designed for small workgroups.

3X-Link16 is a small networking system that fits directly into the parallel port, between the computer and its printer, with no need to dedicate a port. 3X-Link 16 can be connected on PCs, PS/2 or Laptops without using a slot and opening the computer. Set-up couldn't be easier.


3X-Link16 is now available in two versions:

- **3X-Link16 for DOS** with file transfer at 500 000 Bps, printer sharing and E Mail.
- **3X-Link16 for Netbios** which allows to run multiuser applications with 3X-Share16 operating system, fully Netbios compatible.

Both versions are priced at \$ 139 per station, hardware and software included. They are delivered with a 30 days money back guarantee to ensure your satisfaction.

For further details, call your nearest dealer or 3X USA at: (800) 327 9712 or (201) 592 6874
You may also use the coupon located at the bottom of this page for your convenience.

3X-Link16, PS/2, are registered trade marks of 3X, International Business Machines



**3X USA Corp. One Executive Drive Fort Lee N.J. 07024
Phone: (800) 327-9712**

CONVERGENCE COMMUNICATION

	3X USA Corp. One Executive Drive Fort Lee N.J. 07024 - Phone: (800) 327-9712	Number of employees <input type="checkbox"/> 1-99 <input type="checkbox"/> 100 plus
	Tell me more about 3X-Link16. Name/Title _____ Company _____	Dealer <input type="checkbox"/> or End User <input type="checkbox"/> Address _____ City _____ State _____ Zip _____ Telephone _____

Circle 8 on Reader Service Card

cards in mind. A system with a fast processor, lots of memory, and intelligent bus-master LAN and disk drive controller cards would be a real screamer.

Enter the Systempro

Compaq's Systempro provides a glimpse at the future of server technology. It can hold either one or two processor boards, each of which can sport a 33-MHz Intel 80386 or i486. It can contain up to 256 megabytes of memory. (We recently saw an over-\$20,000 32-megabyte Systempro card that was less than 6 inches long.)

The Systempro couples its processors and potentially vast memory with a 32-bit EISA bus. Its bus-master disk drive controller can handle four drive arrays of two 210-megabyte drives each, for a total of 1.6 gigabytes of hard disk storage. The controller can also use the drive pairs for disk mirroring.

Compaq claims that the Systempro can support six bus-master LAN cards running at full speed and still have some cycles left. We're leery of such claims, but a recent Novell demonstration gave this one some credence. It showed a single Systempro that was serving 250 PCs.

If you've ever used a NetWare server with 40 or 50 clients, you know just how impressive this demonstration was.

Don't plan to put a tricked-out Systempro in your house soon, however. For one thing, it would be a waste of money to use it as a DOS system. DOS can barely figure out what to do with one i486, let alone two. And you can spend upwards of \$200,000 if you go for all the options.

Sounds like a minicomputer's price, doesn't it? It should. The Systempro is, for all practical purposes, a minicomputer. Even Compaq is aware of that fact, although the firm might be slow to admit it. For example, when it came time to benchmark the Systempro, Compaq chose Digital Equipment's VAX and the Hewlett-Packard 9000 Series minicomputers.

Those industry pundits who said that PC LANs would replace minicomputers were half right. PC LANs probably will, but at their heart will be minicomputer-size servers in PC cases.

Riding the Curve

It almost had to happen. PCs are following the same development curve as the

minicomputers and mainframes before them, but at a much faster pace. They started as slow single-process computers. They grew in power and capacity as they shrank in size. Faster processors led to faster memory, then to memory caches, and then to multiple processors.

We're now nearing the same point in the development cycle as mainframes and minicomputers. When our PC LAN servers have reached the same stage of multiprocessor technology as their bigger cousins, large performance gains will be much harder to achieve.

Fortunately, until we reach that point, there will always be a hot new server just around the corner. We'll try to keep you abreast of those developments. ■

Bill Catchings and Mark L. Van Name are BYTE contributing editors. Both are also independent computer consultants and freelance writers based in Raleigh, North Carolina. You can reach them on BIX as "wbc3" and "mvanname," respectively.

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

AUDIO F/X

STEREO SOUND For PC's and Compatibles

FEATURES INCLUDE:

- Digital recording and playback (greater than 44.1 KHz).
- Unlimited recording and playback time.
- Built in stereo music synthesizers.
- On board amplifiers for direct cabling to stereo speakers.
- DMA and Interrupt driven for background operation.

Used in applications such as:

- Advertising, Presentations, Training, Education, Multimedia Products, Games, Etc..

Packaged complete with:

- SONATA, a full featured MIDI compatible music editor.



- Digital recording and playback utilities.
- Show Partner F/X drivers.
- Recording patch cable.
- PISCES, DRUM, and DEMO, sound and music files.

Also available:


- The Sound Editor, a powerful digital sound editor.
- DJFX - Digital reel - reel.
- Spelling Voice - Teach spelling.
- Annotator - Voice comment text.

Coming soon:

- SIERRA games compatibility.

\$349.95* Retail
30 Day Money Back
Guarantee.

Trademarks: SIERRA - Sierra On-line Inc.
Show Partner F/X - Brighbill-Roberts Ltd.




FORTE
72 Karenlee Dr.
Rochester, NY 14618
Phone (716) 427-8595
*REV 3.0

FAST SCSI STORAGE

Compatible with 286/386, Sun Microsystem, Macintosh, Apple II, Tandy, Atari, Amiga

A-Hive - Enclosure for SCSI Drives

- Room for 2-HH or 1-FH drive 30 Watts \$119.
- Incl. all internal cables 65 Watts \$169.



Hermit Crab-Portable Hard Drive (2.8"x5.5"x7.5")

32MB to 200MB 40ms to 12ms \$429 & up

Hermit Crab Shell \$89

SCSI Hard Drive 32MB to 760MB \$309 & up

SCSI Tape Drive 60MB to 155MB \$389 & up

2HD/4Floppy 286/386 Controller

1:1 16MHz MFM/RL

XT/AT/286/386 SCSI/ESDI/MCA Controller

TULIN CORPORATION Tel:408-432-9025
2156H O'Toole Ave, San Jose, CA 95131 Fax:408-943-0782



Our Printer Sharing Unit Does Networking!

An Integrated Solution

Take our **Master Switch™**, a sophisticated sharing device, combine it with **MasterNet™** networking software for PCs, and you've got an integrated solution for printer and plotter sharing, file transfer, electronic mail, and a lot more. Of course you can also share modems, minis, and mainframes or access the network remotely. Installation and operation is very simple.

Versatile

Or you can use the Master Switch to link any computer or peripheral with a serial or parallel interface. The switch accepts over 20 commands for controlling the flow of data. It may be operated automatically, by command, or with interactive menus. Its buffer is expandable to one megabyte and holds up to 64 simultaneous jobs. The

MasterLink™ utility diskette for PCs comes with every unit and unleashes the power of the switch with its memory-resident access to the commands and menus.

Other Products

We have a full line of connectivity solutions. If you just want printer sharing, we've got

it. We also have automatic switches, code-activated switches, buffers, converters, cables, protocol converters, multiplexers, line drivers, and other products.

Commitment to Excellence

At Rose Electronics, we're not satisfied until you're satisfied. That's why we have thousands of customers around the world including large, medium, and small businesses, factories, stores, educational institutions, and Federal, state, and local governments. We back our products with full technical support, a one-year warranty, and a thirty-day money-back guarantee.



**ROSE
ELECTRONICS**

**Call now for literature or
more information.
(800) 333-9343**

Give a Rose to your computer

P.O. Box 742571 • Houston, Texas 77274 • Tel (713) 933-7673 • FAX (713) 933-0044 • Telex 4948886

Circle 241 on Reader Service Card

FOR \$1899, YOU CAN GET A LOT OF COMPUTERS.




© 1998 Dell Computer Corporation. All rights reserved. System 1655X is shown with VGA Color Plus monitor and optional second floppy disk drive. Intel, Pentium, and Windows are trademarks of Intel Corporation. 386 is a trademark of Intel Corporation. Other trademarks and trade names are used with permission to refer to the owners claiming the marks and names of their products. Dell Computer Corporation disclaims any proprietary interest in trademarks and trade names other than its own. For information and a copy of Dell's 30-day Total Satisfaction Guarantee and Limited Warranty, write to: Dell Computer Corporation, 9505 Arboretum Blvd., Austin, TX 78759. *On-site service may not be available in certain remote locations.

ADCODE 11E00

OR A LOT OF COMPUTER.

OK. So you don't have the biggest budget in the world.
But that doesn't mean you have to think small.

Introducing the Dell System® 316SX, 16 MHz 386™ SX.



Now you can get into 32-bit computing with this complete 20 MB system. Including 512 KB of RAM, a VGA Monochrome monitor, and three 16-bit industry standard expansion slots. With a 5¼" or a 3½" diskette drive.

More important, it's built by Dell. The computer company rated number one for overall customer satisfaction in the last four *PC Week* polls of corporate volume buyers.

Over IBM. Over Compaq.

And every Dell System comes with a one-year warranty, toll-free technical support and next-day desk-side service provided by the Xerox Corporation.⁶ So for \$1899, you don't have to buy a cookie cutter clone and go it alone.

Call Dell. You'll get a lot of computer.

With a lot of company.

800-426-5150

To order, call. For Dell in Canada, call 800-387-5752.



Circle 79 on Reader Service Card

SHORT TAKES

BYTE editors' hands-on views of new and developing products


DrawPerfect

Microsoft C 6.0

OkiLaser 400

SuperScope

PC-File 5.0



WordPerfect's Graphics Companion

WordPerfect Corp. designed **DrawPerfect** as the graphical "better half" of WordPerfect 5.0. However, an early look at prerelease version 1.0 indicates that DrawPerfect could also stand on its own as a presentation graphics program.

The connection with WordPerfect is built into DrawPerfect. Using a software component called the Shell, you can switch back and forth between the word processor and the drawing program with one keystroke. If you've got enough memory in your system, you can keep both programs running, making it easy to hop from a document to the drawing board; work on an image, chart, or figure; and hop back to the text and quickly place the image on the page. If you do any kind of work involving text and graphics, you know this sure beats what can seem like an endless shutting down and firing up of applications. You can also keep DrawPerfect running while you switch to another DOS application.

DrawPerfect itself takes up 384K bytes of memory, which is remarkably spare when you consider the capa-

bilities of the program.

DrawPerfect produces vector, not bit-mapped, graphics, so you're working with objects instead of pixels, creating images by defining beginning, ending, and joining points. The program's toolkit, represented by large icons on the left side of the screen or embedded in menus along the top, includes the type of tools you'd find in, say, Adobe Illustrator or Aldus FreeHand: functions for quickly generating lines, squares, circles, curves, ellipses, arcs, and polygons.

After you've drawn an object, it's easy to manipulate it in certain ways, such as changing its shape, size, or orientation (although in some instances you have to first select the Modify command,

which I found easy to forget).

The one thing you can't do is go in and manipulate just a bit of an object, because this type of program treats each object as a solid entity; if you're crossing over from a paint package, you might keep looking to grab the eraser.

Besides the shape-making and object-editing tools, DrawPerfect has text-rendering functions. The program comes with 25 "base" fonts, from the commonplace (e.g., Helvetica and Courier) to display typefaces (e.g., Old English and others called Brushscript and Hobo). The program will scale these fonts from very small to very large; I set text in sizes ranging from 6 points up to 130 points and thought the printed output

looked fine and crisp.

As part of its role as a presentation graphics package, DrawPerfect has capabilities for making bar and pie charts. More sophisticated charting programs are available, but you won't find a more accessible means of incorporating this kind of visual data.

DrawPerfect images are not limited to use only in WordPerfect documents. Although .WPG is their native format, they can be pulled in by any program that works with CGM (Computer Graphics Metafile) and HPGL (Hewlett-Packard Graphics Language) files. You can send the output to just about any dot-matrix or laser printer (the list of supported printers runs on for several screens), film recorder, plotter, or a slide bureau.

This program is about as easy to use as it could be. I had it up and running (on a BitWise 386) in a few minutes, without a hitch. The installation program is painless. If something doesn't make sense, the help menu or the documentation will clarify it. The prerelease manual even took time to explain what boxes and circles are.

Although the images on the screen looked a bit rough and ragged, the printed output was slick and sharp, with that familiar Illustrator/FreeHand look. I must confess I didn't expect to be impressed by this program. A drawing package from a word processor company? That's like the Boston Pops trying to play the blues. But it's not, really. WordPerfect Corp. made its name in the world of words. Now it has a chance to do the same in the world of images.

—D. Barker

THE FACTS

DrawPerfect
\$495

Requirements:
IBM AT or compatible with two 720K-byte floppy disk drives or a hard disk drive and a graphics display; the program takes up 384K bytes; a mouse is

recommended but not required; it works with WordPerfect 5.0 or higher.


WordPerfect Corp.
1555 N. Technology Way
Orem, UT 84057
(801) 222-5000
Inquiry 988.

Microsoft C 6.0 Weighs In

The newest Microsoft C compiler doesn't do C++, as many industry watchers thought (and hoped) it would. Instead, Microsoft has wisely chosen to consolidate and refine the set of tools that C programmers need to write software for DOS, Windows, and OS/2. The new tools in Microsoft C 6.0 include quick and optimizing compilers for both DOS and OS/2, CodeView 3.0 for DOS and OS/2, and a Xenix-derived Make. You can deploy these from the command line or from within a new integrated environment called the Programmer's Workbench. The Workbench runs identically under DOS and OS/2, with a character-mode graphical user interface, in the style of Microsoft's "Quick" languages.

The list of target environments includes DOS command (.COM) and executable (.EXE) files, Windows .EXE and dynamic link library (.DLL) files, and OS/2 single-threaded and multithreaded .EXE and .DLL files, in both Presentation Manager and non-PM flavors, with embedded or external (DLL-style) run-time libraries. Yikes! No wonder the installation—for just the small memory model—ate up 10 megabytes of my disk space.

The Workbench makes a programmer's life easier in a couple of ways. For starters, it derives Make scripts from a list of sources (i.e., .C, .H, .RC, and .DEF files). The Set Dependencies option looks for #include statements—transitively—and adds the referents to the script's list of triggers. Information collected from Work-



bench dialog boxes boils down to compile and link switches in the make file, so you don't have to remember (or, more likely, cut and paste) incantations like `cl -c -Asnd -G2sc -Od -W3 -Zip`.

Once you've got a baseline compile under your belt, the quick (incremental) compiler really speeds up a large project. But the niftiest new feature is the Browse tool. Given a program symbol (i.e., a variable, function, type, or macro), you can answer questions like, "Where was this symbol defined?" and "Where is it used?" In the case of a function, you can also answer the questions "What functions call it?" and "What functions does it call?"

The compiler itself builds the Browse database. In order to do its job, an optimiz-

ing compiler builds an elaborate representation of a program's structure. Recycling that information for the programmer's use is a great idea. Of course, the technique requires a successful initial compilation. I wanted to investigate an include-file clash between OS/2 and an application I was testing, but—catch-22—the compilation failed, so I couldn't use Browse to find out why. Once you get rolling on a project, though, Browse quickly becomes indispensable.

A more powerful optimizer works on entire functions. The new 16-bit-based pointer behaves like a far (32-bit) pointer, by relying on an implied base segment. New optimizations include register allocation based on an analysis of entire functions and the ability to pass pa-

rameters in the registers.

CodeView's data inspector has improved, and you can now run the DOS version of the debugger in extended memory on an 80286 or 80386. Extensive on-line help pops up from within every tool.

No other programming system so comprehensively attacks all the Microsoft environments. Professionals who target those environments will doubtless come to rely on Microsoft C 6.0. Make no mistake, though, it's a world of its own. A great place to live, perhaps, but a difficult one to visit.

—Jon Udell

A Slightly Different Laser Printer

When is a laser printer not a laser printer? When it's a new low-price compact LED printer from Okidata. The new OkiLaser 400 is very similar to a standard laser printer except that it's smaller and less expensive. And one other thing: It doesn't happen to use a laser.

How does it print? The OkiLaser is the latest of a small group of page printers that use a simple linear array of LEDs rather than a laser to produce a print image. The advantage of the LED is that it allows the printer manufacturer to use a much more simple and reliable design.

In a standard laser printer, a complex system of lenses and moving mirrors causes a laser beam to scan across a rotating light-sensitive drum located inside the printer. In fact, the laser beam must scan the length of the drum hun-

continued

THE FACTS

Microsoft C 6.0
\$495

Requirements:
IBM PC or compatible running DOS 3.0 or OS/2 1.1 or higher with at least 512K bytes of RAM and a hard disk drive with 8 megabytes of free space. Microsoft

recommends at least an 8-MHz 80286 with 1 megabyte of RAM or 4 megabytes for OS/2.

Microsoft Corp.
16011 Northeast 36th Way
P.O. Box 97017
Redmond, WA 98073
(206) 882-8080
Inquiry 989.

dreds of times per second.

In an LED printer, the array is approximately 8½ inches long, and it consists of two rows of 1270 LEDs that are offset with each other, yielding a total of 2540 pixels at a density of 300 dots per inch. The LED array remains slower than what I expected. In graphics, it was a little faster.

One of the advantages of this printer is its assortment of extra fonts. A total of 21 fonts are resident, including a 14-point Helvetica and a set of 10-point Roman faces. Four of the fonts are in landscape mode. The printer is compatible with LaserJet downloadable fonts and with



THE FACTS

OkiLaser 400
\$1395

Requirements:
Personal computer with
parallel or serial interface.

Okidata
532 Fellowship Rd.
Mount Laurel, NJ 08054
(609) 235-2600
Inquiry 990.

Hewlett-Packard-compatible software.

As in a few other printers, the OkiLaser's toner and print drum are separate units, so you can replace toner without having to replace the expensive drum. However, I found that installation of the drum and the toner can be a bit tricky.

If you want laser-quality output without going into major debt and without giving up the air rights over your desk, the OkiLaser 400 may be an excellent choice. The LaserJet IIP will give it strong competition—and rightly so. But the OkiLaser uses much more interesting technology.

—Rich Malloy


Data Acquisition as Easy as a Mac

Data acquisition is never a pretty sight. There are wires to run, connections to make, and sensors to calibrate. Then there has to be a way to store and examine all the data these sensors serve up. A microcomputer is a cost-effective means of serving as both a data acquisition and data storage device—as long as you can figure out how to use the software. GW Instruments, maker of MacAdios data acquisition boards for the Macintosh, realized that simply buying the board wasn't enough: You had to be able to use it. Ideally, you want a program that converses with the boards, displays the captured data in a meaningful form, and then saves the data.

The result of GW Instruments' work is **SuperScope**, a Mac application that presents analog or digital measurements from their data acquisition boards as waveforms on a "virtual" oscilloscope front panel, with options to save this data to disk. Since scientists and engineers often work with an oscilloscope, they will be able to make use of SuperScope's capabilities immediately.

SuperScope can display up to eight oscilloscope-type windows, with each window showing up to eight waveforms. Each waveform is

labeled with a unique name and is color-coded for easy identification. Waveforms can be plotted versus time, frequency, or other signals.



THE FACTS

SuperScope
\$990

Requirements:
Mac Plus, SE, or II family
with 1 megabyte of RAM,
running System 4.2 or
higher.

GW Instruments
35 Medford St.
Somerville, MA 02143
(617) 625-4096
Inquiry 991.

Like many Mac applications, SuperScope makes extensive use of the computer's cut, copy, and paste capabilities. You can select a portion of the waveform in the oscilloscope window by clicking and dragging, and then cut or copy the highlighted area to the Clipboard. Menu selections under the Wave menu let you select a signal by name and copy it to the Clipboard, either as a graphic or as a list of text data points.

You can also direct measurements to journal files, which save the captured data as text in formats for export to either spreadsheets or word processors.

SuperScope uses a modular approach to software design, so you can control peripheral devices from within it. Extensive documentation, software libraries, and source code are available for writing your own custom processing modules. GW Instruments supplies modules for pulse analysis, delay processing, and data transfer to and from disk. Modules to control GW's time-stamping board, IEEE-488 boards, and GW's function generator are

continued



Embedded systems designers have already used CrossCode C in over 577 different applications.

CrossCode C comes with four powerful tools to help you program your 68000-based ROMable applications

From C source to final object, each tool takes you one step closer to your finished ROMable design

CrossCode C is designed specifically to help you write ROMable code for all members of the Motorola 68000 family. Four powerful tools take you from C source to object code:

1. **COMPILER:** To get truly ROMable code, you have to start with a truly ROMable compiler. Here are three CrossCode C features that you won't find in any ordinary C compiler:
 - Compiler output code is split into five independent memory sections that you can assign into ROM or RAM as you please.
 - You can optimize the code for your application because *you* control the sizes of data types. For example, you can optimize for speed by using two byte *ints*, or get maximum versatility by using four byte *ints*.
 - You can easily write assembly language routines that call C functions and vice versa, because the compiler uses simple, well documented parameter passing conventions.

2. **ASSEMBLER:** CrossCode C comes with a Motorola-style assembler that has all the features that assembly programmers require. In fact,

you could write your whole application with it:

- The assembler features an advanced macro language, conditional assembly, "include" files, and an unlimited size symbol table.
 - Detailed cross references show you where you've defined and referenced your symbols.
 - After a link, you can actually convert your "relocatable" assembler listings into "absolute" listings that contain absolute addresses and fully linked object code.
3. **LINKER:** The CrossCode C linker is designed to handle truly huge loads. There are no limits on the number of symbols in your load or on the size of your output file. And you can always count on full 32 bit target addressability, because the linker operates comfortably in the highest ranges of the 68030's address space.

4. **DOWNLOADER:** CrossCode C comes with a *downloader* that puts you in touch with all EPROM programmers and emulators. It can convert your load into Motorola S-Records, Intel Hex, Tek Hex, Extended Tek Hex, and Data I/O ASCII

Hex. You can also produce a binary image and convert that image into any format you might want. In all formats, bytes can be split into EPROMs for an 8, 16, or 32 bit data bus.

Why Wait

Once you start using CrossCode C, you may just wonder how you ever got the job done before! It's available under MS-DOS for just \$1595, and it runs on all IBM PCs and compatibles (640K memory and hard disk are required). Also available under UNIX, XENIX, and VMS.

CALL TODAY for more information:

1-800-448-7733
(ask for extension 2002)

Outside the United States, please dial

PHONE: **1-708-971-8170**
FAX: **1-708-971-8513**

SOFTWARE DEVELOPMENT SYSTEMS, INC.
DEPARTMENT 22
4248 BELLE AIRE LANE
DOWNERS GROVE, ILLINOIS 60515 USA

CrossCode™ is a trademark of SOFTWARE DEVELOPMENT SYSTEMS, INC. MS-DOS® is a registered trademark of Microsoft. UNIX® is a registered trademark of AT&T. XENIX® is a registered trademark of Microsoft.

also part of the package.

I tried a beta version of SuperScope (version 1.0bl) on a Mac II equipped with a SuperMac 19-inch monitor, 5 megabytes of RAM, and a Rodime Cobra 210e hard disk drive. It was running System 6.0.3 software. To handle data measurements, GW Instruments provided its MacAdios II/16 data acquisition board, MacAdios-fg function generator, and MacAdios ABO analog breakout box.

Due to a mailing glitch, I didn't receive a SuperScope manual. However, I found that I could do without it. By simply pointing and clicking, I was able to set up a display, save its configuration, and make measurements without the manual. In order to make a new display, you just click on an arrowhead on the scope window. To add a new data channel, you just have to press one key. And deciding what signals will appear on the display is simply a matter of dragging names about inside a dialog box. It was also easy to build a new display and plot one signal against another to get a Lissajous figure in the second window. When I wanted to change the MacAdios-fg function generator's output, I just had to select from the menu and dialog box.

If you're familiar with the way an oscilloscope operates, SuperScope should also be familiar to you, and you probably won't need to refer to SuperScope's manual, except for the finer points of operation. SuperScope goes a long way toward making the lab worker's life easier when handling the storage and display details involved with data acquisition.

The combination of GW Instruments' MacAdios data acquisition boards and its SuperScope software now makes the Macintosh a powerful tool for laboratory and research work. Now, if someone would only develop tools to make the wiring easier....

—Tom Thompson

PC-File Grows Up

What began as a simple flat-file database originally sold as shareware is now ready to take on other dBASE compatibles. **PC-File 5.0** is larger and a little easier to use than previous versions.

I've used PC-File+ to build a database of all products and companies mentioned in What's New over the last five years. It started as a simple method of fact-checking and has blossomed into a valuable resource of information contained in about 3000 records. And as any database gets larger and more complex, its uses grow, and the need for a sophisticated yet simple method of managing the information becomes crucial.

I now need to import and export files from other databases over a network, and I was afraid I'd chosen the wrong product for the job. But along came PC-File 5.0.

In order to import my old PC-File records, I learned, through a kind of klutzy process, that I couldn't just import the original records. I first created an empty database structure with fields that matched the original, and then I went back to the original and converted the old records to dBASE format before importing them. Once I figured it out, the process went quickly. But it wasn't intuitive, nor was it explained clearly enough in the manual.

Once the records were imported, I was able to produce reports faster and more easily than with PC-File+.

This may be because the free-form report interface is easier to use than in version 5.0. Searches were also amazingly fast, as long as I searched on the indexed field. And wild-card searches are supported, which made it fast and simple to produce a lengthy report. To index, you

choose the field or fields you want indexed (up to nine) when you define the database. Searching through almost 3000 records on an unindexed field was so slow that I decided I'll never do that again.

Just a few of the new features added to version 5.0 include a maximum of up to 128 fields per database (up from 70), mouse support, auto-dialing, and a new Drop to DOS feature. This last feature is handy if you have to free up as much as 500K bytes of RAM to run another application. Another addition is a Global find, which looks in all fields at once. The user interface appears much the same as in earlier versions, but it is refined somewhat and easier to use. One vast improvement is the ability to perform an add right after a find, when in the past you had to drop back to the main menu and start all over from the beginning. Also added is the ability to output graphics to PostScript-compatible devices.

PC-File also lets you produce a variety of charts and graphs, including vertical bar charts, line graphs, scatter charts, and pie charts. Graphs can be fairly complex, and they can show moving averages, or you can include grids.

The manual is well written, and it's organized with simple installation instructions, a tutorial, and fairly straightforward explanations of the database's functions. However, I would have been happier if it were clearer on how to import data from earlier versions of the program.

When it comes to function, version 5.0 is no longer in the shareware league. It has stepped out to take its place among the leaders of the flat-file database pack. And its price is about \$200 less than some of its leading competitors in the market. ■

—Anne Fischer Lent



THE FACTS

PC-File 5.0
\$129.95

Requirements:
IBM PC or compatible
with 1 megabyte available
on the hard disk drive, at

least 512K bytes of RAM,
and DOS 2.0 or higher.

ButtonWare, Inc.
P.O. Box 96058
Bellevue, WA 98009
(206) 454-0479
Inquiry 992.

Extended-DOS

640K DOS



Go Beyond 640K DOS.

Build multi-megabyte programs with Phar Lap's 386|DOS-Extender.™

If the DOS 640K limit is driving you nuts, get all the memory you want with 386|DOS-Extender from Phar Lap.®

Large-scale benefits. By turning DOS into a true 32-bit operating system, 386|DOS-Extender shatters the 640K barrier. It lets you create protected mode applications that use all the memory in the machine – up to 4 gigabytes. You work within a flat, 32-bit address space. No more suffering with overlays, bank-switched EMS, or segmentation.

With full 32-bit memory and power, you can finally build workstation-class applications for the PC. Your Extended-DOS programs will run considerably faster, have room for more features, and be more responsive than those in 16-bit DOS.

And if that's not enough, add Phar Lap's 386|VMM™ virtual memory manager. With true demand-paging, 386|VMM enables your application to grow bigger than available RAM. Both code and data are automatically swapped to disk as needed.

Total compatibility. Because 386|DOS-Extender is embedded into your program, it is invisible to the end-user. Your program looks exactly like any other DOS application. There's no new operating environment for your end-users to buy or learn.

Every 80386 PC that can run MS-DOS or PC-DOS can run 386|DOS-Extender. It is completely compatible with all DOS-based software, including TSRs and network managers.

386|DOS-Extender is backed by a full complement of 32-bit languages. Choose your favorite from among C, Fortran, Pascal, Ada, Assembler, and others. And with

Phar Lap, you'll be using the finest, most widely used 386 software development tools in the world.

Proven success. AutoCAD 386, IBM Interleaf Publisher, and Paradox 386 are just a few of the hundreds of Extended-DOS applications already being shipped with 386|DOS-Extender. Utilizing this exciting new technology, industry leaders are keeping their competitive edge by delivering the speed and power that 386 users have been waiting for.

So if DOS is looking smaller than ever, call Phar Lap today.


And see what it's like beyond 640K.
Phar Lap 386|DOS-Extender.
We open a world of memory.



Phar Lap Software, Inc.
60 Aberdeen Avenue
Cambridge, MA 02138
617-661-1510
FAX 617-876-2972

Trademark holders: 386|DOS-Extender™ and 386|VMM™ – Phar Lap Software, Inc.; Interleaf Publisher™ – Interleaf, Inc.; Paradox™ – Borland International. Registered trademark holders: Phar Lap® – Phar Lap Software, Inc.; Ada® – U.S. Dept. of Defense; MS-DOS® – Microsoft Corp.; AutoCAD® – Autodesk, Inc.; IBM® – IBM Corporation. © 1989 Phar Lap Software, Inc.

Circle 221 on Reader Service Card



TOSHIBA

TOUCHSCREEN



We've pulled the plug on 386SX technology.

The top of a desk is no longer the only place 386-based computing gets done. That's because we've come up with a battery-powered alternative that works anywhere.

It's known simply as the T3100SX.

First of all, we gave it a powerful 386SX processor. So it can handle multitasking operating environments like Windows 386 and OS/2 with ease.

Next, we devised an ingenious display system unlike anything you've ever seen on a battery-powered portable. It combines both VGA and gas plasma technology, boasts a 100:1 contrast ratio and can support both an internal display and an external monitor simultaneously.

Finally, we gave it a 40MB hard disk, a 1.44MB 3.5" floppy disk drive and 1 megabyte of RAM, which you can expand


The T3100SX's slim case is only 3.15 inches thick and weighs just 14.9 pounds including its two standard batteries.

up to 13MB. All in an easy-to-carry, 14.9-pound package that goes wherever your work is.



So now you can put the latest 386 computing power to work for you, even if there isn't a plug anywhere in sight.

The Toshiba T3100SX. Take it. See how far you can go.

T3100SX: 14.9 pounds, 16MHz 386SX with 80387SX math coprocessor socket; 40MB hard disk with 25msec access, two removable, rechargeable batteries; three dedicated Toshiba memory slots, one dedicated Toshiba modem slot, one Toshiba general purpose slot; 1MB RAM expandable to 13MB, gas plasma VGA display with 16 gray scales and 100:1 contrast ratio; 1.44MB 3 1/2" diskette drive. For more information call 1-800-457-7777.



Since the T3100SX is battery operated, you can utilize powerful 386 applications anywhere you choose.



The ergonomically-designed 86-key keyboard features eight dedicated cursor control keys, 12 function keys and a numeric keypad.

In Touch with Tomorrow
TOSHIBA

Toshiba America Information Systems Inc., Computer Systems Division

Circle 287 on Reader Service Card

Compaq's Reason to Believe in EISA

Tom Yager

The 80386 is riding high; there's no doubt about that. We are faced with so many choices now that each new entry in the endless parade of systems only serves to confuse us more. With all the sameness out there, something had to come along to shatter the mold, to bring us to the start of a new era.

If you believe Compaq and other vendors who support the Extended Industry

Standard Architecture (EISA) bus, the reign of the ISA (Industry Standard Architecture, or 16-bit "AT bus") is all but over. From what I've seen of Compaq's Systempro, ISA should be deep-sixed by people who expect their total system performance to match the capabilities of their CPU.

The Source of the Power

The Compaq Systempro is housed in a

large, impressive tower case, driving home the point that Compaq does not expect this system, with its \$16,000 base price, to wind up on your desk. The company is targeting this machine as a network file server and high-end Unix system.

To understand why the Systempro is particularly well-suited to these tasks, you need to dig down to its roots. The soul of this new machine is its bus, actu-



■

EISA brings superb performance to the Compaq Systempro network file server and Unix powerhouse

■

ally buses. The first of these, which Compaq has dubbed Flex/MP (the MP stands for multiprocessing), makes it possible to install multiple CPUs in the Systempro and have them share a fast path to memory. The peripheral bus is the much-ballyhooed EISA. This opens the door to vastly improved performance for high-speed I/O controllers for devices such as networks and hard disk drives. As if to illustrate the capabilities of these buses, Compaq has introduced its own coprocessor board for the Systempro that lives on the Flex/MP bus. The strength of EISA is well demonstrated by Compaq's Intelligent Drive Array (IDA) hard disk drive controller.

The makeup of the CPU portion of the Systempro (with a single processor) is familiar: a 33-MHz 80386 processor with 64K bytes of cache memory, and sockets for Weitek 3167 and Intel 80387 numeric coprocessors. Beyond this, there's nothing typical about the Systempro. As mentioned above, the Flex/MP's claim to fame is its capacity to support multiple processors. Compaq presently offers a second 33-MHz 80386, with a promise to provide the i486 when it becomes available in quantity.

Shifting to Second Gear

Compaq's performance claims for multiprocessing—"from 8 to 40 million instructions per second"—are staggering, if not a bit unbelievable. The addition of the second 80386 is reported to add up to 100 percent to performance, but this optimistic figure is based on applications that can run entirely in the cache. Since access to memory is exclusive, when both processors want to access memory at the same time, one of them has to wait. This presents the most serious impact to performance. While adding a second processor won't double your performance, you can expect an increase of 80 percent or 90 percent, *depending on your application*.

I can't stress the previous sentence

enough. Anyone who purchases this system with an expectation of cutting his or her Lotus 1-2-3 recalculation time in half will be disappointed. To work with multiprocessing, your software must be capable of *multitasking*. To wit, DOS won't even notice the second processor, and unless your version of Unix or OS/2 has been doctored, they won't see it, either. Software must be specifically aware of multiprocessing as Compaq implemented it to gain anything.

The best illustration of the Systempro's multiprocessing prowess comes from The Santa Cruz Operation, which enhanced its Unix product with software from Corollary, Inc. These patches to Unix set things up so that when a task is scheduled for processor time (which is done several times a second), it can run on either of the two processors. Further, the Unix kernel has been modified; reentrant portions are marked as safe to run on the second processor.

Still, the implementation is not perfect. Only the primary processor can handle I/O, so that any program that does a lot of it, like a network driver, is limited to running as it would in a single-processor system. The other flaw lies in Compaq's weak support of a multiprocessing OS/2. A version of LAN Manager has been built to run on the second processor, but only that program, and the handler for the High Performance File System, can run there; the rest of OS/2, along with applications, must run on the primary processor. Further, since all I/O is handled by the primary processor, only the housekeeping portions of LAN Manager (e.g., busting up incoming network packets) can be handled by the coprocessor. As a result, the increase in performance is minimal, since the load on the second processor would likely never rise high enough to take any real load off the primary one. OS/2's threads and multitasking make it an ideal target for full multiprocessing support, and perhaps we'll see that in the future.


Brains with Your Drive, Sir?

Compaq's other innovation is, again, an accessory that illustrates the strength of the Systempro's design. The new IDA controller (standard with the Systempro) brings uncommon speed and storage capacity to this machine. Equipped with an on-board 80186 CPU, this card can service up to eight hard disk drives (actually, four drive pairs). Each drive has a separate control cable, and each pair shares a data cable. Drives can be searched simultaneously with this scheme, and multiple drives not on the same data cable can be read or written to at the same time. Further, the controller makes all attached drives appear as one huge drive. In its present maximum configuration, the controller can handle up to 4.28 gigabytes of storage.

Sector striping, a concept familiar to minicomputer and mainframe users, provides the final boost for the IDA. As noted, the entire cluster of drives appears as one large drive, but the layout is not what you might expect: Instead of organizing the storage sequentially (i.e., the first 210 megabytes on drive 1, the second 210 megabytes on drive 2, and so on), striping places data on the disks such that sector 1 is on drive 1, sector 2 is on drive 2, and so on. Reading data from a large (but still less than the size of one drive), contiguous file, from beginning to end, would involve all the drives. Since the IDA is capable of reading from multiple drives simultaneously, data flies off the disks.

The controller uses bus mastering to transfer data directly from the disks to system memory, so I/O can be done asynchronously. The driver can move on to handle the next I/O request without waiting for the previous one to finish. Compaq has developed drivers for DOS, OS/2, Unix, and Novell's NetWare 386, and you can expect others. Another benefit of asynchronous I/O is that, as additional tasks (i.e., users or processes) are

continued



Highlights of the Compaq Systempro as evaluated.

added, the performance curve stays relatively flat. The IDA excels at juggling mountains of requests, so five users doing heavy disk I/O can expect nearly the same performance.

Striping creates one problem that is at least as large as the one it solves: What happens if a drive dies? That would leave holes throughout the file system, so a single drive failure would be immediately fatal—nothing would run. To answer this, Compaq built two levels of fault tolerance into its IDA: mirroring and data guarding. NetWare/SFT users know all about mirroring, which is the practice of having twice as many drives as you need; half of them simply maintain mirror images of the others. When a drive fails, the mirrors kick in and no data is lost. Not everyone is willing to accept the high

cost overhead in maintaining large disk farms, so Compaq's alternative, data guarding, is attractive.

Requiring half the overhead (25 percent instead of 50 percent) of mirroring, data guarding involves setting aside one-quarter of your disk space for a combined drive image. Each time a byte is written to a drive, the byte at the same position on all other drives is read. The results are then XORed together and placed in the data guard area. When a drive fails, its data can be recovered by reversing the process: Read 1 byte from all but the failed drive, XOR them together, and you get the missing data. The IDA can be instructed to restore data to a newly replaced drive in the background, reducing downtime to the time it takes to remove and replace the damaged drive. The drive array can be used while it is being restored.

A Perfect Fit

The Systempro has seven EISA slots and four Flex/MP slots. Six of the EISA slots are left open in the standard configuration, and two of the Flex/MP slots are left open. An Integrated Video Graphics System provides up to VGA-quality reso-

lutions; aided by an accelerator, this card is up to 50 percent faster than a typical VGA, according to Compaq. The Systempro has 11 hard disk drive slots, and the floppy disk and tape drives are angled upward slightly for easier insertion. Several third-party vendors are offering 32-bit network adapters, making it possible to push Ethernet and Token Ring networks to near their potential.

All things considered, the Systempro seems nearly a perfect fit for the market Compaq is aiming for: high-speed, high-traffic network file-serving and demanding multiuser applications. The IDA is the star of the show, with obvious advantages over even souped-up ISA controllers. The real benefits of multiprocessing will become apparent later, but Compaq has shown real courage in building the capability into its first EISA machine. For all its new technology, and for showing so plainly the strengths of the EISA bus, the Systempro deserves an award for innovation. Users of large or performance-intensive networks will agree. The Systempro is a winner. ■

Tom Yager is a BYTE technical editor. You can reach him on BIX as "tyager."


COMPANY INFORMATION

Compaq Computer Corp.
P.O. Box 692000
Houston, TX 77269
(800) 231-0900
Inquiry 1091.

We'll take your stats and make you the most valuable player in your league.



March 14, 1989



CHRIS JOHNSON Data Analyst

CAREER HIGHLIGHTS:

1983
Proposed remap of sales territories based on SPSS analysis of economic and consumer trends. Increased new-customer revenues 38% in 2 years.

1985
Used SPSS data entry/tabulation system to administer employee benefits more efficiently. Eliminated outside costs of more than \$75,000.

1986
Identified current customers likely to need added services, increasing average billings by more than 20%.

1988
Rewarded with special corporate recognition and bonus.

Another Story in the SPSS SUCCESS SERIES

Data analysis software from SPSS gives your PC a winning advantage.

It doesn't matter which field you play hardball in. With the right combination of equipment and ability, you can be a hero.

You get that ability with SPSS. Whether your equipment runs on MS-DOS™ or PC-DOS™, OS/2™ or a Macintosh™. So you turn raw data into useful facts. And yourself into a smarter decision maker.

With SPSS and its options, you can interface directly with data from your database, spreadsheet or other

application software. Then manipulate it in countless ways. From data entry to advanced statistics, forecasting, presentation and more.

Voted #1 by the fans.

When the readers of *PC Week* chose the top statistical software for "user satisfaction" (12/5/88), their choice was SPSS. And no wonder.

SPSS is designed not only for your computer's operating system, but also for its operator. With menu and help systems, plus an on-line statistical glossary. So you're always in control. For market research, sales analysis, quality control and more.

And you can always count on the training, support, and ongoing upgrades of SPSS. The team that's come through 40 or over 1 million users since 1968.

Find out how SPSS can make you first in your micro league, by calling

(312) 329-3315.

We'll give you the numbers to really stand out in your field.

SPSS inc.

Best in the final analysis.

444 North Michigan Avenue, Chicago, Illinois 60611
SPSS International BV: Avelingen West 80,
P.O. Box 115, 4200 AC Gorinchem,
The Netherlands

SPSS is a registered trademark of SPSS Inc. PC-DOS and OS/2 are trademarks of International Business Machines Corporation. MS-DOS is a trademark of Microsoft Corporation. Macintosh is a registered trademark of Apple Computer, Inc. Not all options are available on all operating systems.

Circle 267 on Reader Service Card



As prices fall and color applications take over, VGA now belongs on almost any PC

Stanford Diehl
and Howard Eglowstein

In these heady days of dazzling color applications and graphical user interfaces, VGA seems irresistible. At the very least, it deserves software's highest rating: not required, but *strongly recommended*. With street prices falling within the realm of the strictest budgets, the question is no longer "Why do you need graphics?" but "Why not?" Aesthetic considerations aside, graphics has now become an issue of productivity.

Only a few short years ago, the first color graphics standard, CGA, was released for the IBM PC. CGA could support a maximum resolution of 640 by 200 pixels in monochrome or 320 by 200 pixels with four colors. We've come a long way since then. Every major display manufacturer now uses VGA as its standard color display adapter. Most of these boards are functionally the same, but the monitors can vary widely in quality and price.

The VGA monitor that you choose for your machine will depend on your applications, your budget, and your future expansion plans. It stands to reason that the more you spend on a monitor, the better the image you'll get. A good display for a graphics application should have bright, vivid colors, while the ideal word processing display should have clear, easy-to-read characters. Another factor to

consider is your plans for the future. Are you planning to use this monitor with the emerging, higher-resolution display boards? Monitors with multiple video synchronization rates can handle well beyond VGA's maximum of 640 by 480 (columns by rows) pixels. Inexpensive monitors may work well with the VGA card you buy today but might not handle the new card that you buy next year.

The BYTE Lab staff evaluated 26 color monitors, all priced between \$399 and \$750 and sold specifically for VGA-compatible display cards. (Budget-minded buyers, take note: VGA-compatible monochrome displays cost substantially less than their color cousins, and by substituting gray levels for color, they let you run all your favorite VGA software.)

Color Basics

A video monitor uses a beam of electrons to "paint" the image onto a vast array of red, green, and blue phosphor dots. Starting from the upper left, the beam scans across to the right, turning the dots on and off as required. When the beam reaches the edge, it zips back to the left, goes down one line, and repeats the process over and over, until the entire screen has been zapped. This process takes place 60 or 70 times per second on a VGA monitor. It's the VGA display card's responsibility to direct the beam, but the overall display quality depends largely on the precision of the display electronics and the size of the phosphor dots.

At the maximum VGA resolution, the beam aims for 640 discrete points across the screen. If a monitor has fewer than 640 groups of RGB dots, a pixel will span more than one physical group, giving a grainy appearance. Generally, the closer together the phosphor dots are, the better the display. Distance between the RGB dots is the *dot pitch*, usually given in millimeters.

Misconvergence is typically the reason why some monitors have difficulty displaying white text. To display white, the

electron beam has to hit the red, green, and blue phosphor dots that correspond to a pixel. Ideally, the beam will hit all three dots in a group without hitting any in adjacent groups. When the beam hits the three intended RGB dots, the group looks white. A common problem is that the beam will also touch on one color of the RGB dot group next door. The resulting image will have a slight shadowed appearance, as if there's a colored halo to one side. The convergence of a monitor will probably change as the monitor gets older.

Unless there's a serious problem with the display tube, misconvergence can often be corrected by a qualified technician. You should not try it yourself—there are some pretty scary voltages in a color monitor. Some monitors have a "text" mode that displays the text with one or two phosphor colors, minimizing the effects of misconvergence.

VGA cards generate video at frequencies of up to 34 MHz. The more dots the card has to address, the higher this frequency will be. A 34-MHz *bandwidth* is sufficient for the VGA's maximum (640-by-480-pixel) resolution. However, all VGA-compatible monitors can change their scan rates as needed. CGA display modes require about half the bandwidth of a VGA screen. While all the monitors we tested can handle the lower scan rates, none of them are intended to scan any faster. Should you later decide to buy a fancier display card, you might have to buy a new monitor. As an alternative, consider spending a bit more for one of the many *multiscanning* monitors. These will adapt to faster display cards, possibly saving you hundreds of dollars in the long run. For most of us, though, any of the monitors in this test are a good balance between price and features.

Fingertip Control

Most people, when buying their first color monitor, will use a TV set as their

continued



LOW-COST VGA MONITORS

When selecting a VGA monitor, you should consider several features, the most revealing of which is the dot pitch specification. Most VGA monitors support 640- by 480-pixel graphics resolution and use 720 by 400 pixels for text. The Princeton PSC-28 goes a step further, delivering 770- by 570-pixel resolution for Super VGA boards. (●=yes, ○=no.)

Model	Price	Size (inches)	Diagonal size (inches)	Maximum resolution	Dot pitch (mm)	Bandwidth (MHz)	V. scan freq. ¹	Weight (lbs.)
Acer 7013A	\$510	14.2 × 14.6 × 13.6	14	640 × 480	0.31	30	50-70 Hz	28.6
Amstrad PC14 CD	\$399	14.6 × 13 × 14.8	14	640 × 480	0.42	28	60-70 Hz	26.9
Amstrad PC14 HRCD	\$639	14.6 × 13 × 14.8	14	640 × 480	0.29	28	60-70 Hz	26.9
AST ASTCVGA	\$695	14.1 × 12.2 × 14.2	14	640 × 480	0.31	30	60-70 Hz	31
CTX CVG-5432	\$579	14.8 × 14.4 × 14.2	14	640 × 480	0.29	30	60-70 Hz	26.4
Epson A804031	\$599	14.4 × 15.5 × 12.8	14	640 × 480	0.31	28.5	60-70 Hz	26.5
IBM 8512	\$623	14.6 × 15.5 × 14	14	640 × 480	0.41	31.5	60-70 Hz	35
IBM 8513	\$750	12.3 × 14.5 × 12.6	12	640 × 480	0.28	31.5	60-70 Hz	23
Imtec 1430V	\$399	14 × 13.8 × 15.2	14	640 × 480	0.31	30	60-70 Hz	25.3
Laser 6448	\$499	14 × 13.2 × 16.3	14	640 × 480	0.31	30	50-70 Hz	33
Magnavox CM9032	\$499	12.8 × 14 × 16	14	640 × 480	0.42	18	60-70 Hz	25.7
Magnavox Pro 9CM082	\$649	12.8 × 14 × 16	14	640 × 480	0.31	18	60-70 Hz	25.7
Mitsuba 710V	\$495	13.7 × 14.1 × 14.6	14	640 × 480	0.31	20	60-70 Hz	37
Mitsubishi XC1429CH	\$658	12.3 × 13.9 × 15.4	14	640 × 480	0.28	30	60-70 Hz	26
Packard Bell PB8531VG	\$699	12.75 × 14 × 15.75	14	640 × 480	0.31	28	50-70 Hz	25.3
Packard Bell PB8552VG	\$469	12.75 × 14 × 15.75	14	640 × 480	0.52	28	60-70 Hz	25.3
Princeton PSC-28	\$695	2.6 × 12.3 × 14.3	13	770 × 570	0.28	30	50-70 HZ	27
Quimax DM-3114	\$699	13 × 12.7 × 13.4	14	640 × 480	0.31	30	50-70 Hz	30
Relisys RE9513	\$699	14.3 × 14.2 × 14.8	14	640 × 480	0.31	35	50-70 Hz	31
Samsung CJ4681	\$699	14.5 × 14.1 × 15.1	14	640 × 480	0.31	30	60-70 Hz	26.46
Tandy VGM 200	\$499	12.2 × 14.5 × 14	14	640 × 480	0.42	28	60-70 Hz	29.2
Tandy VGM 300	\$629	12.2 × 14.5 × 15	14	640 × 480	0.31	28	60-70 Hz	29.2
Tatung CM-1296	\$625	12.7 × 11.2 × 12.4	12	640 × 480	0.28	30	50-70 Hz	23.1
Tatung CM-1496	\$685	14.3 × 12.4 × 15.8	14	640 × 480	0.31	30	50-70 Hz	27.5
Wyse WY650	\$669	12.6 × 12.6 × 14.5	12	640 × 480	0.28	25	50-70 Hz	23.3
Zenith ZCM-1390	\$699	12.98 × 14.2 × 14.97	13	640 × 480	0.31	25	60-70 Hz	29

¹Horizontal scan frequency on all monitors is the VGA standard of 31.5kHz

²This monitor has separate sync controls for each of the VGA display modes

reference. On a VGA display monitor, expect to find both brightness and contrast controls. These have the same function as the equivalents on your TV. Missing will be the hue (tint) and saturation (color) controls—since the video is sent to the monitor as separate RGB signals, these controls, which alter the way in which a TV interprets color, are not necessary.

Most of the 26 reviewed monitors have what's known as "VSYNC" controls that allow you to tweak the vertical sync to match your VGA card. One feature that we were surprised to find on some models was multiple VSYNC controls. Because a VGA display has to synchronize differently at CGA, EGA, and VGA video rates, it makes sense that each of the three vertical sync rates can be adjusted separately. It's not a really useful feature, but it could come in handy in

adjusting your monitor for some VGA cards. The Imtec 1430V, Packard Bell PB8531VG and PB8552VG, Samsung CJ4681, and Tandy VGM 200 and VGM 300 all include multiple VSYNC controls.

Horizontal and vertical size controls let you adjust the width and height of your display. These adjustments give you greater control over the displayed image. Of the two, the vertical size control is the more useful. The Acer 7013A, CTX CVG-5432, Epson A804031, Mitsubishi XC1429CH, and Relisys RE9513 offer only vertical size control. Keep in mind, though, that width and height must also remain in a proper relationship, or *aspect ratio*. Otherwise, your image will appear distorted, and a circle may appear to be an oval. You may have trouble maintaining aspect ratio if you adjust the height of your image without also adjusting its

width. The Magnavox and Zenith monitors deliver both vertical and horizontal sizing controls.

The positioning controls, on the other hand, move the entire display image around on the screen. In this way, you can center the image properly. The AST ASTCVGA, CTX CVG-5432, Magnavox CM9032 and Pro 9CM082, Mitsuba 710V, and Zenith ZCM-1390 provide both horizontal and vertical positioning controls. The full complement of adjustment knobs for the Magnavox monitors are tucked away under a folding cover at the front of the unit. Zenith placed all the knobs (except those for brightness and contrast) at the rear of the unit, and you need a screwdriver to get at them. If you demand precise alignment of the display image and easy access to the control knobs, only the Magnavox models can deliver.

of the display tube. The manufacturer etches a textured surface onto the glass or coats the glass with a special material. Monitors that have it are easier to read in bad lighting but might have a slightly fuzzy appearance. Most of the monitors in this review come with a nonglare coating. Should you opt for a monitor without some nonglare treatment, you can buy nonglare filters to retrofit most monitors.

Two last issues to consider: availability and warranty. Where can you buy the monitor? There's always mail-order companies, which often have the best prices, but then you run the usual risks of mail-order purchases. Certain monitors are available only from dealers. If you decide to buy a Tandy or IBM monitor, you'll have to walk into a dealer. And while you may pay a higher price, it's far easier to get service on the equipment that you buy from dealers.

A Fine Line Between Good and Bad

We submitted each of the monitors to the unerring eye of the Microvision Superspot testing system, a computer-controlled device that measures the light intensity coming from a small area of the monitor surface. The Superspot software displays red, green, and blue lines in turn and measures the width, intensity, and alignment of each.

The Superspot uses a sensor made up of 2048 CCD (charge-coupled-device) elements set in a single line. The software samples each of the elements and integrates the average light reading from each element over a short period of time. The small size of the elements (0.0005 inch) makes it possible to get a very accurate measure of a screen dot's shape and size. Width calculations are based on light intensity in a given area. Variance measurements (jitter, swim, and drift) are based on a dot's motion over longer periods.

For the best results, we adjusted each of the monitors to the same overall brightness. The setting that we were most concerned with was the "black level," which is the light intensity of the unlit black areas of the screen. On most monitors, this level will range from completely black to a fairly light shade of gray. We set our standard monitor, an IBM 8513, so that the black level was just barely visible in a darkened room. On subsequent monitors, a light meter ensured that each monitor displayed the same black level.

We got back a dizzying amount of information. The line width is calculated by measuring the intensity on both

continued

Base/screen			Controls in addition to brightness and contrast							Warranty (years)
Tilt/ swivel	Nonglare	Polished	H. position	V. position	H. size	V. size	V. sync	Text mode		
●	●	○	●	○	○	●	○	○	1	
●	○	●	○	○	○	○	○	○	1	
●	●	○	○	○	○	○	○	○	1	
●	●	○	●	●	○	○	○	○	1	
●	●	○	●	●	○	●	○	○	2	
●	●	○	○	○	○	●	○	○	1	
○	●	○	○	○	○	○	○	○	1	
●	●	○	○	○	○	○	○	○	1	
●	●	○	○	○	○	○	○	○	1	
○	○	●	●	●	●	●	○	○	1	
○	○	●	●	●	●	●	○	○	2	
●	○	●	●	●	○	○	○	○	1	
○	●	○	○	●	●	●	●	○	1	
●	●	○	○	○	○	○	○	○	2	
●	●	○	○	○	○	○	○	○	1	
●	●	○	○	○	○	○	○	○	1	
●	●	○	○	○	○	○	○	○	1	
●	●	○	○	○	○	○	○	○	1	
●	●	○	○	○	○	○	○	○	1	
○	●	○	○	○	○	○	○	○	1	
○	●	○	○	○	○	○	○	○	1	
●	●	○	●	○	○	○	○	○	1	
●	●	○	●	○	○	○	○	○	1	
●	●	○	○	○	○	○	○	○	1	
○	●	○	●	●	●	●	○	○	1	

It's good to see that vendors have finally discovered what a pain it is to reach around to the back of a monitor to get to its controls. The important controls on all these models are conveniently placed on the side or on the front of the monitor. Along similar ergonomic lines, two of the units (the Mitsuba 710V and Quimax DM-3114) use slider controls instead of round knobs. The slider controls are much harder to set precisely. If you intend to set your brightness and contrast controls once and leave them alone, it shouldn't be a big deal, but if you require the kind of precise control that we did, slave-driven by the slightest deflection of a light meter, slider controls can get downright infuriating.

The VGA Connection

All the test monitors had standard VGA cabling with 15-pin analog connectors.

Cable length varies, but most units had cables about 3 feet long. This should be fine for desktop installations, but people with tower CPUs might need a cable extension. We ran into that problem during the test and wound up making our own extension out of a 6-foot length of shielded cable.

On the aesthetic side, consider the monitor mount and antiglare coating. A good, adjustable base might be just the ticket to raise the monitor up and help you avoid neck strain. The best of the adjustable bases let you rotate the display from side to side and tilt it up and down. Others provide only a tilt function. Most of the monitors we tested came with a tilt/swivel base (see the table). For the other monitors, you can buy stands from most computer retailers.

If you think glare might be a problem, look for a nonglare coating on the surface




Figure 1: (a) Line width measurements reveal a monitor's basic resolution. The Mitsubishi XC1429CH excelled. All monitors are indexed to the BYTE Lab Model 80 monitor, an IBM 8513. (b) A monitor with perfect convergence would register no displacement between a red line, a blue line, and a green line. Poor convergence places color fringes around white areas of the screen. The Quimax DM-3114 and the AST ASTCVGA posted outstanding convergence. The index is based on the IBM 8513.

sides of a single pixel-width line. Any region whose brightness is more than 50 percent of the maximum is considered to be part of the line. The actual line width should be exactly 1/640 of the viewable display width. Theoretically, this measurement reveals the performance of a monitor at its most basic level. A broad line width would indicate poor resolution, showing up as the grainy appearance mentioned earlier. In general, the smaller the line width, the better. However, we indexed our results against the BYTE Lab's IBM 8513 monitor to provide a consistent frame of reference. So, when you study figures 1, 2, and 3, remember that, in all cases, a longer bar indicates superior performance.

Our convergence tests measure the accuracy with which the monitor lines up the individual red, green, and blue phosphors that make up one dot, or pixel. The Superspot displays separate red, green, and blue lines and expects them to be as close as possible. A big misconvergence measurement suggests that certain images could be subject to a fair amount of ghosting or colored halos.

An image that appears steady on the screen is really being updated 60 or 70 times per second. The variance measurement indicates how accurately the monitor can display an image in the same place with each successive update. Small, rapid movements of the image are termed *jitter*. Larger, slower

image motion is called *swimming* and often appears as a wavy motion, sweeping down the length of the display. The last motion-related measurement is *drift*, which is an indication of how stable the picture is over time. A poor variance index suggests that the image is likely to move subtly across the screen, often imperceptibly. As the monitor warms up, the image may shift slightly to one side. These effects can contribute to discomforts such as eyestrain and headaches, among others.

In a well-designed monitor, the line width will remain fairly constant as the intensity increases. If the line width expands, the image will *bloom*, resulting in poor resolution at higher intensities. We

continued

VIDEO SEVEN™

Seven great reasons to own the newest high-resolution Super VGA graphics card: the Video Seven VGA 1024i.

1 It's sharp. Our new graphics card dramatically improves the performance of all your applications. You can choose up to 800 x 600 or 1024 x 768 resolution with 16 on-screen colors, or 256 colors at 640 x 480.* Plus, 132-column text support helps you get the most from your spreadsheet applications.

*1024 x 768 resolution is interlaced; 1024 x 768 x 1B and 640 x 480 x 256 resolution requires 512K DRAM configuration.

2 It's fast. 50% faster than standard VGA. True 16-bit technology increases the speed of all your graphics and text applications on an IBM PC/AT/XT, PS/2 Model 30 or compatible.

3 It's versatile. It works in an 8-bit or 16-bit slot. You can easily upgrade it from 256K to 512K DRAM. And it lets you get the most out of today's popular MultiSync, Multiscan and 8514 monitors, including the MultiSync 3D and Seiko CM-1430.

4 It's 100% compatible. Guaranteed to run all your VGA, EGA, CGA, MDA and Hercules software applications. It's even easy to install. 3 easy steps is all it takes.

5 It supports more software. No graphics card gives you more high-resolution drivers, including Windows/286, Windows/386, Presentation Manager, AutoCAD, AutoShade, P-CAD, VersaCAD, GEM/3, Ventura Publisher, Lotus 1-2-3, Symphony, WordPerfect, and WordStar.

6 It comes with a full 7-year warranty. We can do that because we build all our products using our own Headland Technology chip and card design capabilities to ensure they will live up to our reputation for quality and performance.


Plus, the new VGA 1024i card comes with the exclusive *Best of Seven* support package that InfoWorld rates a "heartily excellent." You'll get free disk and BIOS updates, bulletin board service, and our unlimited toll-free technical support.

7 And it's affordable. The new Video Seven VGA 1024i, a very sharp, very fast high-resolution Super VGA graphics card for only \$397 with 256K DRAM. \$497 with 512K.

So before you settle for just any VGA card, ask to see the big news in high-resolution graphics: the new VGA 1024i from Video Seven.

Distributed exclusively by
Tech Pacific Pty. Ltd.
(02) 697-7111 (03) 523-0866
(07) 371-7866

Some restrictions apply to Headland Technology's warranty and compatibility guarantee. Video Seven is a trademark of Headland Technology Inc. All other brand and product names may be trademarks of their respective companies.



VIDEO SEVEN

Best of Seven




Figure 2: (a) The variance test measures line movement at intervals of one-half second (jitter), 10 seconds (swim), and 60 seconds (drift). Monitors with a poor variance index can contribute to eyestrain and headaches. The Tatung CM-1296 displayed the most stable image, while the Imtec 1430V was stricken by the jitter bug. (b) The bloom test determines how much a spot size swells as brightness increases. As intensity increases on a monitor with a low bloom index, the pixels start to merge, effectively lowering resolution. The Tatung CM-1296 was a rose among the thorns.

took measurements at a predefined low intensity and high intensity and then noted the change in the line width. Although you should not subject your monitor to excessive intensity, blooming might also indicate design flaws.

Under the Spotlight

Perhaps the biggest problem with our Superspot system is the sheer volume of data that it pumps out. We have worked hard to boil down this data into some meaningful information. The graph indexes represent an accumulation of test results. The line width index (see figure 1a) is an average score for 16 tests.

We started by measuring the center of the screen at low intensity. To get an ac-

curate line width, we measured the horizontal and vertical widths of a single scan line and took the vector sum of those results. We then used our light meter to set the monitor to a standard high intensity and again took horizontal and vertical measurements. We repeated the entire process with the Superspot system concentrating on the upper left corner of the screen. This gave us a glimpse of line width at the best (center) and worst (corner) areas of the screen.

We also intended to make some design judgments by gauging the amount of line-width change from center to corner. With larger monitors, this change can offer some valuable insight. In the case of these monitors, however, we found the

changes not significant enough to be of clear value. Instead, we simply averaged the results of the different tests and indexed the resulting figure against the IBM 8513.

The Superspot takes such a fine snapshot of a displayed line that it sometimes interprets a coarse line as two distinct elements. This reveals a very poor spot size. Normally, the Superspot returned a raw line width result in millimeters and also performed a "curve fit" to offer a more consistent sampling of the data. If the system picked up two discrete lines, however, the curve fit was aborted. The Acer 7013A, Amstrad PC14 CD, IBM 8512, Magnavox CM9032, both Packard

continued

The New Hercules Graphics Station Card

Introducing the Hercules Graphics Station Card. With more features than any card in its class. And more power. The company that took the monotony out of monochrome now puts more zip into analog monitors.

Fast Graphics

In today's competitive business world, time is more precious than ever. But Windows applications like PageMaker, Excel, and Corel Draw can make you wait while they work. Not with the Hercules Graphics Station Card—it'll run Windows up to five times faster than a regular VGA card. At higher resolutions, too.

The secret is the on-board Texas Instruments 34010 graphics processor. It frees the CPU from the drudgery of graphics functions and screen memory control so you won't have to wait for your screen to catch up with you.

From VGA on UP

A whole megabyte of video memory lets the Hercules Graphics Station Card offer a full range of modes—from VGA up to 1024 x 768 resolution with 256 colors, and plenty in between. So it will run all your software—from general business to complex design programs. And as your software needs become even more sophisticated, you won't need to shop for a new video card.

Life-like Images

Computer images can look realistic when software can access more colors. The 16- and 24-bit color modes on the Hercules Graphics Station Card allow any standard analog monitor to display up to 16.7 million colors for high quality photo-realistic images.

And best of all, you can have all these features for less than you'd think. Call us at 800 532-0600, ext. 190 (U.S.) or 800 323-0601, ext. 191 (Canada) for the quickest way to your Hercules dealer.

© Copyright, 1990 Hercules Computer Technology, Inc., 921 Parker Street, Berkeley, CA 94710. Hercules and Hercules Graphics Station Card are trademarks of Hercules Computer Technology, Inc. All other product names are trademarks of their respective owners.

Circle 115 on Reader Service Card



Takes the wait out of Windows!




Figure 3: The VGA index is a weighted geometric mean of the other indexes, emphasizing line width and misconvergence. Monitors are listed according to price, with inexpensive models at the top. Long bars reveal outstanding performers, so look for long bars at the top of the graph. For example, while the Laser 6448 and the Zenith ZCM-1390 have similar indexes, the Laser delivers a higher price/performance mix.

Bell models, and the Tandy VGM 200 all displayed two lines when subjected to the discerning eye of our equipment. As you can see in figure 1a, each of these monitors returned a poor line width index. Even under close scrutiny by the naked eye, a single line appears as a pair of braided lines. In this case, poor resolution is obvious.

The Mitsubishi XC1429CH turned in the optimum line width measurement, while the CTX CVG-5432, both of the Tatung models, the Wyse WY650, and the IBM 8513 were close behind. As expected, line width results were closely tied to dot pitch specifications.

Our misconvergence index graph also represents a battery of tests, in this

case. In a single pass, the Superspot registers the displacement between a red and a green line, a green and a blue line, and a blue and a red line. We then took horizontal and vertical measurements at the center and at the corner of the screen. The results can be either a negative or positive number, but the only significant information is how close to zero the numbers are. Therefore, we took the absolute value of the numbers and derived an average misconvergence. Once again, the IBM 8513 provides the base figure for the misconvergence index (see figure 1b).

The CTX CVG-5432, Princeton PSC-28, and Quimax DM-3114 boasted precise convergence on our tests. To verify

our assumptions, we examined some text applications on the monitors with high misconvergence indexes and saw the fine quality of white. If your applications call for heavy use of text, one of these monitors would be a good choice.

The Superspot's variance test runs for 2½ minutes, charting line movement at three intervals: a half-second (jitter), 10 seconds (swim), and 60 seconds (drift). Again, we took horizontal and vertical measurements at the center and the corner of the screen. An average result for each type of variance, indexed to the IBM 8513, is displayed in figure 2a. Each segment of a bar represents one type of variance, while the full bar presents the cumulative result. Generally, the monitors with low levels of jitter also displayed small amounts of swim and drift, and the monitors with poor variance returned unacceptable results across the board.

The Tatung CM-1296, Wyse WY-650, and Mitsubishi XC1429CH portrayed excellent stability. The results of our variance test dampened our enthusiasm, though, for an inexpensive monitor that otherwise posted surprising scores—the Imtec 1430V. Unfortunately, the 1430V suffered from excessive variance.

We derived our bloom index (see figure 2b) by subtracting the line width of a monitor at high intensity from its line width at low intensity. Monitors with a poor bloom index will tend to blur as the intensity is tweaked. As mentioned earlier, blooming may also indicate a poor design. The Tatung CM-1296 displayed outstanding consistency, while the Acer 7013A, Amstrad PC14 CD, and Packard Bell PB8531VG revealed a tendency to bloom.

We rounded out our tests with a measurement of voltage regulation. A common problem with inexpensive monitors is that large areas of active pixels can cause the high-voltage power supply to go bonkers. As you add bright areas to the display image, the power supply in the monitor is required to pump out more and more current. Inadequate power supplies, common in inexpensive monitors, often cannot provide enough juice to keep the picture stable. This most often appears on the screen as bright areas that tend to shrink in size. Take away some of the bright pixels, or turn down the brightness, and the size goes back to normal. The Superspot system determines the amount of "shrink" as the brightness of an image changes.

continued

**12 Mhz
286 VGA
COMBO KIT**

- 80286-12 CPU
- 1 Meg RAM
- 1.2 Meg Floppy Drive
- 1.44 Meg Floppy Drive
- 40 Meg 28 ms Hard Drive
- 16 bit VGA Board
- 14" VGA color Monitor
- 2S/1P/1G ports
- 101-key Keyboard
- Genius Mouse
- M/S DOS 4.01
- **Panasonic 1180 printer**
- Surge Protector

\$1850

**16 Mhz
386SX
VGA**

- 80386-16SX CPU
- 1 Meg RAM
- 1.2 Meg Floppy Drive
- 1.44 Meg Floppy Drive
- 66 Meg 25 ms Hard Drive
- 16 bit VGA Board
- 14" VGA color Monitor
- 2S/1P/1G ports
- 101-key Keyboard
- Genius Mouse
- M/S DOS 4.01

\$1995

**20 Mhz
386
VGA**

- 80386-20 CPU
- 2 Meg RAM
- 1.2 Meg Floppy Drive
- 1.44 Meg Floppy Drive
- 66 Meg 25 ms Hard Drive
- 16 bit VGA Board
- 14" VGA color Monitor
- 2S/1P/1G ports
- 101-key Keyboard
- Genius Mouse
- M/S DOS 4.01

\$2395

**25 Mhz
386
VGA**

- 80386-25 CPU
- 2 Meg RAM
- 1.2 Meg Floppy Drive
- 1.44 Meg Floppy Drive
- 66 Meg 25 ms Hard Drive
- 16 bit VGA Board
- 14" VGA color Monitor
- 2S/1P/1G ports
- 101-key Keyboard
- Genius Mouse
- M/S DOS 4.01

\$2495

**25 Mhz
CACHE
386 VGA**

- 80386-25 CPU
- 32K 25ns Cache Memory
- 4 Meg RAM
- 1.2 Meg Floppy Drive
- 1.44 Meg Floppy Drive
- 150 Meg 18 ms ESDI Drive
- 32K Fast Cache ESDI Controller
- 16 bit VGA Board
- 14" VGA color Monitor
- 2S/1P/1G ports
- 101-key Keyboard
- Genius Mouse
- M/S DOS 4.01

\$3595

**33 Mhz
CACHE
386 VGA**

- 80386-33 CPU
- 32K 25ns Cache Memory
- 4 Meg RAM
- 1.2 Meg Floppy Drive
- 1.44 Meg Floppy Drive
- 150 Meg 18 ms ESDI Drive
- 32K Fast Cache ESDI Controller
- 16 bit VGA Board
- 14" VGA color Monitor
- 2S/1P/1G ports
- 101-key Keyboard
- Genius Mouse
- M/S DOS 4.01

\$3995



"ALTEC Zip 386s are solid machines featuring brand-names parts. A good buy, they are clearly affordable." PC Magazine May 30, 1989"

Fast Release
We do same day shipping.

The ALTEC-286 turned in some of the best performance times of all the machines tested." PC Magazine Feb. 14, 1988

Free 4 Months On-Site Service

The Altec Collection- Pillars of Success



- Policy:
- Same day shipments with standard configurations for order before 3:00 pm E.S.T.
 - Shipping and handling extra. Personal and company checks require 10 days to clear. Prices are subject to change and all items are subject to availability. All returns must be shipped prepaid, insured, in original condition and complete with documentation. All returns must have RMA #



1-800-255-9971

- Altec's Another Standout-Service**
- 30 Day Money Back Guarantee
 - 1 Year Warranty for Parts and Labor
 - Free 4 Months On-Site Service
 - Lifetime Toll-Free Technical Support

18555 East Gale Ave.
Industry, CA 91748
Tel: 818/912-8688
FAX: 818/912-8048




Circle 14 on Reader Service Card


World Radio History

Screen Sampler


These photos show portions of each of the 26 monitors. Poor spot size is evident in the worst displays, resulting in a grainy appearance. The photos are approximately 35 percent larger than the actual screen.




Epson A804031




Mitsuba 710V




IBM 8512




Mitsubishi XC1429CH




Acer 7013A



IBM 8513



Packard Bell PB8531VG




Amstrad PC14 CD




Imtec 1430V




Packard Bell PB8552VG




Amstrad PC14 HRCD



Laser 6448



Princeton PSC-28



AST ASTCVGA



Magnavox CM9032



Quimax DM-3114




CTX CVG-5432




Magnavox Pro 9CM082




Relisys RE9513




Samsung CJ4681




Tandy VGM 200




Tandy VGM 300




Tatung CM-1296



Tatung CM-1496



Wyse WY650



Zenith ZCM-1390

To gauge this effect, we displayed a line at the top of the screen and then measured its displacement as the screen changed from black (all bits off) to white (all bits on). We also took a measurement at the left side of the screen. Although we did not graph these test results, the AST ASTCVGA, CTX CVG-5432, Epson A804031, and Princeton PSC-28 turned in poor results. The best voltage regulation was achieved by the IBM and Tandy monitors.

Bringing It All Together: The VGA Index

So what does it all mean? We have tabulated this conglomeration of objective data and tried to put it in a format that is easy to grasp. The result is our VGA index (see figure 3). Those monitors with the longest bars deliver superior overall performance. We have also listed the monitors according to price (the most inexpensive monitor at the top, the most expensive at the bottom) so that you can make some simple price/performance judgments. Long bars at the top reveal outstanding deals, while short bars at the bottom reveal monitors that tested poorly yet carry expensive price tags. For example, although the Zenith ZCM-1390 and the Laser 6448 share roughly the same performance index, the Laser monitor offers a superior price/performance mix.

To tabulate the VGA index, we assigned a weight to each of the other indexes. Line width and misconvergence each received a weighting of 3, since we believe those factors will more heavily determine the image quality. Both of those measurements can tell you a lot about how well a monitor is designed. We gave the variance index a weighting of 2, and since we deemed jitter to be the most

annoying defect, it received a weighting of 1, while swim and drift were each weighted at ½. We gave the bloom index a weighting of 1. We then calculated the geometric mean of the weighted results to establish the final VGA index for each monitor. We employed the same basic formula used to derive our system application index.

The Human Touch

As good as our testing equipment is, it cannot replace your own subjective tastes and unique needs. When you go out to buy a VGA monitor, keep in mind the applications that you'll use.

If possible, you may want to bring your application disks with you when you shop around. Even if your applications are limited to traditional text-based software (word processing and spreadsheets), you should take a look at some graphical applications as well. The next release of your software will probably incorporate some graphical features. Most of the popular word processors are incorporating features like preview mode, which will exploit a monitor's graphics capabilities. Some word processors also use the higher resolution of VGA to deliver 43 or 50 lines per screen. The latest version of Borland's Quattro and a forthcoming product from Lotus Development (Lotus 1-2-3/G) are bringing a graphical interface to those spreadsheets. With this in mind, you should try to take a look at packages such as Microsoft Windows or Quarterdeck's DESQview before buying. As a starting point, the photos at left show output samples for each of the 26 monitors.

Even more important is the hardware that you'll run with your monitor. Two monitors, the Packard Bell PB8531VG

continued



Three of the best: (from left to right) the Laser 6448, the Tatung CM-1296, and the Mitsubishi XC1429CH.

COMPANY INFORMATION

Acer America Corp.
(7013A)
401 Charcot Ave.
San Jose, CA 95131
(408) 922-0333
Inquiry 1071.

Amstrad
(PC14 CD, PC14 HRCD)
1915 Westridge Dr.
Irving, TX 75038
(214) 518-0668
Inquiry 1072.

AST Research
(ASTCVGA)
2121 Alton Ave.
Irvine, CA 92714
(714) 756-4945
Inquiry 1073.

CTX International, Inc.
(CVG-5432)
161 Commerce Way
Walnut, CA 91789
(714) 595-6146
Inquiry 1074.

Epson America
(A804031)
2780 Lomita Blvd.
Torrance, CA 90505
(800) 922-8911
(213) 539-9140
Inquiry 1075.

IBM
(8512, 8513)
Old Orchard Rd.
Armonk, NY 10504
(914) 765-1900
Inquiry 1076.

Laser Computer, Inc.
(6448)
800 North Church St.
Lake Zurich, IL 60047
(708) 540-8086
Inquiry 1077.

Leading Technology
(Imtec 1430V)
10430 Southwest Fifth St.
Beaverton, OR 97005
(800) 999-5323
Inquiry 1078.

Mitsuba Corp.
(710V)
650 Terrace Dr.
San Dimas, CA 91773
(714) 592-2866
Inquiry 1079.

Mitsubishi Electronics
(XC1429CH)
991 Knox St.
Torrance, CA 90502
(213) 515-3993
Inquiry 1080.

Packard Bell
(PB8531VG, PB8552VG)
9425 Canoga Ave.
Chatsworth, CA 91311
(818) 773-9521
Inquiry 1081.

Philips Consumer Electronics Co.
(Magnavox CM9032, Magnavox Pro 9CM082)
One Philips Dr.
P.O. Box 14810
Knoxville, TN 37914
(615) 521-4316
Inquiry 1082.

Princeton Graphics
(PSC-28)
1100 Northmeadow Pkwy.,
Suite 150
Roswell, GA 30076
(800) 221-1490
Inquiry 1083.

Quimax Systems, Inc.
(DM-3114)
Troy Office Center
1259 Route 46 E, Building #4
Parsippany, NJ 07054
(201) 334-0019
Inquiry 1084.

Relisys
(RE9513)
320 South Milpitas Blvd.
Milpitas, CA 95035
(408) 945-9000
Inquiry 1085.

Samsung Information Systems
(CJ4681)
3655 North First St.
San Jose, CA 95134
(800) 624-8999
Inquiry 1086.

Tandy Corp.
(VGM 200, VGM 300)
1700 One Tandy Center
Fort Worth, TX 76102
(817) 390-3011
Inquiry 1087.

Tatung Co. of America
(CM-1296, CM-1496)
2850 El Presidio St.
Long Beach, CA 90810
(800) 421-2929
(213) 637-2105
Inquiry 1088.

Wyse Technology
(WY650)
3471 North First St.
San Jose, CA 95134
(800) 438-9973
(408) 473-1200
Inquiry 1089.

Zenith Data Systems
(ZCM-1390)
1000 Milwaukee Ave.
Glenview, IL 60025
(800) 553-0331
(312) 699-4800
Inquiry 1090.

and the Zenith ZCM-1390, would not sync correctly with the VGA card made for our Superspot system. They ran fine, however, when we substituted a Genoa Super VGA card. If your system already includes a VGA component, make sure that it will drive the monitor you select. Otherwise, solicit suggestions from your dealer or the manufacturer to determine the best card to go with your new monitor.

Ultimately, you need to follow your own instincts. Take a good look at the color quality of the monitor. Check for fuzziness in the corners. See what controls are available and how well they work. Is the intensity range sufficient? Turn the monitor into strong light and see how well it handles glare. You might even try putting it close to a source of in-

terference (e.g., another monitor) and see how well it handles that. After all, there's no better testing equipment than your own eyes.

The Best and the Brightest

Taken as a whole, the various indexes highlight some clear winners. Both the Tatung models were impressive. The CM-1296 scored higher on our tests and carries a price tag \$60 below that of the CM-1496, but the CM-1496 has a 14-inch diagonal screen, compared to the CM-1296's 12-inch screen. Our Superspot system clearly recommends the CM-1296, and we concur. It displayed vivid colors and pure white text. Another fine choice is the Mitsubishi XC1429CH (see the photo on page 137, bottom right). It, too, kept showing up at the top

of our test results. At \$658, it's a little more expensive, but keep in mind that street prices should be considerably lower. In any case, it's an investment that we wouldn't hesitate to make.

If you'd rather pay a little less, the Laser 6448 sports a list price that's \$159 less than the Mitsubishi XC1429CH and still posts good numbers on our tests. In general, we were impressed with the quality of the monitors, and VGA prices continue to fall. If you're still living in a monochrome world, perhaps it's time to become a card-carrying member of the VGA revolution. ■

Stanford Diehl and Howard Eglowstein are testing editors for the BYTE Lab. They can be reached on BIX as "sdielh" and "heglowstein," respectively.

See the Future.

NANAO fully appreciates the importance of monitor selection to the business professional. The FLEXSCAN® 9060S has been specially designed for today's complex world of windows and graphics applications.

Unlike other 14" monitors, the FLEXSCAN® 9060S uses its Dynamic Focusing Circuit to deliver sharp, bright images to all corners of the screen. This makes it the ideal display for VGA and SuperVGA (800 × 600) applications.

The FLEXSCAN's ergonomic design minimizes static, glare, and magnetic radiation, to provide the most user-friendly environment possible, even during extended operation.

Other monitors meet the standards.
FLEXSCAN® sets them.

NANAO[®]

NANAO USA CORP.

23510 Telo Ave., Suite 5
Torrance, CA 90505 USA
Phone (213)325-5202
Fax (213)530-1679

Circle 197 on Reader Service Card
(DEALERS: 198)



FLEXSCAN 9060S

14"(13V), 0.28mm dot pitch CRT

Scan Frequency : Automatic Adjustment

H: 15.5kHz-38.5kHz

V: 50Hz-90Hz

Front-mounted controls for easy access.

VGA, SuperVGA (800 × 600), EGA,
CGA, MDA, and Mac II compatible.

Most VGA monitors this colorful,





Image created on the Samsung VGA-GraphicMaster™ color monitor using RIX Softworks, Inc. Software.
Unretouched photograph. © 1989, Samsung Information Systems America, Inc.

cost 20% more.



The Monarch butterfly is one of Mother Nature's most splendid creations.

And as you can see, Samsung's new high resolution VGA color monitor vividly brings to life its rich colors and striking contrasts.

Capable of displaying an unlimited palette of colors, the VGA-Graphic Master's™ 14-inch screen with 640 x 480 resolution creates images of superb quality. The tight .31mm dot pitch keeps everything from graphics to type super-clear and razor sharp.

Add to that convenient, up-front controls, a non-glare screen and tilt-swivel base for comfortable viewing, and you've got an array of features that add up to a monitor costing hundreds more.

But this, of course, should come as no surprise. Because along with outstanding performance, Samsung has for years enjoyed a reputation for unmatched value and reliability. All of which have gone a long way toward making Samsung the world's largest monitor maker, with over 8 million units sold.

So if you're looking for high performance, for a lot less, take a good look at Samsung.

For literature or the name of your nearest Samsung distributor, call 1-800-446-0262.



 **SAMSUNG**

Circle 247 on Reader Service Card
(DEALERS: 248)

Remember your first day at school?



Today's monitor market is just as scary.

Decisions, Decisions, Decisions.

Back then, you worried about which lunch box to carry. Which seat to sit in. And to make things worse, you knew Mom and Dad wouldn't be there.

Today, Choosing a Monitor is even Harder.

Because of new graphics standards, you have to consider resolution, interfaces, software and compatibility. And you have to select the best monitor for tomorrow's applications, too.

Relisys, the Next Best Thing to Mom and Dad.

Where can you turn for honest answers? To a company whose products have been rated "Best Buy" from *PC World* and "Best In Its Class" by *InfoWorld*. In fact, *InfoWorld* said that, "Because of the helpful technical support, Relisys earns a very good score."

We're With You All The Way.

So before you choose any monitor, call us and ask a few questions. Our marketing and technical personnel are there to help make that scary buying decision feel like your last day of school, instead of your first.

Monitor - Model	Resolution	Frequency	List
Super Multiscan - 1520	1,024 x 768	30-50 kHz	\$1099
EGA/CGA - 5154	640 x 200,350	15.75,21.85 kHz	\$699
Multiscan - 5155	800 x 600	15.5-35 kHz	\$799
VGA Color - 9513	720 x 480	31.5 kHz	\$699
VGA GrayScale - 9503	800 x 480	31.5 kHz	\$249
TEFAX RA-2110	for Apple Macintosh		\$1595 for IBM \$1495



A subsidiary of TECO Electric & Machinery Co., Ltd.

320 South Milpitas Boulevard
Milpitas, California 95035
408-945-9000 Fax: 408-945-0587





Inexpensive SXes by Mail

80386SX systems fulfill the promise of 80386 power at low prices

Mark L. Van Name
and Bill Catchings

As the 80286 versus 80386SX debate goes on, PC clone vendors are announcing 80386SX systems in droves. Two such systems, Gateway 2000's 386SX and PC Brand's 386/SX-16, offer a great deal of power at very reasonable prices. Both products are available directly from the vendor via mail order.

Our evaluation versions of these machines show just how much you can get in a low-cost 80386SX system. Each unit included a 16-MHz 80386SX and an 80387SX math coprocessor, 8 megabytes of memory, a 40-megabyte hard disk drive, a 5¼-inch 1.2-megabyte floppy disk drive, a 3½-inch 1.44-megabyte floppy disk drive, two serial ports, one parallel port, a 101-key keyboard, and a 16-bit VGA adapter with 512K bytes of video RAM. Both also came with multisync monitors: Gateway 2000's CrystalScan 860 (made by Tatung) and, with the PC Brand 386/SX-16, an NEC MultiSync 2A. The Gateway 386SX used a standard AT-size case and included MS-DOS 4.01. The PC Brand 386/SX-16 came in a minitower chassis that included two more options: a 40-megabyte tape backup unit and a Microsoft-compatible bus mouse. PC Brand sells MS-DOS 4.01 separately.

The cost? Only \$3445 for the Gateway and \$3943 for the PC Brand.

Those figures suggest that the Gateway is about \$500 cheaper than the PC



The Gateway 386SX (left) and the PC Brand 386/SX-16.

Brand—but it's not that simple. To make a price comparison, you have to configure systems as similarly as possible.

For one thing, Gateway 2000 began offering a 65-megabyte run-length-limited (RLL) Microscience hard disk drive with its standard 386SX configuration as this review went to press. A PC Brand system with a comparable hard disk drive—the 386/SX-16 with a 66-megabyte, modified-frequency-modulation (MFM) MiniScribe drive with a 25-millisecond access time—costs an additional \$225. Further, PC Brand includes shipping in the cost of each system, so we should add Gateway 2000's \$75 shipping charge to its unit's price. Finally, we must subtract the costs of the extras on the PC Brand evaluation unit: the tape drive, the mouse, and the minitower case (an AT-size case is standard).

The resulting comparison prices are \$3520 for the Gateway and \$3884 for the PC Brand—a difference of only \$364.

There are still more cost games you can play. While Gateway 2000 provides its multisync CrystalScan monitor standard with its base system, PC Brand includes a plain VGA monitor; the NEC MultiSync 2A added \$120 to our unit's cost. If you don't need a multisync monitor, you can go with the standard VGA monitor and save the \$120, lowering the price difference to \$244. If you want a tape drive, Gateway's 40-megabyte unit is an additional \$325, while PC Brand's is only \$199, bringing the two units \$126 closer. Both vendors also offer many other configurations and options.

So, while the Gateway is cheaper, the exact cost difference between these two

continued

Gateway 386SX

Company

Gateway 2000
106 West Eighth St.
P.O. Box 2000
Sergeant Bluff, IA 51054
(800) 233-8472
(712) 943-2000

Components

Processor: 16-MHz Intel 80386SX; socket for 16-MHz Intel 80387SX math coprocessor
Memory: 2 megabytes of 80-ns DRAM in two 1-megabyte SIMMs, expandable to 8 megabytes on the motherboard; 128K bytes of BIOS ROM
Mass storage: 5¼-inch 1.2-megabyte TEAC floppy disk drive; 3½-inch 1.44-megabyte TEAC floppy disk drive; 40-megabyte 28-ms Seagate hard disk drive
Display: Gateway 2000 CrystalScan 860 color 13-inch, multisync VGA monitor; ATI VGAWonder-16 16-bit VGA card
Keyboard: 101-key IBM Enhanced layout
I/O interfaces: One 9-pin and one 25-pin serial port; one 25-pin parallel port; six 16-bit and two 8-bit AT-style expansion slots

Options tested

6 megabytes of 80-ns DRAM in six 1-megabyte SIMMs: \$750
16-MHz 80387SX: \$350
Additional 256K bytes of DRAM on 16-bit VGA board: \$50

Price

Base system: \$2295
System as reviewed: \$3445

Inquiry 851.

machines depends on the specific configuration you choose.

Performance and Compatibility

The two machines also turned in remarkably close results on BYTE's system benchmarks. The Gateway 386SX had an overall application index of 11.2, while the PC Brand 386/SX-16 was just behind it with an application index of 10.6. For comparison, the Compaq 386s had an application index of 11.5; the Gateway lagged behind it by a mere 3 percent, the PC Brand by 8 percent.

PC Brand 386/SX-16

Company

PC Brand, Inc.
954 West Washington
Chicago, IL 60607
(312) 226-3500

Components

Processor: 16-MHz Intel 80386SX; socket for 16-MHz Intel 80387SX math coprocessor
Memory: 512K bytes of 80-ns DRAM in 256K-byte SIPs, expandable to 8 megabytes on the motherboard; 128K bytes of BIOS ROM
Mass storage: 5¼-inch 1.2-megabyte Mitsumi Electric floppy disk drive; 3½-inch 1.44-megabyte TEAC floppy disk drive; 40-megabyte MiniScribe hard disk drive
Display: NEC color 13-inch, VGA MultiSync 2A monitor; ATI VGAWonder-16 16-bit VGA card
Keyboard: 101-key modified IBM Enhanced layout
I/O interfaces: One 9-pin and one 25-pin serial port; one 25-pin parallel port; five 16-bit and three 8-bit AT-style expansion slots

Options tested

Model with 40-megabyte hard disk drive and 16-bit VGA card with color VGA monitor: \$1937 (\$848 over base)
Minitower case: \$50
NEC MultiSync 2A monitor (replacing the standard VGA color monitor): \$120
8-megabyte memory upgrade: \$1120
16-MHz 80387SX: \$275
Additional 256K bytes of DRAM on 16-bit VGA board: \$72
3½-inch 1.44-megabyte floppy disk drive: \$80
MS-DOS 4.01: \$55
Microsoft-compatible mouse: \$35
Colorado Memory Systems 40-megabyte tape drive: \$199

Price

Base system: \$1089
System as reviewed: \$3943

Inquiry 852.

The main reason that these systems lost to the Compaq 386s is disk speed. On BYTE's raw disk benchmark, the Compaq beat the Gateway by about 16 percent and the PC Brand by nearly 30 percent. Both machines actually beat the Compaq on the raw CPU tests by about 30 percent. The Gateway's now-standard 65-megabyte Microscience RLL drive should improve its performance somewhat, but the message is clear: For maximum speed, you should order these machines with faster hard disk drives.

Besides performing well, both sys-

tems passed our compatibility tests with flying colors. On the software side, they successfully ran all our test programs, including Borland's Paradox/386 2.03, Quattro 1.0, SideKick Plus 1.00A, SuperKey 1.16A, Turbo C 2.0, and Turbo Pascal 4.0; Digital's Smalltalk 1.2; Foresight's Drafix CAD Ultra 3.03C; Lotus 1-2-3 release 2.2; MicroPro's WordStar 4.0; Microsoft's Windows/386 2.0 and Word 4.0; Novell's NetWare 2.15; Peter Norton's Norton Utilities 3.00; the public domain Kermit 2.32/A; Quarterdeck Office Systems' DESQview 2.00 and Expanded Memory Manager 386 1.10; Symantec's Q&A 1.1; Wolfram's Mathematica 1.2; and WordPerfect's WordPerfect 5.0. The success with Paradox/386, Windows/386, Drafix CAD Ultra, and Mathematica is particularly worth noting; those programs use DOS extenders and 80386 instructions that exercise the 80386SX CPU far more than conventional DOS programs do. Both systems worked with all our test hardware, including an internal Western Digital WD8003 Ethernet adapter, a Microsoft Serial Mouse, and an external Xircom Pocket Ethernet Adapter.

Going Inside

The Gateway and the PC Brand perform and test so similarly largely because they are remarkably alike on the inside. Sure, their cases look very different—the AT-size chassis of the Gateway seems huge next to the PC Brand's minitower—but this is just an illusion. The heart of each machine is its motherboard, and PC Brand offers the same Trump motherboard in its standard AT-size case as in our minitower evaluation unit.

The Gateway 386SX's FTK motherboard is a modest 8½ inches wide by 13 inches deep. A few years ago, it would have seemed a wonderful piece of engineering; today, it's just another small motherboard. Highlighting its 51 non-memory chips are four key chips from Chips & Technologies' NEAT (New Enhanced AT) chip set.

An 80387SX lay in its motherboard socket. The 80386SX was not socketed. The CPU can run at full speed (the default) or at a slower compatibility speed of 8 MHz. You can change the CPU's speed either with a turbo button on the front of the unit or from the keyboard. The turbo button worked, but its status light didn't change.

The unit's 8 megabytes of 80-nanosecond memory was in eight 1-megabyte single in-line memory modules (SIMMs) that provided parity checking and were

continued



Gateway 386SX, PC Brand 386/SX-16


APPLICATION-LEVEL PERFORMANCE

Gateway 386SX **11.2***

WORD PROCESSING			DATABASE		
Gateway	PC Brand		Gateway	PC Brand	
XyWrite III+ 3.52	Med./Large	Med./Large	dBASE III+ 1.1		
Load (large)	:13	:14	Copy	1:29	1:14
Word count	:04/:26	:04/:26	Index	:20	:08
Search/replace	:06/:27	:06/:27	List	1:20	1:14
End of document	:02/:16	:02/:16	Append	2:30	2:38
Block move	:10/:10	:10/:10	Delete	:03	:04
Spelling check	:11/:21	:11/:21	Pack	1:23	1:39
Microsoft Word 4.0			Count	:17	:04
Forward delete	:17	:17	Sort	1:25	1:09
Aldus PageMaker 1.0a			Index:	1.32	1.77
Load document	:10	:11			
Change/bold	:26	:31	SCIENTIFIC/ENGINEERING		
Align right	:27	:23	AutoCAD 2.52		
Cut 10 pages	:20	:20	Load SoftWest	:56	:54
Place graphic	:05	:05	Regen SoftWest	:43	:44
Print to file	2:22	2:31	Load StPauls	:13	:13
Index:	2.24	2.21	Regen StPauls	:07	:08
			Hide/redraw	14:17	14:42
SPREADSHEET			STATA 1.5		
Lotus 1-2-3 2.01			Graphics	:31	:31
Block copy	:04	:04	ANOVA	:12	:12
Recalc	:02	:02	MathCAD 2.0		
Load Monte Carlo	:18	:15	IFS 800 pts.	:19	:20
Recalc Monte Carlo	:06	:06	FFT/IFFT 1024 pts.	:19	:19
Load rlarge3	:05	:04	Index:	3.06	3.00
Recalc rlarge3	:01	:01			
Recalc Goal-seek	:04	:04	COMPILERS		
Microsoft Excel 2.0			Gateway	PC Brand	
Fill right	:06	:06	Microsoft C 5.0		
Undo fill	2:30	2:34	XLisp compile	4:59	5:02
Recalc	:02	:02	Turbo Pascal 4.0		
Load rlarge3	:31	:28	Pascal S compile	:06	:05
Recalc rlarge3	:02	:02	Index:	1.89	2.01

All times are in minutes seconds. Indexes show relative performance, for all indexes, an 8-MHz IBM PC AT=1.

PC Brand 386/SX-16 **10.6**



*Cumulative application index. Graphs are based on indexes at left and show relative performance.

LOW-LEVEL PERFORMANCE¹

Gateway 386SX

CPU	Gate-way	PC Brand	DISK I/O	Gate-way	PC Brand	VIDEO	Gate-way	PC Brand
Matrix	6.79	6.81	Hard Seek³			Text		
String Move			Outer track	4.47	3.33	Mode 0	5.05	4.50
Byte-wide	26.71	26.58	Inner track	4.31	3.30	Mode 1	5.05	4.51
Word-wide:			Half platter	9.99	13.34	Mode 2	4.56	4.12
Odd-bnd.	36.14	36.14	Full platter	13.30	19.96	Mode 3	4.56	4.12
Even-bnd.	13.38	13.35	Average	8.02	9.98	Mode 7	N/A	N/A
Doubleword-wide:			DOS Seek			Graphics		
Odd-bnd.	26.20	26.16	1-sector	16.65	18.77	CGA:		
Even-bnd.	13.37	13.35	32-sector	31.65	30.60	Mode 4	2.53	2.55
Sieve	32.94	32.83	File I/O⁴			Mode 5	2.58	2.52
Sort	31.45	31.40	Seek	0.15	0.21	Mode 6	2.52	2.48
Index:	2.43	2.44	Read	1.24	0.87	EGA:		
			Write	1.07	1.07	Mode 13	4.92	4.78
FLOATING POINT			1-megabyte			Mode 14	4.86	4.83
Math			Write	5.68	3.97	Mode 15	N/A	N/A
Error ²			Read	5.55	2.95	Mode 16	4.89	4.83
Sine(x)	3.19	3.21	Index:	1.37	1.50	VGA:		
Error						Mode 18	5.05	5.07
e^x	3.40	3.50				Mode 19	2.54	2.53
Error						Hercules	N/A	N/A
Index:	5.07	5.04				Index:	1.81	1.92

N/A=Not applicable

¹ All times are in seconds. Figures were generated using the 8088/8086 and 80386 versions (1.1) of Small-C.

² The errors for Floating Point indicate the difference between expected and actual values, correct to 10 digits or rounded to 2 digits.


³ Times reported by the Hard Seek and DOS Seek are for multiple seek operations (number of seeks performed currently set to 100).

⁴ Read and write times for File I/O are in seconds per 64K bytes.

⁵ For the Livermore Loops and Dhrystone tests only, higher numbers mean faster performance.

CONVENTIONAL BENCHMARKS	Gate-way	PC Brand
LINPACK	249.63	255.73
Livermore Loops ⁵		
(MFLOPS)	0.1154	0.1085
Dhrystone (MS C 5.0)		
(Dhry./sec.)	4065	4065


PC Brand 386/SX-16



See Your Data



MapInfo software can find, display and analyze your data geographically. See your prospects, customers, facilities—anything in your database. Find addresses by street, ZIP code, city, etc. (We can even supply the maps.)



Any point or region on the map can have a complete record of data behind it. See your *actual* dBASE data in a window to view, edit, and print. Draw your own boundaries. Add titles and legends for high quality presentations.



Perform analyses on your data to sum, average, or count your database records by location. Color sales territories by volume of orders, ZIP codes by numbers of leads, countries by your demographic data.

From street-level to worldwide, MapInfo can merge your databases with maps. Play visual "what if" with your data. See patterns, trends, and opportunities you never knew existed. If you need to map your data, MapInfo can do it for as little as \$750.

MapInfo now includes a map of the world and the U.S. with all ZIP code locations. Runs on IBM PCs or compatibles with 640K memory, a hard disk drive, and graphics, and comes network-ready.

MapInfo™ Corp.

Changing The Way The World Looks At Information™

200 Broadway, Troy NY 12180
To order, call 1-518-274-8673
or 1-800-FASTMAP Toll free.

MapInfo is a trademark of MapInfo Corp. dBASE is a trademark of Ashton-Tate.

mounted in four pairs on the motherboard. The NEAT chips implemented a two-way interleaved memory architecture that let the system run without wait states most of the time. One consequence of this approach, however, is that you can install memory only in identical banks. The NEAT chips can handle total system memory configurations of 512K bytes or 1, 2, 4, or 8 megabytes.

The PC Brand's motherboard used the same four NEAT chips. It was even about the same size (8 inches wide by 13½ inches deep) as the one in the Gateway. It was, however, a more modern-looking board, with fewer nonmemory chips (44) and more surface mounting than the Gateway's motherboard.

Its 80387SX was also socketed; its 80386SX was not. As it used the same four NEAT chips, the PC Brand offered the same CPU compatibility speed and memory architecture as the Gateway. The PC Brand's turbo button, however, did not work. A PC Brand spokesperson said the company was aware of this and pointed out that you could still change the CPU speed from the keyboard.

The PC Brand's memory also ran at 80 ns and had parity checking. Its memory came in eight 1-megabyte single in-line packages (SIPs) rather than the SIMMs used in the Gateway.

The motherboards shared one other characteristic: Both had expansion slots arranged so that cards in them would run between and very close to the memory modules. In the PC Brand, for example, an expansion card in one slot was actually touching two memory SIPs. Spokespersons for both vendors said that this tight fit should not cause any trouble, and we had no problems with our review units. Still, it seems risky for anything to be touching a memory module.

Another common component of both systems is the BIOS. Both use the same 128K-byte, 150-ns, 4/30/89 ROM BIOS from American Megatrends, Inc. AMI's BIOS products have become increasingly popular among PC clone vendors, and for good reasons. This BIOS displays a full screen of system information when you boot, and it contains some excellent and easy-to-use diagnostics.

Finally, both systems offer eight expansion slots. The Gateway has six 16-bit and two 8-bit slots, all full-length. The PC Brand has five 16-bit and three 8-bit slots; all are full-length except for two of the 8-bit slots.

Mass Storage

Both units have almost identical complements of mass storage devices, although

the PC Brand contained a tape backup unit, while the Gateway did not. The two machines even used the same TEAC 3½-inch floppy disk drive. Both also had five total drive bays. All five in the Gateway were 5¼-inch half-height openings, while only two in the PC Brand were that size; the other three were 3½-inch half-height slots. (But if you buy PC Brand's full-size desktop case, you get the same drive bay options as in the Gateway.)

Despite these many mass storage similarities, the hard disk drive in the PC Brand beat the one in the Gateway by about 10 percent on BYTE's raw disk performance tests. The PC Brand uses a 40-megabyte MiniScribe RLL drive with an average access time of only 45 ms. The Gateway's 40-megabyte Seagate hard disk drive has a faster 28-ms average access time, but it is a standard MFM, not RLL, drive. These results will probably change, however, if you buy the Gateway with the 65-megabyte RLL Microscience drive.

Video and Keyboard

The similarities between these two machines continue with their video adapters: both used ATI's VGAWonder-16 16-bit VGA card with 512K bytes of video memory installed. The PC Brand beat the Gateway on video performance, however, because it was using a newer version of the ATI card. The PC Brand VGA card also included a bus mouse controller and connector that were missing from the card in the Gateway.

The two multisync monitors are also similar, but for our taste the NEC Multi-Sync 2A had a slightly better picture.

Both systems have keyboards that follow the 101-key IBM Enhanced keyboard layout. The Gateway's Key Tronic keyboard implements that layout exactly; the PC Brand's keyboard (by Mitsumi Electric) uses the common modified layout in which the Enter key is larger.

Software and Documentation

Not surprisingly, these two systems also offer similar standard software and documentation. The Gateway includes the FTK Trump-386 Utility Software. The PC Brand includes the PC Brand 286/12-20 and 386/SX Utility Software and the Ontrack Disk Manager/Disk Manager Diagnostics disk. Both systems come with manuals for the systems themselves and for the utility programs (although the documentation for the Ontrack utilities consists of just a few lines on the disk sleeve). The manuals for both machines include all the information

continued

Mitsubishi Has A Monitor For Whatever You Have In Mind.

For a wide range of application versatility including desktop publishing, presentation graphics, CAD/CAM and more, Mitsubishi® has the right monitor with the right performance features.

With a variety of CRT sizes, resolutions, and spot-frequency or auto-scanning performance ranges, Mitsubishi enables you to choose the monitor to fit your exact needs. Expect only the very best from Mitsubishi with bright, vivid colors, and clear, crisp text. Best of all, Mitsubishi monitors are designed and manufactured to exacting standards to ensure the highest quality possible for long-term reliability.



You'll also have confidence in knowing you're fully supported by Mitsubishi's continuing commitment to customer service and satisfaction. So whatever you have in mind, keep Mitsubishi in mind for all your monitor requirements.

For a demonstration and more information on our full line of color monitors contact Mitsubishi Electronics today. Call 1-800-556-1234, ext. 54M in the U.S. and Canada (in California 1-800-441-2345, ext. 54M).




Mitsubishi Electronics America, Inc., Information Systems Division, 991 Knox Street, Torrance, CA 90502
Mitsubishi Electric Sales Canada, Inc., 8885 Woodbine Avenue, Markham, Ontario L3R 5G1

Circle 193 on Reader Service Card (DEALERS: 194)

©1990 Mitsubishi Electronics America, Inc. Mitsubishi is a registered trademark of Mitsubishi Electric Corp., Tokyo. Monitors shown with optional bases. Actual unretouched screen images. Screen images produced with permission from the following companies (trademarked software package name follows company name): Visual Business Systems (VB #5); Dynaware Corp. (Dynaperspective); Adobe Systems, Inc. (Photoshop); Designs executed by Mac 'N' Stein.

“Man’s greatness
lies in the power
of thought.”

Pascal



Jim N. Stein
5263 Case Blvd. #49
Mill Valley, CA. 95232
(415) 882-3947

Electronic Sales
Year 2001

Region	Percentage
West	45%
South	18%
East	25%
North	10%

Account

you're likely to need. Both vendors also included manuals for all the components—disk drives, VGA card, and monitor—with their systems.

We were pleasantly surprised, however, by the high quality of DOS support that both vendors offered. Gateway 2000 includes MS-DOS 4.01 or 3.3 (your choice) with each system. You have to buy DOS 4.01 separately from PC Brand, but it costs only \$55. So far, nothing special. If you buy DOS, however, both vendors install it on your hard disk for you. That's a good service that all vendors should supply.

After the Purchase

Both vendors also offer strong support plans: toll-free technical-support and main telephone numbers, and on-site service for the first year. To keep down their service costs, both vendors will try to guide you through problem diagnosis and repair over the phone—they'll mail you replacement boards if you are willing to install them—but both will dispatch a service person to your site if necessary. They even use the same service firm, TRW Nationwide Service.

We also had good luck with both technical-support staffs. All the technical-support people for both firms with whom we spoke were able to answer all our questions, from the simplest to the most complex. We had some trouble reaching Gateway 2000's technical-support staff and had to leave a message for a support person to call us back, but a staff member always called within an hour.

In addition to the high quality of their basic support programs, both vendors also offer additional support features. Both have a 30-day money-back guarantee. Gateway 2000 also has a support BBS. Finally, each PC Brand system comes with a five-year prorated limited warranty. The firm pays 100 percent of all repair costs the first year, 80 percent the second, and so on, down to 20 percent during the fifth year. Only the first year automatically includes on-site service, but you can buy additional years of on-site service for about \$100 per year.

80286 or 80386SX?

With their support options, Gateway 2000 and PC Brand make it clear that you don't have to be an industry leader to

treat your customers right. We applaud them for offering standard on-site service and toll-free support lines. We also like the performance and compatibility of their systems. If, however, you're shopping around for a low-cost, high-performance system, the real question is, do you need an 80386SX, or will a fast 80286 meet your needs?

If you want to run software designed for the 80386 and you're on a tight budget, check out these machines. They're fast and inexpensive, and they have excellent support programs.

If you just want a fast processor, however, then you can still find cheaper comparable 80286 systems—but the gap is narrowing fast. With Intel trumpeting the demise of the 80286, we expect to see more 80386SX systems like these rapidly approaching the prices of the high-end 80286 systems. ■

Mark L. Van Name and Bill Catchings are BYTE contributing editors. Both are also independent computer consultants and freelance writers based in Raleigh, North Carolina. You can reach them on BIX as "mvannname" and "wbc3," respectively.

THE FIRST NAME IN TRUE OEM COMPATIBILITY

NATIONWIDE

1-800-292-6272

FAX

MARYLAND LOCAL

1-301-561-4659 1-301-561-0200

Hours: Monday - Friday
8:00 a.m. - 6:00 p.m. EST



WE ACCEPT PURCHASE ORDERS & CHECKS.

Use of equipment manufacturer's names is for identification only. NCRC is in no way affiliated with the OEMs listed.

CARTRIDGE RIBBONS (NYLON)

No.	Description	Price Ea. (Black)
180	Apple Imagewriter II 4/C	8.50
114	Apple Imagewriter	3.25
127	Brother M1509/1709	5.75
104	Canan A-1200	4.95
109	Centronics 350/351/352/353	9.35
118	Citizen LSP 1200/1800	4.95
169	Citizen MSP 10/20	2.75
167	Citizen MSP 15/25	3.85
123	Comrex 420	7.55
131D	Data Products B-300/600	5.45
280	Epson EX 800/1000	4.65
165	Epson FX/MX/RX 70/80/85	2.75
167	Epson FX/MX/RX 100/185/286	3.85
288	Epson Lq500/Lq800/Lq850H.D.	3.85
289	Epson Lq1000 H.D./Lq1050	4.95
163	Epson Lq1500	3.25
281	Epson Lq2500 H.D.	4.95
283	Epson Lq2550	4.95
283C	Epson Lq2550 4 color	23.00
287	Epson Lq950	4.60
175	Epson LX 80/90	2.75
145	Hewlett Packard 2631A	12.05

No.	Description	Price Ea. (Black)
181	IBM 3287/3615 SD Loop	1.95
195	IBM 3287/3619 SD Cart	2.75
188	IBM 4201 ProPrinter II	4.15
176	IBM 4202 ProPrinter XL	4.95
177	IBM 4207 ProPrinter X24	4.95
211	IBM 4208 ProPrinter XL24	6.35
184	IBM 4224	11.25
875	IBM 4234	22.95
286	Mannesmann Tally 85	4.35
285	Mannesmann Tally 86	4.95
204	Mannesmann Tally 120/160	3.35
205	Mannesmann Tally 140/180	3.85
660	NEC Pinwriter P1/P2/P6	3.95
661	NEC Pinwriter P3/P7	4.35
662	NEC Pinwriter P5/P9	4.35
663	NEC P2200 H.D.	6.05
210	NEC 5200/5300 Nylon	5.95
210M	NEC 5200/5300 M/S	11.75
210C	NEC 5200/5300 4 color	23.00
209	Okidata 182/183/192/193/320/321	3.95
206	Okidata 292	5.35
208	Okidata 293/294	6.15

No.	Description	Price Ea. (Black)
212	Okidata 393	17.95
215	Panasonic KXP 1124	4.95
217	Panasonic KXP 1080/1091	3.95
220	Panasonic KXP 1524	7.95
226	Radio Shack DMP 400/LPVI	3.25
235	Radio Shack DMP100/LPVII	4.35
282	Radio Shack/DMP 130	4.15
282	Seikosha SP800/1000	4.15
261	Star Micronics	
	NB/NL/NP/NX 10	3.95
264	Star Micronics NL/NP/NX 15	5.75
266	Star Micronics NX1000	3.65
266C	Star NX1000 4 color	9.85
267	Star Micronics NX2400	4.75
262	Star Micronics Radix10/SR10	3.95
263	Star Micronics Radix15/SR15	4.55
290	Star Micronics SD10	4.15
291	Star Micronics SD15	4.55
245	Toshiba P321/P351	3.45
245	Toshiba P1340/P1350/P1351	3.45
246	Toshiba P321SL/P341SL	5.05
247	Toshiba P351SX	5.70
135	Tritel	2.85

Minimum Order 6 Ribbons

No.	Description	Price Ea. (Black)
CARTRIDGE RIBBONS (FILM) (correctable / multi-strike)		
307	Brother EM200 HR15 M/S	4.15
158	Diablo Hytype II M/S	3.25
202	NEC 3500/8800 M/S Flip	5.85
320	IBM Selectric II H.Y. Corr.	1.75
334	Olivetti ET 201/121 Corr.	3.35
334B	Olivetti ET 121/351 M/S	4.85
227	Ricoh 1300/1600 M/S	3.25

TWIN SPOOL (NYLON)

No.	Description	Price Ea. (Black)
454	Decision Data 6807/6811/6814	9.15
455	Dec writer LA 30/36	3.35
462	IBM 3262/5262	6.55
465	IBM 3525 T/S	4.05
464	IBM 5225/5250/5280	19.15
470	Okidata 80, 82, 92, 93	1.65
467	Printronix 150/300/600	6.55
470	Star Micronics Gemini 10/10X	1.65

CALL US FOR VOLUME DISCOUNT PRICING

\$5.00 shipping/handling on all orders under \$50.00. Over \$50.00 actual frt. is charged.

NATIONAL COMPUTER RIBBONS®

9566 Deereco Road • Timonium, Maryland 21093

NCRC GUARANTEE

"We will never, knowingly, disappoint you. If for any reason your purchase does not give you complete satisfaction, the full purchase price will be cheerfully refunded immediately upon return of the merchandise.

We have always believed that no sale is complete until the customer has received total satisfaction from our products.

Philip E. Beveringer, President

Buying from the manufacturer always guarantees the finest quality, best service and lowest pricing.

We manufacture our products with the blackest matrix ink, premium high density nylon, precision engineered plastics and "Rem" air refrigerated loading equipment

See why corporations such as General Motors, Mobil Oil, AT&T, Eastman Kodak, the U.S. Postal Service and thousands more are now using National Computer RIBBONS® brand products. **SAVE 50% or more with our National Computer RIBBONS® brand products.**



CTX MONITORS 1990

1990 . . . The Year for VGA

CTX is ready to offer you a wide choice of colorful 14" VGA monitors: from the most economical standard VGA to the versatile Super VGA, and the ultimate Universal VGA.

The CTX standard VGA monitor, with its advanced design gives you rainbow colors with unmatched brightness and clarity at one of the most attractive prices on the market today. Key design features include the auto-sense power supply (90VAC-260VAC), upfront sizing, centering as well as brightness and contrast controls, detachable tilt-swivel base, and a selection of various dot CRT's.

The CTX Super VGA is designed to meet the standard 640x480 as well as VGA extended modes of 800x600 and 1024x768 interlaced IBM 8514 compatible format. Featuring a super fine .29mm dot pitch, dark-tinted non-glare CRT, the Super VGA provides picture quality for advanced applications.

The CTX Universal VGA, a true analog multi-scan monitor, is the answer to the variable frequencies in VGA video adapters. Whether standard modes of

640x840, 800x600 or 1024x768 interlaced, the Universal VGA is also totally compatible with 132 column modes and imaging frequencies. With a range of 20-38khz and the fine dot .28mm CRT, the Universal VGA is the ultimate analog color monitor.

In addition to the 14" VGA series, CTX offers a full lineup including CGA, EGA, VGA and multiscanning monitors. For more information and the distributor nearest you, please call CTX International at 714-595-6146 or in the East CTX South at 404-729-8909.

CTX INTERNATIONAL, INC.

161 Commerce Way
Walnut, California 91789
Phone (714) 595-6146, Fax (714) 595-6293

CTX SOUTH, INC.


6090-F Northbelt Parkway
Norcross, Georgia 30071
Phone (404) 729-8909, Fax (404) 729-8805

CHUNTEX ELECTRONICS CO., LTD. (Factory)

6F, No. 2, Alley 6, Lane 235, Pao Chiao Rd.
Hsin Tien, 23115 Taipei Hsien, Taiwan, R.O.C.
Phone 886-2-9175055, Fax 886-2-9172736

Circle 70 on Reader Service Card

We've got the guts, you get the glory.



Whether you're building systems or simply upgrading existing hardware, you can bet your reputation on DTK.

We offer clearly superior 80386, 80286 and 8088-based Bare Bone™ systems with FCC, UL, CSA and TUV certification. Plus motherboards and fully compatible add-on cards. All built to deliver the performance and reliability today's sophisticated computer users demand.

Mere Guts. Choose from a dozen Bare Bone systems designed to fit every need—and every desk. Including a 33MHz 386 file server with cache memory. Or select from an extensive line of motherboards (our XT and AT compatible models are widely regarded as industry standards).

Want LAN adapters? Or VGA, I/O, or disk controller cards? Maybe you need to gain an extra slot or two with multiple function cards. DTK can provide the solutions.

At prices you'll really like.

Better Quality. Our substantial R & D capabilities and stringent QC procedures mean you can depend on us for the most reliable, highest performance products available today. And tomorrow. Our inspection conforms with MIL-STD-105D, and our boards enjoy an overall reliability rate of 98%.

So why take chances? We've got all the guts you need at prices that are hard to beat. Go for the glory.

Call or write DTK COMPUTER, Inc., 15711 E. Valley Blvd., City of Industry, CA 91744. Tel: (818) 333-7533 Fax: (818) 333-5429 BBS: (818) 333-6548.

Chicago, IL (312) 593-3080
Edison, NJ (201) 417-0300
Houston, TX (713) 568-6688
Miami, FL (305) 477-7440
West Germany (0211) 656031



Clearly superior.

DTK is a registered trademark and Bare Bone is a trademark of Datatech Enterprises Co., Ltd.
Intel 386 is a trademark of Intel Corporation. XT and AT are registered trademarks of IBM Corporation.

Circle 92 on Reader Service Card (DEALERS: 93)

World Radio History



AppleShare Without a Mac

Jasmine's DirectServe provides low-cost relief for Macs that languish as AppleShare file servers

Don Crabb

The most popular network file-server technology in the Macintosh market is Apple's own AppleShare. It succeeds because it resides on a Mac to provide true file, volume, and account access control for all the disk volumes. Unfortunately, a complete and expensive Mac must be dedicated solely to this task.

Jasmine's new DirectServe promises all the benefits of a Macintosh/AppleShare server without hogging a valuable Mac. The DirectServe is a hardware file server that uses AppleShare-compatible software and a Macintosh-compatible file system to store, retrieve, and control Mac files just like an AppleShare server. But at \$1795 (without a disk drive), the DirectServe is thousands of dollars less expensive than Macintosh/AppleShare combinations, while offering comparable performance.

50 Users

The DirectServe is a compact plastic box that is roughly the size of Jasmine's DirectDrive hard disk drives. Its start-up sequence loads the server software from an attached hard disk volume, pushing the software into cache memory. Once the server has been loaded, it mounts all the attached disk drives, and the system notifies the attached LocalTalk network



Jasmine's DirectServe (top) and DirectServe 180.

that it's alive and well. The DirectServe supports a network of 50 active users and handles up to seven daisy-chained SCSI hard disk drives.

SCSI hard disk drives attach to the supplied rear-panel DB-25 SCSI port, and LocalTalk connects through the supplied rear-panel DIN-8 port. Unfortunately, the DirectServe does not support any alternate twisted-pair Ethernet wiring schemes, so you must use LocalTalk-compatible wiring. This limits the bandwidth to 230K bytes per second. Although the DirectServe does not support EtherTalk or any other kind of Ethernet wiring, SCSI alternate wiring cards may be available in the future.

The DirectServe is not a Mac, even though its hardware design is similar to one (see figure 1). It doesn't include the Mac ROMs, Toolbox, or Hierarchical File System (HFS). Instead, it provides its own operating system, which I found to be compatible with AppleShare 2.01

and the AppleTalk Filing Protocol 2.0. Since the DirectServe provides only file service, its 10-MHz Motorola 68010 CPU performs quite nicely.

My biggest hassle in setting up the DirectServe came when I copied all the files to its attached disks. Since they are not HFS-compatible, you can't hook the disks up to a Mac for a quick direct SCSI copy. Instead, you have to pump it all across LocalTalk—not the most pleasant of alternatives. Copying my 40-megabyte set of application files to the DirectServe took almost 2 hours. Still, once this initial setup is done, loading new software should be a lot less onerous.

I couldn't back up the server by directly attaching a tape drive because DirectServe doesn't recognize HFS volumes. Likewise, CD-ROM and digital-audio-tape drive HFS file systems aren't DirectServe-compatible. Also, DirectServe won't run concurrent applications,

continued

Jasmine DirectServe

Company

Jasmine Technologies, Inc.
 1740 Army St.
 San Francisco, CA 94124
 (415) 282-1111

Hardware Needed

One or more SCSI hard disk drives;
 LocalTalk, PhoneNet, or equivalent
 connectors

Documentation

User's manual

Price

\$1795
 Bundled with DirectServe 180 hard disk
 drive: \$2799

Inquiry 853.

so I couldn't use it as an E-mail server or
 as a print spooler.

Test Results

I connected the DirectServe to a Jasmine
 DirectServe 180 hard disk drive (a Jas-
 mine 180-megabyte DirectDrive with
 DirectServe software already installed).
 Then I linked the server to a 12-node
 LocalTalk network consisting of 10 Mac
 Pluses, one Mac IIcx, and one Mac II. I
 copied applications software from the
 Mac IIcx across the network to the server
 and then established user accounts and

groups on the server.

I tested file access, remote application
 launching, file updating, and other basic
 functions from each workstation. The
 DirectServe worked just like an Apple-
 Share 2.01 server. To verify this, I re-
 moved the DirectServe and loaded Apple-
 Share 2.01 onto the Mac IIcx and
 performed the same basic tests. I noted
 few substantive differences.

For the record, I performed all my
 tests on the second DirectServe that I re-
 ceived from Jasmine. My original review
 unit was defective, and my best efforts to
 resuscitate it failed.

Figures 2 and 3 show the results of my
 speed tests, file searches, and sequential
 searches through a database, plus the
 time necessary to index the database file.
 The tests of single and repeated file oper-
 ations from a single workstation node
 show that the DirectServe was the slow-
 est of my four configurations. This distinc-
 tion is to be expected, especially
 with the DirectServe 180-to-local disk
 drive comparisons. I attribute the Direct-
 Serve's slowness to the AppleTalk/Lo-
 calTalk network, not to the server's in-
 ternals. Even with this slowdown, the
 DirectServe compared favorably with the
 AppleShare/Mac IIcx network.

Unfortunately, these benchmarks do a
 poor job of testing the DirectServe's re-
 sponse when all nodes on the network are
 blasting packets around. Jasmine claims
 that, in most instances, the DirectServe/
 DirectServe 180 is about twice as fast as

a Mac Plus/AppleShare network and al-
 most as fast as a Mac IIcx/AppleShare
 network. The DirectServe actually be-
 comes comparatively faster than a Mac
 IIcx server as network loading increases,
 which I confirmed in my own informal
 testing on a 12-node network.

Specialty Software

The DirectServe file system is designed
 for only one purpose: to provide file ser-
 vice. As such, it excels, given the con-
 straints of AppleTalk/LocalTalk. The
 software automatically sets data blocks
 at a 4K-byte page size, which is optimum
 for AppleTalk packetization. This means
 that the DirectServe always fills the
 LocalTalk pipeline to full without over-
 flowing it and without wasting band-
 width. Also, DirectServe administrative
 software (akin to AppleShare's Adminis-
 trator application) easily finds files on
 the disk, thanks to special disk data
 structures on the server disks.

The DirectServe operating system
 loads into the system RAM cache when
 the server boots (1 megabyte comes stan-
 dard, and you can upgrade to 8 mega-
 bytes). About 450K bytes of that 1 mega-
 byte holds the operating system, and the
 rest is available for a processor cache to
 maximize the processor hit rate. The at-
 tached SCSI disk drives and the Apple-
 Talk port can also use this cache mem-
 ory to improve throughput.

Cached data remains in RAM until all
 the RAM is full. Even if the RAM data
 has been changed, it stays in memory.
 Dubbed a "Copy Back" cache design, it
 further reduces disk access. By contrast,
 the Mac uses RAM caching to improve
 performance, which doesn't help as
 much in a file server situation. Also, a
 Mac maxes out at 1.4 megabytes of cache
 as a file server, while the DirectServe
 can go to 7.5 megabytes when you have
 installed all 8 megabytes of cache RAM.

The DirectServe cannot be adminis-
 tered directly, since it's a headless de-
 sign lacking keyboard, mouse, and
 screen. Instead, its administration soft-
 ware consists of two programs, the In-
 staller and the Administrator. Any Mac
 connected to the DirectServe (and run-
 ning AppleShare Workstation software
 and the Jasmine Administrator software)
 can administer the file server.

The Installer disk initializes any hard
 disk that the DirectServe will use (it sup-
 ports Jasmine and most other SCSI disk
 drives) and transfers the DirectServe
 operating system to the server volume.
 Since the DirectServe's operating system
 is not HFS-compatible, a DirectServe

continued






Figure 1: The DirectServe's 68010 CPU incorporates an instruction cache. SCSI and AppleTalk logic ensures compatibility with standard Macintosh peripherals.


HP LaserJet IIP & IID
Version Now Available!



AutoCAD® Release 10



VersaCAD® 5.4



Schema II+™

Plotter
in a Cartridge™

HP 7475A Plotter

Software
Plotter Emulation

15
seconds

3
minutes
17
seconds

1
minute
2
seconds

49
seconds

9
minutes
45
seconds

3
minutes
11
seconds

17
seconds

5
minutes
15
seconds

2
minutes
13
seconds

Compared to Plotter in a Cartridge, everyone else is behind the times.

For fast HPGL output, there really is no comparison. Pacific Data Product's Plotter in a Cartridge™ is up to 100 times faster than pen plotters or PC-based software emulations.

Simply plug it into your LaserJet Series II or Canon LBP-8II printer and it's ready to print precise, high-quality graphics. And we also have a version for the HP LaserJet IIP and IID printers. Plotter in a Cartridge™ is compatible with all of the major CAD/CAM, engineering and graphics software packages.

For your nearest authorized dealer, or for more information on our full line of laser printer enhancement products, call Pacific Data Products at (619) 552-0880.

Pacific Data Products—Plug into Power



PACIFIC
DATA PRODUCTS

9125 Rehco Road,
San Diego, California 92121
(619)552-0880, Fax (619)552-0889

Plots run at 8 Mhz with parallel interface. Times quoted reflect PC processing time. Plotter in a Cartridge is a trademark of Pacific Data Products, Inc. All other company and product names are trademarks of the company or manufacturer respectively. ©1990 Pacific Data Products, Inc.


Circle 210 on Reader Service Card (DEALERS: 211)

NEW Slot Card Systemizer SC!

Systemizing

The truly universal LAN alternative...


The Systemizer SC - features memory resident printer controller, spooling, E-Mail and file transfer. For all MS-DOS® PC's and compatibles.



The Systemizer Plus - external, self-contained networking module, spooler, E-Mail-box. Works with almost every computer known to man! Includes special provisions for plotters. Other external models also available.

Up to 31 users can...

- Share Printers
- Share Plotters
- Share a Modem
- Exchange E-MAIL
- Transfer Datafiles



Example: 17 micros, of various brands, plus a mainframe, all sharing printers, data and E-Mail via Systemizing. Note how some PC's on a token-ring LAN are also part of the Systemizer LAN.

Systemizing has become the connectivity standard at many of the world's largest corporations and throughout the federal government. Ten's of thousands are already in use. The new Systemizer SC is the latest model in Applied Creative Technology's line of Systemizing products, and it delivers what 95% of corporate computer users want from a Local Area Network— at far less cost and complexity, and yet with much more versatility.

Corporate computing managers prefer Systemizing over other connectivity methods because it offers:

- Guaranteed software/hardware compatibility.
- Ability to mix PC's, LAN's, mainframes, laptops.
- Easy owner installation. Low cost cabling.
- 5 min. user training with no support needed after.
- Flexibility; readily accommodates growth and changes.
- Distributed processing for high speed and reliability.

And with the new SC, everyone can afford to Systemize!

**Call 1-800-433-5373
to get a FREE demo!**

The **CONNEXPERTS**SM

A Division of Applied Creative Technology Inc.

8333 Douglas Ave., Suite 700
Dallas, Texas 75225 U.S.A.
(214) 739-4200




Figure 2: Modified MPW scripts use the MPW backup facility to make the initial copy (the backup write test) from the internal 80-megabyte Mac IIcx hard disk drive to the DirectServe's attached DirectServe 180 hard disk drive. Backup read tests, which use incremental backups, come from MPW's backup facility and the MPW duplicate command. The test file was a 25-megabyte directory with dozens of subdirectories and various-size files. Sequential search and index tests used a 20-megabyte FoxBASE+/Mac database. Times are the average of 10 repetitions in minutes:seconds.

volume cannot be used directly by a Mac without being reinitialized.

The Administrator software performs the same kind of housekeeping functions as the AppleShare administrator. It adds, deletes, and modifies users, groups, and passwords. It also retrieves network diagnostic information. But the Administrator lacks several AppleShare features, including the ability to show current log-ins and to copy-protect individual files. Of course, the AppleShare Administrator runs only from the server, so it's less convenient for network administration.

On the whole, the Jasmine software works much like AppleShare from both an administrator's and a workstation user's point of view. I didn't miss the additional AppleShare features. DirectServe uses the same password/group/user accounting scheme as AppleShare

does, so network security is comparable on the two platforms.

Economical, for Some

The DirectServe competes directly with TOPS, Novell NetWare/Mac, 3Com 3+, and other Mac-compatible file servers. But its real challenge is a Mac running AppleShare. Based on price/performance, DirectServe is a winner: A DirectServe with a Jasmine DirectServe 180 costs \$2799 (the DirectServe alone is \$1795), while a Mac IIcx with an external DirectServe 180 (and no internal hard disk drive) costs nearly \$7000. Of course, the Mac IIcx is a general-purpose computer, and the DirectServe is not. Still, the comparison is important if you only need AppleShare file service.

I was quite surprised by how fast the

continued

IOtech includes IEEE 488 device driver software with all of our interfaces. So you'll be up and running fast using our familiar and powerful commands.

We pioneered this easy-to-use device driver technique and we continue to offer the most features and the best performance in the industry.

We also back all of our IEEE 488 products with a 30-day money back guarantee, two-year warranty, and free applications support. So not only are IOtech products easy to use, they're easy to own.

Call us today for your free IEEE 488 Technical Guide: 216-439-4091.

IBM PC, AT, 386, and PS/2 IEEE Products

Macintosh IEEE Products

Sun and DEC Workstation IEEE Products

Serial/IEEE Converters and Controllers

Analog and Digital I/O Converters to IEEE

IEEE Analyzers, Converters, and Extenders

IOtech

IOtech, Inc. • 25971 Cannon Road
Cleveland, Ohio 44146
PHONE 216-439-4091 • FAX 216-439-4093

Circle 134 on Reader Service Card

PostScript®
Language
**Just
Got
More
Affordable!**



NEW PRICING:

GoScript: \$19
(13 fonts)
is now only \$149

GoScript Plus: \$39
(35 fonts)
is now only \$299

GoScript allows you to print PostScript language text and graphics on the most popular laser, ink jet and dot matrix printers.

NEW VERSION 3 FEATURES:

- EGA and VGA screen drivers give you screen preview capabilities.
- GOPRINT™ printing utility allows you to use our scalable fonts to print plain text files.
- An expanded Bitmap Save option allows the bitmap image to be saved in TIFF or PCX format.
- Send back the registration card to receive 4 extra fonts.


For Catalogs, Brochures, Benchmarks, Compatibility Lists, Print Samples & Ordering Information, contact us at:

1-800-955-FONT
or

LaserGo, Inc.
Attn: New Products
9369 Carroll Park Drive
Suite A
San Diego, CA 92121

GoScript is a registered trademark of LaserGo, Inc. GoPrint is a trademark of LaserGo, Inc. PostScript is a registered trademark of Adobe Systems, Inc. All other product names are trademarks of their respective manufacturers.

FILE SEARCH



¹ Timings are measured from a Mac IIcx workstation's internal 80-megabyte hard disk drive to the DirectServe's DirectServe 180.
² Timings are measured from the Mac IIcx workstation's internal disk drive to the internal disk drive of a Mac IIcx AppleShare server.
³ Times measure performance of a Mac IIcx with no file server, for comparison.

Figure 3: The benchmarks use MPW's Whereis command to search for a nonexistent file and report the time necessary to zip through the benchmark folder. In addition, I timed file opening and resaving using a 30K-byte Nisus file, a 70K-byte MacWrite II file, and a 2.5-megabyte 4th Dimension file. Times are the average of 10 repetitions in seconds.

DirectServe performed. For many installations, its speed makes it a perfectly satisfactory server. It's much faster than a Mac Plus or SE server and far cheaper than a Mac IIcx. I suspect that increasing the DirectServe's cache memory could eliminate some disk-bound I/O slowdowns, although the ultimate bottleneck in any LocalTalk network is its 230K-byte-per-second bandwidth.

Keep in mind that Jasmine will play catch-up as Apple revises its software. Still, software upgrades should be easy with Jasmine's one-button installer. Jasmine promises to stay committed to upgrading the DirectServe so it's always compatible with the latest Mac system and networking software. Even if Jasmine upgrades the DirectServe's firmware, the changes should be made available as system patches on floppy disks.

Another consideration is your network cabling system. The current DirectServe does not directly support media that is

compatible with non-LocalTalk networks (although it works on workstations sitting on EtherTalk networks that have been bridged to LocalTalk, using a Kinetics FastPath, for example). Jasmine hints that SCSI Ethernet adapters may be sold for the DirectServe in the future. But if high network traffic requires you to run state-of-the-art AppleTalk, you'd be better off with a Mac IIci/AppleShare server hooked to an EtherTalk network.

However, if you need basic AppleShare file service and can live without concurrent applications like E-mail, the DirectServe fills the bill, especially if you can't afford to waste money on a Mac IIcx used solely for file service. ■

Don Crabb is the director of laboratories and a senior lecturer for the University of Chicago department of computer science. He is also a contributing editor for BYTE. He can be reached on BIX as "decrabb."



PC BRAND
COMPUTERS...

UNTOUCHABLE
QUALITY,
UNBELIEVABLE
PERFORMANCE,
OUTSTANDING
SUPPORT,
AT
ROCK BOTTOM
PRICES.

In Our Business, the most important thing is Your Bottom Line.

You're reading a magazine with hundreds of "look-alike" ads for IBM Compatible Computers, they all claim similar performance, outstanding quality, low price and great support.

How do you make your choice?

Price: Some show unusable entry level or giant overkill units, and sock-it-to-you on the drives, monitors and video cards you really need. Some add outrageous freight, handling and customization charges. We don't. We advertise the industries largest selection of complete drive and video configurations all unbelievably priced. All priced delivered to your door.

Quality: Some claim quality but offer only a 30, 60 or 90 day warranty. Our 5 year program is the best and longest in the business...

...PC Magazine, PC Buyers Guide, Computer Shopper, Byte, and Personal Computing all say the same thing about PC Brand: "Outstanding quality... Rock Bottom Price." We couldn't have said it better ourselves.

Support: Everybody claims it, but check our facts; 30 Day Money Back Guarantee (no RMA's required), Toll Free Technical Support, Toll Free Customer Service, On-Site Service, On-Site Installation, Leasing and Customized "Built to your Specs" configurations. Even our FAX's are on Toll Free Lines. *Our support is so good it wins us Awards.*

Put it all together and it spells our commitment to you, the *Bottom Line*, the Best one in the Business. Call us at 1-800-PC Brand Today.

PC BRAND OFFERS A FULL
RANGE OF COMPUTER SYSTEMS

NAME BRAND PERIPHERALS
AT THE LOWEST PRICES

FREE FREIGHT
TOLL-FREE SERVICE & SUPPORT
5-YEAR WARRANTY*
30-DAY MONEY BACK GUARANTEE

ON-SITE SERVICE
24-36 MONTH LEASING

PC BRAND™

Turn page for PC Brand Systems...

Find Out Why We're Rated No.1 for Service & Support.

"PC Brand is the LL Bean of personal computer mail order..."

...PC Brand wants no unhappy customers,...it's service and support policies help to insure that."

-Personal Computing's 10 Best Mail Order Companies, Feb. 1989

286 SYSTEMS FROM \$599



PCBRAND 286/12 _____ \$599

12 MHz Clock, Zero Wait Operation,
Norton SI 15.3 Landmark™ Speed 15.1MHz
512K RAM, 1.2MB or 1.44MB Drive, 101-Key-board

PCBRAND 286/16 _____ \$749

16 MHz Clock, Zero Wait Operation,
Norton SI 19.0 Landmark™ Speed 20.6MHz
512K RAM, 1.2MB or 1.44MB Drive, 101-Key-board

PCBRAND 286/20 _____ \$899

20 MHz Clock, Zero Wait Operation
Norton SI 23.0 Landmark™ Speed 26.7MHz
512K RAM, 1.2MB or 1.44MB Drive, 101-Key-board

Standard System Features:

- 80286-12, 80286-16, 80286-20 operating at 12 MHz, 16MHz, or 20MHz w/Zero Wait States delivering 15.3MHz, 20.6 MHz, or 26.7MHz Effective Throughput
- 512K RAM expandable to 8MB on the System board using 256K or 1MB 100ns RAM
- 1.2MB 5.25" or 1.44MB 3.5" Diskette Drive
- FCC Class "A", Intended for business use
- High performance 16bit VGA Cards with 1024x768 capability on all VGA systems
- 1:1 Interleaved Hard/Floppy Drive Controller
- Enhanced 101-key Click/Tactile Keyboard
- 2 Serial & 1 Parallel ports on std configurations
- High Capacity System Power supply
- Real Time Clock/Calendar with 5 Year Battery
- 80287 Co-Processor Support
- AMI BIOS w/full MS/DOS, OS/2, XENIX, UNIX, NOVELL, 3COM and PCNET compatibility
- Built-in System Board LIM 4.0EMS hardware
- User configurable I/O timing permitting compatible operation w/older peripherals or faster I/O for newer devices
- 8 Slot motherboard design (5 16Bit & 3 8Bit)
- Medium foot print case w/6 Disk Drive bays

Options:

- Low profile Slim Line Case w/3 Disk Drives available at no extra charge (pictured above)
- Mini Size desk top Tower Case w/4 Disk Drive bays
- LCD or Plasma Portable
- Factory Installed RAM Upgrades
- Custom configurations w/Name Brand peripherals of your choice

PC BRAND 286/12

w/512k, Hard Disk Drive, Monitor & Video Card

Hard Drives:	20/40	40/25	66/25	100/25
MB/MS				
No Video	\$929	\$1029	\$1209	\$1349
Mono	\$1049	\$1149	\$1329	\$1469
VGA-Mono	\$1229	\$1329	\$1509	\$1649
VGA-Color	\$1459	\$1559	\$1739	\$1879
SVGA/Color	\$1569	\$1669	\$1849	\$1989

PC BRAND 286/16

w/512k, Hard Disk Drive, Monitor & Video Card

Hard Drives:	20/40	40/25	66/25	100/25
MB/MS				
No Video	\$1079	\$1179	\$1359	\$1499
Mono	\$1199	\$1299	\$1479	\$1619
VGA-Mono	\$1379	\$1479	\$1659	\$1799
VGA-Color	\$1609	\$1709	\$1889	\$2029
SVGA/Color	\$1719	\$1819	\$1999	\$2139

PC BRAND 286/20

w/512k, Hard Disk Drive, Monitor & Video Card

Hard Drives:	20/40	40/25	66/25	100/25
MB/MS				
No Video	\$1229	\$1329	\$1509	\$1649
Mono	\$1349	\$1449	\$1629	\$1769
VGA-Mono	\$1529	\$1629	\$1809	\$1949
VGA-Color	\$1759	\$1859	\$2039	\$2179
SVGA/Color	\$1869	\$1969	\$2149	\$2289



30 -DAY
MONEY BACK
GUARANTEE
FREE FREIGHT
TOLL-FREE
SERVICE AND
SUPPORT
ON-SITE SERVICE
24 or 36 MONTH
LEASING
AND A 5-YEAR
WARRANTY

Best "Executive Decision"
System.

*-Personal Computing,
Best Bargain Systems,
Dec, 1989*

"The PC Brand 386/SX-16
performed at least as well
as the far costlier Compaq...
We simply began marveling
at what is surely the big-
gest bargain in personal
computing"

*-Computer Buyer's Guide,
Cover Story, Oct, 1989*

Intel 386 Technology at 286 Prices the 386 SX-16 Only \$899

PC BRAND 386/SX-16 \$899


16 MHz Clock, Zero Wait Operation • Norton SI 18.7 Landmark™ 18.3MHz
512K RAM, 1.2MB or 1.44MB Drive, 101-KeyBoard

Standard System Features:

- 80386SX Processor Operating at 16MHz delivering 18MHz Effective Throughput
- 512K RAM expandable to 8MB on the System board using 256K and/or 1MB RAM
- 1.2MB 5.25" or 1.44MB 3.5" Diskette Drive
- FCC Class "A", Intended for business use
- High performance 16bit VGA Cards with 1024x768 capability on all VGA systems
- 1:1 Interleaved Hard/Floppy Drive controller
- Enhanced 101-key Click/Tactile Keyboard
- 2 Serial & 1 Parallel ports on std-configurations
- High Capacity 200 Watt System Power Supply
- Real Time Clock/Calendar with 5 Year Battery
- 80387SX Co-Processor Support
- AMI BIOS with full MS/DOS, OS/2, XENIX, UNIX, NOVELL, 3COM compatibility
- 8 Slot motherboard design (5 16Bit & 3 8Bit)
- Medium foot print case w/ 6 Disk Drive bays
(Shown w/optional Mini Size Tower ® Case)

Options:

- Low profile Slim Line Case w/3 Disk Drive bays at no extra charge
- Mini Size desk top Tower ® Case w/4 Disk Drive bays (as pictured above)
- LCD or Plasma Portable
- Factory Installed RAM Upgrades
- Custom configurations w/Name Brand peripherals of your choice



PC BRAND 386SX-16

w/512k, Hard Disk Drive, Monitor & Video Card

Hard Drives: MB/MS	20/40	40/25	66/25	100/25
No Video	\$1229	\$1329	\$1509	\$1649
Mono	\$1349	\$1449	\$1629	\$1769
VGA-Mono	\$1529	\$1629	\$1809	\$1949
VGA-Color	\$1759	\$1859	\$2039	\$2179
SVGA/Color	\$1869	\$1969	\$2149	\$2289

Call 1-800-PC BRAND

(Call 1-800-722-7263) In All 50 States FAX# 1-800-722-7392

PC Brand, Inc. 954 W. Washington St., Chicago, IL 60607 Canadian Fax # 312-633-2888 Canadian Voice # 312-226-5200
We are open Mon, thru Fri.: 8am to 6pm Central Time. MasterCard, VISA, Discover, Checks
and Approved P.O.s are Accepted. Prices and specifications subject to change. **BYTE 15-3**



PC BRAND'S
386/20
386/25...

"FASTER THAN
A SPEEDING
BULLET!"

-Computer Shopper, Cover Story
November, 1988

20MHz
FROM \$1349
25MHz
FROM \$1499

"The Best Low-Cost Alternative Around!"

-PC Magazine, 25MHz 386 PC's, Feb. 14, 1989

PC BRAND 386/20 _____ \$1349

20 MHz Clock, Zero Wait Operation,
Norton SI 23.0 Landmark Speed 26.1MHz,
1024K RAM, 1.2MB or 1.44MB Drive, 101-KeyBoard


PC BRAND 386/25 _____ \$1499

25 MHz Clock, Zero Wait Operation,
Norton SI 28.2-Landmark Speed 33.6MHz
Norton SI 31.6-Landmark Speed 43.5 w/Cache,
1024K RAM, 1.2MB or 1.44MB Drive, 101-KeyBoard

"The PC Brand 386/25 is a fascinating machine. It offers flexible configuration...at a bargain price..."

"and the company backs it all with what may be the longest warranty on the market...PC Brand makes it possible to buy two complete systems for less than most competitors charge for just one."

- PC Magazine, 25MHz 386 PC's
Feb. 14, 1989



Standard System Features:

- True 20MHz or 25MHzZ Intel 80386 CPU Operating with Zero Wait States
- 1024K RAM standard expandable to 16MB using 256K and/or 1MB RAM
- 1.2MB 5.25" or 1.44MB 3.5" Diskette Drive
- FCC Class "A", Intended for business use
- High performance 16bit VGA Cards with 1024x768 capability on all VGA systems
- E1 Interleaving Dual Hard Drive/Floppy Drive controller, 977.6 KB/SEC Caching Controller w/ESDI Configurations
- Enhanced 101-key Click/Tactile Keyboard
- 2 serial & 1 parallel ports on std-configurations
- High Capacity 200Watt System Power Supply
- Real Time Clock/Calendar with 5 Year Battery
- 80287, 80387, or Weitek Co-Processor Support
- AMI BIOS with full MS/DOS, OS/2, NENIX, UNIX, NOVELL, 3COM compatibility
- 8 Slot motherboard design (5 16Bit & 3 8Bit)
- Medium foot print case w/6 Disk Drive bays (as pictured above)

Options:

- Low profile Slim-Line Case w/3 Disk Drive bays available at no extra charge
- Full Size Tower® Case w/6 Disk Drive bays
- Mini Size Tower® Case w/4 Disk Drive bays
- LCD or VGA Plasma Portable Case
- 32k or 64k Cache upgrade (25Mhz only)
- Custom configurations w/Name Brand peripherals of your choice

PC BRAND 386/20


with Hard Disk Drive, Monitor & Video Card

Hard Drives:	40/25	66/25	100/25	200/19
MB/MS				
No Video	\$1779	\$1959	\$2099	\$2549
Mono	\$1899	\$2079	\$2219	\$2669
VGA-Mono	\$2079	\$2259	\$2399	\$2849
VGA-Color	\$2309	\$2489	\$2629	\$3079
SVGA/Color	\$2419	\$2599	\$2739	\$3189

PC BRAND 386/25

with Hard Disk Drive, Monitor & Video Card

Hard Drives:	40/25	66/25	100/25	200/19
MB/MS				
No Video	\$1929	\$2109	\$2249	\$2699
Mono	\$2049	\$2229	\$2369	\$2819
VGA-Mono	\$2229	\$2409	\$2549	\$2999
VGA-Color	\$2459	\$2639	\$2779	\$3229
SVGA/Color	\$2569	\$2749	\$2889	\$3339



"PC BRAND 386/33
HAS FLAWLESS
COMPATIBILITY,
LOWEST PRICE"

InfoWorld
January 8, 1990

FROM \$2299

386/33 CACHE _____ \$2299

33 MHz Clock, Zero Wait Operation
Norton SI 45.9 • Landmark 58.7 MHz
1024K RAM, 1.2MB or 1.44MB Drive, 101-Key Keyboard

"Here's a price \$2799...
[Now \$2299] Must be
stripped to nothing, Right?
Wrong..You don't sacrifice
quality for low price either.
The PC Brand machines
are an efficient combi-
nation of in-house en-
gineering and top-notch
off-the-shelf Parts."

-PC Magazine, 33MHz 386 PC's,
October, 31, 1989


Simply put... We couldn't
have said it any better
ourselves!

Standard System Features:

- True 33 MHz INTEL 80386-33 CPU operating w/ Zero Wait States Delivering up to 58.7 MHz Effective Throughput
- Intel 82385-33 Cache Processor with 32K 25NS Static RAM Standard, Field Upgradable to 64K
- 1024K RAM Standard Expandable to 16MB
- FCC Class "A". Intended for business use
- High performance 16bit VGA Cards with 1024x768 capability on all VGA systems
- 1.2MB 5.25" or 1.44MB 3.5" Diskette Drive
- 1:1 Interleaving Dual Hard Drive/Floppy Drive Controller, 977.6 KB/SEC Caching Controller w/ ESDI Configurations
- Enhanced 101-key Click/Tactile Keyboard
- I/O Ports-2 serial,1 parallel
- High Capacity 200 Watt System Power Supply
- Real Time Clock/Calendar with 5 Year Battery
- 80387 or Weitek Co-Processor support
- Phoenix BIOS with Full MS/DOS, OS 2, XENIX, UNIX, NOVELL, 3COM compatible
- 8 Slot motherboard design
- Full size case w/ 6 Disk Drive bays

Options:

- Full size Tower @ Case w/6 Disk Drive bays (as shown above)
- Custom configurations w/Name Brand peripherals of your choice
- Factory Ram Upgrades



80386 33MHz systems with:
4 Mb RAM, VGA Card, Color Monitor,
100+ Mb Hard Disk, DOS, I/O

PC BRAND 386/33 CACHE

with Hard Disk Drive, Monitor & Video Card

Hard Drives: MB/MS	40/25	66/25	100/25	200/19
No Video	\$2679	\$2859	\$2999	\$3449
Mono	\$2799	\$2979	\$3119	\$3569
VGA-Mono	\$2979	\$3159	\$3299	\$3749
VGA-Color	\$3209	\$3389	\$3529	\$3979
SVGA/Color	\$3319	\$3499	\$3639	\$4089

Turn the page for Portables & Peripherals

Call 1-800-PC BRAND

(Call 1-800-722-7263) In All 50 States FAX# 1-800-722-7392

PC Brand, Inc. 954 W. Washington St., Chicago, IL 60607 Canadian Fax # 312-633-2888 Canadian Voice # 312-226-5200.
We are open Mon thru Fri. 8am to 6pm Central Time MasterCard, VISA, Discover, Checks
and Approved P.O.s are Accepted. Prices and specifications subject to change. **BYTE 15-3**



Portables with More Power than Desktops.

Backlit CGA/Monographic LCDs from _____ **\$1745**
VGA Gas Plasmas from _____ **\$2595**

512K (286) or 1024K (386) RAM
 Serial, Parallel, and Game Ports
 1.2MB or 1.44MB Floppy, 86-Key Keyboard

The power, reliability and performance of our desktop system motherboards combine with our portable casing to make our systems technically unique!

We support 3 built-in, externally accessible disk drives, enabling dual (3.5" and 5.25") floppies for *total* media compatibility. Including tape CD-ROM drives or other devices to deliver desktop functionality in a Portable Unit.

Simultaneous internal AND external monitor support, VGA functionality, 2 open card slots and our unique 3 drive support, permit this family to be used as a complete "in the office system" which you can pick up and take anywhere.

Standard System Features:

- All performance and compatibility features as in desktop models featured on previous pages
- 3 Accessible Drive Bays for 2 5.25" & 1 3.5" Units
- 2 Available Peripheral Card Slots
- 16 Grey Scale 640x480 VGA Plasma or 4 Grey Scale 640x400 CGA/Mono Graphics Backlit Supertwist LCD Display
- Simultaneous internal and external displays
- 200 Watt Auto Voltage Switching Power Supply



*Actual VGA PLASMA Screen Image
 16 grey scale display operates
 concurrently in all VGA modes with
 external monitor*

VGA Gas Plasma Portables

Drives	286/12	286/20	386/SX-16	386/20	386/25
1 Floppy	\$2595	\$2795	\$2895	\$3350	\$3550
40MB-25MS	\$2995	\$3195	\$3295	\$3750	\$3950
66MB-25MS	\$3095	\$3295	\$3395	\$3850	\$4050
100MB-25MS	\$3395	\$3595	\$3695	\$4150	\$4350
200MB-19MS	\$3960	\$4160	\$4260	\$4710	\$4910

LCD Backlit Portables

Drives	286/12	286/20	386/SX-16	386/20	386/25
1 Floppy	\$1745	\$1945	\$2045	\$2195	\$2695
40MB-25MS	\$2145	\$2345	\$2445	\$2895	\$3095
66MB-25MS	\$2245	\$2445	\$2545	\$2995	\$3195
100MB-25MS	\$2545	\$2745	\$2845	\$3295	\$3495
200MB-19MS	\$3110	\$3310	\$3410	\$3855	\$4055

"THE VGA
 PORTABLE III
 IS EXTREMELY
 FLEXIBLE...

...more [disc] drive capacity than most portables...and the bang-for-the-buck ratio is very high, excellent high powered performance."

*-PC Magazine : Over 20 pounds,
 over 20Mhz portables
 December 12, 1989*

NAME BRAND PERIPHERALS AND SOFTWARE AT THE LOWEST PRICES.

Free Freight*
30-Day Money-Back Guarantee
Toll-Free Service & Support
No Credit Card Surcharges
 Call for Prices
 on Scanners, Math Co-processors,
 Digitizers, & Other Peripherals

Monitors*

Magnavox	
CM8762 13" RGB Color (640x200)	\$230
Mitsubishi	
1381 11" Diamond Scan VGA/EGA (to 800x600)	\$499
HL6605 16" VGA/EGA (to 1280x1024)	1295
HL6905 20" VGA/EGA (to 1280x1024)	2325
NEC	
MultiSync GS-2A 14" Multi Mono (to 800x600)	\$249
MultiSync 2A 14" VGA (to 800x600)	479
MultiSync 3D 14" VGA/EGA (to 1024x768)	649
MultiSync 4D 16" VGA/EGA (to 1024x768)	1150
MultiSync 5D 20" VGA/EGA (to 1280x1024)	2350
Panasonic	
C1391 PanaSync 14" VGA/EGA (to 800x600)	\$489
M1500 15" Mono (1280x960)	559
M1900 19" Mono (1280x960)	849
Princeton Graphics	
Max 15 14" Multifreq. Mono (to 1024x768)	\$249
UltraSync 14 14" VGA/EGA (to 800x600)	520
UltraSync 16 16" VGA/EGA (to 1024x768)	879
Princeton Publishing Labs	
Multiview 15" Full Page w/adaptor (800x1000)	\$890
Relisys (Top Rated by InfoWorld and PC World)	
9503 14" VGA Mono (640x480)	\$135
9513 14" VGA (640x480)	369
1520 15" VGA/EGA Multifreq (to 1024x768)	679
Seiko NEW!	
1440 14" VGA	\$599
1450 14" VGA	\$779
Sony	
1304 14" VGA (to 1024x768)	\$689
Zenith	
ZCM-1492 14" FlatScreen VGA (640x480)	\$619

Disk Drives

360K 5.25" Half Height Black	\$75
720K 3.5" HH Black w/5.25" Mounting	80
1.2MB 5.25" Half Height Grey	85
1.44MB 3.5" HH Grey w/5.25" Mounting	95
PS/2 Floppy Drives	
CMS 5.25" 360K-PS-2 Ext. Floppy	\$199
Imego	
B1201 Single 5.25" 20MB Int. w/o Interface	\$765
B1441 Single 5.25" 44MB Int. w/o Interface	995
B244X Dual 5.25" 44MB Ext. w/o Interface	1995
PC2 50 Nonbootable Interface	230
PC2 B 50 Bootable Interface	230
Hard Disk Drives:	
Cannor	
100MB 25ms IDE (3.5" in 5.25")	\$679
200MB 19ms IDE (3.5" in 5.25")	1249
Micropolis	
330MB 18ms 1558-15 ESDI Full Height	\$1550
640MB 18ms 15 Mbit ESDI Full Height	2695
Seagate	
20MB 65ms ST225	\$209
20MB 35ms ST138	310
40MB 21ms ST151	419
80MB 28ms ST1096 Full Hgt. MFM	590
<i>Add \$50 for XT Kit for ST1xx, ST2xx</i>	
Toshiba	
66MB 25MS MK134 RLL (3.5" in 5.25")	\$129
110MB 25MS MK72 RLL Full Height	669

Tape Backups

40/80MB Colorado Memory-Internal QIC-40	\$249
60MB Archive Int. or Ext. w/Ctrl.	590
60MB Maynard Maynstream Portable	889
150MB Archive Internal External	925
150MB Maynard Maynstream Portable	1395
2.2GB Maynard Maynstream Portable	4350

Modems

ATI	
2400ETC Internal Modem w/MNP5	\$165
2400ETC External Modem w/ MNP5	205
Hayes	
1200B Int. w/Smartcom	\$189
2400B Int. w/Smartcom	249
1200 Ext. Call 2400 Ext. Call	
PC Brand 100% Hayes Compatible!	
1200 Internal (w/Bitcom Software)	\$49
1200 External	70
2400 Internal (w/Bitcom Software)	89
2400 External	129
2400 Internal w/MNP5	129
US Robotics	
Courier HST 14400	\$599
Courier V.32 9600 External	889
Courier HST-V.32 Dual Standard Modem	995
Courier 300-9600 Internal	579

Printers*

Brother	
HL-8e Laser (LJ-II, HPGL) Editor's Choice	\$1875
HL-8PS Postscript Editor's Choice	3295
Canon	
BJ130e Wide Cartridge, 360dpi, QUIET!	\$769
LBP1/LBP8-III Laser Printers w/ Fonts	1025/1725
Citizen	
GSX 140	\$339
Color Kit	549
Epson	
LX810 180/300 CPS	\$189
LQ510 180/60 CPS	539
FX850 330/88 CPS	345
FX1050 264/54 CPS	445
LQ850 330/88 CPS	509
LQ1050 330/88 CPS	695
LQ950 264/88 CPS	509
LQ2550 400/108 CPS	945
LQ1010 (New)	Call
Kodak Diconix	
150Plus 150/50 CPS	\$315
300WP 310/73 CPS	5459
Hewlett Packard	
Deskjet Plus	\$710
Laserjet II	\$1720
Laserjet IIP	1025
Laserjet IID	2995
<i>Call about 400dpi Postscript Compatible Laser Printers</i>	
Laser Jet Accessories	
PDP Plotter in Cartridge	\$249
PDP25 in 1 Cartridge	285
PDP Pacific Page Postscript Emulation Cartridge	449
CPI Superfont Cartridge adds 150 fonts	295
CPI 1MB Memory Kit	269
CPI 2MB Memory Kit	549
Princeton Publishing	
PS-388 Postscript Emulation RISC board	\$2250
<i>Fast Postscript Printing for your HP Laserjet!!!</i>	
NEC	
P2200XF 192/54 CPS	\$335
P9XL 400/140 CPS	\$1030
LC890 Postscript	3190
LC890XL Laser	4195
Okidata	
ML320 300/62 CPS	\$345
ML321 300/62 CPS	\$479
ML380 180/60 CPS	359
ML390 270/90 CPS	495
ML391 270/90 CPS	655
ML393 450/120 CPS	975
Panasonic	
1180 192/38 CPS	\$189
1191 240/48 CPS	\$245
1124 192/63 CPS	299
1624 192/63 CPS	429

Video Cards

ATI	
VGA Wonder w/256K/512K (16 bit)	\$279/449
Cardinal	
VGA 100 (8 bit) to 800 to 600	599
NEC	
Graphics Engine 512K 5999 Graphics Engine 1M	\$1349
Paradise	
EGA Autoswitch 480 W/256K (SEGA 640x980)	\$139
VGA+ w/256K (8 bit) to 800x600	219
VGA+ w/256K (16 bit) to 800x600	249
VGA 1024 w/512K (to 1024x768)	239
851+ A	Call
851+ A w/ VGA	Call
PC Brand	
EGA Autoswitch w/256K (8 bit)	\$99
VGA w/256K (16 bit) (Paradise compatible)	139
Video Seven	
1024 VGA w/256K (16 bit) (to 1024x768)	\$259
VRAM VGA w/512K (16 bit) (to 1024x768)	495

Networking

Novell	
4 User ELS 286 Level 1	\$429
8 User ELS Level II (Version 2.15)	939
Advanced Netware 286 (Ver. 2.15)	1850
SFT Netware 286 (Ver. 2.15)	2850
Netware 386 (free upgrade to 3.1)	4550
Lanostic - Easy to Install Network	Call
Standard Micra	
PC130 Arcnet Board	\$135
PC270E Twisted Pair Arcnet Card	139
PC500-WS 16 Bit Work Station Board	375
PC500-ES 16 Bit File Server Board	449
PC550-WS 16 Bit Twisted Pair Work Station Bd	395
PC550-ES 16 Bit Twisted Pair File Server Bd	495
PS110 Arcnet Board for PS/2	439
ARCNET passive, Active Hubs	72 359
Tiara	
4 Port 8 Port Hubs	\$49/285
Lancard A 8 Bit ARCNET Board	89
Lancard F 8 Bit ETHERNET Board	199
Lancard F 8 Bit Twisted Pair ETHERNET	329
Western Digital	
Ethercard* w/Novell Drivers	\$219
Ethercard* A for PS 2	320
Ethercard* Twisted Pair Ethernet Board	319

Software

Aldus Pagemaker	\$499
AMI World Processor for Windows	129
Ashton-Tate DBASE IV	449
Borland Quattro	95
Borland Quattro Pro	Call
Central Point PC Tools 5.5	79
Lotus 123 r. 2.2 or 3.0	339
Microsoft Excel 2.1	369
Microsoft Windows 386	125
Microsoft Word 5.0	205
Microsoft Works	99
Quarterdeck Desqview 386	115
Word Perfect 5.1	249
Xerox Ventura Publisher 2.0	499
<i>Please Call For Other Business Software Titles!</i>	
* oversized items excluded from Free Freight	

Call 1-800-PC BRAND

(Call 1-800-722-7263) In All 50 States FAX# 1-800-722-7392

PC Brand, Inc. 954 W. Washington St., Chicago, IL 60607 Canadian Fax # 312-633-2888 Canadian Voice # 312-226-5200.
 We are open Mon. thru Fri. 8am to 6pm Central Time. MasterCard, VISA, Discover, Checks and Approved P.O.s are Accepted. Prices and specifications subject to change. **BYTE 1-5-3**



The Three Biggest Lies:

1. The check is in the mail.
2. My diet starts tomorrow.
3. Performance doesn't matter in 3270 communications.

The truth is,
for most 3270 PC-to-mainframe applications, performance DOES matter.

When you're linking multiple PCs — a few, a dozen, or hundreds — to your IBM mainframe, it just makes sense to do it with the highest speed and efficiency available. Often, a simple

32 sessions with no impact on your gateway PC.

plug-and-play product isn't enough.

Consider DataTalker 3270. It's designed *specifically* for high-performance, multiple-user applications.

We deliver DataTalker 3270 on a powerful co-processor board with on-board memory. This allows you to offload all communications processing from your gateway PC, freeing it for applications processing.

The result is that users can perform up to 32 simultaneous mainframe sessions with *no impact* on your gateway PC's performance.

We offer DataTalker 3270 in both DOS- and UNIX-compatible

versions. Each provides full IBM 3278/79 terminal emulation, 32 LUs, file transfer (IND\$FILE), BSC or SNA support, NetView support, and Application Program Interface (our own plus IBM's HLLAPI 3.0). Only 1K of PC memory is required for API applications.

DataTalker 3270 also provides full emulation of IBM 3174, 3274, and 3276 controllers, as well as IBM 3287 printers.



Only 1K of memory required for API applications.

To learn the truth — and nothing but the truth — about our high-performance DataTalker 3270, call us today at 1-800-233-2536. Or write to us at 3796 Plaza Drive, Ann Arbor, Michigan 48108. FAX: 313/662-1965.

CLEO 
CLEO Communications®
A Division of Interface Systems, Inc.




Novell's next-generation LAN operating system is ready for prime time

Jon Udell

No more Netgen! Novell's new NetWare 386 version 3.0 does away with the much-hated installation and configuration program that drove countless NetWare 286 customers into the arms of value-added resellers. A colleague and fellow Netgen sufferer watched with me as NetWare 386 made good on its claim: It transformed an 80386 PC into a NetWare server in 20 minutes. It delivers compatibility with its 80286 cousin, radically improved performance and capacity, and new and enhanced utilities. NetWare 386 is a sophisticated, open operating system that will compete with Unix and OS/2 for the hearts and minds of software developers. Unfortunately, there's no upgrade program for NetWare 2.1x users. Even if you've already spent \$4995 for NetWare 2.15 with all the trimmings, you'll still have to fork over a full \$7995 for the 80386 product.

NetWare 386 holds to the design goals of its predecessors. Unlike DOS, OS/2, Unix, and the Mac OS, which are all general-purpose operating systems that have been adapted for use as file servers, NetWare has always been a specialist—a pure file server engineered for maximal I/O performance. To that end, NetWare 2.15 runs in 80286 protected mode, multitasks cooperatively rather than preemptively, and uses a proprietary, server-adapted file system. NetWare 386 fits that description, too, but it requires an 80386 or i486 processor. It runs these

NetWare 386: Less Pain, Great Gain



The most noticeable difference between NetWare 2.15 and NetWare 386 is the size of the packages: 45 floppy disks and 13 manuals for NetWare 2.15 versus nine floppy disks and four manuals for NetWare 386.

processors in its native 32-bit mode and breaks new ground in several critical areas.

NetWare 2.15 topped out at 100 connections (concurrent users), 1000 open files, and 32 gigabytes of disk storage. NetWare 386 boosts those numbers to 250 connections, 100,000 open files, and 32 terabytes of storage. The number of volumes per server (32) stays the same, but with NetWare 386, a volume can span multiple disks. So storage can grow by convenient increments to vast proportions. That's a scenario that should make a prospective minicomputer buyer stop and think.

Of course, performance and storage capacity aren't the whole story. Buyers who favor minicomputers over PC LANs do so because minicomputer operating systems, such as Unix and VMS, intrinsically support the client/server application model that LANs are now struggling to emulate. NetWare value-added processes, the foundation of server-resident utilities like Btrieve and NetWare for the

Macintosh, added invaluable capabilities to previous versions of NetWare and were a step in the right direction. But VAPs never lived up to their full potential. Writing a VAP required an intimate knowledge of NetWare internals and VAP-specific development techniques that third-party programmers found difficult to assimilate.

NetWare 386 loadable modules are the new VAPs. NLMs borrow two great ideas from OS/2: They link dynamically to the kernel and can execute as multiple threads. By providing NetWare-specific ANSI C- and POSIX-compatible libraries, a convenient development and testing environment, and extensive application programmer interface documentation, Novell has flung open the gate to third-party developers. Given Novell's commanding market position, it's likely that the company will charge through and create a significant base of server applications.

Novell will have to compete for those

continued

developers, however. OS/2 LAN Manager makes OS/2 a potent environment for building distributed applications, particularly in view of the new OS/2 1.2 High Performance File System, the just-announced 80386-specific version of HPFS for LAN Manager 2.0, and the imminent, full-blown 32-bit OS/2. And while OS/2, like NetWare 386, still lacks maturity and a strong base of applications, LAN Manager/X, Microsoft's OEM-only version of LAN Manager for Unix systems, will link established Unix applications to DOS and OS/2 clients and offer yet another attractive development platform. NetWare's new open architecture comes not a moment too soon for Novell.

An Architecture for the 1990s

NetWare 386 arrived on nine 1.2-megabyte floppy disks and came with four manuals. That was a welcome relief: 2.15 comes on 45 360K-byte floppy disks with a shelf of documentation so formidable that Novell felt compelled to supply a separate book entitled "Guide to Manuals" (see photo). I installed the software on a 4-megabyte Fortron 386/33 with a 140-megabyte hard disk drive. (The minimum requirement for NetWare 386 is 2 megabytes of RAM.) The choice of LAN adapters is limited, initially, to Novell's own Ethernet and ARCnet and IBM's Token Ring boards. I used an NE2000 and connected it to Synoptics Lattisnet (twisted-pair Ethernet) cabling by way of an external transceiver.

Installation was a snap. I didn't even crack open the manuals; the "Quick Path" cheat sheet covered everything I needed to know. Although it is amazingly simple, the installation procedure tells you a lot about how NetWare 386 works. To begin, you set up a small bootable DOS partition. Why boot DOS? One reason is that the NetWare kernel, SERVER.EXE, is a DOS-executable program that accepts command-line arguments. For example, the server -C8KB command instructs the kernel to use 8K-byte cache buffers rather than the default 4K-byte buffers.

More generally, the DOS partition is where NLM developers will ply their trade. You write source code and run the NetWare compiler and linker in the DOS partition and then fire up the NetWare kernel and load the resulting NLM to test and debug it. (The compiler is a version of the Watcom C 386 compiler [see "Power to the Programmer," December 1989 BYTE].) Another new NetWare console command, exit, returns you to

DOS to continue programming.

Next, you copy the operating system and the support NLMs to drive C, create a simple AUTOEXEC.BAT that calls SERVER.EXE, and boot the server. The NetWare console prompt (a colon) comes up instantly. At this point, a NetWare 2.1x veteran's eyebrows shoot up. NetWare 286, like Unix, uses a conventional linker to attach drivers to the kernel. That makes installing the 286 product a tedious exercise and necessitates downtime whenever you reconfigure the system. NetWare 386 loads drivers on the fly and, equally important, can also unload them.

The NLMs come in four flavors: disk

The DOS partition is where NLM developers will ply their trade.

drivers (.DSK files), LAN drivers (.LANs), name-space support modules (.NAMs), and general-purpose loadable modules (.NLMs). The console command :load isadisk.dsk configures the system for a standard AT-type controller, and the :load ne2000.lan command sets up the NE2000 Ethernet adapter. The command :load mac.nam prepares the server to store Macintosh files. The NLMs that replace the Macintosh VAPs haven't been released yet, but Mac users can connect to an 80386 server on a multiserver network that includes a NetWare 2.15 server running NetWare for Macintosh's AppleShare emulation (version 1.1 is required). The loadable name-space support is a nifty invention. For example, Novell might offer an HPFS name space to support OS/2 1.2 clients; however, there's a price. Each name space requires an extra directory entry for every file, and server RAM in which to cache those directory entries.

The next step in installation is to literally bind a transport protocol to the LAN driver: bind ipx to ne2000, in my case. Novell's new "Open Data-Link Interface" is a strategic standard designed to free NetWare from dependence on its native IPX/SPX transport protocol. Any protocol written to the ODI will run on

any LAN adapter whose driver conforms to the ODI. Moreover, under ODI, multiple protocol stacks can share a single LAN adapter. The company plans to write ODI-compliant AppleTalk (Macintosh), NetBEUI (OS/2), and TCP/IP (Unix) protocols.

Just as ODI isolates protocols from underlying hardware, another new Novell standard, modeled on a Unix facility called Streams, isolates service protocols from transport protocols. NetWare Core Protocol is the native protocol that clients use to access NetWare's file and print services. By the means of NLMs, Novell is planning to extend support to the AppleTalk Filing Protocol, IBM's Server Message Block, and Sun's Network File System. What does all this add up to? NetWare 386 is, in principle, a universal file server. Although DOS clients are the primary focus, for now OS/2, Unix, and Macintosh clients can share the powerful engine that is a NetWare 386 server. And they'll do so quite naturally, in terms of their native transport and service protocols.

Up and Running by Lunchtime

Once you've bound IPX to the LAN driver, you load the install NLM. With it, you create disk partitions, mirror drives, create and mount volumes, copy system and utility files to the server, and create two start-up files called STARTUP.NCF and AUTOEXEC.NCF. The STARTUP.NCF file lives on your DOS boot device—either a floppy disk drive or drive C partition. It loads disk support so the server can access AUTOEXEC.NCF on the more secure NetWare SYS: volume, which in turn loads everything else.

NetWare 386 runs each console task in its own screen group à la OS/2. It's a nice convenience. For example, while running install, a full-screen menu-driven utility, I needed to get at the console command line to mount the volume I'd created. No problem: You press Alt-Esc to cycle from screen to screen. Another nice touch is the command-line recall at the console.

All this takes longer to describe than to accomplish. In remarkably short order, I added a NetWare 386 server to an existing NetWare 2.15 network. I then immediately discovered that NetWare 386 doesn't handle multiserver administration any differently than 2.1x. There's no concept of a "domain" or "global name space" distributed throughout a network. Each server has its own supervisor, user accounts, and public utilities.

continued

Why Experienced Computer Users Don't Think Very Much About Modems

Our research shows that knowledgeable MIS managers, PC coordinators, and end users simply don't want to think of modems at all.

Not exactly what modem makers relish hearing! But it's hardly surprising that you want to save your thinking for bigger and more important things.

Modems are a lot like plumbing. As long as the data is flowing, they're practically invisible. However, when something goes wrong, those little boxes are just lavished with attention.

By then, you've lost data, time, money, and perhaps an opportunity. Both senders and receivers are dismayed and disarrayed.

Fortunately, there are simple ways to limit this aggravation. Our research suggests a few points to keep in mind.

The cost of the modem is not the modem's cost.

The fixed price of the modem is relatively insignificant. Ongoing costs matter far more.

In the long run, for example, a high-speed modem can save you a small fortune on phone bills. More data sent in less time means less money to the phone company.

You can also save with more reliable and robust modems that communicate over a wide range of telephone line conditions.

Resending data costs both time and money. The less time you spend transmitting data, the more time you have to spend on your business.

Downtime and adaptation time can also cost you dearly.

Be sure to ask if the modems are compatible with their earlier generations. You don't want to start with suppliers who regularly obsolete their own products, or who don't offer you an upgrade path.

Modem support can be a real hassle with the wrong vendor.

Setting up and installing your modem can affect both your budget and your sanity. Many manufacturers forget to make their modems easy to use!

This becomes expensive when you want to start up fast or need to support a large number of users.

Dip switches, on-line help screens, and easy-to-use manuals should be demanded. It also helps to have a quick-reference guide printed on the bottom of the case.

In sticky situations, it's vital to have toll-free support and applications engineering.

Bottom line: The data must get through.

A bit of data traveling from your computer is converted by your modem and sent to your local telephone office.

From there, it is exposed to the vagaries of phone lines, various transmission media, and weather patterns.

They all conspire to corrupt your data and slow down your throughput.

All modems are not created equal; some are less sensitive to noise and have better error-correcting protocols.

Some are simply more robust and have better filters.

Modems are more than mere commodities — technology does count.

"When things go wrong, I want the supplier there."

That's when you need the *right* supplier on board. Look for one who gives fast turnaround time on repairs and adjustments, and who doesn't vanish after the sale.

Look for a company with history and promise — one that's here today and here tomorrow.

Not everyone needs the same modem.

The best way to keep modems from wasting your time and money is to buy them from a reliable supplier with a broad product line. Those with limited lines sometimes try to cram square pegs into round holes.

People with differing applications have differing requirements. Dealing with a broad-line supplier simplifies ordering, reduces training/support time and cost, and limits hassle and coordination.

In the end, if you give enough consideration to choosing the right supplier, you'll hardly have to give modems any thought at all.

U.S. Robotics has been making modems and communications equipment for discerning customers since 1976.

U.S. Robotics®

The Intelligent Choice in Data Communications

Call us toll-free at 1-800-DIAL-USR
(In Illinois, 312-982-5001)

U.S. Robotics is a registered trademark of U.S. Robotics, Inc.

In Canada, call 1-800-553-3560.

In the United Kingdom, Miracom Technology, Ltd. (0473) 233-888



FREE REFERENCE BOOK

Please send me the 108-page **Data Communications Concepts** — filled with illustrations, diagrams, and clear explanations — absolutely free and without obligation.

Print Name _____

Title _____

Company _____

Address _____

City _____ State _____ Zip _____

Phone (____) _____

Mail to: U.S. Robotics, Inc., Attn: Marketing Dept. 8100 N. McCormick Blvd., Skokie, IL 60076, or call us toll-free at 1-800-DIAL-USR (In Illinois, 312-982-5001).

BY 3/90

RUPP TECHNOLOGY


presents

DPT SmartCache™ Controller for ESDI, RLL or ST506 drives

- 0.5 ms Access Time
- 4.5 MBytes of Cache in a Single Slot
- Cache Expandable to 16 MBytes
- On-board 68000 microprocessor
- Supports All Operating Systems - *No Drivers!*
- Fault Tolerance Hardware Disk Mirroring Option

New release for ESDI also has:

- Floppy controller built-in!
- Optional SCSI adaptor built-in!



SmartCache™

Not just a memory cache, but an intelligent controller card with advanced caching features such as: automatic disk read-ahead and elevator sorting during cache writeback.

Created by DPT, the recognized leader in disk controller design and development, this is the most effective performance tool ever available for disk-intensive applications. It looks exactly like a standard AT disk controller to your computer, so it operates transparently—no special drivers are needed. Compatibility with all PC operating systems is assured. Also, with the addition of the Hardware Disk Mirroring option, the controller can write data to two disk drives simultaneously providing true disk fault tolerance for any 286/386 AT system.

M3011/75 Caching Controller \$1125

M3011E Hardware Disk Mirroring .. \$795

Call: New York 212/517-7775
FAX 212/249-8243
Colorado 303/494-5987
FAX 303/494-6084

Dealer Inquiries Welcome

Charge Cards Accepted: Amex, Visa, MC

Exceptional Computer Products



Rupp Technology
835 Madison Avenue
New York City, NY 10021

NetWare 386 version 3.0

Company

Novell, Inc.
122 East 1700 South
Provo, Utah 84606
(801) 429-5900

Hardware Needed

80386- or i486-based computer;
2 megabytes of RAM

Software Needed

DOS 3.1 or higher

Documentation

Installation manual; utilities reference manual; system administration manual; networking concepts manual

Price

\$7995

Inquiry 881.

Novell should fix this problem. Microsoft's announcement that LAN Manager 2.0 will support domain management may encourage Novell to follow suit.

Is NetWare 386 twice as fast as 2.15, as Novell claims? Yes, depending on how you define your terms. Here's one way to look at it. The 2.15 server was a 10-MHz 80286-based NEC PowerMate IV with 4 megabytes of extended memory and a 16-bit MICOM Interlan adapter. The NetWare 386 server was a 33-MHz 80386-based Fortron that had 4 megabytes of extended memory and a 16-bit NE2000 adapter. I used the BYTE File I/O benchmark (see "Battle of the Network Stars," July 1989 BYTE), which opens multiple files and performs seeks, reads, and writes in a pattern designed to simulate a typical database application. Under these conditions—each server operating system running on the class of hardware for which it was designed and with access to equal (and ample) quantities of cache RAM—the NetWare 386 server ran the File I/O test in half the time of the 2.15 server.

On a more disk-intensive test—a 20-megabyte XCOPY from each server to a workstation—the NetWare 386 server again outperformed the 2.15 server, but not so dramatically. The NetWare 386 server did the XCOPY in three-quarters of the time of the 2.15 server. This test, which clearly overwhelmed both servers' caches, shows the leveling influence of the standard AT-style I/O bus common to the two machines. If you add 32-bit Extended Industry Standard Architecture or Micro Channel architecture disk drive controllers and LAN drivers to the

setup, it's a good bet that NetWare 386 will put them to work. When you have a huge multidisk volume hooked up to your server by way of a disk coprocessor board, the DCB driver will be able to use those disks in parallel by taking advantage of the SCSI disconnect feature.

The Old and the New

NetWare 386 introduces a handful of welcome new features. The print server, which was integral to the 2.1x kernel, emerges as a separate NLM. This means that you don't have to shut down the server and run Netgen to add or reconfigure a printer. Instead, you unload the PSERVER module, update the printer database with PCONSOLE (the NetWare utility that controls printers and queues), and then reload PSERVER.

The printing services are much improved, too. You can associate a "notify list" with each printer so that the print server can route status messages (e.g., "printer offline" or "printer out of paper") to one or more users. Even better, PCONSOLE extends direct control over printers to individual workstations. Users can check the printer's status and pause, restart, or abort a job. The long walk to the laser printer won't become a thing of the past, but you won't need to do it nearly so often.

Administrators will appreciate the new DSPACE utility, which restricts the amount of hard disk space users or directories can consume. For example, you could put a 10-megabyte cap on all user accounts; that limits the total space permitted for all the files owned by each user. At the same time, you might restrict each user's private backup directory to, say, 2 megabytes. NetWare 2.1x had the former capability; NetWare 386 adds the latter. With CHKDIR, another new tool, users can view the restrictions in effect for volumes and directories.

In NetWare 2.1x, access rights (e.g., trustee assignments) apply to directories. NetWare 386 extends rights to individual files. The 2.1x SALVAGE utility, which recovers deleted files, remembers only the most recently deleted file. NetWare 386's SALVAGE retains information about those files as long as possible—that is, until you purge them or the server runs out of disk-allocation blocks. A salvaged file reappears in the directory from which it was deleted, unless the directory itself is gone. In that case, NetWare 386 restores the file to a hidden directory called DELETED.SAV. If you have accidentally deleted a whole directory tree, you'll lose its structure, but at

continued



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 42 HIGHTSTOWN, NJ

POSTAGE WILL BE PAID BY ADDRESSEE:

BYTE

Subscription Department
P.O. Box 558
Hightstown, N.J. 08520-9409



BYTE

SAVINGS CERTIFICATE

This certificate entitles you to BYTE at a savings of up to 52% off the cover price. You'll also receive the extra annual IBM PC Special Issue as part of your subscription.

Check one:

- 1 year (12 issues) for \$24.95
(Save 40% off the newsstand cost!)
- 2 years (24 issues) for \$44.95
(Save 46% off the newsstand cost!)
- 3 years (36 issues) – \$59.95
– SAVE 52% off the newsstand cost (20% off the basic subscription price)
- Payment enclosed**
- Bill me**

Name _____

Company _____

Address _____

City/State _____

Zip _____

IBK0625

**SAVE
UP TO
52%**

No-Risk Guarantee: If dissatisfied, cancel anytime for a full 100% refund. Your subscription will start in 6-8 weeks. Watch for it!


Single copy \$3.50. The basic annual subscription rate is \$29.95.

DSC NEXOS 386 LAN BEATS NETWARE!

NEXOS is the clear winner! NEXOS 386 beat NetWare® in operating system benchmark tests performed and guaranteed by the Lanquest Group, an independent test lab for the LAN industry. The results reveal the truth about NEXOS' superior performance over NetWare. In fact, NEXOS proves to be as much as **SIX TIMES FASTER THAN NetWare.**

Fast!

In real-world, user traffic environments on industry standard hardware using well accepted, multi-user applications for database, spreadsheet and word processing, **NEXOS beat NetWare in performance with an advantage of as much as 637%.** You'll work faster and expand your LAN with confidence when you choose DSC NEXOS 386.



NEXOS' fast, reliable and consistent performance is clearly shown using a Compaq 386/25 server and 12 IBM PS/2 workstations running the Lanquest Group's MS-Word benchmark.

Secure!

It's important to protect fast moving data from corruption. NEXOS features a complete data integrity and protection system so powerful that your data is protected even if your power fails—**without the expense of a mirrored system or UPS.** NEXOS always writes completed transactions to disk. If hardware problems occur during a transaction—your data will remain intact. Just restart the transaction with the original—unchanged data. NEXOS is prepared with a continuous audit trail of entries and updates recorded in real-time by NEXOS' tape transac-

tion logging to the server's tape drive. With NEXOS your critical data is safe!

Flexible!

NEXOS gives you the flexibility, power and connectivity of **100% DOS and NETBIOS application compatibility.** Run all the applications your users demand and have access to UNIX, SNA hosts and the public network.

With all this power it's likely you'll want to put lots of data on-line. NEXOS' **large-drive support** provides access to virtually unlimited disk storage.

The unique disk handler makes multiple hard drives appear as one, providing contiguous file space across multiple drives.

Connecting to your existing workstations is a breeze. NEXOS supports more than 30 workstation interface cards for PC, XT, AT and PS/2 workstations and your choice of topologies: **Ethernet, ARCnet and Token Ring support is standard with every NEXOS LAN!**



Easy!

NEXOS power has been harnessed with an easy to use menu system that will have the system's administrator and users **up and running in minutes.** Simple instructions, familiar, DOS-like commands and DSC technical support means your NEXOS LAN system will work - for you — for the users — and for your company.

NEXOS 386 is another quality networking product from DSC, a **\$340 million leader in advanced communications.** From your desktop to around the world, DSC is delivering the quality networking solutions you demand!

To learn more about NEXOS or to become an authorized DSC dealer call now. Be sure to ask for a FREE copy of the full series of benchmark results!

**1-800-BUY-NEXOS
1-800-289-6396
Fax: 408-954-5158**




The DSC NEXOS 386 LAN Operating System



DSC Communications Corporation

FREE



FITTING

Try a free Microstat-II demo-pack and see if it isn't a perfect fit for your statistical computing needs. You'll get your work done faster, easier, without costly training. Microstat-II is easy to use - there's no complex command language to learn. You'll be running Microstat-II in minutes rather than weeks.

"... using Microstat-II is a breeze!"
PC Magazine

Microstat-II has what you need, from descriptive statistics to multivariate analysis.

"Microstat-II by Ecosoft is a genuinely excellent menu-driven statistics package at a moderate price!"

Computer Language

"Microstat-II provides you more tools at less than half the competition's price!"

Review Responses
InfoWorld

Microstat-II is up to eight times faster than other packages without compromising accuracy.


"... one of the fastest IBM PC statistical packages we have tested!"

InfoWorld

"Results are unusually accurate!"

Computer Language

Try our free Microstat-II demo and see if it can't simplify your statistical workload. This free demo offer is good only while supplies last, so order yours today!



Ecosoft Inc.

6413 N. College Drive
Indianapolis, Indiana 46220
1-317-255-6476 (Info.)
1-317-251-4604 (FAX)

1-800-952-0472 (Orders)

ECOSOFT

least you'll be able to recover the files. To do that, the new FILER utility comes in handy. FILER has gained the point-and-shoot directory navigation capability that its predecessor lacked.

If you add a NetWare 386 server to a 2.1x network, you can copy the NetWare 386 workstation utilities to the 2.1x server's Public directory. If you take advantage of NetWare 386's new password encryption, you'll have to transfer the utilities; otherwise, the 2.1x server will be locked out. Utilities that are compatible with the older file system, such as FILER, work just fine and deliver some new features. Ones that aren't, such as DSPACE, will politely refuse to work on the 2.1x server.

One of NetWare 386's handiest features operates behind the scenes: The server dynamically configures itself to adapt to changing loads. With 2.1x, some tuning is possible. You can, for example, specify the number of directory entries that a volume can support. That, in turn, governs the amount of RAM required to cache the volume's directories. To change this configuration you must—you guessed it—shut down the server and run Netgen. NetWare 386 dynamically allocates memory for file and directory caching, and also for things like packet buffers, record locks, transaction tracking system activity, and NLMs. The server tunes itself. In fact, Novell advises reviewers to run benchmarks several times to give the server a chance to adapt to the task at hand. I tried that and found that on the second pass the File I/O test did indeed run marginally faster on the 386 server (but it ran just the same on the 286 server).

Unanswered Questions

Should you upgrade? If your organization uses NetWare 2.15, you'll want NetWare 386. Even if you're not pushing 2.15's performance envelope, NetWare 386 eliminates several maintenance headaches and is a passport to the world of distributed applications that's finally ready to open up. Unfortunately, you can't get there from here. The 2.1x server is a dead end. You'll have to write off your investment in it and start over with NetWare 386. That's a shame. The loyal customers who've given Novell the lion's share of the PC LAN market deserve a break. Big companies may not feel the bite, but a lot of small- to medium-size operations are going to be left out in the cold.

Will developers support NetWare 386? In view of that lion's share, the answer is undoubtedly yes. There is,

however, a spirited debate in the developer community concerning the new NLM architecture. NLMs multitask cooperatively and run at the 80386's highest privilege level, in the same address space as the kernel. Because an NLM can't be preempted, an NLM could refuse to relinquish control and hang the server. Of course, applications running under MultiFinder on the Mac are in the same boat, and yet, order generally prevails—thanks to a strong educational effort on Apple's part. The more serious objection relates to Novell's utter rejection of Intel's segmented architecture. The 80386 processor devotes a lot of silicon to the support of memory protection. The 80386 implementations of Unix use that protection to isolate processes from one another. The 80386-specific OS/2 will do the same.

But memory protection requires segmentation, which Novell religiously opposes on the grounds that it's too costly in terms of performance. So there's nothing to stop a rogue NLM from taking out the kernel—and with it, your multigigabyte disk farm. Novell's response is twofold. First, the company likes to point out that Unix and OS/2 can't be made bulletproof either: They depend on drivers that require unrestricted access to hardware. Second, Novell plans to run an NLM certification program. The company will test third-party NLMs, and, presumably, you can buy Novell-certified NLMs with confidence. Novell's own NLMs—including the INSTALL, MONITOR, PSERVER, and VREPAIR utilities shipped with NetWare 386—are clearly functional and solid.

It's really a cultural issue. Developers who like working with DOS will probably love the radical freedom NetWare 386 gives them. Those who prefer OS/2 or Unix should expect headaches. Either way, developers are bound to aim for the NetWare market and will undoubtedly create (and port) many useful server-based applications, and that's the name of the game. First-generation PC LANs were pale imitations of the minicomputers they sought to replace. The next generation has now arrived. NetWare 386 isn't the whole story—both OS/2 and Unix are making strong bids as server platforms—but it is a very important chapter. The drama that plays out over the next year or so will be fascinating to watch. ■

Jon Udell is a BYTE senior technical editor at large. You can reach him on BIX as "judell."

Networks are wonderful—but they can also be a lot of work. An increasingly popular and economical alternative is a multiuser system, where a number of people share one 386 computer.

VM/386 MultiUser makes it simple. Add a multiport or graphics card to your 386, and up to 32 users can continue to work with their familiar DOS graphics and text programs. Each user has their own copy of

DOS and 640K of RAM. Best of all, every user is *totally independent* of all the others.

VM/386 MultiUser is based on VM/386 Multitasker™, the bulletproof multitasking program which has won both the Technical Excellence award and the Editor's Choice award from PC Magazine.

Get the benefits of a network—without the work! Call toll-free, 800-458-9108, or 408-986-8373.

Yes! Send me information on VM/386 MultiUser!

Name _____

Title _____

Company _____


Address _____

City, St, Zip _____

Telephone _____

IGC, 4800 Great America Parkway,
Santa Clara CA 95054-1221.

The No Work Network



Now you can connect as many as 32 PCs or peripherals to one 386 computer, without a network. VM/386 MultiUser™ is completely DOS-compatible. Each user operates independently from all the others.

IGC
Incredibly Great Computing™

Circle 127 on Reader Service Card

© 1989 IGC.
VM/386 MultiUser and VM/386 Multitasker are trademarks of IGC.
386 is a trademark of Intel Corp.

BY 3/90

To Order Call 1-800-654-7920

Unleash Your 80386 & 80486!

If you own or are about to buy a 386, 386SX, or 486-based system, you are losing 50% or more of your system's speed if you are still running 16-bit code or have not installed a coprocessor. To date, hundreds of mainframe applications have been ported to the 386 that take advantage of the real power of the 386. Many of these new applications were compiled with MicroWay NDP Fortran and C. Our compilers break the 640K barrier wide open, making it possible to run programs up to 4 gigabytes in size. They also run in virtual memory under DOS, UNIX or XENIX, generating mainframe quality, globally optimized code capable of driving every coprocessor on the market, including the latest high performance devices from Weitek and Cyrix. If you have a question about coprocessor performance, call for a free copy of an article by Stephen Fried, "The State of PC Numerics in 1990".

For Model 70 and 80 owners, we offer a Weitek Micro Channel card that runs 200% faster than an 80387. For Compaq Deskpro owners, our Weitek daughterboard takes a 3167 and Cyrix CX83D87. We also offer RAMPak one and four megabyte Deskpro RAM upgrades.

NDP Fortran-386 is as close to VMS FORTRAN as you can get in a non-VAX environment, while our C conforms to both the UNIX System V and ANSI standards and includes MicroWay and Microsoft extensions. If you plan to mix FORTRAN with C or Pascal, our languages are the only choice. Our compilers include GREX, a library of 135 character and pixel oriented graphics routines that automatically detect and support CGA, Monochrome, Hercules, EGA and VGA. We complement our compilers with a complete line of 386 tools listed below.

Please call (508) 746-7341 for more information.

386 Compilers and Tools

NDP Fortran-386™, NDP C-386™, and NDP Pascal-386™ compilers generate globally optimized, mainframe quality code that runs on the 386 or 486 in protected mode under UNIX, XENIX, or Phar Lap extended DOS. The compilers address 4 gigabytes of memory while supporting the 80287, 80387, Weitek and Cyrix coprocessors. Applications can mix code from all three compilers and assembly language. The DOS versions allow the user to write his own numeric error handlers and interface 386 real mode programs from protected mode. The VM versions use Phar Lap's Virtual Memory Manager to run programs which exceed the size of your system memory. NDP Fortran-386 is a full FORTRAN 77 with FORTRAN 66, BSD 4.2, DOD, and VMS extensions. NDP C-386 is a full K&R C with both MS and ANSI extensions. It is 100% compatible with UNIX C and is substantially faster than the C which comes with UNIX. NDP Pascal-386 is a full ANSI/IEEE Pascal, with extensions from C and BSD 4.2 Pascal.

DOS versions (require Phar Lap Tools) \$595
 VM versions (require VMM and Tools) \$695
 UNIX/XENIX versions \$795
 Phar Lap Development Tools \$495
 Phar Lap Memory Manager (VMM) \$295
 NDP Windows™ Library: \$125, C Source: \$250
 NDPHOOPS™ \$575
 NDP Plot™ \$325
 NDP/FFT™ NDP or 80x87 version... ea. \$250
 NDP to HALO '88 Graphics Interface \$100
 NDP NAG™ — The NAG Workstation library is a subset of the NAG mainframe libraries. It contains a library of 268 routines designed to solve differential equations and eigenvalue problems, perform matrix operations, fit curves, do statistics and regression analysis, generate random numbers, and compute special functions and integrals: \$795, Weitek version: \$995

NEW! C++

NDP C++ is a MicroWay port of the UNIX C++ preprocessor version 1.2. It runs in protected mode under DOS, UNIX, or XENIX, and is ideal for writing numerics and graphics applications. The product comes with an example of how to support complex numbers in C++ \$295

Parallel Processing

MicroWay's IBM compatible Monoputer, Quadputer, Videoputer, and Linkputer boards work together using Inmos transputers to provide expandable, plug-in mainframe performance for your desktop PC.

Monoputer™ — Includes one T800 and up to 16 meg of RAM for parallel code development. The 4 MWhetstones T800 makes it the ideal FORTRAN engine for cost-effective execution of your mainframe programs... from \$1295

Quadputer™ — This board for the AT or 386 can be purchased with 1 to 4 transputers and 1 or 4 meg of memory per transputer. Two or more Quadputers can be linked together to build networks of up to 100 or more transputers providing mainframe power... from \$1995

Videoputer™ — The highest performance graphics card on the market. Uses a T800 and TI 34010 in conjunction with an 80 MHz BrookTree DAC... With one meg \$4495

Linkputer™ — Links up to 8 boards to provide dynamic transputer topologies... \$1500

Transputer Compilers and Utilities
 These parallel languages are designed for use with the Monoputer, Quadputer and Videoputer.
Logical Systems Parallel C \$595
3L Parallel C, FORTRAN, or Pascal \$895
TBUG — debugger for 3L \$330
Parsec Parallel C/static CALL
ParaSoft EXPRESS Package — Includes transputer communications libraries, parallel code development library, C source level debugger, and system performance monitor... \$1500
Helios PC/s \$1250
Nexis Windows File Server — Lets you run parallel applications under the Microsoft Windows environment... \$495
T800/NAG™ — Port of the complete NAG mainframe library. Contains 570 functions: \$2750
387BASIC™ — Our 16-bit MS compatible compiler introduces numeric register variables to produce the fastest 80x87 code on the market. For "floating-point and other complicated mathematical calculations, you'll appreciate the extraordinary speed with which 387BASIC handles these processes". PC Magazine 10/31/89... \$250

486 Your PC!

Number Smasher-486™ is a 25 MHz replacement motherboard for ATs and 80386s. This motherboard supports an optional Weitek 4167 numeric coprocessor and up to 16 megabytes of 32-bit page mode memory. The Number Smasher-486 has been designed with Cache Shadow RAM for BIOS and video, and a 32-bit BURST memory bus which takes advantage of the enhanced features of the 486. It is ideal for applications such as CAD/CAE workstations, statistical analysis, linear programming, and multi-tasking operating environments, such as UNIX, XENIX, and OS/2. It supports the Phoenix, AMI, or Award BIOS. The Number Smasher-486 with OK is priced at \$3995.

NDP Fortran-486™, NDP C-486™, and NDP Pascal-486™ compilers will be released in March 1990 at \$1195 each.

NEW! Cyrix FasMath™

Cyrix CX83D87 FasMath™ — Fastest 80-bit Intel compatible coprocessor. Performs transcendental up to 3 times faster than the 80387. 20 MHz: \$647 25 MHz: \$814 33 MHz: \$994

Weitek-Based Coprocessor Boards

mW1167™ and mW3167™ coprocessor boards are built at MicroWay using Weitek components. Each includes an 80387 socket.
 mW1167-16 \$695
 mW1167-20 \$895
 mW1167 Micro Channel-16/20... from \$995
 mW3167 Micro Channel-25/33... from \$1795
 3167-20 \$995
 3167-25 \$1295
 3167-33 \$1695
 mW3167/80387 Board \$200

Intel Coprocessors and RAM

8087 \$84	8087-2 \$120
80287-8 \$195	80287-10 \$220
80387-16 \$330	80387-16SX \$310
80387-20 \$375	80387-25 \$460
80C287A \$280	80387-33 \$550

287Turbo-20™ This coprocessor board runs a specially qualified Intel CMOS 80287 at 20 MHz regardless of the main CPU speed.. \$450
RAMPak™ - one or four meg 32-bit memory expansion module for Compaq Deskpro 386 20/25. One meg.. \$240, Four meg.. \$700

386 Your AT!

NUMBER SMASHER-386™ — A full-sized card that replaces the 80286 microprocessor on your IBM AT or compatible motherboard with an 80386 that runs at 25 MHz. It runs numerically intensive applications up to a factor of 60 times faster, while maintaining full hardware and software compatibility when running all 386 applications. Includes sockets to optionally add up to 8 megabytes of 32-bit memory, an Intel 80387, Weitek, or Cyrix numeric coprocessor, and 64K or 256K of high speed cache memory... from \$1195

12 MHz PC Accelerators


SuperCACHE-286 12 MHz \$399
 FastCACHE-286 12 MHz \$299

MicroWay

World Leader in PC Numerics

Corporate Headquarters: P.O. Box 79, Kingston, MA 02364 USA (508) 746-7341
 32 High St., Kingston-Upon-Thames, U.K., 01-541-5466
 USA FAX 508-746-4678 Italy 02-74.90.749 Holland 40 836455 Germany 069-75-2023

Circle 192 on Reader Service Card



OS/2 1.2: A Zaftig System

Slick three-dimensional looks, a hypertext help system, and a faster file system raise OS/2 to new heights

Martin Heller


Zaftig, for anyone not familiar with the word, is Yiddish for "pleasantly plump." And that is exactly how I describe OS/2 1.2; it's pretty, but it needs to go on a diet.

OS/2 has always featured preemptive multitasking, protected-mode operation, multiple threads of execution, and a rich application programmer interface (API). OS/2 1.0 operated in character mode, and OS/2 1.1 added a graphical user interface, the Presentation Manager (PM).

OS/2 1.2 brings even more. There's a new High Performance File System (HPFS) and a hypertext-based help system called the Information Presentation Facility (IPF). The PM has been enhanced with the addition of new File, Desktop, and Print Managers. OS/2 1.2 adds polish to the PM's appearance and to the System Editor. It also improves the DOS compatibility mode and adds some device drivers. Finally, certain system limits have been removed, and a file-typing facility called Extended Attributes has been added.

Installation

I installed IBM OS/2 1.2 on an ALR FlexCache 20386 with 6 megabytes of RAM, two ESDI hard disk drives—one 150 megabytes and the other 300 mega-



A bird's-eye view of some new OS/2 features: The three-dimensional look (notice how the scroll bar's arrow buttons stand out), hypertext help facility, and Desktop Manager.

bytes—and a Video Seven VRAM VGA card. I had DOS 3.3 and OS/2 1.1 installed previously, and I used Microsoft's dual-boot utility to choose one or the other at boot time.

Half an hour and seven disks later, I had a working OS/2 system. Just for the sake of science, I tried the new dual-boot utility. Instead of letting you choose OS/2 or DOS from a menu at boot time, the 1.2 dual-boot utility actually swaps the boot block and CONFIG.SYS and AUTOEXEC.BAT files on your hard disk with the saved files from the "other" system. This allows the machine to boot unattended and still lets you switch systems at will. Switching from OS/2 to DOS worked perfectly, but switching back to OS/2 was strangely unreliable. I reinstalled OS/2 1.2 twice, but

to no avail. Some experimentation revealed that my DOS disk cache (PC-Kwik) was giving the OS/2 boot utility fits. I wrote a little batch file to disable my disk cache before invoking the dual-boot program, and the process worked smoothly and reliably.

At this point, however, I had not installed HPFS. It took another morning's work to do this properly, and a few days of intermittent experimentation with the disk-caching parameters to fine-tune it. For anyone else trying to install both HPFS and dual boot, there are a few things to keep in mind.

Most important, you must make your first partition a file allocation table (FAT) system so that DOS will recognize it. Don't bow to the temptation to install

continued

OS/2 1.2

Company

IBM Corp.
Old Orchard Rd.
Armonk, NY 10504
(914) 765-1900

Hardware Needed

IBM PS/2, AT, or AT compatible with an 80286 or 80386 processor, 4 megabytes of RAM, a hard disk drive, a graphics adapter, and a color or monochrome display

Documentation

Installation guide; advanced user's manual; on-line command reference

Price

\$340

Inquiry 889.

the OS/2 system on HPFS—DOS won't be able to boot that way.

To enable HPFS, you must add a line of the form

```
IFS=C:\OS2\HPFS.IFS -C:512
```

to your OS/2 CONFIG.SYS file. IFS stands for Installable File System, and HPFS is presently the only one. IBM expects others to follow, both from IBM and third-party developers. The declaration above sets up HPFS as an installable file system and sets its write-behind cache to 512K bytes. While this may seem excessively large, my experiments proved that IBM's default, 64K bytes, was too small.

You also need to add a line like

```
RUN=C:\OS2\CACHE.EXE  
/LAZY:ON
```

This starts the background process that works the write-behind ("lazy") cache. With these two lines added to CONFIG.SYS, you can reboot and have the HPFS loaded into memory.

If your partitions are not as you want them, you need to use the new FDISKPM utility, which you can start easily from the Utilities group in the Desktop Manager. I consolidated my unused 32-megabyte drive L through drive Q partitions into one large drive L partition so that I could test the performance of HPFS on a large partition.

Finally, you can issue a command like

```
FORMAT L:/FS:HPFS
```

to create the HPFS disk structures on drive L. FORMAT also modifies your IFS command in CONFIG.SYS so that HPFS automatically checks your HPFS volumes for integrity each time that you boot OS/2.

Performance

If that all sounds like a lot of work, well, it is. But it's worth it. HPFS has many advantages over the old FAT file system. For starters, it's much faster: I did a series of benchmarks and found the HPFS was between 30 percent and 400 percent faster than the FAT system on the same hardware. The worst-case performance was for very large files. Here, the cache did not help, but the HPFS still outperformed the FAT. The best performance was for small files: Here the cache algorithms in the HPFS worked wonders. In a test that wrote to and deleted small files, the diagnostics could not even measure an elapsed time—the HPFS cache was smart enough never to write the files out to disk.

My diagnostics show that, with HPFS loaded, I have only 1 megabyte of free memory out of 6 megabytes total. Presumably, I could reduce my cache sizes to reduce the memory requirements. However, until OS/2 goes on a diet, I would expect HPFS to cause memory swapping on a machine with less than 4 megabytes of RAM (or 5 megabytes on a development system), which would make it a net loss.

HPFS also has less wasted space than the FAT system and is much less prone to file fragmentation. It also supports long filenames; you are not limited to horrid "XXXXXXXX.YYY" filenames on the HPFS. You can write files called THE—THIRD—REVISION—OF—MY—OS2—ARTICLE, if you like. In a future release, you'll be able to use names like "The Fourth Revision of the BYTE Review of OS/2 1.2," but embedded spaces and mixed-case filenames are taboo for now. If you use the File Manager, you won't ever have to type such a long name after you create it; you just double-click on the file, or drag the file onto the name or icon of the application that you want.

OS/2 1.2's Graphical User Interface

The OS/2 1.2 File Manager looks more like the Xerox Star than does even the Macintosh. The new catchphrase is "direct action," which is used to describe the ability to treat a visible entity (such as an icon or filename) as an object. You can make these objects interact in predefined ways by manipulating their graphi-

cal representations with the mouse.

OS/2 1.2 implements, to good effect, its version of direct action with two mouse buttons, rather than the Mac's one. The left mouse button selects, and the right button acts. You can drag while pressing the left button to extend a selection to include more objects. Once selected, you can drag and drop an object (or group of objects) to any sensible destination: A program icon causes that program to execute with the objects dropped onto it as command-line arguments, and other destinations behave just as intuitively. The mouse pointer changes shape to a forbidding symbol whenever objects are dropped where they don't belong. The Control, Shift, and Alt keys modify the action of the mouse. Discontinuous selection of multiple files is done by pressing the Control key and then selecting with the mouse. To select a range, you press the Shift key. Pressing the Alt key while you are dragging a file performs a move regardless of the destination, while pressing the Control key performs a copy.

All this pointing and dragging is much harder to describe than to use, and it is a great improvement over the File Manager shipped with OS/2 1.1. Mac users might miss the Trashcan, but pressing the Delete key deletes currently selected objects after you confirm the deletion for an incredulous dialog box that asks, "Do you really want to erase those files?"


While it may seem like fluff, the new appearance of 1.2 is something to behold. Through creative use of shading, elements of OS/2's new user interface have a convincing three-dimensional appearance. Buttons, for instance, appear to sink into the background when they are pressed. A similar effect is delivered with more impact in the Open Software Foundation's Motif interface (which is patterned after PM), but the three-dimensional look makes Microsoft Windows look (literally) flat by comparison.

The new File Manager displays a single directory tree and up to 32 directories. You can switch the tree from disk to disk at will, although there is a slight delay as each disk directory tree is read. You can display each directory in a name view or an icon view, or as a split window with file details. You can also sort directories by filename, type, creation date, modification date, or access date. The directory displays can include or exclude files, directories, programs, data, hidden files, read-only files, and archive files. Directories can be zoomed or iconized, and the File Manager can arrange

continued

Seagate's ST1096 Family

THE FINE ART OF DISC DRIVES



*Beveled Glass Window by
Thomas Tisch & Andreas Lehmann
Oakland, California*

Even to the experienced observer, a disc drive is a technological marvel. With discs spinning at 60 revolutions per second, the mechanics involved are astounding. It takes a company with a unique level of skill and experience to produce drives in volume that perform reliably year after year. A company like Seagate.

Our 3.5" ST1096 family is a great example of Seagate craftsmanship. Featuring a choice of 42, 60 or 83 formatted megabytes, these high performance (24 msec average access time) drives are ready for demanding PC and Apple® applications. The family offers ST412/MFM and SCSI interfaces for application flexibility. And they all feature a 50,000 hour mean-time-between-failure rate.

Like the artist who spends years perfecting his craft, Seagate has spent the past decade mastering the fine art of disc drives. For more information on our multi-faceted product line, contact your authorized Seagate distributor, or call Seagate directly at 800-468-DISC, or 408-438-6550.

 **Seagate**

Apple is a registered trademark of Apple Computer, Inc.
Seagate and the Seagate logo are registered trademarks of Seagate Technology, Inc.
© 1989 Seagate Technology, Inc.

the directory and tree windows in tile or cascade style. You can view multiple directory windows simultaneously and carry out actions on any visible file or directory.

Overall, I judge the File Manager design, finally, to be worth using. In the inevitable comparison with the Macintosh Finder, OS/2 1.2's File Manager acquires itself honorably, whereas Finder simply left 1.1's File Manager in the dust. And in the comparison with the many graphical and character-mode DOS shells, File Manager comes in near the head of the pack.

The 1.2 on-line help system and tutorial are nice, too. The IPF is particularly well done. Using it, any application can have context-sensitive, hypertext help bound to it and integrated seamlessly with the rest of OS/2's help system. The IPF can do much more than OS/2 on-line help requires of it, and you can expect coming applications to make good use of this new functionality. One of the goals of PM is to make PCs easy to learn and use, and good help and good tutorials go a long way toward this goal. I wouldn't, however, suggest that a novice computer

The DOS compatibility box is not perfect, but it is much better than it has been.

user start with OS/2 on his or her PC.

I was pleasantly surprised to find that you can start DOS applications from the File Manager and from desktops. The Managers recognize DOS applications and give them a special DOS icon. The Managers display custom icons for OS/2 applications that have associated icon files. OS/2 programs without special icons get one of two generic OS/2 icons: A sharp-cornered rectangle for programs compatible with the PM, or a rounded rectangle for programs that run in their own screen group.

How good is the DOS compatibility box? Not perfect, but much better than it has been. It doesn't deserve the "penalty

box" moniker anymore—most of my DOS programs run fine in OS/2 1.2's DOS compatibility mode. The Norton Utilities are still a no-no, and very big programs (like CAD programs) won't fit into the 520K bytes of RAM that is available. DOS extenders are out. Flight Simulator comes up perfectly, however. Another pleasant surprise is that DOS applications running in OS/2 1.2's DOS mode can use the HPFS. They can even run from an HPFS disk, but they can't see long filenames or extended attributes.

Naming Files: Win Some, Lose Some

Many users have chafed at the limits of DOS's file-naming convention. When your directories fill up with hundreds of files with names like LETT316A.DOC, finding a specific file can become a challenge. And when six different programs use the DOC extension to signify six incompatible formats, chaos can set in rather quickly.

Long filenames solve most of the problem of identifying the data. Extended attributes (EAs) provide the rest

Word Publishing...Word Processing &

DeScribe™—Word Publisher bridges the gulf between word processing and desktop publishing—the next generation word processor. DeScribe is the first WYSIWYG word processor for IBM's powerful OS/2 Presentation Manager. What's on the screen is what prints on the paper. And you control it all with a friendly point and click mouse and menu interface in multiple windows.

OS/2

DeScribe, Inc.

IBM® is a registered trademark and Operating System/2™, OS/2™, and Presentation Manager™ are trademarks of the International Business Machines Corporation. DeScribe™ is a trademark of DeScribe, Inc.

Circle 80 on Reader Service Card

of the solution. Unfortunately, the implementation of these in OS/2 1.2 is imperfect. Worse, there is little software to support them as yet.

EAs are in hidden files as ASCII text strings. They work on the FAT system as well as on the HPFS, but long filenames work only on the HPFS. If you try to copy a long filename from HPFS to the FAT system, OS/2 gives you an error message and then lets you rename the file. If you use DOS to copy a file that has EAs, the file will copy, but any EAs will be lost. A utility lets you turn EAs into files and vice versa, but it's a nightmare keeping track of EAs that you can't see. I found that the system becomes unbootable when EAs get corrupted.

Promises, Promises

As with all versions of OS/2 to date, part of the story is what *hasn't* shipped. At this writing, the biggest omission is drivers: OS/2 1.2 has two disks carrying maybe a dozen drivers for video displays and printers. No driver for the Hewlett-Packard LaserJet family is included; neither are Super VGA drivers. Screen drivers that worked under 1.1 don't work

under 1.2. So much for my 800- by 600-pixel PM screen. [Editor's note: *IBM now has a BBS through which IBM OS/2 users can download new drivers.*]

Support for mixed-case filenames is missing, too. However, it is promised real soon now, along with HP printer support, Extended Edition, the 32-bit OS/2, and the avalanche of "real" applications for OS/2 PM. Some or all of these may be available by the time this article sees print.

Is It Worth It?

I handle OS/2 support calls in the Boston Computer Society's "Dial Help" program. The question I hear most often is, "Should I adopt OS/2?" Before the advent of version 1.2, the answer was simple: If you're not a developer, it isn't worth it.

Now I'm changing my tune: OS/2 1.2 has enough good stuff and enough worthwhile software waiting in the wings that I'd answer that question with a qualified "Yes." If you've got the resources, now is the time to look into OS/2, even if you don't develop any software. Don't throw away DOS—you'll still need it. If you

need a good reason, consider multitasking: Most of the time, while writing this article, I was simultaneously uploading big files to BIX at 9600 bps—with no time-outs. You can't get that kind of performance with DESQview or Windows. At other times, I have gone even further, simultaneously compiling and linking 20,000 lines of C code, downloading my BIX conferences, and editing new code.

If you're a DOS developer, you should consider working under OS/2—even if your target is still DOS. After you've worked with OS/2 a while, you may find yourself wanting to target OS/2. The port from DOS to OS/2 is simpler than you might imagine, and along the way you'll discover bugs that have been lurking in the DOS version for years. OS/2 is still one of the nicest development platforms around. Judging from the improvements in version 1.2, it's going to continue to get better. ■

Martin Heller develops software and writes about technical computer applications. He lives in Andover, Massachusetts. He can be reached on BIX as "mheller."

Desktop Publishing Together At Last.

Use DeScribe to create professional quality documents; anything from a quick memo to a textbook. Price: \$595.
DeScribe, Inc.; 4047 North Freeway Blvd,
Sacramento, CA 95834 Tel: 916/646-1111 Fax: 923-3447
In Europe: P.O. Box 36, Twyford, Berkshire,
England RG10 9TQ Tel: 44-734-34-2972



WHETHER REPORT.

Whether you're a software developer writing new applications for the IBM or Mac, or a PC user securing proprietary data files, software and data protection has never had a brighter silver lining. For a number of very good reasons.

Beginning with the 'whether-expert' Rainbow Technologies. And ending with its Software Sentinel family of hardware keys. Starring five models that fit virtually any software program or data file you need to protect.

There's the best-selling SentinelPro for the IBM PC/XT/AT, PS/2 and compatibles, and even the Atari ST. Known worldwide for its virtually unbreakable security. And its ASIC technology. And its invisible operation. A close relation, the Sentinel-C stands at-the-ready for custom configurations and multiple software packages.

In the Apple market, security-minded Mac software developers turn to Eve. For completely transparent operation and world-class security of the protected software. Just by plugging Eve into the Mac ADB connector.

PC users wanting a low cost, user-friendly solution to the problem of securing sensitive data can call on the DataSentry. Using a proprietary Rainbow algorithm or DES, the DataSentry encrypts data files on individual PCs, protects modem transmissions and secures data on local area networks.

Rainbow's latest protection strategy is the SentinelShell—that lets users place a 'shell' around existing, off-the-shelf programs. Because access can be limited to those issued a key, libraries, universities and corporations can very simply guard their software investments.

Whatever your whether, Rainbow Technologies has the software and data protection products that make the difference. For more information, call 714-261-0228 in the U.S., or contact Rainbow Technologies Ltd. in the United Kingdom for the distributor nearest you. Whethercasters are standing by.

- Runs under DOS, OS/2 and Xenix
- Algorithm technique (Never a fixed response)
- External parallel port installation
- Minimal implementation effort
- Higher level language interfaces included
- 100 times faster than fixed-response devices (1 ms)
- ASIC design for reliability

SentinelPro™



- Protects multiple packages with one device
- 126 bytes of non-volatile memory programmed before shipment of the software
- Rainbow supplies a unique adapter for programming the unit
- Higher level language interfaces included
- Runs under DOS, OS/2 and Xenix
- External parallel port installation

Sentinel-C™



- For the Macintosh SE and II
- Complies with Apple Desktop Bus Interface requirements
- Rainbow-assigned developer passwords to prevent tampering by other developers or sophisticated "hackers"
- 7 locks per key, usable individually or in combination, on one or up to seven applications

Eve™




- Completely user-installable
- Pocket-sized external device
- Menu-driven, user-friendly interface
- Single- or multi-user security system
- Audit trail, log-on identifiers and automatic encryption/decryption of entire directories
- Secures data transmitted by modems
- Prevents recovery of data by utility programs

DataSentry™



- Runs under DOS on IBM PCs and compatibles
- Protects without requiring access to the source code
- Completely transparent to the end user
- User-friendly software
- Pocket-size key attaches quickly to any standard PC parallel port
- ASIC design for reliability

SentinelShell™




RAINBOW TECHNOLOGIES

18011-A Mitchell South, Irvine, CA 92714 • (714) 261-0228 • TELEX: 386078 • FAX: (714) 261-0260
Rainbow Technologies, Ltd., Shirley Lodge, 470 London Rd., Slough, Berkshire, SL3 8QY, U.K., Tel: 0753-41512, Fax: 0753-43610

© 1989 Rainbow Technologies. All product names are trademarks of their respective manufacturers.

Circle 237 on Reader Service Card (DEALERS: 238)

World Radio History



Create moving desktop presentations with Autodesk's Animator

Sue Rosenberg


It's a paint program. It's an animation program. It turns your VGA display into a silent alternative to Saturday morning TV. It's Autodesk's Animator 1.0, a special-effects-filled desktop video program for the IBM PC and compatibles. Combining Animator's image-processing tools with its five types of animation techniques, you can generate complex animations (or *flics*) in very little time and with very little effort.

Animator requires an IBM PC or compatible 80x86-based computer with an 8-MHz or higher clock speed, 640K bytes of RAM, a 10-megabyte hard disk drive, a VGA display, and a Microsoft-compatible mouse or Summagraphics digitizing tablet. The program runs most efficiently on an 80386-based computer.

If you have a spare 2 or 3 megabytes of memory for a RAM disk, Animator can use that space for its workfiles, speeding up some buffer swapping operations and animation playback, but not to any dramatic extent. In one case that I timed, the RAM disk configuration saved 10 seconds of a 150-second color rendering operation. I tested the program on both a 12.5-MHz AT clone with a Paradise VGA board and Logitech mouse and a PS/2 Model 50 with a Microsoft Mouse.

Included in the Animator software are the Animator program to create and display flics and images, and two conversion programs: One for Amiga, Atari ST, Macintosh, and Targa image and

Art in Motion



Animator's polymorphic tweening automates the changes from one shape to another.

animation files, and the other for AutoCAD and similar vector graphics files. There's a public domain animation player that you can distribute freely with your own flics. Also contained in the \$299 package are a reference manual, tutorial manual, sample flics and images on disk, and a videotape demonstration to inspire you.

Like a Paint Program, Only Different

Animator has the typical paint program tools—draw, line, box, and circle—that draw freehand lines, straight lines, rectangles, and circles. The circles, however, are not round; Animator uses the 320- by 200-pixel VGA graphics mode, but it doesn't correct for the 8-to-5 aspect ratio. If you want to draw a circle, you can use the oval tool. The word *oval* sounds like a normal, everyday shape,

but to Animator, this shape—like some of the program's other shapes (e.g., petal, polygon, regular polygon, shape, spiral, star, and spline curve)—is known as a "tweenable."

Tweenables behave just like ordinary shapes in a single picture or frame, but they spring to life in animation. You draw the starting and ending tweenable shapes, specify the number of frames in the animation, and Animator's *polymorphic tweening* supplies the magic kiss that smoothly transforms a frog into a handsome prince. Or a petal into a star. (I've tried several times to turn a frog into a prince, but my frogs always end up looking like a Matt Groening rabbit.)

Other drawing tools apply color in different patterns. You can choose to paint whole areas of the screen with the selected ink, or you can paint a border

continued

Autodesk Animator 1.0

Company

Autodesk
2320 Marinship Way
Sausalito, CA 94965
(800) 525-2763

Hardware Needed

An 8-MHz or faster IBM 80286- or 80386-based PC with a VGA card and compatible monitor, 640K bytes of RAM, a 10-megabyte hard disk drive, and a Microsoft-compatible mouse or Summagraphics digitizing tablet

Documentation

Reference manual; tutorial manual; quick-start card; videotape (VHS) demonstration

Price

\$299

Inquiry 887.

around an object. The Move tool, independent of ink and brush settings, rearranges an image within the drawing screen. The Separate tool replaces one color with another, or switches a single color with a cluster of colors.

Multiplying the effect of the drawing tools are the ink options. There are 26 ink types. Some apply the active color solidly or translucently and some apply it in a gradient. Others act on the screen colors to blend, increase contrast, darken, lighten, or mix up colors. The Tile option applies the contents of one image buffer in a tile pattern. The Scrape option reveals the contents of another image buffer beneath the current screen.

If you are familiar with other paint programs, you'll find that they are of little help in guiding you through Animator's environment. Unlike most paint programs, you don't see the full set of icons and paints on the screen. In fact, you don't see any icons; almost everything has a name. The closest thing to an icon is a double arrow—like the play button on a VCR—which you click on to play an animation.

Animator's main screen has three sections: A menu bar across the top, the Home panel across the bottom, and the visible portion of drawing area between the two. The menu bar and Home panel

hide the rest of the drawing board. You can draw over the Home panel, and what you don't see is what you get. However, you can display the whole screen by clicking the right mouse button on the visible part of the drawing. You can also move any panel up or down by clicking on the panel name and dragging its outline. You can't move the menu bar, and if you try to draw over the bar, you'll pull down a menu instead. You have to display the full screen, hiding the tools and menus, to draw in the menu bar region.

Many things hide in the Home panel. Only six of the 22 drawing tools are visible. Through a series of mouse-clicks, you can select a visible tool, access any of the 16 hidden tools, or get a brief description of the way a tool works. Some tools also have options that control color, shape, and range of effect.

Spilling a Little Ink

Similarly, only six of the 26 ink types appear in the Home panel. You access the ink types panel just as you do the drawing tools panel. Two options that are common to many ink types are ink strength and dithering.

You can access all 256 VGA color registers, but it's not possible to see them all on the Home panel. Four color displays are on the panel: the currently selected color, a seven-color mini-palette, a multicolored cluster used by the gradient inks, and the key color. Screen and buffer areas in the key color are considered to be transparent when one image overlays another. The key color is also an eraser. When the key color button is turned off, the key color is opaque.

Animator can do wondrous things with color, depending on settings and menu choices in the palette panel. It will squeeze up to 21,000 colors into one 256-color palette. It can maintain menus in visible colors when palette colors have been altered. And it will find the best color fit for the existing screen colors when the colors in the existing screen color registers are changed. You can change the color in any register to any of the 262,144 possibilities.

Color cycling is one of Animator's five types of animation. You can select Cycle Draw from the Palette menu to cycle through the current cluster, and then duplicate the drawing over several frames and animate by shifting the cluster colors one register per frame. This type of animation can produce a marquee effect—similar to what's on TV weather maps to show a cold front moving down from Canada.

Although the Brush tool is not exactly

hidden, it's not very visible on the Home panel. Initially, it's only 1 pixel large, a mere black dot more likely to be brushed off as a speck of dirt than as an important tool. But you can toggle between 1 pixel and a larger setting of up to 11 pixels. You can't change the shape of the brush; however, tools and inks influence the kind of line that the brush draws.

Even with all its image-processing features, including menu-selectable special effects, you could use Animator only as a paint program. But that would be like using a spreadsheet as an adding machine. People do it, but that doesn't even begin to use the program's capabilities.

The great power of Animator comes from the way it automates actions over time. Typically, you determine a starting point and an endpoint, as with the tweenable shapes, or a path, a motion, a color gradient, or all of these. You determine the length of time, in frames, during which the action occurs, then you let Animator take over the hard part of calculating and rendering all the steps.

In addition to polymorphic tweening and color cycling, Animator performs titling animation, scrolling text in any direction, character by character or pixel by pixel. For "cel" animation, the traditional frame-by-frame drawing, Animator supplies guides to help you position frame-to-frame changes. But the one I like best, which produces the maximum effect for the minimum amount of work, is optical effects. You can rotate a two-dimensional element around the *x*, *y*, or *z* axis, independently or proportionally shrink or enlarge the *x* and *y* dimensions, move on a straight line, move along a path, combine all actions, and apply the combined action to a single cel, a tweenable shape, or even an existing animation.

The Animated Reviewer

After I faithfully completed all the exercises in the tutorial, I felt confident enough to try my own thing. I wasn't going to draw something from scratch—not if I wanted the result to look good. Animator stores a single-frame picture GIF, so I started with a GIF, downloaded from BIX, of a countryside landscape of balloons ready for launch. My plan was to isolate one balloon from the crowd, draw a freehand path to waft the balloon across the sky, shrink the image as it moved higher and higher, and merge the resulting flic with a skyline; at the end, the fading balloon would slip behind one of the skyscrapers.

The first step was to load the picture file and clip out one balloon. The Get

continued

Some pointing devices feel quite alien.



When we put our minds to designing the next generation of pointing devices, we started with our hands. It turns out that thumbs have over twice the muscle and agility of other fingers—which only go up and down.



We tested dozens of prototypes. None beat the design that is now TrackMan. A trim 4.25" x 5.25" fully equipped with a low-inertia, lightweight ball (placed under the thumb), three buttons (under the fingers), and room to rest the hand.

TrackMan is smart too: adjustable from 50 to over 15,000 d.p.i. resolution (default at 300); on-the-fly ballistic driver; lots of built-in menus to speed up popular keyboard based applications. Even a shell for Lotus 1-2-3.™

Simple to install, this stationary mouse is compatible with all other top-selling mice. TrackMan is guaranteed to work with any application on a 256K IBM

Not every kind of pointing device fits your kind of hand.

TrackMan™ is built the way you are.



(or compatible) personal computer. Price? \$149*, complete with Satisfaction Guarantee, and 7-Days-A-Week Product Support.

For further information call:

800-231-7717 Ext. 342

In California: (800) 552-8885

In Canada: (415) 795-8500

In Europe: ++41-21-869-9656



*Serial version. Bus version is \$169.™ 1 2 3 is a trademark of Lotus Corp. TrackMan is a trademark of Logitech, Inc.

Circle 161 on Reader Service Card (DEALERS: 162)

We just blew the lid off BASIC.



We didn't just unveil our revolutionary new Microsoft® BASIC Professional Development System—we unleashed it.

Because this BASIC comes loaded with enough power to produce the smallest, fastest, slickest BASIC programs you've ever imagined.

In less time than you've ever dreamed.

To make sure you make history, we made history with the first totally integrated BASIC ISAM ever to grace a PC. Which makes this the first truly efficient system for turning out BASIC database applications.

Plus we added extra memory capacity to our famous Microsoft QuickBASIC® environment to create an editing/debugging/compiling phenomenon called Microsoft QuickBASIC Extended. From now on, you can fly through 640K DOS and 64K

string space barriers without any clumsy hit-and-miss kludging to get larger BASIC applications.

What's more, this high-speed, low-stress environment includes Microsoft's instant compiler, to give you the smooth convenience of an interpreter with the lightning executables of a compiler.

For a copy of our complimentary white paper, "BASIC Breakthroughs," give us a call at (800) 426-9400. Or pick up new Microsoft BASIC now. And have a blast.



Microsoft
Making it all make sense®

*Microsoft BASIC Professional Development System is the new member of the Microsoft BASIC family, which includes the award-winning Microsoft QuickBASIC version 4.5. Customers inside the 50 United States, call (800) 426-9400. In Canada, call (416) 673-7638. Outside the U.S.A. and Canada, call (206) 882-8661. ©1990 Microsoft Corporation. All rights reserved. Microsoft, the Microsoft logo, MS, MS-DOS and CodeView are registered trademarks and *Making it all make sense* is a trademark of Microsoft Corporation. Borland and Turbo Pascal are registered trademarks of Borland International, Inc.

Microsoft BASIC Professional Development System for MS-DOS[®] and OS/2 Systems

New Language Enhancements

- High-speed full-power ISAM integrated into the BASIC language.
- Currency data type combining fixed-decimal precision and fast integer math.
- Format, date/time and financial function libraries.
- Static Arrays in records.
- Local error handling.
- BASIC sample code toolboxes including mouse/menu/windowing, presentation graphics and matrix math routines.

Blast Through The BASIC Capacity And Performance Barriers.

- Runtime overlays support programs with up to 16MB of compiled BASIC code.
- Multiple segments for storing variable length strings.
- More granular runtime module for smaller compiled executables.
- Improved code generation optimizations for smaller and faster programs than ever before.
- Code generation for 80286 instruction set.
- Improved math co-processor support and emulation for faster highest-precision math operations with or without a co-processor.
- Improved alternate math library for faster math operations without a math co-processor.

Benchmark	Microsoft BASIC	Microsoft QuickBASIC	Borland [®] Turbo Pascal
SAVAGE	129.1	449.9	281.0
FILE I/O	49.7	72.8	51.5
HAT	183.8	568.5	303.8
SCREEN	2.4	4.3	15.8
Matrix Ops	13.2	66.2	56.5
QuickSort	1.6	2.5	2.3
4P CALLS	0.3	1.0	0.6

Most Complete Set Of Tools For The Advanced BASIC Programmer.

- Microsoft QuickBASIC Extended environment for BASIC programming includes:
 - Full support for EMS 4.0 and multiple segments for storing variable length strings.
 - More powerful editor with historical undo/redo commands and configurable keystrokes.
 - Customizable utility menu for DOS commands and preferred utilities.
 - More complete set of compiler controls.
 - Double permitted number of watch expressions.
- Microsoft Editor and CodeView[®] debugger allow mixed language and OS/2 programming.

command clips a rectangle, which meant that I had a lot of erasing to do to isolate the balloon's round shape. Fortunately, there's an easier way to clip nonrectangular images. I used the Polygon tool to outline the image and fill the polygon. I then used the filled polygon to create a mask, and I inverted the mask so that only the polygon area could receive an image. From there, I activated the mask, loaded the image, and clipped the cel. I cleaned up a few ragged edges, but as it turned out, when I prepared the final flic, I didn't even have to do that.

Now that I had a balloon in the cel buffer, I was ready to animate. I decided that 40 frames was about right. From the Optics panel, I selected Path and drew a freehand line that wended left and right and up and away. Then I told Animator to Render the flic. The balloon went up and away, but it didn't get smaller as it went so I chose one of the preset motions and told Animator to pull back the flic. Now as the balloon went up and away, it got smaller and smaller. Its right side also got flatter and flatter, as what had formerly been the edge of the screen was now closer to the middle. This actually was what I wanted, because the balloon could now look like it was disappearing behind the edge of a building. All I needed was the building. I saved the flic and loaded a skyline GIF formatted file, duplicating the image over 40 frames.

Now here's the tricky part. I chose Composite to merge the balloon flic with the resident skyline flic, placing the balloon over the skyline. I told Animator to combine the color maps of both flics, and because each had a limited palette, there was no color changing when the two flics merged. Then I positioned the first balloon frame at what I thought was a good starting place, and that was that. Well, not quite. Instead of disappearing behind the edge of the building, along about the thirty-eighth frame, the balloon disappeared into the front of the building. That's fixable with some other Animator features.

Other than keeping the balloon from banging into the building, there was still some touching up to do. The ragged outline of the balloon made it look as if it didn't belong in the picture. That's where the "soften ink" feature came in. Frame by frame, I drew a line in soften ink around the edge of the balloon and blended the pixels at the border of the balloon with those of the background.

Tweening the Learning Curve

While it was easy to create a composite flic, other actions that should have been

simple were difficult to learn. Part of the confusion lies in the inconsistent way that Animator hides and reveals its buffer areas. You can save all sorts of things: a single screen or portion in a cel buffer, one frame in a swap screen, a path, the last tweenable object used, a mask, or text.

A "view" menu selection lets you see the swap-screen buffer, optics path, and mask, but to see what's in the cel buffer, you have to select Move or Paste and then cancel the action. To look at the text, you select Edit from the Text tool or Titling menu and then cancel the edit. To view the tweenable shape, you must select the Polygon tool and then choose Reuse to redraw the shape, and Undo to cancel.

One of the nicer touches in Animator is the Browse Flics screen, where the first frame of each flic appears in miniature. High on my wish list is a Browse Buffers screen, with the contents of each displayed in miniature.

I discovered the hard way that some tool, ink, and command combinations simply don't work together. For example, the Paste command only works when Opaque ink is active, and the Separate menu command doesn't work when the Separate tool is turned on. Of course, Animator knows the rules, but I had to guess at them. I would prefer to have menu choices grayed out if the wrong inks and tools are active, rather than trying to figure out when to click the left button to paste and the right button to cancel, or that the right button pastes but the wrong tool is active. And yes, sometimes the left button pastes and sometimes the right, and, most of the time, the right button cancels the operation.

Animator brings the capabilities of a video studio down to the PC level. A lot of powerful stuff is packed into the Animator toolbox. As the tutorial advises, "During your first weeks with Autodesk Animator, explore the program..." With a program as complex as Animator, expect to take several weeks to figure out what you can accomplish and how you can do it.

However, some of the user interface is not as well thought-out as it could be, and this makes Animator harder to learn. Nonetheless, the extensive combination of tools, inks, effects, and commands makes it practical for the amateur with more imagination than ability to create spectacular visual effects and incredibly complex animations. ■

Sue Rosenberg is a consultant at James Martin Associates in Reston, Virginia. She can be reached on BIX as "suer."

WAVE MATE "BULLET"



HI PERFORMANCE LOW COST UPGRADE

BULLET-386 SX

- 16 MHz, zero wait state, PC/AT compatible
- 2MB, or 4 MB DRAM on board
- Low chip count, VLSI design
- Parallel printer port
- Two serial ports
- On-board CMOS back-up battery
- PC/XT (Baby AT) form factor
- Optional 80387 SX
- LIM 4.0 and RAM utility package

BULLET-286 E

- 7.2 MHz CPU
- State-of-the-art VLSI design
- 0 wait-state 16 bit RAM
- Wave Mate proprietary BIOS
- 512, 640 or 1024K RAM on board
- 8 expansion bus slots
- Optional 80287 numeric processor
- Disk cache software in ROM
- 100% compatible XT bus





BULLET-286 II 386 PERFORMANCE

- 8, 10, 12.5, 16 MHz CPU
- State-of-the-art VLSI design
- 0 wait-state 16 bit RAM
- Wave Mate proprietary BIOS
- 640 or 1024K RAM on board
- 5 or 8 expansion bus slots
- Optional 80287 numeric processor
- Disk cache software in ROM
- 100% compatible XT bus

BULLET-386 AT

- 16, 20 and 25 MHz, PC/AT compatible
- State-of-the-art VLSI design
- Disk cache software included
- 32 Bit ext. 16MB interleaved DRAM card
- PC/XT (Baby AT) form factor
- Optional 80387 or 80287
- Optional 2MB static RAM card
- LIM 4.0 and RAM utility package



CALL:

IN U.S.A.

IN CANADA

IN EUROPE (BELGIUM)

800/333-2686

514/939-2033


322/649-1070

MADE IN U.S.A.

2 YEAR OEM, 5 YEAR END USER LIMITED WARRANTY

WAVE MATE INC. 2341 205th St., Ste. 110, Torrance, CA 90501, (213) 533-8190 Fax: (213) 533-5940

Circle 306 on Reader Service Card (DEALERS: 307)



Jack of All Trades

IBM's Current is a PIM with many features but little depth

Lamont Wood

You would expect that any software from IBM would have to be memorable. Current 1.00, a \$395 personal information manager (PIM) running under Microsoft Windows, is certainly that.


Current is an astonishing grab bag of desk-accessory-style functionality. Pictorial, numeric, and text databases; appointment calendars; telephone dialers; address lists; form letter generators; and hypertext—you name it, and it's probably there. You can invoke this functionality with a few mouse-clicks.

The downside is that Current's functionality is wide but not deep, and you have to work Current's way or not at all. For most users, this might be just fine—a simple-to-use package that lets you immediately computerize most of your office work. Depending on how you use your computer, Current may be either the answer to your prayers or too simplistic to merit a second glance.

I ran Current on a 16-MHz Club American 386 with 3 megabytes of RAM, Hercules monochrome graphics, and a 30-millisecond, 40-megabyte hard disk drive running Windows/386 2.11. Although a mouse is not required, I used one for this review.

The Current World

With Current, you organize data around categories, which are broken down into items and fields. If you rendered your business card collection as a category,



Current organizes a variety of information for you.

each card would be an item, and a field would be an individual entry from that card, such as the name or phone number.

You relate items in separate categories to each other through connections. If you have a "to-do" list category, you can set up connections between the people you need to contact and their entries in your business card category. Then, while looking at an item in one category, you can call up any connected items in the other category. Suddenly, you have a crude form of hypertext (computerized footnotes).

Meanwhile, your categories are presented in six formatted views: report, list, book, calendar, Gantt chart, and connection diagram. Report and list are listings of the items in a category, with the list view being limited to two fields per item. The book view shows the information as a too-cute graphical represen-

tation of an open address book. The calendar is just that, and the Gantt chart is the graphical representation of any scheduling data in the category. The connection diagram shows the connections in force, although the underlying category items can also be brought to the surface. (A seventh view, the detail window, shows the contents of an individual category item.)

Before items in a category are presented in a view, you can run them through a filter. They can also be filtered on the basis of the connections in force.

All interactions take place through dialog boxes, where you input text in a field, or point and shoot at a choice in a list. The views appear in their own pop-up windows, and you can stack one window atop another as you follow more connections. If you don't have Windows,

continued

you can still run Current, since Current includes a single application environment version of Windows. But with Windows, you can take advantage of the Windows clipboard, which lets you import text and graphics from other programs. (Aside from a mainframe terminal emulator, Current is the only IBM software offered under Windows.)

Categories and Connections

Current supplies the building blocks for creating your own categories in the form of *field types*. Each item in a category is made up of a selection of fields, and each field can be one of 13 different types. There is the usual text, time, date, numeric, and currency formats that you would expect from most database programs. But from there things get interesting. (Current, incidentally, cleverly interprets your input to the data fields, so that it knows the exact date if you type "Thursday" or even "two weeks from Thursday.")

An image format lets you load any graphical image imported via the Windows clipboard into an image field, in effect creating an image database.

A field can also be set equal to a cell in Microsoft Excel, the Windows-based spreadsheet. The contents of the field will change as the cell changes. Similarly, a *calculation* field derives its numeric contents from other fields using a formula that you specify.

You can set up a field as a set of radio buttons (i.e., fixed options that you define, of which only one can be "set"), or as a check box (to indicate a yes or no status). A data-file format lets you set the field equal to a data file of another Windows program, and an attempt to view the field invokes that program in a new window.

You can use the special telephone number format in conjunction with Current's automatic dialer, assuming you have a Hayes-compatible modem. Another special field can represent the contents of a canned form letter.

So, if you were a real-estate agent, you could set up a "properties" category. The image format could contain pictures of the houses you carry. A text field could carry your comments. Currency fields could carry pricing information, summed in a calculation field. Check boxes could indicate whether or not a house has central heating. With a wider range of options, you would use radio buttons to show, for instance, whether the roof is wood shingle, composition shingle, metal, or tile. And you can do all this with a few mouse-clicks.

C urrent supplies the building blocks for creating your own categories.

Provided that you also keep a category of prospects, you would want to keep track of who has looked at what house. To accomplish this, you can define connections that state relationships between an item in one category and an item in another. In this particular case, you would define—by invoking the correct command and filling in the blanks presented by various dialog boxes—two connections: "Houses—Visited By—Prospects" and "Prospects—Who Visited—Houses." In other words, each connection is two category names connected by a verbal phrase.

Using other dialog boxes where you again select category items from lists, you can connect the houses that clients have visited with the potential buyers. Then, any time you call up the detail view of a particular item, Current lists the connection associated with it at the bottom of the window. Clicking on an entry in this list will bring up a window showing the connected items in the other category—the visitors to this house, for instance. Then you can call up the detail view for each visitor. From that screen, you could examine the detail views of any other houses that person has visited—going in circles if you like, piling window upon window. Or you can follow the trail of any other connections associated with that person.

Connections need not be assigned manually—an automatic connection assigner will use rules that you specify. For instance, you can connect all houses with tile roofs to prospect Joe Kiln, because you know that's what he wants. You can apply the rule to existing categories and then leave it in force so it's automatically applied to new entries.

Viewing Filtered Data

Connections are especially useful when it comes time to look at your data—to list the items in a category. You can, in this case, list only the houses that a certain prospect visits, or the prospects who visited a certain house. After the items are listed, you can call up the detail

screen of individual items and start following the connection trail.

But what if you want to see all houses within a certain price range and within a certain ZIP code? To create such an ad hoc display, you can use filters. A filter can involve up to four criteria concerning the contents of selected fields in the category. The kind of criteria that you can use are preset and depend on the field's format. With a currency or numeric field, you can filter for fields equal to, not equal to, greater than, or less than a given value. For a date field, you can filter for items that are on, before, or after a given date. For text fields, you can filter for items that contain, do not contain, or are equal to a given text string. Each field format works a different way. In this example, you'd use three criteria: one for the ZIP code and two (greater than and less than) for the price range.

When it comes to actually looking at the contents of a category, the report view is the most interesting. You can choose not only which fields will appear and in what order, but also which of four previously installed fonts will be used for that field and for the labels at the top of the page.

You can also have the report show the sum and average of selected fields. This immediately gives you a flexible flat-file database, since the calculation takes place after the filtering. Therefore, in a travel expense category, you could see the sum of all items that involved New York and took place in October. The views can also be printed out, although the book view is simply a listing of the fields and does not include the graphical booklet representation.

After defining just the view you want with various filters and display options, you can name and save it under an icon, to be summoned again with a mouse-click. You can also tag a particular view for later reference in the tagged-views windows, but the list is not stored on disk for later use.

Extra Functions

One of the field formats is the contents of a form letter. The letter can be defined as the contents of other fields in that category (e.g., name, address, salutation, and any other applicable field's contents that you have defined) plus the body text that you write. Current includes a basic word processor and spelling checker. You can send a letter to everyone in a category or to individuals, and Current can log the creation of each letter for later reference.

continued

When Edison realized that genius is "1% inspiration and 99% perspiration," he was probably trying to create graphics with a standard issue, clunky mouse.

Finally, here's a solution that'll help you create, not hinder you.

It's WIZ™ by CalComp. A new mouse that's so different, we hesitate to even call it one. Because it combines all the easy-to-use features of a mouse and stylus with the

power of an "intelligent" graphics pad to enhance every pointing, tracing and drawing function you do.

When you draw with the WIZ mouse and optional pen, it feels just like drawing with a marker. In fact, you'll discover that you can be just as detailed and precise. Perhaps even more expressive and creative.

What's more, WIZ unleashes the creativity and speed of both you and your

software with optional templates for the pad. Because WIZ templates put the commands at your fingertips for instant access.

And for under \$200, getting WIZ is no sweat. Just see your nearest computer dealer* or call 800-458-5888 for more inspiration (or information, if you prefer).

WIZ by CalComp. Everything else is just a mouse.



Perspiration.



Inspiration.




* WIZ is distributed by Ingram Micro. Your local dealer can order WIZ by calling 800-458-5888. © CalComp Inc. WIZ is a trademark of CalComp. All other names and logos are trademarks of their respective owners.

Circle 44 on Reader Service Card
(DEALERS: 45)

Rack & Desk PC/AT Chassis

Integrand's new Chassis/System is not another IBM mechanical and electrical clone. An entirely fresh packaging design approach has been taken using modular construction. At present, over 40 optional stock modules allow you to customize our standard chassis to nearly any requirement. Integrand offers high quality, advanced design hardware along with applications and technical support *all at prices competitive with imports*. Why settle for less?



Rack & Desk Models

Accepts PC, XT, AT Motherboards
and Passive Backplanes

Doesn't Look Like IBM

Rugged, Modular Construction

Excellent Air Flow & Cooling

Optional Card Cage Fan


Designed to meet FCC

204 Watt Supply, UL Recognized

145W & 85W also available

Reasonably Priced

**Now
Available**
Passive
Backplanes



INTEGRAND

RESEARCH CORP.

Call or write for descriptive brochure and prices:
8620 Roosevelt Ave. • Visalia, CA 93291

209/651-1203

TELEX 5106012830 (INTEGRAND UD)

FAX 209/651-1353

We accept Bank Americard/VISA and MasterCard

IBM, PC, XT, AT trademarks of International Business Machines.
Drives and computer boards not included.

REVIEW

JACK OF ALL TRADES

Current 1.00

Company

IBM Desktop Software
472 Wheelers Farms Rd.
Milford, CT 06460
(800) 472-7699 ext. 294

Hardware Needed

IBM PC, AT, PS/2, or compatible with
640K bytes of RAM, a 20-megabyte hard
disk drive, a 3½-inch or a high-density
5¼-inch floppy disk drive, and a graphics
display compatible with Microsoft
Windows

Software Needed

DOS 3.3 or higher

Documentation

User's guide; installation guide; quick-
start and reference manual; application
guide; Microsoft Windows guide

Price

\$395

Inquiry 888.

The calendar breaks your day down into 5-minute intervals, or you can look at things on a daily, weekly, or monthly basis. As you log appointments, the calendar charts graphically how much of the day is booked and shows overcommitments. In addition, Current will beep you 5 minutes (or whatever interval you set) before a scheduled appointment. You can enter information into the comment field of each appointment and then connect the information to items in other categories.

Anytime you use the phone number field and automatic dialing, you can log in the time of the call and other information that you care to record. You can also log in incoming calls using a special menu command and pop-up window.

If you have a category with at least two dates per item (which can represent a start and end date of something), you can represent that category as a Gantt chart. Scheduling software often employs Gantt charts, but all scheduling here has to be manual—the Gantt chart is purely a display option. Another function lets you write an outline (presumably of some project) and connect each line to some category item—a sort of basic hypertext.

A Thin Coat of Everything

The designers of Current chose speed over data capacity. To ensure responsiveness, a category can only have 2000 items. More important, there can be only 27 connections employed in a category. If you want to probe a hard disk full of

data with hundreds of keywords, Current is not for you.

The "2000 and 27 limit" might not seem onerous to most users, however, and it does indeed result in speed. Current sorted a category with more than 1700 items (about 100K bytes) on four filter items in about 12 seconds. (However, it took about 10 minutes to import that file from ASCII.) To do a simple sort of the file (from a report window) by field took only a couple of seconds.


Current comes with context-sensitive help screens to coach you through every dialog box and has a thorough tutorial.

Current's word processor hardly improves on Windows' own notepad facility. (However, the form-letter text is accessible by the clipboard, so you can move it easily to a real word processor.) The report view can serve as a flat-file database, but it's limited to sorting, adding, and averaging the data—forget sophisticated trend analysis. The provision for a calculation field does not make Current a spreadsheet, since a calculation field cannot use the contents of another calculation field.

The idea of an image database becomes less intriguing when you learn that you have to load each image separately through the Windows clipboard. I also found clicking all the connections in dialog boxes to be tedious, and the limit of 27 connections began to seem merciful. You can load data from the clipboard, but only one field at a time. You can import raw data from DIF, dBASE, and ASCII files, but the system's rigidities get in the way. For instance, each item has to have a "name" field. My dBASE financial transaction file did not have unique names for each transaction, so I reformatted it to assign an ID number to each one. Current imported the ID numbers as text (names have to be text, it turns out), and so, after sorting, the items were ranked 1, 10, 100, 1001, 1002, and so forth.

But you can't be all things to all users. Current is aimed at the person who needs to do many things superficially—a middle-level manager, for instance, who primarily oversees other individuals. (In fact, the tutorial examples concentrate on projects and the assigning of tasks to people.) If that description fits your job, then Current may be for you. Otherwise, you had better look for specialized software. ■

Lamont Wood is a computer journalist, desktop publisher, and data broker living in San Antonio, Texas. You can reach him on BIX as "lwood."




**25 Cartridges in One!™—
172 fonts and 20 symbol
sets in one cartridge.**

Not that long ago printing with more than one font seemed like it took 40 days and 40 nights. You had to wait to download soft fonts. Or you had to switch any number of cartridges in and out looking for the right font.

Then along came Pacific Data Products. Now you have fast and easy, yet economical access to more high-quality fonts and symbols than ever before. And there's also increased symbol set support including international symbols, currency and diacritical marks.

25 Cartridges in One! is ideal for almost any type of application—like word processing, presentation graphics, and spreadsheet publishing. With 19 printer drivers included, there's increased support for most of the popular software packages.

Now that it's loaded with 172 fonts and 20 symbol sets,
go ahead—print up a storm.



25 Cartridges in One! is fully compatible with the HP LaserJet Series II, IID, and the new HP LaserJet IIP.

For the dealer that carries *25 Cartridges in One!* in your area, call Pacific Data Products at (619) 552-0880.

PACIFIC
DATA PRODUCTS

9125 Rehco Road, San Diego, CA 92121
(619) 552-0880, Fax: (619) 552-0889

**Pacific Data Products—
Plug into Power**

25 Cartridges in One! is a trademark of Pacific Data Products, Inc. All other company and product names are trademarks of the company or manufacturer respectively. © 1989 Pacific Data Products, Inc.

Circle 212 on Reader Service Card (DEALERS: 213)

**"Best Buy..." Special!
386SX Only! \$995**

Complete with Intel's 80386SX-16MHz CPU, 1MB RAM, choice of 1.2MB or 1.44MB floppy, parallel & serial ports, 1:1 interleave controller and enhanced 101-Key Keyboard (See below).

1. 45 Day "Risk Free" Money-Back Guarantee
2. Two Year System Warranty
3. Unlimited Lifetime Toll-Free Technical Support
4. Replacement Parts **Air Expressed To You FREE!**
5. **Fastest Delivery In The Industry**
6. **Ownership Made Easy With Flexible Purchase Programs**
7. **Hearing And Speech Impaired TDD Service**

**When PC Magazine searched for words to describe Acma, they chose...
Impressive! Performance! Our Favorite!**



Get all the hardware you need to start computing today!

**Complete 286 Business Package
Only \$1,295**

FREE Surge Protector and Printer Stand

ACMA's 286/12 with Intel's 80286/12MHz CPU - New Enhanced AT CHIPSet - AMI BIOS - 0 wait state - page mode interleaving - 512K RAM expandable to 8MB - 80287 math coprocessor support - ROM based setup - shadow RAM - 1.2MB or 1.44MB floppy drive - 20MB hard drive - dual hard/floppy controller - parallel and serial ports - eight expansion slots - 200watt UL approved power supply - enhanced 101-key keyboard - monochrome monitor and video card - Panasonic 1180 printer (192/38 cps) - 6' parallel printer cable - ten diskettes - computer paper - User's Guide and "Easyview" stand - MS-DOS, PC-DOS, OS/2, Unix, Xenix and Novell compatible. Upgrade with EGA or VGA displays and/or larger hard drives and printers.



**ACMA 286/12
Desktop System
Only \$775**

- 45 Day Money-Back Guarantee!
- Intel 80286-12 CPU running at 6/12MHz (keyboard switchable)
- Chips & Technologies "NEAT" CHIPSet, and AMI BIOS
- 1MB 32-bit high-speed RAM
- 0 wait state with page mode interleave architecture
- Shadow RAM for system & video BIOS relocation
- Supports EMS/LIM 4.0
- Supports 80387SX math coprocessor
- Seven expansion slots
- 200W UL approved power supply (110/220V)
- Supports EMS/LIM - 0
- Supports 80287 math coprocessor
- 1.2MB or 1.44MB floppy drive
- High performance 1:1 interleaved dual hard/floppy disk controller
- Parallel, serial & game ports
- Clock calendar w/battery back-up
- Enhanced 101-key keyboard
- User's Guide & "Easyview" stand
- MS-PC-DOS, OS/2, Unix, Xenix and Novell compatible
- Choice of Mini or Standard case (Vertical case \$175)
- 2 year warranty

With Monitor & Video Board	Mono	EGA	VGA
40MB/28ms	\$1,259	\$1,559	\$1,859
65MB/28ms	\$1,399	\$1,699	\$1,799

286/16

With Monitor & Video Board	Mono	EGA	VGA
40MB/28ms	\$1,459	\$1,759	\$1,859
80MB/28ms	\$1,699	\$1,999	\$2,099



**Video Combos
Ship Free!™**

NEC 3D Monitor, & ATI Video Card With Mouse (PC Mag Editors Choice 6/89) \$890
Hyundai Color VGA Monitor & Acma VGA Video Card \$458
Hyundai EGA Monitor & Acma EGA Video Card \$419

**ACMA 386SX
Executive System
Only \$995**

- 45 Day Money-Back Guarantee!
- Intel 80386SX-16MHz CPU
- Chips & Technologies "NEAT" CHIPSet, and AMI BIOS
- 1MB 32-bit high-speed RAM
- 0 wait state with page mode interleave architecture
- Shadow RAM for system & video BIOS relocation
- Supports EMS/LIM 4.0
- Supports 80387SX math coprocessor
- Seven expansion slots
- 200W UL approved power supply
- ROM-based setup
- 1.2MB or 1.44MB floppy drive
- 1:1 interleaved dual hard/floppy drive controller
- Parallel, serial & game ports
- Clock/calendar w/battery back-up
- Enhanced 101-key keyboard
- User's Guide & "Easyview" stand
- MS-PC-DOS, OS/2, Unix, Xenix and Novell compatible
- Choice of Mini or Standard case (Vertical case \$175)
- 2 year warranty

Commercial leases start at \$40/mth.*

With Monitor & Video Board	Mono	EGA	VGA
65MB/28ms	\$1,695	\$1,995	\$2,095
120MB/28ms	\$2,095	\$2,395	\$2,495



Only \$89

Now, for a limited time, get PFS: First Choice for \$89 when you purchase any Acma computer. You save almost 60% off the regular retail value of \$149!



**ACMA 386/20
Professional System
Only \$1,395**

- 45 Day Money-Back Guarantee!
- Intel 80386-20 CPU running at 6/8/16/20MHz
- AMI BIOS
- 1MB 32-bit high-speed RAM, expandable to 15MB!
- 0 wait state & page mode interleaved architecture
- Shadow RAM for lightning-fast system & video BIOS relocation
- Supports EMS/LIM 4.0
- Supports 80287 80x87 and Weitek math coprocessors
- Eight expansion slots offer tremendous growth
- 200W UL, CSA & TUV approved power supply (110/220V)
- Built-in ROM based setup
- 1.2MB or 1.44MB floppy drive
- High performance 1:1 interleaved dual hard/floppy drive controller
- Parallel, serial & game ports
- Clock calendar w/battery back-up
- Enhanced 101-key keyboard
- User's Guide & "Easyview" stand
- MS-PC-DOS, OS/2, Unix, Xenix and Novell compatible
- Standard case (Vertical case \$175)
- 2 year warranty

Commercial leases start at \$56/mth.*

With Monitor & Video Board	Mono	EGA	VGA
65MB/28ms	\$2,099	\$2,399	\$2,499
120MB/28ms	\$2,499	\$2,799	\$2,899

**ACMA 386/25
Business System
Only \$1,795**

- 45 Day Money-Back Guarantee!
- Intel 80386-25 CPU running at 6/8/16/25MHz
- AMI BIOS
- Cache Upgrades: 32K or 64K cache options available
- 1MB 32-bit high-speed RAM, expandable to 16MB
- 0 wait state & page mode interleaved architecture
- Shadow RAM for lightning-fast system & video BIOS relocation
- Support: EMS/LIM 4.0
- Supports 80287, 80387 and Weitek math coprocessors
- Eight expansion slots offer tremendous growth
- 200W UL, CSA & TUV approved power supply (110/220V)
- Built-in ROM based setup
- 1.2MB or 1.44MB floppy drive
- High performance 1:1 interleaved dual hard/floppy drive controller
- Parallel, serial & game ports
- Clock calendar w/battery back-up
- Enhanced 101-key keyboard
- User's Guide & "Easyview" stand
- MS-PC-DOS, OS/2, Unix, Xenix and Novell compatible
- Standard case (Vertical case \$175)
- 2 year warranty

Commercial leases start at \$72/mth.*

With Monitor & Video Board	Mono	EGA	VGA
65MB/28ms	\$2,399	\$2,699	\$2,799
120MB/28ms	\$2,799	\$3,099	\$3,199

**Complete 386/20 Power Package
Only \$2,750**

FREE Surge Protector and Printer Stand

ACMA's 386/20 with Intel's 80386/20MHz CPU - AMI BIOS - 0 wait state - page mode interleaving - 1MB RAM expandable to 16MB - 80387 math coprocessor socket - built-in ROM based setup - 1.2MB or 1.44MB floppy drive - 65MB (28ms) hard drive - 1:1 interleaved hard/floppy controller - parallel, serial and game ports - eight expansion slots - 200 watt UL approved power supply - enhanced 101-key keyboard - 16 bit VGA card - Color VGA monitor - Panasonic 1124 (24 pin NLO) printer - 6' parallel printer cable - ten diskettes - computer paper - User's Guide and "Easyview" stand - MS-DOS, PC-DOS, OS 2, Unix, Xenix and Novell compatible. Upgrade with hard drives, tape backups and/or printers.


**Open 7 Days A Week!
800-456-1818**

Hearing & Speech Impaired TDD 800-456-8901
Mon - Fri 7am to 6pm, Sat - Sun 9am to 3pm PST



1174 Fourier Ave., Fremont, CA 94539 (415) 438-4400 (415) 438-4408 Fax

We accept Visa, Mastercard (no surcharge), American Express, C.O.D. via certified check, qualified P.O.'s, money orders, wire transfers, and personal checks (allow 10 days to clear). Cash, check or wire transfer payments get 1% discount. Add 3% for shipping and handling (\$3 min.), or 4% for second day air on systems. In California add 7% sales tax. Call for shipping costs for Military addresses (APO/FPO), or if outside the continental United States. 45 day money back guarantee does not include monitors, accessories, return shipping and handling. Software, accessories, printers, monitors and shipping are not refundable. Replacement parts are cross-shipped via 2nd day air at Acma's expense with an approved RMA. Customers assume all responsibilities and costs for returning defective parts to Acma. We are not responsible for errors in typography or photography, and reserve the right to substitute equivalent, or better, parts. Prices and specifications are subject to change without notice, and all brand names are registered trademarks of their respective companies. *Two year system warranty - 1st year parts and labor, 2nd year labor. Products not made by Acma are covered by the manufacturer's warranty. Commercial leasing is for qualified businesses only, and the amount listed is based on a 30 month, zero down \$1 buy out lease on basic configurations. **Free shipping of Video Combos is by UPS ground, and covers the monitor and video card when purchased separately from any other products.



Fast and Easy CAD on the Mac


Origins is a fast, easy-to-use 2-D and 3-D competitor to AutoCAD

Don Crabb

It's tough to keep track of the explosion of programs in the Macintosh CAD market. Programs that handle two-dimensional mechanical and electrical drawings lit up the marketplace during 1988. The biggest PC CAD programs, AutoCAD and VersaCAD, were released as Mac programs. Major vendors, such as Claris (ClarisCAD), even jumped into the fray, taking on smaller companies' products, such as MacDraft, Pegasys, PowerDraw, MGM-Station, and Dreams. Three-dimensional visualization programs, such as MiniCAD and SpaceEdit, were also released for the Mac. Even basic 3-D solids-modeling programs, such as Mac3D, found eager audiences.

Origins 1.0, from Deltasoftware, is a new entry into this crowded Mac CAD market. It boasts the 2-D drafting prowess of AutoCAD and VersaCAD plus easy-to-use 3-D surface-modeling capabilities. Additionally, Origins' basic 2-D drafting functions are in a league with ClarisCAD's first-rate ease of learning and use. To make it an even more attractive package, Deltasoftware sells the color version of Origins for only \$595.

One thing Origins is not, however, is a true solids modeler. Although it does 3-D surface modeling and can integrate wire-frame, surface, and solid geometry together in any drawing, it lacks a solids modeler's geometric and construction orientation. Deltasoftware expects to remedy this soon with an extension program



Origins can integrate wire-frame and solid geometry in a drawing.

called Origins Solids. You'll be able to access solids directly from Origins, so it will be fully integrated with Origins' surface-modeling features.

Origins lets an engineer, drafter, architect, or designer manipulate lines, points, and geometric primitives to produce precision drawings representing things as diverse as building floor plans, electrical system drawings, and mechanical systems.

The program includes the necessary tools for you to produce exact wire-frame and surface-model drawings. Origins does not include a numerical control interface, so you can't control machine tools, robots, or other mechanical equipment directly.

With Origins, full-time engineering professionals have the sophisticated CAD tools needed to draw the components and systems that others build. Un-

like AutoCAD and VersaCAD, Origins is accessible to the casual user. Besides being easy to learn and use, Origins is less expensive than its immediate competition. It is priced far below AutoCAD (\$2995) and VersaCAD (\$1995). It even beats ClarisCAD's \$795 price.

Drawing on Origins

Unlike AutoCAD, which is clearly a part of the PC version and retains that version's difficult interface, or VersaCAD, which adopts a minimalist interface approach (and suffers from Mac interface lapses of its own), Origins was designed from the ground up for the Mac. In fact, Origins will even run on a Mac 512KE and Mac Plus, something that VersaCAD and AutoCAD can't do.

When you fire up Origins, you will quickly get a display that automatically

continued

Origins 1.0

Company

Deltasoft, Inc.
P.O. Box 55089
Tulsa, OK 74155
(918) 250-5594

Hardware Needed

Mac 512KE, Plus, SE, SE/30, II, IIx, IIcx, or IIci with two 800K-byte floppy disk drives or one 800K-byte floppy disk drive and one hard disk drive; a math coprocessor is recommended

Documentation

User's guide; reference card; quick-reference guide

Price

\$595

Inquiry 889.

sizes itself to take advantage of all your screen real estate. On my 19-inch SuperMac color monitor, Origins filled the screen from side to side and top to bottom with its menu bar, tool palettes, and four view drawing windows (e.g., top, bottom, side, and orthographic/perspective views).

The Origins menu bar contains the usual File and Edit items, plus Specifications, Design, Precision, Font, Style/Size, and Help. On-line help is particularly strong, and a separate HyperCard learning stack augments it.

To create a new drawing, you just go to the File menu and select the submenu "Create a New Design." Then you start using Origins' built-in palette of lines, 2-D and 3-D objects (e.g., rectangles, circles, ovals, triangles, cylinders, cubes, pyramids, polygons, arcs, Bézier splines, strings, and 3-D surfaces), and symbols to construct your design. You convert 2-D drawings into 3-D surfaces using the extrude tool. All the geometric primitives allow composition attributes, such as hollow-shell, solid-parallel frame, or solid, so you can flesh out these objects to look the way your design requires. I put together a simple 2-D drawing of a house in about an hour, without even pulling the shrink wrap off the manual.

Once you've created your drawing, you can then spruce it up so that it goes from being a simple affair to a real drafting image. You can automatically calculate and display your object's dimen-

sions, annotate sections, and rescale everything in either English or metric measurements.

Editing and modifying drawings are also a snap with Origins' combined point and object orientation. *Object orientation*, similar to the object orientation of more familiar Mac drawing programs, lets you move individual objects around on the screen, relative to all the other objects you've created. *Point orientation*, on the other hand, is one of Origins' big claims to fame. With point orientation, you can select a cluster of points or a single point to be modified within an object. I don't know of any other Mac CAD program with this useful editing feature.

Like other Mac CAD programs, Origins has a full set of editing and basic 2-D geometric functions. You can translate, rotate, resize, skew, tilt, fillet (and inverse-fillet), extrude, mirror, duplicate, zoom, pan, chamfer, and flip your drawings and parts of them. Since you can also specify precise geometric parts with Origins, it's easy to find intersections, centers, percentages, and other locations within a complex geometric drawing.

Origins supports all the industry-standard paper sizes for plotting and printing, plus many other custom sizes that you can define. You can select any line widths you like, along with customized fill and crosshatching patterns. You can also plot up to 256 layers in a single drawing so that you can use Origins for electronic CAD; however, it does not come with the special electronics symbol libraries needed for PC board or VLSI design, nor does it include VLSI cell geometric and optimization functions.

Origins will print to practically any Mac-compatible printer and most Mac-compatible plotters, including my Hewlett-Packard 7442 eight-pen flatbed plotter.

When you
fire up Origins, you get
a display that
automatically sizes itself
to take advantage of all
your screen real estate.

3-D Prowess

Although Origins can't do *true* solids modeling, it does integrate wire-frame, surface, and solid geometry in a unified database representation. The program also supports math coprocessors for making these unified calculations. Origins' 3-D surface-modeling capabilities let you create and render both wire-frame and shaded 3-D surface models. To make these renderings more realistic, Origins removes hidden lines automatically.

Solids modeling takes into account the properties or characteristics of the solids it has modeled, so that data such as mass, center of gravity, and surface tension can be evaluated. In other words, solids modeling tries to deal with the world in real terms. On the other hand, 3-D visualization techniques do not. You can make a 2-D or 3-D wire frame appear as a solid model using 3-D visualization techniques; you can then move the object around in space to get a better idea of how it should be microdesigned. The difference is that 3-D visualization techniques don't process any information about the properties of the solids you have rendered, so you don't know the mass or center of gravity for a particular object you've created on the screen.






A separate 3-D viewing mode, where you can't edit the renderings, lets you view vector, raster, or PICT2 3-D files. Like 2-D designs created within Origins, such 3-D views allow for real-time rotation, panning, and zooming. You can even do cutaway, transparency, and perspective calculations that let you effectively "fly" about within a 3-D surface model and examine it from different viewpoints. This capability comes in handy for architectural CAD, where you need to validate interior designs.

The biggest problem with Origins' 3-D solids viewing is the time it takes to solidify a wire-frame drawing. My simple house drawing, which contained fewer than 300 primitives, took almost 30 minutes to render as a solid. Once rendered, it was easy to zoom, pan, and manipulate the view, but that rendering time made the process far from interactive.

A more complicated drawing of the space shuttle *Columbia* (which I imported into Origins using the Claris Graphics File Translator, since Origins' optional file translator was unavailable at press time) was even more problematic when rendered as a solid. It took more than 4 hours to turn a wire frame into a partial wire-frame, partial cutaway solid rendering. This drawing was composed

continued

FOR SALE: DRAWING BOARD, T-SQUARE, DRAFTING PENS...BARELY USED.



It's time to consider computer-aided design and drafting (CADD). Join over 200,000 users who create better drawings faster with Generic CADD. From simple floor plans to detailed engineering drawings, there's a Generic CADD solution to all your drawing needs.

Get started quick with The CADD Starter Kit. Computerized drawing is easier than you think. Create your own drawings and designs in just hours using the Starter Kit's step-by-step tutorials, sample drawings and pre-drawn design symbols.

Draw like a pro with CADD Level 3. Draw blueprints, floor plans and schematics just once...

Generic CADD.
A better way to draw.

then revisions are just a "stretch," "move" or "copy" away. You can enhance your image while saving time with this precision drawing tool.

Powerful PC CADD starts at under \$200. Order either Generic Software program now and you'll receive FREE a copy of the book, "Converting to

CADD—A Beginner's Guide to Computer-Aided Design!" Just note on your registration card that you saw this offer.*

It's a real bargain. See your local software dealer to buy the right Generic CADD product for you. Or call us at **800-228-3601, ext. 703** (U.S. and Canada) for the dealer nearest you.

©1990 Generic Software, Inc. Generic Software is a Trademark of Generic Software, Inc.* Offer good through May 31, 1990 in the U.S. and Canada only.


Generic
SOFTWARE
AN AUTOEESK COMPANY

11911 North Creek Parkway South
Bothell, WA 98011
800-228-3601 ext. 703
FAX 206-483-6969

Circle 110 on Reader Service Card (DEALERS: 111)

URX™

Fault Tolerant Microframe™



- “Hot Pluggable”
Peripherals
- Zero Down Time
- Mirrored Hard Disks
- Up to 128 Ports
- 2.4 GBytes, 33 MHz

CALL TOLL FREE:
1-800-229-4220

THIRD COAST TECHNOLOGIES, INC.

Home Office:

219 North Milwaukee Street
Milwaukee, WI 53202

(414) 272-4220 FAX: (414) 272-1338

Marketing and Sales Office:

2101 Webster Street
Oakland, California 94612

(415) 446-7888 FAX (415) 446-7887

FAST ORIGINS

Origins proved notably faster than AutoCAD and VersaCAD working with a drawing of the space shuttle Columbia. (Times are in seconds.)

	Open file	Save file	Redraw	Zoom window (50 percent) and redraw	Pan left to right
Origins	6	1.2	1.8	2.5	1.9
AutoCAD	49	2.3	2.5	3.3	3.0
VersaCAD	20	6.7	4.8	5.0	N/A

Notes: All benchmark results are the average of 10 timings and were made using a half solid, half wire-frame drawing of the space shuttle Columbia, originally rendered in AutoCAD and saved in IGES and PICT2 formats. All three packages were tested on a Mac II with 8 megabytes of RAM, a 40-megabyte Apple internal hard disk drive, a 180-megabyte Jasmine external hard disk drive, a SuperMac high-resolution 19-inch color monitor, a SuperMac Spectrum/8 NuBus video card, System 6.0.3/Finder 6.1, no MultiFinder, no RAM cache, and minimal fonts, cdevs, and INITS.

N/A=not applicable.

of over 2000 primitives, so it's a fairly complicated design.

Despite the poor speed of its 3-D solidification, Origins is fast. Deltasoftware claims that its generally good performance is because Origins is written in 68000 assembler code. Indeed, Origins was faster than AutoCAD, VersaCAD, ClarisCAD, Dreams, and most other 2-D CAD programs I tried. To give you some idea about Origins' speed, I timed several functions using the Columbia drawing (before it was made solid) and compared those to the same timed functions in AutoCAD and VersaCAD. The results of these benchmarks are shown in the table. By and large, Origins was faster than either program at every timed task.

Compatibility and Glitches

Origins saves files in its own format, and it uses Clipboard, PICT, and PICT2 files directly. It can't, however, read IGES, DXF, FEA, CAM, or other CAD format files directly. Deltasoftware sells a file translation program to overcome this file compatibility problem, but it wasn't available when I wrote this review. In contrast, AutoCAD and VersaCAD can both read and write to IGES files, which have become a sort of industry standard in CAD file interchange.

The program is quite slow on anything less than a Mac II-class machine (including the SE/30), and you'll really miss not having color capabilities for rendering different layers and objects. Origins works best on an 8-bit color Mac II, IIX, IICx, or IICi, with a large-format high-resolution RGB monitor.

I ran into several annoying glitches while testing Origins; most of these occurred while using the Columbia drawing. The program would freeze, the cur-

sor would die, the screen manager would get trashed, and the drawing window would go blank or the entire screen would break up, requiring a hard reboot.

After spending almost a week trying to get help from Deltasoftware's technical-support line, the company finally got back to me with a fix. Under MultiFinder, you can't use the program with the default memory size (1024K bytes). Increasing the MultiFinder region to 2048K bytes fixed those problems. During benchmark testing, though, I did not use MultiFinder.

I also ran into several other annoying little quirks that mostly involved screen redraws jerking along. Deltasoftware did not have any fixes for these quirks, except to say that a bug fix release would be available sometime this year once the Solids program has been released.

If you need direct compatibility with IBM PC CAD programs, then you'll be better off buying either of the much more expensive AutoCAD and VersaCAD programs. Even the most accurate file translation programs will lose some of your geometric database when you translate from these formats to Origins. If you don't need IBM PC CAD compatibility and want an easy-to-use and powerful 2-D CAD and 3-D surface modeler, then Origins is quite a buy. If the promise of Origins Solids is fulfilled, you could put together a full-fledged 3-D solids-modeling system on your Mac for well under \$1000. That's quite a feat. ■

Don Crabb is the director of laboratories and a senior lecturer for the University of Chicago department of computer science. He is also a contributing editor for BYTE. He can be reached on BIX as "decrabb."

BAYTECH MULTIPLExER- CONTROLLERS

*14 Years of Quality
Multiplexing*

CONTROL & DATA ACQUISITION

Enter the picture... the BayTech H-Series Multiport Controllers—stand-alone multiplexers that connect one host computer to as many as 25 peripheral devices. By cascading, the number of devices you can connect is practically unlimited. Full duplex transmission of asynchronous data is provided at speeds up to 38,400 bps. These intelligent multiports will operate with any RS-232C serial computer or peripheral device. (Optional RS-422A).

The H-Series models have been used extensively in each of these areas:

- security and environmental sensing, to improve monitoring capabilities for large and small businesses

Security



Courtesy Honeywell Protection Services.

- medical data monitoring environments, where speedy responses are vital and critical information must reach the host computer immediately

*Medical
Data Systems*



Courtesy Siemens Life Support Systems.

- industrial robotics—control environments, where multiple numerical or assembly-line machines can be centrally controlled

*Process
Control*



Courtesy Ford Motor Company.

- data exchange among point-of-sale devices, through which a myriad of business equipment can be operated from one computer

Point of Sale




Courtesy Hugin Sweda.


SIX MODES OF MULTIPLExING

To meet individual needs, these flexible, multifunctional devices are easily tailored by selecting one of six modes of multiplexing: time-division, port expansion/sharing, and four modes of buffered message multiplexing. In a typical application, the host port may be connected to a

Circle 321 on Reader Service Card (DEALERS: 322)



computer and the peripheral ports may be connected to such devices as: bar code readers, cash registers, fire alarms, numerical machines, modems, plotters, printers, security systems, and terminals (see illus.).



PRODUCT SUPPORT

BayTech offers unlimited hotline technical support before and after you purchase a unit. Designed and manufactured in the USA, the reliable H-Series is UL- and CSA-listed and fully covered by a one-year warranty.


So put yourself into the picture... call us today to learn about the many ways the H-Series Multiplexer-Controllers can benefit your business.

BayTech

Bay Technical Associates, Inc.
Data Communications Products Division
200 N. Second Street, P.O. Box 387
Bay St. Louis, MS 39520 USA
FAX: 601-467-4551
Phone: 601-467-8231 or toll-free

800-523-2702

Now it costs less to protect your little ones.



Introducing Accupower.[®] The first complete UPS protection designed to fit on every desk-top. And into every budget.

With Accupower, you get complete protection from the spikes, surges and brownouts that happen dozens of times a year. And if the power ever fails, you'll get up to ten minutes of power so you can keep on working and shut down safely.



With AccuSaver™ software, everything's saved and restored automatically—even if you're not there. Thanks to a technological breakthrough, you

actually get more

protection in a smaller package. And there's an Accupower designed to protect your entry-level PC, your networks, file servers, all the way up to engineering workstations.

To see how easy it is to protect your little ones—and all the time and data you've put into them—see your Emerson distributor today. Or call us at 1-800-Back-UPS.



Model 10 Model 20 Model 40 Model 50 Model 30

Available through your local Distributor: Amnet Computer Technologies (800) 877-2226, RMA Microtech (314) 726-0195, Pioneer Technologies Group (800) 227-1693.

EMERSON UPS
We protect the ones you love.

© 1989 Emerson Computer Power, a division of Emerson Electric

Circle 98 on Reader Service Card

Reviewer's Notebook

Reviewer's Notebook is a compilation of brief reviews and updates to previously published evaluations. BYTE will publish Reviewer's Notebook each month as space permits.

Where Were You When the Lights Went Out?

The slings and arrows of outrageous (or nonexistent) AC line power make a backup power supply a necessity if you use a computer for more than a few hours a day. With the heavy-duty batteries and electronics needed to keep a fully loaded PC running, most backup power supplies are big, heavy, expensive, and ugly.


Emerson Electric, a venerable name in electrical appliances, has taken a different approach to backup power supplies. Its AccuCard fits *inside* your system unit.

AccuCard's battery measures 1¼ by 3 by 1½ inches and plugs into the side of a half-length PC add-in card. This makes for an odd, side-heavy arrangement that nonetheless is a perfect fit for the right-most (next to the power supply) expansion slots in most standard PC cases.

Installation was easy. I just unplugged the power connections to my system's motherboard, plugged them into the AccuCard, and used a patch cord to connect the AccuCard to the power connections.

A battery this small simply doesn't have the capacity to keep a fully packed system powered up for a long period of time, so Emerson does things differently. Included with AccuCard is AccuSaver, a memory-resident program that takes up a paltry 8K bytes of RAM. If the AC line power to your system fails for more than 1 second, AccuSaver kicks in and saves an image of your machine's state (registers, RAM contents, and so on) to disk. It then shuts down the system. The whole process usually takes less than 15 seconds, depending on how large your system's memory (and how fast your hard disk drive) is.

When the AC power returns, the AccuSaver software restores your system to where it was when the lights went out. It works flawlessly. My AT clone has a board in every slot. Even though AccuCard is rated at 86 watts, it had no problems when I unplugged my system's



The Emerson AccuCard fits inside your PC and provides backup power.

power cord. When I plugged the cord back in, I was quickly returned to where I'd been. If you're worried about data security, AccuSaver's setup software gives you the option of password access before it restores the system.

At \$249, AccuCard costs about half as much as a standard backup power supply, and its autosave feature offers distinct advantages over the usual manual method of saving data and shutting down a system during a power failure. But AccuCard is not a magic answer to power glitches, nor does it claim to be. It does not have built-in surge suppression. (But because it floats full-time on the DC lines, it does act as a buffer between the motherboard and the power supply.)

Since AccuCard is designed for a sin-

gle user, you still need a standard backup supply for a file server or a multiuser system. But AccuCard is inexpensive and easy to install, and it does what it claims. And if you've ever lost a day (or more) of work to a power failure, you know that \$249 is a reasonable investment for peace of mind.—Stan Miastkowski

AccuCard

Emerson Electric Co.
Computer Power Division
3300 South Standard St.
P.O. Box 1679
Santa Ana, CA 92702
(714) 545-5581
\$249
Inquiry 854.

A Disassembler for the Curious

Professional programmers have long relied on disassemblers to unravel machine language instructions and view generic assembly language. But simple disassemblers, like Microsoft's Code-

View, won't help you examine the result of a program's I/O calls, the invocation of operating-system functions, or complex jumping or branching sequences.

continued

Enter Dis-Doc Professional, a stand-alone disassembler that quickly takes apart complete programs. Dis-Doc recognizes .EXE, .COM, and device-driver files, and it includes a utility to unpack LINK-compressed .EXE files. Dis-Doc names branch labels with a letter and a hexadecimal label address, so the labels are in numerical order and easy to find.

I had some trouble with the installation program hanging my system; the installation software crashed if I denied it permission to change my AUTOEXEC.BAT file. But once it was installed, Dis-Doc loaded and ran without any problems. To start, I used something simple: the standard MS-DOS TREE.COM program. Dis-Doc disassembled the file in its interactive window. Here, I used cursor keys or my Microsoft Mouse to move the cursor about and look at the code that Dis-Doc generated. Since the program recognized TREE.COM as a .COM file, it knew what registers the file would contain and commented the source code ac-

ordingly. For example, a PUSH BP early on in the code was commented to ; Save the argument pointer.

Dis-Doc paused at times to disassemble more of the file as I scrolled. While annoying for a small file, it lets Dis-Doc disassemble even the largest executable files without running out of memory.

After viewing the file, I saved the assembly output as a file. I was impressed that the program assembled without any trouble or editing. The convenient Edit menu let me add labels and change data types. If the assembler had incorrectly marked a listing area as data, I could easily rename it as program code (or vice versa). Also, if Dis-Doc marked a range of data as code, I could use the Data Block choice in the Edit menu to change the designation to initialized data.

The package is designed to review small sections of existing code, rather than to completely reengineer existing applications. Nevertheless, Dis-Doc provides strong support for disassembling

BIOS code. In fact, I wonder if Dis-Doc uses canned information to recognize common BIOS sets, as it appeared to more clearly comment and more accurately analyze BIOS code. Unfortunately, this disassembly was noticeably slower than the disassembly of a file, presumably because of the size of the BIOS.

Overall, Dis-Doc is a good tool for the curious. It isn't powerful enough to completely disassemble many applications, but it can be great for studying existing programs. Those interested in exactly how their BIOS works will find it useful in disassembling the ROM programs.

—Michael Blaszczyk

Dis-Doc Professional
RJ Swantek, Inc.
178 Brookside Rd.
Newington, CT 06111
(203) 953-0236
\$195
Inquiry 855.

Flat Color Display Brightens Macs

ColorPage 15 from E-Machines provides a 15-inch, flat-screen display and impressive color for Mac users who might otherwise settle for Apple's 13-inch color monitor. Obvious ColorPage benefits are its 768- by 576-pixel resolution (versus Apple's 640 by 480 pixels) and its larger format—a full page, compared to the three-quarter-page Apple display. But the \$2095 price may be high enough to make Mac users think twice before choosing the ColorPage.

The monitor and video board display 256 out of 16.7 million possible colors. The monitor's noninterlaced refresh rate is 67 Hz, with a horizontal scan rate of 41.6 kHz. Dot density totals 72 dots per inch, while dot pitch is rated at 0.31 millimeter. The monitor provides a 32-bit-wide data path. ColorPage rests on its own tilt/swivel stand and ships with a video board and cable. A utilities disk includes brightness and contrast controls that you can access through the Mac's Control Panel. Like other NuBus boards, the video board slips easily into place, so monitor setup is quick and uneventful.

If you're new to flat-screen monitors, allow yourself time to adjust to an FTM (flat tension mask) display before passing judgment on image quality. Our eyes have learned to ignore distortions caused by traditional monitors, which bow out in the middle. When I first fired up the flat

ColorPage, the screen looked positively concave. My eyes remained convinced of this illusion even after I slid a ruler along the screen, proving the glass was flat. After a couple hours, my eyes no longer registered the distortion. Instead, they reeled at traditional monitors' ungainly images, which now looked inflated, like people in carnival mirrors.

The Zenith-made FTM screen and antireflection coating produce rich, warm colors. E-Machines redesigned the electronics for the Mac. I ran the ColorPage and the 13-inch Apple monitor side-by-side on a Mac IIci, which enabled me to split color images between the two screens. I compared PixelPaint Professional files and found that hues blended together more smoothly and lines looked crisper and better defined on the ColorPage. Colors on the Apple were blotchy, with sharp contrast between similar tones. In addition, blues tended toward green and browns flared to red on the Apple. ColorPage colors appeared truer.

When I displayed Aldus PageMaker text files, the ColorPage showed some flaws. Clearly defined letters in the screen's center became blurred when I moved them to the screen's edges. However, except for this border distortion, the ColorPage's color and sharpness outmatched its competitor's.

The ColorPage is over twice the price



E-Machine's ColorPage monitor for the Mac provides glare-free images and rich colors.

of Apple's 13-inch monitor, but E-Machines believes the better resolution and full-screen display will encourage Mac users to pay the difference for precision in designing overhead presentations and reports. Many Mac users, I suspect, will consider The ColorPage a well-designed but expensive luxury.—Alan Joch ■

ColorPage 15
E-Machines, Inc.
9305 Southwest Gemini Dr.
Beaverton, OR 97005
(503) 646-6699
\$2095
Inquiry 856.

After centuries of practice, mankind perfects engineering calculations: MathCAD.

Announcing MathCAD 2.5: The Dawn of a New Age.

What the historians will call it, only time will tell.

Perhaps the Century of Speed, or the Era of Ease. But whatever the name, this is the age of MathCAD 2.5, the only math package that looks and works the way you think.




MathCAD 2.5 includes 3-D plotting, HPGL sketch import, and PostScript output.

MathCAD is far and away the best-selling math package in the world. Because it lets you perform engineering and scientific calculations in a way that's faster, more natural and less error-prone than the way you're doing them now—whether you're using a scratchpad, calculator, spreadsheet or program that you wrote yourself.

And now we've made the best even better. MathCAD 2.5 is a dramatically improved version that includes three-dimensional plotting, enhanced numerical analysis, and the ability to import HPGL files from most popular CAD programs, including AutoCAD.® And now you can print on PostScript® compatible printers.

And like before, MathCAD's live document interface™ lets you enter



equations anywhere on the screen, add text to support your work, and graph the results. Then print your analysis in presentation-quality documents.

It has over 120 commonly used functions built right in, for handling equations and formulas, as well as exponentials, differentials, cubic splines, FFTs and matrices.

No matter what kind of math you do, MathCAD 2.5 has a solution for you. In fact, it's used by over 60,000 engineers and scientists, including electrical, industrial, and mechanical engineers, physicists, biologists, and economists.

But don't take our word for it; just ask the experts. PC Magazine recently described MathCAD as "everything you have ever dreamed of in a mathematical toolbox."

And for Macintosh® users, we present MathCAD 2.0, rewritten to take full advantage of the Macintosh interface. Entering operators and Greek letters into equations is pure simplicity!

Look for MathCAD 2.5 at your local software dealer, or give us a call. For more information, a free demo disk, or upgrade information, dial 1-800-MATHCAD (in MA, 617-577-1017).

Available for IBM® compatibles and Macintosh computers.

TM and ® signify manufacturer's trademark or manufacturer's registered trademark respectively.



March 14, 1989 issue.
Best of '88
Best of '87

MathCAD®

MathSoft, Inc. One Kendall Square, Cambridge, MA 02139

U.K.: Adept Scientific 0462-480055; France: ISE CEGOS 1-46092768; Germany: Softline 07802-4036; Japan: CRC 03-665-9768.

PE
#3

Circle 169 on Reader Service Card


The HP DeskJet PL

300 DPI, inkjet printing.

 **NEW WORLD PRODUCTS CO.**

Whisper-quiet.

*Suggested U.S. list price. Document created using Microsoft® Word 5.0 and Micrografix Graph Plus. Microsoft is a registered trademark of Microsoft Corp. ©1988 Hewlett-Packard Company PE12924




3 pages per minute.

Sharp graphics.


It prints copy that looks like a connect-the-dots game. And it sounds like a war zone. The dot matrix printer. Why put up with it?

The HP DeskJet PLUS printer uses advanced ink-jet technology to deliver



The \$995* HP DeskJet PLUS printer.

US vs. the dot matrix printer.



Connect the dots.

Earplugs not included.

Speed: You're not getting any younger.

Rubble, rubble everywhere.

laser-quality text and graphics. It's also compact. And very quiet.

And at only \$995, it could spell the end for most dot matrix printers. Because there's hardly a printing job that DeskJet PLUS can't do

faster, quieter and better. It's even reliable enough to carry a 20,000-hour MTBF rating.

Of course, DeskJet PLUS works with all your major software and with any IBM-compatible PC. So call 1-800-752-0900, Ext. 712J

for your nearest authorized HP dealer and see for yourself. There's no comparison.

There is a better way.



Circle 117 on Reader Service Card

World Radio History

Life Within 1 Megabyte

- 199 The Succession Crisis**
by Bob Ryan
- 205 Expanding the Limits**
by Jeff Holtzman
- 219 Mac at the Minimum**
by Tom Thompson
- 227 Easing the RAM-Cram Blues**
*by Mark L. Van Name
and Bill Catchings*
- 237 Saving Space**
by Steven J. Vaughan-Nichols
- 245 More Bang for Your Buck**
*by Mark L. Van Name
and Bill Catchings*
- 257 Coping with Diversity**
by Bob Ryan
- 262 1-Megabyte Life Support**

At a time when an economic slowdown is creeping across the nation, rumors of the death of the 80286 have been greatly exaggerated. For many people and companies, now is the time to get as much out of current computer systems as possible—whether they are ATs, Macs, or smaller machines—not to dump them for the latest and greatest.

Getting more out of equipment you already have can be a challenge, especially if you're running at near capacity now. Careful planning and the use of some of the techniques described in this special In Depth section can significantly extend the life of your current computer.

The section begins with "The Succession Crisis," in which Bob Ryan sets the stage for the space-saving tools and techniques explored in this section. He looks at the ongoing battle between OS/2 and Unix for the title of King of the Desktop. The big question is, can either of them unseat MS-DOS?

Then, in "Expanding the Limits," Jeff Holtzman describes ways to work around the frustrating 640K-byte DOS limit on a 1-megabyte machine without changing to another operating system. Both hardware and software solutions exist.

Next, in "Mac at the Minimum," Tom Thompson examines the 1-megabyte limit from a different viewpoint—the Macintosh's. MS-DOS users aren't the only ones who have to work with memory constraints. The 1-megabyte Mac user must live with its limits as well. Tom looks at programs you can and can't run in 1 megabyte and provides hints to help you get the most out of what you have.

In "Easing the RAM-Cram Blues," Mark L. Van Name and Bill Catchings look at some DOS utilities that help you manage your TSR programs. A wonderful idea, TSRs, but they eat memory for

lunch. If you're not careful, you can end up with RAM cram and no room for applications. These utilities and others can cure this terminal condition.


Then, in "Saving Space," Steven J. Vaughan-Nichols shows how data compression can save your disk from information overload and your budget from disaster. These utilities are too useful not to have—packing more information into less space on your hard disk—and some work better than others.

In "More Bang for Your Buck," Mark L. Van Name and Bill Catchings discuss some of the smaller integrated packages and how they can help you fit more functions into the memory space you have. The inexpensive packages described here include at least word processing, spreadsheet, and database functions—the workhorses of PC software.

Finally, in "Coping with Diversity," Bob Ryan looks at the age-old problem of compatibility between different machines from a different angle: interoperability. If you can transfer information easily and conveniently between different computers, why should you care whether the machines are compatible with each other? There are more options than you may realize.

There's no shame in keeping your current machine as long as it can do the job. It may not be as bright and shiny or have as many bells and whistles as the latest box off the assembly line, but it works, and that's what counts. A line from an old song seems particularly apt right now: "Let's hang on to what we've got."

—Jane Morrill Tazelaar
Senior Technical Editor, In Depth



THE FIRST 5" HAND SCANNER

Dealers and OEMs Wanted



*MARSTEK COMBINES THE WIDEST SCANNING WINDOW
WITH THE HIGHEST SCANNING RESOLUTION
IN ONE LOW COST HAND SCANNER.*

*MACINTOSH VERSION AND 800 dpi
MODELS AVAILABLE SOON !!*

THE MARS 128

- **UNIQUE 5" SCANNING WIDTH**
- **HIGHEST SCANNING SPEED: 3ms PER LINE**
- **COMPATIBLE WITH TODAY'S MOST POPULAR FORMATS**
- **SCAN IMAGES AT 200, 300 OR 400 dpi**
- **MERGE FUNCTION INCLUDED**



M arstek

Circle 167 on Reader Service Card (DEALERS: 168)

USA Headquarter:

Marstek, Inc.

17785-A Skypark Circle

Irvine, CA 92714

Tel : (714) 833-7740

Fax: (714) 833-7813

European Office:

Marstek GmbH.

OSTRA ßE 11

4000 Dusseldorf 1, West Germany

Tel : 0211-350417

Fax: 0211-350410

Tlx : 8587502 MARD

The Succession Crisis

OS/2 and Unix are both vying to replace DOS on your desktop, but the best choice may be no change at all

Bob Ryan

At every Comdex—Spring and Fall—since the spring of 1987, BYTE has polled attendees about which operating system they thought would be dominant in the future. The results of these polls (which are summarized in the figure) show how perceptions have changed over time. The most startling fact that comes out of these polls is that, although both the industry and users have been griping about its limitations for years, the combination of standard and extended DOS is expected to dominate the industry for the next few years.

This confirms the maturation of the computer industry over the past five years. Users are more interested in solutions than they are in jumping into the latest technology—you wouldn't describe DOS as cutting-edge. The result also has profound implications for anyone considering an upgrade to OS/2 or Unix. Quite simply, it may still be premature to choose either OS/2 or Unix over DOS.

Upgrade Downside

Just as it was in 1987 when the BYTE poll began, the decision to move to an inherently more capable operating system than



DOS is still fraught with uncertainty. Whether you are a single user or a company with hundreds or thousands of DOS machines, upgrading is expensive. For a business especially, upgrading to OS/2 or Unix involves more than the cost of the operating system and necessary hardware; it involves a lot of retraining and frustration until everyone in the organization becomes settled with the new sys-

tem. As the national economy comes in for its "soft landing," now may not be the best time to invest in new equipment or to move to a new operating environment.


One other major problem with switching to a new operating system is that you may be forced to leave some or all of your application base behind. Unless the applications you need are available under the new operating system, you may be out in the cold.

I will contrast the advantages and disadvantages of OS/2, Unix, and DOS from a practical standpoint. OS/2 and Unix are certainly technically superior to DOS, but that doesn't mean that either one is the right choice for you.

Heir Apparent

When it was announced in the spring of 1987, OS/2 was hailed as the operating system of the future. It corrected two major deficiencies of DOS—limited memory and lack of multitasking—and it promised to bring the ease-of-use features of the Macintosh interface to machines with Intel microprocessors. It also promised to run applications written for DOS. Although the cost of upgrading to OS/2 was stiff, it

continued



The expectations of Comdex attendees have fluctuated greatly in regard to OS/2 versus DOS. OS/2 hit its peak of popularity at Spring Comdex 1988, when voters chose it over DOS as the dominant operating system of the future. By the fall of that year, however, DOS had regained its former luster as problems with OS/2 became evident.

was thought that business buyers would pay the price in order to reap the advantages of the newer operating system.

Events—and some poor planning—have conspired against the acceptance of OS/2. RAM prices took off as chip companies had trouble bringing 1-megabit DRAM chips to market and after government attempts to protect the domestic DRAM producers failed. This increased the cost of upgrading to OS/2.

In addition, the DOS “compatibility box” was not as compatible as it should have been. DOS compatibility was of prime importance: If OS/2 could have offered complete DOS compatibility from the start, users would still have had applications to run until OS/2 applications were ready. As things turned out, the absence of true compatibility meant a lack of OS/2 purchasers, causing software developers to question whether OS/2 was the best place to put their resources.

OS/2 has also suffered because of the piecemeal way in which IBM and Microsoft have made it available. It took them over two years to get the Presentation Manager (PM) in place, thus giving users an excuse to delay committing to OS/2 and time to consider alternatives. Also,

pronouncements by many in the industry that the 80286 was not powerful enough to use OS/2 to its best advantage has probably done more harm to OS/2 sales than it has boosted the sale of 80386 machines in anticipation of an 80386-specific version of the operating system.

The Perception of Failure

Almost three years after it was announced, OS/2 has a tiny installed base compared to DOS. Although the latest release is fully functional and uses the PM interface, OS/2 suffers from a history of not-quite-complete releases. Once considered a sure thing, the easy acceptance of OS/2 is now in doubt. Given its lackluster reception by developers and users, OS/2 backers are searching for some type of killer application that will differentiate OS/2 from competing operating systems. Microsoft and others think that application will be a database server running on a LAN. Time will tell, however, whether the presence of OS/2 on a server machine will lead to its acceptance on the client machines.

When and if OS/2 develops the range of applications available under DOS, it may finally live up to its billing as the

successor to DOS. Until that time, however, moving to OS/2 is not a step to be undertaken by the faint of heart.

The Unix Riddle

Unlike OS/2, Unix has been around for 20 years. It was developed at Bell Labs for a DEC PDP-8 minicomputer. Over the years, it has become the preferred operating system for scientific and engineering computers. It is the dominant operating system on desktop workstations.

Unix has many advantages over DOS. It is both multitasking and multiuser, it has sophisticated memory management capabilities, and software written for one Unix machine is (theoretically) easily portable to other Unix machines.

The problems with Unix stem from its origin. Essentially, it was developed by technical people for technical people. Unix users didn't want to be protected from the complexities of their computers, they wanted to wallow in them. As a result, Unix has developed a well-deserved reputation for providing a decidedly unfriendly operating environment.

Efforts to overcome the unfriendly nature of the Unix interface, which can involve using two or three hundred syntactically obtuse commands such as `grep` and `lp`, have generated some good results and some bad. Two major interfaces, OSF/Motif and Open Look, and minor ones such as the NeXT Workspace Manager, greatly improve on Unix's user friendliness. On the downside, these different interfaces threaten the portability that has been a Unix hallmark.

The Shrink-Wrap Question

Portability is one of Unix's greatest assets. It is also one of the prime restraints against the adoption of Unix outside the technical community. Unix has traditionally offered source code compatibility: Source code developed on one machine could be recompiled on a different machine with few, if any, changes. Outside the technical community, however, users don't want to have to buy and compile source code. They want to buy shrink-wrapped, ready-to-run software. This presents an enormous challenge to Unix developers. The number of different architectures that run Unix is staggering. To develop for only one architecture would be too limiting; to develop for more might be too costly.

So, unlike OS/2, which runs on 80x86 boxes only, a Unix program must be able to run on many architectures. Unix, which is well standardized at the source code level, is terribly fragmented at the

continued

Out of the World Performance Down to the Earth Price



Sky-high benchmarks but Ground-level prices come from Eltech's firm commitment to manufacture high-quality, cost-competitive computer systems. Since 1985, we've been providing affordable XTs, 286s, and 386s as well as the high-level technical support you've come to expect. Plus, our performance has caught the eye of MIPS and InfoWorld reviewers.

The Eltech Model 9970/9870...one small step for your budget, one giant leap in technology.



Eltech Model 9970.....\$5485
33MHz: 386 with 64K SRAM write back Cache (Optional 256K Cache available), comes with 4MB expandable to 8MB (16MB with 32-bit memory board), 150MB 16ms EDSI drive, VGA Adapter with 14" Multi-frequency Monitor, Support 80387 / Weitek 3167, 8.3 MIPS Performance Rating.

Eltech Model 9870.....\$4365
25MHz: 386 System same features as Model 9970, 6.2 MIPS Performance Rating, FCC class B Approved.

Eltech Model 2160.....\$2250
16MHz: 386SX zero wait state with 1MB on board expandable to 8MB, support 80387SX Math Coprocessor, 40MB 28ms Hard Disk, VGA Adapter with 14" Multi-frequency Monitor, FCC class B Approved

Circle 95 on Reader Service Card

ALL SYSTEM INCLUDE INTEL NEXT DAY ON-SITE SERVICE, Microsoft DOS 4.01 and two serial and one parallel as standard.

**Welcome for VAR
Dealers Quantity Discount Available**

**Sales: (408) 942-0990
(408) 945-6383**

Tech Support: (408) 942-1067
Canadian Office: (604) 275-1119
(Topower International Systems)

ELTECH RESEARCH INC.
1725 McCandless Drive, Milpitas, CA 95035

Eltech Research Inc. Topower, VGA, MIPS, InfoWorld, XT, Weitek, Microsoft and DOS are registered trademarks of their respective companies. Photo's courteous of RIX Softworks, Inc. Irvine, CA 714 476-8266 ELT AD1 V1.0 10/89

“Compiler Ads Are Confusing.”

They all claim that their products are the fastest and most powerful. Buzz words like optimized, integrated, and modular are everywhere—never meaning quite the same thing.

We'd like to be more direct. We'll tell you what you can do with our compiler—then you make the comparisons.

- **DUAL PERFORMANCE** You have two compilers in one integrated package—Quick for speed applications development and optimizing for the best code generation—with a simple menu option to move between the two.
- **FLEXIBILITY** You can interface directly with C or any other language. Write only one set of sources for DOS and OS/2, run the most complex applications with no change.
- **COMPATIBILITY** You can generate code compatible with Microsoft Windows, using all window facilities. And develop Presentation Manager applications with no additional software.
- **OPTIMIZATION** You get true global optimization, using data flow analysis and proprietary techniques, not just the standard peephole optimization and automatic assignment of variables to registers.
- **ENVIRONMENT** You have many features you won't find in any other environment—like the ability to organize your code into separate libraries and set compiler options both globally and on a per-module basis. And a make facility that is so well integrated, you don't even know it's there.
- **TOOLS** You get a debugger, profiler, object librarian and overlay linker with unique capabilities. And a runtime library with surprises like interrupt driven serial communications, true multitasking, graphics, and mouse interface modules.

Stony Brook Professional Modula-2 (both the Quick and optimizing compilers for DOS and OS/2) for \$295. Stony Brook QuickMod (for DOS or OS/2) for \$95.

Stony Brook—we eliminate the confusion.

Stony Brook
SOFTWARE

Your Partner
in Software Development

■ The fine print version of this information with all the details, including our benchmark performances, will be mailed to you within 24 hours if you call our 800 number.


800/624-7487 805/496-5837 California and International 805/496-7429 Fax

Circle 270 on Reader Service Card
(DEALERS: 271)

©1989 Gogesch Micro Systems, Inc.

187 East Wilbur Road, Suite 9
Thousand Oaks, CA 91360

World Radio History



Expanding the Limits

If the DOS memory limitations have you thinking about jumping ship, think again


Jeff Holtzman

In 1981, the 1-megabyte address space of the newly introduced IBM PC seemed spacious, indeed. Less than a decade later, however, that same amount of space seems claustrophobic. DOS users search continuously for any nook or cranny into which they can stuff a few K bytes of valuable RAM, to provide a little more breathing room for today's insatiable application programs, network drivers, and TSR programs.

One solution to the memory crunch is to upgrade to OS/2 or Unix, but that can mean buying a new system—and then waiting until the applications you need become available. If you aren't yet ready to commit yourself to either OS/2 or Unix, you should probably stick with DOS for the near term. There are proven ways to get more out of the memory DOS gives you. You simply have to know where to look.

Family Ties

Understanding DOS memory limitations requires examining the memory-addressing capabilities of the Intel family of microprocessors. In rough order of capability, this family consists of the 8088,



the 8086, the 80186, the 80286, the 80386SX, the 80386, and the 80486. The 80386SX and 80486 have memory-addressing capabilities that are nearly identical to those of the 80386, so I won't distinguish among them. Other processors I won't discuss specifically are the 8086, which has the same addressing capability as the 8088, and the 80186, which is used primarily as an embedded controller.

The 8088 is paradoxically both the least and the most powerful member of the family. It is the least powerful because it has only 20 address lines, while its younger siblings, the 80286 and the 80386, have 24 and 32 lines, respectively. However, the 8088 is also the most powerful, because the majority of PC software conforms to its limitations.

Because each address line from a processor can assume one of two states, 20 address lines lets you access 2^{20} or 1,048,576 different locations. To the microprocessor, the vast majority of those locations (except some at the very top of memory and some at the very bottom) are functionally identical; it is the operating system that assigns meaning to them. I'll refer to the first 640K bytes in a DOS machine as conventional memory and to the remainder of the first megabyte as upper memory (see figure 1).

The 80286 and the 80386 have more address lines than the 8088, and the locations that they access above 1 megabyte are known as *extended* memory. In general, extended memory is not available to DOS applications. The 80286 and

continued




Figure 1: DOS breaks memory into 64K-byte segments. These segments fall into three primary areas. Conventional memory, also called user memory, occupies the lower 640K bytes. Upper memory, normally reserved for system and expansion ROM, uses the next 384K bytes. Extended memory, which is beyond the address ranges of both DOS and the 8088 processor, starts above 1 megabyte.

80386 must switch into a different mode of operation to get at locations above the 1-megabyte mark, and this *protected* mode is incompatible with the *real* mode that DOS applications run under.

The 80286 can switch from real mode to protected mode, but not the reverse. To switch to real mode, you must reset the microprocessor, a time-consuming process during which you can lose interrupts. Intel corrected that deficiency with the 80386SX and up.

There is one exception, however, to the rule about accessing extended memory in real mode. Through a quirk of the microprocessor, you can access the first 64K bytes of memory (less 16 bytes) above 1 megabyte without switching into protected mode. That area is known as the high-memory area (HMA); Microsoft has released a specification, called the XMS, or extended memory specifi-

cation, and a software driver that provides an orderly means of allocating and deallocating memory within the HMA. Applications must be "HMA-aware" to use it, though, and few are. Windows is the only major HMA-aware program released to date.

Memory Block

You can view the first megabyte of DOS memory as consisting of 16 64K-byte segments or memory blocks. The first 10 segments are reserved for the RAM into which you load DOS, device drivers, and application programs. These 10 segments—from address 0000 through address 9FFF—make up conventional memory. (For one approach to getting more from conventional memory, see the text box "The 640K-byte Solution?" on page 208.)

The next two segments (A000 and

B000) are reserved for video buffers. The memory on Hercules (and simple MDA) adapters occupies 4K bytes starting at the bottom of the B000 segment; graphics modes can use as much as 32K bytes. The memory on CGA cards starts halfway up the B000 segment (B800); CGA requires either 4K bytes or 32K bytes, depending on the video mode. In text modes, EGA and VGA adapters also use 4K bytes of the B800 segment; their graphics modes can require as much as 128K bytes of memory ranging from A000 through BFFF.

A Hercules (or nongraphics monochrome) system has a 64K-byte gap between itself and the top of DOS memory, and a CGA system has a 96K-byte gap. Several products are available that let you reclaim that area and add it to your contiguous DOS memory pool. With such a product installed, you can end up with more than 640K bytes of free memory after booting.

Hard disk drive and video controller ROMs are often located in the C000 segment. In an XT-compatible system, the hard disk drive's controller ROM is located at C800. In an AT system, this area is free because the hard disk routines are located in the ROM BIOS. EGA and VGA BIOS ROMs live in the bottom of the C000 segment, but some VGA cards also claim space for RAM buffers higher in the C000 segment and elsewhere.

The 128K bytes of space in the D000 and E000 segments are usually available for expanded-memory cards, network-interface cards, and the like. (Officially, the E000 segment is reserved for BIOS extensions, but in many machines, it is free.) And last, the ROM BIOS is located in the F000 segment.

There are two things to note about these segment divisions. First, they're arbitrary; another division could have been used. Hindsight makes it easy to suggest allocations that might have been more efficient, but the current allocations seemed reasonable given the context in which they were made.

Second, not all segments are used in a given machine. This allows the latest generation of hardware and software memory management products to perform their tricks. It also creates possible conflicts and incompatibilities.

The Expanded PC

There's nothing magical about the 640K-byte DOS user limitation; it's an arbitrary value that seemed viable when it was selected. Back in the late 1970s, advanced CP/M users filled out their

continued

Which terminal emulation keyboard would you rather use?

A.



B.



We thought so too. The *PowerStation* is an exact VT200/VT300 layout keyboard that plugs into your PC. The *PowerStation* brings VAX applications to your PC without having to rely on messy labels.

Here's the opportunity to standardize on one keyboard throughout your department. The *PowerStation* keyboard has been designed to work on PCs, XTs, ATs, PS/2s, and the AT&T PC. And you can switch effortlessly between real VTs and the *PowerStation*.

The *PowerStation* eliminates keyboard remapping when you run PC versions of your favorite VAX applications, including EDT+, WPS-PC, WPS-PLUS/DOS, and nu/TPU. And the keyboard can be used with regular DOS applications.

The *PowerStation* keyboard comes with ZSTEM 240 or

ZSTEM 220 terminal emulation software for connecting to your VAX. ZSTEM 240 includes full VT241 emulation and complete VT340 16 color ReGIS & sixel graphics. If you only need text, ZSTEM 220 will give you fast, accurate and complete VT220/320 emulation.

With KEA's top-notch technical support and documentation, plus a solid warranty, you can be assured of quality products backed by quality people. Find out why Digital Review Labs says KEA's *PowerStation* is "a godsend." Call today!

KEA Systems Ltd.
3738 North Fraser Way, Unit 101
Burnaby, B.C., Canada V5J 5G1
Phone: 604-431-0727
Fax: 604-431-0818

Toll-Free Order Desk
800-876-6089



PowerStation, ZSTEM and the KEA logo are trademarks of KEA Systems Ltd. All other brand and product names are trademarks or registered trademarks of their respective holders. © Copyright KEA Systems Ltd., 1989. All rights reserved.

Circle 148 on Reader Service Card

The 640K-byte Solution?

Jeffrey Bertolucci

Some people call it "dynamic segment swapping," but undoubtedly the name VROOMM is bound to attract more attention. VROOMM stands for Virtual Real-time Object-Oriented Memory Manager. It is Borland's solution to the limitations that are imposed by DOS's 640K-byte memory cap.

Anyone who has ever gotten an "Out of memory" message while juggling a TSR program and the latest, feature-stuffed word processor or spreadsheet can appreciate VROOMM's purpose: to permit increasingly sophisticated DOS programs to live within the 640K-byte memory limit. According to Borland, the VROOMM technology makes it possible to create programs with more features and better performance for DOS systems.

Tasty Morsels

VROOMM performs its magic by swapping chunks of code (usually 2K bytes to 4K bytes, but sometimes as large as 16K bytes) in and out of memory. These segments, called *objects*, make up the complete application. Using dynamic segment swapping, VROOMM allows a program to swap objects on the fly based on its needs at the moment. If a VROOMM program needs to create a bar graph, for example, it requests the small amount of code needed for that task only, not the entire file for creating all graphs. Also, a VROOMM program can dynamically trade off between code and data in memory, which, according to Borland, is what sets VROOMM apart from traditional overlay systems.

Before VROOMM, the DOS programs that could fit into 640K bytes used segment overlays. With this method, fixed

overlay files (often ranging from 30K bytes to more than 100K bytes) are loaded into memory in their entirety when needed (see figure A). Because of the large size of these overlays, there was often little free memory remaining for documents, spreadsheets, or whatever data you were using. And on low-end systems, large overlays could leave you impatiently tapping your keyboard, waiting for the overlay file to load.

Granular Solution

Borland claims that what separates VROOMM from run-of-the-mill segment overlays is the granularity of its code segments. These segments allow a VROOMM program to use less memory, since the only function loaded into memory is the one the user requests. This leaves more space for data.

VROOMM also lets a program swap more or less by itself out to disk as the need for data space grows or shrinks. With this feature, called *object granularity*, VROOMM loads only the parts of a program that are needed.

For example, as you add data to your spreadsheet, VROOMM discards objects (program code) to make room for the additional data. When you call up a different subsystem of the program, VROOMM loads into memory only the objects needed to complete the specific task you requested. Furthermore, the new objects may replace some of the objects that had been loaded previously.

Persistence Makes Perfect

When swapping between disk and memory, VROOMM decides which objects to hang on to by using *persistence algorithms*. These algorithms establish a

priority among the objects and attach a persistence value to each object. An object is assigned a value based on its popularity with the program.

VROOMM collects information on a program's habits. It determines which objects are used most often and, when it needs memory space, discards the objects that the program is least likely to use. Whenever the program must load a new object into memory, or whenever more data space is needed, VROOMM discards those objects with the lowest persistence value. VROOMM can also discard more active objects if the program needs more data space.

Persistence prioritization is another advantage VROOMM has over traditional overlay systems. With traditional methods, an overlay is loaded whenever the user requests a subsystem not currently in memory. Standard overlays and persistence don't mix.

Yet another interesting feature of VROOMM is its ability to store discarded objects in expanded memory. This feature is called VROOMM's *object cache*. VROOMM can load objects from expanded memory instead of from disk, which can speed up the performance of a program considerably. Many traditional overlay systems don't use expanded memory to store discarded modules. However, the object-cache feature is of little use to PCs with 640K bytes or less of memory.

DOS Savior or Sales Pitch?

Early reports on the effectiveness of VROOMM have been mostly positive (see "VROOMM Goes the Spreadsheet," October 1989 BYTE). It remains to be seen, however, just how

machines to the maximum of 64K bytes of memory. By the time DOS was introduced a few years later, it allowed 544K bytes at first, and later a staggering 640K bytes of memory—10 times the amount available to CP/M users.

But the PC industry continued to evolve. Software designers started adding features to programs, and users were building ever-larger spreadsheets and the like. Thus, by the mid-1980s, DOS users had essentially run out of memory space. As a consequence, Lotus, Intel, and

Microsoft got together and designed a means of adding memory to the PC: what everyone now knows as the Lotus-Intel-Microsoft Expanded Memory Specification (LIM/EMS).

Expanded memory has some advantages over extended memory. For one, you can access it without switching into protected mode. For another, it works with the 8088 processor as well as with later models. That's because expanded memory is in the DOS address space. Although it is not addressed linearly, it is

switched into the address space in 16K-byte chunks. On the other hand, relatively few applications know how to use expanded memory, and the hardware to implement it is more complicated (and, hence, more expensive) than the simple decoding circuitry required for extended memory. In addition, you need a special software driver to control the hardware.

An early version of LIM/EMS, 3.2, allowed up to 8 megabytes of memory, which it accessed by switching 16K-byte chunks in and out of a 64K-byte window




Figure A: By using finely granulated objects, VROOMM uses all the available physical memory. Overlays waste space whenever any but the largest overlay is in memory.

well the VROOMM technology will work on smaller systems. Although the slender VROOMM objects do indeed load quickly, they must also be loaded more frequently than overlays, which results in a considerable amount of disk swapping. (Running a VROOMM application from a floppy-disk-based PC would be a test of patience, indeed.)

Thus far, Borland has introduced VROOMM versions of several existing programs (Reflex 2.0 and Quattro Pro,

for example). It will be interesting to see if the company chooses to license the VROOMM technology to outside developers or to hang on to what could be its "competitive advantage." If VROOMM can deliver on its promises, the 640K-byte limit of DOS may not seem like such a handicap after all.

Jeffrey Bertolucci is an associate news editor for BYTE in San Francisco. He can be reached on BIX as "bertolucci."

(see figure 2). The window was normally located below the 1-megabyte mark and above the 640K-byte mark. However, several commercial products capitalized on a loophole and located the window in the first 640K bytes. Then they shuttled data to and from it, not via expanded-memory hardware, but by using extended memory or even a hard disk. In both cases, performance and compatibility suffered, and you lost 64K bytes of conventional memory.

Later, AST Research enhanced EMS

to let you locate those 16K-byte pages anywhere beneath the 1-megabyte limit; AST's version is known as EEMS, for enhanced EMS. AST's method is more flexible and provides better performance than standard LIM/EMS 3.2 hardware. One of EEMS's biggest advantages is that it allows the quick context-switching needed by multitasking environments.

More recently, LIM/EMS was upgraded to EMS 4.0, which incorporates AST's EEMS enhancements, increases the maximum expanded memory to 32

megabytes, and increases support for multitasking environments.

Watch Your Step

Subtle differences exist among expanded-memory boards. The biggest difference is in so-called EMS 4.0 compatibility. After the 4.0 specification was released, many vendors of 3.2 boards released software upgrades that provided 4.0 compatibility. However, that compatibility is limited in most cases because 3.2 boards don't have the hardware-mapping registers that provide the greatest flexibility. There are even degrees of compatibility among boards with true EMS 4.0 hardware support.

Qualitas, which specializes in DOS memory management software, identified three classes of expanded-memory boards. Type III boards allow a single 64K-byte page frame; they adhere to the LIM/EMS 3.2 specification. Type II boards allow an expanded-memory window larger than 64K bytes, but all the pages in it must be contiguous. Type I boards, which are the most flexible, allow multiple, variable-size, expanded-memory page frames. For example, Qualitas rates AST's RAMpage Plus and Newer Technology's Concentration boards as Type I, and Intel's Above-Board Plus as Type II.

Some EMS 4.0 cards have the ability to make memory available to DOS applications. Teletek's X-Bandit, for example, can "backfill" memory to the 640K-byte mark and beyond, adding 64K bytes or 96K bytes of memory in the video buffer area. (You must be running a monochrome or CGA video adapter to take advantage of that capability.) Software products are available that allow Type I boards to perform the same trick.

In addition, when you have unused, unallocated segments in the upper memory area, a Type I expanded-memory board and proper control software will let you load TSRs (and in some cases, device drivers) into upper memory.

EMS on the Job

You can use expanded memory in various ways. Some programs, notably Lotus 1-2-3, have built-in support for it. EEMS and EMS 4.0 boards are quite useful for running multitasking software. You can also use expanded memory as a disk cache or a RAM disk. In a multitasking environment, the most efficient way to use an expanded-memory board is to remove as much memory as possible from the system board and let the expanded-memory board fill in the gap. Then,

continued

gives the 80286 most of the memory-mapping capabilities of the 80386. Specifically, you get a fully hardware-compatible EMS 4.0 environment that can provide efficient context switching and efficient access to memory above the 1-megabyte mark. The ACC also includes software to load DOS programs and device drivers into the upper 384K bytes.

However, being a retrofit, the ACC has a few problems of its own. For one, it does not reboot properly via a hardware-reset switch, so it may not be appropriate in a development environment. In addition, the ACC does not handle DMA operations properly, so some tape backup units, for example, don't work with the ACC software installed.

The ACC is also physically difficult to install, and it's expensive (about \$400, plus another \$100 for an adapter kit required for systems without a PGA-type CPU socket). By contrast, in late 1989, you could buy a replacement 80386SX system board for somewhat less than the cost of the ACC, or a full 80386 board for slightly more.

All Computers also has a version of the ACC for 8088-based systems.

Let's Get Physical

Given the history of DOS and expanded memory, let's look at various scenarios and see how you can get more physical memory for a DOS system.

The best possible setup if you want to maximize conventional memory is an 80386 system with several megabytes of memory and an 80386 memory manager. However, since you can't simply pull out an 8088 or 80286 board and replace it with an 80386 board, you need an 80386 (or 80386SX) coprocessor board to have such a system on an XT or AT.

Short of a coprocessor or motherboard swap, the options for an AT system are the ACC or an expanded-memory board. The ACC is an impressive technical achievement, but it has a few problems, and it's priced quite close to 80386 system boards. Most people will opt for an expanded-memory board.

Unless you're sure you'll be satisfied with LIM/EMS 3.2 compatibility, however, steer clear of the bargain-basement boards. Most have LIM/EMS 3.2 hardware and an EMS 4.0 emulation driver that can't do the kinds of tricks I've talked about. Even true 4.0 boards from well-known vendors have varying capabilities, so check the specifications.

One good choice is the Teletek X-Bandit. It's flexible, and it includes its own upper-memory program loader (you would have to buy this separately with

most boards). One drawback is that the X-Bandit can hold only a maximum of 2 megabytes of RAM; however, you can have more than one X-Bandit in a system.

In an XT environment, the choices are similar to those available on the AT. An accelerator card such as SOTA Technology's 386si gives you an 80386SX running at 16 MHz. However, because the XT's expansion bus is limited to 20 address bits, the only way to add memory that an 80386 memory manager can control is to add it to the card itself. If you plan to stay with the XT, an EMS 4.0 card and an upper-memory manager probably constitute the best upgrade path. Teletek, for example, makes an 8-bit version of the X-Bandit.

Be Prepared

Once you have mappable-memory hardware in your machine, you have to put it to work. Before jumping into memory management software, however, you can take a few steps that will make running your memory manager easier.

When using any of the memory managers I'll discuss, you should configure your expansion cards—video adapters, network interfaces, and so on—to use a single contiguous block of memory, if possible. That lets you allocate a single block in which to load DOS programs and device drivers. A single 64K-byte block of contiguous memory is more valuable than four separate 16K-byte chunks, because a smaller chunk severely limits the maximum size of the program you can load.

When allocating upper memory, you have to balance the number of expanded-memory page frames against the amount of memory that DOS can address directly. In general, you should allocate just as much upper memory as you need to load the necessities, and set the remainder up as expanded-memory page frames. Try to find out how your primary application uses expanded memory; older programs, such as earlier versions of Lotus 1-2-3, won't take advantage of more than four expanded-memory pages; newer ones, such as Windows, will.

Also, choose your video adapter with care; if you can get by without EGA or VGA, do so. A Hercules monochrome adapter lets you add an extra 64K bytes to contiguous DOS memory, and that alone improves the performance of many applications (including Windows) greatly.

The Driving Force

All DOS memory management hardware depends on software. Some programs,

continued



CHOOSING A MULTI- USER SYSTEM OR LOCAL AREA NETWORK

by Rod Roark

A common decision managers make when automating a business is whether to install a multiuser operating system or a LAN. Making the right choice involves evaluating the way the business operates, the daily tasks employees perform, and existing resources.

In general, multiuser systems are ideal for communication within intensely interactive workgroups, such as those found in specialized departments like accounting or sales. LANs were once the only way PC users could share information, and today are an ideal way to tie multiuser workgroups together.

Compared to LANs, multiuser systems are economical, provide faster disk access, and are easier to install, configure and maintain. They also work well when several people need to share the same high-cost peripherals, such as laser printers, check printers and plotters.

The daily demand users will put on the system is a critical factor to consider. CPU-intensive activities, such as CAD/CAM, work well in a distributed processing (LAN) environment, while disk-intensive activities, such as data entry, are well-suited to a shared processing (multiuser) system. Most businesses with more than a handful of employees are best served by a hybrid system of several multiuser workgroups tied together by a LAN.

The company's resources, including budget currently installed hardware and software, and technically-minded people, cannot be overlooked in determining the optimal system.

If the company has an existing base of PCs but needs a way to share information, printer and other peripherals, a LAN is a good choice. If the company has more users than PCs, and needs a way to provide more processing ability inexpensively, a multiuser solution is optimal. Some multiuser operating system companies, such as The Software Link, provide options that incorporate existing XT- and PC-style computers into a multiuser system.

Because multiuser systems, particularly DOS compatible ones, are easier to use and maintain than LANs, it is usually unnecessary for a company to hire a network administrator. Once a local consultant or dealer configures and installs the initial system, most companies are able to handle daily maintenance.

Consulting a local specialist or dealer with experience in multiuser systems and LANs is a good way to determine the best option.

Rod Roark is co-founder of The Software Link a multiuser operating system and local area network software development company founded in 1983. Its core products, PC-MOS and LANLink 5X, have more than 100,000 users worldwide.

PC-MOS

The Multi-User Solution For The Multi-Dimensional Company

Odds are, you're part of a multi-faceted organization, one that's involved in many different projects and activities. Every day you juggle dozens of tasks. So why are your PCs still doing one thing at a time — for one person at a time?

Today's 286 and 386-based PCs provide the power to do much more. PC-MOS is the multi-user, multi-tasking software that unleashes that power, making your PCs as multi-dimensional as your business.

Minicomputer Power For The Cost Of A PC!

PC-MOS lets several users simultaneously run different programs on a single, high-performance PC. One user can run a spreadsheet, while another uses the word processor and several others access a database — all at the same time! So instead of replicating expensive PCs, each user has an inexpensive monitor or terminal. The benefits are lower cost, more control, better security and consistency across applications. And at \$595 for a 5-user version, you can afford to get started today!

DOS Compatibility, NetWare Connectivity

PC-MOS lets users run the popular DOS programs they use now — even Microsoft® Windows 286. Our gateway to NetWare lets you expand your Novell

network inexpensively and easily. And PC-MOS requires no expensive wiring, and no network management headaches.

Proven Reliable With 100,000+ Users

Because PC-MOS was the first DOS-compatible multi-user operating system, it offers broad compatibility and the reliability of time-tested software. More than 100,000 satisfied users trust their work to PC-MOS each day. Our latest version features an easy-to-use install program, lets you re-boot individual workstations, and supports high-resolution, bit-mapped color graphics.

Call us today. We'll show you how to add multiple dimensions to your PC.



THE SOFTWARE LINK

3577 Parkway Lane, Norcross, GA 30092
1-800-451-LINK, (404) 448-5465
FAX: (404) 263-6474 TELEX: 4996147 SWLINK

Circle 260 on Reader Service Card (DEALERS: 261)

GSA Schedule/GSOOK 89 AGS6448

PC-MOS is a trademark of The Software Link. All other products referenced are trademarks of their respective companies. Prices and policies subject to change without notice.

VARs and RESELLERS:
Ask about our Sales Support Program



such as Lotus 1-2-3, use expanded memory automatically when it is present. Specialized memory managers provide other functions.

In an 80386 environment, 386MAX Professional provides full EMS 4.0 emulation and the ability to load DOS programs, TSR programs, and device drivers into upper memory. It also gives you a powerful environment for running some multitasking software. It is, however, incompatible with software that

needs to run in protected mode (e.g., Windows/386). I boot my 80386 system with one CONFIG.SYS file that loads 386MAX for use in DOS and another (without 386MAX) for use in Windows.

In AT or XT environments with true EMS 4.0 memory, Move'em provides several of the features of 386MAX. Move'em is unique in that it can help you optimize the order in which you load programs into upper memory. In fact, about 90 percent of the source code in both

386MAX and Move'em is identical. (Quarterdeck Office Systems has a similar product called QRAM.)

Hard Cache

Many office PCs are 80286s with 1 megabyte of memory. The extra 384K bytes is mapped as extended memory into the address space above 1 megabyte and often goes unused. A simple way of increasing overall system performance is to use that memory as a disk cache. SMARTDRV.SYS, which comes with Windows, will do this. It is reliable, easy to set up, and conservative in its use of low memory. VCache from Golden Bow Systems is another caching utility that uses upper extended memory on an AT.

A program called Memory Master plays a sneaky trick for EGA and VGA users: It gives the first 96K bytes of upper DOS memory (i.e., the memory actually on the video adapter) to DOS, allowing you to run text-mode-only programs. This is a kludge, but it could be useful. However, aside from possible software incompatibilities, be aware that video memory is typically five to 10 times slower than regular RAM.

Memory Master comes with a driver that allows you to map EMS 4.0 memory into the upper segments and load TSRs there, as well as a number of utilities for swapping specific TSRs (e.g., SideKick and Gofer) in and out of main memory, reducing main memory usage to about 10K bytes. Programs like Switch-It and Dr. Switch provide similar swapping capabilities. (For further information on managing TSRs, see "Easing the RAM-Cram Blues" on page 227.)

An Old Friend

Gaining access to more than 640K bytes of memory on a DOS system is possible. In fact, with some solutions, you can use several megabytes. It's also possible to use upper DOS memory to load device drivers and TSRs and to create a window into expanded memory, but it isn't easy. You have to work at it.

The solution that many vendors are encouraging is to solve all those problems by upgrading to OS/2 or Unix. That's fine if you want to buy a new system or upgrade your old one and you have the time to wait for applications software. But the hardware and software exist to get more mileage out of your current DOS system. ■

Jeff Holtzman is a freelance writer and computer consultant in Ann Arbor, Michigan. You can contact him on BIX as "jholtzman."

Space-Saver Keyboard



The new **microtype** space-saver keyboard saves an amazing 60% of the desk space used by equivalent standard keyboards. Without loss of functionality or ability to touch type!

microtype is ideal for CAD systems, point-of-sale, mobile or imbedded applications or anywhere the keyboard must compete for valuable desk or counter space.

Space is saved by compressing rows (not columns) and eliminating wide borders. Re-arranging and elevating the function key clusters also saves space while improving accessibility with reduced eyescan and head movement. Keys have full travel with a light tactility responsive touch. All standard features such as auto-repeat, caps, num and scroll lock are included on the **microtype**.

The **microtype** works with most PC, XT, AT and 386 IBM compatibles. IBM PS/2's require an adapter.

Actual size 10.75" x 6.0" • Full One Year Warranty • Guarantee—Full Refund if Returned in 15 Days! • OEM's and Volume Purchases—Call for special terms.

Order Toll Free 800-782-7177 or FAX 703-435-1837 Hours Mon.-Fri. 8am-5pm EST Shipment within 72 hours.



Microtype Space-Saver Keyboard	\$124.50
PS/2 Adapter (if required)	9.00
UPS shipment by ground	6.00
2nd day air	11.00
Overnight	19.00



461 Carlisle Drive
Herndon, Virginia
22070
703-435-9496

The Ultimate Business Computers



Model 212D 80286-12MHz / Model 210D 80286-10MHz
Model 316SX 80386SX-16MHz

Model 320 80386-20MHz

Model 325C 80386-25MHz

Model 325CT 80386-25MHz

Sparrow 1/16 80286-16MHz

"...When it comes to the basics, price, performance...capacity...CLUB American Technologies...delivers outrageous value."
PC WORLD September 1989

The Ultimate Business Computers

In 1986, CLUB American Technologies introduced the first personal computers designed for heavy industrial and commercial use. Since then, over 175,000 CLUB computers have been installed worldwide and have been well accepted by the **Fortune 500, Government Institutions and thousands of small businesses.**

This overwhelming success in CLUB's computers is a result of excellence in engineering during which no details are overlooked from the initial design to the final product. Also during manufacturing, each system is subject to an intensive SCBI process followed by In-Circuit Simulation Field Testing.

If your business computer that can give you the edge in today's competitive marketplace, call today and find out more about the Ultimate Business Computers from CLUB American Technologies.



(415) 683-6600
In Canada, PC Centre: (416) 470-0560
International: (415) 683-6659
Technical Support: (415) 683-6580



There's gold Now, Quarterdeck's new

Memory is gold.

And like gold, some of it is hidden away inside your computer. For years, we've been working toward putting it all under your control. And now we can.

Now you can make today's more powerful programs run without giving up network and mouse drivers and TSRs.

Introducing Manifest—the Quarterdeck memory analyzer

Many PC users know there are nuggets of memory sitting unused in most PCs. But those little pieces of memory can add up to 130K!


That's why Quarterdeck Office Systems, publisher of DESQview, developed a new utility that helps you find and use this memory. It's called Manifest. And it does for memory what PC Tools does for disks. For under \$60.

Quarterdeck's seven years of memory expertise made Manifest

Manifest guides you deep inside your PC.

It locates unused (or underused) memory and suggests where you could load networks, buffers, mouse drivers, TSRs and other utilities to increase performance. It even analyzes what type and amount of RAM you have available, and which portions of your memory are faster.

Administering a number of PCs? Manifest's diagnostic and reporting capabilities reduce technical support time. It not only identifies problems but helps to solve them.



Your current memory is full of holes. Our tools can fill blocks of unused addresses between 640K and 1024K to free up memory your programs can use.

Manifest shows you the contents of AUTOEXEC.BAT and CONFIG.SYS files. That can be a big help when diagnosing problems. Manifest tells you all about your hardware, too—from your CPU type to what boards you have installed. Manifest even tests memory speed.

And it runs benchmark tests on expanded memory boards so you can make informed buying decisions.

You won't need a PhD to understand what you're doing. Manifest has an interactive 'manual' that tells you how to use the program and

what benefits you'll get.

And unlike a lot of hot new software, Manifest works on virtually any PC: 8088, 8086, 80286 or 80386. It's a productivity breakthrough from the memory experts at Quarterdeck.

Introducing QRAM—the Quarterdeck memory optimizer

End RAM cram in your 8088, 8086 or 80286 PC once and for all. QRAM (pronounced cram), is a package of utilities that gives you unprecedented control over memory, letting you set up your memory the way it will work best for you.

If you have EMS 4.0 or EEMS boards, QRAM can find unused addresses and 'map' memory to those addresses. Then it looks at your AUTOEXEC.BAT and CONFIG.SYS files and figures out what TSRs, network and mouse drivers and DOS resources can be loaded high and where.

And, like all Quarterdeck memory products, QRAM is compatible with the Microsoft XMS specification used by Windows 286, V. 2.x.

If your PC has 'shadow RAM,' there's even more gold in your PC. QRAM finds the unused



QRAM optimizes your memory performance by moving utilities and drivers out of the area between 0K-640K—freeing it up for your programs to use.

parts and puts them under your control.

And if you have an EGA or VGA-equipped PC and don't need graphics at the moment, QRAM will make an additional 96K 'nugget' of memory available! When you need graphics again, QRAM will switch you back to graphics mode! Think how helpful that will be for those big dBASE files.

QRAM can't work miracles, but if there's memory available anywhere, QRAM lets you use it to increase your PCs speed and performance.

QRAM is available bundled with Manifest for just a few dollars more than Manifest alone.

Manifest and QRAM—two more examples of Quarterdeck's commitment to mining the most productivity out of the PC and software you own today.



Manifest shows you what's 'under the hood' of your PC.

in your PC. Tools can mine it for you.

Introducing QEMM 50/60 Version 5.0

QEMM (Quarterdeck Expanded Memory Manager) 50/60 is the gold standard in memory management for the IBM PS/2™ series 50 and 60. It works with IBM's Memory Expansion Option, Expanded Memory Adapter/A and compatible memory boards.

It supports all three specifications for expanded memory: EMS 4.0, EMS 3.2 and EEMS memory so you can run all expanded memory programs.

And it also works with Microsoft's XMS specification, in case you want to use Windows.

QEMM lets you use memory locations between 640K and 1024K to run TSRs, mouse and network drivers, DOS resources and MCA adaptors. That means you can gain up to 130K of memory space below 640K for your programs.

Best of all, QEMM is designed to be easy to use—even for those new to the PC. Just install it and type 'optimize,' and it looks at your AUTOEXEC.BAT and CONFIG.SYS files and loads whatever it can in high memory. Automatically.

QEMM 50/60 is priced economically. It's the biggest cost you can give your PS/2 or under \$100.



QEMM and DESQview let you multitask and window with the programs you know and use today.

Introducing QEMM 386 Version 5.0

QEMM 386 can expand the memory of all 386-based computers, including PCs with 80386 upgrade boards. It makes your memory compatible with EMS 4.0, EMS 3.2 and EEMS memory without having to add special hardware. It's compatible with protected-mode programs (like 1-2-3 Release 3, IBM Interleaf and Paradox 386) using DOS extenders compatible with the Quarterdeck/Pharlap VCPI spec.

QEMM also works with Microsoft's XMS spec to extend memory for Windows users.

QEMM gives you maximum control over your memory between 640K-1024K. It can find unused memory nuggets as small as 4K and use them to free up room for programs to use.

QEMM 386 even monitors how your programs use memory while they're running. Then it shows you where there's additional memory you can use. It even measures which parts of your memory are fastest and 'decides' how to use them for better performance. In action, it's easy and fun—almost like having an *artificial intelligence* program to help tune up your PC.

All these capabilities add up to greater performance at a very low cost. And QEMM lets you go for the gold without having to become an expert on the PC memory puzzle.

Like all Quarterdeck products, it works with your current PC and favorite software.

A few words about DESQview

What's the smartest thing to do with all that additional memory? Run DESQview and multitask your favorite programs in windows. Use a mouse or keyboard and you can run graphic and text-based programs side-by-side. All without having to invest in a bigger hard disk or more memory.

From Manifest to QRAM, QEMM and DESQview, Quarterdeck helps you mine the most from the software and PC you have today.



DESQview's recent awards.

System Requirements

Manifest: 8088, 8086, 80286 80386 and i486 PCs & PS/2s

QRAM: 8088, 8086, 80286 PCs. Use of high memory is only available when PC has EMS 4 or EEMS expanded memory or Chips & Technologies shadow RAM.

QEMM 50/60: 80286-based PS/2s and compatibles with IBM PS/2 80286 Memory Expansion Option, IBM PS/2 80286 Expanded Memory Adapter/A or compatible.

QEMM-386: 80386-based PCs and PS/2s and PCs with 80386 add-in boards.


Trademarks: IBM, PS/2-IBM Corporation; PC Tools: Central Point Software; 80386, 486: Intel Corporation; Chips and Technologies: Chips and Technologies



150 Pico Boulevard, Santa Monica, CA 90405 (213) 392-9851 Fax: (213) 399-3802

Yes! I need increased productivity on my current PC! <input type="checkbox"/> Payment <input type="checkbox"/> Visa <input type="checkbox"/> MasterCard Expiration ____/____ Card # _____ Name _____ Address _____ City _____ State _____ Zip _____	Qty	Product	5-1/4	3-1/2	Each	Totals
		Manifest 1.0				\$59.95
		QRAM and Manifest 1.0				\$79.95
		QEMM 50/60 5.0 (with Manifest*)				\$99.95
	QEMM 386 5.0 (with Manifest*)				\$99.95	
Shipping & Handling \$5 in USA/ \$10 outside USA						
California Residents add 6.5%						
Grand Total						

* introductory offer expires 3/31/90



INTERCON IS RAINING FONTS! NOW WATCH YOUR CREATIVITY GROW!

It's a "PERFECT" spring day. And you now have all the right tools to make your word processing flourish. The result: professional, eye-catching documents that burst with style! Blossom with creativity! Bloom with impact!

THE "PERFECT" FONT CARTRIDGE FOR WordPerfect!

Like bees with flowers. "PERFECT" is made especially for WordPerfect 5.0/5.1 with a technically advanced design. You take full advantage of WordPerfect's capabilities. No waiting for download fonts. No additional printer memory needed.

- MORE TYPE SIZES ■ Three Popular Faces ■ Portrait and Landscape ■ Extensive Symbols

Century 702 and Swiss 721 (Bitstream's® Schoolbook® and Helvetica®) in 6 to 30 point medium, bold, italic.

Prestige Elite in 10 point (12 pitch) to match typewriter style and 7 point 16.66 pitch for spreadsheets.

126 symbols for commercial, legal, scientific, mathematical, and linguistic usage. Symbols are the same size as the font you select.

Operational with the HP® II, IID, IIP, and Canon® LBP 8II laser printers.

\$349 MONEY BACK GUARANTEE

If you're not satisfied, send it back within 30 days for a full refund!

For immediate service using MasterCard or Visa

1-800-422-3880 outside New York State

(716) 244-1250 in New York State

FAX: **(716) 473-4387**

Order 10 "PERFECT" cartridges and Intercon will incorporate your logo into your cartridge for FREE!

INTERCON
1850 Winton Rd. S., Rochester, NY 14618

Intercon's font cartridge line includes: Pro IIP for the HP IIP printer; PHont+ for the Epson® EPL 6000, Toshiba® PageLaser 6 and AT&T® 593 printers; C3 for Data General® CEO/WordPerfect 4.2 users.

Circle 133 on Reader Service Card

Mac at the Minimum

*You and your Mac can accomplish a lot
with just 1 megabyte of memory*


Tom Thompson

Use a Mac with only 1 megabyte of RAM? You're kidding, right?

Look at all those color graphics applications that must need megabytes of RAM just for themselves, on top of what the Mac's graphical user interface needs. Everybody knows GUIs are memory-intensive. Why, MultiFinder alone needs at least 2 megabytes of RAM. Why are Macs shipped with just 1 megabyte of memory, anyway?

The misconception of large memory requirements occurs because of what the Mac does best: graphics and color, which tend to require copious amounts of RAM. Color painting and drawing applications produce results with an immediate, attention-grabbing impact, unlike the output of a spreadsheet or word processor. Accounting and word processing are not as splashy as artwork, nor do they demand tons of RAM to get the job done. This is the main reason the standard RAM configuration for a Mac is still 1 megabyte.

So, to answer the question: Yes, you can use a 1-megabyte Mac. I'll show you what you can do (and what you can't) with 1 megabyte and explore several re-



alistic configurations to give you ideas on how to do it. Wherever possible, I'll supply hints to help you make the best use of available RAM.

A Mac and Its Memory

Before you can figure out how you're going to work within the confines of a megabyte, you need to know which actions on the Mac use memory and which

actions free it. As you might expect, not all the RAM is available for your application. Part of it goes to system overhead for interrupt vectors, device drivers, buffers, and other data structures (see figure 1). I'll examine memory, from the lowest addresses (low memory) to the highest (high memory), to show you how it's used.

Low memory starts with *exception vectors*. They contain addresses that point to routines for dealing with traps (microprocessor exceptions), such as a bus error, divide-by-zero, or an illegal instruction. The Mac OS calls and Toolbox routines are implemented as an exception (the line A emulator trap) whose vector points to a trap-handler routine. This routine redirects the microprocessor's execution to the appropriate operating-system or ROM code. Also in low memory are the *system global variables*, which are used to maintain the Mac and its operating system. For example, one global contains a pointer to the first element in the device list, another points to AppleTalk variables, and another holds the address of the stack base.

Next comes the *system heap*. It holds

continued




Figure 1: A generic memory map for Macintosh computers. Your application runs in the application space. The Mac Plus and SE screens and sound buffers are located in high memory. The QuickDraw globals and jump table are used to manage the operation of the application and maintain its graphical user interface.

the system resources, such as device drivers. It also contains the patch code and initialization resources (INITs) that fix bugs or add enhancements to the system software. The size of the system heap is fixed. It starts at an initial predefined size. It can expand at boot time to hold additional resources (such as INITs) loaded into it.

Above the system heap is the *application space*. Outside the application space the contents of memory are usually static, because code, such as device drivers, must be available to the system as it goes about its duties. But the contents of the application space change each time you load a new application and as the application runs.

The application stack grows from the top of the application space. At the bottom of this space is the *application heap*, where an application's code and resources are loaded. As the application runs, more resources load, and it makes requests for additional memory for temporary variables or buffers. Both of these actions allocate extra memory on the heap, which grows toward higher memory as the stack grows downward.

Ideally, the stack and the heap never

meet. There are safeguards to prevent the heap from colliding with the stack (the system global `ApplLimit` defines the upper limit to the heap's growth), but none to prevent the stack from smashing into the heap. If you get a bomb box with an ID of 28, that's what happened.

When the Mac starts up, the Finder is inside the application space, displaying the Desktop and carrying out file operations. When you double-click on a document, the application that created the document replaces the Finder in the application space.

The system error handler uses some of the high memory. The error handler is the routine that gives you the bomb box when things are seriously out of whack. High memory is also used as the RAM cache if it is switched on. This is one area of memory outside the application space that changes constantly. Certain older INITs also install themselves in this memory region.

Finally, some of the high memory is allocated to specialized buffers, depending on the specific Mac hardware you have installed. For example, both the Mac Plus and the SE use about 22K bytes of RAM to serve as a screen buffer. (In

the IIci, the on-board video screen buffer is located in low memory.) The SE/30 and the Portable have their own dedicated video RAM and thus don't require a screen buffer in RAM, while the Mac II's screen buffer exists on a NuBus video board. The Plus and SE also have a sound buffer located in this buffer region. The other Macs use the Apple Sound Chip (ASC), so they don't need RAM for a sound buffer.

So you actually have something less than a megabyte of RAM for your application to begin with. How much exactly? It depends on the Mac, since various patches and buffers on certain Macs use different amounts of memory. To give you a rough idea of how much RAM you're actually left with, I installed the minimum System 6.0.4 configuration on various Macs. I used Symantec's SUM II Tools to report on the size of the application space. The results are in figure 2.

The Mac Portable has the most memory to spare, and the SE the least. The Portable's RAM surplus is due to its hardware video memory, the ASC, and the fact that its ROMs incorporate the latest bug fixes, which reduce the patch code in the system heap.

The IIci benefits for the same reason: Its ROMs incorporate all the bug fixes accumulated over time from earlier Mac IIs. However, on the IIci, the computer's display uses a NuBus video board. If you use its on-board video instead, the application space dwindles to 508K bytes, because 320K bytes is allocated in RAM for an 8-bit screen buffer.

Sizing It to Fit

Now that you know how much memory you've got, you need to find out what you can run within the application space. The quickest way to determine what's going to fit is to list what you *can't* use. You can eliminate MultiFinder, since it requires at least 2 megabytes of RAM. It needs the additional memory because of new data structures maintained by MultiFinder and because a copy of the Finder—which uses 160K bytes of RAM—remains in memory. (The Finder hangs around to manage the Desktop.)

Mac II owners can strike 32-Bit QuickDraw from the list as well. The stated RAM minimum for 32-Bit QuickDraw is 2 megabytes. There are two reasons for this limit. First, since 32-Bit QuickDraw was introduced long after the Mac II was, it isn't part of the Mac II ROMs. (The IIci's ROMs are up to date, however, and have 32-Bit QuickDraw in firmware.) Therefore, 32-Bit QuickDraw is "added" to the Mac as a RAM

patch: The new code is loaded into the system heap, and the QuickDraw traps are rerouted to this code rather than to code in the Mac ROMs. These patches to QuickDraw and to the Slot Manager consume 120K bytes of RAM.

The second reason is the critical one, however. Depending on the number of colors you use, each pixel on the screen uses 2 to 4 bytes of RAM. An image using lots of large pixels can gobble up memory rapidly. For example, a small 340- by 386-pixel image (one that would fit comfortably within a Mac SE/30's 9-inch screen) using 32-bit pixels requires about 512K bytes of RAM. The larger the image, the more memory you need. This is why you often hear of graphics professionals using 5 to 8 megabytes of RAM with 32-Bit QuickDraw. Since such images inhale available RAM, you really can't consider using 32-Bit QuickDraw on a 1-megabyte Mac IIci. By eliminating 32-Bit QuickDraw, you also toss out any application that requires it to function.

I eliminated both MultiFinder and 32-Bit QuickDraw because their memory demands are clear-cut. However, from that point on, finding out what will fit—and work—within the confines of a single megabyte isn't as easy.

I'll start with applications. It seems simple enough: You can't use any application that requires more than a megabyte of RAM. You can find out how much memory an application needs by selecting the application on the Desktop with the mouse and requesting a Get Info (either from the Finder's File menu or by typing Command-I) on it. The "suggested memory size" value indicates how much memory the application needs under MultiFinder, but it also gives a rough idea of how much it wants under the Finder. Consider safe any application whose value is less than a megabyte. However, it's the borderline cases, where the application's memory requirements are just over a megabyte, that can give you headaches.

The only way to find out is to try using the application. It sounds simple, but I can give you two examples that show how daunting this task can be. According to the memory-size value, FullWrite Professional 1.0 requires 1124K bytes of memory, and Adobe Illustrator 1.9.3 requires 2000K bytes. Care to guess which application works? If you launch FullWrite Professional, you get a "FullWrite requires at least 1024K to operate" alert, and you get dumped back into the Finder. But Adobe Illustrator runs.

Be careful, however. Even if an appli-




Figure 2: The size of the application space for various Macintoshes. The values were measured using SUM II Tools and are approximate. The Mac Portable had the most RAM to spare, the Mac SE the least.

cation runs, it may not be usable. Adobe Illustrator complains about low memory frequently, and certain Clipboard operations require that you exit Illustrator and then relaunch it to scavenge extra memory to complete the action. Whether or not you care to put up with such nuisances is up to you. Just be aware that some applications that appear too large may be usable.

Another gray area is the realm of INITs and cdevs. The Mac loads INITs at boot time; they extend its capabilities in various ways, typically by patching the Mac OS. You use cdevs to provide control of system functions via the Control Panel desk accessory (DA). I lump cdevs into the same category as INITs because they use an INIT resource to add features to the operating system.

Some of these enhancements are quite useful, and others are a bit frivolous. However, they all use memory in two ways. First, their code is installed permanently into the system heap. Second, as they function, INITs and cdevs might grab additional memory to complete an operation.

Don't plan on having dozens of INITs or cdevs on your 1-megabyte Mac. While some of them only use a few K bytes of RAM, others can snap up 40K bytes or

more. As the system heap grows to accommodate them, your application space shrinks. The bottom line is how much you need the INIT and how much memory you can spare for it.

For example, I couldn't do without Steve Christensen's SuperClock! INIT, which puts the time and date in the menu bar and chimes the hour. It only uses 16K bytes of memory. Another can't-live-without cdev is the Adobe Type Manager (ATM). It's a real memory consumer, requiring not only 128K bytes for code, but an additional 64K bytes (minimum) for a font cache. Nevertheless, its ability to provide quality screen fonts at different point sizes is very important in my work, and so I choose to cope with its memory demands.

By examining a certain resource with Apple's resource editor, ResEdit, you can determine quickly if your favorite INIT or cdev is easy on the memory or not. Use ResEdit to open a copy of the INIT or cdev. Scroll through the resource list until you find one called sysz. Select and open this resource, and then open the sysz ID = 0 resource.

According to *Inside Macintosh* volume V, the first long word in this resource indicates the number of bytes the INIT

continued

requires on the system heap. At boot time, the Mac's INIT 31 mechanism uses this value to allocate memory for each INIT resource as it is installed. You can order ResEdit from Apple Programmers and Developers Association for \$25.

Packing It In

Now let's put the Mac's memory to some real-world use. Typical jobs that you might need to do on a Mac are word processing, graphics, page layout, and software development. Using System 6.0.4 software, I set up a configuration for each of these jobs that would work in a megabyte. I tried most of these setups on a Mac Plus, SE, II, and Portable. I encountered few problems with each setup, but my tests were by no means exhaustive and they may not match your preferences. However, they should give you a good place from which to start tweaking your system.

One of the first decisions you need to make is what you want to use to manage your DAs and fonts. You can install them in your System file. But INITs such as Suitcase II and MasterJuggler let you have your fonts and DAs in separate files

and eliminate some of the Mac OS's annoying limits. These INITs are useful, and I suggest you check them out. Both offer nearly the same features, so what you should consider above all else is the amount of memory they use. Suitcase II 1.2.3 is the clear winner: Its sysz resource indicates that it requires only about 10K bytes, while MasterJuggler 1.16 needs 60K bytes.

Word processing makes little demand on memory. Most word processors fit easily within a megabyte and give you few problems unless you're trying to paste gigantic graphics into them. I used MindWrite 2.1, which requires 750K bytes under MultiFinder. This is a worst-case memory usage; most word processors use a lot less. I was able to run MindWrite in combination with ATM 1.01 using a 64K-byte font cache, SuperClock! 3.6, and Suitcase II.

For graphics, most black-and-white paint packages require less than a megabyte. If you're looking for high-resolution output, you might want to try Adobe Illustrator. It works in 1 megabyte, but be aware that you're working at the edge of its limits. Illustrator 1.9.3 worked

with SuperClock! and Suitcase II. It displayed fairly complex graphics but got cranky when I tried using the tools extensively. Occasionally it would run out of memory if I tried to save the file with a preview image. If you plan on using Illustrator a lot, you should keep the artwork simple.

For page layout, I used PageMaker 3.0 with Suitcase II, SuperClock!, and ATM to work with an eight-page document that contained several typefaces but no graphics. I could place Encapsulated PostScript graphics or a TIFF image scanned at 75 dots per inch into the document. I had no problem examining the pages at any size or printing the document to a LaserWriter. If your output consists primarily of text, then you should have no difficulty with PageMaker. However, don't try to place a TIFF image scanned at 300 dpi into a document and expect it to work in 1 megabyte, because the higher the resolution of the scan, the more memory it requires.

For software development, I tried both Apple's MPW C 3.0B1 and Symantec's *continued*

C for the 8051 Compare:

Benchmark Results —Sample program: Eratosthenes sieve
Program from BYTE (1/83) expanded with I/O and interrupt handling.

	Archimedes		
	ICC51 v2.20A	MCC51 v1.2	FRANKLIN C51 v2.1
Compilation time	12 sec ✓	18 sec	17 sec
Linkage time	29 sec	9 sec	6 sec ✓
Execution time	11.45 sec	9.00 sec	0.88 sec ✓
Total code size	5318 bytes	3798	1726 ✓
Sieve module size	736	1021	541 ✓

Call now for your free DEMO disk.



888 Saratoga Ave. #2 • San Jose, CA 95129
(408) 296-8051 • FAX (408) 296-8061

Europe A: (0222) 25 36 26 B: (010) 22 34 55 CH: (032) 41 01 11 D: KEIL (089) 46 50 57 DK: (02) 65 82 00 F: (1) 64 07 85 64 GB: (0962) 73 31 40 NL: (01858) 16133 S: (040) 92 24 25 Far East: Aust: (61) 02 65 41 873 R.O.C.: (02) 76 40 2156 N.Z. (64) 04 694 129 (fax).

• Video Textbook Training • Video Textbook Training •

The Ultimate Training Solution

40 to 60 hours of in-depth training per course. Lessons consist of objectives, lectures, examples with detailed explanations, exercises with the presentation of multiple solutions per problem and lesson reviews. The course review even comes on a separate tape so it can easily serve as a refresher course in the future! Developed by professionals that have taught these courses to thousands of students. Courses currently available include:

- The UNIX Operating System, Utilities and Bourne Shell Programming
- The UNIX Operating System, Utilities and C Shell Programming
- The ANSI C Programming Language and Libraries
- Programming with QUICK C
- Programming with TURBO C
- INFORMIX/SQL Applications Development
- INFORMIX/4GL Applications Development

Designed to be your personal video textbook, the price of each course is an affordable \$150, plus applicable sales tax. Check, VISA and MasterCard accepted.

Video Textbook Training

200 Lakeside Drive, Building A4
Morgantown, WV 26505
(304) 292-0917 FAX (304) 296-4032

UNIX is a registered trademark of AT&T.
INFORMIX/SQL and 4GL are registered trademarks of INFORMIX Software, Inc.
QUICK C is a registered trademark of Microsoft Corporation.
TURBO C is a registered trademark of Borland International.

• Video Textbook Training • Video Textbook Training •



COMPUTER DISCOUNT WAREHOUSE™



CD-ROM



HITACHI 3600/3650	\$589.77
NEC External	559.10
NEC Internal	495.55
NEC XT / AT / PS/2	138.93
TOSHIBA CD-ROM External	799.29
TOSHIBA CD-ROM PS/2 External	1069.12
IRWIN 145C 40MB Internal	\$339.94
IRWIN 2080 80MB Internal PS/2	442.70
IRWIN 445 AT 40MB External	472.27
IRWIN 745SP 40MB External	499.86
IRWIN 785SP 80MB External	567.05
IRWIN 485A 80MB External AT	538.64
IRWIN 6451E 250MB External	1077.86
IRWIN 787SP 120MB Internal	592.77

IRWIN

WHY PAY RETAIL?

CDW™ Sells For Less

AND SERVICES YOU BETTER



INTEL BOARDS & CO-PROCESSORS

INTEL Above Board Plus.....	\$399.68
INTEL Inboard 386 PC.....	569.53
INTEL Visual Edge.....	448.39
INTEL Connection Co-processor.....	CALL

SPEED UP YOUR PC UP TO 500%!



MATH COPROCESSORS

INTEL 80287-8.....	\$206.55
INTEL 80287-10.....	223.55
INTEL 80387-16.....	337.60
INTEL 80387-20.....	390.65
INTEL 80387-25.....	478.92
INTEL 80387-SX.....	299.82
INTEL 80387-33.....	575.20
INTEL 80C287-A.....	268.59
INTEL 8087-2.....	\$119.90
INTEL 8087-3.....	95.20
INTEL 80287-6.....	137.30

HARDWARE, SOFTWARE & PERIPHERALS AT DISCOUNT PRICES

COMPUTERS

SAMSUNG

S-3000, 4.77/10 MHz	\$519.11
S-550 AT Comp., 8.12 MHz	885.64
S-550, 20 Meg	1275.80
S-550, 40 Meg	1349.45
SAMSUNG PC Terminal/286	1054.60
S 630 - 286	709.50

PACKARD BELL

PB 686, 12MHz	\$717.80
PB900, 12MHz	1196.86
PB900, 16MHz	1368.70

TOSHIBA

T-1000SE CALL	T5200, 40 Meg	TOSHIBA
T1600 CDW	T3100e	PRICES!
S-550, 20 Drive	FOR T5200, 100 Meg	ALL
T5100	THE T3100SX	MODELS
T1200, 20 Meg	LATEST T3200SX	AVAILABLE

EARTHSTATION™

Earthstation V40 or 286. Arcnet or Ethernet..... CALL

WYSE

MDL 2108	\$895.50	MDL 2214	\$1921.30
MDL 2112	1271.20	MDL 3216	1998.17
MDL 2116	NEW	MDL 3225	3476.22

IBM PS/2

30286, 30 Meg	1845.55	MDL 55SX, 60 Meg	3178.39
MDL 700, 60 Meg	3747.20	MDL 55SX, 30 Meg	2899.59
MDL 30286, 1 Dr.	1412.10	MDL 30286, 20 M.	1710.50
MDL 7361 Port	5449.75	MDL 80, 70 Meg.	5069.37

COMPAQ

286 MDL 1	\$1549.95	386S84	\$3280.40
286E MDL 1	1899.50	386, 25MHz, Md000	8179.99
386 20E, 100 Meg	4911.22	386 20E, 40 Meg	4298.12
386S MDL 1	2324.49	LITE Laptops	CALL

HEADSTART

Headstart I LX CD Unit NEW MODEL
Headstart III CD Unit TO LOW
Headstart XT Explorer TO ADVERTISE

MINISPORT

Minisport Turboport 286e/Superport 386SX	CALL CDW
Superport 286, 20/40 Meg	FOR BEST PRICING
Superport 286e	ZENITH

DESKTOPS

Z-248 12 MHz	ALL
Z-386 25 MHz Mod. 1	DESKTOPS
Z-386 33 MHz Mod. 1	IN STOCK

TERMINALS

WYSE 50/60 Amber or Green	\$373.40	300.16
WYSE 85 / 30 Amber	375.90	294.10
WYSE 99GT / WYSE 150	394.82	272.45

PLOTTERS, DIGITIZERS & SCANNERS

CalComp

1023	\$3498.40	12 x 12	\$358.12
1043DM	5825.15	12 x 18	719.10
1025	4544.06	36 x 48	3236.15

HURTA

1212/51	\$349.06	36 x 48	\$2891.53
1212/12	499.35	4 Button Cursor	75.00

LOGITECH

Scanman PC	\$177.89
Scanman PS/2	\$214.50

Summagraphics

Summa II12 x 12	\$367.40
Summa II 12 x 18	\$599.50

HEWLETT PACKARD

HP7440A	\$2925.30
HP7475A	1389.89
HP7550	2926.56
HP7570 LOWEST PRICE	
HP7576-EXL	
HP SCANLET +	1049.66

HOUSTON INSTRUMENT

HI DMP 52	DMP 52MP
HI DMP 61	DMP 62DL
HI DMP 61	HI DMP 62
Image Maker/Jeitpro	

MOST ORDERS RECEIVED BY 5:00 P.M. C.S.T. SHIP SAME DAY

PRINTERS

EPSON

LX810 CALL	LO510 ALL EPSON
CDW™	stocks all cut sheet feeders and ribbons.

NEC

P2200XE	\$344.65	P3300	\$665.63
P5200	509.12	P960XL	1039.24

DICOMIX by KODAK

150P/300	\$309.17	418.17
----------	----------	--------

TOSHIBA

Expresswriter 311	CDW	321SL	MODELS
351SX	ALL TOSHIBA	CALL FOR PRICES	

brother

M-1809	\$363.63	M-1909	\$457.10
M-1824L	482.95	M-1924L	599.65

OKIDATA

ML 182 Turbo	\$234.48	ML 321	\$479.28
ML 172	199.95	ML 390	475.96
ML 380	367.96	ML 393	639.48
LASER 400	339.88	ML 393 Color	1067.60
ML320			

Panasonic

1124	\$232.75	1582	\$409.44
1695	CALL	1191	232.12
1180	193.95	1624	445.32

LASER PRINTERS

BROTHER HL-8e	Postscript	\$1799.90	\$277.20
H-P LaserJet Model 2	IID	1699.95	2744.95
H-P Deskjet Plus/H-P Laserjet IIP		679.33	1034.07
H-P Deskwriter		819.22	
NEC LC-890		3095.60	
PACIFIC DATA 25 in 1 Cartridge		272.86	
PACIFIC DATA Postscript Cartridge		478.60	
PACIFIC DATA Plotter in a Cartridge		247.50	
PACIFIC DATA 1 Meg Upgrade		263.39	
PACIFIC DATA 1 MEG for 2P		252.94	
PACIFIC DATA Headliner		268.28	
TOSHIBA Page Laser 12		CALL	

#1

- Sales
- Services/Support
- Product Knowledge
- On Time Delivery
- Frequent Buyers Program

DRIVES, TAPES & CDS

FLOPPIES, DRIVES & TAPES

CONNER 40 Meg, 110 Meg	\$445.29	\$27.29
OMEGA 20-20 External 8"	1658.92	
OMEGA B1441/B144X	998.65	1299.10
OMEGA B244X/B120X	1990.25	992.80
OMEGA 3220X External 5.25"	478.60	
MOUNTAIN 4440 Int./Ext.	385.80	557.75
MOUNTAIN 150M Filesave		1398.39
MOUNTAIN 300 Meg External		2538.80
MOUNTAIN 2.2 Gigabyte		4153.30
PLUS Passport 40" 40 System Kit	489.75	579.88
PLUS PS/2 MC System Kit		585.58
PLUS DEVELOPMENT 20 Mmg 40 Meg	\$498.44	\$67.80
STORAGE DIMENSION ALL MODELS	CALL	
SYSGEN 5.25" External Floppy		225.25
WELTEC 5.25" External Floppy		207.77

MiniScribe

MIN 8051A	\$388.10	MIN-3085	\$591.40
MIN-3180E	1027.44	MIN-9380E	1523.68

Seagate

SEAGATE 20 Meg	\$259.58	SEAGATE 4096 80	559.95
SEAGATE 30 Meg	269.32	SEAGATE ST 251.1	325.23

MICROPOLIS

1335 70 Meg	\$565.40	1355 142 Meg	\$1050.40
1375 163 Meg	1469.65	1558 338 Meg	1512.52

NOVELL NETWORKING

SOFTWARE STARTER KITS

Entry-Level 286 Starter Kit, 4 Users	CALL
Entry-Level 286 Starter Kit, 8 Users	FOR BEST
NOVELL Netware 386	NOVELL
NOVELL 286 Software V. 2.15	PRICING
NOVELL SFT Netware V. 2.15	AUTHORIZED
NOVELL NETPRO	SALES & SERVICE

INTERFACE CARDS

3COM ETHERLINK	\$375.45
ARCNET PC110 LANboard PS/2	343.75
ARCNET PC130 LANboard	164.27
ARCNET PC130E LANboard	198.30
ARCNET SMC 16-Bit File Server Board	393.50
ARCNET SMC 16-Bit Workstation Board	276.15
ETHERNET Interface Connector (NE1000)	156.25
G-NET Interface Card w/Cable	298.52
NOVELL NE2000	209.40
THOMAS CONRAD 16 Port Hub	699.25
THOMAS CONRAD 8 Port Hub	378.65
Ethernet Terminators	39.50

MODEMS & COMMUNICATIONS

INTEL 2400 Internal Terminal

INTEL 2400 Internal Terminal	149.75	176.94
------------------------------	--------	--------

EVEREX

EVEREX 1200B / 2400B	\$69.95	116.88
EVEREX 2400 Ext. / 2400 PS/2	164.40	161.77

HAYES

1200 External	\$278.60	2400B Internal	\$224.45
1200B Internal	163.20	2400 PS/2	345.40
2400 External	338.84	Personal Modem	109.70

Hobotics

Counter 1200	\$189.60	200 External	\$129.10
Counter 2400	279.60	2400B	199.70
1200B	108.45	14,400 HST	586.75
Dual 14,400 HST	952.65		

MHZ MEGAHERTZ CORPORATION

2400 for ZENITH	\$167.10	1200 for COMPAQ	\$229.80
2400 for NEC	225.88	2400 for TOSHIBA	183.74

BATTERY BACKUP & SURGE

AMERICAN

AME-1200VX	\$911.45	AME-520ES	\$377.48
AME-330XT	628.56	AME-800RT	699.19
AME-ATAT	321.82		

DataShield

500 Watt	\$555.05	SS700+	\$787.90
800 Watt	628.56	1200 Watt	962.75
S100	59.95	6 Outlet Surge	27.85

Durant Technologies, Inc.

BPS-300	\$314.00	BPS-550	\$474.11
BPS-500	465.88	BPS-1200	698.82
BPS-800	648.30		

BC 450

BC 450	\$349.50	4 Outlet	\$44.25
BC-1200	649.55	LC-1200	158.85
BC-2000	1179.80	LC-1800	196.80

MISC. & ACCESSORIES

A-B Switching Box (ABX Box)	\$39.95	44.95
BASF 5 Pack of 10 DS/DD w/Case		29.00
INTELLICOM Long Link		129.70
KENSINGTON Masterpiece		99.99
KENSINGTON Masterpiece Plus		123.40
KEYTRONICS 5151 IBM or AT/2		133.95
KEYTRONICS #1		94.95
5TH GEN Logical Connection 256K/512K	447.72	514.36
Electronic 4-Way Switchbox		99.85
XT Power Supply 150 Watt		59.00

FAX MACHINES AND BODS

Complete Fax 9000	\$399.50	S-HARPO-330	\$995.00
Quadram JTFax 9600	\$275.65	OK Fax Masters	CALL
Quadram JTFax Port	329.25		

SOFTWARE

WORDPERFECT 5.1 5.25" or 3.5"	\$246.39
ASHTON TATE dBase III+ / dBase IV	424.00 / 476.10
ASHTON TATE Multimedia Advantage II	238.12
LOTUS 1-2-3 5.25" / 3.5" V2.2	339.95
LOTUS 1-2-3 V3 LC	\$37.00 / \$99.30
BORLAND Paradox 3.0	439.17
BORLAND Quattro / Quattro Pro	94.52 / NEW
BORLAND SideKick Plus	131.25
MICROSOFT Excel / Windows 386	299.04 / 129.05
LAN Spool / LAN Space	265.10 / 819.00
MYRIAM Carbon Copy	119.37
SYMA-TEC Q&A	217.40
SOFTWARE PUB Harvard Graphics	274.71
XEROX Ventura Software Version 2.0	489.00

MONO MONITORS & CARDS

CDW™ Color / Mono Cards w/P	\$99.00	89.00
HERCULES™ Color / Mono Cards w/P	146.14	179.84
AMDEK 410A / 1280	149.99	679.78
COMPAQ Mono / VGA Mono	167.00	209.95
IBM PS/2 8503		209.95
SAMPEL™ Amber		84.10
PACKARD BELL 1472 Amber or White		124.35
PGS MAX 12E / MAX 15	139.40	258.20
PACKARD BELL Green or Amber		89.95

COLOR GRAPHIC MONITORS

IBM PS/2 8512 / 8513	\$449.40	540.20
SAMSUNG RGB Color		219.36
MAGNAVOX 8762		259.05

VGA & EGA PRODUCTS

VGA & EGA MONITORS

COMPAQ VGA Monitor	\$499.68
MAGNAVOX 943EGA	365.40
MAGNAVOX 9CM062	372.52
MITSUBISHI 1410	360.50
MITSUBISHI 1381 Diamond Scan	499.80
NEC MultiSync 40/50	1193.96
NEC MultiSync XI 19 Inch	1778.40
NEC MultiSync 2A / MultiSync 3D	494.85 / 599.85
PACKARD BELL 8541 VGA	319.20
PACKARD BELL 8531	359.70
PACKARD BELL 8530	383.80
PGS Ultrasync 12	493.33
PGS Ultrasync 14 16	519.65
SAMSUNG VGA	392.50
SONY Multiscan 1302 / 1304	619.95 / 660.52
ZENITH Z-1492	594.80

Nine Track Tape...


One Track Mind.

If you can't get your mind off 9 Track Tape... there's good reason.



It's *still* the number one choice in the entire world for exchanging information between computer systems.

Using a 9 Track-Tape drive, you literally turn your PC into a mainframe.



Most advanced controller cards

We not *only* sell more 9 Track Tape drive systems than anyone else... we're known as *problem solvers*. People who develop and nurture solutions for other people. Give us a call today and let us solve your next conversion problem.

GSA# GS00K89AGS6390

**FLAGSTAFF
ENGINEERING**
*Helping people read
a world of information*

1120 Kaibab (602) 779-3341
Flagstaff, AZ 86001 FAX 602-779-5998

Think C 4.0. In a megabyte of RAM, neither development system can run its source-level debugger, so you have to resort to the low-level debuggers. You can choose either Apple's Macsbug 6.1 or TMON 2.8.2 from ICOM Simulations. After installing the two debuggers and measuring the size of the application space, I determined that in the memory sweepstakes, TMON is the winner. The amount of memory used by each debugger varied depending on the type of Macintosh, but TMON consistently left me more memory to work with.

Think C operated fine in 1 megabyte with SuperClock! and Suitcase II. I could launch to the test application from the compiler, enter the debugger, and exit from the application back to the compiler without problems. MPW, unfortunately, had problems when compiling multiple files. I'd frequently get an "Unable to swap in shell segment" message when the C compiler completed a file. I fared better when I removed the debugger, but this meant that I first had to compile and link a program and then reboot the Mac to install a debugger before I could test it. I'm not faulting Apple's excellent development software: MPW actually requires 2 megabytes of RAM, but you can make do with 1 megabyte.

Hints for Life at the Edge

Here are a few hints to help you conserve as much of that 1 megabyte of memory as possible.

Use INITs and cdevs that have a sysz resource. The INIT 31 mechanism will, by default, allocate 16K bytes of RAM for INIT code that lacks this resource. This default might allocate too much memory for an INIT (wasting precious memory) or not enough. The latter can cause all sorts of problems, notably crashes, which are unpleasant no matter how much memory you have.

Watch your memory! In tight-memory situations, you want some leeway so that an application can recover gracefully if memory runs dry. Try to have a buffer zone of 30K or 40K bytes so that the application can at least present an "out of memory" alert. An excellent shareware DA called Memrometer 3.0 graphically displays the remaining memory as the amount of mercury in a thermometer. Memrometer was developed by Dana Basken and costs \$5.

Go easy on the beep sounds. Custom beep sounds are installed in the system heap at boot time. The longer the sound, the more memory it takes. If you insist on something other than that dry depart-

ment-store Mac beep, use a short tone. A long beep sound of HAL 9000 explaining that he "can't do that" is nice, but it also consumes around 80K bytes of RAM.

The following hints are for Mac II owners.

Avoid the start-up screen. Those colorful images that pop up on the monitor when the Mac II boots can be real show-stoppers, but they also wind up in the system heap, and that's RAM that you can't get back. Even a modest-size image can use over 100K bytes of RAM, which effectively implodes your application space.

Use a small screen—preferably one of the 13-inch, 640- by 480-pixel types. The larger the screen, the larger the window an application creates, and larger windows use more memory. Using a 19-inch SuperMac monitor, I could not get Adobe Illustrator to open a file. Once I swapped to a smaller monitor, the application worked adequately.

Use black-and-white mode only. The same reasoning that made me reject 32-Bit QuickDraw applies here. A display that uses 8-bit pixels requires more memory than one using a single bit per pixel. For the Mac IIci, you can reduce the size of the on-board video buffer from 320K bytes to 64K bytes by switching from an 8-bit display mode to a 1-bit black-and-white display mode and rebooting.

Exploit virtual memory. Connectix has a virtual memory product called Virtual that allows you to use your hard disk as additional memory. You'll need a paged memory management unit chip to be able to use Virtual on a 68020-based Mac II, but you'll need only the software itself to use it on a 68030-based Mac II. The cost of the kit, including the PMMU, is \$275.

Let's Get Real

You can get work done with a 1-megabyte Mac. You won't be doing sophisticated graphics or a fancy newsletter loaded with high-resolution scans of the staff, but you can do quite well with text-only newsletters and simple artwork.

As long as you realize the Mac's limits and try not to exceed them, you can accomplish a great deal without becoming frustrated by "out of memory" alerts. And with the price of RAM falling, you may soon be able to add extra memory to your Macintosh. Then it will really perform. ■

Tom Thompson is a BYTE senior technical editor at large. He can be reached on BIX as "tom_thompson."



Check out
HI's new DL series

Large format, Big features, Small price.

- ✓ Eight-pen changer **NEW**
- ✓ LCD user interface display **NEW**
- ✓ One-year warranty **NEW**
- ✓ Plot optimization **NEW**
- ✓ "Quick scale" feature **NEW**
- ✓ Standard media up to 36" x 48"
- ✓ Sizzling speed up to 40 ips
- ✓ High resolution of 0.0005 inch
- ✓ Roll-feed option **NEW**
- ✓ Scanner option
- ✓ 1 Mb buffer option

These are just some of the many standard features packed into HI's new DMP-60 DL series of pen plotters. Based on the popular DMP-60 line, the new DL series delivers a blend of proven performance and state-of-the-art innovation. At a surprisingly low price.

Top of the line. Heavy duty. Large format. Loaded with standard features. Priced as low as \$4,895.*

Check it out by calling
1-800-444-3425 or 512-835-0900.

**HOUSTON
INSTRUMENT™**
A DIVISION OF **AMETEK**

8500 Cameron Road, Austin, TX 78753

* U.S. suggested retail price. Subject to change.
Houston Instrument is a trademark of AMETEK, Inc.
Circle 124 on Reader Service Card

In the 1990s, code will be generated by the click of a mouse or a tap of a key. With Matrix Layout 2.0 you can do that now. And the results will surprise you.

Preview the 1990s with Layout

In Layout, you create programs by designing an object-oriented flowchart, with all the options of traditional programming. It's a technology we call desktop programming.

Once you're done, simply choose the language you want for the finished program. There's Microsoft C, Lattice C, and Turbo C, as well as Turbo Pascal and Microsoft QuickBasic. You can even create a .EXE file that's ready-to-run on any IBM PC or compatible.

1990s Power without 1980s Pain

Because Layout works with today's standards, you can painlessly take advantage of the power behind Layout – object oriented programming, CASE (Computer Aided Software Engineering) technology, hypertext databases, and graphical user interfaces. All without giving up your favorite computer language.

An Architecture for the 1990s

Layout comes with objects that produce real code for everything traditional computer languages can do – math, branching, variable management, complex data structures – and it extends each language to include powerful user interface and hypertext database capa-

bilities. But best of all, you can extend Layout past the 1990s by building your own objects – BlackBoxes – that can do anything you imagine. Added together, Layout cuts your development time by up to 70%.

Welcome to the 1990s


Ready to jump into the 90s? Get Layout today. It's available for just \$199.95. Or for a glimpse of the 90s, see the Layout video tape for just \$9.95. Give us a call at

1-800-533-5644

In Massachusetts call (617) 567-0037.



In the 90s, this is how you'll write code.



Matrix Software Technology Corporation • One Massachusetts Technology Center • Harborside Drive • Boston, MA 02128
Matrix Software Technology Ltd. • Matrix House, Derriford Business Park • Derriford, Plymouth • Devon PL6 5QZ, England • 0752-796-363
Matrix Software Technology Europe N.V. • Geldenaaksebaan 476 • 3030 Leuven, Belgium • 016202064.
All trademarks and registered trademarks are of their respective companies.

Circle 170 on Reader Service Card

Easing the RAM-Cram Blues

*TSRs can almost lock you out of your own system—
but there is help*

Mark L. Van Name and Bill Catchings

TSR programs are great. They give you the illusion that you are running more than one program simultaneously in DOS: TSRs “pop up” when you press the right combination of “hot keys.” They’re always around and always available. However, each one consumes some of DOS’s precious memory. If you’re not careful, you can end up with lots of useful TSRs and not enough memory to run your applications. This is known as “RAM cram.” Luckily, utilities exist to help you ease the RAM-cram blues.

The Origin of RAM Cram

To understand how these utilities work, let’s review how DOS views a PC’s memory. Because DOS was originally written for the Intel 8088 CPU, it was limited by the 8088’s ability to address only 1 megabyte of memory. (The 8086 has the same limitation.) By the time most PC users realized the severity of constraints enforced by the 1-megabyte address-space limit, it was too late: The world was full of PCs. To provide compatibility with those PCs, Intel gave its 80286 and 80386 processors a special operating mode, called *real*



mode, where the processor can address only 1 megabyte. Thus, DOS can run on those processors, but only in real mode.

The PC architecture itself further limits the available memory to a mere 640K bytes. It uses the “top” 384K bytes (between 640K bytes and 1 megabyte) for its own purposes: Things like ROM and memory-mapped devices, such as screen memory, live there. Applications

have access to the remaining 640K bytes, known as *conventional memory*.

DOS also needs memory—at least 40K bytes—in which to run. And since it loads at the “bottom” of the available memory (starting at address 0), PC applications actually get less than 600K bytes in the middle of the address range, from just above DOS to address 640K (see the figure).

Things get worse. Many devices, including mice and RAM disks, require special drivers, each of which consumes even more memory.


Then there are the TSRs, each of which uses still more of that 640K bytes. A typical set of TSRs might include a thesaurus, a spelling checker, a keyboard enhancer, and a personal productivity tool such as Borland’s SideKick.

This is where the utilities come in: They let you recover some of the memory your TSRs consume.

How TSRs Work

Most DOS programs interact with memory in a very simple way: DOS loads them into memory just above itself, the programs use all the available memory they want, and then they relinquish that

continued



A memory map of a typical DOS environment. Note how elements other than application programs—operating system, device drivers, and TSR programs—nibble away at the oft-quoted 640K bytes of user memory.

memory when they're done.

A TSR is different. It also loads into the lowest available memory, but it doesn't go away when it terminates. Instead, it stays resident in a kind of dormant state, doing nothing but occupying memory. Other DOS programs run as usual, except that the TSR's memory is unavailable to them.

If you load more than one TSR, each one loads on top of the previous ones in a sort of TSR stack. When you hit the appropriate hot keys to bring up a TSR, you're just activating a program that's already in memory.

The TSR wasn't running when you hit those hot keys, however, so how did it "hear" them and start executing? By using a trick that involves interrupt vectors. A PC must handle certain events, such as pressing a key, very quickly, so it generates a special condition—an interrupt—each time such an event occurs. Different events cause different interrupts. Pressing a key, for example, generates interrupt 09 hexadecimal.

When an interrupt occurs, the system

has to find the routine that should handle it. The system multiplies the interrupt number by 4 and uses the result to find an address in the interrupt-vector array in memory. Each address in that array points to the routine, typically one in the system's ROM BIOS, that should handle the corresponding interrupt.

A TSR hears a keystroke by putting itself in the middle of this process. In effect, the TSR "steals" the normal keyboard interrupt by replacing the address of its interrupt vector with the address of one of the TSR's routines. That routine checks each key sequence to see if it is the TSR's hot-key sequence. If so, it starts the TSR. If not, it passes the key sequence to the original BIOS key-handling routine—and you never know the difference. The only cost is a tiny bit of system time to execute the TSR's keyboard-interrupt routine.

The situation can actually become much more complicated, because many TSRs can be in memory at the same time, and all of them can steal the keyboard interrupt. When that happens, the TSR loaded last hears each keystroke first. Then it either starts running, or it passes the keystrokes to the interrupt-handling routine whose address it removed from the interrupt-vector array. With more than one TSR, this address points to a routine in the next TSR on the stack. This process repeats until either a TSR finds its hot keys or the keystrokes reach the BIOS for normal processing.

TSRs can steal other interrupts. Another common one is the timer interrupt, which lets a TSR activate frequently regardless of whether you hit a key. TSRs can also become active on interrupts that involve communications activity—a feature especially useful for print spoolers.

A Light in the Dark

If you load a few TSRs into your PC's memory, you can end up with a lot of stolen interrupts and considerably less available memory than you think. Unfortunately, it's not easy to tell exactly which interrupts are stolen or precisely how much memory you have left. Enter Quarterdeck Office Systems' Manifest.

Manifest offers a menu of displays that tell you a great deal about your PC. Most of the information has nothing to do with TSRs, but some of it does. One particularly useful display is Manifest's map of the first megabyte of memory. It shows how much memory DOS is taking, as well as where each device driver and TSR is loaded and how much space each is consuming. You can also see how much memory is available for your applica-

tions. Manifest even shows you the name of each TSR, if possible (as long as the TSR has not released its DOS "environment space," the memory area where DOS stored the program's name). The same display shows you the items mapped into the memory above 640K bytes and below the 1-megabyte limit.

Another display presents the interrupt-vector table. It lists every interrupt and tells which program (BIOS, DOS, TSR) currently owns each interrupt. Manifest even highlights the stolen interrupts so you can spot them easily. From these two displays, you can see just what your TSRs are doing to your machine.

Manifest can also tell you a great deal more, everything from details about your machine's configuration (e.g., BIOS maker, disk type, and available DOS variable space) to the results of the program's built-in memory benchmarks. With a retail price of only \$60 and a polished user interface that is so simple to use that you never need to crack the manual, Manifest is one program that we think most PC users ought to own.

Blowing the Whistle on TSRs

As nice as Manifest is, however, it only shows you that you're suffering from RAM cram; it does nothing to remedy the situation. Persoft's Referee gives you one way to reduce that problem. Basically, Referee lets you remove TSRs from memory. Most TSRs provide a way to remove them, but you have to use a different command for each one. Referee lets you remove any TSR with a single command. To use Referee, you must load its own TSR, REFWATCH, before you load any other TSRs. REFWATCH keeps track of all the TSRs that you load after it. Then, when you want to remove a TSR, you run the Referee program.

One of the best ways to use Referee is in a batch file. If you had a TSR, such as a spelling checker, that you wanted to load only when a certain application is loaded, typically your word processor, you could run that application with a batch file like this one:



```
spell-checker
word-processor
REFEREE #spell-checker
```

where *spell-checker* and *word-processor* are the DOS program names of those applications.

As with the other products in this group, Referee can remove only the most recently loaded TSRs—the top ones on the TSR stack. This limitation makes

continued

How an upside down idea made the mouse obsolete.



Frankly, we thought any input device that operated by dragging it across an already cluttered desk was great technology misapplied. We took a different approach.

Now RollerMouse makes the conventional mouse obsolete.

Control Without Bending Your Elbow

All the pointing accuracy and speed you only hoped for from your old mouse is right at your fingertips. Moving from point to point with our oversized trackball is fluid, effortless and fast at 200 CPI resolution.

Using our exclusive four-button control, you have maximum click and click lock versatility. With programmable pop-up menus, RollerMouse works with software written with or without a mouse in mind. And RollerMouse technology means you never need to disassemble it for cleaning.

More Application Productivity

If you work with the latest graphics-based applications, such as desktop publishing, CAD/CAM/CAE or any object-oriented PS/2, PC or Mac operating system, don't be held back by old mouse technology.

Buy from the leader in precision pointing devices. CH Products perfected computer control technology more than 25 years ago. And the latest technology is at a dealer near you.

For more information, call:
(619) 744-8546

8:00 a.m. - 4:30 p.m. PST

For credit card orders, call:

USA (800) 624-5804

CA (800) 262-2004

8:00 a.m. - 4:30 p.m. PST

RollerMouse™

The other kind of mouse.



A Division of Joystick Technologies, Inc.
1225 Stone Drive, San Marcos, CA 92069

All product names are registered trademarks of their respective owners. All rights reserved.

Circle 51 on Reader Service Card
(DEALERS: 52)

PC Compatible
Single Board Computers
for the OEM
DR DOS® Now Available

Quark®/PC +

- NEC V-40® Processor
- Video/LCD Controller
- 8 or 10 MHz Frequency
- Up to 768K Memory



4" x 6"

Quark®/PC II

- 80386 SX based
- EGA® Video/Color LCD Controller
- SCSI Hard Disk Control
- Floppy Disk Control
- Up to 4 Mbytes Memory



4" x 6"

To order or enquire call us today.
Megatel Computer Corporation
(416) 245-2953 FAX (416) 245-6505
 125 Wendell Ave., Weston, Ontario M9N 3K9

REPS: Italy 39 331 256 524	Austria 43 222 587 6475
W. Germany 49 6074 98031	Finland 358 0757 1711
U.K. 44 959 71011	Sweden 46 4097 1090
Netherlands 31 838 541 301	Norway 47 986 9970
Australia 61 03 568 0988	Denmark 45 244 0488
France 1 47 46 94 52	

Trademarks: Quark - F.+K. Manufacturing Co.
 DRDOS - Digital Research Ltd. EGA - IBM Corp. V-4C - NEC Corp.

megatel

**Only your imagination
 limits how you benefit
 from PERCON®
 keyless data collection.**



Checking out books or checking in employees—input data quickly and accurately using bar codes or magnetic stripes. PERCON has proven bar code solutions for IBM®, DEC™, and Apple Macintosh®. Call 1-800-8-PERCON.

PERCON

2190 W. 11th Avenue, Eugene, Oregon 97402-3503
 (503)344-1189 FAX(503)344-1399

©1989 Percon, Inc. PERCON, IBM, DEC and Apple Macintosh are trademarks.

**EASING THE
 RAM-CRAM BLUES**

sense, however, because removing lower TSRs would leave holes in memory that DOS programs couldn't use anyway.

You can also use Referee to deactivate a TSR; it removes all references to the TSR from the interrupt-vector table. Later, when you want to use the TSR, you can reactivate it. These two features were quite useful when TSRs conflicted with one another on a regular basis, but most TSRs today are well behaved and pass stolen interrupts from one to another.

The PopDrop Swap

Another product, BLOC Publishing's PopDrop, works much like Referee. You run PopDrop before you load any TSRs that you might later want to remove. It establishes a "low watermark" in memory. Then you load your other TSRs. The next time you execute PopDrop, it removes all the TSRs above that low watermark. Like Referee, it's a quick and easy way to remove TSRs.

PopDrop actually lets you go a bit further than Referee, because you can establish up to 16 layers of TSRs, each with its own PopDrop low watermark. To define a new layer, you execute POPDROP UP and then load the TSRs you want in that layer. To remove the topmost layer, you execute POPDROP DOWN. You can also roll back several layers at a time, or merely make certain layers inactive.

To help you see any interrupt conflicts, PopDrop can display a list of the stolen interrupt vectors. Similar to Referee, one of the best ways to use PopDrop is in a batch file that lets you bring up a few TSRs with a specific application, as in the following:

```
POPDROP UP
spell-checker
thesaurus
word-processor
POPDROP DOWN
```

PopDrop is actually one half of a package called PopDrop Plus, which also includes a second TSR-management utility, PopLoad. PopLoad is useful only if your PC has extra memory that obeys the LIM/EMS 4.0 standard, which defines how DOS programs can deal with expanded memory, that is, memory outside the 640K-byte user address space. EMS-compliant programs can make EMS memory visible to DOS by mapping sections of it into 16K-byte areas, called "page frames." These page frames can be anywhere in the 1-megabyte DOS address space. There are usually four such frames, so applications can see a 64K-

continued

Now There's a Periscope Board for Your IBM PS/2[®]

With the new Periscope[®] Model I/MC, you now have the same robust Periscope Model I debugging capabilities using a PS/2 with Micro Channel[®] architecture that you already have using a PC, XT, AT, or AT-compatible 80386 machine.

Just like the current Periscope Model I, Periscope Model I/MC has a 32K footprint in system memory, above 640K but in the first megabyte. The board stores the Periscope software and all debugging information (symbols, etc.) in its write-protected RAM.

Designed for use in machines with the IBM Micro Channel bus architecture, the board allows you to add chips to extend the 512K of write-protected RAM to a full two megabytes, if need be. (Most developers find 512K to be quite enough, however.)


Don't worry about trashing your debugger, debugging large programs, or erratic bugs.

With this new board in your IBM PS/2 or compatible, Periscope uses zero memory in the lower 640K. So you don't have to worry about things like a runaway program trashing your debugger, or not being able to debug a very large program, or having bugs appear or disappear when you load your debugger.

Use the break-out switch, which plugs into the board, to break in to your system safely any time. It keeps you from having to power down and back up when your system hangs. You can just press the little red "panic" button to find out exactly what is going on.

Periscope Model I for PCs, XTs, ATs, and AT-compatible 80386s. The manual, disk, and quick-reference card shown come with all models of Periscope.

Circle 218 on Reader Service Card
(DEALERS: 219)



Real-time hardware-assisted debugging of programs running on PS/2s is now possible! The

remote feature of the new Version 4.3 Periscope software enables Periscope IV to support real-time debugging of programs running on DOS-based machines, including those with Micro Channel architecture. The open architecture remote debugging feature will support OS/2[®] and other protected-mode environments in the near future. Call for details.

Choose from a full line of professional software and hardware-assisted models.


All models include Version 4.3 software, manual, and:

- **New Periscope I/MC** (MC Board for short) has 512K Micro Channel-compatible board & break-out switch \$745.
- **Periscope I** has 512K PC- and AT-compatible board & break-out switch \$595.
- **Periscope II** has break-out switch \$175.
- **Periscope II-X** has no hardware \$145.
- **Periscope III** has PC- and AT-compatible real-time board (to 10MHz) & break-out switch \$1395.
- **Periscope IV** has 80286 and 80386 AT-compatible real-time hardware (to 25MHz) & breakout switch \$2195-\$2995.
- **PLUS** board is Model I board (no software), optional with Models III & IV \$500.

Call Toll-Free Today For More Information 800-722-7006

MAJOR CREDIT CARDS AND QUALIFIED COMPANY PURCHASE ORDERS ACCEPTED

IBM, PS/2, OS/2, and Micro Channel are registered trademarks of the IBM Corporation.



1197 PEACHTREE ST. • PLAZA LEVEL • ATLANTA, GA 30361
404/875-8080 FAX 404-872-1973

The
Periscope
Company, Inc.

byte "window" into EMS memory.

PopLoad lets you put TSRs into EMS memory. To use it, you must first put the POPLOAD.SYS driver just after the EMS driver in your CONFIG.SYS file. Then you enter

```
POPLOAD tsr-name
```

to put that TSR into EMS memory. One important limitation: The TSR must be no larger than the largest EMS window your system supports.

You must tell PopLoad all the TSRs that you want to use, as well as the hot keys that you want to use to summon each TSR. PopLoad keeps all those TSRs in EMS memory. When you hit the hot keys for one of them, PopLoad makes it visible through the EMS window so you can use it. One consequence of this approach is that you can only use PopLoad with TSRs that you activate with hot keys. It won't work with TSRs, such as print spoolers, that activate themselves by stealing other interrupts.

Making Headroom

Like PopLoad, Helix Software's Headroom can also use EMS memory to remove TSRs from DOS memory space—but it can do much more as well. Rather than having TSRs live in expanded memory, Headroom stores them in a "swap area" until you need one of them. That swap area can be LIM/EMS 3.2 or 4.0 memory, extended memory, or even a hard disk file. (Extended memory is memory above the 1-megabyte line. It is available only on 80286, 80386, and i486

processors, and then only when those processors are not running in real mode, to which DOS is bound.)

Using Headroom is a multistep process. First, you run Headroom before any TSRs you want to swap. Then you load those TSRs and run another Headroom program, Swapout, which creates an image of the target TSRs in the swap area. Then you must bring up Headroom and tell it which hot keys you want to use to activate them. Headroom saves those key assignments, as well as other information it needs, in a configuration file on your disk. Finally, you add Headroom to your AUTOEXEC.BAT file and reboot your PC. When Headroom runs, it uses the configuration file to load those TSRs automatically.

When you hit the hot keys of one of the swappable TSRs, Headroom rolls the appropriate TSR into conventional memory. When you exit the TSR, Headroom moves it back to the swap area. The only difference between swapping a TSR to expanded memory, extended memory, or a hard disk is speed.

Unlike PopLoad, Headroom offers a long list of TSR-activation events, including timer ticks, a set amount of CPU idle time, serial-port communications activity, and DOS function calls. You can also use a special command, XRUN, to execute TSRs smaller than 64K bytes directly from an EMS window—much like PopLoad runs them.

Headroom offers many other features as well. If you have EMS memory, you can swap out any device driver that fits in the 64K-byte EMS window. This works

with the ANSI.SYS, MOUSE.SYS, and VDISK.SYS drivers. But, you should use this feature with care because it might not gain you any memory. ANSI.SYS and VDISK.SYS, for example, are smaller than the driver that Headroom uses for swapping.

Headroom even lets you swap entire applications, so that inactive applications wait, as TSRs do, in the swap area. You can have up to 32 application *partitions*, or memory areas, each of which can be as large as the amount of conventional memory left after DOS and Headroom load. Headroom stores the inactive partitions in the swap area. When you hit a partition's hot keys, Headroom moves the current partition into the swap area and the one you summoned into conventional memory.

Headroom's biggest drawback is its hypersensitivity to system changes. You must redefine your Headroom TSR configuration file every time you make any change in system-memory usage, even if you just change the number of buffers in your CONFIG.SYS file. The documentation is rough and opinionated, but Headroom offers more raw TSR-management features than any other product in the group.

Low-Cost Multitasking


While application swapping is almost a secondary feature of Headroom, it is the central focus of SoftLogic Solutions' Software Carousel. This product works much like the application-swapping feature of Headroom. You can hot-key up to

continued

World Class Software Security



Parallel Port Interface (PPI)



Key Tag

The parallel port interface (PPI) connects between the printer port on a PC and the printer cable. The PPI holds two Key Tags, one on each side. Each Key Tag contains a secure custom chip which is pre-programmed by Glenco to only work with the assigned software package. A second Key Tag can be employed to protect another package, or may be used to turn other software packages "on", remotely or on-site.

- STANDARD KEY TAG - Software is protected for an unlimited number of executions. They are pre-programmed to include a sequentially assigned S/N.
- COUPON KEY TAG - Software is valid for a preset number of executions. The Coupon count can be reset remotely or on the customers site by using a second update Key Tag.

- READ/WRITE KEY TAG - With programmable memory. Perfect for companies which have multiple products or a product with several optional modules. By having several packages protected using one Key Tag, your costs are lowered.
- DURATION KEY TAG - Has a clock on board. (Available late '89)

Secure software and data with reliable, effective protection products that won't burden honest users.

Glenco is a world leader in the area of software security products and services. Our copy protection products and data security products are second to none. They are designed to function on a wide variety of third party hardware. We have over 3500 satisfied software firms utilizing our products. We also have a full line of disk based protection systems.

- MACHINES SUPPORTED - IBM PC/XT/AT & PS/2, Macintosh
- LANGUAGES/COMPILER - Over 50, including runtime packages, data bases and spread sheets. We have a non-programmers interface as well.
- OPERATING SYSTEMS - MS-DOS, XENIX, Network, Finder, & Multifinder.

Call or write for more information.

GLENCO
ENGINEERING INC.
SERVING THE SOFTWARE INDUSTRY SINCE 1979

721 W. Algonquin Road, Arlington Hts., IL 60005, (312) 364-7638, FAX 364-7698


In Europe contact: SDC Security Systems, The Netherlands
Tel: +31-45-441535, FAX: +31-45-444747




THE COMPUTER PROFESSIONALS' BOOK SOCIETY

The easy, reliable way to satisfy your professional book needs . . .


4 books for only \$2⁹⁵ (Values to \$127.80)



2810P \$22.95




3047 \$34.95
Counts as 2




2890P \$22.95




9815 \$38.95



3007P \$17.95



9764P \$19.95



2978P \$17.95




3026 \$22.95



3261P \$21.95



9786 \$32.95




2959 \$29.95



2951P \$18.95




2763 \$27.50



3016P \$17.95



3069 \$26.95




3066P \$25.95




3030P \$17.95




9813 \$39.95



9808 \$34.95



3229 \$24.95



3240 \$29.95




2870P \$16.95




8150 \$29.95



3246P \$23.95



9823 \$29.95




3188 \$38.95
Counts as 2




2993 \$29.95




3101 \$29.95



3131 \$24.95



3049 \$36.95
Counts as 2




3263 \$39.95
Counts as 2



2990P \$17.95



8139 \$27.95



9810P \$24.95

How the Club Works

YOUR BENEFITS: You get 4 books for \$2.95 plus shipping and handling when you join. You keep on saving with discounts up to 50% off as a member.

YOUR PROFESSIONAL BOOKSTORE BY MAIL: Every 3-4 weeks, you will receive the Computer Professionals' Book Society News describing the Main Selection and Alternates, as well as bonus offers and special sales, with scores of titles to choose from.

AUTOMATIC ORDER: If you want the Main Selection, do nothing and it will be sent to you automatically. If you prefer another selection, or no selection at all, simply indicate your choice on the reply form provided. As a member, you agree to purchase at least 3 books within the next 2 years and may resign at any time thereafter.

BONUS BOOKS: Starting immediately, you will be eligible for our *Bonus Book Plan*, with savings of up to 80% off publishers' prices.

IRONCLAD NO-RISK GUARANTEE: If not satisfied with your books, return them within 10 days without obligation!


EXCEPTIONAL QUALITY: All books are quality publishers' editions especially selected by our Editorial Board. (Publishers' Prices Shown)

Power

Incredible Value!



Don't take our word for it, take theirs...



Power Ctrac Debugger

"Do you know what the underground bargain C compiler of this year is? It's the Mix Power C compiler. For under \$25 with shipping, it is one heck of a good compiler."

Victor Schneider
Dr. Dobb's Journal, June 88 (Letter to the editor)

"Overall, Power C's performance is remarkable for the price. Quite compatible with the Microsoft C and Turbo C "standards", Power C is a heavyweight contender in the educational, hobbyist, and perhaps even the professional market — at a bantamweight price."

Stephen Davis
PC Magazine, September 13, 88 (Review)

"Power C is an unbelievable product for \$19.95, and is very competitive with Turbo C, Microsoft C, and Microsoft's new Quick C in both features and performance. It is excellent for the beginner who wants to learn C, or for the experienced programmer who wants to develop professional applications. The manual alone is worth the price of this package, and the generous library source code and assembler offer adds to the value of it. If you have any desire to program in C, or want a more powerful C compiler, get a copy of Power C!"

Michael Cortese
Computer Shopper, August 88 (Review)

"The Ctrac debugger is where Mix really shines. It is magnificent. It's not only better than the stripped down debugger Microsoft includes with Quick C, it's better than the full debugger Microsoft provides with its high-end compiler (Codeview)."

David Weinberger
Computer Shopper, November 88 (Review)



Circle 195 on Reader Service Card

Technical Specifications

Power C includes: Power C compiler with integrated Make, Power C Linker, Power C Libraries (450 functions), the Power C book (680 pages), and support for...

- ✓ ANSI standard
- ✓ IEEE floating point
- ✓ 8087 80287 coprocessor
- ✓ auto-ersing of 8087 80287
- ✓ automatic register variables
- ✓ unlimited program size
- ✓ mixed model (near & far pointers)
- ✓ graphics on CGA, EGA, VGA, & Hercules

Optional Products:

- ✓ Power Ctrac debugger
- ✓ Library source code
- ✓ BCD business math

Order now by calling our toll free number or mail the coupon to Mix Software, 1132 Commerce Drive, Richardson, TX 75081.

1-800-333-0330

For technical support call: 1-214-783-6001

Minimum System Requirements:
DOS 2.0 or later, 320K memory, 2 floppy drives or hard drive.
Runs on IBM PC, XT, AT, PS/2 and compatibles.

60 day money back guarantee

Name _____
Street _____
City _____
State _____ Zip _____
Telephone _____

Paying by: Money Order Check
 Visa MC AX Discover

Card # _____
Card Expiration Date _____

Computer Name _____ Disk Size 5 1/4" 3 1/2"

Product(s) (Not Copy Protected)

<input type="checkbox"/> Power C compiler (\$19.95)	\$ _____
<input type="checkbox"/> Power Ctrac debugger (\$19.95)	\$ _____
<input type="checkbox"/> Library Source Code (\$10.00)	\$ _____
<input type="checkbox"/> (includes assembler & library manager)	
<input type="checkbox"/> BCD Business Math (\$10.00)	\$ _____
Add Shipping (\$5 USA - \$20 Foreign)	\$ _____
Texas Residents: add 8% Sales Tax	\$ _____
Total amount of your order	\$ _____

B

Power C & Power Ctrac are trademarks of Mix Software Inc. Quick C & Codeview are registered trademarks of Microsoft Corp. Turbo C is a registered trademark of Borland International.



TimeWands - The Obvious Choice

You have specific bar coding requirements.

That's why we give you a choice!

The **TimeWand II** is a **ruggedized** bar code reader ready for heavy-duty use. Its programmability allows your custom applications to be pre-set with prompts and cross-reference files. The large internal memory sizes of 32, 64, and 128K easily hold a day's worth of transactions along with the date and time of each entry.


If your data collection needs are simpler, the original **TimeWand** offers a cost effective alternative. The TimeWand date and time stamps each bar code scan, like the TimeWand II, but is contained in a smaller and lighter package. Even though it is compact, the TimeWand can still gather an impressive 2000 scans.

Videx and TimeWand are registered trademarks of Videx, Inc.

Both TimeWands transfer their data through the host computer's serial port where the data is stored in an ASCII text file. This allows the data to be easily combined with a wide variety of software packages.

Choosing either the original TimeWand or TimeWand II provides you with a quality bar code reader at an affordable price. **Call Videx at 503-758-0521 and ask for your free information kit.**

TimeWand (8K).....\$248.00
TimeWand II (32K).....\$698.00



1105 NE Circle Blvd.
Corvallis, OR 97330-4285
503-758-0521 * FAX 503-752-5285

*See us at ID Expo, May 15-17, Chicago, booth #350;
and at COMDEX/Spring '90, June 3-6, Atlanta, booth #7421*

Circle 304 on Reader Service Card (DEALERS: 305)

Saving Space

Data compression can add years to the life of your hard disk for a lot less than the price of a new drive

Steven J. Vaughan-Nichols

It's not that your computer is any slower or smaller than it ever was before, it's just that you seem to keep running out of disk space. Hardware keeps getting bigger and faster, and software keeps getting fatter and fatter.

There was a time not so long ago when dBASE and WordStar would fit on a single floppy disk. Now, no matter what size hard disk you have, it's probably nearly full.

There must be a better way to keep all this capability accessible without having to add more storage space every few months or save it all on floppy disks. Well, as a matter of fact, there is. Data compression won't make your hard disk any faster, but it will allow you to keep more of those overweight applications on the hard disk where they belong instead of gathering dust on floppy disks in your desk drawer.

Making More Room

Most of us already have a word processor, a spreadsheet, and a database program. These days, those alone may be enough to overflow a hard disk. By itself, dBASE IV takes up almost 3 megabytes of storage space. However, using a pro-



gram called PKzip, you can squeeze it down to about 1.6 megabytes.

If you don't want to be bothered with shrinking and expanding files manually, you can set up batch files to do it automatically. I wrote a batch file for dBASE IV named pack4.bat containing

```
pkzip -m -xpack4.bat -xgobase.bat
dbase.zip *.*
```

This moves all the files in my current directory, except for the batch files, into the archived file dbase.zip. Then, when I want to use dBASE, I run the gobase.bat batch file,

```
pkunzip dbase.zip
del dbase.zip
dbase
pack4
```

which lets me run the program. When I'm finished, it packs dBASE up again and releases more than a megabyte of disk space for work.

The pack4.bat file isn't fast, taking almost 5 minutes to run, but it certainly beats having no room on your hard disk. Once compressed, though, the file takes only a minute to deploy the program for action. You could set up similar batch files for almost

all your applications.

Realistically, you could, with a watchful eye on total space requirements, maintain a 20-megabyte hard disk containing 25 megabytes of files. Data-compression programs squeeze files down more effectively than this indicates. However, they require available space equal to the size of the uncompressed

continued

Squeeze, Squash, and Crush

Programs that archive files can seldom make heads or tails of their competitors' file formats. The compression methods are disguised under colorful names like squeeze, squash, freeze, pack, and crush, but they are all based on four data-compression algorithms: Shannon-Fano, Huffman, Lempel-Ziv, and its close relative, Lempel-Ziv-Welch (LZW).

Having the same theoretical underpinnings, however, doesn't mean that the file formats they produce are any more compatible than most word processors' text files. If anything, the problem is even worse than trying to read WordPerfect files with XyWrite.

Data-compression algorithms are deceptively simple. Almost anyone can translate one into a program. However, the results depend on the programmer, whose skill determines whether the finished product will be a triumph or a disaster.

Currently, the most popular data-compression algorithm is LZW, which has been used in both ARC and PKzip. It has the dual advantages of being both fast and effective and thus is the one I will concentrate on here.

To follow the LZW algorithm, you

prepare a matrix that can hold several thousand items. Positions 0 through 255 are initialized to the standard ASCII character set. The uninitialized positions have strings assigned to them as new data is entered. Each unique string is assigned its own position.

These positions serve as codes that are used to encrypt a file into its compressed form. If a particular string already has a position, then the output is the position that corresponds to the string, and the data-compression process has begun.

When the matrix is full, the oldest or least-used position is reinitialized to the new string. There's no attempt to make the best possible choices for effective compression, but it gets the job done remarkably well.

The decompression algorithm incrementally rebuilds the string table from the encoded data. It re-creates the translation table, positions, and data elements from the compressed version of the original string data.

This is one of LZW's strongest features. The other data-compression algorithms, notably Huffman coding, require that a translation table be included in the compressed file. Since LZW files

don't have to carry this extra baggage around, they have an inherent space advantage over the other data-compression schemes.

There are two problems with implementing the LZW algorithm. The first is that you can't predict the optimal matrix size in advance. This variable depends entirely on the type of data being handled. Attempts to deal with this problem quickly lead away from the elegant simplicity of LZW.

The second difficulty is that every time you add a new string, you must search the table. In other words, you must install a hashing system to provide quick searches during the compression process.

This is easier said than done. A poor implementation can be extremely slow. Extracting data, fortunately, is much faster.

Because of these and other problems with the remaining three algorithms, data-compression programs are difficult to perfect. The usefulness of the end product and the fascination of such simple solutions (which are so hard to put into effective practice) ensure that more data-compression programs will be forthcoming.

files that they're working on.

Theoretically, you could keep even more files on disk, but juggling space requirements during decompression would be too much trouble. The only files that you should never place in an archive are your essential DOS files and anything that's important enough to put in your path statement.

You can also save a significant amount of space by compressing just your data or text files. Worksheets, manuscripts, and databases frequently contain large amounts of empty space and redundant characters, which makes them ideal for data compression. You can easily use a data-compression program to bundle together, for example, your correspondence files.

Evolution by Frustration

Two forces have pushed the evolution of data-compression programs. The first was the limited size of microcomputer hard disks: They have never been big enough.

There must be a rule somewhere that

dictates that files will increase to fill a disk's capacity within three months of that disk's installation. It wasn't long ago that 5 megabytes was considered a decent-size hard disk, but now 30- or 40-megabyte disks seem limited. Even 80 megabytes seems none too big. Some days, when I look at WordStar 2000 or Oracle with their multiple floppy disks, it doesn't seem like much progress has been made.

The second impetus to data-compression programs came when people started using 300-bps modems to send files back and forth to each other. The only thing that didn't take long at 300 bps was becoming frustrated at how long it took to do everything.

The solution to these two problems was to squeeze files into smaller-size packets so that less time was spent staring at flickering modem lights as the files crawled back and forth. Although file transfer rates have increased significantly since that time, the desire remains to increase the speed on these activities even more. (See the text box "Squeeze,

Squash, and Crush" above.)

The first archiving programs were invented almost a decade ago when CP/M was microcomputing's dominant operating system. Dick Greenlaw created the first of many programs in this software family when he released SQ and USQ (short for squeeze and unsqueeze) into the public domain. Not long after that, programs like LU (library utility) and NULU (new library utility) enabled users to collect sets of related files into a library.


Today, there are five major data-compression programs for DOS users to choose from: ARC 6.02, LHarc 1.13, PAK 2.1, PKzip 1.02, and Zoo 2.01. In some ways, all these programs are very much alike. You issue commands to them by setting flags after their names at the DOS prompt.

These are commands that only a DOS guru could love. However, once you learn the command syntax for one of these programs, you are close to knowing it for all of them, because they're all

continued

JC BOARDS,

WORLD CLASS HIGH PERFORMANCE PRODUCTS



Pictured above is a portion of the products made by JCIS. Our factories in California have been producing boards for VARs and OEMs since 1979. These boards have been designed by JCIS for performance and reliability.

Our boards are used by OEMs worldwide as the basis for many of their own systems. More than 1/4 million end users are using JCIS designed products. More than 450 dealers offer our boards and systems to their clients.



JC Information Systems Corp.
High Performance Company Since 1979
161 Whitney Place
Fremont, CA 94539
Tel: (415) 659-8440
FAX: (415) 659-8449

Circle 142 on Reader Service Card

Our experienced engineering staff have designed-to-spec, many products using the latest technology, for OEMs that do their own manufacturing. And we can provide you as well, with a design that offers world class performance.

Call or FAX for a complete catalog of our current products. Experience the extraordinary quality, performance and engineering that goes into each JCIS product.


What can we build for you?

Circle 56 on Reader Service Card (DEALERS: 57)

WorldRadio History

JCIS Corporate Div., Baton Rouge, LA 70806
504-923-0888 Fax: 504-926-2155

IN DEPTH
SAVING SPACE



Starting with a combined file size of over 300,000 bytes, the different archiving programs achieved quite different results. Notice that to achieve a compressed file size of less than 130,000 bytes requires, on average, considerably more compression/decompression time.

left in PKzip's dust. Ever since PKware entered the field, SEA has been playing catch-up.

ARC just doesn't work as well as PKzip. It also has a bad habit of not cleaning up after itself. When it doesn't have enough room to finish compressing files, it plows ahead anyway until lack of space forces an abort and leaves you with a half-baked archive file.

ARC was a good product in its day, but its day is over unless changes are made. There are other programs now that run faster, squeeze tighter, and have more options.

If, however, you download programs from on-line services like BIX and CompuServe or from BBSes, ARC is worth having, because there are still a lot of ARCD files out there. Otherwise, I'd recommend you spend your time and money elsewhere.

LHarc 1.13

The newest entry in the file-shrinking derby is LHarc. This program is the result of several Japanese computer hobbyists' efforts to perfect the process of data compression (it is copyrighted by Haruyasu Yoshizaki).

This program is effective at shrinking files, but it takes its own sweet time doing so. It is by far the slowest of the five programs.

LHarc has problems that keep it from becoming the dominant player in the data-compression game. For one thing, it is somewhat more difficult to use than the other programs. The LHarc commands don't work quite the way you expect them to. In fact, some of them don't work at all. For example, I never was able to get the self-extracting archive feature to run.

This program follows the usual command syntax. That's a good thing, because the program's manual is just plain awful. But you can at least get the basic instructions by running the program without any parameters or arguments on the command line.

There is one great virtue to LHarc, however: It makes very small files (the prime purpose of data compression). Despite this, the program is so slow that I can't recommend using it on XT-class hard disk drives. The increased speed of an AT-class-or-above hard disk drive should help a little.

It's encouraging to see a good public

domain program, but, as with many other free programs, you get more of a work-in-progress than a finished (never mind polished) product. Future editions of the program may solve its problems, but, for now, I'd pass LHarc by.

PAK 2.1

NoGate Consulting's program is called PAK. Rather than trying to beat PKware at the speed game, its main selling point was that it makes smaller files than its competitors. Consequently, it is neither the most efficient nor the fastest.

One of the advantages of PAK is its simple graphical display that shows how much progress the program has made in shrinking or expanding files. This is very reassuring. It certainly beats watching the hard disk drive's light flicker on and off and wondering if the program is working or if your hard disk is in serious trouble.

PAK is the one program that tries to be compatible with the others. It can convert files made by older versions of ARC and PKarc to its own system. It can also create archives that ARC and PKarc can read and extract.

PAK 2.1 is a good program that, until this recent release, had been left behind in the rapidly changing world of data compression. It was never one of the more popular programs, being far outdistanced by ARC and PKzip. However, the current version may put it back into the race.

PKzip 1.02

PKzip is the undisputed champion of data compression. The program simply does everything better than all the others in this group. PKzip makes the smallest files without taking a great deal of time, and that's the name of the game in this business.

If you spend a lot of time file-hunting on BBSes and on-line services, you know about PKzip. It's the de facto standard in the IBM PC-compatible communications world.

Informal standards grow in computing with a life of their own. However, there are times when a good program or idea is the one that takes hold, rather than simply the first program that works. PKzip is one program that you definitely won't regret being "forced" to use. (Another reason for PKzip's popularity is detailed in the text box "Legal Seagull" on page 240.)

PKzip is well ahead of the pack. It's the only one of these programs that can be used safely on a LAN. The program uses the SHARE command, available in

DOS versions beginning with 3.0, to ensure that the files involved in a zip operation won't be damaged by another user trying to access them while PKzip is working.

This isn't to say that PKzip is perfect; it's not. You have to use a separate program, PKunzip, to extract files from a zipped archive.

It's unclear why the archive-making and archive-extracting processes are divided into two separate programs. There is nothing to be gained by making the program slightly harder to use. PKzip does, however, allow you to make compressed files that extract themselves at the cost of an additional few K bytes of file size.

Another problem is that its most effective setting is also its slowest. This can be irritating, but sometimes space benefits outweigh time penalties.

PKzip's advantages make it the best choice of the many data-compression programs now available. For once, the most popular program and the best product are the same.

Zoo 2.01

Zoo isn't the best data-compression program, but it does have certain advantages that the others cannot claim. It lets you automatically store and selectively extract multiple generations of the same file. This may not sound like much, but it can be an invaluable aid for keeping earlier, but still valuable, versions of code or manuscripts.

Unlike the other data-compression programs, Zoo spans several operating systems. There are versions of Zoo for Unix, VAX/VMS, and AmigaDOS. File transfers between these very different operating systems are much easier with Zoo's help.

Zoo is the most difficult of these programs to operate. There is an on-line help screen, but it's not terribly helpful. Its writers clearly knew more about bytes than help.

Zoo comes equipped with a utility named Fiz to restore data from damaged Zoo archives. Although it's not quite as hard as restoring a damaged file allocation table with only DEBUG, you're almost better off starting over with a backup copy. I've never had a Zoo file go bad, though, so I think it's unlikely that you'll need to use Fiz.

If you need to keep multiple copies of works in progress, or if you are frequently porting files between the Zoo-supported operating systems, Zoo is well worth picking up. However, it simply doesn't work well enough to be consid-

DATA-COMPRESSION RESULTS					
<i>These results show the utilities tested in order of their compressed file sizes (which is, after all, the purpose of data compression). Some of the programs are listed more than once due to the use of different algorithms. (Method = the type of compression algorithms used by the program; Size = the number of bytes in the compressed file; Ratio = the size of the compressed file versus the size of the uncompressed file; and Time = the average time, in seconds, required to perform the operation.)</i>					
Software	Method	Size	Ratio (percent)	Compress time	Extract time
PKzip/PKunzip 1.02	ZIP	123,572	40	29	10
PAK 2.1	PAK	126,450	42	37	14
LHarc 1.13	LHarc	126,844	42	66	30
PKzip/PKunzip 1.02	ZIP ¹	153,257	50	10	13
PKarc/PKxarc 3.5	PKarc	156,928	52	13	10
PKarc/PKxarc 3.5	ARC ²	156,957	52	13	11
PAK 2.1	ARC	157,421	52	23	22
ARC 6.02	ARC	161,319	54	24	15
ARCE 3.1c ³	N/A	N/A	N/A	N/A	14
Zoo 2.01	Zoo	175,852	58	30 ⁴	16

¹ PKzip has two options for file compression. The first is slower but does a better job. The second is much faster but does only a slightly better than average job of compressing data.

² PKarc allows users to make ARC-compatible files.

³ ARCE is an SEA utility that decompresses archives faster than ARC.

⁴ Zoo 2.01 doesn't handle wild cards the same way the other programs do. Specifically, when given the DOS wild cards "*" or "*", Zoo did not compress the file "manual." The test wrote a batch file that made Zoo add the file to the archive immediately after the archive had been created with the other files. This process made the program's time slower than the others, since it had to be invoked twice. On the other hand, the time is still faster than it would have been in real-world operations on the same files.

ered for hard disk tuning. The program, copyrighted by Rahul Dhesi, is available at no charge.

Testing, Testing

To determine which program was best, I ran a series of tests on each one. I used an AT-compatible computer running at 12.5 MHz with a 40-megabyte hard disk drive with an average raw access time of 28 milliseconds and a 32K-byte hardware disk cache adding to its speed, operating under MS-DOS 3.3. I ran all the tests on a defragmented hard disk. I cleared off the files produced by one test before running the next one.

I ran the tests on a set of 10 files. Nine of them consisted of the executable, overlay, and text files for Procomm 2.42, a shareware communications program. The tenth file was a 96,921-byte ASCII text file.

The test data's final tally came to 184,456 bytes of binary files and 118,635 bytes of ASCII files for a total of 303,091 bytes spread across 10 files. This was a large-enough sample of real-world files to allow each program a chance to show its stuff. Although most of these programs let you use a different disk or directory for workspace while the

compression process is running, I didn't use this option to test them.

To provide a comparison with the last generation of software, I have included results for PKarc 3.5. See the table and the figure.

Too Useful Not to Have

A data-compression program belongs on every small hard disk, and on a lot of big ones as well. These programs may have crude user interfaces, but they're too useful not to have.

My recommendations? PKzip should be the program of choice for most people. However, Zoo's ability to bridge a variety of different operating systems makes it a must, despite its warts, if you need to move data from one system to another.

Both of these programs show their humble origins in shareware with their packaging, but they can add years of life to your hard disk for a lot less than the price of a new drive. ■

Steven J. Vaughan-Nichols is a programmer/analyst for Bendix Field Engineering Corp. (Seabrook, MD) supporting NASA communications. He can be reached on BIX as "sjvn."

If Looks Could Kill...



The ViVa24 Modem knocks 'em dead with style and convenience.



Finally! An affordable, state-of-the-art modem designed to maximize any work station or desktop and take up minimal space. The new 2400 baud modem from Computer Peripherals, Inc. is a 100% Hayes compatible external modem which boasts more high-tech features than its competition at an unbelievable price tag. 🐸

The compact, distinctively sleek tower design simplifies placement, and it's easily accessible, front panel power switch eliminates fumbling around the back of the unit. The handsome weighted base holds the ViVa24 firmly in place, and sharp LED indicator lights are aligned for comfortable viewing, utilizing international graphic icons that make the ViVa24 simple to understand. 🖨️

The small tower design creates a natural flow of air over the surface of the board, allowing the ViVa24 to run cooler and affording you 24-hour, worry-free operation. The Viva24 modem provides the user compatibility with IBM PC, XT, AT, IBM PS/2, Apple Macintosh computers and any computer that supports RS-232C. 🖨️

The ViVa24 modem represents innovation from its footprint up with features such as: use of the Hayes "AT" command set, asynchronous data format, auto-dialing, auto answer, adaptive equalization, non-volatile memory, automatic tone and pulse dialing, remote access while your computer is unattended, self-test and built-in diagnostics. Best, of all, the ViVa24 is fully backed with a five-year limited warranty. 🖨️

Before investing in an ordinary modem, be sure to investigate the ViVa24. 🖨️

Call your nearest dealer or call us for details.

Circle 63 on Reader Service Card (DEALERS: 64)

HIGH FIDELITY™

By Computer Peripherals, Inc.

667 Rancho Conejo Blvd. • Newbury Park, CA 91320

TEL: (805) 499-5751 • Toll Free (800) 854-7600

FAX (805) 498-8848 • TLX: 59299 CPI

Trademarks: IBM, International Business Machines, Corp.; Hayes Microcomputer Products; Apple Macintosh; High Fidelity, Computer Peripherals, Inc.

World Radio History

More Bang for Your Buck

These integrated software packages cram a lot of features into a small space—for a small price

Mark L. Van Name and Bill Catchings

Three applications—word processing, spreadsheets, and database systems—have long dominated microcomputer software. Just about every personal computer user works with at least one of them, and many use all three. Not everyone, however, requires expensive, full-featured packages. Some microcomputers, in fact, lack the resources to properly handle many large applications—laptops and older XT and AT systems being prime examples. If you own such a system, or if you want to keep costs and memory requirements to a minimum, you should consider integrated software.

Integration's Advantage

Integrated software packages cram spreadsheet, word processing, and database applications into a single product. The individual applications typically don't have the power of dedicated programs, but the combination can meet all the day-to-day needs of many users.

These products come in many sizes, from huge, multimanual brutes to smaller and simpler programs that you can learn quickly and easily. If you need to outfit a laptop, portable, or other 1-



megabyte (or less) machine, these smaller products offer many advantages beyond their ease of use.

For one thing, they're inexpensive. We'll examine four products in this article: Alpha Software's AlphaWorks, Microsoft's Microsoft Works, Software Publishing's PFS:First Choice, and Spinnaker Software's BetterWorking Eight-in-One. All retail for under \$200.

For another thing, these products demand little from a microcomputer: They run easily in 640K bytes of main memory (using overlays) and take up at most a few megabytes of disk space. Microsoft Works even has an installation option (ideal for laptop owners) that lets you prepare a working copy of the program that fits on a single 3½-inch 720K-byte floppy disk. (That disk, however, has only 45K bytes free, so plan on using a second data disk.)

Although small, these programs do require some room on a hard disk. With all the available tutorials, features, sample data, and help files installed, they consume from a low of about 1.3 megabytes of disk space (PFS:First Choice) to a high of about 2.5 megabytes (Microsoft Works).

Those numbers don't include space for data, so it's best if you have a few megabytes of free hard disk space.

Those few megabytes of disk space contain a wealth of features, however. All these products offer a strong set of basic word processing, spreadsheet, and database functions. All support a wide range of printers. They also add some basic communications functions to the

continued

big three applications. Most also include a few personal-information-management extras, such as a calculator, appointment calendar, or simple DOS file manager. These products are ideal for the many situations where using full-featured software is an exercise in overkill. They can also cut training costs by providing a consistent interface across applications.

Power to the People

At \$195, AlphaWorks 2.0 is both the most expensive and, probably, the most powerful product in the group.

AlphaWorks calls its individual modules "services"; it contains word processing, database, spreadsheet, and communications services. You can have up to nine of each of the first three services and two communications services active at one time, and you can switch among them. You can fill the screen with one, or split it into top and bottom windows that show two different services.

You start by choosing a service from a menu. Once you're in a service, you control it with a menu bar at the top of the screen; a status line at the bottom gives you information. You choose a menu by

pressing the function key shown above its title or by pressing the slash key (/) to get to the menu bar. You move around there by using the left and right arrow keys. You pick choices from the menus with the up and down arrow keys. You can also use a mouse.

Some nice touches include the ability to print in the background, a keystroke macro facility, and on-line help. If you run short of memory, you can remove from memory such nice but nonessential tools as its spelling checker or thesaurus.

While the individual modules of AlphaWorks compare well with those of the other products in this group, this is the only product without any personal-information-management tools.

The AlphaWorks word processor limits documents to a maximum size of 64K bytes, or 2000 lines of up to 255 characters each. It has the usual 'basic functions, such as word wrap, support for different type styles (boldface, italic, subscript, and superscript), multiple rulers, headers and footers, and block moves. You can even move blocks of text among different word-service windows. You can also import and export both

ASCII and DIF documents. The spelling checker has 100,000 words, and the thesaurus has 120,000 synonyms.

The spreadsheet resembles a subset of Lotus 1-2-3 release 2.0. It even stores its files in the 1-2-3 release 2.0 file format. It can also import and export DIF and ASCII files. It does not, however, support 1-2-3 macros or database functions.

Spreadsheets can have up to 8192 rows by 255 columns. There are more than 80 1-2-3-style functions. The spreadsheet can also recalculate large worksheets in the background. There is a reasonable assortment of graphs, including scatterplots and bar, stacked bar, line, pie, and exploding pie graphs.

With version 2.0, AlphaWorks' database service has become one of its strongest features. It stores data in the dBASE III Plus file format and offers over 50 dBASE functions. You can have as many records as your disk will hold, with up to 128 fields per record. A relational-style feature lets you link fields in two different files. You can even define dBASE-style memo fields of up to 64K bytes each. You are limited, however, to a maximum of seven indexes per database.

YOUR PROGRAMMERS



JYACC

Authorized Distributors: Australia: 03 899 0063 England: 0491 576 466 Finland: 0 452 3400 Sweden: 8 35 90 60 Switzerland: 021 825 35 85 West Germany: 040 796 1041

The database lets you examine your data in the two classic views: forms and tables. A fill-in-the-blank Query By Example tool lets you find data easily. You can then present that data in customized forms and reports. As with the other main services, you can import and export data in either ASCII or DIF format. There is also a mail-merge facility.

AlphaWorks' communications service is one of the strongest of the group. It lets your DOS microcomputer emulate the DEC VT100 terminal and provides a good set of file transfer protocols: Kermit, XMODEM, XMODEM-CRC, and YMODEM. You can also transmit and capture ASCII files.

You can automate routine communication tasks with both a simple learn mode and a more powerful script language.

AlphaWorks is a solid product with many features. Its use of the Lotus 1-2-3 and dBASE III file formats is particularly convenient if you need to share data.

Serving Up the Works

Even though, at \$149, Microsoft Works 2.0 is the second least expensive product here, in many ways it is the Cadillac of

the group. It is polished and very easy to use, with a clear orientation toward the novice. At the same time, it has plenty of features. Microsoft Works is neither the most powerful nor the most complete product described here, but it is close on all counts.

Like AlphaWorks, Microsoft Works has a menu bar across the top of the screen and a status line across the bottom. You get to the menu bar by pressing Alt, and then you choose a menu by pressing the highlighted letter in the menu's name. You pick menu items in the same way. You can also use a mouse.

Works calls its modules "tools." You can have up to eight tool windows active at once. These windows offer a full set of control options, including resizing gadgets and scroll bars. All the windows, regardless of the tools in them, can display multiple fonts. You can also copy data among tools.

You get many of the general niceties characteristic of these products with Works, including on-line help and a keystroke macro facility. In the usual Microsoft style, there are extensive tutorials.

The star Works tool is, not surprising-

ly, its word processor, which resembles a watered-down Microsoft Word. It has all the standard word processing features, including word wrap, headers and footers, and support for the basic type styles. You can open up to eight files at once and move text among them. There is also a 100,000-word spelling checker and a thesaurus with 30,000 keywords that lead to 300,000 synonyms.

Works lets you dynamically link spreadsheet graphics to word processing documents; graphs in text change automatically when any of the underlying data changes. A mail-merge feature lets documents import database data.

You can import and export documents in both Microsoft Word and DCA (DisplayWrite) formats, but to do so, you must purchase the \$5 Conversion and Supplemental Setup Kit—a nuisance that Microsoft should eliminate.

The two other main tools are not as strong. The spreadsheet can handle only 256 columns and 4096 rows, and there are only 50 functions. It uses a file format that is close enough to Lotus 1-2-3's .WKS that you can use its files in 1-2-3,

continued

WILL FLIP OVER OUR TOOLS

JAM has everything your programmers need to **prototype** and build **full-featured** applications. And you'll see application feats performed in half the time. ► JAM applications incorporate the **sophisticated** features users demand. Mix text and graphics, pop-up windows and pull-down menus without sacrificing performance or exhausting your budget. ► And JAM supports most hardware platforms, operating systems and databases. If you move to a new system, your JAM applications move with you. Nothing is lost and the user interface is **consistent** throughout your organization. ► So get JAM into the act. Enjoy added **performance** without added cost or development time. You'll have everybody cheering. ► To receive a free demo diskette and find out more about the JAM family of software products, call our toll-free hotline today!

800-458-3313

In NY, call 212-267-7722
or FAX 212-608-6753

Supported systems: MS-DOS, OS/2, XENIX, UNIX, VMS, ULTRIX, AOS/VS, VOS, Primox, MPE/XL, IRMX

JAM



but there are some minor differences. You can import and export only delimited ASCII files.

The graphics options are better than the spreadsheet, with pie, exploded pie, bar, stacked bar, line, area, high-low, and scatter graphs, as well as graphs that use combinations of these styles.

The database tool shares the spreadsheet's limitations: a maximum of 4096 records of up to 256 fields each, with a maximum field size of 256 bytes. This

low record limit makes the Works database tool suitable only for small jobs.

You can view the data in the standard form and table styles, and there is a simple report writer, as well. You can query data with expressions that use the usual comparison operators (e.g., =, <, >, and <).

The Works communications tool is also limited, although it does offer VT100 emulation. It provides only one file transfer protocol, XMODEM, along

with the ability to transfer ASCII files. Two nice features are a phone directory and a learn mode that lets you automate routine log-on procedures.

Unlike AlphaWorks, Microsoft Works provides several personal-information-management tools, including a calculator, an alarm clock, and an appointment manager. You can also perform many common DOS file management functions from within Works.

Works' real strengths are its word processor and its overall design, which is solid, easy to learn, and easy to use.

Never buy another ribbon!

Over 125,000 sold

Shipping \$4.50



Universal Cartridge (includes one adapter)	68.50
Multicolor Adapter (specify printer)	40.00
Epson only MacInker mod. 271EP	42.00
Imagewriter only MacInker™ mod. 234IM	42.00
Universal Spool MacInker	68.50
Heat Transfer Adapter	25.00
Extra Ink Bottle, black3.00 pint	18.50
Colored Ink Bottle4.00 extra reservoir	5.00

All models delivered complete with bottle of ink, ink meter, reservoir, reservoir cover
Go color !! Single & multicolor, standard and heat transfer cartridges available: red, green, blue, brown, purple, yellow, orange, white, silver and gold. Indelible and OCR ink cartridges available.

The Universal Cartridge MacInker re-inks most cartridges with appropriate adapter. Universal Spool unit re-inks all spools. - Operation is very simple and automatic. Average cartridge can be re-inked 60-100 times at 5 cents/re-inking. - Extra dark, lubricated ink cools, lubricates and extend printhead life. Multicolor Adapters for multiband cartridges (Rainbow, Imagewriter, Epson, NEC, Fujitsu, Okidata etc.). - Dedicated Macinkers available for special cartridges and for Band Printers. Customers vary from individuals to Fortune 500 corporations, thousands of schools/colleges. Users have reported documented savings of \$30,000.00/year with MacInker.

LightSpeed 9624E 9600 baud modem



Shipping \$7.00

\$799.00

- True 9600 bps modem, V.32, full duplex. 9600/4800/2400/1200 bps
- MNP class 5 error correction & data compression for data flow up to 19.2 kbps
- Fully CCITT V.32/V.22bis/V.22, Bell 212A/103J compliant
- Auto speed selection
- Non volatile memory storage
- Synchronous & asynchronous modes
- Cable and software included (specify PC or MAC)

LightFax 9624 superior fax/modem



Shipping \$7.00

\$499.00

- 9600 baud fax, compatible with all Group 3 fax machines
- 2400 baud modem, 100% Hayes™ compatible.
- Excellent picture quality, superior to standard fax
- Fax from application or from flexible text/graphics editor
- Full status light in fax & modem mode
- Powerful software for scheduled sending, broadcasting, file queuing etc.
- Cable and software included (specify PC or MAC)



NEW! BothWay Automatic Data Switches. Use them to share one printer between two computers or two computers with one printer. Compact, velcro-mount on computer or printer.

BothWay Parallel89.00 BothWay Serial99.00

Computer Friends, Inc.
 14250 NW Science Park Dr.
 Portland OR 97229

Satisfaction or 30 day
 refund - Immediate
 shipment - Major credit
 cards - PO's from
 National Accounts

Order Toll Free 1-800-547-3303
 In Oregon (503)626-2291
 fax (503)643-5379 telex 4949559 CF

Choice Morsels

The \$169 PFS:First Choice 3.01 package is probably the least powerful of the four discussed here, but it is also one of the easiest to use.

When you bring up PFS:First Choice, a main menu appears in the center of the screen. You choose a module (e.g., document, database, or spreadsheet) from that menu by moving a pointer to the item or by entering its number.

You control each of the major modules with the menu bar at the top of the screen. Each menu on the bar has a title and a function-key label that precedes the title. You can choose a menu by pressing that function key or by moving to it with the left and right arrow keys. You pick menu choices by using the up and down arrow keys or by entering the number of the choice. You can also use a mouse. Some of the nice features of this product are its keystroke macro facility, an on-line help system, and the ability to move data between its modules via a clipboard.

Unfortunately, the program is inconsistent in its menu structure, because the communications and disk-utility modules don't use a menu bar. Instead, they use center-of-the-screen menus that operate like the opening menu.

The First Choice word processor lets you copy blocks to and from the clipboard, as do the other modules. Document lines are limited to 250 characters, which should be adequate for most applications. You can define headers and footers, and you can have multiple rulers. There is also a mail-merge facility. The spelling checker has a reasonable 75,000 words, but its thesaurus contains only 20,000 keyword entries.

The word processor shines in its ability to import and export both external files and data from its other tools. It can handle files in almost every major word processor format, including WordPerfect, WordStar, MultiMate, Wang PC,

continued

We Always Knew SuperCalc5 Was Better Than Lotus 1-2-3. Now We Know How Much.

PC WEEK/REVIEWS SCOREBOARD

Attributes	Borland Quattro 1.01	CA SuperCalc5	Lotus 1-2-3 2.2	Lotus 1-2-3 3.0	Microsoft Excel 2.0	PS VP-Planner Plus 2.0
Data integrity (1.06)	8	10	8	9	10	8
Ease of manipulating spreadsheet data (1.06)	7	9	8	10	8	8
Quality of documentation (1.00)	8	10	9	9	10	8
Performance relative to price (0.93)	10	7	7	6	7	9
Minimized RAM requirements (0.92)	9	10	10	5	6	10
Weighted Score	8.3	9.2	8.4	7.9	8.3	8.5

in order of importance then

It was just a matter of time.

We knew that eventually we'd get a chance to go one on one with Lotus® 1-2-3®.

And thanks to *PC Week* we did. They recently conducted an extensive review of all the top spreadsheets.

And found SuperCalc®5 to be the best.

By far.

"To use it is to love it," they said. And they are not the only ones who feel that way. *PC Computing* says SuperCalc5 delivers "spectacular performance." And *PC Resource* sums it up nicely by calling it "spreadsheet heaven."

And that it is. With striking 3-D graphics, spreadsheet linking, and the best auditing and debugging features ever offered, SuperCalc5 gives users everything they've ever wanted (including total Lotus 1-2-3 compatibility) at a price they can afford. Upgrading to SuperCalc5 can cost as little as \$100. But act quickly. If we keep getting reviews like this, we may raise the price.

Just kidding.

Call 1-800-531-5236.

In Canada, call 1-800-663-6904.

SUPERCALC5



Microsoft Word, Professional Write, and DisplayWrite. You can include graphs, charts, tables, and even whole spreadsheets all in the same document.

Like Works, PFS:First Choice handles only small spreadsheets—you're limited to 1024 rows and 768 columns. One nice touch, however, is a percentage indicator that lets you know how much of the available space you've used. This spreadsheet offers more functions (70) than the one in Works, but fewer than the one in AlphaWorks. You can import and export spreadsheet data in 1-2-3 release 1A and 2.0 formats, as well as in ASCII.

The spreadsheet's strengths are in its graphics capabilities, which is perhaps not surprising, given that Software Publishing also sells the Harvard Graphics products. In fact, PFS:First Choice lets you import and export graphs in the Harvard Graphics and Harvard Presentation Graphics formats. You can also define bar, stacked bar, overlapping bar, line, point, scatter, area, and pie graphs, as well as combinations of those styles. A presentation graphics facility lets you assemble slide shows of these graphs.

Unlike its spreadsheets, PFS:First

Choice's databases are limited only by the amount of disk space available—a number that you can monitor with the percentage-full indicator. You can design customized forms and reports, as well as view data in both form and table styles. The only import and export formats, however, are delimited and fixed-length ASCII.

PFS:First Choice's communications module has the same major features as the one in Works. It has only one file transfer protocol, XMODEM, and it can transfer ASCII files. There is also a phone directory and a facility for defining automatic sign-on procedures.

The program also offers two main personal-information-management tools, a calculator and a set of disk utilities.

The primary strengths of PFS:First Choice are its strong graphics and its ability to export and import many different word processor formats.

Eight Is Enough

Surprisingly, the least-expensive product here, the \$60 BetterWorking Eight-in-One 2.0, has most of the features of the others, as well as a few that they lack.

It's a bit rougher than the rest, though. Its modules, for example, are not as well integrated as those of the other products.

You control Eight-in-One with the typical menu bar. Its status line is above that bar. You get to the menu bar by pressing the Escape key. Once there, you can pick a menu by entering its first letter or by using the left and right arrow keys and pressing Enter. You pick menu options either by using the up and down arrow keys or by pressing the first letter of the option. You can also use a mouse. Should you need it, there is the usual on-line help system.

Eight-in-One's word processor limits documents only by the amount of memory in the system. On a 640K-byte machine, the limit will typically be 50 pages or less, depending on the density of those pages and the number of type styles in them. The word processor supports bold-face, underlined, enhanced, double-wide, and compressed characters, all of which consume more memory than plain characters.

You can edit two documents at once and copy text blocks between them. In

continued



Finally. OS/2 debugging help has arrived.

Introducing MultiScope™, an OS/2, multi-language, CodeView™-compatible debugger, like nothing you've seen before.

For a start, it provides 13 views of your program: Source—Data—Graphic Data—Assembly—Thread—Breakpoint—Watch—Register—Module—Call—Memory—Log—and Output.

Other unique features include: run-time and post-mortem debugging options; OS/2 text mode and Presentation Manager user interfaces; and even a graphical representation of your data structures! All for \$299.

Call toll free 800-231-7717.

In CA 800-552-8885. Fax 415-792-8901.

MULTISCOPE™
DEB U G G E R

From LOGITECH Software

Circle 163 on Reader Service Card (DEALERS: 164)

F1-Help F2-File/Print F3-Edit F4-Format F5-Dictionary F6-Addresses

SALES TERRITORY QUOTAS		Qtr 1	Qtr 2	Qtr 3	Qtr 4
		343,980	309,600	384,700	433,300
Station A	FULL RATE	175,670	289,603	456,800	366,907
Function Level		230,090	406,203	479,104	398,407
Hi-Hi Limit	: 90	290,678	399,300	490,400	407,500
High Limit	: 75				
Low Limit	: 55	368,789	407,890	481,200	402,390
Lo-Lo Limit	: 45				
Field Limit	: 5	361,900	493,300	470,000	493,870
Alarm Output	: 00				
		280,900	305,303	471,200	405,500
Numeric Forec	: CPI	290,600	50,400	450,300	408,505

SOLA SIDEKICK. IT'LL KICK YOUR POWER PROBLEMS ASIDE.

It makes no difference how much money you've invested in expensive computer and telecommunications equipment. If there's a power disturbance, you've got a problem.

That's why there's Sola Sidekick, the economical UPS that'll make light of even the most serious blackout. The Sola Sidekick features an advanced microprocessor-based design that keeps your sensitive electronic equipment fully functional through all types of power line surges and sags. That means no loss of valuable data, and no damage to your system's components.

What's more, if a power failure continues for an unusually long period of time, this exceptionally versatile unit even has the where-



withal to alert you to shut down your electronic equipment.

UL listed and CSA Certified, the Sola Sidekick is not only easy to use, but is also easy to look at. It compliments any office decor, yet takes up very little space.

Sola Sidekick is only one of a full-line of power protection products made by Sola. And every product is designed with this single purpose in mind: If your equipment depends on power, you can depend on Sola. Try the Sola Sidekick. You'll discover that you have absolutely nothing to lose...especially your important data.



1717 Busse Rd., Elk Grove Village, IL 60007 708/439-2800 800/BUY-SOLA

Circle 263 on Reader Service Card

addition to such standard features as headers and footers, there is a word-count option, something that writers everywhere will appreciate. There is also a mail-merge facility. In addition to a 100,000-word spelling checker and a 60,000-synonym thesaurus, Eight-in-One also has a separate outliner module.

The spreadsheet module, like the word processor, is limited only by the amount of available memory. It has a theoretical maximum of over 10,000 columns and 32,768 rows; on a 640K-byte microcomputer, you can get between 3000 and 4000 cells. (The exact number depends on what's in those cells; formulas, for instance, use more memory than data.)

In most other ways, the spreadsheet is one of Eight-in-One's weakest modules. In earlier versions of the product, the spreadsheet was very slow, but this version runs significantly faster. Also, it now recalculates only the minimum number of cells necessary. Unfortunately, the spreadsheet still offers under 50 functions, the fewest in the group. It can import and export files in Lotus 1-2-3 and DIF formats, and it can read 1-2-3 WK1 files directly.

Eight-in-One has reasonable graphics options, including pie, exploded-pie, bar, hatched-bar, line, and shaded-line graphs. The graphics module, however, is separate from the spreadsheet. To make a graph, you must first import spreadsheet or database data.

The database module is a simple, flat-file manager that can handle up to about 20,000 records of up to 128 fields each. Each field can hold a maximum of 254 characters, although you can define memo fields for larger text chunks. There are over 30 database functions, as well as a simple report generator. You can import and export only ASCII files.

The communications module is also simple. There are no file transfer protocols; you can only upload and capture ASCII files. It can, however, emulate more terminals—IBM 3101, TeleVideo 920, and VT100—than the other products. In addition to a keyboard macro facility that lets you automate log-on procedures, there is a phone directory and a chat mode that lets you hold typed "conversations" with other computers.

One of Eight-in-One's strengths is its set of personal-information-management

tools. Its desktop organizer has many of the features of Borland's SideKick, including a to-do list, a memo pad, an address book, an automatic dialer, a label maker, and a memory-resident calendar.

Backing the Right Horse

For basic word processing, spreadsheet, and database functions, you won't go wrong with any of these products. We've noted some of the strengths of each, but none stands out clearly as the best.


If word processing is your primary concern, go with Works. For the best graphics, check out PFS:First Choice. BetterWorking Eight-in-One is the obvious budget winner. And, for all-around power, we suggest AlphaWorks.

Integrated software packages clearly offer an advantage for those on a budget. They cram a lot of features into a small space—for a small price. ■

Mark L. Van Name and Bill Catchings are BYTE contributing editors. Both are also independent computer consultants and freelance writers based in Raleigh, North Carolina. You can reach them on BIX as "mvname" and "wbc3," respectively.

Read Mac Disks in a PC MatchMaker

— the best way to share data between a PC and a Mac. The **MatchMaker** card lets you plug a Macintosh floppy drive into a PC.



- Easy-to-install half-size card.
- Use any external Macintosh drive.
- DOS-like command software included.
- 1 year warranty, Made in USA.
- Also available; **MatchPoint-PC** to read/write Apple II disks.

"...by far the most cost effective solution..." PC WEEK

MicroSolutions
Computer Products

132 W. Lincoln Hwy.
DeKalb, IL 60115
(815) 756-3411

Industrial Control Systems
LAN Terminals
Diskless Systems

ROMDISK™

For the IBM PC, XT,
AT PC DOS* or MS DOS*

SOLID STATE DISK AND DRIVE EMULATORS

- Make PC/XT/AT and compatibles diskless terminals with local DOS and program storage.
- Single or dual disk emulation of 5¼" or 3½" diskettes up to 1.2MB, read/write up to 770K.
- On-board EPROM programmer—simply copy a diskette to program the EPROMs or Flash EEPROMs.
- Flash EEPROMs remotely programmable on LANs.
- Two Autoboot modes, a File (read) and a Programming mode—automatic disk drive designation set-up during booting.
- Flash EEPROM models are electrically erasable. SRAM models are battery backed. EPROM models are ultraviolet erasable.
- Programming utilities included with programmable models.
- List prices with memory ICs from \$295. OEM prices and models available OEM with or without memory ICs.



CURTIS, INC.

2837 North Fairview Ave. • St. Paul, MN 55113
612/631-9512 Fax 612/631-9508



*IBM PC, XT, AT, PS/2 and PC DOS are trademarks of IBM; MS DOS is a trademark of Microsoft

THE ONE WHO RUNS THE FASTEST IS THE ONE WHO WINS THE RACE.

THE MITAC 4000G SETS THE PACE AS THE WORLD'S FASTEST PC



To win against today's competition, you've got to have an edge. One way to get the edge is with Mitac's 4000G. Powered by Intel's® awesome 80386™ CPU, the 4000G races at a top speed of 33 MHz, making it the fastest PC on the market today. With 128KB of fast-cache memory, RAM expandable to 24MB, a total of 8 expansion slots, and capacity for 1.4 GB of mass storage, the 4000G leads the way. The Mitac 4000G. On the inside of the winner's circle.

For complete information please call American Mitac at (800) 648-2287 x348.

VENDOR	CPU BENCHMARK *1	MIPS *2
Mitac's MPC4000G	9.7	8.3
Compaq Deskpro 386/33	8.9	7.7
AST Premium 386/33	8.1	6.8
Everex	9.6	8.3
ALR Flexcache 33/386	9.4	8.2

*1 Source: Infoworld Hardware Benchmarks (33-MHz 80386-based systems)

*2 MIPS is based on Power Meter™ Version 1.2 from Database Group, Inc.



For the name of your nearest authorized Mitac reseller in the U.S. call 800-648-2287 x348. Canadian distribution is handled by Technical Logistics Support (Ontario).

- American Mitac Corp. TEL: (408) 432-1160
- Mitac International Corp. R.O.C. (02) 501-8231



MITAC is a registered trademark at Mitac International Corp. Intel is a registered trademark of Intel Corp. 80386 is a trademark of Intel Corp.


Circle 16 on Reader Service Card

DEPTH &

Oracle Corporation • Micro Focus Ltd. • Absoft Corp. • Accel8 Technology Corp. • ACCUCOBOL • Applied Logic Systems, Inc. • B32 Software Ltd. • Basis International • BASIX Development Group • Boston Business Computing • Datavision Ltd. • Diab Data, Inc. • Digital Information Systems • Egan Systems, Inc. • Franz, Inc. • Gensym Corp. • Green Hills Software, Inc. • HCR Corp. • Ibuki, Inc. • Inference Corp. • Interactive Software Engineering, Inc. • InterSystems Corp. • Jyacc, Inc. • Language Processors Inc. • Megascorpe, Inc. • Micronetics Design Corp. • NKR Research, Inc. • Oasys Software Corp. • Quantitative Technology Corp. • Programmed Intelligence Corp. • SINC, Inc. • Software Systems Design, Inc. • Subject, Wills & Company • Tadpole Technology, Inc. • TeleLOGIC • Tele-Soft • Transoft Limited • UNITECH Software Inc. • Verdix Corp. • Visible Systems Corp. • Wild Hare Computer Systems Inc. • Emerge Systems, Inc. • Industrial Programming, Inc. • JMI Software Consultants, Inc. • Lynx Real-Time Systems, Inc. • FTP Software Inc. • Ready Systems • VMARK Software, Inc. • Cognos, Inc. • Cybertek Software Inc. • Empress Software, Inc. • Progress Software Corp. • INGRES Corp. • Sybase, Inc. • Thoroughbred Division • Unify Corp. • Zortec, Inc. • Novell, Inc. • SAS Institute, Inc. • Technology Concepts, Inc. • Phoenix Technologies Ltd. • Informix Software, Inc. • Ryan-McFarland Corp.



BREADTH



Data General's AViiON lets you run both.

When you're looking for solutions, choose the UNIX® system-based RISC platform that scores of industry leading software vendors have already chosen: Data General's AViiON™ Family!

There's a deep set of proven utilities, databases, and 4GLs that make developing or porting your own programs as easy as can be. And there's a broad range of applications for industries like banking, insurance, hospital management, accounting and more.

Data General supports the 88open BCS, the industry's only binary standard for multivendor interoperability. That means AViiON is open to the most important networking, communications, and software standards.

Call 1-800-DATAGEN and we'll send you a brochure listing hundreds of third-party software programs available for Data General's AViiON Family.

Name _____

Company _____

Address _____ Phone _____

City _____ State _____ Zip Code _____

 **Data General**

3400 Computer Drive, Westboro, MA 01580

AViiON is a trademark of Data General. UNIX is a registered trademark of AT&T. © 1990 Data General Corporation.

Circle 319 on Reader Service Card

World Radio History



The ARC Proturbo 386/20 Blows The SX Away



It doesn't make sense to buy a 386[™] SX based personal computer.

They say you can get a 386 SX system at a 286 system price. We'd like to know where!

Realistically, if your applications have outgrown your 286 and you've decided to get a 386, you already know you have to spend more money. So why compromise performance?

Get an ARC Proturbo 386/20.

It's a true 32-bit 386. It costs the same as many 386 SX systems but blows them all away. If you need 386 power with a painless price tag, don't settle for a wimpy SX.

Get the ARC Proturbo 386/20 and the muscle to handle your growing needs.

Where? At your local ARC dealer.

In California: (213)265-0835

**Elsewhere: (800)FIND-ARC
(800)423-3877**



386 is a trademark of Intel Corporation.

Argentina 1-469518
Austria 222-934212
Bahrain 973-531177
Bangladesh 2-44179
Belgium 2-2418784
Denmark 42-951895
England 1-6844144
Finland 52-609100
Hong Kong 3-7420007

Hungary 1-1667688
Iceland 1-687699
Italy 2-2770232
Kuwait 965 2421812
Norway 42-15500
Pakistan 21 521529
P.O. Box New Guinea 675-257477
Peru 14-419860

ARC Products are Sold Worldwide



Philippines 2-8189329
Portugal 1-577767
Saudi Arabia 3-8265007
Singapore 65-2467211
Spain 1-3203470
Sri Lanka 1-574980
Sweden 46 31658551
Switzerland 22-7825575
Thailand 2-4984552

Turkey 901-1690230
United Arab Emirates 4-224261
USA 213-2650835
West Germany 40-66051
Yemen Arab Republic 2-207721

Circle 17 on Reader Service Card (DEALERS: 18)

Coping with Diversity

*IBM PC, Macintosh, Atari ST, Amiga, or Apple IIGS—
incompatibility need not restrict your choice of a second computer*


Bob Ryan

The computer industry pays a lot of attention to compatibility—perhaps too much. The fact is, no one computer architecture or operating system can be all things to all users. This becomes evident when you consider purchasing a computer for a specific task, such as creating presentations for your business or providing a home computer for your family. Ideally, you'd like to have a computer that is compatible with the DOS machines you use at work, but you'd also like to address specialized areas that are not best served by a DOS machine (e.g., desktop video, education, or music). What do you do?

Most likely, you'll make a choice between compatibility with your office computer and applicability to your other pursuits. You won't have to make such a choice, however, if you replace the requirement for compatibility with one that emphasizes *interoperability*.

Tripping the Tongue Fantastic

Interoperability describes the exchange of data between computers that have different architectures or are running under different operating systems. In practice,



it means being able to transfer files between different types of machines, and being able to *use* the files on both. Thus, if you could transfer files between your office computer and your home computer, you might not be restricted to a home machine that is compatible with your computer at work.

There are different levels of interoperability—from simple text transfers to

hardware emulations—that let you work with the same data on different computers. The solutions discussed here apply to any situation that demands interoperability, from sharing data between adjacent computers in the office to taking data from work to be massaged by a home computer.

Exchange Limits

While you can transfer just about any file between any two computers, the types of files you can *usefully* exchange is more limited. Of course, transferring executable files from one architecture to another is fruitless unless you have some form of emulation that lets the second computer use software written for the first. Emulations do exist (see the text box "Out of One, Many" on page 258).

But, for the most part, the objective is to transfer data files from one machine to another in a format that both the operating system and an application program running on the target machine can use.

Making a Connection

The most common mode of data exchange between dissimilar computers is

continued

Out of One, Many

So you really need strong compatibility between your office machine and your home computer, but still want the advantages of an Atari ST or an Apple IIGS at home. Don't despair; you have options that don't involve buying another computer system.

Emulators are software or hardware products that let you run software written for one computer on a completely different computer. Emulators have been around for at least a decade, although their history is a bit checkered.

For example, in the early 1980s, Rana Systems brought out a hardware emulator that let you run DOS software on an Apple II. The problem was that the emulator cost nearly as much as a stand-alone IBM system. Rana Systems, which had had a bit of success selling replacements for Apple II disk drives, did not survive its foray into hardware emulation. Other examples of failed hardware emulators, from the Dimension 68000 to MacCharlie, litter the byways of the personal computer world.

The Beat Goes On

Because it is such a compelling idea, emulation didn't die along with these early implementations. Today, you can buy hardware and software emulators that let you run DOS, Macintosh, even Commodore 64 software on different hardware platforms. I will concentrate on some of the hardware emulators because, although they are more expensive than software emulators, they invariably perform better and provide better compatibility.

Today, you can successfully run DOS software on an Apple II, Macintosh, Atari ST, or Amiga, and Mac software on an Amiga or Atari ST. Often, it's not the software that proves incompatible, but the hardware. For instance, you may not be able to access all the I/O

ports (e.g., mouse, disk drive, parallel, and serial) on your machine from the emulator. Check the specifics of each emulator before you buy one.

PC on a Card

Because DOS has the largest installed base of any microcomputer operating system, it's a natural target for hardware emulation. If you own a Mac II, you can emulate a PC AT with the Mac286 from Orange Micro. If you own an Apple IIGS, you can emulate a PC XT by installing the PC Transporter from Applied Engineering. Both of these emulators are "computers on a card" that plug into expansion slots on their respective machines and let you run a wide variety of DOS software, often at speeds exceeding that of the emulated machine. PC Speed from Michtron provides DOS compatibility for the Atari ST.

Commodore has gone one step further in its emulations of AT (the A2086 board) and XT (the A2088) computers. Commodore's Amiga 2000 contains a four-slot AT bus on its motherboard, in addition to its Amiga Zorro slots. The emulator boards sit in both an AT slot and a Zorro slot. You can use the extra AT slots for IBM peripheral cards, thus providing expansion compatibility as well as software compatibility.

The Amiga 2000 with an IBM emulator has another interesting feature. Because the Amiga operating system is multitasking and the IBM emulator runs from an Amiga task (see figure A), you can run AmigaDOS and DOS programs concurrently and even cut and paste between the two.

All in the Family

While these DOS emulations, in effect, put a computer, complete with microprocessor, on a card (or two), many em-

ulations need not be so extensive. Two examples are Spectre GCR, from Gadgets by Small, for the Atari ST, and ReadySoft's A-Max for the Amiga. Both of these products let you run Macintosh software on these machines. The emulators themselves are not as extensive as the DOS ones because the Amiga and the Atari ST use the same microprocessor as the low-end Macintoshes—the MC68000. Therefore, they can use their own processors to execute the Macintosh instructions.

What both of these emulators lack are the Macintosh ROMs. If you buy A-Max or Spectre GCR, you will have to buy Macintosh ROMs and plug them into the emulator. The fact that Apple's legal department has not taken action against the emulators seems to indicate that the emulators don't step on anyone's copyrights or patents. Atari, in fact, indicated at Fall Comdex 1989 that it considers the combination of its portable ST, the Stacy, and Spectre GCR to be a viable alternative to the Mac Portable.

One-Way Street

Most emulators enable those machines with a smaller installed base to run software written for DOS and Macintosh computers. Thus, you have the Amiga emulating the AT or the Mac, but not the reverse. By virtue of their larger installed bases, DOS machines and Macs have many more software packages available than the Amiga does. Since one of the prime reasons for an emulator is to tap into a larger base of software, there is little motivation for an AT to emulate an Amiga.

Amiga, Apple II, and Atari machines each have areas in which they excel. Emulation can give you the best of both worlds: compatibility with your primary computer and the advantages of an alternative architecture.

a serial connection; it can be either direct or remote. The advantage of a serial connection is that you don't have to worry about disk formats. A Mac file sent via a serial connection to a DOS machine is saved on the target machine in DOS format.

With a direct connection, you hook up the two computers with a null-modem cable, load communications software on each, and transfer files at will. The ad-

vantage of this method over indirect methods is that you can transfer data at much higher baud rates than you can using a modem. The disadvantage is that the computers have to be at the same location. Thus, direct connections are best for transfer between two office computers. They will not help you with home-office transfers.

Many companies offer products that provide both the software and hardware

for direct file transfers. Traveling Software, for example, sells LapLink-Mac for high-speed file transfers between DOS machines and Macintoshes.

Indirect methods involve using a modem. Although transfer rates are slower using a modem, the computers involved can be miles apart.

You have two choices in modem transfers. You can have one computer call the other directly, or you can use an inter-




Figure A: The Janus interface between the DOS board on an Amiga 2000 and the controlling Amiga task sends keyboard input to the DOS side and makes the DOS video RAM accessible to the Amiga output system.

mediary, such as BIX or CompuServe. The first option works only if you have communications software for one computer that allows it to operate unattended. The second option is much more common for home-office transfers. While you're at work, you access your account on the information service and upload the data. Then, when you get home, you download the data using your home computer.

The Data Disk Exchange

Another common method of data exchange involves direct disk access. Although it's not possible under normal circumstances for one operating system to read and write to data disks formatted by another, specialized software and hardware are often available to provide this capability. Because DOS is the most popular microcomputer operating system, most of these specialized products are

designed to allow non-DOS computers to read DOS disks.

For example, a utility for the Amiga called CrossDOS, from Consultron, lets you access DOS, as well as Atari ST, disks from the Amiga. It works with the standard Amiga 3½-inch drives.

The Apple SuperDrive, standard on upper-end Macintosh computers (and available as an external option for other Macintoshes) lets you transparently access Macintosh disks with the Apple IIGS and vice versa. More important, however, by using a special utility from Apple, you can access DOS-formatted disks placed in the SuperDrive.

The Atari ST provides the simplest method of direct file exchange with DOS. Since the ST disk format is nearly identical to the DOS format, you can read and write to DOS disks with an Atari ST disk drive. Conversely, you can read and write to Atari ST disks with a DOS computer.

Of course, any disk you plan to use on two different machines must be in a format that the drives on both machines can handle. There are restrictions on the formats that some systems can handle. For example, CrossDOS for the Amiga can read 720K-byte DOS disks but not 1.44-megabyte disks. The standard Amiga disk drives are unable to handle the higher density.

In this age of heterogeneous LANs, you may also have access to another transfer technique. For example, many LANs provide a gateway to AppleTalk. With such a system, you can easily transfer a file from a DOS machine on the LAN to a Macintosh or IIGS located on the AppleTalk network. NetWare for Macintosh from Novell is an example of such a gateway (see figure 1).

Format Blues

It's not difficult, then, to move a file between computers that are based on dissimilar architectures. File transfer, however, is only half of the interoperability picture. You have to be able to use the files after you transfer them. Having a file in the proper disk format doesn't ensure that it's in the proper file format for your application.

The simplest file format, and the one that is most commonly used in transfers between different computers, is ASCII (or text) format. Most word processors and many other types of application programs can read and write to ASCII files. The only problem that you are likely to encounter is with the end-of-line character.

continued




Figure 1: *NetWare for Macintosh is a NetWare process that communicates with AppleTalk via an AppleTalk connector. The gateway lets DOS users access AppleTalk printers and AppleTalk users access the NetWare server.*

Different applications and operating systems use different end-of-line characters. Some use carriage returns, others use linefeeds, and still others use a combination of the two. The problem is that if you load an ASCII file with one type of end-of-line indicator into a word processor that uses another, you can get unexpected results.

Thus, you may want a utility to strip or add carriage returns or linefeeds. Fixup is a public domain utility for the Macintosh that can strip linefeeds and carriage returns from a file, or convert one to the other. Another Mac utility, a shareware program called Macify, lets you perform all sorts of transformations and conversions on text files. Other systems have similar utilities available (e.g., Strips for the Atari ST and CR for DOS).

Converting text files is important for many applications, especially word processing, but text file transfers have limited utility. For one thing, the files lose most of their original formatting in the transfer.

Picture Perfect

Although you can easily transfer graphics data from one machine to another, you will need specialized conversion utilities to convert it into a format that the target machine can use. For example, SHRConvert for the Apple IIGS lets you load and view Amiga, Atari ST, and Macintosh picture files and save them in IIGS-compatible format. Picswitch for the Atari ST does the same thing with Macintosh and Amiga files, while Mac-view (for Macintosh pictures) and Am-GIF (for GIF files) provide this function on the Amiga.

These file converters and others are available as public domain and shareware programs. More powerful conversion utilities are available from commercial software sources. For example, Mac-LinkPlus/Translators from DataViz performs 76 specific DOS-to-Mac and 76 Mac-to-DOS conversions. As computers become more graphics oriented, the need for graphics-conversion utilities will increase.

Miraculous Conversions

Although the explicit conversion of files from one format to another is often necessary, it isn't the most convenient route to take. The best route is implicit conversion, where the application does the conversion for you. In other words, the applications you use load and convert file formats automatically.

Many word processors and spreadsheets let you load and save files created by other programs. Many spreadsheets and database programs also support the DIF format, a specialized text file format that is useful for transferring text data in a row-and-column format. DIF files, however, cannot contain formatting information.

Of course, the situation is even easier if you're using the same program on two different computers. However, it's not always easy to find a product that runs on the particular computers you have. For example, only one major application, WordPerfect, runs on all five of the computer systems highlighted here. While there are many applications that span the Mac/DOS gap, only a few of these are also available on the Atari ST, Apple IIGS, or Amiga.


The fact that most ST, IIGS, and Amiga developers are smaller and have less clout than the major DOS and Mac software companies makes it imperative that they provide for the import and export of files created by DOS and Mac applications. While the ST, IIGS, and Amiga all have areas where they surpass the capabilities of the more popular business machines, the onus of providing interoperability with major business applications falls on them.

The Payoff

Interoperability is not an ideal solution; in fact, it is often a frustrating process. You may have to dig deep to find conversion utilities or applications to match your needs. In some cases, the necessary utilities and applications may not yet exist.

So why bother? Because, in the long run, interoperability greatly expands your computing options. Imagine being able to take advantage of the MIDI capabilities of the Atari ST, the video and animation power of the Amiga, or the educational software available for the Apple IIGS—without sacrificing the ability to bring work home. Incompatibility does not have to be an obstacle; it can be an opportunity. ■

Bob Ryan is a BYTE technical editor. You can reach him on BIX as "b.ryan."




THE NEW MICRO-CAP III.TM SO YOU CAN TEST-FLY EVEN MORE MODELS.

It wasn't easy. But we did it. Made the long-time best-selling IBM® PC-based interactive CAE tool even better.


Take modeling power. We've significantly expanded math expression capabilities to permit comprehensive analog behavioral modeling. And, beyond Gummel Poon BJT and Level 3 MOS, you're now ready for nonlinear magnetics modeling. Even MESFET modeling.

Analysis and simulation is faster, too. Because the program's now in "C" and assembly language. That also means more capacity — for simulating even larger circuits.


As always, count on fast circuit creation, thanks to window-based operation and a schematic editor. Rapid, right-from-schematics analysis — AC, DC, Fourier and transient — via SPICE-like routines. The ability to combine digital/analog circuit simulations using integrated switch



Transient analysis



Schematic editor



Monte Carlo analysis

models and parameterized macros. And stepped component values that streamline multiple-plot generation.

And don't forget MICRO-CAP III's extended routine list — from impedance, Nyquist diagrams and BH plots to Monte Carlo for statistical analysis of production yield. The algebraic formula parsers for plotting virtually any function. The support for Hercules, CGA, MCGA, EGA and VGA displays. Output for plotters and laser printers.

Cost? Still only \$1495. Evaluation versions still only \$150. Brochure and demo disk still free for the asking. Call or write for yours today. And see how easily you can get ideas up and flying.

spectrum

1021 S. Wolfe Road
Sunnyvale, CA 94086
(408) 738-4387

Circle 265 on Reader Service Card

1-Megabyte Life Support

Listed below are the commercial products mentioned in this *Life Within 1 Megabyte In Depth*. The public domain and shareware products mentioned in the section are available on many BBSes and information services.

- AboveBoard Plus** \$695
Intel Corp.
3065 Bowers Ave.
Santa Clara, CA 95051
(408) 987-8080
Inquiry 1051.
- Adobe Type Manager (ATM)** .. \$99
Adobe Systems, Inc.
1585 Charleston Rd.
P.O. Box 7900
Mountain View, CA 94039
(800) 344-8335
Inquiry 1052.
- All ChargeCard**..... \$499
All Computers
1220 Yonge St., Second Floor
Toronto, Ontario,
Canada M4T 1W1
(416) 960-0111
Inquiry 1053.
- AlphaWorks** \$195
Alpha Software Corp.
One North Ave.
Burlington, MA 01803
(800) 451-1018
(617) 229-2924
Inquiry 1054.
- A-Max** \$199.97
ReadySoft
30 Wertheim Court, Suite 2
Richmond Hill, Ontario,
Canada L4B 1B9
(416) 731-4175
Inquiry 1055.
- ARC 6.02**..... \$50
System Enhancement Associates
21 New St.
Wayne, NJ 07470
(201) 694-4710
Inquiry 1056.
- A2088** \$699.95
A2286 \$1599
Commodore Business Machines
Computer Systems Division
1200 Wilson Dr.
Brandywine Industrial Park
West Chester, PA 19380
(215) 431-9100
Inquiry 1057.
- BetterWorking
Eight-in-One**..... \$59.95
Spinnaker Software Corp.
One Kendall Sq.
Cambridge, MA 02139
(800) 826-0706
(617) 494-1200
Inquiry 1058.
- CrossDOS** \$30
Consultron
11280 Parkview
Plymouth, MI 48170
(313) 459-7271
Inquiry 1059.
- Dr. Switch**..... \$59.95
Black & White International, Inc.
P.O. Box 1040
Planetarium Station
New York, NY 10024
(212) 787-6633
Inquiry 1060.
- Headroom**..... \$129.95
Helix Software
83-65 Daniels St.
Briarwood, NY 11435
(718) 262-8787
Inquiry 1061.
- LapLink-Mac 2.0**..... \$139.95
Traveling Software, Inc.
18702 North Creek Pkwy.
Bothell, WA 98011
(800) 343-8080
(206) 483-8088
Inquiry 1062.
- Lotus 1-2-3** \$595
Lotus Development Corp.
55 Cambridge Pkwy.
Cambridge, MA 02142
(617) 577-8500
Inquiry 1063.
- MacLinkPlus/Translators** \$169
DataViz, Inc.
35 Corporate Dr.
Trumbull, CT 06611
(203) 268-0030
Inquiry 1064.
- MacsBug 6.1** \$35
MPW C 3.0 \$150
MPW Shell \$100
ResEdit 1.2 \$25
SuperDrive from \$499
Apple Computer, Inc.
20525 Mariani Ave.
Cupertino, CA 95014
(800) 282-2732
(408) 996-1010
Inquiry 1069.
- Mac286** \$1599
Orange Micro
1400 North Lakeview Ave.
Anaheim, CA 92807
(714) 779-2772
Inquiry 1065.
- Manifest**..... \$59.95
QEMM..... \$99.95
GRAM..... \$79.95
Quarterdeck Office Systems
150 Pico Blvd.
Santa Monica, CA 90405
(213) 392-9851
Inquiry 1188.
- MasterJuggler**..... \$89.95
ALSoft, Inc.
P.O. Box 927
Spring, TX 77383
(713) 353-4090
Inquiry 1066.
- Memory Master**..... \$49.95
Vericom
8825 Aero Dr., Suite 210
P.O. Box 23360
San Diego, CA 92123
(619) 277-0400
Inquiry 1067.
- Move'em** \$89
386Max \$129.95
Qualitas, Inc.
7101 Wisconsin Ave., Suite 1386
Bethesda, MD 20814
(800) 733-1377
(301) 907-6700
Inquiry 1068.

NetWare for Macintosh \$200
Novell, Inc.
122 East 1700 South
Provo, UT 84601
(801) 379-5900
Inquiry 1070.

OmniView \$79.95
Sunny Hill Software
10121 Evergreen Way, Suite 259
Everett, WA 98204
(916) 541-8702
Inquiry 1180.

PageMaker 3.0 \$595
Aldus Corp.
411 First Ave. S
Seattle, WA 98104
(206) 622-5500
Inquiry 1181.

PAK 2.10 from \$15
NoGate Consulting
P.O. Box 88115
Grand Rapids, MI 49518
(616) 455-6270
Inquiry 1182.

PC Speed \$399.95
Michtron
576 South Telegraph Rd.
Pontiac, MI 48053
(313) 334-5700
Inquiry 1183.

PC Transporter \$499
Applied Engineering
P.O. Box 5100
Carrollton, TX 75011
(214) 241-6060
Inquiry 1184.

PC Works \$149
Windows from \$99
Microsoft Corp.
16011 Northeast 36th Way
P.O. Box 97017
Redmond, WA 98073
(206) 882-8080
Inquiry 1199.

PFS:First Choice \$169
Software Publishing Corp.
1901 Landings Dr.
P.O. Box 7210
Mountain View, CA 94039
(415) 962-8910
Inquiry 1185.

PKzip 1.02 \$47
PKware, Inc.
7545 North Port Washington Rd.
Glendale, WI 53217
(414) 352-3670
Inquiry 1186.

PopDrop Plus \$99.95
BLOC Publishing Corp.
800 Southwest 37th Ave., Suite 765
Coral Gables, FL 33134
(800) 888-2562
(305) 445-0903
Inquiry 1187.

RAMpage Plus from \$595
AST Research, Inc.
16215 Alton Pkwy.
P.O. Box 19658
Irvine, CA 92713
(714) 727-4141
Inquiry 1189.

Referee \$69.95
Persoft, Inc.
465 Science Dr.
Madison, WI 53711
(800) 368-5283
(608) 273-6000
Inquiry 1190.

Software Carousel \$89.95
SoftLogic Solutions, Inc.
One Perimeter Rd.
Manchester, NH 03103
(800) 272-9900
(603) 627-9900
Inquiry 1191.

Spectre GCR \$299
Gadgets by Small
40 West Littleton Blvd.,
Suite 210-211
Littleton, CO 80120
(303) 791-6098
Inquiry 1192.

Suitcase II \$79
Fifth Generation Systems, Inc.
10049 North Reiger St.
Baton Rouge, LA 70809
(800) 873-4384
(504) 291-7221
Inquiry 1193.

Switch-It \$99.95
Better Software Technology, Inc.
55 New York Ave.
Framingham, MA 01701
(508) 879-0744
Inquiry 1194.

Think C 4.0 \$249
Symantec Corp.
135 South Rd.
Bedford, MA 01730
(800) 441-7234
(800) 626-8847
Inquiry 1195.

386si \$595
SOTA Technology
559 Weddell Dr.
Sunnyvale, CA 94089
(408) 245-3366
Inquiry 1196.


TMON 2.8.3 \$149.95
ICOM Simulations
648 South Wheeling Rd.
Wheeling, IL 60090
(708) 520-4440
Inquiry 1197.

Vcache \$59.95
Golden Bow Systems
2665 Ariane Dr., Suite 207
San Diego, CA 92117
(619) 483-0901
Inquiry 1198.

X-Bandit for AT \$259
X-Bandit for XT \$229
Teletek Enterprises, Inc.
4600 Pell Dr.
Sacramento, CA 95838
(916) 920-4600
Inquiry 1200.

Inclusion in the resource guide should not be taken as a BYTE endorsement or recommendation. The information here was believed to be accurate at the time of writing, but BYTE cannot be responsible for omissions, errors, or changes that occur after compilation of the guide.

Take any 3 books for only \$1⁰⁰ each



when you join
BYTE Book Club[®]
 VALUES UP TO \$141.45!

OS/2 PROGRAMMER'S GUIDE. By E. Iacobucci. 1100 pp., illus., softbound. "Byte" magazine called it "a necessity." This giant reference explains all the basic functions you'll need, with emphasis on such new or different functions as multitasking and memory management.
 881300-X Pub. Pr., \$29.95

INTRODUCING PC-DOS & MS-DOS, Second Ed. By T. Sheldon. 403 pp., illus., softbound. This Second Edition covers all releases through 4.0, as well as Microsoft Windows and DOS-SHELL. Features the same hands-on tutorial format of the First Edition, with expanded coverage of batch file techniques that can dramatically increase your computing speed.
 565/651 Pub. Pr., \$27.95

LOCAL AREA NETWORKS: Architectures and Implementations. By J. Martin, with K. K. Chapman. 353 pp., illus. An indispensable reference for all who buy, install, maintain, or manage LAN services. Provides complete coverage of the concepts, architectures, and implementations of LAN technology.
 584900-3 Pub. Pr., \$40.00

A PROFESSIONAL'S GUIDE TO SYSTEMS ANALYSIS. By M.E. Modell. 307 pp., illus. Detailed coverage of what you need to know—what questions to ask, how to conduct a cost-benefit analysis, how to document and validate your findings—to design the best systems for your user's needs.
 426/325 Pub. Pr., \$34.95

ADVANCED GRAPHICS IN C: Programming and Techniques. By N. Johnson. 430 pp., illus., softbound. Now C programmers can write crisp graphics programs for the IBM-PC using the IBM EGA (Enhanced Graphics Adaptor) or the AT&T Image Capture Board (ICB). Includes GRAPHIQ, a complete C graphics toolkit.
 881257-7 Pub. Pr., \$22.95

- Your one source for computer books from over 100 different publishers
- the latest and best information in your field
- discounts of up to 40% off publishers' list prices

ADVANCED TURBO C. By J. T. Smith. 256 pp., illus., softcover. Mastering Turbo C has never been easier. Crystal-clear answers to all your questions are supplemented by fully-documented programming examples. Coverage includes string processing, screen handling with *Turbo C Tools*, keyboard input, file handling, memory management, interrupt services, and much more.
 587/078 Pub. Pr., \$24.95

THE WAITE GROUP'S MICROSOFT C BIBLE. By N. Barkakati. 787 pp., illus., softbound. The complete guide to all 370 functions, with purpose, syntax, example call, includes, common uses, returns, comments, cautions, and "see also" references for each function. Also features two handy tutorials on C basics and the C 5.1 compiler, as well as compatibility checks for all other C compilers.
 584830-9 Pub. Pr., \$24.95

THE PAUL MACE GUIDE TO DATA RECOVERY. By P. Mace. 352 pp., illus., softbound. An indispensable guide to restoring vanished files and coping with virtually every type of data loss emergency. You get clear, step-by-step instructions for restoring deleted files or directories, recovering lost or damaged Lotus 1-2-3 files, what to do when your disk won't boot, and much, much more.
 584926-7 Pub. Pr., \$21.95

THE NEW DOS 4.0. By K. W. Christopher, Jr., B. A. Feigenbaum, and S. O. Saliga. 535 pp., illus., softbound. Practical advice from IBM's own DOS 4.0 developers to help you harness more PC power and versatility. Covers SELECT, the DOS Command Prompt, batch filing, Command Line Redirection, the EDLIN Line Editor, and much more.
 584889-9 Pub. Pr., \$22.95

EGA/VGA: A Programmer's Reference Guide. By B.D. Kliever. 269 pp., illus., softbound. All the practical guidelines are right here for learning the ins and outs of the Enhanced Graphics Adaptor—one of the most popular PC add-on boards available—and its PS/2 counterpart, the Video Graphics Array. It's filled with innovative programming techniques . . . tips for working around the bugs in the BIOS . . . and EGA/VGA BIOS calls not available elsewhere.
 350/892 Pub. Pr., \$29.95

DATABASE SYSTEM CONCEPTS. By H. F. Korth and A. Silberschatz. 546 pp., illus. From fundamental concepts to advanced problem solving, this book provides a clear understanding of the design and use of database systems. Also demonstrates the best ways to protect data from unauthorized access and malicious or accidental alteration or destruction.
 447/527 Pub. Pr., \$46.95

ARTIFICIAL INTELLIGENCE USING C: The C Programmer's Guide to AI Techniques. By H. Schildt. 412 pp., 37 illus., softbound. This hands-on guide shows you how to create your own AI applications and systems using C. After an introductory overview it provides coverage of expert systems, logic, natural language processing, machine learning, pattern recognition, and more, with ready-to-run programs illustrating each topic.
 881255-0 Pub. Pr., \$21.95

PROGRAMMING USING THE C LANGUAGE. By R.C. Hutchison and S.B. Just. 519 pp., illus. Whether you want to understand programs in C written by others, or write better C programs of your own, this practical, authoritative book gives you the tools and guidance you need. Coverage includes program organization, sorting algorithms, recursion, linked lists, and more—with many sample programs.
 315/418 Pub. Pr., \$29.95

LIFE WITH UNIX: A Guide for Everyone. By D. Libes and S. Reissler. 346 pp., illus., softbound. A practical, readable sourcebook that gives you the information you need to use UNIX effectively. Provides a thorough examination of its advantages and disadvantages . . . analyses from the viewpoints of users, programmers, and administrators . . . and a complete guide to UNIX books, periodicals, users' groups, and shareware.
 585017-6 Pub. Pr., \$29.95

SECURITY IN COMPUTING. By C. P. Pfeleeger. 538 pp., illus. Here are the best ways to maintain the confidentiality and integrity of your computer system. This insightful guide helps you evaluate the security risks inherent in the computer tasks you perform and shows you exactly what you must do to make your operations secure.
 584941-0 Pub. Pr., \$44.00



PROGRAMMING WITH TURBO PASCAL. By D. Carroll.
852908-5 Pub. Pr., \$39.95

HIGH-SPEED ANIMATION & SIMULATION FOR MICROCOMPUTERS. By L. Adams.
583855-9 Pub. Pr., \$20.95

TURBO LANGUAGE ESSENTIALS: A Programmer's Reference. By K. Weiskamp, N. Shamma, and R. Pronk.
584905-4 Pub. Pr., \$24.95

HARD DISK MANAGEMENT WITH MS-DOS AND PC-DOS. By D. Gookin and A. Townsend.
583954-7 Pub. Pr., \$28.95

UNDERSTANDING & USING dBASE III® PLUS. By R. Krumm.
583940-7 Pub. Pr., \$22.95

32-BIT MICROPROCESSORS. Edited by H. J. Mitchell.
425/85X Pub. Pr., \$48.50

ADVANCED 80386 PROGRAMMING TECHNIQUES. By J. L. Turley.
881342-5 Pub. Pr., \$22.95

NETWORKING SOFTWARE. By C. B. Ungaro.
606969-9 Pub. Pr., \$39.95

THE DATABASE EXPERT'S GUIDE TO SQL. By F. Lusardi.
390/029 Pub. Pr., \$24.95

PRINCIPLES OF ARTIFICIAL INTELLIGENCE AND EXPERT SYSTEMS DEVELOPMENT. By D.W. Rolston.
536/147 Pub. Pr., \$44.95




APPLYING TURBO PASCAL LIBRARY UNITS. By N. Shamma.
584791-4 Pub. Pr., \$22.95

DATA STRUCTURES USING PASCAL, 2nd Ed. By A. M. Tenenbaum & M. J. Augenstein.
583738-2 Pub. Pr., \$46.00

MICROCOMPUTER LANS: Network Design and Implementation. By M.F. Hordeski.
584580-6 Pub. Pr., \$32.95

OPERATING SYSTEMS. By M. Milenkovic.
419/205 Pub. Pr., \$44.95

IBM PS/2: A Reference Guide. By T.J. Byers.
095/272 Pub. Pr., \$39.95



Any 3 books for \$1.00 each... If you join now and agree to purchase two more books— at handsome discounts—during your first year of membership.

MASTERING TURBO PASCAL 4.0, 2nd Ed. By T. Swan.
584762-0 Pub. Pr., \$22.95

DESIGNING USER INTERFACES FOR SOFTWARE. By J.S. Dumas.
584641-1 Pub. Pr., \$31.00

68000 ASSEMBLY LANGUAGE PROGRAMMING, 2nd Ed. By L. Leventhal; D. Hawkins; G. Kane & W. Cramer.
583817-6 Pub. Pr., \$28.95



C CHEST AND OTHER C TREASURES FROM DR. DOBB'S JOURNAL. Edited by A. Holub.
584807-4 Pub. Pr., \$24.95

CICS FOR MICROCOMPUTERS. By J. L. LeBert.
369/682 Pub. Pr., \$29.95

FILE ORGANIZATION FOR DATABASE DESIGN. By G. Wiederhold.
701/334 Pub. Pr., \$44.95

STRETCHING TURBO C. By K. Porter.
584967-4 Pub. Pr., \$24.95

New! BYTE LARGE SYSTEMS Books



MVS: Concepts and Facilities. By R. H. Johnson. 613 pp., illus. This comprehensive overview of IBM's mainframe operating system provides you with a crucial edge in MVS programming, management, and systems development. Covers processor complexes, MVS/XA and MVS/ESA, DASDs, the I/O subsystem, and much more.
326/738 Pub. Pr., \$39.95

CICS: Debugging, Dump Reading, Problem Determination. By P. Donofrio. 176 pp., illus. A long-needed, step-by-step troubleshooting guide for CICS programmers. Provides invaluable information on problem determination, interactive debugging, terminal autoinstall, service strategies, the new dump formatting routine, and dump reading procedures that will have you clearing up failures in no time.
176/06X Pub. Pr., \$39.95

Here's how BYTE Book Club® works to serve you:

- **Important information . . . we make it easy to get!** Today, professionals who perform best are those who are best informed. For reliable, hands-on information, turn to the Byte Book Club. Every 3 or 4 weeks (12-15 times a year), members receive the Club Bulletin offering more than 30 books — the best, newest, most important books from all publishers.
- **Dependable service . . . we're here to help!** Whether you want information about a book or have a question about your membership, just call us toll-free or drop us a line. To get only the books you want, make your choice on the Reply Card and return it by the date specified. If you want the Main Selection, do nothing — it will be sent to you automatically. (A small shipping and handling charge is added to each shipment.)
- **Club convenience . . . we do the work!** You get a wide choice of books that

simply cannot be matched by any bookstore. And all your books are conveniently delivered right to your door. You also get 10 full days to decide whether you want the Main Selection. (If the Club Bulletin ever comes late and you receive a Main Selection you don't want, return it for credit at our expense.)

- **Substantial savings . . . and a bonus program too!** You enjoy substantial discounts—up to 40%!—on every book you buy. Plus, you're automatically eligible for our Bonus Book Plan which allows you savings up to 70% on a wide selection of books.
- **Easy membership terms . . . it's worthwhile to belong!** Your only obligation is to purchase 2 more books — at handsome discounts — during the next 12 months, after which you enjoy the benefits of membership with no further obligation. You or the Club may cancel membership anytime thereafter.

Fill out the card and mail today! If the card is missing, write to:

BYTE Book Club,® P.O. Box 582, Hightstown, New Jersey 08520-9959
For faster service in enrolling, call 1-800-2-MCGRAW

BYCA-021

THE SPIRIT OF '86S

Rooted in PC compatibility, the Intel family tree has flourished, but a few competitive offshoots are taking root

Frank Hayes



ine years ago, IBM introduced the original PC with its Intel 8088 CPU. *IBM PC-compatible* has since become a household word, and CPUs that can run IBM PC-compatible software have proliferated—not just from Intel, but from other chip makers as well. That situation, in turn, has led to squabbles, sniping, and outright legal warfare among the half-dozen companies that make these CPUs (see “Battle of the Chips,” March 1989 BYTE).

But in spite of the plethora of Intel-compatible chips and conflicting claims, the family isn't as hard to get a handle on as you might think. Even with hot new chips like Intel's i486 (and promised future versions, including the i586 and i686), there are really only three major varieties of CPUs in PC-compatible desktop computers (see table 1). Which flavor should power the machine on your desk? That depends on what you need, how you'll use it, and how much you have to spend.

The Soul of a PC Machine

The most popular group of PC-compatible CPUs is still the original. Intel launched its 8088 CPU in 1978, and it became the brains for the IBM PC and XT. After a decade, the 8088 was no longer a big seller for Intel, but as many as half of all PCs sold today still run off an 8088-compatible chip. How is that possible? Just as there are plenty of PC clones on the market, there are lots of 8088 clones as well.

In fact, the original 8088 wasn't original at all. Intel's first version of the chip was the 8086—the company's first 16-bit CPU. The 8086 had a 16-bit data bus and could address up to 1 megabyte of memory with a 20-bit address bus. (By comparison, the chips that Intel was selling for desktop computers at the time, the 8080 and 8085, each had an 8-bit data bus and a 16-bit address bus and were limited to 64K bytes of memory.)

The 8088 was a low-end version of the 8086. Although it could address up to 1 megabyte of memory, the 8088 had only an 8-bit data bus. (In fact, Intel originally described the 8088 as an 8-bit CPU; only when IBM selected the chip for its original

PC did anyone start calling it a 16-bit CPU.)

Except for the difference in data-bus width, the two CPUs were virtually identical, although because of its extra speed in accessing data, the 8086 is somewhat faster when the two chips are operating at the same clock speed. The original IBM PC used an 8088 CPU running at 4.77 MHz—the slowest CPU in the line. Today, Intel sells 8088s with a clock speed of up to 8 MHz, and 8086s with a clock speed of up to 10 MHz.

In 1982, Intel introduced an enhanced version of the 8086—the 80186. Like the 8086, it has a 16-bit data bus and can address 1 megabyte of memory. The 80186 runs all 8088/8086 software, but it adds 10 new instructions. It also includes some special features, including an on-board clock and DMA channels—and it runs about 25 percent faster than an 8086 running at the same clock speed.

Like the 8086, the 80186 runs at up to 16 MHz. And like the 8086, there's a low-end version, the 80188, with an 8-bit data bus (and slightly slower performance because of it). But unlike the 8086 and 8088, the 80186 never made it big in the PC world. IBM didn't use the 80186 in any of its computers, and the few machines that did use the chip quickly faded from view. Today, though, it's finding new life as an embedded controller on Extended Industry Standard Architecture and Micro Channel add-in cards.

80286: The Next Generation

The next major upgrade after the 8088-compatible CPU was the Intel 80286. The 80286, which was the CPU that IBM chose for its AT computer, was the first 8086-compatible chip that included multitasking instructions. The 80286 can run all 8088 software and, unlike its predecessors, can address up to 16 megabytes of memory with its 24-bit address bus.

The 80286 also offers new instructions and a special “protected mode” that allows switching among several different concurrently running programs. When Microsoft and IBM began working on OS/2, a next-generation multitasking operating

continued




ILLUSTRATION: LYN BOYER-PENNINGTON © 1990

system that would push past the limitations of DOS, they designed it for the 80286.

Unfortunately, those multitasking features did not work quite as well as Intel originally planned. The problem showed up when switching between the 80286's real mode and protected mode. DOS programs would run properly under real mode, but switching between DOS programs required going to protected mode. But because of the placement of bits in the

80286's segment register, as soon as the CPU switched to protected mode, DOS programs would crash.

Programmers, including Microsoft's OS/2 programming team, had to write special code circumventing the hardware task switching, and the result was unsatisfactory multitasking performance. Although current versions of OS/2 will run on an 80286-based PC, future versions will require an 80386 CPU or higher.

IBM PC-COMPATIBLE CPUS

Table 1: IBM PC-compatible CPUs fall into three general categories: 8088-compatible CPUs (IBM XT), 80286 CPUs (IBM AT), and 80386/i486 CPUs.

Chip name	Maker	Bus specs	Address space	Maximum clock speed	Typical use
Group 1					
8088	Intel	8-bit data 16-bit internal	20-bit address (1 megabyte)	8 MHz	Low-end, single-user PCs, especially portables
8086	Intel	16-bit data 16-bit internal	20-bit address (1 megabyte)	16 MHz	Low-end, single-user PCs, especially portables
80188	Intel	8-bit data 16-bit internal	20-bit address (1 megabyte)	16 MHz	Embedded controller
80186	Intel	16-bit data 16-bit internal	20-bit address (1 megabyte)	16 MHz	Embedded controller
V20	NEC	8-bit data 16-bit internal	20-bit address (1 megabyte)	10 MHz	Low-end, single-user PCs, especially portables
V30	NEC	16-bit data 16-bit internal	20-bit address (1 megabyte)	10 MHz	Low-end, single-user PCs, especially portables
V25	NEC	8-bit data 16-bit internal	20-bit address (1 megabyte)	8 MHz	Embedded controller
V35	NEC	16-bit data 16-bit internal	20-bit address (1 megabyte)	8 MHz	Embedded controller
V40	NEC	8-bit data 16-bit internal	20-bit address (1 megabyte)	10 MHz	Embedded controller
V50	NEC	16-bit data 16-bit internal	20-bit address (1 megabyte)	10 MHz	Embedded controller
V33	NEC	16-bit data 16-bit internal	24-bit address (16 megabytes)	16 MHz	Single-user PCs (not 80286/386/i486-compatible)
V53	NEC	16-bit data 16-bit internal	24-bit address (16 megabytes)	16 MHz	Embedded controller
V60	NEC	16-bit data 32-bit internal	32-bit address (4 gigabytes)	16 MHz	Single-user PCs (not 80286/386/i486-compatible)
V70	NEC	32-bit data 32-bit internal	32-bit address (4 gigabytes)	20 MHz	Single-user PCs (not 80286/386/i486-compatible)
V80	NEC	32-bit data 32-bit internal	32-bit address (4 gigabytes)	33 MHz	Single-user PCs (not 80286/386/i486-compatible)
Group 2					
80286	Intel	16-bit data 16-bit internal	24-bit address (16 megabytes)	12 MHz	Single-tasking or multitasking PCs
80286	AMD	16-bit data 16-bit internal	24-bit address (16 megabytes)	16 MHz	Single-tasking or multitasking PCs
80286	Harris	16-bit data 16-bit internal	24-bit address (16 megabytes)	25 MHz	Single-tasking or multitasking PCs
Group 3					
80386SX	Intel	16-bit data 32-bit internal	32-bit address (4 gigabytes)	16 MHz	Single-tasking or multitasking PCs
80386	Intel	32-bit data 32-bit internal	32-bit address (4 gigabytes)	33 MHz	Single-tasking or multitasking PCs
i486	Intel	32-bit data 32-bit internal	32-bit address (4 gigabytes)	25 MHz	Single-tasking or multitasking PCs

An i486 blows the doors off the 80386 when it comes to heavy-duty number crunching.

Because of its problems with multitasking, the 80286 is commonly used as a fast version of the 8088. And it is very fast indeed. Running software at the same clock speed, an 80286 is roughly 2½ times as fast as an 8086. And the 80286's clock speed has risen steadily over the years. The Intel version topped out at 12 MHz, but other chip makers who build 80286s under license from Intel, including Advanced Micro Devices and Harris Semiconductor, have continued to build faster versions. AMD's fastest version is currently 16 MHz, and Harris recently introduced a 25-MHz version of the chip. (AMD plans to introduce a 25-MHz version this year.)

Just how fast is a 25-MHz 80286? At that speed, an 80286 runs DOS software about 12 times as fast as an original 4.77-MHz IBM PC. It also runs that software slightly faster than a 25-MHz 80386-based PC. In fact, for DOS software it's faster than anything but a 33-MHz 80386 or a 25-MHz i486. As a result, it's estimated that up to 40 percent of the PCs sold last year were based on the 80286.

It's tempting to include the NEC V33 and V53 in the same category as the 80286. Like the 80286, the V33 and V53 can address up to 16 megabytes of memory, and they run at speeds of up to 16 MHz. But these NEC chips handle the extra memory differently than an 80286, and they're not plug-compatible with the Intel, AMD, and Harris versions.

32 Bits and Counting

The third category of 8088-compatible CPUs is the Intel 80386—with the emphasis on *Intel*. When it created its new line of chips, Intel changed two things that corrected the 80286's problems with task switching.

First, Intel saw to it that the 80386's task switching worked correctly, making possible a whole new range of multitasking software. Second, Intel decided that, this time around, it wouldn't share the golden goose. Unlike the earlier chips in the line, the 80386 is sold exclusively by Intel. (IBM reportedly has a license to make the chips, but only for use in its own machines.)

A few other fundamental differences set the 80386 apart. It is a true 32-bit CPU with an extended register set (all earlier Intel CPUs are limited to a 16-bit register set), it has a 32-bit data bus, and it has a 32-bit address bus that can directly address up to 4 gigabytes of memory—256 times the size of the 80286's address space. With multitasking that works, you can carve that memory up into separate "virtual 8086s," each of which appears to the software to be a real 8086 with its own 1-megabyte address space. In its native mode, the 80386 can also make direct use of the full address space.

The 80386 is much better at task switching than the 80286. The newest version of OS/2 is designed to take advantage of the 80386's improved multitasking, and it makes use of those improvements—including the ability to run multiple DOS programs at the same time. However, the 80386 remains something of a design trade-off between the ability to run 8088 software and the ability to do multitasking. Nonmultitasking DOS software runs no faster on an 80386 than on an 80286 at the same clock speed, and in some cases it actually runs slower. However, the 80386 has the ability to run at speeds of up to 33 MHz.

There's also a version of the 80386 with only a 16-bit data bus—the 80386SX. Because of the narrower data bus, the 80386SX is slower than a regular 80386 running at the same clock speed. (Intel recently began referring to the full-size 80386 as the 80386DX, to contrast it with the SX.) The 80386SX is also limited to a 16-MHz clock speed, although a 20-MHz version is expected soon.

The Intel i486 makes no such compromises. It is an enhanced version of the 80386 that includes its own coprocessor for performing floating-point operations, an on-board cache, and pipelined instruction execution. (Earlier chips used separate coprocessors. See the text box "Successful FLOPS" on page 270.) Theoretically, the i486 was designed to be completely compatible with the 80386, but in practice there are a few minor differences.

The i486 runs significantly faster than an 80386—about 40 percent faster at the same clock speed—and programmers can squeeze an extra 10 percent to 15 percent performance out of the i486 by using a compiler that optimizes instruction ordering for the i486's pipelining system. As a result, a 25-MHz i486 runs as fast as or faster than a 33-MHz 80386. The i486 also has a spectacularly fast FPU built in, a feature that makes it a better choice for number crunching than even the fastest 80386. The i486 runs at 25 MHz, with a 33-MHz version expected by the end of this year.

In fact, i486-based machines may soon provide the best cost/performance of any PC-compatible computers. The i486, which includes its own FPU and on-board cache, costs about the same as a 33-MHz 80386, an 80387 FPU, and a cache controller. But an i486 blows the doors off that same 80386, as well as anything else, when it comes to heavy-duty number crunching (see table 2). And the promised 33-MHz version will be 30 percent faster still.

Trouble in Paradise

Intel has vowed that, with the 80386 line, it's finally got it right. The company says it doesn't plan major design changes for its CPU line before the year 2000, so software written for the 8088, 80286, and 80386 should run on all compatible CPUs that Intel introduces for the next 10 years.

If that claim sounds like paradise for those making software decisions, it may be; there's no danger that Intel will suddenly make your version of Lotus 1-2-3 incompatible with its CPUs.

continued

LOW-LEVEL BENCHMARKS

Table 2: A comparison of the low-level benchmarks for some typical systems using four of the major current chips. Note that the 33-MHz 80386 is roughly comparable to the 25-MHz 486 machines.

	Dell 200 286	ALR FlexCache 33/386	Compaq 386s 386SX	IBM 70/A21 i486	Apricot i486
CPU	1.60	6.74	1.86	5.29	6.69
FPU	1.72	15.66	5.03	21.39	21.77

Indexes show relative performance; for all indexes, an 8-MHz IBM AT = 1.

Apple SCSI: Not Quite Standard

Apple was among the first major microcomputer manufacturers to implement SCSI. Unfortunately, as many experimenters and systems integrators have found out, "Apple SCSI" isn't the same as many other manufacturers' SCSI, and peripheral vendors often need to prepare special versions of their products to accommodate quirks of the Macintosh.

What's different about Apple SCSI? The first difference revolves around a SCSI feature called the *unit attention condition*, which was optional in the original SCSI specification and is mandatory in SCSI-2.

A device on the SCSI bus enters the unit attention condition whenever it or the bus has undergone a hard reset, a power-on reset, or a reset generated by a BUS DEVICE RESET message. It can also happen in certain other cases—for instance, when the medium on the device is changed.

When a device is in the unit attention condition, it wants to tell the next initiator that contacts it that the event occurred. To do this, the device examines the next command received and checks to see if it's one of two that poll the status of the device: INQUIRY and RE-

QUEST SENSE. If the command is one of these two, there's no problem; the device sends back its status (which reflects the event) and exits the unit attention condition.

What if another kind of command arrives? In this case, the device refuses it and sends back a check-condition status code, a signal that the initiator should look at the device's status before issuing any other commands. The status code is sent back only once; if the initiator chooses to ignore the condition, it can reissue the command and it will be executed.

This feature, which seems like a sensible way to do things, causes boot-up failures when used with Apple's current ROMs. At boot-up time, the ROM code tries to read bootstrap information from each SCSI device on the bus. Alas, it tries each device only once, going on to the next device if the command is refused. Then, if it can't read from any of the devices on the SCSI bus, it resets the bus (causing all the devices to reenter the unit attention condition) and tries again.

To accommodate this quirk of Apple SCSI, manufacturers have produced special versions of their drives that

either don't implement the unit attention condition or provide a means of turning it off, usually via a jumper on the controller board.

Apple SCSI has some other idiosyncrasies as well. Some of the earlier SCSI Macs didn't provide a way for the SCSI controller to generate interrupts on the host CPU, so it wasn't possible to make the 68000 handle the SCSI bus's REQ/ACK handshaking properly. Apple therefore implemented "blind" SCSI reads and writes, which ignore the handshaking lines on the assumption that the remote device will always be able to handle transfers at a certain data rate. This assumption holds for most devices. But in some cases, the software may have to poll the SCSI port instead.

Termination on Apple SCSI is also unusual. All SCSI buses must be terminated at both ends. However, some Macs (e.g., the Mac SE) have had power supplies that were too weak to power a terminator. For this reason, you may need to add one or two external terminators (but never more than two) when connecting SCSI equipment to a Mac. The somewhat complex rules for how and when to add them take a few pages in Apple's manuals.

look precisely like a standard IBM machine in order to run. ATA and EATA (the Extended AT Bus Attachment specification) show vendors how to create interfaces for SCSI, ESDI, and other kinds

of peripherals and cause the operating-system software to "accept" them as if they were the more usual adapters.

If CAM is extended to its logical conclusion, it may be used as a complete

computer I/O system rather than just a way to share SCSI devices.

SCSI-2 and Beyond

SCSI-2 evolved from the original SCSI specification (SCSI-1) as a way to provide more features, higher data transfer rates, and greater compatibility among SCSI devices. Unlike SCSI-1, SCSI-2 makes parity, arbitration, a basic set of SCSI messages, and the common command set mandatory. It standardizes the way bus terminators are powered and provides two optional enhancements that can greatly increase throughput: fast SCSI and wide SCSI.

Fast SCSI dramatically increases the synchronous transfer rate over a SCSI bus. It lets the target and the initiator negotiate transfer rates of up to 10 million transfers per second, compared to a maximum of 4 million transfers per second under SCSI-1. This option works only on

continued

STATUS BYTE CODES

Each command returns a status byte on completion.

Bit								Status
7	6	5	4	3	2	1	0	
R	R	0	0	0	0	0	R	Good.
R	R	0	0	0	0	1	R	Check condition.
R	R	0	0	0	1	0	R	Condition met.
R	R	0	0	1	0	0	R	Busy.
R	R	0	1	0	0	0	R	Intermediate.
R	R	0	1	0	1	0	R	Intermediate condition met.
R	R	0	1	1	0	0	R	Reservation conflict.
R	R	1	0	0	0	1	R	Command terminated (SCSI-2 only).
R	R	1	0	1	0	0	R	Queue full (SCSI-2 only).

If you need disk performance, PSI's got your number...



50 GigaBytes of Storage

The hyperSTORE supports an incredible 50.4 GigaBytes of high performance on-line storage using today's drive technology. And as drive standards and capacities improve, the unique *controller plus Mediadapter™* design protects your investment by allowing you to add new drive interfaces.

28 Hard Disk Drives

The hyperSTORE controls up to 8 MFM, RLL, or ESDI drives, up to 28 SCSI drives, or any combination of drives, each group on an independent interface for improved performance through *true simultaneous operation*. And all drives are cached in the hyperSTORE's on-board cache memory.

20 MegaBytes of Cache

Add as little as 512KBytes of RAM to a zero-K hyperSTORE and enter the fast lane of computing. As your needs increase, simply plug in standard SIMM memory to add to the cache. After filling the 4MByte on-board capacity, our 16MByte expansion card brings the total to 20MBytes.

4 MegaBytes per Second

Data transfer rates of 4MBytes/second burst and over 2.5MBytes/second *sustained* make your disk-intensive applications run amazingly fast. Imagine jobs that used to take an hour, now taking as little as seven minutes. That's the kind of real-world performance the hyperSTORE delivers.

4 Interface Standards

Mediapters allow the hyperSTORE to *concurrently* control MFM, RLL, ESDI, and SCSI drives. So you can mix and match to build the ideal controller for *your* application. And when you add a new drive, you can upgrade to the latest technology without throwing away your old drives.

2 Compatibility Modes

Select WD-1003 mode for 100% compatibility with standard operating systems like Unix, Xenix, and Netware-386. Or switch to native mode and take advantage of the benefits provided by our SSP (Standard Storage Protocol) interface under DOS, PC-MOS, Windows, and Netware-286.

PSI

hyperSTORE-1600™ Dual-Mode Caching Disk Controller

Perceptive Solutions, Inc. · 1509 Falcon, Suite 104 · DeSoto, Texas 75115
(800) 343-0903 · (214) 954-1774 · Fax: (214) 953-1774
European Inquiries: ISM · 415-284-9505 · Fax: 415-284-3238

©1989 by PSI. All rights reserved. hyperSTORE, Mediadapter, and the PSI logo are trademarks of Perceptive Solutions, Inc. Other brand and product names are trademarks or registered trademarks of their respective companies. Specifications subject to change. Ad Code: PW9001.

Domestic inquiries: Circle Reader Service No. 314

International inquiries: Circle Reader Service No. 315

BYTE

ADDED SUBSCRIBER CONVENIENCE

In order to serve you better, we've expanded our hours.

You may now call between the hours of 9 AM and 8 PM EST Monday through Friday.

USA 800-232-2983
OTHER 609-426-7676



PREFER TO WRITE?

Our address is:
BYTE Magazine
Subscriber Service
P.O. Box 555
Hightstown NJ 08520



Sources

The SCSI specification is available for \$25 from the American National Standards Institute, 1430 Broadway, New York, NY 10018, (212) 642-4900.

The X3T9.2 committee working documents, CAM committee documents, and the most current draft of the SCSI-2 specification are available for downloading from the SCSI BBS at (316) 636-8700 (300, 1200, or 2400 bps; 24 hours).

A paper copy of the SCSI-2 draft specification is available for \$60 from Global Engineering Documents, 2805 McGaw Ave., Irvine, CA 92714, (800) 854-7179 or (714) 261-1455.

differential cabling, however; single-ended SCSI doesn't have good enough transmission-line characteristics to support it.

Wide SCSI increases the width of the SCSI data path to 16 or 32 bits. The origi-

nal SCSI cable becomes the A cable, and a new one, which carries additional data lines, is called the B cable. When wide and fast SCSI are used together, transfer rates of 40 megabytes per second are possible. To handle tight spaces and increased numbers of pins, SCSI-2 adds high-density connectors.

SCSI-2 provides explicit support and standard commands for CD-ROMs, scanners, WORM and read/write optical disks, "jukebox" disk changers, and communications ports.

By the time you read this, the SCSI-2 specification will have finished a four-month review period. In the meantime, work is already starting on SCSI-3, which may include such innovations as fiber-optic SCSI and automatic configuration.

Manufacturers, however, haven't waited for the SCSI-2 specification to receive final approval before implementing it. Many disk drive manufacturers, such as Imprimis Technology, have already begun to sell drives billed as SCSI-2-compatible (although I'm not aware of any that implement 16- or 32-bit data paths yet).

continued




Figure 3: How the common access method provides a common interface to the SCSI bus and, possibly, even non-SCSI peripherals. The operating system, a device driver, or an application sends a CAM control block (CCB) to the transport (XPT) layer of the CAM software. The XPT routes the request to another layer of software, the SCSI interface module (SIM), which in turn talks to the host bus adapter (HBA) or other hardware/software modules. EATA is the Extended AT Bus Attachment specification. (Figure adapted from information supplied by Dal Allen of ENDL Consulting and the CAM committee)

Up to date. Down to earth.

Changing the world. UNIX is changing the world of computers, the world of business — quite simply, changing the world. It's revolutionizing office automation. It's required for U.S. government computer contracts. It's the backbone of information strategies worldwide.

The information you need. That's why you need *UNIXWORLD* — the magazine that keeps you up to date on the rapidly changing world of open systems computing. Each issue brings you the latest product trends and technical advances that can affect your business. The inside story on some of the world's

biggest high-tech companies. Easy-to-understand programming tips and tutorials that can help you and your company use UNIX to its fullest. And unbiased hardware and software reviews to help you invest wisely when you buy.

The whole UNIX-verse.

UNIXWORLD's in-depth features go beyond dry technical facts, to show how the pieces fit together — to tell you what's important about the advances and the strategies that are changing your world. And *UNIXWORLD* consistently offers the freshest, most down-to-earth writing you'll find in any computer publication.

Subscribe and Save. Subscribe today, and receive the next 12 issues of *UNIXWORLD* for just half the regular newsstand price. Save even more by ordering for two or three years. You can't lose — every subscription to *UNIXWORLD* comes with a no-risk guarantee.*

1 year \$18.00 (save 50%)
2 years \$32.00 (save 55%)
3 years \$42.00 (save 60%)

**Subscribe now! Call toll-free:
1-800-341-1522**

UNIXWORLD

If you're into UNIX, you need *UNIXWORLD* MAGAZINE.

UNIX is a registered trademark of AT&T. UNIX WORLD is not affiliated with AT&T.

**UNIXWORLD*'s no-risk guarantee: If not satisfied, cancel and receive a full refund for the balance of your subscription.

A McGraw-Hill publication

World Radio History

SCSI in the Real World

SCSI is becoming more and more pervasive as a standard for interfacing different vendors' hardware to a wide variety of peripheral devices. Chances are that if you own a Sun workstation, a Macintosh, a NeXT cube, an Atari ST, or an Amiga with a hard disk drive, you're already using SCSI—although you may not know it. And while the IBM PC never "officially" supported SCSI while IBM was in control of the standard, many PC-

compatible devices do in fact use the SCSI bus.

All models of Iomega's Bernoulli Box (also resold by Tandy) use SCSI. Two new high-density 3½-inch floppy disk drives—Insite Peripherals' Floptical drive and a competitive all-magnetic drive from Brier Technology—are SCSI devices. Many intelligent caching disk drive controllers, especially those intended for network servers with large numbers of disk drives, use SCSI to talk

to the drives. Even IBM, a longtime holdout in the SCSI world, sells a SCSI-compatible WORM drive (manufactured by Matsushita) and has demonstrated a bus-master SCSI adapter for the Micro Channel. Almost all WORM and CD-ROM drives interface to hosts via SCSI.

The range of SCSI peripherals isn't limited to disk drives. Many cartridge and nine-track tape units, especially high-end models, use SCSI. Apple offers a version of the LaserWriter—the IISC—with a SCSI. This eliminates the main bottleneck in Mac systems that have to print large bit maps: the relative slowness of the LocalTalk interface.

Because Apple's low-end Macs have one or no internal slots for peripherals but do have SCSI adapters, vendors of other kinds of devices (e.g., network adapters) have begun to provide products with SCSI adapters. If this trend continues SCSI may succeed as a general-purpose desktop I/O bus.

Compatibility

With the advent of the common command set, CAM, and SCSI-2, SCSI peripherals should be able to plug and play with virtually any system. Before they can, however, manufacturers will need to understand, embrace, and implement these new standards. For instance, Apple is aware that the software that manages the SCSI ports on the Mac isn't compatible with all devices (see the text box "Apple SCSI: Not Quite Standard" on page 294). Apple should catch up with the rest of the industry when System 7.0 ships sometime this year.

The future of SCSI looks bright, as more and more manufacturers incorporate it into their systems. Even IBM is expected to launch SCSI storage products for its PS/2 line this year. But whether Big Blue joins the party or not, it's clear that this worthy descendant of one of IBM's own I/O buses is likely to remain a popular interface option for a long time to come. ■

ACKNOWLEDGMENT

Many thanks to John Lohmeyer, chairman, and Dal Allen, vice-chairman, of the ANSI X3T9.2 committee for invaluable help in preparing this article.

L. Brett Glass is a freelance programmer, author, and hardware designer residing in Palo Alto, California. He can be reached on BIX as "glass."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

8051 68HC11
THE LEADING IN-CIRCUIT EMULATOR TECHNOLOGY.

Nohau EMUL-PC, the PC based in-circuit emulators which find bugs other emulators can't.

- Very easy to learn and use.
- Source Level Debugging in C or PL/M.
- 48 bits wide 16K deep trace buffer.
- Complete 8051 family and 68HC11 family support.

CALL TODAY FOR YOUR FREE VIDEO AND SOFTWARE DEMO (408) 866-1820.

NOHAU
Nohau Corporation
51 E. Campbell Ave.
Campbell, CA 95008
Tel. (408) 866-1820
Fax. (408) 378-7869

Australia (02) 654 1873, Austria (0222) 38 76 38, Benelux + 31 1858-16133, Canada 514 689-5889, Denmark (02) 65 81 11, Finland 90-452 1255, France (01)-69 412 801, Great Britain 0962-73 31 40, Israel (03) 48 48 32, Italy (011) 771 00 10, Korea (02) 784 784 1, New Zealand (09) 392-464, Portugal (01) 83 56 70, Sweden, Norway (040) 92 24 25, Singapore 065 284-6077, Spain (93) 217 2340, Switzerland (01) 740 41 05, Taiwan (02) 7640215, Thailand (02) 281-9596, West Germany 08131-1687, USA FAX (408) 378-7869.

Now Available
Activator/M™
with
Programmable
Memory



Natural selection provides unique passive protection for the porcupine.

The Activator - Natural Selection For Software Protection



Inventor and entrepreneur Dick Erett explains how "The Activator" provides sane protection for your intellectual property.

"In any industry, just as in nature, the process of natural selection raises one solution above another. Natural selection is the most elegant of engineers.

In the area of software protection The Block has been selected by the marketplace as the solution that works. Over 500,000 packages are protected by our device.

For the past 4 years our philosophy has been; 'You have the right and obligation to protect your intellectual property.'

A New Ethic For Software Protection

In allowing end-users unlimited copies of a software package and uninhibited hard disk and LAN operation, The Block has created a new ethic for software protection.



By removing protection from the magnetic media we remove the constraints that have plagued legitimate users.

They simply attach our key to the parallel port and forget it. It is totally transparent, but the software will not run without it.

A New Technology For Software Protection

Our newest model, The Activator, builds on our current patented design, and establishes an unprecedented class of software protection.

We have migrated and enhanced the circuitry of The Block to an ASIC (Application-Specific Integrated Circuit) imbedded in The Activator.

This greatly improves speed and performance, while reducing overall size. Data protection can also be provided.

Programmable Option

The Activator allows the software developer the option to program serial numbers, versions, or other pertinent data known only to the developer, into the circuit, and access it from the program.

Once you program your part of the chip, even we have no way to access your information.

The ASIC makes emulation of the device
Circle 262 on Reader Service Card

virtually impossible. It also presents an astronomical number of access combinations.

Full 100% Disclosure

Since The Activator is protected by our patent we fully disclose how it works. Once you understand it, endless methods of protection become evident.

Just as no two snowflakes are the same, no two implementations of The Activator are identical. And like the snowflake the simplicity of The Activator is its greatest beauty:



We never cramp your programming style or ingenuity. Make it as simple or complicated as you desire.

Let us help safeguard what's rightfully yours. Please call today for additional information or a demo unit. *It's only natural to protect your software.*"

1-800-333-0407 ext.105
In Connecticut 203-329-8870
Fax 203-329-7428



870 High Ridge Road
Stamford, CT 06905

Compuclassics

Let's Make A Deal... It's Such A Steal!



PLEASE CALL US FOR PRODUCTS NOT LISTED. WE SHIP TO APO & FPO ADDRESSES. CALL US FOR A FULL CATALOG.

ACCOUNTING & PERSONAL FINANCE

Andrew Tobias Tax Cut	49.00
Dac Accounting 4.0	89.00
Dac Bonus Pack 4.0	175.00
Managing Your Money 6.0	119.00
Money Counts	35.00
Peachtree III w/ Data Query	229.00
Quicken 3.0	42.00
Timeslips III 3.4	169.00
Turbo Tax Personal	45.00
Turbo Tax Personal State	30.00
Turbo Tax Professional	229.00
Turbo Tax Professional State	169.00
Witmaker 3.0	35.00

CAD

Autosketch 2.0	95.00
Design Cad 4.0	159.00
Design Cad 3D 2.1	209.00
Generic 3D Drafting	145.00
Generic Cadd Level 3	169.00

COMMUNICATIONS

Carbon Copy Plus 5.2	119.00
Close Up Support 3.0	165.00
Close Up Customer 3.0	129.00
Crosstalk Mark 4	139.00
PC Anywhere III	69.00
Procomm Plus	52.00
Smartem 240	199.00
Smartem 320	115.00

DATABASE

Cianon Professional Developer	409.00
Clipper (Summer '87)	429.00
DB Fast/DOS Plus	179.00
DBASE IV	489.00
Database 4.2	495.00
Foxpro Single User	479.00
PC File:DB	59.00
PFS Professional File 2.01	209.00
Paradox V 3.0	479.00
R & R Code Generator	109.00
R & R Relational Report Writer	109.00
RBase For DOS	479.00

DESKTOP PUBLISHING	
Bitstream Fonts (each)	95.00

Dan Bricklin's Page Garden	65.00
Flowcharting II Plus	135.00
Formtool W/Greatest Hits 2.01	55.00
Formwork with Fill File 2.5	85.00
Freedom Of Press	259.00
Go Script	139.00
Go Script Plus	259.00
Interactive Easyflow	109.00
Org Plus Advanced	89.00
PFS 1st Publisher	89.00
PerFORM 2.0	169.00
Printmaster Plus 2.0	35.00
Publish II	119.00
The New Print Shop	39.00
Ultrascrip PC 2.0	119.00
Ultrascrip PC Plus 2.0	269.00
Ventura Professional Extension	379.00
Ventura Publisher	549.00

EDUCATION & ENTERTAINMENT

ATI Teach Yourself Series	49.00
F-15 Strike Eagle II	35.00
F19 Stealth Fighter	45.00
Flight Simulator 4.0	45.00
Individual Training Series	40.00
King's Quest (teach)	35.00
Leisure Suit Larry III	39.00
MS Learning DOS	35.00
Space Quest III	39.00
Test Drive II	27.00
Teins	22.00
Tracon	32.00
Vette!	32.00
Waltins	22.00
Where Is Carmen San Diego	30.00

GRAPHICS

Autodesk Animator	195.00
Colonn VGA Paint	109.00
Deluxe Paint II Enhanced	89.00
Freelance Plus 3.01	349.00
GEM/3 Draw Plus	179.00
Graph-In-The-Box 2.2	75.00
Grapher	145.00
Harvard Graphics	319.00
Hot Shot Graphics	149.00
Inset Plus (w/HLaak)	139.00
PC Paintbrush IV	65.00

Pizzazz Plus 1 3	69.00
Print A Plot	129.00
Publisher's Paintbrush	169.00
Show Partner FX 3.5	229.00
Xerox Graph	195.00

HARDWARE & PERIPHERALS

ATI 2400 Etc Modem Int.	169.00
ATI VGA Wonder 512	359.00
Complete Communicator	585.00
Complete Fax 9600	459.00
Complete Half-Page Scanner	189.00
Copy II Copon Board Deluxe	115.00
Intel Above Board Plus 512K	435.00
Intel Connection Coprocessor	829.00
Kensington Expert Mouse	115.00
Logitech Bus Mouse C8	85.00
Logitech Serial Mouse C9	65.00
Logitech Scan ManPlus	185.00
Logitech Trackman Serial or Bus	89.00
Masterpeace	89.00
Masterpeace Plus	105.00
Microsoft Mouse w/Paint	109.00
Microsoft Mouse w/Windows	139.00
Orchid Prodesigner Plus 512K	435.00
Pacific Data 25-in-one	289.00
Pacific Data Pacific Page	509.00
Paradise VGA 1024-512	305.00
Polaroid Palette Plus (EGA)	2399.00
Prac: Perioh 2400 Ext w/MNP	209.00
Prac: Perioh 2400 Int w/MNP	179.00
Teins	22.00
Sota 286i Accelerator	259.00
Sota 386i Accelerator	399.00
Super Cartridge 1-HQ Engineering	319.00
Super Cartridge 2-HQ Engineering	489.00
Sygen Bridge File	279.00
Worldpor: 2400 Modem	249.00
Worldpor: 2400 Modem w/ MNP	345.00
Worldpor: 2496 Fax Modem	485.00

INTEGRATED

Alphaworks	115.00
Informix Smartware II with Spell Checker	469.00
PFS First Choice	115.00
Q & A 3.C (Networkable)	245.00
Symphony Plus	479.00
MS Works 2.0	99.00

LANGUAGE & PROGRAMMING

BTree	159.00
Brief	169.00
C Asynch	109.00
Clear + for C (or dBase)	135.00
K Edit	115.00
Lattice C Compiler	165.00
MS C 5.1	299.00
MS Fortran	299.00
MS Quick C w/ Quick Assembler 2.01	135.00
Macro Assembler	99.00
Maintr Layout 2.0	135.00
Norton Editor 1.3	45.00
Object Professional	92.00
Obase	149.00
Quick C	67.00
Quickbasic	67.00
SPF/PC	159.00
Smalltalk V286	129.00
Sourcer w/Bios	109.00
Turbo Asynch +	109.00
Turbo B Tree Filter S/U	79.00
Turbo C	105.00
Turbo C Pro Pack	175.00
Turbo C Tools	92.00
Turbo Pascal Pro Pack	175.00
Turbo Pascal 5.5	105.00
Turbo Power Tools Plus	92.00
Turbo Professional	79.00
Zortech C ++	149.00

RT Link 185.00

NETWORKING

Lanstick Starter Kit 2MBPS	409.00
NE1000 Ethernet Card	169.00
NE2000 16 Bit Ethernet Card	205.00
Novell ELS Level II 1-8 User	1175.00
Novell Netware 286 V 2.15	2039.00
Novell SFT V 2.15	3099.00
Tops For Dos	1*5.00
Western Digital Ethercard Plus	189.00
Wordperfect Office	279.00

OPERATING ENVIRONMENT

IBM DOS 3.3	95.00
IBM DOS 4.01	125.00
Desqview 386 1.1	125.00
Desqview	79.00
MS Windows 286	67.00
MS Windows 386	129.00
OS/2 Standard Edition	295.00
PC/MOS 386 3.0	175.00
Software Carousel 3.01	52.00
VM/386	155.00

OS/2

Brief For OS/2	205.00
Excel for OS/2	335.00
Logitech Multiscope	185.00
MS OS/2 Presentation Mng'r Toolkit	329.00
Multiboot	49.00
Paradox OS/2	509.00
Smalltalk/VP M	299.00
Wordperfect for OS/2	319.00

INFORMATION MANAGEMENT

Act!	229.00
Agenda	275.00
askSam	179.00
Grandview	199.00
IZE	285.00
Memory Mate 3.01	45.00
Tornado W/Library	79.00
Who What When 1.09	119.00

PROJECT MANAGEMENT

Adv. Project Manager Workbench 3.05	855.00
Harvard Project III	465.00
Sotor Project Scheduler IV	429.00
Superproject Expert	449.00
Timeline 3.0	409.00

SPREADSHEET

Always (Lotus 1-2-3 or Symphony)	85.00
Lotus 1-2-3 Ver. 2.2 or 3.0	349.00
Lucid 3D	59.00
Planperfect	279.00
Quattro Pro	279.00
See More Lotus 2.0	59.00
Sideways 3.2	42.00
Supercalc V	319.00
The Baler	359.00

SCIENTIFIC / STAT

Brammer	149.00
Derive	130.00
Mathcad 2.5	305.00
Mathematica 386	595.00
Mathematica 386 w/387 Support	845.00
SPSS/PC Plus	75.00
Statgraphics	579.00
Systat w/ Graphics	509.00

UTILITIES

1 Dir Plus 3.0	49.00
386 To The Max Pro	80.00
Above Disk	55.00
Automenu	39.00
Brooklyn Bridge 3.0	75.00
Certulus 1.0	99.00
Check It	89.00
Copy II PC 5.0	25.00
Copywrite/Zerodisk w/Rescue	65.00
Direct Access	52.00
Disk Technician Advanced	109.00
Disk Technician Pro	42.00
Fastback Plus	109.00
Fastrax	35.00
Headroom	79.00
Lap Link Release III	92.00
Print Cache (Laserlq)	99.00
Mace Gold	89.00
Magellan	139.00
Norton Commander	85.00
Norton Utilities Advanced	85.00
PC Tools Deluxe 5.5	77.00
Super PC-Kwik Powerpak	79.00
Print Q 4.0	89.00
Pop Drop Plus	60.00
Q-Dos II	39.00
Software Bridge	89.00
Speedstor	35.00
Sprintite II	69.00
V Cache	45.00
Word Perfect Library 2.0	75.00
X-Tree Pro	55.00
XTree Pro Gold	75.00

WINDOWS

AMI Professional	319.00
Adobe Illustrator Windows	409.00
Adobe Streamline	235.00
Artis & Letters Graphics Editor 2.0	465.00
Corel Draw Windows 1.1	329.00
Crosstalk For Windows	125.00
DB Fast/Windows	179.00
Excel	319.00
Hyperpad 1.0	89.00
IBM Current	395.00
Micrografix Designer	469.00
Micrografix Windows Graph Plus	355.00
OmniPage386 2.0	599.00
PC Paintbrush Plus for Windows	99.00
Pagemaker 3.0	529.00
Pubtech File Organizer	159.00
Superbase 4 for Windows	409.00
Windows Development Toolkit	329.00
Word for Windows	329.00
Xerox Formbase	325.00
hDC Windows Express	45.00

WORD PROCESSING

Displaywrite IV	255.00
Grammatik IV	52.00
Nota Bene	299.00
PC Write	75.00
PFS Professional Write	155.00
Rightwriter	52.00
Word 5.0	219.00
Word Perfect 5.1	249.00
Word Perfect Net Add-On 5.1	189.00
Wordstar 5.5	219.00

XENIX/UNIX

SCO Foxbase + 386	675.00
SCO Xenix VP/IX 386 Unlimited	609.00
Wordperfect for SCO Xenix 386	519.00
SCO Xenix Complete System 386	1079.00
SCO Xenix Dev. System 386	675.00
SCO Unix Operating System 386	619.00



Create your own professional presentation in a matter of minutes. Slides, overhead projections, or snapshots of computer generated images -- all are easy to do with the Palette Plus. The Palette Plus works with most graphics software.
Palette Plus (Requires an EGA card) \$2399.00

WE WELCOME CORPORATE ACCOUNTS AND INTERNATIONAL ORDERS.

Circle 58 on Reader Service Card

INTERNATIONAL ORDERS
818.347.2444
FAX YOUR ORDER
818.347.9977
PHONE YOUR ORDER
800.733.3888

Immediate shipment on purchase orders from government and state agencies, cities, counties, school and universities. ● Prices subject to change with out notice and while stocks last. ● We ship the latest versions. ● We accept Visa, Master Card, and American Express. ● 2% surcharge on American Express. ● 15% restocking fee for all non-defective items returned. ● Please call (818) 347-9400 for an authorization number on defective goods or your return will not be accepted. ● Due to copyright laws we cannot take back any software where the seal has been broken. ● \$5 minimum shipping per item, less on bulk orders. ● \$9 Blue Label shipping. ● \$3.50 C.O.D. charge. ● Heavier items are charged accordingly. ● We do not guarantee compatibility. ● Call for prices for any software item not included in this ad. ● Order desk open 7 A.M. to 5 P.M. Monday to Friday (PST), Saturday 10 A.M. to 2 P.M.
P.O. Box 10598, Canoga Park CA 91309.
Showroom: 7959 Deering Ave., Canoga Park CA 91304.



FOREIGN FILE SYSTEMS

Using special file systems from within standard file systems


A standard file system may not be well suited for a particular application. However, it is perfectly logical and quite possible to set up a partition on your hard disk that contains a unique (foreign) file system and to access this partition from your standard operating system. You gain an optimal file system for the application without changing operating systems.

Encounters with Foreign File Systems

The impetus for this project came from two directions at different times. One was a note that I saw circulating on one of the networks I infrequently explore, in which a hopeful user spoke of his search for a file system that could handle some data he had received on magnetic tape. The data included some digitized high-resolution photos that were stored in files so large that most file systems available on personal computers would be unable to handle them.

The other was a demonstration given by a software company that had developed a program for real-estate agents. This program was a database application running under PC-DOS, with the addition of digitized photos of the properties that you could display on a separate, high-resolution monitor. Consequently, each database record not only carried the written information associated with a property but also carried a pointer off to another file where the software could locate the digitized images.

The images file wasn't kept in a DOS directory; it wasn't even kept on a DOS partition. The designers of the software had decided that the structure of the DOS



file allocation table (FAT) was inadequate for handling the number and size of files that the pictures required. They therefore designed their own file system, optimized for their particular requirements, and kept it in an alternate partition on the hard disk.

That's it: A foreign file system that is nonetheless accessible from PC-DOS. You can divide your hard disk into a DOS partition—so that you can keep all the programs you already have—and a foreign partition whose directory structure is optimized to whatever application you need. Of course, if you are really desperate for space you can buy a separate hard disk and fill it up entirely with the foreign file system.

This idea isn't novel. Variants of it have been in use for some time. QuickShare (from Compatible Systems of

Boulder, CO) is a software/hardware product that lets a Mac Plus (or higher) share a hard disk with a PC. The hardware end is a SCSI adapter that plugs into the PC, and a cable that connects this to the Mac. You build one large file on the PC that becomes the volume that the Mac sees, and the data inside the PC file is a complete Mac volume: bit maps, directory B-tree, and all.

Another example is the Definicon DSI-32 Unix board that I have installed in the PC with which I am writing this column. One of my hard disks is actually divided into three partitions. The first is an MS-DOS partition, from which the system boots. The other two are Unix partitions; one holds the Unix file system, and the other is a swap region for supporting the system's virtual memory.

continued

Something New

This month I decided to put together the rudimentary routines for supporting a separate file system on a PC's hard disk. I didn't want to just put together another version of a general-purpose file system; I wanted to build a file system that was customized to a particular class of applications. The most logical application for a hard disk was undeniably some form of database system. It therefore seemed reasonable to concentrate on a file system geared solely to supporting databases. Such applications are becoming more popular as networks continue to spread. They are particularly appealing to small

and moderate-size companies where employees spend most of their time browsing only two or three large database files.

While many of us couldn't conceive of life without a hierarchical file system of directories and subdirectories, lots of PCs execute only vertical applications. Most of the customers I worked for in my data-processing days purchased machines to handle only accounting or inventory functions. These people didn't need nested directories. The number of data files being manipulated was often less than 50—certainly less than 100. Any departmentalization of data took place inside the database files. There-

fore, the file system I designed is more or less "flat." You can segregate files into directory areas, but there are no directories within directories.

Database systems usually see a file as
continued

PARTITION HEADER BLOCK FORMAT		
<i>Table 1: In my file system, the partition header block is always the first block on the partition and carries fields that define the locations and sizes of the other region.</i>		
Offset	Size (bytes)	Description
0	4	Total partition size in 512-byte sectors.
4	2	Sectors per track.
6	2	Maximum number of heads.
8	4	Starting block number of directory area.
12	4	Starting block number of fnodes area.
16	4	Starting block number of bit-map area.
20	4	Starting block number of data area.
24	4	Number of active entries in the directory.
28	4	Number of active entries in fnodes area.
32	400	Passwords for 50 directory areas (a password is up to eight characters).




Figure 1: The partition header block is always the first 1024 bytes of the partition and carries parameters that define the other regions' sizes and locations.




Figure 2: Each directory block holds up to 64 directory entries.




Figure 3: (a) The fnode holds a file's vital characteristics. The file's data can be found by following the extent entries. (b) The format of an extent.

Direct to Disk

Sometimes you find that you have to sidestep the operating system and speak directly to your hard disk—an act that leads you nervously past a host of warnings into the world of sector editors and single-bit surgery. Usually, you only visit this place on rescue missions sent after a lost file that has failed to report in. This is also where you find the fundamental operating system and BIOS calls you need if you want to customize your file system.

IBM PC

In the PC world, if you abandon the layer of directories and files for deeper reaches, you find two levels. In the uppermost layer, you're still under the influence of MS-DOS (assuming that's the operating system you're running), but you no longer see the complex structures of directories and files. The disk has become a linear series of sectors stretching out to a horizon that usually ends at around 32 megabytes.

You access the disk using interrupts 25H and 26H (where 25H reads the disk and 26H writes the disk). Both interrupts require similar arguments: The AL register holds a drive specifier (0 for A, 1 for B, and so on), CX holds the number of sectors to transfer, DX is the beginning sector number, and DS:BX point to a buffer in memory that either holds the data to be written or will accept data that will come off the disk.

Notice that I said "around" 32 megabytes. This is the limit to the size of a hard disk partition if you use the MS-DOS default of 512-byte sectors. In fact, some atypical versions of MS-DOS extend the size of a partition by defining sector sizes of larger than 512 bytes. You have to take this into account when you ask the above interrupts to read some sectors for you.

How, then, do you find the number of bytes per sector? Perhaps the easiest way is through interrupt 21H, function 36H. (Usually, you call this function to determine the amount of total and available disk space on a drive.) This function expects a drive specifier—such as I described above—in the DL register. When function 36H returns, you'll find (among other things) the number of bytes per sector in the CX register.

Beneath the DOS interrupts are the BIOS interrupts that talk to the hard

disk drive controller. Here, all vestiges of a governing operating system have vanished. At this level, the physical geometry of the hard disk becomes visible. Interrupt 13H, function 02H, lets you read sectors from the hard disk, given that you've specified the starting sector's location. Now, however, a sector's position is given by a head number, a cylinder number, and a physical sector on the cylinder. (See table A for a complete description of this function.) As the system reads sectors from the disk, it first advances through sectors, then heads, then cylinders. Interrupt 13H, function 03H, is the BIOS function for writing to a hard disk.

Accessing the disk at this level demands that you know how many heads, cylinders, and sectors per cylinder it has. You can find this information in the disk's boot sector, conveniently located at head 0, cylinder 0, sector 0. The pertinent data is the number of sectors in the volume (at offset 19), the number of sectors per track (at offset 24), and the number of read/write heads (at offset 26). (You can also retrieve this information through the BIOS 13H interrupt. Subfunction 8 of this interrupt will return the maximum head value in DH, and the maximum cylinder and sector

numbers combined in the CX register as described above.) For more information on this, see my May 1989 column.

Macintosh

There are two stories to cover on the Macintosh, since that system recognizes two kinds of drive controllers. In order of appearance, the disk driver comes first, followed by the SCSI manager.

You access the Macintosh disk driver through the device manager. The disk driver controls the internal, as well as any external, floppy disk drives. More important, it controls the HD20 hard disk drive. (Some people—those who don't have an HD20 hard disk drive—may find the disk driver interesting only from a historical perspective.)

Here's a simple example: reading one sector from a disk. You first need the driver reference number. For floppy disk drives, this is -5; for the HD20, this is a -2. (The system uses this reference number to form a pointer into the unit table, where the Mac keeps a list of handles to device drivers and active Desktop items.) Then you need the drive number (1 for the internal or hard disk drive, 2 for the external floppy disk drive), a byte offset, and a pointer to a

continued

INTERRUPT 13H CALLS REGISTER SETTINGS

Table A: The contents of the registers when you access the hard disk using interrupt 13H: The top half is function 02H-read, and the bottom half is function 03H-write.

Read hard disk

AL = 02H
AH = The number of sectors to read (128 maximum)
CX = Cylinder/sector address *
DH = Head number
DL = Hard disk number (80H is first hard disk drive; 81H is second drive)
ES:BX = Address of buffer to receive data

Write hard disk

AL = 03H
AH = The number of sectors to write (128 maximum)
CX = Cylinder/sector address *
DH = Head number
DL = Hard disk number (see above)
ES:BX = Address of buffer to write from

* The low 6 bits of the CL register hold the physical sector number. The CH register holds the low 8 bits of the cylinder number, and the top 2 bits of CL hold the top 2 bits of the cylinder number.

BIX CALENDAR

MARCH

Display this month's
BIX activities

M A R C H

Exchange Updates

Amiga Exchange—A new series of CBix sessions has begun in the Amiga Exchange this month, permitting on-line discussions and activities that all Amiga users will want to take part in. Tuesday night topics cover program development and system interface design. Wednesday nights are special-event nights (look for system bulletins for upcoming schedules). Thursday nights will feature discussions of existing or projected Amiga applications and their implementation. And on Saturday and Sunday nights, you're invited to come in and chat on any Amiga-related topic you wish. All CBix events begin at 10 PM EST. (join [amiga.user/cbix](#)) Look for a schedule of upcoming topics covering games and education/educational software in [amiga.user](#), too.

IBM Exchange—It's back-to-school at "Big Blue U." The IBM Exchange is offering classes on a variety of computer-related subjects. (join [ibm.class](#))

CBix sessions are held every weeknight at 10 PM EST (look for a schedule in [info.cbix](#)). If you're a novice or intermediate IBM user, you'll definitely want to join the Wednesday night discussions. (join [ibm.exchange/cbix](#))

Mac Exchange—Can life with one megabyte or less be meaningful in the future? In March, the Macintosh Exchange will attempt to answer such questions as "Where is the Mac Plus heading?" "What kind of machines will replace it?" "Will putting system resources in ROM make things easier for the one-megabyte-user?" "Will you need two megabytes or more to use the forthcoming System 7.0?"

Elsewhere in the Mac Exchange, our on-line C tutorial will continue in [mac.novice/tutorial](#). (And remember, you can jump into the tutorial at any point simply by reading past messages. Things don't scroll off this exchange.) We'll also be looking forward to the upcoming Spring Developer's Conference, and what its proceedings may hold for Mac-users.

Writers Exchange—Could an Irish novelist and an Ionian Greek poet nearly 2,700 years his senior really have more in common than a gift for writing mytho-epic poetry? And of their efforts to portray man always meeting himself as he walks through life (and which, therefore, have always begged comparison), isn't Joyce's *Ulysses* more the epic, and Homer's *Odyssey* more the novel in verse? And for that matter, did Homer really *write* the *Odyssey*? Discuss these

classics and more — in English or Latin — in [writers.talk/learn.classix](#).

On a more practical level, is there really a trade-book crisis? See [writers long messages](#), message 331.

Interactive Games Exchange—Sundays, 9 PM EST — Poetry, art, music and stories from by-gone days to yet-to-come days are featured in this conference. (join [fun.n.games/game.room](#))

Sundays, 9:30 PM EST — Learn about role-playing games on line and off line at Fantasy Foundation College. (join [ff/ff.col](#))

Mondays, Thursdays, and Saturdays, 9 PM – Midnight EST — Check into the Meade & Mirth Inn and enjoy free-form, role-playing games that take you back to the Middle Ages — and sometimes far into the future. (join [mnm/inn](#))

Tuesdays, Wednesdays & Saturdays, 9:30 PM EST — Enjoy real-time fantasy role-playing games as well as message-based player interaction in Ledinworld, the Advanced Dungeons & Dragons center of the IGX. (join [lworld/ledinworld](#))

Thursdays, 10:15 PM EST — Break in on Pandemonium, the contemporary parlor game and other social activities in the "game.room." (join [fun.n.games/game.room](#))

Fridays, 9 PM EST — Begin your T.G.I.F. nights in the pursuit of trivia. (join [fun.n.games/game.room](#))

Fridays, 9:30 PM EST — Play a role in a variety of role-playing games. (join [encounters/new.worlds](#))

BIX Conference News—Science Fiction Art has become a hot topic in the sf conference, and with the work of such artists as Vallejo, Frazetta, and Chelsey Bonstell in contention, you'll be tempted to wonder if a book can really be judged by its cover. (join [sf/art](#))

Financial followers will be interested in these topics now being discussed in the financial conference: the financial aspects of collecting, specifying an "Ultimate Database" project, and soliciting comments from collectors about insurance and hobby management. (join [financial/collector.corn](#))

Netware Technical Journal invites you to discuss LAN hardware and software. (join [netware.tech](#))

Homeowners who want to discuss oil prices, insulation techniques, and any other topic of interest around the house now have a home on BIX. (join [old.house](#))

Finally. An on-line service that doesn't nickel and dime you.

It's BIX's flat-fee service

BIX is short for BYTE Information Exchange. The on-line information service that's yours for an unheard-of flat fee of just \$39 for three months*—an amount you could easily waste in just two to four hours with an *hourly rate*, on-line service. (Not to mention the fact that you'd be nickel-and-dimed for its monthly minimums.)

And here's another distinction: BIX is strictly for microcomputer pros; it contains no "fluff." As a subscriber, here's what you've got coming to you:

- All the information and ideas exchanged in more than 150 microcomputer-related conferences—a give-and-take in which you can participate.

- Microbytes Daily*—up-to-the-minute industry news and new product information.
- Plus support from hardware vendors and software publishers, access to extensive software libraries, and the use of our electronic mail service—which allows *binary attachments*.

Subscribe to BIX right now— using your computer and modem

Set your telecommunications program for full duplex, 7 bits, even parity, 1 stop bit. Call BIX directly on our special registration number: 800-225-4129 (in Massachusetts, call 617-861-9767). Then hit the return key and respond as follows:

Prompt:	You Enter:
login (enter "bix"):	bix
Name?	bix.flatfee

You can charge your BIX subscription to major credit cards, or have it billed to your company.

You may also purchase unlimited off-peak access via Tymnet for just \$20 per month, or \$3 per off-peak hour, in the continental US.** For more information, including your local Tymnet access number, call 800-227-2983 (in New Hampshire and outside the United States, call 603-924-7681).

**Based on a \$156 annual fee, billed quarterly. You may cancel at any time. If you prefer, you may subscribe for a 3-month trial at just \$59.*

***No extra charge for 2400-baud access. Tymnet prices subject to change. International networks access BIX at NUI 310690157800.*

BIX

One Phoenix Mill Lane
Peterborough, NH 03458
800-227-2983. In NH 603-924-7681.



Listing A: Preparing for an asynchronous read call.

```

;The following equates are found in the SysEqu file for the assembler.
;I've added them here for readability.
ioQelSize EQU 50 ;Size of I/O request block
ioDrvNum EQU 22 ;Drive number
ioRefNum EQU 24 ;Device reference number
ioBuffer EQU 32 ;Buffer pointer
ioByteCount EQU 36 ;Number of bytes to transfer
ioPosMode EQU 44 ;Positioning mode
ioPosOffset EQU 46 ;Positioning offset

;The following routine performs a read operation.
;On entry:
; D1 = Number of bytes to read
; D2 = Address of buffer to read into
; D3 = Offset into device to read from (byte offset)
; D4 = Drive number
; D5 = Device reference number
;On exit:
; D0 = Result of operation
;
;Make an I/O request block on the stack
MOVE
L #((ioQelSize/2)-1,D0
DDR1: CLR.W -(SP)
DBRA DO,DDR1
;Move request items into block
MOVE.L SP,A0 ;Address of block in A0
MOVE.W D5,ioRefNum(A0)
MOVE.W D4,ioDrvNum(A0)
MOVE.W #1,ioPosMode(A0) ;Absolute positioning
MOVE.L D3,ioPosOffset(A0)
MOVE.L D2,ioBuffer(A0)
MOVE.L D1,ioByteCount(A0)
;Perform the Read operating
_Read ,ASync
;Clean up stack
ADD.L #ioQelSize,SP

```

Listing B: Preparing for and making a _SCSICmd call.

```

;Building a command descriptor block
;for the Mac SCSI. We assume BLOCK is
;a longword holding the block number,
;and NBLOCKS is a byte holding the number
;of blocks to read. Register A1 points to
;a memory buffer where the command descriptor
;will be stored.
MOVE.L A1,A0 ;Save pointer to command descriptor
MOVE.L BLOCK,D1
OR.L #$8000000,D1 ;This is a READ command
MOVE.L D1,(A1)+
MOVE.B NBLOCKS,D1
MOVE.B D1,(A1)+
CLR.B (A1)+ ;Clear last byte
CLR.W -(SP) ;Make room on stack for result
MOVE.L A0,-(SP) ;Push command descriptor pointer
MOVE.W #6,-(SP) ;Push command descriptor size
_SCSICmd ;Call SCSI manager
MOVE.W (SP)+,D1 ;Get result
;The result of the command is contained in register D1.

```

buffer in memory into which data is read.

You put all this (and a little more) into a structure known as an I/O request block. The format of the request block varies depending on the call, but I've given sample code in listing A that shows offsets for those fields necessary to make a read call. You stick the address of the I/O request block into register A0 and then perform the I/O operation trap. The Mac does its work, and the result of the operation (whether it went A-OK, or an error occurred) appears in the D0 data register.

Notice that I've shown the asynchronous example of the call. This means that the calling program waits until the operation completes. The synchronous version allows I/O to proceed in tandem with other processing, but it requires that you include in the I/O request block a pointer to an I/O completion routine. This is a routine to which the Macintosh passes control when the operation finishes. It then becomes the job of the I/O completion routine to clean up any errors that have taken place and to pass on any relevant information (such as whether the request succeeded) to the program that originally requested the I/O operation.

Life got easier on the Mac with the advent of SCSI. Although the SCSI hardware for the Mac Plus is admittedly crippled, at least it works. Later versions of the Mac have more robust SCSI hardware. Best of all, the SCSI trap calls provide a programming interface that is consistent across all Macs.

If you've ever done raw I/O on a SCSI device, you know that dealing with the interface is a series of phases: selection, command, data, message, and so on. The Mac SCSI driver automates some of the handshaking that must take place along the SCSI bus. Still, just the simple example I gave earlier—reading one sector—is not a trivial exercise with a SCSI disk drive. Here are the steps:

Step 1: Gain control of the SCSI bus. Do this with the _SCSIGet command.

a collection of fixed-length records instead of a stream of bytes. Each of these records is composed of fields—dates, names, quantities, and so on—to which you assign a fixed maximum size. (If you're used to using Paradox or the database features of Lotus 1-2-3, for example, you should be familiar with these concepts. Records are rows in the table,

and fields are columns.)

As a result, I made my custom file system record-based. When you create a file, you declare its record size from 1 byte up to 1024 bytes. You seek a position in the file by record number rather than by byte. Additionally, my file system does not automatically extend a file. If you attempt to write to a record past the

last one in the file, you'll get an error. You must explicitly add records to a file to make it grow.

The overall architecture of the partition appears in figure 1. You can see that the partition is divided into five regions. First and most important is the partition header block (in my file system, a block is 1024 bytes and is usually composed of

Step 2: Select the device you want to read from (or write to). Use the `_SCSISelect` command for this. It expects a device number (also known as a SCSI ID) on the stack. Since a SCSI bus allows up to eight devices to be chained along a single cable, the device number serves to select which device to access. This number must be in the range 0–6 (it can't be 7, since that's the ID of the Mac itself).

Step 3: Perform the actual read command. Here's where things get tricky, because you've got to build a command descriptor block that SCSI itself will understand. Then you execute the `_SCSICmd` routine, passing it a pointer to this command block. I've provided a fragment of code in listing B that shows how to set up the stack and make the call. The structure of a command block is shown in figure A.

Step 4: Transfer the data. In step 3, you told the SCSI device to perform a read operation. Now you've got to transfer that over the SCSI cable and into the

Mac. You do this by building a transfer instruction block, which is a small memory buffer holding a miniature program that directs the appropriate SCSI transfer command. Each instruction in the TIB is a 16-bit word followed by two 32-bit parameters. Listing C is an example of how to set up the TIB and issue a `_SCSIRead` command. If you were to write the miniature program in human-readable form, it might look like this:

```
scNoInc @buffer,#nbytes
scStop
```


This tells the `_SCSIRead` command to transfer `nbytes` to the address stored in `buffer`, and then stop. The `scNoInc` command tells `_SCSIRead` not to increment the buffer pointer by bytes when the command completes. (Aside: Another version of the `_SCSIRead` com-

mand is called `_SCSIRBlind` for "read blind." The difference between the two is that `_SCSIRead` transfers data with handshaking across the bus, so there's no chance of lost information. `_SCSIRBlind` does no handshaking; it's faster, but you must make certain that whatever Mac and SCSI devices you're using can cope with one another's speed.)

Step 5: Wait for the command to complete. Listing D shows how to issue a `_SCSIComplete` call. You can specify how many ticks (one-sixtieth of a second) to wait before a time-out error is issued.

There—not so hard, was it? The procedure is similar when you have to issue a write command. As usual, for all the details I don't have room for here, you should refer to the *Inside Macintosh* chapters on the SCSI manager.

SCSI COMMAND BLOCK FOR A READ



LUN = logical unit number. Allows multiple units per single SCSI device.
L = the link bit. When set, it indicates linked commands.
F = the flag bit. Used with linked commands.

Figure A: The SCSI command block format for a read command.

Listing C: Setting up the transfer instruction block and making a `_SCSIRead` call.

```
;On entry:
; A0 holds a pointer to the buffer to receive the data
; A1 holds a pointer to the transfer instruction block
; D0 holds the number of bytes to transfer (512 in our example)
;On exit:
; D0 holds the return code
MOVE.L A1,A2 ;Save transfer instruction block
MOVE.W #scNoInc,(A1)+ ;Don't increment buffer pointer
MOVE.L A0,(A1)+ ;Buffer pointer
MOVE.L D0,(A1)+ ;Number of bytes to transfer
MOVE.W #scStop,(A1)+ ;End of transfer instructions
CLR.W -(SP) ;Space for result
MOVE.L A2,-(SP) ;Pointer to transfer instruction block
_SCSIRead ;Read the data
MOVE.W (SP)+,D0 ;Return code in D0
```

Listing D: The `_SCSIComplete` that finishes the transfer.

```
;Wait for SCSI command to complete
;On entry:
; A0 - status buffer pointer
; A1 - message buffer pointer
; D0 - number of ticks before time-out
;On exit:
; D0 - result code
; The status and message buffer hold completion bytes.
CLR.W -(SP) ;Room for result code
MOVE.L A0,-(SP) ;Status buffer
MOVE.L A1,-(SP) ;Message buffer
MOVE.L D0,-(SP) ;Number of ticks
_SCSIComplete
MOVE.W (SP)+,D0 ;Get result code
```

two physical sectors). This is always the first block on the partition and carries fields that define the locations and sizes of the other region. Table 1 is a layout of the partition header block.

Following the partition header are the directory and *fnode* regions. You determine the number of blocks allocated to these regions when you create the parti-


tion. These regions do not grow or shrink—they're fixed in size. Hence, the maximum number of files that can be stored on the partition is fixed at the time that the partition is created. Next comes the bit-map region. Its size is determined by the number of blocks allocated to the final area of the partition: the data region. Each bit in the bit-map region cor-

responds to a block in the data region. If a bit in the bit map is set to 0, the associated block is free; otherwise, the block is owned by a file.

Something Borrowed

I decided to borrow structures from some file systems that I know. From Unix, I

continued



◀ **Figure 4:** (a) Each extent-list block is a member of a chain and can hold up to 168 extent entries.

▼ (b) The extent-list chain is a doubly linked list of pointer blocks. Each pointer block holds up to 168 extents.





Figure 5: Each extent entry points to a "run" of contiguous blocks. Here, logical block 100 is mapped to physical block 102, logical block 101 is mapped to physical block 103, and so on.

borrowed the idea of keeping the structure that holds the filename apart from the structure that holds the file's storage information. Hence, the directory (see figure 2) is kept in one area while the fnode (see figure 3) is kept in another. An fnode is the portal to a file's information. (My apologies to the Unix folks for my mutation of the inode. I noticed that Microsoft's new High Performance File System [HPFS] also uses an fnode structure; I suppose the idea must be a good one.) The fnode carries information such as a file's creation and modification time, and I've added a seven-character password for the security-conscious. Most important, the fnode carries the pointers that lead to a file's data.

Each entry in a directory is preceded by a 1-byte directory area designator. Vaguely reminiscent of CP/M's user area, this lets you control access to file groups; you can create multiple directories, but there are no subdirectories. For example, a company's product inventory

continued

C:\>CHKDSK
Volume 20M

21309440 bytes total disk space
611776 bytes available on disk

720880 bytes total memory
660464 bytes free


C:\>

Bob-
Amazing!
I've finally solved
my memory problems
while on the network.
Pete

MAXIT™ memory board for only \$295

Regain your base 640K from network drivers and memory resident applications with one simple board and 15 minutes of your time!

MAXIT™ is a half-slot memory card that works above and below 640K in most PC, XT and AT class machines. The additional memory immediately above 640K is accessible by all DOS applications. Other blocks of memory can be used by network drivers or memory resident applications. MAXIT™ software allows the user complete control over network driver and memory resident application placement in upper or lower



 Osborne
McGraw-Hill

MAXIT Development

2180 Dwight Way Suite C Berkeley, CA 94704 415/649-1000

files can be kept in one directory area accessible by employees in the stockroom, while the accounting files would reside in another directory area. (Currently, the system supports up to 50 directory areas. Access to a directory area is controlled by a password kept in the partition header block.)

Also—although I haven't implemented this in my software—since directory and fnode entries are separate, a single fnode entry could be pointed to by more than one directory entry. This would let you create "public" files. For example, users restricted to directory area 4 would be allowed access to a file originally created in directory area 3 by creating a directory entry in area 4, pointing to the file's fnode. (Of course, you'd have to modify the fnode to include a counter to keep track of the number of directory entries referencing that fnode.)

From the Macintosh, I borrowed the concept of the *extent*. The extent is the structure that any algorithm seeking to locate a file's data passes through just before its final destination. An extent points to a *run* of sequential physical blocks holding a file's data. Each extent

holds two components: The first points to the starting physical block of the run, and the second holds the number of blocks in the run.

You'll notice that I've placed the first six extents in the fnode. (This is not unlike Unix's technique of placing the first 10 direct pointers in the inode.) The remaining extents are kept on a doubly linked list of pointer blocks (see figure 4), the front end of which is pointed to by the extent-list head, and the rear end of which is pointed to by the extent-list tail. This arrangement favors contiguous files, since locating an arbitrary record in the file requires fewer disk accesses if that record is contained within the first six extents. Also, if a file is large and highly fragmented, the system has to search along the extent-list chain to locate records.

My reasons for favoring contiguous files go back to the kind of applications I had in mind when I put this idea together. Most database applications create files that "peak out" in size after a start-up period. For example, in accounting applications, the ledger files tend to stabilize at a maximum once all the accounts

have been entered. The journal entries file will grow to a peak near the end of the week, at which time the week-end postings will move the detail portion of the journal entries into the ledger file. The journal entries file is then cleared to prepare for the new week. The detail in the ledger file hits its high-water mark near the end of the month, at which time end-of-month processing collapses the detailed entries into totaling fields.

Hence, by monitoring work flow, you can usually get a good idea of the maximum number of records a given data file will have to handle throughout the year. So when you go to create the file, you simply allocate the appropriate number of blocks to the file at creation time. Given that this is a fresh partition, it is likely that the blocks would reside within the first six extents. And since the block size in my file system is 1024 bytes, and a single extent entry can reference up to 64K blocks, this means that you can define contiguous files of up to 384 megabytes (over 402 million characters) in size and still not exhaust the first six extents (see figure 5).

continued

Save "Man-Years of Effort" with Turbo 5.5

Don't Start from Scratch with Object-Oriented Pascal

Object Professional is a huge library of over 200 object types and 2000

methods that will multiply your productivity. Window object types let you use overlapping and resizable windows. The windows include ■ scrolling data entry screens ■ pick lists ■ menus ■ file selection ■ printed forms ■ help capability and more.

Build your programs using proven data object types like stacks, linked lists, virtual arrays, and more. System-oriented routines provide swappable TSRs in only 6K of RAM, EMS management, and much more.



Object Professional includes clear, comprehensive documentation, on-line help, full source code, technical support, and hot demo programs. Pay NO royalties. You'll get up to speed fast with OOP!

"The range of objects is fantastic. Object Professional could literally save you man-years of effort."

Jeff Duntemann

Object Professional 1.0, only \$150.

A Multi-User B-Tree Toolkit

Write powerful network compatible databases faster and easier using B-Tree Filer 5.0. You'll have the fastest, safest, most flexible databases – no rigid structure, no TSR hassles, no running out

of files. And they're compatible with Novell, 3Com, MS-NET, and others.

You get ■ Fixed and variable length records ■ Two billion records per database ■ Up to 100 indexes per index file ■ Fail-safe mode with journaling ■ Units for sorting, browsing, reindexing, and network control.

B-Tree Filer includes full source code, documentation, technical support, and you pay NO royalties.

"B-Tree Filer... a well rounded, feature-rich approach to B-Tree databases."

Computer Language, 1/90

B-Tree Filer 5.0, only \$125. (single user)
With network support, \$175.

**Call toll-free to order.
1-800-333-4160**




Satisfaction guaranteed or your money back within 30 days. Add \$5 per order for shipping in U.S. and Canada. Inquire about other shipping charges. OPro requires Turbo 5.5. BTF requires Turbo 4.0, 5.0, 5.5, or QuickPascal.



8AM - 5PM PST Monday through Friday, USA & Canada.
For more information call (408) 438-8608. Fax: (408) 438-8610.
TurboPower Software PO Box 66747 Scotts Valley, CA 95067-0747

TAIPEI



COMPUTEX '90

June 6-12, 1990

Discover the fastest rising stars on the international horizon at Asia's biggest computer event.

*Focus on
Taiwan*

•
The world's No.1 supplier
of computer monitors

•
No.2 in terminals

•
No.3 in personal computers

Organizers:



CHINA EXTERNAL TRADE
DEVELOPMENT COUNCIL

TCA TAIPEI COMPUTER
ASSOCIATION

Venues: TWTC EXHIBITION HALL
CETRA EXHIBITION HALL
Contact: CETRA EXHIBITION DEPARTMENT
5 Hsinyi Road, Section 5, Taipei 10509, Taiwan
Republic of China
Tel: (02)725-1111 • Fax: 886-2-725-1314
Telex: 28094 TPEWTC

Branch Offices:

- New York-CETRA, Inc.
Tel: (212)532-7055 • Fax: (212)213-4189
- San Francisco-Far East Trade Service, Inc.
Tel: (415)788-4304 • Fax: (415)788-0468
- Chicago-Far East Trade Service, Inc.
Tel: (312)321-9338 • Fax: (312)321-1635



Taipei
Trade
Shows
1990

Circle 50 on Reader Service Card

Each extent-list block holds up to 168 extent entries. Therefore, on a totally fragmented disk, each extent-list block will reference 168K bytes' worth of data file. But if the file is created in contiguous fashion, a single extent-list block can reference up to 1.13×10^{10} bytes—more than enough, I should think.

Clumps on the Disk

In an attempt to preserve the contiguousness of a file, I have also borrowed the idea of a *clump* from the Macintosh. A clump is the minimum number of contiguous blocks that the operating system will try to give to the file whenever the file grows. (You set a file's clump size when you create it.) So, if you attempt to add one record to the file and the system sees that adding the record will require it to allocate additional blocks to the file, the file system will first try to find a clump-size run of blocks and give that to the file. Barring that, the system allocates blocks as it can.

But the upshot is that you can control the fragmentation size of the files, and files that need to be contiguous can stay reasonably close to the ideal. The down-

side of this technique is that if you pick a clump size that is too large, the file will tend to allocate space at the end that will go unused over most of its lifetime. I considered this a risk outweighed by the benefits of keeping sequential blocks contiguous. Plus, with disks getting bigger all the time, an unused 16K bytes here or there is probably tolerable.

Parting Partition

In the past, an alternate file system on your hard disk would have seemed not only odd, but—more important—impractical. The average size of a hard disk wasn't much more than 20 megabytes, which meant that even had you filled the disk completely with one DOS partition, there was still 12 megabytes MS-DOS could have been using. The situation is now reversed. A casual survey of computer mail-order houses reveals that most package PC-clone deals come with 40-megabyte hard disk drives. Disk drives of 60 and 80 megabytes are commonplace. There is room for multiple partitions; if you're running MS-DOS, it's nearly a necessity.

Although many applications will hum

along nicely on file systems that are already available, many specialized situations can benefit from fine-tuning even at the level of the file. Of course, if you're a PC owner running OS/2, you can now choose the HPFS, which—since it is a completely redefined file system—solves many of the limitations of the old FAT structure. Interestingly, since they are different designs, the FAT file system and HPFS see one another as incompatible and foreign file systems. ■

Editor's note: *The source code for this month's programs is available in a variety of formats; see page 5 for details. The programs are compatible with Turbo C and should run on most PC compatibles.*

Rick Grehan is the director of the BYTE Lab. He has a B.S. in physics and applied mathematics and an M.S. in computer science/mathematics from Memphis State University. He can be reached on BIX as "rick_g."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

SA-9600 Stand-Alone RADIO MODEM

- Synchronous RS-232 connection to virtually all types of computers
- 406 - 470MHz Band
- Encryption capable
- Up to 15-mile range; hundreds of miles with repeaters/amplifiers



WIRELESS DATA COMMUNICATIONS for Mini and Mainframe Computers

- Transparent radio link - no software modifications
- Voice option
- FCC CERTIFIED 450-470MHz


PC-compatible plug-in board (PC-9600) also available

MEGADATA

35 Orville Drive, Bohemia, NY 11716

TEL 516-589-6800 • FAX 516-589-6858

NRI's new at-home training gives you the computer, the software, and the hands-on skills to start a high-paying career as a computer programmer



Rick Brush
Programmer/Analyst
NRI Schools

Now NRI gives you hands-on experience in computer programming with a powerful IBM XT-compatible computer system and software you keep. One easy step at a time, you build full-featured, powerful programs in BASIC, Pascal, C, and COBOL—today's hottest computer languages. One easy step at a time, you train to be a high-paid computer programmer!

Your NRI training includes a computer, modem, and invaluable programming software you keep

Unlike any other course, NRI's at-home training in Computer Programming gives you hands-on experience with a powerful, IBM XT-compatible West Coast 800 ES computer system, including 2400 baud internal modem, 640K RAM, disk drive, and invaluable programming software—BASIC, Pascal, C, and COBOL—all yours to keep.

With NRI, you get the skills and the confidence, the computer and the software to build real-world, working programs for a wide variety of business, personal, and professional applications . . . in all, everything you need to step into today's top computer programming jobs.

No previous experience necessary

No matter what your background, NRI ensures you get the know-how you need to take full advantage of every exciting opportunity in computer programming today.

With your experienced NRI instructor always available to help, you quickly cover the fundamentals, then

move on to master all four of today's key computer languages—BASIC, Pascal, C, and COBOL—step by easy step. Before you know it, you have what it takes to handle any programming problem you're likely to encounter in your professional career.

Now, as never before, you can succeed as a computer programmer

The best news comes from the Bureau of Labor Statistics: As a programmer trained in a variety of computer languages you

can land the programming position of your choice—even make it on your own as an independent programmer. There's no doubt about it—with NRI's complete, at-home, four-language training in Computer Programming, you can write your own ticket to success in this high-paying, top-growth computer career field!

See other side for highlights of your NRI hands-on training in BASIC, Pascal, C, and COBOL →

SEND CARD TODAY FOR FREE NRI CATALOG

YES! Please rush me my FREE catalog describing NRI's at-home training in Computer Programming.

Name _____ Age _____
(please print)

Address _____

City _____ State _____ Zip _____
5401-030


Your NRI training in computer programming includes an IBM XT-compatible West Coast 800 ES computer with internal modem, 640K RAM, disk drive, monitor, and programming software—BASIC, Pascal, C, and COBOL—all yours to keep!




Now, with NRI, you can learn to program in today's hottest computer languages— BASIC, Pascal, C, and COBOL




You start with BASIC, an extremely popular language used for graphics, teaching, personal, and small business applications.



Next, you master Pascal, a multipurpose language often used to develop software for computer-aided design (CAD).



You move on to C—hands down, today's hottest computer language—used for everything from systems programming to artificial intelligence.



You wrap up your training in programming with COBOL, the language of business and the most widely used computer language in the world.

NRI's new at-home training in Computer Programming starts by walking you step by step through the fundamentals, easing you into programming with brilliantly detailed instructions, charts, and diagrams.

In no time at all, you have a complete understanding of the programming techniques used every day by successful micro and main-frame programmers. And then the fun really begins.

With your personal NRI instructor on call and ready to help, you use the computer system included in your training to actually design, code, run, debug, and document programs in BASIC, Pascal, C, and COBOL. Then, following easy-to-read instructions, you use your modem—also included—to "talk" to your instructor, meet other NRI students, even download programs through NRI's exclusive programmers network, PRONET.

Send for your FREE catalog today

For all the details about NRI's at-home training in Computer Programming, send the postage-paid reply card today. Soon you'll receive NRI's fascinating, information-packed, full-color catalog.

Open it up and you'll find vivid descriptions of every aspect of NRI training. You'll see the IBM XT-compatible computer included in your course up close in a special, poster-sized foldout section. And, best of all, you'll find out how your NRI training will make it easy for you to build a high-paying career—even a business of your own—in computer programming.

If the card is missing, write to NRI at the address below.

IBM is a registered trademark of the IBM Corporation

NRI
School of Computer Programming

McGraw-Hill Continuing Education Center
4401 Connecticut Avenue
Washington, DC 20008



SEND CARD TODAY FOR FREE NRI CATALOG



BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 10008 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY ADDRESSEE

NRI SCHOOLS

McGraw-Hill Continuing Education Center
4401 Connecticut Avenue NW
Washington, D.C. 20077-3543

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BYTE

PRODUCT SHOWCASE

- BUYER'S MART
- BYTE BITS
- PRODUCT SPOTS
- MICRO PRODUCT CENTER



THE BUYER'S MART

A Directory of Products and Services

THE BUYER'S MART is a monthly advertising section which enables readers to easily locate suppliers by product category. As a unique feature, each BUYER'S MART ad includes a Reader Service number to assist interested readers in requesting information from participating advertisers.

Effective January 1, 1990.

RATES: 1x—\$590 3x—\$550 6x—\$525 12x—\$475 24x—\$450
Prepayment must accompany each insertion. VISA/MC Accepted.

AD FORMAT: Each ad will be designed and typeset by BYTE. Advertisers must

furnish typewritten copy. Ads can include headline (23 characters maximum), descriptive text (250 characters is recommended, but up to 350 characters can be accommodated), plus company name, address and telephone number. Do not send logos or camera-ready artwork.

DEADLINE: Ad copy is due approximately 2 months prior to issue date. For example: November issue closes on September 8. Send your copy and payment to THE BUYER'S MART, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information call Brian Higgins at 603-924-3754.

ACCESSORIES

SIMMS DIRECT FROM MFG.

*HP LASERJET SERIES II MODULES**PS/2 70 & 80 MODULES*
*LASERWRITER NTH MODULES**MACINTOSH MODULES*
*IBM COMPATIBLE MODULES**AST MODULES*

2 YR WARRANTY
SAVE 60% BUYING DIRECT AND RECEIVE A FREE FLOPPY DISK
HOLDER AS WELL. MFG. IS ALSO AVAILABLE USING YOUR
MEMORY CHIPS CALL NOW FOR MEMORY NEEDS.

BEPHYR INDUSTRIES, INC.

PH: (714) 951-5193 FAX: (714) 951-1541

Inquiry 576.

CUT RIBBON COSTS!

Re-ink your printer ribbons quickly and easily. Do all
cartridge ribbons with just one ink! For crisp, black
professional print since 1982. You can choose from 3
models: Manual E-Zee Inker — \$39.50
Electric E-Zee Inker — \$94.50
Ink Master (Electric) — \$189.00

1000s of satisfied users. Money-back guarantee.

BORG INDUSTRIES

525 MAIN ST., JANESVILLE, IA 50647
1-800-553-2404 Fax: 319-987-2251

Inquiry 577.

COMPANION AND EXTENDER

Place a keyboard and monitor up to 600' from your CPU
with EXTENDER and COMPANION products. Keep a
second Keyboard/Monitor at the CPU with COM-
PANION. Supports MDA, CGA, EGA, VGA, PS2. Uses
single 3/4" cable.

Prices start at \$149.00 for EXTENDER and \$219.00 for
COMPANION 25 ft. unit complete.

CYBEX CORPORATION

2800-H Bob Wallace, Huntsville, AL 35805
205-534-0011 International Fax #205-534-0010

Inquiry 578.

FREE CATALOG

A complete source for all your computer supplies — media,
paper, cables, furniture, software, ribbons, laser,
cleaning & FAX supplies, accessories & much more.

Bulk Diskettes — Minimum Order 50

5.25" DS/DD 25¢ 3.5" DS/DD 65¢
5.25" DS/HD 49¢ 3.5" DS/HD \$1.19

GAAN COMPUTER SUPPLIES

186 B East Sunnyside Ave., Campbell, CA 95008
(800) 523-1238, In Calif. (408) 370-6747

Inquiry 579.

Finally a Better Toner Cartridge for your
Canon® PC Copier: HP® or Apple® Laser Printer

REFILL KIT IS \$19.95 SAVE NEARLY \$250.00 on average
or 3 FOR \$50.00 three refills over 4 new cartridges

New Modified Toner Cartridges to accept refill kits (*holes are pre-drilled)
PC 3.5 Cartridge \$89.95 HP & Apple Series I, EP, CX \$109.95
PC 6.7 Cartridge \$129.95 HP & Apple Series II, EPS, SX \$109.95
PC 10.25 Cartridge \$99.95 many other Laser Printers that use Canon Engines

These toner cartridges are modified to easily be refilled up to three additional times
with our inexpensive do-it-yourself kit. Or use your own empty cartridge and modify
yourself with simple instructions in refill kit. Colors also available.

Call: Morack, Inc.

9132 Windsor Dr., Palos Hills, IL 60465
Phone: (708) 598-0580 1-800-837-9696 Fax: (708) 598-9203

Inquiry 580.

ACCESSORIES

HP LASERJET II M-E-M-O-R-Y

1MB-2MB-4MB MEMORY EXPANSION BOARDS

Save 50%—60%

2-YEAR WARRANTY

STARION CORPORATION

(800) 782-8297 CA: (714) 750-2627

Inquiry 581.

APPLICATION GENERATOR

VERY EASY C PROGRAMMING

Includes C library source code

1. CG: creates C program from data \$179
2. HD: Programmable Windows Hypertext \$159
3. IP: Input processor keyboard, comm, loaded \$129
4. CP: Prolog interpreter \$ 79
No source versions for any of the above \$ 49
Demo disk about all products \$ 10

A. I. Coder

32651 N. Burr Oak, Solon, OH 44139
(216) 349-4850

Inquiry 582.

ARTIFICIAL INTELLIGENCE

NATURAL LANGUAGE C LIBRARY

Increase your market share! Use JAKE to add a natural
language front end to your application. JAKE translates
English queries and commands into C function calls
and data structures. JAKE offers context-sensitive
semantic processing; interfaces easily; < 64K mem.

JAKE \$495. INTERACTIVE DEMO \$10

ENGLISH KNOWLEDGE SYSTEMS, INC.

5525 Scotts Valley Dr. #22, Scotts Valley, CA 95066
(408) 438-6922

Inquiry 583.

NanoLISP \$99.99

An MS-DOS Common LISP interpreter that supports
most Common LISP operations and strictly
adheres to the standard. Numerous advanced and
extra features, excellent debugging facilities, sample
AI programs, fully-indexed manual, free
technical support.

Microcomputer Systems Consultants

P.O. Box 6646, Santa Barbara, CA 93160
(805) 967-2270

Inquiry 584.

BAR CODE

LABELING SOFTWARE

On EPSON, IBM, OKI dot matrix or LaserJet. Flexible
design on one easy screen. Any format/size. Up to 120
fields/label. 18 text sizes to 3" readable at 100'. AIAG,
MIL-STD, 2 of 5, 128, UPC/EAN, Code 39. File Input &
Scanned logos/symbols (PCX)—\$279. Other programs
from \$49. 30-day \$5 back.

Worthington Data Solutions

417A Ingalls St., Santa Cruz, CA 95060
(800) 345-4220 In CA: (408) 458-9938

BAR CODE

BAR CODE READERS

For PC, XT, AT, & PS/2, Macintosh, and any RS-232
terminal. Acts like 2nd keyboard, bar codes read
as keyed data. With steel wand—\$399. Top rated
in independent reviews. Works with DOS, Xenix,
Novell, Alloy, -ALL software. Lasers, magstripe, &
slot badge readers. 30-day \$\$ back.

Worthington Data Solutions

417A Ingalls St., Santa Cruz, CA 95060
(800) 345-4220 In CA: (408) 458-9938

PORTABLE READER

Battery-operated, handheld reader with 64K static RAM,
2x16 LCD display, 32-key keyboard, Real-Time-Clock.
Wand or laser scanner. Program prompts and data
checking through its own keyboard. Easy data transfer
by RS-232 port or PC, PS/2 keyboard. Doubles as On-
Line Reader. 30-day \$\$ back.

Worthington Data Solutions

417A Ingalls St., Santa Cruz, CA 95060
(800) 345-4220 In CA: (408) 458-9938

PRINT BAR CODES/BIG TEXT FROM YOUR PROGRAM

Add bar codes and big graphics characters to your pro-
gram. Print from ANY MS-DOS language. Bar codes:
UPC, EAN, 2 of 5, MSI, Code 39. Epson, Oki, IBM dot
matrix text up to 1/2". LaserJet up to 2". Font cartridges
not required. \$179—\$239. 30-day \$\$ back.

Worthington Data Solutions

417A Ingalls St., Santa Cruz, CA 95060
(800) 345-4220 In CA: (408) 458-9938

PRINTING SOURCE CODE

Portable C source code program prints Code 39 and
UPC bar codes. Label printing program for HP, OKI, and
EPSON printers, can be used by itself or added to any
custom application. Documentation shows how to add
drivers and bar code patterns. Introductory price of
\$59.95. No Royalties. Specify UNIX V386 or MSDOS.
5.25" or 3.5" formats.

Infinity Computer Services, Inc.

P.O. Box 269, Coopersburg, PA 18036
215-965-7699

Inquiry 585.

BAR CODE

BAR CODE SOFTWARE SOLUTIONS

ISD has software solutions that allow you to use bar
codes for most anything. Like identifying products,
labeling packages. Or even managing assets and
paperwork. You'll be able to speed and simplify data
collection. Track products dock-to-stock. Streamline in-
ventory control. And more.

Integrated Software Design, Inc.

171 Forbes Blvd., Mansfield, MA 02048
TEL: (508) 339-4928 FAX: (508) 339-2257

1989 Integrated Software Design, Inc.

Inquiry 586.

BAR CODE

PC-Wand Bar Code Solutions

Bar codes are easy with a FULL line of readers & printers. They plug & play with your existing systems, most all makes of CPU/printer/terminal/software in your office, store, truck, factory or warehouse. Our bar code DOS programs print on matrix or laser printers. 30 day refund, 1 year warranty.

International Technologies & Systems Corp.

635-C North Berry St., Brea, CA 92621

TEL.: (714) 990-1880 FAX: (714) 990-2503

Inquiry 587.

BAR CODE READERS Only \$285

- Complete Bar Code Systems Available
- Acts like a 2nd Keyboard for IBM XT/AT, PS/2 and Clones, Macintoshes and any RS-232C Terminal
- Wand/Laser scanner/Slot reader/Magnetic card reader connectivity
- POS Special Keyboard with Bar Code/Magnetic Card Readers
- No software or hardware modification needed
- 30-day Money-back Guarantee

KASCO TECHNOLOGY, INC.

486 Casita Way, Los Altos, CA 94022

Tel: (415) 949-0969 FAX: (415) 949-3814

Inquiry 588.

5-YR. WARRANTY AT PERCON

PERCON decoders are now covered by a five-year limited warranty. That means you won't spend one cent replacing your PERCON bar code decoder for five full years. That's reliability you can count on!

PERCON

2190 W. 11th Ave., Eugene, OR 97402

Phone: (800) 873-7266 FAX: (503) 344-1399

See our ad on page 230

PC BAR CODE SPECIALISTS

Bar code readers designed for fast, reliable, cost effective data entry. Looks just like keyboard data! Choose from stainless steel wand or laser interface. Also, powerful Bar Code and Text printing software. Great warranty. Dealer inquiries welcome.

Seagull Scientific Systems

15127 N.E. 24th, Suite 333, Redmond, WA 98052

206-451-8966

BAR CODE READERS

Among the best and most widely used bar code decoders. Reads all major codes (39, 1 2/5, S 2/5, UPC/EAN/JAN, CODABAR, MSI). Connects between keyboard and system. IBM, PS/2, MAC, DEC-VT compatible. OS & software independent. Same day ship. 2 Year Warranty (pen incl).

Large Reseller Discounts

Solutions Engineering

4705 Langdrum Lane, Bethesda, MD 20815

(800) 635-6533 (301) 652-2738

Inquiry 589.

DATA INPUT DEVICES

Bar Code, Magnetic Stripe Readers & SmartCard Encoder/Reader for microcomputers & terminals, including IBM PS/2 & others, DEC, Macintosh, AT&T, CT, Wyse, Wang. All readers connect on the keyboard cable & are transparent to all software. UPC & 39 print programs, magnetic encoders, & portable readers are also available.

TPS Electronics

4047 Transport, Palo Alto, CA 94303

415-856-6833 Telex 371-9097 TPS PLA

1-800-526-5920 FAX: 415-856-3843

Inquiry 590.

BAR CODE

VARIANT MICROSYSTEMS BAR CODE READERS DELIVER

WAND/LASER/MAGNETIC CARD CONNECTIVITY

- Keyboard wedges (Internal/External) for IBM PC/XT/AT, PS/2 and portables.
- RS232C wedges for WYSE, Link, Kimtron terminals
- Bar code and label printing software
- Full two-year warranty

• 30-Day Money-Back Guarantee

• Extensive VAR/Dealer Discounts

3140 De La Cruz Blvd., Suite 200/Santa Clara CA 95054/(408) 980-1880
FAX: (415) 623-1372

Inquiry 591.

BASIC CLIP MUSIC

300 Songs & Sound Effects

The *ENTER-tainer* contains by far the biggest & best collection on the market for DOS machines. Play like a jukebox through your PC speaker or use selections in your own programs.

No royalties required—source code included.

An Excellent Gift!

172-pg. manual, 5.25" or 3.5" disks. BASIC 2.0 or later req'd. Dealer inquiries welcome. \$29.95 (\$35.00 U.S. &H) MC/VISA/MO.

(800) 727-4140—Money Back Guarantee

PDI Music Software, 1511 48th St., Boulder CO 80303, (303) 440-4140

Inquiry 592.

BBS/PUBLIC DOMAIN

MedCom BBS

Use your modem to call

800/445-4BBS (800/445-4227)

81 lines, 3/12/24, 8N1

Group & private chat. Many games, including the new multi-player, fast-action full-color graphics & sound. "Flash Attack" from Galacticom! Chess/Checkers/Othello. E-Mail, 1000s of d/l, message base, online news & entertainment. Free time & downloads.

6312 E Santa Ana Cyn Rd #361, Anaheim, CA 92807

Voice (714) 996-9999

BOOKS

PERFECT 360K FLOPPIES using your 1.2M drive

How many times have you carefully formatted a 360K floppy in a 1.2M drive, then written data to it, only to find it unreadable in a real 360K drive? Too many times, no doubt! Send \$10 (+\$1 shipping) for booklet *Perfect 360K Floppies Everytime*, describing a simple, 100% effective solution requiring no extra software or hardware. Put to use immediately, saving time and money.

Objective Systems & Technologies

133 E. De La Guerra, Suite 423-B, Santa Barbara, CA 93101

(805) 564-8125 MC/VISA

Inquiry 593.

BRAILLE

BRAILLE PUBLISHING

Whether you have occasional word-processed memos or full-length textbooks, a Duxbury Translator enables conversion to properly contracted and formatted braille. The choice of professional publishers worldwide since 1975, Duxbury software for MSDOS, Macintosh, Unix and other systems supports: English Braille and Computer Braille (bidirectionally), Textbook Format, French, Spanish, Arabic, and others.

Duxbury Systems, Inc.

435 King St., P.O. Box 1504, Littleton, MA 01460 USA

508-486-9766

Inquiry 594.

BUSINESS OPPORTUNITY

Turn your computer into a family wage earner

Learn how some people are making over \$3000/wk with their computer. Every month receive a new and fascinating method of making money with your computer — each opportunity completely detailed — subscribe to *ComputerProfits™* Reg. \$44/yr — now ONLY \$22/yr. VISA/MC call (603) 880-3991 or send to

ComputerProfits™

41 Carlene Dr., Nashua, NH 03062

(satisfaction guaranteed)

Inquiry 595.

CAE

LOGIC SYNTHESIS FOR \$995

Now get the most powerful PLD design tool available, from the technology leader in PLD logic synthesis. PLDesigner, the standard for CAE workstation design, is now available for your PC:

- * High-level design language
- * High-level simulation language
- * Over 2,500 devices supported
- * Automatic device selection/pinout

Minc Incorporated

6755 Earl Drive, Colorado Springs, CO 80919
(719) 590-1155

Inquiry 596.

CASE

FINITE STATE PROGRAM COMPILERS

State programs develop quicker, run faster and use less memory than sequential programs. A few keystrokes can replace hundreds of instructions. The Compiler, a CASE software development tool, forms source state programs in: Ada, BASIC, C, FORTRAN and Pascal. FOR IBM DOS.

Price \$200 per lang. (With Primer and Debugger)

Sampler \$50.00 (With all manuals & credit)

AYECO 5025 Nassau Circle, Orlando
INCORPORATED FL 32808 (407) 295-0930

Inquiry 597.

CD-ROM

ALDE CORPORATION

CD ROM players as low as \$499 plus selected disc. Choose from many titles. Alde does consulting, joint venture and/or royalty projects for qualified parties. Write call or fax for complete information. New Ada release.

Box 1086, Glen Lake, MN 55346

1-800-727-9724 FAX: 1-612-934-2824

Inquiry 598.

Largest Selection and Best Price

Microsoft Programmers Library & Drive \$499. Computer Library \$695 • Public Domain S/W \$49. NEC PC or Mac Drive Kit \$749 • Bookshelf-Best Price!

Drives from \$499. Hundreds of titles from \$29.

MC/VISA/AMEX/COD, Money-back Guarantee.

Call or write for free 120-page catalog.

Bureau of Electronic Publishing

141 New Road, Parsippany, NJ 07054

800-828-4766

THE SOURCE FOR CD-ROM

Inquiry 599.

A COMPACT DISC SALES AND CONSULTING FIRM

CD ROM READERS

Hitech PC Internal \$639 PC External \$679 includes free audio software
Toshiba XM 3201 PC or MAC \$849

Level Lead Screw DM3200 \$579

THE BUYER'S MART

CD-ROM

CD-ROM Publishing Services

Complete CD-ROM publishing services including custom software interface. Reasonable rates, fast turnaround. Call for quote.

Titles published: Food/Analyst, Econ/Stats, Consu/Stats, Agri/Stats.

Hopkins Technology

CD-ROM Publisher
421 Hazel Lane
Hopkins, MN 55343-7117
(612) 931-9376 CIS 74017,614

Inquiry 602.

CD-ROM Developer's Lab

Multimedia production resource for Mac & PC developers & managers. Proven design, management, data prep, programming, premastering, and manufacturing techniques & specs from 18 leading companies. Demos of off-the-shelf tools for imaging, audio, animation (Mac). Real applications using Media-Mixer source tools. CD-ROM XA. PC or Mac \$795; Transportable \$845. Visa or MasterCard.

Software Mart, Inc.

4131 Spicewood Springs Road I-3, Austin, TX 78759
512-346-7887

Inquiry 603.

COMMUNICATIONS

PC SDLC SUPPORT

Use Sangoma hardware and software to provide a cost effective, robust and easy to use SDLC link from MS-DOS, XENIX, AIX, PICK, PC-MOS, etc.

All real time communication functions performed by intelligent co-processor card.

X.25 support also available.

Sangoma Technologies Inc.

(416) 474-1990
7170 Warden Avenue #2, Markham, Ontario, Canada L3R 8B2

Inquiry 604.

COMPUTER INSURANCE

INSURES YOUR COMPUTER

SAFWARE provides full replacement of hardware, media and purchased software. As little as \$49 a year provides comprehensive coverage. Blanket coverage; no list of equipment needed. One call does it all. Call 8 am-10 pm ET. (Sat. 9 to 5)

TOLL FREE 1-800-848-3469

(Local 614-262-0559)

SAFWARE, The Insurance Agency Inc.

Inquiry 605.

COMPUTER UPGRADE

THE COMPLETE XT UPGRADE

The K-311 Upgrade Kit converts your XT to full 32-bit, 20MHz 80386 CPU and high speed disk performance. The K-311 Kit includes 20MHz 80386 w/1Mb RAM, 16-bit Adaptec 1:1 controller, 63Mb 28Ms Mitsubishi disk drive, choice of 1.2 or 1.4Mb diskette drive, Key Tronic 101 Plus keyboard, 200 W PS, new drive cables. Matches or exceeds the performance of a new system but at far less cost. Top quality, easy installation, 1 year warranty. \$1,795

5G Corporation

4131 Spicewood Springs Road A-4, Austin TX 78759
800-333-4131 512-345-9843 Fax 512-345-9575

Inquiry 606.

\$799 FOR 386-20

\$599 FOR 386SX \$399 FOR 286-12
Upgrade your computer at a fraction of the cost. Send your computer in, we will do the work. Order now, we will send you a box for mailing your computer. Your old parts will be exchanged for labor charge. We will put in new parts & charge wholesale prices for any parts which do not fit the new system. Prices shown are for motherboard and 1MB RAM. New system available at low prices.

ABTECH Inc.

1431 Potrero Ave., S. El Monte, CA 91733
(800) 992-1978 In Calif. (818) 575-0007

Inquiry 607.

316 B Y T E • MARCH 1990

CROSS ASSEMBLERS

CROSS ASSEMBLERS

Universal Linker, Librarian

Targets for 36 Microprocessors

Hosts: PC/MS-DOS, micro VAX, VAX 8000

ENERTEC, INC.

BOX 1312, 811 W. Fifth St.
Lansdale, PA 19446

Tel: 215-362-0966 Fax: 215-362-2404

Inquiry 608.

CROSS ASSEMBLERS/SIMULATORS

Brand new fullfunction simulator for the 8096 controller, supporting ALL MODES of interrupts plus the HSI, HSD, A/D and Serial features, with full disassembler, just \$300! Our superb simulators for the 8048, 8051, and 8085 sell for \$200, and those for the 8052 and Z80 for \$250 each.

Our line of cross assemblers for all above target CPUs are also full PC compatible and sell for \$100 each. We offer discounts for simulator plus assembler packages.

Lear Com Company

2440 Kipling St./Ste. 206, Lakewood, CO 80215
303-232-2226

Inquiry 609.

MACINTOSH CROSS ASSEMBLERS

µASM™—New Version 3.0! Integrated text editor, assembler, and terminal package. S or Hex output downloads to most EPROM programmers. Macros, cond'1 ass'y, local & auto labels, symbol table cross-ref. \$149.95 each plus S/H. MC/VAE. Tech. bulletin avail. Most 8-bit MPU's.
30 day money back guarantee.

MICRO DIALECTS, INC., Dept B

P.O. Box 30014, Cincinnati, OH 45230
(513) 271-9100

Inquiry 610.

CROSS ASSEMBLERS

Relocatable
Macros
PC Compatible

**GUARANTEED,
SUPPORTED**

DEBUG SIMULATORS • DISASSEMBLERS
EPROM PROGRAMMERS

MICRO COMPUTER TOOLS CO.

Phone Toll Free (800) 443-0779

In CA (415) 825-4200

912 Hastings Dr., Concord, CA 94518

Inquiry 611.

6800-Family Development Software

Our C Compilers for the 6800, 6801, 6809, & 68HC11 feature a complete implementation (excluding bit fields) of C as described by K&R and yield 30-70% less code than other compilers. Our Assemblers feature macros and conditional assembly. Linker & Terminal Emulator included.

Wintek Corporation

1801 South St., Lafayette, IN 47904
(800) 742-6809 or (317) 742-8428

Inquiry 612.

CROSS COMPILERS

68000 C Compiler

Available under MS-DOS, UNIX and VMS
CrossCode C generates ROMable code for all members of the Motorola 68000 family. It comes with an optimizing compiler, Motorola-compatible assembler, linker, librarian, symbol lister, and universal downloader. For more info, see our display ad on page 117.

Call today: 1-800-448-7733

Software Development Systems, Inc.

4248 Belle Aire Lane, Downers Grove, Illinois 60515 USA
Outside USA dial 1-708-971-8170. FAX: 1-708-971-8513

DATA CONVERSION

MEDIA CONVERSION/DATA TRANSLATION

More than just a straight dump or ASCII transfer! Word Processing, DBMS, and Spreadsheet data on Disks or Tapes transferred directly into applications running on Mainframes, Minis, Micros, Dedicated Word Processors, Typesetters, and Electronic Publishing systems.

IBM PS/2 & Macintosh supported

#1 in the translation industry!

CompuData Translators, Inc.

3325 Wilshire Blvd., Suite 1202, Los Angeles, CA 90010
(213) 387-4477 1-800-825-8251

Inquiry 613.

WE'LL DO IT BETTER... FOR LESS!

Conversion, Duplication, Any Format
FREE TEST • SATISFACTION GUARANTEED

Plus, the Personal Touch. Ask Questions and we'll explain it to you in simple English!!!

DATACOPY SERVICE

P.O. Box 820214, Dallas, TX 75382
1-800-969-DATA

Inquiry 614.

DATA SECURITY

"We all sincerely believed that when we punched delete, it was gone forever. Wow, were we wrong!"

—Lt. Col. Oliver North, July 7, 1987

DELETE IS NOT COMPLETE!

Use **DATA SHREDDER**—The ultimate security blanket
From **CORPWARE**—Software that means Business.

CORPWARE, LTD. 800/562-3475

All elements of ad are tm, sm and/or © 1989 CORPWARE, LTD

Inquiry 615.

DATA/DISK CONVERSION

DISK CONVERSIONS

Media transfer to or from: IBM, Xerox, DEC, Wang, Lanier, CPT, Micom, NBI, CT, Exxon, WRDPLEX also WP, WS, MS/WRD, DW4, MM, Samna, DEC DX, MAS 11, Xerox-Writer, ASCII.

FREE TEST CONVERSION CONVERSION SPECIALISTS

531 Main St., Ste. 835, El Segundo, CA 90245
(213) 545-6551 (213) 322-6319

Inquiry 616.

FROM MACs TO MAINFRAMES...

Our 12 conversion systems
support over 1000 formats

DISK INTERCHANGE SERVICE COMPANY

2 Park Drive • Westford, MA 01886
(508) 692-0050

Inquiry 617.

BUY YOUR OWN CONVERSION SYSTEM!

With nearly a decade of experience in data conversion, you can work with the industry leader in 9-track tape, cartridge tape and diskette conversion systems. Enjoy the convenience of your own conversion system. Call today to discuss your application!

Flagstaff Engineering

1120 Kaibab Lane, Flagstaff, AZ 86001
(602) 779-3341

MasterCard - Visa - American Express Accepted

Inquiry 618.

THE BUYER'S MART

DATA/DISK CONVERSION

THE #1 CHOICE

In disk & tape conversion

for many leading corporations, government agencies, law firms, and companies in every industry—world-wide.

Free test • Satisfaction guaranteed

Graphics Unlimited Inc.

3000 Second St. North, Minneapolis, MN 55411

(612) 588-7571 or (612) 520-2345

FAX: (612) 588-8783

Inquiry 619.

QUALITY CONVERSIONS

to or from virtually

ANY TAPE OR DISK FORMAT!

Horan Data Services converts over 2000 formats incl. 9-track tape and 8", 5 1/4" or 3 1/2" diskettes. All densities & most operating systems supported. Formats include EBDCIC, ASCII, databases, spreadsheets, and dedicated or PC word processors

Call 1-800-677-8885

Hours 8:00AM to 5:30PM Eastern Time

817 Main Street, Third Floor, Cincinnati OH 45202

Inquiry 620.

*** We RENT conversion systems or DO the conversion for you!***

Conversion Capabilities: 9 Track Tape, 8" Disk, 1/4" Cartridge, Word Processors, Optical Disk, 2.3 Gigabyte Backup, Fax Workstations

WE WILL SOLVE YOUR DATA CONVERSION PROBLEMS!

LIONSGATE DATA SERVICES

CALL: (818) 704-5867 OR FAX: (818) 716-5647

Inquiry 621.

IBM PC TO HP FILE COPY FASTER EASIER TO USE

Update version uses windows: Call for free demo! IBM PC <to> HP File Copy allows IBM PCs, PS/2, compatibles to interchange files with Hewlett-Packard Series 70, 80, 200, 300, 1000, 9000s.

Oswego Software

Box 310 708/554-3567
Oswego, IL 60543 FAX 708/554-3573

Inquiry 622.

CONVERSION SERVICES

Convert any 9-track magnetic tape to or from over 2000 formats including 3 1/2", 5 1/4", 8" disk formats & word processors. Disk-to-disk conversions also available. Call for more info. Introducing OCR Scanning Services

Pivar Computing Services, Inc.

165 Arlington Hgts. Rd., Dept. #B
Buffalo Grove, IL 60089 (800) Hi-Pivar

Inquiry 623.

DATABASE MGMT. SYSTEMS

dBASE file access from C

Code Base 4 is a library of C routines which gives complete dBASE or Clipper functionality and file compatibility. Use DOS, Unix, OS/2 or MS Windows.

\$295 with Source! FREE DEMO

Sequiter Software Inc.

Call (403) 439-8171 Fax (403) 433-7460

See our ad on page 271.

Inquiry 624.

DEMOS/TUTORIALS

INSTANT REPLAY III

Build Demos, Tutorials, Prototypes, Presentations, Music, Timed Keyboard Macros, and Menu Systems. Includes Screen Maker, Keystroke/Time Editor, Program Memorizer, and Animator. Rec'd Great Reviews! Simply the BEST. Not copy protected. No royalties. 60-day satisfaction money-back guar. IBM and Compatib. \$149.95 U.S. Chk/Cr. Crd. Demo Diskette \$5.00

NOSTRADAMUS, INC.

PO Box 9252

Salt Lake City, Utah 84109 (801) 272-0671

Inquiry 625.

DISASSEMBLERS

80x86 .EXE/.COM to .ASM

- Accurately reconstruct, study & modify [64K+] programs with a minimum of input or editing of output.
- Assembly language output is MASM 5.x-compatible.
- Exhaustive flow-trace distinguishes code from data.
- Best formats for each. Commented BIOS calls/DOS functions. SEGMENT/PROC/other vital pseudo-ops.

PC-DISnDATA (5 1/4" disk & manual) \$165

PRO/AM SOFTWARE

220 Cardigan Road, Centerville, OH 45459

(513) 435-4480 (9 A.M.-5 P.M. EST M-F)

Inquiry 626.

SOFT-X-PLORE

See "BYTE's May '88 issue pg. 78." Disassemble 500 kb (*) program at 10,000/min. (*) in any file, ROM/RAM memory up to 80386 instruction set (*). SOFT-X-plore:

- * is for MS/DOS 2.0+ systems
- * uses 20 algorithms and seven passes (*)
- * only \$99.95 plus S&H w/30-day guarantee

To order call (800) 446-4656 or info (203) 953-0236

Or write: RJSWANTEK INC.

178 Brookside Rd., Newington, CT 06111

* best on the market MC/VISA accepted

Inquiry 627.

DISK DRIVES

PS/2 DRIVES FOR PCs ATs

CompatiKit/PC \$279

CompatiKit/AT \$219

Built-in floppy controllers—no problem. Supports multiple drives and formats. Lets your computer use IBM PS/2 1.4M diskettes *plus more!* Call for further information or to place an order.

VISA/MC/COD/CHECK.

Micro Solutions Computer Products

132 W. Lincoln Hwy. DeKalb, IL 60115 815/756-3411

See our ad on page 252.

Inquiry 628.

DISK DUPLICATION

SOFTWARE PRODUCTION

- Disk duplication
- All formats
- EVERLOCK copy protection
- Label/sleeve printing
- Full packaging services
- Warehousing
- Drop shipping
- Fulfillment
- 48-hour delivery
- Consultation & guidance

Star-Byte, Inc.

2880 Bergey Rd., Hatfield, PA 19440

215-997-2470 800-243-1515

Inquiry 629.

EDUCATION

B.Sc. & M.S. in COMPUTER SCIENCE

The American Institute for Computer Sciences offers an in-depth correspondence program to earn your Bachelor of Science and Master of Science degrees in Computer Science at home. BSC subjects covered are: MS/DOS, BASIC, PASCAL, C, Data File Processing, Data Structures & Operating systems. MS program includes subjects in Software Engineering and Artificial Intelligence.

AMERICAN INST. for COMPUTER SCIENCES

1704-BY 11th Ave. So., Birmingham, AL 35205

205-933-0339

Inquiry 630.

EDUCATION

LEARN TO EARN MORE

And get hands-on experience with hypertext. Read *How to Get a Better Job in Data Processing*, a hypertext by a leading recruiter. Requires a PC and hard disk or 720K floppy. \$39.95 plus \$3 shipping. 30-day money-back guarantee.

Hypertext Corp. (800) 926-6166 x7

63-36 98th Place, Suite 5J, Rego Park, NY 11374

Inquiry 631.

The Grades Program

TGP can cut your grading process in half! TGP's spreadsheet-like score input form speeds entry with programmable input boundaries. TGP fills out student deficiency notices so you can get some sleep! TGP can generate standard deviation, assignment avg's, graphs, and more. . .Reqs. access to an IBM-PC or Comp. (CGA, EGA, VGA), \$49.95 (In CA + 6 1/2% tax)

Michael Babglian, Consultant

P.O. Box 1825, Elk Grove, CA 95759

(916) 682-4290

Inquiry 632.

SHORT COURSES

on 16 and 32 BIT MICROS USING URDA, Inc. EDUCATIONAL TRAINERS Short Courses available covering the Motorola 68000/68020/68881, the TMS32010 DSP, the Intel 8086/8087, A/D-D/A Converters, cross assemblers, serial interfaces with software - includes class notes, and an URDA, Inc. Educational Trainer to keep

Short Courses—Modeling & Simulation Conference

EE Dept., 348 BEH

University of Pittsburgh

Pittsburgh, PA 15261

412-624-9682 or 412-624-9686

Inquiry 633.

Urgently Required

Be a highly paid computer consultant. We offer a comprehensive training program. Upon successful completion of the program, we will offer you a license to operate your own business and introduce your business worldwide through our worldwide network.

As we have limited openings, write us today! Send your resume and evaluation fee of \$50. USD payable to:

Worldwide Canadian Management Consultant Inc.

P.O.B. 639, Pickering, Canada L1V 3T3

Inquiry 634.

EDUCATIONAL TRAINERS

16 and 32 BIT MICROS

EDUCATIONAL TRAINING SYSTEMS in a notebook with power supply—for the Motorola 68000/68020/68881, TMS32010 DSP, Intel 8086/8087, A/D-D/A Converters, cross assemblers, serial interfaces with software, complete systems, documentation, schematic, operating system, cables. Starting Prices—\$230.00.

Phone URDA, Inc.

1-800-338-0517 or (412) 683-8732

Inquiry 635.

ENTERTAINMENT

CROSSWORD PUZZLE PROGRAM \$95

Wordsmith automatically constructs symmetrical crossword puzzles from 40,000 words in user modifiable lists. IBM/Compatible, 640K memory. Hard drive recommended. 5-1/4" or 3-1/2" disks. 30-day money-back guarantee.

COLLINS SOFTWARE

J.L. Collins, Box 110, 875A Island Dr. Alameda, CA 94501

Inquiry 636.

THE BUYER'S MART

ENTERTAINMENT

NEMESIS™ Go Master®

Go, a game of strategic elegance, has been a way of life in the Orient for over four thousand years. Many consider Go to be the secret of the Japanese businessman's success. "While chess is a game of war, Go is a game of market share" (President of Nikko Hotels).

"If you are interested in Go, buy this program."
Game of the Month J. Pournelle BYTE 7/87

Toyogo, Inc. The Leader in Computer Go.
76 Bedford St. #34-Y, Lexington, MA 02173, (617) 861-0488

Inquiry 637.

FLOW CHARTS

Flow Charting II+

For IBM and compatibles. It will amaze you with its speed, power and simplicity. 26 standard shapes with over 120 sizes — 10 text fonts — 4 line styles. Place text, lines and shapes anywhere on your chart. For only \$229 you'll never draw another chart by hand.

Patton & Patton

81 Great Oaks Blvd., San Jose, CA 95119
1-800-525-0082 Ext. 42 (Outside CA)
408-629-5376 Ext. 42 (CA/Int'l)

Inquiry 638.

WINDOWS FLOWCHARTER \$79

RFFlow is a professional drawing tool for flowcharts & org charts (requires Microsoft® Windows). 75 shapes automatically adjust in size. Move, copy, delete groups of objects. 7 levels of zoom. Move flowcharts to other applications via the Clipboard. Supports Windows printers, plotters, and cartridge or soft fonts. Call for free trial disk.

RFF ELECTRONICS

1053 Banyan Court, Loveland, CO 80538
Phone: (303) 663-5767 FAX: (303) 669-4889

Inquiry 639.

STRUCTURED FLOW CHART

NSChart creates Nassi-Shneiderman (structured) flowcharts from a simple PDL. Key words define structures & text strings appear in the chart. Easy to create, even easier to revise! Automatic chart sizing, text centering. Translators from many languages available. For Mac and IBM PC.

SILTRONIX, INC.

P.O. Box 82544, San Diego, CA 92138
1-800-637-4888

Inquiry 640.

GRAPHICS

IMAGE CAPTURE BOARD

Capture images from any VCR or Cam-Corder. Resolution: up to 512 x 512 pixels: 256 Colors or 256 shades of grey. Images may be saved in GIF, PCX, TIFF formats and more. VGA Required. Available for PC/XT/AT and PS/2: \$795.00
JLaser5. Increase laser printer resolution to 4800 x 300 dpi w/256 grey scale. PS/2: \$599.00
PC/XT/AT: \$399.00

PEGASYSTEMS (614) 885-1007

P.O. Box 713, Westerville, OH 43081

Inquiry 641.

PEP Picture Editing Package

Innovative structured drawing software. Fast, responsive, powerful. A free-form drawing tool. High performance even on the slowest PC. Many different applications including business forms, logos, diagrams, labels and graph annotations. For Epson, LaserJet, or Postscript. Introductory price \$125 to Feb. 1, then \$180. VISA/MC.

Trionum Inc.

PO Box 305 Kendall Sq., Cambridge, MA 02142
1-800-TRIONUM

Inquiry 642.

318 BYTE • MARCH

HARD DRIVE REPAIR

HARD DRIVE REPAIR

WE WILL REPAIR YOUR HARD DRIVE AT A FRACTION OF THE COST OF REPLACING IT. FAST TURNAROUND!!! CALL FOR DETAILS.

H & W micro, inc.

528-C FOREST PARKWAY
FOREST PARK, GA 30050
(404) 366-1600

Inquiry 643.

DISK DRIVE REPAIR DATA RECOVERY

SALES of new, remanufactured and removable disk drives

FULL TECHNICAL SUPPORT ROTATING MEMORY SERVICE

1506 Dell Avenue, Campbell, CA 95008
(408) 370-3113
We buy used drives good or bad

Inquiry 644.

HARDWARE

CHIP CHECKER

- 74/54 TTL + CMOS
- 14/4000 CMOS
- 14-24 Pin Chips
- 8000 Nat. + Signetics
- 9000 TTL
- 3" + 6" IC widths

Tests/identifies over 650 digital chips with ANY type of output in seconds. Also tests popular RAM chips. IBM-compatible version \$259. C128 + C64 version \$159.

DUNE SYSTEMS

2603 Willa Dr., St. Joseph, MI 49085
(616) 983-2352

Inquiry 645.

INDUSTRIAL STRENGTH SINGLE BOARD COMPUTER

Has optimum features for monitor + control applications:
16 Chan A/D • 4 RS232/422 Ports • 48 Prog I/O Lines
• 8 Opto Ins • 8 HiDrive OUtS • 4 Timers • Watchdog
• 104K Memory • 5.25 x 8.0 Options: Resident FORTH OS with Target Compiler, Editor, Assembler, + Auto Load/Start; 5 MHz 8085 • 4 Chan DIA • Battery Backed Clock/RAM • Networking • PC Support.

E-PAC 1000 + \$249.00 E-PAC 2000 + \$449.00

EMAC INC.

PO Box 2042, Carbondale IL 62902 (618) 529-4525

Inquiry 646.

LATEST AWARD BIOS!

PC/XT ☆ 286 ☆ 386

- Support for:
- Enhanced Keyboards
 - EGA & VGA Graphics
 - 3.5 inch Floppies
 - Custom Drive Tables

Authorized AWARD Distributor

1-800-423-3400 or (412) 782-0384

KOMPUTERWERK, INC.

851 Parkview Blvd., Pittsburgh, PA 15215

Inquiry 647.

Macintosh® Parts & Repairs

Programs for the corporate, government, dealer and educational buyer. Call for kit.

Save up to 55% on Mac II CPU

800-274-5343 / 617-891-6851

Pre-Owned Electronics, Inc.

30 Clematis Ave • Waltham, MA 02154
Macintosh is a registered trademark of Apple Computer, Inc.

Inquiry 648.

HARDWARE/ADD-ONS

Call Today

for DRAMATIC Low Pricing

on New Slimms™ Memory Modules
1, 2, 4 and 8 Megabyte 72-pin modules available

TermoTrol Corp.

1888 Century Park East, Suite 1900, L.A., CA 90067
213-284-3242 800-365-0045

Inquiry 649.

HARDWARE/CONTROLLERS

EMBEDDED SYSTEMS CONTROLLERS

SC/FOX™ PCS (Parallel Coprocessor System) and PCS32 are PC/XT/AT plug-in boards, 16 and 32 bit, 15 MIPS average, 50 MIPS burst. PCS uses the Harris RTX 2000™ 16-bit Forth CPU with 1-cycle multiplier, 14 prioritized interrupts, 3 timer/counters, 8-channel I/O bus. PCS32 uses the new SC32 32-bit Forth CPU. SC/FOX SBC (Single Board Computer) is an 18 MIPS average, 60 MIPS burst, Eurocard-size RTX 2000 stand-alone computer. SC/FOX SCSI I/O Plug-on board for PCS or SBC with SCSI, floppy, 59K-baud serial, 18-bit parallel ports, and software drivers. Forth development software included. Ideal for embedded realtime control, data acquisition, robotics, and signal processing.

SILICON COMPOSERS INC. (415) 322-8763
208 California Avenue, Palo Alto, CA 94306

Inquiry 650.

HARDWARE/COPROCESSOR

DIGITAL SIGNAL PROCESSOR

DSP products for the IBM PC/XT/AT based on the TI TMS32010 and TMS320C25 up to 12 MIPS operation. Designed for applications in communications, instrumentation, speech, and numeric processing. Offered with 12 bit 10 MHz A/D and D/A and continuous-to-disk data acquisition & playback option. From \$650.

DALANCO SPRY

89 Westland Ave., Rochester, NY 14618
(716) 473-3610

Inquiry 651.

INVENTORY MANAGEMENT

STOCK-MASTER 4.0

Commercial grade inventory management software at micro prices.

- Supports all 12 transaction types
- Trend Analysis
- Quality Control
- Multiple Locations
- Purchase Order Tracking
- Open Order Reporting
- Serial/Lot # Tracking
- Stock Status Reporting
- Activity History Analysis
- Bill of Materials
- Purchase Order Writing
- Order Entry
- Material Requirements
- On Line Inquiry

Appled Micro Business Systems, Inc.

177-F Riverside Ave., Newport Beach, CA 92663 714-759-0582

Inquiry 652.

dFELLER Inventory

Business inventory programs written in modifiable dBASE source code

dFELLER Inventory \$150.00

Requires dBASE II or III. PC-DOS/CPM

dFELLER Plus \$200.00

with History and Purchase Orders

Requires dBASE III or dBASE III Plus (For Stockrooms)

Feller Associates

550 CR PPA, Route 3, Ishpeming, MI 49849
(906) 486-6024

Inquiry 653.

LANs

The \$25 Network

Try the 1st truly low-cost LAN

- Connect 2 or 3 PCs, XT's, AT's
- Uses serial ports and 5-wire cable
- Runs at 115K baud
- Runs in background, totally transparent
- Share any device any file, any time
- Needs only 14K of RAM

Skeptical? We make believers!

Information Modes

PO, Drawer F, Denton, TX 76202
817-387-3339 Orders 800-628-7992

Inquiry 654.

THE BUYER'S MART

LAPTOP COMPUTERS

Laptop Savings

Laptops: Toshiba • Zenith • NEC • Sharp
• Epson • Mitsubishi • Compaq
Also Laptop Accessories: Modems, Fax Modems,
External Drives, Portable Printers, Memory, Key
Pads, Hard Drives, Batteries, and Auto Adapters.

Computer Options Unlimited

12 Maiden Lane, Bound Brook, NJ 08805
Phone: 201-469-7678 (Fax: 201-469-7544)
Hours: 9am/10pm 7 days Worldwide sales

Inquiry 655.

LAPTOP BLOWOUT SALE!!!

MITSUBISHI • SHARP • PANASONIC • TOSHIBA
Laptops are now at their lowest prices ever. We buy direct
from the factory, unlike our competition. We guarantee the
lowest net prices in the entire country and stock every item
specific to laptops. We ship in 24 hours. We also stock over
\$1 million in laptops alone! Always buy from a factory-direct
dealer. For your protection we check for stolen credit cards
& ship only to your billing address. No COD's Please.

TOTE-A-LAP

1501 El Camino Real, Belmont CA 94002
(415) 591-1663 ext. 603

Inquiry 656.

LAPTOP PERIPHERALS

LAPTOP BACKLIGHTS

Factory Installed • 90-Day Warranty
Toshiba, Amstrad, Sanyo, DG,
Kaypro, IBM, HP, etc. \$295

The Portable Peripherals People

Axonix Corporation
(801) 466-9797

Inquiry 657.

TOSHIBA LAPTOP ENHANCEMENTS

FAX/MODEMS: 9600/2400 bps, software, acoustic port
MODEMS, INTERNAL: 2400 bps, acoustic or serial port
MODEM, DEDICATED: 2400 bps (T1200, T1600, T3200SX)
SERIAL IO CARDS: RS232, RS422, SCSI, HPIL, Barcode
BATTERY PACKS: 12V external battery + vehicle adapter

Contact us for more information:

PRODUCT R&D Corporation (Call!)
800/234-5584, Fax: 805/546-9716

Inquiry 658.

Atari Portfolio™

- System Memory expansion
- Hi-Capacity Ram cards
- Modem—Serial-parallel
- Rechargeable Battery Power
- Money Back Guarantee

Worell

109 South Water Street
Northfield, MN 55057
(507) 645-8315

Inquiry 659

MEMORY CHIPS

FREE FREE FREE

- Need memory for IBM or MAC?
- Want to pay the lowest possible price?
- Want superior service?
- Want free advice?
- Wholesale source! Shipping worldwide!
- International FAX: country code +402-691-8548 24 hrs. 7 days
- International Direct: country code +402-691-8248 24 hrs. 7 days
- Free call! Free info!

McDonald and Associates

1-800-338-1531 24 HRS 7 DAYS (U.S.)
1-800-242-5751 FAX LINE 24 HRS 7 DAYS (U.S.)

Inquiry 660.

MONITOR INTERFACE

COMPUTER VIDEO GENERATOR

Test EGA, VGA, Multisync & Data Projectors
with handheld monitor tester. From 15.7
KHz to 64.0 KHz, battery powered, 4 pat-
terns, all plug-in with no adapter cables.

NETWORK TECHNOLOGIES INC.

800-RGB-TECH In OH: 216-543-1646
UK: 0244-880478 Paris: 01331-476-32789

Inquiry 661.

MUSIC

DESKTOP STEREO

Revolutionary stereo receiver installs within IBM com-
patibles. Sophisticated software for graphic display
of all amplifier controls including digital tuning. Works
in background of your application. Exceptional
Sound! LOW COST MIDI system also available

OPTRONICS TECHNOLOGY

P.O. Box 3239, Ashland OR 97520
(503) 488-5040

Inquiry 662.

NEURAL NETWORKS

MacBrain™ 2.0

MacBrain 2.0 Neural Network Simulation Software for the
Macintosh (includes HyperBrain™): Graphical, interactive,
menu-driven. Full Range of ready-to-use paradigms. Com-
pletely modifiable using HyperBrain Expert Systems, predic-
tive modelling, combinatorial optimization and more. Plus,
SE and II family; HDI-Chorus parallel processing version
available. \$995/\$795, educational.

NEURIX

1 Kendall Sq, Suite 2200 Cambridge, MA 02139
(617) 577-1202 FAX: (617) 577-1209

Inquiry 662.

PRINTER/POSTSCRIPT

\$2125 PostScript® Printer MAC or PC (specify interface)

New generation super small footprint 6 PPM, 35 typefaces,
1.5M RAM EXPANDABLE TO 4.5M. 1 full year limited fac-
tory warranty.

NOT A "CLONE" ORDER NOW!!!

Micro Mailing
800-783-1828

Inquiry 663.

PROGRAMMERS TOOLS

LAN Application Development

NPPC: High performance library routines callable from
C and Assembler. High level Interface permits rapid
development of peer-to-peer, client/server, or multi-server
NetBIOS applications under DOS. Synchronous or
Asynchronous message control. Compact Code. Source
Avail. No Royalty. NPPC \$495

Applied Software Technology

P.O. Box 397, Dpt. N, Los Gatos, CA 95031
(800) 678-1111 ext. N1

Inquiry 664.

HYPERINTERFACE™

Menu Creator™ — A program generator for menu-
driven user interface. Excellent for complex menu
systems. \$99.95. Advanced Library — Extended
capability for data entry and advanced text-display con-
trol from your programs. \$99.95. FORTRAN, Pascal, C,
BASIC supported. HYPERMATH™ — An application of
Menu Creator™ and the Advanced Library. FREE

Avanpro Corp.

P.O. Box 969, Pacific Palisades, CA 90272
(213) 454-3866

Inquiry 665.

PROGRAMMERS TOOLS

TLIB™ 4.12 Version Control

"TLIB" is a great system" — *PC Tech Journal* 3/88.
Full-featured configuration mgmt for software profes-
sionals. All versions of your code instantly available. Very
compact, only changes are stored. Check-in/out locks,
revision merge, branching, more. Mainframe deltas for
Pansophic, ADR, IBM, Unisys. Only \$99.95 + S&H,
or 5-station LAN \$299.95 + S&H. MS-DOS VISA/MC

BURTON SYSTEMS SOFTWARE

P.O. Box 4156, Cary, NC 27519 (919) 856-0475

Inquiry 666.

Have Same 'C' Source for UNIX and DOS

D-ISAM—Unix standard indexed file management library for
UNIX DOS and NETWORKS. Manages all locking. UNIX/
DOS source \$595 (for both), DOS libs \$145.

'W'—Character windowing with COLORS, Line Graphics,
Bells and more. You need not modify DOS code to work WELL
on any UNIX terminal. UNIX/DOS source \$295 (for both),
DOS libs \$95.

BYTE DESIGNS

P.O. Box F195-78, Blaine, WA 98230
1-800-663-8547 or (604) 278-5200
*DOS libs available for Microsoft or Borland 'C' compilers

Inquiry 667.

Bsupport for Btrieve

The "Norton Utilities" for Btrieve users.
Bedit: DISPLAY, UPDATE, COPY, and DELETE.
EXPORT SDF to dBASE & LOTUS. RECOVER damaged files.
Edit/Insert using Data Dictionary.
Bbug: TSR Btrieve debugger. Displays info in pop-up window.
Brun: BUTIL replacement with Run-Time and C source.
Bedit/Bbug: \$120. Brun: \$100. VISA/MC/CODIPO

800/359-2721 FAX: 517/887-2366

Information Architects, Inc.

P.O. Box 4184, East Lansing, MI 48826-4184

Inquiry 668.

TURBO PLUS \$149.95

Programming tools for use with Turbo Pascal 5.0 & 5.5.
Screen Painter, Code Generator, I/O Fields, Dynamic
Menus, Programming Unit Libraries, OOP Support, and
Sample Programs included. All routines work in both text
& graphics modes! 60-day money-back guarantee!
Demo Disk avail. For IBM and compatibles.

NOSTRADAMUS, INC.

P.O. Box 9252, Salt Lake City, UT 84109-0252
(801) 272-0671

Inquiry 669.

Get INSIDE!

The best PC software performance tool is now better than
ever with source line timing, caller timing and arbitrary event
timing—all with microsecond accuracy and without source
modification. The expanded DOS analysis mode identifies
I/O bottlenecks. \$125.

Call today for a free brochure and the latest list of supported
compilers. 30-day guarantee. VISA/MC/COD

Paradigm Systems

P.O. Box 152, Milford, MA 01757
(800) 537-5043 In MA: (508) 478-0499

Inquiry 670.

FREE BUYER'S GUIDE

Programmer's Connection is an independent dealer
representing more than 450 manufacturers with over
1000 software products for IBM personal computers and
compatibles. We have serviced the professional pro-
grammer since 1984 by offering sound advice and low
prices. Call or write today to receive your FREE com-
prehensive Buyer's Guide.

Programmer's Connection US 800-336-1166
7249 Whipple Ave. NW Canada 800-225-1166
North Canton, OH 44720 International 216-494-3781

Inquiry 671.

THE BUYER'S MART

PROGRAMMERS TOOLS

SPEED FORTRAN DEVELOPMENT AND CUT MAINTENANCE COSTS

FORWARN—Finds common programming errors such as mismatched parameter lists and common blocks, and uninitialized variables. Prints detailed cross-references and call-tree diagrams. \$329
FORTRAN DEVELOPMENT TOOLS—includes Pretty (indents, renumbers, changes GOTOs to IF-THEN-ELSEs, etc.) and 6 more tools. \$129.
 For IBM PC. Also for UNIX—ask for details.

Qibus Enterprises, Inc.
 106 N. Draper Avenue, Champaign, IL 61821
 (217) 356-8876

Inquiry 672.

Pascal PrettyPrint

Standardize your Pascal source code with this powerful, full featured reformatting system. Psychological studies indicate that well formatted code is easier to read, understand, and maintain. This fully customizable program:
 • Adjusts indent, font and case to show program structure
 • Adjusts case by maintaining a standard identifier database
 • Provides menu and command line interfaces; on-line help
 • Supports Borland (+OOP), MicroSoft, ANSI, USCD PASCALS.
 \$2995 + \$5 S&H

Qwikware
 PO Box 222, Pockville, PA 18452

Inquiry 673.

'C' DOCUMENTATION TOOLS

• C-CALL \$59 Creates graphic-tree of caller/called structures, and files-vs-procedure table—convenient
 • C-HDR \$59 Creates/inserts/updates headers for each procedure showing caller/called and identifiers
 • C-LIST \$39 List, action-diagram, reformat programs
 • C-REF \$49 Local/global/parameter cross reference
 • SPECIAL \$149 All 4 plus Integrated C-DOC version

SOFTWARE BLACKSMITHS INC.
 6064 St. Ives Way, Mississauga, ONT Canada L5N-4M1
 (416) 858-4466

Inquiry 674.

FAST TITLE SCREENS

Fully automatic, professional title screen generator creates magic with line-drawing characters, fast. Quick Titles 2.0 saves for DBase, QuickBasic, C, WordPerfect, Batch files, BBS, etc. Multiple font, border, sizes and styles. No fussing, \$59 U.S. funds.

The Logic Factory
 Box 9627
 Edmonton, AB, CANADA T6E 5X3

Inquiry 675.

PROTOTYPING

Start Prototyping Tomorrow* with

PROTOSCREENS

Powerful Rapid Prototyping Software
 Easy to Learn and Use - No programming
 Simulate mainframe, mini, and PC systems
 Training available on rapid prototyping

BAILEY & BAILEY Software Corporation
 859 East 2850 North, Ogden Utah 84414
 (801) 782-2345 Credit Cards * Overnight Del.

Inquiry 676.

PUBLIC DOMAIN

\$3.00 SOFTWARE FOR IBM PC

Hundreds to choose from, word processors databases, spreadsheets, games, lotto, communications, business, music, bible, art, education, language and useful utilities for making your computer easier to learn. Most programs have documentation on the disk.

Free 125-page catalog.

BEST BITS & BYTES

PO Box 8245, Dept. B, Van Nuys, CA 91409
 In CA: (818) 764-9503 800-245-BYTE

Inquiry 677.

320 BYTE • MARCH 1990

PUBLIC DOMAIN

\$1 per DISK Sale

20 TOP IBM PC PD/SW DISKS (360K) ONLY \$20 + \$3 S&H

QubeCalc, EDRAW, AutoMenu, Math Tutor, PC-DOS Help, Baker's Dozen, Languages, EZ-Form, PC-Style, PackDisk, PC-Stock, KidGames, Best Games, Home Inventory, PC-Outline, Form Letters, ImagePrint, SideWriter, PC-Prompt, Best Utilities.

BRIGHT FUTURES INCORPORATED
 P.O. Box 1030, East Windsor, CT 06088
 FREE CATALOG (\$1.50 per disk)

Inquiry 678.

FREE CATALOG

\$1 IBM SOFTWARE

For your free 32-page Master Edition catalog featuring the best of IBM Shareware from just \$1 each, call or write today!

1-800-338-2118

SOFSOURCE

Box 828, East Lansing, MI 48826

Inquiry 679.

FREE SOFTWARE CATALOG

Low as \$1.20/disk

Over 1000 quality IBM software

On 5.25" and 3.5" format

From outside U.S.A., except Canada,

please send US \$2.00 refundable with order.

For fast service, write to

SOFTSHOPPE

PO. BOX 3678, Ann Arbor, MI 48106-3678

313-761-7638

Inquiry 680.

FREE IBM SHAREWARE

Monthly, get 5 disks with 10+ latest programs plus catalog FREE! Pay only \$5.00 shipping/handling. Join today for only \$995 annual membership fee and get 5 bonus disks full of software—FREE! We accept VISA/MC/AMEX

SOFTWARE OF THE MONTH CLUB

511-104 Encinitas Blvd.

Encinitas, CA 92024

CALL TODAY 619 942-9998

Inquiry 681.

REVIEWS

Find "Hands-on" Reviews in Seconds!

PC Reviews is an easy to use on-line database for NOVICES and PROS who need to locate and read "hands-on" reviews. BYTE, Data Based Advisor, PC Today, PC Magazine, Computer Language, Info World and 35 more included. Natural language front-end helps define search terms. A perfect use for a modem. "Wonderful", say users.

Compatible Technologies Group, Inc.

88 Fulton St. #2400, New York, NY 10038

(212) 463-8989 (201) 653-7688 8-N-1 for FREE DEMO

Inquiry 682.

SECURITY

FIGHT PIRACY!

Since 1986, companies worldwide have been choosing Az-Tech security products. If you demand the strongest protection available, why not choose one of these "proven leaders":

- EVERLOCK Copy Protection
 - EVERTRAK Software Security
 - EVERKEY Hardware "Key" Software Security
- For IBM and Compatibles. 30 day money back guarantee. Free info and demo disk available.

Az-Tech Software, Inc.

305 East Franklin, Richmond, MO 64038

(816) 776-2700
(800) 227-0644 Fax: (816) 776-8398

Inquiry 683.

SECURITY

THE ULTIMATE COPY PROTECTION

- Completely Menu Driven
 - Defeats All Hardware/Software Copiers
 - No Source Code Changes
 - Multiple Layering
 - No Damaged Media
 - Full Hard Disk Support
 - Unlimited Metering
 - FREE Demo Disk
- Quite Simply The Best Ways To Protect Your Valuable Software Investment*
- STOPVIEW™ STOPCOPY PLUS™
- BBI COMPUTER SYSTEMS*** (301) 871-1094
 14105 Heritage La. Silver Spring, MD 20906 FAX: (301) 460-7545

Inquiry 684.

COP's Copylock II

- Protects on standard diskettes
- Cannot be copied by any device incl. Option Board
- Fully hard disk installable
- Normal back-up of protected programs
- LAN-support
- Creates sale demo version of your software

Standard Version \$975, Automatic Version \$1950

DANCOTEC Computer

In US: 2835 Sierra Rd. San Jose, CA 95132 408-729-8162 or 1-800-344-2545
 In UK: 2880 Ragsvord Denmark Phone: +45-44403322 Fax: +44403722

Inquiry 685.

ALL-IN-ONE PROTECTION!

TOTALSAFE gives you total security: access control, virus protection, data encryption, secure directories, and lots more! Req. PC, HD, 1 slot (or socket). Completely transparent. Introductory price: \$1200 + \$800 SH (U.S.) 30-day guarantee. Also available a complete line of PC access and data security products. Call/write for info. MC/VISA/AMEX. Gamma Security Products, 710 Wilshire Blvd., Ste. 609, Santa Monica, CA 90401 TEL: 213-394-8622 FAX: 213-395-4214

Ellashim Inc.

520W Hwy 436, Suite 1180-30, Altamonte Spgs., FL 32714
 TEL: 407/682-1587 FAX: 407/774-8103

Inquiry 686.

BIT-LOCK® SECURITY

Piracy SURVIVAL 5 YEARS proves effectiveness of powerful multilayered security. Rapid decryption algorithms. Reliable/small port-transparent security device. PARALLEL or SERIAL port. Complemented by economical KEY-LOK™ and multifeatured COMPUTELOCK™ including countdown, timeout, data encryption, and multiproduct protection. (Ddos/Unix/Mac)

MICROCOMPUTER APPLICATIONS

3167 E. Otero Circle, Littleton, CO 80122
 (303) 770-1917

Inquiry 687.

PC Security "Password"

With All the Computer Security Talk, PASSWORD is the Perfect Security Lock.

Password is a software program providing security for your PC. Password is Easy to understand and Simple to install, requires no reformatting. The boot limit option secures your hard disk. Password provides for up to 100 users with the supervisor controlling access to protected directories. Password is menu-driven with pop-up windows and help screens. The program provides an audit trail of users and a screen blanking feature.

Nasdec International Inc.

2704-85 Garry Street, Winnipeg MB Canada R3C 4J5
 PH: (204) 956-2798 FAX (204) 943-3702

Inquiry 688.

KEY PROTECTION

The world's leading software manufacturers depend on Softguard copy protection systems. Your FREE DISKETTE introduces you to SuperLock™—invisibly copy protection for IBM-PC (and compatibles) and Macintosh.

- Hard disk support
- No source code changes
- Customized versions
- LAN support
- New upgrades available

(408) 773-9680

SOFTGUARD SYSTEMS, INC.

710 Lakeway, Suite 200, Sunnyvale, CA 94086
 FAX (408) 773-1405

Inquiry 689.

THE BUYER'S MART

SECURITY

HANDS OFF THE PROGRAM® OPERATING SYSTEM SECURITY

Secures subdirectories, files, printers and floppies
Keyboard lock — automatic or manual
Log PC boot, program exec, file opens, login/logouts
Prevents DOS FORMAT and most viruses
Drive A: Boot Protection / Hard Disk Lock
IBM PC or 100% comp. — DOS V3.0+ — \$8995 + \$3.75 S/H

SYSTEMS CONSULTING INC.
PO BOX 111209, Pittsburgh, PA 15238
(412) 781-5280

Inquiry 690.

HANDS OFF THE BOARD® 1/2 SIZE SECURITY BOARD

Stop floppy boot — Require password to boot PC
Real-time disk encrypt — prevent boot sector virus
Prevent DOS FORMAT/FDISK and low-level formats
Set hard disk READ ONLY or turn ON/OFF
Turn floppies, printers and COM ports ON/OFF
IBM XT, AT Bus — DOS V3.0+ — \$14995 + \$500 S/H

SYSTEMS CONSULTING INC.
PO BOX 111209, Pittsburgh, PA 15238
(412) 781-5280

Inquiry 691.

SOFTWARE/ACCOUNTING

PC TIME CLOCK

AutoTime is an Employee Management System that allows you to turn any PC into an Electronic Time Clock. AutoTime provides Time & Attendance, Job Costing, Payroll Interface, and Labor Distribution reporting. Network compatible. Prices start at \$495. Other Business Products: Network FAX, Absence Call-In, db-EDI.

Chase Technologies
1617 Kingman Ave., San Jose, CA 95128
(408) 998-2917

Inquiry 692.

dBASE BUSINESS TOOLS

- GENERAL LEDGER
- PURCH ORDINVENTORY
- OROER ENTRY
- ACCOUNTS RECEIVABLE
- JOB COSTING
- JOB ESTIMATING
- BILL OF MATLS
- SALES ANALYSIS
- PAYROLL
- ACCOUNTS PAYABLE

\$99 ea. + S&H

DATAMAR SYSTEMS Cred. Card-Check-COD
4876-B Santa Monica Ave.
San Diego, CA 92107 (619) 223-3344

Inquiry 693.

AUTO-POST

It's here! A totally integrated business management system for \$495. Invoices, statements, payroll, inventory general ledger, proposal, job cost and payables. It runs compiled with dBASE III compatible files. A 100-pg. users manual is included. Demo \$9.95 with manual \$29.95.

New Serv

1615 Gelhot Dr., Suite 34, Fairfile, OH 45014
Phone: (513) 829-1585

Inquiry 694.

SOFTWARE/BASIC

QuickBASIC 4.5 TOOLS!

Our FREE CATALOG features:
NEW, UPDATED FINALLY! Library with over 400 routines for QB 4.5; XGRAF, the complete graphics package for QB 4.5; Other top-line products from all major vendors.

Call 1-800-423-3400 or (412) 782-0384

KOMPUTERWERK, INC.
851 Parkview Blvd., Pittsburgh, PA 15215

Inquiry 695.

SOFTWARE/BUSINESS

DATA ENTRY POWERFULLY SIMPLE

Full featured, heads-down data entry with two-pass verification. Designed for the PS/2® PC, XT, AT or compatibles.
Standalone \$395 LAN version available.

FREE trial.

Computer Keys Tel: 206/776-6443
21929 Makah Rd. Fax: 206/776-7210
Woodway, WA 98020 USA: 800/356-0203

Inquiry 696.

TSA88—TRANSPORTATION PROGRAMMING

A general-purpose system for solving transportation, assignment and transshipment problems (capacitated or uncapacitated) with up to 1300 origins and destinations. Build TSA88 into your own programs with compiled Turbo Pascal units. TSA88 reads/writes LOTUS worksheets. Use 1-2-3/Symphony as a matrix generator or post processor. Many other features including interactive and batch operation, spreadsheet display and editing, problem/basis storage, file I/O, Simplex restart, report generator, sensitivity analysis. \$149 with manual and 8087 support. \$299 with Turbo Pascal units.

Eastern Software Products, Inc.
P.O. Box 15328, Alexandria, VA 22309
(703) 360-7600

Inquiry 696.

A.S.K.

Using a terminal, survey people on Attitude-Skill-Knowledge. Just ASK

CoCo-V

Big, fat, flat files need CoCo-V
COpy, CCount, View very large files.

PRISMATICS INC.

4238 Cicero, Chicago, IL 60641
(312) 777-0890

Inquiry 697.

DATA ENTRY

KeyEntry III®, a complete Data Entry System that provides all the capabilities for designing data entry applications, controlling data flow, & monitoring/reporting operator activity & performance. Supports LAN and stand-alone environments. Evaluation copy (all programs & documentation) available. Call today for information!

Southern Computer Systems, Inc.
2732 Seventh Avenue South
Birmingham, AL 35233
(800) 533-6879/(205) 251-2985

Inquiry 698.

SOFTWARE/CONSTRUCTION

FREE ESTIMATING SOFTWARE DEMO FOR SMALL BUILDERS & REMODELERS

Precision Estimating Light is brand new spreadsheet-based estimating software that combines powerful features in an easy-to-use package. Complete with 800-item database, you'll be estimating more accurately immediately. Call today for the free demo and literature — 503-644-8155.

Timberline Software

Inquiry 699.

SOFTWARE/EDUCATION

EASE GRADING BLUES!

Now in its 6th year, GRADEBOOK II can: rank students, easily edit, calculate student and class averages, add/drop, excuse absences, assign letter grades, calculate course grades (plus 10 more functions). You can print 8 report types with 86 options. You get: software, support, and manual for only \$49.50 ppd. MC/VISA. Specify IBM PC or Apple II. Order now!

WREN SOFTWARE, INC.

P.O. BOX 1138, Dept. B, Castle Rock, CO 80104
303/660-0049

Inquiry 700.

SOFTWARE/ENGINEERING

STEPPER MOTOR CONTROL FROM A PRINTER PORT!

Indexer LPT™ software \$199.95

- DOS Device Driver provides universal language interface
- Easy to use "plain English" ASCII commands
- Controls up to six motors.
- Ordinary printer port replaces expensive indexer electronics.
- Complete easy to read instruction manual.

Ability Systems Corporation

1422 Arnold Ave., Roslyn, PA 19001 (215) 657-4338

Inquiry 701.

SCADA SYSTEM DESIGN IBM PC or compatible

Supervisory Control And Data Acquisition modular design software includes interactive screens for sizing RTU parameters, modem speed, etc., extensive tutorial, provision for engineering analysis modules, addressing stability & control and alternative technologies for communications subsystems. \$450 Engineering modules priced individually, and described in free catalog.

AURASTAR INFORMATION SYSTEMS, INC.
Suite 620, 12001 N. Central Expressway, Dallas, Texas 75243
(214) 770-1950 Fax (214) 770-1954

Inquiry 702.

Affordable Engineering Software FREE APPLICATION GUIDE & CATALOG

Circuit Analysis • Root Locus • Thermal Analysis • Plotter Drivers • Engineering Graphics • Signal Processing • Active/Passive Filter Design • Transfer Function/FFT Analysis • Logic Simulation • Microstrip Design • PC/MS-DOS • Macintosh • VISA/MC

BV Engineering Professional Software
2023 Chicago Ave., Suite B-13, Riverside, CA 92507
(714) 781-0252

Inquiry 703.

The new approach to logistics TAYLOR, THE DYNAMIC ANALYST

Taylor is the fully manu-driven factory simulation package that combines ease of use with great flexibility. Taylor offers interactive graphical modeling, numerous modelling options, animation, in-depth result analysis and the Taylor Language Interface (TLI) Version 4.0 of the easiest-to-use professional simulation package on the market is available now.

F&H, Logistics and Automation BV
Spoorlaan 424, 5038 CG Tilburg,
The Netherlands

Phone: +31 13 366344 Fax: +31 13 427516

Inquiry 704.

Analog Circuit Simulation

- Schematic Entry
- SPICE Simulator
- Model Libraries
- Monte Carlo Analysis
- Parameter Sweeps
- Plotting/Graphics Output

Intusoft has a complete PC-based system including everything from schematic entry through SPICE simulation using extended memory to comprehensive interactive post processing. Starting at \$95 for ISpice, the complete system sells for just \$790.

Intusoft

The leader in low cost, full featured CAE software

P.D. Box 6607, San Pedro, CA 90734
(213) 833-0710 FAX (213) 831-3956

Inquiry 705.

Personal Software for "What if" Engineering

Cedar fuses mathematics and intelligent geometric modeling and works with geometrics the same way a spreadsheet works with numbers. Now you can have the power of a smart drawing system integrated with a scientific calculator and formula solver within one easy-to-use software package. Requires Microsoft Windows. \$895

MCAE Technologies Inc.

Tel: 408-748-0334 Fax: 408-748-1915

Inquiry 706.

THE BUYER'S MART

SOFTWARE/ENGINEERING

MIDNIGHT ENGINEERING™

A new publication for entrepreneurial hardware and software engineers that will encourage and challenge you to personally develop and market your own products.

- PRACTICAL ARTICLES
- INSIGHTFUL INTERVIEWS
- DETAILED PRODUCT REVIEWS

call or write for a FREE copy of the premiere issue of *Midnight Engineering*.

Midnight Engineering

111 E. Drake Rd., Suite 7041, Fort Collins, CO 80525
303-491-9092

Inquiry 707.

SIMULATION WITH GPSS/PC™

GPSS/PC™ is an MS-DOS compatible version of the popular mainframe simulation language GPSS. Graphics, animation and an extremely interactive environment allow a totally new view of your models. If you are contemplating the creation or modification of a complex system you need GPSS/PC to help you predict its behavior. Call now.

MINUTEMAN Software

P.O. Box 171/Y, Stow, Massachusetts, U.S.A.
(508) 897-5662 ext. 540 (800) 223-1430 ext. 540

Inquiry 708.

Circuit Analysis — SPICE

Non-linear DC & Transient; Linear AC.
• Version 3B1 with BSIM, GaAs, JFET, MOSFET, BJT, diode, etc. models, screen graphics, improved speed and convergence.
• PC Version 2G6 available at \$95.
Call, write, or check inquiry # for more info.

Northern Valley Software

28327 Rothrock Dr., Rancho Palos Verdes, CA 90274
(213) 541-3677

Inquiry 709.

FREE ENGINEERING MAGAZINE

Personal Engineering is a monthly magazine sent free of charge (USA only) to scientists/engineers who use PCs for technical applications. Topics each month include Instrumentation • Data Acq/Control • Design Automation. To receive a free sample issue and qualification form either circle below or send request on letterhead to:

Personal Engineering Communications
Box 300, Brookline, MA 02146

Inquiry 710.

LOGIC CIRCUIT ANALYSIS

• Typ, Min/Max, or Zero delay analysis • Design rule checks • User defined, real-time graphics • Interactive or batch mode • Loading • Bus probes (bin, oct, dec, hex) • Record and Playback commands • Flexible primitive component set • Multiple input signal generators • Graphical or tabular output • IBM PC/XT/AT • Demo & Evaluation kit available • Macro models

Tatum Labs, Inc.

3917 Research Park Dr., B-1, Ann Arbor, MI 48108
(313) 663-8810

Inquiry 711.

SOFTWARE/FORTRAN

FORTRAN77 PROGRAMMER'S ASSISTANTS FREE YOU FOR MORE CREATIVE WORK

ASSISTANT I - FORTRAN TOOLS assists you to manage and analyze your FORTRAN source code.
ASSISTANT II - FORTRAN77 TO C TRANSLATOR and C TOOLS make your FORTRAN to C conversion process easy and significantly reduce your conversion cost.

Please call, write, or check inquiry # for more information.

MICROTOOLS

P.O. BOX 2745, Santa Clara, CA 95055-2745, USA
(408) 243-7688

Inquiry 712.

322 B Y T E • MARCH 1990

SOFTWARE/GEOLOGICAL

GEOLOGY & GROUNDWATER PROGRAMS

Borehole Logs, E-Logs, Cross Sections, Stratigraphy, Well Drawings Fence, Contours, Isopachs, 3-D Diagrams, Pumping Tests, Groundwater Chemistry, Piper, Stiff, Durov etc. Used by EPA and State Agencies for RCRA & CERCLA. Our software is used by consultants, universities, and oil & coal companies in 26 countries. Free brochure and demo disks.

Earthware of California

30100 town center dr. #196, Laguna Niguel, CA 92677
Phone (714) 495-5727 FAX (714) 495-4820

Inquiry 713.

GEOLOGICAL CATALOG

Geological software for log plotting, gridding/contouring, hydrology, digitizing, 3-D solid modelling, synthetic seismogram, fracture analysis, image processing, scout ticket manager, over 50 programs in catalog. Macintosh tool Please call, or write, for Free Catalog!

RockWare, Inc.

4251 Kipling St., Suite 595, Wheat Ridge, CO 80033 USA
(303) 423-5645 Fax (303) 423-6171

Inquiry 714.

SOFTWARE/GRAPHICS

PC TECHNICAL GRAPHICS

TEKMAR is a graphics library for the VGA, EGA or Tecmar Graphics Master. Similar to PLOT-10, includes WINDOW, VIEWPORT, AXIS. Support for HP, HI plotters. Curve fitting, complete plotting program. Log, semi-log, multi-axis, 3-D, contours. Jerry Pournelle (Aug 86 Byte): "As good as any I have ever seen..." Demo disks, literature available.

Advanced Systems Consultants

21115 Devonshire St. #329, Chatsworth, CA 91311
(818) 407-1059

Inquiry 715.

CAD/CAM Developers!

You save hundreds of hours of programming and debugging time (and the thousands of dollars in time costs!) when you use the CAD/CAM math and DXF routines in the

QuickGeometry Library

All the routines you need for any type of CAD/CAM/CAE program! 250 ready-to-use routines that construct, intersect and offset lines, arcs, circles, ellipses and even splines!

\$199 Includes C source code and telephone support.
Call (617) 628-5217 today for information or to order!
Building Block Software, PO Box 1373, Somerville, MA 02144

Inquiry 716.

The Ultimate CAD/CAM Engine

TurboGeometry Library 3.0. The most complete tool box of 2D & 3D routines available today! Over 300 routines. Surfacing, Solids, Hidden line, Volumes, Areas, Transforms, Perspectives, Decomp, Clipping, Tangents & more. 30 day gear. \$199.95 w/source S&H Incl. Foreign \$225.00. MS/PC DOS 2.0+. Turbo Pascal, Turbo C, MSC, MIX C, Zortec C++ VISA/MC, PO, Chk, USA funds only.

Disk Software, Inc.

2116 E. Arapaho Rd., #487, Richardson, TX 75081
(214) 423-7288, (800) 635-7760, FAX (214) 423-4465

Inquiry 717.

RAINDROP™

FAST, compact PrtScrn Utility for end users AND developers. Hardcopy as fast as 10 secs. Average binary size - 6 kbyte. 12 video graphic standards. Scale, rotate, colorize and more. 'CALL' from user-written programs. Complete 9- & 24-pin dot-matrix, inkjet, and laserjet library \$39.95+\$3 s/h.

ECLECTIC SYSTEMS

8106 St. David Ct., Springfield, VA 22153
(703) 440-0064

Inquiry 718.

SOFTWARE/GRAPHICS

SEGS 2.0 Scientific Engineering Graphics System

- Logarithmic, Time/Date & Linear Axes.
- Easy Curve Fitting and Data Smoothing.
- 1-2-3 Interface & Numeric Spreadsheet.
- Supports all Video & Device Standards.
- 10 Curves with up to 8000 points each.

Edmond Software, Inc.

5900 Mosteller Dr. #1124 405-842-0558
Oklahoma City, OK 73112 800-284-3381

PEN PLOTTER EMULATOR

FPlot turns your dot matrix or laser printer into an HP pen plotter. Fast hi-res output. No jagged lines. Vary line width, color. Works with Autocad, Draflix, etc. Supports NEC P5/P6, IBM Proprinter, Epson LQ/FX, Toshiba, HP Laserjet, Okidata 29x/39x, Hercules/CGA/EGA/VGA. \$64 check/m.o./VISA/MC

Fplot Corporation

24-16 Steinway St., Suite 605, Astoria, NY 11103
718-545-3505

Inquiry 719.

DoDOT for Microsoft Windows

With DoDOT, you can:

- Capture screens, windows, dialog boxes, and pull-down menus.
- Convert between various file formats: TIFF, Postscript, PCX, IMG, GIF, MAC, PIC, PCL, MSP, Clipboard, Bitmap, and more.
- View and edit image with full color support.
- Print images to wide range of printers: Laserjet, Postscript, and more.

With each purchase, you receive free upgrade and support. Only \$129 + \$5 S/H!

Halcyon Software 10297 Cold Harbor Ave.
Cupertino, CA 95014 tel: (408) 257-0812 fax: (408) 257-2012

Inquiry 720.

POPULAR HGRAPH

SCIENTIFIC 2D & 3D graphic routines for IBM PC, VAX, SUN and Macintosh. Powerful, easy to use. Multiple fonts, device and machine independent. Uses max resolution. Links with FORTRAN, Pascal, C, Modula-2 and QuickBasic. \$119.00

Custom software development.
UGraph—the graphics editor available now!

HeartLand Software, Inc.

234 S. Franklin, Ames, IA 50010
(515) 292-8216

Inquiry 721.

GRAPHICS PRINTER SUPPORT

AT LAST! Use the PrtSc key to make quality scaled B&W or color reproductions of your display on any dot matrix, inkjet, or laser printer (incl. Postscript) in up to 64 shades of gray or 256 colors. GRAFPLUS supports all versions of DOS with IBM (incl. EGA, VGA, Super VGA), Hercules, or compatible graphics boards. Linkable/OEM versions available. \$49.95

Jewell Technologies, Inc.

4740 - 44th Ave. SW, Seattle, WA 98116
(800) 359-9000 x527 (206) 937-1081

Inquiry 722.

FORTRAN PROGRAMMER?

Now you can call 2-D and 3-D graphics routines within your FORTRAN program.

GRAFOMATIC: screen routines \$135
PLOTOMATIC: plotter driver 135
PRINTOMATIC: printer driver 135

For the IBM PC, XT, AT & compatibles. We support a variety of compilers, graphics bds., plotters and printers.

MICROCOMPATIBLES

301 Prelude Dr., Dept. B, Silver Spring, MD 20901 USA
(301) 593-0683

Inquiry 723.

THE BUYER'S MART

SOFTWARE/GRAPHICS

GRAPHIC TOOLS LIBRARY

XGLIB: Blazing Fast. User coord., Thick lines & arcs. Polygon Engine. Figure drawing. Splines. Text scale, rotate, Keyb, Mouse. Plots, charts and presentation graphics. Screen print. \$99.
PC, VDI: Display and Printed graphics. Outline font factory. Pan, Scroll. Includes XGLIB. NO ROYALTIES. Take NOVA PRINTVIEW test. \$395. ANSI comp. "C", PASCAL, FORT., MS QBASIC & BASIC.

NOVA INC.

2500 W. Higgins Road, #1144 CALL 708-882-4111
 Hoffman Estates, IL 60195 FAX 708-882-4173

Inquiry 724.

IMAGE TOOLS LIBRARY

SCANPRO: Fast Image Graphics. Image Capture. Animation. Bitblt. Scale up-down, Rotate, Mirror, Tile fill, Scroll, Data base. Text & Line draw. Pop-ups. Scaled Print/plot. EMS support and 149 funcs. A better package for .PCX file handling. \$149. ANSI Comp. Most "C", PASCAL, FORT., MS BASIC. **PCXIO:** Source Library avail. in "C"/Assembler for read/write & display of .PCX files. \$295.

NOVA INC.

2500 W. Higgins Road, #1144 CALL 708-882-4111
 Hoffman Estates, IL 60195 FAX 708-882-4173

Inquiry 725.

VGA ColorWorks™ V2.1

Image editor specifically designed for VGA. Import/export TIFF, PCX, TARGA images. Edit with over 250,000 colors. complete geometrics, patterns, special effects—tint, shade, blend, mask, fountains, cut/paste, multi-zoom—much more. List of features would fill a page. Incl. 20 fonts, drivers for PostScript, HP-LaserJet-64 grey levels, HP-PrintJet-4096 colors, Epson LQ/FX-16 grey levels. \$39-\$49, 30 day guarantee

SPG Inc.

PO Box 171008 Hialeah FL 33017
 (305) 362-6602

Inquiry 726.

GRAPHICS LIBRARIES for C, FORTRAN, PASCAL & QuickBASIC

- Supports VIDEO, PRINTERS & PLOTTERS.
- Linear, log, polar, smith, bar & pie charts.
- Scalable fonts, line types, markers.
- Multiple plots on a page.
- Over 100 routines with full source code.
- 240 page manual. No royalties.

\$295.00 **Sutrasoft (713) 491-2088**

10506 Permian Dr. • Sugar Land, TX 77478

Inquiry 727.

PRINTED GRAPHICS

The GraphLink™ Printer Graphics Toolkit lets your Turbo Pascal programs build and print graphics at the printer's resolution! 80+ routines emulate Borland Graphics Interface. Supports the most popular laser and dot matrix printers. Only \$125 (\$250 for Professional version)! Soon for TC, MS-C, Quick C.

VISITECH SOFTWARE.

D5 3807 Ridgewood Ct., Pittsburgh, PA 15299
 (412) 733-4775

SOFTWARE/LANGUAGES

DRUMA FORTH-83

Break the 64K barrier without speed/price penalty. Powerful, attractively priced, '83 Standard.

- 1Mb+ automated memory management
- Full OS interface, extensive utilities
- On-line documentation, ASCII/block files
- Other products: windows, modules, profiler
- IBM PC/XT/AT & all compatibles

FREE learn/utility disks offered: INQUIRE

DRUMA INC.

6448 Hwy. 290 East E103, Austin, TX 78723
 Orders: 512-323-0403 BBoard: 512-323-2402

Inquiry 728.

SOFTWARE/MATHEMATICS

MATH EDITING FOR THE PC

$$x_i^2 = \sum_{k=0}^{\infty} [x_i^{2k} (i)] + \left(\frac{1}{\alpha} \int F ds \right)$$

- *MathEdit constructs math equations to be inserted into WordPerfect, Word, WordStar, and others.*
- *WYSIWYG interface—no codes need to be learned.*
- *MathEdit—\$199*

K-TALK

COMMUNICATIONS

30 West First Avenue, Suite 100
 Columbus, Ohio 43201
 (614) 294-3535

Inquiry 729.

MATHEMATICIANS—ENGINEERS

Have you ever seen functions of a complex variable? Would you like to really understand differential operators like div, grad and curl? How about a peek into the fourth dimension? Call or write for information on our latest PC and Macintosh software.

Lascaux Graphics

3220 Steuben Ave., Bronx, NY 10467
 (212) 654-7429

Inquiry 730.

DERIVE®

A Mathematical Assistant
 Makes math more inspiration and less perspiration! Combines the power of computer algebra with 2D & 3D plotting and a friendly menu-driven user interface. Does equation solving, calculus, trigonometry, vector & matrix algebra, and more. Derive requires a PC compatible computer & 512K memory.

Soft Warehouse, Inc.

3615 Harding Ave., Suite 505, Honolulu, HI 96816
 (808) 734-5801

Inquiry 731.

SOFTWARE/MEDICAL

Medical Systems with ECS

PPM offers a complete line of medical software ranging from simple insurance claims processing to comprehensive A/R management. **PC CLAIM PLUS—claims processing with ECS** to over 100 major insurance carriers—30-day money-back guarantee. **THRESHOLD—complete A/R, patient billing, comprehensive practice management statistics.** **CLAIM NET—**Nationwide electronic claims clearinghouse transmits claims to over 100 insurance carriers. Software prices start at \$459.00 Dealer inquiries welcome.

Physicians Practice Management
 350 E. New York, Indianapolis, IN 46204
800-428-3515 317-634-8080

Inquiry 732.

SOFTWARE/PACKAGING

HARD TO FIND COMPUTER SUPPLIES FOR SOFTWARE DEVELOPERS & POWER USERS

Cloth binders & slipcases like IBM's. Vinyl binders, boxes, and folders in many sizes. Disk pages, envelopes, & labels. Low quantity imprinting. Bulk disks. Everything you need to bring your software to market. Disk and binder mailers. Much more! Low Prices! Fast service. Call or write for a FREE CATALOG.

Anthropomorphic Systems, Limited
 376-B E. Saint Charles Rd., Lombard, IL 60148
1-800-DEAL-NOW 312-629-5160

Inquiry 733.

SAVE SAVE SAVE SAVE LET'S TALK PACKAGING

From Disk Labels to Manuals to Shipping Boxes—We are a complete packaging service. Everything you need to market your software. Call for our free catalog.

SOFCOM Printing and Packaging

10305 Reading Rd., Cincinnati, OH 45241
 513-563-7136

Inquiry 734.

SOFTWARE/PRINTING

PRINTER GENIUS

Powerful memory-resident printer management • Control printer features from menus or within documents • Print spool-to-disk files or memory • Background print • File & directory browse • Edit small text • and more... • User friendly pop-up screens • 92-page manual • Preset for all printers • Completely flexible • PC MS-DOS • \$89 + \$4 S/H • VISA/MC

Nor Software Inc.

527 3rd Ave., Suite 150, New York, NY 10016
 (212) 213-9118

Inquiry 735.

SOFTWARE/SCANNERS

Optical Character Recognition

Stop retyping. PC-OCR™ software will convert typed or printed pages into editable text files for your word processor. Works with HP ScanJet, Panasonic and most other scanners. Supplied with 18 popular fonts. User trainable, you can teach PC-OCR™ to read virtually any typestyle, incl. foreign fonts. Proportional text, matrix printer output. Xerox copies OK. \$385 Check/VISA/MC/AmExp/COD

Essex Publishing Co.

P.O. Box 391, Cedar Grove, NJ 07009
 (201) 783-6940

Inquiry 736.

SOFTWARE/SCIENTIFIC

MATFOR

UNMATCHED VALUE FOR NUMERICAL COMPUTING

An interpreter with over 350 functions for linear algebra, matrix decompositions, calculus, nonlinear equations, optimization, differential equations, graphics, statistics, control systems analysis/design, signal processing and more. Comprehensive, stand-alone, extendible package. \$150 IBM/AT compatibles.

Computational Engineering Associates

3525 Del Mar Heights Rd., Suite 183, San Diego, CA 92130
 (619) 259-8863

Inquiry 737.

C Scientific Library

Create customized scientific and engineering tools with this comprehensive library of 600 functions including linear algebra, eigen-systems, matrix computations, time series, smoothing and filtering, statistics, regression, linear and integer programming, nonlinear systems, optimization, differential equations, curvefitting and graphics. Superior documentation. Usable, encapsulated, modular, reliable, mature, and affordable. Several licensing and system options are available starting at \$295. Request on company letterhead or send \$5 (refundable on purchase) for 50-page CSL Buyer's Guide.

Elgenware Technologies
 13090 La Vista Drive, Saratoga, CA 95070
 (408) 857-1184 Fax: (408) 857-6575

Inquiry 738.

free catalog!
800-942-MATH
 Micro-Math Scientific Software

Inquiry 739.

Scientific/Engineering/Graphics Libraries

Turbo Pascal, Turbo+ MS C, MS Fortran, Basic
 Send for FREE catalogue of software tools for Scientists and Engineers. Includes: Scientific subroutine libraries, device independent graphics libraries (including EGA, HP plotter and Laserjet support), scientific charting libraries, 3-D plotting library, data acquisition libraries, menu-driven process control software. Versions available for a variety of popular languages.

Quinn-Curtis

1191 Chestnut St., Unit 2-5, Newton, MA 02164
 (617) 965-5660

Inquiry 740.

THE BUYER'S MART

SOFTWARE/SORT

OPT-TECH SORT/MERGE

Extremely fast Sort/Merge/Select utility. Run as an MS-DOS command or CALL as a subroutine. Supports most languages and file types including Btrieve and dBASE. Unlimited file sizes, multiple keys and much more! MS-DOS \$149. OS/2, XENIX, UNIX \$249.

(702) 588-3737

Opt-Tech Data Processing
P.O. Box 678 — Zephyr Cove, NV 89448

Inquiry 741.

If you can find better
sort/merge/select software, buy it!
Sortex
Ultimate in performance and reliability
30-Day Money-Back Guarantee
Only \$149.95

Systemat Corporation

231 N. Deerfield Drive, Walnut, CA 91789
PHONE: 714 594 9567 FAX: 714 594 7984

Inquiry 742.

SOFTWARE/UTILITIES

EZ-COPY PLUS™

The Ultimate Diskette Duplicator for the PC you already own! THIS IS SOFTWARE ONLY—new hardware usually not required! Great for publishers, developers, MIS directors, etc. 2X+ faster than DOS. Read diskette once, then, quickly & accurately mass duplicate 5.25" & 3.5" disks on your own PC/XT/AT/etc. Formats, copies, verifies, optionally serializes, in 1 smooth operation. Save images to HD, more. Replaces dedicated hardware worth \$1000s.—Only \$129+s/h. Evaluation disk is \$5+s/h.

EZX Publ., Box 58177-B0390, Webster, TX 77598
Orders (V/MC/AX) & Brochures: 1-800 • US EASY X
INFO: 1-713-280-9900; BBS: 280-8180; FAX: 480-0525

Inquiry 743.

SOFTWARE/VOICE

MULTI-VOICE® TOOLS

Multi-Voice Tools is a complete development Toolkit for Turbo Pascal to access all the features of the WATSON or DIALOGIC Speech Boards. It is also a high level library of procedures to build MULTI-LINE VOICE RESPONSE systems in minutes. A powerful TELEPHONE ANSWERING program is given as an example with source code.

DIALOGIC 599\$, WATSON 995\$, Visa/MC

ITI Logiciel

1705 St. Joseph E., Suite 4, Montreal, PQ, Can. H2J 1N1
(514) 861-5988

We can also write your Voice Response application programs.

Inquiry 744.

SPEECH SYNTHESIS

SPEECH SYNTHESIS CHIP

Want the most advanced phoneme synthesis chip available? One flexible enough to generate speech, music and sound effects... yet low cost and remarkably easy to use? The ARTIC-263 is all of this and more... a versatile, high-quality, phoneme-based, speech synthesizer circuit contained in a single, monolithic, 24-pin, CMOS integrated circuit.

Artic Technologies

55 Park Street, Troy, Michigan 48063
Phone: (313) 588-7370 FAX: (313) 588-2650

Inquiry 745.

STATISTICS

NEW STATISTIX™ 3.0

PC Magazine Editors Choice!

- Superb Data Management • Excellent manual
- Easy to use • Fast, free support
- Range & Depth of Statistics

Buy the BEST for 1/3 the price of the competition

CALL 612-631-2852 Now

No-risk 30-day money-back guarantee

Analytical Software, Box 13204, Roseville, MN 55113

Inquiry 746.

324 B Y T E • MARCH 1990

STATISTICS

The BASS System™

Why use up 8 meg and 640K just to run a data step on your PC? Now you can run your data step code and statistical procs with a system that takes only 1 meg and 400K (and costs only \$399)! Free information:

BASS Institute, Inc.

P.O. Box 349, Chapel Hill, NC 27514
(919) 933-7096 or BB: (919) 968-6755 (N,8,1)

Inquiry 747.

SOLO 3.0 from BMDP

Popular statistics and excellent graphics for the PC. Quick and easy to use. For business professionals, researchers, or students. From the leader in statistical software for over 25 years. Top-notch support. Satisfaction guaranteed! \$199 complete with graphics. Call today. VISA or MC.

BMDP Statistical Software, Inc.

1440 Sepulveda Blvd., Suite 316, Los Angeles, CA 90025
(213) 479-7799

Inquiry 748.

STATA

Stata 2.05 Now Available. More statistics, graphics and an all-new manual. Still only \$590. Quantity Discounts Available. New, lower academic price. \$20 Demo. Call toll-free for more information.

1-800-STATAPC

Computing Resource Center

10801 National Boulevard, Los Angeles, CA 90064
(213) 470-4341

Inquiry 749.

DBMS/COPY

CONVERTS YOUR DATA INTO INFORMATION

Now your favorite stat package can access any database. DBMS/COPY can directly convert any database or spreadsheet file (ORACLE, PARADOX, dBASE, LOTUS, etc.) into any stat package file (SAS, SPSS, SYSTAT, etc.) and vice versa. The PLUS version allows sorts, selections, and recalculations. \$195 30-day guarantee. VISA/MC/AMEX/PC/CC. Call for free limited version.

CONCEPTUAL SOFTWARE INC.

P.O. Box 56627, Houston, TX 77256
(713) 667-4222 FAX: (713) 667-3FAX
1-800-STATWOW

Inquiry 750.

Which Statistic?

Find out with Statistical Navigator™, an expert system to help select appropriate statistical analysis. Statistical Navigator suggests the proper analysis and explains how it fits your research objectives and assumptions. Version 1.1-\$99.95+S/H. VISA, MC, AMEX, PO, Checks accepted.

The Idea Works, Inc.

100 West Briarwood, Columbia, MO 65203
1-800-537-4866 FAX 314-445-4589
Outside USA 314-445-4554

Inquiry 751.

Designing Experiments?

Designer Research™ helps design efficient empirical research projects, controls extraneous variables and rules out competing explanations. Ensures internal, external, construct and statistical conclusion validity by recommending detailed and comprehensive design procedures. \$99.95+s/h. VISA, MC, AMEX, PO, Checks accepted.

The Idea Works, Inc.

100 West Briarwood, Columbia, MO 65203
1-800-537-4866 FAX 314-445-4589
Outside USA 314-445-4554

Inquiry 752.

STATISTICS

NCSS 5.x Series — \$125

Easy-to-use menus & spread sheet. Multiple regression. Tests: ANOVA (up to 10 factors, rep. measures, covariance). Forecasting. Factor, cluster, & discriminant analysis. Nonparametrics. Cross Tabulation. Graphics: histograms, box, scatter, etc. Reads ASCII/Lotus. Many new add-on modules.

NCSS

865 East 400 North, Kaysville, UT 84037
Phone: 801-546-0445 Fax: 801-546-3907

Inquiry 753.

SCA STATISTICAL SYSTEM

The only statistical software encompassing Forecasting & Time Series Analysis Quality and Productivity Improvement General Statistical Analysis

Available on DOS, OS/2 and Mac operating systems. Call today for more information

Scientific Computing Associates

4513 Lincoln Ave., Suite 106, Lisle, IL 60532, USA
Phone: (708) 960-1698 FAX: (708) 960-1815

Inquiry 754.

StatPac Gold™

StatPac Gold is the award-winning statistics and forecasting package that delivers it's fast, flexible, easy to use and dependable. Time-tested and loaded with features you be the judge. Get the facts! Call for your FREE brochure.

1-800-328-4907

Walonic Associates, Inc.

6500 Nicollet Ave. S., Minneapolis, MN 55423
(612) 866-9022

Inquiry 755.

SYSTEM SOFTWARE

PC Compatible File System

All 'C', very portable, removable. Add floppy & Winchester support to embedded systems, or transfer data to-from pc floppies or partitions from your OS. Full, high quality implementation.

High quality CD-ROM interface software available too.

etc bin systems

20 Higley St., Groton, MA 01450
(508) 448-9340

Inquiry 756.

UNINTERRUPTABLE POWER

HOW TO PROTECT YOUR COMPUTER And Make It Last Longer

FREE money-saving literature. What you need to know about UPS—uninterruptible power supply. How to get complete protection from power line problems. 350VA through 15KVA models from the world's largest manufacturer of single-phase UPS.

Best Power Technology, Inc.

P.O. Box 280, Necedah, WI 54646
(608) 565-7200 ext. 3852

TOLL FREE (800) 356-5794 ext. 3852

See our Ad on page 336.

Inquiry 757.

UTILITIES

ACCCBACK—BACKUP SYSTEM

Program features (all DOS Systems):
• 100% byte by byte read verification
• Supports absolute file matching
• Purges to DOD standards
• DOS restorable
• Creates active archives that are directly accessible
The most accurate backup system available. Special introductory price: \$79.95 plus \$4.00 shipping/handling.

AMER TECHNOLOGY SYSTEMS, INC.

DEPT D, 8700 SW 26th, Suite E, Portland Oregon 97219
(503) 245-2948 FAX (503) 245-0846 VISA/MC

Inquiry 758.

THE BUYER'S MART

UTILITIES

COPY AT TO PC—BRIDGE-IT 3.5
 "CPYAT2PC" RELIABLY writes 360KB floppies on 1.2 MB drives, saving a slot for a second hard disk or tape back-up. Only \$79.00 + S/H.
 "BRIDGE-IT 3.5" is a DEVICE DRIVER supporting 3 1/2" 720KB/1.44MB drives for PC/XT/AT without upgrading DOS/BIOS. Only \$39.00 + S/H.
 BRIDGE-IT 3.5 BUNDLED WITH INTERNAL 1.44MB DRIVE AT \$129.00 + S/H. VISA/MC/COD UPS B/R

MICROBRIDGE COMPUTERS
 655 Sky Way Suite 220, San Carlos, CA 94070
 1-415-593-8777(CA) 1-415-593-7675 (FAX)
 1-514-845-0818 (CANADA) 1-800-523-8777
 0908-260-188 (UK)

Inquiry 759.

DELTA, the better text file comparison tool. Scrollable windowed presentations of file or directory comparisons, with a built-in editor window. Ideal for programmers! Requires DOS 2.0 or higher with at least 384K RAM. A hard disk is recommended. Order now. \$79.
DEMO available on our BBS
OPENNetwork
 POWER TOOLS FOR POWER USERS
 215 Berkeley Pl. (B-1), Brooklyn, NY 11217
718-638-2240 BBS: 718-638-2239

Inquiry 760.

Recover deleted files fast!
 Disk Explorer now includes automatic file recovery. You type in the deleted file's name. Disk Explorer finds and restores it. Disk Explorer also shows what's really on disk, view change or create formats, change a file's status, change data in any sector. MS-DOS \$75 U.S. Check/Credit card welcome.

QUAD SOFTWARE LIMITED
 45 Charles St. E. 3rd Fl.
 Toronto, Ontario, Canada M4Y 1S2
 (416) 961-8243

COPYWRITE
 CopyWrite
 Removes
 Copy Protection
 No more diskettes, manuals or codewheels.
 1000's of products copied.

QUAD SOFTWARE LIMITED
 45 Charles St. E. 3rd Fl. Dept B.
 Toronto, Ontario, Canada M4Y 1S2
 (416) 961-8243 Fax (416) 961-6448

Remove Hardware Locks
 Software utility allows for the removal of hardware locks. Don't wait for your lock or key device to fail or be stolen. Following packages available:
 CADKEY \$99.00 PCAD \$199.00
 Microstation \$99.00 Personal Designer \$199.00
 MicroCadam \$99.00 SmartCam \$99.00
 Call for other products. Visa/MC Welcome
(204) 669-4639
SafeSoft Systems Inc.
 191 Kirlystone Way, Winnipeg, MB, Canada, R2G 3B6

Inquiry 761.

AppleWorks ↔ IBM
CROSS-WORKS 2.0 transfers both ways between Apple IIe/IIc/IIgs and IBM PC/XT/AT/PS-2 & compatibles. Exchange AppleWorks with Microsoft Works, WordPerfect, Lotus 1-2-3, and dBase III/IV! Included cable plugs in serial ports for 19,200 baud transfers. Easy menu operation. \$99.95 (+ shipping).
Phone (919) 870-5694 for free info packet.
 SoftSpoken Co., PO Box 18343, Raleigh, NC 27619

Inquiry 762.

UTILITIES

Why You Want BATCOM!
 BATCOM is a batch file compiler that transforms your bat files to .exe files to make them faster. BATCOM extends DOS with many new commands so you can read keyboard input, use subroutines, and much more. In addition, BATCOM protects your source code. No royalties! Only \$59.95. Order today!

Wenham Software Company
 5 Burley St., Wenham, MA 01984
 (508) 774-7036

Inquiry 763.

WORD PROCESSING

We can read 130 languages from Armenian to Zulu
 Use SPOT OCR Software with an image scanner and your PC to read 130 foreign languages, typed pages, typeset material, magazines and books into standard text files. Flagstaff Engineering can provide any OCR solution. Call today to discuss your application!

Flagstaff Engineering
 1120 Kaibab Lane, Flagstaff, AZ 86001
 (602) 779-3341
 MasterCard—Visa—American Express Accepted

Inquiry 764.

FARSI / GREEK / ARABIC / RUSSIAN
 Hebrew, all European, Scandinavian, plus either Hindi, Punjabi, Bengali, Gujarati, Tamil, Thai, Korean, Viet, or IPA. Full-featured multi-language word processor supports on-screen foreign characters and NLO printing with no hardware modifications. Includes Font Editor \$355 dot matrix, \$150 add'l for laser, \$19 demo. S/H in U.S. incl'd. Req. PC, 640K, graphics. 30-day Guarantee. MC/VISA/AMEX

GAMMA PRODUCTIONS, INC.
 710 Wilshire Blvd., Suite 609, Santa Monica, CA 90401
 213/394-8622 Tlx: 5106008273 Gamma Pro SNM

Inquiry 765.

DuangJan
 Bilingual word processor for English and: Armenian, Bengali, Burmese, Euro/Latin/African, Greek, Gujarati, Hindi, Khmer, Lao, Punjabi, Russian, Sinhalese, Tamil, Telugu, Thai, Ukrainian, Viet, ... Only \$109+\$5 s/h (foreign + \$12 s/h). Font editor included. For any IBM compatibles with dot-matrix & LaserJet printer. Demo \$9+\$1 s/h. Visa/MC

MegaChomp Company
 3438 Cottman Ave., Philadelphia, PA 19149-1606
 (215) 331-2748 FAX: (215) 331-4188

Inquiry 766.

PC-Write 3.0 — Shareware
 Fast, full featured word processor for IBM PC. Now edits large files & multiple columns. Also spell check, mailmerge, networking, ASCII, and macros. Easy-to-use, optional menus. Supports 500 printers incl. lasers. Software, guide and tutorial on disk: \$19. Registration with manual, support newsletter and 2 free updates: \$99.
 90-day money-back guarantee. VISA/MC.

Quicksoft 1-800-888-8088
 219 First Ave. N., #224-BYTC, Seattle, WA 98109

Inquiry 767.

YOUR SALES MESSAGE
 about the special computer product or service that you provide belongs in print.

THE BUYER'S MART
 can help you reach computer professionals and produce valuable inquiries for your company!
 Call Brian Higgins for more information
603-924-3754

Inquiry 768.

SONY

3 1/2" DS
9⁹⁵
PER BOX

3 1/2" HD
21⁰⁰
PER BOX

Bulk Diskettes PER EA. Min. 50

3.5" DS - **.58**
3.5" HD - **.179**

maxell

5 1/4" DS
6²⁵
PER BOX

5 1/4" HD
11³⁵
PER BOX

3.5" DS
9⁹⁵
PER BOX

3.5" HD
20⁹⁵
PER BOX

LASER TONERS

APPLE Laserwriter & Plus	84⁹⁵
CANON LBP Mark I Series	
HP Laserjet & Plus	
APPLE LaserWriter II Series ...	84⁹⁵
CANON LBP Mark II & III	
HP Laserjet II Series	
CANON LBP 4 Series	61⁹⁵
HP Laserjet 2P	

QUME TONER 80	47.50
QUME TONER 6000	17.00
RICOH TONER 80	50.00
RICOH TONER 6000	17.00
RICOH OPC 80, 81 or 150	135.00
KYOCERA F1000A & F1010 ...	24.50
KYOCERA F2010 & FPB-01 ..	24.50

Diskette Connection

DELAWARE 1-800-451-1849
 PO BOX 10247, WILMINGTON, DE. 19580

OKLAHOMA 1-800-654-4058
 PO BOX 1674, BETHANY, OK. 73008

NEVADA 1-800-621-6221
 PO BOX 12396, LAS VEGAS, NV. 89112

Minimum order \$20.00 * No Surcharge on VISA MASTERCARD.* COD orders add \$3.00. UPS Surface shipping add \$4.00 per each 100 Disks (First Class US Mail delivery add 9% extra)
 All Prices are subject to change without notice.

FAX (405) 495-4598

NEW! RS-232 DATA MONITOR LETS YOU SEE WHAT'S ON THE LINE \$595!



- Diagnose comm problems
- Install new equipment
- Determine baud rates
- Reduce development time
- Troubleshoot faster

- SDLC, HDLC, X.25, BISYNC ● Parity & CRC check
- 40 hours on 9v battery ● 2K buffer with printer dump

BitView shows you bidirectional data in ASCII, EBCDIC, or Hex for async and sync data lines at baud rates from 300 to 38400 baud. Now find your comm problems in minutes instead of hours!

Call (212)662-6012 or Fax (212)678-6143
MEASUREMENT & CONTROL PRODUCTS, INC.
415 Madison Avenue, 22 Fl., New York, NY 10017



VOICE MASTER KEY® SYSTEM II VOICE RECOGNITION & SPEECH RESPONSE FOR IBM PC/XT/AT/386, PS/2, LAPTOPS, COMPATIBLES



FOR PRODUCTIVITY, PRESENTATIONS, SOFTWARE DESIGN, ENTERTAINMENT, LANGUAGE TRAINING, EDUCATION, MORE...

SPEECH/SOUND RECORDING AND PLAYBACK. Desktop Audio sound editing allows you to create custom sound applications. Variable sample rate (to 20 KHz) and compression levels. A four-voice music synthesizer is included also!

VOICE RECOGNITION TSR utility allows you to add voice command keyboard macros to your CAD, desktop publishing, word processing, spread sheet, or entertainment programs. Up to 64 voice commands in RAM at once—more from disk.

HARDWARE SYSTEM contains built-in speaker with separate volume and tone controls, external speaker and headphone jacks. Enclosure made of sturdy vinyl-clad steel. Attaches to parallel printer port without affecting normal printer operation (U.S. Patent 4,812,847). Headset microphone, printer cable, 9 volt AC adapter (110 volt UL/CSA listed), and comprehensive user manual included.

QUALITY THROUGHOUT. MADE IN USA ONLY \$219.95

ORDER HOTLINE: (503) 342-1271 Mon-Fri, 8 AM to 5 PM PST

Visa/MasterCard, company checks, money orders, CODs (with prior approval) accepted. Personal checks subject to 3 week shipping delay. Specify computer type when ordering. Add \$5 shipping charge for delivery in USA and Canada. Foreign inquires contact Covox for C&F/CIF quotes. OEM configurations available.

30 DAY MONEY BACK GUARANTEE IF NOT COMPLETELY SATISFIED.

CALL OR WRITE FOR FREE PRODUCT CATALOG



COVOX INC.
675 Conger Street
Eugene, Oregon 97402

TEL (503) 342-1271
FAX (503) 342-1283
BBS (503) 342-4135

9600bps MODEM



OR FAX \$299
300-9600bps MODEM \$299
\$95-2400bps ALL PRODUCTS.. 30 DAY FREE TRIAL

The **SPEEDMODEM™** is a knock out for value and performance. It features **DYNAMIC IMPEDANCE STABILIZATION™**, **DIS™** (patent pending). **DIS** improves signal quality, assuring maximum speed and data integrity. **DIS** is renowned for superior performance where other modems fail. All products are internal IBM cards, made in USA, 5 year warranty. If you aren't totally satisfied, return within thirty days for full refund!

	with DIS	no DIS
• SPEEDMODEM 300-9600-bps	\$299	
• SPEEDMODEM + FAX -9600	\$399	
• FAX-9600 full featured high speed fax card	\$299	
• 2400-4800-bps MNP-5 MODEM	\$193	\$169
• 2400-bps MODEM with SEND ONLY FAX	\$159	
• 2400-bps MODEM	\$119	\$95
• FREE \$69 EASYCOM™ SOFTWARE with modem		

CompuCom Corporation


March '89 p102 **BYTE MAGAZINE™**
"Real deal...worked fine...quite a bargain!"
CALL (408) 732-4500 (800) 228-6648

ADVANCED COMMUNICATIONS PRODUCTS

SEALEVEL SYSTEMS PROVIDES THE EXACT COMMUNICATION CARDS YOU NEED. THERE ARE MANY PRODUCTS TO CHOOSE FROM, INCLUDING SOFTWARE DRIVERS AND DEVELOPMENT TOOLS.

PRODUCTS:

- 1, 2 OR 4 PORT RS-232 AND RS-422/485 BOARDS.
- CURRENT LOOP SERIAL INTERFACES
- HIGH SPEED SYNC (HDLC, SDLC) AND ASYNC WITH DMA.
- RS-530 AND V.35 INTERFACE BOARDS.
- DIGITAL AND RELAY I/O BOARDS.
- DISKLESS EPROM BOARD WITH PROMKIT SOFTWARE BY ANNABOOKS.
- NEW LAP-TOP ADD-ONS!
- DELIVERY FROM STOCK
- SATISFACTION GUARANTEE
- MADE IN THE USA
- EXCELLENT TECHNICAL SUPPORT



SEALEVEL
COMMUNICATIONS & I/O

SEALEVEL SYSTEMS INC.
PO BOX 1808
EASLEY, SC 29641
(803) 855-1581

DISC DRIVE REPAIR SPECIAL

Formatted Cap.	Flat Rate	SPECIAL
10-19 mb	\$99	89.10
20-29 mb	\$125	112.50
30-39 mb	\$150	135.00
40-49 mb	\$175	157.50
50-85 mb	\$210	189.00
86-120 mb	\$275	247.50
121-150 mb	\$325	325.00
151-275 mb	\$425	425.00
276-380 mb	\$495	495.00

TEST & EVALUATION \$25

SHIPPING YOUR DRIVE FOR REPAIR
Pack your drive carefully and well protected in a sturdy shipping box. Include with the shipment a note with your name, address, daytime telephone number and a brief description of the problem with the drive. If prepaying, allow \$9 for shipping and insurance costs.

**WE DO DATA RECOVERY
CALL FOR QUOTE**

FLOPPY DRIVE REPAIRS

5.25" & 3.5" • \$45 8" • \$135

VALID THROUGH 3/31/90

DISC DRIVES SALES

XT/AT FLOPPY DRIVES

3.5"	720k	new	\$105
3.5"	1.44mb	new	115
5.25"	360k	ref.	49
5.25"	720k	ref.	49
5.25"	1.2mb	ref.	89

KITS FOR IBM AT & COMPATIBLES

72 MB	ESDI	\$895
147 MB	ESDI	1395
230 MB	ESDI	1695
320 MB	ESDI	1995

HARD CARDS

10MB/85MS	\$185
20MB/65MS	225
30MB/65MS	295
40MB/65MS	345
48MB/36MS	395

THOUSANDS OF DISC DRIVES IN STOCK

We Feature Technical Support for Everything We Sell
We Specialize in Disc Drives — Ask for Our Brochure

jb TECHNOLOGIES, INC.

5105 Maureen Lane Moorpark, CA 93021

XT/AT HARD DRIVES

5 MB	ref.	\$69
10 MB	unu.	75
20 MB	ref.	149
30 MB	ref.	195
42 MB	unu.	275
72 MB	ref.	595
120 MB	new	1295

SCSI HARD DRIVES

20 MB	\$225	85 MB	\$495
30 MB	265	147 MB	1495
42 MB	295	310 MB	1995

NOVELL SUBSYSTEMS

150 MB	\$1975
320 MB	2795
650 MB	4295

TEL 818 • 709 • 6400

FAX 818 • 341 • 2935

Micro Macro Mundo Inc.

7204 N.W. 31 St., Miami, Florida 33122

Phone: (305) 594-6950 Fax: (305) 594-3795

Hard Drives

Seagate:

ST-225	20MB kit	218
ST-238	30MB kit	232
ST-251-1	40MB 28ms	297
ST-277R1	66MB 28ms	368
ST-296N	85MB 28ms	474
ST-125	20MB 40ms	215
ST-125N	20MB 28ms	265
ST-138	30MB 40ms	260
ST-138R	30MB RLL	250
ST-4053	44MB 28ms	285
ST-4096	80MB 28ms	532
ST-4144R	122MB 28ms	605
ST-125	PS/2 kit 20MB	285
ST-138	PS/2 kit 30MB	315
ST-01	SCSI adapter	35
ST-02	SCSI adapter	49

Maxtor Drives:

1085	71MB	655
1140	120MB	1179
2190	160MB	1489
4170	158MB	1015
4380	338MB	1625
8760	677MB	2579
XT100S	96MB	619

Other Drives:

Miniscribe	9380E	1425
Imprimis	106MB	789
Imprimis	182MB	1035
Imprimis	209MB	1372
Imprimis	383MB	1670
Imprimis	385MB	1980
Imprimis	766MB	3126
Micropolis	160MB W/C	1149
Micropolis	330MB W/C	1893
Priam	330MB w/contr	2050
Priam	PS/2 338MB	1665
Priam	PS/2 160MB	1089
Priam	for PS/2-ALL	Call
Western Digital	1.44MB 3.5" w/kit	Call
	720K 3.5" w/kit	75

Computers & Access.

Everex STEP 286 & 386	1399
from only	
AT—Clone 12MHz 1MB	
1.2MB F/D, 40MB H/O	
monitor, serial/para	1045
XT 12MHz w/Everex	
m/board, 360K F/D.	
768K RAM installed	
clock/calendar, monitor	
101 keyboard, p/port	465

Hardware:

Evercom 24+	149
Evercom 24E+	195
Everfax 48/96 BPS	239
Magic I/O AT	49
Magic I/O XT w/clock	39
Paradise Basic EGA	86
Paradise Autoswitch	107
Paradise Basic VGA	128
Paradise VGA PLUS	161
Everex EGA Deluxe	86
Everex VGA 16 bits	170
RAM 3000 Deluxe	89
Samsung Fax 2010	595
Samsung Fax 1010	495

Printers:

Epson from	185
Panasonic from	168
H.P. Laser Jet II	1595
H.P. Laser IIP	970

Monitors:

Monochrome	79
CGA Goldstar	215
EGA Goldstar	315
VGA Goldstar	365
Super VGA Goldstar	425
NEC 3D	605
NEC 2A	484
More than 150 brands	
and 4000 items.	
Call for your need in	
computer hardware or	
software.	

Clones Accessories

XT Case w/turbo/key	35
150 watts P/S	35
AT Case regular size	58
101 keyboard	35
AT 12MHz m/board	165
XT Everex m/board 12	70
Monographics w/print	27
Colorgraphics w/print	27
XT FDC	15
W. Digital 1006V-MM2	105
W. Digital 1006V-SR2	125
DTC HD/FC AT	90
Clock Card XT	15
386 Motherboards	Call

Others

Computone ATB	595
Computone AT16	1150
H.P. Laser IID	2995
H.P. 7475	1295
H.P. 7440	905
H.P. Deskjet PLUS	675
Princeton Monitors	Call

We export to any country.
Call or fax us with your need.
Also in 220 volts.

Prices change every week.
This ad was placed a few
months ago.

Some of our brands:
AST, Archive, Irwing, Canon,
Panasonic, Core, ATI, Everex,
Iomega, NEC, Toshiba, Kim-
tron, Wyse, Adic, Amdek,
Irma, Genicom, Micropolis,
Mitsubishi, Novell, Oracle,
Pacific Data, Priam, Princeton,
Proteon, Sysgen, 3COM,
Genoa, Hayes, ALR, Dorchid,
ETC.

Mon. thru Fri. 9 to 5 EST. VISA/MASTER No surcharge. 1 year warranty. Orders before noon shipped same day. Government & corp. P.O.s O.K. Full line Seagate & Everex products in stock.

REEL 9-TRACK GENIUS

OVERLAND DATA will bring out the genius in you when it comes to connecting your PC to the mini/mainframe world. We were the first company to connect 9-track to PCs, and we are still the leaders with the largest installed base worldwide! Call the experts...ODI!

- Up to 15 MB per minute
- PC/XT/AT/386/PS2 & Compat.
- DOS, XENIX, UNIX, NOVELL
- 800, 1600, 3200, & 6250 BPI
- Outstanding customer support
- 24-hour delivery available
- Cipher, Anritsu, Qualstar & M4



Overland Data
"Experience Makes The Difference"

1-800-PC-9TRAK

5600 Kearny Mesa Road • San Diego, CA 92111
TEL: 619/571-5555 • FAX: 619/571-0982 • 800/729-8725

PC COMPATIBLE ENGINEERING

Annabooks gives you the hardware, software, and firmware information you need to design PC-compatible systems faster and better. And you have control of your design from the ground up -- our firmware and software products include source code! Plus all the utilities you need.

AT BiosKit: an AT Bios with source code you can modify. With setup & debug. 380 pages with disk, \$199

XT BiosKit: Includes a debug. 270 pages with disk, \$99

Intel Wildcard Supplement for XT BiosKit: Includes ASIC setup, turbo speeds, also useful with many other modern XT boards. 60 pages with disk, \$49

PromKit: Puts anything in Eprom or SRAM; DOS, your code, data, you name it! With source on disk, \$179

SysKit: Here's a debug/monitor you can use even with a brand X Bios in your desktop. Runs in ROM or TSR in RAM. Includes source, of course. \$69

XT-AT Handbook: The famous pocket-sized book jam-packed with hardware & software info. \$9.95 ea. or 5 or more for \$5 each.

Software tools: You need MS C & MASM 5.1 for modifying the Kit products.

FREE Mention this ad when you order any publication and get a free XT-AT Handbook by Choisser & Foster! Hurry before we come to our senses and change our minds.

Annabooks Money-back guarantee

12145 Alta Carmel Ct Suite 250-262
San Diego, California 92128



800-462-1042

In California 619-271-9526

SIP & SIMM MODULES

Part No.	Function	Price
52K1T	IBM PS/2 100ns 256K x 9 SIMM (2 each)	99.95
2MEGKIT*	BM PS/2 100ns 1MEG x 9 SIMM (2 each)	369.95
41256A9A-10	262 144x9 100ns 256K x 9 SIMM (Has Leads)	44.95
41256A9B-10	262 144x9 80ns 256K x 9 SIMM	49.95
42100A8B-10	1.048 576x9 100ns 1MEG x 9 SIMM	109.95
42100A9A-10	1.048 576x9 80ns 1MEG x 9 SIMM (Has Leads)	124.95
42100A9B-10	1.048 576x9 80ns 1MEG x 9 SIMM	119.95

*Upgrade for Models 3C, 56Z and 60

7400

Part No.	1-9 10+	Part No.	1-9 10+
7400	29 19	7474	39 29
7402	29 19	7475	49 39
7404	29 19	7476	45 35
7405	35 25	7483	59 49
7406	39 29	7485	65 55
7407	39 29	7486	45 35
7408	35 25	7489	2.25 2.15
7410	29 19	7490	49 39
7411	35 25	7493	45 35
7414	49 39	7495	49 39
7416	39 29	74107	39 29
7417	35 25	74121	39 29
7420	29 19	74123	49 39
7427	29 19	74125	49 39
7430	29 19	74147	1.99 1.89
7432	39 29	74150	1.35 1.25
7436	49 39	74151	39 29
7442	49 39	74154	1.35 1.25
7445	75 65	74161	69 59
7446	89 79	74174	59 49
7447	89 79	74175	59 49
7473	39 29	74193	79 69

74LS

74LS00	26 16	74LS139	49 39
74LS02	28 18	74LS151	49 39
74LS03	28 18	74LS153	49 39
74LS04	28 18	74LS154	1.29 1.19
74LS05	28 18	74LS157	45 35
74LS06	59 49	74LS161	49 39
74LS07	59 49	74LS163	49 39
74LS08	28 18	74LS164	59 49
74LS09	28 18	74LS165	75 65
74LS10	26 16	74LS166	89 79
74LS11	29 19	74LS173	45 35
74LS14	49 39	74LS174	39 29
74LS20	28 18	74LS175	39 29
74LS21	29 19	74LS194	59 49
74LS27	35 25	74LS192	69 59
74LS30	28 18	74LS193	69 59
74LS32	28 18	74LS194	69 59
74LS38	35 25	74LS221	69 59
74LS42	49 39	74LS240	59 49
74LS47	85 75	74LS241	59 49
74LS73	39 29	74LS244	59 49
74LS74	35 25	74LS245	79 69
74LS75	39 29	74LS247	49 39
74LS76	39 29	74LS259	89 79
74LS83	55 45	74LS273	89 79
74LS85	55 45	74LS279	49 39
74LS96	29 19	74LS277	49 39
74LS90	49 39	74LS373	79 69
74LS93	49 39	74LS374	79 69
74LS123	49 39	74LS393	89 79
74LS125	49 39	74LS541	1.29 1.19
74LS132	49 39	74LS590	5.95 5.85
74LS138	49 39	74LS688	2.39 2.29

74S/PROMS*

74S00	25	74S188*	1.49
74S04	25	74S189	1.49
74S32	25	74S240	1.39
74S74	25	74S244	.99
74S12	25	74S287*	1.49
74S124	1.25	74S288*	1.49
74S138	49	74S373	79
74S153	39	74S374	79
74S163	75	74S387*	1.29
74S174	15	74S472*	2.95
74S175	39	74S571*	2.49

CD-CMOS

CD4001	.19	CD4051	.59
CD4002	.19	CD4052	.59
CD4007	.19	CD4053	.59
CD4011	.19	CD4060	.69
CD4012	.25	CD4066	.25
CD4013	.29	CD4069	.25
CD4015	.29	CD4070	.29
CD4016	.29	CD4071	.19
CD4017	.39	CD4072	.19
CD4018	.49	CD4073	.19
CD4020	.59	CD4081	.19
CD4021	.49	CD4093	.35
CD4022	.45	CD4094	.35
CD4027	.35	CD4094	.89
CD4028	.49	CD4503	.39
CD4029	.69	CD4511	.59
CD4030	.35	CD4520	.69
CD4040	.65	CD4522	.75
CD4042	.49	CD4528	.69
CD4043	.59	CD4528	.79
CD4046	.65	CD4543	.79
CD4047	.65	CD4584	.49
CD4049	.29	CD4584	.69
CD4050	.29	CD4585	.69

NEC V20 & V30 CHIPS

Replace the 8086 or 8088 in Your IBM PC and Increase Its Speed by up to 30%*

Part No.	Price
UPD70108-5 (5MHz) V20 Chip	5.25
UPD70108-8 (8MHz) V20 Chip	6.95
UPD70108-10 (10MHz) V20 Chip	10.95
UPD70116-8 (8MHz) V30 Chip	7.95
UPD70116-10 (10MHz) V30 Chip	13.49

MICROPROCESSOR COMPONENTS

Z80, Z80A, Z80B, SERIES

Part No.	Price	Part No.	Price
Z80	1.25	8155-2	3.75
Z80A	1.29	81C55	4.25
Z80A CRT	1.65	8205	9.95
Z80A DART	4.95	82C11	6.95
Z80A PIO	1.89	8212	1.99
Z80A SIO/O	3.95	8216	1.39
Z80B	2.75	8224	1.49
Z80B CTC	3.95	8228	1.49
Z80B PIC	3.95	8237-5	4.25
Z80AIOB1 CPU@8MHz	1.95	8243	1.95
		8250A	4.95
		8250B (For IBM)	5.95
8031	3.95	8251A	1.95
80C31	8.95	8253	1.89
8035	1.25	8253 5	3.95
8039	1.59	8254	4.95
8052AHBASIC	24.95	8255A 5	2.95
8080A	1.95	8255A 5	4.49
8085A 2	3.59	8256	11.95
8086	3.95	8259 5	2.25
8087 (5MHz)	89.95	8272	3.49
8087 (10MHz)	169.95	8274	4.75
8087 (20MHz)	129.95	8279 5	2.95
8088 (20MHz)	4.95	8282	2.95
8155	2.49	8284A	1.95

8000 SERIES Continued

8000 SERIES Continued

Part No.	Price
8286	2.29
8741	9.49
8742	14.95
8748 (25V)	7.95
8748H (HMOS)(21V)	9.95
8749	9.95
8751H (3.5 12MHz)	34.95
8755	1.95
80286 10 (10MHz) cc	29.95
80287 3 (5MHz)	109.95
80287 8 (8MHz)	209.95
80287 10 (10MHz)	239.95
80386 16 PGA	249.95
80387 16 (16MHz)	349.95
80387 20 (20MHz)	399.95
80387 25 (25MHz)	499.95
82284 (8MHz)	5.49
82288 (8MHz)	6.95

DATA ACQUISITION

ADC0804LCN	3.25
ADC0808CCN	5.49
ADC0809CCN	3.75
ADC1205CCJ 1	19.95
DAC0808LCN	1.49
AY 3 1015D	4.95
AY 5 1013A	2.95

6501/6800 6800 Series

Part No.	Price
6402	3.75
6502	2.59
6502A	2.19
6502C (CMOS)	6.95
6520	1.59
6522	2.95
65C22	4.25
6532	4.95
6551	2.69
65C802 (CMOS)	1.95
6800	1.75
6802	2.95
6808	2.49
6810	1.25
6820	2.75
6821	1.75
68821	3.25
6840	3.49
6845	1.75
6850	1.75
6852	9.49
MC68000LB	9.95
MC68000L10	11.95
MC68008PB	4.95
MC68010L10	19.95
MC68020R12B	44.95
MC68450L10	14.95
MC6870	15.95
MC68705P3	15.95
MC68705U3	17.95
MC68881RC15A	129.95
MC68881RC20A	139.95

Commodore

WD1770	8.95
SI3052P	.49
6504A	1.75
6510	13.95
6526	14.95
6526A	14.95
6545 1	3.95
6560	6.95
6567	24.95
6572	2.95
6581 (12V)	12.95
6586	7.95
8564	2.95
8566	4.95
8701	9.95
8722	4.95
82S100PLA	15.95
310654 01	9.95
325572 01	17.95
901225 01	15.95
901227 02	4.95
901227 03	15.95
901229 05	15.95
901466 03	1.99
901486 06	.49

74C/CMOS

74C00	25	74C174	39
74C02	25	74C175	39
74C04	25	74C192	99
74C08	25	74C194	25
74C10	19	74C221	1.79
74C15	49	74C240	4.9
74C32	45	74C244	1.49
74C74	49	74C373	1.49
74C85	1.29	74C374	1.49
74C86	29	74C911	5.95
74C89	149	74C912	7.95
74C90	99	74C915	19.95
74C91	99	74C917	3.95
74C92	99	74C920	3.95
74C93	1.49	74C921	2.49
74C160	25	74C922	3.95
74C161	25	74C923	3.95
74C162	25	74C925	4.95
74C173	25	74C926	5.95

MISC. COMPONENTS

TANTALUM CAPACITORS

TM 1	1µf @ 35V	19	TM 4	4.7µf @ 35V	45
TM 2	1µf @ 35V	25	TM 6	8µf @ 35V	59
TM 2	2.2µf @ 35V	25	TM 10	10µf @ 35V	69

POTENTIOMETERS

Values available (insert ohms into space marked "XX"):
 500Ω, 1K, 2K, 5K, 10K, 20K, 50K, 100K, 500K, 1MEG

43PXX	3.4 Watt 15Turn	.99	63PXX	1/2 Watt 1Turn	.89
-------	-----------------	-----	-------	----------------	-----

TRANSISTORS AND DIODES

PN2222	13	PN2907	13	1N4004	10
2N2222A	29	2N4401	15	1N4148	.07
2N3055	69	1N270	25	1N4735	25
2N3904	12	1N751	15	1C106B1	49

SWITCHES

JMT123	SPDT On-On	1.25	206 8	SPST 16 pin DIP	1.19
MPC121	SPDT On-Off-On	1.25	MS102	SPST Momentary	.39

D-SUB CONNECTORS

DB25P	Male 25-pin	69	DB25S	Female 25-pin	.75
-------	-------------	----	-------	---------------	-----

LEDS

XC209R T1	Red	15	XC556G 11*	Green	17
XC556R T1*	Red	13	XC556Y 11*	Yellow	17

IC SOCKETS

Low Profile	11 Wire Wrap (Gold) Level	#2
8LP	10	49
14LP	12	49
16LP	13	65
24LP	21	69
28LP	23	1.39
40LP	29	1.89

Solderless Standard (Gold & Tin) & Header Plug Sockets Also Available

74HC HI-SPEED CMOS

Part No.	Price	Part No.	Price
74HC00	11	74HC175	.59
74HC02	19	74HC221	.89
74HC04	19	74HC240	.69
74HC08	19	74HC244	.79
74HC10	19	74HC245	.79
74HC14	29	74HC253	.49
74HC30	25	74HC259	.49
74HC32	25	74HC273	.49
74HC74	29	74HC373	.69
74HC75	25	74HC374	.69
7			

Now Available...Jameco's NEW Flyer 142 with 48 pages of Computer Peripherals & More!

Sony 3.5" 720Kb Disk Drive

- IBM PC/XT/AT Compatible
- Double-sided, double-density
- Documentation included

MPF11 Disk Drive.....\$49.95
SMK 5 25" Installation Kit for MPF11...\$14.95

Logitech ScanMan Plus Scanner and Mouse

- Scanner only:
- IBM PC/XT/AT Compatible
- 4" Scanning Window
- Ideal for DTP and Graphics Programs
- 400DPI

SCANP Scanner.....\$219.95
MSER Serial Mouse.....\$79.95
MBUS Mouse w/Bus.....\$89.95
MPS2 PS/2 Mouse.....\$74.95

Prometheus 9600 Baud Modem

9600E External 9600 Baud....\$699.95
1200B Internal 1200 Baud.....\$49.95
2400B Internal 2400 Baud.....\$99.95

Jameco Digitizer Tablet

- AutoCAD 10 template and four-button cursor
- Resolution: up to 1016 lines per inch
- Accuracy: ±.025"
- Emulates three of the world's most popular formats
- EEPROM allows custom configuration

JCAD Digitizer Tablet...\$199.95
Stylus Two Button Stylus.....\$39.95

MOTHERBOARDS

20MHz 386 Only \$629.95!
• All w/ OK RAM
JE3520 Pictured
JE1001 Jameco 4.77 8MHz 8088 (PC XT).....\$89.95
JE3005 Jameco Baby 8/12MHz 80286 (AT) \$199.95
JE3010 Jameco Baby 8/16MHz 80286 (AT) \$299.95
JE3011 Jameco Baby 8/20MHz 80286 (AT) \$389.95
JE3025 AMI Baby 20MHz 80386.....\$1199.95
JE3026 AMI Full-Size 25MHz 80386.....\$1899.95
JE3028 AMI Full-Size 33MHz 80386.....\$2299.95
JE3520 Jameco Baby 20MHz 80386.....\$629.95
JE3525 Jameco Baby 25MHz 80386.....\$1199.95
JE3533 Jameco Baby 33MHz 80386.....\$1699.95

Jameco 20MHz 80386 Desktop Computer Kit

- Fully IBM Compatible
- Free! Concurrent 386 Disk Operating System Software Included
- Free! QAPLUS Diagnostic Software Included!
- Free! WORDSTAR EASY Word Processing Software Included!
- 1Mb RAM Included, Expandable to 8Mb onboard. 16Mb with optional expansion board
- 8/16/20MHz Keyboard Switchable Operation
- AMI BIOS ROMs Included
- Floptop Case w/200 Watt Power Supply
- MiniScribe 3.5" 40Mb RLL Hard Disk Drive
- 1.2Mb Floppy DSHD Disk Drive
- 22.0 Norton SI Rating
- 101-Key (Enhanced) Keyboard




Shown with VGA Option (not included)
JE2060 VGA Monitor and VGA Card...\$529.95 (See Below)

JE3550 20MHz 80386 Compatible Kit.....\$1599.95

Jameco 32-Key Keypad for IBM PC/XT/AT & Compatibles

Ideal for use with Laptops!



- Great for use with laptop computers as well as original IBM AT layout keyboards
- 12 function keys
- Separate cursor keys
- Tactile touch keyswitches
- Software and manual included

JE2018.....\$59.95

IBM Compatible Cases and Power Supplies

JE2012
JE1030
JE1010 Flip Top Standard PC/XT Case.....\$39.95
JE1011 Side Standard PC/XT Case.....\$39.95
JE1030 150 watt PC/XT Power Supply.....\$59.95
JE1032 200 watt Baby AT Power Supply.....\$89.95
JE1035 300 watt AT Power Supply.....\$139.95
JE2011 Vertical Case w/300W Pwr. Supply.....\$249.95
JE2012 Min Vertical Case w/200W Pwr. Supply.....\$149.95
JE2014 Flip Top Baby XT Turbo Case.....\$69.95
JE2019 Flip Top Baby AT Case.....\$69.95

EGA & Multiscan Monitor Packages

Casper 14" EGA monitor and EGA card package (720 x 350 max. resolution)

JE1059 EGA Monitor & EGA Card.....\$459.95

Relisys 14" Multiscan monitor and EGA card package (800 x 600 max. resolution)

JE2057 Multiscan Monitor & EGA Card.....\$559.95



JAMECO IBM PC/XT/AT COMPATIBLE CARDS

JE1043 360K/720K/1.2Mb/1.44Mb Floppy Disk Controller Card (PC/XT/AT).....\$49.95
JE1050 Monochrome Graphics Card w/ Parallel Printer Port (PC/XT/AT).....\$49.95
JE1052 Color Graphics Card w/ Parallel Printer Port (PC/XT/AT).....\$49.95
JE1055 EGA Card w/ 256K Video RAM (PC/XT/AT).....\$139.95
GC1500 Orchid 8 Bit VGA Card w/256K Video RAM (PC/XT/AT).....\$169.95
JE1057 8/16-Bit VGA Card w/256K Video RAM (PC/XT/AT).....\$199.95
JE1060 I/O Card w/ Serial, Game, Printer Port & Real Time Clock (PC/XT).....\$59.95
JE1062 RS232 Serial Half Card (PC/XT/AT).....\$29.95
JE1065 I/O Card w/ Serial, Game and Parallel Printer Port (AT).....\$59.95
JE1071 Multi I/O Card w/ Controller & Monochrome Graphics (PC/XT).....\$119.95
JE1077 Multi I/O Card w/ 360K/720K/1.2Mb/1.44Mb Floppy Controller (AT).....\$74.95
JE1081 2Mb Expanded or Extended Memory Card (280-K on-board) (AT).....\$109.95



IBM PC/XT/AT Compatible Keyboards

JE2015 84-Key Standard AT Style Layout.....\$59.95
FKB4700 101-Key Enhanced Layout with 12 Function Keys.....\$69.95
JE2016 111-Key Enhanced with Solar Powered Calculator.....\$79.95
JE2017 104-Key Enhanced with Trackball (Microsoft Compatible).....\$99.95

MiniScribe Hard Drives & CMS Tape Back-Ups

Part No.	Capacity	Style	Average Speed	Format	Drive Alone	W/8-Bit (XT) Controller	W/16-Bit (AT) Controller
M8425	20Mb	3.5"HH	68ms	MFM	\$224.95		
M8425XT	20Mb	3.5"HH	68ms	MFM		\$269.95	
M8425AT	20Mb	3.5"HH	68ms	MFM			\$339.95
M8425F	20Mb	3.5"HH	40ms	MFM	\$249.95		
M8438	30Mb	3.5"HH	68ms	RLL	\$249.95		
M8438XT	30Mb	3.5"HH	68ms	RLL		\$299.95	
M8438AT	30Mb	3.5"HH	68ms	RLL			\$389.95
M8450	40Mb	3.5"HH	46ms	RLL	\$329.95		
M8450XT	40Mb	3.5"HH	46ms	RLL		\$369.95	
M8450AT	40Mb	3.5"HH	46ms	RLL			\$429.95
M3085	70Mb	5.25"HH	20ms	MFM	\$599.95		
M3085AT	70Mb	5.25"HH	20ms	MFM			\$699.95
M3180E	150Mb	5.25"HH	17ms	ESDI	\$1199.95		
M9380E	330Mb	5.25"FH	16ms	ESDI	\$1699.95		

DJ10 40Mb Tape Drive with up to 120Mb capability (includes one TB40 Tape).....\$299.95
QFA500 150Mb Tape Drive with up to 500Mb capability (includes one TC150 tape).....\$1049.95

Hard & Hard/Floppy Disk Controller Cards

Computer Type	MFM Hard		RLL Hard		MFM Hard/Floppy		RLL Hard/Floppy	
	Part No. / Price	Part No. / Price	Part No. / Price	Part No. / Price				
8088 (PC/XT) @ 3:1 Interleave	XTGEN/\$79.95	IC-A27X/\$89.95			JE1044/\$109.95			
80286 (AT)/386 @ 2:1 Interleave	1003VMM1/\$129.95	10K3VSR1/\$149.95	1003VMM2/\$149.95	1003VSR2/\$169.95				
80286 (AT)/386 @ 1:1 Interleave	1006VMM1/\$149.95	10K6VSR1/\$169.95	1006VMM2/\$169.95	1006VSR2/\$189.95				

1355 Shoreway Road
Belmont, CA 94002
24 Hour Order Hotline (415) 592-8097
FAX's (415) 592-2503 or (415) 595-2664
Telex 176043 - Ans. Back: Jameco Bimt
Data Sheets - 50c each
Send \$2.00 Postage for a FREE 80-Page Catalog
© 1990 Jameco Electronics 3/90
IBM is a registered trademark of International Business Machines



\$50.00 Minimum Order - U.S. Funds Only
CA Residents Add 6.25%, 6.75% or 7.25% Sales Tax
Shipping - Add 5% plus \$1.50 Insurance
(May vary according to weight and shipping method)
Terms: Prices subject to change without notice.
We are not responsible for typographical errors.
We reserve the right to substitute manufacturers.
Items subject to availability and prior sale.
Products pictured may only be representative.
Complete list of terms/warranties is available upon request.

24-Hour Order Hotline (415) 592-8097 • The Following Services Are Also Available Through (415) 592-8097 From 7AM - 5PM P.S.T.:
• Customer Service • Technical Assistance • Credit Department • All Other Inquiries

Scottsdale Systems — Since 1980 — 1-800-777-2369

<h3>COMPUTERS</h3> <p>Altos W/Xenix SAVE</p> <p>WYSE 386 25 MHz Model 2112 \$1284 1 Year Warranty 2214 Model 2116 1351</p> <p>WYSE 386 16 MHz Model 2112 \$1284 1 Year Warranty 2214 Model 2116 1351</p> <p>SAMSUNG</p> <p>2-800 20 MHz \$2795 2-550 8 & 12 MHz 1249 2-330 XT 10 MHz 711</p> <p>MATH CO-PROCESSORS CALL</p>		<h3>PLOTTERS</h3> <p>CALCOMP</p> <p>1023 Artisan Pen Plotter \$3528 1025 Artisan Pen Plotter 4595 1043 QJ. Made 5856 1044 GT W. Plot Mgr 8717</p> <p>HOUSTON INSTRUMENTS</p> <p>DMP 52-52 WP \$2423/2795 DMP 61 \$3158 DMP-62 3895 DMP-61DL 62DL 3669/4795</p> <p>IDOLINE</p> <p>A&D/LP 3500 \$2339 A&D/LP 3700 2889 LP 3700-8 3129 LP-4000-1 3579 LP 4000-8 3935</p> <p>HEWLETT PACKARD</p> <p>H P-7440 A CALL H P-7475 A CALL H P-7550 A CALL H P-7570 A CALL H P-7575 DXL CALL H P-7576 EXL CALL H P-7595 A Draftmaster II CALL H P-7596 A Draftmaster II CALL</p> <p>ENTER</p> <p>SP600 \$599</p> <p>KURTA</p> <p>Lifetime Warranty On Kurta IS-1 IS-1 12x12 4 x 8 \$439 IS-1 12x17 4 x 8 645</p> <p>GENIUS TABLET</p> <p>12x12 Tablet: Ink and Stylus • AutoCad Templates and Menu File • Genius Menu-Mark • Menu Library • Dr. Genius Software • Adjustable Flip Stand • Transparent Cover Sheet protects and secures the writing • Evolving Power Supply • Call CAD II Cad Pack-size • 3 Year Warranty on Genius Tablet \$299</p> <p>Call for pricing on larger digitizers</p>		<h3>PRINTERS</h3> <p>Alps Allegro \$345 Alps 324E 735 Canon BJ-130E 725 Panasonic 1191 239 Panasonic 1180 165 Okidata All Models CALL OTC All Models CALL Genicom All Models CALL Toshiba All Models CALL Citizen 150P/300P 310/375 NEC P-2200 315 NEC P-5200 505 NEC P-5300 659 NEC LC 890 3159</p> <p>ROLAND DESKTOP PLOTTERS</p> <p>DXY 1100 \$ 914 OXY 1200 A Ex. Paper Roll 1339 OXY 1300 Ex. Paper Roll 1759</p> <p>ROLAND DRAFTING PLOTTERS</p> <p>GRX 300 A D Size \$3579 GRX-400 A E Size \$4589</p> <p>ROLAND FLATBED PLOTTERS</p> <p>1 Year Warranty</p> <p>DPX 2000 \$1989 DPX 2200 3859 DPX 3300 \$3329</p> <p>ROLAND THERMAL PLOTTERS</p> <p>LTX-420 \$11,196 LTX-320 8796 LTX-120 2636</p> <p>ROLAND CAMM MACHINES</p> <p>Software & Accessories CALL MURAL</p> <p>Model 7000 A C \$1899 Model 8000 A D 2059 Model 9000 A E 2829</p> <p>OPTICAL SCANNER & SOFTWARE</p> <p>Princeton Graphics LS 300 Scanner \$ 875 Data Copy CALL Panasonic RS-505/506 \$1037/1315</p> <p>SUMMAGRAPHICS</p> <p>12x12 \$355 12x18 599 Cal Comp 23120-12x12 365 Cal Comp 9500 Series CALL</p> <p>ALPS ALLEGRO</p> <p>QUME SCRIPT 10 \$3199 PANASONIC 4450 1375</p> <p>CANON</p> <p>LPB-8III \$1795 LPB-4 959</p> <p>PACIFIC DATA</p> <p>25 in 1 \$265 Plotter in A Cartridge 239</p> <p>OMEGA</p> <p>Bermoull Box \$ 895 B-120-1 21.4 MB Internal 1094 144-1 44 MB Internal 1094</p> <p><i>Prices do not include interface</i></p> <p>ALLOY</p> <p>P C Slave/16N \$738 NTNX 612 Retriever 60 375</p> <p>LAPTOPS</p> <p>TOSHIBA</p> <p>T-1000 Deluxe Carrying Case, Diconix Printer Cable \$1069</p> <p>SAMSUNG</p> <p>Samsung 286 \$2852</p> <p>POWER PROTECTION</p> <p>Datashield CALL Safe Power Systems CALL TripLite CALL</p> <p>TAPE BACKUPS</p> <p>Emerald Systems CALL Genoa CALL Irwin CALL</p> <p>HARD DRIVES</p> <p>CDC IMPRIMS CALL 72 MB thru 600 MB CALL Prim CALL</p> <p>Call for pricing on larger digitizers</p>	
<h3>TERMINALS/MONITORS</h3> <p>WYSE TERMINALS \$ 299 Wyse WY-30 Green 377 Wyse WY-50 Green 405 Wyse WY-60 Gm/Wht/Amber 470 Wyse WY-85 Green 360 Wyse 99GT 387 Wyse 150 1489 Wyse 212 365</p> <p>IBM TERMINALS CALL IBM 3 Year Warranty \$457 Link MC 5 405</p> <p>MONITORS</p> <p>NEC 2A/3D \$ 499/649 NEC 4D/5D 1160/2385 Mitsubishi Diamond Scan 528 Seiko 1440 615 Sony 1303/1302 \$77/649 Hitachi Super Scan \$1999</p> <p>WYSE MONITORS</p> <p>WY 530 GA \$169 WY 550 AW 179 WY 650 459 WY 700 695</p> <p>IMTEC</p> <p>ImTec 1256A/2611W \$ 79/110 ImTec 1453/14530 355/349 ImTec 1455-N 419</p> <p><i>Call Scottsdale Systems today for quality brand name products and expert service at competitive prices</i></p>		<h3>SOFTWARE</h3> <p>CAO SOFTWARE CALL IMAGRAPH 1 Year Warranty \$ 220 DESIGN CAD 139 TURBO CAD 89 AutoSketch 2.0 85 AutoShade 445 AutoCad Animator 280</p> <p>MULTI USER</p> <p>SCD Xenix 386 \$510 Concurrent DDS 386 10 User 310</p> <p><i>All software sales are final!</i></p> <p>LEASING AVAILABLE</p>		<h3>BOARDS</h3> <p>Genoa CALL Intel CALL Verticom All Models CALL BOCA CALL Cobra All Models CALL Paradise VGA Plus \$289 Paradise Prof. 495 Control Systems CALL Number Nine CALL Vermont Microsystem CALL</p> <p>VIDEO 7</p> <p>Video 7 V Ram \$475 Fastwrite 355 Vega Deluxe 225</p> <p>MULTITECH SYSTEMS</p> <p>CALL</p> <p>NOVELL</p> <p>ARCNET</p> <p>Coax Startology \$112 16 Bit Coax 360 TIARA ETHERNET 215 TIARA ARCNET 81 SYNOPTICS CALL 2500/2510 Workgroup CALL</p>	

Scottsdale Systems • 1555 W. University Dr., Tempe, AZ 85281

Prices listed are for cash. MasterCard and Visa add 1.67%; AZ residents add 6.5% tax; add 3% for C.O.D.; add 5% for P.O. and international orders; all items are new with manufacturer's warranty; Returned products subject to 20% restocking fee and in new condition in original packaging, with all warranty cards, manuals and cables; No credit issued after 30 days from date of shipment; We do not guarantee compatibility; Personal and company checks take up to 5 days to clear; Prices and specifications subject to change; Product subject to availability; all applicable trademarks recognized and on file.

602-966-8609

FAX 602-966-8634



TOSHIBA LAPTOPS

Call for low lease prices

T1600-286/12MHz
 * 20MB hard disk
 * 1.44MB 3 1/2" floppy
 * EGA backlit display
 * Battery/AC
 * 11.16lbs.
\$2999
 T1600 - 40MB \$3389

T3100-286/12MHz
 same as T 1600 with:
 * HiRes CGA gas plasma display
 (no battery)
\$2515
 T3100 - 40MB \$2845
 T3100SX \$CALL

T1000 smallest laptop
6.4 lbs
 * 2 720K floppy
 * 1Mb RAM
 * LCD backlit
 * Battery
\$1335

T2100 HB
 * 1 floppy
 * 20MB hard drive
\$595
\$1795

800-383-3199 orders only

714-898-8626
 customer service/foreign orders
 FAX: 714-891-1202

T3200- 286/12MHz
 * 40MB hard drive
 * 2 expansion slots
 * EGA gas plasma
 * 1MB RAM
 * 1.44MB 3 1/2" floppy
 * 110/220v (no battery)
\$3199

T3200SX-386/16MHz
 * 40MB hard drive
 * 2 expansion slots
 * 1.44MB 3 1/2" floppy
 * VGA gas plasma
 * 110/220v - 17lbs.
\$3785

T5100-386/16MHz
 * 2MB RAM
 * EGA gas plasma
 * 110/220v
 T5100 40MB \$3895
 T5100 100Mb \$4599

T5200-386/20MHz
 * 2MB RAM
 * 2 expansion slots
 * VGA gas plasma
 * 1.44MB 3 1/2" floppy
 With 40MB \$4549
 With 100MB \$4945

T.P.C. TELEPHONE PRODUCT CENTER

FAX \$299

EPSON FAX (lowest\$)
 w/cutter F1000 \$725
 F2000/F3000 \$849/1059

SANYO
 SF2U/SF200 \$625/\$799
 SF 515 \$1145

RICOH
 RICOH RF850 \$598
 RICOH RF900 \$648
 RF920 \$928
 RICOH Fax 15 \$1029
 RICOH Fax 25 \$1199
 RICOH Fax 35 \$1395
 RICOH Fax 65 \$1425

PANASONIC
 KXP 80 \$548
 KXF 120 \$754
 KXF 220 \$1058
 PANAFAX UF 140 \$699
 PANAFAX UF 150 \$859
 PANAFAX UF 250 \$1159
 PANAFAX UF 260 \$1299

SHARP
 SHARP FO 230 \$658
 SHARP FO 300 \$658
 SHARP FO 330 \$795
 SHARP FO 550 \$1195
 SHARP FO 510 \$1028
 SHARP UX 110 \$499
 SHARP UX 350 \$998

LAPTOPS

ZENITH LAPTOPS

Minisport 2MB RAM \$Call
 Supersport 184 \$1299
 Supersport 184-2 \$1899
 Supersport 286 20MB \$2499
 Supersport 286 40MB \$2699
 386SX 40MB \$Call

NEC LAPTOPS

UltraLite 2MB \$1695
 Prospeed 286 20MB \$2795
 Prospeed 286 40MB \$2995
 Prospeed 386 40MB \$3895
 PACKARD BELL 286-20 \$1765

MITSUBISHI

FREE 2400 MODEM/CARRYING CASE

MP 286-210 2 FD \$1295
 MP 286-220 1 FD, 20MB \$1695
 MP 286-240 1 FD, 40MB \$2098

COMPAQ LAPTOPS

SLT 286 20MB \$3689
 SLT 286 40MB \$3999

EPSON LAPTOPS

Equity LT 20MB \$1595
 Equity LT 286E \$Call

SHARP LAPTOPS

PC 4602 2 FD \$1195
 PC 4641 1 FD, 40MB \$1695
 PC 5541 286 40MB \$2699
 MZ 100 2 FD \$1095

PRINTERS

EXP writer 301 laptop printer \$335
 * 4lbs * 24 pin
 * 2KB RAM * Battery
 EXP writer 311 24 pin \$379

HYUNDAI

Super LT3 \$1745
 Super 386S \$Call

TEXAS INSTR.

Model 12 286 20MB \$2599
 Model 25 286 20MB \$3099
 Model 45 286 40MB \$3399

MORE LAPTOPS

Samsung \$2399
 Peaq \$Call
 Atari portfolio list \$399 \$Call
 PSION \$Call
 Bondwell 8200 2 floppys \$795
AD 300

MURATA

Murata 1400 \$635
 Murata 900 \$489
 Murata F30 \$1349
 Guis 110/220v \$498
 Nissel 303 \$299

TOSHIBA

TOSHIBA 3200 \$598
 T3600 \$825
 T3750 \$959

FAX CARDS

Quadram JT 9600 \$399
 Quadram JT Fax-PORTABLE \$329
 Complete PC
 Fax board 9600 \$399


SCANNERS

Complete PC \$499
 Full Page \$595
 Mitsubishi SP M216AF \$595
 Chinon with OCR \$Call
 Genie Scan w/OCR \$599

T.P.C. 12603 Hoover St., Garden Grove, CA 92641

Terms: These are pre-purchase prices. Discover, VISA/MC/COD - 2.9%. Restocking 20%. We accept Cashiers Checks we check for stolen credit cards. Prices subject to change. All sales are final. Defective items repaired, in warranty. NO RETURNS

We Can Make Your PC Do Things You Just Wouldn't Believe.



Transform any personal computer from an ordinary data processing unit into a powerful resource for industry, academia, medicine, or even home. With our A-Bus system, your PC can sense and control the world around it.

A combination of the latest developments in data acquisition technology and a unique, state-of-the-art modular design allows your PC to perform hundreds of functions simultaneously—from

simple instrument switching to sophisticated motion control.

The possibilities are virtually endless, but since your budget is not, A-Bus modules are sensibly priced and cost a fraction of what you might expect to pay.

Any PC. Any project. Any budget.

Why not discover what we can do for you?

All it takes is a phone call. Dial 1-800-221-0916* for our free catalogue.

A-Bus™
Because Your PC Is Smarter Than You Think.™

ALPHA Products™

242-B West Ave., Darien, Connecticut 06820 *In CT or outside US (203) 656-1806 or fax (203) 656-0756

Circle 11 on Reader Service Card

World Radio History

FREE One Year Subscription To:

Fill out this coupon and mail (or bring in) to receive your first issue IMMEDIATELY!

PC-TRONICS
PC EXPERTS

BY

Or call:— (612) 861-5555 1-800-937-1100

Catalog of Computers, Hardware & Software
Convenient... Order by Mail!
Inside... Money Saving Coupons
Visit our Showroom

Name _____
Company _____
Address _____
City _____ State _____ Zip _____

Return or Mail to: P.C. TRONICS
1420 E. 78th Street
Richfield, MN 55423

Circle 217 on Reader Service Card

VIDEO FRAME GRABBERS



MODEL	RESOLUTION	
HRT 256.4	256 x 256 x 4	495
HRT 256.8	256 x 256 x 8	795
HRT 512.8	512 x 512 x 8	995
HRT 512.24	512 x 512 x 24	1995

IBM PC/XT/AT COMPATIBLE
DIGITALIZE IN REAL TIME
COMPOSITE VIDEO IN
24 BIT RGB OUT except model HRT 256.4
16 level gray scale out
SOFTWARE LIBRARY OF IMAGE ANALYSIS ROUTINES
FREE SOFTWARE UPGRADES TO REGISTERED OWNERS
FULL CREDIT ON UPGRADE PURCHASE IN FIRST YEAR
RETURN OLD BOARD AND JUST PAY DIFFERENCE

HRT HIGH RES TECHNOLOGIES
P.O. BOX 76
LEWISTON, NY 14092
PHONE 416-497-6493 FAX 416-497-1988

Circle 118 on Reader Service Card

AVPROM™

\$295

For IBM-PC's & compatibles, menu-driven AVPROM programs EPROMs up to 8x faster than serially-connected units (20 sec. for 2764).

- Programs 2716 thru 27512A.
- 4- and 10 socket gang versions too. Call for prices.

For complete specs, free 32 pg. development tool catalog, call

800-448-8500.
or 207-236-9055

AVOCET
SYSTEMS, INC.
120 Union St., Rockport, ME 04856

Circle 27 on Reader Service Card

SAVE ON 9 TRACK TAPE SYSTEM

FOR IBM PC/XT/AT & PS-2



- Mainframe to PC Data Transfer
- High Speed Backup
- All Software, Complete System
- Service and Support, easy Installation

call (818) 343-6505 or write to:
CONTECH Computer Corp.
P.O. Box 153 Tarzana, CA 91356

CONTECH

Circle 68 on Reader Service Card

Save Can You Buy Direct?

Have You Got Our Prices? Will You Pay Too Much?

Save At Least \$440⁰⁰

SEND NO MONEY NOW

Get UPS Freight Free 48 States.

Prices include 3% pie payment discount

- Intel® 80286 Microprocessor Gives You Extraordinary Speed and Processing Power
- 640K RAM and 3 1/2" Disk Drive Are Standard
- New SmartDrive™ Technology Provides Low-Cost Hard Disk Expansion (Get FREE Installation)

Train, Hardware, Add, Full, Cash, Tax

ASK ABOUT OUR 30 DAYS BUY BACK POLICY

For fastest service, Call Toll Free
800-433-SAVE

FORT WORTH COMPUTERS
377 Plaza, Granbury TX 76048
Customer Service Desk (817) 571-2111

Circle 118 on Reader Service Card

QUARTERHORSE

High Capacity Tape Subsystems

for Disk Backup, Data Acquisition, and Archiving
on IBM PC/XT/AT & PS/2

Everything you need in a single high quality package: Drive, SCSI Host Adapter, Enclosure, and DSI's Backup Software.

- 150 Mb 1/4" CT.....\$1,395.
- 320 Mb 1/4" CT.....\$1,495.
- 1.2 Gb 4mm DAT.....\$3,195.
- 2.3 Gb 8mm HS.....\$3,695.

Optional Application Interface Library (in "C") available. Full Support.

DATA STRATEGIES INTERNATIONAL, INC.
9020 Capital of Tx. Hwy. Suite 570
Austin, Tx. 78759
(512) 338-4745 FAX (512) 345-1328

Circle 74 on Reader Service Card

33 MHz 80386 Motherboard

Faster than the Everex Step™
8.3 MIPS! \$2,099 (Ok) Qty 1



Features:

- 64K/256K Write Back Cache
- Dual Read/Write Cache
- 100% Faster DMA Throughput than Standard AT
- Transparent Refresh
- True 32-Bit Memory Exp. to 16MB
- Support 80387/Weitek
- UNIX, OS/2 & Novell Compatible
- 1 Year Full Warranty
- Complete Documentation

	MIPS	Cache	Ok	4M
386/33	8.3	256K	2499	2949
386/33	8.3	64K	2099	2549
386/25	6.2	64K	1399	1799
386/20	4.9	64K	1199	1599

Technology Power Enterprise, Inc.
46560 Fremont Blvd #118, Fremont CA 94538
Tel (415) 623-9162 FAX (415) 623-9462

Circle 279 on Reader Service Card

Sure it's insured?



SAFWARE® Insurance provides full replacement of hardware, media and purchased software. As little as \$49/yr. covers:

- Fire • Theft • Power Surges
- Water Damage • Auto Accident

for information or immediate coverage call:

1-800-848-3469


Local 1-614-262-0559
On CompuServe, "GO SAF"
On GEnie, "SAFWARE"

SAFWARE

SAFWARE, The Insurance Agency Inc.
2929 N. High St., P.O. Box 02211
Columbus, OH 43202

Circle 244 on Reader Service Card

ULTIMATE COMPUTER AIDED PCB DESIGN



The ULTIMate PCB layout package featuring:

- Real-Time Design Rule Check
- Trace Show and Remove While Move
- Automate by window, component or net
- 32 layer support, blind & buried vias
- Curved and angular traces
- Full SMT support
- Powerful placement tools
- Backannotation, pin/gate swap

Licensed memory versions with unlimited design size and 52 bit performance are available.

USA/Canada: ULTIMate Technology Corp. • Tel: (408) 43-98-644 • Fax: 439-8900
UK/Ireland: ULTIMate Technology (UK) Ltd. • Tel: (0754) 812030 • Fax: 815323
Int. Headquarters: ULTIMate Technology B.V. • Tel: (+31)12159-44474 • Fax: 83345

ULTIMATE ASK FOR YOUR FREE DEMO DISK

Circle 296 on Reader Service Card

Canon Full Page Scanner ... \$388

Includes Free Photo Graphic Scanning and Editing Software

Deluxe OCR Software...\$198

List Price \$1895

- 300 Dots Per Inch
- Automatic Sheet Feeder
- Includes PC/AT Interface Card
- Software Selectable 300/200/150/75 DPI
- Fast...7 Seconds Per Page
- Up to 32 Gray Scales
- One Year Canon Warranty

JADE COMPUTER Turbo-88

\$498

Monitor Optional

—A PROVEN BEST SELLER—

- 8088 microprocessor running at 10 MHz or 4.77 MHz
- 5.25 360KB RAM Drive
- Dual diskette drive controller
- Parallel printer port
- Eight XT expansion slots
- 150 watt power supply
- 8087 socket
- Front panel display
- 101 key enhanced keyboard
- Serial RS-232C port
- Game port
- Clock/Calendar

Monitor & Hard Drive Options

Floppy Only	20 Megabyte	30 Megabyte
\$598	\$798	\$848

Complete Monographics System

Complete Color System

Complete VGA System

\$898 | **\$1098** | **\$1148**

JADE COMPUTER PRO-286

\$698

12 MHz

Monitor Optional

\$998

20 MHz

—286 POWERHOUSE—

- 80286 processor running at 12 MHz or 20 MHz
- Zero wait state
- 1 Megabyte of RAM
- 1.2 MB or 1.44 MB drive
- Hard/Floppy controller
- Six 16-Bit & Two 8 Bit expansion slots
- 80287 socket
- Clock/Calendar
- 101 key enhanced keyboard
- 200 watt power supply
- Norton 5.1, 13.7, 20.3
- Landmark 16 25 9
- One Year Warranty

Monitor & Hard Drive Options (12 MHz)

Floppy Only	40 Megabyte	80 Megabyte
\$798	\$1098	\$1398

Complete Monographics System

Complete VGA System

\$1098 | **\$1398** | **\$1698**

For 20 MHz System Add \$298

JADE COMPUTER Super-386

\$898

16 MHz (SX)

Monitor Optional

20 MHz	25 MHz
\$1398	\$1498
25 MHz Cache	33 MHz Cache
\$1898	\$2398

—FIRE BREATHING 386—

- 80386 processor running at 16 MHz (SX), 20 MHz, 25 MHz & 33 MHz
- 1 MB RAM expands to 6 MB
- 364K Shadow RAM
- 1.2 MB or 1.44 MB Drive
- 1:1 Interleave Hard Disk/Floppy Disk Controller
- 80386 socket
- Full size case
- One 32 Bit, Five 16-Bit & 33 MHz Two 8 Bit slots
- 101 key enhanced keyboard
- 200 watt power supply
- Clock/Calendar
- Norton 5.1, 18/23/31.6/31.6
- Landmark 21/25.5/32.6/43.5

Monitor & Hard Drive Options (16 MHz SX)

Floppy Only	40 Megabyte	80 Megabyte
\$998	\$1398	\$1598

Complete Monographics System

Complete VGA System

\$1358 | **\$1698** | **\$1898**

For 20 MHz add \$498 For 25 MHz Cache add \$998
For 25 MHz add \$598 For 33 MHz Cache add \$1798

- ### EPSON
- LX-810 ... \$178
 - FX-850 ... Call
 - FX-1050 ... Call
 - LQ-510 ... \$328
 - LQ-850 ... Call
 - LQ-950 ... Call
 - LQ-1010 ... Call
 - LQ-1050 ... Call
 - LQ-2550 ... Call
- ### Panasonic
- KX-1180 ... \$178
 - KX-1191 ... \$238
 - KX-1124 ... \$298
 - KX-1624 ... \$428

- ### TrippLite Line Stabilizer
- 600 Watt Line Conditioner ... \$98
 - 1200 Watt Line Conditioner ... \$158
 - 1800 Watt Line Conditioner ... \$188

VGA Package

Card **\$148**

Monitor **\$298**

640 x 480 Hi-Res Card

HEWLETT PACKARD

Accessories for Your

- Pacific Page PostScript J IIP ... \$398
- Pacific Page PostScript LJ II ... \$478
- PDP 25 in 1 (172 Fonts) ... \$278
- PDP Plotter in a Cartridge ... \$248
- 4 MB Memory Card for LJ II/IIID
- Without RAM, 98 2 MB ... \$298
- 1 MB ... \$198 4 MB ... \$498
- New! 4 MB Memory Card for LJ IIP
- Without RAM, 148 2 MB ... \$348
- 1 MB ... \$248 4 MB ... \$548

- ### intel
- | | |
|--------------------|--------------------|
| 8087 ... \$88 | 80287-12 ... \$278 |
| 8087-2 ... \$118 | 80387-SX ... \$318 |
| 8087-1 ... \$158 | 80387-16 ... \$348 |
| 80287 ... \$128 | 80387-20 ... \$388 |
| 80287-8 ... \$198 | 80387-25 ... \$488 |
| 80287-10 ... \$228 | 80387 33 ... \$598 |

Better Than Intel ITT Co-Processors

2C87 8 ... \$198	2C87 12 ... \$268
2C87 10 ... \$228	2C87 20 ... \$328

- ### Modem
- 1200 internal w/software ... \$44
 - 2400 internal w/software ... \$74
 - 1200 baud external ... \$88
 - 2400 baud external ... \$128
 - 2400 PS/2 internal ... \$198

Daisywheel Printer \$199

40 CPS

- ### Logitech
- LogiMouse Serial ... \$68
 - LogiMouse Hi-Res. Bus ... \$88
 - LogiMouse Hi-Res Serial ... \$98

Mouse \$29

Opto Mechanical with Software

- ### Scanner
- Complete hand scanner ... \$98
 - DiamondFlower HS-3000 Plus ... \$198
- ### Keyboard
- 102 enhanced click ... \$68
 - Keyboard Drawer ... \$34

- ### HEWLETT PACKARD
- New LaserJet IIP ... \$1098
 - H.P. LaserJet II ... \$1698
 - H.P. DeskJet ... \$598
 - H.P. DeskJet Plus ... \$698
 - H.P. DeskWriter/For Mac ... \$848
 - Extra Toner ... \$98
 - Extra Ink Cartridge ... \$19
 - TrippLite Battery Back-up
 - 450 Watt UPS ... \$398
 - 750 Watt UPS ... \$498
 - 1200 Watt UPS ... \$698
 - 3 1/2" Disk Drives
 - 720K internal/external ... \$78/\$178
 - 1.44 MB internal/external ... \$88/\$188

- ### Hard Disk Sale
- | Drive Only | Kit w/ Controller |
|----------------------------------|-------------------|
| 20 MB 60ms \$198 | \$248 |
| 20 MB 35ms \$248 | \$298 |
| 30 MB 60ms \$218 | \$268 |
| 30 MB 35ms \$288 | \$338 |
| 40 MB 40ms \$298 | \$348 |
| 40 MB 28ms \$348 | \$398 |
| 60 MB 40ms \$388 | \$448 |
| 80 MB 28ms \$538 | \$598 |
| 120 MB 28ms \$698 | \$768 |
| 150 MB 23ms \$998 | \$1098 |
| CMS 40 MB Tape Back up ... \$268 | |
| 150/250 MB Tape ... \$628/\$728 | |

No Surcharge for Credit Cards!



California

Torrance, Costa Mesa, Woodland Hills, Kearny Mesa, Sunnyvale

Texas Georgia Arizona

Addison, Houston Smyrna Phoenix

Not all items in stock at our nine retail locations.

JADE COMPUTER

4901 W. Rosecrans Ave. Box 5046, Hawthorne, California 90251-5046 213-973-7707

Continental U.S.A. 1-800-421-5500 Inside California 1-800-262-1710

10 Day Money Back Guarantee



We accept checks, credit cards (or purchase orders from qualified firms and institutions.) No surcharge on credit card orders. CA., TX., GA. & AZ. residents add sales tax. Prices and availability subject to change without notice. \$4.00 minimum shipping and handling charge.

3M DISKETTES

DS-DD	Quantity Discounts Available	DS-HD
5.79	5.25" 3M Brand Diskettes	10.95
9.69	3.50" 3M Brand Diskettes	20.75
17.95	8.00" 3M Brand Diskettes	20.75

3M DATA CARTRIDGES

DC-2000	14.49	DC-600A	19.99
DC-300XLP	17.99	DC-6150XTD	21.49

3M COMPUTER TAPES

1200' w/tape seal	8.95	DEC TK-50	25.95
2400' w/tape seal	11.95	DEC TK-52/TK-70	39.95
3600' w/tape seal	18.95	IBM-3480	4.95

3M HIGHLAND DISKETTES

3.79	5.25" 3M Brand Diskettes	6.89
------	--------------------------	------

3M ACCESSORIES

5/4" Head clean kit	3.95	3M Flip'N'File 5 1/4"	3.95
3 1/2" Head clean kit	10.95	3M Flip'N'File 3 1/2"	2.95
Plotter Pens/pk 5	5.95	3M Diskcover/50-5 1/4"	7.95
3480 Cleaning Cart	15.95	3M DataSaver 5 1/4"	3.95

BASF INCREDIBLE VALUE!!

DS-DD	Quantity Discounts Available	DS-HD	
4.59	5.25" BASF Brand Diskettes	7.99	
7.99	3.50" BASF Brand Diskettes	17.95	
.32	BASF 5.25" DS-DD No-Logo Bulk with Tyvek sleeves, labels & W/P tabs		
2400' w/tape seal	10.95	600' w/tape seal	6.95
1200' w/tape seal	7.95	300' w/tape seal	5.45

maxell

5.25" DS/DD	5.25" DS/HD	3.50" DS/DD	3.50" DS/HD
5.95*	10.95*	9.69	20.75

*Free 11th Disk with Game

Verbatim DataLifePlus

5.25" DS/DD	5.25" DS/HD	3.50" DS/DD	3.50" DS/HD
5.95*	10.95	9.69	20.75

Dysan 100% BETTER

5.25" DS/DD	5.25" DS/HD	3.50" DS/DD	3.50" DS/HD
6.09	10.95	9.69	20.75

KAO Color Diskettes

5.25" DS/DD	5.25" DS/HD	3.50" DS/DD	3.50" DS/HD
.38*	.68*	.69	1.49

*WITH SLEEVES, LABELS AND W/P TABS

No-Logo Bulk Diskettes

5.25" DS/DD	5.25" DS/HD	3.50" DS/DD	3.50" DS/HD
.25*	.45*	.49	1.39*

*WITH SLEEVES, LABELS AND W/P TABS

PRINTER RIBBONS STORAGE BOXES

Apple Imagewriter	2.95	Disk File/60-5 1/4"	5.95
Brother HR 15/25	4.95	Disk File/50-3 1/2"	5.95
Citizen LSP 120D	3.95	MP-10-5 1/4"	1.50
Diablo HyType II	3.25	MP-10-3 1/2"	1.50
Epson MX/FX/RX100	3.55	White Box/10-5 1/4"	29
IBM Proprinter	3.95	White Box/10-3 1/2"	29

Call for other ribbons Call for other storage boxes

TERMS: No surcharge on VISA, Mastercard or AMEX Order packaging and processing = \$2.95 per order. COD orders add \$3.95. **SHIPPING:** \$1.95/5 cartridges \$0.95/50 diskettes. PO's accepted from recognized institutions on Net 30. Bank Draft, T/T or L/C acceptable. Price quoted for case (100 disks or 10 cartridges). For quantities less than 1 case add 5%.

Toll Free Order Line: Information Line:
 1-800-523-9681 1-801-255-0080
 TLX-9102404712 FAX-801-572-3327

DISKOTECH
 DISKCO TECHNOLOGIES, INC.
 213 Cottage Avenue
 P.O. Box 1339 Sandy, Utah 84091

MARYMAC®

13th Year of Discounting
Computers, FAX & Cellular Phones

Radio Shack® SCO Tandy®

We will meet or beat...
GUARANTEED LOWEST PRICES

MARYMAC INDUSTRIES INC.
 22511 Katy Fwy.
 Katy (Houston), TX 77450
 1-713-392-0747 FAX (713) 574-4567

Toll Free 800-231-3680

Circle 168 on Reader Service Card

MULTI-USER UNIX SYSTEM V ON A 286

The Opus532 Personal Mainframe allows you to implement AT&T UNIX System V on your IBM AT, XT or compatible PC

The Opus532 Personal Mainframe consists of:

- Opus5-a complete port of AT&T UNIX System V
- Opus32-a 32 bit coprocessor board based on the NS32000 chip set with 2MB of memory
- Opus software that integrates the Opus UNIX coprocessor subsystem into the PC-DOS environment.

We have these high performance boards available at substantial reduction from list. Please Call T.J. Vogel @ 703-827-6669

ST SYSTEMS

1577 Spring Hill Rd.
Vienna, VA 22182

Circle 268 on Reader Service Card

EZ-ROUTE VERSION II

SCHEMATIC TO PCLAYOUT \$500 INCLUDES AUTO ROUTER

EZ-ROUTE Version II from AMS for IBM PC, PS/2 and Compatibles is an integrated CAE System which supports 256 layers, trace width from 0.001 inch to 0.255 inch, flexible grid, SMD components and outputs on Penplotters as well as Photo plotters and printers

Schematic Capture \$100. PCB Layout \$250. Auto Router \$250

FREE EVALUATION PACKAGE
30 DAYS MONEY BACK GUARANTEE

1-800-972-3733 or (305) 975-9515

ADVANCED MICROCOMPUTER SYSTEMS, INC.

1321 N.W. 65 Place - Ft. Lauderdale, FL 33309

Circle 21 on Reader Service Card

NEW FASTER EPROM PROGRAMMER

- Programs 2764 in 8 sec.
- Reads programs copies over 475 devices from 35 mg - 2716, 2713, 27011, 66754, 66756, 2942-21256 etc.
- Optional microcontroller heads support 8741 and 87C51 series
- Improved design now programs over 1000 as fast
- Automatically uses the fastest algorithm recommended by the manufacturer to ensure reliable data storage
- Connects via RS-232 to any computer PC, XT, AT, PS/2, Mac, etc.
- Supports XMODEM/XMODEM CR, protocols & ASK II file sizes
- Supports Intel, Motorola, hex-space, straight hex and binary files
- Checksums supported
- 30 day money back guarantee
- Collates in & 32-bit data
- Ingr support team for fast updates
- Cold Textrol ZIF IC socket
- One-year warranty (parts and labor)
- Same day shipment
- Toll free technical support
- UV erasers from \$34.95
- Thousands of satisfied customers attest to the EP-1's great value
- Low price of \$149 includes IBM compatible communications program, user's manual and two free firmware update coupons.

CALL TODAY FOR MORE INFO 1-800-225-2102

BP MICROSYSTEMS

10681 Haddington #193, Houston, TX 77043
(713) 461-9430 FAX (713) 461-7413

Circle 40 on Reader Service Card

8051 SBC \$99^{oem} qty 1

Single Board Computer

FEATURES: 8031, RAM and ROM Sockets, 8 bit I/O, RS 232 port, optional UART, and Expansion Bus. Size: 3.5" x 6.0", +5Vdc only.

OPTIONS: 8032, CMOS, 18 MHz, NV Memory, Monitor Firmware and High Level Languages.

Development Board.....\$199

8031 ICE \$199

Our emulator provides most of the features of an 8031 In-Circuit-Emulator at a significantly lower price. It assists in integration, debug and test phases of development. Commands include: disassembly, trace, breakpoints, alter register/memory, and load Intel Hex file.

8051 Simulator Program..... \$99
 IBM PC/XT/AT Software simulation of 8051 µC.

HTE

HiTech Equipment Corporation
 9400 Activity Road
 San Diego, CA 92126
 (619) 566-1892

Circle 119 on Reader Service Card

FREE CATALOG

RS-232C INTERFACE & MONITORING EQUIPMENT CATALOG

WRITE OR CALL FOR YOUR FREE COMPREHENSIVE B & B ELECTRONICS CATALOG TODAY!

Pages and pages of photographs and illustrated, descriptive text for B&B's complete line of RS-232C converters, RS-422 converters, current loop converters, adapters, break-out boxes, data switches, data splitters, short haul modems, surge protectors, and much, much more. Most products meet FCC Part 15J. Your RS-232 needs for quality, service and competitive prices will be more than met by B&B ELECTRONICS. Manufacturer to you, no middleman! Money-back guarantee! Same-day shipment! One-year warranty on products! Technical support is available.

Order direct from manufacturer TODAY & SAVE!

Write For Your FREE Catalog Today!

B & B electronics

MANUFACTURING COMPANY
 4002C Baker Road PO Box 1040 • Ottawa IL 61350
 Phone: 815-434-0846

Circle 43 on Reader Service Card

HARD DRIVES

20Mb
KL320
40ms
\$229

KALOK

Hard Drive Kits

for IBM PC/XT
& Compatibles

Each kit includes drive, cables, controller,
How-To manual and mounting hardware.

32Mb
KL330
40ms
\$249

Card Drive™



Card Drive 20 KL320 40ms **\$269**
Card Drive 30 KL330 40ms **\$289**
Card Drive 40 M8450 46ms **\$339**

Card Drives use quality MiniScribe or Kalok hard drives, with controller and cables mounted onto a sturdy metal frame. Pre-tested and pre-formatted. Card Drives are available for IBM PC/XT, compatibles and most Tandy models.

**Everything You Need Plus
Super Easy Intallation!!!**

MiniScribe
Solutions for Data Storage

M8450

40Mb Kit for IBM PC/XT & Compatibles

- 30,000 hour Mean Time Between Failure
- 46ms Access Time
- COMPLETE KIT** includes a half-height 3 1/2" MiniScribe 8450 drive, controller, cables, How-To Manual, mounting hardware and partitioning & formatting software. Autolock!

ON SALE! \$299



PERSONAL COMPUTING
Top Ten Mail Order Company
February 1988



COMPUTER SHOPPER
Best Buy Hard Drives
1988 1989

**That's
Why!**

Seagate 40Mb
28ms
MFM
Bare Drive
\$319

MICROPOLIS 71Mb
MC1335
28ms
\$559

**FACTORY-TRAINED
TECHNICIANS
are on hand to answer your
questions!**

CONNER

High Performance Drive Kits

Kit Includes:

- 16 bit Hard/Floppy controller
- IDE interface, embedded PC/AT controller
- Disk Manager formatting software
- 1 to 1" Interleave
- 32K & 64K "Look Ahead" read buffer
- 50G's non-operating shock

80Mb CP3184 25ms 2.9watts **\$639**
104Mb CP3104 25ms 2.9watts **\$749**
209Mb CP3204 16ms 4.2watts **\$1279**



MICROPOLIS

**HIGH CAPACITY DRIVES
ESDI OR SCSI PC PAKS**

160Mb MC1654 16ms Half-Height **\$1245**
330Mb MC1558 14ms Full-Height **\$1795**
660Mb MC1568 16ms Full-Height **\$2695**

Each PC PAK comes COMPLETE with your choice of ESDI Controller for dual floppy/dual hard drives or SCSI to PC Bus host adaptor (supports up to two floppy drives, six hard drives and a SCSI tape backup). All kits include cables; mounting hardware; installation software and our comprehensive Installation Manual. Network drivers available.

EVERYTHING YOU NEED!!

Seagate 65Mb
ST277R-1 RLL Bare Drive
28ms Access Time **\$369**

**Kits for IBM PC/XT
& Compatibles \$419**

Includes: hard drive, controller, cables,
mounting hardware and How-To manual.

**Kits for IBM AT/386
& Compatibles \$499**

Includes all standard kit items plus hard/floppy
1 to 1" high speed controller and cables.

**HARD DRIVES
International**

Insight
Another
Insight
Company
Distribution Network, Inc.

1912 West Fourth Street
Dept. BY
Tempe, AZ 85281
Local Sales: (602) 967-5128
FAX: (602) 829-9193

S
A
L
E
S

Never a Surcharge for Visa or MC!

In the U.S. and Canada
(800) 289-DISC
Order Status: (800) 776-3472

Corporate
Sales: (800) 729-3472

International
Sales: (602) 967-7435
FAX: (602) 921-8312

APO/FPO (602) 350-1145



Prices and availability subject to change without notice. All items are NEW. 5% surcharge for American Express and C.O.D. orders. P.O.'s accepted from qualified buyers - 2% Net 20 - 2% surcharge. Add \$11 shipping for EXPRESS APO/FPO orders. 30 Day Guarantee conditions: shipping & handling charge is not refundable, product must be undamaged and in original condition. Hard Drives International is a division of Insight Distribution Network, Inc. "XT" and "AT" are trademarks of the International Business Machines Corporation.

BY 390

**All Products
come with a
30 Day
"Worry-Free"
Guarantee and
Replacement
Policy!**



Dynamic C

... is a real breakthrough for programming embedded microprocessor systems in the C language. Dynamic C is a complete menu-driven, PC-based compiler, editor, and source debugger. It compiles and downloads to your target at 25,000 lines per minute. With Dynamic C you get the advantages of the C language without the problems. Only Z-World has Dynamic C.

Ask for our free demo disk.

Z180 / HD64180



Single Board Computer

The SBC100 single board computer has serial and parallel ports, iSBX ports, battery-backed RAM, EPROM, a battery-backed time-date clock, power fail detection, watchdog timer and LED display. Power supply included. A prototyping area lets you add up to 20 IC's. Single board computer only \$395.00. Dynamic C programming system, including PC interface card, only \$695.00.

Z80 / Z180 / HD64180



In-Circuit Emulator C Development system

The ic180 is a total development system including in-circuit emulator, Dynamic C and all supporting software. Only \$3,495.00 including pod for one of Z80, Z180, or HD64180. Also available for HD647180.

Other Products

We have communications coprocessors for the PC starting at \$295.00. Also available with Dynamic C.

Z-World Engineering

1340 Covell Boulevard
Davis, CA 95616
(916) 753-3722
Fax: (916) 753-5141

New, Improved!

8051/8052 BASIC COMPILER!

Now with integer, byte and bit extensions.
Fully compatible with MCS BASIC 52
Runs on IBM-PC or compatible

\$295.00

Call Now! 603-469-3232

Binary Technology, Inc.

Circle 34 on Reader Service Card

Professional

8086 ROM Development

with C_thru_ROM and ROM-DOS

C_thru_ROM works with Microsoft C or Turbo-C to comprise a complete ROM development package: comprehensive debugger, remote debugging, startup code, full 80x86 locator, ROMable library, etc.

C_thru_ROM, \$495

ROM-DOS, a ROMable operating system, provides functionality of DOS 3.2 less networking. Runs PC programs and EXE files. Supports AUTOEXEC and CONFIG.SYS. Uses only 29K ROM and little as 6K RAM. \$6 each in quantity.

ROM-DOS Developer's Kit, \$495

Call for info and demo disk
1-800-221-6630
Datelight, 17505 - 68th Ave NE, Bothell WA, 98011
(206) 486-8086, fax (206) 486-0253

Circle 76 on Reader Service Card

LOW-LOW-LOW

hp Laser Printers/Scanjet Plus Interface Plotters - Call

Memory for Hard Drives, Tape Backup for above and Sun & DEC Systems

IBM COMPAG APPLE ALR
EVEREX AST & other

XT/AT Compatibles & 386 Computers
CALL for LOW PRICES

Gov't, Corporate, Schools, Dealers, & Export INQUIRIES WELCOME.

SURAK inc.

44912 Osgood Road, Fremont, CA 94539
Ph: (415) 651-5101 Fax: (415) 651-5241
1-800-543-1001
VISA, Master Card accepted. wise

Circle 276 on Reader Service Card

SAME DAY SHIPPING

R & R Electronics

6050-X, McDonough Drive, Norcross, GA 30093
(404) 368-1777 • Fax (404) 368-9659
Prices subject to change without notice

SIMMs add \$2 for SIPP

1Mx9-80	\$92	256Kx9-80	\$ 32
1Mx9-100	86	256Kx9-100	28
1Mx8-80	85	PS. 2	Call
1Mx8-100	80	1Mx9-60	120

D-RAMS

256K-60	\$5.00	64x1-10	\$ 1.75
256K-80	3.00	64x4 100	4.00
256K 100	2.50	256x4 100	10.00
256K-120	2.40	1Mx1 60	11.50
256K 150	2.35	1Mx1-80	9.00

MATH CO-PROCESSORS

8087	\$ 90	80387-SX	\$285
8087-2	115	80387-16	310
8087-1	165	80387-20	350
80287-8	185	80387-25	450
80287-10	210	80387-33	550

800-736-3644

Circle 243 on Reader Service Card

How to Protect Your Computer

And Make It Last Longer

FREE money-making literature. What you need to know about UPS - uninterruptible power systems. How to get complete protection from power line problems. 350 VA to 15 KVA models from the world's largest manufacturer of single-phase UPS.

Best Power Technology, Inc.
PO Box 280, Necedah, WI 54646
Toll-Free (800) 356-5794, ext. 3863
(608) 565-7200, ext. 3863

Circle 33 on Reader Service Card

Turn your old XT/AT into a WARPSPEED/386

386SX MotherBoard
\$ 299.00

- Intel 16 MHz 80386 SX CPU
- Socket for Intel 80387 SX Coprocessor
- Shadow RAM Support
- 8 Expansion Slots 6-16 bits, 2-8 bits
- I/O Speed at 8 MHz to use existing cards
- Interleave w/1Mh RAM
- Fully AT Compatible

386/20 w/OK Call
386/25 w/OK Call
386/33 Cache \$1249.00

HomeSmart Computing
1(800) 627-6998

Circle 120 on Reader Service Card

DYNAMIC RAMS

SIMM	80/100	\$CALL
1MBIT	100ns	\$ 8.15
514256	100ns	\$ 9.00
41464	150ns	\$ 2.90
41256	120ns	\$ 2.50
✓ 41256	150ns	\$ 2.35
51258	100ns	\$ 3.75
✓ 4164	150ns	\$ 1.90

* For more info, See Price Sheet

MATH COPROCESSORS		E PROMS	
80387-33	25MHz \$550.00	27C101	\$ 17.00
80387-25	20MHz \$445.00	27C212	\$ 9.75
80387-20	20MHz \$355.00	27S12	\$ 7.75
80387-16	16MHz \$305.00	27C246	\$ 5.25
80387-5X	16MHz \$290.00	27256	\$ 4.25
80C287A	10MHz \$265.00	27128A	\$ 4.00
80287-10	10MHz \$208.00	27C84A	\$ 4.25
80287-8	8MHz \$185.00	2764	\$ 3.50
8087-1	10MHz \$160.00	CPU	
8087-2	8MHz \$125.00	V.30	8MHz \$ 12.75
		V.20	8/10MHz \$8.50/15

I.C. EXPRESS

15140 Valley Blvd. City of Industry CA 91744


ORDER: (800) 877-8188 (Mon-Fri 8-5 PST)
CALL FOR CURRENT PRICES & VOLUME DISCOUNTS

ALL MERCHANDISE IS 100% GUARANTEED WITH PROMPT DELIVERY

Circle 126 on Reader Service Card

STAND-ALONE UNIVERSAL PLD PROGRAMMER

Costs Less, Performs More



Palpro-2x™ is an intelligent programmer supporting PLDs from a wide variety of sources. Works with any PC or computer using a serial port. FREE one year device update and warranty. Price \$995.00

1201 N.W. 65th Place
Ft. Lauderdale, FL 33309
(305) 491-7404
1-800-331-7766

LOGICAL DEVICES, INC.

Circle 157 on Reader Service Card
(DEALERS: 158)

Terminal Emulation

TEK 4105/4010

- Tektronix 4105
- Tektronix 4010/4014
- VT220, VT102
- Picture files
- VGA and EGA support
- High resolution hardcopy

VT220

- VT220, VT102 emulation
- File transfer
- 132 column modes
- Color support
- Hot key

■■■ **Diversified Computer Systems, Inc.**

3775 W. Avenue Suite 1B
Boulder CO 80301 (303) 447 9251
FAX 303-447 1406

Trademark: VT102, VT220, IBM, Tektronix, Diversified

Circle 88 on Reader Service Card

EFFORTLESS EDITING

between files — across applications —

Vg²™

If you work with more than one file, you need Vg² — the editor for multi-file processing.

OS/2 & DOS versions... both for \$150

1-800-284-3269



GOLDEN BOW SYSTEMS
2665 ARIANE DRIVE, #207
SAN DIEGO, CA 92117
(619) 483-0901

Circle 113 on Reader Service Card

GANG PROGRAMMER Does 50,000 EPROMs A WEEK!



The only programmer under \$1000.00 that withstands heavy duty operation. Easy to use. Fastest possible programming speed. **GANGPRO-8™** is a sure bet when reliability is what you want. All this plus a one year warranty and update for only \$695.00!

1201 N.W. 65th Place
Ft. Lauderdale, FL 33309
(305) 491-7404
1-800-331-7766

LOGICAL DEVICES, INC.

Circle 159 on Reader Service Card
(DEALERS: 160)

IEEE 488

Please see our ad p. 155

Easiest to use, GUARANTEED!

- IBM PC, PS/2, Macintosh, HP, Sun, DEC
- IEEE device drivers for DOS, UNIX, Lotus 1-2-3, VMS, XENIX & Macintosh
- Menu or icon-driven acquisition software
- IEEE analyzers, expanders, extenders, buffers
- Analog I/O, digital I/O, RS-232, RS-422, SCSEL, modem & Centronics converters to IEEE 488

Free Catalog & Demo Disks
(216) 439-4091

IOtech

25971 Cannon Rd. • Cleveland, OH 44146

Circle 135 on Reader Service Card



PC BASED UNIVERSAL DEVICE PROGRAMMER \$595-845

- Programs EE/PROMs, PALs, GALs, IFLs, EPLDs, MICROs, BIPOLARS. (current libraries support over 900 devices by over 35 manufacturers).
- Software driven pin drivers. D/A generated programming voltages (8 bit DACs used to generate voltages from 5-25V with 0.1V resolution for all pins).
- Fast device programming/verify/read via dedicated parallel interface.
- Upgradeable for virtually any future programmable devices up to 40 pins.
- Self-sustaining operation. No additional modules or plug-in adapters required.
- Includes user friendly MEMORY BUFFER FULL SCREEN EDITOR. Commands include Fill, Move, Insert, Delete, Search. Data entry can be done in ASCII or HEX form. FUSEMAP EDITOR for Logic devices.
- Friendly Menu-Driven Interface. Device selection by P/N and Manufacturer.
- Supports 16/32 bit data word formats.
- Programming algorithms: Normal, Intelligent I & II, Quick Pulse Programming. Automatic selection of fastest algorithm for any given part.
- Verify operation performed at normal & worst case operating voltage.
- Functional test: JEDEC standard functional testing for logic devices.
- TTL Logic functional test for 74xx/54xx series devices and memory devices.
- File formats accepted: JEDEC (full), JEDEC (kernel), Binary, MOS Technology, Motorola Hex, Intel Hex, Tektronix Hex.
- Customer support via voice line, Fax & dedicated BBS. Full 1 year warranty.
- Base price (\$595) includes interface card, cable, Memory device library and 1 year free updates. Additional Device Libraries (Logic, Micro, Bipolar) \$95ea.
- Library updates can be received via floppy or Customer Support BBS.

UNIVERSAL RS-232 PROGRAMMER \$345/495

- Programs EE/Proms, FlashEproms, ZPRams, Intel Micros, Memory Cards.
- Stand-Alone Mode for EE/Prom and Memory Card Duplication - Verify.
- All 24/28/32 pin EE/Proms to 4 Mbits (upgradeable to 32 megabits)
- Micros: 8741A, 2/A, 4, 8, 9, 51, C51, CS1FA/B, 52, 53, 55, C521, C541, 9761.
- Memory Cards Seiko Epson, Fujitsu (Optional Integrated Adapter \$100)
- Modular design: firmware easily upgradeable; 4 socket Gang module available
- On-Board Programming capability. Custom interface modules available.
- User Friendly Menu-Driven Interface Program for IBM-PC & Macintosh
- Can be operated with any computer containing an RS-232 serial port.
- Optional built-in Eraser/Timer module (\$50), Top cover conductive foam pad.
- OEM open board programmer configurations available (from \$245).
- Customer support via voice line, dedicated BBS or fax; Full 1 year warranty.



INTELLIGENT PC ROM EMULATOR \$395

- Emulates 2716 through 27512 EPROMs (2k to 64k bytes) with a single unit.
- Connects to the standard parallel printer port. Uses standard printer cable.
- Intelligent features include: Address Compare, Address Snapshot, Trigger Input, Halt Output, HPA Reset, Memory buffer editor. Selectable wordsizes.
- User friendly software. Command set includes: Load, Write, Display, Run, Type, Edit, Fill, Run-Command-File, Monitor, Port, Reset, Help, Calculator.
- FAST data loading via parallel printer port (64k bytes in less than 10 seconds)
- Cascadable to 8 units. Includes target cable with Trigger, Halt & Reset clips.
- CMOS model with NiCad rechargeable with Trigger, Halt & Reset clips.
- Built-in battery recharging circuitry. After code downloading from the host computer this model can be disconnected and used in stand-alone mode.
- File formats accepted: Binary, Intel Hex, Motorola S.

MC / VISA / AMEX

Call today for datasheets!



B&C MICROSYSTEMS INC.

355 WEST OLIVE AVE. SUNNYVALE, CA 94086 USA
TEL: (408) 730-5511 FAX: (408) 730-5521 BBS: (408) 730-2317

NEVADA HAS NEVER BEEN SO CHEAP

MEMORIES

COMPAQ

Description	Equiv. Compaq Part #	For Model #	Your Low Price
1MB Add-on Module	113131-001	386/20/25/20e/286E	289 ⁰⁰
1MB Add-on Module	113646-001	Deskpro 386S	289 ⁰⁰
4MB Add-on Module	113132-001	386/20/25/20e/286E	698 ⁰⁰
4MB Add-on Module	112534-001	Deskpro 386S	698 ⁰⁰
1MB Memory Exp Bd	113644-001	Deskpro 386/20e	469 ⁰⁰
1MB Memory Exp Bd	113633-001	Deskpro 386S	469 ⁰⁰
4MB Memory Exp Bd	113645-001	Deskpro 386/20e	1339 ⁰⁰
4MB Memory Exp Bd	113634-001	Deskpro 386S	1299 ⁰⁰
1MB Memory Exp Bd	117428-001	286E	469 ⁰⁰
4MB Memory Exp Bd	117429-001	286E	1299 ⁰⁰
1MB Upgrade Bd	110235-001	SLT/286	469 ⁰⁰
4MB Upgrade Bd	108070-001	386/16	1399 ⁰⁰

HP LASER JET II & IID (UPGRADE BOARDS)

1Meg	294 ⁰⁰	2Meg	364 ⁰⁰	4Meg	589 ⁰⁰
------	-------------------	------	-------------------	------	-------------------

HP LASER JET II 1699⁰⁰

EVEREX

RAM 3000 DELUXE Up to 3 Meg. Selectable memory addresses. Expanded Memory Specifications (EMS) 4.0 DS/2. Can be used to back up base memory up to 640K and the rest as either Expanded or Extended or both. Uses 259K D-RAM. **9400**

RAM 10000 Up to 10 MB capacity supports base, extended or expanded memory in any combination. Compatible with Lotus/Microsoft EMS-4.0. Operates with no additional wait state. Uses 1 MB D-RAM. **16900**

MINI-MAGIC (EV138) Up to 576K. For PC. Uses 256K & 64K. **4900**

STANDARD SIPP/SIMM MODULES

Description	150NS	120NS	100NS	80NS
64 x 9 IBM & Compatibles	19 ⁰⁰	29 ⁰⁰	34 ⁰⁰	39 ⁰⁰
256 x 8 For Apple Products	39 ⁰⁰	44 ⁰⁰	49 ⁰⁰	59 ⁰⁰
256 x 9 IBM & Compatibles	29 ⁰⁰	39 ⁰⁰	44 ⁰⁰	49 ⁰⁰
1Meg x 8 For Apple Products	—	84 ⁰⁰	89 ⁰⁰	99 ⁰⁰
1Meg x 9 For IBM & Compatibles	—	89 ⁰⁰	99 ⁰⁰	104 ⁰⁰

INTEL COPROCESSORS

8087 5MHz or less	88 ⁰⁰	80387-16 16MHz	309 ⁰⁰
8087-2 8MHz	129 ⁰⁰	80387-20 20MHz	319 ⁰⁰
8087-1 10MHz or less	169 ⁰⁰	80387-25 25MHz	359 ⁰⁰
80287 6MHz	129 ⁰⁰	80387-33 33MHz	459 ⁰⁰
80287-8 8MHz	189 ⁰⁰		589 ⁰⁰
80287-10 10MHz	218 ⁰⁰	5 YEAR WARRANTY	

BOCA

BOCORAM 30 Expanded memory for IBM PS/2 models. 25 30 Uses 256K RAM chips and up to 2 Meg of expanded memory. **15900**

BOCORAM 50Z 2MB 0 wait state expanded or extended memory for IBM PS/2 Models. 50 50Z 60 uses 1MB, 100RAM. **15900**

BOCORAM 50/60 Up to 4MB for model 50-60. 0 wait state extended, expanded and base memory. Use 1MB D-RAM. **15900**

BOCORAMAT PLUS Expanded or extended memory for the IBM AT. Uses 120NS 1 Meg RAM chips. OK up to 3 Meg. **11900**

IBM PS2 (BOARDS & MODULES)

Description	Equiv. IBMPS2 Part #	For Model #	Your Low Price
512K Upgrade	30F 5348	30/286	119 ⁰⁰
2MB Upgrade	30F 5360	30/286	349 ⁰⁰
1MB Module	6450603	70-E61 & 121	179 ⁰⁰
2MB Module	6450604	70-E61 & 121	349 ⁰⁰
2MB Mem Board	6450608	70-A21	399 ⁰⁰
1MB Mem Board	6450375	80-041	389 ⁰⁰
2MB Mem Board	6450379	80-111 & 311	849 ⁰⁰
2MB Exp 8MB	6450605	70/80	1249 ⁰⁰

RAM CHIPS

Description	150NS	120NS	100NS	80NS
64 x 1	1 ²⁵	1 ⁵⁵	2 ¹⁵	2 ⁹⁵
64 x 4	3 ⁹⁵	4 ⁴⁵	4 ⁹⁵	6 ⁴⁵
256 x 1	2 ⁷⁵	2 ⁹⁵	3 ⁴⁵	3 ⁹⁵
256 x 4	12 ²⁵	12 ⁴⁵	12 ⁹⁵	13 ⁴⁵
1 Meg x 1	—	9 ⁰⁰	9 ⁰⁰	9 ⁹⁵

ORCHID

RAMQUEST IIZ Up to 2MB of 0 wait memory for the IBM PS/2 Models 50Z & 60. Guaranteed EMS 4.0 and DS/2. Compatible. Uses 1 MB D-R. **18900**

RAMQUEST EXTRA Multifunction card that provides up to two serial ports on the board for the IBM PS/2 Models 50, 80 and 82. 4.0 and DS/2 Compatible. Uses 256 anchor 1MB SIMMS. **30900**

RAMQUEST EXTRA 16/32 0-8MB 0 wait state card for PS/2 Models 50, 50Z, 60, 70 and 80 which fully supports both 16 bit and 32 bit memory access. Includes one serial and one parallel port plus tax applicable. Guaranteed EMS 4.0 and DS/2 compatible. Uses 256 and 1MB SIMMS. **30900**

RAMQUEST XT/AT A full size 0-8MB 0 wait state card for IBM PC, XT, AT. PS/2 25, 30 and compatibles. Uses 256K or 1MB SIMMS. Automatically supports either 6 or 18 bit. **24900**

EVERYDAY LOW PRICING FROM SOUTHERN NEVADA

SYSTEMS

CAT 386-20MHZ BASE SYSTEM

- 101 Key Keyboard
- 200 Watt/AT Case
- 1 2 Meg Floppy Drive
- 1 Meg of Memory
- Parallel, Serial & Clock

\$1299⁰⁰

CAT 286-10MHZ AT BASE SYSTEM

- 512K Exp. to 1 MEG
- 200 Watt Power Supply
- AT Style Keyboard
- Western Digital Controller
- 1 2 Meg Floppy


\$599⁰⁰

CAT 10MHZ XT BASE SYSTEM

- 256K (Opt. 640K)
- 150 Watt Power Supply
- AT Style Keyboard & Case
- 8087 Socket • 360K Floppy

\$349⁰⁰

HIGH SPEED SCANNER



by Cannon
Ready to go for IBM - Type Machine
Desktop LS300 Scanner
List Price: 1095⁰⁰ Your Price: 399

STANDARD FEATURES

300 DPI - Allows for the creation of high resolution graphics/text.
Automatic Sheet Feeder - Efficient document handling.
Image Input - Sheet or card (up to 5 sheets can be set with the built-in Automatic Document Feeder).

Scanning Speed - 12 seconds/page (at 300 dot/inch) 6 seconds/page (at 150 dot/inch)

Gray Scale - 32 shades either pattern or 2 shades.

OPTIONS

PC Paint Software 79⁰⁰ DCR Software 199⁰⁰
Super Fax by Calculus 249⁰⁰

LETTER QUALITY PRINTER

By C. ITOH
DAISYWHEEL PRINTER MANUFACTURED

Why pay \$1149 for a C.Itoh

STARWRITER™ F-10

When our 40 cps letter quality daisywheel printer from the same manufacturer is only **\$399⁰⁰ ea.**

OPTIONS

- 6 ft. Serial Cable
- Bidirectional Tractor
- Cut Sheet Feeder
- Serial to Parallel Converter

SAMSUNG MONITORS

1256A 12" Amber w/Tilt & Swivel Base	89 ⁰⁰
1257 12" Amber Flat Screen 720 x 350	109 ⁰⁰
1464 14" Color 640 x 200, 16 colors	219 ⁰⁰
1453 14" EGA 640 x 350, 64 colors/31	369 ⁰⁰
1455N EGA 720x480 Multisync Compatible	449 ⁰⁰

For Nec Multisync call with lowest price.

Seagate HARDDRIVE

Model	Capacity	Price
ST125-0	20MB 40msec 3.5"	\$269
ST125-1	20MB 28msec 3.5"	\$249
ST138-0	30MB 40msec 3.5"	\$279
ST138-1	30MB 28msec 3.5"	\$299
ST138R-0 (RL)	30MB 40msec 3.5"	\$254
ST157R-0 (RL)	49MB 40msec 3.5"	\$309
ST157R-1 (RL)	49MB 28msec 3.5"	\$329
ST225	20MB 65msec	\$199
ST238R (RL)	30MB 65msec	\$219
ST251-1	42MB 28msec	\$339
ST227R-1 (RL)	65MB 28msec	\$369
ST4096	80MB 28msec	\$579
ST4144 (RL)	120MB 28msec	\$599

XT kits include cables, rails, software (over 32MB) controller
AT kits include cables, rails, software (over 32MB) controller

EVEREX TAPE BACKUPS

40MB Mini Cartridge, 3.6MB/min. AT (DC 2000)	299 ⁰⁰
60MB Streaming Cassette, 5MB/min. w/cont (CT600)	649 ⁰⁰
60MB Streaming 500A, 5MB/min. w/Full cont (OC600)	849 ⁰⁰
125MB Streaming Cartridge, 5MB/min. w/Full cont 119 ⁰⁰	
DC2000 External Add 195 ⁰⁰ DC600 24 ⁰⁰	

10 MEG HARDDRIVE

By Seagate

- Full HT • 60 day warranty
- 10 Meg ST412 • Refurbished

Qty 1 89⁰⁰
Qty 10 79⁰⁰

WESTERN DIGITAL

WD1004AWX1	8 bit MFA	Hard Only	\$ 49
WD100427X	8 bit RLL	Hard Only	\$ 49
WD1004WX1	8 bit RLL	Hard Only	\$ 59
WD1006MM1	16 bit MFM	Hard Only	\$ 99
WD1006MM2	16 bit MFM	Hard/Floppy	\$109
WD1006SR1	16 bit RLL	Hard Only	\$119
WD1007AWAH	16 bit MFM	Hard Only	\$159
WD1007AWA2	16 bit ESDI	Hard/Floppy	\$179

CALL FOR GREAT DEALS

CALIFORNIA LIQUIDATIONS

EVEREX VIDEO CARDS

EGA EV659, 640 x 350 Auto Switch 99⁰⁰
VGA Viewpoint 16 Bit Z56 Exp \$12k 179⁰⁰

NCC VIDEO CARDS...

- MonoGraphics (Hercules Compatible) with Par Port 39⁰⁰
- Color Graphics (Hercules Compatible) with Par Port 49⁰⁰
- Mono Card Text Only 9⁰⁰
- Paradise Mono EGA 640 x 350 89⁰⁰

MODEMS

MANUFACTURED BY ZOOM PC 2400 HC INTERNAL MODEM

- Fully Hayes Compatible • Monitor Speaker with Volume Control
- 2400/300 Baud Transmission Rate • Addressable COM 1,2,3,4
- Compatible with IBM PC, XT, AT and Compatibles • Full Duplex Operation
- Complete with ProComm Software • Two Year Manufacturer's Warranty • Auto Dial/Auto Answer/List 199⁰⁰ Your Price 89⁰⁰ Each

MX 2400 EXTERNAL MODEM List 299⁰⁰ Your Price 189⁰⁰

EVEREX MODEMS

EV-923 EverCom 12 300/1200 bps Bitcom Software 69⁰⁰
EV-941 EverCom 24 2400 Baud Int. Bitcom Software 139⁰⁰
EV-945 External 2400 Baud 199⁰⁰
EV-942 2400 PS2 199⁰⁰ EX-960 Level 5 MPM 39⁰⁰

FLOPPY DRIVES

MITSUMI

360K 1/2 Ht. PC Compatible	59 ⁰⁰
1.2 Meg 5 1/4"	79 ⁰⁰
720K 3 1/2" Drive w/5 1/4" mounting	79 ⁰⁰
1.44 Meg 3 1/2" Drive w/5 1/4" mounting—Mitsumi	89 ⁰⁰
360K Tandom TM100-2 Full HT (The original IBM)	89 ⁰⁰
External Case w/Power Supply 2, 1/2 HTs of 1 Full	99 ⁰⁰

We also carry Sony, Teac & others. Please Call

POWER SUPPLIES

IBM DIRECT REPLACEMENT

150 WATT
XT Compatible • UL Approved • 110/228V input switch • Connectors for four drives • 110/220V 49⁰⁰
200 WATT FOR 286/386
AT compatible • UL Approved • 110/220V input switch • Connectors for four drives 69⁰⁰

TAPE BACKUPS

COLORADO MEMORY SYSTEMS, INC.

JUMBO +

- 40 or 60MB (with new longer tape cartridge capacity) • 120MB capacity with Data Compression software • QIC-40 standard • Menu and command for software • Floppy interface works off IBM PC/XT/AT and PS/2 • Novell and 3 COM compatible
- Internal System 259⁰⁰
- External System 369⁰⁰
- Adaptor Board 89⁰⁰

★
YOU ARE CALLING HERE

800-654-7762

702-294-0204

TECHNICAL / CUSTOMER SERVICE / ORDER STATUS.

FAX 702-294-1168

Trademarks are Registered with their respective Co's Prices Subject to Change
All Products 90 Day Warranty unless stated otherwise

NO SURCHARGE FOR MC/VISA

SE HABLA ESPANOL

• WE ACCEPT INTERNATIONAL ORDERS

WE ALSO PURCHASE EXCESS INVENTORY—FAX LIST

TERMS:

MC • VISA • COD • CASH

Purchase Orders from Qualified Firms
Personal Checks • AE add 4% • COD add \$5.00
20% Restocking Fee on Non-Defective Returns within 15 days



1000 Nevada Hwy. • Unit 101
Boulder City, NV 89005



SHIPPING: (min. 6⁰⁰) UPS

Infra-Red Remote Control

OCTACOMM®/IR

Change TV channels from your PC. Control DOS programs from a hand-held remote. Use a PC to send and receive the infra-red signals used by hand-held remote controllers like those used with TVs, VCRs and other devices. Maintains a database of IR signals learned from your own hand-held remote controller. Hardware attaches to the serial port of the IBM-PC. Software for DOS 2.0 and greater.

Price: \$395.00

Houston Computer Services, Inc.
11331 Richmond Avenue / Suite 101 / Houston, Texas 77082
(713)493-9900

MC - Visa - Discover - AmEx - COD

OCTACOMM is a registered trademark of Houston Computer Services, Inc.

Circle 122 on Reader Service Card
(DEALERS: 123)

REWITABLE/ERASABLE OPTICAL DISK DRIVE SYSTEM



WRITE/ERASE/STORE and DIRECTLY ACCESS vast amounts of information on a REMOVABLE disk!

- "REWITABLE/ERASABLE" allows user to read & write over and over up to a million times. Direct or random access at speeds comparable to a hard disk.
- CAPACITY: 650 megabytes (1024 bytes/sector) or 594 megabytes (512 bytes/sector) of recordable data. High track density: 15,000 TPI.
- DATA LIFE: 10 to 25 years with no degradation. Immune to EMI or RFI emissions.

Applications: IBM PC or Compatibles/Novell (LAN) / Wang VS
Coming Soon: HP/ NCR/ DEC / Apple MAC 2/ Jukebox
Only \$5500 * Optical disks - \$290/ea
Includes software, disk drive and all cables. * Extended warranties available


ADC APPLIED DATA COMMUNICATIONS

14272 Chambers Road, Tustin, CA 92680
Outside CA: 1-800-221-5485
Inside CA: 1-800-334-5486

14272 Chambers Road, Tustin, CA 92680
TEL: (714) 731-9000
FAX: (714) 838-7172

Circle 23 on Reader Service Card

Powerful, Easy Printer Sharing



DPI PrintDirector 6/10/16

- share printers, plotters, modems
- variety of serial/parallel configurations
- buffer options from 250K to 4M
- easy installation software

From **\$495**

1 800 243-2333



DIGITAL PRODUCTS, INC.
the sub LAN™ company

Circle 82 on Reader Service Card



5.25" DS/HD 1.2 MB DK. BLUE - 69¢

PACKED IN LOTS OF 100 WITH TYLID SLEEVES & TABS

5.25" DS/HD 1.2 MB, INCL. Sleeves & tabs. BLACK
Lots of 100 - 49¢ Lots of 50 - 59¢

5.25" DS/DD 360K, INCL. Sleeves & tabs
Lots of 1,000 - 21¢ Lots of 200 - 25¢

3.5" DS/DD 720K (1MB)
PREMIUM QUALITY BULK Lots of 50 - 49¢

3.5" DS/DD 720K (1MB) - SONY BULK
Lots of 50 - 79¢ Lots of 25 - 89¢

3.5" DS/High Density 1.44MB (2MB)
PREMIUM QUALITY BULK Lots of 25 - \$1.50

AMERICAN GROUP

800-288-8025

12132 Sherman Way, N. Hollywood CA 91605
CALL OR MAIL

Circle 15 on Reader Service Card

Intelligent Solutions NetWare, DOS, OS/2 & Xenix



SCSI CONTROLLERS FOR ISA & MCA

Novell tested under NetWare 286

Use with NetWare 286 or 386

Use any size SCSI disk drive

Handle large SCSI hard drives and erasable opticals

NOVELL LABS AUTHORIZED
TESTED AND APPROVED
NetWare Compatible

PROCOMP

Phone: (216) 234-6387
FAX: (216) 234-2233

The SCSI Professionals

6801 ENGLE ROAD, CLEVELAND, OH 44130

Circle 222 on Reader Service Card

EZ-WRITER™ (E)EPROM Multiprogrammer

Best Portable (E)EPROM Programmer Money Can Buy.

Models from **\$495.**



* 100% USA Made

- Stand-alone
- Remote Control
- 40-pin Micro Option
- All models with 40 char. LCD
- GANG/SET (E)EPROM Option
- RAM expandable to 16 Megabit
- Model KF with Parallel Port for fast Up/Download
- Universal (E)EPROM Support including Megabit devices
- Model K3/C3, easy 3 key Operation
- Data I/O* Compatibility features

1-800-523-1565




In Florida (407) 994-3520
Fax: (407) 994-3615
CA (408) 437-2414

* Data I/O is a registered trademark of DATA I/O Corporation

Circle 42 on Reader Service Card

Circle 29 on Reader Service Card

LOW COST INTERFACE CARDS FOR PC/XT/AT



RS-485/422 Card [PC485] \$95/125

- Serial Async. Communication up to 4,000ft.; 2 or 4 wires; NS16450 UART.
- Can be configured as COM1-COM4; Maximum Baud Rate 56Kb.
- Flexible configuration options RTS or DTR control of transmission direction.
- Full/half duplex operation. Supports hardware handshaking (RIS/C'15).
- Dual driver/receiver. Handles 64 devices. Compatible with most comm. software.
- High speed version available (supports baud rates up to 256KB) - \$165

Dual-Port RS-485/422 [PCL743] \$175

- Two independent channels / UARTs; 2 or 4 wire operation. Max. Baud 56Kb.
- Dipswitch configurable as COM1-4 (IRQ2-7). On board terminator resistor.

IEEE-488 Card [PC488A] \$145

- Includes INSTALLABLE. DOS DEVICE DRIVERS and support for BASIC.
- Additional Support for ASSEMBLY, C, Pascal and FORTRAN - \$50.
- IRQ (I-6). DMA channel 1 or 2. Up to 4 boards per computer.
- Compatible with most IEEE-488 Software packages for IBM PC (e.g. ASYST, TANT-GPIB, Lotus Measure). Compatible with NLS GPIB-PCII.

IEEE-488 Card [PC488B] With Built-In Bus Analyzer \$345

- Software Support for BASIC, QuickBASIC and GWBASIC.
- Additional libraries for C, Pascal, FORTRAN, Assembly available - \$50 (all)
- Full range of Talker, Listener, Controller, Serial/Parallel Port, SRQ, etc.
- Powerful menu-driven BUS ANALYZER can be run in the background while 488 programs or commands are executed; Features Program Stepping, Break points, Real Time Bus Data Capture (4k buffer), Instant Screen Toggling.
- Complete Controller / Talker / Listener capability. Based on TI's TMS-9914.
- Memory-resident Printer Port Emulation Utility included. (I, P1-13).
- NEC-7210 based card (compatible with NLS GPIB-PCII) - \$445.

DIGITAL I/O Card [PCL720] \$175

- Input: 32 TTL compatible channels; Input load is 0.2 mA at 0.4V.
- Output: 32 TTL compatible channels; Sinks 24mA (0.5V); Sources 15mA (2.0V).
- Counter/Timer: I/O to 2.5MHz; 3 channels; 16 bit counters; 6 counting modes.
- Breadboard area for prototyping. Dipswitch I/O port selection (200-328 hex).

LOW COST DATA ACQUISITION & CONTROL CARDS FOR PC/XT/AT



12 BIT A/D & D/A [PCL711s] \$295

- A/D converter: 8 single-ended channels; Device: AD574; Conversion time less than 25µsec; Input range: ±5V; Software Trigger Mode only.
- D/A converter: 1 channel; 12 bit resolution; Output Range 0-5V.
- Digital I/O: 16 Input / 16 Output channels; All I/Os TTL compatible.
- External Wiring Terminal Board with mounting accessories included.
- Utility Routines and Demo Sample Programs for BASIC and Quick-BASIC.

12 BIT A/D & D/A [PCL812] \$375

- A/D converter: 16 single ended inputs; Device: AD574. Conversion time less than 25µsec; Built-in programmable pacer; Input ranges: ±10V, ±5V, ±1V.
- D/A converter: 2 channels; 12 bit resolution; Output Range 0-5V.
- Digital I/O: 16 Input / 16 Output channels; All I/Os TTL compatible.
- Counter: 1 channel programmable interval counter/timer; Uses Intel 8254.
- DMA and interrupt capability. Utility software for Basic included.

FAST 12BIT A/D/A [PCL718] \$795

- A/D converter: 16 single ended or 8 differential channels; 12 bit resolution; Programmable scan rate; Built-in Interrupt and DMA control circuitry. Conversion speed 60,000 samples/sec (standard), 100,000 samples/sec (optional).
- Input ranges: Bipolar ±10V, ±5V, ±2.5V, ±1V, ±0.5V; Unipolar 10.5, 2.1V.
- D/A converter: 2 channels; Resolution: 12 bits res; Settling time: 5µsec; ±5V.
- Digital I/O: 16 OUT, 16 IN; TTL compatible; All I/Os TTL compatible.
- Counter: 16 bit progr. interval counter timer; Uses Intel 8254; Pacer clock.
- Software: Utility software for BASIC and QuickBASIC included. Supported by LabDAS (\$195-495), ASYST, LABTECH1, UnikelScope

6 Channel 12 bit D/A [PCL726] \$495

- Output Ranges: 0 to +5V, 0 to +10V, ±5V, ±10V or sink 4-20mA.
- Settling time: 70µs. Linearity: ±1/2bit. Voltage output driving capacity: ±5mA.
- Digital I/O: 16 digital inputs and 16 digital outputs; TTL compatible.

STEPPER MOTOR CARD \$395

- Capable of independent and simultaneous control of up to 3 stepper motors.
- Speed: Programmable from 3.3 PPS to 3410 PPS; Built-in acceleration control.
- Output Mode: One clock (Pulse, Direction) or two clock (CW, CCW pulses).
- Step position Read-back; Opto-isolated outputs; Crystal based timing.
- Includes 8 bit digital input/output port. Order P/N (PCL-738B)

MC / VISA / AMEX

Call today for datasheets!

Circle 30 on Reader Service Card



B&C MICROSYSTEMS, INC.

355 WEST OLIVE AVE., SUNNYVALE, CA 94086 USA
TEL: (408) 730-5511 FAX: (408) 730-5521 BBS: (408) 730-2317

MARCH 1990 • B Y T E 339

UNICORN-YOUR I.C. SOURCE

COLLIMATOR PEN



A low power collimator pen containing a MOVPE grown gain guided GaAlAs laser. This collimator pen delivers a maximum CW output power of 2.5 mW at 25 °C.

These collimated laser sources are designed for industrial applications such as data retrieval,

telemetry, alignment etc.

The non-hermetic stainless steel encapsulation of the pen is specifically designed for easy alignment in an optical read or write system, and consists of a lens and a laser device. The lens system collimates the diverging laser light. The wavefront quality is diffraction limited.

The housing is circular and precision manufactured with a diameter of 11.0 mm and an accuracy between + and - 11 μm.

~~LIST PRICE \$180.00~~ PRICE **\$39.99**

Quality Components — Low Prices Since 1983

LASER DIODE



Designed for general industrial low power applications such as reading optical discs, optical memories, bar code scanners, security systems, alignment etc.

The gain guided laser is constructed on a n-type gallium arsenide substrate with a Metal

Organic Vapor Phase Epitaxial process (MOVPE).

The device is mounted in an hermetic SOT148D (diameter 9.0 mm) encapsulation.

The SB1053 is standard equipped with a monitor diode, isolated from the case and optically coupled to the rear emitting facet of the laser. This fast responding monitor diode can be used as a sensor to control the laser optical output level.

~~LIST PRICE \$38.00~~ PRICE **\$9.99**

We Carry A Full Line of Components

CALL FOR FREE CATALOG

EPROMS

STOCK #	PINS	DESCRIPTION	1-24	25-99	100+
1702	24	256 x 4 1ns	3.99	3.79	3.41
2706	24	1024 x 8 450ns	5.79	5.50	4.95
2758	24	1024 x 8 450ns	3.99	3.79	3.41
2716	24	2048 x 8 450ns (25v)	3.19	3.03	2.73
2716-1	24	2048 x 8 350ns (25v)	3.39	3.22	2.90
TMS2716	24	2048 x 8 450ns	6.29	5.98	5.38
27C16	24	2048 x 8 450ns (25v-CMOS)	3.59	3.41	3.07
2732	24	4096 x 8 450ns (25v)	3.79	3.60	3.24
2732A-2	24	4096 x 8 200ns (21v)	3.79	3.60	3.24
2732A	24	4096 x 8 250ns (21v)	3.69	3.51	3.16
2732A-4	24	4096 x 8 450ns (21v)	3.09	2.94	2.65
TMS2532	24	4096 x 8 450ns (25v)	5.79	5.50	4.95
27C32	24	4096 x 8 450ns (25v-CMOS)	4.19	3.98	3.58
2764-20	28	8192 x 8 200ns (21v)	3.99	3.79	3.41
2764	28	8192 x 8 250ns (21v)	3.59	3.41	3.07
2764A-20	28	8192 x 8 200ns (12.5v)	3.99	3.79	3.41
2764A	28	8192 x 8 250ns (12.5v)	3.59	3.41	3.07
TMS2564	28	8192 x 8 250ns (25v)	6.79	6.45	5.81
27128-20	28	16,384 x 8 200ns (21v)	5.79	5.50	4.95
27128	28	16,384 x 8 250ns (21v)	4.79	4.55	4.10
27C128	28	16,384 x 8 250ns (21v)	5.39	5.12	4.61
27256-20	28	32,768 x 8 200ns (12.5v)	5.99	5.69	5.12
27256	28	32,768 x 8 250ns (12.5v)	4.99	4.74	4.27
27C256	28	32,768 x 8 250ns (12.5v-CMOS)	5.99	5.69	5.12
27512-20	28	65,536 x 8 200ns (12.5v)	10.49	9.97	8.97
27512	28	65,536 x 8 250ns (12.5v)	9.49	9.02	8.12
27C512	28	65,536 x 8 250ns (12.5v-CMOS)	9.99	9.49	8.54
27C1024	32	131,072 x 8 200ns (12.5v-CMOS)	27.99	26.59	23.93
68764	24	8192 x 8 450ns	18.99	18.04	16.24
68766	24	8192 x 8 450ns	15.99	15.19	13.67

UNICORN ELECTRONICS

10010 Canoga Ave., Unit B-8
Chatsworth, CA 91311

ORDER BY PHONE (TOLL FREE)

(800) 824-3432 (OUTSIDE CALIFORNIA)

IN CALIFORNIA **(818) 341-8833**

ORDER BY FAX **(818) 998-7975**

Cross-Assemblers as low as \$50.00

Simulators as low as \$100.00

Cross-Disassemblers as low as \$100.00

Developer Packages as low as \$200.00 (a \$50.00 Savings)

A New Project

Our line of macro Cross-assemblers are easy to use and full featured, including conditional assembly and unlimited include files.

Get It To Market—FAST

Don't wait until the hardware is finished to debug your software. Our Simulators can test your program logic before the hardware is built!

No Source!

A minor glitch has shown up in the firmware, and you can't find the original source program. Our line of disassemblers can help you re-create the original assembly language source.

Set To Go

Buy our developer package and the next time your boss says "Get to work" you'll be ready for anything.

Quality Solutions

PseudoCorp has been providing quality solutions for microprocessor problems since 1985.

BROAD RANGE OF SUPPORT

Currently we support the following microprocessor families (with more in development).

Intel 8048	RCA 1802.05	Intel 8051	Intel 8096
Motorola 6800	Motorola 6801	Motorola 68HC11	Motorola 6805
Hitachi 6301	Motorola 6809	MCS Tech 6502	WDC 65C02
Rockwell 65C02	Intel 8080.85	Zilog Z80	NSC 800
Hitachi HD64180	Motorola 68000.8	Motorola 68010	Intel 80C196

All products require an IBM PC or compatible.

So What Are You Waiting For? Call us:

PseudoCorp

Professional Development Products Group

716 Thimble Shoals Blvd, Suite E

Newport News, VA 23606

(804) 873-1947

FAX: (804)873-2154

Circle 226 on Reader Service Card

JLaser 5 . . . \$399

Laser Printer Controller



Thinking of buying a

- LaserMaster
- Intel Visual Edge™
- Kofax board



JLaser 5 gives you the functions of all three boards combined into one, plus EMS:

- Fast laser printing
- Halftones on a laser printer
- Group 4 file printing and display



TALL TREE SYSTEMS

2545 E. Bayshore Rd. ■ Palo Alto, CA 94303

(415) 493-1980 ■ FAX (415) 493-7639

Versions available for HP Series II and Canon LBP 4 laser printers

All products are trademarks of their respective companies

Articles for this ad created with JLaser 5 and included software

Circle 278 on Reader Service Card

Q-TEK

PH: 818-407-0303 FX: 818-407-0262

SIMMS/SIPPS

1x9-80	\$83	256x9-80	\$25
1x9-100	\$80	256x9-100	\$22
IBM PS2 CALL CALL		256x9-120	\$19

DRAMS

41256*-80	\$2.10	1MB-80	\$8.00
41256-100	\$1.90	1MB-100	\$7.80
41256-120	\$1.75	4164-100	\$1.35
44256-100	\$8.75	4464-80	\$3.20
44256-80	\$8.95	4464-100	\$2.90

CPU/COPROS.

80386-20	\$225	80387-16	\$300
80386-25	\$310	80387-20	\$337
80287-10	\$200	80387-25	\$430

VGA CARD:1024x768 HI RES

With 256k exp to 512k 16BIT. . . \$105

CALL FOR VOLUME & LATEST PRICING

Circle 235 on Reader Service Card

World Radio History

386/25 MHz, w/257k/64k cache

FAST!
6 mips
L.M. = 43.5 MHz



FEATURES:

- 80386-25 cpu • 64K (25ns) SRAM Cache • 256K Cache Option • Expandable to 16MB on Board w/o memory card • 80387 Weitek socket • User selectable bus speed • Dallas hybrid clock chip • 100% AT compatible • 1 yr. part/labor warranty

Introductory Special

\$1095

motherboard (OK) •

Reg: \$1350

Qty. 1

M.B. w/1 Meg \$1220

M.B. w/4 Meg 1495

M.B. w/8 Meg 1995

Mono comp. sys., 1M 1745

VGA comp. sys., 1M 2095

256K cache, HD option, 80387 Call

Dealer Inquiries Welcome

Schwab Computer

730 E. El Camino Real, Sunnyvale, CA 94087

Tel (408) 245-6666

Fax (408) 245-3103

Circle 250 on Reader Service Card

PAL/EPROM PROGRAMMER for PC

VERSION 2 of Software and Hardware \$475

- Programs 20 and 24 pin MM1, NS, TI, Altera, Cypress, Riscob/ Panacee PALs: EPLD (UV eraseable), polarity, and RA types
- Functions include: read, write, verify, protect, edit, print, and file load and save of program
- JEDEC files supported
- 2716 27512 EPROMs
- Functions include: read, write, verify, blank check, HI/LO split, edit in ASCII, HEX, or Decimal
- INTEL files and Motorola S*
- Recent file support



200/100 MHz LOGIC ANALYZER for PC

LA27100 \$1299

LA27200 \$1899

• 24 Channel mode with 4K/channel • 6 Channel mode with 16K/channel

• Internal Raster from 200MHz (LA27200) or 100MHz (LA27100) to 250 Hz

• External Clock from DC to 50 MHz • 16 Level Triggering Sequence

• Threshold Voltage Level at TTL, ECL, or 8V to +14V variable • Data Display as Timing Diagram or State List • Save/Load Data and Setup Info.

(201) 994-6669

Link Computer Graphics, Inc.

4 Sparrow Dr., Livingston, NJ 07039

Circle 156 on Reader Service Card



New, Gridless, 100% Autorouting
Create schematics and PCBs quickly and simply with **HiWIRE-Plus** and your IBM PC. With the new, gridless, multilayer autorouter (AR) for **HiWIRE-Plus**, creating printed-circuit layouts is even faster. AR and **HiWIRE-Plus** are each \$895 and come with 30-day money-back guarantees. Credit cards welcome.



Corporation

1801 South St., Lafayette, IN 47904

(800) 742-6809 or (317) 742-8428

Circle 309 on Reader Service Card

TOMORROW'S TECHNOLOGY AT TODAY'S PRICES

**NO MONEY
DOWN**

with over a
BILLION \$\$\$
in financing available

**American
Semiconductor®**

Ask about the *ONLY*

TAX 1 DEDUCTIBLE PROGRAM**

for your home office computer

**WIN
\$25,000 or
CORVETTE**



MILITARY DISCOUNTS

CALL FOR A
**FREE
COMPUTER
CATALOG**

**LOWEST
PAYMENTS
IN THE
NATION**

\$15^{mo}



**ASI TURBO
MODEL #5301**
100% XT COMPATIBLE
• Selectable 4.77, & 10MHz
Processing Speed • 640K RAM
Available • Bios • One 360K Floppy
Drive • Floppy Controller w/Cable
• Eight Expansion Slots • PC/XT-AT
Enhanced Keyboard.
RETAIL VALUE \$1099
OUR PRICE \$599

\$19^{mo}



**ASI TURBO
MODEL #5302**
100% XT COMPATIBLE
• Selectable 4.77, & 10MHz
Processing Speed • 640K RAM
Available • Bios • 8 Bit 8088-1
CPU • One 360K Floppy Drive
• Multi I/O (w/Floppy Controller,
Clock/Calendar, Parallel, Serial &
Game Port) • Eight Expansion Slots
• PC/XT Enhanced Keyboard
RETAIL VALUE \$1599
OUR PRICE \$659

\$25^{mo}



**ASI TURBO
MODEL #5303**
100% XT COMPATIBLE
• Selectable 4.77, & 10MHz
Processing Speed • 640K RAM
Available • Bios • 8088-1 CPU
• One 360K Floppy Drive • Multi I/O
(w/Floppy Controller, Clock/Calendar,
Parallel, Serial & Game Port)
• Eight Expansion Slots • One
10MB Hard Drive (w/ Controller)
• AT Enhanced Keyboard
RETAIL VALUE \$1999
OUR PRICE \$999

\$29^{mo}



**ASI TURBO
MODEL #5304**
100% XT COMPATIBLE
• 10MHz Processing Speed
• 640K RAM Available • Bios
• 8088-1 CPU • Two 360K
Half/Height Floppy Drives • Multi I/O
(w/Floppy Controller, Clock/Calendar,
Parallel, Serial & Game Port) • One
20MB Hard Drive (w/Controller);
• Turbo/Normal Mode Either
Software or Hardware Selectable
• Eight Expansion Slots • PC/XT-AT
Enhanced Keyboard
RETAIL VALUE \$2499
OUR PRICE \$1149

\$35^{mo}



**ASI TURBO
MODEL #5305**
100% XT COMPATIBLE
• 10MHz Clock Speed
• 640K RAM Available • Bios
• 8 Bit 8088-1 CPU • Two 360K
Half/Height Floppy Drives • Multi I/O
(w/Floppy Controller, Clock/Calendar,
Parallel, Serial & Game Port)
• 30MB Hard Drive (w/Controller);
• Turbo/Normal Mode Either
Software or Hardware Selectable
• Eight Expansion Slots • PC/AT
Enhanced Keyboard.
RETAIL VALUE \$2999
OUR PRICE \$1179

\$45^{mo}



**ASI TURBO
MODEL #5306**
100% XT COMPATIBLE
• 10MHz Processing Speed
• 640K RAM Available • Bios
• 8 Bit 8088-1 CPU • Two 360K
Half/Height Floppy Drives • Multi
I/O (w/Controller, Clock/Calendar,
Parallel, Serial & Game Port)
• 20MB Hard Drive (w/Controller)
• Turbo Normal Mode Either
Software or Hardware Selectable
• Eight Expansion Slots • PC/XT-AT
Enhanced Keyboard • IBM
Compatible Enhanced Graphic
Adapter (EGA) • High Resolution
EGA Monitor.
RETAIL VALUE \$3899
OUR PRICE \$1779

\$39^{mo}



**ASI TURBO
#5501**
100% AT COMPATIBLE
• 10MHz Clock Speed
• 80286 Based CPU • 0-16MB
RAM Available • Bios • 1.2MB
Half/Height Floppy Drive • 20MB
Hard Drive (w/Controller) • Eight
Expansion Slots • Parallel Port
• AT Enhanced Keyboard •
Performance 16,12,10,8,6MHz
Available.
RETAIL VALUE \$3999
OUR PRICE \$1449

\$45^{mo}



**ASI TURBO
#5502**
100% AT COMPATIBLE
• 10MHz Clock Speed • 0-16MB
RAM Available • Bios • Intel 80286
Microprocessor • 1.2MB
Half/Height Floppy Drive • 30MB
Hard Drive (w/Controller) • Eight
Expansion Slots • Serial/Parallel
Adapter • AT Enhanced Keyboard
• Performance 16,12,10,8,6MHz
Available.
RETAIL VALUE \$4499
OUR PRICE \$1569

**TURBO
LOAN
PROGRAM**

**5
YEAR
BUYER
PROTECTION
PLAN*****

from **\$25^{mo}**



LAPTOPS

MODEL #	MONTHLY LIST PAYMENT PRICE
MITSUBISHI	
286L-210	\$85/ \$3,195.00
286L-22C	\$105/ 3,995.00
286L-VP	\$115/ 4,595.00
NEC	
Multi Speed EL II	\$50/ \$2,295.00
Multi Speed HD	\$95/ 3,695.00
TOSHIBA	
T1000	\$35/ \$1,249.00
T1200	\$85/ 3,499.00
T3100-20	\$119/ 4,699.00
T3200	\$138/ 5,499.00
T5100	\$185/ 7,199.00
ZENITH	
SupersPort	\$65/ \$2,399.00
TurboSport 386	\$205/ 7,999.00
286 LP-20 PC/AT	\$125/ 4,999.00
286 LP-40 PC/AT	\$145/ 5,599.00

from **\$59^{mo}**



**386
MODEL #5701**
• 16-30MHz Processor Speed
• Intel 80386 Microprocessor
• 32 Bit Architecture • Compatible
with 8MHz 80286 Hardware &
Software • Bios • Speed Selection
• Relocation of Bios • EGA Bios to
32 Bit High Speed RAM for Lightning
Execution • Real Time Clock • 4, 8 or
10MHz 80287 Coprocessor Socket
• Standard 32 Bit • 0-16 RAM
Available • Connectors for
Attaching up to 16MB of
Memory • 1.2MB Half/
Height Floppy Drive
• Eight Expansion Slots
• Serial/Parallel Adapter
• AT Enhanced Keyboard.
RETAIL VALUE \$8999
OUR PRICE \$2249



**INSTANT
CREDIT**

Now With Over 2,500
Service Centers Nation Wide
TO FULLY SERVE YOU*

IBM PC/XT/AT are registered trademarks of IBM, Inc.



JUST SAY CHARGE IT!
ADD 3.9% FOR MC/VISA
TO ORDER TOLL FREE CALL
1-800-825-7283
TECH LINE (813)-854-3305
CUSTOMER SERVICE (813) 855-9050

CORPORATE OFFICE:
11940 RACE TRACK ROAD,
TAMPA, FL 33628

OPEN MON.- FRI. 9 AM-8 PM,
SAT. & SUN. 9 AM-5 PM

1-800-825-SAVE

**OVER
50,000
CUSTOMERS**

PRICES AND PAYMENTS ARE SUBJECT TO CHANGE WITHOUT NOTICE
VOID WHERE PROHIBITED BY LAW. \$25.00 CREDIT APPLICATION FEE.
*AVAILABLE ON EXTENDED CARE PLAN. ***OPTIONAL ON SELECT EQUIPMENT.

MINIMUM MONTHLY PAYMENT MAY APPLY.
**CALL FOR DETAILS AND/OR ASK YOUR ACCOUNTANT IF YOU QUALIFY.

Circle 19 on Reader Service Card
(DEALERS: 20)

BLAST Your Message Thru!

Voice Messaging • Call Processing
Auditex • Telemarketing
Order Processing • Call Distribution

Powerline transforms your personal computer (PC/XT/AT/386) into a multi-line voice processing command center capable of controlling 16 telephone lines. Intelligently process your sales inquiries and messages in the background. Give your computer some Punch!

Blast your message through with Powerline! Package includes hardware, software, cables, speaker, 2 year warranty.

Single Line ~~\$295.00~~ **\$285.00**
 Multi-line ~~\$895.00~~ **\$885.00**

Destination OEM packages available. VISA, MC, AMEX, COD. For information or Sales Call **(415) 652-9600** FAX (415) 652-5311

TALKING TECHNOLOGY, INC.
 4383 PIEDMONT AVE., OAKLAND, CA 94611

Circle 277 on Reader Service Card

Real Time Waveform Display.

Only CODAS waveform recording systems offer true real time waveform display.

- For IBM AT, PS/2 Micro Channel*, and compatibles.
- Record up to 16 waveforms to disk in real time at up to 50,000 samples per second for instant playback, analysis, and manipulation.
- Includes all necessary hardware and software for fast, turnkey startup.
- Includes Microsoft C-compatible library of function calls for customization.

For a **FREE** Evaluation Package, call: 1-800-553-9006. In Ohio, 1-216-434-4284.

DATAQ INSTRUMENTS, INC.
 825 Sweitzer Ave., Akron, OH 44311

*IBM, AT, PS/2, and Micro Channel are trademarks or registered trademarks of IBM Corp. Microsoft is a trademark of Microsoft Corp.

Circle 77 on Reader Service Card

SuperSound

Easy to Use!
 SoundCard™

SoundFX™ Editor

DISCOVER the POWER of SOUND in YOUR IBM-PC/AT from \$19.95!

Best Digital Audio Software/Hardware. Developers: Add TurboSound™ to any PC. 30 Day Money-Back Guarantee if not Satisfied.

- SuperSound - Stereo SoundFX™ (TurboSound™) SoundCard™ \$39.95
- SuperSound - Mono version software for IBM PC/AT \$29.95
- SuperSound - TurboSound™ (TurboSound™) SoundCard™ \$49.95
- SoundFX™ playback editor, waveform generator & SoundFX™ \$49.95
- SoundFX™ playback printer port hardware module & SoundBytes \$19.95
- TurboSound™ - add real time audio effects, etc. to PC, no added hardware!
- For Business: Training, Journal, X-Files, Works with Group, Office, C...
- For Engineering: AM/FM Tuning, etc., Clear Voice Alarms, Storage Scope
- For Fun: Music, Song, etc. Music, Effects, Sounds, Alert, Voice, etc.
- Write or call for FREE PRODI CT CATV Dig. of IBM-PC sound products.

Telex: 408-446-4521 by **Silicon Shack** FAX: (408)-374-4412
 5120 Campbell Ave. #112, San Jose, CA 95130

Orders: 800-969-4411 VISA - MasterCard

™ SuperSound, SoundFX, SoundFX Jr, SoundFX SoundCard, SoundBytes, and TurboSound are trademarks of Silicon Shack, Ltd. Other product names are trademarks of their manufacturers.

Circle 258 on Reader Service Card

Complete PC Systems

For Complex Stand-Alone Applications

- Now Available! Systems that are functionally equivalent to large PCs, in compact packages. Our systems are based on single board CPUs and include all hardware, software, and support needed to run your special applications.
- Run DOS applications without a disk using our BIOS. Store DOS and user programs in EPROM's.
- Debug Monitor, BIOS for disk capability, utilities, and source code are available.
- Compatible with PC systems. Run 8088 code and DOS applications. Use standard PC AT cards in passive backplanes for expansion.
- Our CPU cards use V40/V50 micros and drive PC AT bus. Options: 1meg RAM, 256K ROM, 5 serial ports, SCSI, CMOS, floppy, printer, graphics

CPU Cards \$249 (q25)
 Systems \$499 (q1)
 Customization available
 (303)444-7737

Kila
 655 Hawthorne Ave. Boulder CO 80304 FAX (303) 786-9883

Circle 189 on Reader Service Card

UNIVERSAL PROGRAMMER

\$585 including: S/W cable, interface card, 1 yr. warranty, 30 day money back guarantee.

Programs:
 EPROMS upto 2Mbits & 16 Bit wide.
 PALs from AMD, MMI, TI, NS, CYPRESS etc.
 23 X10 from AMD, ATMEL, TI, SAMSUNG & CYPRESS
 EP10K from ALTERA, INTEL, TI
 GALs from LATTICE, SGS & NS
 FPLAs from SIGNIFIC
 PEELAs from ICT, HYUNDAI & GOULD
 BIPOLAR PROMS
 SINGLE CHIP (8748, 8751 & 87C51 series)

Supports:
 32 Bit WORDSPLIT with 4 GANG adaptor
 PAL ASM2 CUPL ABEL TANGO OrCAD JEDEC files
 PAL VERIFICATION using TEST VECTOR
 GAL electronic signature recognition
 32 Bit WORDSPLIT with 4 GANG adaptor
 87C451, 63701X, YN & 61705V with adaptor
 Test ICs (TTL, CMOS) & D S Memory, ICs with user definable test patterns

High speed, parallel interface & S/W upgradable for new parts.

XELTEK 1-800-541-1975 (Toll Free Order)
 473 SAPIENA CT. #26 TEL: (408) 727-6995
 SANTA CLARA, CA 95054 FAX: (408) 727-6996
 COD,VISA,MC,AMEX

Circle 310 on Reader Service Card

68HC05 In-Circuit Emulator

The TECICE-HC05 is a low cost real time emulator for the Motorola 68HC05 family of single chip microcomputers. Any host computer with serial port and terminal emulation software can be used with TECICE-HC05. Base price is \$1195.00. Complete development system software is available for MS-DOS computers including the Byte Craft Limited C6805 Code Development System which includes a 6805 C compiler with Integrated Development Environment.

TECI THE ENGINEERS COLLABORATIVE, INC.
 RR#3, BOX 8C Barton, Vermont 05822
 Phone (802) 525-3458 FAX (802) 525-3451

Circle 100 on Reader Service Card

Data Acquisition Processor™

Onboard Intelligence For IBM PC/XT/AT/386

- 16 MHz 80C186 for general processing
- 20 MHz DSP56001 for digital signal processing
- Sustained digital signal processing of 10 MIPS
- FFT and FIR filtering without programming
- Acquires analog and digital inputs to 235K s/s
- Buffers and processes input data as required
- Updates analog or digital outputs to 250K s/s
- Over 100 commands without programming
- Custom commands may be written in C

Call for **FREE** Demo Diskette

MICROSTAR LABORATORIES (206) 881-4286
 2863 152 Ave. N.E. Redmond, WA 98052
 FAX (206) 881-5494

Circle 189 on Reader Service Card

Free Diskettes

3.5" DSDD Bulk	*.47 ea.
3.5" DSDD White Box	*.57 ea.
3.5" DSHD Bulk	*1.39 ea.
3.5" DSHD White Box	*1.49 ea.
5.25" DSDD Bulk	*.20 ea.
5.25" DSDD White Box	*.27 ea.
5.25" DSHD Bulk	*.27 ea.
5.25" DSHD White Box	*.49 ea.

*Includes Sleeve, Tabs and Labels (3.5" Labels only)
 USER LABELS \$3.00 FOR 50ea. SLEEVES 2 ea. ea.
 All disks 100% error free - Money back guarantee.
 Buy 5,000 disks mix and match and get 100 disks...

Absolutely Free
 Government and Fortune 500 PO's acceptable
 MC/VISA/Prepaid/COD (Standard UPS charge for COD)
 Add 2.9% for credit card orders
 No Handling Charge
 Free Freight on orders of \$200 or more
 Orders less than \$200 are 3.5" 50 ea per 25ea
 5.25" 50 ea per 50ea. PA residents add 6% sales tax

Toll Free 1-800-5FLOPPY
 IQ BUSINESS PRODUCTS INC.

Circle 136 on Reader Service Card

9-Track Tape Subsystem for the IBM PC/XT/AT

Now you can exchange data files between your IBM PC and any mainframe or mini-computer using IBM compatible 1600 or 6250 BPI 9-Track tape. System can also be used for disk backup. Transfer rate is up to 4 megabytes per minute on PCs and compatibles. Subsystems include 7" or 10 1/2" streaming tape drive, tape coupler card and DOS compatible software. For more information, call us today!

QUALSTAR
 9621 Irontdale Ave., Chatsworth, CA 91311
 Telephone: (818) 882-5822

Circle 232 on Reader Service Card



PS/2 model 30/286	1895
PS/2 model 50/30 meg	2395
PS/2 model 70/60 meg	3695
PS/2 model 80/40 meg	4395
PS/2 model 70/120 meg	5595
PS/2 model 80/115 meg	Call

Call for other models



386 S 40 meg	Call	Call
386 20E - 40 meg	4195	
286E 40 meg	Call	
386 110 meg/25 MHz	7295	
386 60 meg/25 MHz	5895	
Portable III 40 meg/12 MHz	3995	

CARD & MONITOR EXTRA
Call for other models

Macintosh

Mac IICX/80 Meg, 40 Meg RAM	5095
Mac-II/40 Meg	4095
Mac-SE 30/40 Meg	3595
Call for 60 and 100 Meg	
Lazer NT	3495
Lazer NTX	4795

LOW PRICE LEADER

SINCE 1983 LAP-TOP

Compaq SLT 286-20/40	3795/Call
Toshiba T1000	629
T1200SE	Toshiba Call
T1200HB	Sale! Call
T1600-40 Meg	Call
T3100E-40 Meg	Call
T3200-40 Meg/SX40	Call
T5100-40/100	Call
T5200-40/100	Call
T3100SX	Call
Zenith 286-20/40 Meg	Call
Mitsubishi 286-20/40	2395/Call

Pacific Data (For HP)

25-N-1 Cartridge	265	Pacific Page	459
1 Meg. Memory Board	219	Plotter Cartridge	239



Everex

Step 286 - 12 & 16 MHz & 20 MHz
1 Meg RAM
Set up utility in ROM
S/P, C/C
Enhanced keyboard
1.2 MB floppy
DOS/BASIC

Call! for your configuration

Everex

Step 386-20 MHz & 16 MHz & 25 MHz & 33 MHz
Up to 256K cache of very high speed RAM
2 Meg RAM, expandable to 16 Meg
S/P, C/C
Enhanced keyboard
1.2 MB floppy
DOS/BASIC

Call!



AST 486	Call
AST 286 model 70	1249
AST 386 model 300c	2695
AST 386 40 Meg	3095

CARD & MONITOR EXTRA
CALL FOR OTHER MODELS

WE STOCK

CITIZEN
OKIDATA
EVEREX
GOLD STAR

TOSHIBA
NEC
WYSE
HITACHI

PRINCETON GRAPHICS
SONY
ACER
HOUSTON INSTRUMENTS

AMDEK
HAYES
SAMSUNG
CALCOMP

PC MOUSE
MICROSOFT MICE
LOGITECH
MITSUBISHI

IRWIN & ARCHIVE
TAPE BACK
TAXAN
MAGNOVOX

BOARDS

Paradise VGA +	219
Vega VRAM	409
ATI VGA Wonder	259
Everex EGA	149
Tatung 16 bit	239

SOFTWARE SPECIALS

dBase IV	455
Wordperfect 5.1	250
Aldus Pagemaker	495
Ventura Publisher	495
Clipper	435
WordStar 5.5	150



NOVELL Authorized Dealer

PRINTERS

EPSON

LX-810/LQ-510	199/339
LQ-850/1050	545/749
FX-850/1050	359/479

OKIDATA

320/321	359/490
390/391	490/649

TOSHIBA

321-SL/341-SL	399/595
351-SX 350 CPS	929

PANASONIC

1524	529
1124	319

Call for others

LASER PRINTERS

HP Laser II	1620
HP Desk Jet+	695
HP Laser 2P	1015
Panasonic 4450	1395
Brother HL-8-E	1895
Nec LC 890	3195
Toshiba Laser	Call

MONITORS

Nec Multisync IIA	499
Nec Multisync 3D	599
Magnavox EGA	339
Nec Multisync 5D	2350
Samsung EGA	359
Sony 1302	619

FAX MACHINES

Sharp FO 220	729
Sharp UX 350	1149
Canon	Call
Toshiba	Call
Richo	Call
Murata	Call

Intel Coprocessors

8087-3	105
8087-2	145
80287-8	225
80287-10	249
80387-16	395
80387-20	425
80387-25	495
80387-33	599

MODEMS

Everex 1200 Int	79
Everex 2400 Int	149
Hayes 2400 B	299
More in Stock	Call

ALL QUOTED PRICES ARE CASH PRICES ONLY.
Visa and MasterCard 3% higher, American Express 5% higher

EXPORTS
Available

COMPUTERLANE

HOURS:
M-S 9-6

1-800-526-3482 (Outside CA)
(818) 884-8644 (In CA)
(818) 884-8253 (FAX)

22107 ROSCOE BLVD.
CANOGA PARK
1/2 BLOCK W. OF TOPANGA
CA 91304


CORPORATE ACCOUNTS WELCOME
CALL FOR VOLUME DISCOUNTS
CONSULTANTS CALL FOR PRICING

Prices subject to change without notice

Compaq is a Registered Trademark of Compaq
IBM is a Registered Trademark of International Business Machines

GraphicTM

"gives you all the C language routines you need to write an impressive scientific graphing program of your own. Highly recommended."*
 — PC Magazine



IBM® PC (with source code) \$395
 Circle 251 on Reader Service Card

Macintosh® (no source code) \$295
 Circle 252 on Reader Service Card

Licensed for personal use only

VTEKTM 4.3

DEC® VT100/102/52
 & Tektronix®
 4010/4014/4105
 Terminal Emulator
 for IBM® PCs

"its ease of use, high resolution graphics, emulation, and price make it a more attractive purchase than the other products."*

— MINI-MICRO Systems
 Only \$150 until 3/1/90
 \$195 thereafter

Circle 253 on Reader Service Card

*Full reprints on request

Scientific Endeavors
 508 North Kentucky Street
 Kingston, TN 37763 USA
 (615) 376-4146 FAX:(615) 376-1571

EPROM PROGRAMMER CROSS ASSEMBLERS



MODEL
 SX151

RS232C OR STAND ALONE (all models).
 Communication protocol; XMODEM, HEX,
 and BIN. Programs: EEPROMS, 2716 - 27512
 and CMOS. Programs (w/adapter); 25XX,
 27101 (and above), 68701, 68705, 68764/6,
 8741/2, 8744, 8748/9, 8751/2, 8755, 87252, 870751,
 870752 and CMOS. More available soon.
 Model SX151 \$214 (assembled with case).
 Other models are available from \$49 (kit).

Cross assemblers by Pseudocorp for IBM-
 PCs, \$50. Z80 1802, 6502, 6800/1/2/3/5/8/9/11,
 6800/8/10, 8048/9, 8051/2, 8080/5, 8096, and
 more soon. Simulators and disassemblers
 also available.



KORE, Inc.

3150 Plainfield N.E.
 Grand Rapids, MI 49505
 (616) 361-3666

\$5 for shipping (USA), plus \$3.00 COD.

Circle 152 on Reader Service Card

Advertise your
 computer products
 through
BYTE BITS
 (2" x 3" ads)

For more information
 call Mark Stone at
603-924-6830

BYTE

One Phoenix Mill Lane
 Peterborough, NH 03458

Circle 41 on Reader Service Card

DATA ACQUISITION

ALL needs! ANY computer!

- PC Software Included
- Serial, Modem, & Bus
- Stand Alone Ability
- Laptop & Handheld
- PC & MAC Cards
- Inexpensive
- OEM & VAR
- RTU's



Call for FREE DEMO DISK!

Specialists in portable and battery backed up
 as well as PC compatible modular systems.



Call for applications info: (201) 299-1615
 P.O. Box 246; Morris Plains NJ 07950

ELEXOR

Circle 96 on Reader Service Card

ALL NEW !!!
 9 TRACK TAPE SUBSYSTEM
 for IBM PC/AT/386
 complete for only
\$2,595.00
 1 YEAR WARRANTY



- IBM/ANSI compatible at 800*/1600/3200 bpi
- Controller, cables and software included
- Interfaces for PS/2*, Xenix* and DEC*
- SCSI*, AT or MCA* Bus I/O at 25/50/100 ips
* optional

AKSystems Inc

20741 Marilla St. Chatsworth CA 91311
 TEL: 818/709-8100 FAX: 818/407-5889

Circle 312 on Reader Service Card

THE GENERAL STORE RETAIL OPERATIONS SYSTEM

The premier system for retail store management.
 Supports cash drawers, barcode readers, receipt
 printers, customer displays, digital scales and
 complete online credit card authorization. Controls
 all types of retail stores both hardgoods and apparel
 with complete size/color matrix management and
 reporting. Easy to install and use. Field proven for
 speed and reliability. Provides all the features
 needed for today's retail merchant at a price far
 below comparable systems. Demo system available.



Accounts Receivable
 Point of Sale
 Inventory Control
 Accounts Payable
 General Ledger
 Mailing List
 ...Multuser/Network Ready...

\$995 Complete system
 Dealer inquires invited.

Crichlow Data Sciences, Inc.
 (804) 471-0500
 P.O. Box 6420 - Virginia Beach, VA 23456

Circle 69 on Reader Service Card

WELCOME TO THE 16 BIT WORLD

Turn your Turtle into a Rabbit
 for only

\$189.00 OKB INSTALLED

You do not need to buy a new computer!!!
 Trade in your slow XT mainboard for a new
 AT 80286, which includes:

- Microprocessor Intel 80286 CPU, socket for 90287.
- 12 MHz speed, selectable between 6 and 12 MHz.
- 0/1 Wait state, clock calendar, reset button.
- 512KB, 1MB, 2MB, 4MB mem. Upgrade, 640/384 mapping.
- Six 16-bit slots & two 8-bit slots, 16 level IRQ.
- Fits in the XT and AT cases.

with 512 KB. \$245.00
 with 1024 KB. \$299.00



ICROCHIP TECHNOLOGY

2900 N.W. 72 Ave., Miami, FL 33122
 (305) 592-5739 • FAX (305) 592-5738



Circle 186 on Reader Service Card

Subscribe to BYTE now and

SAVE up to 52% PLUS,

get the annual IBM PC Special Issue as an

EXTRA BONUS!



Stay in the know on all major microcomputer products and innovations. Save time and money—invest in the best equipment for your needs. Harness the maximum power of your micro.

Subscribe today and save!

In a hurry? Call Toll-Free 1-800-257-9402 weekdays 9-5 EST. In NJ, call 1-609-426-5535.

Enjoy **MORE SPEED!** SAVE up to \$66.05 **PLUS**

get the extra IBM PC Special Issue

Send me BYTE for:

- 1 year (12 issues) for \$24.95 (Save 40% off the newsstand cost)
- 2 years (24 issues) for \$44.95 (Save 46% off the newsstand cost)
- 3 years (36 issues) – \$59.95 SAVE 52% off the newsstand cost (20% off the basic subscription price)

Name _____
 Company _____
 Address _____
 City/State/Zip _____
 Payment enclosed Bill me

No-Risk Guarantee: If dissatisfied, cancel anytime for a full 100% refund. Your subscription will start in 6-8 weeks. Watch for it! Single copy \$3.50. The basic annual subscription rate is \$29.95.

IBL5482

Profit from **MORE POWER!** SAVE up to 52% **PLUS**

get the extra IBM PC Special Issue

Send me BYTE for:

- 1 year (12 issues) for \$24.95 (Save 40% off the newsstand cost)
- 2 years (24 issues) for \$44.95 (Save 46% off the newsstand cost)
- 3 years (36 issues) – \$59.95 SAVE 52% off the newsstand cost (20% off the basic subscription price)

Name _____
 Company _____
 Address _____
 City/State/Zip _____
 Payment enclosed Bill me

No-Risk Guarantee: If dissatisfied, cancel anytime for a full 100% refund. Your subscription will start in 6-8 weeks. Watch for it! Single copy \$3.50. The basic annual subscription rate is \$29.95.

IBL5482

Gain **MORE APPLICATIONS!** SAVE up to 52% **PLUS**

get the extra IBM PC Special Issue

Send me BYTE for:

- 1 year (12 issues) for \$24.95 (Save 40% off the newsstand cost)
- 2 years (24 issues) for \$44.95 (Save 46% off the newsstand cost)
- 3 years (36 issues) – \$59.95 SAVE 52% off the newsstand cost (20% off the basic subscription price)

Name _____
 Company _____
 Address _____
 City/State/Zip _____
 Payment enclosed Bill me

No-Risk Guarantee: If dissatisfied, cancel anytime for a full 100% refund. Your subscription will start in 6-8 weeks. Watch for it! Single copy \$3.50. The basic annual subscription rate is \$29.95.

IBL5482



BUSINESS REPLY MAIL
FIRST CLASS MAIL PERMIT NO. 42 HIGHTSTOWN, NJ


POSTAGE WILL BE PAID BY ADDRESSEE:

BYTE

Subscription Department
P.O. Box 558
Hightstown, N.J. 08520-9409



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY MAIL
FIRST CLASS MAIL PERMIT NO. 42 HIGHTSTOWN, NJ


POSTAGE WILL BE PAID BY ADDRESSEE:

BYTE

Subscription Department
P.O. Box 558
Hightstown, N.J. 08520-9409



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY MAIL
FIRST CLASS MAIL PERMIT NO. 42 HIGHTSTOWN, NJ


POSTAGE WILL BE PAID BY ADDRESSEE:

BYTE

Subscription Department
P.O. Box 558
Hightstown, N.J. 08520-9409



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



Detach and mail card now to

SAVE up to 52%
on BYTE . . .

PLUS,
get the annual IBM PC Special Issue as an

EXTRA BONUS!



Order even faster by phone:

Call Toll-Free
1-800-257-9402
weekdays 9-5 EST.
In NJ, call
1-609-426-5535.

LOOK FOR OUR SUPER NEW PRICES FOR SUPER SAVINGS

Circle 298 or Reader Service Card

ESTABLISHED 1976

Unitex, Inc.
MAIL ORDER DIVISION



We Accept International Orders.
We Accept Purchase Orders from
Qualified Firms, Universities and
Government Agencies

1-(800)-533-0055

INTERNATIONAL ORDERS: (714) 730-6795
Customer Service Calls: (714) 730-9527

SIMM SIPP MODULES
3x9-FOR IBM TYPES

3 x 9 - 120ns	\$85
3 x 9 - 100ns	\$90
3 x 9 - 80ns	\$95
3 x 9 - 70ns	\$110

6x9-FOR IBM TYPES

6 x 9 - 120ns	\$20
6 x 9 - 100ns	\$28
6 x 9 - 80ns	\$33
6 x 9 - 60ns	\$49

PLE SIMM MODULES

3 x 8 - 100ns	\$78
3 x 8 - 100ns	\$84
1 x 8 - 120ns	\$24
1 x 8 - 100ns	\$39

S-2 PRODUCT

256x9 (FOR PS 2)

1 x 9 - 120ns	\$45
5348 (Kit 2ea)	\$90

MODULE 30-286

6 x 9 - 100ns	\$165
5360 (Kit 2ea)	\$330

50Z SIMM

30603 (1MG)	\$169
30604 (2MG)	\$325

PS 2 MODULE 70 & 80 SIMM

50608 For 70A21	\$329
50603	\$79
70x61, 70-121	\$2
IG x 9 - 80ns	\$169

50375

IG For 80-041	\$375
---------------	-------

50379

For 80 111&131	\$579
----------------	-------

50604

or more units	\$325
	\$299

D-RAM TESTERS

NI-001 RT \$119
Tests all parameters except speed
64 x 1 / 256 x 1 1M x 1
64 x 4 / 256 x 4 4M x 1

NI-002 RT \$149.95
Tests speed plus parameters
64 x 1 / 256 x 1 1M x 1

NI-003 RT \$199.95
Tests standard SIMM Modules
1 YEAR WARRANTY

VIDEO ADAPTERS

ATI TECHNOLOGIES

GA WONDER 512™ (512K video memory)
High performance VGA graphics. 100% register-level compatibility in VGA, EGA, CGA, MDA and Hercules. Displays Super-VGA 800x600 in 256 colors and 1024x768 in 16 colors. Switches installation. Includes Microsoft compatible mouse. \$329

GA WONDER 256™ (256K video memory, user upgradable) Same as VGA wonder 512™, except with 800x600 in 16 colors and 1024x768 in 4 colors. Includes Microsoft compatible mouse. \$269

BOCA

UAL GRAPHICS ADAPTERS Provides one menu and color, as well as having a standard parallel printer port. Auto Switching configures card mode and type for the monitor you attach. Easy installation. \$69

UNITEX

ONOCROME GRAPHICS CARD \$39
with PAR port - MGA/Hercules
OLOR GRAPHICS CARD \$39
RGB color with PAR port - MGA/CGA/Hercules
GA CARD \$119
640 x 480, 16 color, EGA/MGA/CGA/Hercules
GA CARD \$149
1024 x 768, 16 color, VGA/EGA/MGA/CGA

D-RAM

1 1/2 x 3

1MG x 1 - 120ns	\$8.50
1MG x 1 - 100ns	\$9.00
1MG x 1 - 80ns	\$9.50
1MG x 1 - 70ns	\$10.00

256kx

256 x 1 - 150ns	\$2.10
256 x 1 - 100ns	\$2.25
256 x 1 - 80ns	\$2.50
256 x 1 - 70ns	\$3.05
256 x 1 - 60ns	\$4.50

256 x 4

256 x 4 - 120ns	\$11.00
256 x 4 - 100ns	\$11.50
256 x 4 - 80ns	\$12.00

4kx

64 x 1 - 150ns	\$1.10
64 x 1 - 120ns	\$1.69
64 x 1 - 100ns	\$1.99

64 x 4

64 x 4 - 150ns	\$2.75
64 x 4 - 120ns	\$3.50
64 x 4 - 100ns	\$3.75
64 x 4 - 80ns	\$4.50

256 x 4 STATIC COL

514258 100ns	\$20
--------------	------

256 x 1 STATIC COL

51258 100ns	\$3.25
51258 80ns	\$3.75
51258 70ns	\$4.50

ZENITH 386 MODULES

1MG x 9 - 100ns	\$149
-----------------	-------

AST 386 MODULES

386-25	\$179
386-33	\$199

HEWLETT-PACKARD LASERJET MODULES

1 MG	\$229	\$199	NEW
2 MG	\$345	\$329	NEW
4 MG	\$559	\$549	NEW

ADVANCED VIDEO CO-PRO

Up to 200% faster than Intel™ Math Co's
5 Year Warranty
FOR 286 MACHINES

2C87-8	\$199
2C87-10	\$239
2C87-12.5	\$300
2C87-20	\$329

FOR 386 MACHINES

3C87-16	\$329
3C87-20	\$389
3C87-25	\$499
3C89-33	\$639

MATH CO-PRO

8087 3(SMHz)	\$88
8087 2(8MHz)	\$115
8087-1	\$165
80287-6	\$120
80287-8	\$183
80287-10	\$208
80287-12	\$280
80387-20	\$305
80387-20	\$350
80387-25	\$450
80387-33	\$549
80387-SX	\$280

CPU CHIPS

8088	\$5.00
80286-8	\$49
80286-10	\$59
80286-12	\$69
80386-SX	\$129
80386-16	\$180
80386-20	\$240
80386-25	\$330
V-20 (8MHz)	\$7.50
V-20 (10MHz)	\$12.00

VIDEO RAM FOR VGA CARDS

64 x 4 - 150ns	\$3
64 x 4 - 120ns	\$5
64 x 4 - 100ns	\$7

Available in DIP or ZIP

WEEKLY SPECIAL

AST
Rampage Plus 286
Up to 8MG Expanded Memory
Uses 256 x 9 or 1MG x 9 SIMM
Supports LIMM 0 and OS 2 Up to 12.5MHz bus for PC XT AT or PS 2

with 0K	\$299
with 2MG	\$499

MAC MATH-CO

88881 16	\$9.00
88881 20	\$109.00
88882 16	\$149.00
88882 20	\$199.00
88882 25	\$225.00

6450604

Module for 70E61 121
50Z x 55SX
2MG x 9 - 80ns
10 UNITS
40 or more units
\$299

UNITEX AT Mem Bd

Expands to 25MG for PC AT Uses 64K or 256K DRAM
Can Backfill to 64K base expanded
With 0K \$49
With 128K \$79

IBM BRAND

IBM AT
Memory Bd expands to 3MG
Can Backfill, supports expanded and/or extended EMS 4.0 Uses 256x9 PS2 SIMMs
IBM serial and Par ports
IBM PART # 55X3560
With 0K \$99
With 128K \$129

NO SLOT CLOCK

Clock for PC and XT computers
Plugs into empty RCM socket on motherboard
Accurate 1100 sec
Only \$25.00

Hi-Rel SIMM TESTER

- ITCG Calibration
- Auto-recognizing of speed
- High Low Voltage test
- Tests 256K to 1MG by 4, 5, 8, and 9
- Tests 16K up to 1MG DRAMs
- Options available including PS 2 MOD 70 & 80 182MG modules UNF708 SIMM

\$2750

MEMORY EXPANSION BOARDS

COMPAQ MEMORY

ADD ON MODLLES

MODEL	1MG	4MG
386/20	\$250	\$550
386/25	\$250	\$550
386/20E	\$250	\$550
386/S	\$250	\$550
286/E	\$250	\$550

MEMORY EXPANSION BOARDS

MODEL	1MG	4MG
386/20E	\$399	\$1149
386/S	\$479	\$1149
486/16	\$479	\$1429
SLT 286	\$479	\$1295
Portable 386	\$479	\$1295

2 YEAR WARRANTY

ORCHID

RAMQUEST EXTRA The only Multifunction card that provides up to 8MG and two serial ports on one card for the IBM PS/2 Models 50, 60 & 80. Guaranteed EMS 4.0 and OS/2 compatible. Easy to install with only 4 keystrokes. Uses 256 and/or 1MG SIMMs. **\$249**

RAMQUEST EXTRA 1632 The only 0-8MG, 0 wait state card for PS/2 models 50, 60, & 80 which fully supports both 16 and 32-bit memory access. Includes 1 SER and 1 PAR port plus a free serial cable. EMS 4.0 and OS/2 compatible. Uses 256K and/or 1MG SIMMs. **\$299**

RAMQUEST XT/AT A full size, 0-wait state card for IBM PC, XT, AT, PS/2, 50, 60, and compatibles. Uses 256K and/or 1MG SIMMs. Automatically self-aligns after 816-Kit bus. **\$259**

ACCELERATORS

TINY TURBO 286 Low-cost, high speed, half slot PC/XT Accelerates your PC/XT with an 8MHz 80286 microprocessor. 80287 math chip socket. **\$229**

TINY TURBO XT High speed half slot accelerator for PC/XT Accelerates your PC/XT up to 4 times faster with a 12MHz 80286 microprocessor. 80287 math chip socket. **\$259**

EVEREX

RAM 3000 DELUXE Up to 3MG Selectable memory addresses. Expanded Memory Specifications (EMS) 4.0 / OS/2. Can be used to backfill base memory up to 640K and 1MG. Supports expanded and/or extended memory. Uses 256K D-RAM. **\$99**

RAM 8000 Up to 8MG capacity/support to base, extended or expanded memory in any combination Fully compatible with Lotus, Intel, Microsoft, dBase 4.0, EMM386, Multi-Tasking and DMA Multi-Tasking in hardware. Software configurable (no dip switches to set). Full 16MG window for future expansion. Zero wait state uses 1MG D-RAM. **\$279**

RAM 10000 Up to 10MG capacity/support to base, extended or expanded memory in any combination Compatible with Lotus, Intel, Microsoft, dBase 4.0. Operates with no additional wait states. Uses 1MG D-RAM. **\$179**

IDEA

IDEA Supermax/MS For PS/2 MOD 50, 60, & 80 Up to 8MG of extended and/or expanded memory. 2 SER ports and EMS. Uses 256K or 1MG SIMMs. **1D002MB \$299**

IDEA Max/MC For PS/2 MOD 50, 60, & 80 Up to 12MG of extended memory, up to 8MG of expanded memory. 2 SER ports and 1 parallel port. Supports conventional, extended and expanded memory. Software included. **1D003MB \$219**

IDEA Supermax/EMS For IBM AT and XT/286 Provides up to 14MG extended memory and/or 8MG expanded memory plus 2 serial ports and 1 parallel port. Supports conventional, extended and expanded memory. Software included. **1D004MB \$229**

IDEA Max 30/EMS For PS/2 MOD 30 and PC XT Provides up to 8MG of expanded plus 2 serial ports and 1 parallel port. Software included. Can be used as RAM disk and/or printer spooler. Uses 256K or 1MG SIMM. **1D006MB \$149**

IDEA Mini (1/2 sized) Works on IBM PC, XT, AT Portables, PS/2 and compatibles. Features various combinations of serial and parallel interfaces, CLK/CAL, and game port. **1D008B \$89**

BOCA RESEARCH

TOPHAT The TophAT has 128 soldered on the board which provides a lower profile than standard 512 to 640K in a 16-bit AT type machine. Operates at CPU speed up to 10MHz. **\$89**

BOCARAM XT A full length expanded memory board for the IBM PC/XT/AT and 8 bit PC bus compatible, operating at CPU speeds up to 12MHz. BOCARAM XT uses standard 256K RAM chips and provides up to 2MG of expanded memory. **\$129**

BOCARAM AT Conventional, expanded and/or extended memory for the IBM AT and 16-bit compatible. Operates in a system up to 16MHz. Uses standard 150ns RAM chips. Can bring conventional memory up to 640K and provide a maximum of 2MG LIM EMS 4.0 and/or max 4MG of extended memory. **\$149**

BOCARAM AT PLUS The BOCARAM AT PLUS offers conventional, expanded and/or extended memory for the IBM AT and 16 bit compatibles. Operates in a system up to 33MHz and is set up through software, with configuration stored in the EEPROM. Uses 120ns 1 MGRAM chips. Available in four configurations; 0K up to 8MG. **\$149**

BOCARAM AT I/O PLUS This AT I/O card offers conventional, expanded and/or extended memory as well as I/O capabilities for the IBM AT and 16 bit compatibles. Operates in a system up to 33MHz and is set up through software, with configuration stored in the EEPROM. Uses 120ns 1 MG RAM chips. Available in four configurations. 0K up to 8K. **\$169**

BOCARAM 30 A full length expanded memory board for the IBM PS/2 Models 25, 30 and true 8 bit PC bus compatibles that utilize 3 inch floppy drives. The board uses standard 256K RAM chips and provides up to 2MG of expanded memory per board. **\$169**

BOCARAM 50/2MG 0 wait state expanded and/or extended 50MHz board design for IBM PS/2 Models 50, 50Z 50 and true compatibles. Uses standard 1MG 100ns D RAM chips. TRAM (Translation RAM) is used to map out bad memory sections during power up and to insure long term compatibility with OS/2. **\$169**

BOCARAM 50-60 Up to 4MG for Model 50/60 - 0 wait state expanded, extended and base memory. Uses 1MG D-RAM. **\$169**

I/O XT Extends the peripheral capabilities of IBM PCs, XT's and compatibles. Connects to a 8 bit PC bus and provides one 25 pin parallel port, one 9 pin serial port, an optional 25 pin serial port, and a CLK/CAL. **\$59**

I/O AT Extends the peripheral capabilities of IBM PCs, XT's and compatibles by providing a 9-pin serial port and a 25-pin parallel port. Optional 25-pin serial port also available for future expansion. Installation of I/O is 8-bit board is easy - simply set the jumpers and install. **\$69**

BOCA MCA PARALLEL CARD For PS/2... **\$99**

BOCA MCA SERIAL CARD For PS/2... **\$169**

TOSHIBA PORT. COMPUTER

KTT3100e/512 - 52K Memory Card	\$219
For Toshiba portable 3100c	
KTT3100a/2 - 1MG Memory Card	\$719
For Toshiba portable 3100c	
KTT3200/3 - 3MG Memory Card	\$919
For Toshiba portable 3200	
KTT5100/2 - 2MG Memory Card	\$719
For Toshiba portable	
KTT5200/2 - 2MG Memory Module	\$549

IBM

1497299 - For ps/2 MOD 50/60	\$449
With 0K Expands to 8MG	
Uses 256K SIMMs (IBM only)	
6450605 - For PS/2 MOD 70/80	\$1149
With 2MG Expands to 8MG	
Uses 256K SIMMs (IBM only)	
6450203 - For AT Has 512K RAM	\$99

UNITEX

3MG Multifunction - for AT	\$109
Expands to 3MG - has SER/PAR port	
256K DRAM	
3MG Multifunction Card - for PC/XT	\$69
Expands to 384K - SER/PAR/CLK/Game port	
Uses 64K DRAM	

4025 S. Industrial Blvd.
Las Vegas, NV 89103
Phone: (702) 732-8689
Mon - Fri 7am - 5pm
Sat 8am - 2pm

Unitex, Inc.
TERMS AND CONDITIONS
No surcharge for MC or VISA.
Terms: MC - VISA - C.O.D. - CASH - AMEX add 4%
Purchase Orders from qualified firms.
20% restocking fee on non-defective returns.
Prices subject to change.

Corporate Headquarters
17222 Armstrong • Irvine, CA 91714
Phone: (714) 251-UNITEX • Fax: (714) 838-8593
SEND ALL MAIL ORDERS TO
P.O. Box 19722
Irvine, CA 91714

Synchronous Communication Boards for AT

Qua Tech synchronous/asynchronous serial boards for PC-AT and compatibles support RS-232, RS-422, and RS-485 communication.

Call for our free PC Interface Handbook:
1-800-553-1170



QUA TECH, INC.
478 E Exchange Street
Akron, OH 44304

PC-AT and PC are registered trademarks of IBM Corp.

Circle 228 on Reader Service Card

RS-422/RS-485 Boards for AT, Micro Channel

RS-422/RS-485 asynchronous serial communication boards from Qua Tech available in 1 to 4 ports for PC-AT and compatibles and 1 to 4 ports for PS/2 Micro Channel.

Call for our free PC Interface Handbook:
1-800-553-1170



QUA TECH, INC.
478 E Exchange Street
Akron, OH 44304

PC-AT, Micro Channel, and PS/2 are trademarks or registered trademarks of IBM Corp.

Circle 229 on Reader Service Card

Joystick Adapter for PS/2

Qua Tech GPA-1000 works with IBM Micro Channel for PS/2 Models 50, 60, 70, and 80. Connect two joysticks or four paddles. Also compatible with IBM Game Control Adapter for PC-XT and AT.

Call our toll free order line:
1-800-553-1170



QUA TECH, INC.
478 E Exchange Street
Akron, OH 44304

IBM, Micro Channel, PS/2, PC-XT, AT, and Game Control Adapter are trademarks or registered trademarks of IBM Corp.

Circle 230 on Reader Service Card

Digital I/O Board

Single-slot Qua Tech PXB-721 for PC-AT has 72 digital I/O lines. Connect three choices of data acquisition modules. Supports Labtech Notebook™

Call for our free PC Interface Handbook:
1-800-553-1170



QUA TECH, INC.
478 E Exchange Street
Akron, OH 44304

Labtech Notebook is a trademark of Laboratories Technologies Corp.

Circle 231 on Reader Service Card

Computers for the Blind

Talking computers give blind and visually impaired people access to electronic information. The question is how and how much?

The answers can be found in *The Second Beginner's Guide to Personal Computers for the Blind and Visually Impaired*, published by the National Braille Press. This comprehensive book contains reviews, written by blind users, of software that works with speech.

Send orders to:

National Braille Press Inc.
88 St. Stephen Street
Boston, MA 02115
(617) 266-6160

\$12.95 for braille or cassette
\$14.95 for print

NBP is a nonprofit braille printing and publishing house

ICs PROMPT DELIVERY!!!

SAME DAY SHIPPING (USUALLY)

QUANTITY ONE PRICES SHOWN FOR JAN. 28, 1990

OUTSIDE OKLAHOMA: NO SALES TAX

DYNAMIC RAM

SIMM	AST Prem386/33Mhz	80 ns	\$240.00
SIMM	(1) 256Kx36	80 ns	240.00
SIMM	(1) 1Mx9	80 ns	100.00
SIMM	(2) 256Kx9	100 ns	35.00
1Mbit	1Mx1	80 ns	9.60
41256	256Kx1	60 ns	4.50
41256	256Kx1	80 ns	2.75
41256	256Kx1	100 ns	2.15
41256	256Kx1	120 ns	2.00
4464	64Kx4	120 ns	2.85
41264	(3) 64Kx4	100 ns	7.50

EPROM

27C1000	128Kx8	200 ns	\$18.00
27512	64Kx8	200 ns	7.80
27256	32Kx8	150 ns	6.50
27128	16Kx8	250 ns	3.75

STATIC RAM

62256P-10	32Kx8	100 ns	\$10.25
6264P-12	8Kx8	120 ns	4.50
6116AP-12	2Kx8	120 ns	4.25

OPEN 6 DAYS, 7:30 AM-10 PM. SHIP VIA FED-EX ON SAT.

SAT DELIVERY INCLUDED ON FED-EX ORDERS RECEIVED BY: TH: 54 8:25A; FR: 51 11:25A; SAT: 51 11:25A

MasterCard/VISA or UPS CASH COD
MICROPROCESSORS UNLIMITED, INC.
24,000 S. Peoria Ave. (918) 267-4961
BEGGS, OK 74421
No minimum order. Please note prices subject to change!
Shipping, insurance extra, up to \$1 for packing materials

Circle 188 on Reader Service Card


Item	M/C Visa AMEX	COD	Prepay
5.25			
DSDD	.19	.18	.17
5.25			
DSHD	.38	.36	.32
3.5			
DSDD	.55	.48	.41
3.5			
DSHD	1.10	.89	.85

Diskette Emporium
Box 402, 110 East Hotchkiss
Hotchkiss, CO 81419

Orders only: 1-800-322-5254 (24 hrs, 7 days)
Inquiries: 1-303-753-3306

Add .01 ea for shipping on 5.25 disks and .02 ea for 3.5 disks. \$1 handling charge. COD orders add \$2.75.

Circle 87 on Reader Service Card



JDR Microdevices

MMC
MICROCOMPUTER
MARKETING COUNCIL
of the Comput. Marketing Association, Inc.

30 DAY MONEY BACK GUARANTEE • 1 YEAR WARRANTY ON ALL PRODUCTS • TOLL-FREE TECHNICAL SUPPORT

MATH COPROCESSORS

8-BIT COPROCESSORS

8087	5 MHz	89.95
8087-2	8 MHz	129.95
8087-1	10 MHz	169.95

16-BIT COPROCESSORS

80287	6 MHz	139.95
80287-8	8 MHz	209.95
80287-10	10 MHz	239.95
80C826	12MHz	299.95

32-BIT COPROCESSORS

80387-16	16 MHz	359.95
80387-SX	16 MHz	319.95
80387-20	20 MHz	399.95
80387-25	25 MHz	499.95
80387-33	33MHz	649.95

intel 5 YEAR WARRANTY



INCLUDES MANUAL & SOFTWARE GUIDE



Derick's HIGH-TECH SPOTLIGHT

Call our BBS: (408) 559-0253 for more info in SIG file "Hitech"

Choosing a case for your computer is a straightforward task. But, it's not made easier by having so many choices! Nearly any case JDR sells can be used with any of our motherboards. The only exceptions are "full size AT-type" boards which require a case capable of holding a "standard 286/386" board.

How should you select? Begin by deciding how many disk drives you'll be using. Consider such variables as full or half height drives, 3 1/2" and 5-1/4" slots, and don't forget a tape backup-up if it's in your plans.

Next consider your power requirements. A loaded up 80386-based computer ought to have at least 150 watts of power. Consider at least 200W for a moderately loaded 286/386 and plan on 250W for a loaded-up 286/386 system. There is nothing more annoying than a computer that overloads on a hot summer afternoon because you decided to save \$20 on a \$100C system!

New look at reliability. A tower system will almost always be more reliable because it sits on the floor out of the way and is less likely to be bumped or jostled. It normally runs cooler too, because of better cooling characteristics due to convection. For these reasons it's an especially good choice for busy networks.

And finally, think about desk space, convenience and aesthetics. If you frequently linker with the inner workings of your equipment, a flip-top case may be important to you, but most people are more concerned with the location of the case, and how it looks.

Derick Moore, Director of Engineering

P.S. Extension cables for the keyboard & display monitor let you move your computer out of sight or harm's way.

EPROMS

PART#	SIZE	SPEED	Vpp	PINS	PRICE
2716-1	2048x8	350ns	25V	24	3.95
2732A	4096x8	250ns	21V	24	3.95
2764	8192x8	450ns	12.5V	28	3.49
2764-250	8192x8	250ns	12.5V	28	3.69
2764-200	8192x8	200ns	12.5V	28	4.25
27128	16384x8	250ns	12.5V	28	4.25
27128A-200	16384x8	200ns	12.5V	28	5.95
27256	32768x8	250ns	12.5V	28	4.95
27C256	32768x8	250ns	12.5V	28	5.95
27512	65536x8	250ns	12.5V	28	7.95
27C101-20	131072x8	200ns	12.5V	32	24.95

EPROM PROGRAMMER

\$129⁹⁵

- PROGRAMS 27XX AND 27XXX EPROMS UP TO 27512
- SPLIT OR COMBINE CONTENTS OF SEVERAL DIFFERENT SIZED EPROMS
- SUPPORTS VARIOUS FORMATS AND VOLTAGES
- READ, WRITE, COPY, BLANK CHECK AND VERIFY
- SOFTWARE FOR HEX AND INTEL HEX FORMATS



MOD-EPROM

DATASE II EPROM ERASER

\$39⁹⁵

- SHIRT POCKET SIZE!
- ACCEPTS ANY STANDARD EPROM
- ALL SIZES UP TO 4 AT A TIME
- ERASES MOST EPROMS IN 3 MINUTES
- INCLUDES WALL PLUG POWER SUPPLY



DATASE II

MODULAR PROGRAMMING SYSTEM


EACH OF THE MODULES IN THIS SYSTEM USE A COMMON HOST ADAPTOR CARD, SO YOU CAN USE JUST ONE SLOT TO PROGRAM EPROMS, PROMS, PALS & MORE!

COMMON HOST ADAPTOR CARD **\$29⁹⁵**

- UNIVERSAL INTERFACE FOR ALL THE PROGRAMMING MODULES!
- SELECTABLE ADDRESSES PREVENTS CONFLICTS
- MOLDED CABLE

UNIVERSAL MODULE **\$499⁹⁵**

- PROGRAMS EPROMS, EEPROMS, PALS, BI-POLAR PROMS, 8748 & 8751 SERIES DEVICES; 16V8 AND 20V8 GALs (GENERIC ARRAY LOGIC) FROM LATTICE, NS, SGS
- TESTS TTL, CMOS, DYNAMIC & STATIC RAMS
- LOAD DISK, SAVE DISK, EDIT, BLANK CHECK, PROGRAM, AUTO, READ MASTER, VERIFY AND COMPARE
- TEXT TOOL SOCKET FOR 3" TO 6" WIDE C'S (8-40 PINS)



MOD-MUP-EA 4-UNIT ADAPTOR \$99.95

EPROM MODULE **\$119⁹⁵**

- PROGRAMS 24-32 PIN EPROMS, CMOS EPROMS & EEPROMS FROM 16K TO 1D24K - HEX TO OBJ CONVERTER
- AUTO. BLANK CHECK/PROGRAM/VERIFY- VPP 5, 12.5, 12.75, 13, 21 & 25 VOLTS - NORMAL, INTELLIGENT, INTERACTIVE & QUICK PULSE PROGRAMMING ALGORITHMS

MOD-MEP

MOD-MEP-4 4 EPROM PROGRAMMER	\$169.95
MOD-MEP-8 8 EPROM PROGRAMMER	\$259.95
MOD-MEP-16 16 EPROM PROGRAMMER	\$499.95

PAL MODULE **\$249⁹⁵**

- PROGRAMS MMI, NS, TI 20 & TI 24 PINE DEVICES - BLANK CHECK, PROGRAM, AUTO. READMASTER, VERIFY & SECURITY FUSE BLOW

MOD-MPL

OTHER MODULES

MOD-MMP MICROPROCESSOR PROGRAMMER	\$179.95
MOD-MIC DIGITAL IC & MEMORY TESTER	\$259.95
MOD-MBP BI-POLAR PROM PROGRAMMER	\$499.95

CUPL SOFTWARE **\$99⁹⁵**

COMPLETE ENTRY LEVEL PAL DEVELOPMENTSUPPORTS PLO'S FROM ALL MANUFACTURERS. INCLUDES PAL COMPILER, SIMULATOR AND DESIGN EXAMPLES
MOD-MPL-SOFT

DYNAMIC RAMS

PART#	SIZE	SPEED	PINS	PRICE
4116-150	16384x1	150ns	16	1.49
4164-150	65536x1	150ns	16	2.49
4164-120	65536x1	120ns	16	2.89
4164-100	65536x1	100ns	16	3.39
TM54464-12	65536x4	120ns	16	3.95
41256-150	262144x1	150ns	16	2.95
41256-120	262144x1	120ns	16	2.95
41256-100	262144x1	100ns	16	3.15
41256-80	262144x1	80ns	16	3.75
414256-100	262144x4	100ns	20	12.95
414256-80	262144x4	80ns	20	13.45
1 MB-120	1048576x1	120ns	18	11.95
1 MB-100	1048576x1	100ns	18	12.35
1 MB-80	1048576x1	80ns	18	13.15

SIMM/SP MODULES

PART#	SIZE	SPEED	FOR	PRICE
41256A9B-12	256K x 9	120ns	SIMM/PC	36.95
41256A9B-80	256K x 9	80ns	SIMM/PC	49.95
421000A9B-10	1MB x 8	100ns	SIMM/MAC	109.95
421000A9B-10	1MB x 9	100ns	SIMM/PC	113.95
421000A9B-80	1MB x 9	80ns	SIMM/PC	119.95
256K9SIP-80	256K x 9	80ns	SIP/PC	54.95
256K9SIP-60	256K x 9	60ns	SIP/PC	64.95
1MB9SIP-80	1MB x 9	80ns	SIP/PC	124.95

STATIC RAMS

PART#	SIZE	SPEED	PINS	PRICE
HM6116LP-2	2048x8	120ns	24	5.49
HM6264LP-15	8132x8	150ns	28	4.95
HM6264LP-12	8132x8	120ns	28	6.49
HM43256LP-15	32768x8	150ns	28	13.95
HM43256LP-12	32768x8	120ns	28	14.95
HM43256LP-10	32768x8	100ns	28	15.95

SOLDER STATION

- UL APPROVED
- ADJUSTABLE HEAT SETTING
- TIP TEMPERATURE READOUT
- REPLACEMENT TIPS @ \$2.95



168-3C \$59.95

PROTOTYPE CARDS

FR-4 EPOXY GLASS LAMINATE WITH GOLD PLATED EDGED-CORNER FINGERS AND SILK SCREENED LEGENDS



FOR XT

JDR-PR1	WITH +5V AND GROUND PLANE	27.95
JDR-PR2	ABOVE WITH I/O DECODING LAYOUT	29.95
JDR-PR2-PK	PARTS KIT FOR JDR-PR2 ABOVE	8.95

FOR AT

JDR-PR10	BIT WITH I/O DECODING LAYOUT	34.95
JDR-PR10-PK	PARTS KIT FOR JDR-PR10 ABOVE	12.95

FOR PS/2

JDR-PR16	16 BIT WITH I/O DECODING LAYOUT	49.95
JDR-PR16-PK	PARTS KIT FOR JDR-PR16 ABOVE	15.95

EXTENDER CARDS

SIMPLY PROTOTYPING AND TESTING

EXT-8088	8-BIT FOR I488 MOTHERBOARDS	29.95
EXT-80286	16-BIT FOR 286/386 MOTHERBOARDS	39.95

CABLES AND GENDER CHANGERS

MOLDED; GOLD-PLATED CONTACTS; 100% SHIELDED

CBL-PRINTER	6 FT. PC PRINTER CABLE	9.95
CBL-PRNTR-25	25 FT. PC PRINTER CABLE	15.95
CBL-PRNTR-RA	RIGHT ANGLE PRINTER CABLE	15.95
CBL-DB25-MM	DB25 MALE-DB25 MALE 6 FT.	9.95
CBL-DB25-MF	DB25 FEMALE-DB25 FEMALE 6 FT.	9.95
CBL-9-SERIAL	DB9 FEMALE-DB25 MALE 6 FT.	6.95
CBL-KBD-EXT	5 FT. KEYBOARD EXTENSION	7.95
CBL-CNT-MM	36-PIN CENTRONICS-MM	14.95
CBL-FDC-EXT	37-PIN EXT. FLOPPY CABLE	9.95
CBL-MNT-9	9-PIN MONITOR EXTENSION	6.95
CBL-MNT-15	15-PIN MONITOR EXTENSION CABLE	9.95
CBL-MODEM	MODEM DB25-DB25 FEMALE	6.95
GENDER-VGA	DB9 DB15 ADAPTOR	1.95
GENDER-9-25	DB9 DB25 SERIAL ADAPTOR	4.95

JDR MICRODEVICES 2233 BRANHAM LANE, SAN JOSE, CA 95124 (408) 559-1200 FAX (408) 259-0250 TELEX 171-110

RETAIL STORE: 1256 S. BASCOM AVE. SAN JOSE, CA (408) 947-8881 HOURS: M-F 9-7, SAT. 9-5, SUN. 12-4




ORDER TOLL-FREE 800-538-5000



CUSTOMER SERVICE 800-538-5001 TECH SUPPORT 800-538-5002

MON.-FRI. 7 A.M. TO 5 P.M., SATURDAY, 9 A.M. TO 3 P.M. (PST)


COPYRIGHT 1990 JDR MICRODEVICES



JDR Microdevices®

• 30 DAY MONEY BACK GUARANTEE • 1 YEAR WARRANTY ON ALL PRODUCTS • TOLL-FREE TECHNICAL SUPPORT

MODULAR CIRCUIT TECHNOLOGY



MINI 20MHZ 386 **\$629**

• NORTON SI 21.0 • LANDMARK AT SPEED 26.3
• MEMORY INTERLEAVING FOR NEAR ZERO WAIT STATES
• SOCKETED FOR 80387 COPROCESSOR • USES 80NS OR 100NS, 256K OR 1MB SIP/DIP RAMS • 16MB RAM CAPACITY: 8MB ON BOARD, 8MB USING OPTIONAL RAM CARD (OKB INSTALLED) • FIVE 16-BIT SLOTS, TWO 8-BIT SLOTS, ONE 32-BIT SLOT FOR PROPRIETARY RAM CARD • STANDARD XT HOLE SPACING • AMI BIOS • MEASURES 8.5" X 12"

MCT-M386-20
MCT-M386-M 8MB RAM CARD, OKB INSTALLED \$99.95

MINI 25MHZ 386 CACHE **\$1299**

• NORTON SI 30.5 • LANDMARK AT SPEED 40.7
• 25MHZ 80386 • 16MHZ/25MHZ SELECTABLE SPEEDS
• REQUIRES ONE ADDITIONAL MEMORY CARD LISTED BELOW • USES MEMORY CACHING FOR SUPERIOR PERFORMANCE • MEMORY INTERLEAVING FOR NEAR 0 WAIT STATE OPERATION • SOCKETED FOR 80387 OR WEITEK 3167 COPROCESSORS

MCT-C386-25 \$1199.00
4MB RAM CARD USING 256KX4 DRAMS (OK INSTALLED)
MCT-C386-M4 \$99.95
8MB RAM CARD USING 256KX1 OR 1MBX1 DRAMS (OK INST)
MCT-C386-M8 \$99.95
16MB RAM CARD USING SIP MEMORY MODULES (OK INST)
MCT-C386-M16 \$99.95

FULL SIZE 25MHZ 386 **\$999**

• NORTON SI 29.7 • LANDMARK AT SPEED 32.5
• 25MHZ 80386 MPU • 10MHZ/25MHZ KEYBOARD SELECTABLE SPEEDS • 16MB ON-BOARD RAM ON-BOARD USING SIMMS (OKB INSTALLED) • SHADOW RAM FOR BIOS AND VIDEO • EIGHT EXPANSION SLOTS (FIVE 16 BIT, THREE 8-BIT) • ADJUSTABLE BUS SPEEDS • INTERLEAVED MEMORY • NEAR ZERO WAIT STATE OPERATION • AMI BIOS

MCT-386MB25
MCT-386MB20 20MHZ VERSION \$799.00



20MHZ 286 **\$389⁹⁵**

• NORTON SI 20.3 • LANDMARK AT SPEED 26.3
• NEAT CHIPSET HAS POWER TO COMPETE WITH 386 SYSTEMS • USES DIPs OR SIPs, EXPANDABLE FROM 512K TO 8MB • 20/10MHZ KEYBOARD SELECTABLE SPEEDS • AMI BIOS • SHADOW RAM AND PAGE INTERLEAVED MEMORY FOR SUPERIOR PERFORMANCE • FAST 0 WAIT STATE OR 1 WAIT STATE FOR SLOWER RAM • 8.5" X 13" FITS MOST XT, MINI-AT AND FULL SIZE AT CASES • FIVE 16-BIT & THREE 8-BIT EXPANSION SLOTS • SOCKETED FOR 80287-12 MATH CO-PROCESSOR

MCT-M286-20N

16MHZ 286 **\$289⁹⁵**

• NEAT CHIPSET • 16/10MHZ KEYBOARD SELECTABLE SPEEDS • USES 80287-12 MATH CO-PROCESSOR

MCT-M286-16N NORTON SI 16.2 / LANDMARK AT 21.1

12MHZ 286 **\$269⁹⁵**

• NEAT CHIPSET • 12/8MHZ KEYBOARD SELECTABLE SPEEDS • USES 80287-12 MATH CO-PROCESSOR

MCT-M286-12N NORTON SI 12.0 / LANDMARK AT 15.5

10MHZ 286 **\$189⁹⁵**

• AT-COMPATIBLE • 6/10MHZ KEYBOARD SELECTABLE SPEEDS • EXPANDABLE TO 4MB ON BOARD USING 1MB DRAMS (OKB INSTALLED) • USES 256K OR 1MB DRAMS (120NS FOR 1 WAIT, 100NS FOR 0 WAIT STATES)

MCT-M286-10 NORTON SI 14.3 / LANDMARK AT 16.5

MCT-M286-12 8/12MHZ VERSION \$199.95

10MHZ 8088 **\$99⁹⁵**

• NOW USES LOW-COST 256K X 4 1MB DRAMS • XT COMPATIBLE; OPERATES AT 4.77/10MHZ • KEYBOARD SELECTABLE CLOCK SPEEDS • SOCKETED FOR 8087-1 COPROCESSOR • 8 EXPANSION SLOTS • MCT BIOS • 640K RAM CAPACITY (OKB INSTALLED)

MCT-TURBO-10 NORTON SI 2.1

MCT-TURBO 8MHZ VERSION \$89.95

MCT-XMB STANDARD 4.77MHZ MOTHERBOARD \$87.95

BELSYS MULTISYNCH **\$429.95**

• 14" NON-GLARE SCREEN • 1024 X 768 MAX RESOLUTION • CGA/EGA/VGA COMPATIBLE • TTL/ANALOG MODE

JDR-MULTI \$359.95

RELISYS VGA MONITOR **\$359.95**

• 14" ANALOG VGA MONITOR • GLARE RESISTANT SCREEN 720 X 480 MAXIMUM RESOLUTION • TILT/SWIVEL BASE

VGA-MONITOR

EGA MONITOR **\$339.95**

• 14" NON-GLARE SCREEN WITH 640 X 350 MAXIMUM RESOLUTION • DISPLAY 16 COLORS SIMULTANEOUSLY

EGA-MONITOR

14" SCREEN MONO **\$139.95**

• GLARE-RESISTANT 14" SCREEN WITH AMBER DISPLAY • 720 X 350 RESOLUTION • TILT/SWIVEL BASE

GM-1488

MONO-VGA GRAY SCALE VGA MONITGR \$139.95

MONO-SAMSUNG SAMSUNG 12" FLAT SCREEN \$129.95

JDR-MONO 12" MONO WITH GREEN SCREEN \$69.95

JDR-AMBER 12" MONO WITH AMBER SCREEN \$69.95

NEC-MULTI-3D NEC MULTI-3D MULTISYNCH \$649.00

CM-1430 SEIKO DUAL FIXED FREQUENCY \$599.00

UPRIGHT CASE

\$249⁹⁵

- ACCOMMODATES ALL MOTHERBOARDS
- INCLUDES 250 WATT POWER SUPPLY
- MOUNTS FOR 3 FLOPPY & 4 HARD DRIVES
- TURBO AND RESET SWITCHES
- SPEED DISPLAY, POWER, DISK LEDS
- MOUNTING HARDWARE, FACEPLATES AND SPEAKER INCLUDED

CASE-100

CASE-200 SUPER UPRIGHT—HOLDS 11 DRIVES \$499.95
CASE-120 MINI-UPRIGHT W/200 WATT PS \$199.95



STANDARD CASES

CASE-70 FULL SIZE SLIDE CASE \$89.95
CASE-50 FOR 8088 OR MINI-86 MOTHERBOARDS \$59.95
CASE-FLIP FLIP-TOP XT-STYLE CASE \$39.95
CASE-SLIDE SLIDE TYPE XT-STYLE CASE \$39.95
CASE-JR \$149.95
WITH 150W POWER SUPPLY. FOR 8088 OR MINI-286 BOARDS.
CASE-JR-200 \$189.95
WITH 200W POWER SUPPLY. FOR 8088 OR MINI-286 BOARDS.
NOTE: CASES DO NOT INCLUDE DRIVES.



ENHANCED KEYBOARD WITH SOLAR CALCULATOR

\$74⁹⁵

• NUMERIC KEYPAD DOUBLES AS A SOLAR-POWERED MULTI-FUNCTION BUSINESS CALCULATOR • 101 KEYS • 12 FUNCTION KEYS • XT/AT & PS/2 COMPATIBLE

FC-3001

ENHANCED KEYBOARDS

BTC-5339 101-KEY WITH 12 FUNCTION KEYS \$69.95
BTC-5339R COMPACT 101-KEY, 30% SMALLER \$79.95
MAX-5339 101-KEY MAXI-SWITCH \$84.95
K103-A AUDIBLE "CLICK" 101-KEY KEYBOARD \$84.95

STANDARD KEYBOARDS

BTC-5060 84-KEY WITH 10 FUNCTION KEYS \$59.95
MAX-5060 MAXI-SWITCH 84-KEY \$64.95

MONITORS



\$499⁹⁵

VGA PACKAGE

VGA COLOR AND CLARITY AT AN EGA PRICE! • 8-BIT VGA CARD IS FULLY COMPATIBLE WITH IBM VGA • 720 X 540 MAXIMUM RESOLUTION, 640 X 480 IN 16 COLORS • 528 X 480 RESOLUTION IN 256 COLORS • HIGH RESOLUTION ANALOG MONITOR • EGA/CGA/MONochrome AND HERCULES COMPATIBLE • DRIVERS FOR WINDOWS, GEM, 1-2-3, SYMPHONY, AUTOCAD AND VENTURA

VGA-PKG

POWER SUPPLIES

135 WATT

- FOR XT • 110-220V SWITCH
- UL APPROVED
- +5V @ 15A, +12V @ 4.2A, -5V @ .5A, -12V @ .5A

PS-135 \$59.95
PS-150 150W SUPPLY \$69.95
PS-200X 200W SUPPLY \$89.95



200 WATT

- FOR AT • 110-220V SWITCH
- UL APPROVED
- +5V @ 20A, +12V @ 7A, -5V @ .5A, -12V @ .5A

PS-200 \$89.95
PS-250 250W SUPPLY \$129.95



PARTIAL LISTINGS ONLY—CALL FOR FREE 100-PG CATALOG!

COPYRIGHT 1989 JDR MICRODEVICES

JDR MICRODEVICES AND THE JDR MICRODEVICES LOGO ARE REGISTERED TRADEMARKS OF JDR MICRODEVICES. IBM, AT, PS/2 ARE TRADEMARKS OF INTERNATIONAL BUSINESS MACHINES.

MICROPOLIS
HIGH SPEED HARD DRIVES
157.5MB 23MS \$949
 1355 FULL HEIGHT DRIVE WITH ESDI INTERFACE
 1355-PKG ESDI DRIVE & CONTROLLER \$1049.00
 1375 FULL HEIGHT DRIVE W/SCSI INTERFACE \$999.00
 1375-PKG SCSI DRIVE & CONTROLLER \$1099.00

\$99⁹⁵
1.44MB 3-1/2" DRIVE
 • 80 TRACKS • 135 TPI • ULTRA HIGH DENSITY
 • READ/WRITE 720K DISKS, TOO
 • INCLUDES ALL NECESSARY MOUNTING HARDWARE
FDD-1.44X BLACK FACEPLATE
FDD-1.44A BEIGE FACEPLATE
FDD-1.44SOFT SOFTWARE DRIVER \$19.95
MF355A 3-1/2" MITSUBISHI 1.44MB, BEIGE \$129.95
MF355X 3-1/2" MITSUBISHI 1.44MB, BLACK \$129.95
FDD-360 5-1/4" DOUBLE-SIDED DD 360K \$69.95
FD-55B 5-1/4" TEAC DOUBLE-SIDED DD 360K \$99.95
FDD-1.2 5-1/4" DOUBLE-SIDED HD 1.2M \$95.95
FD-55G 5-1/4" TEAC DOUBLE-SIDED HD 1.2M \$129.95

9600 BAUD V.32 MODEM \$699
 • 9600/4800/2400/1200 BPS • FULL DUPLEX • ASYNCHRONOUS/ SYNCHRONOUS • MNP-5 FOR 100% ERROR FREE TRANSMISSIONS • CCITV.32 V.22/BIS/V.22, BELL/212A COMPATIBLE • DATA COMPRESSION ALLOWS 19.2K BAUD
PRO-96E
EXTERNAL 2400 BAUD \$149⁹⁵
 • 2400/1200/300 BPS • REQUIRES SERIAL PORT & CABLE
PRO-24E
PRO-24I 2400 BAUD INTERNAL MODEM 1/2 CARD \$99.95


MODULAR CIRCUIT TECHNOLOGY
4800/2400 BPS FAX MODEM \$149⁹⁵
 • 4800 BAUD GROUP III FAX TRANSMISSION ONLY • 2400 BPS DATA MODEM • MENU DRIVEN PRO-FAX SOFTWARE • SENDS DOS TEXT, PCX & TIFF FILES TO FAX TRANSMISSION
MCT-FAXM
MCT-24I INTERNAL 2400 BAUD DATA MODEM \$89.95
MCT-12I INTERNAL 1200 BAUD DATA MODEM \$69.95

GeniScan
SCANNER \$199⁹⁵
 • UP TO 400 DPI • 32 LEVELS OF GRAY SCALE • SPEED OVERRUN WARNING LIGHT • AUTO MERGE FOR LARGE IMAGES • INCLUDES INTERFACE CARD • INCLUDES SCANEDIT II, & DR. GENIUS SOFTWARE
GS-4500
PRODIGY-OCR OCR SOFTWARE \$49.95

LOGITECH
LOGITECH MICE
 • THREE-BUTTON SERIES 9
 • 320 DPI RESOLUTION
 • SERIAL PS/2 COMPATIBLE.
LOGC9 SERIAL MOUSE \$98.95
LOGC9-C* SERIAL MOUSE \$79.95
LOGC9-P SERIAL MOUSE WITH PAINTSHOW \$109.95
LOGC9-PC SERIAL MOUSE WITH PAINT/CAD \$154.95
LOGB9 BUS MOUSE \$89.95
LOGB9-P BUS MOUSE WITH PAINTSHOW \$104.95
LOGB9-PC BUS MOUSE WITH PAINT/CAD \$149.95
 *NOT PS/2 COMPATIBLE

HARD DISKS
21.4MB \$199 **65.5MB \$389**
32.7MB \$219 **80.2MB \$569**
42.8MB \$339 **84.9MB \$499**

SIZE	MODEL	AVG. SPEED	FORM FACTOR	DRIVE ONLY	XT KIT	AT F/H KIT
21.4MB	ST-225	65MS	5-1/4"	\$199	\$249	\$309
32.7MB RLL	ST-238	65MS	5-1/4"	\$219	\$279	\$379
42.8MB	ST-251-1	28MS	5-1/4"	\$339	\$389	\$449
43.1MB SCSI	ST-251N	40MS	5-1/4"	\$419	-	-
65.5MB RLL	ST-277-1	28MS	5-1/4"	\$389	\$449	\$549
80.2MB	ST-4096	28MS	5-1/4"	\$569	-	\$679
84.9MB SCSI	ST-296N	28MS	5-1/4"	\$499	-	-
122.7MB RLL	ST-4144R	28MS	5-1/4"	\$699	\$759	\$859
21.4MB	ST-125	40MS	3-1/2"	\$259	\$299	\$373
32.1MB RLL	ST-138	40MS	3-1/2"	\$289	\$339	\$429

DRIVE KITS
21.4MB \$249
32.7MB \$279

KITS INCLUDE HARD DRIVE, DRIVE CONTROLLER, CABLES AND JDR'S DETAILED INSTRUCTION MANUAL

MODULAR CIRCUIT TECHNOLOGY INTERFACE CARDS

DRIVE CONTROLLERS
1.44MB FLOPPY \$49.95
 • XT OR AT COMPATIBLE • SUPPORTS 2 FLOPPY DRIVES (360K, 720K, 1.2MB & 1.44MB) • "SMART CARD" RECOGNIZES OTHER CONTROLLERS—AUTOMATICALLY ASSIGNS DRIVE ADDRESSES, ALLOWING EASY ADDITION OF 3RD/4TH DRIVE
MCT-FDC-HD
MCT-FDC-HD4 4 DRIVE CONTROLLER \$59.95

FLOPPY DISK \$29.95
 • INTERFACES UP TO 4 FLOPPY DRIVES TO IBM PC OR COMPATIBLE • DS/DD AND DS/DO COMPATIBLE
MCT-FDC
HARD DISK \$79.95
 • SUPPORTS 16 DRIVE SIZES INCLUDING 10, 20, 30 AND 40MB • CAN DIVIDE 1 LARGE DRIVE INTO 2 LOGICAL DRIVES
MCT-HDC

RLL HARD DISK \$89.95
 • SUPPORTS 2 RLL HARD DRIVES • 50% FASTER DATA TRANSFER • DESIGNED FOR XT-COMPATIBLES
MCT-RLL

286/386 FLOPPY/HARD \$149.95
 • FLOPPY/HARD DISK CONTROL IN AN AT DESIGN • FOR UP TO 2 FLOPPIES (360K/720K/1.2MB/1.44MB) & 2 HARD DRIVES
MCT-AFH

286/386 1:1 INTERLEAVE \$169.95
 • CONTROLS 2 HARD & 2 FLOPPY DRIVES (360K/720K/1.2MB/1.44MB) • CONCURRENT ACCESS TO HARD & FLOPPY DRIVES
MCT-FAFH

MEMORY CARDS
576K RAM CARD \$49.95
 • USER SELECTABLE CONFIGURATION TO 576K • USES 64K AND 256K DRAMS (0K INSTALLED)
MCT-RAM

286/386 EXPANDED MEMORY \$129.95
 • USER EXPANDABLE TO 2MB USING 1MB DRAMS • CONFORMS FULLY TO LIM EMS 3.2 • RAM DISK SOFTWARE
MCT-AEMS
MCT-EMS XT COMPATIBLE EMS CARD \$99.95

MULTIFUNCTION I/O CARDS
MULTI I/O CARD \$59.95
 • SERIAL PORT • CLOCK/CALENDAR WITH BATTERY
 • PARALLEL PORT IS ADDRESSABLE AS LPT1 OR LPT2
MCT-IO

MULTI I/O FLOPPY \$79.95
 • SUPPORTS UP TO 2 386K FLOPPIES
 • SERIAL, PARALLEL, GAME PORT AND CLOCK/CALENDAR
MCT-MIO

MONOGRAPHS MULTI I/O \$119.95
 • CONTROL 2 FLOPPIES • SERIAL, PARALLEL, GAME PORT, CLOCK/CALENDAR • RUNS COLOR GRAPHICS SOFTWARE ON YOUR BLACK AND WHITE MONITOR
MCT-MGMIO

286/386 MULTI I/O CARD \$59.95
 • SERIAL, PARALLEL AND GAME PORTS • USES 16450 SERIAL SUPPORT CHIPSET FOR HIGH SPEED OPERATION
MCT-AIO

DISPLAY CARDS
16-BIT VGA \$199.95
 • 640 X 480 IN 16 COLORS • 256K VIDEO RAM EXPANDABLE TO 512K • 84 LEVELS OF GRAY SCALE
MCT-VGA-16
MCT-VGA-8 8-BIT VERSION \$169.95

EGA CARD \$149.95
 • 640 X 350 HIGH RESOLUTION • DISPLAYS 16 COLORS AT A TIME • COMPATIBLE WITH HERCULES, CGA AND IBM MONOCHROME • SOFTWARE DRIVERS FOR WINDOWS, LOTUS, CAD, AND MORE • 256K VIDEO RAM
MCT-EGA

CGA CARD \$44.95
 IBM COMPATIBLE ADAPTOR FOR RGB MONITORS • 640 X 200 MONO, 320 X 200 COLOR RESOLUTION • DISPLAYS 4 COLORS SIMULTANEOUSLY • LIGHT PEN INTERFACE
MCT-CG
MCT-CGP WITH PRINTER PORT \$49.95
CG-COMP COMPPOSITE ADAPTOR \$4.95

MONO GRAPHICS \$49.95
 XT AND AT COMPATIBLE • HERCULES COMPATIBLE MONOGRAPHS • SUPPORTS LOTUS 1-2-3 • HIGH RESOLUTION 720 X 348 DISPLAY • VLSI CHIPS • CONFIGURE THE PARALLEL PRINTER PORT AS LPT1 OR 2
MCT-MGP

RAM CARD \$89⁹⁵
FOR HP LASERJET
 • FOR LASERJET SERIES II PRINTERS
 • USER EXPANDABLE TO 1, 2 OR 4.5MB (0K INSTALLED) • USES 256K 150NS OR 1MB 120NS DRAMS
MCT-RAMJET

DFI ETHERNET CARD \$199⁹⁵
 • 100% HARDWARE COMPATIBLE WITH NOVELL NE-1000 ETHERNET CARD • FOR THICK OR THIN ETHERNET • 15-PIN ETHERNET CONNECTOR • BNC CONNECTOR FOR THIN ETHERNET
DFINET-300 8 BIT VERSION \$199.95
DFINET-400 16-BIT VERSION \$239.95

JIM'S BARGAIN HUNTERS CORNER

 Jim Wharton
 JDR's VP Sales
\$349⁹⁵
REFURBISHED VGA PACKAGE
 IF NEW \$499.95 SAVE \$150 ON THE MONITOR AND CARD!
 • 640 X 480 IN 16 OF 256 COLORS • 320 X 200 RESOLUTION IN 256 OF 262,000 COLORS • AUTO SWITCHING FOR VGA, EGA, CGA, MDA & HGC • SOFTWARE DRIVERS • JUMPER AND SWITCH-FREE 8 BIT CARD • FULL REGISTER, BIOS AND INTERFACE COMPATIBILITY; 256K VIDEO RAM
R/VGA-PKG EXPIRES 3/31/90

ORDER TOLL-FREE 800-538-5000
CUSTOMER SERVICE 800-538-5001 TECH SUPPORT 800-538-5002
MON.-FRI. 7 A.M. TO 5 P.M., SATURDAY, 9 A.M. TO 3 P.M. (PST)
 JDR MICRODEVICES 2233 BRANHAM LANE, SAN JOSE, CA 95124 (408) 559-1200 FAX (408) 559-0250 TELEX 171-110
 RETAIL STORE: 1256 S. BASCOM AVE., SAN JOSE, CA (408) 947-8881 HOURS: M-F 9-7, SAT. 9-5, SUN. 12-4

EDITORIAL INDEX BY COMPANY

Index of companies covered in articles, columns, or news stories in this issue
Each reference is to the first page of the article or section in which the company name appears

INQUIRY #	COMPANY	PAGE	INQUIRY #	COMPANY	PAGE	INQUIRY #	COMPANY	PAGE
1071	ACER AMERICA	42, 128	1133	DIGIDESIGN	42	1083	MICHTRON	262
1128				DIGITAL EQUIPMENT	19, 107	983	MICROCOM SOFTWARE	65
1052	ADOBE SYSTEMS	262		DREXEL BURNHAM		989	MICROSOFT	42, 62, 160E
	ADVANCED MICRO DEVICES	266		LAMBERT	19	1098		199, 206, 266, 273
1173	AFFINITY MICROSYSTEMS	42		ELECTRONIC DATA SYSTEMS	19	1080	MISSION CYRUS GROUP	107
1132	ALACRITY SYSTEMS	42	1140	ENPOWER	42		MITSUBISHI ELECTRIC	19, 126
1081	ALDUS	262	1075	EPSON AMERICA	126	1102	MOTOROLA	19, 199, 273
1053	ALL COMPUTERS	262		EVEREX	273		MOUNTAIN COMPUTER	85
1054	ALPHA SOFTWARE	262	1093	FIFTH GENERATION			NATIONAL FEDERATION FOR	
1066	ALSOFT	262		SYSTEMS	262		THE BLIND	19
	AMERICAN NATIONAL		1151	FINALSOFT	42		NATIONAL INSTITUTE OF	
	STANDARDS INSTITUTE	291		FUJITSU	19		STANDARDS AND	
1069	APPLE COMPUTER	19, 151, 160E, 262, 273, 298	1092	GADGETS BY SMALL	262	1139	TECHNOLOGY	19
1084	APPLIED ENGINEERING	262	1127	GCC TECHNOLOGIES	42		NATIONAL INSTRUMENTS	42
	ASHTON-TATE	19	1174	GEOCOMP	42		NEC	19, 266
1073	AST RESEARCH	126, 208, 262		GLOBAL ENGINEERING			NETWARE	160E
1089				DOCUMENTS	291	1082	NEW ENGLAND TELEPHONE	19
	AT&T	19, 79, 273	1155	GOLDEN BOW SYSTEMS	208	881	NOGATE CONSULTING	262
1171	ATHENA SOFTWARE	42	991	GUIDANCE TECHNOLOGIES	42	1070	NOVELL	19, 107, 160, 262
	BELL LABS	199		GW INSTRUMENTS	114	1143	NUMONICS	42
1094	BETTER SOFTWARE			HARRIS SEMICONDUCTOR	266	990	OKIDATA	114
	TECHNOLOGY	262	1122	HEADSTART TECHNOLOGIES	42		OPEN SOFTWARE	
1060	BLACK AND WHITE		1061	HELIUM SOFTWARE	219, 262		FOUNDATION	199
	INTERNATIONAL	262		HEWLETT-PACKARD	19, 107, 114	1065	ORANGE MICRO	262
1087	BLOC PUBLISHING	219, 262		HITACHI	19		OREGON STATE UNIVERSITY	19
	BORLAND INTERNATIONAL	19, 208, 219	1076	IBM	19, 42, 126, 160E, 179, 185, 200, 258, 266, 273, 279, 364		PACKARD BELL	126
	BRIER TECHNOLOGY	291	1154	IBM DESKTOP SOFTWARE	179	1081	PANASONIC	19
1161	BUSINESS PLANNING		888	ICOM SIMULATIONS	262	1090	PERSOFT	219, 262
	SYSTEMS	42	1097	IMPRIMIS TECHNOLOGY	291	986	PERSTOR SYSTEMS	65
992	BUTTONWARE	114		INDUCTEL	65	1082	PHILIPS CONSUMER	
1175	CASADY AND GREENE	42	984	INFORMATION INTEGRATION	42		ELECTRONICS	126
1158	CASEWORKS	42	1162	INTEGRATED DEVICE		1086	PKWARE	262
1166	CENTER FOR PROJECT			TECHNOLOGY	19		POQET	266
	MANAGEMENT	42	1051	INTEL	19, 199, 205, 219, 262, 266, 273	1150	POWERCORE	42
1101	CHIPS & TECHNOLOGIES	208, 279		INTERACTIVE SYSTEMS	273	1083	PRINCETON GRAPHICS	126
1057	COMMODORE BUSINESS			JAPAN PERSONAL COMPUTER		1068	QUALITAS	262
	MACHINES	208, 257, 262		SOFTWARE ASSOCIATION	19	1088	QUARTERDECK OFFICE	
1091	COMPAQ COMPUTER	107, 122	853	JASMINE TECHNOLOGIES	151		SYSTEMS	208, 219, 262
	COMPATIBLE SYSTEMS	301		LASER COMMUNICATIONS	19	1084	QUICKVIEW SYSTEMS	19
1135	COMPUTER BOARDS	42	1077	LASER COMPUTER	126		QUIMAX SYSTEMS	126
1059	CONSULTRON	262	1078	LEADING TECHNOLOGY	126		RANA SYSTEMS	257
	COROLLARY	122	1063	LOTUS DEVELOPMENT	19, 208, 262	1157	RATIONAL SYSTEMS	42
1074	CTX INTERNATIONAL	126		MAGNAVOX	126	1055	READYSOFT	262
1130	DATAPRODUCTS	42		MASPAR COMPUTER	19	1085	RELISYS	126
1064	DATAVIZ	262		MCGRW-HILL	65	1164	RICHMOND TECHNOLOGIES	
	DELL COMPUTER	273					AND SOFTWARE	42
889	DELTAISOFT	185						
	DESIGN SYSTEMS							
	STRATEGIES	19						

Portrait of the Great American Investor

INQUIRY #	COMPANY	PAGE
1148	RIGHTSOFT	42
	ROCKWELL.....	19
1141	SAFE COMPUTING	42
1086	SAMSUNG	107
1160	SAS INSTITUTE	42
1170	SCHP COMPUTER	42
	SEIKOSHA INDUSTRIES.....	65
	SHARP	19
1169	SKM SYSTEMS	42
1129	SLS TECHNOLOGIES	42
1191	SOFTLOGIC SOLUTIONS	219, 262
1146	SOFTSOLUTIONS	42
985	SOFTWARE GARDEN	65
1085	SOFTWARE PUBLISHING	262
1144	SOPHISTICATED CIRCUITS	42
1096	SOTA TECHNOLOGY	208, 262
1058	SPINNAKER SOFTWARE.....	262
987	STRATEGIC SIMULATIONS.....	65
1167	STRAWBERRY TREE	42
1147	SUN MICROSYSTEMS ...	19, 42, 160E
1080	SUNNY HILL SOFTWARE.....	262
1095	SYMANTEC.....	262
1056	SYSTEM ENHANCEMENT ASSOCIATES	262
1087	TANDY	126
1088	TATUNG.....	126
1145	TELEBIT	42, 79
	TELECOMMUNICATION INDUSTRY ASSOCIATION.....	19
1099	TELETEK	208, 262
	TOSHIBA	19
1062	TRAVELING SOFTWARE.....	262
1134	TRIDENT MICROSYSTEMS.....	42
1168	TRIMETRIX.....	42
	TRW	19
	UNIVERSITY OF CALIFORNIA ...	19
1067	VERICOMP.....	262
	VMX TECHNOLOGIES.....	19
	WATERS INFORMATION SERVICES	19
988	WORDPERFECT	114
1089	WYSE	126
	XEROX	19
1120	ZELOS INTERNATIONAL.....	42
1090	ZENITH	65, 126
1156	ZOLA TECHNOLOGIES.....	42



As a veterinarian, Lisa Kramer looks after patients with names like Smokey and Snowball and Spot. But she looks after herself, too. Lisa invests in U.S. Savings Bonds.

More than 30 million Americans like Lisa invest in Savings Bonds. Bonds pay competitive rates, like money market accounts.

Find out more, call 1-800-US-BONDS.


U.S. SAVINGS BONDS
 THE GREAT AMERICAN INVESTMENT

Bonds held less than five years earn a lower rate. A public service of this publication.

READER SERVICE

To get further information on the products advertised in BYTE, fill out the reader service card by circling the numbers on the card that correspond to the inquiry number listed with the advertiser. This index is provided as an additional service by the publisher, who assumes no liability for errors or omissions.

* Correspond directly with company.

Alphabetical Index to Advertisers

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
8 3X USA CORP	109	90 ESSEX SYSTEMS, INC	102	198 NANAQ USA CORP	139	296 ULTIMATE TECHNOLOGY	332
316 ABACUS SOFTWARE, INC	86	101 FAIRCORN CORPORATION	272	199 NANTUCKET	287	297 UNICORN ELECTRONICS	340
317 ABACUS SOFTWARE, INC	86	102 FLAGSTAFF ENGINEERING	224	200 NATIONAL COMPUTER RIBBONS	148	298 UNITEK, INC	345
9 ACMA COMPUTERS, INC	184	103 FLYTECH TECHNOLOGY CO. LTD	96	201 NATIONAL INSTRUMENTS	CIII	* UNIXWORLD	296A-B
312 AK SYSTEMS, INC	344	* FORT WORTH COMPUTERS	332	171 NEVADA COMPUTER CORP	338	* UNIXWORLD	297
11 ALPHA PRODUCTS	331	104 FORTE	110	202 NOHAU CORP	298	* U.S. ROBOTICS	160G
12 ALR	2,3	105 FOX SOFTWARE	25	203 NORTHGATE COMP. SYS	40A-H	300 VENTURCOM	80
13 ALR	2,3	106 FRANKLIN SOFTWARE, INC	222	204 NORTHGATE COMP. SYS	41	301 VENTURCOM	80
14 ALTEC TECHNOLOGY CORP	135	109 GATEWAY 2000	187	205 NORTHGATE COMP. SYS	60,61	* VERMONT CREATIVE SOFTWARE	18
15 AMERICAL GROUP	335	110 GENERIC SOFTWARE	187	206 NU/MEGA TECHNOLOGIES	75	302 VICTORY ENTERPRISES	234
16 AMERICAN MITAC	253	111 GENERIC SOFTWARE	187	* ORACLE	51	* VIDEO SEVEN	131
17 AMERICAN RESEARCH CORP	258	112 GLENCO ENGINEERING, INC	232	207 OST, INC	358	303 VIDEO TEXTBOOK TRAINING	222
18 AMERICAN RESEARCH CORP	256	113 GOLDEN BOW SYSTEMS	337	208 OUTPUT TECHNOLOGY CORP	39	304 VIDEX	238
19 AMERICAN SEMI-CONDUCTOR	341	114 HAMILTON LABORATORIES	72	209 OVERLAND DATA	327	305 VIDEX	238
20 AMERICAN SEMI-CONDUCTOR	341	* HARD DRIVES INT'L	335	210 PACIFIC DATA PRODUCTS	183	306 WAVE-MATE, INC	178
* AMPRO COMPUTERS, INC	74	115 HERCULES COMPUTER	133	211 PACIFIC DATA PRODUCTS	183	307 WAVE-MATE, INC	178
21 AMS, INC	334	116 HEWLETT-PACKARD PERIPH	16,17	212 PACIFIC DATA PRODUCTS	183	308 WIESEMANN & THEIS GMBH	286
22 ANNBKOOKS	327	117 HEWLETT-PACKARD PERIPH	194,195	213 PACIFIC DATA PRODUCTS	183	400 WINTEK CORPORATION	7
23 APPLIED DATA COMM.	339	118 HIGH RES TECHNOLOGIES	332	215 PAPERBACK SOFTWARE	275	309 WINTEK CORPORATION	340
24 ATON CADRE TECHNOLOGIES	33	119 HITECH EQUIPMENT CORP	334	216 PARA SYSTEMS, INC	103	310 XELTEK	342
25 AUTODESK	99	120 HOME SMART COMPUTING	336	313 PC BRAND, INC	157-160C	324 XIFCORP	290
26 AVOCET	35	121 HOOLEEN CORPORATION	357	* PC CONNECTION	90-95	311 Z/NORWORLD ENGINEERING	336
27 AVOCET & QUELO	332	122 HOUSTON COMP. SERVICES	339	217 P. C. TRONICS	332	* ZORTECH, INC	37
28 B & C MICRO SYSTEMS, INC	337	123 HOUSTON COMP. SERVICES	339	314 PERCEPTIVE SOLUTIONS, INC	295	* ZORTECH, INC	89
29 B & C MICRO SYSTEMS, INC	339	124 HOUSTON INSTRUMENT	225	315 PERCEPTIVE SOLUTIONS, INC	295		
30 B & C MICRO SYSTEMS, INC	339	* IBM-OS/2	12,13	* PERCON	230		
321 BAY TECH	189	* IBM-PS/2	28,27	218 PERISCOPE COMPANY, INC	231		
322 BAY TECH	189	126 I.C. EXPRESS	337	219 PERISCOPE COMPANY, INC	231		
33 BEST COMPUTER, INC	164,165	127 IGC	163	220 PERSONAL TEX	202		
33 BEST POWER TECHNOLOGY	338	129 INTEGRAND RESEARCH CORP	182	221 PHAR-LAP SOFTWARE, INC	119		
34 BINARY TECHNOLOGY, INC	336	130 INTEGRATED INFO TECH INC	30,31	222 PROCOM USA, INC	339		
BIX	304,305	131 INTEL CORPORATION	15	223 PROGRAMMERS PARADISE	53-55		
450 BIX	304,305	133 INTERCON ASSOCIATES, INC	135	224 PROTECH MARKETING, INC	83		
35 BLACKSHIP COMPUTER SYS	240	134 IO TECH	155	225 PROTECH MARKETING, INC	83		
36 BLAISE COMPUTING, INC	6	135 IO TECH	337	226 PSEUDOOCR	340		
56 BLAST/COMM RESEARCH GRP	241	136 IQ BUSINESS PRODUCTS, INC	342	228 QUA TECH, INC	348		
57 BLAST/COMM RESEARCH GRP	241	137 JADE COMPUTER	333	229 QUA TECH, INC	348		
37 BLYTH SOFTWARE	83	139 JAMECO ELECTRONICS	328,329	230 QUA TECH, INC	348		
38 BORLAND INTERNATIONAL	11	140 JB TECHNOLOGIES INC	327	231 QUA TECH, INC	348		
39 BORLAND INTERNATIONAL	11	141 JB TECHNOLOGIES INC	327	232 QUALSTAR CORPORATION	342		
40 BP MICROSYSTEMS	334	142 JC INFORMATION SYSTEMS	239	233 QUANTUM SOFTWARE SYS	49		
* BUYERS MART	314-325	6 JDR MICRODEVICES	347-349	* QUARTERDECK	216A-P		
41 BYTE BITS	344	7 JDR MICRODEVICES	347-349	234 QUARTERDECK	216,217		
* BYTE BOOK CLUB	264,265	* JENSEN & PARTNERS INT'L	77	235 Q-TEK	340		
* BYTE BOOK CLUB	264A-B	143 JYACC	245,247	236 * RADIO SHACK	CIV		
* BYTE SUB. MESSAGE	286	144 JYACC	245,247	* RAIMA CORPORATION	45		
42 BYTEK COMPUTER CORP	339	145 KADAK PRODUCTS	292	237 RAINBOW TECHNOLOGIES	172		
* BYTEWEEK NEWSLETTER	359	148 KEA SYSTEMS LTD	207	238 RAINBOW TECHNOLOGIES	172		
43 B&B ELECTRONICS	334	149 KEITHLEY PC TECHNOLOGY	203	239 RELISYS	142		
44 CALCOMP	181	* KILA SYSTEMS	342	240 RELISYS	142		
45 CALCOMP	181	150 KNOWLEDGE GARDEN	361	241 ROSE ELECTRONICS	111		
47 CAPITAL EQUIPMENT CORP	68	152 KORE, INC	344	242 RUPP TECHNOLOGY	160H		
48 CAPITAL EQUIPMENT CORP	68	153 LAHEY COMPUTER SYS	72	243 R&R ELECTRONICS	336		
49 CENTURY SOFTWARE	79	154 LASERGO, INC	156	244 SAFEWARE	332		
50 CETRA	311	155 LASERGO, INC	156	245 SAMSUNG ELECTRONICS	46,47		
51 CH PRODUCTS	229	156 LINK COMPUTER GRAPHICS	337	246 SAMSUNG ELECTRONICS	46,47		
52 CH PRODUCTS	229	157 LOGICAL DEVICES, INC	337	247 SAMSUNG ELECTRONICS	140,141		
53 CHEETAH INTERNATIONAL	67	158 LOGICAL DEVICES, INC	337	248 SAMSUNG ELECTRONICS	140,141		
* CLEO COMMUNICATIONS	160D	159 LOGICAL DEVICES, INC	337	249 SANTA CRUZ OPERATION	59		
55 CLUB AMERICAN TECH.	215	160 LOGICAL DEVICES, INC	337	250 SCHWAB COMPUTER CENTER	340		
58 COMPUCLASSICS	300	161 LOGITECH	175	251 SCIENTIFIC ENDEAVORS	344		
59 COMPUCOM CORPORATION	326	162 LOGITECH	175	252 SCIENTIFIC ENDEAVORS	344		
* COMPUTER ASSOCIATES	249	163 LOGITECH	250	253 SCIENTIFIC ENDEAVORS	344		
60 COMPUTER DISCOUNT WAREHOUSE	223	164 LOGITECH	250	254 SCOTTSDALE SYSTEMS	330		
61 COMPUTER FRIENDS, INC	248	318 LYNCH MARKS/OSBORNE MH	309	* SEAGATE TECHNOLOGY, INC	169		
63 COMPUTER PERIPH., INC	244	165 MAP INFO CORP	146	255 SEALEVEL SYSTEMS, INC	326		
* COMPUTER PERIPH., INC	244	166 MARSTEK GMBH	198	256 SEALEVEL SYSTEMS, INC	326		
* COMP. PROF. BK. SOCIETY	232A-B	167 MARSTEK GMBH	198	257 SEQUITER SOFTWARE, INC	27		
65 COMP. PROF. BK. SOCIETY	233	168 MARYMAC INDUSTRIES, INC	334	258 SILICON SHACK LTD	342		
66 COMPUTERFLANE	343	169 MATHSOFT, INC	193	259 SN'W COMP & ELECT	234		
67 COMPUVIEW	70	170 MATRIX SOFTWARE	226	* SOFTWARE DEVELOPMENT SYS	117		
68 CONTECH COMP. CORP	332	* MCGRAW HILL SCHOOLS, NRI	312A-B	* SOFTWARE LINK	212		
323 COVOX, INC	326	172 MEASUREMENT & CONTROL PRO	326	260 SOFTWARE LINK	213		
69 CRICHLLOW DATA SCIENCES	344	173 MEASUREMENT & CONTROL PRO	326	261 SOFTWARE LINK	213		
70 CTX, INT'L, INC	149	174 MEGADATA COMP. CORP	312	262 SOFTWARE SECURITY, INC	299		
71 CUBIX CORPORATION	106	175 MEGADATA COMP. CORP	312	263 SOLA ELECTRIC	251		
72 CUBIX CORPORATION	106	320 MEGATEL	230	265 SPECTRUM SOFTWARE	261		
73 CURTIS, INC	252	176 MEI	214	266 SPJ DISTRIBUTORS	285		
DAMARK INT'L	278	177 MEI	214	267 SPSS	125		
319 DATA GENERAL	254,255	178 MERRILL & BRYAN ENT	84	268 ST SYSTEMS	334		
74 DATA STRATEGIES INT'L, INC	332	179 MERRILL & BRYAN ENT	84	269 STATSOF, INC	71		
75 DATA TRANSLATION	87	180 MERRITT COMPUTER PROD	293	270 STONY BROOK SOFTWARE	204		
76 DATALIGHT	336	181 MEXTEL	88	271 STONY BROOK SOFTWARE	204		
77 DATA INSTRUMENTS, INC	342	182 MEXTEL	88	272 SUMMAGRAPHICS	57		
78 DELL COMPUTER CORP	CII,1	* MICROCOMPUTING MKTG. CNCL	363	273 SUMMAGRAPHICS	57		
* DELL COMPUTER CORP	112A-B	183 MICRO MACRO MUNDO, INC	327	274 SUMMAGRAPHICS	57		
79 DELL COMPUTER CORP	112,113	184 MICRO MACRO MUNDO, INC	327	275 SUPERSOFT	263		
80 DESCRIBE, INC	170,171	185 MICRO SOLUTIONS COMP. PROD	252	276 SURAH, INC	336		
81 DIGIBOARD	81	186 MICROCHIP TECHNOLOGY	344	277 TALKING TECHNOLOGY, INC	342		
82 DIGITAL PRODUCTS, INC	339	187 MICROPRESS	108	278 TALL TREE SYSTEMS	340		
83 DIGITALK	104,105	188 MICROPROCESSORS UNLTD	346	279 TECHNOLOGY POWER ENT	332		
84 DISKOTECH	334	* MICROSOFT	8,9	280 TELEBYTE	293		
85 DISKOTECH	334	* MICROSOFT	21	281 TELEPHONE PRODUCTS CTR	330		
86 DISKETTE CONNECTION	325	* MICROSOFT	176,177	281 TELETEK	198		
87 DISKETTE EMPORIUM	346	* MICROSOFT	211	282 TELETEK	108		
88 DIVERSIFIED COMP. SYS. INC	337	189 MICROSTAR LABORATORIES	342	283 THE CONNEXPERTS	154		
91 DSC COMMUNICATIONS	161	190 MICROVITEC	100	286 THIRD COAST TECH	188		
92 DTK	150	191 MICROVITEC	100	287 THORSA	120,121		
93 DTK	150	* MICROWAY	29	288 TOUCHBASE SYSTEMS, INC	86		
* ECOSOFT	162	192 MICROWAY	186	289 TRANS ERA	281		
95 ELTECH RESEARCH	201	193 MITSUBISHI ELECTRONICS	147	290 TRANS ERA	281		
96 ELEXOR, INC	344	194 MITSUBISHI ELECTRONICS	147	291 TRAVELING SOFTWARE, INC	73		
98 EMERSON UPS	190	195 MIX SOFTWARE	235	292 TULIN CORP	110		
100 ENGINEERS COLLABORATIVE	342	196 MKS	82	293 TULIN CORP	110		
89 ESSEX SYSTEMS, INC	102	197 NANAQ USA CORP	139	294 TURBO POWER	310		

EUROPE & WORLD SECTION 64 E&W 1-108 No North American inquiries please.

401 A D I CORP	E&W-91
402 ACCEL CO, LTD	E&W-42
403 ADDISON-WESLEY	E&W-51
404 AGC TECH CORP	E&W-17
405 ALADDIN KNOWLEDGE SYS	E&W-17
406 AMERICAN BUYING & EXPORT	E&W-76
407 APRICOT COMPUTERS	E&W-10,11
408 ASI	E&W-20
410 BEHAVIOR TECH. COMP. CORP	E&W-95
411 BIX	E&W-82
412 BLUE CHIP TECHNOLOGY	E&W-66
413 BOCA RESEARCH	E&W-15
414 BOCA RESEARCH	E&W-15
BYTE BACK ISSUES	E&W-80
* BYTE PUBLICATIONS	E&W-138
* BYTE SUB. MESSAGE	E&W-56
* BYTE SUB. SERVICE	E&W-46
* BYTEWEEK NEWSLETTER	E&W-107
415 C SOURCE, INC	E&W-31
416 CARRASCO SOFTWARE	E&W-66
417 CETRA	E&W-106
418 CGS INT'L, INC	E&W-103
419 CHERRY MICROSCHEALTER GMBH	E&W-70,71
420 CHUNTEX ELECT. CO.	E&W-83
421 CLARION SOFTWARE	E&W-25
422 CLARION SOFTWARE	E&W-25
423 COBALT BLUE	E&W-71
424 COBALT BLUE	E&W-71
428 COGNITION RESEARCH SA.	E&W-59
793 COMDEX/EUROPE	E&W-81
794 COMDEX/EUROPE	E&W-81
425 COMPUVAE INT'L	E&W-26
426 COMPUTERWISE	E&W-56
427 CONTROL TELEMETRY	E&W-40
429 COSI SYSTEMS	E&W-64
430 CUBE SYSTEMS	E&W-36
431 CUBE SYSTEMS	E&W-36
432 CYBEX CORPORATION	E&W-52
433 DIGIMETRIE	E&W-32
434 D-LINK LTD	E&W-87
435 EAGO/EACO	E&W-104
795 ELET INT'L	E&W-73
436 ELITEGROUP COMP. SYS.	E&W-89
* ELONEX	E&W-65
437 FAST ELECTRONIC GMBH	E&W-63
438 FAST ELECTRONIC GMBH	E&W-63
439 FINDER INDUSTRIES	E&W-96
440 FINLUX TERMINALS	E&W-55
441 FOCUS ELECT. CO.	E&W-99
442 FORNISA MICROSYSTEMS, INC	E&W-105
443 FORTRON/SOURCE	E&W-9
797 GALAXY MICROCRAFT SYS	E&W-60
444 GAMMA PRODUCTIONS, INC	E&W-62
445 GOLDSTAR	E&W-18,19
446 GREY MATTER	E&W-75
447 GTCO	E&W-57
448 GTCO	E&W-57
449 HWA HSIN ELECTRONIC	E&W-92
451 INES GMBH	E&W-76
453 INTERLAND INFO SYS.	E&W-104
454 INTERROAD	E&W-5
455 INTERROAD	E&W-5
456 IQ ENGINEERING	E&W-43
457 IQ ENGINEERING	E&W-43
458 ISLAND SYSTEMS	E&W-61
459 IXI LTD	E&W-64
460 LAPRO CORP	E&W-98
461 LOGIC PROGRAMMING ASSOC	E&W-52
464 MACROTEK INT'L CORP.	E&W-54
465 MATRIX SOFTWARE	E&W-39
466 MAYFAIR MICROS	E&W-48
* MICROCOMPUTING MKTG. CNCL	E&W-83
468 MOSTLY MICE SOFTWARE	E&W-86
OSBORNE/MCGRAW-HILL	E&W-61
470 OSBORNE/MCGRAW-HILL	E&W-79

READER SERVICE

To get further information on the products advertised in BYTE, fill out the reader service card by circling the numbers on the card that correspond to the inquiry number listed with the advertiser. This index is provided as an additional service by the publisher, who assumes no liability for errors or omissions.

* Correspond directly with company.

Index to Advertisers by Product Category

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
HARDWARE				810 NETWORK HARDWARE			
800 ADD INS		806 MASS STORAGE		811 PRINTERS/PLOTTERS		812 SCANNERS/IMAGE PROCESSORS	
11 ALPHA PRODUCTS 331		312 AK SYSTEMS, INC 344		116 HEWLETT-PACKARD PERIPH 16,17		402 ACCEL CO., LTD E&W-42	
412 BLUE CHIP TECHNOLOGY E&W-66		68 CONTECH COMP CORP 332		117 HEWLETT-PACKARD PERIPH 194,195		75 DATA TRANSLATION 87	
413 BOCA RESEARCH E&W-15		74 DATA STRATEGIES INT'L, INC 332		124 HOUSTON INSTRUMENT 225		166 MARSTEK GMBH 198	
414 BOCA RESEARCH E&W-15		102 FLAGSTAFF ENGINEERING 224		208 OUTPUT TECHNOLOGY CORP 39		167 MARSTEK GMBH 198	
47 CAPITAL EQUIPMENT CORP 68		185 MICRO SOLUTIONS COMP PROD 252		276 SURAH, INC 336		272 SUMMAGRAPHS 57	
48 CAPITAL EQUIPMENT CORP 69		209 OVERLAND DATA 327		537 UNITED INNOVATIONS PC-17		273 SUMMAGRAPHS 57	
104 FORTE 110		232 QUALSTAR CORPORATION 342		493 ZERICON, INC MW-15		274 SUMMAGRAPHS 57	
115 HERCULES COMPUTER 133		* SEAGATE TECHNOLOGY, INC 169		538 ZERICON, INC PC-19		304 VIDEX 236	
118 HIGH RES TECHNOLOGIES 332		292 TULIN CORP 110		555 ZERICON, INC SO-3		305 VIDEX 236	
130 INTEGRATED INFO TECH, INC 30,31		293 TULIN CORP 110		838 PRINTER RIBBONS		792 VISIONETICS INT'L E&W-92	
131 INTEL CORPORATION 15		807 MISCELLANEOUS		200 NATIONAL COMPUTER RIBBONS 148		813 SOFTWARE SECURITY	
134 IO TECH 155		323 COVOX, INC 326		812 SCANNERS/IMAGE PROCESSORS		405 ALADDIN KNOWLEDGE SYS E&W-17	
135 IO TECH 337		432 CYBEX CORPORATION E&W-52		402 ACCEL CO., LTD E&W-42		427 CONTROL TELEMETRY E&W-40	
142 JC INFORMATION SYSTEMS 239		435 EAGO/EACO E&W-104		75 DATA TRANSLATION 87		437 FAST ELECTRONIC GMBH E&W-63	
318 LYNCH, MARKS/OSBORNE MH309		100 ENGINEERS COLLABORATIVE 342		166 MARSTEK GMBH 198		438 FAST ELECTRONIC GMBH E&W-63	
189 MICROSTAR LABORATORIES 342		519 HANZON DATA, INC PC-2		167 MARSTEK GMBH 198		112 GLENCO ENGINEERING, INC 232	
202 NOHAU CORP 298		520 HANZON DATA, INC PC-2		272 SUMMAGRAPHS 57		224 PROTECH MARKETING, INC 63	
470 OSBORNE/MCGRAW-HILL E&W-79		129 INTEGRAND RESEARCH CORP 182		273 SUMMAGRAPHS 57		225 PROTECH MARKETING, INC 63	
314 PERCEPTIVE SOLUTIONS, INC 295		157 LOGICAL DEVICES, INC 337		274 SUMMAGRAPHS 57		237 RAINBOW TECHNOLOGIES 172	
315 PERCEPTIVE SOLUTIONS, INC 295		158 LOGICAL DEVICES, INC 337		274 SUMMAGRAPHS 57		238 RAINBOW TECHNOLOGIES 172	
218 PERISCOPE COMPANY, INC 231		159 LOGICAL DEVICES, INC 337		304 VIDEX 236		241 ROSE ELECTRONICS 111	
219 PERISCOPE COMPANY, INC 231		160 LOGICAL DEVICES, INC 337		305 VIDEX 236		262 SOFTWARE SECURITY, INC 299	
773 PRISM IMAGING SYS E&W-16		180 MERRITT COMPUTER PROD 293		814 SYSTEMS		9 ACMA COMPUTERS, INC 184	
222 PROCOMP USA, INC 339		* SCANDEC TRIBUTOR E&W-84		404 AGC TECH CORP E&W-97		12 ALR 2,3	
228 QUA TECH, INC 346		258 SILICON SHACK LTD 342		13 ALR 2,3		13 ALR 2,3	
229 QUA TECH, INC 346		491 TECHNO COMPANY MW-11		14 ALTEC TECHNOLOGY CORP 135		14 ALTEC TECHNOLOGY CORP 135	
230 QUA TECH, INC 346		492 TECHNO COMPANY MW-11		476 AMERICAN COMPUTER TECH MW-3		477 AMERICAN COMPUTER TECH MW-3	
231 QUA TECH, INC 346		512 TECHNO COMPANY NE-9		539 AMERICAN COMPUTER TECH SO-11		539 AMERICAN COMPUTER TECH SO-11	
242 RUPP TECHNOLOGY 160H		513 TECHNO COMPANY NE-9		540 AMERICAN COMPUTER TECH SO-11		16 AMERICAN MITAC 253	
255 SEALEVEL SYSTEMS, INC 326		790 VASCO E&W-58		17 AMERICAN RESEARCH CORP 256		17 AMERICAN RESEARCH CORP 256	
256 SEALEVEL SYSTEMS, INC 326		808 MODEMS/MULTIPLEXORS		18 AMERICAN RESEARCH CORP 256		* AMPRO COMPUTERS, INC 76	
278 TALL TREE SYSTEMS 340		321 BAY TECH 189		241 ROSE ELECTRONICS 111		408 ASI E&W-20	
280 TELEBYTE 293		322 BAY TECH 189		262 SOFTWARE SECURITY, INC 299		410 BEHAVIOR TECH COMP CORP E&W-95	
281 TELETEK 108		63 COMPUTER PERIPH, INC 244		815 TERMINALS		32 BEST COMPUTER, INC 164,165	
282 TELETEK 108		64 COMPUTER PERIPH, INC 244		426 COMPUTERWISE E&W-56		516 B-LINK COMPUTER, INC PC-9	
* VIDEO SEVEN 131		174 MEGADATA COMP. CORP 312		775 QUANSAN COMPUTER, INC E&W-98		35 BLACKSHIP COMPUTER SYS 240	
801 DRIVES		175 MEGADATA COMP. CORP 312		816 UPS		53 CHEETAH INTERNATIONAL 67	
23 APPLIED DATA COMM 339		508 PROMETHEUS PRODUCTS NE-20		33 BEST POWER TECHNOLOGY 336		55 CLUB AMERICAN TECH 215	
73 CURTIS, INC 252		509 PROMETHEUS PRODUCTS NE-20		98 EMERSON UPS 190		319 DATA GENERAL 254,255	
* HARD DRIVES INT'L 335		533 PROMETHEUS PRODUCTS PC-20		439 FINDER INDUSTRIES E&W-96		78 DELL COMPUTER CORP CII,1	
802 FACSIMILE		534 PROMETHEUS PRODUCTS PC-20		216 PARA SYSTEMS, INC 103			
59 COMPUCOM CORPORATION 326		288 TOUCHBASE SYSTEMS, INC 66		263 SOLA ELECTRIC 251			
454 INTERQUAD E&W-5		* U.S. ROBOTICS 160G					
508 PROMETHEUS PRODUCTS NE-20		809 MONITORS					
509 PROMETHEUS PRODUCTS NE-20		401 A D I CORP E&W-91					
533 PROMETHEUS PRODUCTS PC-20		420 CHUNTEX ELECT. CO E&W-93					
534 PROMETHEUS PRODUCTS PC-20		70 CTX, INT'L 149					
839 GRAPHICS TABLETS		440 FINLUX TERMINALS E&W-55					
272 SUMMAGRAPHS 57		455 INTERQUAD E&W-7					
273 SUMMAGRAPHS 57		190 MICROVITEC 100					
274 SUMMAGRAPHS 57		191 MICROVITEC 100					
803 HARDWARE PROGRAMMERS		193 MITSUBISHI ELECTRONICS 147					
27 AVOCET & QUELO 332		194 MITSUBISHI ELECTRONICS 147					
28 B & C MICROSYSTEMS, INC 337		197 NANAQ USA CORP 139					
40 BP MICROSYSTEMS 334		198 NANAQ USA CORP 139					
42 BYTEK COMPUTER CORP 339		239 RELISYS 142					
73 CURTIS, INC 252		240 RELISYS 142					
76 DATALIGHT 336		247 SAMSUNG ELECTRONICS 140,141					
152 KORE, INC 344		248 SAMSUNG ELECTRONICS 140,141					
156 LINK COMPUTER GRAPHICS 340							
186 MICROCHIP TECHNOLOGY 344							
310 XELTEK 342							
804 INSTRUMENTATION							
77 DATAQ INSTRUMENTS, INC 342							
433 DIGIMETRIE E&W-32							
96 ELEXOR, INC 344							
149 KEITHLEY PC TECHNOLOGY 203							
805 KEYBOARDS/MICE							
44 CALCOMP 181							
45 CALCOMP 181							
51 CH PRODUCTS 229							

SOFTWARE

Inquiry No.	Page No.
817	APPLE/MAC APPLICATIONS Business/Office
37	BLYTH SOFTWARE 83

READER SERVICE

Advertising Supplements included with this issue:

* Jameco Electronics (U.S. and Canada Subscribers)

Public Brand Software (U.S. and Canada Subscribers Circle 10 on Reader Service Card)

* Correspond directly with company.

Inquiry No.	Page No.
818	APPLE/MAC — LAN
• TOPS	E&W-12
819	IBM/MSDOS APPLICATIONS
	Business/Office
37 BLYTH SOFTWARE	83
428 COGNIVISION RESEARCH SA. E&W-59	
• COMPUTER ASSOCIATES	249
80 DESCRIBE, INC. 170,171	
105 FOX SOFTWARE	25
444 GAMMA PRODUCTIONS, INC. E&W-62	
199 NANTUCKET	287
• ORACLE	51
215 PAPERBACK SOFTWARE	275
• QUARTERDECK	216A-P
234 QUARTERDECK	216,217
• RAIMA CORPORATION	45
257 SEQUITER SOFTWARE, INC. 271	
781 SOLUTION SYSTEMS E&W-49	
266 SPJ DISTRIBUTORS	285
791 VIKING SOFTWARE SERV E&W-40	
820	IBM/MSDOS APPLICATIONS
	Scientific/Technical
430 CUBE SYSTEMS	E&W-36
431 CUBE SYSTEMS	E&W-36
• ECOSOF	162
461 LOGIC PROGRAMMING ASSOC E&W-52	
169 MATHSOFT, INC. 193	
201 NATIONAL INSTRUMENTS CII	
265 SPECTRUM SOFTWARE	261
267 SPSS	125
269 STATSOFT, INC. 71	
821	IBM/MSDOS APPLICATIONS
	Miscellaneous
150 KNOWLEDGE GARDEN	361
822	IBM/MSDOS APPLICATIONS
	Word Processing
• MICROSOFT	8,9
823	IBM/MSDOS — CAD
21 AMS, INC.	334
25 AUTODESK	99
110 GENERIC SOFTWARE	187
111 GENERIC SOFTWARE	187
491 TECHNO COMPANY	MW-11
492 TECHNO COMPANY	MW-11
512 TECHNO COMPANY	NE-9
513 TECHNO COMPANY	NE-9
309 WINTEK CORPORATION	340
400 WINTEK CORPORATION	7
824	IBM/MSDOS COMMUNICATIONS
56 BLAST/COMM. RESEARCH GROUP 241	
57 BLAST/COMM. RESEARCH GROUP 241	
49 CENTURY SOFTWARE	78
88 DIVERSIFIED COMP. SYS., INC 337	
277 TALKING TECHNOLOGY, INC 342	
825	IBM/MSDOS — GRAPHICS
442 FORMOSA MICROSYSTEMS, INC E&W-105	
165 MAP INFO. CORP	146
826	IBM/MSDOS — LAN
91 DSC COMMUNICATIONS	161
• ELONEX	E&W-85
89 ESSEX SYSTEMS, INC.	102
90 ESSEX SYSTEMS, INC.	102
771 PERFORMANCE TECH	E&W-27
• TOPS	E&W-12
296 ULTIMATE TECHNOLOGY	332
827	IBM/MSDOS — LANGUAGES
26 AVOCET	35
38 BORLAND INTERNATIONAL	11
39 BORLAND INTERNATIONAL	11

Inquiry No.	Page No.
83 DIGITALK	104,105
114 HAMILTON LABORATORIES	72
• JENSEN & PARTNERS INT'L	77
153 LAHEY COMPUTER SYS	72
526 METAWARE	PC-5
• MICROSOFT	21
• MICROSOFT	176,177
• MICROSOFT	211
195 MIX SOFTWARE	235
196 MKS	82
270 STONY BROOK SOFTWARE	204
271 STONY BROOK SOFTWARE	204
289 TRANS ERA	281
290 TRANS ERA	281
294 TURBO POWER	310
• ZORTECH, INC	37
• ZORTECH, INC	89
828	IBM/MSDOS — UTILITIES
24 ATRON CADRE TECHNOLOGIES 533	
36 BLAISE COMPUTING, INC. 6	
415 C SOURCE, INC. E&W-31	
416 CARRASCO SOFTWARE E&W-66	
421 CLARION SOFTWARE E&W-25	
422 CLARION SOFTWARE E&W-25	
423 COBALT BLUE E&W-71	
424 COBALT BLUE E&W-71	
67 COMPUVIEW	70
101 FAIRCOM CORPORATION 272	
113 GOLDEN BOW SYSTEMS 337	
458 ISLAND SYSTEMS E&W-61	
143 JYACC	246,247
144 JYACC	246,247
163 LOGITECH	250
164 LOGITECH	250
170 MATRIX SOFTWARE	226
465 MATRIX SOFTWARE E&W-39	
178 MERRILL & BRYAN ENT. 84	
179 MERRILL & BRYAN ENT. 84	
468 MOSTLY MICE SOFTWARE E&W-66	
206 NU-MEGA TECHNOLOGIES 75	
218 PERISCOPE COMPANY, INC 231	
219 PERISCOPE COMPANY, INC 231	
221 PHAR-LAP SOFTWARE, INC. 119	
• QUARTERDECK	216A-P
234 QUARTERDECK	216,217
251 SCIENTIFIC ENDEAVORS 344	
252 SCIENTIFIC ENDEAVORS 344	
253 SCIENTIFIC ENDEAVORS 344	
779 SOFT OPTION	E&W-78
780 SOFTWARE DMI	E&W-64
275 SUPERSOFT	283
291 TRAVELING SOFTWARE, INC 73	
• VERMONT CREATIVE S/W	18
829	OTHER APPLICATIONS
	Business/Office
69 CRICHLow DATA SCIENCES 344	
830	OTHER — CROSS DEVELOPMENT
226 PSEUDOCORP	340
• SOFTWARE DEVELOPMENT SYS 117	
831	OTHER — LANGUAGES
34 BINARY TECHNOLOGY, INC. 336	
106 FRANKLIN SOFTWARE, INC. 222	
832	DESKTOP PUBLISHING
521 HANZON DATA, INC.	PC-6,7
522 HANZON DATA, INC.	PC-6,7
133 INTERCON ASSOCIATES, INC 218	
456 IQ ENGINEERING	E&W-43
457 IQ ENGINEERING	E&W-43
154 LASERGO, INC.	156
155 LASERGO, INC.	156
187 MICROPRESS	108
210 PACIFIC DATA PRODUCTS 153	
211 PACIFIC DATA PRODUCTS 153	
212 PACIFIC DATA PRODUCTS 183	
213 PACIFIC DATA PRODUCTS 183	
833	EDUCATIONAL/ INSTRUCTIONAL
316 ABACUS SOFTWARE, INC.	88
317 ABACUS SOFTWARE, INC.	88
403 ADDISON-WESLEY	E&W-51
22 ANNABOOKS	327
• BYTE BACK ISSUES	E&W-80
• BYTE BACK ISSUES	MW-4
• BYTE BACK ISSUES	PC-15
41 BYTE BITS	344
798 BYTE BITS	E&W-60
• BYTE BOOK CLUB	264A-B
• BYTE BOOK CLUB	264,265
• BYTE PUBLICATIONS	E&W-108
• BYTE PUBLICATIONS	SO-14,15
• BYTE SUB. MESSAGE	286
• BYTE SUB. MESSAGE	E&W-56
• BYTE SUB. SERVICE	E&W-46
• BYTEWEEK NEWSLETTER 359	
• BYTEWEEK/NEWSLETTER E&W-107	
50 CETRA	311
417 CETRA	E&W-106
793 COMDEX/EUROPE	E&W-81
794 COMDEX/EUROPE	E&W-81
• COMP. PROF. BK. SOCIETY 232A-B	
65 COMP. PROF. BK. SOCIETY 233	
87 DISKETTE EMPORIUM	348
• EXPOCONSUL INT'L	SO-9
523 HEALD INSTITUTE OF TECH PC-15	
• MCGRAW HILL SCHOOLS NRI 312A-B	
• OSBORNE/MCGRAW-HILL E&W-61	
217 P.C. TRONICS	332
• UNIXWORLD	296A-B
• UNIXWORLD	297
303 VIDEO TEXTBOOK TRAINING 222	
834	MAIL ORDER/ RETAIL
15 AMERICAN GROUP	339
406 AMERICAN BUYING & EXPORT E&W-76	
19 AMERICAN SEMI-CONDUCTOR 341	
20 AMERICAN SEMI-CONDUCTOR 341	
29 B & C MICROSYSTEMS, INC. 339	
30 B & C MICROSYSTEMS, INC 339	
• BUYERS MART	314,325
43 B&B ELECTRONICS	334
478 CAMERA DISCOUNT CTR	MW-5
479 CAMERA DISCOUNT CTR	MW-5
494 CAMERA DISCOUNT CTR	NE-7
495 CAMERA DISCOUNT CTR	NE-7
517 CAMERA DISCOUNT CTR	PC-18
518 CAMERA DISCOUNT CTR	PC-18
541 CAMERA DISCOUNT CTR	SO-5
542 CAMERA DISCOUNT CTR	SO-5
58 COMPUCLASSICS	300
425 COMPUSAVE INT'L	E&W-26
60 COMPUTER DISCOUNT WAREHOUSE 223	
61 COMPUTER FRIENDS, INC. 248	
66 COMPUTERLANE	343
543 CRAZY NANCY'S	SO-13
544 CRAZY NANCY'S	SO-13
• DAMARK INT'L	278
84 DISKOTECH	334
85 DISKOTECH	334
86 DISKETTE CONNECTION	325
795 ELEX INT'L	E&W-73
446 GREY MATTER	E&W-75
496 HARMONY COMPUTERS	NE-3
497 HARMONY COMPUTERS	NE-3
136 IQ BUSINESS PRODUCTS, INC 342	
126 I.C. EXPRESS	337
137 JADE COMPUTER	333
139 JAMECO ELECTRONICS 328,329	
835	MISCELLANEOUS
429 COSI SYSTEMS	E&W-64
459 IXI LTD	E&W-64
244 SAFEWARE	332
836	ON-LINE SERVICES
• BIX	282
450 BIX	304,305
411 BIX	E&W-82
837	OPERATING SYSTEMS
91 DSC COMMUNICATIONS	161
• IBM-OS/2	12,13
127 IGC	163
145 KADAK PRODUCTS	292
233 QUANTUM SOFTWARE SYS	49
249 SANTA CRUZ OPERATION	59
• SOFTWARE LINK	212
260 SOFTWARE LINK	213
261 SOFTWARE LINK	213
268 ST SYSTEMS	334
300 VENTURCOM	80
301 VENTURCOM	80

Inquiry No.	Page No.
140 JB TECHNOLOGIES, INC.	327
141 JB TECHNOLOGIES, INC.	327
6 JDR MICRODEVICES	347-349
7 JDR MICRODEVICES	347-349
524 JEMINI ELECTRONICS	PC-3
525 JEMINI ELECTRONICS	PC-3
500 LAPTOPS ETC	NE-2
168 MARYMAC INDUSTRIES, INC. 334	
466 MAYFAIR MICROS	E&W-48
480 MICRO IMAGE INT'L	MW-2
481 MICRO IMAGE INT'L	MW-2
502 MICRO IMAGE INT'L	NE-4
503 MICRO IMAGE INT'L	NE-4
527 MICRO IMAGE INT'L	PC-4
528 MICRO IMAGE INT'L	PC-4
183 MICRO MACRO MUNDO, INC. 327	
184 MICRO MACRO MUNDO, INC. 327	
• MICROCOMPUTING MKTG. CNCL. 363	
• MICROCOMPUTING MKTG. CNCL. MW-6	
• MICROCOMPUTING MKTG. CNCL. E&W-83	
188 MICROPROCESSORS UNLTD. 346	
• MICROWAY	29
192 MICROWAY	166
529 MICRO-MAIL	PC-11
530 MICRO-MAIL	PC-11
200 NATIONAL COMPUTER RIBBONS 148	
171 NEVADA COMPUTER CORP. 338	
313 PC BRAND, INC. 157,160C	
• PC CONNECTION	90,95
507 POINTECH	NE-15
774 PROGRAMMERS ODYSSEY E&W-47	
223 PROGRAMMERS PARADISE 53,55	
235 Q-TEK	340
487 RESOURCE CONCEPTS, INC MW-16	
488 RESOURCE CONCEPTS, INC MW-16	
510 RESOURCE CONCEPTS, INC NE-5	
511 RESOURCE CONCEPTS, INC NE-5	
535 RESOURCE CONCEPTS, INC PC-14	
536 RESOURCE CONCEPTS, INC PC-14	
551 RESOURCE CONCEPTS, INC SO-6	
552 RESOURCE CONCEPTS, INC SO-6	
243 R&R ELECTRONICS	336
254 SCOTTS DALE SYSTEMS	330
259 SN'W COMP. & ELECT	234
• SOFTLINE INT'L	E&W-35
225 TELEPHONE PRODUCTS CTR 330	
297 UNICORN ELECTRONICS	340
298 UNITEK, INC.	345
514 USA ELECTRONICS	NE-14
515 USA ELECTRONICS	NE-14
789 USA SOFTWARE	E&W-29

* Correspond directly with company.

REQUEST FREE INFORMATION BY FAX

Attention BYTE Readers!! Now you can fax your requests for free product and advertiser information featured in this issue.

Just fax this page to 1-413-637-4343. You'll save time because your request for information will be processed as soon as your fax is received.

- 1** Circle the numbers below which correspond to the numbers assigned to advertisers and products that interest you.
- 2** Check off the answers to questions "A" through "C".
- 3** Print your name, address, and fax number clearly on the form.
- 4** Remove this page or copy this page clearly and fax it to the number above.

Fill out this coupon carefully. PLEASE PRINT.

Name _____
 Title _____
 Company _____
 Address _____
 City _____
 State/Province _____ Zip _____
 Country _____
 (_____) (_____) _____
 Phone Number Fax Number

A. What is your level of management responsibility?

- 1 Senior-level Management
- 2 Other Management
- 3 Non-Management

B. What is your primary job function/principal area of responsibility? (Check one.)

- 4 Administration
- 5 Accounting/Finance
- 6 MIS/DP/Information Center
- 7 Product Design and Development
- 8 Research and Development
- 9 Manufacturing
- 10 Sales/Marketing
- 11 Purchasing
- 12 Personnel
- 13 Education/Training
- 14 Other: _____

C. Please indicate your organization's primary business activity: (Check one.)

Computer-Related Businesses:

- 15 Manufacturer (Hardware, Software)
- 16 Computer Retail Stores
- 17 Consultants
- 18 Service Bureau/Planning
- 19 Distributor/Wholesaler
- 20 Systems House/Integrator/VAR
- 21 Other: _____

Non-Computer-Related Businesses:

- 22 Manufacturing
- 23 Finance, Insurance, Real Estate
- 24 Retail/Wholesale
- 25 Education
- 26 Government
- 27 Military
- 28 Professions (Law, Medicine, Engineering, Architecture)
- 29 Consulting
- 30 Other Business Services
- 31 Transportation, Communications, Utilities
- 32 Other: _____

I subscribe to BYTE. I do not subscribe to BYTE.
 Please send me one year of BYTE Magazine for \$24.95 and bill me. Offer valid in U.S. and possessions only.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140
141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160
161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180
181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200
201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220
221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240
241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260
261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280
281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300
301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320
321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360
361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380
381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400
401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420
421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440
441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460
461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480
481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500
501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520
521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540
541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560
561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580
581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600
601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620
621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640
641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660
661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680
681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700
701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720
721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740
741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760
761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780
781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800
801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820
821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840
841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860
861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880
881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900
901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920
921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940
941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960
961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980
981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000
1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020
1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040
1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060
1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080
1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100
1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120
1121	1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140
1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160
1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180
1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200
1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220
1221	1222	1223	1224	1225	1226	1227	1228	1229	1230										



MARCH 1990

FREE INFORMATION

Want More Information About the Products and Advertisers Featured in this Issue?

- 1** Circle numbers on reply card which correspond to numbers assigned to items of interest to you.
- 2** Check all the appropriate answers to questions "A" through "C".
- 3** Print your name and address and mail.

Fill out this coupon carefully. PLEASE PRINT.

Name _____
 Title _____ (_____) Phone _____
 Company _____
 Address _____
 City _____ State _____ Zip _____

A. What is your level of management responsibility?

- 1 Senior-level Management
- 2 Other Management
- 3 Non-Management

B. What is your primary job function/principal area of responsibility? (Check one.)

- 4 Administration
- 5 Accounting/Finance
- 6 MIS/DPI/Information Center
- 7 Product Design and Development
- 8 Research and Development
- 9 Manufacturing
- 10 Sales/Marketing
- 11 Purchasing
- 12 Personnel
- 13 Education/Training
- 14 Other

C. Please indicate your organization's primary business activity: (Check one.)

- 15 Computer-Related Businesses: Manufacturer (Hardware, Software)

- 16 Computer Retail Stores
- 17 Consultants
- 18 Service Bureau/Planning
- 19 Distributor/Wholesaler
- 20 Systems House/Integrator/VAR
- 21 Other:
- Non-Computer-Related Businesses:**
- 22 Manufacturing
- 23 Finance, Insurance, Real Estate
- 24 Retail/Wholesale
- 25 Education
- 26 Government
- 27 Military
- 28 Professions (Law, Medicine, Engineering, Architecture)
- 29 Consulting
- 30 Other Business Services
- 31 Transportation, Communications, Utilities
- 32 Other:

MARCH
IRSD002

Please send me one year of BYTE Magazine for \$24.95 and bill me. Offer valid in U.S. and possessions only.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150
151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180
181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210
211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240
241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270
271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300
301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330
331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360
361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390
391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420
421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450
451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480
481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510
511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540
541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570
571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600
601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630
631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660
661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690
691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720
721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750
751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780
781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810
811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840
841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870
871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900
901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930
931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960
961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990
991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020
1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050
1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080
1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110
1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140
1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170
1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200
1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230

BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 176 PITTSFIELD, MA

POSTAGE WILL BE PAID BY ADDRESSEE

BYTE

READER SERVICE
 PO Box 5110
 Pittsfield, MA 01203-9926
 USA

NO POSTAGE
 NECESSARY
 IF MAILED
 IN THE
 UNITED STATES



FREE INFORMATION

Want More Information About the Products and Advertisers Featured in this Issue?

- 1** Circle numbers on reply card which correspond to numbers assigned to items of interest to you.
- 2** Check all the appropriate answers to questions "A" through "C".
- 3** Print your name and address and mail.



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 176 PITTSFIELD, MA

POSTAGE WILL BE PAID BY ADDRESSEE

BYTE

READER SERVICE
PO Box 5110
Pittsfield, MA 01203-9926
USA



Fill out this coupon carefully. PLEASE PRINT.

Name _____

Title _____ Phone _____

Company _____

Address _____

City _____ State _____ Zip _____

A. What is your level of management responsibility?

1 Senior-level Management

2 Other Management

3 Non-Management

B. What is your primary job function/principal area of responsibility? (Check one.)

- 4 Administration
- 5 Accounting/Finance
- 6 MIS/DP/Information Center
- 7 Product Design and Development
- 8 Research and Development
- 9 Manufacturing
- 10 Sales/Marketing
- 11 Purchasing
- 12 Personnel
- 13 Education/Training
- 14 Other:

C. Please indicate your organization's primary business activity: (Check one.)

- 15 Computer-Related Businesses: Manufacturer (Hardware, Software)

- 16 Computer Retail Stores
- 17 Consultants
- 18 Service Bureau/Planning
- 19 Distributor/Wholesaler
- 20 Systems House
- 21 Other: _____
- 22 Non-Computer-Related Businesses:
 - Manufacturing
 - Finance, Insurance, Real Estate
 - Retail/Wholesale
 - Education
 - Government
 - Military
 - Professions (Law, Medicine, Engineering, Architecture)
 - Consulting
 - Other Business Services
 - Transportation
 - Communications, Utilities
 - Other: _____

MARCH
IRSD002

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150
151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180
181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210
211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240
241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270
271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300
301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330
331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360
361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390
391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420
421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450
451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480
481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510
511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540
541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570
571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600
601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630
631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660
661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690
691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720
721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750
751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780
781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810
811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840
841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870
871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900
901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930
931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960
961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990
991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020
1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050
1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080
1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110
1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140
1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170
1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200
1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230

Please send me one year of BYTE Magazine for \$24.95 and bill me. Offer valid in U.S. and possessions only.

CHAOS MANOR MAIL

*Jerry Pournelle answers questions about his column
and related computer topics*

Furl/Fort, Continued

Dear Jerry,

Although most of your readers probably are not using the speed of light in furlongs per fortnight (furl/fort) in their day-to-day calculations, I believe that it is important to comment on William Matheson's letter (July 1989) concerning the appropriate number of significant digits.

CODATA (the Committee on Data for Science and Technology of the International Council of Scientific Unions) has defined the speed of light, c , as exactly 299,792,458 meters per second. Thus, the precision of c is not limited by the number of digits specified in the definition, and the value can be stated properly to any number of digits. Given that the conversion factors 2.54 centimeters/inch (SI units), 12 inches/foot, 660 feet/furlong, 86,400 seconds/mean solar day, and 14 mean solar days/fortnight are also exact by definition, the speed of light in furl/fort is also an exact number, expressible to any number of digits desired, using appropriate round-off rules. To 74 digits, $c = 1.8,026,174,997,852,541,-159,627,773,801,002,147,458,840,-372,226,198,997,852,541,156,220,-970,935,808 \times 10^{12}$ furl/fort. Although the uncertainty has been arbitrarily eliminated for the speed of light, it still exists in the measurement of time (the

second) and in the dependent measurement of length (the meter).

I should point out that relying on significant digits to determine the range of uncertainty of any number is potentially deceptive. Even if any of the numbers above were defined as significant numbers, the result of any computation with a significant number is not a significant number. As D. B. De Lury pointed out in a thoroughly enjoyable paper ("Computations with Approximate Numbers," *Physics Today*, August 1989), "People who take their computations seriously do not use significant numbers, nor do they necessarily state the results as significant numbers."

Richard Strickert
Austin, TX

*I doubt that this particular discussion
will ever end. It's great fun, though.*

—Jerry

Wanted: DOS Utility

Dear Jerry,

I would appreciate your advice on a DOS utility that I need and cannot find. I need a .BAT file for DOS 3.3 that will let me install a RAM drive in extended memory after booting up.

Here's the story. Using a 20-MHz 80386/80387 machine with 4 megabytes of RAM and running DOS 3.3, I review

engineering and scientific software. I look at four flavors of DOS software: those that ignore extended memory (e.g., StatGraphics), the most common type; those needing one or two RAM drives (e.g., the Microsoft C and FORTRAN compilers); those written with the Phar Lap tools and that make direct use of extended memory as main memory (e.g., Mathematica and APL*Plus II/386); and, finally, those that require expanded memory (e.g., Excel and MathCAD).

I would like to be able to boot the machine from the C drive with neither EMS nor RAM drives installed and then use .BAT files to set up what I need. There could be three options: Do nothing, set up one or two RAM drives, or set up expanded memory.

At present, I have to set up these various environments with separate boot floppy disks. That practice deprives me of the use of drive A throughout the session. The installation of the EMS environment, when required, is no problem using Quarterdeck's QEMM 386. But I can't find a way to launch the RAM drives after boot-up; they want to be planted at the boot. Very inconvenient.

Can you give me a reference to a DOS utility that could knock this problem?

Norm C. Peterson
Santa Monica, CA
continued

CUSTOM IBM® KEYS

Imagine the benefits of having your software commands color-coded and imprinted on your keyboard. Solve your training and productivity problems with Hooleon's full line of Custom Keyboard Services, including made-to-order custom keys, custom imprinted adhesive keytop labels, keyboard templates and more! Kits available for immediate delivery include WordPerfect™ and 5250 SnapCap™ Kits or Adhesive Keytop Labels, language conversions, relegendable keys for IBM®, Wyse™, Key Tronic™, and much more. Request your FREE 1990 Catalog today!

From the Leader in Keytop Innovations®... To order or for FREE Catalog, call:
(602) 634-7515
FAX: (602) 634-4620
P. O. Box 230, Dept. BYTE
Cornville, Arizona 86325

Hooleon
CORPORATION



I'm not aware of such a program, but if it exists, one of my readers will know. Incidentally, the fastest way to find out things like that is to ask on BIX. You'll often get an answer in hours.—Jerry

Sherlock Holmes on Disk

Dear Jerry,

Your column about CD-ROMs (September 1989) mentioned the availability of the complete text of the 60 Sherlock Holmes stories, both on floppy disks and on CD-ROM. Although you gave your readers a source for the CD-ROM version, I thought that some of them might be interested in knowing where they can

purchase the floppy disk-based set as well.

The MS-DOS version (15 5/4-inch or eight 3 1/2-inch disks), called An Electronic Holmes Companion, is available for \$59.95 plus \$3 shipping from Psychology Systems (P.O. Box 315, Tolland, CT 06084). A six-disk version for the Macintosh, The Macintosh Holmes Companion, is available for the same price from Baker Street Software (P.O. Box 2712, Santa Clara, CA 95055).

The text, which was scanned through a Palantir (now Calera Systems) Compound Document Processor optical-character-recognition scanner, is identi-

cal for all three products. However, the supporting software does differ from version to version.



Robert J. Stek
Tolland, CT

Thanks, and apologies; I thought I had mentioned it in the column.—Jerry ■

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. He can be reached c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458, or on BIX as "jerryip."

See Us At
Interface
Booth #950

PC XNET
THE CARD THAT BRINGS X.25 PERFORMANCE
TO YOUR PERSONAL COMPUTER
THINK ABOUT IT!



And think about OST, the European leader in the field of private X.25 networks! Our PC XNET card, an option/adaptor card for personal computers, provides two channels, each supporting 128 virtual circuits and speeds to 64 kbps. The PC XNET card provides a level of performance never before reached in a personal computer. Easy access via MS DOS, XENIX and NETBIOS makes the PC XNET card the perfect tool for emulating terminals and file servers or providing a gateway to Local Area Networks. Fully compatible with many protocols such as X.25, X.32 and X.21, the PC XNET card enables computers to be connected to any type of network. Furthermore, applications programs you develop on the PC XNET card can be transferred to the PC SNET card, OST's ISDN interface card. So, if you are thinking of X.25 capability for your computer think about OST.


OST, SA
Rue du Bas-Village. Z.I. Sud-Est
35515 Cesson-Sévigné Cedex
Tel. : (33) 99.32.50.50
Fax : (33) 99.41.71.75. Telex : 730839



OST, Inc
14225 - F Sullyfield Circle
Chantilly, VA 22021
Tel. : (1) 703 817 0400
Fax : (1) 703 817 0402

Networking Intelligence

Quality In... Quality Out



No matter how well acquainted you are with making important personal computing decisions—decisions that may involve hundreds of thousands of dollars—the value of those decisions is only as good as the value of your information. Without quality information—it's hard to make quality decisions.

BYTEweek, McGraw-Hill's new weekly newsletter for professionals in the personal computer industry, is devoted to giving you that quality information through its timely and compact one-stop news format.

This new publication provides you with short, easy-to-read selections of the most important news and technological developments of the past week. And BYTEweek interprets this news with in-depth commentary and analysis.

Subscribe to BYTEweek for quality information. Remember, quality in...quality out.

Subscribe now and take advantage of the special one-year charter subscription rate of \$395 (\$495 outside the U.S. and Canada). This special price represents a savings of \$100 off the regular rate. Your subscription includes 50 issues plus a free three-month subscription to BIX—a \$49 value. Through BIX you can directly access the Microbytes Daily news service and communicate with other BIX users.

Don't miss this opportunity! In the U.S., call BYTEweek's toll-free number: **1-800-258-5485**, in N.H. and outside the U.S., call: 1-603-924-9281.

BYTEweek offers a *money-back guarantee* if you're not completely satisfied.

BYTEWEEK 

News and Analysis for Professionals in the Personal Computing Industry
One Phoenix Mill Lane, Peterborough, NH 03458

PRINT QUEUE

Hugh Kenner

Our Man in Berkeley

Against a background of bureaucratic apathy, a heroic hacker tracks down an international computer spy

Finally, a computer book guaranteed to keep you up late turning pages. No, not the *68030 Assembly Language Reference* today's mail brought me. What has left me agog is Clifford Stoll's *The Cuckoo's Egg: Tracking a Spy Through the Maze of Computer Espionage* (1989, Doubleday, New York, \$19.95).

The Cuckoo's Egg is Stoll's account of the year he spent tracking a computer spy, against such obstacles as these: no funding to speak of; cold shoulders at the CIA, the FBI, the military—just about every outfit that should have been interested; a boss who kept blowing his stack about wasted time; a girlfriend, Martha, who'd pout as often as Stoll's beeper interfered with romance ("He's logging on again!"); a background in astronomy, not in computing, and certainly not in counter-espionage; a jeans-and-sneakers mind-set that kept him asking what he was doing anyway, playing the game of the buttoned-down establishment.

In fairness to the buttoned-down, I ought to report that Stoll in person—anyway, on TV, where Connie Chung chatted with him last December—can seem hard to take seriously. Central Casting's classic nerd, fidgeting, grinning, grimacing, in utter indifference to appalling clutter: Even cool Connie could barely conceal her amusement. Had she wandered into an outtake from *Animal House*? But when printed pages screen such mannerisms, we gain access to an exceptional mind. One thing is sure: Clifford Stoll is a born writer.

Not a paragraph is wasted. What seems at first like self-indulgent reverie—the interluding with Martha—comes cycling up through the narrative when, as late as page 208, it's Martha, while sharing a shower, who dreams up Operation Showerhead, the crucial break in the case. (A smart woman indeed. She's now Mrs. Stoll. And our classic hippie had thought he'd

never do so bourgeois a thing as marry!)

Oh—speaking of domesticity, ignore the cookie recipe on page 126. It's grotesquely unhealthy. Apart from that, savor every page.


In the best Len Deighton tradition, it all starts in August 1986 with a shortfall of 75 cents in a month's total of \$2387. At the Lawrence Berkeley Lab, a few seconds' machine time had gone unpaid for. It seemed worth tracking down only because it might point to a bug in the accounting software. What it pointed to was a new user who'd not been properly installed. But no one at Berkeley had installed him. And his brief sojourn had coincided with an attempt, from Berkeley, to break into a system in Maryland.


That 75 cents thereafter haunts the narrative. A main reason the FBI would refuse to get interested was disdain for damages lower than half a million. Six bits? A federal case? You can hear the snickers. Even when it could be demonstrated that Mr. Baddie was rifling the files of military computers, the FBI had its mind fixed on 75 cents.

The cuckoo lays its eggs for other birds to hatch, and the cuckoo's egg of Stoll's title is laid by the intruder, in distant systems, to earn himself superuser privileges. A Unix superuser can go anywhere, poke into anything. To lay the egg, he needs to at least log on, and our man achieved that far too often for comfort. A profile slowly emerges. He is patient, thorough, textbook-Germanic. (Likely, too, a chain-smoker; passwords he favors include Benson and Hedges.) He's not fluent in the Berkeley dialect of Unix. But he's aware that systems get shipped with factory account names and passwords the buyers are admonished to alter but often don't. "Field" and "Service" are two common ones on a VAX.

And, once logged on, suppose he finds a long list of

continued





Un-retouched VGA screen image. Special hardware required for motion video.

Introducing the door into Windows!

Easy access to Windows

KnowledgePro (Windows) contains high-level commands for manipulating screen objects, lists, text, fonts, rules, external files and bitmap images. DLL and DDE support lets you integrate your own C routines with KnowledgePro and link your application directly to Excel and other Windows programs.

At a price you can afford

KnowledgePro (Windows) costs \$695 with no runtime fees for applications. KnowledgePro for DOS costs \$495. The systems run on IBM PC, XT, AT and PS/2 compatible machines with 640k of memory and a hard disk. KnowledgePro (Windows) requires Microsoft Windows 286 or 386 version 2.x or greater.

Call 518-766-3000 (FAX 518-766-3003) for more information or write to: Knowledge Garden Inc., 473A Malden Bridge Rd., Nassau, NY 12123 USA. Amex, Visa or M/C accepted.

Another
intelligent
tool from



encrypted passwords? Encrypted by a trapdoor algorithm that isn't reversible? No problem. He downloads the list and then has a program use the (public) algorithm to encrypt every word in the dictionary till it finds a match. Careless folk use dictionary words, instead of words like *fumblefoot*, for passwords. Systems we taxpayers underwrite seem to abound in fumble-footed carelessness.

Thus, there was the time he got onto Air Force Systems Command, Space Division. (A third try got him on, with user name "Field," password "Service." Good old VAX.) He saw a warning that his password had expired, complete with instructions for updating it. Euphoria made him disregard that instruction; "Service"—a lucky guess—was letting him read, write, even erase, absolutely anything. Euphoric, he stayed on, down-

The system in Hannover isn't computerized. To trace a call there, a man on the premises must search through miles of wire. He'll need an hour.



loading files, for 2 hours. But later ("Password Expired") he couldn't get back on.

Yet, once again, no problem. A few days afterward, they'd reenabled "Field" with the same old password. "The service technician," Stoll writes, "may have noticed that the account had expired, and asked the system manager to reset the password." As the system manager did. Without a moment's thought. (Why think up a new password?) So here's our man, back again, again using "Service," which works as it did before; for that matter, as when that VAX left the factory.

And no one seems to be following all this save Cliff Stoll. At Berkeley, where he's meant to be doing astronomy, he keeps, on old printers that can jam, a tireless log—piles of printout—of every time our man uses the Berkeley system to effect entry to the U.S. One day, a jammed printer loses maybe 20 minutes of illicit activity. My one question, since Stoll does mention floppy disks, which of course have limited capacity, is whether or why Lawrence-at-Berkeley didn't boast such a thing as a good-size hard disk drive.

Anyway, Stoll's beeper sounds for each unauthorized entry. (Martha moans as he dashes off on his bike.) The CIA won't give Stoll the time of day. The FBI's attitude we've noted. Forget NSA, OSI, DOE, even FCI. ("Federal Cat Inspector?" Stoll did wonder. It turned out to mean "Foreign Counter-Intelligence.") For months, his sole link to sanity was a man named Steve.

Steve White, an Englishman based in Vienna, Virginia, works for Tymnet, seeing that its links stay flawless. "To him,

the network is a gossamer web of connections: invisible threads that appear and disappear every few seconds. Each of his three thousand nodes have to be able to instantly talk to each other." If you saw two kludges in that last sentence, you see why I wish Doubleday did better copy editing. And if your eyes lit up at the mention of Tymnet, chances are you subscribe to BIX or some other service that uses Tymnet's skill at linking anything instantly to anything via threads of addresses.

By now we've worked out that our man is in Germany. His link to the U.S. is the Tymnet International Gateway. His link to Stoll's computer is domestic Tymnet. His link to some 400 Milnet (military) computers is normally via Stoll. He doesn't know Stoll is listening. Nor does he know about Steve White.

A beep tells Stoll our man is logging on. Stoll's instant reflex is a call to Steve. And, so expert is Steve, he's soon tracing those calls in under a minute, all the way back to (usually) Hannover, West Germany. German telecommunications are state-run. Soon Steve has established contact with a Bundespost sleuth named Wolfgang Hoffman. For Hoffman—at last for someone!—the game was afoot. But he needed an order from the FBI. The FBI... well, there are space limits on this review.

Briefly: You can trace a call quickly in a computerized telephone system. But the system in Hannover isn't computerized. To trace a call there, a man on the premises must search through miles of wire. He'll need an hour. Also, since our felon makes his calls at night—low transatlantic rates—Hoffman's man will need to be in the building after closing time. Over-time, you see. That will all take some bureaucratic nudging.

Well, the FBI wasn't interested (75 cents!), nor was the CIA, nor any of the rest. That was where Operation Showerhead came in. The first thing was to keep our man on for an hour—a man who'd been logging on and off in minutes. But—forget all those agencies—we don't need anyone's permission to put stuff into our own computer. So why not stuff it full of military secrets (pseudo)? And trust our man to bite?

As they did. They stuffed Stoll's machine full of SDINET, which looked like a top-secret Berkeley contract and was actually genuine military gobbledygook spiced with just enough pseudodata to look sexy. They even invented a typist named Barbara Sherwin, charmingly inept as she fumbled with her new word processor to upload new stuff every few days but occasionally taking a day off when Stoll couldn't stand any more. She even left a form letter about how you could get more information by sending your name and address to the project office.

Our man bit. His name turned out to be Markus Hess. The chap who looked over his shoulder and fed findings to the KGB was supporting a cocaine habit. No, nothing political. Just cash for cocaine. What the KGB's been making of SDINET is another question. This book will be prompting a ferocious assault on (doubtless computerized) files.

Hess is out on bail, still smoking Benson & Hedges, still awaiting trial. The charred bones of his sponsor were found last May 23, next to a melted can of gasoline. No suicide note, although the suspicious may discern KGB fingerprints.


The Stolls are in Cambridge, Massachusetts, now. That's a long way from Berkeley. He lectures on computer security (who better qualified?) and writes astrophysics software. They live with "two cats which he pretends to dislike." ■

Hugh Kenner is a professor of English at Johns Hopkins University. His reviews have appeared in publications like the New York Times and Harper's. His recent books include A Sinking Island and Mazes. He can be contacted on BIX as "hkenner."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

Buy with

Confidence



In an effort to make your telephone purchasing a more successful and pleasurable activity, The Microcomputer Marketing Council of the Direct Marketing Association, Inc. offers this advice, "A knowledgeable buyer will be a successful buyer." These are specific facts you should know about the prospective seller before placing an order:

Ask These Important Questions

- How long has the company been in business?
- Does the company offer technical assistance?
- Is there a service facility?
- Are manufacturer's warranties handled through the company?
- Does the seller have formal return and refund policies?
- Is there an additional charge for use of credit cards?
- Are credit card charges held until time of shipment?
- What are shipping costs for items ordered?

Reputable computer dealers will answer all these questions to your satisfaction. Don't settle for less when buying your computer hardware, software, peripherals and supplies.

Purchasing Guidelines

- State as completely and accurately as you can what merchandise you want including brand name, model number, catalog number.
- Establish that the item is in stock and confirm shipping date.
- Confirm that the price is as advertised.
- Obtain an order number and identification of the sales representative.
- Make a record of your order, noting exact price including shipping, date of order, promised shipping date and order number.


If you ever have a problem, remember to deal first with the seller. If you cannot resolve the problem, write to MAIL ORDER ACTION LINE, c/o DMA, 6 E. 43rd St., New York, NY 10017.

This message is brought to you by:

the MICROCOMPUTER
MARKETING COUNCIL
of the Direct Marketing
Association, Inc.
6 E. 43rd St.,
New York, NY 10017

MMCG

MICROCOMPUTER
MARKETING COUNCIL
of the Direct Marketing Association, Inc.





A FOOLISH CONSISTENCY

Let's make users' work easier, not just more consistent

In the beginning, a few lone voices called out for "consistent user interfaces." Today, that cry has become a deafening chorus, one of few points of agreement among user interface designers.

Encouraged by the success of the Macintosh interface, other companies are adopting a consistent look and feel; observe IBM's major investment in Microsoft Windows, Presentation Manager, and Common User Access. Guidelines for user interface designers stress consistency above other considerations. Then there are programs that analyze user interfaces for consistency or even generate consistent interfaces, and "user interface management systems" designed to facilitate consistency by isolating the user interface code.

Have we gone too far? I think so. Granted, it's annoying if a new keyboard has the Escape key in an unfamiliar location. And although we may not care whether we perform a certain function by single-clicking or double-clicking, we'd like every application to do it the same way. But "consistency" is an unreliable guide. Some consistent designs are bad, and others are adequate but less than ideal. The greatest danger is that advocating user interface consistency can distract designers from the best approach

Stop Bit is an open forum for informed opinion on topics related to personal computing. The opinions expressed are those of the author and not necessarily those of BYTE or its staff. Your contributions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

to design: learning as much as possible about the application's eventual users.

One problem with the notion of consistency is that the designer must determine what aspect should be consistent—often a very difficult choice. (An extreme example: spelling every word backward would be consistent, but a foolish consistency.) In many cases, the issue is subtle: If you're abbreviating a set of command names, should you use truncation (e.g., "de" for "delete"), vowel deletion ("dlt"), or a single-letter strategy ("d")? It depends on how the abbreviations will be used. If the user is to type the commands from memory, truncation is better. If he or she will read the abbreviation—on a key cap, for example—vowel deletion is better and a longer abbreviation is OK. If the user will type the abbreviation many times, or be presented with a menu, a single-letter strategy that minimizes keystrokes might be best.

Working in product development, I've found that my fellow software engineers often use the consistency argument to justify bad designs. In particular, they may want the interface to be consistent with the underlying software architecture and terminology—thus, for example, designing error messages that contain terminology or code numbers that are meaningful to programmers but confusing to users.

Sometimes, *no* consistency (as we usually think of it) helps with design. Consider the typewriter keyboard. The first keyboard, over a century ago, was laid out alphabetically. Many calculators also used alphabetic keyboards. After all, that's consistent with how we learn and often see the letters of the alphabet. But the most efficient keyboard designs are based on careful studies of the hands and fingers, of how our motor control system works in typing, and on characteristics of our language.

Another example: When a pop-up menu appears, should the default menu item be the choice that will be easiest for

the user? The first system I used consistently defaulted to the first item in the menu. After that, I used a system that consistently defaulted to the item that I had last chosen—this was often what I wanted, and I liked it.

But now I use an even better system, one that uses *no* consistent default algorithm. In many cases, it defaults to my most recent choice. Sometimes, though, it alternates: If I choose Copy, the next time I bring up that menu, it defaults to Paste—which is usually what I want to do. At other times, the system may suspect what I want to do but refuses to default to it. For example, when I select a dangerous operation, a menu appears with Confirm or Cancel as choices. Even though I almost always choose Confirm, it always defaults to Cancel.


What about the clear benefits that Apple has reaped from its consistent interface? Here, too, consistency might prove to be a hindrance in the long run. Certain features of the Macintosh were optimized for the original small, single-task display.

Take the menu bar at the top of the Mac display. With larger displays and multiple windows, moving to the menu bar takes longer. Users might also be confused as to which application controls the menu bar. Other menu designs may prove to be better for large displays. In fact, HyperCard's "tear-off" menus are a crack in the wall of Macintosh pull-down menu consistency.


This is not to pick on the trailblazing Macintosh interface, just a reminder that designers can never rest on past achievements. Consistency makes sense only if it makes users' work easier. ■

Jonathan Grudin has developed and published articles on user interfaces for several years. Currently on leave from the Microelectronics and Computer Technology Corp., he is teaching at Aarhus University in Denmark. He can be reached on BIX c/o "editors."

If you haven't seen LabVIEW® 2, ask someone who has...



LabVIEW 2 front panel user interface



LabVIEW 2 block diagram program

"Perhaps the new version of National Instruments' LabVIEW will emerge as a de facto standard."

– **John M. Fluke, Jr., Chairman,**
John Fluke Manufacturing Co., Inc.

"LabVIEW 2 is the leader of data acquisition software, probably the most powerful product for data acquisition, analysis, and control on any microcomputer."

– **John Rizzo, Technical Editor,**
MacUser Magazine

"The flexibility of LabVIEW 2 has prompted me to use it as the cornerstone of my future business."

– **Steve Conquergood, Chief Design Engineer,**
CXT Limited

"LabVIEW has been the most valuable computer-based tool I have encountered in the past 10 years. I estimate the LabVIEW programming effort at two man-months, as opposed to the two man-years requested for our advanced workstation."

– **Gary W. Johnson, Electronics Engineer,**
Lawrence Livermore National Laboratory

"We did it! LabVIEW 2 is everything we visualized when we set out over six years ago to create the next generation instrumentation software technology. Our free LabVIEW 2 upgrade program is our way of thanking the thousands of pioneering users who helped make this revolution possible."

– **James Truchard, Ph.D., President,**
National Instruments

"Compared to the already excellent release 1.2, LabVIEW 2 is improved in virtually every way. Compared to 'traditional' software, it's almost shocking. Worth the wait? You could say I've been waiting nearly a decade, since personal computers first came out, for something to bring it all together the way LabVIEW does."

– **Scott Jordan, Product Line Manager,**
Newport Corporation

"With LabVIEW's modular system, I can visualize my test systems as a hierarchy of individual, interchangeable components, resulting in shorter development time, increased functionality, and greater execution efficiency."

– **Michael Porter, Test Systems Engineer,**
CODEX Corporation

"I give LabVIEW high marks for its conceptual ease and its ability to adapt. Using LabVIEW, I have developed a sophisticated process control system for our distillation laboratories that is comprehensive yet can be easily configured."

– **Glenn Graham, Research and Development Engineer,**
Union Carbide Corporation



The Software is the Instrument™

6504 Bridge Point Parkway
Austin, TX 78730-5039
(512) 794-0100
(800) 433-3488 (U.S. and Canada)
Fax (512) 794-8411

Nihon National Instruments K.K. (Japan) (3) 788-1921 • National Instruments of France (1) 4865 3370
National Instruments of Italy (2) 4830-1892 • National Instruments United Kingdom (06) 355-23-545

Circle 201 on Reader Service Card

MANAGEMENT

Tandy[®] Business Systems

Step up to
power planning.

What the future holds is in your hands . . . today. With a 386™-based Tandy Business System, you'll have the power you need to set—and reach—your strategic objectives.

Quickly transform raw data into useful information. Compile a spreadsheet to compare current and previous figures, then graph the results to see once-hidden trends.

Pinpoint those areas needing improvement, outline your plan and create PERT charts to support your formal proposal.

You won't be charting your course alone—Radio Shack offers the best support services in the industry.


Success? Plan on it with a Tandy Business System.

Radio Shack[®]
COMPUTER CENTERS

A DIVISION OF TANDY CORPORATION

386/TM licensed from Intel Corp.

Circle 236 on Reader Service Card



General Machining and Tool Company Fiscal Year Ending 1989

Balance Sheet	January	February	March	April	May	June	July	August	Sept.
Assets									
Current Assets	\$15,000	\$15,800	\$16,200	\$31,071	\$24,708	\$33,560	\$37,384	\$41,484	\$5
Cash & Equivalents	10,000	10,000	10,000	10,000	10,000	10,000	10,000	10,000	10,000
Accounts Receivable	10,000	5,000	10,000	5,000	10,000	5,000	10,000	5,000	10,000
Inventory	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000
Other Current Assets									
Total Current Assets	40,000	35,786	43,200	35,000	30,000	40,000	40,000	40,000	40,000
Plant, Property, & Equipment	75,000	75,000	75,000	75,000	75,000	75,000	75,000	75,000	75,000
Less Accumulated Depreciation	(18,000)	(18,000)	(18,000)	(18,000)	(18,000)	(18,000)	(18,000)	(18,000)	(18,000)
Net Plant, Property, & Equipment	57,000	57,000	57,000	57,000	57,000	57,000	57,000	57,000	57,000
Other Noncurrent Assets	0	0	0	0	0	0	0	0	0
Total Assets	97,000	92,786	100,200	92,000	105,000	115,000	115,000	115,000	115,000

General Machining and Tool Company - Sales Forecast

Forecasting Input	January	February	March	April	May	June	July	August	Sept.
Initial Cash Investment	\$15,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000
Fixed Cash Investment Rate	12.00%	2,500	2,500	2,800	2,900	2,900	2,900	2,900	2,900
After-Tax Return on Investment Rate	8.00%	3,000	3,000	3,000	3,000	3,000	3,000	3,000	3,000
Present Discount Rate	12.00%	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
After-Tax Discount Rate	8.00%	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Fixed Costs	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Cost of Sales	30%	30%	30%	30%	30%	30%	30%	30%	30%
Cost Category 1 Costs	\$2,500	\$2,500	\$2,500	\$2,500	\$2,500	\$2,500	\$2,500	\$2,500	\$2,500
Cost Category 2 Costs	0	0	0	0	0	0	0	0	0
Cost Category 3 Costs	0	0	0	0	0	0	0	0	0
Interest Expense	0	0	0	0	0	0	0	0	0
Marginal Income Tax Rate	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%	25.00%
Depreciation	1,250	1,250	1,250	1,250	1,250	1,250	1,250	1,250	1,250
Other Noncash Expenses	10,000	10,000	10,000	10,000	10,000	10,000	10,000	10,000	10,000
Debt Principal Payments	22,500	22,500	17,500	15,000	12,500	10,000	7,500	5,000	2,500
Other Cash Nonrecognition	70%	20%	20%	20%	20%	20%	20%	20%	20%
Cash Residual	\$10,000	\$14,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000
Transaction Discount Costs	(2,500)	(2,500)	(2,500)	(2,500)	(2,500)	(2,500)	(2,500)	(2,500)	(2,500)
Outstanding Debt on Asset	0	0	0	0	0	0	0	0	0
Nonrecognition Portion of Residual	7,000	11,000	7,500	7,500	7,500	7,500	7,500	7,500	7,500
Marginal Tax Rate on Residual	25%	25%	25%	25%	25%	25%	25%	25%	25%

Profit and Loss Statement	January	February	March	April	May	June	July	August	Sept.
Sales	3,000	3,000	3,000	3,000	3,000	3,000	3,000	3,000	3,000
Cost of Sales	(900)	(900)	(900)	(900)	(900)	(900)	(900)	(900)	(900)
Margin	2,100	2,100	2,100	2,100	2,100	2,100	2,100	2,100	2,100
Expenses									
Year 1	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
Year 2	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
Year 3	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
Operating Expenses	(3,000)	(3,000)	(3,000)	(3,000)	(3,000)	(3,000)	(3,000)	(3,000)	(3,000)
Operating Income	0	0	0	0	0	0	0	0	0
Income (Loss) Before Taxes	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000
Income Tax Expense (Benefit)	(6,250)	(6,250)	(6,250)	(6,250)	(6,250)	(6,250)	(6,250)	(6,250)	(6,250)
Income (Loss) After Taxes	\$18,750	\$18,750	\$18,750	\$18,750	\$18,750	\$18,750	\$18,750	\$18,750	\$18,750