AN ARGUS SPECIALIST PUBLICATION

The latest facts of over a

April 1983 85p

Citizens' Band

Britain's Leading CB Monthly CORPORATIN


British Built British Designed **MAGPIE AUTOSCAN 5000CB** The first of a new breed

WAGNER COMPACT 40 Space saving CB



CB Q&A Your questions answered

CORDLESS 'PHONES An in-depth report





#### ABC Cover this Month

On the cover we feature the Magpie Autoscan 5000 and for a full report on the rig turn to page 18. Which reminds me.

An alcoholic prize was offered by the landlord of a pub, situated in a little coastal town, to any of his customers who could build a flying machine and stay airborne for one minute.

Actual Ace and Captain Pugwash, being two very thirsty chaps, immediately set about building themselves machines. They were the only two competitors to turn up on the appointed day. Actual's machine looked like a giant bumble bee and, upon launch and after a magnificent effort, he crashed 30 seconds later into the sea. Upon being rescued, he was fined for having a sea bee without a licence. The Cap'n tried next in his machine made out of bits and pieces from an old gas cooker — and he soared up and away the clear winner. On landing he was fined for using a burner!

However, the prize was duly awarded and, although the Ace was highly commended for his effort, a case of gin was awarded to the Cap'n. Hence the saying... NOWT FOR THE TRYING MAN AND GIN TO THE FLIER!!!

The contents of this publication including all articles, designs, plans, drawings and programs and all copyright and other intellectual property rights therein belong to Argus Specialist Publications Limited. All rights conferred by the Law of Copyright and other intellectual property rights and by virtue of international copyright conventions are specifically reserved to Argus Specialist Publications Limited and any reproduction requires the prior written consent of the Company. © 1982 Argus Specialist Publications Limited.

CITIZENS' BAND is normally published on the third Friday of each month prior to cover date.

CITIZENS' BAND, 145 Charing Cross Road, London WC2H 0EE. 01-437-1002. Published by Argus Specialist Publications Ltd. Distributed by Argus Press Sales & Distribution Ltd., 12-18 Paul Street, London EC2A 4JS. Printed by Alabaster Passmore & Sons Ltd., London & Maidstone.

#### **APRIL 1983**

Fergerine Contraction	
Update	
CB Q&A	
Twong	
Rig Review — Magpie Autoscan 5000 .	
Break in the Hills	
Cordless Phones	
Rig Check — Wagner Compact 40 Three Wheels On My Wagner	
Mack Chat Just A Song At Twilight	
OSLs	
Competition	
Back Chat	
Clubs	
Reference Section	multiante constant de la filia de
And Charles and the second sec	an area and same from the second

**VOLUME 3 NUMBER 5** 



# TECTEL

# **C.B. ACCESSORIES**

MRF 450A	£14.00
MRF 475	£4.00
Broad Band Filter	£10.50
Microphone Pre-Amp with Roger Beep .	£10.00
Direction Finder Equipment	£18.00
Echo chamber (enhanced modulation)	£49.95
Crow Bar (over voltage protection)	£5.50
Half Watt Switch Box	£4.00
2A Power Supply	£12.50
	(+ VAT)

#### SEND CHEQUE OR P.O. TO:

TECTEL Halesfield 14, Telford, Shropshire.

**TELEPHONE: Teiford (0952) 580604** 

Package & postage £1.50 payable to Tectel. (Orders over £30 p&p **FREE**). Delivery within 21 days.



Armstrong

**STATESIDE TRADING LIMITED** The antenna that OUTPERFORMS K40 in mobile tests in the USA

# NOW IN THE UK! HERE'S PROOF: Armstrong is the new leader!

COPPER PLATED (adds 1 DB gain) 17-7 PH stainless steel. Tapered whip with static tip — factory preset — minimum SWR.\_\_\_\_\_

SOLID MACHINED BRASS, triple chrome plated for corrosion-free, attractive appearance.

Molded NORYL — highest quality engineering plastic available — impervious to elements.

First truly hollow coil form — less than 1% variance from antenna to antenna.

Special high strength low loss glass-filled NORYL plastic. Heavy duty copper wire coil. 500 watts continuous operation rating — 1000 watts intermittent operating rating.

Silver, plated beryllium copper contact spring.-

58-AU type cable 95% braid coverage sealed against water and moisture.

Solid machined brass, triple chrome plated for corrosion-free, attractive appearance.

## not the most expensive JUST THE BEST! AVAILABLE AT ALL GOOD CB SHOPS! SHOPKEEPERSI If you feel your customers deserve the best, tel. Tony King on (0952) 815154 for your nearest master distributor

STATESIDE TRADING, AUDLEY AVENUE, NEWPORT, SHROPSHIRE.

CLARENS' BAND APPRIL 1983

5

24-MONTH LIMITED WARRANTY Armstrong Industries, division of Monitor Crystal Service Inc., warrants each new product to be free from defects in material and workmanship under normal use and service for a period of 24 months from delivery to the ultimate consumer.

ALL-AMERICAN

For complete information, consult the written warranty of Armstrong Industries.

**TRIPLE GUARANTEE** 1. The Armstrong Antenna will outperform any equivalent antenna it replaces, or you will receive a prompt, fuil refund from the Armstrong dealer who sold it to you. 2. Guaranteed satisfaction with 24-month Limited Warranty. 3. Plus, lifetime coil burn-out Guarantee.

manna

All hardware is stainless steel - WILL NOT RUST.

UNI-AXIS ball joint tilts full 45° in all directions for perfect vertical positioning.

> IN-LINE / connector simplifies antenna installation.

SHUNT FED coils for quieter reception.

QUICK DISCONNECT — 1-3/4 turn, water tight. Available in seven (7) different mounts.



NEWS

FROM

WORLD

THE

CB

**NEWS** 

FROM

WORL

# UPDATE

Sir Kenneth Newman, Metropolitan Commissioner of Police recently unveiled his proposals to lessen crime on the streets of London. He described these proposals as 'first aid measures' and on a recent TV interview suggested how the public could help by being more aware. On the same programme a group of people were seen patrolling a housing estate in the USA and demonstrated how they had brought in CB radio to assist them.

The Commissioner insists — and rightly so — that it is not envisaged that the public should form themselves into vigilante groups but it is hoped that the local police will see an increase in the amount of support or information that will enable them to carry out their duties with a higher level of success. He made no mention of CB radio.

When used properly CB enthusiasts can be a great asset to any community. Already, in some rural areas the police recognise the value of having a large number of mobile CBers in their area. More than once these breakers have been asked for help in using their CBs to become part of a search unit and have done the job well. One mobile police car cannot be everywhere at once but breakers out on the road see plenty — and not just dodgy road conditions either. Why not in London? Why not anywhere for that matter.

I am certain that as CB grows up and the benefit of quick and reliable communications are seen to be beneficial in each and every community then, and only then, will it be granted the status and respect that it deserves.

**Chris Adam-Smith** 

#### Ear And There

Now this is what I needed this morning. There I was, on the rail platform, with my little ears freezing off wishing I had some old-fashioned muffs to keep them warm. Lo and behold, when I get to the office, there's some great news from Shogun. It fair blasted the icicles from my lobes.

That's because Shogun, bless their hearts, have announced the arrival of the Music Muff. It's a personal stereo radio and microcassette player that is completely without wires. The Muff looks like a pair of lightweight headphones, but cunningly concealed on the left ear is an FM radio complete with built-in antenna. On the right ear there's a cassette player designed to play the new stereo micro-cassettes.

Both radio and cassettes can be enjoyed in stereo and because micro-cassettes are small you can carry five in place of once ordinary cassette.

The Music Muff is already on sale. Trouble is right now there's a shortage of music on micro-cassette. It costs £69.95 and you can get more details from *Sunrise Products, Colliers Farm, Henley On Thames, Oxon RG9 6NR.* KW



Psst! Wanna Sponsor? mailbags an

Calling all Junior Breakers. The Cancer Reasearch Campaign is inviting you to 'Get Sponsored' their 1983 picnic at the Royal Showground, Stoneleigh, Kenilworth, Warwickshire over the Spring Bank holiday – 28th-30th May '83.

What you have to do is get people to sponsor your journey to the Picnic. Last year, people cycled, rode on horseback, rollerskated, went in a covered wagon, pushed a bed, a gigantic mock banana, and several prams, got 'delivered' to the Picnic in mailbags and canoed or sailed up the river.

Prizes will be awarded to the individuals and teams who raise the most money for Cancer Research, invent the most ingenious method of getting sponsored, or create the best sponsored life-size model.

At the Picnic, for your entertainment, there will be fair organs and traction engines, sub-aqua and archery displays, a vintage car rally, a gyrocopter demonstration and much, much more. Last year Her Majesty the Queen attended, attracting 25,000 people to the first day.



#### **Power Supplies**

There has been some concern over recent months as to the actual grading of power supplies for CB usage. Tarren Products - manufacturers of two units for the CB market Standard' Power Supply and 'High' Power Supply say these are rated as 30va and 7va respectively. Some of the extravagent claims made about the ratings applied to power supplies worried them to such an extent that they have moved away completely from the common terminology in order not to confuse or mislead their customers and have opted for the rating quoted. The 'Standard' they say, is suitable for normal CB use and the 'High' for the person who wants a little extra. CAS

#### It Never Rains . . .

Roy Finch — Rainbird Two was the first of many breakers to let us know that the address for the **Radio Society of Great Britain** was wrong. Sorry about that but they have moved to *ALMA HOUSE, CRANBOURNE ROAD, POTTERS BAR, HERTFORDSHIRE ENG 3JN.* and, don't forget — they will require an SAE.

CAS

Once again Dave Lee Travis from Radio One will be host and Grand National hero Bob Champion and winning horse Aldaniti will be there on Sunday.

If you want to 'Get Sponsored' in aid of Cancer Research write to Michael Heyland, Youth Action Promoter, Cancer Reseach Campaign, 2 Carlton House Terrace, London SW1 Y 5AR. He'll send you a sponsorship form. Alternatively you can get one from your local Appeals Secretary — their names and addresses can be found in the telephone directory under Cancer Research Campaign. KW

#### **Gathering Moss**


Harry Moss International Ltd have announced some additions to their already extensive line of products. Included is a new base station 40 channel FM CB. The 345 Audioline will cost £135.95 and is an attractive looking rig. Its features include: Mike and RF gain, PA and tone control. A separate socket is provided for a pair of headphones if it is to be used in a room where non-believers are present.

The new Harry Moss 325 is a pleasant looking straight 40 channel mobile with no frills and a reasonable price tag. It is a Korean made rig and at £50.95 will face some stiff competition in the market place. The mike on this rig is tucked away around on the left hand side which won't please everybody especially our reviewer.

We hope to bring you further reports on these rigs at a later date but for now enjoy the photographs. CAS







# That's The Wonder Of Woolies

Woolworths seem to be getting out of CB at least for the time being. Rigs can be purchased from your Woolworths store very cheaply at the present time. It has even been rumoured that as they are so cheap some dealers have been buying them for resale in their own outlets. I think breakers should be aware that prices are unnaturally low at present and when the current importations are cleared from the shelves a more realistic price level will be reached. In the meantime 'make hay while the sun shines'

#### **Pointer Point**

Those ever so nice Telecomms people have just dropped us a line to tell us about the arrival of their first **CB cross pointer SWR meter**.

The 202 SWR meter has been specifically designed for 26-30 MHz and the new cross pointer display enables CBers to directly read forward power, reflected power and SWR. The meter costs £25.18 and it's available from *Telecomms*, 189 London Road, North End, Portsmouth. Tel (0705) 660036. KW

The head honcho at Woolies assures me that, although they are getting out of CB, customers need not worry about back up service. The return rate for York rigs, for instance, is extraordinarily low but should you be unlucky as a consumer you will still be protected.

CAS

# Now the ONLY combined mobile AND hand held CB THE MAXCOM 7E ALERT MOBILE

From the manufacturer of the Midland range, Cobra, Colt and Commtron comes the newest innovation in CB-a combined mobile and hand held CB.

A CB unit that requires no installation and no SWR tuning. Just plug into your cigarette lighter, put the magnetic mount and aerial on the roof and you're on the air. For portable use just put the batteries in the battery pack, clip the strap to the carrying case, screw on the aerial and you have a full 4 W power, hand held CB!

Two superb sets for the price of one.

TRANSCEIVER

- No installation
- Fully portable full 4 W power
- 40 Channel FM

Includes battery pack and carrying case

The CB for all the family whether in the home, car or outdoors.

Magnetic mount and aerial.

Battery pack and carrying case.

Lead and cigarette lighter connector.

Strap for carrying case.

Advanced Manufacturing Technology at your fingertips. Sole UK importers: AM Telecommunications. Unit 9A, Byfleet Industrial Est. Olds Approach, Tolpits Lane, Watford, Herts. Tel. No: Bickmansworth [0923] 775717

#### **Knight Caller**

Knight Communications Ltd have sent us three samples of CB radio accessories which provide the enthusiast with the capability for creating a whole new sound on channel. The Seif RA 201 Reverberator provides the echo effect whilst transmitting and the operators voice become clearer and more distinctive without distortion.

The 201 measures 160x90x45mm and can be used home base or mobile. The unit requires an external 12V supply and your existing mike plugs into the echo box which, with the lead provided, plugs into your rig. A single control on the front panel allows you to adjust for level required. Cost RRP £29.95

The EA 100CB is a similar but much smaller device that requires a PP3 9V battery as a power source. The set up is the same as the larger version and it is controlled in the same way. Cost RRP £23.95.

The third item is the Altai Echo Power Mike. This is slightly larger than a conventional mike yet still fits comfortably into the hand. Although there were no instructions with this unit it was fairly simple to attach to the rig. Again a PP3 9V battery is required and this is housed in the rear of the mike. You set the sliding control on the mike to minimum - the preset pot on the printed circuit at the rear is set to the required gain and the volume is set to the required level of echo. Cost RRP £19.95

I am not certain of the value to the service of accessories of this nature but Knights inform us that they sell like hot cakes so obviously they do attract many CBers. I suppose, like most things, that when used properly and not as toys they do have their place in CB.

MJ

The Seif reverberation, Echo adaptor and Altai power mike — all available from Knight Communications Ltd.

CITIZENS' BAND APRIL 1983





£34.50.

£42.50.

#### 36dB GAIN R.F. PRE-AMPLIFIER

This high quality R.F. Pre-amp for FM rigs can be turned up to a big 36dB gain! Essential for serious DX-ing — it brings out those normally undetectable signals. Also suitable for AM rigs operating on 4 watts.

(For HAM and SSB a higher output model is also available).



#### ELIMINATES NOISE BETWEEN MODULATION

The genuine noise and hiss eliminator! Superkrunch circuit actually listens to the audio output of your rig — and if it hears a noise, it makes sure you don't! Superkrunch lets only modulation through to you. The connections are simple (full instructions included in every pack) and the complete unit is protected against reverse polarity.

Superkrunch enhances the potential of your rig with phones or speaker.



SPEECH PROCESSOR/ECHO REVERB UNIT

Ministry of Defence tests prove that superior received sound is possible by using an echo facility — so Skylab commissioned a new circuit design and put it into Supersound. Just look what you get! Speech processor input with echo delay and integral reverb — all under separate control, all independently adjustable. Get more out of your rig and enhance the quality of your modulation.

## Super products from Skylab CB

2c Keighley Road Crossflatts Bingley West Yorks 0274 568428

#### HAM INTERNATIONAL MAIN DEALER

Kaiser electronic leading German CB manufacturer proudly presents:

## CBX-40 —

### the top-class 40 ch deluxe hand-held that beats any competition!

EE

## German workmanship and engineering — guaranteed quality at moderate price.

- 40 ch FM UK specs.
- Digital channel read-out.
- Hi/lo power switching plus ch 9 priority.
- Separate electret condenser mike, many other outstanding features.
- Flexible rubber-type antenna and CLC telescopic.
- Designed to be the very best.

Due to great demand, we have largely increased our production capacity and offer prompt delivery.

Please ask your local dealer or contact us directly.

# Kaiser electronic GmbH

32 Daimlerstrasse · D-6909 Walldorf · Germany Tel.: 06227/62016 · Telex: 466017 kai wa, or 461883 kai hd Log BSwansea<br/>(0792) 463821Ham Thunderbird Base Ant 5/8 wave.£26.95 (D)<br/>£34.95 (D)Ham Hypower Thunderbird.£34.95 (D)<br/>£34.95 (D)Ham Big Mac Base Ant 7/8 Wave£79.95 (D)<br/>Ham Frequency Counter plugs into Ham models.Ham Relax Power Mike.£14.99 (C)<br/>Ham 232S Processor Base Mike or similar.Ham 232DX Processor Base Mike or similar.£36.99 (C)<br/>Ham 232DX Processor Base Mike.Ham Antenna Matcher with through switch.£9.99 (C)

1 Prince of Wales Rd.,

Tam Antenna Watcher with through Switch	
Ham Set Brackets (will fit York, Rotel etc) £3.99	(A)
Ham Bracket Screw (will fit York. Rotel etc) each £1.00	(A)
Ham 3-5 amp Power Supply £16.99	(D)
Ham 6-9 amp Power Supply £29.99	(D)
Ham 10-12 amp Power Supply £39.99	(D)
Ham 15-18 amp Power Supply £79.99	(D)
Ham 20-30 amp Power Supply £99.99	(D)
Ham Multimode II Front Fascia £8.00	(B)
Ham Concorde II Front Fascia £8.00	
Ham Service Manuals (state model)	(B)

POSTAGE RATES: (A) 50p B (£1) (C) £1.50 (D) £5.00 Please allow 28 days for delivery

To obtain your catalogue on HAM International equipment, send £1.50 to C.B.T., 1 Prince of Wales Road, Swansea. Catalogue contains the MMIII CONCORDE III & JUMBO III (1983 models)

#### ACCESS AND BARCLAYCARD ACCEPTED

JANUARY 81/82/83 FEBRUARY 82/83 MARCH 81/82 APRIL 81/82 JUNE 81/82 JUNE 81/82 JULY 81/82 AUGUST 81/82 SEPTEMBER 82 OCTOBER 81/82 NOVEMBER 80/81/82 DECEMBER 81/82

Simply fill out the form below — photocopy it or write a quick note if, like me, you don't want to spoil your file copy — pop in your cheque or postal order and sit back and wait.





# **"TALK POWER"**

WITH THE ORATOR! VOGAD SPEECH PROCESSOR




F.M. A.M. S.S.B.

**DXA**.....**£24.50** + **2.50** p&p This attractively designed instrument houses state of the art micro chip technology to produce a Vogad speech compressor — limitor and a switchable Roger Bleep. It allows precise control of the modulation to enhance the intelligibility of your speech. Turns an ordinary dynamic mic into a sophisticated power mic.

SEND CHEQUES, P.O., M.O., GIRO, TO: Micro Electronic Systems Telephone 0642 829238 Martin Buildings, Stonehouse St, Middlesborough, Cleveland.



Among the questions for Smart Alec this month are posers on the K40, CB Books, DF and Selcall and going mobile in a pram...



#### 

Over the months I have had a lot of requests from breakers as to how they can contact the K40 people. In some instances it has been a question of making a claim against the guarantee — even a K40 can go wrong or be damaged — as Mr NW Mason of Macclesfield in Cheshire has found out.

Q I purchased a K40 speech processor and it developed a fault — see what / mean! — since the shop where I bought it had closed down I was unable to return it. I made various enquiries about servicing facilities but as yet I have been unable to find anyone who can repair it. In desperation I wrote to the parent company in the USA and three letters later I have still not received a reply. Since the advertisement that you carry extolls the guarantee I would like to know how I can get it replaced or serviced under that guarantee.

A It is not an uncommon phenomenon these days Mr Mason to find a CB shop has closed and it does raise an interesting point. All CB goods purchased should function properly for a reasonable period whether a guarantee is offered by the manufacturer or not. Problem is often finding the person or persons responsible for this guarantee. It should be the responsibility of the person you paid the cash to for seeing that you have value for money. When that shop or dealer is no longer in business then you should contact the manufacturer and, as you point out, when they are based in the States this can be a bit of a problem. You are by no means the first person to have written in with such a problem and not the first person who has experienced difficulty in contacting American Antenna. That company, as many breakers will testify, does offer a

good product and it seems a pity that there should be a problem in contacting one or other of their '5000 dealers throughout the US, Canada & UK'. My latest information is that OCT of Unit 1, Earlsfield Lane Industrial Estate, Grantham, Lincolnshire, are now agents for the UK and a letter to them may produce more rewarding results than more letters to Illonois. I would very much like to hear from you as to how this story ends...

SΔ

#### Pramobile!

Here is a question I really like, it's from FM Dave of Coventry — who I assume to be a JB — and he asks . . . .

**Q** I am mounting my rig and twig on a pram and going mobile. Could you please tell me if the power from the rig and twig will do any harm to a new born baby?

A Well young Dave, I'm more into geriatrics than paediatrics but it's a good question. I don't think it will do the baby any harm apart from keeping him awake. Apart from that though the pram will not provide a very good ground plane and perhaps a big old iron wheelbarrow would serve your purpose better if you really want to go mobile! It was nice to hear from you and let me know how you get on.

#### **CB Books**

Mr Smith of Forest Oak School in Birmingham has a timely question . . .

**Q** Thanks to the generosity of our local CB club — good to hear that Mr Smith we have had a York JCB B63 fitted in our school.

We would like to know if there is a good handbook for beginners that explains operating procedures and how to cope with some of the problems.

A Iknow I get on this hobby horse often but I do believe it to be an important matter. Youngsters going out on channel for the first time should be taught that CB isn't a toy. It is a very real service and used properly it can only be a great asset to any community and I ampleased to hear of the trouble you are taking and of the benefits gained. You might consider an approach to that friendly CB Club and ask if an experienced breaker would be available to have a session with children. Failing that contact REACT for the name and address of the local group and maybe they can find a team member to call around. Drop a line to REACT, NATIONALHQ, 'Strathnaver' 142, Lutterworth Road, Nuneaton, Warwickshire CV11 6PE or ring 0203 383005.

If you drop a line to Mr Godfrey at Knight Communications Ltd. Unit 19, Brittania Estate, Leagrave Road, Luton LU3 1RJ orring - 0582 453002 - he will sort you out a copy each of CB Slanguage Language, The CBers Bible - British Edition - and The Big Dummy's guide to CB for a very reasonable price.

SA

#### Wire Antennas

Model Maker from Portadown, County Armagh has made my day and for that - even though it isn't the Star Question, he will receive a CB patch.

**Q** How do you go about setting up a wire antenna as suggested by Mack the Hack? Could you write an article about it as I am sure many breakers would be interested. Also have you ever reviewed any of the Cybernetrange of rigs?

A You made my day Model Maker because at least you are going to be pleased with next month's issue. If all goes well, and I see no reason as to why it shouldn't, Chris Peterson will be putting the Cybernet through its paces and — wait for it — we will be featuring an article inspired by Mack's comments on wire antennas. Included will be a 'how to do it' drawing by our technical artist. There, bet you are glad that you wrote to us. Thanks.

#### SA

#### **DF and Selcall**

Two similar questions and one answer for both. The Man at the School House, Scunthorpe wants to know where he can find a Datong DF unit and Peter Hartly has mislaid his EMU...

**Q** My letter to EMU Systems has been returned 'gone away' and I have also been unable to trace DNT of Watford.

A Selcall units and DF equipment can be obtained from Datong. If you ring 0532 552461 — that's in Leeds they will give you the address of a supplier. For DNT rigs we suggest you contact Radiotechnics Ltd, Grove Way, Bel Royal, St. Lawrence, Jersy Cl or ring 01-235 7040.

#### Hi Gain Request

A question from John Garrigan of Bridgewater in Somerset — had a sniff of it many times John — has a problem on circuit diagrams.



One way to go mobile - see letter from FM Dave!

 ${f Q}$  I have a Hi Gain V11 and desperately need a circuit diagram for it. I have been uable to trace the company — can you help?

A No, sorry I can't. Bit negative that innit? So on the more positive side . . . We have thousands of readers John and it is quite likely that one of them can help you. Similar requests have been responded to in the past! Any breakers out there who have a copy of said diagram or know where to get one, please drop a line to John at . . . Blake Arms Hotel, Bridgewater, Somerset or give him a landline on 0278 422168 /f you are passing that way John assures me you will be made welcome!

SA

Thanks to Mr Cox of Romford who contacted me regarding the January issue. Mr Cox was giving his neighbour severe TVI — he fitted a filter-cured the TVI and they have since become 'good neighbours'. Not exactly an orthodox contact but making friends with people is the big credit side of CB radio.

One last point for this month... we get a lot of very nice letters from breakers asking us to register their handles as was the practice of *CB World*. I regret that this is one of the items that was dropped when we incorporated the two titles. In effect a handle register gains you naught. Even if you dream up a super original handle there is nothing to stop another breaker from adopting it. Obviously if he does and lives in the same area — it is a pretty silly thing to do and can only cause bad feeling and confusion. Original ideas for handles must, by now, be getting a bit thin on the ground and I doubt if there is any handle that isn't duplicated somewhere in the country. In the days of AM it was easier and they were much more necessary in order that your identity be concealed from the prying ears of Busby. Now it isn't so important and it is really a matter of pride. Your idea belongs to you, but it isn't copyright and a register only insured that the handle wouldn't be registered by anyone else! Once upon a time I thought I was the only Scallawag and a few days ago I heard, on the South Coast, two Dan Dare's having a right old hobnail!!!










Come along and see us for the right quality at the right price with the right service from Hulls oldest established specialist CB shop. We also stock Radio/Cordless Telephones at prices you'll find nowhere else.

Find us 200 yards past ASDA

Mail order if required. Use your Barclay/Visa card RING 0482 812875



This month's CB Rig Check covers three mobile transceivers, two of which are very similar to each other and obviously come from the samelactory The third rig is one

similar to each other and obviously come from the samelactory. The third rig is one of the first from a recognised amateur source in the UK. All there rigs give clean r i. outputs within the limitations of the measuring equipment used, as the respective spectrum analyser pictures show However, in terms of power output the Lowe TX-40wasgiving out almost 7Wol r f power into SOR — some 175 per cent over the legal limit, although we were assured that the rig had passed the relevant checks and was below the legal 4W when measured With the altenuator in it produced twice the legal limit. The other two ngs, a Uniace 100 and a Realistic TRC-2001, bothgave4.8W at 13V d.c. supply level. Obviously, the manufacturers hope the test house supply will be lower.

lower The Realistic and Uniden rigs are good examples of 'badge engineering' Apart from the front panels and some very minor differences in p.c.b. layout, they are the same rig - even the serial numbers show remarkable similarities. Both are made in Hong Kong and are good examples of that area's radio production. Over the test period they performed capably and both proved easy to handle. The Lowe model was also well made and was a creditable performer. It is unfortunate that it was way over the top on output power Receiver sensitivity of the Lowe was much better than the other two rigs when measured in the tab and an RF GAIN control allows better use of this extra sensitivity.

sensibytly

Channel indication on all three rigs is by bright lield, displays while a meter

Channel indication on all three rigs is by bright I e.d. displays while a meter indicates "S" levels and r.f. power. The Lowe TX 40 has the microphone socket on the front panel. Obviously Lowe's amateur experience has rubbed off on their CB rig as the mic socket is of the metal bodied screwed ring type as opposed to the more commonly filted DIN types. The Uniace 100 also has a similar mic socket litted but the Realistic is filted with a latching type DIN socket. Both the latter rigs have the mic socket in the left side of the rig making the mic lead stretch along way across the front of the rig. The Realistic's mic lead was rather on the short side to make matters worse. In use, all three rigs gave reasonable results using a mag-mounded Avanti Moonraker antenna Audio quality was good, both transmit and receive and the squelch controls worked well. The handbooks supplied with each rig were adequate Lowe's being the best,

The handbooks supplied with each rig were adequate Lowe's being the best, giving the operator information on installation and antenna fitting as well as full operating instructions. All three gave a full circuit diagram, useful in cases of repair being needed in the future


#### **HOW MUCH?**

Lowe TX-40. This rig will cost you £55.00, and is available only from Lowe Electronics, Chesterfield Road, Maliock, Derbys. Tei: 0629 2817, to whom we extend our thanks for the loan of the review rig. Realistic TRC-2001 Available from Tandy relaid outlets throughout the UK, price £79.95. Our thanks to Tandy Corporation, Bilston Road, Wednesbury. W Midlands WS10 7JM, for the loan of the review rig. Uniden Uniace 100. Priced £80.00. Ihis rigis available from CQ Centre, 10 Merton Park Parade, Kingston Road, London SW19. Tei: 01-543 5150 who we thank for the loan of the review rig.

loan of the review rig.



"





# Rig Review



British built and British designed – Chris Peterson has long awaited the arrival of this rig...



AUTO SCAN 5000

# AJTO-SCAN 50000 SNEFOURJOY

egular readers of Citizens' Band will recall that in our December issue we published our thoughts on the rigs we had reviewed over the proceding year. We managed to upset more than one supplier with that article, as we were less than complimentary about the standards of performance of some well known rigs! The article concluded with an outline of some of the design features we would like to see in an 'ideal' rig. Well, someone out there must be psychic! We have just received a preproduction sample of a new rig that incorporates many of the features we suggested in that article. The performance has been a revelation compared to anything we

have seen before, and what's more it's BRITISH!!! Magpie Electronics are a very small outfit based in Andover. They obviously don't have the marketing resources of the bigger and better known brands, but have more than made up for this by producing a rig of outstanding technical quality. For many years it has been fashionable to knock British industry as outdated and inefficient. It should be remembered that this has most certainly not been true of the electronics industry! Firms like Racal and Marconi, to name but two, have reputations in the international markets that are second to none.

It must be stressed that our sample was a pre-production rig. At the time of writing (mid-January) it was hoped that the first batch of 100 rigs would be available by mid-February, with other batches following close behind.

#### **Knobs and Switches**

At a quick glance the rig looks fairly conventional, and quite attractive. It measures 183mm wide x 58mm high x 174mm deep (plus connectors and knobs). The case construction is conventional, the case halves being formed from an attractive grey vynil clad aluminium. The front panel gives the first indication that this rig really is designed for the UK. *The mike connector is on the right* /It is a standard four pin locking ring device. Immediately to the left of the mike connector are a pair

of buttons marked '1 Channel -/+'. These replace the standard channel selector switch. Pressing the '+ 'button causes the rig to count up one channel. Keeping it depressed causes the rig to continue to count up through all the channels. At channel 40 the counter resets to 01 and then continues. The '-' works in a similar manner, counting down. An ingenious touch is that pressing BOTH buttons automatically selects channel 14. Both buttons are repeated on the microphone, for easy operation whilst driving. Continuing from right to left across the lower front panel are four knobs for Volume/off, squelch, RF gain and mike gain.

Moving up to the top left corner and working across to the right are four swit-The first three position switch ches. which controls the search functions. In the middle position the search function is off. Moving it up to the 'Busy' position causes the rig to scan for a busy channel. Pressing the + or - buttons will cause the rig to count through all the channels in turn until an occupied channel is encountered, where it will stop. Pressing the + or - button again will continue the search until another busy channel is encountered. The 'Free' posi-tion works in a similar manner, searching for unoccupied channels. The rig decides whether a channel is busy or free from the squelch circuit, so it is important to set the squelch control carefully beforehand.

Moving to the right again we find the meter. This has a white pointer against a black background for good readability. The lower green scale indicates power output, with the upper scale in white calibrated for received signal stength. Above S9 the scale changes to red. Next to the meter is the channel indicator. this is a blue vacuum flourescent display. These are much brighter and more readable then LED displays, another indication of the extra thought that has gone into this rig.

If channel 9 is selected from the front panel switch, the display flashes as a subtle reminder! If the PA mode is selected then display reads 'PA'


Alongside the channel display are two little windows. One contains a standard red LED Tx warning indicator, and the other a photo-transistor sensor. This automatically dims the display at night! Yet another little touch that indicates that extra degree of thought.

The rear panel contains no surprises. A standard SO-259 antenna connector is fitted plus two 3.5mm jacks for external and PA speakers. The power connector looks like a standard two-pin power connector as used by Cybernet and others.

Whilst on the subject of power supplies, the Magpie does not have an isolated chassis and is therefore unsuitable for use in positive earth vehicles. Voltage invertors are available to overcome this problem if, like me, you drive an antique!

## Neat - Very Neat

Before leaving the description of the rig, it is worth mentioning the interior of the rig. Most Far-Eastern produced rigs look as if someone has shaken up a box of components, and then poured in a load of molten candle-wax! In contrast, the Magpie is a model of neatness in-



side. The main PC board is a beautifully produced double-sided fibre-glass affair with plated-through holes. This.type of construction is usually only found in computer and professional equipment. It is in marked contrast to the single sided paxolin boards usually found in import equipment. A consequence of this advanced — and not cheapl — construction is that there are a minimum of stray wires floating around inside.

#### **Technicalities**

Starting with the synthesiser, instead of the usual 7137 we find a Motorola MC1451551 ic. This is a very new device, though Motorola have a long reputation in synthesiser technology. The 145151 is a general purpose synthesiser ic and not dedicated to CB. It is unusual not only for its modest current consumption, but also by its ability to work at upto 50MHz directly. As it is not a dedicated CB device, it needs to be fed with 'n' codes to produce the correct division ratios for UK CB. These are provided by a 2716 Eprom ic. These ic's will be well known to any home computer buffs as they are the standard method of providing computer 'firmware'. Basically it is a memory device that can be readily programmed with data that will not be lost when the power is removed. They can be erased by special ultra-violet lights and reprogrammed if desired. This is a slightly more expensive approach than using a 7137, for example, but it does have advantages for the small manufacturer. It also has advantages for wellequipped and competent rig doctorsl To make the rig work on the FCC channels or the European channels all that is necessary is to reprogramme or replace the Eproml The same applies to making it work on the 10 meter amateur band, if you have a licence.

The whole synthesier system uses a single 10.24 MHz crystal. Instead of being selected by a rotary switch, the channels are selected by a CMOS up/down counter circuit. A pair of 4029 ics form the up/down counter. The outputs of the counters drive the 2716 Eprom and a pair of 4511 display driver ics. A 4078 8 input NOR gate resets the counter at ch 40. A 4093 quad Schmitt trigger ic provides the up or down information, the remaining two gates on the ic being used to buffer the counter clock oscillator. This oscillator is built around one op-amp in a LM324 ic. A second op amp on this ic is used to detect the conditions for ch 14 reset or ch 9 over-ride.

This is quite a complex piece of circuitry, not least because the microphone uses 4 wires for 5 functions (ground, audio, up, down and Tx). Complex or not, it works extremely well. A truly ingenious piece of circuitry. The remaining two op-amps on the LM324 form the mike amp circuitry.

The input amp in the mike circuit is limited by a pair of diode connected back to back transistors in the feedback loop and bandwidth limited by a roll-off element. The second op-amp is configured as a unity gain second order low pass filter. A single pole passive filter links the two stages. The final effect of all thiscircuitry appears to be a very effective audio filter which appears to be able to provide a degree of dynamic range compression (speech processing) at maximum mike gain.

Returning to the synthesiser, the VCO circuitry has a few surprises for those used to conventional CB circuitry. Indeed the whole transmitter RF strip looks rather unusual by CB standards, but very familiar by another not unrelated standard. I can't help feeling that the designer is more than passingly familiar with model radio control systems! Some of the circuitry is almost text-book radio control transmitter circuitry, and none the worse for that! Starting with the VCO, this runs at 10.695MHz below 27MHz in the received mode and at half Tx frequency in the Tx mode. Sofarso good. Only one varicap diode is used serving both as VCO control element and modulator. The loop filter is slightly more sophisticated than is usual in CB rigs. The VCO is essentially a Colpitts oscillator built around the base-emitter juction of an NPN transistor. However, the collector is returned to a tuned circuit instead of the power rail. The tuned circuit is tuned to twice the fundamental frequency of the oscillator, thus allowing the oscillator to be its own doubler! The fundamental is extracted from the emitter and buffered in an untuned emitter follower before being fed off to the receiver first mixer. The twice frequency component is extracted from the collector tuned circuit and fed to the first RF amplifier.

The first RF amp is common emitter NPN transistor. The collector load is a 27MHz tuned circuit, but with a 13MHz series tuned trap in parallel to remove any residual fundamental component. Both this stage and the preceding VCO use capacitive dividers to provide impedance matching. The series combination of the capacitive divider provides the resonating capacitance for the tuned circuit. No bias is applied to the driver transistor, a diode being connected back to back with the base-emitter junction to ensure symmetrical clipping of the drive waveform. The output device is a VN66AF VMOS FET by Siliconix. Despite their many advantages no other manufacturer at the time of writing is using these devices. Usually FETs are restricted to very low power applications. However Siliconix have developed a range of FET devices using VMOS construction that are capable of handling very high power levels indeed. The drive requirements are somewhat different than for an ordinary transistor and this leads to rather unusual biassing arrangements when using these devices.

The RF drive is obtained by a capacitive divider from the preceding stage. VMOS FETs have an almost infinite input impedance, and therefore draw no power from the driver. They do however require a larger drive VOLTAGE than a conventional transistor. Although the input resistance is virtually infinite, there is a significant amount of capacitance associated with it. By driving the FET with a capacitive divider, the input capacitance of the FET appears in parallel with one element of the divider and is thus tuned out as part of the resonant circuit. The capacitive divider provides DC isolation from the preceding stage. A diode connected between the input gate of the FET and earth causes the capacitors to charge up when RF is present to a DC voltage equal to half the peak to peak drive voltage. A 4.7K resistor in parallel with the diode allows this charge to leak away when the drive is removed.

#### Very Different

The output matching circuitry is relatively conventional. A series tuned circuit acts as a band-pass filter, and is followed by a double Pl filter. This provides both impedance matching and low-pass filtering.

Moving on to the receiver section, we again find some extremely interesting circuitry. The input RF is tapped off from the transmitter PI filter to provide a bit of low pass filtering prior to the receiver proper. Usually a low value capacitor is used to tap off the RF, and at first sight the capacitor used in the Magpie seems rather large. However, close examination reveals that this is due to the unusual nature of the input filter of the receiver. Instead of a parallel resonant circuit, the Magpie uses a T-section high-pass filter. The combination of the transmitter low-pass and receiver high-pass filters produces the necessary band-pass characteristics for the receiver. A pair of back to back diodes protects the receiver input stage as there is no switching in the transmit mode. The RF amplifier is a common emitter silicon NPN transistor stage. Contrary to popular belief, bi-polar transistors can provide superior performance to FETs in RF amplifiers. Certainly they are more consistent than FETs, however extracting really good performance from them requires more care in design than is usually found in your common or garden CB rig.

The first mixer is an MC1496 double balanced mixer ic. This is another Motorola device and one that has en-



The 5000 Autoscan as supplied by Magpie Electronics, PO Box 35, Andover, Hants SP10 2LG

joyed an excellent reputation for a number of years. Again, why one has never been used in a CB rig before is a puzzle. Perhaps it is because it is an American device rather than a Japanese onel These mixers have a very high overload margin, which must be a good thing in the UK CB climate!

Following the first mixer is a ceramic roofing filter. This is matched to the first mixer's tuned load by use of another capacitive tap. The second mixer is another MC1496. It is usually at this point that most CB rigs run into trouble. It is unusual to find less than 150KHz bandwidth of filtering applied before the second mixer, and the Magpie is no exception here. As a result of the gain of the RF amplifier and first mixer stages unwanted signals of up to + or - eight channels spacing can arrive at the second mixer. If these signals are S9 or greater in strength, the second mixer usually overloads and blocking and cross-modulation result. There are two solutions to this problem: either apply sharper filtering at the first IF stage or use a very robust second mixer. It is the latter approach that Magpie have adopted.

À tuned transormer forms the load for the second mixer. The secondary winding is diode limited before filtering in a standard Murata CFW 455HT filter. Limiting, quadrature detecting and squelch are all handled by an MC3357 ic. Normally we shudder with horror when we come across one of these ics as they seem to be at the root of most manufactueres receiver problems. In this instance all is well as Magpie don't use the mixer contained in this device. It is this mixer that usually causes the problems, and Magpie have wisely sidestepped it using the external MC1496.

Summarising then, it is an interesting and elegant design. Most of the receiver seems to have been designed with the UKs peculiarities specifically in mind. The transmitter is also an interesting departure from the norm, and the synthesiser should guarantee that the rig cannot become obsolete overnight.

#### Lab Results

The Magpie was run through our standard lab test to check the performance against the claims and the HO specs. Interestingly the Magpie is the first rig we've come across that actually quotes a figure for receiver inter-modulation performance. Not only that, but the figure quoted is quite an impressive onel

Most rigs quote a figure for adjacent channel rejection. Some quote a figure for desensing in the presence of an adjacent channel signal of given strength. However, these figures are meaningless as a measure of a rigs immunity to 'bleed-over' and that is why we have never included them in our tests. The only meaningful measure in this case is a two-tone intermodulation test. Most manufactueres seem remarkably loath to quote figures for this test, and unfortuantely my humble lab doesn't run to two synthesised signal generators! Two such generators are necessary to perform this test.

Moving on to our own tests, at 13.8 volts supply voltage the power output was measured as 3.6 watts. The 10 dB attenuator reduced this by exactly 10 dB. The channel frequencies were all within 30 Hz of nominal, an excellent result. Not quite so good were the harmonic results. The spectrum analyzer revealed a number of harmonics out of spec. Most were around - 70 dB, but one or two were only - 65 dB. The HO specs require all to be - 72 dB or better, and some to be - 79dB. However it should be remembered that this was a pre-production model. Certainly the circuitry used should be capable of meeting the spec easily. In view of the slightly low power output of our rig, I suspect that a slight re-alignment of the transmitter RF strip was needed. A pity about this as otherwise the rig behaved impeccably throughout the test period.

Peak deviation from the mike unit was measured as  $\pm$  1.48KHz (spec  $\pm$ 1.5KHz) and when driven into overload by our signal generator a maximum of  $\pm$ 1.65KHz was recorded (spec  $\pm$ 2.5KHz). These are highly satisfactory



results. The limiting, when it occured was soft in nature and had the effect of producing a slight amount of compression — speech processing — when the mike gain was fully advanced.

Moving over to the receiver, at maximum RF gain the sensitivity was measured as 0.3 uV PD and 10 dB S/N. S9 corresponded to a signal level of 60 uV, and at maximum squelch our generator could not provide enough level to open itl At minimum RF gain the sensitivity reduced to 22uV, and S9 corresponded to 2.25mV. This indicates that the RF gain had a range of around 30 dB.

The receiver sensitivity is extremely good. Normally we are a little apprehensive when we find such a sensitive receiver as it often indicates a proneness to blocking and crossmodulation. In this case, no such worries arise as the rig has been specifically designed to avoid such problems areas. The squelch and RF gain controls have sensible working ranges and should prove non-critical of adjustment in normal use.

#### **On the Air**

The rig was used for a number of weeks in and around West London, both as mobile and Home-Based installations. Having the mike connector on the right side certainly made a big difference when mobile. The minor controls are also arranged so that the most important are nearest the driver. This must be one of the most 'fumble-free' rigs we've ever tested. The hands seem to find the controls quite naturally without having to look.

The push button channel change might seem weird to someone who has never used one. Indeed some of the 'one-handers' we've tested haven't been the simplest devices to find a particular channel on. The Magpie is truly excellent in this respect. The count speed and delay are perfectly timed, and the ability to reselect ch 14 by pressing both buttons together makes channel selection childs play. Add to this the scanner facility, and once you've used one of these rigs you'll never want to use anything else again! It would have been nice to be able to preset the default channel to say 19 or indeed anything else so that mobiles didn't always reset to 14. This could possibly have been done on an internal preset switch, as it wouldn't be altered very often. It would have been merely the icing on the cake however, as finding 19 from 14 is a very simple matter once you're used to it.

The blue channel display was excellent, remaining perfectly visible even indirect sunlight. The automatic dimmer worked a treat. It may seem a bit of a gimmick at first, but the display is much brighter than a LED type, and could be a bit dazzling at night were it not for the dimmer. Watching it cope with the Hanger Lane underpass on the A40 is better entertainment than break fast TVI

The transmitted audio quality was excellent. Crystal clear and with real punch to it, it makes any sort of power or processor mike totally unnecessary. Just as well really, as wiring up a nonstandard mike could be a problem with this rig. Mind you, anyone wanting to add any sort of processing to this rig would need his ears testing! There is nothing that you could possibly add to it that would not cause a deterioration in the transmitted audio signal. Please don't do it!

The received audio was good, but a little harsher than say a Cybernet rig. The exceptionally large internal speaker made an external unit largely unnecessaryPerhaps the most disappointing aspect of the receiver was the squeich. Not that it is particularly bad, or anything like that, but because it is merely average whilst everything else is terrific. I am unconvinced by the combination of level and noise action, and suspect that it would have been better had it been left as purely a noise squelch. The squelch works well enough, with a modicum of hysteresis. It does get fooled by two or more signals on channel at once, a combination that, as in most rigs, produces nine pounds of painful noisel Noise squelches seem to cope with this sort of abuse better than level or combined types.

At no time during the test was there the slightest evidence of swamping, blocking, cross-modulation, bleed-over or whatever you may like to call it! When you consider that within a 200 yard radius of my home 20 there are two Silver Rods, a Sigma 11 and a GP 27, that is no mean achievement! The only other rig that has approached this level of performance was the supertuned DNT M40.

All in all, we have to say that this is the bestrig we have tested to date. You may wonder what the snag is, after all there always seems to be onel Well it could be the price, which at £119.00 certainly isn't cheap. Nor is it likely to come down like so many others. However, it does include 12 months guarantee on parts and labour, and any customer may return the rig if dissatisfied in any way for a full money refund (within 7 days).

#### **RIG REVIEW DATA PANEL**

#### Model AUTOSCAN 5000CB Distributor MAGPIE ELECTRONICS Typical Price £119.

Typical Price £119.	Charles and a second
Features	Yes No
PA Facility	
External Speaker Jack	0
TX Indicator Light	•
RX Indicator Light	
PA Indicator Light	122.3
S/RF Meter	
Hi/Lo Power Switch	•
ANL/NB Switch	
CH9 Switch goo 6 gr	
Variable RF Gain	
Mike Gain Delta Tune	
Tone Control	
LED Channel Reedout	od codes
and an anada an	COLOR S SHOLES
	. ę
Facilities 1010 .0110	Supe
Ease Of Controls	
Built In Speaker	
Microphone Location	
Cabinet Construction	
Quality Of Control Switc	hes
<b>Channel Indicator Readib</b>	ility
Mounting Bracket	
Hand Book/Instructions	
Specifications	
Modes Of Operation	FM Only

Modes Of Operation	FM Only
No. Of Chennels	40
Weight	-
Dimensions	183x58x174mm
Suppiy Voitege	13.8V
RF Output Power	3.6Watts*
Frequency Stablility	Good
Swamping	Excellent
Sensitivity (RX)	Excellent
Spurious Emissions	See text

#### CB VERDICT

Range	XXXXX
Clarity of TX	XXXXX
Clarity of RX	XXXX
Ease Of Controls	XXXXX
Ease Of Installation	XXXX
Performance	XXXXX

We rate our samples on a scale of one to five. Five stars is the highest rating, three and four stars are good to average and one and two stars mean it's not doing so well.



Getting a copy in the countryside can be something of a contrast to talking in town. CB also has some original uses out there in the Great Beyond. Our roving reporter files his latest findinas.

Custin Of Coursel Switcoms

	Specifications
FTA Only	Moder Of Opunion
514-	No. Of Chanicia
	Weight
183468a174mm	(Normanions)
	Supply Voluige
" idhaW.9.6	RF Outgot Power
Good -	Frequency Stability
malleox3	Bwamping
Excellent	Senality (R)(
See toxi	Spurious Seemsing
	CB VERDICT
XXXXX	
XXXXX	Claricy of TX

	XXXXX	Clarity of TX
	XXXX	Clarity or RX
	XXXXXX	Electric Controls
	XXXX	Enter Of Intrationies
L		Performance

BIDEFORD he hills were alive with the sound of hissing skip. Unfamiliar accents bombarded my Harrier for a copy on the

HARTLAND

LAND

one four. Cautiously I responded to a nine pound signal. I know that I would need to be receiving some clean modulation if the ratchet was to make more sense to me than the chat I had with a local native over a pint at lunchtime! I need not have worried. The first breaker that I copied was from Dagenham and hoping, like me, to get snowed in for a few weeks. You can get snowed in enjoyably if you are warm, well fed and lucky! (Devon has some rare advantages in winter.)


My second copy was from a breaker who had driven down from the Wolverhampton 'twenty'. He had only just arrived and was a little worried that he wouldn't be able to understand the natives. Listening to his quick chatter l felt that those sentiments would probably be shared by the Devonians!

North of Exeter it seemed all hills and milk lorries, one blocking out the incoming signals and the other blocking the narrow roads. The bends, twists and turns of the high-banked narrow lanes have to be negotiated to be believed no one-handed driving here - and carsavaging dogs who resent their farmyards being passed are a sure deterrent to getting out of your vehicle to admire the scenery.

A little further West on the edge of Dartmoor a clear soft male voice, rich in local accent, begged for a copy;

"Come on, there must be a breaker somewhere out there in God's Paradise." I hit the microphone and went over the crest of a one-in-five hill and immediately lost the signal.

Returning to my farmhouse base hosted by Albatross and The Ancient Mariner who, although not breakers themselves had, since my arrival,



shown a great interest in the crackles, hisses and general goings on. With more than a little argument as to which of them was the *Albatross* they kept one socially concerned eye on the possible use of CB in such an isolated community as theirs.

#### **High Places**

Unfortunately, as so often must be the case, their particular village is set in a deep valley surrounded by high red ploughed West Country hills and although CB would be useful for copies in the valley once over the hills the signal was badly dented. In times of peril such as snow and blizzard conditions, I rather suspect that the surrounding high ground would not exactly be crawling with eskimos with 'ears on'.

And yet those high places do have their advantages. I found several small groups of breakers parked up on the hills overlooking the distant sea busily making clean and fairly long distance copies. Good spots also — when the conditions are right — for that other super fun pastime of DXing. Perhaps they just enjoy putting pen to paper more there than in other parts of the country but it may be significant than most of the letters received concerning DX copies do come from that part of the world. Certainly the first report of a long distance break on the 934 MHz came from the West Country.

#### **Trouble Shooting**

Later that day I experimented with two forty channel 'hand-helds', one

over and under twelve bore shotgun and a flock of very safety-conscious woodpigeons. Weak batteries probably didn't help the poor results and, walking or mobile, those hills stayed doggedly between myself and *Dandelion* my volunteer pigeon spotter. Seems to me that those hills are more suited to Red Indian smoke signals than CB radio.

So much for hand-helds, hills and woodpigeons! However, rats are a different proposition. Clearing out the local farmers massive barn structure of rats CB did come in handy. A pair of Maxcom Speak Easy's in the VOX mode proved an ideal accessory to the rifle. The dog did most of the work and didn't reckon too much on the sharp crack that more often than not — did him out of his prey. A young man called Stoner and I kept in constant communication and thus — in those sometimes confined and half lit spaces — we all three emerged dusty and dirty but without any leaks to speak of!

#### **Antenna Thief**

Driving into Tiverton the following day with the sole purpose of purchasing a set of Ni-Cads and charger, I parked in the market car park, dropped my ten pence in the 'pay and stay' machine and went searching. No luck! Driving back from that place — which I no longer consider to be a pretty little market town but more like Fagin's Kitchen — I wondered why the airwaves were so very quiet.

"Won't get much without a twig will you?" questioned the Ancient Mariner, adopting a little of the jargon picked up in conversation. He was right of course. While sampling the delights of the electrical shops of Tiverton, some ten-one turkey had swiped my 'Dial-A-Match'. I swore violently, sacked the dog for not barking and headed out for a tiny CB shop, part of a small garage workshop, that I had passed earlier that day in Crediton.

The people there couldn't have been more sympathetic or helpful. "Lot of that goes on in this area" I was told comfortingly. *Peppermint* sorted me out a **Halfbreed**, *Freewheeler* screwed it into a snap release with a bayonet fitting — so that I shouldn't have to leave it on the car while square wheeled — and *Charlie Brown* 'swore' it in forme. They gave me a plug for theirnew CB club, the **Freewheelers**, I gave them a plug for *Citizens' Band* and I was back on channel again. Meeting warm, friendly breakers like those enthusiasts took a little of the sting out of the feeling I had for the thief who had ripped me off. ButI haven't finished with him yet.


Now, I know a one-legged bending man in Sussex whose lone black beady eye when working at capacity could chill a witch. Over a pint the other night I told him of my sad and sorrowful experience in Tiverton and, after a jarortwo or three he agreed to put a curse on that crawling Wally that swiped my 'Dial-A-Match'. It fair scared me to hear him at work!

So, Tiverton-Wally-Antenna-Swiper, hold on to your vitals 'cos the *Hex Man* cometh!! That goes for any breaker buying a hot twig in that twenty 'cos the curse goes with it..!!


Dris si .eswE:



Like CB, cordless phones are here to stay and, like CB they are having more than their fair share of difficulties in becoming legalised. We asked Sara Pearson to speak to an expert and take a look at how it was, is and ever more shall be – and Andy Giles to look at some of the equipment available.



he saga of cordless phones is an epic in the same class as the struggle for recognition experienced by the pioneers of CB Radio in this country Wooing the Home Office into granting an early issue of legal airwaves for cordless phones has alas turned into the same sort of slugging match which CB had to contend with. Having said that, the British battle for independent telephone equipment has progressed faster and further than would have seemed possible when, even three years ago, the Telecommunications Bill had not even had its first reading. This progress can be measured fairly accurately against that in the States where it has taken a good fifteen years to reach a position where a choice of varied independent telephones and telephone attachments are readily available. Their liberalisation, of course, has already stretched to the installation of lines which is when the next really significant development will have its effect in this country.



Cordless telephones do everything that ordinary telephones do and a good deal more, because they can be taken everywhere. Operating within a given range of the base unit they provide the freedom to remain in direct communication at all times through a mainline British Telecom connection. This facility has unlimited scope not only for private use in the garden and garage but for all aspects of industry, notably construction sites, warehouses, production lines etc.

Most of the designs for cordless phones are aesthetically pleasing and neat. Inevitably technological advances march towards smaller and even more unobtrusive handsets. Arguably the most compact one on the market at present is remarkably similar to a cigarette packet, and handily fits into a pocket, handbag or briefcase. The handsets on cordless phones have telescopic antennae which do not have to be raised to receive a call signal. Powered by rechargeable nickel cadmium batteries, most of the handsets have, as standard, on/off switches, push-button dialling, automatic redial and volume control.

#### Security

One of the most crucial developments in cordless phones has been the inclusion of a security device into the design concept. It was the sort of technological improvement which presented itself once it had bred its own problems. Previously, if there were to cordless phone users within a limited range, it was quite probable that one handset when dialled could be picking up the line from another base unit. Such a facility certainly had potential in the wrong hands! So the different companies set to work and very soon each produced their own version of a chip which could be added to the mechanism. This allowed for the user to feed into his handset his own private code which would activate the base unit. Such an innovation also had the added advantage of containing the use of the phone to a selected number of users - without the code only incoming calls could be taken.

#### **Desire and Need**

When the liberalisation of Telecommunications passed through Parliament in the latter part of 1981, it was inevitable that the interest and desirability for cordless phones would escalate. The ultimate in independent mobile communications, early cordless phones operated on a fairly limited range. Now, technological advances have meant that it is possible to have high quality reception and transmission up to 20 miles away from the base unit. In real terms this means it is possible to be miles away from the base unit, yet still able to connect with any phone number in the world.

Currently the majority of cordless phones operate on 49 and 1.7 MHz. The imminent approval of several makes of cordless phones scheduled for later this year carries with it legislation on official wave-bands. These are being minimally shifted from those already used by existing cordless owners, to 47 and 1.6 MHz – which will of course cause maximum disruption for cordless manufacturers.

As the machinations of bureaucracy slowly grind towards the historic day in 1983 when it all becomes legal, petty examples of last-minute harassment keep coming to light. Even this week, a well-known playwright was given the ultimatum of disconnecting his cordless phone within three days or else!

From the date the Bill became Law in November 1981, it was exactly a year before there was any discernible progress for cordless phones. Applications for specification approval were invited for submission by the last day of October 1982. Approximately nineteen serious applications were made and the waiting at last seemed to be marginally more positive. The next important milestone is scheduled for the early part of 1983, when the Department ofIndustry is expected to announce that between six or eight specifications have been accepted for testing purposes. These companies will inevitably in-

These companies will inevitably include such industry giants as Plessey and GEC along with representatives from the fledgling companies who, by their very nature, will bring with them all the innovative technology and design skills that will be required if the maximum potential of the market is to be exploited to the full.

We will report the outcome of this next announcement in a future issue of this magazine and, following this announcement, the prototypes submitted for testing will have to wait until June at the earliest before indications of success or otherwise will be known. From this timing it can be reckoned that it will take until this time next year before legal cordless phones will be widely available in the shops.

The legalisation of cordless phones opens up even more possibilities than have really been explored. In particular, the in-car potential.

#### In Car Use

With the waiting-list for BT carphones growing longer each week and a delay of at least several years reliably predicted for those who sign on, it is therefore not surprising that alter-natives are sought and this is where the potential for cordless users comes into its own. Research has shown that the greatest requirement for a carphone is within a radius of ten miles of the office well within the range available from today's phones. Imagine the reduction in stress level if it were possible to ring and explain that traffic was preventing punctual arrival at an appointment. Indeed, think of the effect it would have in reducing traffic accidents!

Britain's leading telephone retailer, Nicholas Pearce, who has kindly supplied the three pieces of equipment for this feature, has a chain of five independent telephone shops in London all called The Telephone Box. He opened his first shop at 339 Fulham Road in August 1980, six months before the Telecom6

SuperFone CT-650

ABC

JKL

TUV

8

OPER

1

GHI

4

PRS

7

Super Fone CT650 -

a well designed unit

DEF

MNO

WXY

9

REDIAL

munications Bill was first debated by Parliament. Since then he has run the full gamut of problems associated with the rapid developments which have taken place, and affected his business. In fact few others have had the same experiences as so many businesses, both wholesalers and retailers, have failed during this crucial probationary three year period.

#### Give 'Em What They Want

It has been Nicholas Pearce's aim, throughout the time he has been in business, to offer the sort of equipment his customers have wanted. Until the last few months this has been almost totally unapproved equipment as the choice in approved attachments was limited and mostly restricted to answering machines which have been liberalised for several years now. However, as the public knowledge of the impending liberalisation Bill increased, so did the level of sophistication demanded from telephones. To meet this demand he felt obliged to offer the equipment available on the world markets at the risk of intimidation. As a result of his strong stand right from the start, he has not in fact encountered any serious restrictions. It was, probably, astutely recognised that any publicity would be bound to attract sympathetic public attention.

The cordless phone market has been of particular interest to the Telephone Box and all the branches have championed the cause of early approval so as to tap perhaps the most exciting aspect of the telecommunications business.


On cordless phones Nicholas Pearce says: "They already account for 30 percent of sales in my shops and I have no hesitation in predicting a substantial increase on this once the approvals come through. Generally we are not even within sight of the ultimate potential and I believe cordless phones gaining approval will dramatically escalate the market. The liberalisation will have a significant effect, for the simple reason that, whereas people would attach unapproved equipment to the British Telecom lines' with little concern, they are more reticent when it comes to contravening Home Office Regulations.

We would like to point out to potential users that, at present, use of cordless phones is prohibited and it is not our intention to encourage people in their usage.

#### Super Fone CT-600


This is a fairly standard radio extension telephone. It consists of a mains powered base unit that connects to the telephone junction box and to the mains and a separate hand-held walkie-talkie type remote unit that can be carried around. The base unit is compact and neatly styled and has its own built-in telescopic antenna. It has three indicator lamps, one to show that the mains power is turned on, one to show that the battery charger is recharging

the batteries in the hand-held and another to show that the unit is in use. The latter feature is very useful because it warns people not to try and use the telephone while a call is in progress. The base transmits to the remote on approximately 1.6 MHz and the remote transmits back on a frequency in the 49 MHz band. This permits full duplex operation - ie. it can be used just like a normal telephone and both people can speak at once. The hand-held unit is powered by four 1.2V rechargeable batteries that are automatically recharged every time the remote is placed in the receptacle in the base unit. There is an indicator lamp to show when the batteries are running low. When set to STAND-BY it uses very little current (approx. 8 mA) and in this mode it will ring whenever the base station receives an incoming call. It can then be used just like a normal telephone. It also has a built-in telescopic antenna and this should be fully extended for maximum range, which can be as much as 300 feet under ideal conditions. The ringer in the remote unit can also be activated by pressing the CALL button on the base unit and it can then be used as an intercom. The remote can also be used to initiate outgoing calls. It has a calculator style keypad that is used to 'dial' the number and it has a re-dial facility that



allows the last number that was dialled to be called again at the touch of a single button - very useful when trying to get through to an engaged number. This is a neat little unit that appears to be good value at £115.

#### CORDLESS PHONE REVIEW DATA PANEL



#### CT-650

The Superfone CT-650 is a very compact and extremely well designed unit that has several unusual features. The base unit plugs into the mains and connects to the telephone line and has an indicator light to show that the power has been turned on. There is also a light to show that the handset's batteries are being replaced. Another light indicates that the unit is in use and another one comes on whenever the security feature is activated. This places the handset in the answer only mode and prevents it from being used to dial out. Another light comes on when the unit is being used as an intercom - again, the CALL button can be used to activate the ringer in the handset. Yet another lamp lights when the set is being used as a 'handsfree' telephone. It has a built-in speaker and volume control for this purpose. One of the nicest features of this unit is the CODE SWITCH. This allows the user to preset a code number in the base unit and the handset so that other people with cordless telephones can't hook into this base unit and make free telephone calls. This aspect of cordless telephones has proved to be a problem in other countries where they are more numerous.

The handset is very small and also has some nice features. It has a built-in telescopic antenna, as has the base unit, and it has a pushbutton keypad for dialling out. It also has an automatic re-dial button. There is a small lamp to show when its four 1.2V batteries need recharging. This handset has a CALL button similar to the one on the base unit and this activates a tone in the base so that it can initiate an intercom call. There is also a PRIVACY button that turns off the microphone in the handset while a call is being held so that the person on the other end can't hear what is being said. An electronic version of the traditional hand over the mouthpiece.

The base station transmits on 1.6 MHz and the handset transmits on 49 MHz and the range can be up to 700 feet under ideal conditions. This set is definitely an improvement over the basic model and reasonably priced at £199.

CORDLESS	CORDLESS PHONE REVIEW	
Model Distributor Typical Price	CT 650 Telephone Box £199	
Features	Yes No	
Rechargeable Bat IN-USE Lamp Intercom Facility Auto Redial Privacy Button Externel Antenna Security Code Hand Free Operat Range	Facility	
	anqugh, but very often	
	49 MHz 1.7 MHz	

#### CT-505 is ni berusel anotherium

The CT-505 is a top model in the Superfone range. It does not have all of the facilities of the CT-650 but it has a far greater range. The base station transmits on 49 MHz and the handset uses 70 MHz. This can give a range of up to 2 kilometres. The base station does not have a built-in telescopic antenna, instead it has two whip antennas that fit into two SO 239 sockets on the rear of the case. Not only does this arrangement give greater range, it also allows the user to plug in bigger and better outdoor antennas, should he want to. The front of the case has three indicator lamps, one to show that the power is on, one to show that the battery charger is in operation and another to show that the unit is in use. There are two pushbuttons on the front, one for the power and a CALL button for the intercomfacility. The left-hand side of the front panel is a socket for the slightly unusual battery packs that fit into the handset. This model is supplied with two selfcontained battery packs that slot into the handset. This means that the set can be used with one pack while the other one is being recharged inside the base unit. This overcomes one of the major problems associated with cordless telephones, the battery in the handset

-	ADDI FCC TELEBUONE
and the second	ORDLESS TELEPHONE
	NAME : SUPERFONE
	ND. ; CT-505
DITY BY	SUPERFONE COMMUNICATIONS LT
MET RY	LONDON NW2 TEL: 490.0488 : TAMAGAWA ELECTRIC CO., LTD.
mri ur	KAWASAKI, JAPAN

always seems to run out just when you want to use the thing. The CT-595 handset is guite large and it has the usual keypad with re-dial facility. Some sets have a built-in telescopic antenna and some have been modified to take a 'rubber duck' type of flexible antenna. The telescopic one is quite long, so the flexible one is more convenient to use. This model also has a security code switch to prevent unauthorised use and this is especially useful because this set has such a great range. This is not the smartest of cordless telephones, nor does it have the most facilities, but it does have the greatest range of any that we have examined and that is why it costs £299.

The instruction booklets that are supplied with these gadgets go into great detail about how they should be sited so that their signals will travel the maximum distance and how certain sources of interference such as electric drills and fluorescent lights may cause the handset to ring. Unfortunately, because these units were not designed for use in this country, the instructions for connecting them to the telephone lines are not at all helpful and a reasonable amount of knowledge of how the British system works is necessary in order to install them.

#### CORDLESS PHONE REVIEW DATA PANEL


Yes	
Yes	
	No
	1000
Ö	
O	
	8.04
	•
0	
•	1000
100	•
1 km	
	0 0 0 0 0 0

# **Rig Check**



Space the final frontier, Brian W. Wright takes a Compact 40, puts it into his car and finds that it will fit just about everywhere

The instruction booklets that are supplied with these gadgets go into great datal about how they should be atted so the their signals with travel the maximum distance and how certain sources of interference such as clouring drift and fluorescent lightt may coust bocause these units were not designed for use in this country, the instructions for use in this country, the instructions lines are not at all helpful and a lines are not at all helpful and a how the Bittiah system works is how the Bittiah argatem works is



# Compact 40 Space Space Save and the state of the first problems the would be mobile breaker encounters, is

where to fit the rig. This would appear to be a

simple enough problem to

solve at first sight, but in many cases it

becomes more difficult the more he

looks into it. There are several things to

consider if the job isn't going to be a bodge-up. The breaker needs to be able

to operate his rig with the maximum ease and comfort and minimum distrac-

tion from his driving. This usually means

that the rig must be sited close to the

driver yet must not interfere with any of

the vehicle controls. Sounds easy

enough, but very often, no matter what

size the rig is, it is just too big to fit in that

nice little spot that you had in mind.

Well, you can now stop scratching your

head, for help is at hand (splinters under

the fingernail are painful anyway). Tha

Compact 40 rig from Knight Com-

munications, featured in this month's

Rig Check should solve most of your

name for this rig, which measures a

mere 120 mm x 39 mm x 177 mm deep

excluding knobs etc. Although this is a

small inexpensive rig, it is quite well

made and some thought has been put

The Compact 40 is a very suitable

facilities of the CT-650 bu

space problems at least.

into the control layout.

usual two halves from plastic coated metal. The brushed aluminium front panel has a black plastic surround which stretches back about 20 mm before meeting the metal case. A considerable amount has been squeezed, quite neatly, into the small space available on the front panel.


intert and a the to

The most surprising thing to find on the front panel of a rig of this size is the mike socket and a four pin locking ring type at that! To the right of the mike socket is the volume control and on/off switch, followed by the squelch control. Very nicely placed above and between these two controls is the power/signal strength meter. Yes I did say meter, usually manufacturers resort to fairy lights, sorry | mean L E D displays on these small rigs. The meter is smaller than average and it is not really possible to see the numbers whilst mobile. This is compensated for by the fact that the fairly wide red needle is easy to see against the black background illuminated by the green backlight. It is therefore possible to get a good idea of the meter reading by the position of the needle across the scale. On the extreme right hand side and slightly higher than the volume and squelch knobs, is the channel selector knob. Above and centrally between the squelch and channel selector is the clear green LED channel indicator, which is normal size. Below the channel indicator are two



SOUTH ant to agree of the CTUDE

AUTOR SIMULTO IND CHECKING DALAS CITIN



round LED indicators, green for receive and red for transmit. Controls etc are clearly marked in black on the aluminium front panel. All three knobs are in black plastic and are the same size, about 12 mm diameter. Despite the small size of the channel selector knob, channel selection is quite easy due to the flutes all round the knob. The only control that is a little difficult to operate is the volume control, as this is rather close to the mike plug which is a comparatively large item on this front panel. The microphone itself is a type found on many of the more expensive rigs and is quite comfortable to use.

At the rear of the Compact 40, the power supply wires go directly into the rig, instead of connecting via a plug and socket as is usual with most rigs. An extension speaker socket is provided on the rear panel as well as the 10 dB attenuator switch. We usually like to see the attenuator switch on the front panel, but I suppose it was inevitable that there just wouldn't be enough room on the front panel of a rig of this size for everything.

#### On Test

In operation, the Compact 40 gave a good signal with clear but quiet modulations. A rough check on the deviation level showed it was only averaging 0.5 kHz when talking loud and close to the mike, which is well below the normal average of 1.5 kHz. This may have been a badly set up sample, adjustment to correct this is usually quite simple but should be done by a competent person. The receiver, whilst not brilliant works fairly well and gives a good clear readable output. Only slight desensing and bleedover was encountered even when used homebase at busy periods. One slightly unpleasant characteristic of this rig was the increase in background noise that appeared over our copies if a strong local signal was present a few channels away. Volume and squelch were adequate and the squelch cut in and out cleanly when set correctly.


The instruction booklet provided is small but contains adequate information for installation and operation of the rig. Mike holder and fixing brackets etc. are provided as usual

#### Conclusion

Summing up, we consider the Compact 40 to be a neat little rig that performs as well as most in its price range and better than some costing twice as much. It shouldn't be difficult finding a place in the car for it and priced at around £25 it won't damage the bank account too badly.

Our thanks to Knight Communications for supplying the review sample.

#### **RIG REVIEW DATA PANEL**



of one to five. Five stars is the highest rating, three and four stars are good to average and one and two stars mean it's not doing so well.

#### Mack is on the campaign trail again asking for more channels, if for no other reason than to thin the wallys out a bit — and a word or two on the general CB scheme...

ave you had your licence renewal reminder yet? I wonder how many people have or will be handing over another £10 to the post office. The question being asked is what has one got for one's 10 quid? Any good done on the bands and that includes sorting out the frequency

abuse have been done by the breakers themselves so, many may feel that to give the Home Office another fee is not on.

Maybe you believe that as yet no one has inquired if you are the owner of a licence and maybe no one will do so in the future. What's to stop a group of people – all the owners of rigs – donating a few bob each into the hat and one licence is taken out in one person's name and if one ever gets stopped at any time you disclaim ownership of the rig and name the licence holder. I don't suppose many would go to these lengths, but it's just one of the many loop-holes in the CB licence law.

There is under way by some breakers in the West London area a campaign to press the authorities for more channels on the present 27 FM frequency. I wish them luck and they have my support - for all it's worth. But yet again we have the argument - would more channels make much difference? It's being said that it would only be more channels for the wallies to play about on — but then an extra 40 channels might spread them out a bit. Even so another 40 would be most welcome. If we did get extra channels, would they be higher or lower to what we now have? On the market at the present time you can purchase an 'lcon' 80 channel FM rig that has the extra 40 channels - illegal of course - above the present legal ones. So that takes them into the amateur bands. The licenced amateur will jealously protect what frequencies they have so, if you use these higher channels, don't be surprised if you find yourself being jammed with carriers or frequency tests that some amateurs will put out if they find poachers on their bands. The only place to put any new channels would be lower than those we have now as no-one is using these at present.

I was always an early riser and now, when I wake early during the weekends, I will switch on the rig with the headphones on so as not to wake the wife. I lie in bed listening to the different nets in progress and occasionally adding a few comments. Some may think these early DX nets are boring with the chairman passing the frequency around to the stations in turn to try to copy other stations some distance away. If this is what these people want and it gives them pleasure then good luck to them. Occasionally I like to have a go on these nets if only to check that I am getting out and making the trip to these DX stations.

In on one of these nets the other morning an interesting discussion — or argument — started when two breakers came on the channel and started a conversation with each other. Naturally the chairman of the net asked




the breakers that had just come on to remove themselves to another as the channel was in use and a net in progress. Well the intruders pretended not to hear and continued with their QSO. After a while and continuous calling from other net members, one of the intruders acknowledged the chairman's call and told him that he could not hear any other breakers on the channel as he was talking to a mater along the road and had his squelch up to eliminate other stations.

So the argument developed with these breakers and the net. The intruder insisted that he had every right to use the channel as he was working a short distant breaker and if others used the channel, as he did, with his rigs controls correctly set then many other pairs or groups of local breakers should be able to use the same channel without interference to others. I agree that it was a selfish attitude to take and the intruding breakers — as we proved — were trying to break up the net but in fact he was correct in his theory. CB is supposed to be a short range communications system but how short is short?


Another argument that has developed from time to time is when breakers are conversing on a channel and another group appear on the same channel and are asked to QSY as the channel is 10-6 and has been for the last 2 hours. Could the new group of breakers in return tell the others that they should switch off as they have been on for too long? Well the code of conduct recommendations do state that transmissions should be kept as brief as possible and many QSOs do go on a bit.

Do you ever stop and wonder where or what has happened to a particular station that you suddenly no longer hear on the bands? You could be correct in guessing that they have tired of the hobby, but others may be caused by more tragic reasons. I am sure every breaker at one time or another had spoken to or heard the 'Pioneer' station booming out his messages of traffic reports and other travel information in the North East London area. Even before we went legal 'Pioneer' or Ted as he was known to his many friends was always willing to offer directions to the lost traveller in his area. With legality, his successful attempts to organise the channel 19 for the help of the mobile stations, whilst commuting to and from the home and works 20s, was well known to many breakers. Alas the 'Pioneer' station is no more. He died at the age of 68. His son Ken 'Drifterman' told me that his family were amazed at the turnout of breakers and the floral tributes that were sent for the funeral. At the service in the church it was standing room only. CB was only one of the many activities in which Pioneer participated in his local area but radio was still one of his great loves. One ambition he did not fulfill was to obtain a radio amateurs licence and he was studying for the exam which he had hoped to take sometime this year. I am sure he would have passed with honours. 'Pioneer' we will miss you.



QSL card swopping is a lot of fun. Each month Medicman tells you of the better clubs, where to get your cards printed and features a 'Club of the Month'. Plastic cards to hand made cards, they are all worth collecting. Drop a line to Medicman and become a part of this fine hobby...

o nim Cilizens ban ore and send him som d bits and pieces From



CITIZENS' BAND APRIL 1983



bsolutely amazingl What a super response to our new QSL column, some 330 letters of all shapes and sizes, and we will do our best to give as many of you as possible a mention.

The largest package this month came in an envelope festooned with some of the world-wide QSL clubs that **Paul** and **Lin Jukes** of **100 Dudley Road**, **Tipton**, **West Midlands DY4 8DL** belong to, and there are some very interesting clubs amongst them. The cards enclosed were extremely varied and interested. A magnificent 'Sundown' custom beautifully produced, some personalised 'Cooky's QSLs Series, Paul and Lin hold No 44 in this excellent series and a pile of interesting 'floater' cards from their contacts – a really well put together QSL pack.

Next one out of the postbag was from Cliff Edwards, a lengthy letter and some excellent QSL cards. A double folded card from the WRK DX CLUB. Colourful cards from the COBRA OPERATOR'S CLUB, the Club card of the DELTA-DELTA X-RAY CLUB of Telford, CHARLIE BRAVOCLUB cards, and some personalised BRITISH CON-CORDE CLUB cards just to mention a few. You can QSL Cliff at 18 North Road, Wellington, Telford, TF1 3ED, he is a real 'must' if you are a Club card theme collector. QSLing seems to have special appeal to the younger CBers, from among whom comes a letter from Adrian of 10 High Street, Shaftesbury, Dorset who has had some nice QSLs printed by Saxon office Services in Shaftesbury - very well produced cards too. Adrian welcomes QSLs and will answer all received. 14-year-old Steve whose handle RATTLESNAKE offers an eye-catching theme for his own personalised QSL, even a QSLcontact charter came with his QSLs, and if you would like a copy a QSL to Steve at 15, Savernake Avenue, Melksham, Wilts should bring the desired results. By co-incidence Steve enclosed details of the FREE (Yes -

free) ZULU WHISKEY SIDEBAND CLUB run by our old friend Gordon up there in Halifax. The next letter was in fact from Gordon saying he had chang-ed his address tol P.O. Box 14, Brighouse, West Yorkshire, so do write to Gordon and enclose a SAE and five of your own signed and dated QSL cards for FREE membership of his great club. I have specifically endorsed the ZULU WHISKEY as Gordon is particularly worried about my mention of rip-off QSL clubs who either do not respond or send a mediocre club pack for your hard earned money. As I currently have some 120 British QSL clubs on file it would take too much space to list them all, but if you closely follow our column over the next few months you will soon get the idea as to where to invest your money in return for a good club. Gordon's can only be classified as a genuine first class club, not only because it is free, but he must put a great deal of time and effort into the running of it - well done Gordon, and what an impressive list of membership numbers. Lazy Racer alias Bruce from P.O. 8ox 29, Kllmarnock, KA1 4QG, Scotland QSLs with some great personalized cards that I recognise as being from the Derwent Press. These were BRITISH CONCORDE cards, yet another for this theme collectors. Next another Derwent personalised QSL from Chessman - David Grant of 63, Durward Rise, Dedridge, Livingston, West Lothian EH54 6HU, Scotland, he asks for a mention as he QSLs 100%, and he is looking to be a representative for any clubs, so all you presidents out there here is a dedicated volunteer for you.

I have just mentioned the *Derwent Press* their address is 69. Langstone Drive, Exmouth, Devon, they have been printing QSLs for CBers and Amateurs for years now, very reasonably priced colourful cards – a 25 pence stamp will bring samples and full details. Another specialist in QSL cards for beginners is run by Diane Currle known to a lot of us as D. Currie Printers of 89, Derwent

15 m of special CSL celds and a roll the fire of f.9,00

Street, Consett DH8 8LT – a stamped addressed envelope will bring full details of their cards. Must just give a mention to another 'free' club which has really taken off in a big way – the *DRAGONRIDER OSL CLUB* membership is just five of your OSL cards and a large envelope (stamped of course) to David, 3 Tarn Villas, Cowpasture Road, Ilkley, West Yorkshire LS29 8RH. A superb club rubber stamp is available if required at £4 – great club. From Pierre Quevatre of Flat 22, 73, Hauteville, St Peter Port, Guernsey, Channel Islands comes a very well put together OSL pack lots of cards, tourist information and some personalised QSLs, well worth a swap!

From a fellow breaker who used to live in County Durham and now lives in West Germany comes an informative epistle and a huge pile of QSL cards. Travor Gerrens of 31, Hammerkir-chweg, 4060 Viersen 1, West Germany who tells us they are allowed just 22 channels FM, 12 channels AM with a maximum output of just half a watt and we thought we were hard done by. Trevor does add that he finds this totally inadequate and the range is very restricted, but you only pay about £3 for a home base licence - mobiles and portables do not have to be licenced - personally I would like to see at least 100 channels all modes to include the FCC channels but that's a discussion for another time - until then I'll stick to my standard 40 FM. Trevon QSLs every letter and has piles of German cards to distribute if you are interested - don't forget a few view-cards to make him feel home-sick! Another received from

## OSL Club Of The Month:

ANGLO-AMERICAN MAGNA CARTA INTERNATIONAL SIDEBANDERS, 10 TOLCARNE ROAD, Newquay TR7 2NQ, Cornwall.

The Anglo American Magna Carta has rapidly become one of the leading DX-QSL clubs in this Country and all their literature labels and rubber stamps are of the highest quality. This club is expertly and enthusiastically adminsistered by Micks Marks whose handle 'Nimrod' is well known to most QSL ers. The club was so called because of the QSL contacts made with friends in the USA, who rightly thought a well-run club with hard working representatives on both sides of the atlantic would be a firm step towards better sidebanding. The club boasts three different superb rubber stamps and a very novel introduction is worded on their club aptioned on their club ap-

plication as follows: Gentleman Sidebanders, This is your personal invitation to enroll for your lifetime and then it shall pass on to your next of kin, thus friendships shall continue in the Anglo American Magna Carta Charter of International Sidebanders. This charter has been formed to spread fellowship, goodwill and loyal companionship the world over. We hope in nionship the world over. We hope in time to become a worldwide heritage and International fellowship. As an elite Sidebander you will receive a Certificate of Honour, rubber stamp, I.D. card, large selection of special QSL cards and a car sticker. The membership fee of £9.00



West Germany comes from 24432988 Spr Halley of 306 Army Plant Park, BFPO 110, he says that any *Citizens'* Band reader who sends him a stamped addressed envelope and their QSL card will receive at least ten German QSLs in exchange – that's an offer you can't refuse isn't it?

Nice letter in from Andrew of 138, Cromford Hill, Cromford, Matlock, Derbyshire DE4 3QU. Andy is into DXing quite heavily and has made many contacts world-wide. He is always ready to swap QSLs, and is a member of the Spanish Amateur Radio Club and the Gruppo Radio Italia – the ALFA ROMEO CLUB, and would especially like to hear from fellow club member as he is



might seem a little more than one usually pays, but the excellent membership pack is very well presented and well worth the investment.

As an added bonus, members of the Anglo American are offered attractive discounts on various other DX-QSL Clubs, as we las a special reduction at a certain Hotel in Newquay. The club has a very close affiliation with the DORSET KNIGHTS DX GROUP, and many QSLs and club items are printed with both club crests. Existing club members can purchase either of the two new rubber stamps at £2.50.

stamps at £2.50. Currently with nearly 500 members worldwide this must be rated as the quality British club. considering starting a new British DX Club. He also asks if we might print a Country-prefix list as he has collected quite a few different. As soon as space permits Andy we will let you see the two that are commonly accepted. News of a nice little club called the OCTOPUS 4 PLUS 4 CLUB, their main task is to just swap QSIs, no money, no ties – just send them eight QSLs and they will exchange the same number with details of their club – catch them c/o Linford Post Office, Linford, Essex.

Yet another FREE club - this one the METRO CITY OSL CLUB, a SAE and just five of your own QSL cards to 95, Greenoak Crescent, Stirchley, Birmingham B30 2TD will bring you a membership pack. An interesting letter and QSLs in from someone who just signs himself as K9 ALPHA of 45, Manfield Road, Balerno, Midlothian. He works with 32 children in care, all of whom he tells us are CB mad. They produce their own QSLs, and have even affiliated with a local disabled CB group up there called the 29'ers. A few of your own QSLs and some picture postcards will make some youngsters really happy

HELP! a letter from 23-year old Cyril Monteith of 35, Beechgrove, Newpark, Mukamore, Antrim, BT41 2BW Northern Ireland tells us he is in very poor health, having had 17 operations for kidney trouble, all he has to occupy him are his hobbies which are CB and QSLing, collecting coins, paper money and car number plates. I have already sent Cyril a package to cheer him up - how about showing him Citizens' Band readers really care and send him some great QSLs and bits and pieces. From Maurice O'Brien of 51 Adair Road, Eastney, Portsmouth, Hants comes a very attractive QSL pack - lots of personalised cards, tourist information, floaters and eyeball cards by the score definitely 10 out of 10 for this onel Three for the price of one - all personalised cards from Ray Ward of 1 Overbrook Drive, Cheltenham, Glos GL52 3HR. Ray goes under the handle Guard Dog, also abiding under the same roof is Gary — Silver Saddle and Derek - Weasel Diesel some very collectable cardstool

Listen all those of you out there who keep complaining about insufficient DX on FM — had a letter from **Terry Harboume of 121, Summerhill Road, Tottenham, London, N15 4HR** and he tells this story: 'I was recently flicking about the channels at 7.15 am one morning when on Ch 37 I heard Birdman giving his QTH as **Dundee** in **Scotland.** I was pushing the legal 4 watts through a Midland 3001 and a GPA 27 half wave antenna and a skipmaster 45000 mike. The received signal was a full plus 30, and the QSO lasted for a full five minutes,' For those doubting Thomas's Terry even sent me the confirming QSL, fully authenticated — super contact Terry.

- super contact Terry. From Alan alias Silver Rims of 36, ChaterInefield Crecent, Heathhall, Dumfries comes a well packed QSL filled with all sorts of goodies, badges, lots of cards, invitations and beermats, sur-

prising what you can find when you try. I always contact the local English Tourist Board, they have always got tons of super leaflets to dispose of which are a boon for overseas QSL contact. Alan QSLs 100% and will do his best to send you a good return QSL.

A newcomer to the hobby is Dave 'Leadfoot' Buckingham of 186 Sommerfield Road, Woodgate Valley, Birm-ingham B32 3TA, Dave has some really attractive QSLs not only for himself but his better half Moondust, and they QSL all letters.

Next out of the bag was a colourful QSL from Pathfinder alias John of Green Meadows, Winders Hill, Godstone, Surrev RH9 8DQ. I think its a nice card John, shame about the printers though (Joke). From Flying Scotsman Gary Farquhar of 13, GraigmaroInn Gardens, Altens, Aberdeen, Scotland comes details of his favourite club - THE FLOWER O SCOTLAND CARDSWAP-PERS CLUB, which is not surprising as he runs it! Looks like a regular club with lots of goodies drop Gary a QSL for a membership form. Goshi this one's poshl First time I have received a rigid plastic personalised QSL, how novell If you want one for your collection QSL to Paul 'Rimfire' Darren at P.O. Box 81, Bexleyheath, Kent should do the trick, and details of Paul's club will also be sent.

The name of Malcolm Fisher who lives at Aughnish, Ramelton, County Donegal, Ireland should be well known to most of the well established QSLers, Malcolm consistently sends out highquality QSL swap packs, I've lost count of the number of clubs he belongs to, he has two personalised QSL cards of which I am particularly fond, one is club card of the IRISH ROVER INTERNA-TIONAL DX GROUP, the other is the ALFA TANGO INTERNATIONAL DX

GROUP, see how you fare with a QSL to Malcolm, A nice home-brew QSL in from Mr Les Harris Horse Power of 6, Thoresby Road, Long Eaton, Not-tingham NG10 3NP, Lespromisesa rep-ly to everyone, and says he thinks our QSL article is so great he has ordered a copy of *Citizens' Band* every month — now there's a man with tastel A young breaker who goes under the handle Plastic Carrot — he is really Kevin Mc-Connell of 2, Avondown Road, Durrington, Salisbury, Wilts SP4 8ET asks for a mention and pleads for some QSLs can you help?

It's great to hear again from some of my earlier QSL contacts, Peter Evans of 90 Caecoed Llandyble, Ammanford, Dyfed SA18 3UG, South Walas is still into QSLing in a big way, he alwaysdoes itright — a nice selection of 'floaters', all signed and dated, some of his own cards, with all his club stamps on, he even includes tourist information for beautiful Wales, when we start the Citizens' Band QSL Award I'm sure you will be first in the queue Peter, and rightly sol An enquiry from J MacLennan of 286, North Bacnagask Road, Torry,



PER

Aberdeen, Scotland ask for the address of the SIERRA VICTOR INTERNA-TIONAL DX-QSL CLUB, well my friend their address is 43, Greendon Rise, Sileby, Leicester LE12 7TE and the President is Peter Breed, nice club too, good package.

Talking about Wales, a large percentage of the postbag eminates from the valleys, one such QSL was from Tony of 191 Court Street, Tonypandy, Mid Glamorgan CF40 2RM, he sends two striking QSL cards, The RHONDDA FRIENDS CHANNEL ONE-FOUR CLUB, simple but so effec-tive, and a graphically correct WH/SKEY DELTA SSB & QSL CLUB card of the Weish Dragon Club both superb cards Welsh Dragon Club, both superb cards. Tony tells us that the Welsh Dragon Club meets every Sunday at The Royal in Trealaw, Rhondda, drop Tony a card for full details.

To finish off with this month I must mention an enormous QSL that dropped through the letterbox - from Martin 'Bombay Duck' of 23, Milton Avenue, Leyfields, Tamworth, Staffordshire, a real laugh1, see if Martin will send you one to brighten up your day.

Well that's it for another month my friends, please don't be too disappointed if we haven't managed to give you a mention, please write again and we'll do our best to include you. May I just ask for your help in closing, most of you will know I am a member of REACT, may I ask on your personal help in keeping all QSO's off Channel 9, on behalf of all Monitors so that we can be there when you want us. Thanks for all your letters, look forward to seeing you all next month, till then, TAKECARE - WE CARE.

Letters please to Mike Newbold at 124, Hillcross Avenue, Morden, Surrey SM4 4EG.

29, Warnock Street, Lowell, Mass 01852, U.S.A. P.O. Box 77, 8500 Grenaa, Denmark. 95, Greenoak Crescent, 95, Greenoak Crescent, Stirchley, Birmingham B30 2TD, West Midlands. P.O. Box 355, Kraaifontein 7570, South Africa. 514, Hand Avenue, Lancaster, PA 17602, U.S.A. Geschur Scholl Str. 6, 0 4352 PA 17602, U.S.A. Geschw-Scholl-Str 6, D 4352 Herten, West Germany. 226, Rock Street, Pitsmoor, Sheffield, Yorks S3 9JF 56, Main Street, Shildon, Co Durham DL4 1AQ. Shea Heights Post Office, St Johns, Newfoundland, Canada AOA 1JO P.O. Box 499, 4380 AL Vlissingen, Netherlands. 7, Bold Street, Altrincham, Cheshire WA 14 2ER. 2026 Prince Avenue, Owensboro, KY 42301, U.S.A. Sterrebos 39, 4001 GA Tiel, Netherlands. 172, Ard Foyle, Moville, Co. Donegal, Ireland. 2, Cedar Street, Cwmgwrach, Nr Neath, W. Glamorgan, South Wales SA11 5PS.

#### Citizens' Band Magazine List of New QSL Contacts N. VAN VEEN JOHN SEAMAN R SEAGEANT PETER CHENOWETH 5171, Australia Essex. ROGER GARY AND SHIRLEY KENNEDY WILLIAM OGGERI CHRIS PEARL STATION VW16 G. STEFANI M.J. (MALCOLM) KENNETH HAWKINS

P.O. Box 267, 3340 AG H.I., Ambacht, Netherlands. 16, Delaware Crescent, Shoeburyness, Essex. Glenairlie, Crocketpond Road, Dumfries, Scotland. Box 340, McLaren Vale, SA 54, Ronald Road, Haistead,

P.O. Box 234, New Glasgow, Nova Scotia, Canada B2H 5E3. 103, Parkinson Avenue, Staten Island, NY 10305, U.S.A. 119, Barnwood Avenue, Bamwood, Gloucester. P.O. Box 179, Pawell, Wyoming 82435, U.S.A P.O. Box 2243, 5600 NA Eindhoven, Netherlands. Elinanoven, Netherlands. P.O. Box 13, Ciampino, Airport of Rome 00040, Italy. 11, Windsor Road, St Helier, Jersey, Channel Islands. 10, Richard John Road, Milford Haven, Dyfed, South Wales SA73 2PL.

JACKIE COOPER HARRY GLOVER Mrs V KELLER MANFRED GOEDEKE BILL COOPLAND STEVE ROBERT DURDLE ADA (Lady Kadimah) ROBERT DAWSON RUTH SAN DIEGO DONAL SKELLY T.H. JOHN



Ah... the month of the Mayfly and waxed lines drifting on dappled water to tempt the big brownie out of the brook and into the frying pan. Cabin cruisers off the shore and buckets filled with mackeral. Casting clouts and wondering why the old outboard won't start - it's sulking because you left it in the shed all winterl Tadpoles and birds nests, sand filled sandwiches and mosquitoes - out in the fields, on the roads, on the briny and down by the river and your CB radio with you all of the way. We will be taking a close look at some of the aspects of Summertime CB on foot, on the water and mobile during the coming months.... We start off with a feature on boating



The articles mentioned are in an advanced state of preparation but circumstances may affect the final contents

and CB in the very next issue!

Also, Chris Peterson will be taking an in-depth look at one of the more popular rigs on the market and telling you of his findings. Usually a surprise or two for the reader - and the manufacturer - when Chris gets his screwdriver out and into action.

Brian W. Wright has got a new antenna up his sleeve - must be a bit crowded up there — and with the help of his able sidekick Capt'n P he will be mobile and modulating in an effort to get the facts to us by press time.

Mack the Hack will be adding his five cents worth to the month's happenings and bringing you a special



thought or two.

Due to the growing interest we will bring you an update on the cordless phone scene and tell you more about the new equipment on the market. Back Chat - your page -Twong the fallen hero - CB Q&A where Smart Alac will be sorting out some more of your very clever problems and all the latest on the CB scene.

ne... see you then! HEY... don't forget let's be very careful out there!!!

## COMPETITION

You have all been reading our little play on words inside the front cover each month haven't you? Of course you have we can tell that by the number of groans coming out of houses with big twigs on the roofl Well, here is your very own chance to join in. All that you have to do is make up a little story - in not more than 150 words — that fits in with your interpretation of — A BIRD IN THE HAND IS WORTH TWO IN THE BUSH -Nothing rude now 'cos we want to publish the winner's effort - in the place of honour - and this is a family magazine!

Those jolly nice people out there at MAXCOM have put up the prize of a MAXCOM 20E - a really nice little rig that the winner will be proud to own. They will also help to choose the winning entry. Sorry to make you work so hard for the prize but it is well worth winning.

Entries should be marked clearly -FUNNY STORY COMPETITION - and you will see that all of the usual rules apply when you read the little print at the bottom of the page. This is really an eyesight test and is set to deter people from entering the competitions and to save Kev - who you will note from last month's mag has been promoted from having to open too many envelopes. Anyway good luck with the compIII

Dont't forget the rules. No employees of ASP are allowed to enter ... we have already tried it ... All entries must be here by second post Friday 15th April. The Editor's decision is final. And. don't forget your name and address. Entries to Fuany Story com-petition, Citizens' Band, ASPLtd, 145 Charing Cross Road, and the second post. London WC2H OEE.



Lottsa letters this month in response to the February issue. REACT and AIM and Ol' Boiler – And it's no good complaining about 'bad news letters' – we print what we get. Read and respond, we want to hear from YOU...

icit dicend Praeck it dici Praec' t sala grand ar le gran. grand i it salar and Auc inte r movente p vontor an mc ente n ite an uss demoissim conce tinme teposinimon estat duce retabes duce hiceret ede mus si a 'e post in me ite post in n eret a e hani ret ab is duci eccag onylar eccage eronylar at neccage consider at icage onylar se alliciat et still se alliciat et stiady se alliciat et stiad e allici it stia proficis in alia i proficionalia solocista su eccau it stiao ficis in alia s a sumi erseu: rtdicend Praec nd Prai e grano . te an ente r mus i move post i non du CONCE estat bbis unce han s duc ylar at vronylar at ili ronvli se alliciat et stiadat strady no litet st ficis in alia si immuri i alia

#### **Quick REACTion**

quo in persi

Dear CB,

I feel it is necessary to comment on the letter published in your February 1983 issue, headed 'Mayday Nay Day'.

To some extent I would like to address these points on Channel 9 Monitoring to the CBer generally.

(1) There never has been a claim by any monitoring organisation that I know of claiming 24hr coverage although that obviously is the ultimate aim.

(2) Adjacent channel or location transmissions can and quite often do make a set deaf during that transmission, consequently accusations that 'monitors are not there when needed' is not necessarily true.

(3) Most of the time it seems that, as usual, the CB user making complaints, A – Does not bother to gather facts, B – Makes unqualified assumptions C – Listens to the tittle tattle on the airwaves – a most unreliable source which contains unsubstantiated rumour, D – Is the last person to offer their services freely as monitors and, E – Is the first to complain if there is no answer when he/she needs assistance. (4) Monitors in general put up with a lot of hassle, bad language, hoax calls, abuse and so on, all of it generated by CBers – the very people who complain

when they need help are the people who discourage monitors from being there. (5) Various factions of CBers are anti channel 9 for no other apparent reason than the fact that they wish to use 9. Are these people really as selfish and self-centred as they appear or is it right that we should all degenerate to that level and say 'l'm all right Jack'?

(6) As in all walks of life we have people in the monitoring groups who are not really suitable for the job in hand. These will no doubt be weeded out as we progress and learn.

To summarise I would like to ask all CBers to give Channel 9 a chance to fulfil the need that is obviously there. Give the monitors a chance, we are all still learning. The emergency channel on the UK FM CB network can and will improve if we give it a chance.

Tewkesbury React and Cheltenham React have handled over 300 incidents since legalisation day, of which every one is documented. Please don't be impatient, remember more volunteers of the right calibre will mean better coverage and more reliable cover.

Don't forget, you may need channel 9 assistance one day and it would be a pity if there was no one there to help because of the actions of a minority of CBers.

Licencing regulations on UK CB >>

prohibit the use of international distress call signs of which *MAYDAY* is one, as is *MEDICO*. Last but not least please remember that monitors are VOLUNTEERS. J.M. Weatherby

REACT

South West Regional Director

#### Straight AIM

Dear CB,

In reply to Eric M. Stanhope of Melton Mowbray – Back Chat February – I sympathise with him, and am not surprised that he could not find a monitor on 9, but I am surprised at the alleged apathy of Breakers in the district concerned that they would not respond to his cry for help.

I would ask all to consider these facts. The basic fault in monitoring lies in the fact that the Government did not make a *LAW* that Channel 9 should only be used in an emergency, but only a recommendation that the channel be kept clear for emergencies.

This is not good enough, for all the wallies in creation know that they can use the Channel if they wish and no one can or has the right to stop them. As a result of this Government blunder, the monitors have to suffer the twisted minds of such warped people and it is hardly surprising that the monitor says, 'to hell with it', and switches off and no call for help is answered.

It takes a special kind of person to be a monitor and Monitoring Organisation should investigate their applicants more fully before giving them such responsibilities.

Having been disappointed, I hope that Mr Stanhope will join his local monitoring group, who I hope will train him, so that the next person to be as unfortunate as he, will fare better. **Philip P. Knight** 

Chainnan, A.I.M.

#### **Press Cutting!**

Dear CB,

I think Mr. Stanhope – Back Chat February – and breakers like him who complain about channel 9 not being monitored 24 hours a day should realise that people who are monitors, on various teams, are all doing the job in their own time. And, doing the job for no reward in any way other than the satisfaction of having helped someone in trouble. He should also realise that people like myself who have a daily job are not able to monitor for as long as perhaps we would like to.

If those breakers who complain about poor service on the Emergency Channel spent an hour or so of their time on one of the monitoring teams maybe then 24 hour cover could be possible.

It would be nice for a changeto read in the press of the good that has been done with CB and decent breakers instead of all of the bad reports. Even people without rigs have cause to be grateful but we never read of any of their comments. Mr. K. Furnell Tonbridge Kent

#### New Brooms . . .

#### Dear CB,

I am a very new breaker and have just got my first copy of CB magazine. On reading through it I noted the letter from James A. Miller about breakers needing a lesson on decency.

On two occasions I have given them a ticking off and they have cleared the channel. I do not know if I was right or wrong but in my own mind it was the right thing to do. **Peter Jaffrey** 

Berwick upon Tweed

If it worked, finel In any event it is better than selling your rig and leaving them the freedom of the airwaysl

#### Northern Bites . . .

Dear CB,

I feel I must write in disagreement with the comments from James L. Miller's letter to CB – issue February 1983.

He has stated that a lot of Scotland's and indeed a lot of English CB operators are in need of a lesson in decency. May I say it is the Scottish CB operators who require the lesson and not the English. Please let me explain why I say this.

During a holiday in Derbyshire, I developed a very keen interest in CB and, after a fortnight modulating with the English breakers in and around Derbyshire, I decided to purchase some CB equipment to take home with me to Scotland. I never heard anything being said out of place during my holiday fortnight on the CB. However, since returning to my home twenty I have been doing a lot of tab hanging on my friend's CB and I am glad to say I did this before I set up my equipment. All I have heard on the Scottish CB is slang, foul and indecent modulation, playing music, keying mikes, inane conversations, mis-use of the breaking channel etc. etc.

When I heard the standard of modulation Scottish CB had to offer I was disgusted and decided to sell the CB equipment I had purchased and I can honestly say that I will not miss it. May I say to the 'Good Buddy' who wrote the letter, if he has his 'Ears On' listen in and around my 'home twenty' and see what I mean. I think you will understand. Is that a 'ten four'?

I cannot see any improvement at all for CB especially in the Glasgow area, where we are inundated with louts, and bucket mouths, who are mis-using the CB channels. Is it not about time the Home Office got off their back sides, and did something? Alex Elder, Glasgow.

North or South of the border Alex, you

will always find a minority ready and willing to spoil things for the majority.

#### Talk, Talk, Talk . . .

Dear CB,

May we – through Back Chat – thank all of the good buddies who supported our 48 hour, non stop sponsored modulation in aid of the CB Radio Diabetic Research Fund. Copies flew in left right and centre. We would especially like to mention the following breakers in the Alnwick twenty for their help. Early Bird

– for the milk and everything else that he did which would take up fartoo much space to list. Mary Baker – for her wonderful baking. I would recommend her mince piesto anyone. Handy Man – for his fish suppers and, last but not least the junior breaker, Little John – for just being around when he was needed. King Rat

Blue Mallard Maverick Morpeth

There, just as Mr Kurnhill requested, good news from a good bunch of breakers!

#### Writers Gramp!

Dear CB,

Prompted by my own opinions gleaned by reading your July '82 issue and against the advice of local hardened CBers, I have bought myself a DNT FM 40 Supertuned rig by Radio Technics.

I am absolutely delighted with it. I am not for DX copies and am content to modulate over reasonable distances, but it's hard to resist copies from across the Severn Estuary ie Wales, and as far down as Minehead and, others, at distance, when convenient.

True, the rig is costly and not available at discount stores or the Cash and Carry, but you can't buy a Rolls there eitherl

I have absolutely no connection with Radiotechnics nor any of their agents but I do congratulate them on for producing a super A1 rig.

How come new subscribers get a free binder, when we who have taken *Citizens' Band* on order from issue 1, and *Hobby Electronics* since issue 1 get left out in the cold? John Durant, Nailsea.

An old boiler you may be John but it is always nice to hear from you. Glad we could help and sorry about the binder. You win some – you lose some, I guess!

CB

Letters intended for publication should be addressed to: Backchat, Citizens' Band, 145 Charing Cross Road, London WC2H OEE. Letters not containing a name and address will not be considered for publication.




Now, we all know that twong likes a pint or Two of Newkie Brown. But it seems that things are getting out of hand. Now all the clubs that write in meet in pubs. So we thought; why not give away five unique CB patches to the pub with the strangest name? Send your entry with your Club Directory Form.





Scaling the heights of clubs 'n' stuff this month are the Breakers of the Pyramid club. They're from the Wirral which is, if I can remember my geography, just below Liverpool and just to the left of Manchester. Now, the Pyramid breakers assemble weekly, on Wednesdays, at 8pm in and around the Ferry Hotel, Eastham, Wirral. The Ferry Hotel is renowed Wirral-wide for its excellent beer. I have to say that, just in case I'm around that way one day and I fancy a free pint. Their almighty ale has been known to draw as many as 60 Pyramid breakers to the trough at one time. Powerful stuff.

The Pyramid people tell us that



their main aim is to help the disabled and less fortunate people than themselves. And although they'd only been together for six months at the time of writing they had already donated a number of homebase units to their new friends.

They've also started a section for Junior Breakers, which meets at the Silvendale Youth Centre, Spital between 3 and 5pm. The ages range from 5 to 17 and it's proving pretty popular. Word of the wild pre-Christmas party even reached us down here in the smoke. Anyway, great thanks to the inimitable Zig Zag, known to others as Lez Robinson, as he's doing a great job. Any enquiries about the club should be addressed to him at . . .

Pyramid Breakers Club, Ferry Hotel, Eastham, Wirral.

## Mixing It with Dxers

An epistle had reached my humble desk from S-O-T. 'S-O-T' I hear you cry, what's that? Well, if you live in and around the Staffordshire area you'll know. It's an abbreviation for Stoke-On-Trent. (Personally, I envy the people up there — Sammy McIlroy is in the City team and he's a very good soccer player).

But back the letter. It comes from a chap called Dave Curwen and he writes to tell us about a DX club in Stoke. The club meets at a pub (where else?) called the Joker (it's probably called that because it doesn't sell beer). The Joker is in Blurton in Stoke.

Dave tells us that it's a very well organised club, they've got a PO Box and a well-designed QSL card. The fee to join is £3 and 50p per meeting for two months — all in all, by using fingers of both hands and my new calculator, that comes to £5. Dave then goes on to creep and crawl about the mag. Thanks Dave, flattery will get you everywhere. You can get in touch with Dave at  $\ldots$ 

PO Box No 366, Longton, Stoke-On-Trent, ST1 3SE

## **New Clubs**

Alright, here's the newies on the club scene. Don't forget, if you're in a club and it's illustrious name has never appeared in the great and good pages of *Citizens' Band*, fill out the form below, pop it in the red box at the corner of the street and hey presto, a couple of months later it'll make it's debut appearance on these pages. But don't forget to put a stamp on it!

Right, as I said, these are the fresh faces this month . . .

From Heavenly Hornsea comes the Hornsea New & Old CB club. The chairman is Dinplug and he can be found at 22 Northgate, Hornsea. The club meets at the Showboat, Hornsea on Sundays at around 8pm.

Winging its way from wonderful North Wailsham comes news of the Delta X Ray Sideband club. Their chairman is Jungle Jim and he can be found swinging through the branches at PO Box, SL 116, North Wailsham, Norfolk, Nr 28 ON8.

Also from Norfolk, comes a note from Mrs E Chamberlain. She's the lady to contact if you want to learn more about the **Bay City and District**  Breakers Club. They meet at, yes you've guessed it, a pub. This one's called the Globe and it can be found in Wells-Next-The-Sea in Norfolk. The BC&DBC are there on alternate Sundays in the evening.

If you fancy a drink and a chat with them contact Mrs Chamberlain at . . .

### Old Field Farm, Thornham, Nr Hunstanton, Norfolk, PE36 6NH.

The General (salute when you see him) is Chairman of the Milland Valley Breakers. Surprise, surprise they DON'T meet in a pub but at the local village hall in Milland. They can be found there fortnightly on Wednesdays at 8pm. If you fancy a bit of square-bashing or perhaps even a battle or two, contact the General at 4 West Meade, Milland, Nr Liphook, Hants.

Finally, a breaker's blast from Brackley. The Don, intellectual Chairman of the **Three Counties Breakers Club**, writes to inform us of his next tutorial, sorry, meeting. The Club meet at the Brackley British Legion Club on alternate Thursdays at 8pm. The address to write for details is **PO Box 3, Brackley, Northants**.


Okay, that's all for this month. But there's just time for a terrible knock knock joke. Knock, Knock. Who's there? Doris. Doris who? Doris locked so I had to knock. There, told you it was bad. Sorry.

When you send in the registration form — please enclose club badge-card or sticker.

# CITIZENS' BAND CLUB DIRECTORY REGISTRATION FORM

CLUB NAME				• •			•••		•			• •	• •				•					•			(		)
CHAIRMAN			• •			•		•		• •	•	•		•	•		•	•							(		)
Secretery							• •		•		•		•				• •	•							(		)
PR Contect						·	• •		•		•	9 B			•			•	• •				• .		(		)
Contect Address									•		æ		0	•				•							. (		)
			• •	•••		• •		• •	2		•	- 11		•	• •	•	•			ł	•		• •	•	•	• •	•
				• •			• •	•	•	• •		•	• •			(T	el	N	0	• •			•	•			.)
MEETING PLACE,	DAY	ANC	TI	ME		•		•	•				Ϊ.	•	-			•		•					(		)
		•••		•••				• •					•	• •		•	•	ł	•	•	. ,		-				
No. of members .						•	• •	al.	•																		
Position in club						• •		•																			
Fee/subetc						,				(	20	m	m	iti		• •	ne	m	b	Ør	\$ (	ог	nh	1	le	81	<b>(</b>
Plesse mark (*) in	form	tion	th	et	me	y I	be	ρι	ub	hia	h	ed	ł.														

# Citizens Band REFERENCE SECTION



## SQUELCH

For anyone who has never used a rig before, this is probably the control that is the most difficult to understand. It exists to remove the background noise, that hissing sound that you can hear when there isn't a signal present. Nothing happens when the squelch knob is turned slowly clockwise, until it reaches a point just above the level of the background noise. Then, suddenly, the noise will totally disappear and you will hear nothing at all until a signal that is stronger than the background noise is received. This signal will cause the squelch to *open* an you will hear it, but as soon as it disappears, the squelch will *close* again and no sound will come from the rig. Care should be taken when adjusting this control because the higher it is set, the stronger the incoming signal has to be in order to openit. For the best results, the control should be left at the position just past the point where the background noise vanished. It will then let through any signal that is stronger than the background noise but not the noise itself.

## **RF GAIN**

This is a variable attenuator that cuts down the amplification which is given to incoming signals and the moreit is turned, the less the gain of your rig. This helps to prevent overloading when you are talking to someone who is very close by.

## SIGNAL STRENGTH/RF METER

This is a dual function device that shows the relative strength of the signal you are receiving and of the signal you are transmitting. The S-Meter is usually calibrated 1-9 and the nearer to the 9 the needle is when you are receiving a

signal, the stronger that signal is. If someone asks you for a signal report, all you need to do is quote the number that is indicated on your S-Meter. This will give them a good idea of how well you are receiving them but you should remember that this is a *relative* indication and another rig under exactly the same circumstances could well give a reading that is 2 or 3 points different.

The same applies to the RF Meter. It also gives a *relative* indication of the power, you are putting out and it doesn't give a reading in watts. When you have properly tuned your antenna, you should note the position of the needle when you transmit, it should be around the 8 mark. If it suddenly moves from this position when you are transmitting, you should immediately re-check your antenna as there will almost certainly be something wrong with it.

## NOISE BLANKER

These two functions are often combined on one switch and although they operate differently, they both exist to cut down interference. Most ANL systems work reasonably well but an NB is a far more efficient device that will remove almostall of the crackles and pops that are caused by interference.

### LEDS (RX TX)

The appropriate one of these light emitting diodes lights to show if you are transmitting or receiving.

## PA/CB

This switch turns you rig into a low power public address amplifier when it is set to the PA position. There is a socket on the back for an extension horn type speaker to be plugged into and anything you say into the microphone will be amplified and broadcast through the speaker.

### MIC. GAIN.

This control alters the amount of audio from the microphone used to modulate the outgoing signal. When it is set to minimum, you are transmitting a blank carrier regardless of whether you speak into the microphone or not but when it's set to maximum, your signal is at almost 100% modulation.

## HI/LO

This switch cuts down the output power of your rig so that you can conform to the rule on the back of your licence that says that you must reduce you power by 10 dB if your base station antenna is more than 7 metres above ground level.

## CHANNEL SELECTOR

This is the knob that you use to change chennels.

### **CHANNEL INDICATOR**

This window displays the number of the channel in use. Most sets use LEDs for this display but some manufacturers prefer to use liquid crystal of flourescent type displays. Displays will normally be bright red, oragne or green and visable in all but the most direct sunlight.

## CH 9 PRIORITY

This switch allows you to go immediately to channel 9 without having to use the channel selector.

	OBILE	S	4	SUPPLY VOLTAGE	il and in the second
NAME	ADDRESSES	MODEL	NO.	non nsu	RETAIL
LCL	LCL Imports Ltd, 101 Dixons Green, Dudley, W. Midlands	2740	40	13.8VDC	£80
LCL		COMMUNICATOR	40	13.8VDC	£95
LOWE	Lows Electronics. Matlock, Derbyshire	TX40	40	13.8VDC	£50
MANOR	Manor National Group, Oxford Rd, M/cr	KESTREL	40	13.8VDC	£99
MAXCOM	A.M. Telecommunications, AM House 17 Shepherda Way,	4E	40	13.8VDC	£50
MAXCOM	Rickmansworth Herte.	6E	40	13.8VDC	£48
MAXCOM		20E	40	13.8VDC	£50
MAXCOM		21E	40	13.8VDC	£50
MAXCOM		16E	40	13.8VDC	£40
MICROLINK	Warman-Freed Ltd, 82 Golders Gn Rd, NW11	CB401	40	13.8VDC	£115
MIDLAND	Plustronics Ltd, Hempstells Ln, Newcastle-under-Lyme, Staffs.	2001	40	13.8VDC	£70
MIDLAND		3001	40	13.8VDC	£80
MIDLAND		4001	40	13.8VDC	0e3
MIDLAND		2001 T	40	13.8VDC	£100
MUSTANG	KB & Co Ltd, 202 Cheetham Hill Rd, M/cr.	CB1000	40	13.8VDC	£49.95
MUSTANG		CB2000	40	13.8VDC	£59.95
MUSTANG		CB3000	40	13.8VDC	£89.95
NATO	Roger D. 831 Mensfield Rd, Nottingham NG5 3GF	40M	40	13.8VDC	£69.95
NATO		2000	40	13.8VDC	£189.95
OSCAR	S.M.C. Osborne House, Tatton, Southempton	OSCAR1	40	13.8VDC	£85
RADIOMOBILE	Goodwood Wks, North Circular Rd, London NW2 7JS	201	40	13.8VDC	£80-90
RADIOMOBILE		202	40	13.8VDC	£120
REFTEC	RF Technology, Leyton Avenue Ind Est, Mildenhall, Suffolk	934	20	13.8VDC	£200
ROTEL	Rotel HI-Fi, 2-4 Erice Rd, Stacey Bushes, Milton Keynes	RVC 220	40	13.8VDC	£50
ROTEL	The second s	RVC 230	40	13.8VDC	£70
ROTEL	en 16 Finale (Bash)	RVC 240	40	13.8VDC	£90
SAPPHIRE	CB Services 97 Crab Lane, Harrogate, North Yorks	2000X	1100-022	13.8VDC	£68
SHOGUN	Colliers Fm, Frieth, Henlay on Thames, Oxon RG6 6NR	SHOGUN	40	13.8VDC	£100
SIRTEL	24 Alfric Sq, Off Maxwell Rd, Woodston ind Est, Paterborough	SEARCHER	Contraction of the	13.8VDC	£40
SPIRIT	Mertello Sound Ltd. Heywood Wey, lvyhouse Lane, Hestings	SPIRIT	40	12VDC	£100
STEEPLETONE	Park End Works, Croughton, Nr Brackley, Northants	SCB1FM	40	13.8VDC	£103
TANDY	Tame Wey Tower, Bridge St, Welsell,	TRC2001	40	13.8VDC	£80
TANDY	a an anna ara-ra-ra-	TRC2002	40	13.8VDC	£70 ,
TANDY	state a wind a part of the second	TRC2000	40	13.8VDC	£100
TANDY		TRC1004	40	12VDC	£79
TANDY		TRC 2003	40	13.8VDC	£130
TENVOX	Voxon Audio Ltd. Abingdon, Oxon	TENVOX	40	13.8VOC	£100
	0	UNI ACE 100	40	13.8VDC	£80
UNIDEN		UNI ACE 200	40	13.8VOC	£100
VIPER	Radio 88, Berking, Essex	VIPER 88	40	13.8VDC	ETBA
WAGNER	Knight Communications Ltd Unit 19 Brittania Estate, Leagrove Rd. Luton	9000	40	13.BVDC	£59.95
WAGNER	cogroup no. colon	COMPACT 40	40	13.BVDC	£25
WESTERN	Western Electronics, Fairfield Estate, Louth, Notts.	COMPACT 40	40	13.BVDC	£34.50
	22 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2	JCB 861	40	13.8VDC	£69
YORK	Sulkin (UK) Ltd, 73 GrosvenorStreet, Landon W1X 9DD.	JCB 863	40	13.8VDC	£89
	And State and American Concerning of State and State and States			out service	
		31.50		name delle Secondore	ng Marandonaka ng karang ata sa
	Source and the second sec	gim bry *		mitter of the	

							estado esta								REF	ERENCE
./.	SOUFLCH	AMITCH	Mill Switch	RECAIN	Tons	SIRE CONTROL	SIRE	HILLO RIO	PAE	EX OF	TX INC. JAC.	RX IN. LIGHT	CH a LIGHT	MILCH	COMMENTS	С <b>В</b> 27/81
			1	-	•	•	-Pris	•	1.000	1.2	•	1000		FL	the second second second	LCL
				•	•	•			2005	•	•		•	FL		LCL
	一個	18		•	199			•	1		•	•	, Ales	FL	C. Friday C.	LOWE
			OF ST	•	•	•	1000	•	•	•	•	•	•	FL		MANOR
•		-		1		•	100	•	•		•		Series of	FL	Maxon chassis	MAXCOM
•		1.00		•		•		•		1	•	1.1	•	FL	net rest destruction and the	MAXCOM
										101	•		•	FL	332.0.00 4.9	MAXCOM
	1	1		)			-	•	Ser.	1.1.1	•		•	FL	and the second	MAXCOM
		1		i	and the second	•	State of			•	•	.A.2	361	FL	pole des Que de la rene des regels	MAXCOM
	ANG	194	1	•		•		•	•	•	•	•		FL		MICROLINK
	1000	12		1	NALE.	•	Stores .	-	•	•	•			FL	a set and a set of the	MIDLAND
	1000		- Aless	•	SARE.	•	State:	•	•	•		100	No.	FL		MIDLAND
	- Longer		•	•		•		•		•	•		1.50	FL	and a second second second second second	MIDLAND
•	1000					•	- Calle		•	•	•	en		FL	The talking rig	MIDLAND
	Contraction of the	-	-64%	1		•		-	•	•	•	•	1.1.5	FL	The second second second second second	MUSTANG
	Colorest Colorest		12 70.0	•	•	•	Contraction of		•	•	•	•	•	FL	and the second	MUSTANG
•	C.Pumor			•	•	•		<u> </u>		•	•	•	•	FL	and and and a second fill and and	MUSTANG
•	1000		•	•	•	•	Part and		•	•	•			SL	California de la companya de la comp	NATO
•	C DOC	•	1	•	•	•	100-100	•		•	•	and and and	10.00	SL		NATO
•	2000		1000		1	•		•	-tivette		1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		•	SL	Cybernet 134 chessis	OSCAR
_	Contraction of the local division of the loc							•		•	•			FL	Cybernet chassis	RADIOMOBILE
•	12522			•	•				•	1	And a state of the			FL	Report Sep '81	RADIOMOBILE
•	1		AND DECK	4			14 A. A.	-	Contraction of	•	•	1000	83.87 A	FR	934 MHz — Still walting!	REFTEC
•	Concession of Co		11453		•	•	1 Dates	•	•	•	•		An Aller	FL	Cybernet chassis	ROTEL
	Contract of	100	•		•									FL	Cybernet chassis	1207 275
	100000			1	112	1.5.2	•	•	1000					SL FL	Cybernet chassis	SAPPHIRE
	Contract of the local division of the local	15	COLUMN T		•	1.42				1		-		SL	Un marketele serve Depart lune (92	SHOGUN
	36966	508	· · · · · · · · · · · · · · · · · · ·		1 2.3	•							10 80 10 210 21	SL	Up marketelegance Report June '82	SIRTEL
	1058	100	10000						100 - 000 100 - 000	-		-		FR		SPIRIT
	100,25	500	A CATEL		100 AC 125	1.1	•		24			•		FL		STEEPLETONE
	10000		32 (C.S.		1								1.57.29	SL		TANDY
	1000	100	Contraction of the second		83	•	No. Con	•	•	-	200	-		SL		TANDY
•	1000	12				•			•		•		1310-550 1	1		7
•	10010			•		•	Star Star	•	•		•		in the	SL		TANDY
•	1000				142.23		10000	•	122	3 :	•	2.0	BARR	SL	the particular description of the second	TANOY
•	19772			12	明白的			•	制制派	•	and the second		1410	-	Creation Representation and an	TANDY
•	1000	100 100	362	2	102	$= \lfloor \hat{a} \rfloor$	•			2.00	•		•	SL		TENOVOX
•	CONTRACT OF	100		A 1	24	•		•	•	•	•			SL	and the second second second second	UNIDEN
•	CC2012V	100	•	•	•	•	13.00		•		•	•	1000	SL	Report coming soon	UNIDEN
•	10000	1	-154.0	•	These is	•		•	60%A	•	•	•	1997	FL		VIPER
•	and the second	100			14/201	•	•	•	•	•	•	•		FL		WAGNER
•				1. 1	17. CA 2			•		•	•	•		FL		WAGNER
•				1.2	1.3.3	•		•	A STATE	No.	•		SUGE	FL		WESTERN
•	100			1	•	•	123	•		•	- Sult			SL	Report Oct '81	YORK
			•	•	•	•	- El Cal	•	•	•	•		•	SL	Cybernet 134 chassis	YORK
		and strength	-	1	Ster Val		And a second		44	1	145332	la calina y	a specie	17-	sevente concernation	
			State of		A COLOR				<u>. 192</u>			1	1000		historia carda concerta de ser a seconda	
Sall see	-		NACE AS	gara.	-	1. 1.	REV.LAN		1	-			aller.	1		
Station .				1		1 2.3			100	1	RGA DI			ł		1
ale and	11.0%	1	-3895		ay solar	1.0	all and	in the second		1	Transa.	1	1	ĺ.	and a strange that the second s	

a hite

NE STATE

100

1

DEEEDI					
<b>KLI LKI</b>					
FN	<b>I RIG CH</b>		2		
e son de la chefaniquera	and a many many processing the transmission of prover them in the call	an a	3	a halendar	
	OBILE(	5	0-	SUPPLY VOLTAGE	RETAIL Prince
NAME	ADDRESSES	MODEL	No.	202	
ALBA	Albe (Electronics) Ltd, Bull Lene, Edmonton N 18	CBMI40	40	13.8VDC	TBA
AMSTRAD	Amstred Consumer Electronics, 1-7 German Road, London N17	CB901	40	13.8VDC	£89
AUDIO LINE		341	40	13.8VDC	£108
AUDIO LINE	CB Radio Centre, 337 Kenton Rd, Harrow Mddx	340	40	13.8VDC	£BO
AUDIO LINE		342	40	13.2VDC	£1:49.95
BARRACUDA	Halfords Motor Accessory Shops	GTB68	40	13.8VDC	£70
BARRACUDA		HP940	40	13.8VDC	£B5
BINATONE	Binatone House, Berestord Av, Weinbley, Mddx	BREAKERPHONE	40	13.8VDC	£99
BINATONE		ROUTE 66	40	13.8VDC	£79.95
SINATONE		5-STAR	40	13.8VDC	£100
BRAEMAR	Gaminex Overseas, 348 Kings Rd, SW3 5UZ	BRAEMAR	40	13.8VDC	£TBA
COBRA	Mure (UK) Ltd, High Rd, Willesdon, NW 10	21 X FM	40	13.8VDC	£79
COLT	Shellpost, 183 The Rock, Bury, Lancs	295	40	13.8VDC	£BO
COMMTRON	Roger D, 831 Mansfield Rd, Notts	CB40F	40	13.8VDC	£70
COMMTRON		CXX	40	13.8VDC	£69.95
CYBERNET	Goodmans Loudepeakers Ltd, Downley Road, Havant, Hants POO 2NL.	BETA 1000	40	13.8VDC	£70
CYBERNET		BETA 2000	40	13.BVDC	£B5
CYBERNET		BETA 3000	40	13.8VDC	£100
DNT	Rediotechnics'Ltd, Grove Way Bel Royal, St Lawrence Jersay Cl	M40FM SPECIAL	40	13.8VDC	£100
ELFTONE	4 Beresford Av, Wembley, Mddx. HAO 1YA	ELC8 6000	40	13.8VDC	£TBA
EUROCOMM	Zycomm Electronics, Ripley, Derbyshire	EURO40	40	13.8VDC	£69
FIDELITY	Fidellity Radio Ltd, Vičtoria Rd, London NW10	CB 1000M	40	13.8VDC	£70
FIDELITY		CB 2000M	40	13.8VDC	£90
FIDELITY		20001 FM	40	13.8VDC	£70
GRANDSTAND	Bae-Ware Ltd, Ripon Way, Harrogata, N. Yorks	BLUEBIRD	40	13.8VDC	£90
GRANDSTAND		HAWK	40	13.8VDC	£80
GRANDSTAND		GEMINI	40	13.8VDC	£122
GREAT	Bilttania Trading, Northam Rd. Sudbury, Suffölk	GT 8588	40	13.8VDC	£65
HARRIER	Dixons Photographic Ltd.	CB MOBILE		13.8VDC	£49
HARRIER		СВХ	40	13.8VDC	£89.99
HARVARD	Harris Oversees Ltd, Hervard House, 14-16 Themes Rd, Barking, Essex	400M	40	13.8VDC	£80
HARVARD		402 MPA	40	13.8VDC	£89.95
HARVARD		H403 GOOD BUDDY	C C C C C C	13.8VDC	£50
HARVARD		420M	Real Property lies	13.8VDC	£100
INTERCEPTOR	Chelses CB Centre, 73-77 Brittania Rd, London	INTERCEPTOR	40	13.8VDC	£BO
INTERCEPTOR		TC400	B 626-82	13.8VDC	£95
INTERCEPTOR		ONE HANDER	40	13.8VDC	£100
JOHNSON	Ster Warehouse, Chaik Ferm Rd, London	JOHNSON	40	13.8VDC	£50
JWR	I The second	M2	40	13.8VDC	£60
JWR	Wollfa House, Norse Rd. Bedford MK41 OLF	M3	40	13.8VDC	£90
	Kalage Electropics Neurotteteres 21.25 Without Dates W. C.	UK40	40	13.8VDC	£T8A
KAISER LADYLINE	Kaiser Electronics Nevrottstresse 21-25, Weldorf Bedan, W. Gennany	QUASAR	40	13.8VDC	£BO
	Market Drayton, Salop Roger D. 921 Mansfeld Rd. Nottingham NGE 2GE	MANXMAN 850	40	13.8VDC	£32.50
	Roger D. 831 Mansfield Rd, Nottingham NG5 3GF	MANXMAN 850	40	13.8VDC	£37.50
LAKE		INANANAN950	10	10.0000	

Kaiser electronicleading German CB manufacturer proudly presents:

## CBX-40 the top-class 40 ch deluxe hand-held that beats any competition!

German workmanship and engineering — guaranteed quality at moderate price.

- 40 ch FM UK specs.
- Digital channel read-out.
- Hi/lo power switching plus ch 9 priority.
- Separate electret condenser mike, many other outstanding features.
- Flexible rubber-type antenna and CLC telescopic.
- Designed to be the very best.

Due to great demand, we have largely increased our production capacity and offer prompt delivery.

Please ask your local dealer or contact us directly.

## Kaiser electronic GmbH

32 Daimlerstrasse · D-6909 Walldorf · Germany Tel.: 06227/62016 · Telex: 466017 kai wa, or 461883 kai hd



£29.50.

£34.50.

## 36dB GAIN R.F. PRE-AMPLIFIER

This high quality R.F. Pre-amp for FM rigs can be turned up to a big 36dB gain! Essential for serious DX-ing — it brings out those normally undetectable signals. Also suitable for AM rigs operating on 4 watts.

(For HAM and SSB a higher output model is also available).

SUPERIOPUNCH

The genuine noise and hiss eliminator! Superkrunch circuit actually listens to the audio output of your rig — and if it hears a noise, it makes sure you don't! Superkrunch lets only modulation through to you. The connections are simple (full instructions included in every pack) and the complete unit is protected against reverse polarity.

Superkrunch enhances the potential of your rig with phones or speaker.

£42.50.

SPEECH PROCESSOR/ECHO REVERB UNIT

Ministry of Defence tests prove that superior received sound is possible by using an echo facility — so Skylab commissioned a new circuit design and put it into Supersound. Just look what you get! Speech processor input with echo delay and integral reverb — all under separate control, all independently adjustable. Get more out of your rig and enhance the quality of your modulation.

## Super products from Skylab CB

2c Keighley Road Crossflatts Bingley West Yorks 0274 568428

## HAM INTERNATIONAL MAIN DEALER

CBT <sup>1</sup> Prince of Wales Rd., Swansea (0792) 463821

Ram Inunderbird Base Ant 5/8 wave £20.95	(U)	
Ham Hypower Thunderbird	(D)	
Ham Big Mac Base Ant 7/8 Wave £79.95		
Ham Frequency Counter plugs into Ham models £39.99		
Ham Relax Power Mike £14.99		
Ham 232S Processor Base Mike or similar £29.99		
Ham 232DX Processor Base Mike £36.99		
Ham Antenna Matcher with through switch £9.99		
Ham Set Brackets (will fit York, Rotel etc) £3.99		
Ham Bracket Screw (will fit York, Rotel etc), each £1.00		
Ham 3-5 amp Power Supply £16.99		
Ham 6-9 amp Power Supply £29.99		
Ham 10-12 amp Power Supply		
Ham 15-18 amp Power Supply £79.99		
Ham 20-30 amp Power Supply £99.99		
Ham Multimode II Front Fascia		
Ham Concorde II Front Fascia		
Ham Service Manuals (state model) £6.00		
	(-)	

POSTAGE RATES: (A) 50p B (£1) (C) £1.50 (D) £5.00 Please allow 28 days for delivery

To obtain your catalogue on **HAM** International equipment, send £1.50 to **C.B.T., 1 Prince of Wales Road, Swansea.** Catalogue contains the MMIII CONCORDE III & JUMBO III (1983 models)

ACCESS AND BARCLAYCARD ACCEPTED

REFERENCE

BA	SES EN T			SUPPL YVOLTAGE	RETAUL PRICE
NAME	ADDRESSES	MODEL	NO. OF CHANN	Idans	RETAI
DNT	Radiotechnics Ltd, Grove Way, Bel Royal, St Lawrence Jersey Cl.	B40	40	240VAC	ETBA
DNT		B2740	40	240VAC	£TBA
DNT		B5040	40	240VAC	£TBA
FIDELITY	Fidelity Radio Ltd, Victoria Rd, London NW10	CB 300M	40	240VAC	ETBA
GRANDSTAND	Bee-Ware Ltd, Ripon Way, Haregate, N.Yorks	BASE	40	240VAC	£220
HARRIER	Dixons Photographic Ltd,	CB HQ	40	240VAC	£130
HARVARD	Harris Oversees Ltd, Harvard House, 14-16 Thames Rd, Barking Essex	H407	40	240VAC	£125
HARVARD		H401	40	240VAC	£149.95
JOHNSON	Star Warehouse Chalk Farm Rd, London	XK 2000	40	240VAC	£99
JWR	Woolfe House, Norse Rd, Bedford	DIPLOMAT	40	240VAC	£194
MIDLAND	Plustronix Ltd, Hempstalls Ln, Newcastle-under-Lyme, Staffs.	76-200	40	240VAC	£150
MURPHY	Murphy Electronics, Wembley, Middlesex	BASE	40	240VAC	£100
SPIRIT	Martello Sound Ltd, Haywood Way, Ivyhouse Lane, Hastings, Sussex	SPIRIT	40	240VAC	£100
WAGNER	Knight Communications Ltd. Unit 19 Brittania Esteate, Leagrove Rd. Luton LU3 1RJ	BASE	40	240VAC	£150

SE STATIONS

PC	DRIABL	ES	NO. OF CHIANNI	SUPPLI Y VOL TAGE	RETAIL PRICE
NAME	ADDRESSES	MODEL	NO. CHA	Supp	RET
BEAR	Air Beer(UK) Ltd, Wordey, Sheffield	RHB 35	3	BATTERIES	£44
BINATONE	Binatone House, Beresford Avenue, Wembley, Middlesex	LONGRANGER	40	BATTERIES	£59.95
DNT	Radiotechnica Ltd. Grove Way, Bel Royal, St Lawrance Jersey Cl	HF 12/3	3	BATTERIES	£47.55
ELFTONE	4 Berestord Av. Wembley, Middx.	CB30	2	BATTERIES	<b>£TBA</b>
ELFTONE		P-3	3	BATTERIES	<b>£TBA</b>
HARRIER	Dixons Photographic Ltd	WT1	2	BATTERY	£25
HARRIER		WT2	40	BATTERY	£59.99
HARVARD	Harris Overseas Ltd. Harvard House, 14-16 Thames Rd, Barking Essex	0-2-0	2	BATTERY	£20
HARVARD		410 T	40	8xAA cells	£89.95
HARVARD	S. Concertained and the second	10-4 CONVOY	2	BATTERY	£19.95
HARVARD	の一方である。	H6	2	BATTERY	£29.95
KAISER	Kaiser Electronics Nevrottstrasse 21-26, Weldorf Barden, W. Germany	CBX40	40	BATTERY	<b>£TBA</b>
MAXCOM	A.T.M. A.M. House 9s Olds Approach, Tolpits Lane, Watford Herts.	7E	3	BATTERY	<b>£TBA</b>
MIDLAND	Plustronix Ltd, Hempstalis Ln. Newcastle-under-Lyme, Staffs.	75-720	40	12VDC	£119
TANDY	Tanie Wey Tower, Bridge St. Welsell	TRC1001	40	BATTERY	£59.95

					1.				23.5°			
												REFERENCE
						2553		1791				
	$\land$								' 11			127/07
							3		וו			
<ul> <li>Republic to Strength</li> </ul>	second Second	NUNTRING	Constant Second		1996				S. C. MAR		12 100	The second second
lt's mu												
the car	's too	cold	to sta	irt -	– a	nd	it s	ave	es p	etro		
101.77 0.000		336-la 104									- Marine Aller	
	1	11.	.11	1	1	1	1	1	1	7		20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
SQUELCH NB SWITCH ANL SWITCH	-/ /	No.	5/~/	0/	5/	2	95	51	51	3	Comments	ROOM
HCH H	18	- INC	HE C	A I	5/:	4K	7 /	FIG!	19	E/	COMMENTS	
SQUELCH NB SWITCH ANL SWITC	54	103	ME	10	0	100	×/ 4	2/5	0 0			Constant of a shore of
INI GUI	MIK HE	10	SIR	- THE	18	23		12	E	AIK.	NO2	Contraction
tense tensessien - tense	1	NUMBER OF T	10000000000		-1	-	CONTRACTOR OF	14	-	1		
•			CONTRACTOR OF	•		0-0-0-0-0	•		140.50	FL		DNT
•		9	1000	•			•	105		FL		DNT
	•	•	Real Property in the second			•	•		•	FR	P	DNT
	•	• •	Contraction of the	-	-	•		•	•	SR FL	Report May '82 The most expensive base!	FIDELITY GRANDSTAND
•	•		and the second se	•		•	•	•		FL	Report May '82	HÁRRIER
			Concentration of the local division of the l	•	•	•	•	•	•	FL	Report May '82	HARVARD
			1304803-007	•		-	•			FL	New base from Harvard	HARVARD
•	•		10000000	•	•	•				FL	Cheapo base	JOHNSON
	•			•	A 1			10.024	•	-		JWR
				•		•	•	2		FL		MIDLAND
•	•	•		•	1			1		FL	and the second second second	MURPHY
	1.			•			•	0		FR	Paulie of the subscreek with	SPIRIT
• •	•	• •			•	•	•			FL		WAGNER
										-		
	1.000.00	N. S.	tu		310 A							and a second second
Why no									able	rig:	States and States and	
Not only	y is it	fun,	there'	s fi	resl	n ai	r to	00.		*		is gi
	e ni severan v	1 1		1		1	7	7	7	1	1 1	61
SQUELCH NB SWITCH ANL SWITCH		0	11	1	r /	' /		1-1	-	-	2	
H	13/	15	15 1		2/4	XEP 2	F /	HO	HS	5	COMMENTS	
SQUELCH NB SWITCH ANI SWITCH	18/3	100	ED ED	10	10	EA.	1	3/3	Sun.		len le	
Su Su	GA INE	NE	SF 1	10	EA	50	11	NI NI	0	1y	MM	
AN NB	R A	12 /3	15	HI	a la	53	12	XX	15	MIIN	8	Son States
•	Sec.			5			0	MAR		1		BEAR
•	and the second		Sec. 1	•		•	•		a la la la	-		BINATONE
•							2435			-		DNT
•	1. 34						NIG			-	Report June '82	ELFTONE
•	And Section					1						ELFTQNE
•					100					-		HARRIER
				•			•	•	•	-		HARRIER
•	and second second		and the							-		HARVARD
•				•			•	•	•	-	Report April '82	HARVARD
							•			-		HARVARD
•	250		A State of the second s				•			-		HARVARD
•		•		•		•		-	(100 Sale)	-		KAISER
•			1	•		-	•	Nor711	1.0.5	-		MAXCOM
•				35		-	•	1.28		-		MIDLAND TANDY
				•	2002	•	ALC: N	7 (24) - 1931 -	1901			
							1 STO	arradity.		1.1.6.		

÷

The Home Office specs for CB antennas are lean and bordering on the mean. Still within that basic framework manufacturers have come up with some good designs. This

REFERENCE

CONSTRUCTION RANGE POWER newly laid out antenna checklist should help you **HENGTH** MOUNT PRICE MAX TYPE NAME **ADDRESSES** MODEL ALLCOM DPA 2UK AL 100 M E 1.5 AMSTRAD **CBA 1500** SS 1.5 Various С Amstrad Consumer Electronics, 1-7 Garman Rd, London N17 \_ D ANTENNA INC. %ths 12610 Telecomm 0.9 SS M Super Persuader MR511 SS Mag Mag %ths % GGCCC SS SS 1,2 M710 ASM125 ASM128 SS SS 1.14 150 160 160 100 160 200 150 ANTENNA SPECIALISTS AS M131 SS SS 1.14 1.2 1.2 1.2 1.5 1.5 1.2 1M 1M Μ Antiference Ltd. Aylesbury, Bucks HP19 38J DDDDD gutter ASMR 440 AS MT178 AS M510 AS M2000 mag mag %" 55 55 55 AS M200 AS 9612 IC 85 IC 80 IC 15 SS SS 160 DDD mag mag spring-based mag trunk SS SS -EC 1 IC 20 IC 30 IC 40 SS SS ANTLER 1% -M roof DD ShekesPeere. Performance Antennas, Betton Rd, Market Drayton, Salop 1% SS SS M mirror E ō IC BO 11 mag %" snap D SS 0.5 50 ARCHER Tandy Corp., Terne Way Tower. Bridge St. Welsall. W.Mkd. 21-904 M SAM 10 SAM 20 SS SS 1.06 ARMSTRONG Stateside Trading Ltd., Audley Ave, Newport, Shropshire, M surface F 1,000 surface surface with spring boot lip boot lip with spring magnetic magnetic with spring side TAK 10 TAK 20 1.06 1,000 SS SS M G MAG 10 MAG20 SS 1.06 M G 1,000 SS side side & fold over & quick disconnect bootlip BDY 20 PEC 20 SS SS 1.06 1,000 G M **TAK 101** 1.06 1,000 G SS M Illuminator 1.22 1.22 1.22 1.22 AVANTI AV 241 (Moonraker) AV 241 T SS SS D Avanti, 132 Penistone Rd Nth, Staffield, Yorks stud M trunk E AV 241 M AV 241 MM SS 1 M mag super meg Ē G G RADI AND Badlend, Roeten Ind Est. Providence St, Lya. Stourbridge. **B10** SS 1.22 M mag BANDIT 1.42 Bendit, Roughem Ind Est, Bury St Edmunds, Surrey. B10 mag mag G M M M M M M M M M 815 mag mirror drill-thru 815 1.22 -820 830 830 11111111 1.42 1.22 1.42 1.22 drill-thru various various E 840 840 D D SS 1.42 various **B50** B50 D BM 500 Stingray Whiplash 1.5 HC C. BRIT C Brit, Unit 3.5 EastLane, Wembley, Midda. AL pole 25 CT INTERNATIONAL С CT International, CTE (UK) Ltd Unit 3, Mitcham Ind Est, B5 Streatham Rd, Mitcham, Surrey. SS 0.91 **MG27** -M mag 0.3 0.61 0.61 1.22 1.22 1.22 1.22 DIAL-A-MATCH Rubber Duck R SS SS SS SS SS % 530(Cherokee) CCF 11111 631 HBF 531 SMF 640 641 HBF 641 SMF 620 (Helfbreed) EEEC SS SS

## Here's a brief intro

All antennas have a number or name. Or both. Here we tell you what it is.

### Construction

Most mobile antennas are made of stainless steel and most home based ones are made of aluminium. This is not always the case though. There are fibre glass mobiles

## duction to the world of antennas and what we tell you in our checklist.

and stainless steel home based antennas.

### Length

The longer the better is always my motto. As long as it's not over 1.5 m. Otherwise it's illegal. We tell you the exact length.

#### Maximum power

This is given as a guide only. The law allows for a maximum two watts. However, the higher the maximum power figure given the sturdier the antenna will be.

## Туре

It's no use buying a home base antenna if you want to use your rig from the car. We tell you which are which Mobile or Base. At the moment the number of mobile antennas far outweigh the number of home based ones. But there are more and more home base antennas coming onto the market.

## Mount

The majority of mobile antennas are held in place by a magnet — these are called mag mounts. Others are attached by means of a clamp to the boot or edge of the roof. Some are drill-through antennas which are just the same as normal car radio aerials.

Home based antennas are poles, tripods or gutter mounts. Tripods are free standing and gutter mounts are attached in a way similar to trunk or bootmounts.

Key: Price Bends A:- £1 — £4.99 6:- £5 — £9.99	C:- £10 - £14.99         G:- £30 - £39.99         AL - Aluminium           D:- £15 - £19.99         H:- £40 Plus         FG - Floregiess           E:- £20 - £24.99         Construction         Application           F:- £25 - £29.99         SS - Stainless Steel         M - Mobile	B 🕌 Rase Note: Prices are given e a a guide only,	CONSTRUCT	NOLIDA	MAX POWER		4	RANGE
NAME	ADDRESSES	MODEL	CONS	LENGTH	MAX	TYPE	MOUNT	PRICE
DIGITEK UK LTD	179-181 Streatham Rd, Mitchem, Surrey	Falcon 27	SS	1.5	- 11	м	various	D
DIXONS	Dixons Photographic	Harrier	SS	0.9	-	М	Mag	D
HOT ROD 200	Hot Rod 200, Stateside TredingLtd, Audiey Avenue, Newport, Shorpshire	FMUK	SS	1.27	-	м	%ths	в
FREEMAN & PARDOW	Freemen & Pardow, Tything Rd, Arden Forest Ind Est, Alcester Warwick	The Invader The Thunderpole	AL A1	1.5 1.5	250 500	B B	pole pole	E F
K40		к40	SS	1.4	500	М	various	F
CB SERVICES	97. Cleb Lane, Harrowgate, N.Yorks HG1 3BQ	Builwhip Knuckladuster	SS AL	1.5 1.5	-	M B	Various —	C D
MIDWEST		Dial-a-tuna Dial-a-tune	SS SS	0.61 1.22	600 -	M	Various Various	CD
мосом	Mocom, Moto CommunicationsLtd, 140 Sandy Lane, Camphill, B'ham	Ravco	SS	1	-	м	various	В
MOTOROLA	Motorole, Taylors Rd, Stotsold, Hitchin, Herts.	EC106M	-	1.5	-	м	-	F
PAN INTERNATIONAL	and the second s	Pan Mobile 260	SS	1.25		м	clamp	-
PANORAMA	Panorama, 73 Wadham Rd, London, SW 15 2LS	CB27	-	1.22	1-2	м	mag	В
PRIDOW	40.00 Harris (10.00 Harris (10	КТ40	SS	1.5	-	м	trunk	С
SHIRA		SYS 208M SYS 203C MA 82	SS FG –	1 .0.75 0.91	111	MMM	mag trunk —	0.0.0
SIRTEL	Sirtel, 24 Alfric Sq, off Mexwell Rd, Waadston Ind Est, Peterborough.	GP Messenger GP Signal Kaeper	SS SS	1.5 1.6		B B	clemp tripod	EF
SMC	Oscar, South Miklands Communications, Osborn House, Totton, Southsmpton, SO4 4DN	OscarBase CBA 11GP OscarBase IIVIIS OscarIICM Oscar IICE Oscar IINE	\$\$ \$\$ \$\$ \$\$ \$\$ \$\$	1.5 1.6 1.2 1.2 1.5	1111	B M M M	- - nag foldovar base 'puli-up'' foldover base	F F D B C
		Oscar IISE Oscar TMCAS	ss ss	1.5 1	-	M	'locking- coller' foldovar base trunk	C B
SPYDER	Barris Timesto	Spyder	AL	1.5		в	pole	в
TAGRA	Europesonic (UK) Ltd, Britennia Works Building, Sherbourne St, Menchester	T40	SS	1.4	500	м	various	E
THOROBRED	ZL Communications, Cantley, NrNorwich, Norfolk	261 Z27 Locktune	SS 55 55	1.5 1.5 1.6	111	M M M	various %~ various	C B C
WITCHSTICK	CJM Motor Factors. Hill Farm Ave. Leavesdan, Watford, Herts. 09273-73646	Witchstick homebase	AL	1.6	-	B	-	E
WTA ELECTRONICS	111 Cromer Rd, Hellesdan, Norwich, Norfolk	Wot Pole Wot Mag	AI	1.5 1.5	-	B M:	pole mag	C C
VANORDT	Van Ordt, Knight CB Specialists, 204 Dunstable Rd, Luton, Beds.	Audio King AKO-100	SS	1.5	2000	м	36"	G





**CLASSIFIED ADVERTISEMENT — ORDER FORM** 

If you have something to sell now's your chance! Don't turn the page — turn to us! Rates of charge: 21 p per word per issue (minimum of 15 words). Box Nos. £2.00 per issue and post to: CITIZENS BAND, CLASSIFIED DEPT., 145 CHARING CROSS ROAD, LONDON WC2

	a server of the server	and the base of the base of the second s	and a la	The second s	
	$(bestig \in R_{1}^{2} \otimes d^{1/2})$	A	e de la	A CARLES STOR	
16.46 34.1	al desire in the second se	and a second		n fillester	2
				94% R38	1.022.00
	·····································	a dependent of the second s		1	1.4.93.63
		AN 25 10 11 10 2880 0	N. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		
11 9 11	1 It have	an and the second	800	energie and in gales	6 - 18 <sup>10</sup> - 38
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
INT2120			(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	的第三人称单	S. Phar
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			1		1996

Please place my advert in **CITIZENS BAND** for ...... issues commencing as soon as possible.

I am enclosing my Cheque/Postal Order/International Money Order for: (delete as necessary)  $\pounds$ ..... (Made payable to A.S.P. Ltd)

VISÁ		OR Debit my Access/Barclaycard (Delete as necessary)									
	Π	Π	Π			4		1 cA			

All classified advertisements must be paid for in advance.

Daytin	ne Tel. No		
Signat	ture		Date
	•••••••••		
Name	(Mr/Mrs/Miss/M	s)	
Flease	USE BLUCK CAP	TALS and include	e post coues.

## ADVERTISEMENT INDEX

AMERICAN ANTENNA	)BC
A.M.TELECOMMUNICATIONS	8
ARMSTRONG	5
CAVALIER BASE	.20
DATONG	4
FABULOUS PHONES	.15
FREEMAN & PARDOE	IFC
GAMMA AERIAL	.16
KAISER ELECTRONICS	.10

KNIGHT CB4,14 & 11	
LOWE ELECTRONICS15	
MICRO ELECTRONIC SYSTEMS11	
ROADRUNNER	
SKYLAB	
S.M.C	
TELECOMMS LTDIBC	
TELFORD ITEC4	
UNIACE	
A December of the second se	



# In one year our 140 antenna has become the largest selling CB antenna in the world!

## 1. It's more expensive ...

## £32.50 suggested retail vat included

## **And when you** pay more, vou expect more!

## **MORE PERFORMANCE:**

The K40 is guaranteed to transmit further or receive clearer than any antenna it replaces. We know it will. We've tested it with 771 CB'ers just like you for one vear.

MORE FLEXIBILITY: You can fit your K40 to any mounting surface. It will fit any vehicle you'll ever own! That includes choppers, dune buggies, gutters, mirror mounts, luggage racks, trunks, hatchbacks, through roofs, semis, pick ups and RV's

00000

## **MORE QUALITY:**

It's not imported. It's not made in Taiwan, Korea or Japan. It's American made in an American town. It's made with better materials that cost more and by professional people we pay more. And we designed it in the USA.

\*Including optional mounts at extra cost

... This Antenna is so DYNAMITE you receive a ...

GUARANTEE

GUARANTEE II

DOUBLE GUARANTEE

# better...



CB TIMES: "... it's not often that a product bursts onto the market scene, dominates and improves CB'ing for everyone. American Antenna and the K40 are doing it-repeated tests showed the K40 could out-perform the major competitive brands.

RADIO ELECTRONICS: "The results of our tests showed that, in three different positions of the monitoring receiver, the model K40 equaled or out-performed the competitive antenna. Apparently, American Antenna's advertising is not merely Madison Avenue showmanship.

PERSONAL COMMUNICATIONS: ". . . an impressive 95% of the trials, the K40 out-performed the existing mobile antennas. We had to try one for ourselves.

. in every case, the K40 either equaled or out-performed its competitor

"No ifs, ands, or buts! The K40 Antenna from American Antenna would have to be just about the best antenna around.

CB MAGAZINE: "Introduced in October, 1977, the K40 quickly became the top seller and in mid 1978, became the number one selling antenna in the nation."

## ... Here's what CB'ers all across the U.S.A. said.

ANTENNA SPECIALISTS: "... truck driver and CB'er for 10 years ..., 50% further than my M410 'Big Momma'.

-J.H. Collett, 207 McFee, Bastrop, LA

AVANTI: "I'm an electronic technician with a Second Class FCC license . ... I was able to transmit 70% further and tune the SWR 75% lower than my Avanti."

-H.R. Castro, VRB. Monserrante D-67, Salinas, Puerto Rico PAL: ". . . 20% better in transmission and

reception than my 5/8 wave Pal Firestik." -John A. Blum Box 446. Zelenolpie PA

SHAKESPEARE: "... I've been a CB'er for three years and the K40 is the best I've ever had. Better in reception and transmission than my Shakespeare."

-H. Bachert, Jr., 15 King Rd., Park Ridge, NJ HUSTLER: "Compared to my Hustler XBLT-4, the K40 can consistently transmit 40% further and the reception was better. The K40 is the perfect way to complete a CB system." -Jerome R. Brown, 7800 S. Linder, Burbank, IL



## (SPECIAL NOTE) If YOU'RE A **BEGINNER:**

Our K40 Dealers will be hap py to sell you any of the older style and less expensive antennas that are great bar-gains for any beginning CB'er.

**POWER!** 

....Sold exclusively by 5000 K40 dealers throughout the U.S., Canada & U.K.

ELGIN, IL 60120 U.S.A.

**COPYRIGHT AMERICAN ANTENNA 1979** 

AMERICAN ANTENNA

Now imported exclusively by OCT International Ltd.

LOOK FOR THE EXCLUSIVE OCT/K40 GUARANTEE SEAL.

Only K40 products carrying this seal will be guaranteed in the UK and Europe by OCT International Ltd.