



Advertisement Director: lain Herbertson

Classified Advertising: Julie Bates

Design and Origination by MM Design and Print London WC2H OEE

Chief Executive T J Connell

Editor: David Lawrenson

Consultant Editor Chris Adam-Smith Managing Editor: Cliff Wilson

Citizens' Band

CONTENTS

Cover this Month

Now that you've finished feasting your eyes on the Reftec adorning our front cover, let us bring you down to earth with a little story.

It's all about a young breaker who was fed up with the wallies he encountered in the city. Seeking cleaner airwaves, he packed his bags and left for a life in the country.

Although he was inexperienced in country ways a kindly farmer took him in and put him in charge of his herd of prize pigs. And what pure bred specimens they were too, and together with the prize boar he had just bought, the farmer reckoned he would have one of the best herds in the country.

Come breeding time, and the farmer instructed the young lad to collect the prize boar from his sty and put him with the sows. Now since coming to the country the young breaker had found the airwaves a revelation and walked round with his hand held jammed to his ear. Unfortunately, he didn't copy the farmer's instructions too well and opened the sow's sty instead of the boar's.

Within seconds a common old male pig had nipped in. So when the farmer came back he saw the boar still in his own sty, but also noticed that the sows were all very happy. Hence the saying . . . BOAR CHASTE — GUESS BREED!

The contents of this publication including all articles, designs, plans, drawings and programs and all copyright and other intellectual property rights therein belong to Argus Specialist Publications Limited. All rights conferred by the Law of Copyright and other intellectual property rights and by virtue of intermanional copyright conventions are specifically reserved to Argus Specialist Publications Limited and arry reproduction requires the prior written consent of the Company. © 1983 Argus Specialist Publications Limited.

CITIZENS' RAND is normally published on the third Friday of each month prior to cover date.

CITIZENS' BAND, 146 Charing Cross Road, London WC2H OEE. 01-437-1002. Published by Argus Specialist Publications Ltd. Distributed by Argus Press Sales & Distribution Ltd., 12-18 Paul Street, London EC2A 4JS, Printed by Knapp, Drewell & Sons Ltd, Kingston-upon-Thames, Surrey.

OCTOBER 1983	VOLUME 3 NUMBER 11
Update	6
CB Q&ACB's answer to Marjorie Proops	10
Twong	15 ture's in space
How to track down a wally	tion Finder 16
Rolling your own	na 18
Cordless Phone Review A look at a new one from Maxcor	20
Ladybreaker	
QSLs Here there and everywhere?	23
Chris Peterson gets his hands on beast at last	
A look at a true original	h30
The economy size Oscar	
Something to look forward to	
Mack Chat	
Equipment Review — The Walk Could this be the Rolls Royce of I	phone
Chric Patereon in the hot cost thi	
Back Chat	43 rselves then
Members only	45
Reference Section New and improved	48



FACTORY APPOINTED DISTRIBUTORS OF

ZETAGI QUALITY EQUIPMENT

LINEAR AMPLIFIERS

B30 25 Watt AM/FM 50 Watt SSB Mobile Power Amplifier FRQ 26-30 MHZ





MORE




left in line when switched

B35

but incorporates a relay switch so unit may be

Mobile Power Amp. 60 Watt AM/FM 120 Watt SSB FRQ. 26-30 MI





All Band Power Amp. FRQ. 2-30 MHZ. 70-200 W AM/FM

140-400 W SSB with Pre-Amp



BV 131 Mains Power Amp Mode: AM/FM/SSB PWR: 100-250 Watt FRO 26-

Same spec. as B30

PRE-AMPLIFIERS

ACCESSORIES



P27 High quality low noise CB Pre-Amp. Adjustable gain to 25 Dbs

meter for connection to rig



P27/1 Slimline low noise CB Pre-Amp Adjustable gain to 25 Dbs.



P27 M Mobile low noise CB Pre-Amp

Adjustable gain to 25 Dbs.







M27



MOD 202 High quality SWR Meter giving direct readings of forward and reflected power plus SWR, up to 1 KW





D.C. power supply 20 Amp Peak











MICROPHONES NEV

FACTORY APPOINTED DISTRIBUTORS OF

SADEL

ECHO MASTER Base microphone The ultimate echo microphonel Giving sharp, crisp audio even with high levels of echo.

à

HM 30 Amplified electret hand microphone Using an electret capsule this amplified hand mic. gives outstanding člarity on any rłg.

MB 30 Electret base microphone. This power mic using an electret cartridge to give outstanding clarity



Compressor base microphone. Very high quality pre-amplifier plus compressor power microphone in a de-luxe cabinet with 2 meters. Also

incorporates normal -vox switch for Ham radlo use.

BRAVO 2

BRAVO O Compressor bass microphone

High quality Pre-Amp plus compressor power microphone with variable modulation and compression controls.



LM 20 Voice controlled microphone A unique voice

operated throat microphone leaving both hands free for writing.




MOD 156S

power supply. . Twin meter

Stabilized 4-15 Volt

MAIL ORDER DEPT. 189 London Road North End Portsmouth PO2 9AE





AME DAY DESPATCH~HOTLINE 0705•6621



≣THE U.K.'s LEADING C.B. DISTRIBUTOR

Hand held


AUDIOLINE

FACTORY APPOINTED DISTRIBUTORS OF



PRECISION DIRECTION FINDER

A compact unit for pinpointing the location of Radio Frequency Transmission:



10% DISCOUNT FOR CLUBS & **ASSOCIATIONS**

Model 345

Base Station

MODEL PDF - 11M covering the 27MHz Citizens Bond

VAMPLIFIER Model VA1

Combined Signal Booster and RF Variable Attenuator for optimum reception on 27 MHZ under difficult band conditions. Features

Low noise FET Pre-Amp
 Variable RF Attenuator (to

GRAADSTAAD

GEMINI

reduce the worst effects of "Bleedover")

AS SUPPLIED TO BRITISH TELECOM

0

Blackline Series

CB VAMPIRE

R.F. Switched Attentuator which should reduce the worst effects of "Bleedover" suffered on many brands of transceiver. £14.87

HIGH PASS FILTER (HPF1)

This unit is for severe cases of CB interference. Featuring tuned filter on both inner and outer conductors. Also available tuned to amateur radio bands. £7.95

BAND PASS FILTER

Tuned to 27.5 MHz, Inserts between rig and aenal to help suppress TVI. Low insertion £5.50



£14.87

NOTCH FILTER (TNF2)

CBSIGNALBOOSTER Low noise high quality FET Pre-Amp with 24 Dbs gain Automatic R.F. switching.

This is a standard TVI Filter

and will provide 70 Db of rejection. Features a built in braid breaker. £6.75

For our full lists and

purchase

catalogues and receive vouchers worth £2 against your firs



FACTORY APPOINTED

DISTRIBUTORS OF

Features hybrid technology for maximum talk power!

3 Position switch for by-pass, PWR mlc or processor control.

ZENITH SPEECH **PROCESSOR**

R/HOMEBASE CB

Complete with microphone and pre-tuned antenna with magnetic base.

TRANSCEIVER

COMMTEL

The P-202 provides an increase in signal output level and reduces the dynamic range of the signal-an essential feature in applications where a consistent high level output is required from a signal which varies in amplitude. The added 'talk power' of the P-202 speech processor can FM - SSB - AM

Stalker ST-9F DX

make the difference between a signal which is readable and one which is barely diddible.

Also incorporated in the P-202 is an

active limiter circuit which is intended for use at the discretion of the user. The problems with distortion normally encountered with this type of circuit have been overcome to an acceptable degree with the Zenith.

ZX4 safety mic

- Suitable for all modes



The ZX4 is Zenith's most recent product. This microphone system has only just the released but has met with a work reporter microphone (2007) it we color to prove the microphone (2007) it was color to pr JII. away) is on a gooseneck with the PTT bullon located on a replacement goar level knob (which is available in black or lan). The ZX4 costs C25.82

(approx).
Although besically a design com-pany, Zenith handles all its own manu-facturing on its own premises.



AUDIO PRODUCTS

Telex: 869107 TELCOM G.

Safer driving Easy Installation

DEALERS - DO YOU STOCK THESE PRODUCT? Contact our Trade Department

for Details.





NEWS FROM THE WORLD OF CB

NEWS ROM THE WORLD OF CB

NEWS FROM THE WORLD

UPD/ATE

Elsewhere on this page we have the pleasure of reporting on the successful prosecution of a bucket mouth, and as far as we know it is the first one that has been widely reported. It is interesting to note that the person in question did not even have a licence for his rig.

It is only through prosecutions like this, and the subsequent publicity, in this case the Birmingham Evening Mail, that we can begin to clear the airwaves and bring respectability to CB. The paper also reported that British Telecom were mounting a campaign against bucket mouths in the Midlands area and we can

only hope that this will be emulated in other parts of the country.

So many of the letters we receive complain about the wallies and all the others who abuse the airwaves, we think it is about time that the authorities really had a purge to try and get the situation under some kind of control. Of course it's never going to completely eliminate the problem, but it can certainly go some way to improving the current situation.

On a different topic, we have been giving our Reference Section an overhaul. With so many companies going to the wall

or changing distribution, it has become a major headache to try and keep on top of the situation. Pricing is also a problem, because we're obliged to put in the recommended retail price despite the fact that Joe Bloggs down the road may be selling it for a third off.

However, if you spot something which is wrong or needs amending, then by all means write in and let us know. Readers have done in the past and we have implemented the changes. The prime aim is to give you a magazine which is the best, and if you can help us to do this, then so much the better.

David Lawrenson



Breaker Queen

Attractive Janey Maughan, 18, was chosen as the Deal Breakers Club gueen to take part in the Kent coast town's carnival procession. Janey, whose handle is Charlie after her favourite perfume, was highly commended by the carnival judges. She has just qualified as a hairdresser and beauty specialist. The Deal Breakers Club entered their own float, based on Snow White and the Seven Dwarfs, in the carnival and won their class and a trophy for the second year running.

THAMES Address

Following our article on the THAMES emergency monitoring service in our July edition we have been asked to point out that the address for Norman Raven, the national director, is 39 Mount Pleasant Road, Lewisham, London SE13 and not 36 as was stated in the article.

Sharp Eyed Scoop

A youth who snatched a pensioner's handbag was caught two days later thanks to a sharp-eyed East Kent breaker.

A woman walking in Dover had her bag snatched when two youths pushed her to the ground and ran off. A member of the public gave chase, and the youths dropped the bag and escaped.

Police issued descriptions of the youths, and two days later local newspaper reporter Graham Tutthill — handle Scoop — saw them in Dover Street.

He followed them and used his CB radio to call the police via a Kent Coast monitor. Within minutes the youths were in custody, and one of them admitted the offence.

It was the second time in a few weeks that Scoop had helped the police . . . Earlier, there had been a mystery over a car and boat trailer found parked in Dover for several days. There was a report of a boat having launched in the harbour which sailed out into the English Channel, but no-one had seen it since.


By co-incidence, Scoop had been talking to Sea Dart from the north east of England a couple of days earlier and he had said he was going to Calais, in a boat of the same name, for a week.

Sidewinder at St Margaret's Bay, near Dover, put out a call which was relayed by Bosun on board a cross-Channel ferry and contact was made with Sea Dart in Calais.

He confirmed that it was his car and they were safe and well. In fact, he had given details of his journey to the proper authorities, but there was a break down in communication. Kent police thanked the breakers who had helped solve the mystery.

Knights of South Humberside

Breakers in South Humberside who are having problems locating various accessories could do worse than check out Knights, Kirton CB Centre. They seem to have an impressive range of gear ranging from mobile antennas through to SWR meters, plugs and connectors by all the leading makers. The centre can be found at Queen Street, Kirton-in-Lindsey, South Humberside. (Tel 0652 648378).



THE BREAKERS INFO & LOG BOOK

Uniace Competition Winner

Judging by the number of entries we received for last month's competition, an awful lot of you were very keen to win the Uniace 300 home base.

Now I know that we always say we've had a fantastic response blah . . . blah . . . blah but this month we really ain't joking. Our poor old post girl has risked serious injury carring down the thousands of postcards and the odd letter (naughty!). I mean on one day alone we received over one hundred entries.

So anyway we decided

that it was right and proper that our poor old post girl should be given the privilege of delving into the mountain to pick out the lucky winner. Down she went and after much rooting around out came a nice beige coloured postcard from B. Cornhill of 2 Penrith Way, Aylesbury in Bucks. So Mr (or Ms) Cornhill, you'd better start clearing the decks because the Uniace is on its way.

Before we forget, the answers of course were very straightforward. The dimensions were 340 by 120 by 284, it has four sockets and power reduces from four watts to 0.4.

934 Latest

As we informed you last month, Reftec units are now being supplied on the new frequencies, but the original ones are still available.

The company have modified the transceiver slightly, so that the mike plug is on the front right hand side, where the Squeich control used to be. Also, the mike plug is now a four pin instead of the rather unusual six pin that they have been using. Squelch is now automatic, which can be overridden by

pressing a small red button located to the left of the channel selector. Work is also progressing on a handheld 934.

As far as antennas are concerned, Gamma are poised to make enter this highly specialised field. Welz are bringing out a new SWR/Power meter to operate specifically on 934 Mhz and these will be available from 934 Communications, of 64 Footscray Road, Eitham SE9 (Tel 01 859 0933). Cost in the region of £80-£90.

National Eyeball

Santa Pod Raceway in Northamptonshire is the venue for what we believe is the first national eyeball on October 23. The event is being organised by the Container Town Breakers Club from Felixstowe, and they are hoping that breakers from all over the country will turn up.

Track racing will be one of the main events, but


there will be many other attractions, and it is planned as a day out for all the family. Although the club have organised many local events, this is the first time they have attempted anything on this scale, and are hoping for a lot of support from breakers all over the country.

If you want any further information, the man to contact is the appropriately named Dave Mann (Tel Felixstowe 283444)

Two local Kent clubs linked up to help in a local event at Tonbridge Castle recently Kent Unicorn Breakers and Castle Breakers organised the security for the event which invovled about seven breakers all using handhelds.

The clubs are in the process of amalgamating and are organising a sponsored bike ride with

proceeds going to the Great Ormond Street Hospital in London. The club meet down at Angle FC in Tunbridge every Thursday between 7.30 and 10.30. Single membership is £3, family membership is £5 with OAPs half price. For further details the man to contact is Stuart Nolan at 9 Kemble Close, Tunbridge Wells.



Hampshire have come up with an interesting Breakers Log Book. The company, who are a family concern, are all breakers, and the book contains some useful information, in addition AM/FM log pages, a Sideband log, and Eyeball log and Run-a-Net pages.

The book carries the international morse code, signal codes and phonetic codes. It also runs a glossary of terms in four langauges, English,

full listing of the 13 insult code. So if you want to use such gems as 13-20 (Is the mike chinking or is it your loose uppers?) or 13-14 (Great sound your new rig, when did they discontinue making it?), then this book could be the one for you.

The Breakers Info and Log Book can be purchased from Breakers Enterprises Ltd, 82 Kenwood Road, Portchester, Hants (Tel-0705 326628) price £3.25, p&p £1.00.

Bucket Mouth Busted

The end of the 'bucket mouth' could be in sight, if recent events in Birmingham are anything to go by. In the first case that we've heard about, British Telecom brought a successful prosecution against a CB user who was using bad language over the airwaves.

Michael Daniels of Bromford Bridge in Birmingham, was fined a

total of £90 after he admitted three offences of publicly broadcasting offensive language. He was also fined £60 for not having a CB licence, £20 for deliberately interfering with the radio system and ordered to pay £60 costs.

According to the Birmingham Evening Mail, who carried the story, BT are launching a clean-up campaign in the area, and are checking out a number of complaints relating to the use of obscene language via CB radio.

W.T.A. ELECTRONICS LIMITED

C.B. SPECIALISTS.

111 CROMER ROAD, HELLESDON, NORWICH, NORFOLK, ENGLAND.
TELEPHONE NORWICH (0603) 47694.

HIGHEST QUALITY DIRECT FROM U.S.A.

VALOR DISTRIBUTORS Complete range of Valor products including:

TRADE & RETAIL

Half Breed Mobile Antenna 36". 48" x 60" lengths. 1500W rated. Dial A Match Mobile Antenna 24" x 48" lengths. Easy SWR. Warrior Mobile Antenna 60" length. 1500W rated. Centre loaded.

Mounts include: Hatchback, Boot, Roof, Bumper, Mirror.

PROFESSIONAL AND AMATEUR

The Valor Pro-Am Range covers all professional and amateur frequencies.

INTERFERENCE FROM IGNITION OR ENGINE

Try our Filter Chokes. The TFC 700 simply fits in the hot line to the radio or CB and the TGF 400 fits to the dynamo or alternator. Priced at £3.95 TFC 700 and £4.50 TGF 400 + 50p P&P.

Special Offers: Hy-gain 3 Element beam £32.50p + £3.95 p&P
Tuner + 3B base mice £27.50p + £3.95 p&p
Turner expander 500 base mice £42.50p + £3.95 p&p

We carry a complete range of CB equipment. If not available from your local CB store, contact us for a fast Mail Order Service. Access & Barclaycard welcome.



TRADE

RETAIL



From the number of letters and phone calls we are receiving about our product it appears that some breakers are unable to purchase genuine G.A.P. antennas from their local shops.

We have recently started supplying our products direct to the public and this is proving to be very successful.

If you have any difficulty in obtaining our products you can order them direct from the factory, at the following prices:

G.A.P. Skybreaker	£18.95
G.A.P. 27MHZ 1/2 wave	£14.95
G.A.P. 27Mhz 5/8 wave	£16.95
Gamma SupaMag	
G.A.P. Avenger	
G.A.P. Lofty	£19.95
G.A.P. RingoPlane	£T.B.A.

These prices include V.A.T. Please add £1.15 for poslage and packing. All cheques and postal orders should be crossed and made payable to:

Gamma Aerial Products Ltd.

Gamma Aerial Products

MANUFACTURERS OF AMATEUR RADIO & CB ANTENNAS
LYE, WEST MIDLANDS
TRADE ENQUIRIES TEL. LYE 891132

"ORATOR"

Speech Processor-Echo • Vogad Compressor-Limiter • Switchable Roger Bleep • Echo with Repeat Feedback



F.M. A.M. S.S.B.

ORATOR DLA...... £42.50 + 2.50 p&p
This attractively designed instrument houses state of the art micro

This attractively designed instrument houses state of the art micro-chip technology to produce a Vogad compressor — limiter, switchable Roger Bleep and a variable feedback echo. It allows precise control of the modulation over 60dB in range, to enhance the intelligibility of your speech, turns an ordinary dynamic mic into a sophisticated power-echo mic. Designed and manufactured in the U.K. DX'ers worldwide acclaim, it's performance.

ORATOR DXA £24.50 + 2.50 p&p
As above but without echo facility.

SEND CHEQUES, P.O., M.O., GIRO, TO:

Micro Electronic Systems

Telephone 0642 829238

Unit 14, Emerson Street, Middlesborough, Cleveland.
Often copied never equalled

THE PERFORMERS

- * A range of five Antennas
- * A range of five Mounts
- * Foldover Standard

OUTPERFORMS THE BEST

Unlike K40/ARMSTRONG, both designed for the American market, quoting American testimonials, the OSCAR has not been outperformed in any properly conducted scientific UK tests.

11SE Pictured 11NE Slimline Folding 11CM C/W Mag Mount 11CE Compact 11ZE Economy MOUNTS TMCAS Trunk mount GCCA Gutter Clip & Cable SOWM Wing Mount SOCA Cable Assembly

£17.55 inc p&p 2.00 £16.95 inc. p&p 2.00 £19.50 inc. p&p 2.20 £9.95 inc. p&p 1.80 £8.80 inc. p&p 1.80

£8.45 p&p 1.80 £9.95 p&p 1.80 £4.20 p&p 1.00 £5.00 p&p 1.00

MAIL ORDER: AS NEAR AS YOUR 'PHONE OR PEN





THE FABULOUS OSCAR ONE £85.00 inc



THE ECONOMY OSCAR 2 £49.00 inc

ACCESSORIES

RU-12-04-06	4/6 amp regulated 12V PSU	£15.00
AC DC 083 GEA	Power cord c, w fuse	£2.50
SMC 251	Cigar lighter adaptor	£0.45
T3-170L	SWR, Belative power (win meter	£14.95
S3-30L	SWR, mini type	£8.80
WD202	SWR/Deviation Meter	£13.50
100LP30	Low pass filter	£5.75
150CX3W	Coax seitch f in 2 out	£7.30
100TU27	Antenna tuner unif	£7.30
PL36PL	Jumper 3' RG58, PL259's	
UR76	Superior RG58 per metre	
UR67	Superior RGB per metre	£0.67
PL259	UHF plug fits RG8/U	£0.55
UG176	Reducer fits PL259 to RG58/U	£0.15
SMC 478-267	Din plug 5 pin 180°	£0.35
SMC 586	Microphone clip magnetic	£0.60
SMC 585	Microphone clip adhesive	
FSP1	Extension speaker	
SMCP8	3.5mm Mono jack plug	£0.15

AWARD YOURSELF AN OSCAR

TRADE ENQUIRIES WELCOMED



South Midlands Communications Ltd.

S.M. HOUSE, RUMBRIDGE STREET, TOTTON, SOUTHAMPTON, SO44DP, ENGLAND TEL: TOTTON (0703) 867333

SCOTLAND SMC (Scotcom) 23 Morton Street Edinburgh 15 Yorkshire Edinburgh 031 6572430 Tel [0532] 782326 V0-5 Tues-Sat

LEEDS 257 Otley Road Leeds 16 CHIESTERFIELD 102 High Street New Whittington Chesterheld, Derby Tel: (0246) 453340 BUCKLEY Unit 27, Pinfold Workshop Unit 27, Pinfold Works Pinfold Lane, Buckley, Clwyd. Tel: (0/244) 549563

76 High Street. Talkepits. Stoke. Tel: (07816) 72614

SMC (Grimsby) 247A Freeman Street Grimsby, Lines Grimsby (0472) 59388 9.30-5 30 Mon-Sar 1 Belmont Gardens St. Helier, Tel: (0534) 77067



CB's answer to Claire Rayner, Smart Alec, is taken to task by a reader this month and there are cries for help from perplexed owners of undentifiable equipment.





Take Issue

We get many requests for back issues or photostats of certain articles, here is a selection . . .

Q I have lost my October '82 issue, so I'm writing to you to ask if you can send me a photocopy of your Bullwhip aerial test report . . . I have just bought an Amstrad 901 CB radio and have learned that you did a report on this model in February's issue. Could you tell me if its possible to obtain a copy of that report and how much it would cost . . . How can I obtain a copy of your report on the Binatone Route 66 in your December '81 issue.

A Now for the sake of my own piece of mind and that of the Editor I must say yet again that we cannot photocopy individual articles. However, most back-issues can be obtained by writing to Citizens Band, 513 London Road, Thornton Heath, Surrey for a charge of £1.25 each. Cheques and postal orders should be made payable to ASP Ltd.

This information and a form usually appears in the magazine every month, so you can see which issues are still available. Please do not write to 145 Charing Cross Road as we simply cannot help you, and it is usually the waste of your stamp.

SA

Search For A Sonic

Tracing manufacturers has become a favourite pastime of this column's but we must admit to being stumped by several requests about the same rig. Cathy Kidd's letter, of Grantham in Lincolnshire is typical . . .

Q I am writing to you to see if you can help me. You see in your reference section you have listed a number of mobile rigs, but you have not included the Eurosonic rigs. I am the owner of one such rig and I was wondering if you could tell me of any British dealer in these rigs, or the addresses where they are made — all they say on them is 'made in Hong Kong'. Also, where would I find the Eurosonic Euro Two's serial number. Hoping you can help me.

A Well Cathy we don't list the Eurosonic in our reference section simply because we don't have any information on them. Its possible they were also marketed under another brand name, but our inquiries have failed to come up with anything. If any readers have any relevant information, perhaps they could send it in and we can clear up this mystery.

Finding A Filter

Now it's bite the bullet time, with Andy from a CB specialist shop in Kingston, Surrey, taking your poor old Smart Alec to task. Just listen...

Q Dear Smart Alec, I think for once you could be wrong. In last month's Questions & Answers on filters to remove AM and SSB interference, you said such a filter did not exist. While no filter will DISCRIMINATE FM from other mods on the same frequency, most, if not all SSB and AM signals are transmitted in between the British FM channels.

A modification we have been doing for sometime is to remove the standard ceramic filter and replace it with a crystal filter with a much steeper skirt, or to put it in simpler terms, it makes the rig much more selective in what it hears on a given channel. If an AM or SSB signal appears next door to the one you want, it won't help a lot. However, if it is more than about (depending on strength) 5 KCs away, your normal rig will hear the modified one. Also you won't get the interference from a strong FM signal further up the band due to the greater selectivity of the modified set.

Further, a strong SSB signal from out of the British group of channels could desensitise the standard set due to the poor strong signal handling design of most CBs, the narrower IF filter will go along way to

cure this too.

A Thanks very much Andy, and if anyone wants more information then you can contact Andy at the Rabbit Rabbit Hutch, 45 Cambridge Road, Kingston, Surrey KT1 3NS.

Midlands Mods

The Phantom Plumber writes from Reading with a suggestion for some modifications which might prove interesting . . .

Q Just thought that I would write to tell other CBers about some mods that I have made to my homebase set up.

I run a Midland 4001 and have, by way of an extension speaker socket, incorporated an equalizer/amp then connected up to an extension speaker. This not only allows weak signals to be heard better, but also allows a lot of the noise to be altered to suit my ears.

I have also made what I believe to be a legal home base twig, using a dipole with the top radiator taken out and replaced by a mobile twig, the Z27, which gives really good results. I have copied breakers as far as 15 miles away without any problems.

A If any breaker is interested in doing the same, please contact The Phantom Plumber at 41 Stockton Road, Reading, Berks RG2 8AM, and he will only be too happy to help.

Antenna Accidents

Yet another confused reader who is making enquiries about his favourite antenna.

Q In the July edition you tested the Thorobred Z27 of which I have one. However, could you clear up some confusion on my part. There appears to be two makes — Oct in Grantham, Lincs and Thorobred in Norwich, Norfolk. The mobile antenna I have is

the Thorobred Z27 but manufactured in the USA. Could you enlighten me in my ignorance.

A Of course I can, the fact is that the Thorobred Z27 of which you are so proud, is in fact manufactured in the good 'ole US of A. However, it is distributed in this country by Oct International of Grantham, Lincs. Now Oct supply all the CB shops with these antennas, so you will probably find many shops stocking them, but invariably they can be traced back to OCT.

The Sign Of The Sigma

Once again a 'made in the USA' mark has caused much scratching of the head, this time for Paul Williams of Caernarvon in Gwynedd.

Q I am writing to you regarding an aerial I bought second hand a month ago. The aerial is a Sigma 4 (Avanti) which works very well. However, I have a minor problem now, and need a part for it.

I had a manual with the aerial which encloses addresses for spare parts, however they all appear to be in the USA, which seems a bit stupid to me. Obviously I would like to find out the address of a dealer in the UK.

A There are likely to be several dealers who handle the Sigma, but as far as we know one of the main ones is the CB Radio Centre at 337 Kenton Road, Kenton, Harrow, Middlesex (Tel: 01 907 1106/7).

As we so often point out in the magazine there are people coming into CB all the time, so we're only too glad to enlighten people like B. Howard of Chippenham in Wilts on is simple query...

Q As a new breaker, I read quite a lot about CBing, but have come across one problem. In the magazine you have quite a lot about QSLing. I do not know anything about this. I have read books the library and they don't have any information on QSLing. Could you please tell me what its for, its need and how to start.

A If you can get hold of a copy of the February '83 magazine you will find a full explanation from the QSL supremo Mike Newbold. However, here is a brief run down of what it is.

QSLing is simply the postal exchange of postcards that you have printed with a design which illustrates your handle, call sign or station. There is a code of QSLing which is necessary to follow if you are to have any success.

Always send two or three of your

cards and include one or two of your friends' cards. Personalise your card with a greeting and where you received your contact's name from. Always exchange at least the same number of cards you receive and pay the correct postage. Make sure you QSL back for each one you receive and use club rubber stamps and unit numbers on your cards.

Try to exchange on a 1-4-1 basis, colour and black and white cards, and try an use commemorative postage stamps and include little extras like view postcards or brochures of places of local interest.

Don't send one card and expect six in return or receive six and send one. Don't expect a quick answer if you send by Surface Mail, and don't write on scraps of paper. Don't forget to include your name and address and finally don't join a QSL swap club unless you QSL 100 per cent.

For any further information you can always write direct to Mike Newbold at 124 Hillcross Avenue, Morden, Surrey

SM4 4EG.

In Search of Elftones

J. Durant of Nailsea in Bristol is throwing himself at the mercy of the readers with his query . . .

Q i run a DNT FM40 Super tuned rig as a home base which must be better than anything you have recently described — no arguing please. I also have two Elftone CB6000 rigs as mobiles and no money. The Elftones get out alright, or good enough, but the bleedover and squelch control is dreadful.

Can any kind breaker who has worked to improve such a great chassis such as the Elftone boasts, and succeeded, as a kind act, impart such information. I have no guts map of the great chassis, and I'm pretty dim but very willing to listen and learn. If no one can help, then two rigs are to be confined to the dustbin.

A Well I know that readers have come up with the goods in the past, you'll just have to keep your fingers crossed and hope for the best.



Problems should be sent to CB Q & A, Citizens' Band 145 Charing Cross Road London WC2H 0EE



 Bleed-over virtually eliminated for most situations – 80dB (typical 100dB) adjacent carrier rejection • Crystal clear modulation Instant return to breaking channel

Beautifully styled
 British designed and tested in

British conditions • Guaranteed for 12 months

Mic control automatically searches for busy or free channel

What CB Magazine said in April...

All in all, we have to say that this is the best rig we have tested to date.

At no time during testing was there the slightest evidence of swamping, blocking, cross-modulation, bleed-over in spite of 4 giant twigs within a 200 yard

The transmitted audio quality was excellent, crystal clear with real punch to it making any sort of power or processor mike totally unnecessary.

Inside, you will find the kind of construction normally found in computers and professional equipment. A marked contrast to imported rigs.

The performance has been a revelation compared to anything we have seen before, and what's more it's

...and in June.

The technical performance is unimpeachable, with an exceptionally high degree of immunity to bleed-over.

The designers of the Magpie Autoscan 5000 have got it right and during our tests we could detect no signs of desensing, bleed-over or any other misbehaviour despite severe provocation.

From the mailbag

J.W. from Sheffield

... I must congratulate you on your Magpie. I did not think it possible to obtain anything of this standard. It has cut out bleed-over which here in Sheffield is one big problem ...

S.A.M. from Suffolk

... My son brought an Autoscan 5000 for me to try ... Breakers came in from all over the place and remarked on the 100% clear modulation. How soon can you let me have one? ...



Send now for FREE colour brochure.

SHARMAN'S WHOLESALE

3 BURY NEW ROAD, MANCHESTER M8 8FW Tel: 061-834 9571 TELEX 665446 Sharma G



IMPORTERS AND SOLE DISTRIBUTORS



NOW IN STOCK:

Full range power supplies and Linnears

DISTRIBUTORS FOR:












AND MAXCOM

Extensive ranges of CB equipment in stock at the best prices for you!

RING NOW FOR OUR SECURICOR DELIVERY DETAILS!

STRICTLY TRADE ONLY!



UNIACE 100 MOBILE

FEATURES PA/CB switch • Power switch 4W-0.4W • Channel selector • Rotary onoff volume and squetch • 40 CH LED indicator • Signal Strength meter • Supplied with mic., fixing brackets for unit and mic., also connecting leads with fuse • External speaker sockel.

GENERAL SPECIFICATIONS UNIACE 100

Channels: 40
Frequency range: 27.60125 MHz — 27.99125 MHz
Microphone: 600 Ohms, dynamic type
Size: 140 × 40 × 205 mm (W x H x D)
Weight: 1 kg Power source: 13.2v D.C.



UNIACE 200 MOBILE

FEATURES Rotary on-off volume and squelch controls • Tone switch • PA/CB switch • Power switch 4W-0.4W • Brite-dim switch • 40 channel LED indicator • Signal strength meter • Rotary RF & mic. gain control • Supplied with fixing brackets and leads • External speaker socket

GENERAL SPECIFICATIONS UNIACE 200

Channels: 40
Frequency range: 27 60125 MHz — 27 99125 MHz
Microphone: 600 Ohms, dynamic type
Size: 160 x 55 x 217 mm (W x H x D)
Weight: 1.2kg. Power source: 132v D.C



UNIACE 300 HOME BASE

FEATURES Rotary on-off volume and squelch controls • Tone switch • PA/CB switch • Power switch 4W-0.4W • 40 channet LED indicator • Signal strength meter • Rotary RF & mic. gain control • Supplied with fixing brackets and leads • External speaker socket • Head phone socket

GENERAL SPECIFICATIONS UNIACE 300

Channels 40
Frequency range 27 60125 MHz — 27 99125 MHz
Microphone: 600 Ohms dynamic type
Size: 340 x 120 x 284 rmm (W x H x D)
Power source: 250/230 A C or 13 2v D C

Also available "president" SX8020M VHF Dual band 4318 channels 8 Channel programmable mobile scanner plus 24 hour digital clock. VHF low band 70.0000/87.9875 Mhz. VHF High band 140.0000/175.9875 Mhz.

TRADE ENQUIRIES WELCOME. AVAILABLE FROM ALL LEADING CB SHOPS

Unit 8, Conway Road Industrial Estate, Llandudno Junction, North Wales

- TEL: 0492 613232 -

THUNDERSTICK

MOBILE

When you live life in the fast lane, you need the LEGAL antenna with the super-tough macho looks.

- Fibreglass whip encased in 1.5m of broad-band copper.
- Individually pre-tuned SWR.
- Chrome-plated, quick ¼-turn disconnect for security (see inset).
- BIG POWER handling tested to over 1000 watts R.F. power.
- Suitable for all modes AM, FM, SSB.
- Rugged construction.
- Widest range of colours: Clear copper, yellow, black, red and royal blue.
- Fits any standard 3/8in. UNF mount.

Hi Breakers! Tex Thunder here!
Have you eyeballed our new
THUNDERSTICK, the red-hot legal—
but broad-band—mobile twig?
...capable of zapping out over
1000 watts of power—
fan-tao-STICK!"

A real value-for-money

antenna — just £12.95 incl. VAT + carriage £3.95; and each antenna is individually guaranteed.

Contact us today or ask at your local CB stockist.

THUNDERPOLE ANTENNA U.K. LTD

(A subsidiary of Freeman & Pardoe Ltd)
Tything Road, Arden Forest Industrial Estate
ALCESTER, Warks. B49 6ES. Phone: (0789) 762 673.
British Patent App. No. 8304169.






Equipment Review



Andy R Giles, the well-known wally hater, has been trying out a new DF unit that is portable, easy to use, reasonably priced and very accurate.



AKD of Hendon have just introduced a portable direction finding device, the PDF-11M, in an attempt to overcome this problem. The unit is a broadband CB receiver that is not much bigger than a calculator. It has been designed for short range

direction finding and when it is used with its own directional antenna, it has an effective range of approximately 50 metres, if the offending signal is at the maximum legal strength of 2W erp. However, most of the wallies who enjoy bucketmouthing and playing music also tend to use high power and this gives the unit a greater range.

I tried out the PDF on a warm summer's evening. The sun was





shining, the road was melting and my car was boiling over. Tuning around the band I soon found an obliging idiot who was playing records on channel 19. This is not a wise thing to do as this channel has long been recognised as the driver's channel and several of the legitimate users were getting very wound up. If a few of them had been equipped with DF units, the budding disc jockey might well have been visited by several hairy-armed truckers. As it was, the people who were trying to use the channel vented their anger by shouting at the wally while the music was playing. This was completely ineffective, partly because wallies never go away while they have an audience, but mainly because it is no use talking to someone while they are transmitting — they can't hear you.

The offending signal was reasonably strong with me, about a 7 on my meter, so it seemed the ideal time to try out the PDF. Not being one for too much forward planning, I had not read the instruction book. I took the unit out of its box, attached the triangular antenna to the bnc socket on the top and then wondered what to do next. Ten minutes later I had read



the comprehensive instruction manual and discovered how to operate the device. I also discovered that I needed a PP3 battery to make the thing work. Fortunately there was a shop nearby, one of those well-known multi-national tobacconist/newsagent/greengrocer/mini-supermarket/hardware store/hot food take-away 24 hour emporiums, so l popped in and bought a battery.

The PDF proved very easy to use. The On/Off switch is a three position slider control on the left-hand side of the case. When it is in the central position, the unit is turned off. In the forward position both the RF receiver and the 1w audio monitor are turned on. With the slider in the rearmost position, only the RF receiver is on. This is useful for conserving the battery. Just underneath the On/Off control there is a small push-button switch that turns off the internal lamp for the S-meter on the front panel. Just above the On/Off switch there is a 3.5mm jack socket for an earpiece that allows you to monitor the signal, to make sure that the right one is being traced. The only other controls are the two rotary ones on the front of the case. One adjusts the RF sensitivity and the other sets the volume level in the earpiece.



Having inserted the battery, attached the antenna, plugged in the earpiece and set the volume control, I was ready to go. Standing outside my car, I held the PDF out in front of me and turned through 360 degrees. The built-in audio amplifier immediately proved its worth. The S-meter was registering signals from all directions but the audio monitor allowed me to look for the one that I wanted. It proved to be coming from somewhere directly in front of me. The audio was present over an arc of approximately 38 degress but by watching the S-meter I narrowed it down to about 10 degrees. started driving in the direction indicated by the PDF but because the roads that I was driving on tended to curve away from the direction in which wanted to go, I had to stop several times to take fresh readings. I tried to do this while driving but it proved to be too difficult, so I stopped and took a new reading every four or five minutes. This also allowed my car to cool down.

In a surprisingly short space of time I had arrived outside the door of a house that had a vintage Starduster lashed to its chimney stack. I drove past the house. I drove round it, I even tried driving directly away from it, there was no doubt about it. The readings given by the PDF were quite positive and almost impossible to misinterpret. The audio amplifier confirmed that I was listening to the right signal and the S-meter gave unmistakable and consistent readings when the unit was pointed at the house.

Had I not been so much of a coward, I might have knocked on the door, but I have often noticed that a wally's lack of braincells is often made up for by an over abundance of muscle though sometimes they are weedy spotty-faced ill-fitting sports jacket wearers, but I was taking no chances. I stayed in my car outside the front door and sounded my horn several times. Sure enough the curtains twitched and a face appeared. I waved and pointed to the K40 on my roof. The face vanished and about 10 seconds later the music stopped. It may have been a coincidence, but I prefer to think that the PDF-11M is a great little gadget that will cause a few wallies to think again.


No tuning

As the PDF is a broadband receiver. it does not need to be tuned. It will pick up a signal in both the old and the new CB bands. The detector will resolve AM signals and FM tones at a lower volume level, but it will not resolve ssb, although the distinctive Donald Duck sound of an ssb signal can still be heard through the earpiece. The audio monitor works very well and allows the user to check that the signal he is watching on the S-meter is the one that he wants to find. It can even be used to find sources of interference such as central heating thermostats and fluorescent lights. It will also find hot spots on the case of a rig where there is some case radiation.


The PDF has a standard bnc socket and this allows other antennas to be plugged in. In a previous issue of CB reviewed several df loops and I think that they are the ideal antennas to use with this device as they would increase the range considerably. For even greater range a roof mounted

beam could also be used.

I had a lot of fun using the PDF-11M and I would recommend it to anyone who feels like finding a few wallies. It must be good, as I am reliably informed that British Telecom have been buying these units for their RFI squads. It costs £49.95 and is manufactured by AKD of 10 Willow Green, Grahame Park Estate, Hendon, London NW9 5GP, who give a two year guarantee against faulty workmanship or defective components. The factory appointed distributors are Telecomms of 189 London Road, North End, Portsmouth (Tel: 0705 662145).




D.I.Y. Project



No matter how much money you spend on a CB rig, it will only work well if it is served by a good antenna. Here we look at a DIY long wire . . .

LONG WIRE ANTEN


lot of interest has been shown of late in long wire antennas so here is a design to get you thinking and doing.



The basic antenna is 32 feet long—one wave length—and the whole thing is simple to construct. The wire used is ordinary multi-stranded bell flex. This is just thick enough to withstand a windy day and thin enough to allow the window to close. It is not very noticeable and should not draw too much attention.

First cut yourself 33 feet of wire, tie a loop in one end and tie some nylon string to the loop. Nylon string is the best for the job because it insulates the antenna from the mast or, in our experiment, the tree. Do not tie the wire directly to anything except at the rig end.

The next step is to tap a cable tie or nail into the window frame and






secure the wire to it, leaving about six inches of wire for attaching to a block connector. Throw the wire, with nylon. string attached, from the window and tie the nylon string to a mast or tree.

At this point it must be remembered — the higher the antenna the better it will perform. If you live in a bungalow, the antenna could be fed into the loft with the matching section tied to a beam, the Earth braid could be attached to the water tank.

This matching section is made from a 3ft 6in (approx) 300 Ω Hi Fi ribbon - the type used in our experiment was white semi-

NAIL OR **ANTENNA WIRE** CABLE CLIP Ω 008 HI-FI RIBBON CABLE 3ft. 6ins. LONG WOODEN FRAME WINDOW 30pf TRIMMER BEE HIVE **BLOCK CABLE** TYPE CONNECTOR COAX INNER **EARTH BRAID** 50Ω TIED TO COAX RADIATOR TAP TO RIG




The other end of the ribbon cable is connected to another block connector but in one of the ribbon leads, solder a 30pf trimmer. We used a beehive type, as shown in the diagram, but any 30pf trimmer should work. This is used


to trim the SWR.

Next connect the 50Ω coax to the connector block. Connect an Earth wire to the outer braid of the co-ax this can be made from 50Ω co-ax. After stripping, the insulation braid is ideal for an Earth connection, This Earth wire must only be used on water pipes. We connected ours to a radiator pipe Any paint etc must be scraped off to ensure a good connection, and we connected the Earth wire to the pipe with a small screw on pipe clip.

Finally, screw the block connector to the window frame, connect the rig to the antenna via an SWR meter and tune the 30pf trimmer for the best reading. It should be better than 1:5.1 ours read 1:1.1. Tests conducted so far show that this antenna to work as well as a dipole and, in some cases, better




Review



Ron Harris turns an inquisitive eye onto the Maxcom MCP 150A it looks good and it's legal too.

Equipment | Home On the Range



t is always a pleasant experience to encounter something which is well thought out and well made. The MCP-150A was quickly appreciated on both counts. Being of the convential "base-and-handset" type, the Maxon is slimmer than most such devices I've come across; it stands only 3" high, with the hand-set in the rest.

Facilities offered include redial, privacy switch and a "call-to-remote" switch, intended to tell whoever has the hand-set that they should answer the call. It would also do nicely to summon in wandering family members - say from the garden shed!

Base Methods

The frequency of operation is between 1.6 MHz and 1.8 MHz for base-remote transmission and 49.8 -49.9 MHz for remote-base signals. The MCP-150A utilises the mains wiring as an additional aerial and this may cause slight complications. You may find that some mains outlets will produce better results than others, depending on how the wiring is channelled through the wall. If your house has metal conduit, for example, this would screen the wiring and reduce the range drastically. Experimenting a little may be all that is required to obtain the best results.

When the hand-set is in the cradle, the base automatically trickle charges the batteries. Outside the cradle the hand-set can still be kept fully charged by use of an external power pack. Details of how to do this are contained on the excellent

instruction booklet provided.

On the underside of the base there is a switch labelled "TX" and which offers the choice of balanced or unbalanced output. The instructions entreat you to find the setting which offers the clearest sound and use that. I could determine absolutely no difference whatsoever whatever I did to the switch. The sound was always clear and refused to get any clearer!

Also fitted into the base are the cords to the telephone and mains point. The base is moulded to accept both and retain them neatly in place, even with the extension fitted to the phone wire. A nice touch this and one which adds to the units acceptability in a living-room. If you have a wall mounted phone, it might be more wall-mount the convenient to MCP-150A base too. No problem. The fitting to do so is already present on the base, and the instructions cover the procedure adequately.

Handset and Match?

There are a great number of buttons, switches and indicators on the hand-set and it looks somewhat crowded as a result. The keyboard is standard enough and the set is well laid out, which makes the mic and ear-piece easy to use. The privacy switch - to blank out the mic so that you can discuss the person on the other end of the line without their hearing you, is placed above and back of the mouth piece.

The unit is activated normally by picking it out of the cradle, which allows the 'talk' switch to open and turn on the set. This can be locked with a plastic slider on the bottom of the handset which is handy if you're carrying it around a good deal.

Packed onto the top of the unit are the antenna, the battery (low) indicator, the volume switch and the power on/off switch. The only thing that saves this from being troublesome is that the two switches will be used infrequently and thus you're unlikely to be fumbling around trying to find these two often.

There's room down on the face of the set, however, to have mounted, say, the volume control next to the microphone, where it could be easily operated — a minor grumble.

Connecting Line

Hooking up the Maxon should be very straightforward. It wires straight across the normal phone and as long as the mains wiring is considered for screening as I mentioned earlier, no problems should be encountered. I found a socket on the other side of the room - with the wire running around gave the best results. The aerial was not even required to be fully extended to cover the whole house and about 300' beyond it!


Despite the manufacturers somewhat conservative claims, I found the maximum range to be not far short of half a mile! If I'd wanted to I could have gone for a walk around the shops and still answered the phone!

All in all a very good product and one which offers a high standard of construction and good design for its price. Value for money and recommended without reservation.

CORDLESS PHONE REVIEW DATA PANEL

Model Maxon Model Maxon E Typical Price £89.00	_	0A
Features	Yes	No
Rechargeable Batteries	•	
IN?USE Lamp	0	
Intercom Facility		•
Auto Redial	0	
Privacy Button	6	
External Antenna Facility		•
Security Code		•
Hand Free Operation		
Range 8	00 yds	approx
FREQUENCIES		

1.6 - 1.8 MHz, 49.8 - 49.9 MHz





Filly joins a destruction team and finds that politics and CB don't always mix with the peaceful atmosphere of a country village.

LADY BREAKERS

t's been a long, hot, brainaddling sort of summer, and thank goodness it's nearly over. I can't take the heat. If I wanted to swelter in 90°I would go to the Middle East, for heavens sake.

Talking of heat, I was contacted by a breaker a few days ago who was literally boiling over with rage, and after hearing her story, I'm not surprised. So am I, It seems that the wallies are getting bolder and more ingenious. Not content with their usual endearing little habits, like button pushing, playing music over the popular channels, colourful language and the like, one of them has found a new game to play.

He must have discovered that his rig had a quaint little feature on it, namely a public address system. These are very simple to use, even for a wally. The rig has a PA speaker socket which you use to connect a speaker placed outside your car. This will cut out the speaker in the rig, and all transceiver functions, and then you simply speak into your mike and have the dubious pleasure of hearing your dulcet tones blasting forth.

These things have perfectly respectable uses, of course. You can advertise local fetes and activities, serenade that dishy male/female down the road in the middle of the night, that sort of thing. This particular gentleman, however, thought up a particularly good wheeze. He drove through a quiet estate housing elderly and disabled people (I wonder if he knew?) announcing a bumper sale in the local community hall, everying at knock down prices, hurry before everything goes.

So out come all the old folk, clutching their pension money, to find, needless to say, a deserted half. Good joke, huh?

Still, one must count one's blessing. I mean, what if he had taken it into his — I'll call it a brain, I can't think of a suitable word — to announce a nuclear holocaust?

But enough of wallies. I suppose I shouldn't be so hard on mis-use of a public address facility, in view of what happened the one and only time I used my own. Yes, it's confession time again.

Now, you may not have noticed, but from time to time something known as an election occurs. Not necessarily the full-blown General variety, but a low-key local council affair. I suppose I really should have stuck to my Election Survival Techique — fending off canvassers and making paper aeroplanes out of the steady stream of

, leaflets and election addresses. Taking an intelligent interest in the running of the country, you know. However, in one of my inexplicable fits of excessive zeal, I offered the use of my Harvard Good Buddy PA system to one of the candidates in a recent local by election. Perhaps his politics were the least bizarre — or was it because I saw a chance to promote the cause of CB with a potential councillor? All right, all right — they offered a hire charge.

So he and his agent turned up one sleepy Saturday afternoon, and off we went to blast the peace and quiet of the more remote villages in the area. It seemed to be going quite well, people dozing in deckchairs were seen to leap to their feet in sudden enlightenment, others cheerfully waved clenched fists, some chased us shouting down the road, no doubt eager to learn more.

Eventually we came to a peaceful village green, you know the sort of thing, ducks lazing on the pond just outside a picturesque pub, flowers rocking in the gentle breeze, flies humming, a dog gambolling in the distance — er, where was I? Oh yes.

There were these two men working on the roof of the pub, another on a ladder painting, and spotting a captive audience (you might say), the candidate leapt out of the car, clutching the mike, stood all of two inches from the PA speaker, and proceeded to address them at the top of his voice . . . (pause while Filly shudders at the memory). Well, the microphone howling sounded as if the Hounds of Hell were upon us. The ducks set up a fearful quacking and set off at Mach 1, the candidate, the agent and muggins here were practically deafened, every dog in the county started howling in unison, one of the roof men dropped his hammer on the hand of the other, who let go of the tiles he was stacking, which slithered off the roof and smashed all over the rustic tables below, which frightened the painter so much he fell off the ladder and clutched at the pub sign to save himself, which pulled away from the wall depositing him neatly in the pond.

And the candidate, bless him, was trying to apologise into the mike, which was still two inches from the speaker!

All of which probably explains why he lost the election by 19 votes (after all they must have had family and friends, and there was the landlord, or course, and the local Duck Preservation Society), and why I took off for an unexpected holiday in the Isle of Wight...

This month's exotic spots include Denmark, Spain, Michigan . . . and notso-exotic Manchester. Birmingham and Wolverhampton!



COMMUNICATION THE



ello again, here we are with all the latest on the QSL scene, but before we dive deep into the postbag, please, please, please stop sending me those silly chain letters that promise doom and despair if I do not carry on the chain you are wasting your hard earned money - I throw them all away - all 36 of them to date - and I am still

Had two letters this month, both of whom ask for tips on QSLing, and how to get involved in this great hobby of ours. First was from Benjamin P. Mills of 203. The Pastures, Downley, High Wycombe, Bucks HP13 5RP and the other from P. J. Conway of 54, Beacon Street, Low Fell, Gateshead, Tyne & Wear NE9 5XN, by the time you read this they will be well into QSLing, so you are sure of a good return on these. As promised we list some tips that will make you all Gold-Star QSLers:-ALWAYS send 2 or 3 of your own QSL

cards.

ALWAYS include 1 or 2 of your friends, or 'floater' cards.

ALWAYS personalise one of your QSL cards with a greeting, and where you received their name from.

ALWAYS send at least the number of cards you received in return.

ALWAYS ensure that you have

prepaid the correct postage. ALWAYS QSL return every one you receive or you will not only be black-listed in the QSL World but you are defeating the purpose of our hobby.

ALWAYS use your club Rubber Stamp and unit numbers on your cards.

ALWAYS try to exchange 1-4-1 Colour and Black and White.

ALWAYS try to use commemorative postage stamps.

ALWAYS try and include some little extras, such as view post-

cards, or brochures of places of local interest especially to overseas contacts.

DON'T send one card and expect six in return.

DON'T receive six cards and send

one in return.

DON'T send QSLs by Surface Mail

and expect an answer in a week - some surface mail takes six weeks to get there!

DON'T send scraps of paper with your name and address scrawled on them, they

usually end up in the wastepaper bin where they

belong.

DON'T forget to include your name and address on EVERY QSL CARD or you cannot receive

any replies.

DON'T join a QSL swap club unless you QSL 100% - Clubs

only work for you when you do your part.

DON'T FORGET TO READ

COMMUNICATION THE QSL WAY' - that's where all the very best and latest

contacts arel

The next part of our fellow QSLers letters leads me straight into the next envelope out of the huge postbag - the request was 'Where do I get my QSL cards printed" - this question is easy - perhaps one of the foremost colour QSL Card printers in the country is CHRIS DARLINGTON of HAPPY COBBLERS DX-QSL GROUP of P.O. Box 99, Northampton NN2 6HU, Chris is responsible for the production of thousands of beautiful cards every week, from full-colour personalised cards to four-parters and club cards, the list is endless. If you would like full details a QSL to Chris with a stamp will bring full details of the cards and his ever-excellent HAPPY COBBLERS DX-QSL GROUP.

For those of you who require something a little more modest, but nevertheless just as collectable, then QSL to D. Currie Printers — sponsors of our latest competition — at 89, Derwent Street, Consett, Co. Durham DH8 8LT will bring full details — don't forget to enclose a

Getting back to the Competition announced last month — the race is on for the first QSLer to collect either 100 different D. Currie QSL Cards - or go on to collect 200 different, and I already gave you a head start last month. This month we have some more Currie cards in - first was from P. J. Conway, at the address already given above, a nice club card of the Little 'F' Breakers club, another from FISHIS LIMB alias J. Cox of 21, Norham Court, Oxclose, Washington, Tyne & Wear NE38 OJJ, another from GOLLIWOG alias Joe S Moser of Callymains, Gatehouse of Fleet, Castle Douglas, Kirkcudbrightshire DG7 2DN, Scotland, another from LOTTA BOTTLE alias Tony Cowell, of Greenway, Sedgley, West Midlands DY3 1PG, yet another from SMOKE POLE — D. Hinnett, 1970 Coventry Road, Sheldon, Birmingham B26 3HJ, Warks, and from KING CRIMSON — Alan, of 2, Willow Road, Hunstanton, Norfolk PE36 5DE who reckons our column is amazing, great, wonderful, brilliant, fantastic and a multitude of other praises — I reckon he is only saying that to get a mention works dosen't it Alan!!

Must always encourage the young QSLers, heard from Sean Gooch aged 14, who is starting a FREE QSL club — THE YANKEE BRAVO OSL CLUB, membership is just three QSL cards, signed and dated, and a stamped addressed envelope, sounds goodl Another FREE club just discovered is the ROMEO-BRAVÓ DX QSL CLUB run by Tony IRB 001 of 3, Branden Road, Alvechurch, near Birmingham B48 7PE, already with over 200 members in 14 different countries, membership is just five QSL cards and a SAE. Tony also QSLs 1-4-1 with anyone, and tells us he regularly QSO's with Dave and Jackie Cooper who run the METRO CITY QSL CLUB another free club from 95, Greenoak Crescent, Stirchely, Birmingham B30 2TD.

Very interesting pile of QSLs in from THE WIZZARD - Alex Scott, of 1, Farnham Avenue, High Blackley, Manchester M9 2GN, Alex is a member of a long list of QSL clubs, and has a very attractive personalised QSL - he does all his own artwork, and excellent quality it is too. Alex is in touch with HAPPY COBBLERS and you might well be seeing the WIZZARD logo on some of their new cards. Some new QSLs in from THE MAFIA (No not THE Mafia) and his brother BANDIT who hail from 35, Hildyard Close, Hardwicke, Gloucester GL2 6PZ, both nice cards, although all their 'floater' cards are address-less!

Andrew from 6, High Croft, Spennymoor, Co Durham writes to say he has recently joined the MERMAID DX & QSL CLUB and he



says it is one of the best — better than all the others he has joined, so there's a recommendation for you. Andrew QSL's allcomers, but like me he is fed up with those stupid chain letters — the ones he has received ask for money, they are worse than the ones I threw away.

threw away Letter in from Dave Shoppard of 6, Terrell Gardens, Redfield, Bristol BS5 9NY, Dave is no newcomer to these columns, and the regular readers among you will know Dave is the British Representative for BALL-LIGHTNING OSL SWAP CLUB of Germany. Dave tells me he was offered the rep-ship of the B-L Club way back last December, but he actually went to the expense and trouble to go to the B-L home town of Bochum in West Germany and visit the President of the club and his family to make sure it was on the level before he became the clubs British rep, that's dedication for you! If you would like details of this club, a SAE to Dave will bring the desired results. Dave also kindly thanks us for producing this column which he says has made many friendships worldwide, including many for himself, thanks Dave, very

kind of you. What a nice QSL in from John Hienriech McArthur who lives at 26, Gravir, Stornoway, Isle of Lewis, Scotland he sends some home-brew QSLs bedecked with a unique tartan bow, and some samples of the tweed that he weaves, really clever John. He also collects patches, bookmarks and keyrings and will swap 1-4-1 with anyone interested. David, DELTA MIKE 35, writes from 59, Arlescote Road, Solihull, West Midlands and he will have his own personalised cards by the time you read this. David regularly writes to a super QSL Club in Spain, which asks just £1 towards postage, for this you get diploma, QSLs, stickers and a rubber stamp seems too good to be true, anyway if you want to chance a guid, the club is: St Toreador, Juan-Aguado, Marcues Hermida, 26-8D, Santander, Spain, let me known how you get on folkst

Had a great letter in from THUNDERBIRD, Alex of The Sheiling, Castlebay, Isle of Barra, Outer Hebrides, PA80 5XD, Scotland, he writes 'Just thought I'd drop you a line to back up your claims in CITIZENS' BAND MAGAZINE about the service provided by Des Currie (I do have regular order for your mag by the way). I was fortunate enough to QSO Des during the fantastic skip conditions we've been having, and he sent his brochures to me along with his QSL. To enlighten, this is a small island, and printing facilities are non-existant, so I

took the opportunity offered by Des and sent away for QSLs etc., and also joined his GREAT BRITISH DX CLUB at the same time. The speed with which I received the various items back was absolutely tremendous, as was the quality.' Another pat on the back for Des

I also think the club pack was excellent value for money, well done, and I hope they keep it up. As I mentioned already, I live on a very small island in the Outer Hebrides, and we are fortunate with our local copy here as we can normally get perfectly readable copies over distances of up to 80 miles, but the skip lately has been really welcome. It has opened up whole new horizons (so much for the government limitations on CB). My best copy yet on FM4 watt is a copy I had into Palmi in Southern Italy. This copy we had two days in succession, and has been confirmed by a QSL. I've also joined the British Concorde Intenational CB-QSL Club (187, Walton Road, East Molesey, Surrey KT8 ODY) another great club and an excellent deal. Better finish off now, so keep up the good work, in the mag (which is read from cover to cover and is eagerly awaited for the next issues), all the best Dave.' Many thanks Dave, a super letter, very informative, and an independent testimonial for Des Currie Printers.

Do you know, I try and list every QSL club that passes through our grubby mits, and currently have a bulging file of over 1500 different QSL and DX Clubs from all over the world, so when a reader asks for the address of a club we have always got it on file. Calamityl not one but two letters this month asks for the address of the RHIEN MAIN SIDEBANDERS QSL CLUB — and I am well and truly stumped — can anyone out there help? if so the inquirers are Cole MU 589, Renegade 001, P.O. Box 233, Brighton, BN2 2YW, Sussex, and David Stanworth of 147, Wyatt Sutton Coldfield, West Midlands B75 7QA. David also QSLs 100% and especially collects the glamourous ENSIGN GOLD-BLOCKED QSL CARDS produced by my friend Wendy from Brownhills in West Midlands.

Every month without fail we receive new ENSIGN cards, and this month is certainly no exception, one from BLUE GIRL Pat, of Flat 1, 24B The Close, Nr Newtons College, Litchfield, Staffs WS13 7LD, I've seen some writing on some cards but Pat has almost managed to obliterate the back of the card with lots of interesting writing she must write

Two different ENSIGN QSLs in from CAMERA MAN Graham of 16, Parkfield Cresecent, Wolverhampton, West Midlands, he QSLs with a personal card and one of his CB club, the STAR BREAKERS FAMILY CB CLUB who meet Tuesday evenings at the United Services Club, Humber Road, (Off Great Bricklin Street),

under a microscope (only joking Pat).

Wolverhampton. These ENSIGN CARDS are really great!

From Steve Flux, president of the SAXON SKIPPERS INTERNATIONAL CB-QSL CLUB of 9, Sunningdale Road, Portchester, Fareham, Hampshire, PO16 9PD who regularly writes to update us on the club's



development and of course we are always pleased to hear from clubs. Steve writes 'Many thanks for the mention in July's Citizens' Band Magazine, shame you got the name wrong (ooop's - sorryl) I seem to remember not so long ago that you would be interested to hear how new clubs progressed, well this is a letter to do this. Membership is now over 300, fast approaching 400 already since our start in November/December 1982, which can't be so bad. Developments include a new club stamp and a 20 page booklet on QSL/DXing, bound in a plastic folder. We have managed to get the club card number 4 done on glossy double-side

The first of these new developments should be full-colour cards of Number 1, and special club envelopes. One thing we believe stands out with our club is that we listen to our members — it's done in regular mail contacts, with as many as possible, through club representatives in areas of high membership density in a survey given with each pack. One question on the survey is "Which club does each member consider the best that they are already a member of" and we are in the top 3 of most! Perhaps you will consider us good enough for a regular mention in the magazine, even to be considered for 'Club of the Month' when we are good enough!'

Many thanks Steve, brings out some interesting points, first is a regular question, how do I normally choose 'Club of the Month'? — that's easy — when a club has become reasonably popular, and well established, and I can quite happily

include them in our column secure in the knowledge that our readers won't suffer a rip-off. I also like to either join the club of my own free will, or have the loan of a guaranteed-typical membership package.

The other question sometimes asked is why don't you ever include information on my club — answer is simple again — because the club does not keep us fully informed of developments in their running and membership. We cannot invent information — if club presidents keep us informed I assure you we will include as much as possible in these columns.

An important note to all club presidents — please allow at least three months for inclusion of your clubs details, as sorting and preparation takes a long time—loften get letters from readers asking why they didn't get a mention in the mag for a letter sent a couple of weeks ago—l am afraid patience is the name of the game, allow three months and you should be lucky—one way or another.

As we get so much mail from home these days, we seldom get space to include overseas QSLs, but for those who ask for these contacts, just received a nice colour QSL from Robert and Donna Longcore of 1620 W.48th Street, Fremont, Michigan 49412, USA., and some super cards

from both ZARRA and LADY CAMPARI of Deurnebaan 49, B2060 Merksem, Belguim, ROMEO DELTA of Tongersesteenweg 28, 3800 St. Truiden, Belguim, and ERIK of Naamsesteenweg 39, 3800 St. Truiden, Belgium, so there are a few to see you over to next month.

Before we close this month, I must thank you all for all your mail, we are always anxious to hear of your news, unusual DX's, and club news — it's your column, and we do our best to include as much as possible. If you would like a mention, send your QSL to Mike Newbold, THE MEDICMAN, 124 Hillcross Avenue, Morden, Surrey SM4 4EG — be seeing you — Take Care, We Care.



Citizens' Band List of QSL Contacts

BOB BREWER Kestrel

DOREEN PEACOCK Sunflower

JOHN T. CLARK Black Shadow

MIKE & WENDY Camera Blue & Pork Slice PETER WALDER Panda

PHILL COUPE Flying Scotsman LESLEY Ice Pop LORRAINE Barley Sugar KEN PORTER The Peanuts

STUART & ANN Giant & Lady Haystacks ALEX LAWLER Tango One

TERRY LAWLER Sherry Dog

ROY PITMAN Wagtail

RON BROOKER Top Dog

SEAN GOOCH Hermetite

MICK & SUE Silver Cloud & Golden Girl RAY ME 43

Kevin Dyson Beefeater

SUT & SAN HIPWELL The Judge & First Lady KEN Nuts & Bolts

REG Grandad FRED HC 80 20, Masefield Road, Cirencester, Glos.
G17 1SN
17, Dolphin Villas, North Gosforth,
Newcastle Upon Tyne NE13 7NG.
75, Bean Oak Road, Wokingham,
Berkshire.
59, Alexandra Drive, London
SE19 1AW.
P.O. Box 141A, Surbiton, Surrey
KT6 4AN.
12, Waggon Road, Breightmet, Bolton,
Lancashire, BL2 5AB.

79, Auckland Way, Whitby, Yorkshire YO21 1LL. P.O. Box 55, Leeds LS5 3ED.

Redworthhall Residential School, Heighington, Nr Darlington DL5 6NL 1, Colleridge Gardens, Dipton, Stanley, Co Durham DH9 9LH 32, Llys Gwyn Terrace, Pontardulais, Swansea, South Wales 31, Lyppincourt Road, Bristol Avon, BS10 7FJ. Gernel, Wood Green, Henham, Bishops Stortford CM22 6AZ. TE 013, P.O. Box 63, Woking, Surrey GU21 5HU. 72, Courtenay Road, Dunkirk, Faversham, Kent ME13 9LH. 46, East End Road, Charlton Kings, Cheltenham, Glos. 368, Stourbridge Road, Kidderminster, Words DY10 2QE. 91, Peckmill Green, Netherley, Liverpool L27 6PG. P.O. Box 24, Faversham, Kent. P.O. Box 99, Northampton.

Rig Check



Yes it's here. After an endless wait, Chris Peterson has finally managed to get his hands on a Reftec 934. Here is the first instalment of a comprehensive report on this magic box.

ne of the most frequent questions that we get asked here at Citizens' Band is "whatever happened to 934 MHz?". Its a question we've been trying to get the answer to for quite a while! At the time of writing only one company have demonstrated UHF equipment, though rumours persists that others are about to launch equipment for this band.

Reftec have been delivering sets to customers for some time now, though our efforts to tease a rig (or preferably twol) out of them for review have not been particularly fruitful Actually, Reftec are not particularly easy people to get hold of The rare occasions



THE REVOLUTION REFIEC

when we have managed to speak to them have resulted in vague promises to send a rig for evaluation "when demand permits"! Needless to say it never has!

To be fair to Reftec, the demand for their rigs has been running slightly ahead of supply ever since they were released, and you are likely to have a two or three week wait from placing your order. This is with virtually no publicity at all, so perhaps there is method in their apparent marketing madness!

Following Mack the Hack's article on 934 MHz in our August issue, the ever helpful Tony Lane of 934 Communications offered to lend us a couple of rigs for evaluation. He reckons that its about time the 934 gospel was preached a little wider! Tony has been handling Reftec gear since it was released. He has amassed a wealth of knowledge on the practical aspects of UHF communications, and anyone considering trying 934 MHz operation would be well advised to give him a ring on 01-859-0933.

One very hot day last July, saw me crawing along the notorious South Circular road to pay him a visit. (Forget the East African Safari Rally. The REAL test of endurance is getting from North-West London to South-East in a heatwavel). The effort was worth it! I came away with two rigs and a selection of aerials to try out for a couple of weeks. To pacify any of Tony's customers who may be reading this, the supply situation did not permit him to release new rigs to us. He lent us his personal rig and his

demonstrator. There's a brave man for you!

A manufacturer of 934 MHz is at a considerable disadvantage compared to his 27 MHz competitor. He not only has to produce a much more sophisticated rig, but must also supply all the antennas and accessories as well! Reftec have to be congratulated on this score, as they are manufacturing a wide range of antennas for a variety of applications. They are providing a commendable back-up service in this respect. Once again, this is partly due to necessity, as no-one else is at present manufacturing for this market. Certainly I was unaware of, and rather staggered by, the range of antennas they provide.

Prices for the antennas are not unreasonable, considering the precision necessary in their construction. They are comparable with top-of-the-line 27 MHz equivalents, except perhaps at the very top of the range. It is probable that eventually 934 will become more of a competitor to PMR (Private Mobile Radio) rather than 27 MHz. At 934 MHz, not only does the manufacture of the rig become more complex, but antennas have to be built to much tighter tolerances. Antenna length must be related to wavelength. At 27 MHz, a wavelength is about 33 feet. At 934 MHz, it is about 32 cms! Quite a difference. An error of half an inch may be acceptable on an antenna several feet long. It is clearly unacceptable in an antenna only a few inches long.



934 MHz does not lend itself to the "DV27 on a biscuit tin" approach that is common on 27 MHz. To work at all, not only must the antenna be correctly installed, but the correct antenna for the application must be chosen. This is not always the highest gain antennal Unlike 27 MHz, the regulations for 934 MHz permit the use of antennas with genuine gain. The rigs have a maximum permitted output of eight watts, and sufficient antenna gain is allowed to provide 25 watts ERP

(Effective Radiated Power).

First of all, let's look at the antennas available and the sort of applications for which they may be used. The simplest antenna is a 1/4wave vertical. This is intended for mobile use, vertical polarization. It is available either as a hole-in-roof fixing, or as a mag-mount. It needs a ground plane, as does any 1/4 wave antenna. In fact, the base of the mag mount is about 1/2 a wavelength in diameter, and will provide an adequate ground-plane on its own, though a car roof would be better. These antennas are roughly equivalent to K40's on 27MHz, though they are relatively more efficient due to the absence of loading coils. Radiation angle is high, meaning that much of the signal is radiated skywards. This can be an advantage in inner city areas as we shall see later. The antenna is only about 23/4" long, which looks a bit ridiculous at first after 27 MHz antennas, but believe me it really does work! One of these antennas will cost you about £14 or £20 depending on the mounting.


The next antenna is a mobile colinear. This consists of a quarter wave section with a half wave section on top of it. The coil, a third of the way up, is a phasing section rather than a

REFTEC Mobile Antenna

loading coil. Once again this is a vertically polarised ground plane antenna and can be hole or mag mounted. The gain of these is a useful 3dB, and they are probably the best general purpose mobile antenna. In 27 MHz terms it is roughly equivalent to a K40 with a Silver Rod perched on top, if you can imagine such a thing! Overall length of the antenna is about 11 inches, and it will cost you £20-26,

depending on mounting.

Moving on to base station antennas, the simplest available is a full-wave folded di-pole. This can be vertically or horizontally polarized, and is omni-directional when vertical. Gain is a useful 3dBi, it will cost you about £16, and is designed for mounting on a two inch pole. Next up the scale is a neat little four element yagi antenna. It looks like a mini TV aerial, which is hardly surprising as most TV aerials are yagis. Gain is 5dBi, and it may be vertically or horizontally polarized. This antenna is highly directional, and as the band slowly becomes more occupied, may eventually become useful for nulling




out unwanted stations. This is not a problem at presentl The yagi antenna will set you back about £10.

The 'ultimate' home base antenna is the Reftec Professional four element colinear. The antenna proper is hidden inside a black plastic protective sheath, and is about four and a half feet long. It is intended for vertical polarisation and has a gain of no less than 7.5dBi! This means that it is only legal when used with 10 metres or more of UR67 cable! the loss in cable compensates for the extremely high gain of this antenna. Although it is omni-directional, the bandwidth is only 20 degrees. This means that it may not necessarily be the best antenna for purely local communications, though for distance work it is the ultimatel Indeed, although it is intended for base station work it is compact enough to mount on a mobile. though the restricted beam width may give problems on other than perfectly level ground! This antenna will set you back no less than £98!

All the antennas are pre-adjusted, and no attempt should be made to "SWR" any of them. Indeed SWR meters for this band are not exactly ten-a-penny anyway. Anything accurate enough to be meaningful is fikely to be extremely expensive professional equipment!

As for connectors, you can forget the old faithful PL259s used at 27 MHz. In truth, they are well past their design maximum at 27 MHz, and will stop a 934 MHz signal dead. Only BNC



and 'N' type connectors are suitable at this frequency. Reftec have standardised on BNCs, though the Professional colinear uses an 'N' type at the antenna end. Similarly, cable losses are much higher at 934 MHz than at 27 MHz, and only the best coax is good enough. For base stations use with long cable runs, UR67 cable (the thick stuff!) is essential. BNC sockets are normally only suitable for the thinner RG 58 cable, but Reftec can supply a special BNC plus for UR67. It will cost you about £9 (ouch!). A BNC for RG 58 costs 90pl

We mentioned earlier that the choice of antenna depended very much on the application. It might be as well to illustrate that point with a few examples. First, it is important to understand how 934 MHz propagates. Essentially it is a line-of-sight propagation. There is no 'skip' off the atmosphere, so you never get the 'nine pounds of spaghetti' syndrome common on 27 MHz. It also means that essentially the horizon is the ultimate limit on your range. (Actually, in practice maximum ranges are better than this, but should not be relied upon when planning your area coverage.) Because the wavelength is so much shorter, 934 MHz will cast sharper shadows (ie dead spots) than 27 MHz. Electro-magnetic waves tend to flow round objects smaller than about a wavelength. 27 MHz will flow round even a largish house quite well. 934 MHz can be stopped dead by anything much bigger than one foot across,


which means that a house will cast quite a big shadow on 934 MHz. Trees and foliage in general are highly absorbant at 934 MHz, however it isn't all bad news, as 934 MHz is reflected and scattered much better by buildings than 27 MHz, which can be advantageous at times.


As with all antenna installations, the golden rule is 'the higher the better'. On 934 MHz you are allowed 10 metres rather than 7 before you are required to use a 10dB attenuator. Use all of it!

For a permanent base to base ircuit, horizontal polarisation will

circuit, horizontal polarisation will provide better coverage (range). A pair of yagis, one at each base station, horizontally polarized would provide very good range. For mobile operation, vertical polarization is essential. Therefore a permanent link between two bases using horizontal polarization would provide a useful degree of immunity from unwanted mobile interference!

As a general rule, the higher the antenna gain, the better. There are a number of exceptions to this rule that should be carefully considered, as I discovered the hard way. My home location is on a hill top near Gerrards Cross, West of London. The local village and main road are at the bottom of the valley. I pulled down by 27 MHz antenna, and installed a Professional colinear 934 MHz antenna in its place. Now even on 27 MHz, communication between my home and the village is not easy, as the village is underneath the beam of my aerial. On 934 MHz the problem was even more severe and despite being less than a mile away, communication was almost impossible! The diagram illustrates






why quite clearly. Had I been using the simple full wave antenna, local communication would have been much better. However on the plus side, once out of the 'shadow' in the valley, reliable communication could be maintained up to at least double the 27 MHz range, and was intermittently extremely good well beyond that.

Again, although the colinear is the best all-round mobile antenna, in the inner city, the smaller quarter wave antenna had an advantage due to its higher radiation angle. Alas, my location seems to be particularly poor for 934 MHz. Immediately to the east of my house, about 100 feet away, is a long row of very high trees. These seem to effectively cut me off from central and south east London, where the bulk of 934 activity seems to occur. However mobile operation around the London area proved a revelation!

Having spent two evenings vainly trying to raise someone in the Gerrards Cross area (other than my wife and the other rig!) I set up the mobile rig and drove down to Uxbridge. Parking in a suitable open space near Northol aerodrome. I put out a call on channel 14 and was immediately answered by a breaker in Kenton about four miles



away. Much relieved that the rig was OK, we chatted for a while when another station came in on the side. From Clapham! Now! don't know how far Clapham is from Uxbridge, but I would guess about 15 miles, and I could hear him clearly (Hi there Unit 77, and thanks for your co-operation!) I was struggling a bit to get back to him, but consider this a resounding successful contact for a mobile to base across London.

A few days later, while driving into work, I heard Unit 77 again, picking him up about Uxbridge. By the time I reached White City in West London, I was in full clear two-way communication with him and remained so until I reached Oxford Circusl Indeed most of the time he was lighting up 3 of the Reftec's 5 signal strength lights, and sounded as if he was 100 yards away rather than several miles! Very impressive, as this sort of contact is just totally impossible

The vagaries of the band need a little getting used to. While I was at 934 Communications picking up the rigs, the demonstrator suddenly burst into life as a mobile in Croydon, a few miles away, made a contact. By turning the squelch down we were just able to make out the station at the other end. In BRIGHTON!!!

One thing that ought to be TVI. When my mentioned is

MHz aerial is up, it is right next to the TV aerial, and inevitably it upsets my TV. It doesn't affect any of my neighbour's, nor strangely does it affect the video. The 934 MHz rig doesn't even make it twitch! Despite having something like seven times the ERP from an identical position, the TV is not affected in the slightest. At least the Home Office were right about that!

934 MHz is most certainly a viable and very useful citizens' band. At present it is quiet, and mercifully free from wallies! It is more expensive than 27 MHz, but provides superior range (neglecting intercontinental contacts, which are not what CB is for anyway). The choice and siting of antennas is critical for good performance, I cannot emphasise this point too much as it is very easy to be disappointed by too casual installation.

Although the overall coverage is better than 27 MHz, and probably much PMR as well, it has more 'holes' or dead spots in it. Fortunately such dead spots as there are, are smaller are used.


obtained over flattish or gently sloping terrain. Hills and valleys can present severe obstacles to the signal path. If

anyway, and can generally be driven through fairly quickly. It works as well if not better then 27 MHz in inner cities, provided the correct antennas Best results will probably be

Trying the home base colinear as a mobile. (Not without it's problems!)

you are the only house in a deep but small valley, forget it! Large trees also produce noticeable screening effects, especially when wetl Most locations will find that they can achieve a very satisfactory performance PROVIDED they choose their antennas carefully and locate them correctly.

It is unlikely that 934 MHz will ever replace 27 MHz, despite the wishes of the Radio Regulatory Department. The price alone will ensure that. However, for those willing to stand the extra cost, it is a very rewarding band to use. I can see it becoming very popular with small business users, as compared to PMR it is quite cheap and free from restrictions. This has only been a quick look at a few first impressions of using this UHF band, and I look forward to future developments of this fascinating band.



Postscript

The Radio Regulatory Department have been instructed by the EEC to move all the UHF channels down by 12.5KHzl This is despite the fact that Britain is at present the only country using this band! Tony Lane tells me that he will be recalling all the sets he has sold area by area, to try to minimize the inconvenience to his customers.


Our thanks to Tony Lane of 934 Communications, 64 Footscray Road, Eltham, London, for the loan of the equipment. 934 Communications can be reached on 01-859-0933.

Antenna Review



Biggest isn't always best as Brian Wright finds out in this test of a 24 inch twig from Dial-a-Match

MATCH FOR ANYONE?





hen it comes to antennas most breakers are usually of opinion that big-

or home base, and they are not usually far wrong. There are some surprising exceptions to this rule however, as you will realise if you have been reading this magazine for some months. It is not only that some small antennas work well either, sometimes large ones perform poorly. Generally speaking though a very short antenna is difficult to tune and the performance is much less than the larger one.

On day one of UK FM, when legal antennas were in short supply, one antenna that was popular in our area mainly because they were available,

was the 48 inch Dial-a-Match, Some breakers say they were not impressed with the performance of this antenna but I suspect that they may have purchased one of the copies and not a genuine Dial-a-Match. I personally have had some good long copies with breakers using the genuine article and several breakers that I know are quite satisfied with theirs. Even bearing this in mind we didn't think that we were going to maintain contact for very long on our test route, when we set out with this month's antenna - the 24 inch Dial-a-Match, as this is a very short antenna indeed.

The specimen from W.T.A. Electronics Ltd. is a 5/8 wave antenna, i.e. its base loading coil is wound so as to make the antenna electrically equivalent to an antenna of 5/8 of a wavelength in length, rather than the usual 1/4 wave. The 5/8 wave antenna is usually favoured as it tends to radiate its energy low to the ground where it is needed (unless you are trying to contact an aircraft).

The Dial-a-Match has a ground stainless steel whip protruding 600mm out of the coil and on the top of the whip is a small aluminium ball. The whip fits into a chromed fitting on top of the coil housing and is retained by a stainless steel grubscrew in the normal manner, a key for this is provided. At the base of the coil housing is a chromed hexagon nut with a $\frac{3}{8}$ 10 UNF thread for screwing into a mounting base. The black plastic 60mm long coil housing has a thread moulded for over half of its length. On this thread are two chromed rings for SWR adjustment, the rings are screwed up or down the thread until



the SWR is satisfactory, then they are locked together to prevent them from moving. This very useful feature is of course what gives the Dial-a-

Match antennas their name.

The Dial-a-Match is supplied shrink wrapped, with instructions and grubscrew key, on a black cardboard backing. No mounting base or coax is provided, but W.T.A. Electronics kindly supplied us with a suitable roofmount which is sold separately. The 142 Roofmount which is manufactured by Valor in the USA, as is the antenna, is a neat little mount which requires no soldering when fitting to the co-ax. This mounting has a very low profile on the underside so as not to protrude through the head-lining. The cable enters through a shallow side entry and the centre core and outer braid are clamped in position without soldering. As this very small antenna is obviously mainly meant for roof mounting, we mounted the test sample in the centre of the roof rather than the usual wing or boot position.

The first problem that we thought we would have, would be to tune such a short antenna or at least to keep it reasonably in tune over the 40 channels. When mounted on the roof it was easily tuned in a few minutes, by means of the rings, to an SWR of just over 1:2:1 on channel 20 and never went over 1:8:1 from 1 to 40 when tuned properly. You may not consider this very satisfactory but this is extremely good as tuning on such short antennas is usually very critical. A point of interest to boat owners or Fibreglass car owners is that the suppliers claim that the 1/8 wave Diala-Match requires very little groundplane and will operate with a small piece of foil stuck inside of the Fibreglass whereas a 1/4 wave would not. A word of warning to the owners of those naughty black boxes, the maximum power handling of this antenna is 25 watts, any more and damage might result.

With this tiny stick on the roof we set out sceptically on test and as you can see from the test pattern the results were quite surprising. Performance was comparable to much larger antennas that we have tested. Transmitting contact was only lost once briefly at the outer limits of the test route and receiving contact was never lost as this antenna not only got out quite well, it received even better.

In conclusion we consider the 24 inch Dial-a-Match to be a very useful little antenna for breakers requiring a short twig. Performance is not up to many of the larger antennas of course, but is very good for its size and very usable. Construction is of a high standard and should give a long service as we know many have. Priced at £11.50 it is reasonably good value as the coil includes the very useful and fast tuning method.

A similar antenna for performance would be the Copperstik, a much larger antenna indeed! Our thanks to W.T.A. Electronics Ltd. for supplying

F3

the test sample.

ENNA REVIEW DATA PANE

SPECIFICATIONS

Model

24 inch DIAL-A-MATCH

Type

Length Frequency Range Max Power Handling


Impedance Cable Supplied **Mounting Details** Supplier **Typical Price**

Whip.6 metre overall 67 metre 27MHz

25 Watts 50 Ohm None

% 10 UNF W.T.A. Electronics Ltd., Norwich.

£11.50



REVIEW VERDICT

Performance XXX SWR Adjustment XXXXX Construction XXXX

Installation XXXX Instructions XXX Value XXX

We rate our samples on a scale of one to five. Five stars is the highest rating, three and four stars are average to good and one and two stars mean it's not doing so well.

The Tests

We have used our standard test procedure to assess the efficiency of this antenna. Just to bring new readers up to date this involves two tests; one static and one mobile. Our test sample is fitted to a stationary mobile and a second mobile follows a prearranged route that orbits the stationary test vehicle, sending and receiving signal reports at measured intervals. This is then repeated with the test antenna on the mobile test vehicle and the signals are sent and received between a stationery vehicle. A standard rig and antenna is used in all the tests. With the results obtained we are able to draw up the radiation pattern shown here. This is simplified to make the results more easily understood. The antenna is also subjected to a series of 'lab' tests to assess their durability, quality and construction, etc and finally we hand it over to a panel of CBers for comment.

Rig Review



Andy R Giles has been playing with the latest rig in the Oscar range. The Oscar II is smaller and cheaper than its predecessors, but none of the quality has been sacrificed in order to save money.




very nice rig but a little expensive by today's standards. Now South Midlands Communications, the importers and distributors of Oscar equipment, have introduced an economy version, the Oscar II. It is smaller than the original (approximately 6 ins wide x 12 ins high x 8 ins deep) and it has a few less features, but that is more than made up for by the price—just over half that of the Oscar I.

The layout of the MK II's front panel is fairly standard. The S/RF meter is in the top left-hand corner and directly underneath is the four pin microphone socket. Just to the right of this there

are the two rotary controls for Volume and Squelch. The knobs are bright silver and they would be difficult to grip if the manufacturers had not thought to put fluting along them. Even then I found that my sweaty fingers sometimes slipped. The same is true of the channel selector knob which is just a larger version of the other two.

The channel display, which is just above the Squelch control, is bright



green and very easy to read. I always have preferred green displays. They seem easier to see in bright daylight and less harsh when viewed at night. The only other control on the front panel is the Hi/Lo switch. This is an attenuator that reduces the output power by 18 dB, i.e.from 4W down to 400mW, as required by law if your base station antenna is more than seven metres above ground level. Lastly, just above the channel selector knob there is a tiny red LED that lights whenever you are transmitting. The rear of the rig has the usual SO 239 antenna socket, a 3.5mm extension speaker socket and a non-reversible power socket.

In Use

In use the Oscar II performed well and although we did not subject it to

laboratory tests, we were impressed by the way that it did not let strong nearby signals or adjacent channels interfere with its performance. Its sensitivity was also very good, constantly picking up signals that

other rigs could not hear.

The Oscar II is supplied complete with a mobile mounting bracket, a microphone, a DC lead and a superb 30 page handbook that is one of the best that I have ever seen. It not only gives the usual description of the rig's controls, it also looks at mobile and base station antennas, antenna matching and the effects of various levels of SWR. There is also a well written and excellently illustrated section on installing the rig in a car. There is even a comprehensive section on dealing with vehicle noise suppression that includes a full circuit diagram of a typical car's electronic system.

The last portion of the handbook is a rig doctor's delight. Not only is there a complete circuit diagram of the Oscar II, there is also a full PCB layout, a parts location guide and a component list that gives a part number for every single component. It is a remarkably thorough handbook that I wish other manufacturers would copy immediately.

Conclusions

The Oscar II is a basic rig that performs very well and despite its lack of facilities such as Delta tune and P.A., it is still good value for money. It costs £49.00 and is available from South Midlands Communication Ltd of S.M. House, Rumbridge Street, Totton, Southampton (Tel: 0703 867333). SMC are also able to offer the complete range of Oscar accessories and antennas.





RIG REVIEW DATA PANEL

PA Facility External Speaker Jack TX Indicator Light RX Indicator Light PA Indicator Light S/RF Meter LEDS Hi/Lo Power Switch ANL/NB Switch CH9 Switch Variable RF Gain Mike Gain	R 2
External Speaker Jack TX Indicator Light RX Indicator Light PA Indicator Light S/RF Meter LEDS Hi/Lo Power Switch ANL/NB Switch CH9 Switch Variable RF Gain Mike Gain	No
TX Indicator Light RX Indicator Light PA Indicator Light S/RF Meter LEDS Hi/Lo Power Switch ANL/NB Switch CH9 Switch Variable RF Gain Mike Gain	6
RX Indicator Light PA Indicator Light S/RF Meter LEDS Hi/Lo Power Switch ANL/NB Switch CH9 Switch Variable RF Gain Mike Gain	
PA Indicator Light S/RF Meter LEDS Hi/Lo Power Switch ANL/NB Switch CH9 Switch Variable RF Gain Mike Gain	
S/RF Meter LEDS Hi/Lo Power Switch ANL/NB Switch CH9 Switch Variable RF Gain Mike Gain	•
Hi/Lo Power Switch ANL/NB Switch CH9 Switch Variable RF Gain Mike Gain	•
ANL/NB Switch CH9 Switch Variable RF Gain Mike Gain	
CH9 Switch Variable RF Gain Mike Gain	
Variable RF Gain Mike Gain	•
Mike Gain	
	100
	•
Delta Tune	
Tone Control	
LED Channel Readout	

Facilities	Superb	Good	Fair	Poor
Ease Of Controls	Ü			
Built In Speaker				
Microphone Location				
Cabinet Construction				
Quality Of Control Switches				
Channel Indicator Readibility				
Mounting Bracket				
Hand Book/Instructions		1	0	

Specifications	
Modes Of Operation	FM Only
No. Of Channals	40
Weight	- 1.1 kg
Dimensions	182x80x145mm
Supply Voltage	Spec
RF Output Power	Spec
Frequency Stability	Spec
Swemping	Spec
Sensitivity (RX)	Spec
Sourious Emissions	Spec

CB VERDICT

Range	XXXX
Clarity of TX	XXXX
Clarity of RX	XXXX
Ease Of Controls	XXXX
Ease Of Installation	XXXX
Performance	XXXX

We rate our samples on a scale of one to five. Five stars is the highest rating, three and four stars are good to average and one and two stars mean it's not doing so well.

ISSUE WILL BE ON SALE

FRIDAY

OCTOBER

Remember Remember the fifth of November, gunpowder, treason and so on . . . Yes the season of fireworks is upon us. Now there are probably a few of you out there who think that Guy Fawkes had quite a good idea, still we mustn't get into politics now must we.

We've got plenty of fireworks of our own in the November issue of Citizens Band, so make sure that you tag along to enjoy the celebrations. First off, we've got Chris Peterson with the second instalment of the Reftec review. Now if you've read the first instalment, there's no way you can miss his journey through the transistors and all the untold goodies he's about to un-earth. I mean if you're remotely interested in the future of CB can you afford to miss this.

Twigs I hear you say! No problem, why even as I write, Brian W. Wright is hard at work going round in circles testing a Modulator, a very popular antenna we understand. Talking of twigs, we hear some very strange stories of unscrupulous people copying well known antennas and bunging a much cheaper version out on the market. Well apparently one such unscrupulous individual has been brought to task by Gamma. We'll be taking a look at this whole counterfeit business, and talking to the people who are being affected by it.


It looks like being a real Twiggy issue because we've asked Brian 'Twigman' Wright to tell us about his set up and why he chose it. Expect him to wax lyrical on his choice of antenna.

Wot? No Twong! Yes the second instalment of 'Twong In Space' is already in preparation and John Richardson will soon be blasting off to us. Plus Mack the Hack, Mike Newbold's QSLs, Ladybreaker, and all the usual goodies. So don't forget to light up the sky with CB Magazine you know it makes sense.

Since we had the usual enthusiastic response to last months caption competition, we are following up with

The articles mentioned are in an advanced state of preparation but circumstances may affect the final contents





more of the same. The prize up for grabs this month is a Mustang CB2000 with the usual fixtures and fittings - and very smart it is too. To acquire this highly desirable piece of equipment, we'd like you to compose a witty, apt and clean caption for this picture from the Electric Horsemen.

After an afternoon considering the possibilities; him talking to her, her talking to him, them both talking to the horses etc., we decided the greatest scope lay in what the horse (the mustang, geddit?) was saying to them. It makes a change for the horse to get a word in edgeways, especially starring with Jane Fonda and Robert Redford.

Answers on a postcard please, to reach us by second post on Friday 21st October. Rules, as usual, at the bottom of the page.

Don't forget the rules
No employees of ASP are allowed to enter. All entries
must be here by second post, Friday, 21st October. The
Editor's decision is final, and don't forget your name and
address. Entries to Mustang Competition, Citizens' Band,
ASP Ltd., 145 Charing Cross Road, London WC2H OEE.



Our own Mack the Hack comments on American vigilantes, novice licenses in Belgium and a very British problem.

id you read that item in the national newspapers about some people talking naughty to young lady breakers, and it seems that some authorities believe that CB radio should be banned. These authorities have only themselves to blame, they were warned that these sort of incidents would happen and a possible solution was offered to them.

Some time before CB was made legal in this country, when the authorities were contemplating introducing an Open Channel system (as they called it then) a government green paper was published setting out proposals for this Open Channel. At the end of the paper was an invitation for interested parties to submit ideas

that would benefit from such as system.

Yours truly (me) did so, and one of the suggestions was that all rigs should be fitted with ident, circuits. I felt sure that at the most it would have put about a pound on the price of a rig, but as you know the idea was not adopted, mainly because the early rigs were converted AM sets and to modify them would have been costly.

Some of you may be wondering what an ident. circuit is? It is a small integrated circuit (IC) or silicon chip, that costs a few pence to produce and each one can be programmed to emit a different identifiable code. When one keys off, it can be heard as a series of tones very similar to a roger bleep but much faster. An eight digit tone would only take about 1/10 of a second to transmit but unless you had a decoder you would not be able to identify the station transmitting. This is not just theory, as many professional two way radio stations use this system and I have seen it in operation many times. Also it is not a new idea as it was first demonstrated to me some years ago.

One system that it is widely used for is taxi radio circuits. When a mobile station calls in, the stations ident, shows on a LED display for a few seconds before decaying, but a touch of a button will hold any ident, that the controller wishes to check. So if these ICs had been fitted in CBs just try to imagine how problem free our CB system could be. Music players, squeakys, bucket mouths etc, would think twice before doing their thing.

Another topical subject that has been in the news lately is of the vigilante groups. Of course, this is happening in the USA at present but there are signs that it could catch on in this country. CB plays a leading role in this activity as the means of communication for the groups. The word 'vigilante' might conjure a picture of lynch mobs, but these people are not taking the law into their own hands. The object of these groups is to patrol their own local areas looking for possible lawbreakers and hopefully, with the aid of the CBs, contact a base control station that in turn notifies the police.

The police in the USA welcome and encourage these groups as, like most police forces in many parts of the world, they are low in manpower and any help the public



offer is appreciated. The successful working of these groups means that they only cover a small area of their neighbourhood, any bad areas such as places where frequent muggings are rife could be patrolled by a small group. For example, someone going on holiday could notify the local vigilante group, H.Q. notified and a watchful eye kept on the property, again an eye could be kept on the elderly of the area with occasional checks for their safety. Being a local operation it would be expected that a rota system could be used with participants doing their turn of duty with the group.

One wonders if our CB system would be able to cope with an idea such as this. In the suburbs of our big towns I am sure it would, and even in our cities, if the areas the groups patrolled were not too large, remembering how overcrowded our channels are. But a good base station should easily copy the mobile units in a two square mile area.

Licence Campaign

A couple of times in the past I have mentioned lan Able and his novice licence campaign. I just thought that you might like to know that CBers in Belguim, who have been campaigning for the same thing, are to get a novice licence system. They will be given part of the two metre band, 145 to 145.8 Mhz with maximum power of 15 watts. Candidates for the exam will have to take a simple exam. Of course the amateurs in Belgium are up in arms about the novice licence being allowed in their two metre band, so could a feud develop between the full licenced amateur and the novice? Listen on that frequency with interest.

It seems that I upset a few people a couple of months ago when I wrote about this idea of QSL card swapping for fun and not just for QSOs. I got quite a few letters from readers telling me off, many explaining that QSL card swopping is an offshoot from CB and many feel it's almost another hobby OK, that's fine, as I said before do your own thing, but many go on to say 'what's the point of QSL card swapping if the only QSOs one has is with other stations down the road. We only run legal FM, so


how can we work DX to swap cards'.

From my home in Chingford, which is not a good RF spot, using the same rig and mike but with a GAP half wave twig, I have been in QSO with stations 50, 60 and more miles away. There is no magic, only that I get on the air with the early weekend morning nets, and I mean early, before 5 or 6 am. If you are a true CB enthusiast and wish to chase the DX stations for QSL confirmed QSOs then these time should present no problems. I have had reports of French, German, Dutch and even Italian stations being worked early mornings and all on legal FM. How much more satisfactory it is to receive a card from one of these worked stations than from just another collector. Well I think it is.



First we had the Shuttlecock, then came the Maxcom Speakeasy, and now we bring you the very latest in hands-free walkie-talkies - the revolutionary Walkphone

Rig Check THE HIGH STEPPING LKPHONE





Regular readers will be aware of the 'hand free' walkie-talkie type units which we have tested from time to time. It certainly seems to be a growing market, and the latest one to find its way into our grubby hands is the

Walkphone.

The Walkphone is made by the OHRA Corporation, which sounds very Far Eastern, but in actual fact they are Far Western, California to be precise in the good 'ole US of A. Now to begin with, the units are illegal, operating just under 50Mhz, so while we were able to describe the units in the comfort of the palatial CB office, as far as the actual testing went, it was all down to a day out sur le Continent.

To begin with, the Walkphone is a very smart piece of technology indeed. The unit itself is about the size of a packet of King Size cigarettes, and indeed not much heavier, coming complete with the usual headset

arrangement.

Controls are down to a minimum, there's an on/off switch at the side, a standby/full switch on the top (the standby preserves the battery when not conversing) and a rotary volume switch which is set neatly into the top. A sturdy clip is provided for clipping onto a belt, and the nine volt battery is fitted by means of a slider cover along the spine of the unit. In fact this cover proved more than a little difficult to remove and needed prising away before the battery could be fitted, but this just might be down to the newness of the unit. An external battery can also be used.

Full duplex communication

Approximately two and a half feet of flex connects the Walkphone to the headset which has one padded earpiece and a microphone on a stalk emanating from it; a short aerial completes the headset. The set is adjustable and is fairly comfortable, although I feel another padded earpiece would have been better than the small triangle which fits over the non receiving ear, because after a while this proved quite irritating.

'But what does it sound like?', I hear you ask, well, hang on while I book my passage and take to the high seas, to the land peopled by reviewers testing illegal equipment. Right, here

Well the first thing to note about the Walkphone is that it is a full duplex communication system. This quite simply means that you don't have push any buttons or wait your turn when talking to your partner. In this respect it really is just like a normal phone, you can rabbit away to your heart's content and not have to worry about mounting phone bills.

This is quite a breakthrough, and it works very well indeed. It means you can get on with your work or whatever else you are doing without keep having to stop and flick a switch to talk, and even when the pair of you talk at the same time neither takes preference.



The advantages over the voice activated units are also fairly significant, because we have noted that on these units, any strong extraneous noise could trigger the mike off, and also there's often the problem of the beginning of your sentence not coming over.

No such problems with the Walkphone, the reception was clear, and the more we tested it the more impressed we became. Inside on office building, with all the problems of concrete, metal etc, it worked remarkably well with clear speech being recorded through a four storey building. Obviously there was a little fading when using lifts etc, but the overall performance remained impressive.

Outside, communications remained good over a fairly built up 200 yards, so we would expect maybe even greater ranges in open country. The headset stayed in place throughout, although the mike needed adjusting from time to time. Quite simply, it is by far the best unit we have tested so far - however there is one major drawback.

So far the other units of this type that we have tested retail at around £40 each, but for the Walkphone you will have to pay double that price. Naturally we were a little taken aback by this and in fact felt the need to check with the manufacturers a couple of times, but the official prices remains £75 plus VAT for each unit.

Obviously, the company have run into a similar reaction to ours among dealers, because they take great pains to point out just how different the Walkphone is to anything else on the market. As they say in their brochure, 'although the Walkphone is similar in appearance to the other communicators, the contents are as different as night is to day. Just as there is a difference between the components of monaural radio and stereophonic radio: a black and white TV set to a colour TV set; there are different communication systems.

Having used the Walkphone you see what they are getting at, because it is so much better than the others we've featured, but whether it is worth paying twice as much for, is purely up to the customer, his needs and his

budget.

Already, people who tried the Walkphone suggested television studios and building sites as potential areas where this would be useful. The company themselves suggest everything from cycling through to mountain climbing and security.

Remember that you will need two of the units which have to be matched together, so you can only use model A with model B, and model D with model

Our thanks to Electronic Impulses of 12 South Street, Havant, Hants (Tel: 0705 484133) for the loan of the two Ohra Walkphones for review.

CB

This month we corner ace reviewer Chris Peterson and discover what made him choose the Cybernet Beta 3000.

MY RIG

ur illustrious Editor has asked me to jot down a few line on the rig I personally use and why. Well I use a modified Cybernet Beta 3000, though the reasons for this choice may be a little unconventional.

Just before CB was legalised I bought a new car (well new to me, anyway). I quickly discovered that the radio in it was a load of old junk, and replaced it with my trusty old 8-track plus VHF unit that I've had for years. Unfortunately the 8-track is too big to fit into a standard car radio slot, so it was perched on the parcel tray on top of the dash. This left a hole in the dash where the original radio had been. I therefore needed a rig that would fit into a standard car radio slot!

Now even today, rigs that will do that are few and far between (come on, manufacturers, wake up out therel) and just after L-day, rigs of any description were pretty thin on the ground. The Cybernet was the first rig that came along that met all my measurements. The Cybernet chassis is a well known good performer, it had all the functions I wanted and it would fit into the car radio slot! All I had to do was wrap a thin piece of foam around the rig and slide it in! Simple! I also find the styling attractive and the mike lead is on the front!!!!

Although the Cybernet is an excellent rig as supplied, the congestion on 27MHz around West London eventually caused even that rig to hiccup occasionally. A crystal filter on the first IF stage (from Ambit International) has improved the 'bleed-over' immunity to the extent that it is as good as any of the 'super rigs' we've tested. If the Cybernet chassis has a weakness it is the squelch circuit which is a hangover from AM days. An Ambit Noise Squelch kit has dramatically improved the squelch performance to the point where it now rarely ever needs adjusting!

The rig has proved totally reliable in use with the standard mike, the modulation is crystal clear. It is normally used in conjunction with either a Ferroline 27 or a Harada disguised telescopic antenna. This latter has tuned up perfectly on the UK FM band despite all the warnings I was given that it would never work! Indeed it seems to work as well as some very much more popular and highly rated antennas. It does need careful tuning to get the best out of it, however, Although an SWR of almost 1:1 is possible on channel 20, it rises to just under 2:1 on channels 1 and 40. In other words it is very sharply tuned and needs to be checked periodically to maintain optimum performance. However it is very convenient, almost vandal proof, and doesn't advertise the presence of a rig in the car!!!



THE G.A.P. AVENGER

Legal homebase Antenna

"The legal antenna that thinks it's a 1/2 wave"

The AVENGER will solve ALL your problems!

We have taken a base loaded legal radiator with a single "ground plane" threaded with coaxial cable through the "grouns plane" and finally supported the antenna at it's base rather than at it's centre.

This gives us a new legal configuration that is bound to be accepted by all Breakers.

- The AVENGER is easy to fix, on a wall bracket or mast top.
- No ugly multiple ground plane radials.
- Cleverly end supported giving additional height.
- Minimum line current due to shielding of coax in the "ground plane".
- * Impedance ... 50 ohms.

Could this be the ultimate in LEGAL antennas?? . . . We think so!!


1983 Gamma Aerial Products Limited.

Gamma Aerial Products

MANUFACTURERS OF AMATEUR RADIO & CB ANTENNAS

LYE, WEST MIDLANDS

TRADE ENQUIRIES





Now's the time to catch up with out on Breadboard

THE PREMIER SHOW FOR THE **ELECTRONICS ENTHUSIAST!**

Cunard International Exhibition Centre, Cunard Hotel, Hammersmith, London W6

Improved Venue

We have transferred BREADBOARD to the Cunard Hotel, offering improved facilities to the visitor, including car parking and ease of access by rail, tube and car, all in a modern attractive setting. See below for our arranged reduced hotel/rail fare package to attract enthusiasts from all parts of the country.

Planned Features include

- Lectures: covering aspects of electronics and Amateur Radio Action Centre. computing.
- Electronics/Computing Advice Centre.
- Demonstration: electronic organs/synthesisers.
- Holography presentation.
- Practical demonstration: 'How to produce printed circuit boards'.
- Computer Corner -'Try before you buy'.

FRIDAY November 25th 10am - 6pm SATURDAY November 26th 10am - 6pmSUNDAY November 27th 10am - 4pm

- Computer controlled model railway competition.
- Pick of the projects Demonstration of the best from ELECTRONICS TODAY INTERNATIONAL, HOBBY ELECTRONICS and ELECTRONICS DIGEST.
- Giant TV screen video games.
- Robotic display.

Why not make your visit to Breadboard'83 the most enjoyable yet. At these 'prices, why not bring a partner, do your Christmas shopping, have an evening on the town, see the lights, and have a weekend in London!

^{&#}x27;see next page

HOLIDAY WEEKEND PACKAGE

- ★ Accommodation in a first class hotel with private bath, direct dial telephone, radio and colour television.
- * Return 2nd class rail travel from local British Rail station to London.
- ★ Ticket to Breadboard'83.
- ★ Breakfast at the hotel.
- * Prices quoted are inclusive of service and VAT.

Please note this offer closes on 1st November 1983.

REGION	SINC	GLE	TW	IN
	1 Night	2 Nights	1 Night	2 Nights
Beds, Berks, Bucks, Essex, Herts, Kent, Surrey and Gtr London	£29.25	£54.25	£47.75	£84.75
Cambs, Hants, Northants, Oxon, Suffolk, Sussex, Wilts	£32.50	£57.50	£57.25	£94.25
Avon, Derbyshire, Dorset, Glos, Gwent, Herefordshire & Worcs, I.O.W., Leics, Lincs, Norfolk, Notts, Somerset, Staffs, Warwickshire, West Midlands	£35.75	£59.75	£59.75	£96.75
Cheshire, Devon, Glams, Humber, Lancs, Gtr Manchester, Merseyside, Powys, Shropshire, West & South Yorks	£40.25	£64.25	£67.50	£104.50
Cornwall, Cumbria, Dyfed, Glwyd, Gwynedd, North Yorks	£44.25	£69.25	£75.00	£112.00
Borders, Cleveland, Durham, Dumfries & Galloway Northumberland, Tyne & Wear	£48.50	£73.50	£83.25	£120.25
Central, Lothian, Strathclyde	£51.75	£76.75	£89.50	£126.50
Fife, Tayside	£55.00	£80.00	£95.00	£132.00
Grampian, Highland	£58.25	£83.25	£101.50	£138.50

BOOKING FORM

Name:	Cheques should be made payable to
Address:	ASP Ltd. and sent to ASP Exhibitions, 145 Charing Cross Road, London WC2H 0EE
Date of arrival: 25th Nov 26th Nov Number of nights: 1 night 2 nights Room(s) required: single twin 2	I enclose cheque value £
BR departure station:	
Region:	Signature

GET A GOOD COPY-

CITIZENS' BAND SUBSCRIPTION **ORDER**

FORM

Cut out and SEND TO: Citizens' Band, 513, LONDON ROAD, THORNTON HEATH, SURREY, ENGLAND

Please commence my personal subscription to Citizens' Band with

RATES

(tick 🗆 as appropriate)

£12,00-for 12 leasurs £13,95 for 12 issues

overseas surface £27.10 for 12 issues Order/International Money Order for

I am enclosing my (delete as necessary) Cheque.



294	te accordingly			
Address .		 	• • • • • • • • • • • • • • • •	
,		 		
Sinneture			Date	



JANUARY 81/82/83 FEBRUARY 82/83 MARCH 81/82/83 APRIL 81/82/83 MAY 81/82/83 JUNE 81/82/83 JULY 81/82/83 **AUGUST 81/82** SEPTEMBER 82 OCTOBER 81/82 NOVEMBER 80/81/82 DECEMBER 81/82

Simply fill out the form below - photocopy it or write a quick note if, like me, you don't want to spoil your file copy - pop in your cheque or postal order and sit back and





This month's letters include a follow-up to the story of 'Scruffy' and some stern words from a young breaker.

quo in perse	pers	0.0	norconc	tuo in	ous du
icit dicend Pr	end F	30 11	oud Diago	d dies	Pranci
tsala grano i	le uran	1 6 2 2 2 4	end Fraecic	salar	trand
ann inter n	ovente n	it Salar	wanter	30.00	anto n
icede nus si de					US 51
		once			
a te post in me te p	b ducot	stat			st in n
ereta duce reta	oo sauce n	ceret	e han		
eccag onylar eccag	e eronylar al	neccage	c Joylar at		onylar
se alliciat et sti se alli	cial et stiady	se allic	ial et stiad		ot stiao
proficis in alia i profic	sum	r ficis	in alia s	oficis	a sumi
so in perseus	guo i	us di	erseu	111	perseus de
clucend Praec					
it salar and Au.					
ite an cinter	dnin	propt	ovente pro	10	ente r
once	icede mass	gyon	mus mo)VE	15 51 11
estat	a te post in	men d	post nor	i de	t in mi
hoeret e nam					
neccage ylar at					
			alliciat et stia		
ficis in alia s					
	THE RESERVE OF THE PARTY OF THE	the last of the la			

Fully Licenced

All the way from Denmark comes Per Kim Hardysoe, a regular reader of the magazine, who has kindly written in with an offer to all British CBers who may be going over to Denmark...

I have now been in the QSL column several times and had some very nice QSLs from fellow CBers of your country for which I thank you. However, the reason why I write to you is that I have heard so many readers complain about getting their rigs confiscated due to not having the permission to bring them into the foreign country. I have therefore contacted the people who control these permits in Denmark and have got them to send me some applications. Therefore, if anyone in the UK is going on holiday to Denmark they can send me an IRC and I'll send them an application form by return mail. I have applications written in German, English and Danish, so please mention which you'd like. Finally I'd like to thank you for an excellent magazine which I read every month, thanks to a good friend of mine, R. Durrant in Shildon, Co. Durham. Best wishes to all the DXers I have spoken to and all OSLers that I have swapped with.

You can write to Per c/o the Mermaid DX-QSL Club, PO Box 77, 8500 Grenaa, Denmark.

Happy Breaker

Always nice to find someone who is actually happy with life and Malcolm Fisher from County Donegal is such a person...

I have been on CB for five years now, my first rig being a Sharp 40 channel AM rig. I thought it was great, and then a year later I purchased a sideband radio and got into DXing which I thought was even better.

Last March I decided to go FM but still keep the sideband, and now I think

with legal UK FM I've got one better again. I've copied into Dorset, Lincolnshire, Kent, Cornwall, Devon, Hampshire, Berkshire, the Channel Islands and I've even copied British stations on holiday in Central Europe. So I say that 27FM and 27SSB is very hard to beat. See it isn't all bad news.

Keyed Up

Thirteen year old Robert Higton is an angry young man, and he's angry about something which breakers of his age are usually associated with . . .

I was reading the article about Breaking The Code, and when I read that mike keyers and music players had finally closed a monitoring station down, I nearly smashed my rig to pieces I was so upset. Mind you, I know a few channel 9 monitors who have given it up as a bad job, or sometimes even sold up.

My little motto is I detest Mike Keyers. If I get a mike keyer I always say 'you've found your new toy'. And I can tell you now its not all youngsters who do it. Is there anything we can do?

Channel Crossing

Big D from Bootle in Cumbria writes in with a problem which perhaps some one out there can shed some light on...

We had a good network on channel 36 on Sunday afternoon, there were breakers from Scotland, Lancashire and Cumbria all having an enjoyable afternoon. We started the network at 2pm and then at 6pm a breaker came on channel and said we were wiping the emergency channel out.

Now I understand that channel 9 is the emergency channel, but it seems that breakers in the Penrith area use channel 36 as their emergency channel. Rather than cause any hassle with the Penrith breakers, we closed the network down. My question is, if Penrith can do this, and everyone follows suit, we will have no channels left to talk on.

They said they had permission from the police and ambulance services to take over channel 36, but I thought that the GPO was in charge of CBs for the Home Office? We'd be happy to hear from some of the Penrith breakers to explain the situation, because it seems mighty strange to us.

Base Comments

Mr. Mick Miller of Leigh-on-Sea is not a happy man and takes us to task on couple of things. But first off his target is our reviewer Andy Giles . . .

Sorry, but I have a few complaints to voice about your mag. Firstly, I feel very strongly about remarks made by Andy Giles in his rig review on the Uniace 300 home base (August 83). He says, I can't think of a reason why anyone would want a PA on a base station. Well, sorry Andy, but I run my home base from upstairs in my bedroom and my PA is connected to and extension speaker downstairs. If I want a coffee, or the kids are wrecking the lounge, I can push my PA and have instant contact with my family.

Secondly, why so much about cordless phones. OK maybe one month, but its been going on now for some time. If I wanted to buy a cordless phone, I would buy the relevant mag, which brings me to my third point. Why the in-car radios and cassettes. Please remember lads this is a CB mag. After all that, I must say that yours is the only mag I buy. . . Well that's something anyway, we take your points, but to begin with we feel that many of the people who are into CB are also likely to be interested in things like cordless phones, after all their main purpose is easier and better communications - and we haven't done that many, simply because there's aren't many on the market. Regarding the in-car entertainment, that is really a one-off, but don't forget almost all breakers who have a mobile rig will have a radio or cassette or both, so we do feel that an occasional feature such as this is of some interest. Finally, we don't know of any specific mags who cater for cordless phones, it's usually left to magazines like ours to do something about it. But thanks for the information on the use of the PA facility on a base station. Has anyone else got any similar uses for it.

Gentlemen Prefer 934

Mack The Hack is under fire from Peter Drake in Southend, over something he wrote when using a 934 rig...

Regarding Mack The Hack's article on 934 in your August issue. I was amazed to read that apparently there is a 'gentleman's agreement' for use of channels 1 to 10 for business users, and that the remaining channels were for 'fun use'.

That's all very well, but if I were in a position to purchase a 934 transceiver, I wouldn't feel bound by any gentleman's agreement, considering the price of such equipment to transmit on a limited number of channels. I also feel it would be a totally unreasonable arrangement considering any business or minicab should be in a position to use Home Office frequency allocations, not CB frequencies. Doesn't this contravene paragraph nine of the licence conditions. I'd be interested to know what other readers think

All At Sea

Roger Large of Crewe in Cheshire writes in with some views on CB and its use on boats...


I am sorry to find in your magazine that land based and mobile breakers are shunning boat users who are on CB. As a member of the RNLI, I am glad that more and more boat users are getting CB rigs, and as long as they stay within the three mile limit they are legal.

However, I must warn breakers who use CBs in river estuaries, bays and coastal waters, that it is best to use mobile rigs run off car batteries rather than hand held sets because the range of the latter is unreliable. I hope that one day all boats not on maritime radio have CBs fitted, no matter where they are used.

One day a land breaker might well be glad that a marine breaker exists because they might well be the only ones in range able to get to a land line. As you know, there are many near canals, rivers and by the coast in farm houses and of course the inevitable public house.

Scruffy Award

Regular readers will remember the story of Scruffy the labrador who saved a missing person from dying by



I received a letter from the RSPCA which said 'I have much pleasure in advising you that your recommendation of an award in connection with Scruffy has been approved by the Awards Committee of the Council, and a plaque, suitably engraved will now be processed.

This special award for Intelligence and Courage is awarded by the committee in circumstances where the animal acts in a manner which is more than instinctive, and from the details you have provided it would seem that this person owes his life to your dog'.

I am so proud of her, I am a pensioner over 70 and she is my companion as I live by myself. I do not use the CB much as I cannot find many breakers round here who want to talk to an old man. My handle is Fusebox, and I would welcome anyone who wants a chat. Once again thanks Mr. Stanhope, come on now you local breakers let's see what you can do.

Continental Drift

Eddie from Norfolk has some thoughts on DXing and the perennial problem of TVI...

I am a DXer, and when I get the chance I run a Ham International jumbo through a three element directional antenna. I have been operating for two years now and have not encountered any TVI as yet.

I can't help noticing the fact that when any bleedover or static is encountered on channel, more often than not, it's Jack sidebanding down the road who always seems to cop the blame.

Ninety nine per cent of sideband interference is continental, as more of the overseas stations work the hi bands for DXing, which unfortunately clashes with UK FM. I always DX on the lo band away from the hi channels to avoid any aggro, which I get from time to time anyway regardless.

All the time I have been working SSB, I can't ever say I have heard any DXing over the FM channels as yet. So any legal FM stations who may be reading this who are inclined to blame us DXers, all I can say to you is you don't know what you're talking about. As far as I am concerned SSB is respected by its users which is more than can be said for the so-called legal UK FM.

CB

Letters intended for publication should be addressed to: Backchat, Citizens' Band, 145 Charing Cross Road, London WC2H OEE. Letters not containing a name and address will not be considered for publication.





Three very different clubs this month, from Scotland to the Home Counties, by way of Omaha, Norfolk.



If you thought Omaha was just somewhere in the far flung wastes of the USA then you'd be mistaken, because it is also the name of a very successful breakers club.

Omaha and District Breakers Club

I am writing to tell you of our very successful club. Membership currently stands at 713 members and is continuing to grow steadily. We have a monthly eyeball which is very well attended, and also a news night on channel two, every Wednesday evening at 9.30.

We try to maintain an active social side to the club, with dances, treasure hunts, beach parties and a pram race in the offing, and also help the community in various ways. We have many fundraising events and last year we raised well over £1,000 for charities and this year hope for even more. In June our chairman handed over a cheque for £740 to Hellesdon hospital, which was raised by a very successful sponsored walk.

We try to maintain a good relationship with our local authorities and are always ready to offer our services at various functions. If any breakers out there are passing our 20, don't hesitate to give us a shout.

Ma Baker 7 The Drift, Fakenham,



Chiltern CP/M Users Club

We are starting a local CP/M users group with support from the CP/M UK. We plan to hold meetings at the Stevenage library. For further information contact K. Hirst of 40 Moors Walk, Welwyn Garden City or E. Brown, 21 Willow Way, Hatfield.

R Clement 4 Copper Beach Close, Boxmoor, Hemel Hempstead,

The Tartan Pirates DX Group

By forming this DX group, we hope to encourage friendship between nations and further the good name attached to two meter band DX operators. The group will be national in its outset, but we hope it will become international as it develops.

We will primarily be a QSL swop club, but will support its members in whatever way they require. We hope to be able to compile a regional directory giving club/group monitor frequencies, meeting places and addresses where they may be contacted.

Membership will be granted by founder members only and all applications must be accompanied by five QSL cards confirming five DX contacts outwith 50 miles of your QTH. Any mode of transmission is eligible.

The Secretary
The Tartan Pirate DX Group,
8 Woodpark,
Lesmahagow,
Strathclyde,
Scotland.

RTAN

WAT NO.

LEROUP




AERIAL SUPPLIES (Redditch) Ltd

SILVER ARROW

Pre-tuned home base legal antenna. Pre-tuned radiator for FM. SWR better than 1.3:1. Power handling 500W. Requires 11/4in-dia. pole for mounting. Additional strengtheners to ground plane radials for improved stability in high winds. Main mast held not by one but three locking screws.

Best and strongest legal base station aerial on the market today.

SILVER ARROW MARK II LOADED COIL IN NEW PLASTIC MOULD



The best legal aerial on the market today. With extra bracings for strength on the ground planes. Recommended price

£21.95 inc VAT Postage £3.75

WE ALSO MANUFACTURE A RANGE OF ALL TYPES OF AERIALS, MASTS AND BRACKETS, ETC.

> 6 Widney House, Bromsgrove Road, Redditch B97 4SP Tel: Redditch 62620 and 60107

HAM INTERNATIONAL MAIN DEALER FOR SOUTH WALES

1 Prince of Wales Rd., Swansea (0792) 463821

_			
	Ham Thunderbird Base Ant 5/8 wave. Ham Hypower Thunderbird 5/8 wave. Ham Big Mac Base Ant 7/8 Wave. Ham Frequency Counter plugs into Ham models. Frequency counter for any rig. Ham Relax Power Mike. Ham 232S Processor Base Mike. Ham 232DX Processor Base Mike. Ham 232DX Processor Base Mike. Ham Antenna Matcher with through switch. Set Brackets (will fit York, Rotel etc). Ham Bracket Screw (will fit York, Rotel etc). Ham 10-12 amp Power Supply. Ham 10-12 amp Power Supply. Ham 15-18 amp Power Supply. Ham Multimode II Front Fascia. Ham Concorde II Front Fascia. Ham Service Manuals (state model). Ham replacement mike (as originally supplied by Har Ham LA 120 100 walt am/fm - 200 walt ssb variable with preamp. SEIF reverberator RA 201 Ham Viking 80 AM/FM (plus U.K.F.M.).	£34.95 £79.95 £45.00 £39.99 £14.99 £34.99 £34.99 £10.00 £34.99 £49.99 £69.99 £69.99 £69.99 £79.95 £79.95 £79.95 £79.99	
	Ham Viking 80 AM/FM (plus U.K.F.M.)	.£/9.99	(E)
	Superstar 2200 200 AM/FM SSB	£175.00	(E)
	Ham extension speaker with filter	£7.25	(B)
	Ham Hand box	£3.00	ÌΑί
		20,00	(17)
	DOOTAGE BATTER WAS A SECOND OF THE SECOND OF	- Y223	

POSTAGE RATES: (A) 50p (B) £1 (C) £1.50 (D) £2.50 (E) £5.00 Please allow 28 days for delivery


To obtain our catalogue on HAM International equipment, send £1.50 to C.B.T., 1 Prince of Wales Road, Swansea. Catalogue contains the MMIII CONCORDE III & JUMBO III (1983 models)

ACCESS AND BARCLAYCARD ACCEPTED

ADVERTISERS' INDEX

Aerial Supplies
Cavalier Base 20
Freeman & Pardoe IFC,14
Gamma Aerial Products
Kaiser Electronics
Magpie Electronics12
Micro Electronic Systems
OCTOBC
Sharma Wholesale
S.M.C9
Telecomms
Uniace14
W.T.A. Electronics

REFERENCE SECTION



SQUELCH

For anyone who has never used a rig before, this is probably the control that is the most difficult to understand. It exists to remove the background noise, that hissing sound that you can hear when there isn't a signal present. Nothing happens when the squelch knob is tumed slowly clockwise, until it reaches a point just ebove the level of the background noise. Then, suddenly, the noise will totally disappear and you will hear nothing at all until a signal that is stronger than the background noise is received. This signal will cause the squelch to open anyou will hear it, but as soon as it disappears, the squelch will close again and no sound will come from the rig. Care should be taken when adjusting this control because the higher it is set, the stronger the incoming signal has to be in order to open It. For the best results, the control should be left at the position just past the point where the background noise vanished. It will than let through any signal that is stronger than the background noise but not the noise itself.

RF GAIN

This is a variable attenuator that cuts down the amplification which is given to incoming signals and the more it is turned, the less the gain of your rig. This helps to prevent overloading when you are talking to someone who is very close by.

SIGNAL STRENGTH/RF METER

This is a dual function device that shows the relative strangth of the signal you are receiving and of the signal you are transmitting. The S-Meter is usually calibrated 1-9 and the nearer to the 9 the meadle is when you are receiving a

signal, the stronger that signal is. If someone asks you for a signal report, all you need to do is quote the number that is indicated on your S-Meter. This will give them a good idea of how well you ere receiving them but you should remember that this is a relative indication and another rig under exactly the seme circumstances could well give a reading that is 2 or 3 points different.

The same applies to the RF Meter. It also gives a relative indication of the power, you are putting out and it doesn't give a reading in watts. When you have properly tuned your entanna, you should note the position of the needle when you transmit, it should be around the 8 mark. If it suddenly moves from this position whan you are transmitting, you should immediately re-check your antonna as there will almost certainly be something wrong with it.

NOISE BLANKER

These two functions are often combined on one switch and although they operate diffarently, they both exist to cut down interference. Most ANL systems work reasonably well but an NB is a far more efficient device that will remove almost all of the crackles and pops that are caused by interference.

LEDS (RX TX)

The appropriate one of these light emitting diodes lights to show if you are transmitting or receiving.

PA/CB

This switch turns you rig into a low power public address amplifier when it is set to the PA position. There is a socket on the back for an exten-

sion horn type speaker to be plugged into and anything you say into the microphone will be amplified and broadcast through the speaker.

MIC. GAIN.

This control alters the amount of audio from the microphone used to modulate the outgoing signal. When it is set to minimum, you are transmitting e blank carrier regardless of whether you spaek into the microphone or not but when it's set to maximum, your signal is at almost 100% modulation.

HI/LC

This switch cuts down the output power of your rig so that you can conform to the rule on the back of your licence that says that you must reduce you power by 10 dB if your base station antenna is more than 7 metres above ground level

CHANNEL SELECTOR

This is the knob that you use to change channels.

CHANNEL INDICATOR

This window displays the number of the channel in use. Most sets use LEDs for this display but some manufacturers prefer to use liquid crystal of flourescent type displays. Displays will normally be bright red, oragne or green and visable in all but the most direct sunlight.

CH 9 PRIORITY

This switch allows you to go immediately to channel 9 without having to use the channel selector.

FM RIG CHECKLIST

MOBILES

NAME	ADDRESSES	MODEL	NC	SUPPLY	RETAIL PRICE
AMSTRAD	Amstrad Consumer Electronics, 1-7 Garman Road, London N17	CB901	40	13.8VDC	£40
AUDIO LINE	Telecomms, 189 London Road, North End, Portsmouth.	341	40	13.8VDC	£60
AUDIO LINE		340	40	13.8VDC	£40
AUDIO LINE		342	40	13.8VDC	£115
BARRACUDA	Halfords Motor Accessory Shops	GT 868	40	13.8VDC	£70
BARRACUDA	但是特别性的是是一种的。 10.11	HP 940	40	13.8VDC	£85
BINATONE	Binatone House, Beresford Av., Wembley, Mddx.	8REAKERPHONE	40	13.8VDC	£99
BINATONE		ROUTE 66	40	13.8VDC	£79.95
BINATONE		5-STAR	40	13.8VDC	£100
COLT	K B & Co Ltd, 202 Cheetham Hill Rd, Manchester	295	40	13.8VDC	£49.99
COMMTRON	Roger D, 831 Manstield Rd, Notts	CB40F	40	13.8VDC	£70
COMMTRON		CXX	40	13.8VDC	£69.95
CYBERNET	Goodmans Loudspeakers Ltd. Downley Road, Havant, Hants PO0 2NL	8ETA 1000	40	13.8VDC	£70
CYBERNET		BETA 2000	40	13.8VDC	£85
CYBERNET	(M) (1) (M) (M) (M) (M) (M) (M) (M) (M) (M) (M	BETA 3000	40	13.8VDC	£100
DNT	Radiotechnics Ltd, Grove Way Bel Royal, St Lawrence, Jessey Cl	M40FM SPECIAL	40	13.8VDC	£100
FIDELITY	Fidelity Radio Ltd. Victoria Rd. London NW10	C8 1000M	40	13.8VDC	£70
FIDELITY	Commence of the second	C8 2000M	40	13.8VDC	£90
FIDELITY		20001 FM	40	13.8VOC	£70
GRANDSTAND	Bce-Ware Ltd, Ripon Way, Harrogute, N. Yorks	8LUEBIRD	40	13.8VDC	£50
GRANDSTAND		HAWK	40	13.8VDC	£30
GRANDSTAND	And the second s	GEMINI	40	13.8VDC	£60
HARRIER	Oixons Photographic Ltd	CB MOBILE	40	13.8VDC	£49
HARRIER		CB X	40	13.8VDC	£89.99
HARVARD	Harris Overseas Ltd. Havard House, 14-16 Thames Rd. Barking, Essex	400M	40	13.8VDC	£80
HARVARD		402 MPA	40	13.8VDC	£69.95
HARVARD		H403 GOOD BUDDY	40	13.8VDC	£50
HARVARD		420M	40	13.8VDC	£100
INTERCEPTOR	Telecomms, 189 London Road, North End, Portsmouth	INTERCEPTOR	40	13.8VDC	£80
INTERCEPTOR		TC400	40	13.8VDC	195
INTERCEPTOR		ONE HANDER	40	13.8VDC	£100
JOHNSON	Star Warehouse, Chalk Farm Rd, London	JOHNSON	40	13.8VDC	f50
KAISER	Kaiser Electronics Nevrottstrasse 21-25, Waldorf Baden, W. Germany	UK 40	.40	13.8VDC	£.LBY
LADYLINE	Market Drayton, Salop	QUASAR	40	13.8VDC	£80
LAKE	Roger D; 831 Mansfield Rd, Nottingbarn NG5 3GF	MANXMAN 850	.40	13.8VDC	£32.50
LAKE		MANXMAN 950	.40	13.8VDC	£37.50
LOWE	Lowe Electronics, Matlock, Derbyshire	TX 40	.40	13.8VDC	£50
MAGPIE	Magpir Electroniss, PO Box 35, Andovas, Hanta SP10 31G	AUTOSCAN 5000	.40	13.8VDC	£120
MAXCOM	A.M. Telecommunications, A.M. House, 17.Shopherds 1Vay	4E	.40	13.8VDC	£50
MAXCOM	Rickmansworth, Herts	6E	40	13.8VDC	£48
MAXCOM		20E	40	13.8VDC	150
MAXCOM	建设在一种多种体验,是是是一种企业	21E	.40	13.8VDC	£50
MAXCOM	· · · · · · · · · · · · · · · · · · ·	16E	.40	13.8VDC	E4G



On the following pages you will find listed just about all of the CB rigs available for use on UKFM CB. We have split the reference section into three parts; mobile base and portable to make individual rigs easier to find.

	SQUEIC	NB SW	AMI C.	MINE	RF GAIL	TONE	CONTROL	SAF	HILLO	PA F.	EX. So.	TX INF	RX INC	CH 9 Swar	MIKE	COMMENTS	27/81
A	•			23	•	0	1	0	•		•		•		SL	Report Feb '82	AMSTRAD
- 10	•	EAS		•	•		•		•				•	1215	ŞL		AUDIOLINE
	•						•	SERVE	•							Report Feb '82	AUDIOLINE
VE I	•			2100			•						•		-		AUDIOLINE
	•	181			•		•		•		•				FL	Great GT868 chassis	BARRACUDA
	•	200	183		•	•	•		•	9	<u> </u>		•		FL	Cybernet chassis	BARRACUDA
	•	98					•	1	•		•		•	1000	_	Report Feb '82	BINATONE
	•	1000		1		B. C.		1 28	•		•				FL	Report Dec '81	BINATONE
	•				•		•		•		•	THE STREET			SL		BINATONE
	•	13-11			•	253			•		•		. A		FL		COLT
	•			53			•		•		•				FL		COMMTRON
5.0	•			534	•	3-21	•				•			301	FL		COMMTRON
337	•		93	Sale.					•		•				SL	Ultra compact performer	CYBERNET
	•				•				30	0	•		•		FL	Report May '83	CYBERNET
-2	•	100			•		•				•		•		FL	Report Septermber '83	CYBERNET
	•	12.37	- 8		•		•		•		•			Wine .	FL		DNT
	•						•		•	100	•			200	SL	Report December '81	FIDELITY
	• 1	133			•		•	1	•		•	74-38			FL	Report March '82	FIDELITY
	•	Alexander of the		2.16	•	•			•	14. E	•	10503E				Report September '82	FIDEUTY
	•	08					•	3 6	•		•			Sales of	SL		GRANDSTAND
	•			(98)	•		•		•	1000	•		•		SL		GRANDSTAND
	• 1			1000	•				•		•				SL		GRANDSTAND
	•	200		100			•		•		•	R. M.		FAR	SL	Report Feb '82	HARRIER
	•	MA			•		•		_	•	_	•	•		SL		HARRIER
1000	•	Sec.							•	-	•		•	•	FL		HARVARD
_	•	1000				1	•		•	•	•	•		1100	FL		HARVARD
	•	300		1-11	•		•	188	•		•	NO.	•		SL	Report December '82	HARVARD
	•	144		-	•	•	•		•	0	-	100	<u> </u>	•	SL		HARVARD
	•	1000			•	•	•		•	100	•		•	146	\$L		INTERCEPTOR
	•	1000	•	S.	•	3	•		•		•		•		۴L		INTERCEPTOR
	•	1			•	•	<u> </u>	•			•	W. 55	•	1	FL	0 .07000	INTERCEPTOR
_	•				•	1000	<u> </u>								FL	Great GT868 chassis	JOHNSON
	•			10 - 10	_		•		•			•	2,1+	426	FL		KAISER
_	•				•	200	•		•	0		•	_		FL	First marine rig	LADYLINE
_	•			1000	-		•		•		-				SL		LAKE
	•			1900	•	1000	•	7 300	•	•	•		-	100	SL		LAKE
	•			(0)	•	STATE OF	•		•		•	200	•		FL	0	LOWE
	•			•	•	17/2	•		•	•	•			•	FR	<u> </u>	MAGPIE
-	•			4 10	_	1	•		•	•	•		_	5037	FL	Report March '83	MAXCOM
1100	•		-		•	1-36	•		•	-		•	-		FL	Report November '82	MAXCOM
	•	1	—	4	-	200	•		•	1000	-		\vdash	•	FL		MAXCOM
	•			4	-		•		•	-	-	•	<u> </u>	•	FL		MAXCOM
100	•	T Car		155		3000	•	in a lor	•	1	•		2.7=	KER!	FL		MAXCOM

MOBILES

NAME	ADDRESSES	MODEL	No OF CE	SUPPLY	PRICE
MICROLINK	Warman-Freed Ltd. 82 Golders Gn. Rd, NW11	CB401	40	13.8VDC	£115
MIDLAND	Plustronics Ltd, Hempstalls Ln, Newcastle-under-Lyne, Staffs	2001	40	13.8VDC	£70
MIDLAND	TO CASCALE STRAIN ASSOCIATION OF THE STREET	3001	40	13.8VDC	£80
MIDLAND	THE STREET STREET, STR	4001	40	13.8VDC	£90
MIOLAND	AND SHEET AND AND A STREET AND ASSESSMENT	2001T	40	13.8VDC	£100
MERCURY	EMS Communications, Grove Street, Wantage, Oxon, LX21 7AD	10 40	40	13.8VDC	N/A
MUSTANG	K8 & Co. Ltd, 202 Cheetham Hill Rd, M /cr.	CB1000	40	13.8VDC	£49.95
MUSTANG		CB3000	40	13.8VDC	£59.99
NATO	Roger D, 831 Mansfield Rd, Nottingham NG5 3GF	40M	40	13.8VDC	£69.95
NATO		2000	40	13.8VDC	£189.95
OSCAR	S.M.C. Osborne House, Totton, Southampton	OSCAR1	40	13.8VDC	£85
RADIOMOBILE	Goodwood Wks. North Circular Rd, London NW2 7JS	201	40	13.8VDC	£80.90
RADIOMOBILE		202	40	13.8VDC	£120
REFTEC	RF Technology, Leyton Avenue Ind. Est, Mildenhall, Suffolk	934	20	13.8VDC	£200
ROTEL	Rotel Hi-Fi, 2-4 Erica Rd. Stacey Bushes, Milton Keynes	RVC 220	40	13.8VOC	£50
ROTEL		RVC 230	40	13.8VDC	£70
ROTEL		RVC 240	40	13.8VDC	£90
SHOGUN	Colliers Fm, Freith, Henley-on-Thames, Oxon, RG6 6NR	SHOGUN	40	13.8VDC	£100
SIRTEL	24 Affric Sq. Off Maxwell Rd, Woodston Ind. Est. Peterborough	SEARCHER	40	13.8VDC	£40
STEEPLETONE	Park End Works, Croughton, Nr Brackley, Northants.	SC81FM	40	13.8VDC	£103
TANDY	Tame Way, Tower Bridge St. Walsall, Staffs	TRC2001	40	13.8VDC	£80
TANDY		TRC2002	40	13.8VDC	£70
TANDY		TRC2000	40	13.8VDC	£100
TANDY		TRC1004	40	12VDC	£79
TANDY		TRC2003	40	13.8VDC	£130
UNIDEN	Cravenmaster Ltd. 31 Madoc St. Llandudno	UNI ACE 100	40	13.8VDC	£59.95
UNIDEN		UNI ACE 200	40	13.8VDC	£79.95
VIPER	Radio 88, Barking, Essex	VIPER 88	40	13.8VDC	£29
WAGNER	Knight Communications Ltd. Unit 19 Brittania Est, Leagrave Rd, Luton	9000	40	13.8VDC	£59.95
WAGNER		COMPACT 40	40	13.8VDC	£25
WESTERN	Western Electronics, Fairfield Estate, Louth, Netts	COMPACT 40	40	13.8VDC	£34.50
YORK	Sulkin (UK) Ltd. 73 Grosvenor Street, London W1X 90D	JCB 861	40	13.8VDC	£69
YORK	Cum (see) a general content of the see	JCB 863	40	13.8VDC	£89
		308 803	40	13.8700	
			1		FIRST STATE OF THE
			4-97		
			-103		
			Lill		
		A STATE OF THE PARTY OF THE PAR			
	The state of the s	THE PERSON NAMED IN			A MANAGEMENT AND MANAGEMENT
					The second secon
		(A)	45902		
			7.5318 1530		
	SIG				6
	OBCAR				
	OSCAR .				
	OBCAH				
	OSCAR CONTRACTOR				
	OBCAH				

	Saueig	VB Swar	AML S.	MIKE	RF GALL	TOME	S. A.E.	"METER	WILLOS BIO	OUTPUT.	SX S.	TX IN.	PX INCHT	CH 9 CH	MIKE	COMMEWIS	27/81
20000		All Control	-			-							100				
360	•	100		A.F.	0	10.0	•	70.65	•		•		•	39/23	FL		MICROLINK
350	•	Mark.		¥ 33		8114	•	1000			•				FL	Report August '82	MIDLAND
2 100	•			0			•	8	•		•	RCAR.		2	FL		MIDLAND
	•			•	•	NEW.	•	THE ST	•		•				FL		MIDLAND
S E	•					300	•		200		•			500	FL	The talking rlg	MIDLAND
	•				0		•	St. La	•		•		•	9.05	FR	Report July '83	MERCURY
	•					11.00	•	23.6			•		•		FL		MUSTANG
	•			9.0			•			E	•	4	•		FL		MUSTANG
154	•						•	5000			•	0		UP.	SL		NATO
790	•		•	300			•	E. 28	•.		•				SL	Report January 183	NATO
37	•	D.O.				2015	•	5/13	•		•			•	FL	Cybernet 134 chassis Report April '82	OSCAR
S PE	•	1	_==	100		10000			•	RE!	•	N. A.			FL	Cybernet chassis Report October '82	RADIOMOBILE
	•	FILE	1	262				0		•	•	•	•		FR	Report September '81	RADIOMOBILE
	•	1	2 3	10-20			•				•	0		1	FL		REFTEC
	•	1		THE REAL PROPERTY.			•	972 6	•	Post	•	•	1 8	1	FL	Cybernet chassis	ROTEL
	•			N. Selection	•		•	THE REAL PROPERTY.	•		•	0			SL	Cybernet chassis	ROTEL
	•	9	- 5		•	•	•	1100	•		•	0	•	0	SL	Cybernet chassis	ROTEL
	•			721(5)	•			•	•			0		200	SL	Up market eleganca Report June '82	SHOGUN
	•			-			•	-52-0			•	•		1030	FL	-	SIRTEL
THUM!	•		1						•		•	0	•	700	SL	-	STEEPLETONE
V-100	•	3	-				•	29-30	•	•	•		•	1	SL		TANDY
-	•		-	- CO			•		•		•	•		200	ŞL		TANDY
	•				•		•		•	0	•		-		ŞL		TANDY
	•			Z G			1		•		Ť	0					TANDY
100	•	7062		STATE OF				38.6				3 3 3 3	-		ŞL	Report November '82	TANDY
100		AT POS	-				•	11000	•		•	•	-		SL	neport November 02	UNIDEN
	•		-	•	•		-	No.	-		•		•	5519	FL	Report February '83	UNIDEN
1704	•		-		•	10000	•	-	•		•		•	10000	FL	neport reuruary 65	VIPER
200	-			15-10-19	•	94RS	•	100	•		•	0	-		FL		CARL STATE OF THE PARTY OF THE
	-		-	200			-	(10-41) 1044 1044 1044 1044 1044 1044 1044 1	•	Section 1	-	200	-		FL		WAGNER
	•	19.00	_			F0001	•	(E) (S)			•	•	•				WAGNER
200			_		_	100	•		•	1 180	ļ	•	-		SL		WESTERN
	•	120		•	_	0	•		•	NO ST	•		-	•	SL	Report October '81	YORK
66	•			Dell	•	•	•		•	0	•	•	•			Cybernet 134 chassis	YORK
190	-											130					STATE WAS AND A
and					8. 9								1	700			
563	B		2									110		1			VACON TO SECURE
7	98	1		25.00		-						336				_	To the second
-	6	188			- Parkers	1000				-	\vdash	7 10			1	No. of the last of	(SECTION SECTION SECTI
				THE PERSON	-		\vdash		_	100 m	\vdash	2 10	-	-			NA COLUMN TO SERVE
	60 1		file		_		_		-		-		10			1 (2)	CONTROL OF THE PROPERTY OF THE
			STATE OF	SECTION AND POST OF PERSONS ASSESSED.	1		-	200	_		100000	365	1			DO TO SALES	CONTRACTOR OF THE PARTY OF THE
	-	W. W.	1	4	1		-				-6	95	-		CANE		
			-		4-	-				BILL	B.		1	নির	35	CONTRACTOR OF THE PARTY OF THE	
NAME OF TAXABLE PARTY.			1		0	1000					4	223			450		
-	46		-	-		1	-	52		1			14	42	0	3 2 2	
CELE		and!			2.0			3		Carlo		Big		1021		YORK	
	-	500		300		St.		NO.		He.		200		350			No. of the last of
1	321-6	100	\neg			19 9		100 m		100		-8		Skill		•	NO DE LA COMPANIO
		11881	\neg							-300	-	100	-	1	\vdash		
1			-	17/222	-				-		_	05000	-	Calculate Calcul			
2		100	-	=//11				St. F		0	_	E 10	-		Н		
400		ATT THE		Dec	8	Will Co		See See				15/2/5					part of the said

BASE STATIONS

BASES

Faretti Se			0:	5 / 2	3
NAME	ADDRESS	MODEL	CHOO	Tada Sa	RE1911
DNT	Radiotechnics Ltd, Grove Way, Bel Royal, St Lawrence, Jersey Cl	B40	40	240VAC	ETBA
DNT		82740	40	240VAC	£TBA
DNT			40	240VAC	£TBA
FIDELITY	Fidulity Radio Ltd. Vintoria Rd. London NW10	CB 3000M	40	240VAC	£125
GRANDSTAND	Bee Ware Ltd. Ripon Way, Haregate, N Yorks	BASE	40	240VAC	£220
HARRIER	Dexans Photographic Ltd	СВ НО	40	240VAC	£130
HAVARD	Harns Overseas Ltd. Harvard House, 14-16 Themas Rd, Barking, Essex	H407	40	240VAC	£125
HARVARD	位于州市发生主要各种基础工作。在多州市发音	H401	40	240VAC	£149.95
JOHNSON	Ster Warphouse, Chalk Farm Rd. London	XK 2000	40	240VAC	£99
MIDLAND	Phystrocox Ltd. Hempstalls Ln, Newcastle-under-Lyme, Staffs	76-200	40	240VAC	£150
UNIDEN	Cravenmester Ltd. 31 Madod St, Llandudeo	UNIACE 3001	40	240VAC	£129.95
WAGNER	Knight Communications Ltd, Unit 19 Brittania Estato, Leaguive Rd, Luton LU3 1RJ	BASE	40	240VAC	£150

PORTABLES

			0	3 2	11/4	
NAME	ADDRESSES	MODEL	NO 0%	A Value	RETAIL	
BEAR	Air Bear (UK) Ltd. Wortley, Sheffield	RBH 35	3	BATTERIES	£44	
BINATONE	Binatone House, Beresford Avenue, Wembley, Middlesex	LONGRANGER	40	BATTERIES	£59.95	
DNT	Radiotechnics Ltd. Grove Way, Bel Royal, St Lawrence, Jersey C1	HF 12/3	3	BATTERIES	£47.55	
HARRIER	Dixons Photographic Ltd	WT1	2	BATTERIES	£25	
HARRIER		WT2	40	BATTERIES	£59.99	
HARVARD	Harris Oversens Ltd, Harvard House. 14-16 Thames Rd. Barking. Essex	0-2-0	2	BATTERY	£20	
HARVARD	Surface State Control of the Control	410T	40	8xAA cells	£69.95	
HARVARD		10-4 CONVOY	2	BATTERY	£19.95	
HARVARD	CONTRACTOR OF STREET	H6	2	BATTERY	£29.95	
KAISER	Solid State Electronics (UK), 41 Twylord Ave, Stirrley, Southampton (Fel: 0703 780305)	CBX40	40	BATTERY	£80	
MAXCOM	A.T.M., AM House, 9a Olds Approach, Tolpits Larse, Watford, Herts	7E	40	BATTERY	£49.95	
MIOLAND	Plustronix Ltf., Hempstalis Ln., Newcastle-under-Lyone, Staffs.	75-720	40	12VDC	£59.95	
TANDY	Tame Way Tower Bridge St. Walsall	TRC1001	40	BATTERY	£119	
			882			
	14. 15. 15. 15. 15. 15. 15. 15. 15. 15. 15	1				
	以上,他们就是这个人的,但是一个人的,他们也是一个人的。 第一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们	100	ENES.	98		

HANDHELDS

It's much more fun breaking from home when the car's too cold to start — and it saves petrol!

	Sour	4073 BN	4MI CH	MIKE	RE CAIN	Ton	S. P. COMIRO,	S. P. METER	HILL R.O	Thathoo,	Ex Count	TA SPEAKER JA	RY LOW TOW	THOU OWN	MING	No Straight of the Straight of	0000
	•	92		531			•		•			•			FL	Review May '82	DNT
	•	1950					•	1	•					Ser.	FL	The most expensive base!	DNT
	•		L	94	•		•	37.C	•						FR	Report May 82	DNT
	•				•	•	•	9:08	•		•	9448			SR	Report May '82	FIDELITY
6	•	To be			•		•	371			•		•		FL	New base from Havard	GRANDSTAND
8	•			NO.	•		•	234%	•		•	. 0	•	1	FL	Cheapo base	HARRIER
	•	4			•	1	•	62	•		•				FL		HARVARD
	•	162	\neg	•	•	360	•	1	•	1	72.00		•	•	FL	Reviewed August '83	HARVARD
8	•	937			•	200	•	1900	•		•	100		5	FL	TO THE ROOM STORY	JOHNSON
8	•	THE R		100			•	ANCE:	•		•			Total .	FL		MIDLAND
	•	940			•		•	1765			•	0	•	9			UNIDEN
	•		•		•		•		•		•	•	F		FL		WAGNER
	_																

Why not get out and about with a portable rig? Not only is it fun, there's fresh air too.

10	Ne Surecon	AMI SIMIS	Main & Co.	RF CAIN	OWE CONTO	S. E. F. F. B.	HIN HORO	PAR PURPLY	Ex County	14 KER JA	RY LIGHT CX	Ch & LICHT	MIKE	COMMENTS	
		100								0			-		BEAR
	1027					1000			•	•	•		-	Report July '82	BINATONE
•	3000	8	26	100		1336						(c)	-		DNT
	SYLV	1		2									_		HARRIER
	DEE	100		1835			•			•	•	•	-		HARRIER
															HARVARD
30	1000					134	•			•	•	0	匚	Report April '82	HARVARD
•								1729		•	activity.		_		HARVARD
	4			100											HARVARD
10 ·	1		33	48		100	•	534	•				_	Report August '83	KAISER
	28.00			(8)		9/48		100					-	NEW PARKET	MAXCOM
	13-10												-	是外面是是数数	MIDLAND
							•		•		77000				TANDY
100	100			3	10	12358		TABLE .				950		CONTRACTOR OF THE PARTY OF THE	
	1			100	120										
				1000		1300		2/6	_		_		\vdash		500
		160	P 1	1000	100			4904		1000		11234			

ANTENNA CHECKLIST

Here's a brief intro

Name

All antennas have a number or name. Or both. Here we tell you what it is.

Construction

Most mobile antennas are made of stainless steel and most home based ones are made of aluminium. This is not always the case though. There are fibre glass mobiles

The Home Office specs for CB antennas are lean and bordering on the mean. Still within that basic framework manufacturers have come up with some good designs. This newly laid out antenna checklist should help you

NAME	ADDRESSES	MODEL	CONSTRUC	LENGTH	MAX	TYPE 3	MOUNT	PRICE
AERIAL SUPPLIES	Annal Supplies, 6 Widney House, Bromagnaye Rd, Residiak, Words, 174 0527 626(20)	Silver Star Silver Arrow	AL AL	1.5 1.5	100	B B	Pole Pole	D E
AMSTRAD	Walter Valley and San	C8A 1500	8.5	\vdash	ET.		Various	С
ANTENNA INC		12510 Telecomm Super Persuader MR511 M710 AS M125 AS M 128	\$5 \$5 \$5 \$5 \$5 \$5	0.9 1 5 1 2 1.5 1.14 1 14	150 150	M M M M	Mag Mag Mas ths	OFGGGG
ANTENNA SPECIALISTS	Actiference Ltd. Asfeatury, Bicks H615 38;	AS M131 AS MR440 AS MT17B AS M510 AS M2000 AS 9812 IC 85 IC 80 IC 1S	555 555 555 555 555 555 555 555 555 55	1 14 1 2 1 2 1 2 1 5 1.2 1 M 1 M	150 100 150 200 150 150	M M M M M M M M M M M M M M M M M M M	gutter mag mag mag mag spring-based mag trunk	000000000
ANTLER	Shakespeer Verhammer Armittas Better Rd. Manes Drayton, Salop	IC 20 IC 30 IC 40 IC B0	55 55 55 85	11 14 14 14		M M M	roof gutter mirror mag	D E C
ARCHER	Tamify Corp., Tame Way, Fower Bridge St, Walsell, W. Mid	21 904	ss	0.5	50	м	a" snap	D
ARMSTRONG	Statement Tracking Ltd. Author Aire Telespoint, Stingartine	SAM 10 SAM 20 TAK 10 TAK 20 MAG 10 MAG 20 BDY 20 PEC 20	\$\$ \$\$ \$\$ \$\$ \$\$ \$\$	1 06 1 06 1 06 1 06 1 06 1 06 1 06 1 06	1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000	M M M M M	surface with spring boot lip boot lip boot lip boot lip boot lip with spring magnetic magnetic with spring side & fold over & quick disconnect boot lip fluminator	F F G G G G
AVANTI	CB Racks Centre Ltd. 337 Kention Rd. Harrow	AV 241 (Moonraker) AV241 T AV241 M AV241 MM	\$\$ \$\$ \$\$	1 22 1 22 1 22 1 22 1.22		M M M	stud trunk mag super mag	D E E G
BADLAND	Sadland, Received and Est Providence St. Lye. Streetwidge	810	55	1 22			mag	G
BANDIT	Bands Pringham hid Est Bury St Edwards Survey	B10 B16 B16 B20 B30 B30 B40 B40 B40 B50	\$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$	1 42 0.61 1 22 1 42 1 42 1 42 1 42 1 42 1 42 1 4	The House of	M M M M M	mag mag mag mirror drift thru drift thru various various various various various	G F F & E D D D D
C. BRIT	C Beg. Unit 2 S East Larer Workfey, Middle	Stingray Whiplash	AL SS	15	500 25	B	pole	G
CT INTERNATIONAL	CT International, CTE (UK) Uid, New 2, Machain Ind. Ex., 95 Seventiam Rd, Mitchen, Surrey	MG27	ss	0.91		м	mag	С
DIAL-A-MATCH	WYA Electromics Ltd. 111 Course R2. Helication. Norwith (Tel 0606-47624)	Rubber Duck — 530 (Chorokee) 531 HBF 531 SMF 540 541 HBF 641 SMF 520 (Hallbroad)	8 55 55 55 55 55	0.3 0.61 0.61 0.61 1.22 1.22 1.22	things spinor	M M M M M M M M M M M M M M M M M M M	*1151	COFEEC
DIGITEK UK LTD	179 181 Streethers Bid Michael Sonies	Falcon 27	ss	15	1	M	vatious	D

duction to the world of antennas and what we tell you in our checklist.

and stainless steel home based antennas.

Length

The longer the better is always my motto. As long as it's not over 1.5 m. Otherwise it's illegal. We tell you the exact length.

Maximum power

This is given as a guide only. The law allows for a maximum two watts. However, the higher the maximum power figure given the sturdier the antenna will be.

It's no use buying a home base antenna if you want to use your rig from the car. We tell you which are which Mobile or Base. At the moment the number of mobile antennas far outweigh the number of home based ones. But there are more and more home base antennas coming onto the market.

Mount

The majority of mobile antennas are held in place by a magnet - these are called mag mounts. Others are attached by means of a clamp to the boot or edge of the roof. Some are drill-through antennas which are just the same as normal car radio aerials.

Home based antennas are poles, tripods or gutter mounts. Tripods are free standing and gutter mounts are attached in a way similar to trunk or bootmounts.

Koy: Price Bands A:- £1 £4.99 B:- £6 £9.99	C:: £10 - £14.99 G:- £30 - £39.99 AL - Akrmin D:: £15 - £19.99 H:- £40 Plus FG - Föreg E:- £20 - £24.99 Construction Application F:- £25 - £29.99 SS - Stainless Steel M - Mobile	lass Noto: Pricos ara givon	CONSTR	TH TH	MAX POWER	5	5	RANGE
NAME	ADDRESSES	MODEL	CONS	TENGTH	MAX	1 Page	MOUNT	PRICE
DIXONS	Dienes Phompraphic	Harrier	ss	0.9	98	м	Mag	D
HOT ROD 200	Hot Rod 200, Stateside Grains Ltd. Audior Ave. Neverall. Sharparies	FM UK	SS	1 27	1	М	1, ths	В
FREEMAN & PARDOW	Feminian & Parkins, Systemy Ra. Arbon Forest bod. Lot. Alcourter: Warm. 4	The Invader The Thunderpole	AL	15	250 500	B B	pole pole	E
CB SERVICES	97 Crair Lane Herringson, N. Yorks HCT1 38Q	Bullwhip Knuckleduster	SS AL	1.5		M B	various	CO
MIDWEST		Dial-a-tune Dial-a-tune	SS SS	0.61	500 2	M	various , various	CD
MOCDM	Moscow, Minto Communications Ltd., 140 Sands Love, Cattgibill Binnougham	Ruvco	\$5	T	ha	М	various	В
MODULATORS	Arms (John) 8 Widney House, Stonegrose Rd. Fludbith, Wirets. (John) 527 \$26201	MOBILE LC MOBILE SC MDX LC MOX SC 934 BASE 934 MOBILE VHF BASE 27 L/C BASE 27 DX BASE	SS	1.3 1.5 1.5 1.5 1.3 1.3 1.5 1.5 1.5	1 000 1 000 1 000 1 000 1 000 1 000 1 000 1 000 1 000 1 000	M M M M M M M M M M M M M M M M M M M	Pole Gutter Pole Wall Pole	000010000
MOTOROLA	Monopole, Taylory Ref. Shalfeld, Holebon, Heels	EC106M				M		F
ocr	User's Earlichest Lane find, Estate, Geolegister, Letter	K40 227	SS SS	1.4	500 200	M	various various	G
PANORAMA	Panouers 73 Wolffen BP. Lindon RW16-215	CB27	\$13	1 22		M	mag	В
PRIODW		KT40	1340	1.5	The state of	м	trunk	С
SHIRA		SYS 208M SYS 203C MA 62	SS FG	1 0.75 0.91		M M M	mag trunk	CCC
STRTEL	Sories, 24 Affice Sq. Off Maximum RA, Woodston No. 515. Peterborough	GP Messenger GP Signal Keeper	88 88	1.5 1.5		8 B	clamp tripod	E F
SMC	Oscar Sculb Mediands Communications Option House Tortion Southerroton SO4 4DN	Oscar Base CBA 11GP Oscar Base IIVIIS Oscar IICM Dscar IICE Oscar IINE Oscar IISE	\$	1.5 1.5 1.2 1.2 1.5		8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	mag foldover base pull-up 'tocking-collar' foldover base trunk	FFDBC C
SPYDER		Spyder	-At	1.5	Pour li	В	pole	В
TAGRA	CE Radio Como 15d, 337 Sertico RJ, Harms	T40	65	1.4	500	M	various	E
THOROBRED	OCT court Earthfuld Lann, Grathage	261 227 Locklung	55 55 55	1.5 1.5 1.6	509	M M	Various % Various	C B C
WITCHSTICK	CJM Motor Factors, Hall Fairs S.v. Zavvendro. Western. Nerts 09272-74446	Wiichstick homebase	AL	1.5		8		E
WTA ELECTRONICS	111 Copins Rd Hidnaton, Norwick, North	Wot Polu Wot Mag	AL SS	1.6 1.6		В	pols mag	
VAN OROT	Van Onit: Krisphy CB Specialist, 204 Dunitable Ref. Latini, Beds	Audio King AKO-100	ss	1.6	2000	м	W-	G

CITIZENS' BAND

30p per word (minimum 15 words)





Semi display: £6.00 per single column centimetre Ring for information on series bookings/discounts.

All advertisements in this section must be prepaid. Advertisements are accepted subject to the terms and conditions printed on the advertisement rate card (available on request).



01-437 1002 **EXT 297**

Send your requirements to: Citizens Band Classified, ASP LTD, 145 Charing Cross Road, London WC2H 0EE.

CARDS, STICKERS & BADGES

CB CLUBS



Plastic Membership Cards from

D&M BUSINESS CARDS





Boost your club's image in '83 Many Many Advantages Many other uses From 10p each. A top quality product at a reasonable price

Write or telephone for details: D & M BUSINESS CARDS 23 Shepard Close Leigh-on-Sea, Essex SS9 5YR

SOUTHEND (0702) 527361

EYEBALL/Handle Cards QSLs. Good selection, personalised service. Send £1.00 for sample pack of 50 and details. T. Smith, 22 Sheapecoate House, Charlemont Farm, West Bromwich, W. Mids B71 3PP.

EYEBALL CARDS with your photograph and handle. £6 for 200. £1 for catalogue (returnable first order). The Handlecard Man, Unit 6, Ford Place, South Ockendon, Essex



HAPPY COBBLER. Custom QSL cards, 1000 full colour personalized QSL cards, £40 plus £2.50 p&p. Club discounts. Send SAE to PO Box 99, Northampton NN2 6HU

FOR ALL DX and QSLers. We have QSL rubber stamps, base, handles and key rings. SAE to M & M Rubber Stamps, PO Box 13, Newquay TR7 2PA. Also the very popular Anglo American DX manual full of DX info. Send £1.50 to PO Box above. Bulk prices to clubs on application. | 8LT.

QUALITY Rubber Stamps. Reasonable prices. SAE details. Jones (CB1), St. Ivy, North Road, Queenborough, Kent

CB BREAKERS. We will handle your incoming QSL cards. Our service offers a call sign and PO Box facility for £3.00 per year, including first 50 QSL cards. Or call sign and PO Box facility only for £2.00 per year. A supply of SAE for return of cards is required. Cash/PO to: QSL Manager, Sierra Hotel, QSL Bureau, PO Box 7, Goole DN14 5RG.



T-Shirt and sweatshirt printing. Full r-sont and sweatsmit printing. Full range of colours and sizes. Also per-sonalised engraved badges. We cater for all CB enthusiasts. CB clubs. monitoring feams. Mail order only. Tel: (0235) 21400. Bing for price list.

RUBBER STAMPS. Personalise your QSL, special designs no problem. Your handle for £2.20 (state size). Discounts for quantity. Two day service. Ring for quote. Stampreo Ltd. 42-44 Princes Road, Hull. (0482) 48134.

EYEBALL and QSL cards with pictures. Your design reproduced. Standard printed on gloss card. Thermographic (raised type) on mixed coloured matt card. Special club discount. Send £1 + SAE for details. R. Piper, 24 Albert St., Maidstone, Kent ME14 2RN (0622) 682426.

A MUST for genuine CB'ers. Quality rubber stamps for your handle, QSL cards, club emblems. Details (SAE please) from Cuddly Bear, 109 Hale Road, Hale, Cheshire.

PERSONALISED QSL CARDS 1000 £13.75. Handlecards 1000 £8.70. cheap logbooks, (S.A.E. samples). CB Print, 89 Derwent Street, Consett DH8

EYEBALL and Club Badges. Best quality. Professionally engraved. Special rates for Clubs. SAE: Hallmark of Royston, 16 Kneesworth Street, Royston, Herts. (Trade enquiries welcome.)

UNION JACKS for QSL contacts 31/4 ins x 2 ins. Selfadhesive plastic coated. 100 £3.50 inclusive, K, M, Enterprises, 191 Joyners Field, Harlow, Essex CM18 7QD.

PERSONALIZED embroidered badges. Circular 3%in. dia. or rectangular 4in x 2in. Black or white background. Thread colours red, white, blue, yellow, orange, green or black. (No pictures or logos). Club name, league, team, etc. your name, handle, etc. Suitable for any sport. Top quality. Washable. Nο minimum quantity. Send £1.50 per badge. Cheques, PO's, Barclaycard or Access, Pin-on eyeball badges only 60p. American style peak caps £3. Ring for details, Binders Badges, 3 Abbey Passage, Spalding PE11 1DD. (0775) £1.55, TA7310 - £1.29, 5834 (not Thursdays).

HANDLECARDS 100 £1, QSLs 100 £2. 100 of each £2.50. Many standard rainbow designs. Currie QSLs, PO Box 5, Consett, Co. Durham.

PERSONAL

J & R

Friendship and marriage services.

LONELY?

We know your problems because we have had them too. For a confidential and friendly service write to:

J & R. Victoria House, 26 Queen Victoria Street, Reading, Berks.

MEET NEW FRIENDS. Free brochure/list 18-80 years. Sue Carr Agency, Somerset Villa, Harrogate. Tel: 0423 63525 any time.

COMPONENTS

Transistors

S.A.E. for prices of component

7, Thyra Court, Nottingham, NG3 5GT.

LOW COST, high quality components, e.g. 2SC710 - 34p. 2SC945 - 17p. 2SC1226 2SC1307 - £1.72, 2SC1957 - 38p. 2SC2708 -£1.03, KIA/205 — £1.55. LA1230 — £2.64. LA4422 -£1.55, LC7137 — £3.28. MB3712 - £1.72, MC3357 -£5.17, PLL02A - £7.68, TA7205 — 78p. TA7222 UPC1182 - £1.47. Others available, orders over £3 post free. Others add 50p. CB Centre, 80 Sixhills Street, Grimsby, South Humberside DN32 9HT. Tel: 0472 360037.

FOR SALE

SHEPPERTON **CB CENTRE**

ANTENNA

Firesticks from	
Firesticks mag-mount	£5.50
DV 27s	£1.85
DV 27s Whip only	£1.00
Half-wave di-pole	£9.00
Extension speakers from	£2.85
Hump mount speakers	£4.96

RADIOMOBILE RIG 202s £56.95

Much more stock at low prices. All prices include VAT

Station Garage, Station Approach, Shepperton. TEL: (0932) 244742

FOR SALE

MAGNETIC CAR SIGNS Club & Handle £3.95. Individual Badges, Keyrings. Trent Engraving, 24 Belvoir Ave., Trentham, Stoke on Trent. 0782 643278.

FT101/E YASU £275. Phone Burton on Trent 221870. Any

HAM JUMBO UK/FM/AM/ SSB low mid high. Four months old. Under quarantee. £240ono. Tel: Swanley 64292.

COLT 320DX 120CH AM/SSB with slide tray, SWR meter. nearly new, still boxed £85 ono for quick sale, 472 6885.

COLT 295 Mobile FM CB rig plus ariel, £30. Legally stamped, little used. Phone 01-669 0413

CLUBS

ALPHA BRAVO CHARLIE International DX Group, Send £4 for DX package plus unit number and try and earn one of our DX awards. 26 ABC 01, PO 84, Liverpool.

LIMA TANGO DX Group. Life membership £2. Cards. stickers, lots more. P.O Box 5ET.

PLASTIC Club Cards, QSL Cards, Eyeball Cards, Club Badges, Wallets, Stickers and much more printed to order. For Club D-xers and businesses send 17p stamp for price list/samples, Raymac, P.O. Hounslow. Box 75, Middlesex TW3 2HZ.

GREAT BRITISH QSL-DX CLUB for LIFE MEMBERSHIP. Union Jack QSLs. stamp, etc. etc. Send £6 to Subscription Secretary, P.O. Box 5, Consett, DH8 8NG.

CAROLINE MOVEMENT

Read the full story of the return of Radio Caroline only in the Caroline Movement Bulletin Send £3.00 subscription or SAE for details to

Caroline Movement, Dept A. BCM-BRFM, London WC1

RIGS & TWIGS

934 MHZ. Agents for reftec Radios and accessories always in stock. Please send SAE for details. Everite, 4 Coventry Road. Hinckley. Phone Hinkley 634453

AUTOMATIC Antenna Switch. Fully automatic R.F. switching use high gain receive antenna and legal transmit antenna. C9.95 + 50p p&p. BG Electronics, Freepost, 17. Lowestoft, Suffolk NR32 Spennymoor, Co Durham DL16 7BR.

FOR ALL YOUR CLASSIFIED NEEDS PHONE ASP CLASSIFIED 01-437 1002

WEMBLEY FOR CB

K40 £27.95. Thunderpole II £15.90. 227 £6.95. 40 Channel Mobile Rigs from £17.95. SAE for price list:

TINSMANN CB

3-9 Wembley Commercial Centre,

East Lane, Wembley, Mlddx. Tel: 01-904 3507

REFTEC 934 MHZ. Contact South of England agents, 934 communications. See "Mack-Chat", August issue of Citizens Band. Tel: 01-859 0933.

RIG DOCTORS

934 MHZ. Convert your set (REFTEC) to 40CH at 25 KHZ. Kit of parts and full instructions £15. PC49, 4 Haddington St. Hove, Sussex BN3 3YQ.

CONVERSION BOARDS at trade prices. AM channel expansion, FM etc. Crystals supplied. Details: SAE, K. S. Services, 90 Porter Road, Basingstone, Hants RG22 4JR.

DOCTORS can you help with setting up precedour for Colt 1600 PO 3 Cambourne, Cornwall.

WANTED

WANTED Asden PCS 2800 FM Rig. Will accept in any con- Handlecard Man, Unit 6, Ford dition. Good price paid. Telephone 0252 850678.

FM BOARDS

FM Noise Exterminator British product eliminates between -FM transmissions, yet allows through the weakest signals. Tough on hash, kind on cash. £19.95 inc. 10 day moneyback guarantee.

FM Board 455 KHz, FM Board for CB/Ham use. Prealigned £7.50 inc.

Shiftboard Crystal oscillator for mixer type PLL. PCB accepts 3 crystals. Tested module £3.75 inc. Crystals £6 each fitted. SAE details:

EBT COMMUNICATIONS Chapel Lane, Woodlands, Wimborne, Dorset BH21 6LU. Tel: (0202) 825365.

EQUIPMENT

All CB requirements rigs by Telecomm, Cybernet, Uniden, Iwigs by Tagra, Sirtel and Valor. PSU, SWR and power meters. Plus all other accessories. Excellent repair and conversion service plus a personal TV and CB aerial filling service.

Beta Comm Systems 231 Chorley Road, Swinton, Greater Manchester.

Tel: 061-793 1010

RECRUITMENT

AGENTS/CLUBS. Earn good commission selling handlecards. £1 for catalogue (returnable first order). The Place, South Ockendon, Essex.

Please place my advert in CITIZENS BAND! for subscription is subscription of the control of the	CI	ASSIFI	ED AD\	/ERTISE	EMENT —	ORDER F	ORM
Please place my advert in CITIZENS BAND I for issues commencing as soon as possible. I am enclosing my Cheque/Postal Order/International Money Order for: (delete as necessary) £ (Made payable to A.S.P. Ltd) OR Debit my Access/Barclaycard (Defete as necessary) (Defete as necessary) OR Debit my Access/Barclaycard (Defete as necessary) OR Debit my Access/Barclaycard (Defete as necessary)	If you have	somethin	g to sell n	ow's your	chance! Don	't turn the pag	e — turn to
I am enclosing my Cheque/Postal Order/International Money Order for: (delete as necessary) £ (Made payable to A.S.P. Ltd) OR Debit my Access/Barclaycard (Delete as necessary) We were may Access Please use BLOCK CAPITALS and include post codes. Name (Mr/Mrs/Mlas/Ms) Address Address			•		•		0,
I am enclosing my Cheque/Postal Order/International Money Order for: (delete as necessary) £ (Made payable to A.S.P. Ltd) OR Debit my Access/Barclaycard (Delete as necessary) We were may Access Please use BLOCK CAPITALS and include post codes. Name (Mr/Mrs/Mlas/Ms) Address Address							
I am enclosing my Cheque/Postal Order/International Money Order for: (delete as necessary) £ (Made payable to A.S.P. Ltd) OR Debit my Access/Barclaycard (Delete as necessary) W watermay Access Please use BLOCK CAPITALS and include post codes. Name (Mr/Mrs/Mlas/Ms) (delete accordingly) Address.							
I am enclosing my Cheque/Postal Order/International Money Order for: (delete as necessary) £ (Made payable to A.S.P. Ltd) OR Debit my Access/Barclaycard (Delete as necessary) W watermay Access Please use BLOCK CAPITALS and include post codes. Name (Mr/Mrs/Mlas/Ms) (delete accordingly) Address.							,
Order for: (delete as necessary) £ (Made payable to A.S.P. Ĺtd) OR Debit my Access/Barclaycard (Delete as necessary) W wyscomy Access Name (Mr/Mrs/Mlas/Ms) Address Address	Please pl	ace my adveri	in CITIZENS	BAND I for	issues con	nmencing as soon as	s possible.
(Delete as necessary) Address Address	Order for: (delete	ás necessary) £.	(Made payat				•
Signature				We welcome Access	Address	dingiy)	
Dignature					Signature		Date



BREAKER BASES

AVON

Patchway Cars CB Centre Gloucester Road, Patchway, Bristol. Tel: 0272 694331 Mon-Fri 8-5.30pm, Sal 8-4pm, Sun 10-2pm

Retail dealer stocking all types of CB and CTVR equipment.

BEDFORDSHIRE



Beds 0852 33625

Open 10am-6pm Mon-Sat

Including Wednesdays)
For the best in CB & Telephones
FULL SERVICE FACILITIES

BERKSHIRE

RATCHET SHACK

Unit 6, 8 Bells Arcade, Newbury, Berks. (0635) 31451

HEREFORDSHIRE

SOUNDWAVES ELEC New Street, Ledbury, Herefordshire.

> Specialist in 934 mHz Retail — Wholesale

ASP Ltd 01 437 1002 CLASSIFIED

KENT

FABULOUS PHONES

Rigs from £19.95

72 High Street, Orpington Tel: (0689) 74051 pen: Mon - Sat 9am - 5.30 p

Open: Mon - Sat 9am - 5.30 pm Late Night: Tues & Thurd 8.00pm

IMAGEFREE ITD.

FOR THE BEST IN C.B.

1-3 Station Road, Rainham, Kent. Tel: Medway (0634) 373960 Ext. 2 Open 7 days a week. Main agents for Superkrunch

THE SE SHOL

CQ-CB SHOP

1-3 St. James' Rd., Gravesend. Tel: 67171

OPEN: 7 days. Mon - Sat 10am-5.30pm. (Fri 8pm) Sun 10am - 1pm.

LONDON

SOUTH LONDON'S C.B. CENTRE

22 Maxted Road, SE15. Tel: (01) 639 3424

Open: Mon-Sat. 9am 'til late. Rig repairs carried out on site.

NORFOLK

PARKSIDE GARAGE Thursford, Fakenham.



Open: 6 days 9 - 6
Area ROTEL Dealers.

OXFORDSHIRE

MODULATIONS COMMUNICATIONS 63 Wootlon Road, Ablingdon, Oxon. Tel: 0235 - 21400 Open: 7 days Mon-Sat



Instant Credit Facilities Main agents for Reflec and 934 MHZ Wholesale, Retail and Mail Order

SCOTLAND

AXDON

32 Atholl Street, Perth.
Tel: 0738 23753. Open 6 days.
CYBERNET, MIDLAND, HARVARD.

FIDELITY, Mail brder service available. Everything for your CB at AXDON. Send for price list quoting reference CB.

HUMBERSIDE - SOUTH

Cleethorpes CB Centre

(Corrigans) 15 Grimsby Road, Cleethorpes. Tel: 0472 40703

OPEN: Monday-Salurday 9.30 am - 6 pm

SURREY

P & h electronics Ltd

72b Reading Road, Yateley, Nr.Camberley.
Tel: Yateley (0252) 877222.
Open: 9am-5pm.

WALES

D.C.B. RADIO

28 Welsh Road, Garden City, Deeslde, Clwyd. Tel: (0244) 821104 OPEN: 7 days 9.30 - 6 (Fri 'till 7pm, Sun 12 - 4)

ADVERTISE
IN THIS
SPACE AND
SEE YOUR
BUSINESS
GROW

WYOMING

SELLIED.

GRIZZLY BEAR INTERNATIONAL OSL DX CLUB

Thousands of members can't be Powell, Wyoming wrong! 82435-0179 USA.


Would like to list you, package \$10.00 air mait \$4.00, if not pleased on arrival return and receive full refund. We mail out members cards. Send 20.

Please include my business details in the next available issue of CITIZENS' BAND 66.00 per sccm. Call for series discounts, 01-437, 1002 and ask for classified.

F	•
BUSINESS NAME:	
ADDRESS:	

OPENING HOURS:

TEL. NO .:



Gamma Aerial Products


MANUFACTURERS OF AMATEUR RADIO & CB ANTENNAS Lye, West Midlands. Tel. Lye 891132



THE 548113811 SELLING CB ANTENNA

10,000 CB'ers a month cannot be wrong

MAKE SURE YOU ASK FOR A GENUINE Z27







Unit 1, Earlsfield Lane, Grantham 405-407 Lordship Lane, London, N17

