

YOU MAY HAVE ALREADY WON ONE  
OF THE **8,166** PRIZES IN OUR

**\$125,000.00**



Catalog 684

# SUMMER SWEEPSTAKES



**FIRST PRIZE  
BOTH CARS!**

**A CADILLAC and A CAMARO!**



**PLUS  
8,165**

**MORE PRIZES!**

Cars, Cash, TV Sets, Tape Recorders,  
Radios, Watches, Gift Certificates. See Center Insert For Details.

## LAFAYETTE RADIO ELECTRONICS

111 Jericho Turnpike, Syosset, L. I., New York 11791

### STORES

**NEW YORK**  
Brooklyn  
Jamaica  
Lynbrook  
Manhattan  
Scarsdale  
Syosset

**NEW JERSEY**  
Newark  
Paramus  
Plainfield

**MASSACHUSETTS**  
Boston  
Natick  
Saugus

**CONNECTICUT**  
Hamden  
W. Hartford

**WASHINGTON, D.C.**  
(Area)  
Falls Church, Va.  
Mt. Rainier, Md.

**PENNSYLVANIA**  
King of Prussia  
Monroeville  
Philadelphia  
Pittsburgh

**100% SATISFACTION GUARANTEED OR YOUR MONEY BACK—See Center Insert.**

Index See Center-Flap

"Associate Stores" From Coast to Coast

# "TUNE-IN" On LAFAYETTE Quality Solid State

**A** DELUXE LAFAYETTE "STARFIRE"® VI 6-BAND 18-TRANSISTOR AM/FM/SW/FM-VHF RADIO

*Speaks All The Languages Of The World!*

Only

**79<sup>95</sup>**

No Money Down with batteries, and earphone



## 6 Thrilling Bands

- AM 535-1605KC
- FM 88-108MC
- FM-VHF 147-176MC (Police)
- SW-1 1.6-4.5MC (Marine)
- SW-2 4-10MC (International)
- SW-3 10-23MC (International)



Tuning/Battery Strength Meter



Built-in Compass Paint Indicator to Help Locate Your Position at Sea as a Radio Finder Indicator



Electronic Bandspread Fine Tuning Control for Precise Station Selection

**B** DELUXE CRITERION® IV PROFESSIONAL FM RADIO

Only

**69<sup>95</sup>**

No Money Down



- Tuned RF FM Stage and 4 IF's for Superb Sensitivity and Selectivity

Genuine Oiled Walnut Veneer Cabinet

# Radios for Greater Listening Pleasure

## Ⓐ DELUXE LAFAYETTE "STARFIRE® VI" 6-BAND 18-TRANSISTOR AM/FM/SW/FM-VHF RADIO

### RECEIVES:

- FM VHF Police and Fire Broadcasts
- Low Band Marine Weather
- World-Wide Shortwave
- Standard AM and FM
- New 162.55 MC. Regional Weather Bureau Forecasts\*
- Operates on 4 "D" Type Batteries or 117 VAC with Optional AC Adapter
- Two 4" Wide Range Hi Fi Speakers for Magnificent Sound Reproduction

The world at your fingertips with the superb Starfire VI. Powerful 18 Transistor and 7 diode solid state circuitry provides extremely high sensitivity. Two 4" wide range Hi Fi speakers offer magnificent sound reproduction. Dial cover has worldwide shortwave time zone chart. Comes with booklet with listings of shortwave stations throughout the world. Monitors police radio calls on the 147-176 MC FM-VHF band. Other outstanding features: AFC to eliminate drift on FM, eight Ivory pushbutton controls, tone control, pushbutton pilot lamp to illuminate dial at night, luxurious genuine black leather cabinet with die cast front, and earphone jack, telescoping antenna for FM, SW, and VHF reception. Supplied with earphone and 4 "D" type batteries. 12 x 9½H x 4½D. Imported. Shpg. wt., 18 lbs.



99 R 3526WX \$5 monthly Net 79.95  
 Extra "D" Batteries, 4 required.  
 99 R 6256 Net ea. .15  
 AC Adapter for Star-Fire VI, 1/2 oz.  
 99 R 3541 Net 4.95

\* Consult your local weather bureau concerning reception in your area.

## NEW! POWERFUL LAFAYETTE SOLID STATE "MINI" AM POCKET RADIO

Only **7<sup>95</sup>**

with batteries carrying case and earphone



- Operates on Batteries or 117VAC with Optional AC Adapter
- Vernier Slide Rule Tuning Dial

Engineered and constructed with the jewel-like precision of a fine watch, this handsomely styled personal pocket radio uses 8 transistors and 1 thermistor in a sensitive superheterodyne circuit. Provides clean, crisp tone through a large 2¼" speaker. Operates on only 1 inexpensive battery or 117VAC with optional AC adapter. Beautiful durable black plastic case with chrome plated trim and silver metal grill. Ferrite core antenna. Includes vinyl carrying case, batteries, and earphone for private listening. Size 4½H x 2¾W, and 1¼". Shipping Wt. 2 lbs.

17 R 0168L Net 7.95  
 17 R 0169L AC Adapter For Above Radio. Wt., 6 oz. Net 2.95  
 99 R 6021 Extra 9 volt battery for above radio Net .21

## Ⓑ SUPERB LAFAYETTE CRITERION® IV SOLID STATE PROFESSIONAL HI FIDELITY FM RADIO

- 17 Transistors, 5 Diodes
- Tape Recorder Inputs and Outputs
- Magnificent Sound Quality from a Special Self-Contained 5" High Compliance Acoustic Suspension Speaker System

The Criterion IV is a professional high fidelity FM radio especially designed to reproduce the full-range brilliance of FM broadcasting in your home. Handsomely styled and compact, the Criterion IV measures only 14½W x 9D x 8¼"H, yet its sound quality is astonishing. Tuned RF and 4 IF stages assure superb sensitivity and selectivity—bringing in the most distant stations without distortion, noise, or drift. Superb sound quality is provided by a powerful 5" full range, high compliance speaker with a massive magnet assembly mounted in a completely sealed and damped enclosure, utilizing the acoustic suspension principle to extend low frequency response down to 50 cycles. Features an accessory input to permit high quality reproduction from external program sources such as a record player or changer (with ceramic/crystal cartridge), or a tape recorder. A special tape output jack lets you record all programs reproduced through this radio with an external tape recorder. Provisions are also included for the connection of an 8-ohm external speaker for remote operation, and the use of an external FM antenna to allow the finest reception in all fringe areas. Vernier tuning knob and planetary dial assure precise and accurate tuning across the complete 88 to 108 MC dial. SPECIFICATIONS: 17 Transistors, 5 diodes, tuned RF FM stage, 4 IFs, 6 watts music power at 8 ohms, sensitivity 2.5 µV at 30 db quieting. Front Panel Controls: Tuning, Volume, Bass, Treble, FM-AUX Selector Switch, Main-Remote Speaker Selector Switch. Protective output fuse. Finished in beautiful oiled walnut wood veneer. Built-in FM antenna. For 110-120 50/60 cycles AC. Imported. Shpg. wt., 12½ lbs.

99 R 3525W \$5 monthly Net 69.95

CRITERION 50 — External 2 Way Bookshelf Speaker System for Criterion IV. See page 32 for description of Criterion 50. Imported. Shpg. wt., 28 lbs. (Requires 99-0088 speaker cable—see below).

99 R 0128W Net 29.95


12 FT. EXTERNAL SPEAKER CABLE. Imported. Wt. 1/2 lb. Net .69

99 R 0088 Net .69

## DELUXE LAFAYETTE SOLID-STATE "MINI" FM-AM PORTABLE

Only **16<sup>95</sup>**

With batteries and earphone, carrying strap



- Handsomely Styled with Chrome Trim and Black Metal Grill
- Slide Rule Dial with Logging Scale for Precise Tuning
- Telescoping FM Antenna

Supersensitive, power-packed beauty provides sparkling performance on both FM and AM yet measures only 27½"W x 4¾"H x 1½"D. Advanced solid state superheterodyne circuit gives you real pulling power of stations both near and far. Built-in AFC circuitry prevents drift on FM. Features slide rule dial and logging scale for precise tuning. Large 2¼" dynamic speaker reproduces voice and music with fine tonal balance. Ferrite rod antenna for AM, telescoping antenna for FM. Superbly styled and constructed die cast front. Powered by single 9-volt battery. Includes earphone for private listening, battery, and handy carrying strap. Imported. Wt., 3 lbs.

99 R 3524L Net 16.95  
 99 R 6021 Extra 9 volt battery for above Net .21


Depend on Lafayette For Everything in Electronics

Lafayette Cat. No. 684 3

# LAFAYETTE Solid State Multiband Portable Radios

## POWERFUL LAFAYETTE FULL SIZE BATTERY/ELECTRIC FM-AM PORTABLE

Only **24<sup>95</sup>** with batteries and earphone



- 10 Transistors, 7 Diodes, And 1 Thermistor
- Slide Rule Logging Scale For Precise Tuning
- Large Wide Range 3 1/2" Dynamic Speaker
- Built-In AFC Lock Prevents Drift On FM
- Self Storing AC Line Cord
- Luxurious Styling With Black Leatherette Cabinet


Hear your favorite AM and FM programs wherever you go with this handsomely styled 2 band portable radio. Operates on 117 VAC with its self-storing AC line cord, or on four inexpensive "C" batteries. Large acoustically matched and balanced 3 1/2" wide range speaker for superb tonal quality. 18 solid state devices for extremely high sensitivity and selectivity. Slide rule logging scale for precise tuning. Built-in AFC lock prevents drift on FM. Ferrite core AM and telescoping FM antennas. Black leatherette cabinet with steel spring handle measures 9x6 1/4 x 3". Complete with earphone for private listening and four "C" batteries. Imported. Shpg. wt., 5 lbs.

17 R 0167L ..... Net 24.95  
 99 R 6257 Extra "C" batteries (4 req.) ..... Net ea. .14

## SUPERB LAFAYETTE 4 BAND BATTERY/ELECTRIC FM-AM-SW-MARINE PORTABLE

Only **34<sup>95</sup>** with batteries and earphone

4 BANDS FM: 88-108MC
AM: 540-1600KC
MB: 1.6 — 4MC
SW: 4-12MC



- 12 Transistors, 7 Diodes, 1 Thermistor
- Continuous Tone Control
- Ferrite Core And Telescoping Antenna On Swivel
- Slide Rule Dial For Precision Tuning

A superb performing radio for all around use on land or sea. Listen to exciting and informative international shortwave programs, the Marine Band as well as standard AM and FM broadcast bands. Big easy-to-read slide rule tuning dial. Built-in ferrite core antenna for AM, and telescoping antenna for FM, Marine, and SW bands. Feature large 3 1/2" full toned dynamic speaker, built-in AFC lock to prevent drift on FM, continuous tone control, self-storing AC line cord for 117 VAC operation. Also plays on 4 economical "C" batteries. Padded, black leatherette cabinet measures 10 1/4" x 6 3/4" x 3 3/4". With earphone and batteries. Imported. Shpg. wt., 6 lbs.

17 R 0166L \$5 monthly ..... Net 34.95  
 99 R 6257 Extra "C" batteries (4 req.) ..... Net ea. .14

## MAGNIFICENT LAFAYETTE "GLOBEPACER" 11 BAND 18 TRANSISTOR AM/FM SHORTWAVE PORTABLE

SALE **94<sup>95</sup>** was 99.95

with batteries, earphone and external wire antenna

- FM/AM/Marine/Long Wave and 7 SW Bands
- Operates on 6 "C" Cell Batteries or 117V AC with Optional AC Adapter
- Electronic Fine Tuning (Bandspread)
- 69" Retractable Telescopic Antenna



Worldwide radio listening pleasure and excitement is yours with this superb portable. Receives: FM for fine music reproduction (88 to 108 MC), AM for news, sports, weather and music (540 to 1600 KC), MARINE for ship-to-shore and marine weather reports (2-4 MC), LONGWAVE for fixed station aeronautical and marine (150 to 400 KC), INTERNATIONAL SHORTWAVE (seven bands) (4.2 to 9 MC, 5.9 to 6.3 MC-bandspread, 9 to 12 MC, 9.5 to 9.8 MC-bandspread, 11.7 to 11.9 MC-bandspread, 15 to 15.4 MC-bandspread, 17.7 to 17.9 MC-bandspread). Horizontal slide rule dial with rotating cylindrical dial scale for precise and accurate tuning. Electronic fine tuning (bandspread) for ultimate accuracy in shortwave band tuning. Features tone control and AFC to eliminate drift on FM. Large 4" full range speaker for outstanding sound reproduction. Separate jacks for external antenna, earphone, AC (with optional adapter), speaker and phone. Size 13x8x5". With batteries, external antenna wire and earphone. Imported. Shpg. wt., 10 lbs.

17 R 6915WX \$5 Monthly ..... Net 94.95  
 99 R 6257 Extra "C" batteries, 6 required ..... Net ea. .14  
 17 R 6916 AC Adapter for Globepacer II ..... Net 4.95

See What the Critics Say  
 "Lafayette Globepacer. Here's a lot of receiver for a very low price. I rate this one as the best buy."  
 Popular Science, Jan. '67

# Popular Priced Portable Radios

**FABULOUS NORDMENDE  
"TASTI" PERSONAL FM  
PORTABLE RADIO**

**SAVE 20<sup>00</sup>**

**SALE 39<sup>95</sup>**

less batteries  
was 59.95  
1968 Cat. 682

**No Money  
Down**

- **A NEW CONCEPT IN PRE-SET TUNING** with three extra large pushbuttons you can preset the tuning for three of your favorite FM stations. A mere touch of a button turns the "Tasti" on

Be thrilled by the superb tonal quality of the "Tasti" FM radio; its so convenient and easy to use! Features three individual, flush mounted 88—108Mc tuning dials, with three large corresponding pushbuttons that let you pretune your favorite FM stations. Large full range speaker magnificently reproduces natural base and treble tones. Advanced solid state circuitry has 22 solid state devices, 10 FM circuits, 3 separate tuners for automatic pre-setting, built-in AFC., and 1.5 watts push-pull audio output. Operates on 6 "D" batteries, or, accessory AC adapter (not included). Comes with telescopic FM antenna. Dim.: 7 $\frac{1}{8}$ Wx6 $\frac{1}{2}$ Hx3 $\frac{1}{8}$ "D. Imported. Less batteries. Shpg. wt., 41 lbs.

17 R 7210W \$5 Monthly ..... Net 39.95  
99 R 6256 "D" batteries for above (6 required) ..... Net ea. .15  
17 R 7211 AC adapter for above. Shpg. wt., 1 lb. .... Net 4.95



**LAFAYETTE SOLID STATE  
POCKET AM RADIO**



In gift box complete with earphone, carrying case and battery

**5<sup>95</sup>**

Attractive styled Solid State pocket AM radio. Super sensitive superheterodyne circuit pulls in stations near and far. Large 2 $\frac{1}{4}$ " dynamic speaker has full tonal quality. Operates on low cost 9 volt battery. Earphone jack for private listening. Measures 4 $\frac{3}{8}$  x 2 $\frac{2}{8}$  x 1 $\frac{1}{8}$ ". Black with walnut grain trim. Imported. Shpg. wt., 1 lb.

17 R 0162L ..... Net 5.95  
Extra 9 volt battery for above radio ..... Net .21  
99 R 6021 ..... Net .21

**LAFAYETTE 15-TRANSISTOR 3-BAND  
AC and BATTERY OPERATED AM/FM/SW RADIO**



Tunes: AM: 550-1600Kc  
FM: 88-108Mc  
SW: 4-12Mc


- Operates on 4 "C" Batteries or 117 VAC with Built-in Line Cord

Superb 3 band portable . . . tunes the standard AM broadcast band (550-1600KC), FM Band (88-108MC) and the 4-12MC international Shortwave Band. For exciting world wide listening pleasure. Provides magnificent tone from large 3 $\frac{1}{2}$ " speaker; powered, 15 transistors and 5 diodes. Built-in AFC circuitry to prevent drift on FM. Features high/low tone control switch, slide rule dial for precision tuning. Built-in ferrite antenna for AM reception, telescopic antenna for FM and SW. Texon leatherette finished case in black, with handle and chrome trim. With batteries and earphone for private listening. For 117V AC 60 cps or operates on 4 "C" batteries. Size: 11"W x 7"H x 3 $\frac{1}{4}$ "D. Imported. Shpg. wt., 8 lbs.

99 R 3527L ..... Net 29.95  
99 R 6257 Extra C Batteries—4 req. .... Net .14

Depend on Lafayette For Everything in Electronics

**DELUXE LAFAYETTE SOLID STATE  
AC AND BATTERY OPERATED AM RADIO**



**LARGE SIZE:  
9x6x2 $\frac{7}{8}$ "**

ONLY

**14<sup>95</sup>**

With batteries and earphones

- Operates On 4 "C" Type Batteries Or 117 VAC With Built-In Line Cord
- Large 4" Speaker For Magnificent Sound Reproduction

Tremendous performer—carry it with you, or use it at home. Large 4" speaker provides magnificent performance. Handsomely styled black leatherette case with handle. Operates up to 500 hours on 4 "C" batteries (included) or just plug into any 117 VAC with built-in cord. Ferrite rod antenna and earphone jack for private listening. Imported. Size: 9x6x2 $\frac{7}{8}$ ". Shpg. wt., 7 lbs.

99 R 3528L ..... Net 14.95  
Extra "C" batteries for above (4 req.) ..... Net ea. .14  
99 R 6257 ..... Net .14

Lafayette Cat. No. 684 5

# Become An Informed Citizen In Your Community with LAFAYETTE FM VHF Public Service Police Radios

• Listen To Police and Fire Calls

• Monitor Civil Defense and Public Services

• Receive Regional U.S. Weather Bureau Forecasts\*

\*High band Radio Receives

Newly Established Regional

Weather Bureau Forecasts

on 162.55 MHz and 163.275 MHz



## LAFAYETTE HAND HELD FM VHF POLICE and FIRE RECEIVERS

★ Pocket Size ★ Tuneable

YOUR CHOICE

• 2 Models: 146-175 MHz  
27- 50 MHz

**17<sup>95</sup>**  
each

• All Solid State—10 Transistors

• Superheterodyne Receiver


Only an alert and informed citizen can keep up with the electrifying happenings of our everyday life. Two superb Lafayette FM/VHF receivers bring you live coverage of your city or town's daily drama on either 146-175 MHz or 27-50 MHz police and fire bands. 146-175 MHz receiver tunes to 162.55 MHz U.S. Weather Bureau weather reports and disaster alarms in many parts of the country. Has a built-in 2 1/2" speaker plus an external earphone jack for convenient private listening. Rugged construction and sleek styling combine to give a clean professional type appearance. Operates on 4 penlight batteries (included with set). This ultra-compact unit also features a built-in swivel telescoping antenna and provision for an external antenna. With carrying strap. Size: 6 x 2 x 1 1/8". Imported. Shpg. wt., 2 lbs.

99 R 3531L 146-175 MHz FM VHF Receiver ..... Net 17.95

99 R 3533L 27-50 MHz FM VHF Receiver ..... Net 17.95

### ACCESSORIES FOR HAND HELD FM VHF RECEIVERS


Stock No.	Description	Shpg. Wt.	Net Ea.
99 R 3536	117 VAC Adapter.	10 oz.	3.95
99 R 6258	Extra "AA" Batteries (4 required)	1 oz.	.10
40 R 7901	Earphone for Private Listening	5 oz.	.59



## LAFAYETTE LOW AND HIGH BAND "GUARDIAN" FM VHF POLICE and AM RADIOS

"HIGH BAND" FM VHF POLICE AND AM RADIO

- 147-174 MHz FM Police Band • 540-1600 kHz AM Band
- Slide Rule Logging Scale for Precise Tuning



Listen to the drama of everyday life with this exciting radio. Monitor local and state police, as well as fire departments, 162.55 MHz and 163.275 MHz, U.S. Weather Bureau stations\*, civil defense, and emergency public services. Includes standard AM band. Loaded with these outstanding features: 2 RF stages, 4 IF stages, slide rule logging scale for precise tuning, ferrite rod AM antenna, telescoping VHF antenna, large 3" speaker for superb fidelity. Handsome black case with silver trim. Earphone jack for private listening. Operates on 4 "AA" type batteries (included) or 117 VAC with optional AC adapter. 11 transistors, 4 diodes, 1 thermistor. 7W x 4 1/2H x 2 1/4"D. Imported.

99 R 3522L Shpg. wt., 4 lbs. .... Net 21.95

\*Consult your local weather bureau concerning reception in your area.

"LOW BAND" FM VHF POLICE AND AM RADIO

- 30-50 MHz FM Police Band • 540-1600 KHz AM Band
- Same deluxe features and specifications as above Police radio but tunes low band 30-50 MHz instead of High Band. Imported.

99 R 3534L Shpg. wt., 4 lbs. .... Net 21.95

### ACCESSORIES for GUARDIAN POLICE RADIOS

Stock No.	Description	Shpg. Wt.	Net Ea.
99 R 3536	117 VAC Adapter.	10 oz.	3.95
99 R 6258	Extra "AA" Batteries (4 required)	1 oz.	.10

HIGH BAND  
FM VHF Police And AM  
147-174 MHz

**21<sup>95</sup>**


2 Models

LOW BAND  
FM VHF Police And AM  
30-50 MHz

**21<sup>95</sup>**

# VHF Police and Aircraft Multiband Portable Radios

**LAFAYETTE "AIR MASTER" 10 TRANSISTOR  
AM AND VHF AIRCRAFT PORTABLE RADIO**



Only **19<sup>95</sup>**  
with batteries, earphone,  
carrying strap

- 108-136MC VHF AM Aircraft Band
- 540-1600KC AM Band
- Slide Rule Logging Scale for Precise Tuning
- Large 3" Speaker

Listen to the exciting frequencies of aircraft communications in your home, car, or office on the 108-136MC aircraft band. Monitor aviation control tower transmissions, listen to planes in flight, get their landing patterns and weather reports. You are actually with the pilot as he receives instructions for take-offs and landings. Also includes AM band. Features large 3" speaker, slide rule dial with logging scale, ferrite rod AM antenna, telescoping VHF antenna. Operates on 4 "AA" batteries (included) or on 117V AC with optional AC adapter. Earphone for private listening. 10 transistors, 4 diodes, 1 thermistor. Size: 7"W x 4 1/8"H x 2 1/8"D. Imported. Shpg. wt., 4 lbs.

99 R 3523L Net 19.95  
99 R 3536 AC Adapter for above. Wt. 6 oz. Net 3.95  
99 R 6258 Extra "AA" batteries (4 required) Net ea. .10

**DELUXE 4-BAND AM/FM  
VHF POLICE/AIRCRAFT PORTABLE RADIO**



Only **49<sup>95</sup>**  
with earphone  
batteries,  
and AC adapter

• Covers

FM VHF Police Band:	148-174 MC
AM VHF Aircraft:	107-136 MC
AM Broadcast:	540-1600 KC
FM Broadcast:	88-108 MC

No Money  
Down

Deluxe 4 band radio powered by 12 transistors, 7 diodes and 1 thermistor. Covers aircraft band 107-136 MC, police band 148-174 MC, standard AM 540-1600KC and FM 88-108MC. Features push button nightlight, squelch control, AFC lock for drift free FM reception, vernier tuning with 10 to 1 ratio for pin point selectivity, 4" speaker, local-distance switch for easy tuning of weak stations. Plays on 6 "C" cell batteries (inc.) or electric home current with AC adapter included. With earphone for private listening. Imported. Dim.: 7"H x 10 1/4"W x 3 3/4"D. Shpg. wt., 8 lbs.

17 R 6935L \$5 Monthly Net 49.95  
99 R 6257 Extra "C" batteries (6 req.) Net .14

**NOVA-TECH "ACTION II" 5 BAND SOLID STATE  
AM-FM VHF POLICE RECEIVER/MARINE RADIO DIRECTION FINDER**

Only

**129<sup>95</sup>**

with batteries, ear-  
phone, AC adapter,  
leather carrying case.

Bands

Police 30-50MC  
Police 150-175MC  
Marine 1.5-4.5MC  
Beacon 200-400KC  
AM 550 1600KC

Features: Low Band FM VHF Police 30-50MC,

High Band FM VHF Police 150-175MC



Deluxe 5 Band Portable Receiver with Radio Direction Finder. Tunes in FM police frequencies (both high and low band). Also covers entire regular marine band, new VHF marine band, special weather broadcasts (up to 200 mile radius around reporting station), navigation beacons, shortwave, 75 meter "ham" band, and your favorite AM music, news and sports programs. Features squelch control, three telescoping antennas, rotating loop antenna, 180° left-right bearing scale, null


meter, DF level control, calibrated optical sights on rotating antennas for taking visual bearings, pushbutton dial light, earphone jack, 117VAC adapter cord which plugs into house current. Sensitive 14-transistor circuit for superb sensitivity and selectivity. Includes instruction manual with Morse code guide. Dim. 9 1/2 x 5 1/2 x 2 1/2". Imported. Shpg. wt., 6 lbs

40 R 3802WX \$7 Monthly Net 129.95

**10-TRANSISTOR 3-BAND  
MARINE/AIRCRAFT/AM PORTABLE**

Only **25<sup>95</sup>**

with earphone  
batteries,



Covers: AM Broadcast Band: 54-160 KC  
Marine Band: 2 to 6 MC  
AM Aircraft Band: 108-135 MC

Listen to aviation control towers, monitor aircraft frequencies, hear marine weather reports as well as standard AM broadcasts. Large 3 1/2" full-range speaker offers fine sound reproduction. Slide rule tuning dial. Operates on 4 penlight batteries as well as 110 VAC home current with optional AC adapter. Beautiful black leather-like plastic cabinet. Dimensions: 6 1/4 x 4 5/8 x 2 1/2". Shpg. wt., 5 lbs. Imported.


17 R 7816L Net 25.95  
Extra batteries, 4 required.  
99 R 6258 Net ea. .10  
AC Adapter. Shpg. wt., 1/2 lb.  
17 R 7817L Net 3.95

Radios Are Available On Easy Pay Plan—No Money Down

Lafayette Cat. No. 684 7

# Our Best Performing Solid State AM/FM Clock & Table Radios

## NEW! Deluxe 2-SPEAKER FULL FEATURE AM/FM CLOCK RADIO



Only **47<sup>50</sup>**  
No Money Down

- Exquisitely Styled
- Genuine Rosewood Panels
- With Chrome Trim and Decorator Grill Cloth


- Our Finest FM/AM Clock Radio
- Full Feature Telechron Clock with Snooze Button and Lighted Dial

- Two Rich Sounding Speakers with Full Range Tone Control
- AFC Lock Prevents Drift On FM

We took a powerful 17 semi-conductor FM/AM radio...matched it to a wide-range hi-fi type two-speaker system with built-in cross-over network...and added a fully automatic full feature telechron clock...RESULTING IN—A Deluxe Performing Radio that lulls you to sleep at night and awakens you at a pre-set time with vibrant, rich FM/AM sound. Wish to catch an extra few winks of sleep? Just press the snooze button and the radio will turn off automatically for 10 minutes. Also includes an automatic pre-set alarm. Powerful

solid state circuitry pulls in weak and distant FM/AM stations. AFC control prevents drift on FM. Specifications: 2 speakers—6 x 4" oval and 2 1/2" round; 4 controls: Volume; Selector (AM, FM, AFC); and Tuning. Fully automatic clock features: 60 minute sleep switch, and 10 minutes snooze button, automatic alarm. Circuitry: 10 transistors, 7 diodes. Also has precision slide rule dial. Size: 11 x 6 1/4 x 3 1/2". Imported. Shpg. wt., 6 lbs. 17 R 7910W \$5 Monthly Net 47.50

## LAFAYETTE LOW PROFILE FULL FEATURE AM/FM CLOCK RADIO



Only **27<sup>95</sup>**  
with earphone  
for private listening

- 60 Minute Sleep Switch
- Slide Rule Dial For Precise Tuning

- 10 Minute Snooze Button
- Large 3 1/2" Wide Range Speaker

Quality FM-AM clock radio for your home. Combines a fully automatic full feature Telechron clock and a superb FM/AM radio in a handsomely low profile styled walnut grained plastic cabinet with black and silver trim. Handy sleep-switch permits you to slowly drift-off to dreamland while the radio automatically shuts itself off (up to 60 minutes). Beautiful FM or AM music awakens you at a preset time pleasantly. Even includes a snooze button so that the set can again be turned off to permit you an extra 10 minutes of

sleep. Clock face has luminous hand and dial markers. FM-AM radio features a slide rule dial for precise tuning, and a large 3 1/2" wide range speaker for luxurious tonal quality. All solid state circuitry with 10 transistors, 4 diodes, and 1 thermistor provides high sensitivity and selectivity. Size: 9 1/2 x 5 1/4 x 3 1/4". For 117V AC, 60 CPS. Imported. Shpg. wt., 4 lbs.

17 R 0164W Net 27.95

## DELUXE LAFAYETTE SOLID STATE FM-AM TABLE RADIO



Only **34<sup>95</sup>**  
No Money Down

- Beautiful Oiled Walnut Wood Cabinet
- Twin 4" Full-Range Speakers
- AFC Lock Prevents Drift on FM

Superb Lafayette twin-speaker FM-AM table radio offers magnificent performance and handsome styling. Two large 4" speakers provide room filling high-fidelity sound with exceptional clarity. Powerful 16-semiconductor circuit has an output of 1 watt. Automatic Frequency Control (AFC) lock prevents drift on FM. Has big slide rule dial for precision tuning. Four controls: Selector (AM-FM/AFC), On/Off Volume, Tone, and Tuning. Handsome oiled walnut veneer wood cabinet and rich grill cloth. Size: 6 3/4 x 14 1/4 x 4 7/8". 105-120 VAC, 50/60 cycles. Imported. Shpg. wt., 7 lbs.

17 R 0110W \$5 monthly Net 34.95


# Speciality Radios For Graduation and Father's Day

LAFAYETTE SOLID STATE BATTERY/ELECTRIC  
AM-WEATHER TABLE RADIO

**SALE!**

**11<sup>95</sup>**

was  
**12.95**



- Twin Dynamic Speakers For Rich, Full Sound

Absolutely one of the most amazing radios you can own... besides providing superb standard AM reception through twin dynamic speakers, this handsome radio serves as a quality weather instrument. Accurately made thermometer measures temperature; hygrometer measures percentage of humidity in the air. Radio also features superheterodyne circuitry and AGC (Automatic Gain Control). Operates on a single 9 volt battery or 117 VAC household current with accessory UL listed AC line cord. Earphone jack for private listening. Dim.: 3 3/8 x 11 1/4 x 6". Imported. Shpg. wt., 4 lbs.

99 R 7503W ..... Net 11.95  
99 R 6021 Extra 9 volt battery for above ..... Net .21

LAFAYETTE SOLID STATE AM RADIO  
AND HIGH INTENSITY LAMP WITH PEN HOLDER

**9<sup>95</sup>**

- Fully Adjustable Lamp With Hi-Lo Switch
- Powerful Solid State AM Radio
- Low Profile Cabinet



Sensational concept—use for enjoyment and convenience. Contemporary styled solid state AM radio combined with a high intensity lamp and pen-holder serves many uses. Powerful solid state AM radio is encased in a low profile, high impact plastic cabinet finished in black and walnut grain. Large 2" speaker, built-in loopstick antenna. High intensity lamp has hi-lo switch (uses #93 bulb), and has a 12" chrome finished adjustable stem. With bulb. For 117 VAC 60 cps. Dim.: 4 1/4 x 6 x 2". Imported. Shpg. wt., 2 1/2 lbs.

99 R 9201 ..... Net 9.95

UNIQUE, FREE FORM "SPHERE-TOP"  
EXECUTIVE DESK AM RADIO

**NEW!**

Only **12<sup>95</sup>**



- Solid State Circuitry
- Rotating Sphere Contains Big 2 3/4" Speaker And Ferrite Antenna

Amazing design... space age styling. Power packed AM radio with super heterodyne circuitry for high sensitivity. Operates on 4 inexpensive penlite (AA) batteries (Included). Black sphere is mounted on Rosewood grain base. Size: 6 3/4" x 4 1/4" x 4 1/4". Imported. Shpg. wt., 3 lbs.

17 R 7837L ..... Net 12.95

DELUXE LAFAYETTE "3-in-1"  
SOLID STATE FM/AM CLOCK RADIO-LAMP

Only **44<sup>95</sup>**

No Money Down

- AM/FM Radio
- Full Feature Telechron Clock
- 3 Position High Intensity Lamp



Ideal for home or office use. Outstanding performing AM/FM clock radio features: large 3 1/2" dynamic speaker powered by 15 semi-conductors. Built-in AFC lock to prevent drift on FM, slide rule dial for precision tuning. Full feature Telechron clock with sleep switch permits you to wake up to beautiful music at a preset time. The high intensity lamp is adjustable to three intensities, and the arm adjusts to any angle. Lamp comes complete with #93 bulb. Elegantly styled beige plastic base with genuine Rosewood trim. FM line cord antenna. Size: 9 x 6 3/4". For 117v, 60 cps AC. Imported. Shpg. 5 lbs.




17 R 0139L \$5 monthly ..... Net 44.95

SOLID STATE AM/FM STEREO TABLE RADIO MODULE

Only **89<sup>95</sup>**

No Money Down

- 2 Matched Full Range Speaker Systems
- Rich Walnut Wood Cabinetry with Brushed Chrome Trim



Elegantly styled solid state AM-FM stereo table radio in a compact "Low-Boy" styled walnut cabinet accented with brushed chrome trim. Receives exciting stereo FM and standard FM and AM broadcasts. Large, easy to tune illuminated slide rule dial. FM Band features 7 RF and 3 IF stages for high sensitivity and selectivity plus AFC for drift free FM reception. Features stereo indicator light, 2 matched 6 1/2" wide range speaker systems for rich, brilliant sound reproduction.

tion, front panel stereo earphone jack for private listening, inputs for connecting stereo phonograph or tape deck, and separate controls for bass, treble, and balance. 36 solid state devices. Size: 16x5x9" with two separate speaker cabinets 9x14x16" each. For 117VAC., 60 cps. Imported. Shpg. Wt., 19 lbs.

17 R 7836WX \$5 monthly ..... Net 89.95

Depend on Lafayette For Everything in Electronics

Lafayette Cat. No. 684 9

# LAFAYETTE'S Best Selling

## Model RK-710 PROFESSIONALLY ENGINEERED 3-SPEED TAPE RECORDER

- 2 Track Monaural Record/Playback
- Vertical or Horizontal Operation
- Record Safety Button
- Single Tape Function Control: Rewind, Stop, Run, Pause For Editing, Fast Forward

Superb, self-contained professionally styled three speed, two-track monaural tape recorder. Takes reels up to 7 inches. High quality solid-state circuitry lets you start recording the instant you turn it on. Records and plays two tracks at 7½, 3¾ and 1½ ips. Features the convenience of a single tape function control knob for five models of operation: Rewind, Stop, Play, Fast-Forward, and Pause for editing and cueing. Records direct from FM tuner, phono, TV, plus "Live" performances using the dynamic mike. Built-in 3 x 5" full range speaker provides outstanding sound reproduction; also includes output for connecting an external speaker system. Other deluxe features include: Vertical or horizontal operation; illuminated VU meter for record/Playback level; Record Safety button to guard against accidental tape erasure. Specifications: Response: 60-12,000 cps @ 7½ ips, 60-8,000 cps @ 3¾ ips; Reel Capacity: up to 7"; Wow and Flutter: Less than 0.25% rms @ 7½ ips; Signal-to-Noise Ratio: Better than 42 db; Bias and Erase Frequency: 60 Kc; Power output: 1.5 watts maximum. 2-Inputs: Microphone and Auxiliary. 1-Output: External Speaker. For 110-120V., 50/60 cycles AC. Includes low impedance dynamic microphone, 7" empty reel, and two rubber reel caps. Housed in rugged vinyl case with built-in accessory compartment and carrying handle. Size: 11¼ x 12¼ x 6½" D. Imported. Shpg. wt., 16 lbs.

99 R 1543WX \$5 Monthly Net 59.95  
7" Reel of 1800' Lafayette Mylar Recording Tape.  
28 R 0106 Shpg. wt., 1¼ lbs. Net 2.49



Takes Reels Up To 7"

**59<sup>95</sup>**

Complete With:  
Dynamic Mike,  
7" Empty Reel,  
2 Rubber Reel Caps

NO MONEY DOWN

 <p>Large 3 x 5" Speaker</p>	 <p>Illuminated VU Meter For Record/Playback Level</p>	 <p>Individual Volume and Tone Controls</p>
---	---	--

## SUPERB QUALITY MODEL RK-810 STEREPHONIC TAPE RECORDER

Featuring **4** —Track Stereo Playback\*  
—Track Monaural Record/Playback

- 3-Speeds: 1½, 3¾ and 7½ IPS
- Record/Playback VU Level Meter
- 3-Digit Tape Counter with Reset Button

Engineered to provide virtually every tape recording feature. Compact and lightweight, makes an ideal "take-along" recorder. Easy-to-operate, the unit features: 5 position Selector Control for Rewind, Stop, Run, Fast Forward. Includes "Pause" and instant reset digital counter for editing, cueing and tape indexing; safety record button to insure against accidental tape erasure; speed selector, push-button channel selector, and master volume and tone control. Record/playback VU meter makes tape recording about as easy as tuning your radio. \*Playback stereo tapes when used with a second channel external amplifier containing a tape head input. Built-in 5" x 3" speaker. Also includes external speaker jack, stereo tape head output jack, inputs for mike and auxiliary. Frequency Response: 40-15,000 cps at 7½ ips, 40-10,000 cps at 3¾ ips. Provides full fidelity for making recordings of FM, or "live" . . . Great for stereo playback of 4-track pre-recorded tapes. Wow and Flutter: Less than 0.25% rms at 7½ ips; less than 0.35% at 3¾ ips. Signal to Noise Ratio: 42 db or better. Bias and Erase: 60 kc. Crosstalk: 55 db or better. Sensitivity: Mike, 0.6 mv; Aux, 200 mv; External speaker, 16 ohms. Front panel stereo headphone output jacks. Takes 7" reels. Textured solid vinyl case with built-in accessory compartment. For 110-120 v., 60 cycles AC. 11½Wx 12¼Hx6¾"D. Imported. Shpg. wt., 18 lbs.

99 R 1527WX \$5 monthly Net 89.95  
7" reel of 1800' Lafayette Mylar Base Recording Tape.  
28 R 0106 Shpg. wt., 1¼ lbs. Net 2.49



**89<sup>95</sup>**

NO MONEY DOWN

Complete with:  
dynamic microphone,  
3 connecting cables,  
2 rubber reel caps,  
7" empty take-up reel

# Solid State Stereo And Mono Tape Recorders

## MODEL RK-840 4-TRACK SOLID STATE 3-SPEED STEREO PUSHBUTTON RECORDER


- ¼ Track Lamination - type Record - Playback Head
- ¼ Track Double-Gapped High Efficiency Erase Head
- Sound-with-Sound — Sound-on-Sound
- Direct Record/Playback from Record Player with Magnetic Pickup

Precision, quality engineered 4-track stereo high fidelity tape recorder offering you the breath-taking realism of full-range stereophonic sound. Records and playback stereo and monophonic tapes at three speeds, 7½, 3¾ and 1⅞ ips. Also features two ¼-track heads-lamination type record/playback; double gapped high efficiency erase head; front panel jack for stereo headphone monitoring. Uses a rugged 4-pole motor for smooth tape operation and automatic shut-off. 5-position single lever motor control with "pause" and instant reset 3-digit tape counter for precise editing, cueing and tape indexing; volume controls for each channel, master tone control, and separate safety interlocking record buttons. Frequency Response: ±3 db, 40-18,000 cps at 7½ ips; +3 db, 40-12,000 cps at 3¾ ips. Wow and Flutter: less than 0.2% rms at 7½ ips; less than 0.3% rms at 3¾ ips. Signal-to-Noise: 48 db or better. Bias & Erase Frequency: 96 kc. Crosstalk: over 58 db. Input Sensitivity: 2-Mike phono, 0.2 mv, 0.7 mv; 2-Aux., 100 mv. Outputs: 2-external amplifier; 2-external speaker; stereo headphones. Solid-State Circuitry: 12 transistors, 4 diodes. Two illuminated VU meters assure accurate indication of record/playback levels. Hi-Fi sound is provided by 2 full-range 5" speakers and 6-watt output. Takes up to 7" reels. In black leatherette covered wood case, 15¾x14x7¾"D. For 105-125 v, 60 cycles AC. Imported. Shpg. wt., 27 lbs.

99 R 1529WX \$9 monthly ..... Net 169.95  
7" reel of 1800' Lafayette Mylar Base Recording Tape.  
28 R 0106 Shpg. wt., 1¼ lbs. .... Net 2.49



Complete with:  
2 dynamic mikes  
4 connecting cables,  
2 rubber reel caps,  
7" empty take-up reel



**169<sup>95</sup>**  
NO MONEY DOWN

## MODEL RK-860 PROFESSIONAL 4-TRACK 3-SPEED STEREO PUSHBUTTON RECORDER

- Powerful 12-Watts Output
- Sound-on-Sound — Sound-with-Sound
- Sound Monitoring
- Direct Record/Playback from Record Player with Magnetic Pickup

A magnificent professional performing stereo recorder with all the facilities to make superb full range recordings over the entire sound spectrum. Records and playback 4-track stereo and monophonic tapes at three speeds, 7½, 3¾ and 1⅞ ips. Features direct record and playback from a stereo record player with a magnetic pickup. 5-position motor control with "pause"; instant reset digital tape counter; 2 studio-type illuminated record/playback VU level meters; automatic shut-off; dual volume and tone controls; pushbutton monitor speaker switches; stereo headphone monitoring facilities; safety interlocking record buttons and Mike-Aux/Mag phono selector button. 12-watts power output through 2 full-range 5" x 7" speakers. Frequency Response: ±3 db, 30-22,000 cps at 7½ ips; ±3 db, 40-12,000 cps at 3¾ ips. Wow and Flutter: less than 0.15% at 7½ ips. Signal-to-Noise: 53 db or better. Bias and Erase Frequency: 96 kc. Crosstalk: over 60 db. Input Sensitivity: 2-Mike, 0.2 mv, 0.7 mv; 2-Aux., 100 mv. Outputs: 2-external amplifier, 2-external speaker, stereo headphones. Equalization: NAB for 7½ and 3¾ ips; RIAA for magnetic phono. Heads: ¼-track lamination-type stereo record/playback; ¼-track double-gapped high efficiency erase head. Takes up to 7" reels. Black leatherette covered wood case with silver metal trim. Size: 15¾x14x7¾"D. Solid State Circuitry: 14 transistors, 8 diodes. For 105-125 v, 60 cycles AC. Imported. Shpg. wt., 29 lbs.  
99 R 1530WX \$11 Monthly ..... Net 219.95  
7" reel of 1800' Lafayette Mylar Base Recording Tape.  
28 P 0106 Shpg. wt., 1¼ lbs. .... Net 2.49



Complete with:  
2 dynamic mikes  
4 connecting cables,  
2 rubber reel caps,  
7" empty take-up reel



**219<sup>95</sup>**

NO MONEY DOWN

Get The Tape Recorder You Want Now! No Money Down.

Lafayette Cat. No. 684 11



**(A)** Model 820  
2-Head 4-Track  
Stereo Record-  
Playback Tape Deck

**109<sup>95</sup>**

No Money Down  
Complete with  
4 connecting cables,  
2 rubber reel caps,  
7" take-up reel.

**(B)** Model 830  
3-Head 4-Track  
Stereo Record-  
Playback Tape Deck

**159<sup>95</sup>**

No Money Down  
Complete with  
4 connecting cables,  
2 rubber reel caps,  
7" take-up reel.

Optional Dynamic Mikes  
for Recorder Models  
820 and 830



**7<sup>95</sup>**  
ea.

**(C)** Deluxe Professional  
Model RK-880 3-Head  
4-Track Stereo  
Record/Playback Tape Deck

**249<sup>95</sup>**

No Money Down

Complete with  
4 connecting cables,  
2 rubber reel caps,  
7" take-up reel.

Optional Dynamic  
Mikes



**14<sup>95</sup>**  
ea.

**EXCLUSIVE FEATURES**

- Record/Playback Selector Button for VU Meters
- 4 Playback Tape Equalizations for All 3-Speeds
- 4 Recording Tape Equalizations for All 3-Speeds
- 2 Variable Record Bias Controls for Optimum Recording With any Brand of Tape



# Solid State Stereo Tape Decks



## (A) RK-820 SOLID STATE 4-TRACK STEREO RECORD/PLAYBACK TAPE DECK

- 4-Track Stereo and Monaural Record/Playback
- 3-Speeds: 7½, 3¾ and 1⅞ IPS.
- Built-in Solid-State Record/Playback Stereo Preamplifiers

- Records 4-Track Stereo or Mono from FM, AM, FM Stereo Radio or Phono Sources, Live from Mikes
- Sound-with-Sound, Sound-on-Sound

Low-priced stereo tape deck of uncompromising quality. It is the successor to our famous, best selling Model RK-650 stereo tape deck which was acclaimed by high fidelity critics. With this improved deck you can add the brilliance of 4-track stereo tape reproduction to your music system. Features instant "on" solid-state stereo record/play preamps with dual illuminated VU meters for accurate record/play level settings. Single-lever control selects fast-rewind, stop, run and fast-forward plus "pause" for precise editing. Automatic end-of-reel shutoff. Digital tape counter with fast pushbutton zero reset, ideal for editing, cueing and indexing tape selections. Rear panel preamp outputs, auxiliary inputs and front panel mike input jacks are all readily accessible for easy hook-up. Frequency Response: ±3 db, 40-18,000 Hz at 7½ ips; ±3 db, 40-12,000 Hz at 3¾ ips. Wow and Flutter: less than 0.15% rms at 7½ ips; less than 0.25% rms

at 3¾ ips. Signal-to-Noise: 50 db or better. Bias & Erase Frequency: 96 KHz. Crosstalk: over 60 db. Inputs: (Each Channel) microphone, 0.9 mv, 10K ohms; auxiliary, 300 mv, 500K ohms. Outputs: (Each Channel) external amplifier, 0.9 v @ 3K ohms. Takes 7" reels. In sturdy utility base ready to play, or install in custom installation. Size: 11¾W x 9½H x 5½"D. Imported. For 117 V, 60 cycles AC. Shpg. wt., 18 lbs.

99 R 1528WX \$6 monthly	Net 109.95
Deluxe Oiled Walnut Wood Base for RK-820. Shpg. wt., 4 lbs.	
24 R 1214W	Net 9.95
Dynamic mike. Shpg. wt., 8 oz.	
99 R 4602	Net 7.95
7" Reel of 1800' Lafayette Mylar Base Recording Tape.	
28 R 0106	Net 2.49

## (B) RK-830 SOLID STATE 3-HEAD 4-TRACK STEREO RECORD/PLAYBACK TAPE DECK

- Tape and Input Source Selector Switch for Tape and Input Source Monitoring
- 3-Speeds: 7½, 3¾ and 1⅞ IPS
- Sound-on-Sound—Sound-with-Sound

- 2 Studio-Type Record/Playback VU Meters
- 4-Track Stereo and Mono Record/Playback
- Record and Playback Stereo Preamps
- 3-Head Tape Transport with 4-Pole Motor

Now, from Lafayette, a 3-head 4-track stereo tape deck at a sensible low, low, price. Enjoy thrilling sound-on-sound and sound-with-sound plus complete 4-track stereo and monophonic record and playback facilities. Operates vertically or horizontally with styling to match any custom hi-fi music system. Single lever control selects fast-rewind, stop, run, and fast forward plus "pause" for precise editing and cueing. Other professional features include: dual illuminated VU meters for accurate record/playback settings; digital tape counter with pushbutton reset; individual record safety buttons; monitor switch for tape and input source monitoring; separate record volume controls; automatic shut-off at end of play and rugged 4-pole motor. The stereo preamps have low level inputs for microphones; high level for radio, TV, phono. Outputs for external amplifier. Frequency Response: ±3db, 40-18,000 Hz at 7½ ips; ±3 db 40-12,000 Hz at 3¾ ips. Wow and Flutter: less than 0.15% rms at 7½ ips; less than

0.25% at 3¾ ips. Signal-to-Noise: —50db or better. Bias and Erase Frequency: 96 KHz. Crosstalk: over 60 db. Inputs (each channel): microphone, 0.9 v @ 10k ohms; auxiliary, 300 mv, 500k ohms. Outputs (each channel): external amplifier, 0.9 mv @ 3k ohms. Takes 7" reels. Solid-state complement: 12 transistors, 6 diodes. In sturdy utility base, ready to play. Size: 11¾W x 9½H x 5½"D. For 110-120v. 60 cycles AC. Imported. Shpg. wt., 18 lbs.

99 R 1528WX \$8 monthly	Net 159.95
Deluxe Oiled Walnut Wood Base for RK-830. Shpg. wt., 4 lbs.	
24 R 1214W	Net 9.95
Dynamic Mike. Shpg. wt., 8 oz.	
99 R 4602	Net 7.95
7" Reel of 1800' Lafayette Mylar Base Recording Tape.	
28 R 0106	Net 2.49

## (C) DELUXE PROFESSIONAL RK-880 3-HEAD SOLID STATE 4-TRACK STEREO RECORD/PLAYBACK TAPE DECK

- Full Facilities for Stereo/Mono Record from Dynamic Mikes, Record Player with Magnetic Pick-Up, FM Stereo Tuner, and Playback through an External Amplifier and Speakers
- Separate Record and Playback Solid State Stereo Preamps

- 3 HEADS:
  - ¼ Track 1 Micron Gap Stereo Playback
  - ¼ Track Lamination Type Stereo Record
  - ¼ Track Double Gapped High Efficiency Erase
- Sound-with-Sound, • Sound-on-Sound
- 4-Pole Hysteresis Synchronous Motor—No Speed Deviation

The finest Lafayette stereo tape deck ever offered. Our ultimate performer, suitable for use with the very best in hi-fi components. Features professional variable bias and equalization controls to effect the optimum combination of extended frequency response, low distortion and high signal-to-noise ratio with virtually any recording tape. Three heads for 4-track stereo and mono record and playback plus sound-on-sound and sound-with-sound. Monitor directly from tapes or source. Separate record and monitor volume controls for left and right channels. Has 4 built-in solid-state stereo preamps; dual record-playback VU meters; digital tape counter with zero-reset button; hysteresis-synchronous motor and separate safety record buttons. Single-lever controls selects fast rewind, stop, run and fast-forward plus "pause" for precise editing. Front panel stereo headphone output jack. Frequency Response: ±3 db, 30-22,000 Hz at 7½ ips; ±3 db, 40-12,000 Hz at 3¾ ips. Wow and Flutter: less

than 0.15% at 7½ ips; less than 0.25% at 3¾ ips. Signal-to-Noise: over 53 db. Bias & Erase Frequency: 96 KHz. Variable Bias: 0.3 ma to 1.5 ma. Cross-talk: over 60 db. Equalization: (playback) 4 position 50, 70, 90 and 140 μ/sec; (record) 4 position 20, 16, 12 and 8 kc. Inputs: (both channels) mike —0.4 mv @ 10 k ohms; mag. phono —2.0 mv, 50 k ohms; Aux. —200 mv, 500 k ohms. Outputs: (both channels) external amp. low impedance headphones. Handsome oiled walnut wood cabinet. Size: (in case) 15¾W x 13H x 7¾"D; 11¾W x 11¾H x 7"D. For vertical or horizontal operation. 110-120 v., 60 cycles. Imported. Shpg. wt., 25 lbs.

99 R 1531WX \$12.50 monthly	Net 249.95
Deluxe Dynamic Microphone with stand and lavalier.	
99 R 4588 Shpg. wt., 3 lbs.	Net 14.95
7" Reel of 1800' Lafayette Mylar Base Recording Tape.	
28 R 0106	Net 2.49

# Featuring Automatic Reversing



LAFAYETTE'S RK-920 TAPE REVERSING SYSTEM WORKS ON 1-MANUAL AND 3-AUTOMATIC REVERSING POSITIONS IN EITHER RECORD OR PLAYBACK



REVERSE POSITIONS

- 1) **MANUAL**—Same as any tape recorder, but permits manual reverse at any point by depressing a button. Sensing metallic foil is disregarded.
- 2) **AUTOMATIC 1:** Tape moves in one direction and stops at end of tape where sensing metallic foil is located.
- 3) **AUTOMATIC 2: Single Reverse**—Tape playing or recording from either left or right reel feeds to opposite take-up reel, reverses itself at the end of the tape where metallic sensing foil is located and then feeds back to starting reel and automatically stops.
- 4) **AUTOMATIC 3: Continuous Reverse**—Tape continues changing (reversing) its direction at each end of the tape where the metallic sensing foil is located.

Optional Dynamic Mikes

**14<sup>95</sup>**

ea.



## DELUXE RK-920 "AUTOMATIC REVERSING" SOLID STATE STEREO TAPE DECK

ONLY **199<sup>95</sup>** No Money Down

with 4-connecting cables, 2-rubber reel caps, 7" empty reel

- Bi-directional Recording and Playback in Connection with External Amplifier and Speaker System
- 4-Track Stereophonic or Monophonic Recording/Playback in connection with External Amplifier
- Built-in Solid State Stereo Record/Playback Preamplifier
- Sound-on-Sound, Sound-with-Sound
- 3-Digit Tape Counter with Push Button Reset
- Two Large Illuminated VU Meters
- Two Sensory Switches for Automatic Tape Reversing System

Deluxe 4-track automatic reversing tape transport system with full record and playback provisions. Automatic "computer type" sensing permits directional selection in either record or playback mode. In addition to automatic reversing, the RK-920 features a top performing stereo preamp, perfectly matched for use with high quality basic amplifiers. You can make professional quality recordings from AM, FM, FM stereo broadcasts, phonograph, and record "live" from microphones. Records and plays back 4 track stereo and mono at either 1 7/8, 3 3/4 or 7 1/2 ips. Tape transport is powered by two separate 4-pole induction capstan drive motors to assure ultra-smooth accurate

speed. Feather-touch push-button controls allow you to change operational modes instantly or preset the unit to automatically reverse itself. Instant pause control assures smooth, professional editing during recording sessions. Two professional VU meters are provided for visual monitoring of signal levels from either tape or auxiliary audio source. Housed in a beautiful brown leatherette covered wood case. 17x15 1/2 x 8 1/4" D. Imported. Shpg. wt., 38 lbs.

99 R 1554WX \$10 Monthly ..... Net 199.95  
99 R 4588 Optional Dynamic Mike Net 14.95  
7" reel of 1800 ft. Mylar Base Recording Tape with reversing sensing foils.  
28 R 0118 ..... Net 2.69

### SPECIFICATIONS

Solid-State Circuitry: 14 transistors, 27 diodes. Frequency Response: 30-22,000 Hz  $\pm$ 3db at 7 1/2 ips; 40-18,000 Hz  $\pm$ 3db at 3 3/4 ips. Wow and Flutter: Less than 0.2% rms at 3 3/4 ips. S/N Ratio: 50db or better. Harmonic Distortion: Less than 1.5%. Crosstalk: Better than 58 db. Equalization: 7 1/2 ips, NAB; 3 3/4 ips, RIAA. Input Imped.: Mic., 10K ohms; Aux., 500K ohms. Output Imped.: Ext. amp., 3K ohms; Heads: Two 1/4-track lamination type stereo record/playback; two 1/4-track double-gapped high efficiency erase heads. For 110-120V., 60 Hz, AC.

## SELF-CONTAINED RK-960 "AUTOMATIC REVERSING" SOLID STATE STEREO TAPE RECORDER

Only **299<sup>95</sup>** No Money Down



Complete deluxe self-contained stereo Tape Recorder with same deluxe automatic reversing features and specifications as the RK-920 but with built-in 12 watt solid state stereo amplifier, 2 5x7" wide range hi-fi speakers, stereo headphone output jack, and

2 external speaker jacks. Housed in a handsome black leatherette covered wood cabinet with silver trim. Size: 22 x 15 1/2 x 8 1/4" D. Imported. Shpg. wt., 44 lbs.  
99 R 1548WX \$15 Monthly ..... Net 299.95  
99 R 4588 Optional Dynamic Mike Net 14.95

**Sensational New Concept**

**LAFAYETTE**  
Stereo Hi-Fi System



**Complete LAFAYETTE Home Entertainment Music Center with Revolutionary IC's**



**DELUXE RK-580 SOLID STATE COMPACT STEREO MUSIC CENTER**

Unquestionably the most versatile and exciting home entertainment hi-fi component we have ever made. You get a complete compact stereo control center of professional standards containing all the facilities for virtually every type of major music source. The remarkable Lafayette RK-580 includes: 50 watt, 40-silicon transistor FM Stereo Receiver; famous BSR McDonald 4-speed Automatic Stereo Turntable equipped with a Pickering V15/AC-3 Dustomatic® stereo cartridge; and a deluxe Lafayette PRO-540 Cassette stereo tape recorder. All components are housed in a beautiful walnut wood base. The highly sensitive FM stereo receiver uses the very latest solid state devices available—"2-IC's" and an FET in the tuner front-end section for improved rejection of unwanted signals, and greater sensitivity. Stereo FM tuner multiplex circuit automatically locks in and signals FM stereo broadcasts. BSR McDonald 500, 4-speed turntable features a low mass tubular tone arm; micrometer stylus pres-

sure adjustment; variable, adjustable, dynamic anti-skate control; automatic or manual selection of 7", 10", or 12" records at 16 $\frac{2}{3}$ , 33 $\frac{1}{3}$ , 45, and 78 rpm. Deluxe Lafayette PRO-540 Cassette Recorder requires no tape threading or reel turnover, just insert a cassette cartridge and play or record up to 120 minutes of 4-track stereo or mono music; records "Live" with microphones, or direct from the FM receiver or turntable. Tilted ebony front panel contains stereo headphone output jack; stereo indicator light; and D'Arsonval tuning meter. For 110-120V., 60 cycles AC. Size: 26 $\frac{1}{4}$  x 10 $\frac{1}{2}$  x 18 $\frac{1}{2}$ "D. Imported. Shpg. wt., 50 lbs. 99 R 1555WX \$15 Monthly ..... Net 299.95

ONLY **299<sup>95</sup>**  
NO MONEY DOWN

with 60 minute cassette tape, and two 6' connecting cables

*Featuring*

**ACCESSORIES FOR RK-580**

Dynamic Mike. Shpg. wt., 1 $\frac{1}{2}$  lbs. 99 R 4602 ..... Net 7.95  
60 Minute Tape Cartridge. Shpg. wt., 3 oz. 99 R 1540 ..... Net 1.35  
90 Minute Tape Cartridge. Shpg. wt., 3 oz. 28 R 0120 ..... Net 2.20


**RK-580 SPECIFICATIONS**

Circuitry: 40-Transistors, 26-Diodes (including 1-FET and 2-IC's). Tuner Section. Tuning Range: 88-108MHz. IHFM Sensitivity: 3 $\mu$ v. Capture Ratio: 3.5 db. HD: 0.5%. S/N Ratio: -60db at 100% mod. Amplifier Section. Power Output: 50-watts total IHF; 25-watts per channel IHF at 8-ohms. Frequency Response: 20-20,000 Hz. Power Bandwidth: 30-20,000 Hz. Output Impedance: 4-16 ohms. Cassette Section. Frequency Response: 50-12,000 Hz. S/N Ratio: Better than 45 db. Overall Distortion: Less than 1.5% at -4 VU. Wow & Flutter: Less than 0.25% rms.

- 1 50-Watt Solid State FM Stereo Receiver.
- 2 PRO-540 Cassette Stereo Tape Recorder.
- 3 BSR McDonald 500 4-Speed Automatic Stereo Turntable with Pickering Magnetic Cartridge.
- 4 Elegantly Styled Oiled Walnut Base Housing All Components.

**Dazzling Stereo System Featuring RK-580 Music Center with 2-Lafayette "Criterion 50" Speaker Systems**

- One Of The Finest Sounding and Most Versatile Stereo Music Systems We Have Ever Offered



ONLY **339<sup>85</sup>**  
NO MONEY DOWN

**YOU SAVE 20.00**  
from individual component prices

Deluxe system features the revolutionary Lafayette RK-580 stereo music center and 2-Lafayette Criterion 50 speaker systems (see page 20 for complete specifications of Criterion 50 speaker system.) Shpg. wt., 106 lbs. \$17 Monthly. 99 R 9936WXM ..... Net 339.85

Prices and Specifications are Subject to Change Without Notice

Lafayette Cat. No. 684 15

# Deluxe Selection of Cassette Recorders

## LAFAYETTE RK-85 BATTERY OPERATED SOLID STATE PORTABLE CASSETTE TRANSCORDER®



Complete with batteries, dynamic mike with remote control switch, leather carrying case and 60 minute tape cartridge.

Only **44<sup>95</sup>** No Money Down

- Simple To Operate
- No Tape Threading
- Pushbutton Controls
- Battery Record Level Indicator
- Record Safety Interlock Button
- Remote/Control Start Stop Mike

The RK-85 portable Cassette recorder is one of the easiest tape recorders in the world to operate — there are no reels, and therefore no tape threading. Just insert the tape cartridge, press a button and you are ready to playback or record. Tape stops automatically at the end. To record or playback on the other side, just turn the cartridge over. Beautifully styled and engineered. Capstan drive for constant 1 7/8 ips speed. Operates on 5 "C" batteries or 117VAC current (with optional AC adapter). Perfect for "on-the-go" recordings. Records up to 120 minutes (both tracks). Separate pushbutton controls for: Fast Forward, Rewind, Stop, Play, plus safety record button. Permits perfect recordings with level meter that also checks batteries. 8-transistors, 1-diode. Includes: earphone jack, auxiliary input jack for recording from external sources such as phonograph, TV set, or Tuner, and remote control mike jack. Large 2 3/4" dynamic speaker. Size: 8 3/4x5x2 1/4"H. Imported. Shpg. wt., 3 lbs. Net 44.95

99 R 1557L \$5 Monthly Net 44.95

### ACCESSORIES FOR RK85

Stock No.	Description	Shpg. wt.	Net ea.
99 R 1558	Ac Adapter	1/2 lb.	4.95
99 R 6257	Extra "C" Batteries . . . 5 required	.6 oz.	.14
99 R 1540	60 minute Lafayette Cassette Cartridge	.2 oz.	1.35

## "SONYMATIC 100" AC/DC CASSETTE-CORDER

Only **99<sup>50</sup>**  
No Money Down



Complete with batteries, dynamic mike with remote control switch, leather carrying case and 60 minute tape cartridge.

Another great performer from Sony—all solid-state, portable, AC or battery operated Cassette-Corder! Compact and rugged enough to be carried anywhere. No tape threading, just insert a cassette cartridge and you are prepared to record or play-back 60-minutes of voice or music. Features: Push-button controls for record, Fast Forward, Forward (Play), Rewind and stop; separate controls for Tone and Volume; push-button lid release and cassette ejector; dual purpose battery level and recording meter; auxiliary high level input for recording from radio, television, telephone pickup or other high level source; monitor output for earphone listening. Also features: Built-in 117VAC converter for complete flexibility of battery or household current operation. Uses 4 "C" cell batteries. Imported. 5" W x 9 1/4" L x 2 1/2" D. Shpg. wt., 5 1/2 lbs. Net 99.50

### ACCESSORIES FOR SONYMATIC 100

STOCK No.	DESCRIPTION	SHPG. WT.	NET EA.
27 R 6022	BP-9 Rechargeable Ni-Cad Batt. Pack	2 lbs	14.95
27 R 6023	FS-5 Foot Switch	1 lb	6.95
99 R 1540	60 Minute Lafayette Cassette Cartridge	2 oz	1.35
99 R 6257	Extra "C" Batteries . . . 4 required	6 oz	.14

## AMPEX "MICRO 50" CASSETTE STEREO PLAYER/RECORDER DECK



Only **139<sup>50</sup>**

with two omni-directional dynamic mikes

- Pushbutton Operation
- Records and Plays Up to 90 Minutes
- Beautiful Walnut Finish Cabinet

Designed to add on to your stereo system, the compact "Micro 50" plugs into your stereo console or components. Has built-in solid state stereo/playback preamplifier. No tape threading or reel turnover. . . gives up to 90 minutes of stereo or mono playing or recording time from a single cassette at 1 7/8 ips tape speed. Features pushbutton operation, digital counter, VU meter, pause control, and recording level control. Styled in beautiful walnut cabinetry. Includes dynamic, omni-directional microphones and all necessary connecting cables. For 117VAC 60 cps. Size: 14 1/2 x 3 1/2 x 8 3/8"D. 27 R 2534WX Shpg. wt., 8 lbs. \$7.50 Monthly Net 139.50

# NEW! LAFAYETTE Pre-Recorded Stereo Cassette Tapes

HERBIE MANN

YOUR  
CHOICE

Only **2<sup>95</sup>**  
each

DUKES OF  
DIXIELAND

Playable On Stereo or Monaural Equipment

STOCK #	DESCRIPTION	STOCK #	DESCRIPTION
28 R 4101	1812 Overture/Russian Eastern Overture/Polovetsian Dances/A Night on Bald Mountain—Vienna Symphony Orchestra. Playing Time* 55:36.	28 R 4115	Mardi Gras Time with the Dukes of Dixieland. Playing Time* 36:51.
28 R 4102	Bolero/Espana Rapsodie/The Sorcerer's Apprentice/Afternoon of the Faun—Vienna Symphony Orchestra. Playing Time* 44:28.	28 R 4116	Percussion Espanol—Charlie Fox and Orchestra—Hoot Blues, Guajira, Holiday, Hollywood Cha-Cha, Minor Mambo, plus other selections. Playing Time* 28:18.
28 R 4103	Beethoven:—Piano Concerto #5 (Emperor) Alfred Brendel Soloist, Pro Musica Orchestra, Vienna. Playing Time* 38:43.	28 R 4117	Big Band Percussion—Francis Bay and Orchestra—When Your Lover Has Gone, The Song Is You, As Time Goes By, Bye-Bye Blackbird plus other selections. Playing Time* 27:14.
28 R 4104	Tchaikovsky: Nutcracker Suite; Weber: Invitation to the Dance—Bamberg Symphony Orchestra. Playing Time* 31:06.	28 R 4118	Andre Previn Plays: I've Got A Feeling I'm Falling, Black and Blue, Gypsy Dance, Honey—Suckle Rose plus other selections. Playing Time* 25:54.
28 R 4105	Rachmaninoff: Piano Concerto #2—Tchaikovsky: Piano Concerto #1—Felicja Blumental Soloist, Orchester Der Wiener Musikgesellschaft. Playing Time* 61:35.	28 R 4119	Herbie Mann—Hi Flutin—Herbie's Buddie, Perdido, Baubles, Bangles & Beads, Give A Little Whistle, plus other selections. Playing Time* 32:17.
28 R 4106	Tchaikovsky: Symphony #6 "Pathetique" Hollreiser, Conductor—Filarmonica Triestina. Playing Time* 44:00.	28 R 4120	John Gary—New Singing Sensation—How Many Teardrops Must I Shed, One Last Night Together, How Can My Heart Forget You, Little People, plus other selections. Playing Time* 26:08.
28 R 4107	Grieg: Peer Gynt Suites—Bizet: L'Arlesienne Suites, Bamberg Symphony Orchestra. Playing Time* 49:20.	28 R 4121	Go Go Discotheque—The Kites—Stomp (Frug), No More (Jerk), Watusi Ball (Watusi), Monkey Mash (Monkey), Baby Love Me More Hully Gully, plus other selections. Playing Time* 24:38.
28 R 4108	Gershwin's Rhapsody in Blue—American in Paris—London Pops Orchestra. Playing Time* 30:79.	28 R 4122	Great Movie Themes—London Pops Orchestra—Exodus, Around the World in 80 Days, Picnic, Moulin Rouge, Merry Widow. Playing Time* 28:51.
28 R 4109	Hits from: My Fair Lady—Camelot—GiGi—Sound of Music—Hollywood Radio City Orchestra and Chorus. Playing Time* 26:35.	28 R 4123	Rock & Roll Guitar—Rhythm Rockers—Guitar Boogie, Moon Rock, 120 MPH, String Blues, Chick's Song, Picking and Rooking, plus other selections. Playing Time* 26:50.
28 R 4110	Hits from Oklahoma—South Pacific—King & I—Flower Drum Song—Hollywood Radio City Orchestra and Chorus. Playing Time* 26:06.	28 R 4124	Dancetime—Tribute To Glen Miller—Sleepy Town Train, In the Mood, American Patrol, Tuxedo Junction, Green-sleeves, plus other selections. Playing Time* 26:40.
28 R 4111	Hits from Music Man—Can Can—Porgy & Bess—Showboat—Hollywood Radio City Orchestra and Chorus. Playing Time* 26:36.	28 R 4125	Under Paris Skies—Roger Leausand and his Club Lido Orchestra. Playing Time* 25:47.
28 R 4112	Around the World in 80 Days—Robert Fielding Orchestra. Playing Time* 27:22.		* Includes Side A and B.
28 R 4113	Hollywood Strings Play Rogers & Hammerstein. Playing Time* 28:46.		
28 R 4114	Hollywood Strings Play Irving Berlin. Playing Time* 28:19.		

## FAMOUS NORELCO 150 SOLID STATE PORTABLE CASSETTE RECORDER

**SALE! 59<sup>50</sup>**  
**Save 10.00**

was 69.50

1967 Catalog 681

**COMPLETE WITH: Mike, Deluxe Carrying Case and Mike Pouch, Tape Cartridge & Patch Cord**



Extremely lightweight—weighs less than 3 lbs. including batteries. Carry it everywhere . . . ideal for students, salesmen, busy executives. Records voice and music on 2 tracks at 1 7/8 ips with perfect fidelity. Fully transistorized for instant/playback. No warmup. Easy to use. No tape threading. Single master control starts, stops, winds and rewinds tape. Microphone has remote switch for start-stop. Uses 5 "C" size flashlight cells. Has recording level/battery life meter. Can be used with external amplifier, headphones. Complete with mike, patch cord, vinyl carrying case, 1-tape cartridge and separate microphone pouch. Size 7 3/4 x 4 1/2 x 2 1/4". Imported. Shpg. wt., 4 lbs. 27 R 4804L \$5.00 monthly Net 59.50  
99 R 6257 "C" Type Battery, 5 required Net ea. .14

## LAFAYETTE CASSETTE RECORDING TAPE



As Low As **1<sup>35</sup>**

- 60 Minute Cassette. Records and plays up to one hour (2 tracks) at 1 7/8 ips. Imported. Shpg. wt., 4 oz. Net 1.35
- 99 R 1540 90 Minute Cassette. Records and plays up to 90 minutes (2 tracks) at 1 7/8 ips. Net 2.20
- 28 R 0120 120 Minute Cassette. Records and plays up to 2 hours (2 tracks) at 1 7/8 ips. Net 2.98
- 28 R 0121

## CASSETTE TAPE HEAD CLEANER



**1<sup>49</sup>**

Removes coating deposits from tape heads and restores both volume and high frequency response. For use in any player accepting cassettes. Simply run tape, impregnated with special formula, like regular tape cassette. Cleans in a couple of minutes. Can be reused many times. Shpg. wt., 6 oz. Net 1.49  
28 R 1601

# LAFAYETTE'S BEST SELLING BATTERY OPERATED TAPE RECORDERS

## TRUTEST® 150 SOLID STATE BATTERY OPERATED RECORDER



• Remote Control from Dynamic Microphone

**14<sup>95</sup>** With Remote Control Mike, 3" Reel of Recording Tape, Take Up Reel, Earphone, Carrying Strap, and Batteries

- Piano Key-type Pushbutton Controls
- Earphone For Monitoring Recordings

Compact, dual track, recorder operates from batteries or 117 VAC with optional adapter. So light in weight it can be carried anywhere—classroom, beach, or party. Dynamic microphone has its own remote control on/off switch for taping "letters". Jam-proof piano style pushbuttons simplify operation. Has convenient earphone for monitoring recordings, or, for private listening on playback. Uses 2 — 1.5V., and 1 — 9V battery. Reel size: 3 1/4". Accessories included: Remote control microphone; earphone; carrying strap; reel of tape; batteries; and AC jack. Size: 8 3/4 x 3 1/4 x 6 1/2" D. Imported. Shpg. wt., 2 1/4 lbs. (with batteries).

99 R 1556L ..... Net 14.95

### ACCESSORIES FOR TRUTEST® 150

STOCK NO.	DESCRIPTION	WT.	NET EA.
99 R 3537	117V AC Adapter	6 oz.	3.95
28 R 0109	3" Reel Recording Tape	6 oz.	.69
99 R 6021	Extra 9 Volt Battery (1 req.)	2 oz.	.21
99 R 6257	Extra "C" Battery (2 req.)	2 oz.	.14

## LAFAYETTE RK-30 SOLID STATE AC AND BATTERY OPERATED TAPE RECORDER



• Remote Control from Dynamic Microphone

**37<sup>95</sup>** Complete with dynamic mike, patch cord, batteries, 3" take-up reel, 3" reel of tape.

No Money Down

- Two Speeds—3 3/4, 1 1/2 IPS
- ARL-Automatic Record Level Control
- Up to 2 Hours Record/Play Time on 3 3/4" reel

Lightweight, compact, combines modern solid state circuitry, true AC-DC portability and ease of operation. Ideal for recording and playback at home, in the office, in school or outdoors at the beach or sporting events. Capstan drive assures constant speed recording thus permitting playback of tapes on any dual track reel-to-reel recorder at 3 3/4 or 1 1/2 ips. Dynamic mike has remote start/stop switch, prevents tape waste. Other features include: easy-to-use piano key controls for rewind, stop, play plus pushbutton safety record switch; ARL-Built-in automatic record level to keep loud tones from distorting; self-contained dynamic speaker and jack for external speaker. All controls are accessible with cover on. Built on 117 v., 60 cycle AC power supply or four "C" batteries. In handsome case with metal carrying handle, 9 3/4 x 2 3/4 x 9 1/4" D. Imported. Shpg. wt., 7 lbs.

99 R 1538L \$5 monthly ..... Net 37.95

28 R 0109 3" reel of 300 ft. Lafayette Tape, 1/2 lb. .... Net .69

99 R 6257 Extra "C" cell batteries (4 required) ..... Net ea. .14

## DELUXE LAFAYETTE RK-77 SOLID STATE CORDLESS 4-TRACK STEREO RECORDER



- Takes Reels Up-To 7"
- 3-Speeds
- Battery Or AC Operation

**139<sup>95</sup>** Complete with 2 dynamic mikes, 1 patch cord, 1 empty 7" take-up reel

No Money Down

- 4-Track Stereo or Monaural Record and Playback
- 2 Large Studio Type VU Meters
- Pushbutton Operation
- 3-Digit Tape Counter with Pushbutton Reset

Exciting, pushbutton operated, stereophonic tape recorder... plays and records anywhere. Operates on self-contained batteries or from standard 117V., 60 cycles AC. Records and plays 2 and 4-track mono, and 4-track stereo tapes at three speeds; 7 1/2, 3 3/4 and 1 1/2 ips. Records and plays up to 6 hrs. and 24 minutes on 7" reel of 1800' tape at 1 1/2 ips. Separate color coded "record" and "lock" buttons prevent accidental erasure of tapes. Features individual tone and volume controls for each channel. Two built-in 6 x 3" dynamic speakers give you true stereo hi-fidelity sound. Specifications: S/N Ratio: More than 38 db at 7 1/2 ips. Rewind Time: 3 min. for 7" reel. Power Output: 2 watts. Inputs: (Each Channel) microphone 50K ohms; auxiliary 470K ohms. Outputs: (Each Channel)—extension speaker, 8 ohms. Luggage type case finished in ebony scuff-resistant material. Imported. 14 1/2 x 16 x 7" D. wt., 26 lbs.

99 R 1546WX \$7.50 Monthly ..... Net 139.95

99 R 6256 "D" batteries for above—8 required ..... Net ea. .15

7" reel of 1800' Lafayette Mylar base recording tape. .... Net ea. 2.49

28 R 0106 ..... Net ea. 2.49

# Specialty Tape Recorders Make Ideal Graduation Gifts

**PANASONIC RQ-203S AC/BATTERY  
PORTABLE CASSETTE TAPE RECORDER**

**NEW!**



Only **49<sup>95</sup>**

**No Money Down**

With Remote Control Mike, 60 Minute Cassette, Radio Patch Cord, and Batteries.

Handsomely styled AC/Battery operated solid state portable Cassette recorder. Simple-to-use . . . no tape threading required. Features "Pop-Up" Cassette, when you are ready to change cartridges. Capstan drive operated at 1 7/8 ips constant speed with added convenience of automatic recording level circuitry. Built-in 3" dynamic speaker handles 1 1/2 watts music power from 50 to 7,000 cps. Additional features include speaker monitoring; Safety Lock Record button; Mike input, Monitor output, and Remote output. Comes with pencil microphone that easily stores in its own compartment. In black leatherette finish with silver trim. 9 x 10 x 2 3/4". Operates on 6 "C" batteries (included) or 117VAC 60 cps. Imported. Shpg. wt., 6 lbs. 27 R 1215L \$5 Monthly Net 49.95  
99 R 6257 Extra "C" Batteries. (6-required) Net ea. .14

**PANASONIC RQ-121S AC/BATTERY  
PORTABLE AM RADIO-TAPE RECORDER**

**NEW!**




Only **49<sup>95</sup>**

**No Money Down**

With Remote Control Mike, 3 1/4" Reel with Tape, 3 1/4" Empty Reel, Batteries.

Feature packed solid state AC/Battery operated, reel-to-reel tape recorder with the added entertainment value of a built-in sensitive AM radio . . . you can make direct recordings of standard AM broadcasts. Constant speed capstan drive operates at 2-tape speeds with a frequency response of 150 to 4,000 cps at 1 7/8 ips for voice recordings, and 150 to 6,000 cps at 3 3/4 ips for maximum fidelity when recording music. Built-in 3" full range dynamic speaker reproduces 1 watt of music power. Other design features include Automatic Recording Level Circuitry; sound monitoring; safety lock record button. Has external speaker output. Takes up to 3 1/4" reels. Finished in black leatherette accented with silver trim. Operates on 6 "C" batteries (included) or 117VAC 60 cps. Size: 11 x 3 1/4" x 10". Imported. Shpg. wt., 6 lbs. 27 R 1216L \$5 Monthly Net 49.95  
99 R 6257 Extra "C" Batteries. (6-required) Net ea. .14

**CONCORD F-20 BATTERY OPERATED  
"SOUND CAMERA"**



ONLY **19<sup>75</sup>**  
with Mike

• Up to 30 Minutes Recording Time

Really portable—the F-20 goes anywhere: to school, in a briefcase, on a trip. Features reliable solid state circuitry, "flux-field" head for wide frequency response and variable speed control. Records up to 30 minutes on standard 2 3/8" reel. Easy finger-tip control of transport functions. Includes dynamic microphone, built-in speaker, empty reel and earphone jack. Uses penlight cells (see below). Size: 6 3/8 x 2 1/2 x 4 1/2". Imported. Shpg. wt., 4 lbs. 27 R 3510L Net 19.75  
27 R 3505 195 ft. reel of tape Net .59  
Batteries for F-20 (4 required)  
99 R 6258 Net ea. .10

**CRAIG MODEL 212 2-SPEED  
PORTABLE TAPE RECORDER**



Only **39<sup>95</sup>**

**No Money Down**

With mike, take-up reel, 3" reel of tape.

Widely acclaimed, solid state, 2-speed monaural tape recorder. Operates on batteries (Not included), or, 117 VAC current with accessory AC adapter. Features constant speed capstan drive; automatic level control; speeds 3 3/4 and 1 7/8 ips—allows up to four hours recording time on 3 1/4" reels. Power output; 750 milliwatts. Has input for mike-remote footswitch; outputs for earphone and external 8-ohm speaker. Supplied with accessory pouch, mike, reel and tape. Size: 7 7/8 W x 9 3/4 D x 3 1/8 H. Imported. Shpg. wt., 5 lbs. 27 R 2704L \$5 Monthly Net 39.95  
"C" batteries for Craig 212 (6 req.)  
99 R 6257 Net ea. .14  
AC Adapter for Craig 212  
27 R 2705L Net 4.95

**SECURITY-TYPE AC/BATTERY  
PORTABLE AM/FM RADIO-RECORDER**



Only **149<sup>95</sup>**  
**No Money Down**

Complete With Dynamic Mike, 5" reel of tape, Take Up Reel, Telephone Pick-up, Patchcord, Earphone and Batteries.

An FM/AM radio and a 5" 2 speed tape recorder in a security-type attache case. Features remote control operation switch on the outside of the case, and a built-in "continuous-Loop" Repeater Recorder. Enables you to stop the recorder at any time, and repeat the last 15 seconds without rewinding. Can record with microphone placed inside the case with the lid closed. FM radio can be used with an optional FM wireless mike. Operates on 6 "D" batteries (included), or 117VAC with built-in AC adapter. Direct listening/Recording from the FM/AM radio. Recorder freq. response: 100-10,000 cps; 2-speeds 3 3/4, 1 7/8 ips; capstan drive; double track recording system; takes up to 5" reels; 3 x 5" speaker. (117 or 220V). Dim: 3 3/4 x 16 1/2 x 12". Imported. Shpg. wt., 13 lbs. 27 R 7209WX \$8 Monthly Net 149.95  
FM Wireless Mike for above. Shpg. wt., 1 lb. 44 R 4301 Net 29.95

Get The Tape Recorder You Want Now! No Money Down

Lafayette Cat. No. 684 19

# LAFAYETTE RECORDING TAPES

## LAFAYETTE'S FAMOUS MONEY-BACK GUARANTEE

### YOU BE THE JUDGE!

Lafayette's tape is made by outstanding nationally known manufacturers. It is first quality, splice free, red oxide coated, with full frequency response, uniform output and no "drop-outs." Resistant to moisture, heat, cold and abrasion.

We guarantee absolute satisfaction or your money back. If for any reason you are dissatisfied, return the tape at once and we will refund your money less only transportation charges. You are the sole judge.



### LAFAYETTE ACETATE RECORDING TAPE

Stock No.	Feet	Reel	Mils	Wt. Lbs.	Net Per Reel		
					1-4	5-24	25 Up
28 R 0102	600	5"	1½	1/2	.99	.90	.85
28 R 0103	900	5"	1	3/4	1.20	1.10	.99
28 R 0101	1200	7"	1½	1	1.59	1.49	1.35
28 R 0104	1800	7"	1	1¼	1.98	1.88	1.79

### LAFAYETTE TAPE FOR AUTOMATIC REVERSING TAPE RECORDERS

Stock No.	Feet	Reel	Description	Net Per Reel		
				1-4	5-24	25 up
28 R 0116	1200	5"	1/2 mil mylar	1.99	1.84	1.67
28 R 0117	1200	7"	1½ mil acetate	1.84	1.73	1.62
28 R 0118	1800	7"	1 mil mylar	2.69	2.54	2.39
28 R 0119	2400	7"	1/2 mil tens mylar	3.84	3.62	3.25

### LAFAYETTE MYLAR®\* RECORDING TAPE

Stock No.	Feet	Reel	Mils	Wt. Lbs.	Net Per Reel		
					1-4	5-24	25 Up
28 R 0105	1200	5"	1/2	3/4	1.75	1.58	1.42
28 R 0106	1800	7"	1	1¼	2.49	2.25	2.13
28 R 0107	2400	7"	1/2	1¼	3.10	2.79	2.51

### MYLAR TAPE ON 7 INCH REELS

1200 FT. 1½ MIL	As Low As	<b>69¢</b>	Lots of 25
1800 FT. 1 MIL	As	<b>1.09</b>	

• Leading USA Manufacturer • Factory Boxed


1200 FT., 1½ MIL., Shpg. Wt., 1 lb.	
28 R 0113	1-2 ea. .95 3-9 ea. .82
	10-24 ea. .74 25 up .69
1800 FT., 1 MIL., Shpg. Wt., 1¼ lbs.	
28 R 0114	1-2 ea. 1.29 3-9 ea. 1.19
	10-24 ea. 1.14 25 up 1.09

### LAFAYETTE TENSILIZED MYLAR®\* TAPES

Stock No.	Feet	Reel	Mils	Wt. Lbs.	Net Per Reel		
					1-4	5-24	25 up
28 R 0109	300	3"	1/2	.69	.63	.59	
28 R 0110	600	3¼"	1/2	1.20	1.09	.99	
28 R 0111	1200	5"	1/2	2.25	2.03	1.83	
28 R 0108	2400	7"	1/2	3.69	3.39	3.05	

\* Mylar is the registered DuPont trademark for its polyester film

### LAFAYETTE BULK TAPE ERASER



**2295**

Professional Model

- Completely Erases Tape
- Two Erasing Coils
- Erases up to 1" Tapes
- Erases ¼" Tapes in One Operation—No Reversing
- For 3", 5", 7" or 10½" Reels

A carefully designed and precisely manufactured tape "degausser" for complete erasing of tapes. Just place the tape reel on spindle of demagnetizer, slowly rotate 2 or 3 turns, take off, and that's all. Will erase 1" wide tape. An extra powerful unit for heavy-duty use—draws over 9 amperes. Can be used to demagnetize tape, magnetically stripped film, plus tools and watches. Has built-in fuse. Pilot light prevents accidentally leaving it turned on. Size 6¼x7¾x3½". 105-125V. 60 cycle. Imported. Shpg. wt., 14 lbs.

99 R 1516 Professional Model Net 22.95

### LAFAYETTE TAPE HEAD DEMAGNETIZER WITH SWITCH

Pencil shaped head demagnetizer with one extending probe. Styling allows you to reach all heads in all positions. Features switch control...no need to leave unit on constantly. Turn on when needed and off to conserve unit's life. Operates on standard 110-120V 60 cycle AC. Imported. Shpg. wt., 1 lb.

99 R 1533 Net 2.49



**249**

### TELEPHONE PICKUP FOR RECORDING TELEPHONE CONVERSATIONS




**149**

Induction telephone pick-up for cradle or upright phones. Picks up conversations without wire tapping or special circuitry. Simply place phone base on pickup and connect leads to high impedance input of an audio amplifier or directly to a tape recorder. Imported. Shpg. wt., 8 oz.

99 R 1034 Net 1.49

### LAFAYETTE STEREO RECORDER PATCH CORD



NEW!

**119**

Ideal for making tape recorder connections from stereo receivers, tuners and amplifiers having front panel tape output jacks. A convenient 6 foot cable has stereo 3 conductor phone plug at one end and two standard color coded RCA type phono plugs at the other. Insert phone plug into front panel tape output jack of receiver, tuner or amplifier and connect phono plugs to inputs of tape recorder for convenient connection. Imported. Shpg. wt., 8 oz.

99 R 6336 Net 1.19

### 3 INCH RECORDING TAPES

As Low As **89¢** For Pkg. of 5

High quality recording tape made in U.S.A. available in either acetate or mylar base. On 3" reels. Ideal for correspondence. In poly bag. Shpg. wt., 8 oz.

#### 5-150 FT. 3" ACETATE TAPES

Package of 5 3" acetate reels, 150' per reel.

28 R 1701 Single pkg.	.99
Lots of 5 pkgs.	ea. .94
Lots of 10 pkgs.	ea. .89

#### 3-225 FT. 3" MYLAR TAPES

Package of 3 3" mylar reels, 225' per reel.

28 R 1702 Single pkg.	.99
Lots of 5 pkgs.	ea. .94
Lots of 10 pkgs.	ea. .89

15 CARDBOARD TAPE MAILING BOXES

28 R 7158 Shpg. wt., 6 oz.	Net .69
----------------------------	---------

### LAFAYETTE DYNAMIC 1kc & 10kc GENERATOR



An essential transistorized instrument for the serious minded tape recorderist who demands peak performance of his tape deck or recorder. The 1000 cps signal adjusts the bias in recorders having such adjustments to provide improved performance, particularly with reference to the brand and type of tape used. The 10 kc signal aligns the azimuth of the recording head. Puts out at least 1 volt with frequency tolerance of ±1%, .5% distortion, and 50 ohm output impedance. 4 ft. cables with phono plug terminations. Self-power by 9V. battery. (Not supplied). 3½x1½x1¾".

99 R 1549 Shpg. wt., 1 lb. Net 14.95

99 R 6021 9V. battery for above Net .21

# "DIMENSION 48" 4&8 TRACK SOLID STATE CAR STEREO TAPE PLAYER




With Fine Tuning Control For Precision Head Alignment With Tape

"DIMENSION 48"  
less speakers

**79<sup>95</sup>**  
Less Bonus

**79<sup>96</sup>**  
Plus Bonus



"DIMENSION 48"  
with FM Radio  
Less Speakers

**119<sup>95</sup>**  
Less Bonus

**119<sup>96</sup>**  
Plus Bonus

**1<sup>c</sup> BONUS**  
PLUS



8-Track Tape Head Cleaning Cartridge and Carrying Case for 8-Track Tape Cartridges only 1c with purchase of Dimension 48

**SAVE 4.13** From Individual Catalog Prices

Outstanding, compatible stereo tape player. Plays both 4 and 8 track stereo and monaural tapes. Features fine tuning control—takes over where the recording engineer leaves off. Permits the listener to "tune out" undesirable crosstalk, even in worn or defective cartridges. Panel mounted thumb-wheel control adjusts the playback head to precision alignment with the recorded tracks. Offers superb tape reproduction. Fully automatic—tapes play instantly—no extra switches or levers to select choice of cartridge—removal of cartridge from player automatically turns unit off. High styling enhances decor of your car. Features Electronic Program selection—channel automatically transfers at end of program. Selector bar permits instant change of tracks (program), illuminated dial indicates the channel that is playing, separate tone and volume controls. Dust-proof door seals cartridge opening when player is not in use. 12 transistors, 2 thermistors, 4 ohm output. Peak audio output 8 watts (4 per channel). Size: 1½Hx7¾Wx8"D. For 12-volt neg./pos. ground cars. Less speaker. Imported. Shpg. wt., 12 lbs.

17 R 7423WX \$5 Monthly ..... Net 79.95

"Dimension 48" Plus 1c Bonus ..... Net 79.96

17 R 7434WXM ..... Net 79.96

Dimension 48 with Built-in FM Radio. Same tape mechanism as above but also includes FM radio. For 12 volt/neg. ground systems only. (Less Speakers.) Shpg. wt., 13 lbs.

17 R 7430WX \$6.50 Monthly ..... Net 119.95

"Dimension 48" with Built-in Radio Plus 1c Bonus ..... Net 119.96


17 R 7435WXM ..... Net 119.96

Stereo FM Multiplex Adapter for above. Shpg. wt., 3 lbs. .... Net 29.95

17 R 7433 ..... Net 29.95

# AUTOMATIC COMPACT "MEL" CONVERTIBLE CAR STEREO TAPE PLAYER

Plays 8 Track...4 Track (with Adapter)...AM Radio...FM Radio



**SALE! 69<sup>95</sup>** with 2 Surface Mount Speakers  
**SAVE 10.00**  
was 79.95 1968 Catalog 683

AM RADIO CARTRIDGE 24.95  
FM RADIO CARTRIDGE 39.95

Slimline, compact car stereo tape player with built-in tabs for quick installation under-dash, and two 5" surface mount hi-fi speakers in black molded housings. Plays 8-track stereo tape cartridges, and 4-track cartridges with optional adapter\*. In addition, this exciting player is converted automatically into a hi-fi FM or AM radio receiver with the insertion of optional AM or FM radio cartridges. Features solid state circuitry. Dual push-pull amplifier delivers 8-watts output. For 12V., neg. ground cars. Size: 6¼ x 2½ x 6"D. Imported. Shpg. wt., 12 lbs.

17 R 2614 WX \$5 Monthly ..... Net 69.95

17 R 2613 4-Track Cartridge Adapter. Shpg. wt., 6 oz. .... Net 3.95

## SOLID STATE PLUG-IN RADIO TUNER CARTRIDGES

AM RADIO CARTRIDGE—5 semi-conductor devices. Slide rule illuminated dial. Imported. Shpg. wt., 1 lb.  
17 R 2609L ..... Net 24.95

FM RADIO CARTRIDGE—8-transistor, 3-diodes, built-in AFC, slide rule illuminated dial. Imported. Shpg. wt., 1 lb.  
17 R 2617L \$5 Monthly ..... Net 39.95

## NEW "AUTOMATIC" SOLID STATE PLUG-IN FM STEREO RADIO TUNER CARTRIDGE

For "MEL" And Complete Line Of AUTOMATIC "Convertible" Stereo Tape Players For Car, Boat And Home

Only

**59<sup>95</sup>**

No Money Down

Remarkable tuner cartridge permits listeners to enjoy FM stereo broadcasts through their "Automatic" Car or Home Tape Player. Stereo tuner cartridge is the same size as a regular 8-track stereo tape cartridge. Features dial light for tuning at night, stereo light to indicate when stereo programs are being received, and AFC to prevent drift. Imported. Shpg. wt., 1 lb.  
17 R 2616L \$5 Monthly ..... Net 59.95

# 8-Track Tape Cartridge Players And Accessories

"MINI-8" 8 TRACK CAR STEREO TAPE CARTRIDGE PLAYER



Only **54<sup>95</sup>**

No Money Down

with two 3 x 5" speakers in Instant Mount Housing

## • For 12 Volt Negative Ground Systems

Handsome new compact 8 track tape cartridge player complete with two 3x5" ceramic speakers in "instant mount" housings — can be installed anywhere — by anyone. True hi-fidelity sound and distinctive styling. Simplified operation — insertion of any 8 track cartridge switches the player on and magnificent stereophonic music instantly sweeps through the car. Miniature design permits simple installation in any 12 volt negative ground vehicle. Automatically changes tracks at the end of each program. Selector button is illuminated when player is on — instantly changes tracks when button is depressed. Includes Balance Control — 12 transistor. Dim.: 5"Wx3"Hx6 7/8"D. Shpg. wt., 8 lbs.

17 R 7431WX \$5.00 Monthly

Net 54.95

## NEW! UNIVERSAL "AUTOMATIC" SOLID STATE FM CIRCUIT STATE TUNER



**39<sup>95</sup>**

With FM Antenna Lead

• Converts Any 8-Track Stereo Tape Cartridge Player\* Into A Powerful Hi-Fi Radio

Automatically converts any auto, home, or boat 8-Track or compatible 8 and 4-track stereo players\* into a powerful Hi-Fi FM Radio Receiver. No modification of the tape player is necessary. Power for operating the FM tuner cartridge is provided from the tape player. All the listener has to do is simply insert the tuner into the tape players cartridge opening in the same manner as a tape cartridge. Compact solid state FM tuner features built-in AFC, slide rule dial for precise tuning. Size: 6 1/2"L x 3 7/8"W x 1 1/2"H. Imported. \*Does not operate with Panasonic Tape Players.

17 R 2617L Shpg. wt., 1 lb. \$5 Monthly.

Net 39.95

## "STEREO 8" TAPE CARTRIDGE PLAYER HEAD DEMAGNETIZERS



As Low As **3<sup>50</sup>**

Maintain the sound quality of your tape player. Prevents background noise and sound distortion. For car tape players—helps prevent strong magnetic fields from (generator, starter, etc.) distort part of your tapes. Imported. Shpg. wt., 1 lb.

28 R 7802 For Car Players—Plugs into Lighter ..... Net 4.25

28 R 7803 For Home Players—For 115 volts 60 cps. .... Net 3.50

## CARRYING CASE FOR AUTO TAPE CARTRIDGES



**2<sup>65</sup>**

Keep tape cartridges for your car neat, orderly, dust free. Compact, 9x6x6" case stores 10 tapes of any standard brand. 2 lbs.

28 R 2012

Net 2.65

KINEMATIX SOLID STATE STEREO 4 AND 8 TRACK HOME TAPE CARTRIDGE RECORDER / PLAYER DECK



**149<sup>95</sup>**

No Money Down

Built-In Record Preamplifier

Records and Plays Back 4 and 8 Track Stereo Tape Cartridge thru the Amplifier and Speakers of your Home Hi-Fi System.

Select and record your own library of stereo 8 and 4 Track\* cartridges with this exciting tape deck. Has built-in stereo record preamplifier. Plugs into your home Hi-Fi system for recording or playback. Features electronic record level indicator, Automatic foil sensing stop circuit to prevent over recording — automatically stops recorder at end of tape. Inputs: 2 for crystal or ceramic mike; 2 aux. for phono, tuner, or TV. Outputs: 2 high level. Frequency Response: 50-12,000 cps at 3 3/4 ips. Wow and Flutter less than 3%. Controls: program selector, level control, recording selector, recording indicator light, record/play switch (at back of unit). \*4 Track Tapes requires use of special adapter (see listing). Dim.: 6 3/4 x 9 1/2 x 3 1/2". Shpg. wt., 10 lbs.

17 R 6601WX \$8.00 Monthly

Net 149.95

17 R 2613 4 Track Cartridge Adapter—Wt., 6 oz.

Net 3.95

## 8-TRACK CARTRIDGE MYLAR RECORDING TAPE



**2<sup>79</sup>**

Continuous loop 8-track cartridges containing 150 ft. of 1 Mil Mylar lubricated recording tape. Fit all standard 8-track recorders and players. With UNI-tension pressure pads, precision molded tape guider. Shpg. wt., 6 oz.

28 R 1031

Net 2.79

## AUTOMATIC "GIDGET" 4 TRACK CARTRIDGE ADAPTER



**3<sup>95</sup>**

• Adapts 4 Track Tape Cartridge To Play On 8 Track Player

Universal adapter that turns any 4-track cartridge into an 8-track cartridge. Simply insert adapter into your 4-track cartridge — can easily be moved from cartridge to cartridge.

17 R 2613 Shpg. wt., 6 oz. .... Net 3.95

## 8 TRACK HEAD TAPE CLEANING CARTRIDGE



**1<sup>49</sup>**

A must for removing coating deposits from tape heads to restore high frequency response and volume. For use in any 8-track player accepting 8-track cartridges. Easy to use and reuse. Simply run the cartridge for a short period.

28 R 1292 Shpg. wt., 8 oz.

Net 1.49

## SPEAKER KITS FOR CAR STEREO TAPE PLAYERS

### TWO 3x5" CUSTOM MATCHING SPEAKER SYSTEMS



Only **8<sup>95</sup>**


Two—3 x 5" heavy duty ceramic speakers mounted in plastic housings will mount under dash, under seats, on kick panels, doors, or rear package shelf. Includes all necessary cables, mounting hardware and self adhering tape. Shpg. wt., 3 lbs.

17 R 7424W

Net 8.95

### LAFAYETTE CUSTOM IN-DOOR SET OF 4 SPEAKERS and MATCHING GRILLS

**8<sup>95</sup>**



Get full, rich stereo sound from your car tape player. Ready for quick installation. Improves the sound and performance of any car tape player. Kit includes: Four 4 3/4" extended range 8-ohm PM speakers; four round custom mount plastic speaker grills; all necessary hookup wire with solderless connectors; mounting hardware and easy-to-follow instructions. Imported. Shpg. wt., 3 lbs.

99 R 6286

Net 8.95

# Tape Cartridge Players For The Home And Car

LEARJET 8 TRACK STEREO HOME CARTRIDGE DECK

**SALE 49<sup>95</sup>**

WAS  
**79.95**  
1968 Cat. 680



**SAVE \$30.00**

- Provides Brilliant Stereo Reproduction of the "Stereo 8" Cartridge through the Amplifier and Speakers of your Present Home Stereo System

Enjoy long playing 8 Track stereo cartridges in your home. Simple to operate—push in cartridge to start, pull out to stop. Outstanding features: Pushbutton track selector, automatic endless play of entire cartridge. Solid state stereo amplifier. "On" indicator light. Tape speed 3 3/4 ips. Handsome simulated walnut metal cabinet. Size: 9Wx10 1/4Dx3 1/4"H. For 110 VAC 60 cycles. Shpg. wt., 12 1/2 lbs. 17 R 1808WX \$5 monthly Net 49.95

## PANASONIC RE-7070 "THE SYMPHONY 8" SOLID STATE FM/AM STEREO RADIO AND 8 TRACK STEREO TAPE CARTRIDGE PLAYER



Only **199<sup>95</sup>**  
No Money Down

- Matched Twin Speaker Systems
- FM Stereo Indicator Light

Magnificent performing home entertainment center! Plays 8-track stereo tape cartridges as well as your favorite FM stereo, FM, and AM broadcasts. Thrill to "concert hall" sound from 4 perfectly balanced speakers in separate enclosures. Radio section features: Black-out dial...illuminating when it's on; separate Bass and Treble tone controls, stereo balance control, illuminated band selector, stereo indicator, AFC on FM, tuned RF stage for FM, phono input jack,

- Black-out Dial
- Pushbutton Channel Selector

plus built-in FM and AM antennas. 8-track cartridge player features pushbutton channel selector, headphone jack...requires no tape threading or rewinding. Speaker and control center in handcrafted rich walnut. 18W music power. 41 solid state devices. Size: Amp: 18 1/2W x 6 1/2" x 11 1/2"D; Speaker: 9 1/2"W x 8 1/2"H x 3 3/4"D. Imported. Shpg. wt., 31 lbs. 17 R 3074WX \$10 Monthly Net 199.95

## NEW! ROBERTS 778X SOLID STATE STEREO INTEGRATED CARTRIDGE AND REEL RECORDER




Only **399<sup>95</sup>**  
No Money Down

- Records "Stereo 8" Cartridge From Reels
- Built-In Cartridge Erase
- 4-Track Stereo Reel to Reel Plus "Stereo 8" Track Combination Record And Play

Deluxe home instrument that records "Stereo 8" cartridges for music in your car or home, plays stereo reel-to-reel tapes and records cartridges at the same time. Also features 4 track stereo/monaural record and playback at 3 speeds—1 1/8, 3 3/4, 7 1/2 ips: cartridge channel selector and illuminated track selection read-out indicators; 12 watt solid state stereo amplifier; two 4" acoustic suspension speakers. Signal-to-Noise ratio: reel -50 db, cartridge -45 db, Twin VU recording level meters. For 120 volt 50/60 cps. Size: 15 x 13 1/2 x 9 1/2"D. Imported. Sngp. wt., 40 lbs. 27 R 5517WX \$79 Monthly Net 399.95

## PANASONIC 7270 SOLID STATE FM/AM PORTABLE CAR RADIO CASSETTE RECORDER



ONLY **99<sup>95</sup>**  
No Money Down  
With Remote Control Mike

As a fine performing tape player/recorder

As a superb FM-AM radio

A complete portable entertainment center for portable or car use. Listen to superb standard FM and AM broadcasts—or enjoy hour after hour of fine music by simply inserting a pre-recorded cassette tape. You can also record your own music from the radio itself, or from an optional remote control mike. Recorder is easy to use—No tape threading. Features capstan drive—1 1/8 ips constant speed. Operates from any 6 or 12 volt car battery with accessory mounting bracket, or as a portable with 5 "D" batteries (included). Features 6" dynamic speaker for rich hi-fi sound, Ferrite core and built-in telescopic whip antenna, continuous tone control, AFC on FM, 2 watt output, dial light and vernier tuning, 17 transistors and 10 diodes. Dim. 11"Wx3 1/2"Hx11"D. Shpg. wt., 10 lbs. Imported. With batteries. 17 R 3068WX \$5 Monthly Net 99.95  
17 R 3069W Car Mounting Bracket with Lock Shpg. wt., 4 lbs. 19.95  
99 R 1540 60 Minute Lafayette Cassette Cartridge Wt., 4 oz. Net 1.35  
99 R 6256 Extra "D" Batteries—5 req. 2 oz. .15

Enjoy A Stereo Car Tape Player Now—Take Up to 2 Years to Pay

Lafayette Cat. No. 684 23




**With Deluxe Features Found  
Only In The Finest!**



**Model LR-99**

**Criterion® 20A**



**Criterion® 20A**



**Sensational  
Low Price  
ONLY 155<sup>95</sup>**

**LAFAYETTE 30-WATT STEREO FM-AM SOLID STATE SYSTEM**

Enjoy the breathtaking realism of the finest stereophonic FM musical renditions, as well as superb FM and AM programs with this matched 30-watt FM-AM stereo broadcast receiving system. The heart of this truly satisfying system is the LAFAYETTE LR-99 30-watt solid state FM-AM stereo receiver. Despite its amazing low price, this outstanding stereo Tuner-Amplifier incorporates deluxe features found only in the finest receivers. Smartly matched with the LR-99 are 2 LAFAYETTE famous "Criterion

20A" 2-way bookshelf speaker systems. Their specially designed large-excursion woofers and back-loaded mid-high frequency speakers plus electrical crossover networks deliver exemplary high fidelity sound. These fine speakers are housed in an acoustically "tuned" enclosure finished on all four sides with a rich, oiled walnut veneer and tastefully framed with an ebony and gold picture frame molding. Supplied complete with speaker cables. Shpg. wt., 38 lbs. **21 R 9438WXM \$8 Monthly** Net **155.95**



**Garrard  
Model 40/11**



**Pickering  
V15/AC-3**



**Garrard  
Dust Cover**

**LAFAYETTE 30-WATT STEREO FM-AM SOLID STATE PHONO SYSTEM**

Above FM-AM broadcast stereo system plus record reproducing facilities of the renowned Garrard Model 40MKII 4-speed automatic intermix stereo turntable; plus choice of Pickering V-15/AC-3, Empire 888 or Shure M44-7 stereo cartridge with diamond stylus;

plus attractive Garrard base and molded plastic dust cover for turntable. Complete Broadcast and phono system. Shpg. wt., 53 lbs.

**21 R 9439WXM \$11 Monthly** Net **205.95**

**MODEL LR-99 30-WATT SOLID STATE AM/FM STEREO RECEIVER**

- ★ 30 Watt Stereo Amplifier At 8 Ohms
- ★ Tone Type Stereo Search Indicates Stereo Broadcast
- ★ 5 IF and Limiting Stages
- ★ Fused Output Transistors

- Illuminated Signal Strength Type Tuning Meter Fine Tunes AM & FM Stations
- Switchable Loudness Control
- 5 Position Selector Switch
- Remote Speaker Switch for Main or Extension Speakers
- Positive Action Rocker Switches
- 2 Auxiliary AC Outlets (1 Switched)

Famous Lafayette quality at an astonishing low price. Just add two speakers to enjoy top-notch AM, FM and FM stereo broadcasts as well as outstanding record and tape reproduction when used with their components. The tuner features 3 μV IHF sensitivity; 5 FM IF stages and excellent stereo separation and rejection of signal interference. A dependable "Stereo Search" circuit audibly signals the presence of stereo broadcasts. Fifty-two high quality semiconductors insure cool running, instant-play operation. Other features include: frequency response, 20 to 20,000 Hz ±2 db; signal strength tuning meter; front panel stereo headphone jack. Output, 4-16 ohms. Handsome gold finish extruded aluminum panel with two-tone knobs and simulated walnut grain metal case. 13 1/4"W x 4 3/4"H x 10"D. For 117v, 60 Hz AC. Imported. **99 R 0191WX \$6.50 monthly** Shpg. wt., 21 lbs. Net **119.95**

**LAFAYETTE**  
Stereo Receiver



Model LR-500T

**4**  **+ 2 FET's + 29 Transistors + 17 Diodes**

**60 Watt Solid State  
AM/FM Stereo Receiver**

Only **179<sup>95</sup>** with case **No Money Down**

- ★ With New Revolutionary IC's
- ★ 60 Watts Of Flawless Stereo Output Power
- ★ Fused Output Transistors
- ★ Exclusive Front and Rear Panel Tape Output Jacks

**SPECIFICATIONS**

Tuner—4 Gang Tuning Condenser. FM Sensitivity (IHF): 1.8µv. Stereo Separation: 35db @ 400 cps. S/N Ratio: 67db. Capture Ratio: 1.5db. Cross Modulation Index: 90db. Antenna Impedance: 300 ohms balanced. 3 Gang Tuning Condenser for AM. Amplifier—60 watts @ 4 ohms; 50 watts at 8 ohms. Freq. response: 22-20,000 cps ±1db. HD @ rated output: less than 1%. Power Bandwidth: 22-40,000 Hz. Inputs: phono high; phono low; Tape Head; Auxiliary. Output Impedance: 4-16 ohms.

- Automatic FM Stereo Switching and Indicator Light
- Illuminated Tuning Meter for Accurate FM/AM Tuning
- Speaker Mode Switch Activates Main and/or Remote Speakers
- Front Panel Stereo Phone Jack

Employing space-age technology in its design, the LR-500T incorporates 4 revolutionary Integrated Circuits and 2 high-performance Field Effect Transistors in the FM section to provide dramatic improvements in FM stereo reception. And, because of the amazing reliability of these new devices, you are assured of this superior performance for many years to come.


AM broadcast reception is improved to let you hear your favorite AM stations with maximum possible fidelity. And all program sources are superbly reproduced through the audio section. 4 rugged silicon output transistors delivering 60 watts of stereo music power with full fidelity assure you of stunning realism. And there's every needed control for complete flexibility of operation, plus a full range of stereo inputs to accommodate virtually any external program source. You get outputs for stereo tape recording (both front and rear of unit for convenience), provision for 4, 8 or 16 ohm main and remote speakers, plus a stereo headphone receptacle. There's a distinctively styled brushed gold extruded aluminum front panel with matching knobs and, at no extra cost, you get a vinyl-clad heavy gauge metal enclosure with the simulated look of rich walnut woodgrain. Size: 15W x 12D x 5"H. For 117V 50/60 cps. AC. Imported. Wt., 27 lbs. 99 R 0182WX \$9 Monthly Net 179.95  
Attractive Oiled Walnut Wood Cabinet for LR-500T. Net 19.95  
21 R 0156WX Shpg. wt., 6 lbs.




Choice of Elliptical Cartridge



Garrard  
40MKII



Criterion 50



**60 WATT MATCHED STEREO  
SYSTEMS WITH LR-500T**

Only **269<sup>95</sup>**  
No Money Down

**SAVE 54.25**

From Individual Catalog Prices

Complete stereo system above with \*choice of Pickering V-15/ACE-3, Empire 808E, or Shure M32E stereo cartridge with high compliance elliptical diamond stylus. Includes 50" clear, polarized speaker cable. wt. 95 lbs. 21 R 9409WXM \$13.50 Monthly Net 269.95  
Same system as above except with 2-Lafayette "Criterion 150" completely sealed and damped acoustic suspension speaker systems instead of "Criterion 50", wt. 73 lbs. 21 R 9411WXM \$17 Monthly Net 305.95  
**YOU SAVE \$58.25 from individual catalog prices!**

LAFAYETTE Model LR-500T 60 Watt Solid State AM/FM Stereo Receiver	179.95
Garrard Model 40MKII 4-Speed Automatic Record Changer	44.50
*Pickering V-15/ACE-3 Stereo Cartridge with High Compliance Elliptical Diamond Stylus	29.95
Garrard Base for Automatic Record Changer (Walnut and Ebony Color with Silver Trim)	4.95
Garrard Molded Plastic Dust Cover for Changer	4.95
2-Famous Lafayette "Criterion 50" Wide-Range 2-Way Bookshelf and/or Floor Speaker Systems (Oiled Walnut)	59.90
<b>Total</b>	<b>324.20</b>

Hi-Fi Systems Are Available on Easy Pay Plan—No Money Down

Lafayette Cat. No. 684 25

**LAFAYETTE**  
Stereo Receiver



Model LR-1000

**4**  **INTEGRATED CIRCUIT** + 2 FET's + 31 Transistors + 17 Diodes

**COMPUTER-MATIC™ (Pat. Pend.)**  
Protective Circuitry For Audio Power Stages

- Center Channel Output
- High/Low Phono Sensitivity Switch
- Each Channel Separately Fused plus Main Power Fuse
- Exclusive Front and Rear Panel Tape Output Jacks

Exceptional component quality incorporating the new space age miracle "IC's", plus FET's in the tuner front end section assure you of outstanding selectivity, improved capture ratio, and unconditional stability. Features ingenious patent pending computer type circuitry for protection of audio driver and power output transistors. Reproduces the superb character of sound which suits your personal listening taste. Includes separate Bass, Treble, and Volume controls plus a Balance control; Tape Monitor, Loudness Compensator, Mode and selector switches; precision vernier Tuning control; Signal Strength Tuning meter, and automatic FM stereo indicator light. Complete input and output facilities have been designed for easy installation and connection to any quality program source or external components. Complete with a brushed gold extruded aluminum front panel and simulated walnut grained metal case. For 105-120V., 60 Hz AC. Size: 15 7/8 x 4 7/8 x 11 3/4" D. Imported.

99 R 0183WX Shpg. wt., 35 lbs. \$11 Monthly Net 219.95

Attractive Oiled Walnut Wood Cabinet for LR-1000T.

21 R 0157WX Shpg. wt., 6 lbs. Net 19.95

**DELUXE 120 WATT  
SOLID STATE AM/FM  
STEREO RECEIVER**

ONLY **219<sup>95</sup>** WITH CASE  
No Money Down

- ★ 120 Watts of Sterling Stereo Output Power
- ★ Automatic FM Stereo Switching
- ★ Interstation Muting Control
- ★ Built-in FM Antenna plus Loopstick AM Antenna

**SPECIFICATIONS**


Tuner—4 Gang Tuning Condenser. FM Sensitivity (IHF): 1.65µV. Stereo Separation: 38db @ 400 cps. S/N Ratio: 68db. HD @ 100% Modulation: 0.4%. Capture Ratio: 1.5db. Cross Modulation Index: 90 db. Antenna Impedance: 300 ohms balanced. 3 Gang Tuning Condenser for AM. Amplifier—120 watts @ 4 ohms: 95 watts at 8 ohms. Freq. Response: 22-20,000 Hz ± 1db. HD @ rated output: less than 1%. IM Distortion @ rated output: 0.4%. Power Bandwidth: 20-40,000 Hz. Inputs: Phono high; phono low; Tape Head: Auxiliary. Output Impedance: 4-16 ohms.



Garrard SL55

Complete stereo system with \* choice of Pickering V-15/ACE-3, Empire 808E or Shure M32E stereo cartridge with high compliance elliptical diamond stylus. Complete with 50' clear polarized speaker cable. Wt., 108 lbs. 21 R 9415WXM \$17 Monthly Net 319.95

Same system as above except with 2-Lafayette "Criterion 150" completely sealed and damped 2-way acoustic suspension speaker systems instead of 2-"Criterion 50" speaker systems. Shpg. wt., 84 lbs. 21 R 9416WXM \$19 Monthly Net 355.95 YOU SAVE 63.25 from individual catalog prices!



Criterion 50

- LAFAYETTE Model LR-1000T 120 Watt Solid State AM/FM Stereo Receiver 219.95
  - Garrard SL55 4-Speed Synchro-Lab® Automatic Turntable 59.50
  - \*Pickering V-15/ACE-3 Stereo Cartridge with High Compliance Elliptical Diamond Stylus 29.95
  - Garrard Base for Automatic Turntable (Walnut and Ebony Color with Silver Trim) 4.95
  - Garrard Molded Plastic Dust Cover for Turntable 4.95
  - 2-Famous Lafayette "Criterion 50" Wide-Range 2-Way Bookshelf and/or Floor Speaker Systems 59.90
- Total 379.20



LR-1000T

**120 WATT MATCHED STEREO SYSTEMS WITH LR-1000T**

ONLY  
SYSTEM PRICE **319<sup>95</sup>**  
NO MONEY DOWN  
**SAVE 59.25**

From Individual Catalog Prices

Award-Winning

LR-1500T



LR-1500T



+ 2 FET'S + 40 TRANSISTORS + 35 DIODES

175-WATT DELUXE SOLID STATE AM-FM STEREO RECEIVER

ONLY 279.95 WITH WALNUT GRAIN CASE No Money Down

★ Pat. Pend. COMPUTOR-MATIC™ Protective Circuitry for Audio Power Stages

- IHF FM Sensitivity 1.5 μv
• Massive, Regulated Power Transformer Insures Proper Tuner/Amplifier Operation
• Built-In AM and FM Antennas
• Exclusive Front and Rear Panel Tape Output Jacks
• Automatic Stereo FM Switching
• Adjustable Automatic Interstation Muting

In addition to its complement of fine quality transistors the LR-1500T includes 4 revolutionary new Integrated Circuits (IC's) and 2 high-performance Field Effect Transistors to provide truly sterling FM stereo reception...

99 R 0190WX \$13.50 Monthly Net 279.95

Attractive Oiled Walnut Wood Cabinet for LR-1500T

21 R 0158WX Shpg. wt., 6 lbs. Net 19.95

SPECIFICATIONS

FM SECTION: 4 Gang Tuning condenser. Sensitivity: 1.5 μv IHF. Capture Ratio: 1.25 db. Selectivity: 40 db. Total Har Dist. @ 400 Hz: 0.3%. Stereo Separation: 40 db @ 400 Hz. Antenna Impedance: 300 ohms balanced. AMPLIFIER SECTION: Power: 175 Watts (IHF) @ 4 ohms, 120 watts @ 8 ohms. Total Harmonic Distortion @ rated output: under 1%. Frequency Response: 20-20,000 Hz ± .75 db. Power Bandwidth: 12-40,000 Hz. Output Impedances: 4, 8, and 16 ohms.



LR-1500T


175 WATT DELUXE STEREO SYSTEM With LR-1500T

ONLY 495.95 No Money Down

SAVE 83.25

From Individual Catalog Prices!

Hi-Fi Systems Are Available on Easy Pay Plan—No Money Down



"Criterion 3X"

- Lafayette LR-1500T 175 Watt Solid State Stereo Receiver 279.95
Garrard Model SL65 4-Speed Synchro-Lab Automatic Turntable with Dynamically Balanced Tone Arm 79.50
\*Pickering V-15/ACE-3 Stereo Cartridge with High Compliance Elliptical Diamond Stylus 29.95
Garrard Base for Turntable (Walnut and Ebony Color with Silver Trlm) 4.95
Garrard Molded Plastic Dust Cover for Turntable 4.95
2-Famous Lafayette "Criterion 3X" Deluxe 3-Way Sealed and Damped Acoustic Suspension Speaker Systems (Oiled Walnut) 179.90
TOTAL 579.20



Garrard Model SL65

Complete system with \*choice of Pickering V-15/ACE-3, Empire 808E or Shure M32E stereo cartridge with high compliance elliptical diamond stylus. Includes 50 ft. clear polarized speaker cable. Shpg. wt., 126 lbs. 21 R-9402WX \$24 Monthly Net 495.95



# 30 Watt Matched Stereo Systems With LA-224T Solid State Stereo Amplifier



SYSTEM PRICE  
Only **149<sup>95</sup>**  
No Money Down

**SAVE 33.85**  
From Individual Catalog Prices

\*Choice of Stereo Cartridge  
Pickering V15/AC-3  
Empire 888  
Shure M44-7



- Lafayette Model LA-224T 30-Watt Solid State Stereo Amplifier 59.95
- Garrard Model 40 MK II 4-Speed Automatic Record Changer 44.50
- Pickering V-15/AC-3 Diamond Needle Stereo Cartridge with Stylus Brush 24.95
- Garrard Base for Record Changer 4.95
- Garrard Molded Plastic Dust Cover for Changer 4.95
- 2 Lafayette "Criterion 20A" 2-Way Ducted Port Shelf Speaker Systems (oiled walnut) 44.50

TOTAL 183.80


Complete 30 watt stereo system with \* choice of Pickering V-15/AC-3, Shure M44-7 or Empire 888 diamond needle stereo cartridge. Complete with 50 ft. clear polarized speaker cable. 21 R 9403WXM \$8 Monthly Shpg. wt., 42 lbs. Net 149.95  
Same system as above except with 2 Lafayette "Criterion 50" 2-speaker 2-way ducted port bookshelf and/or floor speaker systems (oiled walnut) instead of "Criterion 20A's". Shpg. wt., 82 lbs. 21 R 9404WXM \$9 Monthly Net 163.95  
You Save 25.25 from individual catalog prices!

## 30 WATT SOLID STATE STEREO AMPLIFIER MODEL LA-224T

All the characteristics of a quality Hi Fi amplifier have been incorporated into the LA-224T. Attractive slim styling permits unrestricted placement of this unit in the home. 30-watts power supplied through the use of 19-transistors, 8-diode circuitry for instant, cool operation, low current drain, minimum distortion and noise, excellent frequency response. A full complement of front panel controls have been provided for maximum stereo capability. Dual Concentric Volume, Bass and Treble controls allow independent level control over each channel. Mode switch controls mono, or Stereo operation. Selector switch determines external music source: Phono; Tuner;

or Auxiliary positions. An additional switch has been provided for speaker or headphone listening. Rear panel features an AC convenience outlet and tape recorder output jacks for recording through your tape recorder; complete with paired input jacks for Magnetic, Crystal or Ceramic cartridges. Speaker outputs for all 4, 8, and 16 ohm impedance speakers. Attractive, brushed aluminum, gold anodized, extruded front panel with complimentary metal case. Size: 10 1/4" W x 3 3/4" H x 7 1/4" D. Shpg. wt., 9 lbs. For 110 to 125V 50/60 cycles AC. Imported. 99 R 0167WX \$5.00 monthly Net 59.95

# 85 Watt Matched Stereo Systems With LA-85T Solid State Stereo Amplifier



SYSTEM PRICE  
**214<sup>95</sup>**

**SAVE 29.25**  
From Individual Catalog Prices

\*Choice of Elliptical Cartridge  
Pickering V15/ACE-3  
Empire 808E  
Shure M32E



- Lafayette Model LA-85T 85 Watt Solid State Stereo Amplifier 99.95
- Garrard Model 40MKII 4-Speed Automatic Record Changer 44.50
- \*Pickering V-15/ACE-3 Stereo Cartridge with High Compliance Elliptical Diamond Stylus 29.95
- Garrard Base for Automatic Changer 4.95
- Garrard Molded Plastic Dust Cover for Changer 4.95
- 2-Lafayette Famous "Criterion 50" Wide-Range 2-Way Bookshelf and/or Floor Speaker Systems (Oiled Walnut) 59.90

Total 244.20

Complete 85-watt stereo phono system with \* choice of Pickering V-15/ACE-3, Empire 808E, or Shure M32E stereo cartridge with high compliance elliptical diamond needle. Complete with 50' clear polarized speaker cable. Shpg. wt., 90 lbs. 21 R 9418WXM \$11 Monthly Net 214.95

### AMPLIFIER SPECIFICATIONS

IHF Music Power: 85 Watts at 4 ohms total, 60 watts into 8 ohms; Frequency Response: 22 cycles—20,000 cps ±1 db., Harmonic Distortion: less than 1% at rated output, .2% at 1 watt at 1 Kc. Channel Separation: 65 db at 1Kc. Hum and Noise: tape head and phono —57db, aux and tuner —75db.

## 85 WATT SOLID STATE STEREO AMPLIFIER Model LA-85T

Quality solid state stereo pre-amplifier and dual channel 85 watt amplifier on one integrated chassis. Compact 13" x 3 3/4" x 9 3/4" size and minimum of heat make for easy installation anywhere. Instant play, no waiting for warm-up are characteristic of this quality transistorized amplifier. 4 stereo inputs accept stereo/monaural phono, tape head, tuner, and aux. Speaker outputs for 4, 8, or 16 ohm impedance, plus convenient front and rear outputs for direct

stereo taping. Controls include: Bass and Treble tone controls, separate dual concentric volume control for each channel. Mode switch selects R/L input, Mono, Stereo, Reverse and Tape Monitor. Selector switch selects any of 4 different program sources. For 110 V AC 50/60 cycles. Shpg. wt., 16 lbs.

99 R 0187WX \$5 Monthly Net 99.95

# 125 Watt Matched Stereo Systems with LA-125T




**SYSTEM PRICE**  
Only **241<sup>95</sup>**

Garrard Model 40MKII

**SAVE 32.25**  
From Individual Catalog Prices

\* Choice of Elliptical Cartridge  
Pickering V15/ACE-3  
Empire 808E  
Shure M32E



- Lafayette Model LA-125T 125 Watt Solid State Stereo Amplifier ..... 129.95
  - Garrard Model 40MKII 4-Speed Automatic Record Changer ..... 44.50
  - \* Pickering V-15/ACE-3 Stereo Cartridge with High Compliance Elliptical Diamond Stylus ..... 29.95
  - Garrard Base for Automatic Changer ..... 4.95
  - Garrard Molded Dust Cover for Changer ..... 4.95
  - 2-Lafayette Famous "Criterion 50" Wide-Range 2-Way Bookshelf and/or Floor Speaker Systems (Oiled Walnut) ..... 59.90
- Total 274.20**

**125 WATT SOLID STATE STEREO AMPLIFIER**  
Deluxe solid state pre-amp and amplifier on one integrated chassis. Produces a full 125 watts of audio power with virtually no faltering at either end of the response range. Concentric Balance/Volume, Treble, and Bass controls allow easy adjustment for optimum sound on both channels. Four "rocker" type switches control Low Filter, High Filter, Loudness, and Tape Monitor functions. Three, multi-position rotary switches are provided for Speaker Mode, Amplifier Mode, and Program source. Rear panel is equipped with 6-inputs per channel for Magnetic, and Ceramic Phono; Tape Head; Tuner, Auxiliary; and Tape Input. Outputs are provided for direct connection to a tape recorder. 2-outputs per channel have been included for 4, 8, and 16 ohm Main and Remote speakers. Protective fuses prevent damage to output transistors from accidental speaker shorts. For 117V., 60 cycles AC. Size: 13 x 3 3/8 x 9 1/4". Imp. Shpg. wt., 12 lbs. 99 R 0185WX \$7 Monthly ..... Net 129.95

Above 125 watt stereo phono system with \* choice of Pickering V-15/ACE-3, Empire 808E, or Shure M32E stereo cartridge with high compliance elliptical diamond needle. Complete with 50' clear polarized speaker cable. Shpg. wt., 95 lbs.  
21 R 9424WXM \$12.50 Monthly ..... Net 241.95

**SPECIFICATIONS**  
IHF Music Power: 125 watts @ 4 ohms; 95 watts @ 8 ohms. Frequency Response: 22-20,000Hz. ±1 dB @ 1 watt. Power Bandwidth: 20-40,000Hz. HD: @ 1 kHz, less than 1% @ rated power; 2% @ 1 watt. Channel Separation: 65 dB @ 1 kHz. Hum and Noise: Aux and Tuner —75 dB; Tape Head, Phono, and Microphone —56 dB.

## With New Revolutionary



## and Field Effect Transistors

4 IC'S + 2 FET'S  
+ 17 TRANSISTORS  
+ 16 DIODES

For 37 Transistor Performance

Model LT-425T **99<sup>95</sup>** Includes Case

## DELUXE SOLID STATE AM/FM STEREO TUNER

Tune more stations than you ever thought possible before! Unprecedented clear reproduction of weak as well as strong stations with least outside noise interference! 2 FET's used in the separately shielded front end section provide a high degree of overload capability, minimum cross-modulation, and stronger image rejection. 4 IC's are used in the IF amplifier section for hard limiting, excellent temperature stability, and increased reliability. Each of these Lafayette type IC's contains 5 transistors, and 2 resistors. Front panel controls include: Tape output jack; AM/FM selector switch; meter function selector switch; Muting control; Filter In/Out; Mono/Stereo Mode switch; Power Off/On; and Tuning control. The LT-425T, with its handsome brushed aluminum gold anodized extruded front panel, and simulated walnut wood grain case makes it ideal for any decor. Size: 13x3 3/8x9 1/4". For 110V., 60 cycles AC. 99 R 0184WX Imported. Shpg. wt., 16 lbs. \$5 Monthly ..... Net 99.95

- Front Panel Tuning / Zero Center Meter For Accurate Tuning
- Fully Automatic Stereo Indication
- Muting Control for Elimination of Noise Between Stations While Tuning
- Noise Filter Minimizes Static Interference
- Built-In AM/FM Antennas
- Front and Rear Panel Tape Output Jacks

**SPECIFICATIONS. FM SECTION:** 4 Gang Tuning Condenser. FM Sensitivity, IHF: 1.6µV. Harmonic Distortion @ 100% Modulation, 0.4%. Image Response: 85db. Selectivity: 40db; Capture Ratio: 1.5db; MPX Channel Separation: 38db at 400 cycles. Cross Modulation Index: 90 db. External Antenna Impedance: 300 ohms (balanced). AM SECTION: 3 Gang Tuning Condenser.

Hi-Fi Systems Are Available on Easy Pay Plan—No Money Down

Lafayette Cat. No. 684 29



# LAFAYETTE "STEREO 20" 20-Watt Solid-State Stereo Amplifier

Deluxe Styling... High Quality Sound!

Only **39<sup>95</sup>** no money down



including deluxe wood enclosure

- 20 Watts of Power at 8 Ohms
- 30-40,000 Hz. Freq. Response
- 10 Transistors, 2 Diodes, 2 Thermistors

With 20 watts of power (10 each channel), the Stereo 20 offers full, wide-range response for outstanding music reproduction. Modern solid-state design assures you of top performance for

years to come. Transformerless solid-state complementary symmetry output circuitry ensures extended response and lowest distortion, plus long life for the power transistors.


Operating features include a source for selection of tuner or ceramic phono, a function switch for choice of mono or stereo operation, and a speaker mode switch for selection of main speakers, remote speakers, or headphones. There's a master volume control for both stereo channels, plus a separate balance control that lets you adjust individual speaker levels for best stereo effect. Separate Bass and Treble controls let you "tallor" the sound to suit your taste! Stereo outputs include provision for main and remote speakers rated from 4 to 16 ohms impedance (although highest power is obtained at 8 ohms), plus a front panel jack for stereo headphone listening. Also features a tape recorder output that lets you record your favorite stereo music. You'll like the attractive, modern styling too... the satin-gold front panel with handsome walnut grain accent, the all-wood enclosure in rich walnut finish, plus the stylish, non-mar plastic legs. Stereo Inputs: Phono (Ceramic/Crystal), Tuner. Power Supply: AC Transformer operated with full-wave rectification, 105/120 VAC., 50/60 cps input. Size: 12Wx7½Dx4½"H. Shpg. wt., 8 lbs. 21 R 0902WX \$5 monthly **Net 39.95**

STEREO 20

Made In U.S.A.



Minuette II



Model 200



## 20-WATT STEREO HI-FI PHONO SYSTEM FEATURING THE "STEREO 20"

The Complete System

Only

**89<sup>95</sup>**

No Money Down

- Lafayette Stereo 20 Solid State Stereo Amplifier
- Lafayette Model 200 4-Speed Automatic Stereo Record Changer with Turnover Stereo Cartridge, and balanced feather weight Tone arm
- Oiled Walnut Changer Base
- Changer Dust Cover
- Two Lafayette Minuette® II Oiled Walnut, Decorator Styled, Ducted Port, Bass Reflex 2-Way Speaker Systems

Complete system above. Shpg. wt., 41 lbs. 21 R 9432WXM \$5 Monthly. **89.95**



Only **72<sup>95</sup>** No Money Down

Model 200

## STEREO/10 HI-FI STEREO PHONO MUSIC SYSTEM

- Lafayette Stereo/10 Solid State Stereo Amplifier
- Lafayette Model 200 4-Speed Automatic Stereo Record Changer with Balanced Featherweight Tone Arm and Stereo Turnover Cartridge
- Oiled Walnut Base and Attractive Plastic Dust Cover

- Two Lafayette Minuette® II 2-Way Speaker Systems.

Complete Stereo/10 stereo system above with speaker connecting cable. Shpg. wt., 33 lbs. 21 R 9430WXM \$5 Monthly **Net 72.95**

## LAFAYETTE STEREO/10 SOLID STATE AMPLIFIER

COMPACT SIZE, BIG PERFORMANCE! Ideal amplifier for HI-FI beginners, or use it in a second system for the living room, den, bedroom or business. Perfect for limited-space installation; bookshelf or end table. For use with record players, AM, FM and FM MPX tuners. Completely transistorized to provide clean, cool operation. Output stages couple directly to the speakers for smooth frequency response and low distortion. Input stages are designed to present a high impedance, resulting in an excellent low frequency response when used with high impedance crystal or ceramic phono cartridges. Front

panel features: Separate volume controls for Left/Right channels; tone control for Bass and Treble; individual slide switches for mode input (1-Stereo/Mono operation), (1-Phono/Tuner input); power On/Off slide switch. Rear panel features: Right/Left channel inputs for phono and tuner; Right/Left channel taps for 8-ohm speakers. Beautifully finished in neutral gray and aluminum. Size: 7½"W x 21¼"H x 5¾"D. For 105-125V 50/60 cycles AC. Imported. Shpg. wt., 4 lbs. 99 R 0161 **Net 22.95**

# Exciting Values in Famous Name Hi-Fi Equipment

## DELUXE FISHER KM-60 FM STEREO TUNER KIT



- Pre-aligned Golden Cascade Front-End and Multiplex Section
- Exclusive Fisher Stereo Beam Instantly Indicates Stereo Broadcasts
- Precision d'Arsonval Meter For Tuning and Alignment
- Four IF Stages and Two Limiters

With its wideband design and 1.8 microvolt IHFM sensitivity this high quality stereo multiplex tuner delivers superb reception, even in fringe areas. Kit features pre-aligned front-end and multiplex sections, Stereo Beam multiplex indicator, d'Arsonval meter for center-of-channel tuning, 4 IF stages, 2 limiters, individual level control for each channel. Specifications. Sensitivity: 0.6  $\mu$ v at 20 db quieting (1.8  $\mu$ v IHFM); Signal-to-Noise ratio: 70 db (100% modulation); Frequency response:  $\pm$ 1 db 20-15,000 cps. 11 tubes, 12 diodes. Complete with illustrated manual. Dimensions: 15 $\frac{1}{2}$ "W x 4 $\frac{1}{2}$ "H x 13"D. Shpg. wt., 18 lbs. less cabinet. Net 79.50

Oiled Walnut Wood Cabinet for KM-60. Wt., 6 lbs. 21 R 3610W

Net 79.50

Net 17.50

Our Lowest Price Ever!

**SALE! 79<sup>50</sup>**

**SAVE 20.00**  
was 99.50

1968 Catalog 682


## FISHER MODEL 700-T 120-WATT SOLID STATE FM STEREO RECEIVER



**SALE! 349<sup>95</sup>** **SAVE \$74.63**  
Was 424.58 1968 Cat. 680

A truly superb performing unit, includes all the features of the famous Fisher 500T Stereo Receiver and in addition boasts a power increase of approximately 30% over the 500T, 120 watts (IHF) @ 4 ohms, and 100 watts @ 8 ohms. This additional power helps to bring out even further the capabilities of the extremely sensitive and selective tuner section which includes the Super Synchrode FET front-end utilizing 2 RF stages, and 6 tuned circuits. The time-division multiplex section includes the exclusive Fisher 4 Diode Coincidence Circuit and the Stereo Beacon which automatically switches the set to stereo or mono operation in response to the type of signal being received. 24-carat gold plated front panel with contrasting walnut grained and anodized panel inserts. Features 3 position speaker selector (Main, Remote, Main & Remote). Specifications: Music Power (IHF): 120 watts @ 4 ohms. 90 watts @ 8 ohms; Power Bandwidth (IHF): 20-24,000 cps; Usable sensitivity (IHF): 1.8 $\mu$ v; Harmonic Distortion less than 0.5%. 16 $\frac{3}{4}$ "Wx12 $\frac{3}{4}$ "Dx5 $\frac{1}{2}$ "H. Shpg. wt., 26 lbs. 21 R 3649WX \$22 Monthly Net 349.95  
Custom Oiled Walnut wood cabinet for 700T. Shpg. wt., 8 lbs. 21 R 3642W Net 22.46

## SK-130 8" WIDE-RANGE HI-FI SPEAKER



Made in England To Our Own Rigid Specifications

**SALE! 6<sup>95</sup>** **SAVE 3.00**

was 9.95 1969 Cat. 682  
(Quantities Limited)

- Frequency Response: 40-18,000 cps
- Power Handling Capacity: 15 Watts
- Magnet Weight: 1 lb.
- Cone Resonance: 55 cps
- Voice Coil: 1-Inch

ASTONISHING FIDELITY from a speaker of this size. SK-130 features a hyperbolic cone with a plastic surround suspension for wide compliance performance. Bass response is robust and full bodied, while the midrange and highs are virtually transparent, with never a trace of shrillness or harshness. Overall Diam. 8 $\frac{1}{2}$ " x 4" Deep. Rigid vibration-free frame is equipped with screw type terminals. Impedance 16 ohms. Imported. Shpg. wt., 3 lbs. 21 R 0113 Net 6.95

## ADC Model 770 STEREO CARTRIDGE




Our Lowest Price Ever **Only 8<sup>95</sup>**  
Quantities Limited

770 STEREO CARTRIDGE — induced-magnet low mass design with diamond stylus. Tracking force: 2-6 grams. Separation 30 db. Response 10-20,000 cps  $\pm$ 3 db. Sensitivity 8 mv at 5.5 cm/sec. Wt., 8 oz. 21 R 1308L Net 8.95

## SCOTT "HHS-20" 40 WATT FM STEREOPHONIC RECEIVER

- IC IF Amplifier • IC Stereo Pre-amplifier

Famous Scott quality in a moderately priced 40-watt FM stereo receiver. You get luxurious styling, and exciting stereo performance. Provides ideal hi-fi reception of stereo FM, plus complete control facilities for every music source. Deluxe features include: large illuminated slide rule dial; front panel microphone and guitar input jacks; front panel stereo headphone jack; dual Bass, Treble, and Volume controls; main and remote speaker switching—plays main, remote, or both main and remote speakers at the same time, tape monitor switch, professional tuning meter, and stereo indicator light. Also has extra stereo input for tape cartridge or reel-to-reel decks. Specifications: Power output (IHF) 40 watts @ 4 ohms. Frequency Response: 18-25,000 Hz. Useable FM Sensitivity: 2.3 $\mu$ v. Dimensions: 5 $\frac{1}{2}$ "Hx17 $\frac{1}{2}$ "Wx15 $\frac{3}{8}$ "D. For 117 VAC, 60 Hz. Shpg. wt., 19 lbs. 21 R 5440WX \$11 Monthly Net 199.95



**SALE! 199<sup>95</sup>** **SAVE \$20.00**

Was 219.95 1968 Cat. 683


Hi-Fi Components Are Available on Easy Pay Plan—No Money Down

Lafayette Cat. No. 684 31

## 5 Year Guarantee

A Lafayette quality product that is guaranteed against defects in material and workmanship for 5 years. If this unit fails to operate due to such defects, simply return it prepaid with your original sales slip or order. Lafayette will repair it without charge including return transportation.

### LAFAYETTE "Criterion® 20A" THE "MINIATURIZED" SPEAKER SYSTEM!



**22<sup>95</sup>**

2 for 44.50


- Only 5" x 11 1/4" x 7 1/4"
- 20 Watt Power Handling Capacity

Hardly bigger than a table radio, yet offers astonishing high fidelity reproduction! The rich, deep-down bass must be heard to be believed—gives you excitingly real sound—fits anywhere... on a bookshelf... table... even on a wall! Comes finished on all four sides in a rich, hand-rubbed oiled walnut veneer, tastefully framed in an ebony and gold picture frame molding with white gold acoustic grille material. A powerful 5" woofer equipped with a large magnet and voice coil provides high efficiency and power capability. A 6 db per octave L-C crossover network transfers power to a newly developed 4" mid-range/high frequency unit which provides brilliant highs. Power Rating: 20 watts program material. Frequency Response: 45 to 20,000 cps. Crossover frequency: 2800 cps. Nominal Impedance: 8 ohms. Imported. Shpg. wt., 8 lbs.

99 R 0168W "Criterion 20A"

Net 22.95

### LAFAYETTE "decor-ette® V" SLIM 5-SPEAKER 3-WAY SYSTEM



**34<sup>95</sup>**

2 for  
68.50

No Money  
Down


- Frequency Response 50-18,000 cps
- Power Handling Capacity: 25 Watts
- Four Specially Engineered 6 1/2-inch Low Resonance Speakers—One 2 1/2-inch Cone Type Tweeter Designed to Achieve Optimum Performance in a Thin Type Audio-panel Enclosure Only 4 1/4 Inches Thick

A dazzling 5-speaker system—magnificently styled and offered in an ultra-slim enclosure only 4 1/4" deep. Four 6 1/2" low resonance woofers assure rich deep-down bass. A 2 1/2" cone-type tweeter provides sparkling reproduction of the mid-range and highs. Overall response of this system is 50-18,000 cps. Enclosure is finished in a rich hand rubbed oiled walnut veneer with matching picture frame molding. System may be used for floor mounting, bookshelf, or even wall mounting. Supplied complete with matching legs. Dimensions: 21 3/4" H x 17 3/8" W x 4 1/4" D. Power handling capacity: 25 watts program material. Nominal impedance: 8 ohms. Imported. Shpg. wt., 17 lbs.

99 R 0008WX \$5 Monthly

Net 34.95

### LAFAYETTE "Criterion® 50" TRUE 2-WAY BOOKSHELF SYSTEM



**29<sup>95</sup>**


- 20-Watts Power Handling Capacity
- 8" Woofer Plus 4" Tweeter
- Highly Efficient—Perfect for Low Power Amplifiers

A true 2-way bookshelf-type speaker system that offers impressive hi-fi sound, yet measures only 19Wx8 3/8"Dx10 3/4"H. Contains two separate speakers—you get an 8-inch woofer and a 4-inch tweeter to provide realistic wide-range reproduction. An acoustically "tuned" enclosure, fully lined, assures smooth, resonant-free sound output with extended bass response. The enclosure is finished on all four sides in a rich, hand-rubbed oiled walnut veneer and tastefully framed in an ebony and gold picture frame molding with white and gold acoustic grill material. Truly, an outstanding buy at this low price. For use with low-power stereo amplifiers—but rated at 20 watts program material for use with larger amplifiers. Designed for vertical or horizontal placement. Overall response: 35-18,000 cycles. 3000 cps electrical crossover. Nominal impedance: 8 ohms. Imported. Shpg. wt., 28 lbs.

99 R 0128WX "Criterion 50"

Net 29.95

### LAFAYETTE "Criterion® 75" 2-WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM



Only  
**39<sup>95</sup>**

No Money  
Down

- Power Handling Capacity—30 Watts
- 6" Woofer plus 3" Tweeter
- Solid 3/4" Construction
- High Frequency Brilliance Control
- Crossover—Electrical 2,500 Cycles

Outstanding, compact, 2-way bookshelf speaker system mounted in a completely sealed and damped enclosure. Uses the acoustic suspension principle to extend low frequency response down to 30 cps for deep rich bass. Powerful 5 1/2" woofer features a mass loaded cone especially matched to the enclosure. Closed back, 3" cone type tweeter prevents speaker interaction and provides high frequency coverage to 20,000 cps. A 2,500 cycle crossover network is built-in with an external brilliance control to adjust the output level of the tweeter for proper balance of volume between the high and low frequencies. Can be connected to amplifiers with a power output as low as 3 watts, or as high as 30 watts per channel. Impedance: 8 ohms. Styled in hand rubbed, oiled walnut finish on four sides. Acoustic grill is set off with contrasting ebony and gold picture frame molding. For vertical or horizontal placement. Size: 15 x 8 1/4 x 7 1/4". Imported. Shpg. wt., 7 1/2 lbs.

99 R 0192WX \$5 Monthly

Net 39.95

# Wide Range Sound Reproduction

*5 Year Guarantee*




A Lafayette quality product that is guaranteed against defects in material and workmanship for 5 years. If this unit fails to operate due to such defects, simply return it prepaid with your original sales slip or order. Lafayette will repair it without charge including return transportation.

## LAFAYETTE "CRITERION" 100A" DELUXE 2-SPEAKER 2-WAY SYSTEM

**44<sup>95</sup>**  
2 for  
**88.88**

No Money  
Down




- Powerful Handling Capacity—30 Watts
- Powerful 10" Woofer with 1 lb. Magnet Plus 4" Tweeter
- Overall Response 30-19,000 Cycles

Top quality, moderately priced speaker system that delivers really "big" sound. A powerful 10-inch woofer provides smooth bass response down to 30 cycles. A 4-inch Cone-type tweeter provides reproduction of the mid-range and high frequencies (to beyond audibility) and is of the closed back type to prevent interaction with the 10-inch woofer. Smooth transition is achieved by means of electrical crossover at 2800 cycles. Features high frequency brilliance control. Enclosure is a bass-reflex type using a ducted port to provide proper acoustic tuning and has a beautiful walnut finish on 4-sides. Dimensions are 21½Wx11¾Hx10½"D. Overall frequency response: 30-19,000 cycles; nominal impedance: 8 ohms; power handling capacity: 30 watts program material. Imported. Wt., 30 lbs. 99 R 0148WX \$5.00 monthly Net 44.95

## LAFAYETTE "Criterion" 150" 10" ACOUSTIC SUSPENSION SPEAKER SYSTEM

**49<sup>95</sup>**  
No Money  
Down

- Power Handling Capacity—40 Watts



- Overall Response—20-20,000 cps.

*Professional Quality 2-Way System Mounted  
in a Completely Sealed and Damped Enclosure*

High quality, excellent performance, and handsome decorator styling keynote the exciting Lafayette "Criterion 150" Speaker System. It utilizes the famous acoustic suspension design principle to develop extended bass with velvet smooth high frequency response in a cabinet of compact proportions. The system's main working element is a special 10" high compliance woofer with a massive magnet structure for powerful deep bass response down to 20 cps. 3½ inch tweeter extends high frequency response to beyond audibility for thrilling clarity and wide angle dispersion. Built-in (LC) Electrical Crossover Network is adjusted for 2000 cps. Features High Frequency brilliance control on rear of cabinet. Power Handling Capacity: 40 watts. Impedance: 8-ohms. Luxurious oiled walnut veneer enclosure with gold frame molding and beige grille. Shelf size: 19 W x 11 H x 9" D. Imported. Shpg. wt., 17 lbs. 99 R 0181WX \$5 Monthly Net 49.95

## DELUXE LAFAYETTE "Criterion" 200A" 3-Speaker 3-WAY SYSTEM

Only  
**69<sup>95</sup>**  
No Money  
Down




- Power Handling Capacity—40 Watts
- 12" Woofer With 1 LB Magnet
- 3" Dome-Type "Super" Tweeter
- 8" Closed Back Midrange Unit
- Response 25-25,000 cps
- "Tuned" Enclosure with Tube-Type Ducted Port
- 2 Controls—Brilliance Presence

One of our finest speaker systems—manufactured to rigid specifications and designed to provide full, wide-range response... from a low 25 cycles all the way up to 25,000 cycles! The Criterion 200 employs 3 separate speakers to provide performance that will satisfy even the more critical listener. 12" woofer with a 1 lb. magnet and 2½" diameter voice coil provides deep, solid bass... reproduces low-frequency instruments with thrilling realism! A superb 8" mid-range speaker and a back-loaded 3" metallic dome-type "Super" tweeter provide flawless reproduction of the mid-range and high frequencies. Features high frequency brilliance range presence control at rear of cabinet. Enclosure is finished on all four sides in a rich, hand-rubbed oiled walnut veneer, attractively framed in an ebony and gold picture-frame molding with white and gold acoustic material. Dimensions 24Wx14Hx12"D. Overall Frequency Response: 25 to 25,000 cps. Crossover Frequencies: 700 and 5,000 cps. Impedance: 8 ohms. Power Handling: 40 watts program material. Imported. Shpg. wt., 35 lbs. 99 R 0149WX \$5 Monthly Net 69.95

## SUPER LAFAYETTE Criterion" 3X 3-WAY 12" ACOUSTIC SUSPENSION SYSTEM

Only  
**89<sup>95</sup>**  
No Money  
Down



- Power Handling Capacity 50 Watts
- Designed For Use with The Highest Quality Component Amplifiers and Receivers
- Overall Response 20-25,000 CPS
- Separate Midrange and High Frequency Controls

Superb 3-way speaker system for the critical listener seeking greater realism in reproduced sound. Uses the renowned acoustic suspension principle to extend low frequency response down to a low 20 cycles... gives you the deep, powerful bass that is so necessary to proper musical enjoyment. Heart of the system is a special 12" high compliance woofer with long-throw voice coil. Midrange frequencies are flawlessly reproduced by a 6½" cone driver which employs a sealed back to avoid interaction with the woofer and to prevent air leakage from the enclosure. 3" metallic, dome-type super tweeter provides brilliant, peak-free reproduction of the highs. Electrical 1200 and 6000 cps. L-C network ensures smooth crossover between all speaker units. Separate midrange and high frequency level controls. Fully air-tight enclosure is solid ¾" construction filled with fiber glass to prevent resonance. Rich, hand-rubbed oiled walnut veneer. Attractive frame of ebony and gold with new snap-off nubby grille cloth panel. Impedance: 8 ohms. Size: 23x13½x11¾" deep. Imported. Shpg. wt., 32 lbs. 99 R 0176WX \$5 Monthly Net 89.95

# Stereo Headphones and Speakers

DELUXE Model F-767 STEREO HEADPHONE



WE HAVE SOLD  
OVER 100,000  
OF THESE  
PHONES

11<sup>88</sup>

• Two 2½" Wide Range Transducers

Our famous best selling quality stereo headphone offers outstanding stereo sound reproduction to the listener. Extremely comfortable headband is covered with an air-filled vinyl bag which serves as a gentle cushion. Soft foam rubber ear pads keep out external noise and provide maximum bass response. Two specially designed full range 2½" speakers are precisely matched to each ear cup. Complete with attached stereo phone plug, overload junction box, 5 ft. cord, and instructions. Frequency Response: 30-15,000 cps. Impedance: 8 ohms per phone. Imported. Shpg. wt., 2½ lbs.  
99 R 0035 Net 11.88

## SPECIAL PURCHASE

SUPEREX ST-PRO STEREO HEADPHONE



Only 29<sup>95</sup>

Buy Now—  
Quantities Limited

- Co-Axially Mounted Woofer and Tweeter in Each Phone
- 18 to 22,000 CPS Frequency Response

Professional quality stereo headphones for high fidelity stereo, FM, records and tapes on a frequency response of 18 to 22,000 cps. Dynamic woofer for low frequency and ceramic tweeter for high frequency are mounted co-axially in a high impact case. Luxuriously soft vinyl urethane foam filled cushions make tight ear seal. Adjustable, spring steel headband. 4-15 ohm impedance. Nominal power 30 mw., maximum power, 2 watts. Comes with 7 ft., four conductor cord, standard stereo plug. Shpg. wt., 3½ lbs.  
21 R 8004 Net 29.95

25 Ft. UNIVERSAL STEREO HEADPHONE EXTENSION CORD. Flexible 3-conductor cable. With a ¼" 3-circuit plug on end, 3-circuit jack on the other end. Ideal for Lafayette F-767, Superex ST PRO and all famous stereo headphones. Imported. Shpg. wt., 1 lb.  
99 R 0116 Net 2.29

## LAFAYETTE "MINUETTE/II" 2 WAY HI-FI SPEAKER SYSTEM




Only 14<sup>95</sup> 2 For 28<sup>50</sup>  
BUY 2 FOR STEREO  
SAVE 1.40

- 2 Speakers—5" x 7" Woofer, 2½" Tweeter
- Shelf Size 6"W x 15½" x 9¼"D
- Genuine Oiled Walnut Finish On 4-Sides
- Brilliance Control

Lafayette "Minuette/II" Hi-Fi Speaker System will bring music to any room in your home—and for a remarkably low cost. Designed for use where space is at a premium—ideal for the small apartment or listening area. Expand your stereo system to other areas of your home... easily used in the den, kitchen, patio or bedroom. Employs a specially designed 5 x 7" woofer, electrical crossover at 8,000 cps, plus a 2½" tweeter in a ducted-port brass reflex type enclosure. Provides exceptionally fine musical quality yet measures only 6W x 15½H x 9¼"D. Small enough to fit anywhere. Superb oiled walnut finish on 4 sides allows placing speaker horizontally or vertically. Frequency response: 80 to 19,500 cps. Features adjustable level control for brilliance. Impedance 8 ohms. Rated at 10 watts. Imported. Shpg. wt., 8 lbs

99 R 0171W Net 14.95  
Set of Two For Stereo—  
SAVE 1.40 Net 28.50

## REVOLUTIONARY LAFAYETTE "POLY-PLANAR" SPEAKERS



Totally New Concept  
In Wide Range  
Electrodynamic Speakers  
Replaces Cone Speakers in Any Application

12" SPEAKER 10.95

5" SPEAKER 5.95

12" LAFAYETTE POLY-PLANAR WIDE RANGE SPEAKER—Unique physical and audio characteristics permit a wide range of uses: Hi-Fidelity speaker systems, TV or radio, automotive, public address, architectural application (Build Poly-Planars into walls, closet doors, ceilings), and marine application. Use it as it is, or cover it, baffle it, enclose it. Specifications: Power Capacity 20 watts Peak; Frequency Range, 40-20,000 cps; Voice Coil diameter, 1"; Magnet weight, 4.8 oz; Imp., 8 ohms; Maximum operating temperature, +175°F. Size: 12½"D x 14¼"H x 11¾"W.  
21 R 5601, Shpg. wt., 2 lbs. Net 10.95

5" LAFAYETTE POLY-PLANAR WIDE RANGE SPEAKER—Same physical and audio characteristics as above 12" speaker. Especially designed for small space high performance applications such as automobile speakers, extension speakers. Specifications: Power capacity, 5 watts Peak; Imp., 8 ohms; Frequency range, 60 cps to 20KC; Operating temperature range, -20°F to +175°F; Voice coil diameter, 3/4". Size: 3/4"D x 8½"H x 4½"W. Shpg. wt., 1 lb.  
21 R 5602 Net 5.95

Lafayette "Poly-Planar" wafer-type component loudspeakers employ a lightweight acoustic panel supported by a frame of polystyrene plastic material to reproduce a range of frequencies from 40 cps to 20,000 cps. This material also permits the speakers to be made impervious to extremes of temperature, humidity, shock, and vibration. There is also a minimum of piston motion resulting in low distortion and high electromagnetic efficiency.

# Popular Priced—Top Quality



## LAFAYETTE '200' 4-SPEED AUTOMATIC STEREO TURNTABLE



Only **19<sup>95</sup>**  
Less Base  
Made in U.S.A.

The Model 200 is a quality 4-speed changer providing outstanding performance at a low, low price. Heavy duty 10" turntable platter delivers no noticeable hum, rumble, or wow. Plays 16 $\frac{2}{3}$ , 33 $\frac{1}{3}$ , 45, 78 RPM records automatically or manually. An extra added feature is a 7", 10", or 12" record selector knob. Can dial your own intermix of up to seven 7", 10", or 12" records of the same speed by manually adjusting this knob. Automatic shut-off after last record has been played. Balanced featherweight tone arm is equipped with a turnover stereo cartridge with dual synthetic sapphire stylus. Dimensions: 13 $\frac{1}{2}$ " x 12", 4 $\frac{7}{8}$ " above, 2 $\frac{1}{2}$ " below mounting surface. For 117VAC 60 cps. Brown with gold trim. Shpg. wt., 10 lbs.

21 R 0154W ..... Net 19.95

### ACCESSORIES FOR MODEL 200

Oiled Walnut Recessed Base. Wt., 2 lbs.  
21 R 0201W ..... Net 4.50  
45 RPM Spindel. Shpg. wt., 6 oz.  
21 R 0202 ..... Net .99  
Plastic Dust Cover. Shpg. wt., 1 lb.  
24 R 0247W ..... Net 3.95

- Plays 16 $\frac{2}{3}$ , 33 $\frac{1}{3}$ , 45, 78 Records
- Heavy 10" Turntable Platter
- Heavy Duty Constant Speed Motor
- Automatic Shut-off

## Deluxe LAFAYETTE '400' 4-POLE 4-SPEED AUTOMATIC STEREO TURNTABLE



**29<sup>95</sup>**  
Less Base  
Made in U.S.A.



Diamond  
Needle

Deluxe Lafayette 4-speed automatic record changer with a balanced heavy 4-pole motor, heavy 11" turntable platter, professional type tubular tone arm with adjustable counterweight. Elegantly styled with gold plated overarm. Plays 16 $\frac{2}{3}$ , 33 $\frac{1}{3}$ , 45, and 78 RPM records, both stereo and monaural, either automatically or manually. Spindle prevents double record drops. Ribbed rubber turntable mat cushions records, and absorbs vibration thus reducing rumble. Changer automatically turns off after last record has been played. Automatically intermixes up to seven 10" and 12" records of the same speed. Arm comes equipped with turnover stereo cartridge with .7 mil diamond stylus for LP records, and 3 mil synthetic sapphire for 78 RPM records. Dim.: 13 $\frac{5}{8}$ " x 12", 4 $\frac{1}{2}$ " below and 5 $\frac{1}{2}$ " above mounting surface. For 117 VAC 60 cps. Beautiful brown and gold trim. Shpg. wt., 12 lbs.

21 R 0155W ..... Net 29.95

### ACCESSORIES FOR MODEL 400

Oiled Walnut Recessed Base. Wt., 2 lbs.  
21 R 0203W ..... Net 4.50  
45 RPM Spindle. Shpg. wt., 6 oz.  
21 R 0105 ..... Net .99  
Plastic Dust Cover. Shpg. wt., 1 lb.  
24 R 0247W ..... Net 3.95

- Heavy 11" Turntable Platter
- Plays 16 $\frac{2}{3}$ , 33 $\frac{1}{3}$ , 45, 78 Records
- Intermixes Records of the Same Speed
- Beautiful Trim and Styling

## FAMOUS NAME Stereo Diamond Needle Cartridges

### DELUXE PICKERING V15/AME STEREO ELLIPTICAL CARTRIDGE



Only **14<sup>88</sup>**

OUR LOWEST PRICED ELLIPTICAL STEREO CARTRIDGE. Patented "V-Guard" diamond stylus assembly. Freq. resp.: 20-20,000 cps. Nominal output 5.5mv. Shpg. wt., 3 oz.  
21 R 5344L ..... Net 14.88

GRADO BTR† 21 R 4131L ..... 9.95	ADC 220† 21 R 1323L ..... 9.95	SHURE M7/N21D† 21 R 6206L ..... 9.95
PICKERING V15ACE-3* 21 R 5377L ..... 29.95	EMPIRE 888† 21 R 3418L ..... 24.95	SHURE M44-7† 21 R 6216L ..... 19.95
PICKERING V15ATE-3* 21 R 5374L ..... 39.95	EMPIRE 808E* 21 R 3470L ..... 29.95	SHURE M32E* 21 R 6239L ..... 25.00
PICKERING XV-15/AME* 21 R 5375L ..... 49.95	EMPIRE 888E* 21 R 3457L ..... 39.95	SHURE M44E* 21 R 6236L ..... 34.50

\*Elliptical Diamond Stylus †Conical Diamond Stylus

Lafayette Automatic Turntables Are Custom-Made in U.S.A.

Lafayette Cat. No. 684 35

# Deluxe Garrard Synchro Lab® Automatic Turntables



## SAVE UP TO \$39.94

From individual catalog prices when you purchase an elliptical cartridge for only 1 cent more with a Garrard Turntable listed on this page. See listing under each turntable.

Gives you the best features of both Induction and Synchronous type motors



Shure M32E  
25.00

Pickering V15/ACE-3  
29.95

Empire 808E  
29.95

Shure M44E  
34.50

Pickering V15/ATE-3  
39.95

Empire 888E  
39.95



SL-95  
Less Cartridge  
and Base  
**129<sup>50</sup>**

SL-95  
with Choice of  
Elliptical Cartridge  
Less Base  
**129<sup>51</sup>**



SL-75  
Less Cartridge  
and Base  
**109<sup>50</sup>**

SL-75  
with choice of  
Elliptical Cartridge  
Less Base  
**109<sup>51</sup>**

### PROFESSIONAL SL-95 AUTOMATIC TURNTABLE with choice of Stereo Elliptical Cartridge

Garrard's finest 3-speed Automatic Stereo Transcription Turntable for flawless reproduction of 33½, 45, and 78 RPM records. Advanced ultra-low mass one piece tonearm of lightweight aluminum with Afrormosia wood insert for low resonance damping; gyroscopic gimballed pivots for minimal friction; adjustable counterweight; and stylus force adjustment dial with 1/4 gram audible/visible settings from 0.5 grams. Adjustable movable weight anti-skating control calibrated in 1/2 grams. Full 12" turntable. Combined manual and cueing control. Auto-Rise record safety platform for automatic play. Automatic spindle and manual rotating spindle. All connecting cables. For 110-130V 60 cycles AC. Dim.: 15-13/16"W x 14 1/4"L, above motor board 4 3/4", below 3". Shpg. wt., 13 lbs. less base. Imported from England.

- 21 R 3788WX SL-95 only Net 129.50
- 21 R 4001WXM SL-95 plus Pickering V15/ATE-3 Net 129.51
- 21 R 4002WXM SL-95 plus Empire 888E Net 129.51
- 21 R 4003WXM SL-95 plus Shure M44E Net 129.51

### SL-75 AUTOMATIC TRANSCRIPTION TURNTABLE with choice of Stereo Elliptical Cartridge

Brilliant 3-speed automatic stereo transcription turntable with professional features: low mass twin-braced extruded aluminum tone arm for freedom from resonance. Stylus pressure set with precision "optical" knob, clearly marked 0 to 5 grams in 1/4 gram increments. Adjustable counterweight. Interchangeable cartridge clips. Adjustable anti-skating control calibrated in 1/2 grams. Patented automatic spindle. Anti-static mat with safety grooves. Combined manual and cueing controls. Auto-Rise retractable record safety platform. Automatic and rotating manual spindle. Connecting cables. For 110-130V 60 cycles AC. Dim.: 15 13/16"W x 14 1/4"L, above motor board 4 3/4", below 3". Shpg. wt., 13 lbs. less base. Imported from England.

- 21 R 3789WX SL-75 only Net 109.50
- 21 R 4004WXM SL-75 plus Pickering V15/ATE-3 Net 109.51
- 21 R 4005WXM SL-75 plus Empire 888E Net 109.51
- 21 R 4006WXM SL-75 plus Shure M44E Net 109.51



SL-65  
Less Cartridge  
and base  
**79<sup>50</sup>**

SL-65  
with choice of  
Elliptical Cartridge  
Less Base  
**79<sup>51</sup>**

### SL-65 AUTOMATIC TURNTABLE with choice of Stereo Elliptical Cartridge

Exciting automatic turntable with tubular, dynamically balanced, counterweight-adjusted tonearm. Stylus pressure set with precision knurled optical type knob. Cast, balanced oversized turntable. Cueing and pause lever control. Automatic anti-skating assembly. Plays 16 2/3, 33 1/3, 45, and 78 RPM records. Intermix operation. Automatic and manual spindles. Connecting cables. For 110-130V 60 cycles AC. Dim.: 15 3/8"W x 13 1/2"L, above motor board 4 3/4", below 2 7/8". Shpg. wt., 13 lbs. less base. Imported from England.

- 21 R 3790WX SL65 Net 79.50
- 21 R 4007WXM SL-65 plus Pickering V15/ACE-3 Net 79.51
- 21 R 4008WXM SL-65 plus Empire 808E Net 79.51
- 21 R 4009WXM SL-65 plus Shure M32E Net 79.51



SL-55  
Less Cartridge  
and base  
**59<sup>50</sup>**

SL-55  
with choice of  
Elliptical Cartridge  
Less Base  
**59<sup>51</sup>**

### SL-55 AUTOMATIC TURNTABLE with choice of Stereo Elliptical Cartridge

Excellent compact model, featuring lightweight tubular tone-arm, with fixed counter balance weight, stylus pressure indicator with gram markings. Cueing lever control. Oversized turntable with decorative mat. Four accurate speeds: 16 2/3, 33 1/3, 45, and 78 RPM. Automatic intermix operation when desired. Handsomely styled unitized control panel. Connecting cables. For 110-130V 60 cycles AC. Dim.: 14 7/8"W x 13 3/4"L, above motor board 4 3/4", below 2 7/8". Shpg. wt., 11 lbs. less base. Imported from England.

- 21 R 3791WX SL-55 only Net 59.50
- 21 R 4010WXM SL-55 plus Pickering V15/ACE-3 Net 59.51
- 21 R 4011WXM SL-55 plus Empire 808E Net 59.51
- 21 R 4012WXM SL-55 plus Shure M32E Net 59.51

# GARRARD Automatic Turntables and Accessories

GARRARD MODEL 40 WITH CHOICE OF CARTRIDGES

Model 40/II less cartridge and base <b>44<sup>50</sup></b>	Model 40/II with choice of Conical Cartridge less base <b>44<sup>51</sup></b>	Model 40/II with choice of Elliptical Cartridge less base <b>49<sup>50</sup></b>
---	---	--

See turntable — cartridge listing below

4 speed automatic intermix stereo turntable—16 $\frac{2}{3}$ , 45, and 78 RPM. Counterweighted cast aluminum tone arm. Automatic intermix operation when desired. Handsomely styled unitized control panel with separate positions for manual and automatic play. Simple, convenient stylus pressure adjustment. Oversized turntable with decorative mat. Garrard 4-pole shaded "Induction Surge" motor, with dynamically balanced rotor, shielded from hum. Size: 14 $\frac{1}{4}$  L x 12 $\frac{1}{2}$  D. Requires 4 $\frac{3}{8}$ " above and 2 $\frac{7}{8}$ " below motor board. Complete with all connecting cables. Less base. For 110-130 volts, 60 cycles AC. Shpg. wt., 11 lbs. Imported from England.

21 R 3756W Model 40/MK-II only	Net 44.50
21 R 4013WM Model 40/MK-II plus Pickering V15/AC-3	Net 44.51
21 R 3757WM Model 40/MK-II plus Empire 888	Net 44.51
21 R 3768WM Model 40/MK-II plus Shure M-44-7	Net 44.51
21 R 4014WM Model 40/MK-II plus Pickering V15/ACE-3	Net 49.50
21 R 4015WM Model 40/MK-II plus Empire 808E	Net 49.50
21 R 4016WM Model 40/MK-II plus Shure M32E	Net 49.50



Your Choice Of

CONICAL CARTRIDGE FOR ONLY 1<sup>c</sup> MORE OR  
ELLIPTICAL CARTRIDGE FOR ONLY \$5.00 MORE  
WITH THE PURCHASE OF THE GARRARD 40 (SEE  
LISTING AT LEFT)

## GARRARD MODEL 30 STEREO AUTOMATIC TURNTABLE

**39<sup>50</sup>**  
less base  
No Money  
Down



Complete with Ceramic  
Diamond Stylus Stereo  
Cartridge

- Fine Garrard Built Motor
- Automatic Intermix Operation

Garrard 4-speed automatic stereo turntable designed especially for use in low priced hi-fi systems, and perfect for replacement in consoles and phonographs. Features oversized, weighted turntable, one piece cast aluminum tone arm, ultra compact size. Plays 16 $\frac{2}{3}$ , 33 $\frac{1}{3}$ , 45 and 78 RPM records. Intermix automatic operation when desired. Two spindles—short for manual, center drop for automatic play. With ceramic cartridge, diamond stylus. All connecting cables. Dim.: 14 $\frac{1}{4}$ " x 12 $\frac{3}{4}$ ", above motor board 4 $\frac{3}{4}$ ", below 2 $\frac{1}{4}$ ". Shpg. wt., 10 $\frac{1}{4}$  lbs. For 110-130VAC, 60 cps. Shpg. wt., 11 lbs. less base. Imported from England.

21 R 3792W \$5 Monthly Net 39.50

## ACCESSORIES FOR GARRARD AUTOMATIC TURNTABLES



Garrard Simulated Ebony and Walnut Base with Silver Trim. Shpg. wt., 2 lbs.

21 R 3793W For SL75 and SL95	Net 5.95
21 R 3761W For SL55, SL65, 60, 50, 40, 30, 20 Series	Net 4.95
Power-Matic Bases: Automatically turns off amplifier when last record has played. Switch permits use of amplifier without changer. For 110 VAC 60 cps. Shpg. wt., 6 lbs.	
21 R 3794W For SL65, SL55, 40, 30, and 20 series	Net 14.95
21 R 3795W For SL75, and SL95	Net 15.95
Garrard Crystal Clear Styrene Dust Covers. Can be used in place while playing a stack of records. Shpg. wt., 1 $\frac{1}{2}$ lbs.	
21 R 3765W For SL75, SL95, Lab 80, 70 Series	Net 5.95
21 R 3764W For SL55, SL65, 40, 30, 20 SLX Series	Net 4.95
Lafayette Wood Mounting Boards—Unfinished, Shpg. wt., 1 $\frac{1}{2}$ lbs.	
24 R 1216W For SL75, and SL95	Net 1.30
24 R 1209W For SL55, SL65, 60, 50, 40, 30, 20 Series	Net 1.30
Extra-plug in Shells with all mounting accessories. Wt., 6 oz.	
21 R 3728 For SL55, SL65, 40 and 20 Series	Net 1.75
21 R 3798 For SL75	Net 1.75
21 R 3796 For SL96	Net 1.75
45 RPM Spindles, Shpg. wt., 10 oz.	
21 R 3787 For SL55, SL65, 60, 50, 40, 30 SLX Series	Net 3.80
21 R 3797 For SL75 and SL95	Net 3.80

## GARRARD "MODULE SLX" SYNCHRO-LAB™ AUTOMATIC TURNTABLE

- Premounted on Walnut and Ebony Base with Pickering Stereo Cartridge Installed

Deluxe performing 3-speed synchronous automatic turntable pre-mounted on a coordinated walnut and ebony base complete with fine quality Pickering high compliance magnetic diamond needle stereo cartridge installed. Features: Synchro-Lab Motor for constant synchronous speed, dynamically balanced Tone Arm with ball bearing pivots, Cueing and Pause Control, adjustable stylus pressure gauge built-in to tone arm—adjustable from 0 to 5 grams, oversized turntable with distinctive MAT and attractive aluminum trim ring, interchangeable spindles for manual or automatic play. Plays 33 $\frac{1}{3}$ , 45, or 78 rpm records (12", 10", or 7"). One lever controls all speeds and sizes. For 110-130 VAC 60 cps. Dim. on base 15"W x 13 $\frac{1}{4}$ "D x 7 $\frac{3}{4}$ "H. With all connecting cables. Shpg. wt., 14 lbs. Imported from England.

21 R 3799WX \$5 Monthly

Net 69.50



ONLY  
**69<sup>50</sup>**

No Money Down

Garrard Turntables Are Available on Easy Pay Plan

Lafayette Cat. No. 684 37



# Combines Superb Quality,

## LAFAYETTE LSC-40 SOLID STATE STEREO MODULAR HI FI PHONO SYSTEM



**99<sup>95</sup>**

No Money Down

Featuring Superbly Crafted Oiled Walnut Wood Cabinetry

Made in U.S.A.

INCLUDES DIAMOND STYLUS



- 4 Speed Automatic Lafayette Stereo Record Changer with Diamond LP Needle
- 2 Rich Sounding 2 Way Speaker Systems
- Stereo Headphone Jack For Private Listening
- Stereo Tape Outputs—Stereo Tuner Input

A true solid state 3 piece stereo hi-fi phono outfit with speaker systems that can be widely spaced for the utmost stereo effect. Features magnificent sound and striking appearance. Has tape outputs so that any program or record being reproduced through the amplifier can be recorded thru the Aux/Radio inputs on a stereo tape recorder. Also includes main and remote speaker outputs, stereo headphone jack, and tuner inputs for use with monophonic FM or AM tuners, and FM stereo tuners. Powerful solid state stereo amplifier has 4 controls (balance, volume, bass, treble) as well as 4 Selector switches (on/off, Stereo/Mono/Tuner, remote/main speakers). Lafayette 4 speed automatic stereo changer plays 7", 10", and 12" records, and is elegantly designed with gold plated overarm, plus a gold inlay on the tone arm. Features: dial your own intermix, automatic shut off, stereo turnover cartridge with diamond LP needle. 2 rich sounding shelf size Lafayette Minuet/II speaker systems. Each contains 5 x 7" woofer, a 2 1/2" tweeter, brilliance level control and has a full frequency range of 80 to 19,500 cps. Speaker Dim.: 6"W x 15 7/8"H x 9 1/2"D. Amplifier/Changer Dim.: 19 3/4"W x 14 1/2"H x 33 3/4"D. (7 1/2" overall height to top of spindle). Superbly crafted oil walnut wood cabinetry. For 110V 60 cps AC. Shpg. wt., 48 lbs.

24 R 0251WXM \$5 monthly ..... Net 99.95

### ACCESSORIES FOR LSC-40

Stock No.	Description	Shpg. wt.	Net
24 R 2301W	Plastic Dust Cover	2 lbs.	7.95
21 R 0202	45 RPM Spindle	3 oz.	.99
24 R 0229	Replacement Needle	1 oz.	1.69

### PANASONIC SG-610 SOLID STATE "SWING-WAY" PORTABLE PHONO with FM/AM RADIO



Only **69<sup>95</sup>**

with 6 "D" Batteries

• Operates On Batteries or AC  
 Exciting portable radio-phonograph housed in a handsome attache styled case. Press a button and a 2-speed phono swings down ready to play. Features "Sure Power" . . . if AC current fails—batteries automatically take over. Automatically changes to record speed you are playing . . . 45 or 33 1/3 rpm. Plays 7", 10", or 12" records. Also contains a fine AM/FM radio with slide rule tuning, continuous tone control, and built-in FM/AM antennas. Large 4" speaker. 11 transistors and 4 diodes. Black textured finish with silver trim. Dim: 14Wx10 1/4 Hx5"D. Imported. Shpg. wt., 12 lbs.  
 24 R 4108WX \$5 Monthly ..... Net 69.95  
 Extra "D" Batteries (6 req.)  
 99 R 6256 ..... Net ea. .15

### DELUXE LAFAYETTE MODEL LS-44A SOLID STATE AM/FM/FM STEREOPHONIC PHONOGRAPH



UL Listed,

Made in U.S.A.

Only **139<sup>95</sup>**

No Money Down



INCLUDES DIAMOND STYLUS

- 4-Speed Garrard Automatic Intermix Stereo Changer
- 12-Watt Stereo Amplifier • Stereo Tape Output — Input
- Four Speakers—Two 6" Woofers, Two 3 1/2" Tweeters


Handsomely designed, deluxe solid-state, stereo hi-fi Music Center featuring an all-transistor, dual 12-watt, stereo amplifier with instant-on performance, AM/FM/FM stereo tuner and a Garrard 4-speed intermix record changer. Plays 16, 33 1/3, 45, and 78 RPM records. Intermixes all size records of the same speed. Automatic shut off after last record has been played. 5 controls: Continuous On-Off/Loudness, Bass/Treble, Balance, Vernier Tuning, and 5-position Function Selector. Tunes in FM stereo broadcasts—for thrilling full-dimensional realism as well as static-free FM broadcasts and standard AM broadcasts. Features AFC (Automatic Frequency Control) to prevent drift on FM. Each detachable speaker wing contains one 6" woofer and one 3 1/2" tweeter for rich, clean sound reproduction. Space-age styled case with hideaway changer is in black with simulated walnut trim. Includes stereo turnover cartridge with diamond LP stylus. Size 23 3/4 x 15 H x 13"D. For 110-120 volt 60 cycle AC. UL listed. Shpg. wt., 37 lbs.

24 R 0228WX \$7.50 Monthly ..... Net 139.95  
 24 R 0217 45 RPM Spindle for above phonograph ..... Net 3.80  
 24 R 0255 Replacement Needle for LS-44A ..... Net 1.69

# Magnificent Sound...and Elegant Styling

## LAFAYETTE "MINI" LS-24 SOLID-STATE 4-SPEED AUTOMATIC PORTABLE STEREO PHONOGRAPH

## LAFAYETTE BATTERY OPERATED PORTABLE AM RADIO/PHONOGRAPH



**49<sup>95</sup>**

INCLUDES  
DIAMOND  
STYLUS



Made in U.S.A.

No Money  
Down

- Exciting BSR 4-Speed Automatic "Mini" Stereo Changer
- 8 Transistor Solid State Stereo Amplifier

Bold modern design... a truly outstanding performing stereo phono in a sleek cabinet of compact proportions, beautifully styled with drop-down compartment which folds away for maximum space saving efficiency. Features all new BSR 4-speed stereo automatic "Mini changer", with automatic shut-off. Plays all size records. Intermixes 12" and 10" records of the same speed. 2 separate 4" wide range speakers are acoustically balanced and spaced for true stereophonic full-dimensional sound. Powerful 3-control 8-transistor solid state stereo amplifier; volume left, volume right, and tone. Equipped with stereo turnover cartridge with diamond LP needle. Elegant sandalwood (cordovan grain) with brown turner cloth. For 110-120V 60 cycles AC. Size: 27½" L x 10¾" H x 6½" D. Shpg. wt., 19 lbs.

24 P 0252WX \$5 Monthly	Net 49.95
24 P 0256 45 RPM Spindle for LS-24	Net 1.49
24 P 0238 Replacement Dual Needle for LS-24	Net 1.69

Only **19<sup>95</sup>** with earphone

- 2-Speeds
- Compact, Lightweight
- Operates on 4 "D" batteries or 117 VAC with Optional Adapter
- Solid State Circuitry

Handsome, compact portable record player with built-in AM radio. Perfect for picnics, beaches, or anywhere you go. Plays 33½ and 45 RPM records. Tone arm features crystal turnover cartridge. Large 4" speaker for fine fidelity. Entire unit is housed in a 2-tone blue and white high impact plastic case. Includes earphone for private listening. Dim.: 12¾" W x 8¼" D x 2⅞" H. Less batteries. Imported. Shpg. wt., 5 lbs.

99 R 3529	Net 19.95
AC Adapter for above	
99 R 3541 wt., 6 oz.	Net 4.95
"D" Batteries for above	
99 R 6256 4 req.	Net ea. .15

## DELUXE LAFAYETTE LS-33 SOLID STATE STEREO HI-FI PORTABLE PHONO



UL Listed.

**89<sup>95</sup>**

No Money Down

INCLUDES  
DIAMOND  
STYLUS



- GARRARD 4-Speed Automatic Intermix Changer
- 4 Speakers—Two 8" Woofers, Two 3½" Tweeters
- 4 Controls—Loudness, Balance, Bass, Treble
- Detachable Speaker Enclosures

Our finest performing and best selling stereo phonograph. Luxuriously styled. Engineered with a fully solid-state circuit that offers "instant-on" and dazzling sound reproduction. Stereo amplifier gives 10 watts of power and has 4 controls—Loudness, Balance, Bass, Treble. Each detachable wing contains one 8" heavy-duty woofer and one 3½" tweeter plus a built-in 7' extension cord for walk-to-wall full-dimensional sound. Garrard 4-speed automatic intermix changer will handle all sizes and all speeds of both stereo and mono records. Intermixes different size records of the same speed. Automatic shut off. Wide range Vaco CN72D turnover stereo cartridge is equipped with a diamond stylus for LP and stereo records, and a synthetic sapphire stylus for standard 78 RPM records. Housed in beautiful all-wood case with simulated walnut and black scuff-resistant Pyroxylin coated material. Speaker grill is brown and gold. For 110V 60 AC. Size: 21¼" L (with speaker wings open extends to 42") x 12½" D x 14¾" H. UL Listed. Shpg. wt., 40 lbs.

24 P 0227WX \$5 Monthly	Net 89.95
24 P 0217 45 RPM Spindle for above	Net 3.80
24 P 0254 Replacement Dual needle for LS-33	Net 1.69

## NEW 2-SPEED BATTERY/ELECTRIC AM/FM PORTABLE RADIO PHONO



Only **32<sup>95</sup>** No Money Down

with batteries, 45 rpm adapter

- Solid State Circuitry
- Handsome Styling

A good looking, good listening all transistor AC/Battery powered 2-speed AM/FM portable radio/phonograph. Play it at home or take it with you to a picnic, on a boat, or wherever you go. Features 14 solid state devices, 4 stage IF on FM plus 3 stages IF on AM. Pulls in AM and FM stations near and far. Built-in ferrite antenna for AM, telescoping antenna for FM. Operate on self-contained batteries or plugs into 117V-60 cps AC with self storing AC line cord. Large 3½" speaker for rich, resonant sound. 45 RPM records. Color: Brown & White. Imported. Size 9" x 10½" x 3". Shpg. wt., 7 lbs. 24 R 5704W \$5 monthly Net 32.95 Extra "D" Cells (4 required) Net ea. .15 99 R 6256 Net ea. .15

Enjoy Your Portable Stereo Phono Now With Lafayette's Easy Pay Plan

Lafayette Cat. No. 684 39

# Hi-Fi And Phono Accessories



## HI-FI BOXER FAN

## STEREO VU BALANCE METER

- Sturdy Metal Construction

14<sup>85</sup>



11<sup>95</sup>



- Two Meters in One
- Balances Stereo Systems

Exceptionally low-noise fan for cooling hi-fi equipment. Slow rotating 5-blade impeller delivers 50 cfm, enough air to exhaust the average enclosure 10 to 30 times per minute. Minimizes thermal drift and increases equipment life. Airflow is reversible. Heavy non-wrap all metal frame and motor mounting acts as an efficient heat sink, adding life to motor and bearing. Prefabricated for years of maintenance-free operation. Only 4 1/4" square by 1 1/2" deep, fits any cabinet. Easy to install. Comes with complete mounting kit including special heavy duty brackets for mounting versatility, hardware, grommets, shock-absorbing spring mounting pad, A.C. power cord and clip on plug, template and instruction sheet. Rated 115 VAC, 1 phase, 60 cps.

Ends the problem of balancing your stereo system. Two precisely damped loudness meters provide a continuous comparison of speaker levels. Scales calibrated in "Volume Units" and percent. 1.2 volts input sensitivity for 0 VU or 100 percent indication. The special calibrating switch and 20 db attenuation controls permit exact matching of channels. Greater than 8,000 ohm impedance permits connecting to output circuits without loading. The entire unit is housed in an attractive plastic case 6"W x 3 3/4"H x 2 3/4"D. Imported.

24 R 4301 Shpg. wt., 2 lbs. Net 14.85

Net 11.95

## AUTOMATIC HI-FI SHUTOFF

## STEREO RUMBLE FILTER

Shuts off Hi-Fi equipment at the end of the last record. A 3-position switch allows the use of this one unit for all record changers, domestic and imported. This switch also permits manual operation if the Automatic Shut-Off feature is not desired. Housed in a rugged drawn-steel case with mounting ears, amplifier outlet, and 6 ft. AC cord. Size: 2 1/2 x 4 3/4 x 1 3/4". Shpg. wt., 1 lb.



2<sup>49</sup>



Filters out turntable vibration and rumble—makes every low-priced turntable and changer quiet and rumble-free. Designed for use with ceramic or magnetic cartridges. 3-position selector switch—ceramic, magnetic cartridge, off. Just plug it in between cartridge and amplifier inputs. Overall size: 5 x 2 1/2 x 5/8". Imported. Shpg. wt., 14 oz.


24 R 2801 Net 4.95

Net 2.49

## UNIVERSAL CABLE KIT

## 4 TUBE AC/DC STEREO PHONO AMPLIFIER


ONLY 1<sup>79</sup>



6<sup>50</sup>

(Less Tubes)

- 2 Output Transformers
- 2 Separate Tone Controls



Kit contains: 2 phono plugs with 69" connecting cable; phono plug connected to 2 alligator clips by 4" cable, coupler with phono jack and phono jack; phono plug output with phono jack input. All connecting cables are shielded and insulated. Ideal for connecting tape recorder to phonograph, radio or T.V., or tuner to amplifier. Imported.

99 R 0135 Shpg. wt., 6 oz. Net 1.79


Net 2.88

## STEREO SPEAKER WALL JACK KIT

## THREE TUBE AC-DC PHONO AMPLIFIER

A handsome ivory-finish wall stereo jack kit designed to be mounted in a standard outlet box. Ideal for remote amplifiers or for added stereo pleasure in the den, play room, etc. Contains two standard 1/4" phono plugs and two standard 1/4" phono jacks. Size: 4 1/4 x 2 1/4". 1" back clearance required. Imported. Shpg. wt., 1/2 lb.

99<sup>c</sup>




99 R 0136 Net .99

3<sup>95</sup>

(Less Tubes)

- Output Transformer
- Variable Tone Control



## STEREO SELECTOR SWITCHES FOR SOLID STATE HI-FI SYSTEMS

Speaker selector switch for solid state stereo systems. Allows choice of one of three pairs of speakers. Goldtone panel is designed to enhance any decor. High quality, nonshorting contacts capable of handling up to 60 watts audio. Imported. wt., 1 lb. Wall Box Selector.

99 R 0174 Net 1.59

Equipped with a variable tone control and volume control with off position. Delivers up to 2 watts output to 3 ohm speaker. Uses 3 tubes: 35W4, 50C5, 12AV6. Input impedance: 150 K ohms. Features top mounted output transformer. Less tubes. Size: 5 1/2 x 2 1/2 x 4". Imported. Shpg. wt., 2 lbs.

99 R 0153 Net 3.95

36 R 9002M Kit of 4 tubes Net 2.88

36 R 9001M Kit of 3 tubes Net 1.89

## LAFAYETTE L PADS

L pads for use as "brilliance" controls to vary tweeter level, or as "presence" controls to vary midrange speaker level. Both wire-wound elements are concentrically mounted within one plastic housing. With gold-finished metal escutcheon plate, mtg. screws, and attractive black knob. Size: 1 1/8" dia., 7/8" deep (less shaft), 2 1/2" deep overall. Imported. Shpg. wt., 6 oz.



L pad for 8 ohm circuits Net 1.39


L pad for 16 ohm circuits Net 1.39

99 R 6135 Net 1.39

## RADIO BROADCASTER/PHONO OSCILLATOR

- Wireless—No Connection to Radio Required

Have fun making announcements and broadcasting music through your own radio—with this broadcaster. Simply connect high impedance microphone or phono pickup to broadcaster and tune in broadcaster on radio. No wiring between the broadcaster and radio set. Pretuned to 1600 on radio dial but easily retuned. With 12BE6 and 35W4 tubes, phono jack, 2 feet of antenna, schematic and line cord. Completely wired. Chassis size: 4 x 2". For 110-125V AC/DC operation. Wt., 2 lbs.



4<sup>95</sup>

Depend on Lafayette For Complete Stocks, Lowest Prices, Fastest Service

# FLY THE BIG SKYHAWK BY REMOTE CONTROL

**COMPLETE OUTFIT:**  
Plane, Receiver, Transmitter,  
Batteries and Charger

Only **79<sup>95</sup>**

No Money Down



**TESTOR'S R/C SKYHAWK**

- Easy To Fly—Ideal For Beginners
- One Mile Range of Control
- Rechargeable Batteries with Charger
- Big 44" Wingspan—Length 27"
- Internal Combustion .049 Engine



Completely assembled ready to fly radio controlled plane which incorporates true (pulse) proportional control for smoother, more realistic flight control. This plane is so easy to fly that it is recommended for beginners—no electronic or mechanical skill is required. Aircraft fuselage constructed of virtually indestructible super-impact styrene. Wings and horizontal stabilizer are of super light styrofoam. Tricycle landing gear assures simple landings. High torque .049 cubic inch internal combustion engine has gas tank attached for 4 minutes of powered flight. Super sensitive 9 transistor superhet receiver combines with a powerful dual coil, twin magnet actuator for superior reliability. 8 transistor 250 milliwatt transmitter provides up to one mile range control. Simple guidance controls include finger tip trim for basic in-flight stabilization. Heavy duty recharge-

able batteries are easily charged with convenient charger (included). Complete with R/C plane, transmitter, battery charger, and illustrated flying instruction book. Shpg. wt., 6 lbs.

42 R 7301TWX for 27.145 MC. \$5 Monthly **Net 79.95**

## SKYHAWK SPECIFICATIONS

Length: Fuselage 27", Wing 44". Flying Weight: 23 ounces (approximately). Speed: 30 MPH True. Fuel Capacity: 4 Minutes Powered Flight. Transmitter: Single Tone AM Modulated Relayless Pulse. Receiver: Superheterodyne With Pulse Width Rate Decoders.

Mail orders on above Skyhawk, except Easy-Pay, must be accompanied by full remittance.

Shipments made direct from Addison, Illinois; transportation charges collect.

## REMOTE CONTROL MUSTANG GT OUTFIT



- Completely Assembled—Ready To Use
- Twin High Torque Drive Motors
- Rechargeable Batteries with Charger
- Electronic "Relay-less" Drive Control

**COMPLETE OUTFIT:**  
MUSTANG, Receiver,  
Transmitter, Batteries  
and Charger

**79<sup>95</sup>**

No Money Down

Authentic 1/11th scale model R/C Mustang GT. Fully assembled. Car body of glossy polystyrene. Durable chassis is tempered aluminum. Twin high torque drive motors are coupled to rear wheels through an electronically controlled 4 transistor rear end achieves true differential action! True (pulse) proportional circuitry permits feather-touch control. Guidance controls include steering (left-center-right), drive motor (start-stop) and speed (high-low). Super sensitive 9 transistor receiver combines with powerful dual coil, twin magnet actuator for superior reliability. 8 transistor 100 milliwatt transmitter provides convenient control board. Heavy duty

rechargeable batteries are easily charged with convenient charger (included). Complete with R/C model, transmitter, and battery charger. Shpg. wt., 7 lbs.

For 27.095 MC.  
42 R 7303TWX \$5 Monthly **Net 79.95**

## MUSTANG GT SPECIFICATIONS

Length: 16 inches. Width: 6 inches. Height: 4 inches. Weight: 2 lbs., 8 ounces. Speed: 100 MPH Scale, Turning Radius: 3 feet. Transmitter: Single Tone AM Modulated Relayless Pulse. Receiver: Superheterodyne With Pulse Width Rate Decoders.

Mail orders on above Mustang, except Easy-Pay, must be accompanied by full remittance.

Shipments made direct from Addison, Illinois; transportation charges collect.

## CITIZEN-SHIP TRANSISTORIZED MODEL TTX TONE TRANSMITTER

**24<sup>95</sup>**

This popular single channel tone transmitter measures 3 1/4 x 5 1/2 x 1 7/8" and weighs only 12 oz. with battery. 100% collector modulated (no reduction of RF signal with modulation). Operates on single 9V battery; requires no license. Operates R/C pack with SE-2 Escape-ment and with SSH receiver giving rudder, or rudder and motor control. High efficiency externally loaded antenna. Printed circuit chassis. 99 milliwatt input. For 27.145 Mc. Shpg. wt., 2 lbs.

42 R 1913 27.145 mc less battery **Net 24.95**  
32 R 4704 9-Volt Battery (Burgess 2N6) **Net 1.30**



## CITIZEN-SHIP SSH P RECEIVER


Matching receiver for above. Single channel, 7 transistor superhet. 1 7/8" x 1 1/2" x 3/4". Weighs only 1 oz. Crystal frequency 27.145MC. Requires 2 batteries. Shpg. wt., 8 oz.

42 R 1935 **Net 27.95**  
99 R 6250 Batt. **Ea. .10**



## RADIO CONTROL TV BROADCASTING VAN

**16<sup>95</sup>**



- Remote Control for the Younger Set
- Completely Assembled — Ready To Run
- Operates with Inexpensive Batteries

Sturdy, metal, radio controlled TV broadcasting van operated by lightweight hand-held R/C transmitter enabling the young driver to control the VW van via radio signals. Simple to operate, with a rotating parabolic antenna continuously indicating the direction in which the van will move. Transistorized circuitry requires inexpensive batteries — two 1.5 volt "C" cells and two 9V transistor batteries — not supplied. Has antennas for both van and transmitter. Truck size: 7 1/2 x 3 1/2 x 3 3/4"; transmitter, 5 x 2 x 1 1/2". Complete outfit, less batteries. Shpg. wt., 3 1/2 lbs. Imported.

42 R 1801 R/C Van (less batteries) **Net 16.95**  
99 R 6257 1.5V "C" Battery (2 required) **Net ea. .14**  
99 R 6021 9V Transistor Battery (2 required) **Net ea. .21**


X at End of Stock No. Indicates Truck or Express Shipment

Lafayette Cat. No. 684 **41**

# SALE! LAFAYETTE Hi-Fi Amplifier Kits SALE!

Save On Prices Reduced Up To 25%

## LAFAYETTE MODEL KT-630 30-WATT STEREO AMPLIFIER KIT



Enjoy exciting, wide-range stereo reproduction anywhere in your home or office. The KT-630 features built-in equalized preamplifiers, DC on the filaments in the preamp stage to minimize hum and noise, and 4 pairs of stereo inputs—magnetic and ceramic cartridge, tuner, and auxiliary. Also, the full 30-watt output may be switched for monaural reproduction to either speaker by means of slide switches on the front panel. An attractively styled brushed aluminum gold anodized extruded front panel with matching gold knobs complements the superior electrical specifications. For 110 to 125 Volts, 50-60 cycles AC; Size 12 $\frac{3}{8}$ "Wx11 $\frac{1}{2}$ "Dx5 $\frac{1}{4}$ "H, overall. Less cabinet. Shpg. wt., 20 lbs.

### SPECIFICATIONS


Input Jacks: Magnetic phono, Ceramic phono, Auxiliary, and Tuner; AC Convenience outlet on rear; **Rated Power Output:** 12 $\frac{1}{2}$  watts RMS per channel; 15 watts per channel; **Sensitivity:** Phono (magnetic): 2 mv; Phono (ceramic) 70 mv; Tuner and Aux. 0.65v; **Frequency Response:** 20-60,000 cps.  $\pm 1.5$  db at 1 watt; **Harmonic Distortion:** 1% at 12 $\frac{1}{2}$  watts RMS per channel; **Hum and Noise:** Aux, and Tuner -72 db below rated output, Phono-50 db below rated output; **Output Impedance:** 4, 8, 16 ohms; **Tube Complement:** 2—ECC83/12AX7, 4—ECL82/6BM8, 1—EZ81/6CA4. **Power Requirements:** 110-125V, 60 cycles AC.  
**21 R 0930WX \$5 monthly** Net 34.95  
 Brown metal case for KT-630. Shpg. wt., 4 lbs.  
**21 R 0931W** Net 3.95

**Sale! 34<sup>95</sup>** Save \$10 Less Case

### FRONT PANEL CONTROLS

- |                                 |  |
|---------------------------------|--|
| 1 Selector: Aux, Tuner, Phono   | 6 Right Amplifier Mode Selector Slide Switch |
| 2 Bass Control                  | 7 Left Amplifier Mode Selector Slide Switch  |
| 3 Treble and AC Off Control     | 8 AC Indicator Light                         |
| 4 Concentric L/R Volume-Balance |  |
| 5 Loudness On/Off Slide Switch  |  |

## LAFAYETTE MODEL KT-645 45-WATT STEREO AMPLIFIER KIT



Forty-five watts of beautiful stereo for only a few evenings of pleasurable, interesting, and educational kit building! And the KT-645 is so flexible—it offers virtually every control needed in the modern stereo system. Features instant selection of any one of 3 program sources, dual preamps for low level phono inputs—RIAA equalized for flat response, handy front panel Speaker Phase/AC off switch for proper phase selection without disconnecting speaker cables, concentric volume control for independent or simultaneous level adjustment of both channels, and front panel stereo headphone jack. Attractive brushed aluminum gold anodized extruded front panel with matching gold knobs. Size: 14 $\frac{3}{8}$ "Wx12 $\frac{3}{8}$ "Dx5 $\frac{1}{4}$ "H, overall. Less cabinet. Shpg. wt., 24 lbs.

### SPECIFICATIONS

**Rated Power Output:** IHFM 45 watts, 22 $\frac{1}{2}$  watts per channel; **Inputs:** Aux, Tuner, Ceramic Phono, Magnetic Phono, and Tape out; **Sensitivity:** Phono (magnetic): 3 mv. for rated output per channel, high level inputs: .4v. for rated output per channel. **Frequency Response:** 10-25,000  $\pm \frac{1}{2}$  db at 1 watt; **Harmonic Distortion:** Less than .15% at normal listening level at 1 KC; **IM Distortion:** Less than .3% **Hum and Noise,** high level inputs: 70 db below rated output per channel, Phono-50 db below rated output per channel; **Output Impedance:** 8 and 16 ohms; **Tube Complement:** 4-EL84, 2-7199, 3-12AX7, 2 silicon diodes; **Power Requirements:** 110-125V, 50-60 cycle AC.  
**21 R 0945WX \$5 monthly** Net 44.95  
 Brown metal case for KT-645  
**21 R 0946W** Net 4.95

**Sale! 44<sup>95</sup>** Save \$15 Less Case

### FRONT PANEL CONTROLS

- |                                 |                               |
|---------------------------------|-------------------------------|
| 1 Selector: Aux, Tuner, Phono   | 6 Stereo Phone Jack           |
| 2 Concentric L/R Bass           | 7 Loudness Switch             |
| 3 Concentric L/R Treble         | 8 Right Amplifier Mode Switch |
| 4 Concentric L/R Volume-Balance | 9 Left Amplifier Mode Switch  |
| 5 AC Off/Speaker Phase          | 10 AC Indicator Light         |

## LAFAYETTE MODEL KT-615 15 WATT MONO AMPLIFIER KIT



**Sale! 16<sup>95</sup>** Shown in Optional Case Save \$6

KT-615 offers versatility and flexibility. Three separate inputs for a fully integrated hi-fi system. Separate bass and treble controls provide full tonal quality. Push-pull ECL82 output stage for clean, wide response. Hum Balance control for minimum hum and noise. 4, 8, and 16 ohm output. Less case listed below. Size 11 $\frac{1}{8}$ "Wx7 $\frac{1}{2}$ "Dx4 $\frac{1}{2}$ "H. Shpg. wt., 9 lbs.

**19 R 0912 KT-615 less case** Net 16.95  
 Attractive Gray Case for KT-615  
**19 R 0913 Shpg. wt., 2 lbs.** Net 3.95

### SPECIFICATIONS

**Power Output:** 15 Watts IHFM, 12.5 watts RMS; **Frequency Response:** 15-60,000 cps  $\pm 2$  db at 1 watt (average listening level), 35-25,000 cps  $\pm 2$  db at full 15 watt output; **Harmonic Distortion:** 1.1% at full output; **Hum and Noise:** Phono-45 db, Aux/Tuner -75 db; **Input Sensitivity:** Aux/Tuner .5 volts, Mag Phono 1.5 mv, Ceramic 25 mv; **Tubes:** 2—ECL82/6BM8, EZ81/6CA4, ECC83/12AX7.

Save Money with Lafayette's Stereo Components


- Made in U.S.A.
- Easy-to-Build—All Parts, Wire, Solder, and Instructions Included
  - Inputs for Magnetic or Ceramic Phono, AM/FM Tuner, and Auxiliary Equipment
  - Attractive Two-Tone Gray Panel with Silver Trim

# LAFAYETTE CB and Short Wave Kits

## COMSTAT 9 5-WATT CITIZENS BAND TRANSCEIVER KIT

- 9-Crystal-Controlled Transmit and Receive Channels
- Front Panel Transmit and Receive Crystal Socket
- 23-Channel Tuneable Receiver
- High-Efficiency 7-Tube Circuit
- 115 VAC and 12 VDC Power Supply
- Pi-Network Antenna Matching

Now Only **54<sup>95</sup>** NO MONEY DOWN




Efficient 7-tube circuitry, top quality parts, plus Lafayette's famous easy-to-follow directions give you a CB transceiver with excellent performance. Incorporates 9 crystal controlled receive and transmit channels with an integrated tuneable 23-Channel receiver section for exceptional operating flexibility. Sensitive superheterodyne receiver features series floating gate noise limiter and a tuned RF amplifier for high gain and low noise reception. Sensitivity .8  $\mu$ v for 10 db. S/N ratio. Selectivity: —26 db at 8 KC. Adjacent Channel Rejection: —31 db. Adjustable squelch circuit insures quiet stand-by operation. Transmitter provides full 5-watt input with up to 100% plate modulation. Front panel light indicates modulation. Short range operation for use as intercom at CB jamborees, etc. Is facilitated by a 10C milliwatt switch. Output impedance: 50 ohms. Ceramic microphone features plug-in push-to-talk operation and coiled cord. External crystal sockets mounted on front panel for added flexibility. Built-in power supply operates on 117 VAC or 12 volts DC.

Kit comes complete with parts; wire, solder, easy-to-follow manual, microphone, and sturdy attractive metal cabinet. Less crystals and vibrator. Shpg. wt., 20 lbs.

42 R 0915WX \$5 monthly	Net 54.95
42 R 4701C Transmit Crystal (Specify Channel)	Net 2.25
42 R 0914C Receive-Crystal (Specify Channel)	Net 2.25
<b>OPTIONAL DC ACCESSORIES</b>	
42 R 0916 Mobile Mounting Bracket	Net 2.50
42 R 0917 DC Cable Assembly for 12V DC	Net 1.95
32 R 5603 Standard 12V Vibrator	Net 1.99
42 R 0121 Solid-State ALTERNATE Vibrator, Shpg. wt., 1 lb.	Net 5.95

1. Front Panel Crystal Sockets
2. Illuminated Vernier Tuning Dial
3. Tuneable Receive Dial Control
4. Modulation Indicator
5. Phone Jack for Earphone Listening
6. Plug-In Push-to-Talk Ceramic Mike
7. Front Panel Speaker
8. Volume Control/Power Switch
9. Variable Squelch
10. 9-Channel Crystal Transmit-Receive Selector Switch
11. Xtal-Tune Receiver Mode Switch

## LAFAYETTE "EXPLOR-AIR"™ 4-BAND RECEIVER KIT



Made in U.S.A.

Lafayette's sensational shortwave receiver kit is a complete shortwave and standard broadcast set which covers the entire region from 550 kilocycles to 30 megacycles. Four whole bands of fascinating programming. Perfect for language students and shortwave listeners.

Only a regenerative circuit can offer such amazing performance and yet be so simple to build. Building this fine kit is an absolute pleasure—it's so well designed you can't go wrong. Kit includes all the parts you need, and the detailed step-by-step instruction book with its giant pictorial drawings shows you just how to put them together. One front panel knob does all the bandswitching, immediately taking you from band to band. All coils are prewound for

- Covers 10, 15, 20, 40, 80, 160 Meter Amateur Bands
- Tunes International Broadcast, Citizens Band, Maritime, Aeronautical and WWV Time Signals
- Covers Standard AM Broadcast Band
- Complete Band Switching from Front Panel
- Bandsread Tuning
- Built-in 4" Speaker

TUNE IN  
THE WORLD!



**22<sup>95</sup>**  
Less Cabinet

greater accuracy. Complete 4 band coverage of broadcast stations, international broadcast bands, amateur, maritime, and WWV time signals. Big 4" speaker and sensitive circuit with 50C5 output stage and 12AT7 regenerative detector and amplifier stages give you all the volume you want. Phone jack for privacy automatically disconnects speaker. All controls are on the front panel: On-Off Volume, Main Tuning, Band Spread, Bandswitch, Antenna Tuning, and Regeneration. 110 volt 50-60 cycle AC-DC power supply. Size: 10x7x5".

19 R 0905 (Less Cabinet) wt., 5 lbs.	Net 22.95
Leatherette covered Wooden Cabinet for above. 1 lb.	
19 R 0906	Net 2.85

To Speed Your Mail Order — Please Give Your Zip Code Number

Lafayette Cat. No. 684 43


# Easy To Build Educational Kits

## LAFAYETTE 20-IN-1 TRANSISTOR EXPERIMENTERS KIT

Fun To Build — Educational —  
and all 20 projects result in a  
useful working instrument!

### PROJECTS YOU BUILD

- |                         |                              |                           |
|-------------------------|------------------------------|---------------------------|
| 1. TRANSISTOR TESTER    | 7. RAIN ALARM                | 13. ELECTRONIC RELAY      |
| 2. VOICE ACTUATED ALARM | 8. TIMER                     | 14. HOME BROADCASTER      |
| 3. PHOTO TIMER          | 9. ONE TRANSISTOR RECEIVER   | 15. PHOTO ELECTRIC RELAY  |
| 4. AUDIO AMPLIFIER      | 10. CODE PRACTICE OSCILLATOR | 16. BURGLAR ALARM         |
| 5. CRYSTAL SET          | 11. METRONOME                | 17. WIRELESS TRANSMITTER  |
| 6. SOLAR RADIO          | 12. TWO TRANSISTOR RECEIVER  | 18. REGENERATIVE RECEIVER |
|                         | 19. CITIZENS BAND MONITOR    | 20. AUDIO OSCILLATOR      |



MADE IN U.S.A.

**17<sup>95</sup>**

## LAFAYETTE WIRELESS BROADCAST/AMPLIFIER KIT

- Clean, Modern Styling • Powerful Signal • Plays Through All AM Radios
- Works With All Crystal and Magnetic Mikes and Phono Cartridges



Made in U.S.A.

**13<sup>95</sup>**

Use it either as a  
Wireless Broadcaster  
or AM Audio Amplifier!

Excellent for beginners as well as advanced experimenters, this kit enables you to build and learn about 20 interesting and useful transistor circuits. By utilizing "Breadboard" construction, each project can be simply wired and traced. After building the basic circuit, any of the 20 projects can be built by simply inserting a few preassembled component blocks and interconnecting leads between them. A soldering iron is only required for the basic wiring and not for subsequent projects. All wiring is covered in a step-by-step manner by the instruction manual. Each of the 20 projects is clearly presented with step-by-step instructions, large easy-to-read pictorial wiring diagrams, schematic diagrams, and an explanation of the circuit behavior. The kit is complete with perforated mounting board, 2-transistors, 1-diode, earphone, and all other parts required for construction. The detailed 28-page instruction manual contains a wealth of information about each project. Less batteries.

- |   |                  |
|---|------------------|
| 19 R 0902 Complete. Shpg. wt., 6 lbs.       | Net <b>17.95</b> |
| 99 R 6256 Z Cell Battery for Kit projects   | Net <b>.10</b>   |
| 32 R 4723 22½ Volt Battery for Kit projects | Net <b>1.61</b>  |

Treat yourself and your family to hours of fun with this Lafayette Kit. Make your own radio programs, announcements, etc., through AM radios anywhere in the house, without wires or extra gadgets. Designed for easy construction by youngsters or adults. It combines in one compact unit a powerful 3-tube wireless broadcaster and an audio amplifier. Clearly written instruction manual makes it a cinch to build. Operates on any frequency between 900 and 1600 kilocycles on your radio dial. It will accept any crystal or magnetic microphone. In addition, it may be used directly as a phono or microphone amplifier. No external preamp is required. Simple slide switch permits either form of operation. Just connect it to a PM speaker (4-16 ohms). Conforms to FCC regulations and is designed to provide high quality voice or record broadcasts. No license or permit is necessary. Complete with crystal clear instruction manual. Less Mike. For 105-125V AC or DC. Attractively styled metal cabinet. Size: 4Hx8Wx4¾"D. Shpg. wt., 3 lbs.


- |  |                  |
|--|------------------|
| 19 R 0903  | Net <b>13.95</b> |
| Same as above, but factory wired and tested.   |                  |
| 19 R 0908  | Net <b>17.95</b> |
| Crystal microphone for above. Desk or hand held. 5 ft. cable. Imported. Shpg. wt., 1 lb. |                  |
| 99 R 4543  | Net <b>1.95</b>  |

## LAFAYETTE SUPER-SENSITIVE PHOTOCELL ELECTRONIC RELAY KIT

Photocell Electronic  
Relay Kit

**16<sup>95</sup>**

Made in U.S.A.



Light  
Source Kit

**9<sup>95</sup>**



- With Sensitive Cadmium Sulphide Photocell • Adjustable Super Sensitivity—Works With Just A Flashlight At 250 Feet! • Needs No Special High-Intensity Lights

Ideal for sustained operation required for burglar alarms, door buzzers and for instantaneous on-off operation required for counters, packaging, door opening, motor activation plus countless industrial applications. Switch converts unit from instantaneous "on-off" to sustained "on" operation. "RESET" switch opens the external circuit and turns off the alarm. The unit operates on 110 volts AC and incorporates the efficient 5823 cold cathode tube. A simple change in wiring (in instructions), as well as convenient input terminals, enables you to supply the external circuit with any desired voltage. Relay contacts rated at 3 amps permitting up to 300 watts external load on 110 Volts AC. Complete with all parts, photocell, tube chassis, silkscreened metal cabinet and easy-to-follow instructions. Size: 3x4x5". Shpg. wt., 3 lbs.

- |                        |                  |
|------------------------|------------------|
| 19 R 0904 Complete Kit | Net <b>16.95</b> |
|------------------------|------------------|

### ACCESSORIES FOR ABOVE

- |   |                 |
|---|-----------------|
| 99 R 9023 Electric Bell, 110V AC Imported. Shpg. wt., 2 oz.     | Net <b>1.99</b> |
| 99 R 9024 Electric Buzzer, 110V AC Imported. Shpg. wt., 10 oz.  | Net <b>1.79</b> |
| 99 R 9011 6 Digit Electric Counter Imported. Shpg. wt., 1½ lbs. | Net <b>9.95</b> |

### LIGHT SOURCE KIT FOR ELECTRONIC RELAY KIT

Narrow source light beam to actuate electronic relay with adjustable focus and infra-red filter. Range: White light 70'. Infra-red 45'. With instructions. Size: 6"L x 5"H x 4"W.

- |                             |                 |
|-----------------------------|-----------------|
| 19 R 0911 Shpg. wt., 5 lbs. | Net <b>9.95</b> |
|-----------------------------|-----------------|

## LAFAYETTE KT-92 5-WATT PUSH-PULL AMPLIFIER KIT


- Push-Pull Audio Output Stage—Inverse Feedback Circuit
- Separate Volume, Bass & Treble Controls • AC or DC Operation

Here in kit form is an AC-DC hi-fi amplifier that presents deluxe features despite its amazingly low price. The separate bass and treble controls permit adjustment of both low and high frequency response and balance. Works equally well with both crystal or ceramic cartridges. Tube line-up consists of a 12AX7 amplifier and phase inverter, a pair of 35CS's in push-pull, having a power-packed low-distortion output plus a 35W4 rectifier. The circuit utilizes an inverse feedback loop to reduce the level of hum and distortion. Kit is complete containing all essential parts, tubes and detailed instruction manual showing pictorial and schematic diagrams.

- |                             |                  |
|-----------------------------|------------------|
| 19 R 0101 Shpg. wt., 4 lbs. | Net <b>11.95</b> |
|-----------------------------|------------------|

**11<sup>95</sup>**

Made in U.S.A.



# Educational Computer & Science Kits

## GENIAC® COMPUTER KITS

Over 800 Parts For Schools,  
For Science Fairs, For  
Advanced Experimenters

- Computes, Reasons, Plays Games
- Composes Music, Forecasts Weather
- Design Your Own Computers



### DOUBLE GENIAC

The newest kit in famous Geniac series! The "Double" Geniac contains over 800 parts. Two of everything in the Standard model. Offers the advanced experimenter a far wider range of activities. Perfect for school demonstration. Multiple setup is ideal for Science Fair projects—submit one or more designs. Build "electric brains" that test intelligence—code and decode—add, subtract, multiply and divide—solve puzzles

—play games—forecast weather—reason in syllogisms—information and logic circuits. No soldering required. Easily assembled and operated. 64 page guide and reference book, beginners manual, wiring diagrams and many extra pamphlets outlining projects and methods. Complete with mounting rack and batteries. Shpg. wt., 12 lbs.

19 R 3803 \_\_\_\_\_ Net 15.95

### STANDARD GENIAC

You build up to 125 exciting "electric brain" machines. Has special circuits for forecasting weather. No soldering required. Comes complete with extra pamphlets including 64-page "Simple Electronic Brains and How To Make Them," "Symbolic Analysis of Relay

and Switching Circuits," "Beginner's Manual," "Machine to Compose Music," wiring diagrams, etc. Complete with battery. 16½x 11¾". Shpg. wt., 6 lbs.

19 R 3804 \_\_\_\_\_ Net 9.95

## ANALOG COMPUTER KIT



9<sup>95</sup>

- Ideal Introduction to Basic Elements of Analog Computers
- Work Over 50 Experiments
- Easy-to-Assemble with Screwdriver and Pliers
- Learn the Way to Sound Scientific Knowledge

Analog Computer Kit offering a basic introduction to computer theory—gives accurate answers to practical problems. Perform over 50 experiments—multiplication, division, powers, square roots, rocketry, interest, radio-active decay, light, kinetic energy, etc. Level of accuracy better than 5%. The computer consists of a masonite, solid instrument panel, kits, potentiometers, meter specially calibrated scales, guide and operating booklet. Easy-to-assemble. Shpg. wt., 6 lbs.

19 R 3805 \_\_\_\_\_ Net 9.95

## NORELCO 23-IN-1 ELECTRONICS KIT

Only

21<sup>95</sup>




- No Soldering — No Tools
- Quick Easy Peg Board Assembly
- Safe — Educational

Build any of 23 useful operating projects including 3 transistorized radio receivers, 5 amplifiers, 2 code trainers, burglar alarms, intercom, rain indicator, electronic organ, light meter and other interesting projects. No soldering, no tools required. Template for each model placed on peg board for quick easy guide. All parts mounted with pressure springs. Step-by-step details with pictorial charts in large 72-page instruction manual with section on general theory. All powered by a single 9 volt battery. Absolutely safe. Size: 14¼x 10¼x 2½". Imported. Shpg. wt., 4½ lbs.

19 R 8301 Less Battery \_\_\_\_\_ Net 21.95

32 R 4898 Battery for above \_\_\_\_\_ Net 1.36

## 8-WATT STEREO AMPLIFIER MODULE



14<sup>95</sup>

A complete 4 control, 8 transistor stereo amplifier which provides 4 watts RMS per channel; 8 watts continuous power total output! The four controls allow separate volume, balance, bass and treble adjustments. The direct coupled complementary symmetry circuit gives a true Hi-Fi response of 45 cps to 20 Kc @-3 db. 1 Meg input impedance allows this amp to be used with a wide range stereo crystal cartridge, FM tuner or other 1.5 volt source. Use with 8 ohm speakers to give top performance. The amplifier includes power supply components (2 diodes, 1 filter capacitor) except the power transformer. Dimensions: 7½"L x 1½"W x 3½"D. Shpg. wt., 2 lbs.

19 R 0914 \_\_\_\_\_ Net 14.95

Power transformer for above amplifier module.

19 R 0918 \_\_\_\_\_ Net 2.95

## MASTER ELECTRIC BUILD-IT SET

Only

8<sup>95</sup>



- Over 30 Projects
- 2 Electric Motors

An advanced but completely safe educational kit in the field of electricity that enables the student to make any one of over 30 projects including motor driven hot rod, motor driven speed boat, lamp, flashlight, electro-magnet, telegraph set, traffic signal, electric crane and many others. All projects are battery operated. Easy-to-read, illustrated 76-page instruction manual. Size: 21½x13½x2¼". Shpg. wt., 6 lbs.

19 R 6401 Complete with batteries \_\_\_\_\_ Net 8.95

99 R 6256 Extra batteries for above \_\_\_\_\_ Ea. .15

## 20 WATT STEREO AMPLIFIER MODULE



21<sup>95</sup>

This especially fine transistor stereo amplifier delivers 10 watts per channel continuous power (RMS) into any 8 ohm speaker. The separate bass and treble controls allow 20 db adjustment at 100 cps and 10 Kc. The dual volume control allows simultaneous increase in volume of both channels, while the balance control allows compensation for program variations. The low noise preamp stage provides a sensitivity of 0.5 volts for use with a ceramic phono cartridge or a AM/FM tuner. The direct coupled complementary symmetry circuit gives a Hi-Fi frequency response of 30 cps to 40 Kc @-3 db. Includes the power supply components except a power transformer. Size: 7½" x 1½" x 4¾".

19 R 0915 Shpg. wt., 2 lbs. \_\_\_\_\_ Net 21.95

Same model as above but on two separate printed circuit boards for compact mounting. Control strip size: 7½" x 1½" x 1½". Power amplifier size: 7½" x 1½" x 2½" D.

19 R 0916 Shpg. wt., 2 lbs. \_\_\_\_\_ Net 21.95

Power transformer for above amplifier modules. \_\_\_\_\_ Net 2.95

19 R 0917 \_\_\_\_\_ Net 2.95

Make Lafayette Your One Dependable Source for Everything in Electronics

Lafayette Cat. No. 684 45

# Experimenter's & Hobbyists Specialties



## MOD-U-KIT SUPER SLEUTH KIT

5<sup>95</sup>

A high gain hearing aid—snooper. Use it to hear thru walls. From a whisper to a shout, this specially designed 3 supersensitive transistor circuit will amplify up to 100,000 times. Will feed directly into a tape recorder from a telephone with a telephone pick-up coil and 1.5 volt battery. Complete with all parts, including crystal microphone, earphones and instructions. 3" x 2" x 1 1/4" D. Shpg. wt. 1 lb.

19 R 7003 Kit Less Battery ..... Net 5.95  
1.5V Penlight Battery (1 req.) .....  
32 R 4865 Battery ..... Net .13

## MOD-U-KIT 5 WATT UNIVERSAL AMPLIFIER KIT

Learn basic solid state amplifier circuitry while you build this all purpose 5 watt amplifier. Excellent as a portable amplifier, guitar amplifier, etc. Complete with all parts, case, volume control and instructions. Works on a 6 volt battery or power supply. Will accept almost any type of pick-up device, i.e., phono cartridge, tuner, etc.; will work with any 3 ohm to 16 ohm PM speakers. 3" x 2" x 1 1/8". Shpg. wt., 1 lb.

19 R 7001 ..... Net 5.95

## MOD-U-KIT AM RECEIVER TUNER RADIO KIT

Learn as you build this fun-giving AM broadcast radio. Ingenious solid state receiver circuitry uses a novel 2 transistor audio-reflex circuit with diode detection. Gives high gain at very low current drain. Complete with all parts, case, earphone and instructions. 3 x 2 x 1 1/4". Requires 9-volt battery. Shpg. wt., 1 lb.

19 R 7002 ..... Net 4.95

9V Battery (1 Req.) .....  
99 R 6021 ..... Net .21

## FAIRCHILD INTEGRATED CIRCUITS

• For The Experimenter And Hobbyist



1<sup>59</sup>

**703 LOW POWER RF AMPLIFIER.** Contains 3 transistors, 2 diodes and 2 transistors to be used as RF and IF amplifiers, harmonic mixer, oscillator, etc. useful frequencies in excess of 100MHz. Requires 12VDC supply. With 12 page instruction and applications booklet containing 12 circuit diagrams. Shpg. wt., 4 oz.

19 R 2501 ..... Net 1.59




5<sup>95</sup>

**716 LOW POWER AUDIO AMPLIFIER.** Contains 11 transistors, 6 diodes and 18 resistors delivering 1/4 watt to 8 ohm speaker or headset. Frequency response 50Hz to 500KHz. Voltage gains of 10, 20, 100, 200 available. Input impedance 10,000 ohms. Requires 18-25V DC supply. With 12 page instruction and applications booklet containing 8 circuit diagrams. Shpg. wt., 4 oz.

19 R 2502 ..... Net 5.95

## COOLING FAN

• Designed For Electronic Equipment




Only 4<sup>95</sup>

Rugged, efficient fan with 70 CFM operation for ventilating electronic power supplies, receivers, transmitters, sound systems and control equipment as well as for other applications such as kitchen exhaust, darkroom ventilation, and many other applications. Four blade 4" nylon impeller. Front and rear grilles. For 115V 60 cycle AC; 20 watts. Removed from electronic equipment, refurbished and in perfect operating condition. Panel mount 4 3/8" x 6 1/8". Shpg. wt., 2 lbs.

12 R 5404 ..... Net 4.95

## SHADED POLE MOTOR

1<sup>95</sup> • Ideal For The Hobbyist



Rugged, GI open frame shaded-pole motor for continuous operation such as blowers, pumps, fans, animation, gear trains and many other hobbyist applications. 3500 RPM CCW rotation. Has oil-less type bearings. Shaft 3/16" dia. x 1 1/4" long. Body 2 3/4" wide x 3" high x 2" deep. Shpg. wt., 2 lbs.

32 R 4325 ..... Net 1.95

## NOVATRON



12<sup>95</sup>

A SCIENTIFIC INSTRUMENT FOR THE EXPERIMENTER

- Powerful 110 Volt AC/DC Motor
- Miniature Atom Smasher
- Produces 75 KV
- Absolutely Safe

Completely Wired (Not A Kit)


A scientific instrument capable of producing 75,000 volts—makes sparks up to 2" long—yet it is absolutely safe because the current is infinitesimal. The science-teacher—science lover—or hobbyist can perform experiments to astound students—friends—family. Makes smoke disappear—defy gravity—turns propellers at a distance—transforms atomic energy into light—make artificial lightning—smashes atoms—demonstrates ionic space ship drive—and many other experiments. Includes an experimental kit and illustrated experiment manual. A fine research tool that will give years of beneficial service. 110 V. AC. Imported. Assembled—Shpg. wt, 4 lbs

99 R 9008 ..... Net 12.95

## 5-TRANSISTOR PUSH-PULL AUDIO AMPLIFIER ONLY 3 1/8" x 1 1/8" x 1 1/8"

5<sup>85</sup>

- 360 MW Output
- Completely Wired
- Direct Wiring



This amplifier employs 3 stages of audio driving a push-pull output stage. Designed especially for speakers with a voice coil impedance of 8-11 ohms. Low impedance input has sensitivity of 300 microvolts. Comes with leads for low impedance input, speaker, volume control/on-off switch. Battery clips and leads supplied for 9 volt battery. Imported. Shpg. wt., 5 oz.

99 R 9037 ..... Net 5.85

99 R 6021 9 Volt Battery. Wt., 2 oz. .... Net .21

32 R 7364 10,000Ω Pot/Sw. 2 oz. .... Net .69


99 R 6032 8Ω 3" Speaker. Wt., 10 oz. .... Net .99

99 R 6036 8Ω 2" Speaker. Wt., 8 oz. .... Net .99

Matching Transformer (high imp. to amp.) .....  
99 R 6034 Shpg. wt., 4 oz. .... Net .89

## 3 WATT 4 TRANSISTOR PUSH-PULL AUDIO AMPLIFIER

- 4 Transistors Plus Thermistor
- Completely Wired-Easy to Connect



7<sup>95</sup>

Sensitive 4 transistor push-pull circuitry has 3 watt output, requiring a 9 volt DC source. Frequency response 150-10,000 cps; Input impedance 2,000 ohms; Output impedance 8 and 16 ohm terminations. Components neatly laid out on printed circuit board with pre-drilled holes for horizontal or vertical mounting. Heat sink for power transistors. Dimensions: 3Lx2 3/4Wx1 3/8"H. Imported. Wt., 9 oz.

99 R 9132 ..... Net 7.95

10K Volume Control w/switch. Shpg. wt., 2 oz. ....  
32 R 7364 ..... Net .69

99 R 6032 8 ohm 3" speaker. Shpg. wt., 10 oz. .... Net .99

## SNAP TOOL FASTENER

49<sup>c</sup>


CLOSEOUT PRICE



Eliminates tiresome button sewing—no need to search for matching buttons. Simple to operate, works every time! Comes complete with 8 sets of brass and 8 sets of nickel positive grip fasteners. Perfect for shirts, dresses, playthings, gloves, shoes, belts and many more items requiring fastening. Imported. Shpg. wt., 1 lb.

99 R 8080 ..... Net .49

## HEARING AID BATTERY RECHARGER




- Recharges Nickel Cadmium Cells Repeatedly To Replace The "675" And "625" Batteries Now Used
- Cuts Battery Cost in Half
- Just Insert Rechargeable Cells Into Charger — Plug In And 14 Hours Later They Are Fully Charged

Only **675**  
Less Batteries

Economical, convenient charger permits replacement of the popular "675" and "625" disposable hearing aid batteries with rechargeable nickel cadmium cells which give up to 15 hours use per charge and 500 charges per cell. Simply insert the nickel cadmium cell into its slide-out compartment and fully recharge in 10-14 hours. Cells cannot be overcharged. Use one cell in the hearing aid while another is being charged, to have power available at all times. Tiny size permits carrying the charger with you. For 110-120 Volt, 60 cycle AC. Less batteries. Imported. Shpg. wt. 3 oz.

99 R 9203 Charger only, less batteries ..... Net 6.75  
32 R 4746 Nickel Cadmium Replacement for 675 battery ..... Net 1.05  
32 R 4730 Nickel Cadmium Replacement for 625 battery ..... Net .70

## LAFAYETTE 9-VOLT TRANSISTOR RADIO BATTERY CHARGER AND ELIMINATOR



- Charge Battery, Operate Set On AC, or Both
- Isolation Transformer — Shock-Proof

**369**

Just plug into any 117-volt AC receptacle and recharge your old 9-volt battery for many hours of extra use; or operate your set indoors without using the battery at all; or you can both charge battery and operate set at the same time. Has 4-position switch for above functions plus off position and pilot light. Size 4Wx1 1/4"Hx 2 3/4"D. Imported. Shpg. wt., 1 lb.

99 R 9021 ..... Net 3.69

**NEW!**

## LAFAYETTE MULTI-PURPOSE BATTERY CHARGER




- Recharge All Popular Batteries — Transistor, AA Penlight, C And D Cells ... Up To 3 At One Time!
- Just Plug-In And Use

Designed to charge regular carbon zinc, nickel cadmium and alkaline batteries. Charges up to 3 batteries in a relatively short time for less than a penny. Two compartments automatically adjust to size of battery inserted, plus 2 snaps are provided for 9V., transistor radio batteries. Red light indicates charger is operating. For 110-120 volts 50/60 cycles AC. Imported. Shpg. wt., 1 lb.

99 R 9205 ..... Net 2.49

## CHARGATRON HOME BATTERY CHARGER



- Recharge Batteries Up to 15 Times
- Battery Tester Included
- "D", "C", "AA" and 9V Transistor Sizes

**395**

Recharge from one to four batteries at one time. Safety is assured since charger is in operation only when lid is closed. Plugs into standard 110-120 volt, 60 cycle AC outlet. With free battery tester. 34 R 4202 Shpg. wt., 2 lbs. Net 3.95

## CHARGATRON AUTOMATIC BATTERY CHARGER

Fully automatic version of above charger. Safe-T-Plug gives safe low voltage operation and prevents overcharging of batteries. For 110-120V, 60 cycle AC. UL Listed. Shpg. wt., 2 lbs. 34 R 4203 ..... Net 5.95

## LAFAYETTE Batteries



## POPULAR SIZES AT POPULAR PRICES

Popular batteries for portable and transistor sets, flashlights and toys. \*For hearing aids and transistor sets. Imported.

Stock No.	Voltage	Stgty	Lts 10 Ea.	Fig-ure	Replaces			Shpg. wt.
					RCA	Bur-gess	Eve-ready	
99 R 6022	9	.34	.29	A	VS300A VS314	P6 P6M	226	3 oz.
99 R 6024	67 1/2	1.45	1.35	C	VS016	XX45	467	3 oz.
99 R 6025	9	.53	.45	D	VS409A	YL6	E177	2 oz.
99 R 6027*	22 1/2	.59	.53	E	VS084	U15	412	3 oz.

## FLASHLIGHT BATTERIES



Stock No.	Voltage	Net	Fig-ure	RCA	Replaces		Shpg. Wt.
					Bur-gess	Eve-ready	
99 R 6256	1 1/2 (D)	Singly .15 10 for 1.20	F	VS036	2	950	4 oz. ea.
99 R 6257	1 1/2 (C)	Singly .14 10 for 1.20	G	VS035	1	935	3 oz. ea.
99 R 6258	1 1/2 (AA)	Singly .10 10 for .69	H	VS034	Z	915	2 oz. ea.

## ALKALINE BATTERIES

99 R 6292	1 1/2 (D)	Ea. .44	F	VS1336	AL2	E95	4 oz.
99 R 6293	1 1/2 (C)	Ea. .35	G	VS1335	AL1	E93	2 oz.
99 R 6294	1 1/2 (AA)	Ea. .29	H	VS1334	AL9	E91	1 oz.

## NICKEL CADMIUM BATTERY

32 R 4740 | 1.25(AA) | Ea. 1.93 | H | — | CD6|C450 | 1 oz.

## 9-VOLT TRANSISTOR RADIO BATTERY

Replaces RCA VS323, Burgess 2U6, Eveready 216, Zenith 2216, Ray-O-VAC 1604, NEOA 1604. Imported. Shpg wt., 2 oz.


99 R 6021 ..... Net ea. .21  
99 R 6279 Package of 2 ..... Net Per Pkg. .40  
5 Packages of 2 ..... Net 1.99



## "STORAGE CELL" for TRANSISTOR RADIOS

## ONE CHARGEABLE BATTERY OUTLASTS DOZENS OF CONVENTIONAL BATTERIES

- Replaces 2U6, BL-006P and BA-2
- Fluid Storage Type
- Plays About 15 Hours on One Charging
- Battery Recharges Overnight
- Battery Can Be Used Over and Over Again
- Complete—Battery Plus Charger



9V Battery complete with charger. Battery 1 7/8x1 5/8"; charger 3 3/4x 1 1/4x7/8". Imported. Shpg. wt., 6 oz.

99 R 9016 Battery and Charger ..... Net 2.69  
99 R 6026 Battery Replacement for above ..... Net 1.49

Designations "D", "C" or "AA" appearing in parenthesis on this page, indicate the most popular size 1 1/2 volt batteries. These are available in carbon, alkaline, mercury and nickel cadmium types.

# LAFAYETTE Automotive Test Equipment



**6 1/2" DWELL TACHOMETER**

**28<sup>50</sup>**

- Tunes up Electronically, Any Car Ever Made
- Three Dwell Scales
- Giant 6 1/2" Easy-to-Read Scale
- Use to Adjust Carburetors
- Use to Adjust Points

Made in U.S.A.



**3 1/2" DWELL TACHOMETER**

**16<sup>95</sup>**

- Tune Up Electronically Any Car Ever Made
- 3 1/2" Double Jeweled D'Arsonval Meter
- For 4, 6 or 8 Cylinder Engines
- For 6 or 12 Volt Systems
- Point Resistance Check

Made in U.S.A.

A complete ready-to-use Dwell Meter and Tachometer which will operate on any car ever made. Tests cam Dwell angle and engine RPM on 4, 6 or 8 cylinder cars, 6 or 12 volt right on the engine. Giant 6 1/2" easy-to-read meter makes it simple for anyone to adjust points and carburetors to insure maximum gas economy and quiet engine running. RPM readings are also essential to properly service automatic transmissions. Three dwell angle scales are provided: 0 to 45 degrees, 0-60 degrees, and 0 to 90 degrees. This instrument is suitable for dwell angle adjustment on all foreign and domestic cars. Dual range tachometer 0 to 1000 rpm for precise carburetor adjustments. 0 to 5000 rpm, suitable for making all other tests at high engine speeds. Complete with instruction manual. Shpg. wt., 4 lbs.

11 R 0101W


Net 28.50

Electronically tune your car! This Dwell-Tachometer permits setting the carburetor for maximum efficiency, gas economy and greater power; indicates the correct point gap setting electrically (even if the points are pitted or corroded); permits setting points with the distributor cap off and engine cranking, and permits setting points on "Window" distributors with engine running. It also locates defective spark plugs; permits correct engine RPM setting for automatic transmission adjustments, throttle linkage and idle adjustment. RPM scale: 0-30 8-cylinder dwell: 5-45"; 6 cylinder dwell: 20-40". 4 cylinder readings obtained by doubling 8 cylinder scale reading. Two-color scale. Small and compact—measures only 6 1/4 x 3 1/4 x 2".

11 R 0105

Net 16.95

## PROFESSIONAL DC—POWER TIMING LIGHT



Only **21<sup>95</sup>**

- Ultra-Brite Xenon Strobe Tube

Chrome finished DC-power timing light. The ultimate in a mechanics light. Ultra-brilliant blue white Xenon strobe tube light for day or night use, insures maximum light. Rugged case; designed for operator to reach inaccessible timing marks. Simple replacement of xenon bulb. For 6 and 12 volt battery. On/Off Switch. Shpg. wt., 2 lbs.

11 R 4240

Net 21.95



## TUNE UP KIT

**10<sup>88</sup>**

- Tunes Engine For Maximum Efficiency
- For Accurate Ignition Timing of Any Engine

A complete kit to tune up the important systems of your car, truck or marine engine. Permits maximum efficiency for more economical operation. Kit includes compression tester, vacuum fuel pump tester and deluxe timing light with remote starter switch. Compression tester locates valve, ring, piston and cylinder troubles. Big 2 1/2" dial is calibrated 0-300 lbs. pressure. Vacuum and fuel pump tester checks pressure and suction of fuel pump and vacuum system. 2 1/2" dial calibrated in 0-30 inches and 0-3 lbs. Comes with rubber tubing for easy connections. Brilliant prefocused timing light features remote starting switch. For 6, 12 or 24 volt systems.

11 R 4209 Shpg. wt., 5 lbs.

Net 10.88

## PROFESSIONAL AC—POWER TIMING LIGHT

Deluxe 110 volt AC power timing light. Uses ultra-brilliant white xenon strobe tube. For day or night use. Plugs into any 110 volt AC line, insures maximum light regardless of condition of vehicles battery. Rugged black case with power cord and On/Off switch. Shpg. wt., 1 1/2 lbs.

11 R 4239

Net 11.95

COMPRESSION TESTER ONLY. Easy-to-read 2 1/2" dial calibrated from 0-300 lbs. Fits all spark plug holes. Shpg. wt., 12 oz.

11 R 4207

Net 2.95

VACUUM AND FUEL PUMP TESTER ONLY. Easy-to-read 2 1/2" dial calibrated from 0-30" vacuum and 0-7 lbs. pressure.

11 R 4206 Shpg. wt., 12 oz.

Net 2.95

## TIMING LIGHT WITH REMOTE STARTER

Only **5<sup>75</sup>**

- Starts Engine From Outside

Deluxe neon prefocusing light. Cranks engine from the outside—checks points, bearings and tappets. The remote starter is also useful in testing the fuel pump, generator, compression and electrical system. For 6, 12 or 24 volt systems. Shpg. wt., 1 1/2 lbs.

11 R 4208

Net 5.75




## KEYLESS MOTOR START **4<sup>88</sup>**

Starter switch with on/off switch—cranks, starts, stops engine from outside car or truck. Completely bypasses ignition and key. No need for second man to turn key in ignition while tuning up engine. With on/off switch and starter spring loaded switch for continuous cranking or starting. Circuit breaker (no fuses to replace) to protect distributor points and ignition system. For all 6 or 12 volt systems. Shpg. wt., 1 lb.

11 R 4230

Net 4.88

# "Custom Styled" Automotive Gauges




As Low As  
**6<sup>95</sup>**

## GAS SAVER VACUUM GAUGES

(A) DELUXE 3 1/4" TWIN VACUUM GAUGE. Automatically shows miles per gallon. Instrumented driving saves up to 40% of your gasoline dollars by showing you how to drive for the best economy or power. Also checks your engine constantly by measuring its manifold pressure on a clear, four color illuminated dial. 360° universal mounting, zinc die cast case, T connector, 6 ft. vacuum tubing, steering column mount ring and instructions. Fits any car.  
11 R 4205 Shpg. wt., 2 1/2 lbs. Net 11.95

(B) "BULLET" VACUUM GAUGE. Shows most efficient engine speed. 2" meter in chrome bullet housing. Illuminated dial indicates maximum engine efficiency. Warns of leaky intake and exhaust systems or improper adjustment of valves, tappets, and timing. Fits any car.  
11 R 4222 Shpg. wt., 1 lb. Net 6.95



**14<sup>95</sup>**



**26<sup>95</sup>**

## 3/4" ELECTRONIC TACHOMETER

- Heavy Chrome Die Cast Case
- For Regular or Transistor Ignition
- 0-8,000 RPM • 6 or 12 Volts

An attractive 3/4" illuminated black and white face tachometer with precision 0-8000 RPM scale and adjustable shift indicator. Factory calibrated solid-state circuitry and durable, vibration-proof chrome zinc die cast construction assure steady, accurate readings throughout the entire range. Can be used with transistor ignition systems. Has 360° universal mount slim line case for easy dash mounting on compacts or on steering wheel column. Comes complete with installation kit. For 6 or 12 volt positive or negative ground. Shpg. wt., 2 lbs.  
11 R 4233 For 8 Cylinders Net 14.95  
11 R 4234 For 6 Cylinders Net 14.95


## 3/4" 270° "WIDE-SWEEP" TRANSISTORIZED TACH

- Precision 0-10,000 RPM Scale For 6 or 8 Cylinder

Our finest tachometer features a wide sweep 3/4" illuminated black and white scale, precision D'Arsonval movement calibrated to 2% accuracy, and a shift set needle with 270° swing. Equal divisions between graduated markings for pin-point accuracy over the entire range. This handsomely styled instrument is virtually unaffected by vibration. Has deluxe 3" long chromed zinc die cast housing and 360° universal mounting for dash, console, or steering column mounting. For transistor or regular ignition systems at 6 or 12 volt positive or negative ground. Shpg. wt., 2 1/2 lbs.

11 R 4236 Net 26.95

## LAFAYETTE AMMETER & OIL PRESSURE GAUGES




Only **4<sup>95</sup>**

- Illuminated

The ammeter calibrated in a 60-0-60 scale. Exact oil pressure from 0 to 80 lbs. is indicated. Easily installs in any 6 or 12 volt car without drilling. 1 3/4" diam. black dial faces with calibrations in white. Size 5 1/2" W x 2 7/8" R x 2 1/4" D. Supplied with 6 and 12 volt bulbs and wire, all necessary fittings plus full instructions. Imported. Shpg. wt., 1 1/2 lbs.  
99 R 8501 Net 4.95  
11 R 8004 T Fitting Net .49

## DELUXE OIL-AMP-WATER PRESSURE GAUGE



- Illuminated

**16<sup>50</sup>**

Custom panel of three illuminated 2" meters which tilt in any direction. Oil pressure gauge reads accurately from 0-80 lbs. with a standard 1/4 PT connector. Ammeter gives exact charging rate of generator or alternator from 60-0-60. Electrical water temperature gauge reads 100°-250°F. Prevents engine damage from slipping water pump, drive belt, low coolant level, defective thermostat, etc. With tubing and adapter. Shpg. wt., 2 lbs.

11 R 4227 Walnut Inlay Net 16.50  
11 R 4228 Black Inlay Net 16.50



As Low As  
**14<sup>95</sup>**

## DELUXE 3 1/4" OIL-AMMETER-WATER PRESSURE GAUGE

- All Electric—No Tubing

End guess work and space problems with this beautiful three-in-one gauge. Illuminated dial face gives accurate individual readings of oil pressure, amperage, and water temperature. Amp. gauge reads -60 to +60, oil pressure registers 0 to 80 lbs., and water temperature is indicated from 100° to 220°. Fits all 12 volt negative or positive ground alternator or generator electrical systems. Handy 360° universal mount and durable chrome zinc die cast case. Supplied with wire, adjustable mounting ring, and senders.  
11 R 4203 Shpg. wt., 2 1/2 lbs. Net 19.95

### OIL AND AMMETER GAUGE

Similar to above, less water temperature gauge.  
11 R 4204 Shpg. wt., 2 lbs. Net 14.95

## DELUXE SLIP-ON HEADREST

- Installs Easily—No Tools Required


**5<sup>25</sup>**

4-way adjustable headrest is easily custom fitted to give relaxed, tireless comfort and protection against whiplash. Tempered spring steel construction allows a perfect fit on virtually any seat. Face of headrest section is curved in channel quilted roll and pleat for a heightened look of luxury. Rugged leather grained vinyl cover. Supplied fully assembled. Shpg. wt., 3 1/2 lbs.  
11 R 8532 Black Net 5.25  
11 R 8533 Blue Net 5.25



# Automotive Accessories & Specialties

## DRIVER ALERT Warns of Traffic Zones!




**29<sup>95</sup>**

- Gives Advance Warning
- Miniature and Completely Transistorized
- Clips Easily on Sunvisor
- Rugged Printed Circuit
- Complete With Long Life Mercury Batteries

Miniature electronic detector gives an audible warning whenever it intercepts a radar beam. Dual-Band circuit detects all commonly used police radar speed meters and traffic control devices, both vertically and horizontally polarized, to promote safer driving. Miniaturized and completely transistorized. Top quality components; printed wiring; 8 transistors; two 1,000 hour mercury cell, self-testing batteries (equivalent to 35,000 miles of driving at 35 M.P.H.) Magnesium case eliminates radio, TV and other interference. Weighs only 13 ozs., measures 3 5/8" x 2 1/4" x 3 3/4"; clips to sunvisor. Complete with batteries, sunvisor clip. Instructions included. Shpg. wt., 1 1/2 lbs.

11 R 4201 ..... Net 29.95  
 \*This item not intended for resale in States where its use is forbidden in motor vehicles by public regulation.

## ELECTRONIC CRUISE CONTROL



EASY  
TO  
INSTALL



- Only **19<sup>95</sup>**
- Maintains Any Selected Highway Speed
  - Does Not Affect Braking or Instant Acceleration
  - Helps Adhere To Posted Speed Limits
  - Sets Fast Idle for Quick Cold-Weather Warm-Up

An Electronic Cruise Control which enables you to drive at a constant speed by automatically holding the throttle steady. Eliminates the need to keep a foot glued on accelerator on long trips. Once you reach desired speed, simply pull out knob and the Cruise Control will automatically hold that speed. Allows instant acceleration for passing but takes over again when the foot is taken off the gas pedal. Ceases to function the moment the brake is depressed and completely disengages in the event of any malfunction. Designed to fit all cars and trucks. Shpg. wt., 1 1/2 lbs.

11 R 5901 ..... Net 19.95

## "FIAMM" ELECTRO COMPRESSOR AIR HORNS



As Low As

**15<sup>49</sup>**


- Chrome Plated Brass Trumpet
- Range of 1/2 Mile
- Loud—Clear—Continental Tone

Model 32. Custom quality chromed trumpets with loud clear, piercing, continental tone. Range up to 1/2 mile. Ideal for use on trucks, sports cars, emergency vehicles, buses, boats, etc. Compressor pumps air to trumpets instantly when horn is pressed—there's no waiting for pressure to build up. Supplied with Town and Country Selector Switch which enables use of original horns for city driving. Complete with: 2 horns (7" & 9"), compressor, fittings, horn relay, and all necessary hardware. For 12 volts only. Shpg. wt., 6 lbs.

11 R 8250 ..... Net 19.95

Model 22. Same as above but trumpets are enameled die-cast metal. 11 R 8251 ..... Net 15.49

## AH-OOO-GAH! HORN



**10<sup>95</sup>**

- Chrome Plated Bell
- With Horn Button

A real joy for the sports car enthusiast. An authentic motor given horn approved as an exact reproduction in sound and appearance by members of antique car, hot rod, and horseless carriage clubs the world over. Chrome plated bell with black wrinkle painted housing. With horn button, wire, bracket and instructions. Shpg. wt., 1 lb.

11 R 3001 6-volt ..... Net 10.95

11 R 3002 12-volt ..... Net 10.95

For Compact and Sports Cars

11 R 3007 12-volt ..... Net 10.95

11 R 3008 6-volt ..... Net 10.95

## MUSTANG HORN FOR ALL CARS




**9<sup>95</sup>** • Whinnies like a Wild Mustang

You've seen a mustang—now hear a mustang! Compact size horn "whinnies like a wild mustang" when you press the horn button in the car. Adds a new dimension of life to your Mustang or other make automobile. Conveniently mounts anywhere under the hood. Fits any car. Available in 6 or 12 volt negative ground models. Complete with horn button control, wire, and all necessary mounting hardware. Black enamel finish with chrome plated grill. Dimensions: 5" x 5 1/2" x 6". Shpg. wt., 4 lbs.

11 R 4452 For 12 volt negative ground ..... Net. 9.95

11 R 4451 For 6 volt negative ground ..... Net 9.95

## CAR VACUUM CLEANER



Only **5<sup>95</sup>**

- Plugs Directly Into 12 Volt Cigarette Lighter Outlet
- Compact, Easy-to-handle—Stores Conveniently in Trunk

Portable and powerful! Cleans upholstery, carpeting, ash trays, under mouldings—top handle for easy handling. Sucks up dust, dirt and lint into a removable container. Designed to give trouble-free service. Complete with 13 foot cord, On/Off switch and two attachments—a utility pick-up and a long nozzle to reach hard to get at places. Power source: 12V., DC. Imported. Shpg. wt., 2 lbs.

11 R 1350 ..... Net 5.95

## GENUINE WASHING AND POLISHING SHEEPSKIN

- Washable • Oil Processed
- Full Cut Med. Size 18x24 Sq. Inches


High grade one-piece sheepskin. Glove tanned oiled processing makes it soft, pliable and long lasting. Meets government specifications for cleaning, washing and polishing. Ideal for cars or around the house. 432 square inch surface makes it perfect for waxing and dusting too. Color fast, no lint. Produced from imported lamb and sheepskin.

11 R 2050 ..... Net 1.89



## FIRST AID KIT

- Complete with Flash light and Safety Bliker



A first-aid kit with a portable flashing red warning light and white utility light. Blue/white molded plastic carrying case has cotton, ammonia inhalant, box of band aids, 2 tongue depressors, adhesive tape, tweezers, gauze bandage, drinking cup, 3x3 and 4x4 gauze pads, blade holder, first-aid book, scissors, list of contents, antiseptic/burn ointment. Lights operate on 4 "D" batteries (not incl.) Shpg. wt., 3 lbs.

11 R 8201 ..... Net 4.50

99 R 6256 Batteries for above ( 4 Required) ..... Net ea. .15

# Capacitive Discharge Ignition System

With Silicon Controlled Rectifier

- Quick, Easy Installation
- Constant Spark to 10,000 RPM
- Extremely Low Input Power—Less Load On The Engine

Combines all the advantages of capacitive discharge with those of solid state circuitry. Patented circuitry eliminates point bounce problems and positively fires plugs regardless of point condition. Fast rise time spark prevents fouling from three to ten times. Point contacts last indefinitely. Eliminates mis-firing, reduces oil contaminants, prolongs engine life. Provides smoother and more efficient operation at all speeds; constant spark up to 10,000 RPM; with dramatically improved acceleration and economy. Provides faster, easier starting in all weather. Reliability and performance proven

on thousands of military, commercial and private vehicles from Alaska to Cape Town. Unit operates with all commercial and original equipment tachometers. Installs immediately with two simple connections to the existing coil, leaving the standard system intact. No temperature limitations — mounts anywhere. Requires only a very small amount of input power — reduces load on engine and electrical load. For 12 volt negative ground system only. Shpg. wt. 2½ lbs.

11 R 8450 \$5 Monthly

Net 39.95

**39<sup>95</sup>** No Money Down




## CAR HOOKLOCK ANTI-THEFT DEVICE

**NEW!**

Only **9<sup>95</sup>**


- Locks Steering Wheel and Pedal
- No Wiring—No Fitting



Car anti-theft device that makes your car theft-proof in seconds! Requires no wiring or special fittings. Fully adjustable steel rod with an individualized key lock attaches to the steering wheel and brake pedal making it impossible to drive your car away. 360 degree swivel top permits universal mounting for all makes and models of cars. Comes complete in hammered bronze finish. Shpg. wt. 3½ lbs. 11 R 2650 Net 9.95

## AUTO/MARINE BATTERY CLOCK

OPERATES UP TO 1 YEAR ON SINGLE "C" CELL



**10<sup>95</sup>**


- Attractive Case—Chrome Bezel—Sweep Second Hand

A smartly designed and ruggedly constructed battery-operated clock designed for use in the car and cabin cruiser. Use it as a desk clock or take it with you on trips. Chrome bezel, with bright easy-to-read white face, has black markings and features a second pacing sweep hand. Employs a unique fiber mesh fastening arrangement on its base. Can be positioned on any metal, wood, plastic surface, including padded dashboards and yet is readily removable. Light in weight, only 13 ounces, this attractively styled conversation piece is mounted in a sturdy 3¼ x 3½ x 2½" gray plastic case. Wt., 1 lb. 11 R 1750 Net 10.95 99 R 6257 Battery for above Net .14

## PATHFINDER DELUXE PLUG-IN SPOTLIGHT

- 12 Volt GE Sealed Beam
- 10-Foot Cord with Plug
- All Chrome, Zinc Cast Housing

**4<sup>95</sup>**




Plug-in portable spotlight is a real "life-saver" in emergencies—provides dependable, instant, powerful light for safety in every night-driving need. Finger-grip handle permits easy direction of light beam. Flexible 10-foot cord; GE sealed beam; convenient hang-up hook; rich chrome plate on die-cast metal. Fits most cigarette lighter sockets. Stows away in glove compartment. 11 R 1625 Shpg. wt., 2 lbs. Net 4.95

## NEW! CUSTOM SIDE LIGHTS

- Conforms To New 1968 Safety Code

Only **3<sup>95</sup>**



Newly designed, custom side marker lights that keep pace with 1968 model cars by conforming to the new automotive safety code. Small button style design will enhance your cars appearance by day, prevent accidents by night... your cars visibility improves attracting attention of drivers coming from either side. Easy to mount and install into car's electrical system. Complete with hardware and instructions.


11 R 2750 Set of 2 Amber for front. Wt., ½ lb. Net 3.95

11 R 2751 Set of 2 Red for rear. Wt., ½ lb. Net 3.95

## NEW! DELUXE WIRE HUBS

**4 for 27<sup>95</sup>**

- All Steel Triple Chrome Plated
- Chrome Center Cone Covers Lug Nuts



Customize the appearance of your car the easy way by installing chrome wire loom hubs... makes chrome wheels really sparkle! adjustable to fit 13", 14" and 15" rims with 4 and 5 lug hubs; regular, reversed or deep-seated types. Chrome cap adjusts and aligns the wire loom for rattle-proof installation; will not rattle, squeak, or fall off. Chrome center cone covers unsightly lugs. Wire hubs designed for easy cleaning. Shpg. wt., 10 lbs. 11 R 3009 Set of 4 hubs Net 27.95

## DELUXE REVOLVING BEACON

- Plugs Into Cigarette Lighter Outlet **5<sup>95</sup>**
- Rotates Like a Lighthouse Beacon

A red warning light that rotates 360 degrees and flashes in all directions. Suction mount holds the beacon firmly in place. Signals for help for miles around: creates a safety zone during a traffic emergency. For use on autos, boats, trucks, docks, etc. For 12 volt use; complete with cigarette lighter adapter plug. Shpg. wt., 2 lbs. 11 R 1304 Net 5.95

**BLUE TURRET LENS.** Converts Revolving Beacon for use by emergency vehicles, volunteer fire depts., CD units, etc. Shpg. wt., 1 lb. 11 R 1305 Net .95



# Inverters-Battery Chargers-Power Supply

## TRIPP LITE 150-WATT TRANSISTORIZED INVERTER



Model PV-150

**32<sup>95</sup>** No Money Down


- Delivers 150 Watts Continuously
- Provides Household Current Anywhere
- Fused to Protect Battery

A low-cost transistorized inverter which changes 12-volt DC to 115-volt 60 cycle AC. Delivers 150-watts continuously; 175-watts intermittently for shavers, recorders, radios, TV and many other appliances. Has on-off switch and replaceable fuse. Rugged construction. Size: 5 x 5 x 3 1/2". Shpg. wt., 5 1/2 lbs.  
11 R 8950 \$5 Monthly Net 32.95

## 100 WATT TRANSISTORIZED INVERTER

ONLY **24<sup>95</sup>**

- Converts 12 Volt DC to 115 Volt AC
- Delivers 100 Watts Continuously
- Plugs Into Lighter



Model PV-100. Designed to give instant AC power where fast emergency service is needed. Lightweight, low-cost inverter converts 12 volts DC to 115V., 60 cycles AC; delivers 100 watts continuously. Specifically engineered to power televisions, and tape recorders in cars, boats, planes, or mobile homes. Incorporates 2-power switching transistors. Complete with cigarette lighter plug, and standard AC outlet. Size: 4 3/4 x 4 3/4 x 3".  
11 R 8954 Shpg. wt., 5 lbs. Net 24.95

## TERADO "DYNAMO" DC TO AC INVERTER

- Converts Your Table Model Radio To A Car or Boat Radio

Operate any small radio in any 12 volt car, truck, boat or trailer. No installation—just plug into cigar lighter. Operate electric shaver or any electric appliance up to 25 watts. With generator condenser and ignition noise suppressor. Size: 2 x 2 x 3 3/4".  
11 R 6317 Shpg. wt., 2 lbs. Net 11.95



Net 24.95

Net 11.95

## TRIPP LITE ALL SOLID STATE POWERVERTERS



Model PV-200-B



Model PV-400-B

- Combination Power Inverters and Battery Chargers

**MODEL PV-200-B—200-WATT INVERTER, 6 AMP BATTERY CHARGER.** Converts 12-volt DC to 115-volt 60 cycle AC, delivers 200 watts continuously, 250 watts intermittently. 4 power transistor circuitry for power boost. Battery charger is rated 6 amp, has automatic control which tapers current down to prevent overcharging. Size: 3 1/2 x 5 x 5". Shpg. wt., 5 1/2 lbs.  
11 R 8951 \$5 Monthly Net 42.95

**MODEL PV-400-B—400 WATT INVERTER, 10 AMP BATTERY CHARGER.** Rugged, heavy-duty inverter with 400-watt continuous output 450-watt intermittent and 500-watt instantaneous surge. 8 power transistors; hash-free TV, AM-FM reception. Battery charger rated 10 amp, ampere meter for both inverter and battery charger use. Pilot light warns against overloading. Built-in rack handles. Size: 5 1/4 x 9 1/4 x 10". Shpg. wt., 13 lbs.  
11 R 8952 \$5 Monthly Net 94.95

## TRAV-ELECTRIC

**59<sup>99</sup> terado**

Self-Contained Power Supply with Battery and Automatic Recharger

- Delivers 117 Volts 60 Cycle A.C. At 125 Watts Continuous
- 3 to 4 hours of Portable T.V. Operation on One Charge



Hundreds of uses: Operates TV's, power tools, barbecue motors, lights, hedge clippers, or, appliances using 117V., 60 cycles AC. Has self-contained 25 amp, rechargeable wet storage battery. Frequency stable within 1/2 cycle with load changes. Plugs into AC outlet, or, car cigarette lighter to recharge battery. Has automatic overcharge protection. Meter shows charge rate and hours of anticipated output. Size: 12x5 1/2x8". Shpg. wt., 36 lbs.  
11 R 6316WX \$5 Monthly Net 59.99

Net 59.99

## AUTOMATIC TRANSISTORIZED 10-AMP 12-VOLT MARINE CHARGER

- Automatic Trickle Charge • Built-in Meter




**29<sup>95</sup>**

Fully transistorized 12 volt battery charger that can't overcharge a battery. Automatically chooses the correct charging rate from 10 amperes to a slow rate trickle charge. Features terminal reversal protection and front panel meter. Supplied in steel case with all components sealed against salt water corrosion. Complete with three wire power cord and color coded output leads with clips. Shpg. wt., 14 lbs. Size: 10 x 6 1/2 x 7 1/2".  
11 R 7608 Net 29.95

Net 29.95

## DEFROSTER/DEFOGGER KIT FOR REAR WINDOW

Only **16<sup>95</sup>**




- Enjoy The Convenience And Safety Of Clear Rear Vision.
- Adjustable Louvers Direct Air Where Needed.

Rear window defrosting kit with giant defrosting capacity—50 cu. feet of warm air per minute quickly defrosts and defogs rear window regardless of weather. Unit is easily installed in trunk; does not interfere with spare tire or luggage space. Adjustable louvers to direct flow of air are recessed; will not interfere with vision or rear deck space. Dash switch controls defroster operation. Improves heating and air conditioning operation of car by increasing air circulation. Kit includes heavy duty motor, defroster hoses, adjustable louvers, switch, wiring, templates, and installation instructions. Fits all cars, (except station wagons, convertibles, and rear engine cars) for 12 volt electrical system.  
11 R 1250 Shpg. wt., 5 lbs. Net 16.95

Net 16.95

## ON-GUARD PROFESSIONAL SIREN-OPERATED BURGLAR ALARM



**27<sup>95</sup>**

- Complete—Easy To Install
- Loud, Police-type Siren Gives 3-Way Protection—All Doors, Trunk and Hood
- Pick-Proof On-Off Key Lock Mounts on Outside of Auto

Get 24-hour protection on your car, station wagon or truck with this complete burglar alarm system. The sharp penetration sound of the police-type siren will scare thieves away. The siren blasts off when anyone opens a door, the hood or trunk. The alarm can be shut off only with the alarm key. Complete system includes siren with trumpet, 4 door switches, hood switch, trunk switch, 2 brackets, electrical lock with 2 keys, wire, mounting hardware, instructions and 2 warning decals. For 12-volt cars only. Shpg. wt., 3 lbs.  
11 R 6201 Net 27.95

Net 27.95

# Recreates Concert Hall Listening In Your Car



## NEW! LAFAYETTE DUAL CHANNEL TUNEABLE SOLID STATE REVERBERATION SOUND SYSTEM FOR STEREO TAPE PLAYERS AND FM STEREO RADIOS

### • Convenient Under Dash Mounting

New exciting concept in a reverberation sound system to greatly enhance car stereo tape and FM stereo radio performance. You can now add a third channel 3-Dimensional reverberation output to your car stereo tape player or car FM stereo radio. The solid state dual input tuneable reverb amplifier creates this magnificent 3rd dimension in sound by adding a 3rd channel output. This 3rd channel is electronically delayed (echo effect) thru the reverb amplifier to a separate rear seat speaker—and combined with the regular stereo speaker output provides the ultimate in car sound reproduction. Multiple controls are provided for volume, balance, and amount of reverberation. Completely compatible—includes switch which permits use of reverb amplifier with car stereo equipment or car monaural AM and FM Radios. Complete system includes tuneable dual input reverberation amplifier, 6 x 9" dynamic speaker and chrome grill for rear seat mounting—and all connecting cables. Amplifier mounts easily under dash. For 12 volt negative ground systems. Size: 7¼" W x 1¾" H x 5½" D.

17 R 0170 Shpg. wt., 5½ lbs. Net 29.95




Made in U.S.A. Only **29<sup>95</sup>**

With 6"x9"  
Speaker, Grill  
and All Connecting Cables



- Add 3-Dimensional Reverberation Sound to your Car Stereo Tape Player or Car FM Stereo Radio
- Reverberation is a thrilling approach to True Concert Hall Listening
- Compatible—can also be used on Monaural Car Radios

## DELUXE LAFAYETTE SOLID STATE CAR REVERBERATION SOUND SYSTEM



Only **22<sup>95</sup>**

Complete with  
6"x9" Speaker  
Chrome Grill,  
and All Connecting Cables


- Tuneable . . . Electronic Tuning Control. "Custom Fits" the Sound to your Car, to your Ear.
- For 12 Volt Negative Ground AM and FM Auto Radios—Convenient Under Dash Mounting

Deluxe solid state tuneable reverberation unit converts your present car radio into a magnificent sound system offering concert hall realism. Beautifully styled to enhance the decor of your car. Consists of the tuneable amplifier control unit which easily mounts under the dash panel of your car by means of adjustable brackets. 6 x 9" dynamic speaker and chrome grill, for rear seat mounting, and all connecting cables. Includes simple instructions for connecting the reverb unit to your regular car radio system and for separate rear seat speaker. Reverberation is an entirely different approach to sound reproduction. Normal sound reproduction from a single source has a flat, one dimensional effect; with proper sound delay thru "REVERBERATION," tones are created with a truly third dimension for concert hall originality. The LRE unit features complete sound control—simplified controls permit balance of sound between front and rear seat speaker. Verb-A-Tone control adjusts the amount of reverberation to your taste. Specifications for 12 volt negative ground cars, peak audio output—4 watts, 2 transistors. Size: 1¾ x 4 x 9". Shpg. wt., 5 lbs.

17 R 0109

Net 22.95

## LAFAYETTE SOLID STATE CAR REVERBERATION AMPLIFIER



Only  
**11<sup>95</sup>**

Including  
Mounting Bracket  
Less Speaker

- Can Be Used With

Any 12-Volt Negative Ground Car Radio—AM or FM NOW—listen to the most dramatic sound of music you have ever heard in a car with the Lafayette solid state Automobile Reverberation amplifier. When used with your present 12-volt negative ground AM or FM car radio, the Lafayette Reverb amplifier creates a second set of reflected sound waves reproduced through a rear seat speaker (not included—See our annual 1968 catalog #680 for a complete listing of rear seat speakers). These reflected sound waves provide this exciting new dimension in sound reproduction. Features a push-pull Fader/Balance control. Balances regular car radio speaker and reverb speaker. Also controls amount of reverberation—from 0 to maximum. Separate isolation transformer for ultimate matching conditions. For underdash mounting. Dim.: 7¼"D x 3½"W x 1¾"H. Includes mounting bracket. Imported. Shp. wt., 4 lbs.

99 R 8519W

Net 11.95

## LAFAYETTE "VARY-MOUNT" SPEAKER FOR CAR RADIOS AND TAPE PLAYERS

Deluxe flush-mounting speaker with beautiful chrome grill. Ideal for use as an auto speaker or anywhere shallow depth is required. Full range speaker has heavy magnet and offers outstanding sound quality. Can also be used as a ceiling or wall mount speaker in your home. Imp., 8 ohms. Overall dia.: 6¼". Imported. Wt., 3 lbs.



**4<sup>44</sup>**

2 for **7<sup>99</sup>**

99 R 0179

Net 4.44  
2 for 7.99

# Deluxe Solid State AM and AM/FM Car Radios

## UNIVERSAL 12 VOLT SOLID STATE AM CAR RADIO

19<sup>95</sup>




- For 12 Volt Negative Ground Systems
- Removable Face Plate
- Built-in Speaker
- Tone Control Switch

Universal Solid State AM radio that is easy to install under the dash. Offers fine sound reproduction. Features built-in speaker and tone control slide switch, 7 transistors, 2 diodes, RF stage, AVC. Removable face plate. For 12 volt negative ground system. Size: 2x4 3/4x6 1/2". Imported. Shpg. wt., 3 lbs.

17 R 7425

Net 19.95

## SLIM DECORATOR STYLED UNDERDASH CAR RADIOS AND CONVERTERS




29<sup>95</sup>

**DELUXE SOLID STATE AM CAR RADIO**—Superb quality in a completely self-contained universal AM radio. Features all-transistor circuitry for instant action, continuously variable tone control, built-in speaker, and slide rule dial for fast accurate tuning. AVC assures stable, fade-free reception of distant stations. Sensitivity: 10  $\mu$ v; peak audio output: 2 watts; speaker: 3 1/2" round; 6 transistors, 2 diodes. Size: 1 7/8x4 1/2x9". For 6 or 12 Volt Negative or Positive ground. Imported. Shpg. wt., 5 lbs.

17 R 7417

Net 29.95



39<sup>95</sup>

**SOLID STATE FM CAR RADIO CONVERTER**—Converts your existing 12 volt negative ground AM radio to the FM band. All solid state circuit (6 transistors, 8 diodes) gives instant operation. Built-in AFC permits drift-free reception of distant FM stations. AM/FM switch allows instant selection of AM or FM stations. Sensitivity: 4  $\mu$ v. Size: 1 7/8" x 4" x 9". Imported. Shpg. wt., 4 lbs.

17 R 7420 \$5 Monthly

Net 39.95



59<sup>95</sup>

No Money Down

- External 5" x 7" Speaker

**DELUXE SOLID STATE AM/FM CAR RADIO.** Complete auto radio entertainment in one compact unit. All solid state circuitry gives superb sound quality on both AM and FM bands. This trim unit features a continuously variable tone control, FM Multi-plex plug for adaption to FM stereo, and an external 5x7" heavy duty speaker for crisp, clear tone. 11 transistors, 1 thermistor, 8 diodes, RF stage, AVC, and AFC. Size: 1 7/8x4x9". For 12 Volt Negative Ground. Imported. Shpg. wt., 6 lbs.

17 R 7418 \$5 Monthly

Net 59.95

## NEW! SOLID STATE FM STEREO CAR RADIO



The Ultimate In FM Car Radio Entertainment

Only 99<sup>95</sup>

With 2 Instant-Mount Speakers

- For 12 Volt Negative Ground Systems

Enjoy rich, vibrant FM stereophonic programming in your car with this magnificent performing FM stereo radio. Simple to install under the dash with adjustable brackets—only 2 screws are required to mount the radio. Features powerful Hi-Fi audio circuit for true stereo sound reproduction on both channels. Stereo Indicator Lamp illuminates when station is receiving stereophonic sound. Dual channel tone and volume controls. Balance control permits adjustment of channel separation for perfect sound balance. Illuminated slide rule dial. Specifications: 23 Transistors, 11 Diodes, Output 5 watts per channel. Sensitivity: 5  $\mu$ v. For 12V negative ground systems. Includes 2 instant-mount speakers in plastic housings. Size: 9"W x 1 1/2"H x 6 1/4"D. Shpg. wt., 6 lbs. Imported.

17 R 7437 \$5 Monthly

Net 99.95

## DELUXE CUSTOM RADIOS FOR VOLKSWAGEN CARS

Designed For All Standard Models Up To 1967



Custom AM-FM Pushbutton

69<sup>95</sup>

Custom AM Pushbutton

37<sup>95</sup>

Custom AM Manual

27<sup>95</sup>

**SOLID STATE PUSH-BUTTON AM-FM RADIO**—Matches decor of car's interior. All solid state circuitry with hi-fi features. 11-transistors, 2-diodes. AFC on FM for drift-free performance. Push-pull output, high sensitivity for long distance reception on both AM and FM. 4-IF stages on FM. Continuous variable tone control. Large 6" external speaker. Shpg. wt., 6 lbs.

17 R 7429 \$5 Monthly

Net 69.95

**SOLID STATE PUSHBUTTON AM RADIO**—Rich, radiant styling. Full 5 watts audio power. Includes 5" external speaker. Seven tuned circuits including RF-stage give maximum sensitivity. Fits all 6 or 12 volt standard VW cars thru 1967. Shpg. wt., 7 1/2 lbs. (Not Illustrated).

17 R 7421 \$5 Monthly

Net 37.95

**SOLID STATE MANUAL AM CAR RADIO**—Built-in speaker and tone control slide switch. 7-transistors, 2-diodes. RF-stage. For 6 and 12 Volt negative ground systems. Shpg. wt., 5 lbs.

17 R 7426 (Not Illustrated)

Net 27.95

## SPECIAL CUSTOM PUSHBUTTON AM RADIO FOR 1968 VOLKSWAGEN CARS

Only

37<sup>95</sup>

With External 5" x 7" Speaker

New deluxe pushbutton radio for 1968 VW cars. All solid-state circuitry — 7 Transistors, 2 diodes. RF stage. 5-watts peak audio output. Variable tone control with 5x7" external speaker. For 6/12 volt pos./neg. ground. Shpg. wt., 5 lbs.

17 R 7436 \$5 monthly

Net 37.95

# CAR/PORTABLE RADIOS

Amazing 2-way radios. Doubles as a car radio or as a portable radio. Operates on your car's electrical system with its own accessory "under dash" mounting bracket. Slide it in for brilliant on the road play. For use as a portable, slide it out and take it with you for listening pleasure away from the car.

## "TOM THUMB" SOLID STATE AM CAR/PORTABLE RADIO


- For Portable Use or Operation on 12 Volt Negative or Positive Ground Systems

A superb dual-purpose AM radio. As a mobile unit, operates on 12-volt positive or negative ground. As a portable, operates on four "C" batteries. Features 6 tuned circuits, 8 high-gain transistors, and improved AVC and RF stage. Powerful built-in antenna assures good reception in virtually all locales and under almost all weather conditions. With lock-and-key theft-proof mounting bracket. Less batteries. Size: 7 $\frac{1}{2}$ "L x 6 $\frac{1}{4}$ "D x 2 $\frac{1}{2}$ "H. Shpg. wt., 6 lbs.

17 R 2602 ..... Net 29.95  
**TOM THUMB FM-AM CAR PORTABLE**—Same features as above but with FM and includes a rear speaker. Shpg. wt., 8 lbs. Net 49.95  
 17 R 2607 ..... Net 49.95  
 99 R 6257 "C" type batteries for above radios (4 req.) Net ea. .14

ONLY  
**29<sup>95</sup>**

complete with  
bracket and  
locking key




## SHARP SOLID STATE FM-AM CAR/PORTABLE RADIO

- Install In Any 6 or 12 Volt Car or Boat System
- Use As A Portable, or On 117VAC 60 cps With Built-In AC Line Cord

Versatile "multi-purpose" AM/FM 12 Transistor Radio designed to provide outstanding reception anywhere. Used as an AM/FM car radio, it locks into its specially designed under-the-dash bracket and operates thru the car's electrical system (6 or 12 volts pos./neg. ground). Slips easily out of bracket for use outdoors—and plays on 4 "C" Batteries (included). For indoor use, it operates on regular 117VAC household current with the AC line cord provided. Pushbutton band selector controls. AFC for drift free FM reception. Ferrite Bar AM antenna, telescoping FM antenna, large 4" speaker, and wood grain finished front panel. 9W x 6 $\frac{3}{8}$ "H x 2 $\frac{1}{2}$ "D. Imported. Shpg. wt., 5 lbs.

17 R 5301 \$5 Monthly ..... Net 39.95  
 99 R 6257 Extra "C" batteries (4 req.) ..... Net ea. .14



**39<sup>95</sup>**

Complete With Car Bracket With Lock and Key, Batteries, AC Line Cord, Earphone

## BLAUPUNKT "DERBY" SOLID STATE 4 BAND FM/AM/SW/MARINE CAR PORTABLE

Super performing 4 band Auto/Portable radio. Tunes 2.05 to 5 Mc Marine, 5.9 to 7.5 Mc SW, 87.4 to 108 Mc FM, and 515-1620 Kc AM band. Retractable, pivoting telescopic antenna for shortwave/FM reception. Has push/pull output stage and sockets for earphone, tape recorder and record player. Features AFC with defeat switch. 2 watts power output. Also has a variable tone control for true hi-fi music reproduction. Attractively housed in a black case. Operates on 6 "D" batteries, car battery or AC with optional AC adapter—see below. Size 9 $\frac{3}{4}$ x7 $\frac{3}{4}$ x3 $\frac{1}{2}$ ". Shpg. wt., 7 lbs. Made in West Germany.

17 R 1518L \$5 Monthly ..... Net 84.95

### Accessories For Blaupunkt "Derby"

Universal Mounting Bracket, with lock, for auto use (6 or 12 volts—reverse polarity) ..... Net 18.95


17 R 1519 ..... Net 18.95

AC adapter for above radio. .... Net 7.95

17 R 1520 ..... Net 7.95

"D" size flashlight battery (6 req.) for portable use. .... Net ea. .15

99 R 6256 ..... Net ea. .15



ONLY **84<sup>95</sup>**

No Money Down

Optional Car Mounting Bracket 18.95

## Deluxe SONY Model TV-700U PERSONAL PORTABLE SOLID STATE TV

- 7" Viewable Picture Measured Diagonally

Operates on 117V 60 cycle AC, its own rechargeable battery, or 12V DC car/boat battery. Keyed AGC for bright, sharp picture, black screen for outdoor viewing. Has built-in telescopic antenna and wide-range speaker. With power cord, earphone, sunvisor, and front cover. 9"H x 7 $\frac{3}{8}$ "W x 9 $\frac{1}{2}$ "D. Imported. Shpg. wt., 8 lbs.  
 17 R 3043WX \$6.50 monthly ..... Net 114.95

Model BP/7 564. Shoulder rechargeable battery pack. .... Net 22.95

17 R 3229 Shpg. wt., 3 lbs. .... Net 22.95

Model DCC-2AW. Car battery cord. For 12V/neg. ground systems. .... Net 14.95

17 R 3230 Shpg. wt., 1/2 lb. .... Net 14.95

Model VCA-14. Car window antenna. Shpg. wt., 1 lb. .... Net 22.95

17 R 3260 ..... Net 22.95

Only  
**114<sup>95</sup>**

With AC Power Cord,  
Ear Phone, Sun Visor



Radios Are Available On Easy Pay Plan—No Money Down

Lafayette Cat. No. 684 55

**SLEEK  
SOLID BODY  
Electric Guitars**

**FOR  
BIG BEAT**

**SOUND**

See Page 59 For  
Money Saving Outfits

ONLY  
**2995**

ONLY  
**3995**  
NO MONEY  
DOWN

ONLY  
**4995**  
NO MONEY  
DOWN



**(A) 2 PICK-UP CUTAWAY SOLID BODY  
ELECTRIC GUITAR**

- True Vibrato Tailpiece
- Steel Reinforced Adjustable Neck
- Volume and Tone Controls

Solid-body, double cutaway, electric guitar. Has friction free adjustable chrome bridge, compression tremolo; dual adjustable pickups with individual Off/On switches; and rugged chrome plated machines. Thin, fast action; steel reinforced neck is laminated and features a 21 fret rosewood fingerboard with 8 distinctive, white inlaid position markers. Beautiful lacquered body has inlaid highly polished chrome plate. Beveled contour body is finished in a glittering sunburst shade. Complete with neck strap and cord. Size: 38 $\frac{1}{2}$ "H x 12W x 1 $\frac{1}{4}$ "D. Imported. Shpg. wt., 10 lbs.

13 R 2451WX Net 29.95

Sturdy Case for above guitar.

13 R 9715WX Shpg. wt., 3 lbs. Net 7.95

**(B) LAFAYETTE 3 PICK-UP LARGE BODY  
ELECTRIC GUITAR**

- True "Vibrato" Torsion Bar
- Detachable, Adjustable, Steel Reinforced Neck
- Double Cutaway, Beveled Body

Swingin', 3 magnetic pickup guitar features slim, fast, blond neck, 6 chrome machine heads, 7 "pearl" inlay markers and 20 frets on a rosewood fingerboard. Adjustable bridge, volume, tone and rhythm controls plus individual pickup switches and heavy chrome tremolo bar. Highly polished pick guard resists scratches. In gleaming hand rubbed shaded finish on fine mahogany stock. Complete with neck strap and cord. Size: 40" $\frac{1}{2}$ "H x 14" $\frac{1}{2}$ "W x 1 $\frac{1}{2}$ "D. Imported. Shpg. wt., 12 lbs.

99 R 9139WX \$5 Monthly Net 39.95

Solid Molded Vinyl Case

99 R 9143WX Shpg. wt., 3 lbs. Net 8.95

**(C) LAFAYETTE 4 PICK-UP LARGE BODY  
ELECTRIC WITH "VIBRATO"**

- Genuine Mahogany Body-Contour Cut Back
- 4 Controls, 6 Switches, 4 Pick-ups
- Adjustable Steel Reinforced Neck

Sleek! solid! professional sounding, 4-pickup guitar with fast, slim neck, 6 machine heads, plus adjusting screws for each string, 7 "pearl" markers and 20 frets, on rosewood fingerboard. Adjustable bridge, 2 volume controls, 2 tone controls, plus slide switches for channel 1 and 2 with selection of mic 1 or 2, solo or rhythm positions. Heavy duty tremolo bar and chrome pick guard plus input jack hand rubbed, shaded finish on select mahogany. Complete with neck strap and cord. Size: 41" $\frac{1}{2}$ "H x 14 $\frac{1}{2}$ "W x 1 $\frac{1}{2}$ "D. Imported. Shpg. wt., 13 lbs.

99 R 9140WX \$5 Monthly Net 49.95

Sturdy Case for above guitar.

13 R 1325WX Shpg. wt., 3 lbs. Net 7.95

**D LAFAYETTE "ULTRA-SLIM" 2 PICK-UP HOLLOW BODY ELECTRIC GUITAR**

- "Hi-Response" True Vibrato Tailpiece
- Steel Reinforced, Adjustable Neck
- Adjustable Bridge—Celluloid Bound

Handsomely styled double cut-away electric guitar with dual pickups for solo or rhythm work. Narrow high-speed adjustable neck is steel reinforced for extra strength and features a 21 fret finger board inlaid with white position markers. Also has sturdy tremolo tailpiece, laminated arched top and back, volume and tone controls plus 3-position selector switch for choice of pickup. Individual precision machine heads. Hand-rubbed shaded sunburst finish. 15W x 42H x 2"-D. Imported. Wt., 14 lbs. 99 R 9921WX \$5 Monthly

Sturdy Case For Above Guitar. Shpg. wt., 4 lbs. Net 8.95  
13 R 6601WX

**E DELUXE 2 PICK-UP "SLIMLINE"**

- HOLLOW BODY ELECTRIC GUITAR
- Hard Maple—Steel Reinforced Adjustable Neck
- Individual Volume and Tone Controls

Custom Designed Tremolo Tailpiece  
Custom crafted, professional quality instrument! Features a 21 fret, oval rosewood fingerboard with mother-of-pearl inlaid position blocks, plus side position markers and triple bound edges. Has two ultra-sensitive, hermetically sealed, solid coil pickups with adjustable height control, and individual volume and tone controls. 3-position lever switch selects bridge pickup for solo, and forward pickup for rhythm work; or, permits use of both pickups simultaneously. Large handsome celluloid bound body is shaped and contoured for optimum sound response. Beautifully flamed high-gloss polyester finish. 15W x 42H x 2"-D. Imported. Shpg. wt., 16 lbs. Net 79.95  
13 R 6602WX \$5 Monthly

Sturdy Case With Plush Lining For Above. Net 10.95  
13 R 6603WX Shpg. wt., 4 lbs.

**F DELUXE 12-STRING 2 PICK-UP "SLIMLINE"**

- HOLLOW BODY ELECTRIC GUITAR
- Fully Adjustable Compensating Bridge
- Steel Reinforced Adjustable Neck
- 4-Controls plus Switch For Exciting Musical Sounds and Effects

Ultra sleek, double cut-away thin-line instrument for the professional guitarist! Two adjustable, semi-sensative, hermetically sealed pickups. Separate volume and tone control for individual pickups. 3-position selector switch for Solo/Rhythm and Super Bass sounds. The body is of selected flame grained woods and contoured both front and back for perfect body comfort. Slim fast action neck is steel reinforced and features a 21 fret oval rosewood fingerboard with mother-of-pearl inlaid position blocks plus side, position markers and triple bound edges. Also has Universally adjustable bridge; custom designed tailpiece. Beautifully flamed, high-gloss polyester finish. 16Wx44Hx2"-D. Imported. Wt., 18 lbs. 13 R 6604WX \$5 Monthly

Sturdy Case With Plush Lining For Above. Net 12.90  
13 R 6605WX Shpg. wt., 4 lbs.

**DELUXE HOLLOW BODY Electric Guitars**

**FOR BIG DYNAMIC SOUND**

ONLY 4995 NO MONEY DOWN

ONLY 8995 NO MONEY DOWN



# SOLID and HOLLOW BODY ELECTRIC BASSES FOR

## BIG BASS

SOUND

Only  
**59<sup>95</sup>**

No Money Down

- Long Slim—Adjustable Steel Reinforced Neck

- Hard Maple, Steel Reinforced Adjustable Neck
- Double Cutaway Thin-Line Body

Only  
**89<sup>95</sup>**

No Money Down

Only  
**79<sup>95</sup>**

No Money Down

- Steel Reinforced Adjustable Neck



**LAFAYETTE 2 PICK-UP  
SOLID BODY ELECTRIC BASS**

Large, deluxe slimline electric guitar constructed of select mahogany woods, with hand-rubbed shaded finish and a highly polished inlaid steel plate to protect working surfaces. Features 4-chrome plated machines; celluloid bound rosewood fingerboard with 20 frets and 6 distinctive, white inlay position markers; 2-powerful magnetic pick-ups with individual Standby/On controls; adjustable bridge; plus tone and separate volume controls. A smooth styling bevel and thumb rest complements the shaped and contoured body for maximum playing comfort. With neck strap and cord. Size: 46L x 15½W x 1¾"D. Imported. Shpg. wt., 15 lbs. 99 R 9123WX \$5 Monthly \_\_\_\_\_ Net 59.95

Sturdy case for above. Shpg. wt., 4 lbs.  
13 R 6607WX \_\_\_\_\_ Net 10.95

**2-PICK-UP ELECTRIC BASS OUTFIT:** Includes 99-9123WX Electric Bass, 13-0148WX 80 watt Bass Amplifier, 13-6607WX case, neck strap, cord, plus "Modern Electric Bass Guitar Method" book. Shpg. wt. 78 lbs.  
13 R 9031WXM \$10 Monthly \_\_\_\_\_ Net 107.95



**DELUXE 2 PICK-UP  
HOLLOW BODY ELECTRIC BASS**

Produces deep bass tones with brilliant cadence! Features adjustable mute control; 2-perfectly balanced adjustable solid coil pick-ups; individual tone and volume controls for each pick-up; 3-position toggle switch for solo/rhythm work; fully adjustable compensating bridge; individual cast-chrome covered precision machines; and custom designed tailpiece. A 20 fret fingerboard made of oval rosewood features 7-mother-of-pearl inlay position blocks, side position markers and triple bound edges. The beautiful flame-grained hardwood body is celluloid bound and protected by a pick guard. Size: 46"H x 16"W x 2"D. Shpg. wt., 18 lbs.

13 R 6608WX \$5 Monthly \_\_\_\_\_ Net 89.95  
Sturdy case with "plush lining" for above.  
13 R 6609WX Shpg. wt., 4 lbs. \_\_\_\_\_ Net 12.50

**2-PICK-UP HOLLOW BODY ELECTRIC BASS OUTFIT:** Includes 13-6608WX electric bass, 13-0148WX 80 watt bass amplifier, 13-6609WX plush case, neck strap, cord, plus "Modern Electric Bass Guitar Method" book. Shpg. wt. 79 lbs.  
13 R 9032WXM \$11 Monthly \_\_\_\_\_ Net 217.95



**VIOLIN SHAPED 2 PICK-UP  
ELECTRIC BASS**

- Arched Body—Celluloid Bound

Combines the pure, brilliant bass tones of electric, with the rich accent of an acoustic guitar. 2" deep hollow body is delicately arched and bound with decorative celluloid both front and back. Features a 22 fret rosewood fingerboard with 10 inlay white position markers; 2-magnetic pick-ups; tone and volume controls; chrome plated trapeze tailpiece; adjustable bridge; enclosed bass tuning machines; three instantaneous slide switches—play either pick-up individually or both together. Bright guard plate with thumb rest. Sparkling sunburst finish. Size: 43L x 13W x 2"D. Shpg. wt., 12 lbs.

13 R 6610WX \$5 Monthly \_\_\_\_\_ Net 79.95  
Sturdy case with "Plush Lining" for above.  
13 R 6611WX Shpg. wt., 4 lbs. \_\_\_\_\_ Net 12.50

**VIOLIN SHAPED ELECTRIC BASS OUTFIT:** Includes 13-6610WX Bass 13-0148WX 80 watt Bass Amplifier, 13-6611WX Plush Lined case, neck strap, cord, plus "Modern Electric Bass Guitar Method" book. Shpg. wt., 75 lbs.  
13 R 9033WXM \$11. Monthly \_\_\_\_\_ Net 208.95

# BIG SOUND

ONLY 99<sup>95</sup>

NO MONEY DOWN

## 6-PC. "COMBO" DRUM OUTFIT

- 6-Ply Construction Thru-Out
- Double Lug—Separate Tension Rods
- With 14" Cymbal—Cow Bell—Toneblock—Sticks—Brushes
- Double Spring "Fast-Action" Bass Drum Pedal

A quality 6 piece drum outfit for the beginner or advanced musician. Outfit contains an 8" x 12" Tom Tom, a 14" x 20" bass drum, both with double lug separate tension rods, and a 5½" x 14" separate tension snare drum. Bass drum features a fully adjustable "fast" action pedal and chrome plated cow bell. All drums have plastic heads, feature triple flanged rims and chrome plated hardware. Other items include a 14" cymbal with fully adjustable cymbal holder that will adjust to any height or angle, disappearing spurs, sticks, and stick holder, a flat base snare drum stand, and a universal adjustable rail mount console for "ride" of Tom Tom. Bright sparkle finish. Shpg. wt. 50 lbs. 13 R 2450WX \$5 Monthly Net 99.95



## WHEN YOU BUY A COMPLETE OUTFIT

UP TO

**YOU SAVE 26<sup>21</sup>**

From Individual Catalog Prices

Each electric guitar outfit consists of a guitar, amplifier, case plus neck strap, pick-up cord, extra set of 5 flat-wound steel strings, 8 assorted picks, 16 page instruction book with chords, illustrated fingering positions, and "strum-along" favorite songs, plus instruction record. Each outfit includes Tremolo foot switch except those marked with \*.

### SOLID-BODY ELECTRIC GUITAR OUTFITS

See Page 56 for Guitars—Pages 60 and 61 for Amplifiers

Outfit No.	Guitar	Pick-up	Amplifier	Shpg. Watts	Net
13 R 9035WXM*	13 R 2451WX	2	99 R 9101W	5 25	65.50
13 R 9036WXM	13 R 2451WX	2	99 R 9142WX	8 26	76.95
13 R 9037WXM*	13 R 2451WX	2	99 R 9141WX	10 27	83.50
13 R 9038WXM	13 R 2451WX	2	13 R 0147WX	15 37	93.50
13 R 9039WXM	13 R 2451WX	2	13 R 0146WX	30 47	113.50
13 R 9040WXM*	99 R 9139WX	3	99 R 9101W	5 26	74.50
13 R 9041WXM	99 R 9139WX	3	99 R 9142WX	8 27	85.95
13 R 9042WXM*	99 R 9139WX	3	99 R 9141WX	10 28	92.50
13 R 9043WXM	99 R 9139WX	3	13 R 0147WX	15 38	102.50
13 R 9044WXM	99 R 9139WX	3	13 R 0146WX	30 48	121.95
13 R 9045WXM	99 R 9139WX	3	13 R 0145WX	40 65	139.95
13 R 9046WXM	99 R 9140WX	4	99 R 9142WX	8 28	94.95
13 R 9047WXM*	99 R 9140WX	4	99 R 9141WX	10 29	101.50
13 R 9048WXM	99 R 9140WX	4	13 R 0147WX	15 39	111.50
13 R 9049WXM	99 R 9140WX	4	13 R 0146WX	30 49	130.95
13 R 9050WXM	99 R 9140WX	4	13 R 0145WX	40 66	148.95
13 R 9051WXM	99 R 9140WX	4	13 R 0144WX	65 79	195.95

### DELUXE HOLLOW-BODY ELECTRIC GUITAR OUTFITS

See Page 57 for Guitars—Pages 60 to 61 for Amplifiers

Outfit No.	Guitar	Pick-up	Amplifier	Shpg. Watts	Net
13 R 9052WXM*	99 R 9921WX	2	99 R 9141WX	10 42	102.95
13 R 9053WXM	99 R 9921WX	2	13 R 0147WX	15 51	112.95
13 R 9054WXM	99 R 9921WX	2	13 R 0146WX	30 61	132.50
13 R 9055WXM	99 R 9921WX	2	13 R 0145WX	40 78	149.95
13 R 9056WXM	99 R 9921WX	2	13 R 0144WX	65 90	197.50
13 R 9057WXM	13 R 6602WX	2	13 R 0146WX	30 63	161.50
13 R 9058WXM	13 R 6602WX	2	13 R 0145WX	40 80	179.50
13 R 9059WXM	13 R 6602WX	2	13 R 0144WX	65 92	225.95
13 R 9060WXM	13 R 6604WX	2	13 R 0146WX	30 65	171.95
13 R 9061WXM	13 R 6604WX	2	13 R 0145WX	40 82	189.95
13 R 9062WXM	13 R 6604WX	2	13 R 0144WX	65 94	236.50

complete outfit 19<sup>95</sup>



### Ⓐ 7 PIECE "BEGINNER'S OUTFIT"

Nicely finished with open headpiece and pinless bridge. Can be used either as nylon string classic or steel string Folk guitar. Steel reinforced neck. Guitar has hardwood body with Blonde top. Highly polished finish with design around sound hole. Comes complete with Nylon and extra set of steel strings, Vinyl zippered carrying bag, neck cord, pick, instruction book and record course. Imp. Shpg. wt., 9 lbs. 13 R 6612WX Net 19.95

Guitar only. Similar to above. With strings. Shpg. wt., 7 lbs. 13 R 8724WX Net 11.95


### Ⓑ GRAND CONCERT SIZE CLASSIC GUITAR

Beautifully detailed concert size classic guitar! Features a steel reinforced rosewood neck with 19 fret fingerboard, and a fan-braced finest quality spruce top. Both front and back of the large handsome body are individually shaped and contoured for ultimate performance. Also has rosewood pinless bridge, 6-side position markers, heavy-duty precision machine heads with rollers, open headpiece. Highly polished maple grained sides and back. 13 R 6615WX Shpg. wt., 10 lbs. Net 24.95

Sturdy case for above wt., 4 lbs. 13 R 6614WX Net 7.95

Lafayette Cat. No. 684 59

# Deluxe, Powerful Musical



**80**

**WATT**

**For Electric Bass  
and Guitar**

ONLY **136<sup>95</sup>** \$7.50 Monthly

## 80 WATT "PIGGY BACK" BASS AMPLIFIER

- Powerful 15" Special Design Jensen Speaker with 27 oz. Magnet • Projects "Big Bass Sound"
- Excellent For Use With Regular Guitar, Accordion and Combo-Organ
- Control Panel will handle up to 3 instruments

Fabulous, full base sound with a minimum of distortion. Specially designed durable 15" Jensen speaker has a wide range response. Has 3 inputs: bass, high and low. Two slide switches for "deep" or "sharp" reproduction. Treble, Bass, and volume controls: Neon pilot lamps. Fuse and 3-position switch for power off/standby/on. Super 80-watt peak power chassis uses 5 tubes, 2 dual purpose tubes for 7 tube performance, and all solid state rectifier circuit. Heavy duty transformers provide greater output. Two units; 3/4" wood amplifier /speaker cabinet, and "piggy back" amplifier which sits neatly on top of speaker cabinet. Cabinets have attractive gray and silver acoustical cloth. Ribbed vinyl carrying handle. Speaker cabinet size: 23 1/2"H x 22L x 11 1/2"D. Amplifier: 7 1/4"H x 18 1/2"L x 10 1/2"D. For 117V AC 50/60 cycle. Shpg. wt., 58 lbs.

13 R 0148WX \$7.50 Monthly Net 136.95

13 R 0149W Dolly for above amplifier Net 11.95

## 10-WATT TREMOLO/ "REVERB" AMPLIFIER

**49<sup>95</sup>** No Money  
Down

- Tremolo Speed Strength Controls
- "Reverb" Control
- Top Mounted Controls for "Easy-Reach"

A deluxe "Reverb" amp that no guitarist, professional or novice, should be without. Smart, sturdy vinyl covered wood cabinet, with carry handle and attractive grille cloth. Top mounted controls: Off/On/Volume control with indicator lamp, tone controls, reverb control; tremolo with intensity and speed controls. Inputs for 2 instruments plus specially designed 8" speaker for that "swingin'" sound. Powerful 10 watt amplifier has AC isolation through a heavy-duty power transformer. Size: 18 1/2"Wx15 1/2"Hx6"D. Imported. Shpg. wt., 14 lbs.

99 R 0141WX \$5 Monthly Net 49.95



**65**

**WATT**

ONLY **149<sup>95</sup>** \$8 Monthly

## 65 WATT "REVERB"—"TREMOLO" TWIN-SPEAKER 2 CHANNEL AMPLIFIER

- Hammond "Reverb" Unit For Echo-Like Effect
- Pulsating "Tremolo" For "Go-Go" Effect
- 2-12" Heavy-Duty Special Design Jensen Speakers
- Extruded Aluminum "Slanted" Front Panel

Remarkable reproduction, finest craftsmanship, make up this 65 watt peak amplifier. Produces "Tremolo" and "Reverb" effects separately or simultaneously. Has two superb 12" Jensen musical instrument speakers. 7 tubes, 5 dual tubes provide 12 tube design. Tremolo has "speed" and "intensity" controls. Reverb has "intensity" control. 4-inputs for "normal" or "bright", handles up to 4 instruments. Separate volume and tone controls for channel 1 and 2. Input jacks for remote control of "reverb" and "tremolo". 3-position switch for power on/off/standby. Output and power transformer for heavy-duty operation. Sturdy wood cabinet, covered in black textured scuff-resistant vinyl. Size: 31 3/4"H x 23L x 10"D. Shpg. wt., 63 lbs.

13 R 0144WX \$8 Monthly Net 149.95

Dual Foot Switch for remote control of tremolo and reverb.

13 R 0150 Shpg. wt., 1 lb. Net 4.95

13 R 0149W Dolly for above amplifier Net 11.95

## "BUDGET-PRICED" SOLID STATE AMPLIFIER


- Two Instrument Inputs
- Volume and Tone Controls

All-transistor design provides 5 watts of peak music power with cool-running "instant-on" operation. Two instrument inputs, tone and volume controls, on-off switch, 6" speaker for top sound. Smart, sturdy cabinet covered in scuff-resistant black vinyl. Size: 15 3/4" x 13 1/4" x 6 3/4". For 117 volts, 50/60 cycles AC. 10 lbs. 13 R 0153W Net 19.95



**19<sup>95</sup>**

# Instrument Amplifiers



**40  
WATT**


ONLY **99<sup>95</sup>** \$5 Monthly

## 40 WATT TREMOLO TWIN SPEAKER 2 CHANNEL AMPLIFIER

- Tremolo For Pulsating Sound
- 2-12" Heavy-Duty Special Design Jensen Speakers
- Two Channel, 4 Instrument Inputs
- Extruded Aluminum "Slanted" Front Panel

Get faithful reproduction of every note. Has special heavy-duty Jensen speakers. AC chassis utilizes 6 tubes, 3 dual purpose tubes provide 9 tube design. 4 instrument inputs provide outstanding versatility. Two channel 40 watt peak amplifier. Has 2 volume and 2 tone controls. Features a remote control foot switch jack for colorful tremolo operation, plus 2 tremolo controls—speed and intensity; on/off/standby switch; pilot light and carrying handle. Sturdy wood case covered in shimmering black vinyl. Size: 31 $\frac{3}{4}$ "H x 23L x 10"D. For 117 volt AC operation. Shpg. wt., 50 lbs.

13 R 0145WX \$5 Monthly ..... Net 99.95  
Foot switch for remote control of tremolo. Shpg. wt., 1 $\frac{1}{2}$  lbs. Net 2.99  
13 R 0151 .....  
13 R 0149W Dolly for above amplifier ..... Net 11.95



**30  
WATT**

ONLY **79<sup>95</sup>** \$5 Monthly

## 30 WATT TREMOLO TWIN-SPEAKER AMPLIFIER

- 2-10" Jensen Music Series Speakers
- Extruded Aluminum "Slanted" Front Panel
- 3 Inputs
- Foot Switch Jack For Remote Control of Tremolo

Features two built-in heavy duty Jensen 10" speakers for clean reproduction of every musical note. Three instrument inputs. Four controls: two for volume and tone, two for speed and intensity of tremolo. Foot switch jack for remote control of Tremolo. 30 watt peak AC amplifier chassis utilizes 4 dual tubes equivalent to an 8 tube circuit, plus solid-state rectifiers for reliable operation. Sturdy wood cabinet covered in luxurious black vinyl. Size: 28H x 17 $\frac{1}{2}$ L x 9 $\frac{1}{4}$ "D. For 117 volts AC 60 cycles. Shpg. wt., 33 lbs.

13 R 0146WX \$5 Monthly ..... Net 79.95  
Foot switch for remote control of tremolo. Shpg. wt., 1 $\frac{1}{2}$  lbs. Net 2.99  
13 R 0151 ..... Net 2.99



## 25 WATT "TREMOLO" 2-CHANNEL AMPLIFIER

SAVE 10.00  
SALE **59<sup>95</sup>**

- Two Channel Amplifier
- Big 12" Jensen Speaker With Large 14.7 Ceramic Magnet
- 4 Instrument Inputs
- Jack For Remote Tremolo Control

A complete 25-watt, 2-channel audio amplifier! Features a built-in heavy duty Jensen speaker with a 14.7 oz. Ceramic magnet, four instrument inputs, 2-volume and 2-tone controls—one for each channel, a remote control foot switch jack for tremolo operation, plus two tremolo controls for speed and intensity. Also has On/Off switch, pilot light, top mounted fuse, carrying handle and factory installed "T" nut for easy mounting of "dolly." Constructed of 1/2" plywood covered in shimmering black vinyl. Size: 17 $\frac{1}{2}$ x10 $\frac{1}{2}$ Dx21"W. For 117V., 50/60 cycles. AC. Shpg. wt., 30 lbs.

13 R 0133WX \$5.00 monthly ..... Net 59.95  
13 R 0151 Remote foot switch. Shpg. wt., 1 $\frac{1}{2}$  lbs. Net 2.99  
13 R 0138WX Dolly for above amplifier ..... Net 9.50



Depend on Lafayette For Everything in Electronics

Lafayette Cat. No. 684 61

# SOUND EFFECTS

## LAFAYETTE "FUZZ SOUND"

14<sup>95</sup>

- Make your guitar or bass produce the harmony of several wind instruments!

Add more instruments to your small combo with the "Fuzz" Sound! Create a wide variety of synthesized tones such as those produced by a baritone, or bass saxophone. Battery powered, it easily connects between your guitar, or bass and the amplifier and is operated by an On/Off foot switch. Has two variable control knobs; one for regulating the "fuzz" effect and one for volume and intensity. A supplementary On/Off switch is combined with the volume control to conserve battery life. Fully transistorized, the unit is built for heavy duty use and operates on a single penlight battery. A rugged metal case protects inside circuitry. Overall size: 5½" L x 3½" W x 2½" over. H. Imported. Shpg. wt. 1¾ lbs.

99 R 9199 Net 14.95  
99 R 6258 Battery for above Net .10

NEW!

## SUPER FUZZ Today's "In-Sound"

Only  
24<sup>95</sup>


- Expanded Fuzz Can Produce a Sitar-Like Dimension in Sound
- Complete Controlled Range of Sustained Fuzz Effects
- Balance Control Enables Perfect Blend From Fuzz To Normal Effects

Solid-state Super Fuzz provides a complete range of controlled new harmonic sustained fuzz effects. Produces the wild new In-Sound widely used by the top recording groups. Balance control enables perfect blend of fuzz and normal tones. Expander control provides unlimited range of sustained fuzz effects. Two position tone compensator permits choice of standard fuzz or new harmonic sustained sitar-like dimensional sound. Master foot control switches instantly to normal guitar operation. Rugged metal construction. Size: 6½ x 3¾ x 1¾". With cord and battery.

13 R 6617 Shpg. wt., 1½ lbs. Net 24.95  
99 R 6021 Battery for above Net .21

## Lafayette Entertainer Microphones and Stands

12<sup>95</sup>



6<sup>90</sup>

15<sup>95</sup>

5<sup>55</sup>

### [A] DUAL IMPEDANCE DYNAMIC MIKE

• Omni-Directional—With Plug  
A superb dynamic microphone designed for high quality applications. Dual Impedance—high 50K ohms, or low 250 ohms. Omni-directional, 100-10,000 cps. Features pop-proof wire mesh grille. Modern attractive chrome plated frame. Equipped with on-off switch. Mike tiltable thru 90° arc. For all standard ¾"-27 floor stands. Size 7¾ L x 1½" Dia. with 20 ft. detachable cable and phone plug. Imported. Shpg. wt. 2 lbs.  
99 R 4619 Net 12.95

### [B] DELUXE BALL DYNAMIC MIKE

• For Hand and Stand Use  
Modern design features dual impedance—High 50K ohms, or low 250 ohms. Omni-directional, 100-10,000 cps. Has on-off switch. Ball screen insures against "pop" and wind blast. Die-cast, finished in satin aluminum. Size: 6¼" long, max. diam. of ball 2¼". Complete with detachable 20 ft. cable and phone plug. Black metal desk stand and adapter for any ¾"-27 floor stand. Imported. Shpg. wt., 2 lbs.  
99 R 4620 Net 15.95

### [C] ATLAS MIKE FLOOR STAND

Model MS-10C. Features "Full-Grip" clutch mechanism for fast quiet adjustments. Includes self-leveling, plus "anti-tip" points. Chrome plated tube. Terminates in a ¾"-27 thread. 10" base, finished in gray shrivel. Assures max. stability. Height adj. 35-63". Shpg. wt., 10 lbs.  
44 R 1003 Net 6.90

### [D] ATLAS "BABY BOOM" ATTACHMENT

Model BB-1. Use with any mike stand. 32" long. ¾"-27 thread. Chrome plated. All swivel parts are precision die castings.  
44 R 1013 Shpg. wt., 3½ lbs. Net 5.55

## LAFAYETTE SOLID STATE "ECHO-VERB" REVERBERATION

21<sup>95</sup>




• "Add-on" Reverb Unit for any Musical Instrument Amplifier or P.A. System  
Simulates the full sound top artists get! Compact, lightweight, transistorized reverb unit creates a new dimension in audibility to overcome dull, flat ordinary sound. Can be used with any instrument amplifier, or P.A. system. Minutes to connect, the "Echo-Verb" may be used for sound effects. Has inputs for mike and/or instrument—plus a foot switch input to cut reverb in or out from a remote location, pilot light and a reverb mix control that lets you select whatever intensity of reverb you desire. With reverb mix control in the "Off" position, standard sound will be heard from the amplifier. With on/off switch. For 117v., 50/60 cycles AC. Size: 3¾ H x 11½ W x 6½ D. Imported.  
99 R 9202W Shpg. wt., 5 lbs. Net 21.95

Foot Switch for Remote Control of "Echo-Verb"  
13 R 0151 Shpg. wt., 1½ lbs. Net 2.99


## INSTA-TUNE GUITAR TUNING AID

- Provides That Much Needed "Third Hand" 2<sup>19</sup>



Provides that necessary "third hand" for simple, accurate and rapid chain tuning. Adjustable to fit 6 string guitars with up to 2¼" neck. Spring loaded plunger holds the 2nd, 4th, 5th and 6th strings behind the fifth fret; plunger is adjustable to hold the 3rd string behind the fourth fret.  
13 R 8650 Shpg. wt., 1/2 lb. Net 2.19

## SETH THOMAS ELECTRONIC METRONOME 17<sup>95</sup>




Precision instrument, contains 2 complete electronically calibrated beat systems; audible and visual, 40 to 208 beats per minute. Single knob control, calibrated radial dial plus neon light. Wooden cabinet, operates on 115 V AC 60 cycles.  
13 R 4453 Walnut Shpg. wt. 3 lbs. Net 17.95  
13 R 4454 Mahog. Shpg. wt. 3 lbs. Net 17.95

# JOIN THE PARADE OF WINNERS!

Here Are A Couple of Previous Top Winners

**Robert Mclean shown with the \$15,000 Thunderbird Apollo he won in a LAFAYETTE SWEEPSTAKES. There are only 5 cars like it in the world.**



**Mr. Milton Magid accepting the \$2,000 check for his deluxe Hawaiian vacation.**

**YOU MAY HAVE ALREADY WON ONE OF THE 8,166 PRIZES DESCRIBED ON THE FOLLOWING PAGES. THE NUMBER ON YOUR ORDER BLANK (ENCLOSED) MAY BE ONE OF THE WINNERS PRESELECTED AT RANDOM BY COMPUTER. NOTHING TO BUY. NO STRINGS ATTACHED.**

## **HERE'S HOW TO ENTER LAFAYETTE'S SWEEPSTAKES IT'S SIMPLE—DO IT NOW.**

Simply print your name and address on the Lucky Number Order Blank enclosed. Your merchandise order from this catalog goes on the same Order Blank, but you can enter Lafayette's **\$125,000** Summer Sweepstakes whether you order or not. Mail your Order Blank in the reply envelope provided. Entries must be mailed as above. Do not submit them to our stores.

Entries must be postmarked no later than July 31, 1968. Entries received after August 7, 1968 will be disquali-

fied. Prize-winning numbers have been computer-selected by Magi-Mathematical Applications Group, Inc., an independent computer service organization whose programmed decisions will be final. Winners will be notified by mail. No substitutions will be made for any prize offered. Employees of Lafayette Radio Electronics Corporation, its subsidiaries, associate stores, dealers, advertising agencies, Magi, printers and their families are not eligible. This offer is subject to all federal, state and local regulations, and is void wherever prohibited by law.

**FIRST  
PRIZE  
BOTH  
CARS**

**THE CADILLAC FOR HIM!  
THE CAMARO FOR HER!**

(WE'LL AWARD BOTH TO THE  
WINNER—YOU DECIDE WHO  
GETS WHICH)



From behind the wheel of this elegant luxury car, our grand prize winner will become personally acquainted with an American marvel of distinctive beauty, comfort, efficiency and safety. He will enjoy, too, the spirited performance of its spectacular 472 cubic inch V-8 engine with smooth acceleration in traffic, and quiet, effortless highway cruising. A full complement of luxury accessories and conveniences has been included, such as: Variable ratio power steering, dual disc power brakes, power windows, 6-way power adjustable front seat, AM/FM radio with front and rear speakers plus automatic pushbutton antenna, fully automatic Turbo-Hydramatic transmission, automatic climate control heating and air conditioning, rear window defogger, cruise control, tilt-away energy absorbing steering wheel and steering column, head rests, tinted windows and a host of other unique Cadillac safety and styling characteristics.

**THE  
CADILLAC  
COUPE  
DE VILLE**

**PLUS  
THE CAMARO**

**SEE NEXT PAGE  
FOR DESCRIPTION  
OF CAMARO**



5

SECOND PLACE WINNERS  
GET THIS DELUXE

CAMARO



Along with our grand prize winner, five second place winners will own one of these new wide stance Camaro sport coupes. Features 210 HP V-8 engine, energy absorbing steering wheel and steering column, powerglide transmission, power steering, pushbutton radio, w/w tires, seat belts, plus numerous other engineering refinements.



10

FABULOUS  
“ANYWHERE”  
VACATIONS  
WANT TO GO TO

HAWAII?

EUROPE?

LAS VEGAS?

PICK YOUR OWN!

WE'LL GIVE THE 4TH PRIZE  
WINNERS OUR CHECK FOR:

\$1500.00

YOU MAKE YOUR OWN ARRANGE-  
MENTS. GO ANYWHERE YOU LIKE.  
ALONE OR WITH THE FAMILY OR  
FRIENDS—OR STAY HOME AND  
SPEND THE MONEY AS YOU LIKE.

...AND HERE ARE 8,150 MORE PRIZES!



25

### COLOR TV SETS

- Deluxe Personal Portable
- 82 Channel UHF-VHF Viewing
- 14"\* Picture With 102 Sq. Inch Viewing Area
- Built-In Automatic Degaussing Circuit
- VHF Preset Tuning
- \*Viewable Diagonal Picture Measurement

100

### SELF-WINDING 17 JEWEL AUTOMATIC DAY AND DATE CALENDAR WATCHES

- Swiss Made • Shock Resistant
- Elegant Expansion Band
- Gold Tone Case
- Stainless Steel Back




500

### LAFAYETTE "GUARDIAN" 2 BAND AM/FM-VHF POLICE RADIOS

YOUR CHOICE OF 2 MODELS

HIGH BAND	LOW BAND
FM VHF Police And AM	FM VHF Police And AM
147-174 MHz	30-50 MHz

- Listen To Police And Fire Calls
- Enjoy Standard AM Broadcasts
- All Solid State Circuitry
- Includes Batteries And AC Adapter For Use On 117 VAC Household Current



1,000

### TAPE RECORDERS

- Solid State Circuitry
- Remote Control Mike For Start/Stop Function
- With Batteries, AC Adapter, Earphone, 3" Reel of Recording Tape, Carrying Strap




1,900

\$10 GIFT CERTIFICATES\*

4,625

\$ 5 GIFT CERTIFICATES\*

\*Redeemable By Mail Or At Any Lafayette Store



Camera Only  
**49<sup>95</sup>**  
 SAVE When You Buy  
 Complete Outfit  
**115<sup>95</sup>**  
 No Money Down

# LAFAYETTE SUPER 8 REFLEX ZOOM MOVIE CAMERA

- Fully Automatic CdS Electric Eye
- Thru The Lens Viewing
- Sharp f/1.8 Zoom Lens

Take perfectly exposed movies with this reflex camera. Automatic CdS electric eye Meter automatically adjusts lens diaphragm for correct exposure from ASA 25 to 100. Fast f/1.8 zoom lens zooms from 12 to 30mm for wide angle normal and telephoto shots; sharp focus from 5 ft. to infinity without adjustment. Reflex viewfinder lets you see the exact picture area that will go on the film; eyepiece adjusts to your eyes. Signal system in the viewfinder warns of inadequate light conditions. Other outstanding features include: easy loading, continuous run 50 ft. Kodapak Super 8 cartridge for 50% larger image area; smooth battery-powered electric drive enclosed in the grip handle; built-in type A filter...continuous film run; footage counter; film-type and aperture indicator windows and movie light socket. Imported. Shpg. wt., 2 1/2 lbs.

99 R 7209L \$5 monthly \_\_\_\_\_ Net 49.95  
 15 R 1610 Camera Case for above \_\_\_\_\_ Net 3.95  
 99 R 6258 Extra Batteries for above (4 req.) \_\_\_\_\_ Net ea. .10

### COMPLETE ZOOM MOVIE CAMERA OUTFIT

Everything you need for movie making and showing fun. Matched components consists of Lafayette Zoom f:1.8 automatic CdS Reflex camera—fully automatic 500W brilliance projector with f:1.4 lens, automatic Reel-to-Reel threading, single knob control for Forward and Rapid Rewind. 400 ft. capacity. Projector includes self-contained case—outfit also includes: 1-camera case; 1-roll Kodachrome II film with free processing; 1-extra 400 ft. reel and can; 1-Batman cartoon; 1-30 x 40 inch folding tripod screen; 4-batteries for camera; 1-650W Sealed Beam movie light. Shpg. wt., 23 lbs.

15 R 9015WXM \$6.50 Monthly (Complete Outfit) \_\_\_\_\_ Net 115.95  
 Projector only used in above outfit.  
 15 R 7806WX Shpg. wt., 15 lbs. \_\_\_\_\_ Net 49.95

THESE New Super 8 Cameras  
 Use KODAK Instant Load Film  
 Cartridges—Shoot 50 Feet  
 Without Touching Film

# DELUXE SUPER 8 REFLEX AUTO POWER ZOOM MOVIE CAMERA

- Thru-The-Lens CdS Electric Eye
- 3.5 To 1 Power Zoom
- Two-Speed Operation
- Fast f/1.8 Lens

Camera Only  
**79<sup>95</sup>**  
 SAVE When You Buy  
 Complete Outfit  
**159<sup>95</sup>** No Money  
 Down  
 \$8 Monthly

Take brighter, sharper movies with this deluxe super 8 power zoom reflex camera. Instant loading film cartridge eliminates complex film threading or reversing... may be run a full 50 ft. continuously. Thru-the-lens CdS electric eye automatically controls the lens opening according to light conditions. Electric film drive motor does away with bothersome hand winding. Super fast f/1.8 cinetor 3.5 to 1 zoom lens may be manually or automatically operated. Warning signal shows in viewfinder under insufficient light conditions. Exceptional features include footage counter, reflex thru-the-lens viewfinding, built-in "A" type filter, battery tester, focusing eyepiece, full range film speed, safety lock, tight bar receptacle, cable release socket, pistol grip, and die-cast aluminum body with hinged doors. Focuses from 6' to inf. Two Speeds: 18 and 24 FPS. Imported. Shpg. wt., 4 lbs.

15 R 7807L \$5 Monthly \_\_\_\_\_ Net 79.95  
 15 R 1610 Camera Case for Above \_\_\_\_\_ Net 3.95  
 99 R 6258 Batteries for Above (4 required) \_\_\_\_\_ Net ea. .10

### COMPLETE POWER ZOOM MOVIE CAMERA OUTFIT

Everything you need for movie making and showing fun. Matched components consists of Power Zoom Super 8 f:1.8 camera—fully automatic 500W brilliance projector with F/1.5 Zoom Lens, automatic Reel-to-Reel threading thru gate, single knob control for Forward, Reverse, Still and Rapid Rewind. 400 ft., capacity. Projector includes self contained case—outfit also includes: 1-camera case; 1-roll Kodachrome film with free processing; extra 400 ft., reel and can; Mr. "Magoo" cartoon; 1-30 x 40 inch folding tripod screen; 4-batteries for camera; 1 Light Bar, 2 Bulbs. Shpg. wt., 23 lbs.

15 R 9017WXM \$8 Monthly \_\_\_\_\_ Net 159.95  
 Auto Zoom Projector Only  
 Full feature, forward, still and reverse. Shpg. wt., 16 lbs.  
 15 R 7808WX \$8 Monthly \_\_\_\_\_ Net 74.95



Get Your Movie Outfit Now! No Money Down



**LAFAYETTE  
SUPER 8  
MOVIE  
CAMERA**

**19<sup>95</sup>**

- Fully Automatic Electric Eye Sets Exposure
- Battery Drive Motor
- Fast f/1.8 Lens

Compact Super 8 uses instant loading cartridge film for continuous 50 ft. run. Sensitive selenium-type electric eye automatically adjusts lens for correct exposure. Side window shows f/stop used. Fast f/1.8 lens needs no focusing; keeps everything sharp from 6 ft. to infinity. Bright viewfinder includes red low light level signal to warn of overexposure. Built-in Type A filter automatically disengages when daylight film is used, ASA 25 to 64. Pistol grip handle holds 4-penlight cells. Safety lock for continuous run, avoids accidental exposure. Built-in movie light socket and film footage counter. Imported. Shpg. wt., 2 lbs.

99 R 7208L ..... Net 19.95  
Camera Case for above.  
15 R 1610 ..... Net 3.95  
Extra Batteries for above, 4 required.  
99 R 6258 ..... Net ea. .10

**YASHICA SUPER 8-25 REFLEX ZOOM**



**SALE!**  
Cut  
**12.00**


**59<sup>95</sup>**

- No Money Down**
- Automatic CdS Electric Eye
  - f/1.8 Zoom Lens.

A completely automatic camera which has most of the features one could want in a single unit. This sleek, compact Yashica Super 8-25 features instant loading, fully automatic exposure, electric film drive and the brilliant Yashinon f/1.8 reflex zoom lens with a 2½ to 1 ratio—12 to 30mm. Incorporates an exposure warning system in the viewfinder, which indicates over- or under-exposure, as well as the lens opening. The selenium exposure system is automatically set by the cartridge for ASA 25 and 40. Other features include a battery check, dropper—adjustable eyepiece; footage counter; 18 fps speed and single frame cable release socket and molded pistol grip with attached wrist strap for comfortable shooting. With batteries. Imported. Shpg. wt., 3 lbs.

15 R 3622L \$5 monthly ..... Net 59.95  
Extra Batteries for above (4 req.)  
99 R 6258 ..... Net ea. .10

**YASHICA SUPER 8-50 REFLEX ZOOM**




**109<sup>95</sup>**

**No Money Down**

- Behind The Lens CDS Exposure Control
  - f/1.7 Lens Zooms from 8.5 to 42.5mm
  - Pushbutton Power Zoom w/Pistol Grip
- Brilliant Super 8 movie camera features a Yashinon f/1.7 electric zoom lens for automatic pushbutton zoom; 10 group, 12 elements, 5-1 zoom ratio; focuses to 5' with split-image range-finder; stops down to f/22. Other features are: Through-the-lens exposure control with cadmium sulphide cell; reflex viewing with adjustable eyepiece, aperture scale, battery check, and over-under warning signal visible in finder; manual back-light control; 18 fps and single frame; built-in "A" filter; auto-reset footage counter; 3-way shutter control; remote input. Accessories: Remote control cable and switch, rubber eyecup, 4 "A" cell Batteries, filter key. Imported. Shpg. wt., 3½ lbs.
- 15 R 3631 \$6 monthly ..... Net 109.95  
Extra Batteries for above (4 req.)  
99 R 6258 ..... Net ea. .10

**Bell & Howell  
AUTO LOAD SUPER 8 mm  
PROJECTOR**

**81<sup>95</sup>**



Sharp 1" f/1.6 lens enhances all home movies. Brilliant illumination system allows enlarged viewing without light fall off. Design gives you finger-tip control of framing, tilt, and direction. Features automatic loop setter, still picture control, touch threading, and motor cooling switch. Rugged construction has built-in film cutter. Complete with 400-ft. reel. Wt. 20 lbs. Model 356.

15 R 6501WX \$5 monthly ..... Net 81.95  
Same as above but with f/1.6 Filmovara Zoom Lens, automatic reel to reel threading, dial focusing, and cord storage door. Model 357Z.  
15 R 6502WX \$5 monthly ..... Net 99.95

**DeJUR DUAL PROJECTOR  
FOR BOTH SUPER  
AND STANDARD 8**

**99<sup>95</sup>**



- With Self Contained Case

MODEL DP-787Z. Cool running compact projector with advanced engineering features provides high brilliance from movies taken with any 8 mm camera—super or standard 8 mm. Zoom lens assures sharp color reproduction. Selection of Super or standard 8 mm film is made by the flick of a switch. Other quality features include reel-to-reel threading, multiple speed control plus instant forward/reverse and rapid rewind, single frame stills, built-in film trimmer, automatic room light receptacle. Rugged motor is factory lubricated for years of operation. 400 ft. reel capacity. 20 lbs. 15-5211WX \$5 Monthly ..... Net 99.95

**gaf DUAL PROJECTOR  
FOR BOTH SUPER  
AND STANDARD 8**



**69<sup>95</sup>**

- 400 Ft. Capacity

MODEL 488 Super or regular 8 mm movies... take your choice, the Anscovision 488 projector shows them both with brilliant, Crisp projection. Sharp f/1.4 fixed lens assures clear viewing. Finger tip control selects rapid rewind, reverse, still, or rapid forward operation. Other quality features include 500 watt brilliance, automatic film threading, 400 ft. reel capacity, elevation control, and self-contained carrying case. For 110 volts 50/60 cycle AC. Shpg. wt., 13 lbs.

15 R 7811W \$5 Monthly ..... Net 69.95  
MODEL 588 Similar to above except with a sharp f/1.5 zoom lens plus room light coordinator outlet. Shpg. wt., 13 lbs.  
15 R 7812W \$5 Monthly ..... Net 79.95



MIRANDA  
"SENSOREX"  
35 MM SLR

**209<sup>95</sup>**  
with case

No Money Down

- Behind-The-Lens CdS Exposure Meter
- Variable Delay Self-Timer

Fully automatic SLR camera utilizes cross-coupled behind-the-lens CdS electric eye (ASA range 25-1600 and EV 3-18) and ultra-sharp Auto Miranda lens. Multi-split-grid resolves into perfect clarity when pin point focus is achieved. Features interchangeable lens mount, built-in self timer, instant return mirror, open diaphragm focusing, interchangeable viewfinders, and rapid advance 150° cocking lever. Complete with built-in variable delay timer. Includes case and strap. Specifications: 50mm f1.9 lens. Speeds: B, 1-1/1000th sec. FP & X synch. Imported. Shpg. wt., 3 lbs.

15 R 3711L \$11 Monthly

Net 209.95

MIRANDA  
"FV"  
35 MM SLR

**149<sup>95</sup>**  
with case

No Money Down

- Thru the Lens CdS Meter
- Sharp 50MM f/1.9 Automatic Lens




Versatile SLR provides virtually perfect exposure control using a sensitive thru-the-lens CdS meter. Accurate, spot micro-screen simplifies focusing. Speed variable from open to 1/1000th sec. Pentaprism SLR design permits brilliant thru the lens viewing. Quick-change mount accepts both bayonette and screw mount lenses. Other features include single stroke film advance, double exposure prevention, X and FP flash sync., and self resetting counter. Focuses down to 17". Meter range ASA 6-3200. (EVA 4-18) Imported.

15 R 3716L Shpg. wt., 3 lbs. \$8 Monthly

Net 149.95

15 R 3713L Above, less CdS meter (Model "FV")

Net 134.95



YASHICA LYNX  
5000 35MM


**75<sup>95</sup>**

- All-in-one Finder
- Sharp Super-fast f/1.8 lens
- Two-Stage CdS Meter

Set the needle in the finder and SHOOT! The LYNX-5000 combines an easy-to-operate match needle CdS exposure meter with a super-speed f/1.8 lens and a high speed (up to 1/1000 sec.) shutter. Features a split-image focus rangefinder, sensitive two-stage CdS meter with on-off switch and ASA range 10-800. Viewfinder lets you set perfect exposure without removing eye from finder as you compose and focus. Complete with black leather case and strap. Imported. Shpg. wt., 3 lbs.

15 R 3613L \$5 monthly

Net 75.95



KONICA AUTO S2 35MM

**89<sup>95</sup>**

With Case

No Money Down

- Automatic, Semi-Automatic, or Manual
- Fast 45 mm F1.8 Lens
- CDS Electric Eye

Simply set shutter speed and shoot. Fully automatic electric eye controls aperture for correct exposure. Shutter locks in improper light. Features IGL (insta-grip loading), short stroke film advance, battery test button, expanding and contracting field for matching varying field size while focusing, and 10:1 hi/lo CdS electric eye. Specifications: 45 mm f1.8 6-element Hexanon lens. Speeds B, 1-1/500th sec. in 10 settings. X or M synch. Imported. Shpg. wt., 3 lbs.

15 R 7606L \$5 Monthly

Net 89.95



YASHICA "TL-Super" 35 MM SLR

**184<sup>95</sup>**

with case

No Money Down

- Thru-The-Lens Light Readings
- Speeds To 1/1000th Self Timer

Yashica "TL-Super" SLR features a fast 50 mm f/1.7 6-element lens and curtain-type focal plane shutter for sharp, clear pictures. Advanced "twin cell" behind-the-lens CdS meter uses simple match needle system. Fine features include pentaprism viewing, automatic return mirror with lockup, self timer, single stroke film advance, automatic X-FP sync., and flash/accessory shoe. Speeds B, 1 to 1/1000th sec. Meter Range: ASA 25-800 (EV 2-18). Imported. Shpg. wt., 4 lbs.

15 R 3634L \$10 Monthly

Net 184.95



500 WATT SLIDE PROJECTOR

Only  
**26<sup>95</sup>**

- Quiet Fan Cooled Operation
- Automatic Slide Changer
- Color Corrected 4 Inch f3.5 Lens.

Designed for simplicity of operation and ease of maintenance. 500 watt lamp assures sharp brilliant pictures. Projects any 35 mm, Bantam, 127, or 126 slides. Does not require slide trays. Loads up to 40 slides and allows intermix of different size slides. Uses standard projection lamp. Compact—5 3/4" H x 14 L x 8 1/2" W. For 105/120 volts 50/60 cps. Shpg. wt., 7 1/2 lbs.

15 R 8401

Net 26.95



FRONT FOCUS PHOTO  
MONOCULAR

MAKES YOUR CAMERA TELE-  
PHOTO—Brings Distant Objects  
From 6 to 8 Times Nearer

ENLARGES  
THIS

TO THIS

**11<sup>95</sup>**

Take-super-telephoto pictures with your single lens or twin-lens reflex camera. The front focus system is specially made for on-camera operation. There is no need to miss those once-in-a-lifetime shots. Increases focal length of your camera lens 6X, 7X or 8X depending on model selected (i.e. 50mm lens plus 8X monocular equals 400mm telephoto). Rugged, lightweight construction—weight only 7 1/2 ounces; is only 5 inches long. Includes series VI adapter ring and leather case. Imported. Shpg. wt., 1 lb.

99 R 7072 6x30 mm

Net 11.95

99 R 7073 7x35 mm

Net 12.95

99 R 7074 8x30 mm

Net 12.95

Cameras Are Available On Easy Pay Plan—No Money Down

Lafayette Cat. No. 684 65

# Minolta "16 II"

SUBMINIATURE  
CAMERA

31<sup>95</sup>



An extremely easy-to-operate, palm-size camera. Sliding camera in and out of built-in case advances film, cocks, shutter, counts exposure and prevents double exposure—all automatically. 6 shutter speeds from 1/30 to 1/500 sec. plus "B". Takes 8 & W pictures, color prints or color slides that fit any 35mm projector. Direct viewfinder shows picture exactly as it will appear on film. Lens opening from f/2.8 to f/16. With Case. Imported. Shpg. wt., 1 lb.

15 R 3416L	Net 31.95
MINOLTA 16 II Accessories. Av. Shpg. wt., 6 oz.	
15 R 3421 Baby BC Flash with Capacitor and Case	Net 4.95
15 R 3422 Bracket for Flash and Tripod Mtg.	Net 1.95
15 R 3423 Aux. Lens Set—2 closeup, 1 distance, 1 Y filter	Net 4.49
15 R 3424 Color Filter Set—1 ea. 1A, 80A, 81B	Net 4.49
FILM FOR "16 II"—All are 20-exposure magazines Shpg. wt., 3 oz.	
15 R 3417L Kodak Panatomic X	Net .90
15 R 3419L Kodachrome II	Net 1.25
15 R 3418L Kodak Tri-X	Net .98
15 R 3450L Ektacolor Negative (color prints)	Net 1.49

# KODAK

INSTAMATIC CAMERA  
COLOR OUTFIT

As Low As  
16<sup>95</sup>

- Instant Loading
- Accepts Flashcube —Rotates it Automatically



Model 104 Outfit. Features the simple to operate Kodak Instamatic 104 camera. Instant film loading with snapshot of slide cartridges. Prefocused lens for perfect exposure. Accepts Flashcubes for 4 flash shots without touching a bulb. Double exposures prevention. Kit includes camera with wrist strap. Kodacolor-X film cartridge, 1 flashcube, and 2 AAA batteries. Shpg. wt., 4 lbs.

15 R 2630L ..... Net 16.95

154 OUTFIT. The complete foto outfit for the casual photographer who desires quality results. Features new "flashcube" for instant load photoflash shooting. Cube contains four bulbs with reflectors. Eliminates ejecting hot bulbs. Spring wound automatic advance, instant 10-thread loading, and automatic flash exposure setting are among the other features of this versatile camera. Complete with wrist strap, color film cartridge, flashcube batteries. Shpg. wt., 6 lbs.

15 R 2631L Instamatic 154 ..... Net 26.95

Package of 3 Four-shot Flashcubes  
15 R 2632 Shpg. wt., 3 oz. Net ea. 1.79

# baia

MARK II REVIEWER-EDITOR



11<sup>95</sup>

- Single Sprocket Drive • 3 1/4"x2 1/4" Viewing Screen

Compact Super 8 mm viewer with prismatic shutter magnifies picture more than 300 times. Features slip-in film loading that eliminates threading. Uses single sprocket drive to assure no skipping or film wear. Features automatic framing and focusing, fold-away butt type one step splicer, folding 400-ft. capacity rewinds, and a convenient frame marker. Complete with a supply of Mylar splice tape and Uniflex Splicer. Shpg. wt., 4 lbs.

15 R 3637 For super 8 mm ..... Net 11.95

Same as above but for standard 8 mm. Net 11.95

15 R 3638 Shpg. wt., 4 lbs.

## SUPER 8 MOVIE LIGHT

5<sup>95</sup> • Fits All Super 8 Models



Compact, powerful 650 watt tungsten sealed beam lamp will provide sparkling, bright indoor movies. Features top mounting and switch on power cord. Will fit all new super 8mm cameras plus all standard 8mm cameras with tripod socket on top, with 6 1/2 ft. cord and exposure guide. Shpg. wt., 3 1/2 lbs.

15 R 8406 ..... Net 5.95

## DROP FRONT "PRO"-BAGS


The perfect accessory bag for professionals or camera bugs. Heavy duty bags will hold movie, reflex, 35 mm and press cameras, flash guns, bulbs, meters and a host of other items. Constructed of durable vinyl material, with red corduroy lining and non-jam zipper. Leather loops, hand strap and front key lock.



15 R 1606 PRO 11 Size: 11x9 1/2 x 5 3/4". Shpg. wt., 2 1/2 lbs.	Net 8.95
15 R 1607 PRO 13 Size: 13x10 x 6". Shpg. wt., 3 lbs.	Net 9.95
15 R 1608 PRO 16 Size: 16x7 x 9 1/2". Shpg. wt., 3 1/2 lbs.	Net 13.95

## INSTA-CUBE CAMERA OUTFIT

- Uses Kodak 126 Cartridge Film
- With Drop-Front Case



SALE! 9<sup>95</sup>

Takes clear, sharp pictures every time. Features instant loading cartridge film. Flashcube automatically rotates after film advance. No complex settings or focusing, no double exposure. Kit contains drop-front case with strap, camera, 2 flashcubes (8 flashes), 2 batteries and 1-126 Kodapak® Verichrome Pan film cartridge. Shpg. wt., 4 lbs.

15 R 3301L ..... Net 9.95

## SALE! 2<sup>99</sup> COMBINATION GRIP AND BOUNCE FLASH BRACKET



Useful combination of grip and standard utility bracket. "Bounce Flash" bracket with lock allows easy multi-angle flash operation for electronic strobes or standard flash guns. Bracket is also useful for holding exposure meters and other camera accessories. Molded pistol handle affords solid grip. Permits ultra safe carry for your valuable camera. Imported. Shpg. wt., 1 lb.

99 R 7190 ..... Net 2.99

## 3M DYNACHROME COLOR FILM WITH PROCESSING



- Beats the High Cost of Color Film
- Same Fine Pictures
- Processing included Direct To Your Home

Dynachrome film is the newer, faster color film now in demand. Same reversal type, same natural colors, same superb quality. Only the price is different—it's almost like getting the processing free. And the low price includes processing direct to your home. Av. Shpg. wt., 6 oz.

COLOR SLIDE FILM	
15 R 1818L 35mm, 20 Exp. Daylight ASA 64	Net 2.40
15 R 1819L 35mm, 36 Exp. Daylight ASA 64	Net 3.74
15 R 1817L 126, 20 Exp. Daylight ASA 64	Net 2.40
COLOR MOVIE FILM	
15 R 1808L 8mm, 25 ft. Double Roll Daylite ASA 25	Net 2.73
15 R 1809L 8mm, 25 ft. Double Roll Indoor ASA 40	Net 2.79
Super 8mm 50 ft. Cartridge Indoor/Outdoor ASA 40	
15 R 1816L	Net 3.49

# LAFAYETTE CdS EXPOSURE METER

• Professional Quality Ultra Sensitive—Measures Moonlight, Candlelight, Bouncelight

15<sup>95</sup>


NOT A KIT  
Completely  
Wired

Now you can achieve correctly exposed photographs from the light of a single candle with this versatile, low cost Lafayette meter. Ultra-sensitive CdS photocell meter utilizes dual light ranges to accurately measure light intensity including extremely low light levels for night or available light photography. Operates comfortably with one hand. A single slide switch controls light range and automatically moves the proper scale into position for easier readings. Measures reflected and incident light with built-in hemispheric diffuser. The meter can be adjusted with a click stop switch to three angles of light acceptance; 15° telephoto, 45° standard and 75° wide angle matching your readings to the camera lens and scene being photographed. Reflex viewfinder with frame markers provide precise area readings for 15° and 45°. Has battery test and "off" position to prolong battery life. External zero adjustment and two mercury batteries (included) assure accuracy over long continuous use. Cushioned jewel mechanism and high impact case, 4 3/8 x 2 1/2 x 1 3/8" D. Imported. Shpg. wt., 13 oz.


99 R 7197L ..... Net 15.95  
15 R 1609 Hard leather eveready case strap. Wt., 6 oz. .... Net 3.95

### SPECIFICATIONS

Sensitivity: Low Range, 0.44 to 110 footcandles; High Range, 110 to 28,000 footcandles. ASA Film Speed Range: 6 to 12,000 (1° to 12°). Diaphragm Stops: f/0.5 to f/64. Shutter Speeds: 1/4000 second to 30 minutes. Movie Scale: 4 to 128 frames per second. EL-LVS Scale: -12 to +22. Acceptance Angle: 15° Tele, 45° Std., 75° Wide Angle. Color Response: 5,600 Angstroms (peak). Photocell Type: Cadmium Sulphide. Batteries: 2 Mercury.



## ULTRABLITZ CORNET "100" ELECTRONIC FLASH



24<sup>95</sup>

- Operates on Batteries or AC
- Fully Transistorized
- Re-cycling Time 5-12 Seconds
- With AC Cord


Featuring compact design and quality transistorized circuitry. Uses two "C" type batteries or AC. Solid state circuit for low battery drain and constant high intensity output. F-stop computer, retractable pc cord and "hot center contact" for cameras with "hot shoe." Guide No's: Kodachrome II (ASA 25) 44; (ASA 64) 63; Tri-X (ASA 400) 176. Color temp: 5,600° K. Angle of illumination: Vertical; 50°. Horizontal; 58°. Ready light indicator. Imported. Shpg. wt. 2 1/2 lbs.

15 R 3715 ..... Net 24.95  
99 R 6293 Alkaline Batteries for above (2 req.) ..... Net ea. .35

## LAFAYETTE TRANSISTORIZED ELECTRONIC STROBE FLASH

16<sup>95</sup>

- Lightweight & compact
- Fully Transistorized
- Operates On 4 Economical "Z" Cell Batteries



Now you can have a high-powered transistorized electronic flash that operates from standard AC house current or 4 economical "Z" cell batteries. Compact and feather-weight—no power pack is required. Flash duration of 1/2000 seconds for fast pictures. Recycling time: 6 to 8 seconds; color temperature: 5800° Kelvin. Guide number dial for F stop on back. Mounts either vertically or horizontally. Fits any camera shoe. Complete with AC cord, camera cord and batteries. Imported. Shpg. wt., 2 lbs.

99 R 7184 ..... Net 16.95  
99 R 6258 Extra batteries for above (4 req.) ..... Net ea. .10

## DELUXE LENTICULAR SCREEN

- Automatic Lever-Type Handle Permits Smooth And Easy Adjustment

As Low As  
11<sup>95</sup>



Specially-designed, optically-correct lenticular screen is free of glare, sheen and hot spots. Amazing sharpness and color rendition. Durable vinyl fabric resists fire and fungus. Sturdy, secure tripod legs. Screen is 40 x 40". Shpg. wt., 12 lbs.

15 R 5005W ..... Net 11.95  
Same as above. Extra Large 50" x 50" Super Screen—Ideal for New Super 8 Movies. Shpg. wt., 14 lbs.  
15 R 5021W ..... Net 18.95

### GLASS BEADED SCREEN

Fine grain glass beading for extra brilliance excellent viewing. Heavy-duty folding tripod adjustable to various heights. Large 30" x 40" size. Shpg. wt., 10 lbs.

15 R 5003 ..... Net 6.95

## LAFAYETTE CdS EXPOSURE METER



Only  
9<sup>95</sup>

- Super Sensitive CdS Meter
- Push-Button Battery Test Circuit
- ASA 6 to 12,000

An extremely sensitive Cadmium Sulfide exposure meter. Perfect for all types of photography either indoors or outdoors. Perfect for all high or low level lighting. May be held in the hand, around the neck, or attached to camera. Film sensitivity scale: ASA6 to 12,000. Exposure time scale 8 sec. to 1/1000 sec. Lens aperture f/1 to f/32. Light value scale (EV): LV4 to 17. Movie scale 8 to 64. Measures reflected or incident light. Complete with mercury battery, leather carrying case and carrying/neck cord. Shpg. wt., 1 lb. Imported

99 R 7186 ..... Net 9.95

## DELUXE ELEVATOR TRIPOD

11<sup>95</sup>

- 4-Sectional Extends to 60"
- Durable Lightweight Aluminum



Deluxe, lightweight, camera tripod with every convenience feature for 8mm, movie, and still cameras up to 2 1/4 x 2 1/4". 4-sectional aluminum legs and double-rise center post extends to 60"; closes to 16". Panhead tilts for vertical shooting. Set screw thumb lock holds center post firmly in place. Legs have nylon leg locks with bushings, and non-slip rubber tips. Constructed of durable aluminum throughout. Color: Blue with high chrome base. Shpg. wt., 3 lbs.

15 R 8701 ..... Net 11.95

# SMITH-CORONA "Figurematic" Portable Electric Adding Machine



Only  
**66<sup>95</sup>**  
No Money Down



- Totals up to \$999,999.99
- "Hand-Span" Keyboard with Sensitive Key Response
- Lightweight and Compact

A fast-figuring electric portable that adds, subtracts and multiplies. Full-featured construction with 10 keys, Add-Subtotal, Subtract-Total, and Repeat. "Clear" and digital indicator are combined. Lists 7 columns of figures. New, easy-load ribbon cartridge gives thousands of extra prints. Easy to carry—the cord tucks in, stylish dust cover snaps on, built-in retractable carrying handle comes out, and away it goes. Ideal for everyone who figures—at work, home, in-between. Overall 7x9x13". For 110-115 volts, 60 cycles, AC. Shpg. wt., 10½ lbs.

15 R 4007WX \$5 Monthly ..... Net 66.95  
Adding tape for above 2½" wide.  
15 R 4006 ..... Net ea. .29



## SMITH-CORONA CORONET ELECTRIC TYPEWRITER

**134<sup>95</sup>**  
No Money Down

Type Easier Electrically! Makes up to 10 clear carbons... repeats dots, dashes, spacing, the letter X, and underlines. Full sized 88 character keyboard features impression control dial and touch selector. Amazing accelerator action gives faster type bar action for a snappier, livelier touch. Packed with such effort saving features as the page gage and quick set margins. Equipped with exclusive forward-glide top deck. Strong steel frame construction. Perfect for every member of the family. Trimline luggage type carrying case. Shpg. wt., 26 lbs.

15 R 4004WX Pica-Star Mist Blue \$7.50 Monthly ..... Net 134.95  
15 R 4008WX Pica-Tan \$7.50 Monthly ..... Net 134.95

## AUTOMATIC ELECTRIC PENCIL SHARPENER

**13<sup>95</sup>**

- Automatic Stopper When Pencil Is Sharpened
- Heavy Duty Electric Motor



Ideal for student, artist, draftsman, business firms... anyone who needs sharp writing or drawing points. Powerful sharpener gives a needle point instantly. Unit even sharpens charcoal and pastel pencils. Sensitive micro switch automatically stops motor when pencil is sharpened. Carefully machined precision ground cutters last indefinitely. Neat, easy cleaning is achieved with convenient push out receptacle drawer. Simple and safe for even a child to use. Constructed of sturdy die cast metal with heavy duty 115 volt AC motor. UL Listed. Imported. Shpg. wt., 3½ lbs.

15 R 1705 ..... Net 13.95

## brother Portable Typewriters



(A) **42<sup>95</sup>**  
NO MONEY DOWN

### (A) PORTABLE TYPEWRITER

- All Steel/With Case
- Echelon 44 typewriter contains a full 88 character office keyboard—4 characters more than standard typewriters (4=11). Features two-color plus stencil position, variable line spacer, erasure table and paper support arm, half-space ratchet, touch adjustment, hand set margins, paper bale scale, jam release key, measuring scale holder, line drawing aperture and comfort sloped keyboard. Popular pica type. Size: 14½x15x6¾". With case. Shpg. wt., 15 lbs.  
15 R 1706WX \$5 Monthly ..... Net 42.95  
Echelon 66—Same as above but with tabulator key. Net 47.50  
15 R 1707WX

### (B) DELUXE PORTABLE TYPEWRITER

- Full Featured/With Case
- Echelon 88 full featured deluxe compact portable typewriter with key set tabulator and full 88 character keyboard. Features include convenient "touch" control, variable line spacer, two-color ribbon plus stencil position, automatic and manual ribbon reverse, erasure table and paper support arm, jam release key, synchronized measuring scale and card holder provide additional typing comfort. All steel with carrying case. Pica type. Size 16¾x18x7½". Shpg. wt., 19 lbs.  
15 R 1708WX \$5 Monthly ..... Net 57.95


### (C) DELUXE HOME/OFFICE TYPEWRITER

- Deluxe Molded Case
  - All Steel
- Echelon 99 full 88 character home/office typewriter features push-button key set tabulator, pushbutton 2 color ribbon selector, jam release key, rapid paper advance lever, synchronized measuring scale and card holder. Has automatic and manual ribbon reverse, line finder, line drawing aperture, and segment shift. 88 pica type characters. With deluxe carrying case. 88 Pica characters. Size: 16¾x18x17¾". Shpg. wt., 23 lbs.  
15 R 1709WX \$5 Monthly ..... Net 73.95

(B) **57<sup>95</sup>**  
NO MONEY DOWN



(C) **73<sup>95</sup>**  
NO MONEY DOWN



# COPYMATE®

DRY COPIER


Only **29<sup>95</sup>**

- Completely Dry . . . . . All Electric Process
- Easy To Use . . . . . Two Simple Steps
- Makes Crisp Black-On-White Copies In Seconds
- Copy Recipes—Letters—Photographs—Maps—Even Pages Bound In Books and Magazines
- Built-in Automatic Timer For Exposure Control
- Does Not Use Messy Chemicals—Inks—Powders—Sprays

Now—an all new dry copier for home and office use. So easy to use; two easy steps, anyone can make permanent non-fading black-on-white copies of important documents, kitchen recipes and newspaper articles in less than one minute, regardless of color, or thickness up to size 8 x 10". Does not use messy chemicals, inks, powders, or sprays; uses two ordinary 150 watt frosted household bulbs and 'Copymate' paper. The 'Copymate' is portable too! Weighs only 8 lbs., and can be carried to the library, club meetings or office . . . plugs into any household outlet. Built-in automatic timer controls exposure time for light or dark copies, plus, indicates when reproduction is ready. Pilot light indicates when machine is on. Comes with On/Off switch in line cord and built-in carrying handle. Smartly styled in a handsome brown and gold case. For 110-120V., 60 cycles AC. UL Listed. Size: 22 1/4" x 17 1/2" x 6 1/4" H. Shpg. wt., 9 lbs.

15 R 4601W . . . . . Net 29.95

Copy Paper For 'Copymate' . . . . . Net 2.99  
33 Sheets per package. Shpg. wt., 1 1/2 lbs.  
15 R 4602 . . . . .



For Home or Office



bank checks for deductions . . .

## THE EXECUTIVE PERSONAL FAN by


## ELECTRIX®

- Powerful—Compact  
Whisper Quiet
- Use Anyplace You Relax

Only **11<sup>95</sup>**

Cools like fans several times in size, yet it's so light in weight (less than two pounds), you can take it with you from room to room . . . set it on a desk, alongside your bed, or in the kitchen . . . wherever a breath of fresh air is needed without blowing up a storm, or disturbing surface papers. In fact, the Executive is so whisper quiet and efficient you can use it any place you relax or work. Durable, high impact Cyclocac® base adjusts to direct a concentrated, cooling, even stream of air. Comes in beautiful off-white finish. Size: 8W x 4H x 4"D. Shpg. wt., 2 lbs.

15 R 5101 . . . . . Net 11.95




A Concentrated Stream of Cool, Freshly Circulating Air That Will Never Disturb Papers

## draftette PORTABLE DRAFTING MACHINE

## TECHNICAL DRAFTING SET

## AUTOMATIC PENCIL SHARPENER



• Precision Instrument  
DRAFTETTE® 9-B—sketch draft, design, draw diagrams and schematics like a professional. A new DRAFTETTE which gives you all the advantages of a T-square, triangle and protractor in a compact, easy to operate portable drafting machine. Constructed of anodized aluminum, features tubular arms, 360° protractor, one-piece 6"x9" scale calibrated in 16ths-1/8-1/4. Mounted on a lightweight 16"x21" drawing board, completely assembled ready to use. Shpg. wt., 4 lbs.  
15 R 7401 . . . . . Net 14.95




**749**

- Center Wheel Adjustment
- Professional Quality
- Made in W/Germany of Nickel Plated Brass

Contains 6 1/4" self-centering compass, one leg knuckle joint with divider, pencil, pen parts and lengthening bar; 6 1/4" self-centering divider; spring bow divided 4 1/4", center wheel adjustment with interchangeable needle points; spring bow pencil and spring bow pen, both 4 1/4" with center wheel adjustment and interchangeable needle point; two 5 3/8" ruling pens; extra handle for pen and pencil parts; adjustment tool; lead case and leads; and spare parts kit, all in velvet lined snap closing case.  
99 R 7003 Shpg. wt., 1 1/2 lbs. . . . . 7.49

- Battery Operated—Use it Anywhere

**3<sup>95</sup>**




Gives clean and fast automatic pencil sharpening without bothersome cords or plugs. Just insert a pencil into the receptacle for a sharp point everytime. Attractively designed and carefully engineered sharpener operates on 3 "C" cells. Use this electric pencil sharpener anywhere without worrying about power plugs. Convenient easy to clean shavings container. Ideal for offices, schools, homes, etc. Complete with 6 extra blades, no mar rubber feet.  
15 R 1202 Shpg. wt., 1 1/2 lbs. . . . . Net 3.95  
Batteries for sharpener  
99 R 6257 3 required . . . . . Net ea. .14

To Speed Your Mail Order—Please Give Your Zip Code Number

Lafayette Cat. No. 684 69

# Convenience & Protection Devices For The Home

LAFAYETTE® TECHNI-TIMER™



ONLY 7<sup>95</sup>

- Makes Any Appliance Completely Automatic
- No Special Wiring—Just Plug In
- Handles Loads Up To 1875 Watts
- Turns Lights And Appliances On and Off
- Can Be Set To Skip-A-Day
- 1 Year Guarantee

The Lafayette Techni-Timer makes practically everything electrical automatic. Turns rays on and off. Does not have to be reset each night. Defrosts refrigerator, controls roaster, electric blanket, fans, coffee-makers, phonographs, etc. Turns your home lights on and off automatically while you're away. Repeats cycle every 24 hours—no need to reset. Minimum ON time 15 minutes, maximum ON time, 23-hours. Minimum OFF time 1-hour, max. OFF time, 23-hours 45 minutes. Easy-to-read 24-hour dial. Can be set to skip-a-day

operation and, controlled manually without automatic reset. Attractive design. For shelf, table or wall mounting. With 6 ft. cord, plug and receptacle for equipment to be controlled. Highest quality—we will repair any defect due to material or workmanship within 1 year without charge. Simply ship timer to Lafayette prepaid. 5W x 4H x 2½"D. For 110V 60 cycles AC. Shpg. wt., 2 lbs. UL/CSA listed.

13 R 0140

Net ea. 7.95

*Intermatic*

TYPE T101 TIME SWITCH




9<sup>07</sup>

Turns equipment "on" and "off" once in 24 hours, or from 1-12 "on" and "off" operations a day can be obtained by use of extra trippers—can be added without removing dial. Min. on or off time 1 hr. max. 23 hours. Can be turned on or off manually with reset SPST switch rated at 40 amps. 4375 watt capacity. Mounting holes and knockouts. Gray steel case. UL approved. Operates on 110 volt 60 cycle AC. 7¼L x 5W x 3"D. Shpg. wt., 4 lbs.

13 R 2702

Net 9.07

## HOME WEATHER STATION



7<sup>50</sup>

- Thermometer
- Barometer
- Hygrometer

Forecast the weather at a glance without complicated calculations! Three professional dial-type instruments give instant and accurate measurements of barometric pressure, temperature, and humidity. Instruments rotate 90° for vertical or horizontal placement. Dials are produced with micrometer precision in finely etched aluminum. Heavy metalized finish has the appearance of polished brass and will retain its high luster permanently. Mounted on a richly appointed wood-grained wall panel. Panel size: 15½ x 5¾" Shpg. wt., 2 lbs.

13 R 4001

Net 7.50

## LAFAYETTE TV TIMER CONTROL



4<sup>95</sup>

- Simple to Use—Just Plug In
- 500 Watt Capacity with 15' Cord

Now you can fall asleep while TV is still on! No need to wake up and turn it off... the new TV Timer Control turns off your TV set automatically. Simply plug the TV into the Timer Control, and the Timer Control into the wall outlet. Then turn the dial to choose the automatic "turn-off" time... from 5 minutes to one hour. The 500-watt capacity makes it ideal for use with most other household appliances—radio, hi-fi, tape recorder, lamp, patio light, electric blanket, heating pad, hair dryer, etc. With 15' cord. Imported. Shpg. wt., 1/2 lb.

99 R 8079

Net 4.95



PARAGON TIMITE®  
MINIATURE 24-HOUR  
FOR HANDY  
BOX MOUNTING

8<sup>95</sup>

Model 101-0

A compact time control ideal for window displays, night lights, yard lights, etc. Provides one on-off operation per day with minimum setting of two hours. Has manual trip lever. 24-hour dial is divided into 30 minute segments for easy, accurate setting. Fits over a U.S. standard single gang handy box. Size: 4½H x 2¾W x 3¼"D. Capacity: 15 amps. non-ind., 1800W. 1 H.P. 12 amps., full load. For 120 v., 60 cycles. UL Listed.

13 R 1751 Shpg. wt., 1½ lbs.

Net 8.95

## ALERT BURGLAR ALARM SYSTEM

PROTECTION FOR  
Yourself,  
Family,  
Property

39<sup>95</sup>

No Money Down

PROTECT AGAINST  
Intruders,  
Thieves,  
Vandals



## LOUD PULSATING BLASTS AND FLASHING RED LIGHT

Alert system consists of transistorized warning system, 750 feet of hair thin wire, 12 contact switches for doors and windows, mounting pins. Extra switches and wire are available to expand the system to cover as many areas as desired. Warning stickers included to notify potential intruders your property is protected. Once this alarm is set your key is needed to stop its operation. Built-in delay operation allows enough time to set the alarm and secure the premises before the system goes into operation. Battery operated unit is independent from AC power interruption. Protect orchards, boats, camp sites, etc.—use it anywhere. Set of lantern batteries last approximately one year under normal use. Light and horn operate for more than twelve hours unless unit is turned off. Less batteries. Shpg. wt., 8 lbs.

14 R 1301 \$5 Monthly

Net 39.95

14 R 1302 Pkg. of 6 Extra Switches

Net 1.50

14 R 1303 Extra spool of wire (750 feet)

Net 1.50

32 R 4869 Batteries (Two Required)

Net ea. .92

BY-PASS SWITCH LOCK KIT. Permits cut-off of one doorway so that you may gain access to protected area without setting off the alarm. Complete with instructions.

Net 6.50

14 R 1304 Shpg. wt., 6 oz.

## SELF CONTAINED FIRE ALARM



4<sup>95</sup>

- Can Be Heard ¼ Mile Away
- For Home—Office—Warehouse—Farm—Store

Sensitive, precision unit set to howl with a continuous, unmistakable blast of sound the moment air temperature reaches 135°. Operates on two standard flashlight batteries. So inexpensive you can install one in every room plus basement, attic, and garage. Batteries should be replaced approximately once a year. A touch of the test switch on the bottom of case will assure you that unit is in proper operating order. Completely self-contained independent of electrical house current. Size: 2¾x5½x1½". Shpg. wt., 1 lb.

14 R 3950 (Less Batteries)

Net 4.95

99 R 6256 Batt (2 Req'd) Net ea. .15

# SPORTSMAN'S WATCH

SWISS PRECISION CRAFTED

- Pressurized Waterproof Case
- Automatic Daily Calendar

Handsome wristwatch especially designed for the sportsman who is apt to get his watch wet—fishermen, hunters, or skin divers. Hermetically sealed pressurized waterproof case provides maximum protection for precision timing under adverse conditions. Movable outer bezel permits easy timing of events, parking meter time, or elapsed submerged time. Swiss crafted anti-magnetic

As low as **11<sup>95</sup>**

- Parking Meter Time
- Luminous Marker and Hands

shock protected movement features automatic daily calendar, unbreakable mainspring, and sweep second hand. Luminous hour markers and hands for high visibility. Polished chrome case, stainless back, and comfortable waterproof strap. Imported Shpg. wt., 8 oz.  
**13 R 3118LT** Net 11.95  
 Same as above but with 17 jewel movement.  
**13 R 3119LT** Net 19.95

An Automatic Underwater Watch That Indicates Elapsed Diving Time.

Mail Order See Note Below



## SELF WINDING 17 JEWEL AUTOMATIC DAY AND DATE CALENDAR WATCH

**29<sup>95</sup>**

SWISS MADE

- Elegant Expansion Band

Just set it—forget it! Winds itself automatically. Precision, Swiss made 17 jewel watch is shock resistant and antimagnetic. Tells time, date, and day, which changes automatically. Beautiful gold tone case with stainless steel back and matching expansion band. Has attractive white dial face with gold numerals and red date and day, sweep second hand. Shpg. wt., 8 ozs.

**13 R 3122LT** Net 29.95  
 Mail order see note below.



## 17-JEWEL WRIST ALARM WATCH

**29<sup>95</sup>**

SWISS MADE

- Automatic Reminder Anytime/Anyplace

Elegantly styled wrist alarm has a dependable 17-jewel Swiss movement in a water and shock-resistant case. Features a radium dial and hands with raised gilt figures; sweep second hand; genuine leather strap; unbreakable mainspring; anti-magnetic. Shpg. wt., 8 ozs. Stainless Steel Case

**13 R 3114LT** Net 29.95  
 Gold Tone Case  
**13 R 3115LT** Net 29.95  
 Mail order see note below.



## PRECISION-SWISS STOP WATCHES

### (A) 1/10 SECOND TIMER

Designed for close timing. Large hand registers 1/10 of a second, up to 30 seconds; small hand reads minutes, up to 15. Start, stop, and continue from crown; instant zero, 7 jewel movement. Chromium Plated case. Shpg. wt., 8 oz. Imported.

**13 R 3103LT** Mail Order—See Note Below Net 9.95  
 Same as 13-3103 (above) except 1 jewel.  
**13 R 3102LT** Mail Order—See Note Below Net 8.50

### (B) 1/5 SECOND TIMER

Second hand registers 1/5 of a second and completes turn in 60 seconds. Small hand indicates up to 30 minutes. Side slide starts and stops hands. Fast resetting dependable 7-jewel movement. Shpg. wt., 8 oz. Imported.

**13 R 3104LT** Mail Order—See Note Below Net 10.95  
 Same as 13-3104 (above) except 1 jewel.  
**13 R 3105LT** Mail Order—See Note Below Net 9.50


- Accurate Jeweled Movements
- Unbreakable Main Spring
- Anti-Magnetic Hair Spring

As Low As

**8<sup>50</sup>**



(A)



(B)

- Ideal for Sports

ATTENTION MAIL ORDER CUSTOMERS—ON ALL ITEMS SHOWN ABOVE WITH STOCK NUMBERS ENDING IN "T" PLEASE ADD 50c FOR POSTAGE AND SPECIAL HANDLING—NO C.O.D.

## 24-HOUR ELECTRIC WORLD CLOCK

**8<sup>95</sup>**

- 8" Overall diameter
- Adjustable for Various Time Zones

Self starting, accurate electric clock. Tells world-wide and local time. Calibrated in hours—1 to 24, minutes and seconds—1 to 60. Black dial with white graduations. Chrome plated case. UL listed. 110-120 V. 60 cyc. AC.  
**13 R 2602** Shpg. wt., 1½ lbs. Net 8.95




**9<sup>95</sup>**

## TV LAMP CLOCK

Ideal for use on a TV cabinet, in the kitchen or baby's room. Provides soft illumination and precise time. Attractive sturdy plastic case with gold trim. Size: 4x7x3¾". Deep. Shpg. wt., 3½ lbs. UL listed. 110 V. 60 cycles.

**14 R 6001** Walnut Net 9.95  
**14 R 6002** White Net 9.95




## DELUXE "GRANDFATHER" CORDLESS ELECTRIC PENDULUM CLOCK

- Wall Clock Operates Up To One Year On A Flashlight Battery

**29<sup>95</sup>**

Warm walnut Americana styling combines with cordless battery operation for a charming blend of accuracy and handsome traditional design. Beautifully accented handsome spun gold and ivory dial with smoked antique Federal mirror complements the graceful motion of the golden swinging pendulum. Carved walnut raised trim is crowned with an eagle to complete this elegant timepiece. Runs up to one year on a single "D" cell. Size: 25"H x 11"W. Shpg. wt., 5 lbs.



**13 R 3052W** Net 29.95  
**99 R 6256** Battery for above Net 15



To Speed Your Mail Order—Please Give Your Zip Code Number

# LAFAYETTE Wireless Remote Control

As Low As  
**14<sup>95</sup>**



## For Lamps, T.V., Hi-Fi, Household Appliances For 2 Channel Operation

- A Lafayette Exclusive
- Turns Lights and Appliances On and Off From Anywhere In Your Home—By Remote Control
- Simply Plug Appliances In and Operate
- Use Two Separate Zones of Operation

Lafayette wireless remote control permits remote operation of electrical devices in two separate areas from anywhere in your home or shop. Simply plug in the transmitter and place the receivers at remote locations, also plugged in. The switches on the transmitter will turn any appliance plugged into the receivers on or off. Perfect for operating appliances, lamps, viewing TV, or listening to hi-fi in bed. Transmitter and receivers operate on standard house current. Receivers accept any 105 to 120 volt device up to 500 watts per channel. Supplied with dual channel transmitter and one receiver for channel A. Imported. Shpg. wt., 1 1/4 lb.

99 R 9193 Dual Channel Transmitter and Receiver	Net 19.95
99 R 9194 Channel B Receiver	Net 10.95
99 R 9195 Extra 2 channel Transmitter	Net 9.95

### SINGLE CHANNEL WIRELESS REMOTE CONTROL UNIT

Similar unit as above but for single channel operation of appliances up to 300 watts. Shpg. wt., 1/2 lb.

99 R 9118 Complete Transmitter & Receiving Unit	Net 14.95
99 R 9122 Extra Receiver	Net 9.95
99 R 9178 Extra Transmitter	Net 5.95


## WIRELESS REMOTE CONTROL SWITCH



Teleswitch



Telewand



Only  
**16<sup>88</sup>**

- Use To Turn On and Off Lamps, Fans, Hi-Fi, TV, And Radios From Chair or Bed
- Use From Car To Open and Close Garage Door
- Operates At A Distance Up To 40 Feet

"Microsonic Beam" switches On/Off any appliance in the home. A touch of the button on the wireless transmitter switches TV, hi-fi, lamps, radios, fans or other electrical devices On/Off up to 40 feet away. Consists of a Teleswitch (miniature receiver), and a Telewand (miniature transmitter). Installs in seconds... just plug the AC cord from the appliance you wish to control into the Teleswitch socket, then plug the AC cord from the Telewand into any 110-120V., 60 cycle AC wall outlet. Telewand operates on self-contained 9V battery. Shpg. wt., 1 1/2 lbs.

12 R 8701	Net 16.88
99 R 6021 Extra battery	Net .21

## LAFAYETTE ELECTRONIC LIGHT DIMMER CONTROL

**6<sup>95</sup>**

- Full Range—Total Darkness To Maximum Brightness
- 600 Watts Capacity
- Sets the Light Mood In Any Room

Enjoy modern lighting in any room in your home or office. Soft light for TV viewing, bright light for reading or working. Easy to use, dimming is continuous from off to full illumination. Push on or off at any light level. Fits into standard single gang wall box without rewiring. Ivory plastic knob has brass finish insert. For 120 volts, 60 cycles AC. Operates incandescent lamps to 600 watt capacity. Shpg. wt., 1 lb.

12 R 0101	Net 6.95
-----------	----------

## ELECTRIC OUTLET CONTROL CENTER

**4<sup>99</sup>**

- For Use in Home, Office, Industry
- Mount on Bench or Walls, or Keep Portable



If you need extra outlets, you need this Electric Outlet Control Center. Has six individual outlets with its own built-in fuse box. Fingertouch control on-off rocker switch with jeweled on-off indicator panel light. Heavy duty line cord for use in the home, office and industry too. Complete with mounting screws for permanent installation on wall or bench, or use it as a portable control center. For 110/120 V AC/DC. 1500 watts, 15 amps. Less fuse. Imported. Shpg. wt., 1 lb.

14 R 2103	Net 4.99
13 R 1170 Box of 5 10-amp fuses	Net .36
13 R 1171 Box of 5 15-amp fuses	Net .36

## FLUORESCENT TROUBLE LIGHT

**5<sup>59</sup>**

The ideal trouble light with 20 feet of cord. All plastic construction with tight fit end caps—shock proof and water proof. Cool burning without glare or shadow. Butyrate bulb shield; fluorescent bulb.

12 R 4450 Shpg. wt., 2 lbs.	Net 5.59
-----------------------------	----------



## LAFAYETTE 1000 WATT ILLUMINATOR

Only **6<sup>49</sup>**



- Automatic Light Switch
- Turns Lights On At Sunset Off At Sunrise

Automatically switches on house, office, or store lights at sunset and off at sunrise. Great for vacation time, or daily use. No need to come home to a dark house at night. Helps keep burglars away. No special wiring necessary—just plug into wall socket and plug lamp into jack. 1000 watt capability permits use of several standard lights—will brilliantly light an entire house. Brass finish illuminator measures only 3" in diameter. Supplied with a 6 ft. cord. Wt. 1 lb.

12 R 0102	Net 6.49
-----------	----------

# Lamps for Home - Office

## LAFAYETTE 5-WAY HIGH INTENSITY LAMP

- Hi-Lo-Off Selector Switch
- Adjustable Telescoping Arm



5<sup>95</sup>



Spot Light T.V. Light Night Light Wall Light

Beautifully designed, transformer powered, telescoping Hi-Intensity lamp featuring HIGH and LOW switch. Telescopes from 3½" to 11½". May be used as a desk and wall light, spot and TV lamp. Use as a night light when closed. Shade swivels 360° with an arc of 180°. Shade and base are richly finished in black. Uses #93 bulb, supplied. Overall height 13". Imported. Shpg. wt., 2½ lbs.

99 R 9198 \_\_\_\_\_ Net 5.95  
32 R 6684 Replacement bulb \_\_\_\_\_ Net .32

## DIAL-A-LITE HIGH INTENSITY LAMP

By



- Continuous Variable Intensity



12<sup>95</sup>

Now you can vary your light continuously from a soft glow that is dimmer than a night light to a brilliant, glare-free, white light equivalent to 150 watts of illumination. Slide switch turns light on or off without disturbing dial setting. Telescoping arm extends to 15"; shade swivels 360°. The lamp can be hung on a wall by using keyhole slot on base. Unit folds down to only 3¼x9¼". Sand finish. For 120v, 60 cycles, AC. Uses GE No. 1129 bulb (included). Ship. wt., 1½ lbs.

13 R 8131 \_\_\_\_\_ Net 12.95  
32 R 6647 Repl. bulb \_\_\_\_\_ Net .32

## LAFAYETTE CLAMP-TYPE "DRAFTING LAMP"



7<sup>99</sup>

- Spring Controlled Swivel Joints
- Extends To 30 Inches
- Perfect Illumination Anywhere

A deluxe lamp from Lafayette for perfect, illumination wherever you require it. Ideal for benches, tables, and drafting boards. Clamps securely to any surface up to 3" thick. Spring controlled swivel joints and double arm action moves light in any direction. Arm extends to 30". Neutral color. For 110-125V, 60 cycles AC, less bulb. Imported. Shpg. wt., 9 lbs.

99 R 9077 \_\_\_\_\_ Net 7.99

## ALL PURPOSE LAMP



17<sup>95</sup>

- Universal Joints
- Light at Any Angle
- Extends to 36"

Ideal for factory benches, tables, drafting boards—anywhere that requires a large area of cool, bright light. Two bolts clamp base securely to any surface up to 3" thick. Stable spring-controlled swivel joints and double arm action place; light in any position. Arm extends 36". Uses two T8 15-W fluorescent lamps. For 110-115v., 60 cycles, AC. Beige finish. Shpg. wt., 10 lbs.

12 R 1001 Less lamps \_\_\_\_\_ Net 17.95  
12 R 1002 T8 cool white lamp \_\_\_\_\_ Net ea. .99

## LAFAYETTE HIGH INTENSITY LAMP



3<sup>95</sup>

- Hi-Low-Off Selector Switch
- Rugged Construction

Ideal for desk or wall mounting. Lamp shade turns in any direction, giving an ample uniform, non-glare beam of light. Sturdy hinged arm extends to 14 inches, folds flat against a hi-impact base. On and off switch plus 6 ft. cord. Gold finish lamp shade and arms; ivory base. Uses #93 bulb, 117 volts, 50/60 cycles. Imported. Shpg. wt., 2 lbs.

99 R 9114 \_\_\_\_\_ Net 3.95  
32 R 6684 Replacement Bulb \_\_\_\_\_ Net .32

See our master catalog 680 for complete listing of fluorescent fixtures.

## FLUORESCENT DESK LAMP



### LAFAYETTE UNDER CABINET LAMP

As Low As

- Convenient AC Outlet
- Complete with Bulb

3<sup>95</sup>

An extremely functional lamp, ideal for glare-free light over kitchen or shop work counters. Shallow design, only 1¼" deep. Complete with fluorescent lamp, built-in AC outlet, 7-foot line cord. White. Imported. Shpg. wt., 4 lbs.

99 R 9119 15W. Lamp; 18½" long \_\_\_\_\_ Net 5.95  
12 R 1002 15W. Replacement bulb \_\_\_\_\_ Net .99  
99 R 9120 8W. Lamp 12½" long \_\_\_\_\_ Net 3.95  
12 R 1007 8W. Replacement bulb \_\_\_\_\_ Net 1.39

To Speed Your Mail Order—Please Give Your Zip Code Number

- White Translucent Diffuser
- Complete With Bulb

An attractive all metal fluorescent lamp with combination solid/gooseneck support finished in chrome. Brown metal base with push button light control... perfect for study, office or den. Translucent white plastic diffuser for maximum light dispersal. Includes 14-watt, 15", cool fluorescent bulb. Popular streamline design complements any room decor, 14 inches high by 15 inches wide. Gooseneck support provides illumination anywhere on your work or reading surface.

12 R 1602 Imported. Wt., 4½ lbs. \_\_\_\_\_ Net 5.95

5<sup>95</sup>

## DESK LAMP



Only 6<sup>95</sup>

- Shade Swivels 360° For Personal Lightning

Modern styled lamp that's ideally suited in any area of the home where cool, bright light is required. Counter-balanced extension arm can be raised or lowered at a touch, has 15" reach. With weighted felt bottom base to protect furniture finish. Ivory finish, gold trim, 6-ft. line cord. For 117v. 50/60 cycles, AC. Imported.


99 R 9183 Shpg. wt., 5½ lbs. \_\_\_\_\_ Net 6.95

Lafayette Cat. No. 684 73

**RAM** fury

**SALE!**

Only **8<sup>95</sup>**



**3/8" POWER DRILL**

- Multiple Thrust Bearings
- 2.6 Ampere UL Listed Motor

Rugged 3/8" drill for home or shop use. Powerful 115 VAC 2.6 ampere air-cooled motor will drive a drill through steel up to 3/16" thick. Power packed features include 1000 RPM full load speed, Jacobs geared chuck and key, mirror finish, multiple thrust bearings, 6 foot 3-conductor grounding cord, and proper balance for comfortable operation. Automatic trigger switch has a locking button for continuous running; safety release. Less bit.

13 R 7130 Shpg. wt., 3 1/2 lbs.

Net 8.95

**Black & Decker.**



**13<sup>99</sup>**

**HEAVY-DUTY 3/8" DRILL**

- 1/2 HP 1000 RPM
- Uses Double Reduction Gear System

Model U-124 Heavy duty capacity 3/8" drill incorporates a double reduction gear that permits a wide range of drilling needs. Perfect for grinding, buffing, mixing and all types of heavy and light drilling chores. Heavy duty UL listed 2.3 amp motor and precision gears combine to give maximum torque at all drilling speeds. "Cycotac" handle provides positive grip at all times. Jacobs geared chuck and key for quick change of bits. Handy trigger switch, with locking button, permits use in awkward places. 3 wire cord plug. Uses 115V AC. Shpg. wt., 5 lbs.

12 R 6850

Net 13.99

**RAM** fury **50 PIECE POWER WORKSHOP**

**WITH 3/8" VARIABLE TRIGGER SPEED CONTROL DRILL**



**Complete Kit Only**

**29<sup>95</sup>**

Powerful! Efficient! Flexible! Rugged! 3/8" variable speed power drill with 3/4 HP 2.6 Amp universal motor is capable of performing most any job around workshop and home. Squeeze the trigger for any speed you desire from 0 to 1,000 RPM. Complete assortment of attachments includes: Jacobs geared chuck and key, tilting top saw attachment, crosscut and rip saw blade, horizontal bench stand, lampswool polishing bonnet, 13 pc. drill kit, rubber backing pad, steel paint mixer, grinding wheel, 6 pc. adapter set, steel saw table with protractor and mounting post, drill press with mounting post and stand, and 15 pc. sanding disc set (5 fine, 5 med., 5 coarse). Drill features multiple thrust bearings and locking button on handle for constant speed without holding trigger. Bright mirror finish with pistol grip handle for easy handling. With instruction book. Drill UL listed. For 115 volts AC 60 cycles. Shpg. wt., 12 lbs.

13 R 7129W

Net 29.95

**MARK 35**

**PORTABLE ELECTRIC ARC WELDER**

Complete Ready To Use **17<sup>95</sup>**


- Weld-Brize-Solder-Cut
- Produces 11,000° Heat Operation on 110 Volt Line

Practical, dependable unit that produces professional welding—Save time, money by making your own repairs. Cuts and welds up 1/4" metals with 1/8" welding rods and 1/4" carbon. Completely portable. Simple instructions explain how to make spot repairs. Weld-brize, solder-cut on most metals. Ideal for use around home-shop-farm-even repair auto bodies. Includes welding and carbon rods, Protective mask, holders, 10 ft. H.D. cables, ground clamp, brazing rods, flux, solder and instruction manual. For 115V AC or DC. Shpg. wt., 61 lbs.

13 R 2054

Net 17.95

**COMPACT SELF-ADJUSTING SOCKET WRENCH**



**2.49**

- Only 5 1/2" Long
- Adjusts Automatically from 1/4 to 7/16"

All the advantages of a 4 piece socket wrench set in one compact tool! Simply press and turn. "Self-adjusting action" automatically selects right socket to fit any hex size from 1/4" to 7/16". Takes bolt extensions up to 1 1/2". Rugged corrosion proof mechanism and shock proof handle.

14 R 2250 Shpg. wt., 1/2 lb. Net 2.49

# REVERSING DRIVE-R-DRILLS

with ADJUSTABLE TRIGGER SPEED CONTROL

**SKIL**  
POWER TOOLS

As Low As **19<sup>88</sup>**

- Pre-set the Maximum Speed You Desire Forward or Reverse
- Lock Drill at Any Speed
- Burn-out Protected Motor

Now! with adjustable locking variable speed control which can be locked at any speed either in forward or reverse. Unique, all-purpose drills which can tackle most any drilling job with precision and accuracy. Just squeeze the trigger for any drilling speed from 0 to maximum rpm plus reverse speed! Using a driver bit or socket you can drive or remove screws and nuts quickly and easily without accessories. Taps holes in metal too! Has powerful burnout protected motor, high torque helical gears and geared key chuck. Locking button for sustained operation. Lightweight aluminum housing. With 6 ft. 3-wire cord and plug. For 115 v., 60 cycles AC.



Reversing Lever  
Adjustable Locking Control  
Trigger Speed Control

## 1/4" ADJUSTABLE DRIVE-R-DRILL

Model 596-5 rated at 2.5 amps, 0-2000 rpm forward/reverse. Capacity 1/4" in steel, 1/2" in wood. Shpg. wt., 4 lbs.  
13 R 6931 Net 29.88

Model 501TSC. Similar to above, less reversing and adjustable locking control. 0-2000 rpm forward. UL listed.  
13 R 6901 Shpg. wt., 4 lbs. Net 19.88

## 3/8" ADJUSTABLE DRIVE-R-DRILL

Model 597-5 drill has extra capacity chuck; 0-1000 rpm, forward/reverse 3-amp motor. Double reduction gears. Capacity: 3/8" in steel, 3/4" in wood. Removable handle. Shpg. wt., 4 1/2 lbs.  
13 R 6932 \$5 monthly Net 36.88


Model 569TSC. Similar to above, less reversing and adjustable locking control. 0-1000 rpm forward. UL listed.  
13 R 6917 Shpg. wt., 4 1/2 lbs. Net 24.88

## 1/2" ADJUSTABLE DRIVE-R-DRILL

Model 598-5 Heavy-duty-deluxe 3 amp 0-750 rpm forward/reverse, no load speed. Heavy-duty double-reduction gears multithrust bearings. Capacity: 1/2" in steel, 1 1/4" in wood. Removable handle. Shpg. wt., 5 lbs.  
13 R 6933 \$5 monthly Net 39.88

Model 545TSC. Similar to above, less reversing and adjustable locking control. 0-750 rpm forward. UL listed.  
13 R 6919 Shpg. wt., 5 lbs. Net 27.88

## COMPASS CIRCLE CUTTER



**3<sup>19</sup>**

- Uses special bit with side-cutting Action
- Simple and safe to use

Simple and safe to use, makes perfect circles in wood in seconds. Use with any electric drill to cut speaker holes, vents, pipes, ceiling lights, etc. Can also be used to make discs, rings and fancy shapes. Cuts circles 1 1/2" to 12" in diameter. Has special bit for smooth side cutting. Shpg. wt., 1 lb.  
12 R 4100 Net 3.19

## 6-PC. SCREWDRIVER BIT SET

Converts Any Variable Speed Drill To A Power Screwdriver



Only **2<sup>99</sup>**

- For All Electric Screwdriver and Variable Speed Drills

Versatile set provides a variety of bits and finders to speed-up assembly and service work. For slotted and Phillips head screws. Kit includes 3-slotted bits and finders for screw sizes 1-8, 8-10, & 10-12; 3-Phillips bits No.'s 1, 2, & 3. All have 1/4" Hex shank. Shpg. wt., 1/2 lb.  
14 R 7904 Net 2.99

## "SHOP KING" HEDGE TRIMMER


**5<sup>95</sup>**



- Makes Short Work Of Hedges, Shrubs!
- Locks Into Place With Ease

Converts any 1/4" drill into an easily handled hedge trimmer. Cuts, trims and shapes hedges and shrubbery. Extra long 14" blade of hardened tool steel. Keen edges for fast shearing action. Steel drive gear—permanently lubricated. Long, comfortable handle. Locks in any of 15 different positions. Lightweight-compact. Shpg. wt. 3 lbs.  
13 R 5015 Net 5.95

## CENTURY 13 PC. HIGH SPEED DRILL SET WITH CENTER PUNCH



**4<sup>95</sup>**

Made in U. S. A.

- 12 Sizes: 1/16"-1/4"

Precision ground high speed drills and center punch placed in unbreakable flexible plastic case which opens and closes like a book! Drill Sizes: 1/16"-1/4". Handy center punch assures exact position of drill bit.  
13 R 1850 Shpg. wt., 10 oz. Net 4.95

## ARCO SHRUB TRIMMER

- Cuts—Trims & Shapes
- Fits Any Electric Drill

**4<sup>95</sup>**



Lightweight shrub trimmer, designed for use with any electric drill. Cuts, trims and shapes shrubs faster and neater than hand shears. Powerful shearing action saves time and energy; especially ideal for women gardeners. Smooth-running steel gear drive is encased in housing with permanent lubricant. Hardened tool steel blade retains its keen edges throughout the long life of the tool. Handle fits on top or side of housing and locks in 10 different angles for most convenient use. Complete with instructions. Shpg. wt. 2 lbs.  
14 R 1424 Net 4.95

## VARIABLE MOTOR SPEED CONTROL

**8<sup>95</sup>**

- Varies Speed on AC-DC Motors From 0 RPM To Full Speed
- Ideal For Electric Drills, Saws, Polishers



Dependable motor speed control ideal for workshop power tools using universal AC-DC and series DC motors. Assures constant speed variation from zero rpm to maximum speed. Has built-in circuit breaker. 7.5 amps no-load rating. Input: 120 volts 50-60 cycles AC. 3-wire receptacle and line cord.  
13 R 2700 Wt., 1 lb. Net 8.95



**WEN**

**HEAVY DUTY  
VARIABLE SPEED  
JIG SAW**

**25<sup>95</sup>**


- Eliminates Pre-Setting
- Exactly The Right Speed and Torque Right Under Your Thumb
- Rips Through 6" Logs

**Model 521**—Take on a variety of cutting jobs more efficiently. Pressure sensitive, thumb operated speed control automatically varies torque and speed as you cut . . . no wasting of time pre-setting speeds. Low speed for metal; high speed for wood; intermediate speeds for plastics, masonry, plaster board, rubber, etc. Souped-up 1/2 H.P. motor drives blade from 0 to 2800 1" strokes per minute. Extra-large adjustable shoe plate provides complete cutting flexibility; plunge cuts, flush cuts, right or left 45° angle cuts. Cuts curves and perfect circles; scrolls or fine pattern work. Also has calibrated 8" adjustable rip guide. Includes 7-blades for every cutting job; 3-wire 6' cord with adapter. 115 VAC. UL/CSA listed. **13 R 6536** Wt., 4 lbs. Net **25.95**

**SKIL**

**7/4" BUILDERS' SAW**

- 1 1/2 HP Burnout Protected Motor
- 5200 RPM No Load Speed 10 Amp Motor




UL Listed Motor

**29<sup>88</sup>**

**Model 574** Tackle the "big" jobs, with this dependable 7/4" builders' saw. Reinforced die-cast housing that really stands up. Cuts 2x4's with ease, at 45° angle. Easy set bevel and depth adjustments. Safe non-binding blade guard with vari-torque safety clutch. Sawdust ejector keeps your work clean, lets you see what you are doing. 7/4" combination blade and blade wrench. Powerful 1 1/2 HP motor is designed to be trouble free. Cutting depth: 90° 2 3/4", 45° 1 7/8", 10 amps. UL listed. 115 volts AC, 3 wire cord and plug. Shpg. wt., 12 1/2 lbs.

**13 R 6926**  
**13 R 6912** Rip Fence

Net **29.88**  
Net **1.69**




**RAM** *fury*

**SABRE SAW**

**12<sup>95</sup>**

- With Rip Guide
- 1/4 HP Motor

**MODEL F-8:** A rugged, multi-purpose sabre saw. Can be used as a rip, crosscut, jig saw, hack saw, band, coping, keyhole and scroll saw. Easily cuts 2x4's, plywood plastic, composition board, aluminum and a host of other materials. Powerful 1/4 H.P. motor with a built-in cooling system, produces 3500 strokes 11/16" long per minute. Also has adjustable base, rip guide and mitre gauge. Bevel cuts from 0° to 45°. Positive action, long-life "On/Off" slideswitch. Complete with 3-assorted blades. For 115V., 60 cycles AC/DC. UL listed. Has mirror finish. Shpg. wt., 4 lbs. **13 R 7116** Net **12.95**



**HEAVY-DUTY  
SABRE  
SAW**

**19<sup>95</sup>**


POWERED BY  
G.E. MOTOR

- Cuts up to 6" in Wood
- With 5 Blade Assortment

Versatile one tool workshop, capable of handling dozens of cutting jobs, from rough cutting to finished work in wood, metal or plastic. Use as rip, cross-cut, coping or key-hole saw. Powerful, precision, air cooled 3.5 amp motor to handle 6" cuts in wood. Extra large adjustable base enables accurate bevel cuts up to 45° angle. Sawdust blower removes sawdust as you cut. Makes its own starting hole. 4800 strokes per minute. With grounded 3-wire 6-ft. rubber covered cord. For 115V., 60 cycles AC/DC. UL listed. **14 R 4806** Shpg. wt., 4 1/4 lbs. Net **19.95**  
As above with Variable Speed dial Control. **14 R 4805** Net **26.95**

**RAM** *fury*


**7 1/4" POWER SAW  
WITH  
1 1/2 HP  
MOTOR**



**21<sup>95</sup>**

- 5,000 RPM Universal Motor
- UL and CSA Listed • 8 Amp.

**Model F-7X:** Powerful 8 ampere motor provides this big 7 1/4" circular saw plenty of reserve power to zip through straight or angle cuts. Cuts vertically to 2 1/4" at 90° to 2" at 45°. Features self-lubricating bronze bearings, floating blade guard, safety retracting handle, combination rip and crosscut blade and 3-wire cord and plug. No load speed, 5,000 RPM. Motor is a universal 1 1/2 HP AC-DC 115 volts. UL Listed. With safety slip clutch. Bright mirror finish. **13 R 7128** Shpg. wt., 15 lbs. Net **21.95**



**RAM**  
**MEGALLION**

**2-WAY ELECTRIC  
SANDER**  
**17<sup>50</sup>**

- Orbital or Straight Line
- Positive Slide Switch
- 3/4" Stroke Orbital or Straight

**Model R-12D:** A heavy-duty electric sander with 3/4" stroke in orbital or straight line. Features 2.4 amp. universal series wound motor. Heavy-duty ball bearing and self-lubricating sleeve bearings. Pad size: 3 3/4"x7 1/2"; sandpaper size: 3 1/2"x9". Industrial mirror finish. 6-ft. cord. UL listed. 115V. 60 cycles. AC-DC. Shpg. wt., 5 lbs. **13 R 7102** Net **17.50**

**2-SPEED 7" SANDER-POLISHER**



Only  
**32<sup>97</sup>**

- Powerful 1/2 H.P. Motor
- Burnout-Proof Armature
- Sands Metal and Plastics

**Model 940:** Combines two handy tools—a sander operating at 3400 RPM and an efficient polisher at 1800 RPM. As a sander, you get the right combination of high speed and oversize sanding discs. Has perfect balance . . . auxiliary grip handle for right or left hand use. Tool rest. Extra large wool polishing bonnet permits working around and over edges. UL and CSA listed. Shpg. wt., 8 1/2 lbs. **13 R 6518** \$5 Monthly Net **32.97**



# SABRE-LATHE MULTI-PURPOSE SHOP TOOL

## It's a . . .

ONLY  
**29<sup>95</sup>**

Wood Turning Lathe  
Sabre Jig Saw  
Bench Grinder

Disc or Drum Sander  
Buffing or Polishing  
Horizontal Drill

A home shop tool that will excite the interest of every home craftsman! Powerful, 3-speed motor provides plenty of drive for every operation. . . unit changes for any purpose in just seconds. Complete with wood turning chisel, sanding discs, sanding drum discs, 3 sabre saw blades, 45° adjustable sanding table. Entire unit is mounted on wooden base for easy portability and stability. Lathe has 18" bed, 4" throat, can be used for spindle or face plate turning. 115 volt, approximately 1/3 h.p. motor, AC only. Output speeds 3,700, 3,300 and 3,100 rpm. With illustrated instruction booklet. Mounted on 32" x 6" board.

13 R 3650W Shpg. wt., 16 lbs.

Net 29.95



## DREMEL MOTO-TOOL KITS

- Grinds—Polishes—Engraves—Sands—Drills
- Precision High-Speed Steel Cutters and Wheel Points
- For Amateur and Professional Craftsman

**Model 2—Kit.** Pocket-size machine shop with assortment of fine accessories in attractive case. 27,000 rpm for perfect performance of small wheels and cutters. High-speed steel cutters, cut faster and stay sharp longer. Kit contains: Moto-tool with 1/8", 1/16", 3/32" collets; Finger-grip attachment; 4-emery wheel points; 8-cutters; dressing stone; steel saw; 4-brushes; 1/2" drum sander; mandrels. Complete with Moto-tool and accessories. For 110-120 VAC 60 cps. or DC. UL listed.

14 R 4304 Shpg. wt., 4 lbs.

Net 24.95

**Model 3—HEAVY-DUTY MOTO-TOOL KIT**


Similar to above. Features heavy duty .9 amp universal motor. Powerful 27,000 rpm with high torque. Dynamic balancing assures vibration-free precision grinding. 3-wire grounding cord. Includes all acc. as in Model 2 Kit.

14 R 4305 Shpg. wt., 4 lbs.

Net 29.95

As low low as

**24<sup>95</sup>**



## BVI ELECTRIC PENCIL

**6<sup>50</sup>**

- Writes On Metal—Wood—Plastic
- No Heat—Vibrating Point Engraves Keys—Tools—Toys—Jewelry




Handy, useful. . . mark, identify and engrave names, design decorator effects on luggage tags, toys, sporting goods, tools and kitchen-ware. Automatic with built-in mercury switch. You pick it up—it turns on. Put it down and it turns off. Easy as a pencil. Marks won't erase, smear or rub off. Tough hardened steel point vibrates 7200 strokes a minute. Lightweight. 7 x 3 x 2". 110 V, 50-60 cycle AC motor. Shpg. wt., 5 lbs.

13 R 8054

Net 6.50

## PATTERN MAKER AND CONTOUR GAUGE

ONLY  
**1<sup>49</sup>**



- Match and Outline Any Irregular Shape

For home, shop and industry. Simplifies measurement and copying of irregular shapes. Easy to use, just press the gauge's steel teeth against any irregular surface to exactly match and hold the shape taken. Uses include: measuring pillar contour, fitting floor tile, carpeting, wood mouldings, fitting linoleum. 6" long.

14 R 5205 Shpg. wt., 1/2 lb.

Net 1.49

## SPRAYIT HEAVY DUTY HANDYMAN SPRAYER

ONLY  
**29<sup>95</sup>**



- Integral Compressor-Motor
- Sprays Oils, Paints, Stains, Insecticides, Liquid Wax

All-purpose spray unit that gives professional results from the start. Provides uniform adjustable pattern from "dime" size to a fan 10" wide. Precision made with sealed ball bearings, never needs oiling. Easy-to-use 2-finger trigger gun. Air delivery: 1.5-2 CFM at 15-20 lbs. Complete with 6 ft. cord and plug, 8-ft. air hose, spray gun. Comes with internal-mix fan spray nozzle—1 pint capacity. For 115 v, 60 cycles AC. Shpg. wt., 11 lbs.

14 R 8407

Net 29.95



## "EXPERT" SOLDERING KIT

100/140  
WATTS

Only **5<sup>88</sup>**



**MODEL 8200-PK.** Compact design and built-in prefocused spotlight eliminates maneuvering difficulties. Break-proof plastic utility case can be used to hold other parts or tools. Kit features the 8200 gun with exclusive tip Grip which assures constant heat. Dual heat feature gives choice of 100 or 140 watts with the pull of the trigger. Accessories include 3 soldering tips, wrench, nylon flux brush, soldering aid to facilitate difficult connections and solder. Packed in a high impact plastic case. UL listed.

13 R 3915 Shpg. wt., 3/4 lbs.

Net ea. 5.88

**Model 8200 Dual Heat Gun Only**

13 R 3914 Shpg. wt., 2 1/2 lbs.

Net 4.56

You Can Depend On Lafayette For Quality Tools—Low Prices

Lafayette Cat. No. 684 77

# Quality Accessories For Home and Shop



## LABEL-IT LABELMAKER

**NEW!**

**388**



- Embosses 3/8" Tape
- With 144" Roll Of Tape
- Special Vertical Wheel Included

Make your own permanent labels for the hobby shop, kitchen or any other place in the home. Embosses raised white letters on 3/8" Dymo vinyl tape. Designed for easy operation with automatic pull-tab tape cut-off. Constructed of high impact Cyclocol plastic. Comes with one 42 character horizontal and one 44 character vertical embossing wheel and 144" roll of tape. Size: 5Lx2 3/4Wx5 5/8"H. Shpg. wt., 1 1/2 lbs.

14 R 4150 Net 3.88

See Page 452 of Our 1968 Catalog 680  
For Complete Listing of Dymo Tape

## TINY TIGER "HUSH TONE" PORTABLE GENERATOR

**89<sup>95</sup>**  
No Money  
Down




1 HP  
MOTOR

- 115 A.C. 350 Watts Electric Power 12V D.C. 12 Amps.
- Only 12 lbs.
- Economical Gas Driven Motor
- Automatic Overload Relief—for Tools, Appliances, Boats
- 12V D.C. for Battery Charging

Model 67—Lightweight, rugged metal construction! Features a 1 hp, 2 cycle Ohlsson & Rice air cooled engine with a high capacity magneto ignition. 6 pint, premixed (10 parts gas—1 part oil) fuel capacity allows operation at full power (6,300 rpm) for 2 1/2 hours. Also features built-in quietness with a larger "Hush Tone" spark arrester muffler. Dual voltage, direct drive Tiny Tiger generator produces up to 350 watts of 115V., AC, and 12 amps of 12V., DC simultaneously for charging auto batteries or starting cars, boats and trucks. Constant voltage within 110-120 volts with an automatic overload relief system. Light enough to carry anywhere (12 lbs.)...small enough to carry in one hand (8 1/2"H x 8 1/2"W x 10 1/4"L). Shpg. wt., 13 lbs.

12 R 3552 \$5 Monthly Net 89.95  
HANDY CARRYING CASE  
12 R 3551 Shpg. wt., 4 lbs. Net 8.95

**NEW!**



## TOOL-MATE


Only **349**

- 39 Tool Holding Slots
- 4 Dust-Free Drawers
- 2 Jumbo Storage Wells

The perfect portable tool organizer for the handyman or hobbyist... a workshop at your fingertips! Tool mate keeps hand tools and small parts handy and organized. 39 different tool slots; jumbo storage wells for large tools; and dust-free drawers for small parts. Everything is stored in an up-right, easy-to-use, easy-to-find position. Minutes to assemble... no tools needed. Size: 11 1/2Hx14Lx7"W. Shpg. wt., 2 lbs.

13 R 7624W Net 3.49

## HOBBY CRAFT "PEGBOARD" CABINETS



As Low As

**495**

- Sturdy Steel Construction
- With Pegboard Back and 10 Clear Plastic Drawers

The perfect storage cabinet for craftsman and hobbyist in the home, shop, office, or garage. Large 13 x 30" pegboard back stores hand tools, small power tools, etc., 10 clear plastic drawers for small parts storage; nuts, washers, screws, etc. The drawers (27 1/8"W x 2H x 6"L) can be divided and labeled. 10 dividers and labels are included. Size: 30W x 16 1/2H x 6 1/2"D. Shpg. wt., 10 lbs.

13 R 4950W (Tools not included) Net 4.95

Same as above except has 20 plastic drawers, and 19 1/2" high.  
13 R 4951W Shpg. wt., 13 lbs. Net 6.95



## REMINGTON 10" TUNGSTEN CARBIDE ROD SAW

**159** • Cuts Like A Diamond  
• Fits Any Hacksaw Frame

Solves 'impossible' cutting problems fast! Cuts materials that an ordinary hacksaw can't cut; ceramic tile, glass, masonry materials, tough plastics, welds, steel alloys... virtually anything hard or tough. Cuts curves and angles in any direction. No teeth to blunt, break, set or sharpen. Fits common hacksaw frame. Shpg. wt., 1 1/2 oz.

13 R 3850 Net 1.59  
13 R 5604 Heavy Duty Hacksaw Frame Net 1.59

## RUST-PROOF ANY METAL With "COLD CALV"



Only **249**

Provides a smooth bond on metal surfaces forming a permanent, tough coating that stops rust and corrosion. Highly resistant to salt corrosion and temperatures even above the boiling point. May be used on exterior and interior metal surfaces. Dries to touch in 5 minutes. Shpg. wt., 1 1/2 lbs.

13 R 4050 Net 2.49

## DELUXE 4-TRAY CANTILEVER TOOL BOX



**1295**

- 4-Easy Glide Cantilever Trays
- All Edges Rolled/Finished
- Keeps Water Out...Tools Dry

Double cover 4-tray cantilever box for professional craftsman, hobbyist and home craftsman. Constructed of seamless water tight heavy gauge steel for rugged use. When box is opened, trays automatically spread out... makes even the tools in the bottom readily available. Trays have convenient partitions for small items. Has electrically welded continuous piano hinges, steel body runners, spill proof draw bolts, and padlock hasp. All hardware rust resistant plated. Bonderized baked enamel rock hard finish. Size: 18 x 10 1/2 x 13". Shpg. wt., 18 lbs.

13 R 5150W Net 12.95


# Garden Tools And Accessories

## DELUXE SHRUB AND HEDGE TRIMMER



## GRASS EDGER-TRIMMER

Only **16<sup>95</sup>**



- Double Edge  
13" Blade
- "Roll-Bar" For  
All Angle Use


The fast, labor saving way to trim hedges, shrubs and bushes. Deluxe "Roll-Bar" handle allows maximum comfort and safety—adjusts for any angle cut. 2-cutting edges, each with 16-teeth—cuts 12" swath in either direction. 13" blade cuts at 1850 strokes per minute. Die-cast aluminum housing with bright finish and enamel finish roll-bar. Fingertip On/Off switch. Hardened spring steel teeth are self-sharpening. 2.6 amp, 115 volt, 50/60 cycle AC motor. Shpg. wt., 6 lbs.

13 R 3653

Net 18.95

3 CONDUCTOR EXTENSION CORDS					
Stock No.	Feet	Amp.	Gauge	Wt.	Net
12 R 3403	25	10	16	1½ lbs.	2.89
12 R 3402	50	7	16	2¼ lbs.	5.50
12 R 3404	100	5	16	3½ lbs.	7.95

- Powerful 3 AMP  
4500 RPM  
With Rugged  
Reduction
- Easily Adjustable  
Trimming Height
- Die Cast Aluminum  
Housing Gear



Turns on side for  
use as edger


Lightweight Edger-Trimmer easily trims close-up to trees, foundations, and fences. Turning handle converts unit into a powerful edger. Features 6" tempered spring steel blade, diecast aluminum housing, side grip, finger tip push button switch on handle, fully adjustable trimming height, and oiled-for-life bronze bearings. Requires 115 volt 50-60 cycles, 3 amp. AC motor. Shpg. wt., 9½.

13 R 3654W

Net 16.95

## MINIATURE PUMP AND MOTOR

3<sup>98</sup>



- Powerful—Raises Liquid up to 12 Feet
- High Capacity—1½ Gallons per Minute
- Waterproof, Lightweight Construction

A motorized, miniature pump for the hobbyist and "Do-it-Yourselfer." Pumps liquids from container to container at the rate of up to 1½ gallons per minute and raises liquids up to 12 feet. Ideal for fountains, water house plants, aquariums, science projects, waterfalls, etc. Pumps water, chemicals, viscous liquids. Requires just 3 to 12 volts D.C. Shpg. wt., 1 lb.

13 R 1903

Net 3.98

## 240 GPH SUBMERSIBLE PUMP

- Will Not Corrode or Rust
- Hermetically Sealed Motor
- For Circulating and Dispensing Water

13<sup>50</sup>



It's the all-new Deltron aluminum pump for underwater use. Guaranteed not to corrode or rust; hermetically sealed motor. Circulates and dispenses water and mild acid solutions, for use in fountains, beverage dispensers, aquariums, photo developing, air conditioning, etc. Gallons per hour delivery: 240 @ 1 ft.; 180 @ 3 ft.; 125 @ 5 ft., shut off @ 12 ft. Outlet ¾"; inlet ½" pipe O.D.; height 4½"; depth 4¼". 6 ft. safety cord. 115V AC, 60 cps, AC. 49 watts load; .67 amps load. Shpg. wt., 3¼ lbs.

13 R 8901

Net 13.50

## WATERFALL KIT



Only **14<sup>95</sup>**

Enchanting waterfall of cascading water constantly recirculated by electric pump. Gallons per hour delivery: 180 @ 1 ft., 140 @ 3 ft.; 100 @ 5 ft.; shut off @ 10 ft. Outlet ¾"; inlet ½" pipe O.D. Load: amps .65; watts 43. No concrete needed; complete with instructions. Kit consists of pump, 8-ft. plastic hose, 7 ft. sealing poly, pump filter. Shpg. wt., 4 lbs.

13 R 8902

Net 14.95

## WATER FLOW METER

Only **4<sup>75</sup>**



- Automatic Shut-Off  
For Any Sprinkler
- Non-Corroding
- Up To 750  
Gallons Per Setting

Set it, then forget it. The automatic water meter does the rest, shutting-off automatically when sprinkling is completed. Set dial for the degree of sprinkling needed up to 750 gallons. Quickly attached to any standard faucet or sprinkler. Non-corroding heavy duty zinc construction gives years of dependable service. Size: 8x7x3". Shpg. wt., 2 lbs.

12 R 7800

Net 4.75




## ELECTRONIC INSECT BUG KILLER

Easy To Use  
Just Plug-in

- Ideal For Patio
- No Chemicals
- No Sprays
- No Fumes

Only **9<sup>95</sup>**



Safe, automatic insect control system with amazing ACTINIC-LITE™ electronic exterminator. Exterminates flying insects such as beetles, gnats, mosquitoes, moths, bees, and flies without the use of insecticides; does not require refills, produce disagreeable odors or harmful fumes. Works continuously anywhere . . . indoors, or outdoors on porch, patio, around barbecue pit, in garden. Simple and easy to use . . . just plug-in to any 110 volt AC outlet within 15 to 30' of area to be protected and enjoy the ultimate in insect-free living. Engineered to give years of trouble free performance and service. Complete with suspension ring, line cord and plug. Size: 7Hx3¾" Dia. Imported. Shpg. wt., 1 lb.

14 R 2107

Net 9.95

You Can Depend On Lafayette For Quality Tools—Low Prices

Lafayette Cat. No. 684 79

# LAFAYETTE Telescopes and Microscope



*Polaris*

**79<sup>50</sup>**  
No Money Down

- 320x with Barlow Lens

## 2.4" EQUATORIAL REFRACTOR

• Eyepieces for 160x, 80x, 40x, Barlow Lens gives 320x, 176x, 80x  
 • 800-mm. focal length • 62-mm objective • Micromotion adjustments on both axes • Coated optics throughout • Equatorial mount  
 See faintest discernable star of 10.7 magnitude. Counter-balanced equatorial mount moves telescope to any angle. 800 mm focal length, resolving power 2 seconds. Barlow lens included doubles each power. Has latitude, declination and inclination adjustments. Rack and pinion focusing. With sun filter, star diagonal, erecting prism, sun projection screen, field tripod and wood cabinet. Imported. Shpg. wt., 30 lbs.

99 R 7032WX \$5 Monthly \_\_\_\_\_ Net 79.50  
 4mm Orthoscopic Eyepiece. Magnifies 200x, 440x with Barlow.  
 99 R 7043L \_\_\_\_\_ Net 8.95

## Astro Zoom 2.4" Zoom Refractor

- ★ 200X With Optional Barlow Lens



Only  
**49<sup>95</sup>**  
No Money Down  
\$5 Monthly

- 100X Plus Zoom Eyepiece For 20 to 80 X
- Variable Tension Alt-Azimuth Mount
- Coated 60 MM Objective

An outstanding optics buy that combines a sharp 2.4 inch refractor with a zoom objective to provide an infinite range of possible magnification powers. Suitable for the beginner or amateur astronomer. Rack and pinion assures smooth focusing. Lens system focuses from 13 ft. to infinity. Lightweight aluminum body features baked enameloid two-tone beige finish. Adjustable 50" wood tripod permits use on uneven surfaces. Specs: Objective Dia.: 60 mm. Focal Length: 400 mm. Zoom Eyepiece: 20-80X. Fixed Eyepiece: Huygenian 4mm(100X). With stand, sun filter, zoom and fixed eyepieces. Imported. Shpg. wt., 20 lbs.

99 R 7213WX \$5 Monthly \_\_\_\_\_ Net 49.95  
 99 R 7054 Barlow Lens for Double Power. Wt., 8oz. \_\_\_\_\_ Net 3.95

## 750X ZOOM MICRO-LABORATORY



Only  
**13<sup>95</sup>**

- Any Magnification from 100X to 750X
- Complete Assortment of Accessories
- Molded Attache Type Storage/Carrying Case

Open the way to the exciting world of microscopic research and observation with "Micro-laboratory," a complete research lab featuring a powerful illuminated "zoom" microscope and an assortment of specially selected chemicals and accessories. Versatile 8 1/2" high "Zoom" microscope with built-in illuminating light provides clear, sharp images on a wide, undistorted field of view — magnifies from 100X to 750X! Sturdy slide stand construction prevents slide movement and allows for steady, detailed viewing. Set includes a 6-piece dissecting kit, eleven blank slides, 2 test tubes, a glass beaker, an alcohol burner, a package of cover slips, and, to start you off on some really exciting experiments, you will receive one prepared slide, 2 dry micro-specimens, a frog, brine shrimp eggs complete with hatchery, sea salts, 7-assorted stains and fixatives plus a comprehensive 19-page instruction booklet. Complete outfit comes in a handsome molded attaché type carrying case.

99 R 7214 Imported. Shpg. wt., 7 lbs. \_\_\_\_\_ Net 13.95  
 99 R 6258 Battery (2 required) \_\_\_\_\_ Net ea. .10

## Meteor 4" Reflector

- ★264X With Optional Barlow Lens



**29<sup>95</sup>**

- Eyepieces for 132 and 64 X
- 4" (100 mm) f/11 Aluminized Quartz Mirror
- Aluminized First Surface Secondary Mirror

A fine, compact professionally designed 4" reflecting telescope with carefully aluminized optics for exceptionally low light loss. Primary mirror is aluminized and quartz overlaid. Highly achromatic optical system features very low chromatic aberration. Adjustable wooden 48" tripod with tray brace and convenient optical sight permit easy field use on uneven surfaces. Rack and pinion drive assures smooth focusing. Lightweight aluminum body has white baked enameloid finish. Specs.: Mirror Dia.: 4"(100mm). Focal Length: 800 mm. Eyepieces: 25 and 12.5 mm Huygenian. Resolving Power: 1.4 seconds. Supplied with stand, sun filter, and two eyepieces. Imported.

99 R 7212WX Shpg. wt., 15 lbs. \_\_\_\_\_ Net 29.95  
 99 R 7054 Barlow lens for double power. Wt., 8 oz. \_\_\_\_\_ Net 3.95

## 8-25X 30mm ZOOM SPOTTING SCOPE

- Any Power from 8X to 25X
- Quick, Fingertip Focusing
- Table-Top Tripod Included



**13<sup>95</sup>**

An outstanding varipower spotting scope that is ideal for any "spotting" need in field or general use . . . shooters, bird watchers, etc. Features 30mm coated lens for brilliant viewing. Fingertip controls for quick zooming and focusing. Has a built-in camera tripod socket. Includes a table-top tripod with rubber-tipped legs that prevent scratching of furniture. Compact, lightweight and portable . . . ideal for taking it everywhere you go. Complete with black, zippered carrying case with convenient belt loop Overall length of scope is 12". Imported. Shpg. wt., 3 lbs.

99 R 7192 \_\_\_\_\_ Net 13.95

# LAFAYETTE Quality Binoculars



As Low As  
**16<sup>95</sup>**

## VERSATILE BINOCULARS

- All Lenses Are Coated!
- Sealed Against Dust & Moisture

Precise design, quality material and expert workmanship. All center focus; adjustable right eye-piece. Leather case, neckstraps included. Imported.

7x35 Popular, versatile, all-purpose binoculars.

99 R 7018 Shpg. wt., 3 lbs. Net 16.95

7x50 Navy style night glasses, Favored for marine use.

99 R 7016 Shpg. wt., 3½ lbs. Net 19.95

20x50 King of the long range.


99 R 7020 Shpg. wt., 4½ lbs. Net 26.95

## LAFAYETTE 8x24

### MINI-SCOPE

- Includes 6x Super Wide-Angle (11°) Objective
- Fits in Palm of Hand
- Use as Close-up Magnifying Glasses

Only **12<sup>95</sup>**



Versatile, precision pocket telescope provides powerful 8-power optics, yet slips into your pocket. Ideal for travel, hiking or nature study. For a larger field, quick-change to the 6x extra-wide view 18mm lens. Pulls in the action at football, hockey, and shows. 24mm coated lens provides 435 ft. viewing area at 1000 yds., 18mm coated lens gives 575 ft. viewing area. With soft zippered case, wrist strap. Imported. Shpg. wt., 1 lb.

99 R 7215 Net 12.95

## LAFAYETTE SPORTS GLASSES

- Worn Like A Pair Of Ordinary Glasses
- Weighs Less Than 3 oz.



Only  
**7.95**

Handsome, lightweight, binocular quality sport glasses for viewing indoor or outdoor events! Designed to be worn like ordinary eyeglasses, each optic individually focuses to match personal viewing requirements; can also be worn by people who require prescription glasses. High resolution, distortion-free lenses magnify 2.8 times. Soft rubber eye shields on each eyepiece cushions glasses against wearers face for maximum comfort without eyestrain, and prevents glare and reflections from extraneous light. Complete with black carrying case and neck chain.

99 R 7217L Shpg. wt., 10 oz. Net 7.95



Only  
**29<sup>95</sup>**

## EXTRA WIDE-ANGLE BINOCULARS

- Doubles the Field of Ordinary Binoculars

Multi-purpose 7x35mm binoculars which are especially useful in field studies. Wide angle view allows brilliant and close-up views of sporting events without cutting the image as regular narrow angle binoculars do. Field of view at 1000 yards, is 580 feet! Center focus and right eye adjustment insures perfect focus. All optics are coated. Lined leather case provides protection when not in use. Imported. Shpg. wt., 5 lbs.

99 R 7019 Net 29.95



Only **44<sup>95</sup>** No Money Down

## WIDE ANGLE TRU-ZOOM™

- Not a "Vari-Power," One Control Zooms Both Barrels!
- Center Focus, Adjustable Right Eyepiece, plus Single Synchronous Zoom Control!

Sight in subject at 7 power—then Zoom up to 12 power (or any four in between) for closeup viewing power. 40 mm objective lenses are hard coated achromats. Field of view is 323 feet at 1000 yards at 12 power (5.5"). Prisms in shock-resistant mounts. Lightweight alloy frame and body. Includes lined hard leather case and straps. Shpg. wt., 5 lbs. Imported.

99 R 7108 \$5 Monthly Net 44.95

## MAGNI-BOOSTER

### Converts Binoculars Into High-Powered Scope

- Magnifies Binocular power 2½ Times (7 Power becomes 17½ Power!)



Instantly converts standard binoculars into a high-powered all-purpose spotting scope with crystal clear magnification! Performs the function of usually bulky telescopes. Increases the power of your binoculars 2½ times making it possible to spot details which cannot be seen with the binoculars alone. Ideal for stipping onto your binoculars when spotting game, checking target hits, or other uses where critical viewing is necessary. Easily slips off for standard binocular viewing. Fits over front lens of binocular with appropriate locking adapter (see below). Focuses with binocular controls or with its own focusing ring. Shpg. wt., 1 lb.

15 R 4201 MOUNTING ADAPTERS Net 14.95

Stock No.	For Binocular Objective Rim Dia.	Net
15 R 4202	1¾" to 2" O.D.	2.49
15 R 4203	2" to 2½" O.D.	2.49
15 R 4204	2½" to 2¾" O.D.	2.49

## 10X30mm TELESCOPE with TRIPOD

- Full 10 Power
- Portable-Camcorder-Lightweight



**6.95**

A 10 power, 30mm internal (front) focus telescope that is compact, lightweight and portable—ideal for taking it everywhere you go. Features coated achromatic lenses. Has built-in camera tripod socket. Sturdy tripod supplied with rubber-tipped legs that prevent scratching. Imported.

99 R 7071 Shpg. wt., 2 lbs. Net 6.95

To Speed Your Mail Order—Please Give Your Zip Code Number

Lafayette Cat. No. 684 81

# Selected Popular Specialties

## "TRAILBLAZER" LANTERN

Turner



9<sup>95</sup>

- Safe—Economic—
- Portable—Instant Light
- Equivalent To 125 Watt Electric Bulb
- Light When and Where You Need It

Model LP-4 Instant, economical portable lantern designed with the camper or outdoorsman in mind. Provides adjustable light from a low glow to an intensive brite level equivalent to a 125 watt electric bulb. Exclusive air adjustment control assures perfect operation—up to fifteen hours of light on one tank of propane fuel! Safe... no pumping, priming, and no dangerous liquid fuels. Beautiful enamel shade dispenses light in a complete 360 degree circle through a crystal clear globe. 18 inches high. Complete with Tank. Shpg. wt., 6 lbs.

13 R 2653 Net 9.95  
Extra Propane Fuel Tank  
13 R 2651 Shpg. wt., 2½ lbs. Net 1.19

## "HEAD LIGHTS" T.M.

NEW!

- Ideal Illumination—
- Leaves Your Hands Free




Only 5<sup>95</sup>

Sensational new illumination device leaves hands free for work... especially useful in poorly lighted areas. Design features brilliant dual lights mounted on eyeglass frames. Great for many uses in the home, workshop, office, etc. Can be used with regular glasses. Simplifies close-up tasks by providing good lighting for easy viewing. A boon for stamp collectors, artists, watch repairers, and hobbying of all types. Also permits reading in bed without disturbing others. Power supplied by a convenient battery pack. Accepts two standard "C" cells. Shpg. wt., 1/2 lb.

15 R 3750 Net 5.95

## BURGESS SAFARI LITE FLUORESCENT LIGHT SAFE — BRIGHT —



12<sup>45</sup>

- AC or Battery Operation
- Hi-Lo Switch

Efficient battery powered light weighs only a compact 9 lbs. yet delivers plenty of bright light for use in tents, trailers, boats, patios, etc. Especially useful during emergencies. Two light levels are provided for brilliant or low intensity illumination. Operates on batteries for only pennies per hour. Built-in 110 volt circuit permits use with standard AC current. Attractive polystyrene case and handle complemented with gleaming stainless steel trim. Size: 12¾Hx4Wx7¾"D. Less Batteries. Shpg. wt., 6 lbs.

13 R 8055 Net 12.45  
Batteries for above (2 required). Wt. ea., 1½ lbs.  
32 R 3906 Net each 2.93

## LAFAYETTE SUPER POWER SKYLITE




- 60,000 Candle Power Searchlight Beam
- Automatic Red Blinker
- Completely Waterproof Housing and Switches
- For Boaters Campers - Truckers Hunters - Skin Divers

A deluxe, all-purpose searchlight which throws beams over 1,000 yds. Specially designed 4" reflector concentrates beam to penetrate heavy fog, murky water. High impact plastic case and rugged switches are completely waterproof... ideal for skindivers. Three beam colors: White, Red, Green with separate switches. Operates on 6 standard size "D" cells. With bulbs, less batteries. Shpg. wt., 2 lbs.

99 R 9135 Net 7.95  
Extra set of 3 bulbs for Skylite.  
99 R 9136 Net .85  
1½ volt "D" batteries. 6 required.  
99 R 6256 Net ea. .15

## MAGNA SIGHT-MASTER JET ACTION HYDRO-PUMP 3-D BINOCULAR MAGNIFIER FIRE EXTINGUISHER



- Leaves Hands Free
  - Reduces Eyestrain
  - 3-Dimensional
  - Can be Worn With or Without Glasses
- As Low As 4<sup>95</sup>

A precision optical instrument enabling anyone to do very close work and see it clearly in 3 dimensions. Adjusts to any head size comfortably. No moving parts to replace. Ideal for hobbyists, repairmen, inspectors and technicians. Available in 4 sizes. Imported. Shpg. wt., ¾ lb.

Stock No.	Working Distance	Net
15 R 2005	1.75 x 14"	4.95
15 R 2006	2.25 x 10"	4.95
15 R 2007	2.75 x 8"	5.39
15 R 2008	3.5 x 4"	5.95



3<sup>29</sup>

- New Safety From Fire Damage for Auto-Home-Boat
- Complete with Wall Bracket

Extinguishes oil and grease fires, chemical fires, electrical fires, wood, paper, and plastic fires. Chemically smothers fires in seconds that water cannot control. Just aim and pump. Put a unit wherever a fire is likely to start. Keep one ready in your kitchen, basement, bedrooms, and car. Complete with "Quick-Disengage" wall mounting bracket and hardware. Imported. Shpg. wt., 2 lbs.

14 R 2106 Net 3.29

## PEDOMETER

5<sup>49</sup>

- Range 0-25 Miles
- Ideal for Hikers, Salesmen, Efficiency Experts, etc.




Fine quality pedometer accurately registers distance you have walked in quarter mile increments from 0 to 25 miles. Large easy to read dial. This precision instrument comes with clip for wearing on belt. Easily set, simple to use. A must for those who want to know their distance traveled. Shpg. wt., 8 oz.

13 R 3112L Net 5.49

# Hearing Aids, Speakers, Selected Specialties

## LAFAYETTE 5-TUBE AC-DC KIT




**2<sup>59</sup> SAVE 1.78**

From Individual Prices  
QUANTITIES LIMITED

Most common types found in AC-DC radios. Contains one each: 12AV6, 12BA6, 12BE6, 35W4 and 50C5. Imported. Shpg. wt., 12 oz.  
36 R 8901 Net 2.99

## 5-DIGIT STROKE-ACTUATED RESET COUNTER



**2<sup>95</sup>**


- Registers up to 99,999
- For Machine Mounting
- Complete with Arm and Spring

Easy-to-mount rugged counter for counting machine operations. One count per stroke. Drilled mounting flange; actuating arm and spring. May be manually or solenoid actuated. Reads up to 99,999; side knob easily resets to zero from any number. Overall size: 2½x1½x1¾". Imported.  
99 R 9029 Shpg. wt., 1/2 lb. Net 2.95

## LAFAYETTE MINIATURE SPEAKER SYSTEM

- Attractive Mahogany Finished Wood Cabinet
- Complete With 25 Feet of Cable

**6<sup>95</sup>**




Enjoy music everywhere in your home with this amazing Lafayette miniature speaker system. Ideal as an extension speaker for your den, basement, kitchen or bedroom. Use two for stereo or with your TV and Radio. Housed in a beautiful mahogany—finished wood cabinet, the 5-watt 4x6" speaker is designed to work from either 4 or 8 ohm outputs. System is supplied with 25 feet of cable. Overall size: 9½x7¾H (incl. feet) x 3¾"D. Imported.  
99 R 4550 Shpg. wt., 5 lbs. Net 6.95

## LAFAYETTE EXTENSION WALL SPEAKER

- Ideal for a Quality Extension Speaker in Den, Bedroom, Office, Factory
- 6" Fine Range, Rugged Speaker
- Volume Level Control for Optimum Volume Setting in Different Size Rooms
- Attractive Tapered Styling with Decorator Grill, Walnut Finish on Wood Veneer

**6<sup>95</sup>**



A fine sounding and fine looking extension wall speaker system with brackets for hanging on any wall. Its quality reproductive sound makes it ideal for Hi-Fi extension speakers at home and for background music systems in the office, restaurant, etc. Excellent for P.A. and paging. 9½Hx9¾Wx3 to 4" Thk. Impedance 8 ohms. Imported. Shpg. wt., 4 lbs.  
99 R 4549 Net 6.95

## LAFAYETTE DELUXE DUO-REMOTE TV SPEAKER

Deluxe, 4 x 6" full range TV extension speaker having a 1.27 ounce magnet structure, housed in a cabinet designed for good tone quality. Has two fader controls so that you may listen to the speaker in the TV set, this remote speaker, or both speakers simultaneously blended to the volume level desired for each—you can turn off the volume on both speakers without turning off the TV set. Controls are located on side of attractive walnut finished cabinet. Size: 9¾L x 6¼H x 3¾"D. Stands on 1/2" legs. Attractive front grill. Complete with 20 ft., of cable. Imported. Shpg. wt., 4 lbs.  
99 R 4596 Net 5.95



## BEHIND-THE-EAR HEARING AID




**62<sup>95</sup>**

Battery charger

- Flesh Colored Plastic
- Self-Contained Miniature Unit—No Cords
- Complete with Battery Charger, 2 Rechargeable Nickel Cadmium Batteries and Case

A fine unit combining good performance and very small size. Designed as a light and compact "ear-lobe" hearing aid. All components are contained in the flesh-colored high impact case, which is worn behind the ear. Weighs only 1/2 of one ounce! Sound travels to the ear through a clear tube. Independent on-off switch and volume control. Operates 8-10 hours on a rechargeable nickel cadmium battery and 80-100 hours with a non-rechargeable mercury cell. Complete with a handy battery charger capable of charging cells overnight. Imported. Shpg. wt., 1 lb.  
99 R 9072L \$5 Monthly Net 62.95  
32 R 4746 Rechargeable nickel cadmium cell for above Net 1.05  
32 R 4668 Pkg. of 6 Mercury cells for above Net 1.92

## REMOTE CONTROL FOR SILENT TV VIEWING



- Simple to Attach to any TV or Radio Set
- See and Hear—Noiselessly and Conveniently

**FOR LATE LISTENERS.** One or two people can both see and hear the program with the loudspeaker cut off. Tops for enjoying the late-late

show without disturbing the rest of the household or the neighbors. **FOR HARD-OF-HEARING.** Hear without turning the set volume so high that others can't stand the noise. It is possible to listen either with the loudspeaker cut off or, if everyone wants to hear, with the speaker on.

**FOR NOISY PROGRAMS** view with the speaker off. **FOR NORMAL OPERATION** it does not affect the regular use of the TV set. It does not have to be disconnected. **REMOTE CONTROL** comes complete with 20 ft. of cable so it can be operated comfortably from a distance. Has its own volume control, speaker on-off switch, and two sets of jacks so either 1 or 2 ear-phones can be connected. Supplied with a miniature dynamic earphone. Highly sensitive and efficient. Complete with 1 earphone with 3 ft. of cord and plug and control box with 20 feet of cable. Only 3¾x2x1½". Instructions included. Shpg. wt., 3 lbs.  
13 R 0901 Net 6.50

EXTRA EARPHONE. Shpg. wt., 8 oz.

99 R 2548 Net .59

10" EXTENSION CORD for above.

99 R 2549 Net .39

## 4" PM SPEAKER IN WOOD BAFFLE


- 25-Ft. Speaker Cable With Plug
- Built-in Jack

For use in multi-speaker low power paging systems, intercom systems, auxiliary bench speaker, etc. 4" PM speaker with heavy magnet. Mounted in 2-tone walnut and black wood baffle. The baffle has stoping-front and enclosed-back acoustic construction and has a built-in jack for plug-in connection of the 25' cable and plug supplied. Speaker voice coil is 3-4 ohms. Imported. Shpg. wt., 4 lbs.

99 R 4551 Net 3.75; Lots of 3, each 3.35



- Control Both TV Set Speaker and Remote From Your Armchair
- Listen to Either One Alone or Both Together
- Ideal Personal Speaker for Hard-Of-Hearing



# LAFAYETTE


TV Antennas

# LVL-UV Log-Periodic Antennas

FOR VHF-UHF-FM

**COLOR**  
Approved

**3** ANTENNAS IN **1**  
UHF-VHF-FM  
CHANNELS 2-83



As Low As  
**975**

- Finest for Color or Black-White Pictures Plus FM
- One Down Lead for All 3 Signals
- Famous Log Periodic Design
- High Front-to-Back Ratio—High DB Gain
- Goldenized Finish For Long Lasting Protection
- Twin Brace Boom Supports

Complete with  
VHF-UHF-FM  
Splitter/Coupler

**NO EXTRA  
CHARGE!**


Super color improved antennas of efficient log periodic design. Now you can easily install one antenna to obtain superb reception on VHF channels 2-13, UHF channels 14-83, and the FM band (88-108 MC) with one down lead. Does the job of three antennas! Ends unsightly roof clutter while providing strong, clear signals to improve the performance of any TV or FM set. Best for Color TV and Stereo FM (multiplex). All antennas are preassembled with dowel reinforced aluminum snap-lock elements and goldenized finish for long lasting protection. Features rugged 1" square boom. 24 and 28 element models utilize twin brace boom supports for superior rigidity. Supplied with a specially designed 3-way splitter for roof isolation with low signal loss.

Stock No.	Elements	Maximum Range VHF	Maximum Range UHF	Maximum Range FM	Boom Length	Shpg. Wt. (lbs.)	Net
18 R 0180WX	28	200	90	95	15'	15	31.95
18 R 0181WX	24	150	80	85	13'2"	12	26.95
18 R 0182WX	18	125	65	70	10'1"	9	19.95
18 R 0183WX	12	100	60	65	4'8"	7	14.95
18 R 0184WX	10	60	30	35	30"	5	9.75

## OUTDOOR/INDOOR 75-300 OHM MATCHING TRANSFORMERS

As Low As  
**149**

- Improves Color Reception
- With Coaxial Fittings



Coaxial cable matching transformers for installing TV and FM antennas. For use with noise-free 72 ohm coax cable. Imported.

(A) OUTDOOR—Matches 300 ohm antenna to 75 ohm coax. Mounting bracket, fittings. 99 R 4027 Shpg. wt., 1/2 lb. Net 1.79

(B) INDOOR—Matches 75 ohm coax downlead to 300 ohm TV set, with fittings. 99 R 4028 Shpg. wt., 1/2 lb. Net 1.49

75-OHM RG-59U LOW-LOSS CABLE WITH CONNECTORS.

18 R 5807 50' Shpg. wt., 1½ lbs. Net 6.95  
18 R 5808 75' Shpg. wt., 2¼ lbs. Net 6.49  
18 R 5809 100' Shpg. wt., 3 lbs. Net 7.69

## ANTENNA INSTALLATION KITS

AS LOW AS  
**495**




VHF KIT includes 3-3' galvanized mast sections, 1 lightning arrestor, 2 mast standoffis; 5 screw-in standoffis, 100 ft. 300-ohm twin line, 20 ft. aluminum ground wire. Shpg. wt., 6¾ lbs. Net 4.95

18 R 6721W UHF/VHF KIT same as above, except has 100 ft. tubular type twin lead. Recommended for use with all combination VHF-UHF-FM antennas. Shpg. wt., 7 lbs. Net 6.29

18 R 6722W

## ANTENNA MOUNTS



**(A) CHIMNEY MOUNT**  
An ideal chimney mount for life-long satisfactory service under the most severe conditions. "Z" type heavy gauge aluminum brackets. Complete mounting kit of two 12" stainless steel 3/4" straps and stainless steel seals. Rugged, corrosion resistant mount accommodates masts up to 1½" O.D. Perfect for TV and FM antenna systems. Shpg. wt., 2 lbs. Net 2.95

18 R 6506

**(B) PEAK ROOF MOUNT**  
A heavy gauge steel peak roof mount. Heavily plated to resist corrosion. Will accommodate masts up to 1½" in diameter. Fully adjustable, can be easily rotated. Complete with all necessary hardware. Shpg. wt., 5 lbs. Net 1.39

18 R 6308

**(C) HEAVY DUTY 12" WALL MOUNT**  
Completely constructed of steel, using extra heavy gauge steel tubing which will not bind. Protected against corrosion by the ALCOTE finish. Special "sure grip" U-bolts. Holds mast up to 1½" O.D. tripod leg for one section. (Set of 2.) Shpg. wt., 3 lbs. Net 2.49

18 R 6305

**ADJUSTABLE 18" WALL MOUNT**  
18 R 6306 (Set of 2) Net 4.95

**NEW!**

**CDE**

## AR-33 SOLID STATE AUTOROTOR™

No Money Down  
**49.95**

- Fully Automatic Pushbutton Antenna Rotor



Advanced design, heavy-duty antenna rotor. Control unit; features an exclusive CDE patented circuit with five station pushbutton automatic control function, plus 360° compass dial operation; pushbutton feature can be pre-set to select any five antenna positions automatically. Quiet operating solid state circuitry includes rugged silicon transistors protected by an RF bypass provision, heavy-duty relay contacts, and thermally protected transformer. Unit controls the famous CDE heavy-duty "Bell" rotor. Uses five conductor cable. For 110/120V., 50/60 cycles AC. Shpg. wt., 16 lbs. Net 49.95

42 R 8610WX \$5 Monthly

5-Conductor Cable. Wt., 4 lbs. per 100' Net 3.89

32 R 3631 Per 100'


# LVL-LOG-Periodic Antennas



**FOR VHF-FM**  
**OUR "HIGH POWER" ALL-CHANNEL (2-13) \*LAFAYETTE "VECTOR-LOG"® SWEPT-ELEMENT ANTENNA DESIGNED FOR VHF-TV AND FOR DYNAMIC FM**

- The finest For Color or Black-White Pictures . . . Plus FM
- Excellent Front-to-Back Ratio . . . High db Gain
- Sharp-Narrow Gain Pattern and Selectivity
- Flat TV Color Response—Plus FM Signal
- Protective Goldenized Finish


**27<sup>50</sup>**  
**18 ELEMENTS**



**COLOR Approved**

Lafayette's powerful, revolutionary LVL\*—designed specifically for (VHF) true-to-life color reception plus black and white. Also reaches out to pull in static-free FM and stereo FM signals. Five models to choose from for ideal performance. Offers such exceptional quality features as: Heavy aluminum reinforced insulator cups—heavy duty aluminum rivets—special back-up brackets and square boom! Triple thick combination sleeved elements assure great ruggedness. Double contact drive line and air-insulated spacers provide maximum signal delivery to set. Less mast and twin lead. \*With boom brace support.

Stock No.	Range	Elements	Boom Length	Shpg. Wt.	Net
18 R 0185WX	up to 75 miles	5	4' 8"	5 lbs.	8.50
18 R 0186WX	up to 100 miles	7	6' 11"	7 lbs.	11.95
18 R 0187WX	up to 140 miles	10	9' 5"	10 lbs.	16.95
18 R 0188WX	up to 175 miles	15*	12' 5"	13 lbs.	23.50
18 R 0189WX	up to 200 miles	18*	14' 4"	16 lbs.	27.50




**8<sup>50</sup>**  
**5 ELEMENTS**

## LAFAYETTE 5 FT. PARABOLIC "FRINGE AREA" UHF ANTENNA

RANGE UP TO 125 MILES

- Ultimate in Directivity
- Maximum Concentration of Signal
- Rugged Construction

A 5 foot parabolic antenna which utilizes a single drive broadband driver unit. The high front-to-back ratio eliminates the necessity of reflectors which shadow the center of the field. Signals reaching any part of the parabola are concentrated on the driver, mounted at the exact focal point. This selective design provides up to 18.6 db gain. Back of reflector acts as a




**14<sup>95</sup>**

shield to reduce unwanted and reflected signals. Preassembled for easy installation. Small diameter, rugged elements with vibration dampers limit ice loading. All aluminum with protective Gold Corroized finish. Shpg. wt., 6½ lbs.

18 R 0190W Net 14.95

## "DOUBLE-DRIVEN" 10 ELEMENT FM ANTENNA



- For Deep Fringe Areas

**9<sup>95</sup>**

**GOLDENIZED**


Ideally suited to Multiplex FM reception. This 10-element double-driven, yagi array has the necessary added gain, sensitivity and directivity to compensate for a lack of signal strength. All-aluminum goldenized construction. Fiberglass insulators. Torsion lock hardware sure-lock mast clamp. Shpg. wt., 7 lbs.

18 R 0126WX Net 9.95

## 20 ELEMENT STACKED SNAP OPEN CONICAL TV ANTENNA

**5<sup>49</sup>**

- All Aluminum
- No Loose Parts
- Fastest Installations




Best antenna deal yet for servicemen—dealer and installation specialists. All the most wanted features. Quickest, easiest installation possible. No loose hardware. All elements snap open and lock in without tools. Most efficient conical design for all reception areas. Two complete bays with Q bars. less mast. Shpg. wt., 8 lbs.

18 R 0105WX Net 5.49

## LAFAYETTE UHF CORNER REFLECTOR

**3<sup>95</sup>**

- Range Up to 50 Miles




For quality UHF reception even in fringe areas. High gain, sharp horizontal and vertical directivity eliminates "ghosts" and "snow." Rugged construction, large reflector screen made of highest grade aluminum tubing. "Fold-open" assembly. "Goldenized" finish for 100% protection against weather and salt-air deterioration. Shpg. wt., 5 lbs.

18 R 0144W Net 3.95

## FM ANTENNA KIT

**4<sup>39</sup>**

- Ready to Install
- Fully Assembled
- All Directional
- 40 Mile Range



Provides excellent gain for areas up to 40 miles from the station. Gold anodized aluminum. Complete with 50 ft. of 300-ohm twin lead, mast standoff, screw eye standoffs, mast mount.

18 R 0132W Shpg. wt., 5 lbs. Net 4.39

FM ANTENNA ONLY. Shpg. wt., 3 lbs. 18 R 0133W Net 2.99


Antennas Are Available On Easy Pay Plan—No Money Down

Lafayette Cat. No. 684 85

# LAFAYETTE Color TV-FM Booster

COLOR-AMP TRANSISTORIZED  
TV/FM ANTENNA BOOSTER

RANGE BOOST™ TRANSISTORIZED  
TV/FM BOOSTER



21<sup>95</sup>

MAST  
MOUNTED UNIT




INDOOR POWER SUPPLY

- Gain 20db/Up • Built-in 2-Set Coupler • Uses Low Noise, High Gain Solid-State Circuit • Use With Any Outdoor TV or FM Antenna • AC Isolation Transformer—No Shock Hazard

Improve the performance of any new or existing outdoor TV/FM antenna. Efficient solid-state design utilizes reliable silicon transistors for more than 20 db gain across the entire band. Compact, lightweight construction permits mast mounting for maximum transfer of energy. Metal case is weatherproof with built-in lightning-protected circuit and high-pass filter which rejects CB and other interference. Separate power supply plugs into any 110-volt house outlet. . . . No batteries required. Consumes less power than an electric clock. Handles up to 2 TV or FM receivers. Uses standard 300 ohm twinline. Imported. Shpg. wt., 2 lbs.

99 R 4018

Net 21.95



12<sup>95</sup>

MAST  
MOUNTED  
UNIT



INDOOR POWER SUPPLY


- Gain 12 db • Built-in 3 Set Coupler • Low Noise, High Gain Transistorized Circuit • Use with Any Outdoor TV Color TV or FM Antenna

Add better performance to your existing outdoor TV/FM antenna. Boost reception for B&W and color TV, plus FM stereo. Solid state design with 1 silicon transistor & 1 diode permitting a gain of better than 12 db on high band, 9 db on low band and 7 db on FM. Compact styling, lightweight for mounting on mast for greatest transfer of energy. Metal case is weatherproof. Circuit protected against lightning. Separate power supply plugs into any 117 volt outlet. Consumes less power than an electric clock. Economical to use where units are in continuous operation. Uses 300 ohm twinline. May be used for 3 sets. Complete with mounting hardware, instructions. Imported. Shpg. wt., 2 lbs.

99 R 4023

Net 12.95

## TRANSISTORIZED 4-SET TV/FM BOOSTER



COLOR  
Approved

14<sup>95</sup>

- Amplifies Signals for Top Reception on Up to 4 Sets
- Easy to Connect and Economical to Operate

If your antenna isn't pulling in signals of sufficient strength then this Lafayette Booster Amplifier is just what you need. Screw-on terminals make wire connections easy, no cutting is necessary. Transistor circuit runs cool, draws little current. Signal strength is boosted 3 to 5 times. Will operate up to 4 TV and/or FM sets on the same antenna. Input impedance is matched to antenna impedance. Needs no adjustment. Isolated outputs insure maximum set separation. Can be mounted in any convenient location where adequate ventilation is provided. Size 4 3/4" x 1 1/4" x 3 1/2" D. For 117 volts, 60 cps AC. Imported. Shpg. wt., 1 lb.

99 R 4011

Net 14.95

## TV GHOST ELIMINATOR



- Improves Color Reception
- Receives From All Directions
- Filters Out Interference
- No Installation Problem

5<sup>95</sup>

Improve any existing antenna — indoor, outdoor, master or built-in. Electrically rotates the polar receiving pattern of your existing antenna and boosts TV signal strength for "snow-free," brighter, clearer pictures on all channels. Attaches to antenna terminals on rear of TV set and plugs into 117 v AC/DC. Complete satisfaction guaranteed or your money back. Shpg. wt., 2 lbs.

18 R 1206

Net 5.95

## LAFAYETTE COLOR TV TUNER CLEANER - LUBRICANT FOR COLOR AND BLACK AND WHITE



.99

- With Injector Needle
- Lubricates-Cleans
- Will Not Harm Plastics

Non-flammable, non-toxic, easy to use. Can be applied without removing chassis from the cabinet. Will not harm plastics or electrical insulation, or detune the tuner. Excellent for both color and black and white sets. 6 oz. spray can.

18 R 0198 Shpg. wt., 8 oz.

Net .99

## LAFAYETTE VHF/UHF/FM COUPLERS— SPLITTERS—FILTERS



As Low As

1<sup>49</sup>

TV/FM 2 SET COUPLER

Ideal for operating two TV and/or FM receivers from a single antenna. Has low loss and high isolation between sets. Easy to connect with one antenna downlead. Supplied with indoor/outdoor universal mounting, hardware. Imported. Shpg. wt., 1/2 lb.

99 R 4019

Net 1.49

TV/FM 4 SET COUPLER

For operation of up to four TV and/or FM sets with a single broadband antenna connection. Gives complete isolation between sets. Low forward loss makes it ideal for use with color TV and FM stereo sets. Imported. Shpg. wt., 1/2 lb.

99 R 4020

Net 2.29

TV/FM SPLITTER/COUPLER

Splits TV and FM signals with minimum loss to either signal from a single broadband antenna. Also combines separate TV and FM antennas into one line. Gives complete isolation between sets. For indoor or outdoor mounting. Imported.

99 R 4022 Shpg. wt., 1/2 lb.

Net 2.95

UHF/VHF ANTENNA COUPLER

This efficient UHF/VHF coupler combines the signal from the separate UHF and VHF antennas into a single transmission line. Features maximum signal transference with extremely low insertion loss. Mounts easily on mast. Sturdy, weatherproofed plastic case with metal clamp. Imported. Shpg. wt., 1/2 lb.

99 R 4016

Net 1.75

HIGH PASS FILTER

A high pass filter for use at the antenna terminals of a TV set to block interfering signals from radio amateurs, police and taxicab transmitters, paging systems, X-ray machines, passing automobile ignition noise, etc. Attenuation more than 25 db at 47 MC. Only .5 db insertion loss. Imported. Shpg. wt., 8 oz.

99 R 4021

Net 2.19

# SPECIAL PURCHASE

## BLONDER TONGUE

### ALL-CHANNEL UHF BOOSTER

Our Low Price **6<sup>95</sup>**

**ADDS UP TO 15 MILES TO UHF RECEPTION RANGE**

Lafayette's special purchase brings you this outstanding UHF booster at an incredibly low price! The U-Boost increases the antenna signal strength (up to 10 db gain) to improve reception on any UHF channel 14 to 83. Turns fuzzy TV pictures in weak UHF signal areas into sharp, clear ones. Front dial tuning pinpoints the desired channel and amplifies it before conversion to deliver a high signal-to-noise ratio. 300-ohm twin-line stripless terminals; AC convenience receptacle. Attractive neutral beige with gold trim. For 117 VAC, 60 cps. UL Listed. 6 1/4 x 3 3/4 x 2 1/2". Shpg. wt., 3 lbs.



Limited Quantities

18 R 1818

Net 6.95

## FINCO MODEL U-VERT 100

Only **14<sup>25</sup>**

- All-Transistor and All Channel for Strong Signal Area



This economy UHF converter provides clear, all-channel reception in metropolitan areas where you receive a strong television signal. Adds all the UHF channels (14-83) to your present TV set. Unit is housed in a sturdy, plastic, streamlined cabinet that looks like expensive furniture... will actually enhance the appearance of any room as it sits on top of the TV set. Easy to install—all you need is a screwdriver and a few minutes of your time; extremely simple to operate. Meets all FCC specifications. Overall cabinet size 8x5x3 1/4". Operates with 110-120 volts, 60 cps, AC. Underwriters Laboratories Listed. Shpg. wt., 2 1/4 lbs.


18 R 3031

Net 14.25

## BLONDER TONGUE MODEL BTX-11A UHF CONVERTER/AMPLIFIER

**29<sup>95</sup>**

- Amplifies Signal 3 Times
- Illuminated Dial for Precise Channel Tuning



If you live anywhere within the range of a UHF station you can enjoy additional educational and regular programming. This attractive converter adds all UHF channels (14-83) to your present TV, anywhere within the range of a UHF station. Features a new dual speed 100 to 1 fine vernier and illuminated dial for easy tuning; double tuned UHF input circuits and shielded oscillator section for interference-free reception. AC convenience outlet. Complete with UHF loop antenna, connecting cable. Reliable patented tuner; spliceless, stripless terminals. For 110-120V, 60 cps AC. UL listed. Shpg. wt., 2 lbs.

18 R 1831

Net 29.95

## TELESCOPING TV MASTS

Heavy-duty telescoping masts, ideal for any TV antenna array. Hotdip zinc galvanizing inside and outside provides unusual ruggedness and impenetrable corrosion resistance. Designed for easy installation and assembly. Husky bolts lock sections automatically. No slipping, no twisting. Precision fitting assures lasting service. 18 and 20 gauge walls. Supplied complete with all guy rings, clamps and necessary hardware. Total 5 10-ft. sections for height up to 50 ft.: O.D. #1 (1 1/4"), #2 (1 1/2"), #3 (1 3/4"), #4 (2"), #5 (2 1/4"). Shipping-express only.



50-FT. MAST—Consists of all 5 sections listed above: Nos. 1, 2, 3, 4 and 5. Height 50 feet. Shpg. wt., 39 lbs.

18 R 5609WX Net 16.50

40-FT. MAST—Consists of 4 sections: Nos. 1, 2, 3 and 4. Height 40 feet. Shpg. wt., 28 lbs.

18 R 5610WX Net 12.50

30-FT. MAST—Consists of 3 sections: Nos. 1, 2 and 3. Height 30 feet. Shpg. wt., 21 lbs.

18 R 5611WX Net 8.95

20-FT. MAST—Consists of 2 sections: Nos. 1 and 2. Height 20 feet. Shpg. wt., 14 lbs.

18 R 5612WX Net 5.65

## ALL ANGLE MOUNT



Swivel base mounts on any surface—flat, slant, peak or wall. Heavy gauge weather-proofed steel. Takes any mast up to 2 1/4" O.D. Complete with hardware.

18 R 5618 Net 1.39


## LAFAYETTE 7" COLOR TV PURIFIER

- Color TV Degaussing Coil
- For Sharp and Clear Color Reception

Sharpens color reception through demagnetization of the picture tube. Simply turn on the set, plug in the purifier, and with switch depressed rotate unit in front of the TV screen. Use regularly to keep your color reception sharp and clear. Convenient clip for hanging on back of set when not in use. Imported. Shpg. wt., 1 lb.

99 R 4024

Net 2.49



## ALUMINUM ANTENNA MASTS

- Gold Alodized



This Golden Alodized aluminum mast will outlast any antenna. Made of a tough 19 gauge extra strong, drawn aluminum alloy. Two or more masts may be telescoped together. 1 1/4" O.D.

18 R 3817W 5', wt., 1 1/2 lbs. Net 1.25

18 R 5614WX 10', wt., 2 1/2 lbs. Net 2.39

## GOLD KOTE STEEL MAST

New corrosion resistant steel mast sections made to fit all antennas. Made of rigid steel tubing with rugged high tensile strength. Highly protective gold colored baked enamel finish for lasting beauty and endurance. "Jam Fit" construction. 1 1/4" O.D.

Stock No.	Hgt.	Gauge	Wt., Lbs.	Net
18 R 6325W	5'	20	2 1/2	.79
18 R 6326WX	10'	20	5	1.49
18 R 6327W	5'	16	4	1.29
18 R 6328WX	10'	16	8	2.39

## FOAM-TV TWIN LEAD

- For UHF-VHF and Color TV

A flat 300-ohm twin lead with the conductors totally encased in and surrounded by polyethylene foam with an outer black polyethylene jacket. Has high resistance to ultraviolet rays, oil, fumes, moisture, salt air and abrasion. 20-gauge stranded copper conductors. Available only in lengths listed below. Shpg. wt., 2 1/2 lbs. per 100 ft.

32 R 3603 50-ft. Coil	Net 2.03
32 R 3604 100-ft. Coil	Net 3.57
32 R 3601 500-ft. Coil	Net 15.96
32 R 3602 1000-ft. Coil	Net 32.55

## 300 OHM TWIN LEAD



### Economy

BROWN. High quality, low-loss lead-in for all TV and FM installations. Polyethylene dielectric—standard copper leads. Wt., 2 lbs. 32 R 8912 100 ft. coil

Lafayette Cat. No. 684 87

Make Lafayette Your One Dependable Source for Everything in Electronics




# LAFAYETTE

## Test Equipment

# Top Quality, Dependable...

### DELUXE LAFAYETTE VTVM with GIANT 6 1/2" METER



# 29<sup>95</sup>

MADE IN U.S.A.

- Accurately Measures AC Peak-to-Peak Voltage, AC RMS Voltage, and Resistance without Additional Probes or Accessories
- Wideband RMS Measurements on any Waveform from 30 cps to Over 5 MC
- Direct Reading DB Scale

A high quality, accurate VTVM employing a giant 6 1/2" easy reading 400µA meter. 11 megohm input resistance. AC RMS voltages may be read directly up to 1500 volts and resistance from 0 to 1,000 megohms in 5 overlapping ranges. Has zero-center scale for alignment of FM and TV detector circuits. Push-pull amplifier electrically isolates the meter movement — meter is virtually impossible to burn out. Precision 1% multiplier resistors. SPECIFICATIONS: DC VOLT-METER RANGES: 0 to 3, 30, 150, 300, 1500 volts. Input resistance: 11 megohms (1 megohm in probe) on all ranges. A.C. VOLTMETER RMS RANGES: 0 to 3, 30, 150, 300, 1500 volts. PEAK-TO-PEAK RANGES: 0 to 8, 80, 400, 800 volts. DECIBEL RANGES: —10 to +5, +6 to +25, +26 to +45 db. Response: 30 cps to above 5 Mc. OHM-METER RANGES: 0 to 1000 megohms in 5 overlapping ranges. ZERC CENTER VOLTMETER RANGES: 0-1.5, 15, 75, 150, 750 volts. Complete with 1 1/2 V battery, instructions, and 3 probes: Common, AC volts/ohms and DC volts probe. Size 7 1/2 H x 6 1/2 W x 5" O. For 110-120 V 60 cycle AC. Shpg. wt., 7 lbs.

38 R 0101W	Net 29.95
38 R 0103 Accessory RF Probe 1 lb.	Net 3.95
38 R 0106 H.V. Probe, Extends range to 30,000 V. 1 lb.	Net 5.85
38 R 1501 Leather Case for VTVM. 1 lb.	Net 2.95



# 27<sup>95</sup>

Made in U.S.A.

### LAFAYETTE PORTABLE TUBE TESTER

- Comes Housed in a Beautiful Portable Carrying Case with Slip-on Cover
- Checks for Shorts and Leakages Between All Elements and Indicates the Quality (Emission) Of All Tubes
- Accurate, Highly Damped Meter Movement

A deluxe, compact tube tester designed and priced to meet the needs of the hobbyist, experimenter, or serviceman in the field. Features a genuine cathode emission testing circuit which tests over 1800 tube types. A neon indicator instantly shows filament continuity, shorts, and leakage between all tube elements. Employs an accurate, highly damped meter movement with sealed air-damping chamber which clearly shows the tube condition on a two color "BAD-?-GOOD" scale. Meter also has 0-100 scale for matching tubes, and a special scale for diode checking. Special extended clip lead is built-in for testing tubes with top caps. Convenient 7 and 9-pin tube straighteners are permanently mounted on the front panel. Size: 8 1/4 x 3 x 10 1/2". For 110-120V., 60 cycles AC. Shpr. wt., 5 lbs.

38 R 0111 Net 27.95

### AMPROBE VT-100 VOLTPROBE

# Only 9<sup>50</sup>

- Voltage Tester For Levels Up To 550 V AC, 750 V DC
- Indicates Grounded Side of Line
- Shows Grounded Side of Motors and Appliances

For easy voltage readings anywhere—anytime. Fits into shirt pocket. "Thermometer Style" illuminated window indicates voltage level, AC or DC. Emits a distinct B-U-Z-Z over a wide 25-800 cycle range. Compact unit incorporates a sliding push-up probe and a retractable probe with expanding coil cord attached that permits measurements of points over 3 feet apart. Voltage Levels: AC 115-220-277-440-550 Volts, DC 115-220-400-600-750 Volts. Size: 6x2 1/4 x 3/4" with probes retracted.

38 R 1313 Shpg. wt., 1 1/2 lb. Net 9.50

### DELUXE LAFAYETTE GENOMETER

- SEVEN SIGNAL GENERATORS IN ONE



# 39<sup>95</sup>

No Money Down

Made in U.S.A.

Versatile Generator which provides all the outputs for servicing: AM Radio, FM Radio, Amplifiers, Black and White TV, Color TV. RF Signal Generator—Generates radio frequencies from 250 KC to 45 MC on fundamentals and from 35 MC to 120 MC on powerful harmonics. Cross Hatch Generator—Will project a cross-hatch pattern on any TV picture tube. Variable AF Generator—Provides a fixed 400 cycle sine-wave or a variable 300-20,000 cycle peaked wave audio signal. Dot Pattern Generator—The dot pattern projected on any Color TV picture tube enables you to adjust for proper color convergence. Bar Generator—Projects an actual bar pattern of 4-16 horizontal bars or 7-20 vertical bars on any TV receiver screen. Marker Generator—Provides 9 most frequently needed marker points (262 KC, 456 KC, 600 KC, 1000 KC, 1600 KC, 2500 KC, 3.579 MC, 4.5 MC, 10.7 MC) with shielded leads and operating instructions. Size: 10W x 7H x 5 3/4"D. Shpg. wt., 7 lbs.

38 R 0110W \$5 Monthly Net 39.95

# Service, Low Prices



## DELUXE 100,000 OHMS PER VOLT "LAB-TESTER" VOM

Unique Yellow Function Selector Visually Indicates Exact Range

44<sup>95</sup>


- 100,000 Ohms Per Volt DC
- Giant Easy-To-Read 6½" Scale
- 2% Accuracy on DC; 3% on AC
- 1/2% Multiplier Resistors
- Built-in Meter Protection on All Ranges

Deluxe laboratory-type volt-ohm milliammeter with performance that satisfies virtually any lab or shop requirement. Unique yellow function selector visually indicates exact range being used—thus eliminating chance of error. Completely self-contained, advanced circuitry features ½% precision resistors and 100,000 ohms-per-volt input resistance on DC. Measures voltage in sensitive circuits with precise accuracy. Large, easy-to-read 6½" 2-color meter has a 90° arc for greater legibility and accuracy plus built-in protection against burnout and bent pointers. Provides full coverage with thirty-three ranges for optimum flexibility. Case has carrying strap. Size: 7¼Wx6¾Hx3¼"D. With batteries and test leads. Imported. Shpg. wt., 4½ lbs.

99 R 5065 \$5 Monthly Net 44.95  
38 R 0109 Carrying Case for above Net 6.95

### SPECIFICATIONS:

Sensitivity: 100k ohms/volt DC, 5k ohms/volt AC. Ranges: DC 0-5-2.5-10-50-250-500-1000 v. AC 0-3-10-50-250-500-1000 v. DB: -10 to +49.4 in 4 ranges. DC Current: 0-10-100 µa, 0-10-100-500 ma, 0-2.5-10 amps. Resistance: 0-1k-10k-100k-10m 100 meg-ohms. Meter Movement Sensitivity: 9µa for full scale deflection. Output: to 250 v with built-in series capacitor.



## SUPER LAFAYETTE 50,000 OHMS PER VOLT MULTITESTER

- 50K Ohms Per Volt DC
- 5K Ohms Per Volt AC
- Giant 5¼" Meter
- Built-In Overload Protection
- Low Voltage Ranges for Transistor Circuitry

Only 24<sup>95</sup>



Accuracy: 2% DC,  
3% AC

Super high sensitivity multitester usable at frequencies up to 100Kc with accuracy better than 2% DC, 3% AC. 1% precision resistors. Easy-to-read 5¼" meter has spring-backed jewels and self-shielded movement. Features polarity reversal switch and easy-to-read range indicator on meter face. Built-in meter overload protection. Size: 5¼x2¾x6½"D. With batteries and test leads. Imported. 99 R 5076 Shpg. wt., 4 lbs. Net 24.95

### SPECIFICATIONS

Ranges: DC 0-1-1000 volts; AC 0-1-1000 volts. DC µA 0-25µA @ 125mV and 0-50µA @ 250mV. DC mA 0-500mA @ 250mV and 0-250mA @ 125mV. DC amperes 0-5A @ 125mA and 0-10A @ 250mV. DB -20 to +81.5 in 10 ranges. Resistance in 4 ranges to 10 Meg plus switchable low ohms range for Full Scale meter readings up to 2K.

## LAFAYETTE 20,000 OHMS PER VOLT MULTITESTER WITH MIRROR SCALE

- 20,000 Ohms/Volt DC, 10,000 Ohms/Volt AC
- 1% Precision Resistors
- Easy-To-Read 3" Meter
- Built-in Overload Protective Circuitry

9<sup>95</sup>



40 µA, D'Arsonval meter movement permits a high input resistance on all ranges. Features a Mirror Scale. Rugged high impact plastic case. Ranges (DC Volts): 0-3, 30, 60, 300, 600, 3,000V; AC Volts: 0-6, 60, 120, 1200V. DC Current: 0-60 µA, 0-12, 0-300 ma. Resistance: 0-60K, 0-6 megohms. Decibels: -20 to +63 db. Audio output jack. With test leads and 1½V battery. Size: 3¼x4½x1". Imported. Shpg. wt., 1 lb.

99 R 5072 Net 9.95  
38 R 0107 Pigskin Carrying Case for above Net 1.95

## LAFAYETTE 30,000 OHMS PER VOLT MULTITESTER WITH MIRROR SCALE

- 30,000 Ohms Per Volt DC, 15,000 Ohms per Volt AC
- 1% Precision Resistors
- Unique "Buzzer" for Fast Short Tests
- 27 Meter Ranges
- Built-in Overload Protective Circuitry

16<sup>88</sup>



A deluxe portable VOM with a Mirror Scale. Provides wide voltage, current, resistance and db ranges clearly visible on a large 4" meter with 2-color calibrations. Sensitive 33 microamp meter provides full scale readings down to ¼ volt on DC and 0.05 milliamperes. Ranges: DC volts 0-2.5, 1, 2.5, 10, 25, 100, 250, 500, 1000; AC volts 0-2.5, 10, 25, 100, 250, 500, 1000. DC Current: 0-0.05, 5, 50, 500 ma; 0-12 amps. Ohmmeter: 0-60K, 6 Meg., 60 Meg. Db's: -20 to +56 db. Controls: Range Switch, Ohms Adjust. Audio output jack with DC blocking capacitor. Built-in overload protective circuitry. With leads, batteries. 4¾Wx6¼Hx2"D. Imported. Shpg. wt., 2 lbs.

99 R 5071 Net 16.88  
38 R 0108 Pigskin Carrying Case for above Net 1.95

## LAFAYETTE "SUPER MIDGET" AC-DC VOM

- Pocket Size: Only 2½x3½x1½"
- 1000 Ohms Per Volt Sensitivity
- Mirror Scale
- Reads: 0-1000V AC-DC, 0-100K Ohms, 0-150MA

4<sup>95</sup>



For trouble-shooting electronic circuits and appliances as irons, lamps, radios, television, hi-fi equipment. 1,000 ohms per volt sensitivity. 1% precision resistors and mirror scale to insure precise readings. Easy to operate, no switching required. Ranges: AC and DC volts: 0-15-150-1000V. Ohms: 0-100,000. Current: 0-150 MA. Plastic covered panel lettering. High impact plastic case. Complete with battery and test leads. Shpg. wt., 10 oz. Imported. 99 R 5064 Net 4.95  
99 R 5066 Case for above. Shpg. wt. 1/2 lb. Net 1.95

To Speed Your Mail Order—Please Give Your Zip Code Number

Lafayette Cat. No. 684 89



# LAFAYETTE

## P.A. Systems

### LAFAYETTE GUARANTEE

If you are not satisfied with your Lafayette Sound System you may return it at once for full refund less only transportation charges. 1 YR. AMPLIFIER GUARANTEE. All parts guaranteed against defects in material and workmanship for 1 year. Ship defective part to us prepaid for prompt replacement.

## Model PA-645 45-WATT P.A. AMPLIFIER




An outstanding P.A. amplifier that incorporates a low frequency filter which acts as an anti-feedback network and trumpet protector. Two handy outputs are provided; one at 25 volts and the other at 70.7 volts. Separate bass and treble controls. Master gain control eliminates chance errors when making volume adjustments. Outputs: 4, 8, and 16 ohms. Comes complete with Amphenol 75MCIF connector and phone plug. Handsomely styled metallic green case with aluminum and green front panel. For 115V, 50/60 cps AC. 15 1/4" x 10 1/4" x 5 1/4".  
44 R 0130WX \$5 monthly, Shpg. wt., 30 lbs. Net 64.95  
44 R 0119 Phonotop for above, Shpg. wt., 8 lbs. Net 16.95

### PA-645 SPECIFICATIONS

**POWER OUTPUT:** 45 watts RMS (90 watts peak)  
**FREQUENCY RESPONSE:** ±2 db, 30 to 20,000 cps.  
**INPUTS:** 2—Microphone; 2—Auxiliary (high gain phono, tuner, or tape recorder)  
**CONTROLS:** 2—Microphone; 1—Auxiliary fader; 1—Bass, 1—Treble; 1—Master gain, 1—Anti-feedback; 1—On-Off  
**OUTPUTS:** 4, 8, 16 ohms; 25 and 70.7 volts  
**TUBES:** 2—12AX7; 1—6AV6; 2—6L6GC; 1—5AR4/GZ-34  
**POWER CONSUMPTION:** 110 watts at 120VAC.

**64<sup>95</sup>** No Money Down

### 45-WATT INDOOR P.A. SYSTEMS



- Lafayette 45-Watt Popular PA Amplifier
- 2-12" Special Heavy Duty 30-Watt PA Speakers, Each with 1 1/4 lb. Ceramic Magnet and 20-14,000 CPS Range
- 2 Sturdy Attractive Walnut Wall Baffles for Speakers
- Choice of Deluxe Dynamic Mikes
- 2-35' lengths of Speaker Cable.

Above system with Lafayette 99-4598 versatile dynamic microphone with dual impedance and desk stand. Can also be hand-held or used with standard floor stand. Shpg. wt., 60 lbs. For 110-130 volts, 50/60 cycles AC.

As Low As **116<sup>95</sup>** No Money Down

44 x 9081WXM \$6.50 Monthly Net 116.95

Same as above with Electro-Voice Model 664 dynamic cardioid microphone instead of Lafayette 99-4598.

44 R 9064WXM \$8 Monthly Net 146.95

### 45-WATT OUTDOOR SYSTEMS



- Lafayette Popular, Versatile 45 Watt PA Amplifier
- Choice of Deluxe Dynamic Microphones
- Three E-V 844A 30-Watt Weatherproof Speakers
- For Airports, Loading platforms, Railroad Stations, Country Clubs, etc.
- For up to 100,000 Square Ft. Area

Above system with Lafayette 99-4598 deluxe dynamic dual-impedance microphone with desk stand. Microphone can be hand-held or used with standard floor stand. Includes microphone connector. Shpg. wt., 59 lbs.

44 R 9078WXM \$7.50 Monthly Net 134.95

Same system as above except with Electro-Voice 664 deluxe dynamic cardioid mike instead of Lafayette microphone.

44 R 9060WXM \$9 Monthly Net 164.95


Same system as 44-9078WXM except with 2 Electro-Voice 848A Wide-Range 40-Watt CDP Compound Diffraction Projectors instead of 3 E-V 844A's. Shpg. wt., 67 lbs.

44 R 9079WXM \$8 Monthly Net 159.95

Same as 44-9079WXM except with E-V 664 dynamic cardioid mike instead of Lafayette 99-4598 microphone.

44 R 9080WXM \$10 Monthly Net 189.95

### 45-WATT INDOOR P.A. COLUMN SYSTEMS



Excellent for: Auditoriums, Churches, Theatres, Studios, and special events.

- Lafayette PA-645 45-Watt PA Amplifier
- 2 Each 30-Watt 6-Speaker Column Speakers
- Choice of Deluxe Dynamic Microphones
- 2-35 Ft. Lengths of Speaker Cables

Above system with Lafayette 99-4598 dual impedance dynamic microphone and desk stand. Can also be hand-held or used with standard floor stand. Column speaker is 30 1/4" x 7" x 3 1/4" utilizing 6 speakers for efficient reproduction of program material. Shpg. wt., 61 lbs.

44 R 9092WXM \$7 Monthly Net 124.95

Same as above system except with Electro-Voice 664 Cardioid Dynamic Microphone instead of 99-4598 microphone. Wt., 61 lbs.

44 R 9093WXM \$8 Monthly Net 154.95

As low as **124<sup>95</sup>** No Money Down

# 75 WATT P.A. AMPLIFIER Model PA-675



## • High Power—Wide Response

Provides a full 75 watts of clear audio signal power (150 watts on peaks). Controls: separate bass and treble, master gain, separate mixer and inputs for 2 separate microphones, common mixer for both auxiliary inputs that control phono tuner or recorder. Switchable anti-feedback network attenuates lowest frequencies to minimize feedback and prevent speaker burnout. Response: 30-20,000 cps  $\pm$  2 db. Inputs: 2 auxiliary (phono, tuner, or tape), 2 microphone. Output: 8 and 16 ohms, 70.7 and 25 volt constant voltage outputs for a constant level sound system. Comes complete with 75 MCIF mike connector and 1 phono plug. Rugged case is of a light metallic green with aluminum and green front panel. Tubes: 1-12AX7A; 6AV6, 2-6CA7; 5AS4A, 5Y3GT. Size: 5 1/4 x 10 1/4 x 5 1/4". Shpg. wt., 39 lbs.  
 44 R 0135WX \$5 monthly ..... Net 84.95  
 44 R 0119 Phonotop for above. Shpg. wt., 8 lbs. .... Net 16.95



No Money Down

Only **84<sup>95</sup>**

## 75-WATT INDOOR PA SYSTEMS

Lafayette PA-675 75-Watt P.A. Amplifier; 6 ea. Lafayette 8" Speaker. Baffle Combinations With 70 Volt Line Tapped For 10, 5, 2.5, 1.25 And .625 Watts Per Speaker; And Electro-Voice 641 Dynamic Microphone With 18' Cable. Shpg. wt., 95 lbs.

44 R 9090WXM \$9 monthly ..... Net 179.95

Same as above except with Lafayette 99-4594 high Impedance dynamic microphone with talk switch, stand adapter and 7 ft. plug-in cable instead of EV 641 microphone and stand.

44 R 9091WXM Shpg. wt., 95 lbs. \$9 monthly ..... Net 166.95

Additional Speaker Baffle Units. Shpg. wt., 7 lbs.

99 R 4552W ..... Net ea. 14.95

Same system as 44-9090WXM except with 2 Lafayette 30-Watt column speakers containing 6 speakers each instead of 6 individual eight inch 10-Watt speaker-baffle combinations. Shpg. wt., 81 lbs.

44 R 9094WXM \$7.50 monthly ..... Net 139.95

Same system as 90-9094WXM except with Lafayette 99-4594 microphone instead of E-V 641. Shpg. wt., 81 lbs.

44 R 9095WXM \$7 monthly ..... Net 124.95

**COMPLETE SYSTEM**  
As Low As  
**124<sup>95</sup>**

**COLUMN SPEAKERS**

**E-V 641 Dynamic Mike**

**99-4594**

**Speaker Baffle Combinations with Matching Transformer & Volume Control.**

## 75-WATT HI-POWER OUTDOOR P.A. SYSTEMS

A truly hi-power outdoor P.A. system for up to 200,000 square feet of coverage. Consists of: Lafayette PA-675 75-watt PA amplifier, 3 University PH trumpets with 3 Lafayette 99-4507 driver units and Lafayette 99-4594 high impedance dynamic microphone with stand adapter, talk switch and 7' cable & plug. Shpg. wt., 100 lbs.

As Low As  
**184<sup>95</sup>**



PA-675



University PH Trumpets and Lafayette 99-4507 Drivers

44 R 9086WXM \$9 monthly ..... Net 184.95

Same as above except with Electro Voice 641 dynamic microphone with 18' cable instead of 99-4594 microphone. Shpg. wt., 100 lbs.

44 R 9087WXM \$10 monthly ..... Net 199.95

Same as 44-9086WXM except with 3 E-V 848A projectors with 30-watt drivers instead of University PH trumpets. Shpg. wt., 100 lbs.

44 R 9088WXM \$11 monthly ..... Net 224.95

Same as 44-9088WXM except with E-V 641 dynamic microphone. Shpg. wt., 100 lbs.

44 R 9089WXM \$11.50 monthly ..... Net 239.95

**Lafayette 99-4594 Dynamic Mike**

**E-V 641 Dynamic Mike**

**Electro-Voice 848A 30-Watt Projectors**

## 45-WATT PORTABLE PA SYSTEMS with Dual Speakers

- For the Majority of Sound System Applications... School Auditoriums, Churches, Theaters, Dance Halls, Studios, Lecture Halls

As Low As  
**127<sup>95</sup>**

Lafayette PA-645 45-Watt P.A. Amplifier  
2 Each 30-Watt Heavy Duty 12" P.A. Speakers with 1/4 lb. ceramic magnet.

Lafayette 99-4598 All-Purpose Dynamic Dual Impedance Microphone for desk stand, floor stand, or hand held-use.

Attractive Sturdy Carrying Case For Amplifier, Speakers and Accessories; serves as efficient baffle for speakers.  
2 35' Speaker Cables.

Complete system as above. Shpg. wt., 80 lbs.

44 R 9082WXM \$6.50 monthly ..... Net 127.95

Same 45-Watt P.A. System as above except with Electro-voice Model 664 cardioid dynamic microphone with on-off switch and 18' cable for high feedback problem areas, instead of Lafayette 99-4598 dynamic microphone.

44 R 9083WXM \$8 monthly ..... Net 157.95

44 R 0119WX Phonotop for above. Shpg. wt., 8 lbs. .... Net 16.95

**Electro-Voice 664 Deluxe Cardioid Dynamic Mike**

**Lafayette 99-4598 Dual Impedance Dynamic Mike**

Public Address Systems Are Available On Easy Pay Plan—No Money Down

Lafayette Cat. No. 684 91

# LAFAYETTE

P.A. Amplifier & Systems

## LAFAYETTE GUARANTEE

If you are not satisfied with your Lafayette Sound System you may return it at once for full refund less only transportation charges. 1 YR. AMPLIFIER GUARANTEE. All parts guaranteed against defects in material and workmanship for 1 year. Ship defective part to us prepaid for prompt replacement.



## LAFAYETTE 22-WATT P.A. AMPLIFIER MODEL PA-622

**43<sup>95</sup>**

No Money Down


- For Small Halls—Average 6000 Sq. Ft.
- Inverse Feedback For Low Distortion
- Outputs For 4, 8, and 16 Ohms, 25 and 70.7 Volts
- Handsomely Designed, Rugged Cabinet

An outstanding 22-Watt P.A. amplifier. Perfect for applications in a medium sized area—indoors or outdoors—up to 6000 sq. ft. Inverse feedback circuitry assures low hum and distortion for exceptionally clean, pure sound. Extremely good frequency response—30-20,000 cps  $\pm$  2db—make this an ideal unit not only for paging, but for background music, etc. Functionally designed front panel controls: mike, and two auxiliary inputs (phono, tuner, recorder); master tone control, and on-off switch. Handy indicator light automatically signals when unit is energized. Outputs are provided for 4, 8, and 16 ohms, 25 and 70.7 volts, to match a wide variety of speaker impedances. Microphone gain is

+ 126db while aux. is + 83db. Comes complete with Amphenol 75MCF mike connector and phono plug for auxiliary input. Amplifier cabinetry is a masterpiece in itself. Cabinet is finished in lustrous metallic green while the front panel is of handsome green and natural aluminum. Rear chassis terminations for optional economical B+ on-off switching. Tube complement, 2-7189 in push-pull output, 12AX7, 6AU6, 6CA4/EZ-81 rectifier. For 110-120 volts, 50-60 CPS AC. Size: 12 $\frac{1}{2}$ x8 $\frac{1}{2}$ x5 $\frac{1}{4}$ ". Shpg. wt., 25 lbs.

44 R 0125WX \$5 Monthly Net 43.95  
4-Speed Phono Top For Amplifier Above.  
44 R 0119 Net 16.95

## LAFAYETTE 22-WATT PORTABLE P.A. SYSTEMS



As Low As  
**67<sup>95</sup>**

99 - 4587

- Heavy-Duty 12" Speaker
- 22-Watt P.A. Amplifier
- Choice Of 3-Way Lavalier Or Desk-Stand Crystal Microphone

A complete 22-watt P.A. portable system that in addition to Lafayette's fine 22-watt P.A. amplifier, includes a heavy duty 12" P.A. speaker; a rugged excellently constructed carrying case that serves as an efficient speaker baffle and housing for the amplifier, optional phonotop, microphone, cables and up to 2-12" speakers; the popular Electro-Voice model 727SR Crystal mike with on-off switch complete with detachable desk stand, 5' cable and floor stand coupler; and 35' speaker cable. For 110-130 volts 50-60 cps AC operation. Shpg. wt., 55 lbs.

44 R 9074WXM \$5 Monthly Net 76.95

Same as above except with Lafayette 99-4587 high impedance slim crystal microphone with on-off locking switch, with cable, desk stand, removable swivel-type floor stand adaptor, and lavalier cord in place of EV-727SR microphone.

44 R 9075WXM \$5 Monthly Net 67.95

Same as 44-9074WXM except with 2-12" heavy duty 15 watt PA speakers plus 35' speaker cable. Shpg. wt., 60 lbs.

44 R 9076WXM \$5 Monthly Net 84.95

Same as 44-9075WXM except with 2 heavy duty 12" 15-watt speakers and 35' speaker cable. Shpg. wt., 60 lbs.

44 R 9077WXM \$5 Monthly Net 75.95

## LAFAYETTE 12-WATT P.A. AMPLIFIER MODEL PA-612

No Money Down

**34<sup>95</sup>**



SYSTEM PRICE

**44<sup>95</sup>**

99-4587 No Money Down

- Covers Up To 5500 Sq. Ft.
- Offers 1 Mike and 2 Auxiliary Inputs
- 12-Watt Push-Pull Output

A low priced high quality, P.A. Amplifier—especially suitable for paging applications in medium size areas of up to 5500 sq. ft. Controls are provided for 1 mike and 2 auxiliary inputs (phono, tuner, or recorder); master tone control, inverse feedback circuit delivers 40-20,000 cps response; effectively reduces hum and distortion. Output for 4, 8, 16 ohms, 25 and 70.7 volts. Rear chassis terminations for optional economical B+ on-off switching. Tubes: 2—6BM8/ECL-82, 12AX7, 6CA4/EZ-81 rectifier. Aluminum and green panel with handsome metallic green case. Size: 12 $\frac{1}{2}$ x8 $\frac{1}{2}$ x5 $\frac{1}{4}$ ". For 110-120 Volts, 50-60 cps AC. Shpg. wt., 12 lbs.

44 R 0120WX \$5 Monthly Net 34.95

## 12-WATT FIXED P.A. SYSTEM

- Complete Permanent System

High quality, low cost system engineered for smaller permanent installations. For areas up to 5500 sq. ft. THE COMPLETE SYSTEM INCLUDES: The Lafayette Model PA-612, 12 watt amplifier; the Lafayette 99-4587 crystal microphone with on-off switch, desk stand, lavalier cord, cable, and detachable swivel-type floor and desk stand adaptor, easily hand-held without adapter-holder; 8" heavy duty PM speaker; 35' speaker cable and plug; and attractive polished walnut finish speaker wall baffle. For 110-120 volts, 50-60 cps AC operation. Shpg. wt., 24 lbs.

Complete 12-watt Permanent System as described above.  
44 R 9072WXM \$5 Monthly Net 44.95

## 22-WATT PERMANENT INDOOR SYSTEM

- Heavy Duty 12" Speaker

Includes PA-622 22-watt P.A. amplifier; Rugged, specially designed hi-power 12" P.A. speaker; Polished walnut wooden wall baffle; Electro-Voice 727SR crystal microphone with on-off switch, complete with detachable desk stand for desk, table-top or hand held use; 35' speaker cable and mike connector. For 110-130 Volts, 50-60 cps AC. Shpg. wt., 47 lbs.

44 R 9048WXM \$5 Monthly Net 62.95

Same as above except with Lafayette 99-4587 slim crystal mike with on-off locking switch, desk stand, lavalier cord, cable and removable swivel-type floor stand and desk stand adaptor instead of E-V 727SR microphone.

44 R 9073WXM \$5 Monthly Net 53.95

Additional 12" 15 watt P.A. speaker and walnut wood baffle. Shpg. wt., 12 lbs.

44 R 9050WXM Net 9.95

# NEW!

## 40 WATT SOLID STATE MOBILE PA AMPLIFIER



PA-640


Only **69<sup>95</sup>**



EV 844A



Complete System  
As Low As **109<sup>95</sup>**



No Money  
Down

University  
PH plus  
Lafayette PA-57

### IDEAL FOR:

Election Campaigns, Police, Fire, Civil Defense, Boats

Excellent 40-watt mobile P.A. amplifier for civil, military and general commercial use. 55-watt peak power solid state circuitry employs 5-transistors and 1-diode for economical and instant "On" operation. Three separate easy to see fiber-optic illuminated controls have individual On/Off and gain functions to permit separate or simultaneous playing of external equipment and paging system. Three inputs are provided: 1—low impedance microphone input (50-500 ohms); 1—high level crystal or ceramic phono input; 1—auxiliary input for tuner, tape recorder, etc. Has 12-14VDC power and audio output socket for siren, fog horn, etc. Response: 150-15,000 cps. Output impedance: 4, 8, 16 ohms. Operates from any 12-15VDC source. Includes mobile mtg. bracket and DC cable. Size: 9 $\frac{1}{4}$ "x2 $\frac{1}{4}$ "x9"D. Shpg. wt., 9 lbs.

44 R 0140WX PA-640 \$5 Monthly Net 69.95  
Dynamic Push-to-Talk Public Address Microphone. Net 3.95  
99 R 4577

### 40 WATT SOLID STATE MOBILE PA SYSTEMS

Complete 40 watt mobile PA system featuring the PA-640 solid state PA amplifier with DC battery cable, 2 each Electro-Voice 844A 30 Watt trumpet speakers, Lafayette 99-4577 push-to-talk dynamic microphone and plug, and two 35 ft. speaker cables.

44 R 9096WXM Shpg. wt., 41 lbs. \$6 Monthly Net 109.95  
Same as above except with 2 each University PH trumpets and Lafayette PA-57 driver units instead of 2 each EV 844A trumpets. Shpg. wt., 41 lbs. Net 129.95  
44 R 9097WXM \$7 Monthly

## 25-WATT SOLID STATE PA AMPLIFIER

- Designed for 12 or 6 VDC Mobile Operation
- No Warm-Up—Instantaneous Operation

Only **59<sup>95</sup>**

PA-625



Operates from either positive or negative battery ground systems. RF filter reduces noise pickup in mike lead. Output transformer windings are isolated to protect amplifier when used with phono, tape recorder, etc. Easily mounts on firewall or any similar location. Low impedance microphone input eliminates matching transformers. Output Impedance: 4, 8, and 16 ohms. Controls: Mike Volume, Aux. Volume/Power On-Off. Size: 3 $\frac{1}{4}$ "x6 $\frac{3}{8}$ "x4 $\frac{1}{4}$ "H. Shpg. wt., 4 lbs. 44 R 0118WX \$5 Monthly Net 59.95

## 25-WATT MOBILE OUTDOOR SYSTEMS with PA-625



Electro-Voice  
844A Trumpet

2 University PH  
Trumpets with 2 PA-57 Drivers

SYSTEMS  
As Low As

**79<sup>95</sup>**

Complete 25-watt mobile outdoor system with PA-625 transistor mobile amplifier less phono top; with DC battery cable, plus Electro-Voice 844A trumpet, Lafayette 99 P 4577 push-to-talk dynamic mike, 1-35' speaker cable and necessary connector. Shpg. wt., 19 lbs.

44 R 9084WXM \$5 Monthly Net 79.95  
Same as above except with 2 Lafayette PA-57 driver units and 2-University PH trumpets, instead of E-V 844A, with 2-35' speaker cables. Shpg. wt., 69 lbs. Net 124.95  
44 R 9085WXM \$7 Monthly

## "TINY MITE" SOLID-STATE 16 WATT MOBILE PA AMPLIFIER



Only **29<sup>95</sup>**



OPTIONAL  
Electro-Voice  
model 844A

Complete System  
**42<sup>95</sup>**

No Money  
Down  
**SAVE 6.85**  
From Individual  
Catalog Prices

- Real Tiny—Only 1 $\frac{3}{8}$ "x3 $\frac{3}{8}$ "x $\frac{7}{8}$ "W
- All Solid State — No Warmup!
- For 12 Volts DC, Negative or Positive Ground

Ideal for mobile PA applications, the "Tiny Mite" fits into practically all cars and trucks and features two inputs (100K and 600 ohms) for use with dynamic, crystal, or magnetic microphones; phono pickup; tape recorder or AM radio. Output impedance: 8 or 16 ohms. Low current consumption: draws maximum of 1.6 ampere from vehicle's battery. Fused for overload protection. Complete with microphone plug, battery and speaker cables, and under-dash mobile mounting bracket. Imported. Shpg. wt., 2 lbs. 99 R 4589 Net 29.95

### LAFAYETTE Solid State 16 Watt Mobile PA System

Lafayette Solid State 16 Watt Mobile PA Amplifier Net 29.95  
2 Lafayette Horn PA Speakers Net 15.90  
Lafayette Push-to-Talk Dynamic PA Microphone Net 3.95  
**TOTAL 49.80**

Above Lafayette mobile PA system consists of Lafayette's 16 watt solid state miniature mobile PA amplifier, 2 weather-proof 8 watt P.A. trumpet speakers with 90° dispersion and low impedance matching dynamic push-to-talk microphone. Shpg. wt., 7 lbs.

44 R 9069WXM \$5 Monthly Net 42.95  
Same system as above except with Electro-Voice model 844A 90° dispersion 30 watt trumpet speaker. Shpg. wt., 12 $\frac{1}{2}$  lbs. Net 49.95  
44 R 9070WXM \$5 Monthly

Public Address Equipment Is Available On Easy Pay Plan—No Money Down


Lafayette Cat. No. 684 **93**

# LAFAYETTE Microphones

## LAFAYETTE TRANSISTORIZED MIKE MIXER

- Up to 4 Channels
- Matches High Impedance Microphones
- Modern Solid State Design

4<sup>85</sup>



Mixer controls high impedance signals from mikes, phonos, recorders or tuners. Standard 2-circuit phone inputs, standard RCA phone plug output, 9 volt battery. Imported. Shpg. wt., 1 1/4 lbs.

99 R 4535 \_\_\_\_\_ Net 4.85  
99 R 6021 battery for above \_\_\_\_\_ Net .21

## LAFAYETTE DELUXE BALL DYNAMIC

13<sup>95</sup>

- Dual Impedance
- For High Quality PA and Recording
- Complete with Stand

The most modern design features dual impedance: high (50K ohms) or low (250 ohms) selectable at cable end. Pattern is omnidirectional. Output at high impedance is -59 db. Frequency response is 100-10,000 cps. Has on-off switch. Ball screen insures against "pop" and wind blast. Die cast case is 6 1/4" long. Max. diam. of ball 2 1/8". Finished in satin aluminum. 6 ft. detachable cable with mike plug at one end. With black metal desk stand and adapter for any standard 5/8"-27 stand. An excellent general purpose mike. 99 R 4598 Imported. Shpg. wt., 2 lbs. \_\_\_\_\_ Net 13.95

## 4-WAY SLIM CRYSTAL MICROPHONE



Only 3<sup>95</sup>

- Complete With Desk Stand, Lavalier Cord and Bracket and Floor Stand Adapter.

Designed for every possible type of mounting, this slim mike may be hand-held, mounted on the desk stand, used as a chest mike with the lavalier cord and bracket, or mounted on any standard 5/8"-27 floor or desk stand with adapter supplied. Good clean reproduction. Frequency response 50-9,000 cps. Output, -65 db. Equipped with on-off switch which may be used as press-to-talk or locked into "on" position. Brushed aluminum body is 5" long with 54" cord. Black oval base is 3 3/8" L x 2 1/2" W. Imported. Wt., 2 lbs. 99 R 4587 \_\_\_\_\_ Net 3.95

## LAFAYETTE DYNAMIC PA MICROPHONE W/SWITCH


- 300-2500 cps Frequency Response
- Push-to-talk Switch
- Ideal for Solid State PA Amplifiers

3<sup>95</sup>



The perfect companion microphone to the "Tiny Mite" mobile PA amplifier. Features a high impact styrol case, hang-up clip and flexible single conductor shielded cable. Omnidirectional pattern mike has output impedance of 300 ohms and output level of -73 db at 1000 cps. Frequency Response: 300-2500 cps. Grey and black case, with push-to-talk switch. Imported. Shpg. wt., 1 lb. 99 R 4577 \_\_\_\_\_ Net 3.95

## LAFAYETTE PA DYNAMIC MIKE



7<sup>95</sup>

An excellent general purpose dynamic microphone for PA and paging, etc. Designed for flexibility in use, it may be hand-held, mounted on any 5/8"-27 stand or on lavalier cord. Frequency range 100-8,000 cps. output -57 db, high impedance (50K ohms). Omnidirectional pickup pattern. Has on-off slide switch. Tapered body size 6 3/4" long, max. O.D. 1 1/4". Complete with 18' detachable cable with mike connector, adapter for stand mounting and lavalier cord. Imported. Shpg. wt., 3 lbs. 99 R 4594 \_\_\_\_\_ Net 7.95


## KINEMATIX "IMP II" FM WIRELESS MIKE

A transistorized FM transmitter and microphone, so small it can be concealed in shirt pocket or cigarette box, yet transmits up to 200 feet with perfect clarity to any 88-108 MC FM receiver. Has hundreds of practical uses — for theatrical and TV productions, PA systems, security surveillance work, plant inventory, babysitter, guard against prowlers, survey work and many other applications requiring remote sound pick-up (concealed or otherwise) without bothersome wires. Approved by FCC. Comes complete with leather case and built-in super-sensitive pin-head mike. Also has input for any low impedance (1000 ohms) mike. Tunable between 88-108 MC, freq. response 30-20,000 cps. Size: 3x1 1/4x2 3/4". Requires 1 battery (listed below). Shpg. wt., 1 lb. 44 R 4301 Model IMP11/M-222 \_\_\_\_\_ Net 29.95

32 R 4671 Battery for above units. Pkg. of 2, Shpg. wt., 2 oz. \_\_\_\_\_ Net 2.62

29<sup>95</sup> FCC Type Approval Number WM101

- Transmits Clearly Up to 200 Ft.
- Can Be Used With Any 88 -108 Mc FM Tuner, FM Radio, FM Portable, FM Auto Radio
- Compact—Fits Into Shirt Pocket



## LAFAYETTE DYNAMIC CB HAND MICROPHONE



SALE!

Only 3<sup>19</sup>

Our Lowest Price Ever


Quantities Limited

A high quality dynamic communications microphone engineered to the requirements of CB, amateur or commercial users. Dynamic elements provide superior speech intelligibility, unaffected by temperature extremes, either mechanically or electrically. In high-impact, lightweight plastic case with attractive spun aluminum grille. Heavy-duty push-to-talk switch. Has hang-up button, 5 ft. 3-conductor cord. Impedance 50k. Output: 200 mv. Imported. 99 R 4564 Shpg. wt., 14 oz. \_\_\_\_\_ Net 3.19

## HIGH IMPEDANCE DYNAMIC MIKE FOR HOME TAPE RECORDING

7<sup>95</sup>

- Frequency Response: 70-12,500 cps.




A Lafayette high quality microphone for fine home recording. Frequency Response: 70-12,500 cps ±10 db. Output Level: -62 db. at 1000 cps. Impedance: 10,000 ohms. Complete with 6' black vinyl covered cable terminated with 90° standard phone plug. Black plastic case with satin finished perforated metal grille. Size: 1 3/4" W x 2 3/8" H x 1 5/16" D. Imported. Shpg. wt., 8 oz. 99 R 4602 \_\_\_\_\_ Net 7.95

# PA and Outdoor Speakers—Sound Columns

## MISCO WEATHER-PROOF SPEAKERS

As Low  
As

**6<sup>35</sup>**



- 3½" and 8" Models
- Gimbal-Type Mounting Bracket
- Enclosed in Electro-Static Finished 20-Gauge Steel Case
- Specifically Designed Plastic Impregnated Cloth Speaker Cone

**Model MS-3B.** Compact, Weatherproof, Dustproof. Impervious to salt spray. Utilizes a plastic impregnated cloth cone and plated frame. Ruggedly constructed case of 20 gauge steel with 2 coats of baked electrostatic enamel. Equipped with key slot mounting hole plus a mounting cutout to accept a volume control: on-off or push-to-talk switch. Voltage: withstands up to 100 volts RMS. Temperature Extremes: from -80°F. to 160°F. Freq. Resp. 100 to 10,000 Hz; 8 ohm Impedance. 4½ x 4½ x 2½", with bracket. Shpg. wt., 2 lbs.

44 R 5201 Net 6.35

**Model MMS-8F.** Similar to above, but with 8" speaker. Resp. 70-13,000 Hz. 9 x 9 x 4¼". Shpg. wt., 5 lbs.

44 R 5202 Net 12.72

## LAFAYETTE MINIATURE HORN PAGING SPEAKER

- Mounts Easily
- 90° Dispersion
- Weatherproof



Only **7<sup>95</sup>**

An excellent general purpose paging speaker of amazingly compact size. Ideal for portable PA systems, patios, etc. Long-throw projection of 90° dispersion offers maximum speech intelligibility in high noise areas. Compact size enables it to be mounted anywhere in almost any position. Frequency response 400-12,000 CPS. Impedance 8 ohms. Power handling capacity 5 watts, 8 watts maximum. Complete with mounting bracket, 2-conductor cable. Horn diameter 5½", Depth 4¾". Imported. Shpg. wt., 1½ lbs.

99 R 4508 Net 7.95

## LAFAYETTE 6 SPEAKER SOUND COLUMN

- Reduces Reverberation and Feedback Problems
- Concentrates Sound Where Needed
- Power Handling Capacity 30 Watts


Only **24<sup>95</sup>**

Provides ideal PA system coverage of large audiences in auditoriums, schools, meeting rooms, churches, etc. Sound is concentrated where needed. Reduces reverberation and feedback problems. Six heavy-duty speakers handle up to 30 watts of power. Impedance is 16Ω. Frequency response: 200-10,000 cps. Dispersion: 120° horizontal, 30° vertical. Wood cabinet is covered with walnut grain vinyl. Dimensions: 31"x7¼"x3¼". Shpg. wt., 15 lbs. Imported.

99 R 4614WX Net 24.95

## LAFAYETTE 8" 10-WATT PRE-WIRED SPEAKER-BAFFLE COMBINATION

**14<sup>95</sup>**



- Built in 70-Volt Line Matching Transformer with Taps for 10, 5, 2.5, 1.25 and .625 Watts
- Built-In Individual Volume Controls

An 8" speaker baffle combination for any type of indoor sound system. Completely pre-wired for easy installation. Heavy-duty 8" speaker has 4.64 oz. Alnico V Magnet. Power rating 10 watts. Transformer is mounted directly on speaker frame. Transformer taps are 10, 5, 2½, 1¼ or 5/8 watts, for connection to 70-volt amplifier output. Terminal board with screw terminals is provided at the rear of each baffle for easy connections. Each speaker has its own volume control for setting volume levels, as desired at each speaker location. Size is 11W x 9½H x 6½D. Imported. Shpg. wt., 7 lbs.

99 R 4552W Speaker Baffle Combination Net 14.95

## Deluxe Solid State Closed Circuit Television Camera



Now  
**199<sup>95</sup>**

- Use With Any Home TV Set or Commercial Monitor
- Switchable Output Signals, Composite Video: up to 2.2v P-P at 75 ohms, RF Modulated: 50 mv
- Automatic Eye
- Provision For Intercom Permits Simultaneous Sound with RF Video Signal

- For Security—Surveillance—Sale Promotion

High quality, moderately priced CCTV camera that has unlimited applications in industry, business, education, institutions, and the home. Easy to install—all cables supplied are terminated with connecting plugs and leads. Simple to operate; can be used with either a commercial video monitor or any standard television set. Solid-state circuitry—power consumed is very low, provides cool and dependable operation. Lightweight, compact size permits inconspicuous mounting, and once focused the camera needs no further attention. Automatic Eye (through the lens light control): Provisions for hooking up an intercom for intercommunications between CCTV camera and television receiver location. Specifications: Composite video output: 1.4v P-P to 2.2v P-P; RF modulated: more than 50 mv at 75 ohms. Scanning frequencies: Horizontal 15,750 Kc; Vertical 50-60 cps synchronized to power line. \*Horizontal resolution: More than 400 lines at center. \*Vertical resolution: More than 280 lines at center. Camera comes complete with 25mm f1.8 lens with adjustable iris, C mount, lens cap, vidicon cap, 32" 75-ohm twin lead, 75:300-ohm line transformer and instruction manual. For 105-120V., 50/60 cycles AC. Size (less lens): 6¼H x 3¼W x 10½D. Imported. 44 R 0801WX \$10 Monthly. Shpg. wt., 7 lbs. Net 199.95

### ACCESSORIES FOR CCTV CAMERA

Stock No.	Description	Shpg. wt.	Net ea.
15 R 7202	Heavy Duty Tri-Pod	2½ lbs.	11.95
17 R 5302WX	11" Television Receiver**	20 lbs.	77.95

\*Based on standard television test chart with 300 lux illumination at center. \*\*Viewable Diagonal Measurement.

# Deluxe Intercom Systems For Home and Business

## 2-STATION SOLID STATE INTERCOM SYSTEM



2-Stations **8<sup>95</sup>**

- Inter-Unit Tone Calling
- Push-Button Operation

Solid-state miniature 2-station intercom. Operates from one inexpensive 9-volt battery. System consists of one master and one remote with 66 feet of lightweight cable. Plug at each end speeds up connection—no tools needed! Master unit has power on/off/volume control and listen-talk switch—you can listen or talk to the master without operating any buttons. Master and remote can call each other even when master is switched off. Housed in a high impact plastic case with cable and 9-volt battery. Dimension: 3W x 1 3/4H x 4"D. Imported. Shpg. wt., 1 1/2 lbs.

99 R 4578 ..... Net 8.95  
 99 R 6021 Extra 9-volt battery ..... Net .21  
 AC power supply and battery charger for above. Shpg. wt., 2 lbs.  
 33 R 7702 ..... Net 2.99

## SOLID-STATE WIRELESS 2-STATION INTERCOM SYSTEM




2-Stations **27<sup>95</sup>**

- Instant On Operation—No Warm-up

Solid-State 2-station intercom system at an amazingly low, low price. Ideal for use in the home, office, factory, etc.—will connect any two places that are serviced by the same electric company 117V power line transformer. No wiring required, simply plug each unit into the AC outlet and start talking—4-transistor circuit. Each unit is a "Master" can use as many as you need. Features a Volume/On-Off control, Push-to-Talk Bar with a "lock-bar" for continuous talking, and a pilot light. 2-tone gray-colored plastic case has rubber-tipped base that will not scratch furniture. Overall 6 1/2"x5"x2 1/2"H. For 110-120V 60 cycle AC. Imported. Shpg. wt., 2 lbs.

99 R 4573M ..... Net 27.95  
 Additional Intercom Stations  
 99 R 4572 ..... Net ea. 14.95

## DELUXE 2-CHANNEL SOLID STATE WIRELESS INTERCOM SYSTEM




2-Stations **39<sup>95</sup>**

- For 2-Simultaneous but Independent Communications

No wires to connect—just plug into any standard AC outlet and have instant communications in the office, home, or between adjacent homes or buildings using the same power line. Two channel operation (160 & 200KC) permits simultaneous or independent communications between 3, 4 or as many units as required. Controls: Volume/On-Off; Press-To-Talk bar with "Lock-Talk" feature, and channel selector (A & B). Has Squelch circuit for noise-free operation. 5-transistors, 3-diodes. Ivory, high-impact plastic case 5 x 6 1/2 x 3". For 117V., 60 cycles AC. Imported. Shpg. wt., 4 lbs.

99 R 4584 2-Station System ..... Net 39.95  
 Additional Intercom Unit.  
 99 R 4585 Shpg. wt., 2 lbs. .... Net 21.95

## LAFAYETTE SOLID STATE 10-STATION ALL-MASTER INTERCOM SYSTEM



Only **29<sup>95</sup>**

- Special Light Indicator Circuit for Silent, Visual Calling and Answering
- Battery Operated or 110-120 VAC Operation with Optional AC Power Supply

All Master to Master Installation permits any station to call and talk privately to any other station. A system using 10 masters can have up to 5 private simultaneous conversations take place. Conferences of up to 10 stations may also be set up for extreme flexibility. Each Master unit is powered by six "C" batteries, or entire 10-station system may be operated by a single, optional AC power supply.

Lafayette's deluxe All-Master 10-station intercom system offers extreme versatility and dependability. Up to ten master stations may be connected providing a great number of home and office applications. Special light indicator circuit gives a silent and visual sign of being called by a particular station. To call a station the corresponding selector button is pressed, which will light the indicator lamp at the receiving station showing from which station the call originated. The "Call" button may then be pressed to buzz and alert the receiving station. The indicator lamp stays lit until the call is answered by the receiving station. To answer a call the selector button corresponding to the lit indicator lamp is pressed with the "Talk" button to begin conversation. If a call is received while unit is in communication, lamp remains lit until answered; but buzzer does not operate. After communication is finished "Off" button is pressed to save battery life, but unit may still be called by another station. Units will communicate up to 1000 feet. Imported. Shpg. wt., 10 lbs.

99 R 4570 10-Station Master ..... Net 29.95  
 99 R 6257 "C" Batteries—6 req'd for each Master ..... Net ea. .14  
 99 R 4561 Optional AC Power Supply ..... Net 12.95

**WIRING INSTRUCTIONS.** For AC operation with power supply listed above, the total number of unshielded conductors common to all masters is 3 more than the total number of masters in the system. For battery operation (each master requires 6 size "C" batteries) the total number of unshielded conductors common to all masters is 1 more than the total number of masters in the system.

### 100 FT. SPOOLS OF CABLE FOR ABOVE SYSTEM

Stock No.	Belden No.	Type	Shpg. wt.	Net
32 R 1498	8456	10 Cond.	5 1/4 lbs.	9.40
32 R 1497	8457	12 Cond.	5 1/2 lbs.	10.05
32 R 1494	8458	15 Cond.	8 lbs.	17.40

# Telephone Answering Devices, Amplifiers, and Accessories

"TELEPHONE VALET"—AUTOMATIC TELEPHONE ANSWERING AND MESSAGE TAKING MACHINE



**99<sup>95</sup>**  
No Money Down

- Your Own Private Answering Service
- Answers Phone Calls With Up To A 60-Second Message
- Records Incoming Messages Up To 1 Minute In Duration With Any Tape Recorder\*

The "Telephone Valet" is a reliable low cost automatic telephone answering and message taking device for home as well as business. Simply put your phone on the "Valet" and then connect the "Valet" to a tape recorder\* that operates with a remote control mike. No connections have to be made into the telephone line. Answers phone callers with a pre-recorded 60 second message. Incoming phone calls are recorded for up to 1 minute in duration. Can be played back at a later time at your leisure. All solid state circuitry. With AC/DC remote control terminal, recording switch, and built-in mike. For 110V 60 cycle AC. Shpg. wt., 6 lbs. Imported.


27 R 7204WX \$5 Monthly Net **99.95**  
27 R 7210 Extra Message Giving Tape Cartridge For Valet Net **4.95**

## COMPLETE ELECTRONIC TELEPHONE RECORDER AND ANSWERING SYSTEM


Only **139<sup>95</sup>** **SAVE 4.95**  
From Individual Catalog Prices  
No Money Down

Complete system includes "Telephone Valet" and the Lafayette RK-85 battery operated solid state portable Cassette recorder. (See page 28 for complete description of the RK-85 Recorder). Includes all necessary connecting cables. Imported. Shpg. wt., 13 lbs.

27 R 7212WXM \$7.50 Monthly Net **139.95**



## DELUXE LAFAYETTE EASY-PHONE TELEPHONE AMPLIFIER



**12<sup>95</sup>**

• No Warm-Up, Instant Operation


• Amplifies Telephone To Room Volume

The Easy-Phone amplifier is ideal for group conversation with one telephone in the room. Easy to operate: simply place the telephone on the amplifier, adjust the volume and everyone can listen, leaving both hands free for writing or typing. The Easy-Phone is a 4-transistor battery powered amplifier and inductive pick-up, in an attractive plastic case. Features: 3" speaker, volume control, on/off switch activated by telephone's weight, sturdy chrome plated runners. 8 1/4 L x 3 1/2 W x 2 3/4 H. Supplied with miniature plug and jack for recorder input. Imported. Shpg. wt., 3 lbs.

99 R 9020 With batteries Net **12.95**

99 R 6258 Replacement "AA" Type Batteries (4 req.) - Net ea. **.10**

## NEW! "PRINCESS-DUTCHESS" TYPE DIAL TELEPHONE



**29<sup>95</sup>**  
With 6 Ft. Coiled Cord and Plug



For Use As Intercoms Or Private Systems.

Add a touch of elegance to your decor with the "Princess-Dutchess" type dial phone. Can be used to make complete private systems or intercoms. Comes complete with built-in ringer, metropolitan dial (bells and numbers), ear piece, transmitter, and 6 ft. coiled cord with plug. Beautiful pearl white finish. Imported. Shpg. wt., 5 lbs.

44 R 1701 Net **29.95**

- Snaps On To Your Phone... Instantly Two Persons Can Listen To Any Conversation On The Same Phone
- No Wires To Connect—Snaps On Or Off In Seconds

Share the pleasure of long distance calls. Use your regular phone as you would normally. Just snap "Listen-In" over earpiece, 2nd listener simply presses receiver of "Listen-In" next to his ear and he is ready to listen in on a conversation. Other uses: For better listening in noisy areas! Hear thru both ears — shut out noise. Ideal for hard of hearing! Teenagers can use listen-in for extra "Party-Line" fun. Sngg. wt., 1 lb.

44 R 2701 Net **3.50**



**275** 30 FT. TELEPHONE EXTENSION CORD

Add flexibility to your telephone intercom. Now be able to move your telephone intercom from room to room. 30 feet of telephone extension cord with standard 4-pin plug and jack. Color-coded cord to match screw terminals on plug and socket. Imported. Wt., 1 1/2 lbs.

99 R 4539 Net **2.75**

99 R 4540 Extra Phone Jack Net **.95**

## "LISTEN-IN" DUAL TELEPHONE DEVICE



**350**

MONITOR CALLS FROM:

STATE, COUNTY AND MUNICIPAL POLICE - FIRE DEPARTMENT - CIVIL DEFENSE - RAILROADS - TRUCKING - HIGHWAY MAINTENANCE - FORESTRY - AVIATION - CONSERVATION - PETROLEUM and INDUSTRIAL ACTIVITIES.

**POLICE AND FIRE DUAL BAND SOLID STATE FM RECEIVERS**  
**2 Receivers In 1! 2 Bands: 30-50MC+152-174MC**

**4**  **+ 17 Transistors = Super Sensitivity, Selectivity**  
**CRYSTAL CONTROL PLUS TUNEABLE RECEPTION**



Only **99<sup>95</sup>** No Money Down

- Operates on 117VAC and 12VDC
- Sensitivity 0.7 $\mu$ V for 20 db Quieting
- Tuned RF and Mixer Stages
- 4 IF Stages With IC's
- Tape Recorder Output Jack


Model PF-175

An advanced FM receiver that is outstanding in performance and features. Covers two VHF communications bands with super-sensitivity—fully tuneable or can be crystal-controlled for reception on a single frequency in either band. Also tunes to 162.55 Mc and 163.275 Mc U.S. Weather Bureau reports and disaster alarms in many parts of the country. Superheterodyne circuit includes tuned RF and mixer stages. Four IF stages, each using an advanced space-age Integrated Circuit (IC). No larger than a tiny transistor, each IC is actually a complete circuit with 5 transistors and 2 resistors—you get the equivalent of 20 transistors in the IF stages alone! 100% solid state design offers top reliability too! "Instant-on" transistor circuit permits immediate response to emergencies! Built-in universal power supply assures continuous monitoring under any conditions—the unit also operates from a 12VDC battery supply for field use or as an emergency portable if AC power fails. Front panel controls include a 4-position selector for choice of Xtal or

Tuneable reception on either of the two VHF bands. Variable squelch control lets you silence the receiver during no-signal conditions to reduce monitoring fatigue. Also equipped with illuminated slide-rule dial, plus handy on-off volume control. Has a handsomely styled vinyl-clad steel cabinet in a simulated walnut wood-grain finish, and equipped with built-in 4" front-mounted speaker and external phone jack. Size: 13 $\frac{1}{4}$ "W x 7 $\frac{1}{2}$ "D x 6"H. Imported. Shpg. wt., 17 lbs. **99 R 2589WX Model PF-175 (less Crystal) Net 99.95**  
**CRYSTALS FOR CRYSTAL RECEIVE—Specify Exact Operating Frequency Subject to 4 weeks delivery.**  
40 R 8207CY 30-50MC Net 5.95  
40 R 8208CY 152-174MC Net 5.95  
"Range Boost" Ground Plane Antenna for 30-50MC and 130-174MC. Net 19.95  
40 R 0105WX Shpg. wt., 6 lbs. Net 19.95  
2 Band Center Loaded Indoor Antenna for 30-50MC and 152-174MC. Net 8.95  
40 R 0111L Shpg. wt., 2 lbs.

**POLICE AND FIRE SINGLE BAND SOLID STATE FM RECEIVERS**

**4**  **+13 Transistors**



Model PF-30 30-50MC      Model PF-60 152-174MC

Only **79<sup>95</sup>** **CRYSTAL CONTROL plus TUNEABLE RECEPTION**

- No Money Down
- 4 IC's Plus 12 Transistors for PF 30
  - Crystal Control Plus Tuneable Reception
  - 117 VAC and 12 VDC Operation
  - Tape Recorder Output Jack

Same super-sensitive solid-state FM receivers as Model PF-175 except that these are single band models covering the high or low bands. Advanced IC's included in the IF stages, plus tuned RF and Mixer stages. Also feature same rugged design for trouble-free operation and have universal power supply for either normal 117 VAC operation or 12 VDC battery operation for field use or during emergencies. Model PF-60 can tune to 162.55 MC and 163.275 MC U.S. Weather Bureau reports and disaster alarms in many parts of the country. Controls: Variable Squelch, On-Off Volume, Tuning and

Selector (Tune-Xtal). Less Crystal. Size: 13 $\frac{1}{4}$ "W x 7 $\frac{1}{2}$ "D x 6"H. Imported. Shpg. wt., 10 lbs.  
99 R 2590WX Model PF-60 152-174MC \$5 monthly Net 79.95  
99 R 2591WX Model PF-30 30-50MC \$5 monthly Net 79.95  
**CRYSTALS—Specify Exact Operating Frequency 4 weeks delivery.**  
40 R 8208CY 152-174MC Net 5.95  
40 R 8207CY 30-50MC Net 5.95  
40 R 1302W Ground Plane Antenna for 108-176MC. 2 lbs. Net 6.56  
40 R 1301W Window Antenna for 30-50MC. Wt. 3 lbs. Net 7.95

# Police And Fire Solid State Mobile Monitor Receivers



With New Revolutionary



for Space Age Dependability

- MONITOR:**
- Police Department
  - Fire Department
  - Special Emergency
  - Highway Maintenance
  - Local Government
  - Business Service
  - Taxicabs
  - Railroads
  - Auto Emergencies
  - Forestry Conservation



Only **69<sup>95</sup>** No Money Down

LISTEN TO U. S. WEATHER FORECASTS AND DISASTER WARNINGS!

**Model PB-50**  
30-50Mc

**Model PB-150**  
152-174Mc

## ★ Tunable Plus One Crystal Position

Thrill to urgent police broadcasts, hear the excitement of fire squads in action! PB-150 tunes to 162.55 Mc and 163.275 Mc. U. S. Weather Bureau weather reports and disaster alarms in many parts of the country. Ideal for car, truck, or boat, these superbly engineered mobile VHF monitors incorporate the latest advances in integrated circuitry, and solid state technology. You have a choice of two wide range models, tuneable from either 30 to 50 Mc or 152 to 174 Mc. Each has provision for one crystal controlled frequency. The highly sensitive front end features .7  $\mu$ v for the PB-50 and less than 1  $\mu$ v for the PB-150. The selective "I.F." features four integrated circuits in the IF section to produce —45db image rejection. These IC's represent the utmost in component dependability and durability. Weak distant stations can be heard clearly, while outside noise and interference are drastically reduced. The efficient 2.8 watt audio section terminates in a big 3 x 5" PM speaker, providing for clean, clear sound reproduction. Only 2 3/8" high, the units are easily mounted under virtually any dash board or control panel (Mounting brackets are included). Power may be supplied by any standard 12


## ★ 33 Transistors (Includes 4 IC's)

volt negative ground battery or by the HB-502A 117 VAC base station power supply listed below. Its 13 transistor + 4 IC's (PB-150) and 12 transistor + 4 IC's (PB-50) solid state circuitry features extremely low current drain. Three controls complement the stylish front panel: Volume/Squelch, X'tal/Tune, and Tuning. Antenna Impedance: 50-75 ohms. Size: 2 3/8 H x 6 1/4 W x 8" D. Imported. Shpg. wt., 10 lbs. 99 R 2593WX Model PB-50 (30-50Mc) \$5 Monthly Net 69.95  
Crystal for PB-50 Specify exact operating Frequency.

- 40 R 8207CY Net 5.95
- 99 R 2592WX Model PB-150 (152-174Mc) \$5 Monthly Net 69.95
- Crystal for PB-150. Specify exact operating Frequency.
- 40 R 8208CY Net 5.95

Model HB-502A AC Power Supply and Battery Charger permits operation of PB-50 and PB-150 from 115V AC source.  
99 R 3153W Imported. Shpg. wt., 5 lbs. Net 16.95  
\*Must be ordered special. 3-4 weeks delivery.

## ECONOMY MONITOR SYSTEMS WITH "PB" and "PF" POLICE AND FIRE RECEIVERS

<p>Low Band Antenna</p> 	<p>MOBILE STATION</p> <p>PB-150 Monitor Receiver (152-174 Mc.) 69.95 High Band Mobile Antenna, Roof or Trunk Mount, Complete with Cable 5.95 <b>TOTAL 75.90</b></p> <p>40 R 9018WXM Shpg. wt., 11 lbs. Net 73.95</p> <p>PB-50 Monitor Receiver (30-50 Mc.) 69.95 Low Band Mobile "Rapid-Grip" Trunk Lid Mount Antenna (30-36 Mc.) 11.95 20 Ft. Coaxial Cable Assembly 2.75 <b>TOTAL 84.65</b></p> <p>40 R 9019WXM Wt., 13 lbs. Net 81.95</p> <p>Same as 40 R 9019WXM except with 36-42 Mc antenna. 40 R 9020WXM Net 81.95 Same as 40 R 9020WXM except with 42-50 Mc antenna. Shpg. wt., 13 lbs. 40 R 9021WXM Net 81.95</p>	<p>High Band Antenna</p> 	<p>Package Price <b>73<sup>95</sup></b> \$5 Monthly Save 1.95 from individual catalog prices</p> <p>Package Price <b>81<sup>95</sup></b> \$5 Monthly Save 2.70 from individual catalog prices</p>	<p>Ground Plane</p> 	<p>BASE STATION With Outdoor Antenna</p> <p>PF-60 Single Band Receiver (152-174Mc) 79.95 Range-Boost 2-Band Ant. 19.95 50 FT. RG-8/U Low Loss Coaxial Cable 8.50 <b>TOTAL 108.40</b></p> <p>40 R 9022WXM Shpg. wt., 17 lbs. Net 104.95 Same as 40 R 9022WXM except with PF-30 (30-50 Mc) Monitor Receiver. Wt., 17 lbs. 40 R 9023WXM Net 104.95 Same as 40 R 9022WXM except with PF-175 Dual Band (152-174 Mc and 30-50 Mc) Monitor Receiver. Shpg. wt., 24 lbs. 40 R 9024WXM Net 123.95 Save 4.45 from individual catalog prices.</p> <p>With Indoor Antenna</p> <p>PF-60 Single Band Receiver (152-174 Mc.) 79.95 2-Band VHF Indoor Antenna 8.95 <b>TOTAL 88.90</b></p> <p>40 R 9025WXM Wt., 12 lbs. Net 85.95 Same as 40 R 9025WXM except with PF-30 Monitor Receiver. Wt., 12 lbs. 40 R 9026WXM Net 85.95 Same as 40 R 9025WXM except with PF-175 Dual Band Monitor Receiver. Shpg. wt., 19 lbs. 40 R 9027WXM Net 105.95 Save 2.95 from individual catalog prices</p>	<p>Indoor Antenna</p> 	<p>Package Price <b>104<sup>95</sup></b> \$5 Monthly Save 3.45 from individual catalog prices</p> <p>Package Price <b>85<sup>95</sup></b> \$5 Monthly Save 2.95 from individual catalog prices</p>
--	---	--	---	---	---	---	--

Buy Now! Pay Later . . . Use Lafayette's Easy Pay Plan. No Money Down.

Lafayette Cat. No. 684 99

# LAFAYETTE Police and Fire Professional Solid State FM Mobile Receivers

ONLY 2" HIGH

Only  
**99<sup>95</sup>**

No Money  
Down



MONITOR:

Public Safety  
Fire  
Police  
Local Gov't  
Special Emergency  
Highway Maintenance  
Forestry Conservation

## 6-CHANNEL CRYSTAL CONTROLLED

**Model HA-39**  
39MHz - 40MHz

**Model HA-42**  
42MHz - 43MHz

**Model HA-45**  
45MHz - 46MHz

**Model HA-46**  
46MHz - 47MHz

**Model HA-153**  
153MHz - 155MHz

**Model HA-155**  
155MHz - 157MHz

- 19 Transistors, 6 Diodes
- Double Conversion Superheterodyne Receiver
- Very Low Battery Drain • Variable Squelch
- Sensitivity: 0.7 $\mu$ v For 20db Quieting
- Instantaneous Operation—No Warm-up
- 12 Volts DC (Neg. or Pos. Ground) or 117 Volts AC with Optional Solid-State Power Supply.

This superbly engineered, solid state, crystal controlled FM receiver enables superior, accurate monitoring of Fire, Police, Local Government, Special Emergency, etc. calls. Its 19 transistor, 6 diode solid state circuitry permits instantaneous operation—no loss of precious time due to warmup. permits immediate response to emergencies! The compact, miniature size makes it ideal for car, truck and boat, as well as for home and office with the optional solid state matching AC power supply. Six crystal-controlled channel capability permits operation on up to 6 frequencies with highly accurate optional crystals. Features an exceptionally sensitive double conversion superheterodyne circuit with 0.7 $\mu$ v sensitivity for 20 db quieting. Designed and built for reliable, trouble-free performance, the receiver uses rugged, heat resistant Silicon Mesa transistors in all critical areas (oscillator, RF and IF). Very low current on 12 volts DC permits continuous monitoring in mobile operation for long periods of time. even with the motor switched off! Complete with built-in 3"x5" speaker and mobile mounting bracket. Size: 6Wx8Dx2"H. Imported. Shpg. wt., 6 1/2 lbs.

Model HA-39: For 39 to 40 MHz Operation.  
99 R 2602WX \$5 Monthly. Less Crystals ..... Net 99.95  
40 R 8204CY\* Crystal for HA-39 ..... Net 6.95

Model HA-42: For 42 to 43 MHz Operation.  
99 R 2603WX \$5 Monthly. Less Crystals ..... Net 99.95  
40 R 8205CY\* Crystal for HA-42 ..... Net 6.95

Model HA-45: For 45 to 46 MHz Operation.  
99 R 2604WX \$5 Monthly. Less Crystals ..... Net 99.95  
40 R 8206CY\* Crystal for HA-45 ..... Net 6.95

Model HA-46: For 46 to 47 MHz Operation.  
99 R 2588WX \$5 Monthly. Less Crystals ..... Net 99.95  
40 R 8201CY\* Crystal for HA-46 ..... Net 6.95

Model HA-153: For 153 to 155 MHz Operation.  
99 R 2586WX \$5 Monthly. Less Crystals ..... Net 99.95  
40 R 8202CY\* Crystal for HA-153 ..... Net 6.95

Model HA-155: For 155 to 157 MHz Operation.  
99 R 2587WX \$5 Monthly. Less Crystals ..... Net 99.95  
40 R 8203CY\* Crystal for HA-155 ..... Net 6.95

\*Specify Exact Operating Frequency. Must Be Ordered Special.  
3 to 4 Weeks Delivery. Crystal Tolerance  $\pm$ 0.0015%. Wt., 4 oz.  
HB-502A: 117V AC Sturdy attractive matching power supply for base station operation. 6Wx7 1/2 D x 2 3/4 "H. Imported. Shpg. wt., 5 lbs.  
99 R 3153W ..... Net 16.95

## LAFAYETTE POLICE AND FIRE FIXED AND MOBILE ANTENNAS

LAFAYETTE MODEL PAA  
2 BAND VHF INDOOR ANTENNA

• For 30-50MHz, 130-174MHz **8<sup>95</sup>**

Exciting antenna enables operation of your VHF FM communications receiver without having to put up an outdoor antenna. Consists of 2 section stainless steel whip with center loaded coils for 30-50MHz and 130-174MHz. Ideal for all VHF receivers with screw antenna terminals and use with Lafayette Models PF175, PF60, PF30 FM VHF receivers. Overall length 48". Shpg. wt., 2 lbs.  
40 R 0111W ..... Net 8.95

HIGH BAND MOBILE ANTENNA  
For 130-174 MHz

Only **5<sup>95</sup>** With 12' cable

Mobile roof or trunk mount for 130-174MHz operation. Terminates in 3/8" bolt. Whip has set screw-type adapter for easy tuning. Comes with 12' RG-58U cable and PL259 connector pre soldered to the antenna. Length 21 1/2". Shpg. wt., 1 lb.  
40 R 0113W ..... Net 5.95

"RANGE-BOOST"™ BASE STATION  
2 BAND FM VHF GROUND PLANE  
COMMUNICATIONS ANTENNA

**19<sup>95</sup>**

- Boost your FM Receiving Range
- For 30-50 MHz, 130-174MHz

An exceptionally efficient ground plane antenna for operation between 30 to 50MHz and 130 to 174 MHz. Comprised of 4 easily assembled drooping elements tuned to 30 MC and a vertical radiator with a matching transformer and a low and high band coil-near collector. Ideal for use with Lafayette VHF FM communications receivers. Constructed of heavy-duty aluminum alloy rods and stainless steel lip section. Antenna comes complete with mounting bracket for 1" pipe or 1 1/4" tubing. Shpg. wt., 6 lbs.  
40 R 0105WX ..... Net 19.95

LOW BAND MOBILE ANTENNAS

**11<sup>95</sup>** ea.  
less cable

- For 30-50MHz
- Features "Rapid-Grip" Trunk-Lid Mount

3 deluxe new base loaded FM VHF mobile antennas to choose from—30-36MHz, 36-42MHz, 42-50MHz. All 3 antennas include "Rapid-grip" trunk lid mounts for simple and easy installation. No holes to drill. Provides ideal omni-directional signal pattern. Consists of weatherproof phasing transformer, stainless steel whip and cadmium plated "rapid-grip" mount. Overall length 43". Wt. 2 lbs.  
40 R 0114W 30-36MHz ..... Net 11.95  
40 R 0115W 36-42MHz ..... Net 11.95  
40 R 0112W 42-50MHz ..... Net 11.95

20' Coaxial Cable Assembly for above antennas. Terminate with PL-259 on one end and universal lugs on other end.  
42 R 7002 ..... Net 2.75

100 Lafayette Cat. No. 684

Depend On Lafayette For Quality Communications Equipment

# Mobile Police Tuners - Marine Outboard Motors & Accessories

**NEW!** MOBILE SOLID-STATE FM-VHF  
LOW BAND POLICE TUNERS



Two models to choose from  
 Model PC 200: 30-38 MHz  
 Model PC 201: 37-50 MHz  
 Only **39<sup>95</sup>** ea.

- Listen to Police Calls, Fire Calls, Mobile Phones
- Connects to Existing 12 volt Neg. Ground AM Car Radio
- Tuneable—No crystals required

Hear police calls, fire calls, and mobile phones on your AM car radio. Deluxe solid-state FM-VHF Low Band Tuners mount under the dash. Tuneable—requires no crystals, no batteries, no special antenna. Connects in minutes to your existing AM auto radio and antenna. Two models to choose from: Model PC-200 tunes 30-38 MHz, or Model PC-201 tunes 37-50 MHz. Automatic noise limiter provides exceptionally fine reception of all signals. Specifications: 8 transistors, 4 diodes. Sensitivity 2  $\mu$ v at 20db of quieting. Converts FM signal to 870 KHz AM. Smartly styled chrome and rich walnut grain front panel. Compact—only 6 1/2" x 3 1/2" x 1 1/2". For 12 volt Neg. ground systems. Shpg. wt., 3 lbs.  
 40 R 3601 Model PC-200—Tunes 30-38 MHz Net 39.95  
 40 R 3602 Model PC-201—Tunes 37-50 MHz Net 39.95

"SHIPMATE" SOLID STATE MARINE-TO-AUTO CONVERTER  
**NEW!** 19<sup>95</sup>

- Receive Marine Broadcasts On Your AM Car Radio
- Tuning Range 2000-3000KC
- For Coast Guard, Marine Telephone, Ship-to-Ship Broadcast, WWV (weather), Ship-to-Shore Conversations



Now you can listen to marine broadcasts on your car radio. A flick of the switch and your auto radio becomes a powerful, long-range marine receiver. Switch back and it plays the normal broadcast band. All-transistor circuitry uses only 1/2000 of an amp from built-in battery; virtually the battery's entire shelf life. Converter selects any frequency between 2000 Kc and 3000 Kc. Operates with either 6v or 12V automobile ignition system. Size: 4 1/2 x 2 1/2 x 1 1/2". Shpg. wt., 1 1/2 lbs.  
 Net 19.95  
 40 R 3201

LAFAYETTE "MARINE KING" BOAT COMPASS  
**SALE!** 9<sup>95</sup>



- Fully Internal Gimbal Mounting
- Super Heavy Magnet Assembly

was 16.95 1968 Cat. 682  
 Internal gimbal mounting affords maximum protection and stability, combined with a super heavy magnet assembly, insures accurate, dependable readings. Easy to read 4" dial with luminous letters is divided into 5° increments and covered by a removable plastic shield to cut down on glare. Compensation controls adjust for changes in magnetic surroundings. Durable chrome finish and ultra-modern styling. Dimensions: 7 1/2" x 5 1/4" D. Imported. Shpg. wt., 3 3/4 lbs.  
 99 R 9179 Net 9.95

## TROLLING'S A BREEZE WITH AN AIR-COOLED **Eska**

The Ideal Outboard  
 Quiet—Powerful—Air Cooled  
 Lightweight—Efficient—Rugged

Great For: Fishing, Hunting, Skiffs, Canoes, Dinghies, Sailboats, and Other Craft

All models feature precision air cooled power heads — Automatic spark control — Water muffled exhaust — Water cooled lower leg and exhaust cooling system — 360° full pivot reverse drive — Automatic rewind starter — Automotive pump type carburetor — Hi-tension magneto hot spark ignition — Salt resistant aluminum submergeable parts — Panel controls — Integral gas tank.

**ESKA 7 HP MODEL.** Deluxe outboard features 3 blade semi-weedless propeller, needle and ball type bearings, and 3 1/2 pint internal fuel tank with fittings for 3 1/2 gal. auxiliary fuel tank. Forward, neutral, and pivot reverse drive. Panel controls include spark advance lever, choke, and trolling speed adjustment dial. Overall Length: 40". Bore: 2.32". Stroke: 1 3/4". Shpg. wt., 33 lbs.  
 12 R 3110WXY \$7.50 Monthly Net 134.95

**ESKA 5 HP MODEL.** Lightweight 2 cycle single cylinder outboard burns virtually all fuel in combustion chamber for economical operation. Features 2 blade semi-weedless propeller and 3 1/2 pint internal fuel tank with fittings for 3 1/2 gal. auxiliary. Overall Length: 40". Bore: 2.32". Stroke: 1.5". Shpg. wt., 31 lbs.  
 12 R 3111WXY \$6 Monthly Net 104.95

**ESKA 3 HP MODEL.** Extremely compact economy outboard for high convenience features at a low, low price. Has integral 2 pint fuel tank and hi-alloy beveled long life gears. Overall Length: 40". Bore: 2". Stroke: 1.58". Shpg. wt., 28 lbs.  
 12 R 3112WXY \$5 Monthly Net 89.95

**AUXILIARY FUEL TANK** with hose and connections. 3 1/2 gal. capacity.  
 12 R 3113WY Shpg. wt., 3 lbs. Net 13.50

All Motors Shipped F.O.B. Dubuque, Iowa. No C.O.D. Shipping Charges Collected On Delivery

7 horse power  
**134<sup>95</sup>**

7 hp

5 hp

3 hp

**NO MONEY DOWN**

3 horse power  
**89<sup>95</sup>**

5 horse power  
**104<sup>95</sup>**

Buy Now! Pay Later . . . Use Lafayette's Easy Pay Plan. No Money Down.



Lafayette Cat. No. 684 101

# Tune In The World With LAFAYETTE

## EXPLOR-AIR MARK V

### International Shortwave + AM Broadcast Receiver

BRING HISTORY MAKING NEWS  
INTO YOUR HOME . . . FROM THE  
FAMOUS CAPITALS OF THE WORLD!



Only **49<sup>95</sup>**  
No Money  
Down

**5 Bands  
Broadcast + 4 Exciting  
International Shortwave  
Bands**

- 550 to 1600KC
- 5.9 to 6.25MC
- 9.45 to 9.8MC
- 11.45 to 12MC
- 15.05 to 15.5MC

**NOT A KIT—  
COMPLETELY WIRED**

**TRANSFORMER POWERED**

**SCOTT A SUPERHETERODYNE**


Not Super-Regenerative!

Listen to world-wide exciting current events right in your own home . . . hear the actual broadcasts from the major news centers around the world in English and foreign languages; BBC London, Radio Moscow and many others.

The Explor-Air Mark V receiver is refined in its ability to bring in stations loud and clear and features simplicity of operation. In addition to the standard AM broadcast frequencies, the receiver is designed to tune the popular international shortwave broadcast bands on 49, 31, 25 and 19 meters (each band occupies a select portion of the full shortwave spectrum) through the use of individual tuned circuits for each of the five bands. For greater ease of tuning on congested bands each shortwave band has been extended to cover the entire width of the 0 to 100 logging scale.

Operating features on the receiver include a self-contained 4" dynamic speaker, built-in loopstick antenna, large illuminated slide-rule dial calibrated in frequency and indicating place names, a front panel headphone jack for optional silent listening, controls for Volume Off/On, Tone and Band Selection, plus rear panel connection for external shortwave antenna. **SPECIFICATIONS:** Full coverage on 5-bands; AM Broadcast (0.55 to 1.6Mc), and International Shortwave on 49 Meter (5.9 to 6.25Mc), 31 Meter (9.45 to 9.8Mc), 25 Meter (11.45 to 12Mc), and on 19 Meter (15.05 to 15.5Mc). Receiver is AC transformer powered with efficient superheterodyne circuitry. Complete with beautiful walnut grained metal cabinet. For 105-125V., 50/60 cycles AC. Size: 14Wx 8Dx6"H. Imported. Shpg. wt., 11 lbs. **99 R 2585WX \$5 Monthly . . . . . Net 49.95**

#### ECONOMY SHORT-WAVE PACKAGES WITH EXPLOR-AIR MARK V



Explor-Air Mark V	49.95	<b>Only 56<sup>95</sup></b>	<b>SAVE 2.95</b>	From individual catalog prices.
Shortwave Window Antenna	9.95			
<b>TOTAL</b>	<b>59.90</b>			
40 R 9014WXM Shpg. wt., 14 lbs.				<b>Net 56.95</b>
Explor-Air Mark V	49.95	<b>Only 53<sup>95</sup></b>	<b>SAVE 2.95</b>	From individual catalog prices.
Shortwave Outdoor and Attic Antenna	6.95			
<b>TOTAL</b>	<b>56.90</b>			
40 R 9012WXM Shpg. wt., 13 lbs.				<b>Net 53.95</b>

**102 Lafayette Cat. No. 684**

#### HY-GAIN SW-9 SHORTWAVE WINDOW ANTENNA

• Includes Universal Window Mounting Bracket



Answers the problems of apartment dwelling SWL's. Shpg. wt., 3 lbs. **40 R 3118 . . . . . Net 9.95**

#### HY-GAIN SW-6 SHORTWAVE ANTENNA



The ideal shortwave antenna for window installations, where roof-top antennas are impractical or cannot be used. Provides broadband performance comparable with other larger installations. Consists of one 9 foot aluminum tubular element with a universal mounting bracket and feedline. Simple to install. **Only 995**

A completely assembled antenna, ready to install. Scientifically tuned for 1.8 to 30 MC coverage. Can be installed on any existing structure: pole-to-pole, pole-to-tree, garage-to-house, under the eaves, in the attic . . . all provide excellent reception. Consists of 50 ft. copper wire attached at both ends to low-loss styrene insulators. 15' weather-proof rope on each insulator. Shpg. wt., 2 lbs. **40 R 3117 . . . . . Net 6.95**

Depend on Lafayette For Everything in Electronics

# LAFAYETTE 7 Band Explor-Air Mark VI

## PROFESSIONAL FM, AM, SHORTWAVE AND WEATHER RECEIVER

- ★ Thrill To Live Broadcasts of World-Shaking Events!
- ★ Relax With The Magnificent Sound of FM Hi-Fi Music!
- ★ Hear Latest Weather & Marine Reports!
- ★ Enjoy Local News, Sports and Weather On The Popular AM Band!

Hi-Fi FM-AM Broadcast — Shortwave — Weather and Marine Bands  
 Band 1 Weather/Marine 150-400kHz

Band 2 AM Broadcast 550-1600kHz

Band 3 FM Broadcast 88-108MHz

Band 4 Shortwave 5.9-6.25MHz

Band 5 Shortwave 9.45-9.85MHz

Band 6 Shortwave 11.85-12.05MHz


Band 7 Shortwave 15.05-15.55MHz

For Only **99<sup>95</sup>** No Money Down

Hear exciting International news on this specialized International coverage receiver from: Praha, Berne, Berlin, BBC, London, Havana, Vatican, Moscow, Rio, Canada, Japan, Bucharest, Mexico, France, Athens, etc.

- 17 Transistors, 6 Diodes, 2 Ther-mistors
- Private Listening Headphone Jack
- Built-in FM and AM Antennas
- Attractive Front Panel with Large Illuminated Slide-Rule Dial
- Tape Record Output Jack
- External Speaker Jack
- 105-125VAC/50-60 Cycles; 24VDC

The Lafayette Explor-Air Mark VI is a professionally designed FM, AM, Shortwave and Weather receiver with such advanced features as individually tuned circuits for each band, automatic volume control, 455kHz mechanical filter for superior selectivity, tuned RF stage for outstanding sensitivity, and a "Shock-free" high voltage transformer-operated power supply. Seven full dial bands offer extra-wide station separation; illuminated wide-view slide rule dial is labeled with clearly visible names of primary cities and countries. The back panel has terminals for external AM and FM antennas; tape recorder output jack; 8-ohm extension speaker jack; speaker fuse and 24 volt DC input connection. Attractive styling includes brushed aluminum trim and control panel, and oiled walnut wood sides. **SPECIFICATIONS:** Two built-in 4" PM speakers. FM Sensitivity: 2  $\mu$ v or less. Cross Modulation: 70 db. De-emphasis: 75 microseconds. Distortion: 1% or better @ 20  $\mu$ v. Image Ratio: 45 db. Antenna Impedance: 300 ohms. AM: 3 gang tuning condenser. Suppression @ 10V: 35 db. Shortwave: as low as 2  $\mu$ v sensitivity. Size: 14 $\frac{3}{4}$ x6 $\frac{1}{2}$ x9 $\frac{7}{8}$ "D. Imported. Shpg. wt. 17 lbs. 99 R 2601WX \$5 Monthly Net 99.95




A Great Performer With Styling Fit For Your Living Room!



SAVE ON THESE ECONOMY EXPLOR-AIR MARK VI SYSTEMS!

	99.95	Only	104.95	99.95
Explor-Air Mark VI Shortwave Outdoor and Atlc Antenna	6.95	Only	102.95	99.95
40 R 9015WXM	Total 106.90	SAVE 3.95	From Individual	Total 109.90
Shpg. wt., 19 lbs.	Net 102.95	From Individual	Catalog Prices:	Net 104.95

# 6-METER SOLID-STATE MOBILE TRANSCEIVER *With Built-in V F O*



- 5-Watts DC Input—
- 18-Transistors, 8-Diodes, 2-Zener Diodes
- Tuneable Receiver, Xtal/VFO Transmitter
- $\pm 200$  KC Vernier Receiver Tuning
- Sensitivity Less Than  $1\mu\text{v}$  for 10db S/N

Only  
**119<sup>95</sup>**  
No Money Down  
\$6.50 Monthly

Years of engineering research in 2-way communications brings you a major breakthrough in size, performance, and pricing of 6-meter 2-way gear... the HA-750. Fully transistorized 50-52 MC circuitry features selectable single knob VFO receiver/transmitter tuning with vernier offset or crystal controlled transmitter with tuneable receiver operation. Fine features include illuminated "S"/"PRF" meter, spot switch, series gate automatic noise limiting, built-in 3 x 5" speaker, and relay switching. 5-watt transmitter draws less than 1 ampere on full transmit. May be used as a 2.5 watt public address amplifier with external speaker. Supplied complete with DC power cable, mobile mounting bracket, and plug-in PTT dynamic microphone. Size: 2 $\frac{3}{4}$ "x6 $\frac{1}{4}$ "x8"D. Imported. Shpg. wt. 5 $\frac{1}{2}$  lbs.

**99 R 2605WX** \$6.50 Monthly—For Negative Gnd. Only ..... Net 119.95  
**MODEL HB-502A** Charger/AC POWER SUPPLY for 117 Volts AC operation and for charging nicad batteries in portable operation.  
**99 R 3153W** Shpg. wt., 5 lbs. .... Net 16.95

**MODEL HB-506** PORTABLE DC POWER PACK Attaches to HA-750 for convenient portable operation. Less Batteries.

**99 R 3154** Shpg. wt., 2 lbs. .... Net 19.95

"C" Dry Cell for HB-506 Power Pak (8 required)  
**99 R 6257** ..... Net ea. .14 Lots of 10 ..... Net 1.20

**99 R 6293** Alternate "C" Alkaline Cell (8 required) ..... Net ea. .35

**DELUXE DYNAMIC DESK MICROPHONE** with PTT and "Lock" Switch.  
**99 R 4608** Shpg. wt., 1 $\frac{1}{2}$  lbs. .... Net 11.95

**50 MC CRYSTALS** for HA-750 Special order—4 weeks delivery.  
**40 R 5701CY** Specify exact operating frequency ..... Net 4.95

**LAFAYETTE 6-METER "RADIO-GRIP" MOBILE ANTENNA**, WL., 2 lbs.  
**40 R 0109** Less Cable Assembly ..... Net 11.95

## 2-METER 120 WATT MOBILE LINEAR AMPLIFIER



Only **139<sup>95</sup>** Now... Real Power For Your Low Power 2 Meter Rigs!  
No Money Down


Made in U.S.A.

Model HA-260

- Covers 144 to 148 MC
- No External Switching
- 120 Watts (PEP) AM, FM and CW
- Works with any AM, FM and CW Exciter with 1 or more watts output

A completely self contained VHF linear amplifier designed specifically for mobile use. Efficient RF amplification stage utilizes a special purpose mobile application Amperex DX296/8637 twin tetrode. RF sampling relay automatically switches linear in the instant the exciter is energized. No external switching, wiring, or muting circuits are necessary. Antenna is automatically connected directly to input socket in off or standby modes. Front panel controls permit full flexibility of tuning and power level selection. Illuminated relative RF power output meter simplifies linear and exciter tuning. Built in power supply features high efficiency transistor and toroid transformer circuitry. Oversized heat sinks assure cool operation. Output impedance 50 ohms, Supplied with manual, fused DC power cable, and mounting bracket. 12 Volt DC Negative Ground Only. Size: 11 $\frac{1}{8}$ "x8 $\frac{3}{8}$ "x2 $\frac{5}{8}$ "H. Shpg. wt., 3 $\frac{1}{2}$  lb.  
**40 R 0106WX** \$7.50 Monthly. .... Net 139.95

## 100-WATT MOBILE LINEAR AMPLIFIER Model HA-250



**79<sup>95</sup>** SMALL... COMPACT ONLY 2 INCHES HIGH!  
Convert Flea Power To Real Power!

Made in U.S.A.

- Covers 20-54 MC... 6, 10, 11 and 15 Meters (not Permitted on 11 Meters Class D (CB) in U.S.A.)
- No External Switching Required
- Will Work On Any Signal of 1 to 10 Watts—AM, FM, SSB or DSB and CW

Provides up to 100 watts PEP (50 Watts DC) input into a 50 ohm load (with 8 watts RF drive). Unique RF sensing circuit automatically switches in linear when transmitter is activated. Absolutely no external switching is necessary. Built-in relay directly connects antenna to input SO-239 coaxial socket when receiving. No external connections are required to your existing equipment. Illuminated front panel meter indicates relative RF strength of linear's output signal when linear is on or exciter's relative RF signal strength when linear is off. Self-contained power supply utilizes a high efficiency toroid power transformer. Ruggedly designed chassis with oversized heat sinks assures sturdy and cool operation. Supplied with comprehensive manual, fused DC power cables, and mounting bracket. Size: 7"Dx9"Wx2"H. Shpg. wt., 3 $\frac{1}{2}$  lbs.  
**40 R 0106WX** 12 Volt DC Neg. Ground Only ..... Net 79.95

# 6 and 10 Meter Amateur Transceivers



**Model HA-460 50-52 Mc**

**Model HA-410 28-29.7 Mc**

**BUILT-IN VFO**

Only **149<sup>95</sup>**

No Money Down

**COMPLETELY WIRED**



- Dual Conversion with Crystal Controlled 2nd Converter
- Built-in Solid State 12 V.D.C. and 117 V.A.C. Power Supplies
- Built-in Low Pass TVI Filter
- Tuned Nuvistor Front End
- 20 Watt DC Input—2E26 Final

- Air Variable Antenna Load and Plate Tuning
- Illuminated "S" and RF Output Meter
- Front Panel Speaker
- Front Panel Crystal Socket
- Frequency Spotting Switch

Exciting 400 series transceivers feature a powerful plate modulated 20 watt DC input transmitter and stable VFO with its own frequency control knob. Tune up is fast and efficient with driver and multiplier automatically tuning with VFO. Shielded low pass filter minimizes TVI problems. Dual conversion receiver utilizes a crystal controlled 2nd converter. Nuvistor RF amplifier's sensitivity is less than 1  $\mu$ v. for 10 db signal to noise ratio. Selectivity at 8 KC is 35 db. SCR controlled noise limiter effectively eliminates most types of QRM. Other features include spotting switch, use of standard 7 and 8 mc. Crystals with front panel crystal socket; illuminated meter that reads S units on receive and RELATIVE RF output on transmit; plug-in encapsulated dust free relay switching; front panel earphone jack; push-pull audio amplifier; and rugged push-to-talk ceramic mike with coiled cord and plug. Going mobile? The 400's come with both 117 V.A.C. and 12 V.D.C. (positive or negative ground) built-in solid state power supplies. Supplied with AC +

DC power cords, mike and mobile mounting bracket. Size: 12 $\frac{1}{4}$ "x 5 $\frac{1}{2}$ "x 3 $\frac{3}{4}$ " D. Imported. Shpg. wt., 22 lbs.

Lafayette Model HA-460 — 6 Meter Amateur Transceiver for 50.0-52.0 MC. Net 149.95

99 R 2579WX \$8 monthly Crystals for HA-460. Specify Fundamental Frequency (divide operating frequency by 6). Will supply to nearest 5 KC. Net 2.95

40 R 5403C Specify Frequency Lafayette Model HA-410 — 10 Meter Amateur Transceiver for 28.0-29.7 MC. Net 149.95

99 R 2575WX \$8 Monthly Crystals for HA-410. Specify fundamental frequency (divide operating frequency by 4). Will supply to nearest 5 KC. Net 2.95

40 R 5402C Specify Frequency Net 2.95

LAFAYETTE 6-Meter "Rapid Grip" Mobile Trunk Antenna 40 R 0109 Less Cable. Shpg. wt., 2 lbs. Net 11.95

## 6-80 METER SSB/AM/CW RECEIVER

**10 TUBES, DUAL CONVERSION**

Only **129<sup>95</sup>** No Money Down



HA-500

- 10 Tube Superheterodyne Circuit
- Product Detector for CW/SSB—Diode Detector for AM
- Two 455 KC Mechanical Filters for Sharp Selectivity
- Illuminated Calibrated S-Meter
- Dual Conversion On All Bands
- Built-In 100 KC Crystal Calibrator
- "Always-On" Oscillator Filament

## 6 HAM BANDS INCLUDING 6 METERS

80 Meters	40 Meters	20 Meters	15 Meters	10 Meters	6 Meters
3.5-4.0 MC	7.0-7.3 MC	14.0-14.35 MC	21.0-21.45 MC	28.0-29.7 MC	50.0-54.0 MC

Outstanding Lafayette Model HA-500 receiver features tuned RF and 1st mixer stages which provide maximum sensitivity and front end selectivity for high signal to noise ratio with superb image rejection. Dual intermediate frequency circuits utilize two ceramic 455 KC mechanical filters for additional wave shaping. Product detector and BFO combine for crisp and clear CW and SSB. OB2 voltage regulator supplies oscillator with regulated B plus voltage for virtually driftless operation. Full time automatic volume control is automatically set to provide standard operation on AM and fast attack-slow decay on CW and SSB. Illuminated slide rule dial is calibrated for easy reading. Accurate built-in 100 KC calibrator assures precise calibration. "Always On" oscillator filament increases stability and reduces warm-up time. Controls: Tuning, Calibration off/on. Automatic Noise Limiter off/on, Antenna Trim, RF Gain, AF Gain (volume control), Bandswitch, BFO Frequency, and Function Switch. Sensitivity: less

than 1  $\mu$ v. for 10 db signal to noise ratio on all bands. IF Rejection: —40 db. Image Rejection: —40 db. Audio Output: 1 watt. Intermediate Frequencies: 1st IF 2.608 MC, 2nd IF 455 KC. Output Impedance: 8 and 500 ohms. Tube Complement: 6BZ6 RF Amplifier, 6AU6 1st Mixer, 6AQ8 Local Oscillator, 6BE6 2nd Mixer, 2nd Local Oscillator, 6BA6 1st IF, 6BA6 2nd IF, 6AQ8 Product Detector and BFO. 6AQ8 AM Noise Limiter and 100 KC Crystal Calibrator, 6BM8 Audio Amplifier, OB2 Voltage Regulator. Power Requirements: 117 VAC. Imported. Size: 15W x 7 $\frac{1}{2}$ " x 10" D. Shpg. wt., 25 lbs.

99 R 2574WX \$7 Monthly Net 129.95

Model HE-48B 3 x5 Speaker Mate for HA-500. Net 7.95

40 R 0905 Shpg. wt., 4 lbs. Net 7.95

100kc Calibrator Crystal for HA-500. Net 3.95

40 R 0901L Net 3.95

Amateur Equipment Is Available on Easy Pay Plan—No Money Down

Lafayette Cat. No. 684 105



# HA-600T 5 Band AM/CW/SSB Amateur And SW Receiver

2 FIELD EFFECT TRANSISTORS + 10 TRANSISTORS + 8 DIODES



PRODUCT DETECTOR  
FOR SSB/CW

Only  
**99<sup>95</sup>**  
No Money Down

## SHORTWAVE — AMATEUR — AM BROADCAST — WEATHER & MARINE BANDS 5 BANDS:

- Dual Mechanical Filter for Exceptional Selectivity
- Huge Edge-Illuminated Slide Rule Dial with "S" Meter
- 117-Volts AC and 12-Volts DC Negative Ground Operation
- Full 24½ inches of Bandspread On 10-80 Meter Bands
- Automatic Series Gate Noise Limiter With AVC on AM

- BAND A 150KHz to 400KHz**
- BAND B 550KHz to 160KHz**
- BAND C 1.6MHz to 4.8MHz**
- BAND D 4.8MHz to 14.5MHz**
- BAND E 10.5MHz to 30MHz**


The HA-600T general coverage receiver combines the latest solid state electronics with sleek, modern appearance to achieve a superb blend of performance and style. Advanced circuitry utilizes two Field Effect Transistors in the front end RF stages to assure high sensitivity with lowest noise factor. 10 high performance transistors and 8 diodes compliment the FET's to provide sharp response with exceptional stability. Series Gate noise limiter and automatic volume control circuitry provide efficient noise and audio blasting suppression on AM. Built-in variable BFO permits clear reception of code and single sideband signals. Dual 455 KHz mechanical filters assure superior selectivity. Receiver's operation is virtually undisturbed by

harmonics or noise from antenna to speaker. Rear panel accessory provides convenient connection for audio output, 12 VDC, ground, and AVC line along with receiver muting connections. Huge flywheel operated slide rule dial has easy-to-read illuminated main tuning, logging, and bandsread scales. Electrical bandsread features wide calibration for easier tuning of crowded ham bands. Operates from 117 VAC 60 cycles or 12 VDC (negative ground only) . . . perfect for emergency use! Engineered by Lafayette and made in Japan to our highest quality standards. Shpg. wt., 18 lbs.

99 R 2595WX \$5 Monthly Net 99.95  
99 R 2569 Matching 3x5-inch speaker in handsome cabinet Net 7.95

### LAFAYETTE 2 and 6 METER MOBILE ANTENNAS Featuring "Rapid-Grip" Mounts—No Holes To Drill

As Low As  
**9<sup>95</sup>**



(A) 2 METER ANTENNA. Features rust-resistant cadmium plated "Rapid-Grip" mount base and stainless steel 19" long whip with set screw for easy field tuning. Mounts on lip of trunk. Complete with 16 ft. of RG/U cable and PL-259 plug. Shpg. wt., 1½ lbs.

40 R 0110 Net 9.95  
(B) 6 METER ANTENNA. Features base loading phasing transformer, 43" stainless steel whip with adapter for extra fine tuning, and a cadmium plated trunk-lip "Rapid-Grip" mount with water resistant body seal. Less coaxial cable. Shpg. wt., 2 lbs.  
40 P 0109 Net 11.95

**NEW! AMATEUR RADIO INCENTIVE LICENSING STUDY GUIDE** by Robert Brown and Tom Kneitel. For newcomers and hams affected by incentive licensing. Study guide and FCC-type sample exams prepare for actual FCC tests. Shpg. wt., 10 oz.  
10 R 2404 Net 2.75

### LAFAYETTE SWR AND FIELD STRENGTH METER 9.77

Measures relative forward and reflected power (SWR ratio) from 1:1 to 3:1 with accuracy of ± 5 db at 2 to 30 MC. Reads field strength with 5 section telescopic antenna. Impedance: 52 ohms. Size: 1¾W x 5 1/16H x 2¼"D. Imported. Wt. 1 lb.  
99 R 2537 Net 9.77



### LAFAYETTE 10 TO 80 METER ALL BAND VERTICAL TUNEABLE ANTENNA

• For Fixed Operation **14<sup>95</sup>**


Our best buy multi-band antenna. Can be tuned to any amateur band 10 through 80 meters by a single adjustment. Has amazing efficiency for DX or local contacts. Ground, or roof top or tower installation. Can survive winds in excess of 50 mph. Overall height 18'; knocks down to only 5'. Uses ¾" diameter air wound coil as matching inductor. All steel parts irridite treated to Mil Specs. Impedance 52 ohms. Maximum power 1000 watts AM or CW—2 KW PEP. Omni-directional; vertically polarized. Shpg. wt., 5 lbs.  
40 R 0104WX Net 14.95



### NEW LAFAYETTE WIRELESS CODE PRACTICE OSCILLATOR SET

Only **3<sup>95</sup>**

Includes Wireless Oscillator, Hand Key, and Battery



- Solid State Circuitry
- Use with Any AM Radio

Makes learning code as easy as possible. Ideal for students, hobbyists or aspiring amateurs. Portable, battery operated. Just place oscillator antenna next to any AM radio . . . turn radio on and you're ready to practice or improve your code speed. Includes hand key and 9-volt battery. Transistorized oscillator features low battery drain. Size: 3¼Wx2Dx1"H. Key: 4¾Lx1½"W. Imported. Shpg. wt., 2 lbs.  
99 R 2608 Net 3.95  
99 R 6021 Extra 9 volt battery Net .21

# Improve Your CB Performance With LAFAYETTE Accessories

**A**

**6<sup>95</sup>**

**LAFAYETTE  
MOBILE  
AM TO CB  
ANTENNA  
CONVERTER**

**B**

**3<sup>95</sup>**

**UNIVERSAL  
BASE LOADED  
CB WALKIE-TALKIE  
ANTENNA**

**C**

**6<sup>95</sup>**

**UNIVERSAL  
ANTENNA MOUNTING KIT  
AND LIGHTING PROTECTOR**

**D**

**33<sup>95</sup>**

**CORNELL-  
DUBILIER  
AR-22R AUTOMATIC  
ROTOR**

**E**

**9<sup>95</sup>**

**CB NUVISTOR  
PREAMPLIFIER**

**F**

**2<sup>49</sup>**

**GENERATOR  
NOISE FILTER**

**G**

**9<sup>45</sup>**

**AUTO-MARINE ENGINE  
NOISE SUPPRESSOR KIT**

**H**

**6<sup>95</sup>**

**Made in U.S.A.  
CB LOW PASS FILTER**

**I**

**3<sup>29</sup>**

**ALTERNATOR  
NOISE FILTER**

**J**

**37<sup>95</sup>**

**CB TRANSCEIVER TESTER**

**K**

**19<sup>95</sup>**

**DC TO DC SOLID STATE  
CONVERTER**

**L**

**13<sup>99</sup>**

**BATTERY CHARGER AND  
ELIMINATOR**

**A DELUXE LAFAYETTE MOBILE AM TO CB ANTENNA CONVERTER ASSEMBLY.** Specially designed AM to CB antenna converter consisting of a weatherproof loading coil with a universal mount and adjustable 7¼" stub. Covers entire 27 MC Citizens Band. Easily attaches to your existing AM automobile antenna. Includes dividing harness which couples your new combination AM and CB antenna directly to your Citizens Band Transceiver and AM auto radio. Imported.

99 R 3116 Shpg. wt., 2 lbs. Net 6.95

**B DELUXE UNIVERSAL BASE LOADED CB WALKIE-TALKIE ANTENNA.** Only 16" in length. Replaces broken or existing recessed antenna. Instantly attaches without tools. Can be tuned to compensate for antenna length. Made of non-corrosive materials. Electrically equal to long telescoping antennas. Shpg. wt., 1 lb.

42 R 0151 Net 3.95

**C UNIVERSAL ANTENNA MOUNTING KIT AND LIGHTING PROTECTOR.** Deluxe mounting kit for base station consists of: Blitzbug Lightning Arrestor, 50 ft. ground wire, angle base and roof mount—works on any surface—takes masts up to 2¼" O.D., 50' of steel guy wire, 3 steel turnbuckles, 3 way guy wire clamps, package of 3 open eye bolts (Kit comes less mast.) Shpg. wt., 6 lbs.

42 R 0130M Net 6.95

**D CORNELL-DUBILIER MODEL AR-22R AUTOMATIC ROTOR FOR CB ANTENNAS.** Heavy-duty rotor unit will handle CB antennas up to 150 lbs. Simply set the control unit pointer to the desired direction, and the antenna will automatically rotate to this position and stop. Rotor unit employs 12 heavy duty ball bearings. Reversible clamps on rotor will take masts from 7/8" to 2" O.D. Control unit is marked in compass points. For 110-120 volts, 50-60 cps AC. Requires 4 conductor cable. Shpg. wt., 14 lbs.

42 R 8607WX \$5 Monthly Net 33.95

100 ft. coil of 4-conductor rotor cable. Shpg. wt., 3 lbs.

32 R 8910 Net 3.10

**E LAFAYETTE CB NUVISTOR PREAMPLIFIER.** Can be added to virtually any CB transceiver to improve gain and noise figure. Covers a frequency range of 26.96 to 27.225MC and employs a nuvistor tube in a neutralized circuit. Tuned circuitry is employed for both the grid and plate. Gain is 20 db and noise figure of 2.0 db at 27MC. Power requirements are 6.3 volts at 135 ma. and 100-250 volts DC at 8 ma. Only 2½ x 3½ x 1½". Shpg. wt., 2 lbs.

42 R 0127 Net 9.95

**F LAFAYETTE GENERATOR NOISE FILTER.** Enables quiet receiver operation for Citizen Band, Amateur and industrial frequencies. Standard frequency range 3-30 mcs. Maximum current 25 amps. Imported.

99 R 6018 Shpg. wt., 1 lb. Net 2.49

**G LAFAYETTE AUTO-MARINE ENGINE NOISE SUPPRESSOR KIT.** A must for mobile CB and Ham Operators! Effectively suppress ignition, generator and voltage regulator noise. Kit includes: 8 spark plug suppressors; 1 distributor suppressor, 1 voltage regulator suppressor; 4 coaxial capacitors; shielded cable and braid for wiring filter system. All necessary hardware and instructions for installation incl.

42 R 0905 Shpg. wt., 2 lbs. Net 9.45

**H LAFAYETTE CB LOW PASS FILTER.** Attenuates radiated spurious and other undesirable harmonic signals higher than 50 MC approximately 50 db or more; Minimizes interference with your own or your neighbor's TV set. Simple to install with two built-in SO-239 connectors. Impedance is 50-75 ohms and connections may be reversed for same impedance match. Max. power rating is 100 W. Size: 5 x 2 x 1¾".

42 R 0123 Shpg. wt., 1½ lbs. Net 6.95

**I ALTERNATOR NOISE FILTER.** A highly effective filter for alternator equipped automobiles. Attenuates alternator noise by 50 db. Can operate up to 32 volts DC. Results in quiet mobile receiver operation.

42 R 4900 Shpg. wt., 8 oz. Net 3.29

**J LAFAYETTE CB TRANSCEIVER TESTER.** Easily and quickly evaluate and improve operating efficiency in both fixed and mobile installations. Permits aural monitoring of local transmitters; visual transmitter monitoring with scope. Measures: RF power output, relative field strength, SWR, % modulation, and crystal activity. Generates: controlled RF signal, modulated audio signal and 1 Kc audio signal. Also has in-circuit connection to antenna without removing cables from transmitter. Sensitive D'arsonval meter. Sturdy attractive molded case with brushed aluminum front panel. Includes 9V battery; 30" telescoping antenna. 7/8 x 5/8 x 2 7/8". Shpg. wt., 4 lbs.

42 R 0126 \$5 Monthly Net 37.95

**K LAFAYETTE 6-VOLT DC TO 12-VOLT DC SOLID STATE CONVERTER.** Now you can install a mobile communications system using your present 6 VDC system. Operate your HB-500, HB-500A, HB-525, HB-525C, HB-555, HB-600, and any other Solid State CB transceiver drawing less than 1-Amp during transmission. Converter fits neatly under the dashboard, or on the firewall. Attractive miniature remote control panel has On-Off switch and pilot light indicator. Size 5¼"W x 4¼"D x 2¼"H. Imported. Shpg. wt., 4½ lbs.

99 R 3084 Net 19.95

**L LAFAYETTE NICKEL CADMIUM BATTERY CHARGER AND ELIMINATOR.** Battery eliminator permits 117VAC operation of 12 volt walkie talkies rated up to and including 2 watts input. Also includes plug-in battery holder for charging 10 "Z" size nickel cadmium batteries. Imported.


99 R 3136M Shpg. wt., 4 lbs. Net 13.99

Make Lafayette Your Headquarters For Citizens Band Equipment

Lafayette Cat. No. 684 107

# Famous LAFAYETTE Mobile and Base Station CB Antennas

## DELUXE HEAVY DUTY LAFAYETTE 4 ELEMENT GROUND PLANE ANTENNA




9<sup>95</sup>

- The Ideal Antenna For Your CB Base Station
- High Efficiency Ground Plane Antenna
- All Aluminum Construction
- Accepts PL-259 Connector

Solid aluminum 108" heat-treated radials and radiator. Elements supplied in two 54" lengths joined by threaded coupling nuts. Radial droop for 50 ohm match. Accepts 1/4" tubing, RG-58/U cable and PL-259 connector. Less mast and coax. Imported. Shpg. wt. 4 lbs. 99 R 3031W ..... Net 9.95

50 Ft. RG-8/U Cable Assembly terminating with PL-259 connectors on both ends. 42 R 0910 Shpg. wt., 7 lbs. ... Net 8.50

## LAFAYETTE "RANGE-BOOST/11"™ END FED 1/2-WAVE CB ANTENNA



19<sup>95</sup>

Made in U.S.A.

Static Clover Leaf

- New Heavy Duty Mounting Bracket
- Static Clover Leaf Ball Design Reduces Receiver Noise
- 3.75 db True Omni-Directional Gain
- VSWR—1.17-1
- Signal to Noise Improvement of 6-20db

The "Range Boost/11" 1/2-wave CB base station antenna is one of the most popular of Lafayette's famous line of high performance CB antennas. Specially designed anti-static cloverleaf ball drastically reduces receiver noise by continuous dissipation of static discharge. Offers a 3.75 db true omni-directional gain. Tremendous signal to noise ratio improvement of 6-20 db giving you very clean reception. VSWR is 1.17-1. Includes a phasing transformer, rubber covered for moisture resistance. Vertical radiator consists of 3 seamless aluminum tube sections topped by a solid aluminum 108" top section. 3 54" radials provide proper transmission line decoupling. New heavy duty mounting bracket. Direct ground lightning protection. 50 ohm. 17"6" over-all length. Accepts up to 1 1/2" masts PL-259 cable connector. Shpg. wt. Less mast and coax. 10 lb. 42 R 0144WX ..... Net 19.95

50 Ft. RG-8/U Cable Assembly terminates with PL-259 connectors on both ends. 42 R 0910 Shpg. wt., 7 lbs. ... Net 8.50

## LAFAYETTE CB BUMPER MOUNT ANTENNA WITH STAINLESS STEEL STRAP

- Chrome Plated Bumper Mount with Stainless Steel Strap
- 102" Stainless Steel Whip, Heavy Duty Chrome Plated Stainless Steel Spring

8<sup>95</sup>

An outstanding Lafayette CB antenna featuring a full-size 102" stainless steel whip and a fully adjustable chrome plated mount with a stainless steel strap which was specially designed to fit most cars. Heavy duty chrome plated stainless steel spring is built for extremely rugged mobile use. Less cable. Imported. 99 R 3032WX Shpg. wt., 3 lbs. .... Net 8.95

20 Ft. RG-58/U Coaxial Cable Assembly terminates with PL-259 connector and lug terminals. 42 R 7002 Shpg. wt., 8 oz. .... Net 2.75



## LAFAYETTE CENTER-LOADED MOBILE CB GUTTER CLAMP ANTENNA



Gutter  
Clamp  
Assembly

- Easily Snaps on Rain Gutter of automobile
- Portable—Easily Removable When Not In Use—Prevents Theft or Damage

**SALE!** 6<sup>95</sup> SAVE 2.00 WAS 8.95 1968 CAT. 683

with 12 Ft. Cable Assembly

Portable center-loaded CB antenna provides outstanding CB performance. Easily removable when not in use—prevents theft or damage. Gutter clamp snaps on rain gutter of automobile. Heavy spring assures

positive grip. Clamp is heavily plated to resist corrosion. Only 20 inches in length. SWR 1:1. Furnished with 12' of RG-58/U cable with PL-259 connector. Imported. Shpg. wt., 3 lbs. 99 R 3188 ..... Net 6.95

## LAFAYETTE ALL STAINLESS STEEL CB MOBILE ANTENNA

- 102" Stainless Steel Whip For Optimum 11-Meter Performance
- Heavy-Duty Chrome Plated Stainless Steel Spring
- Chrome Plated Swivel Ball Jointed Mount Base

6<sup>95</sup>

Less Cable



Chrome plated swivel mount base designed to be mounted on any surface. Stainless steel spring holds rod in properly adjusted position and prevents rod damage from shocks and blows. Stainless steel whip for resiliency and strength. Less cable. Imported. Shpg. wt., 4 lbs. 99 R 3034WX ..... Net 6.95

20 Ft. RG-58/U Coaxial Cable Assembly terminates with PL-259 connector and lug terminals. 42 R 7002 Shpg. wt., 8 oz. .... Net 2.75

## DELUXE LAFAYETTE HEAVY-DUTY TOP-LOADED MOBILE CB-AM ANTENNA


7<sup>95</sup>

with 5 Ft. Cable Assembly

- One Antenna Does the Job of Two
- Low Loss Cables
- All Connections Under Dash

Deluxe Cowl mounted antenna doubles for Citizens Band and broadcast reception. Eliminates two antennas on your car. Sturdy construction with heavy chrome plate. 46" long collapsing to 31". Fits the 7/8" to 1 1/4" space left by auto antenna. Includes automatic dividing harness, 1' cable to AM set, 2' cable to CB rig and 5' cable with PL-259 plug to antenna. Small divider unit fits under dash. Imported. Shpg. wt., 4 lbs. 99 R 3080W ..... Net 7.95

## LAFAYETTE "RAPID-GRIP" MOUNT BASE LOADED MOBILE CB ANTENNA



Only

11<sup>95</sup>

Less Cable

MADE IN U.S.A.

- "Rapid-Grip" Mount Provides Permanent Antenna installation in Seconds Without Drilling Holes

Versatile "Rapid-Grip" mobile antenna is especially suitable for trunk mounts. No holes to drill. Slips over trunk lip. Cable is completely hidden. Neat, trim, professional appearance. Offers ideal omni-directional signal pattern. Water resistant body seal. 39" Stainless Steel Whip. Base loaded phasing transformer completely weather proof. Overall length 43". Less cable. Shpg. wt., 3 lbs. 42 R 0152 ..... Net 11.95

20 Ft. RG-58/U Coaxial Cable Assembly terminates with PL-259 connector and lug terminals. 42 R 7002 Shpg. wt., 8 oz. .... Net 2.75

# Selected CB Antennas And Accessories

## ANTENNA SPECIALISTS M-180 ADJUSTABLE GUTTER CLAMP MOBILE ANTENNA

Only  
**17<sup>95</sup>**

with 12' coaxial cable

- Clamps On In Seconds and Adjusts To 5-Positions From Inside The Vehicle

Easily snaps on rain gutter of car! Swing-away base design permits instant lowering while seated in the car. Heavy duty, chrome plated mount has spring loaded position adjustment for 0°, 45° or 90° mounting on either side of vehicle. Sleek black fiberglass center loaded whip is professionally designed for heavy-duty operation. Has all the things a CB'er would want in a mobile antenna: Ruggedness, reliability and high performance. Shpg. wt., 5 lbs. 42 R 1052W Net 17.95

## UNIVERSAL LAFAYETTE MOBILE CB ANTENNA ACCESSORIES

CHROME PLATED SWIVEL BALL MOUNT BASE. Can be mounted vertically or horizontally. With lug terminals. Imported. Shpg. wt., 3 lbs. 99 R 3030 Net 1.95

HEAVY DUTY CHROME PLATED STAINLESS STEEL SPRING. Provide maximum support for long whips and heavy centerloaded whips. Imported. 99 R 3036 Wt. 2 lbs. Net 2.79

## LAFAYETTE CHROME PLATED MOBILE BUMPER MOUNT

with Stainless Steel Strap

- Completely Adjustable For Use with Most Types of Automobile Bumpers

Featuring chrome plated mount and stainless steel strap which is completely adjustable for vertical mounting on most types of automobile bumpers. Eliminates need of cumbersome link type chain mounts. Wt., 1½ lbs. 99 R 3035 Imported Net 3.95

## NEW! LAFAYETTE CENTER- LOADED CB WHIP ANTENNA

Only **3<sup>95</sup>**

- For Base Station or Portable Use
- Adjustable Whip Stub

Sturdy, attractive, portable chrome plated center-loaded whip antenna. Terminates in a PL-259 connector. Adjustable whip is 11½" in length. Also provided is an additional whip stub, 12½" total length. Center-loading coil is completely weather-proof. Imported. Shpg. wt., 1 lb. 99 R 3189 Net 3.95

## SOLID STATE CB TRANSCEIVER/AM RADIO BASE STATION

Only

**29<sup>95</sup>**

with mike, headphone, and batteries

(No FCC License Required)

- Tuneable On All 23 Citizen Band Channels
- Crystal Control Transmit Up To 1 Mile on Channel 9
- Built-in Quality AM Radio • Built-in Practice Code Key

Excitement for every member of the family. Actually a 100 milliwatt CB base station transceiver, quality AM radio and practice code oscillator in a compact, attractive, professional styled cabinet. CB transceiver section has tuneable super-heterodyne receive for all 23 channels, and is crystal-controlled to transmit on channel 9. Built-in telescoping antenna.

Specifications: 10 transistors, 1 diode, 1 thermistor; Max. Audio Output: 200MW; RF Power Input: 100MW; AM Radio tunes 54 to 1600 kHz. Operates on 6 "D" type batteries. Includes microphone, headphone, and batteries. Imported. Size: 12½x5¼x6"D. Shpg. wt., 5 lbs. 17 R 7833W Net 29.95 99 R 6256 Extra "D" Batteries Net ea. .15

# BEST SELLING LAFAYETTE CB MICROPHONES

### A "MIGHTY-MITE"



As Low As  
**4<sup>95</sup>**

### B BOOM MIKE/ HEADSET




**3<sup>98</sup>**

### C PUSH-TO-TALK DYNAMIC MIKE



Only  
**5<sup>95</sup>**

### D BASE STATION MIKE



As Low As  
**9<sup>95</sup>**

**A "MITY-MITE" CB CERAMIC MICROPHONE.** Ceramic microphone expertly designed and professionally styled for real performance. Fits snugly in palm of hand for effortless operation. Features a "Long Life" ceramic element. Three conductors plus shield connected for electronic switching. Includes instruction sheet for conversion to relay switching. For all high impedance input CB transceivers (tube type). High impact plastic case. 4' coiled cord. 99 R 4579 1x1½x3¼". Imported. Shpg. wt., 8 oz. Net 4.95 Same as above except with miniature positive locking plug. Mates directly with chassis socket of Lafayette Comstat 25, 25A, Comstat 23 Mark V. and Comstat 19. Net 5.75

**B BOOM MIKE/HEADSET.** Frees hands for safe driving. Perfect answer to your CB and Ham mobile needs. For use with VOX or foot switch for transmit-receive changeover. Lightweight and comfortable. 8-ohm earphone has cushion for comfort and outside noise suppression. Crystal mike for high output and full modulation. Boom and headband adjust to individual preference. Mike mounted on swivel. Finished in chrome and two tone plastic. With 5 ft., 4-conductor cable. Imported. Shpg. wt., 1 lb. 99 R 2565 For tube transceivers Net 3.98

**C LAFAYETTE DYNAMIC PUSH-TO-TALK CB MICROPHONE.** For use with low impedance solid state transceivers. Housed in professionally styled, gray and black, high-impact plastic case. Coiled cord consists of 3 conductors plus shield and terminates in 4 prong miniature plug. Wired for relay switching. Mates directly with microphone input chassis socket of Lafayette HB-500, HB-500A, HB-555, HB-525, HB-525A, HB-525B, HB-525C, HB-625, HB-23, HE-20T, HE-20D, HA-450T, HB-600, and Telsat 23. Size: 3½x2¾x1¼". 99 R 4618 Shpg. wt., 1 lb. Imported Net 5.95

**D LAFAYETTE CB BASE STATION CERAMIC MICROPHONE FOR TUBE-TYPE CB TRANSCEIVERS.** Efficient, high impedance desk ceramic microphone. With convenient push-to-talk button plus lock-switch for prolonged transmission. 3-conductors plus shield for normal relay or electronic switching. 3¾x5¾x7¾". Imported. 99 R 4607 Less plug. Shpg. wt., 1½ lbs. Net 9.95

**LAFAYETTE CB BASE STATION DYNAMIC MICROPHONE FOR TRANSISTORIZED CB TRANSCEIVERS.** Same as above but has dynamic element. 99 R 4608 Less plug Net 11.95

Make Lafayette Your Headquarters For Citizens Band Equipment

Lafayette Cat. No. 684 109



# HE-20T Solid State CB Two-Way Radio

with PRIVACOM® Private Tone Caller Socket



*Famous CB  
Favorite...  
Now All Solid  
State*

## 89<sup>95</sup>

No Money Down

FCC Type Accepted

### Cool, Instantaneous Operation

- 12-Channel Crystal Controlled
- 23-Channel Tunable Receive
- 13-Transistors, 10-Diodes
- Push-Pull Audio Modulator
- Spotting Switch for Accurate Reception

- 117 VAC & 12 VDC Negative or Positive Battery Ground
- Pi-Net Output • TVI Trap
- 455KC Mechanical Filter
- Also a P.A. Amplifier with External Speaker

This "ALL" Solid State transceiver is ideal for negative and mobile communications. Solid State circuitry features low battery drain and provides instant operation; full 5-watt transmitter input with efficient push-pull audio modulator; an extra-sensitive superheterodyne receiver. Fine selectivity and adjacent channel rejection is obtained through a 455KC mechanical filter. Sensitivity:  $.7\mu\text{v}$  for 10db signal-to-noise ratio; image rejection: 15db. Automatic floating series-gate noise limiter and variable squelch control resulting in virtually no background noise between calls. Other features: dust-free transmit/receive relay, earphone jack for headphones or external extension speaker for CB/PA application. TVI trap, mobile mounting bracket and front panel mounted 4" speaker. Also features Priva-Com private tone caller socket which accepts

Lafayette Priva-Com III. Complete with fused DC line cord for negative ground battery, push-to-talk plug-in mike and set of crystals for channel 9. Includes FCC License application form 505, per regulation 95. Size:  $8\frac{1}{4} \times 4\frac{1}{2} \times 1\frac{1}{8}$ " W. Imported. Shpg. wt.,  $13\frac{1}{2}$  lbs.

99 R 3088WX \$5 monthly	Net 89.95
99 R 3106 Positive ground fused 12 VDC cord	Net 1.50
42 R 0907C Extra transmit crystal (specify channel)	Net 2.25
42 R 0137C Extra receive crystal (specify channel)	Net 2.25
HE-20T Modified for 26.62MC (C.A.P.) operation.	
99 R 3102YWX \$5.00 monthly	Net 99.95
HE-20T Modified for 27.57MC (GOV'T.) operation.	
99 R 3103YWX \$5.00 monthly	Net 99.95



D.O.T. APPROVED IN CANADA

Advanced electronic circuitry utilizes 7 tubes and 3 diodes to achieve 13 stages of dynamic performance. Sensitive superheterodyne receiver permits reception of weak distant stations even in problem areas. Effective series gate limiter minimizes ignition and other noise pick-up. Receiver can be manually tuned or crystal controlled. Variable squelch control permits quiet automatic stand-by operation. Powerful audio stage delivers up to 100% AM plate modulation for real talk power. Monitor allows visual indication of modulation. Built-in 117 VAC power supply and optional 12 VDC power supply (see below) permit virtually unlimited applications. Front panel receive and transmit crystal sockets plus 8 sets of internal sockets combine with 9 switched crystal positions to provide the flexibility of full 23 channel crystal coverage. Front panel phone

## COMSTAT 19 5-WATT TWO-WAY RADIO

Only **59<sup>95</sup>**  
No Money Down

- 9 Crystal Controlled Transmit and Receive Channels
- Push-To-Talk Ceramic Mike with Coiled Cord and Positive Lock Plug
- Pi Network Antenna Matching
- Convenient Variable Squelch Control
- Sensitive 23 Channel Tuneable Receiver

jack for private listening or external speaker. Intermediate frequency: 455 KC. Receiver sensitivity:  $1\mu\text{v}$  @ 10 db signal to noise ratio. Output impedance. 50 ohms. Supplied complete with push to talk ceramic microphone with coiled cord and positive lock plug, bracket for mobile or shelf mounting. 117 VAC power cord, and a pair of crystals for channel 11. Size:  $12\frac{1}{4} \times 8\frac{1}{4} \times 5$ " H. Shpg. wt., 15 lbs.

99 R 3067WX \$5 monthly	Net 59.95
42 R 4701C Extra Transmit Crystal (Specify Channel)	Net 2.25
42 R 4702C Extra Receive Crystal (Specify Channel)	Net 2.25
HA-19 POWER SUPPLY Adapts Comstat 19 for 12 volt mobile operation. On Negative or Positive Battery. Size $6\text{W} \times 4\text{H} \times 5\frac{1}{2}\text{D}$ .	
42 R 4704W Shpg. wt., 4 lbs.	Net 11.50

# 23 Crystal Controlled CB Channels With Revolutionary New




ELECTRONIC MIRACLE  
OF THE  
SPACE AGE!

**ONLY 99<sup>95</sup>** FOR OPERATION  
ON CHANNELS  
9, 13 AND 19  
**Now** ... ADD 2 MORE CHANNELS  
WITH EACH ADDITIONAL  
PLUG-IN CRYSTAL!

**ONLY 124<sup>95</sup>** FULL 23  
CHANNEL CRYSTAL  
CONTROLLED  
OPERATION  
No Money Down

**LAFAYETTE  
MODEL  
HB-23**



**FCC Type Accepted**

**Canadian D.O.T. Approved**

- ★ 15-Transistors, 7-Diodes, Plus I.C.
- ★ Full 5-Watt FCC Maximum Input Power

- Variable Squelch Plus Automatic Noise Limiting
- Accepts Priva-Com® Private Tone Caller
- Large 5x3 Inch Speaker For Superior Audio

Solid-state ultra compact miniature synthesis CB transceiver incorporates 15 transistors and one Integrated Circuit stage to achieve 20 transistor performance with superior sensitivity, greatly increased dependability, and lower current drain. Synthesis type frequency control section utilizes a maximum of sixteen crystals for full 23 channel operation. Permits economical addition of 2 channels with each plug-in crystal listed below. Carefully tuned 455 Kc mechanical filter assures razor sharp selectivity with excellent adjacent channel rejection. Dual conversion receiver features 0.7  $\mu$ f sensitivity, ANL, variable squelch, and push-pull audio amplifier. Transmitter provides full 5 watt legal limit input. Illuminated front panel meter monitors

- ★ 455 KC Mechanical Filter In IF Stage
- ★ Dual Conversion Superheterodyne Receiver

- 12 Volts DC Negative or Positive Ground
- 117 Volts AC With Optional AC Power Supply
- Portable Operation With Optional Pack

"S" units on receive and PRF output during transmit. PA Speaker/ Earphone jack for silent listening or public address operation. Wired to accept Privacom plug-in private tone caller. For 12 VDC negative or positive ground as supplied. 117 VAC and portable operation achieved with accessories listed below. Complete with dynamic push-to-talk microphone, power cable, mounting bracket, fixed crystals for channels 9, 13, and 19, and FCC application Form 505. Engineered by Lafayette and made in Japan to our highest quality standards. Size 5 $\frac{1}{4}$ "W x 7 $\frac{1}{8}$ "D x 2 $\frac{1}{8}$ "H. Shpg. wt., 6 $\frac{1}{4}$  lbs.

99 R 3149WX \$5 Monthly ..... Net 99.95

Package of 10 Additional Plug-In Crystals. Converts HB-23 from 3 channels to full 23 channel crystal controlled operation.

99 R 3174 Shpg. wt., 1 lb. .... Net 25.00  
99 R 3180WXM HB-23 Plus Above Crystal Pack ..... Net 124.95  
Model HB-502A Solid State 117 VAC Power Supply/Charger. Enables operation of HB-23 as a table top base station.  
99 R 3153W ..... Net 16.95



**OPTIONAL INDIVIDUAL PLUG-IN CRYSTALS: Each Crystal Adds 2 Operating Channels. Inserts into Specified Crystal Sockets.**

99 R 3163	Channels 1 and 5; For Socket A	Net 3.45
99 R 3164	Channels 2 and 6; For Socket B	Net 3.45
99 R 3165	Channels 3 and 7; For Socket C	Net 3.45
99 R 3166	Channels 4 and 8; For Socket D	Net 3.45
99 R 3168	Channels 10 and 14; For Socket F	Net 3.45

### ACCESSORIES

Base Station Dynamic Desk Microphone  
99 R 4608 ..... Net 11.95  
Model HB-507 Portable Battery Pack. Adapts HB-23 for convenient portable operation with shoulder strap. Less "C" batteries.  
99 R 3155 Shpg. wt., 2 lbs. .... Net 19.95  
99 R 6293 "C" Alkaline Battery for HB-507 (8 req.) ..... Net ea. .35  
32 R 4888 Alt. Nickel Cadmium Battery (10 req.) ..... Net ea. 4.06

### MODEL HB-23 ECONOMY 2-WAY SYSTEMS



**Package Price**  
**104<sup>95</sup>** No  
Money  
Down  
**SAVE 4.70**  
from individual  
catalog prices!

**MOBILE SYSTEMS**

HB-23 Solid State CB Transceiver	99.95
Stainless Steel Body-Mount Antenna	6.95
20 Ft. RG-58/U Coaxial Cable Assembly	2.75
<b>TOTAL</b>	<b>109.65</b>
42 R 9113WXM Shpg. wt., 13 lbs. Net	104.95
Same systems as above with bumper antenna	
42 R 9114WXM Shpg. wt., 12 lbs. Net	106.50
<b>SAVE 5.15</b> from individual catalog prices!	

**BASE SYSTEMS**

HB-23 Solid State CB Transceiver	99.95
Model HB-502A 117VAC Solid State Power Supply and Charger	16.95
Heavy Duty Ground Plane Antenna	9.95
50 Ft. RG-8/U Low-Loss Cable Assy.	8.50
<b>TOTAL</b>	<b>135.35</b>
42 R.9142WXM Shpg. wt., 27 lbs. Net	129.95

**Package Price**  
**129<sup>95</sup>**  
**SAVE 5.40**  
from individual  
catalog prices!



# 23 Channel Crystal Controlled Two-Way Radio

**SENSATIONAL  
LOW PRICE!  
NOW!  
ONLY**

**99<sup>95</sup>**

NO MONEY DOWN



**COMSTAT 23  
MARK V**

**SALE ! ALL CRYSTALS SUPPLIED ! Save \$15.00 !**

- Dual Conversion Receiver Features 8/10  $\mu$ V Sensitivity
- Pi-Network and Low Pass Filter for Maximum Power Output
- Internal Range Boost Circuitry for Greater Average Talk Power
- Built-in 117 VAC Power Supply, Operates Mobile with Optional 12 VDC Power Supply

Never before so much for so little! Lafayette offers a truly great CB value, the Comstat 23 Mark V deluxe CB Transceiver with 23 active Crystal-Controlled channels, at an amazing low price. Crystal synthesizer circuit includes all crystals necessary for active coverage of all 23 CB Channels. Each channel is clearly identified on the illuminated channel selector dial. Features a sensitive and selective dual conversion superheterodyne receiver. Variable Squelch control for quieting receiver during "no-signal" conditions, and tape recorder output jack on rear panel. RF output is coupled through a highly effective Pi-Network and Low Pass Filter for maximum energy transfer to antenna with low harmonic radiation. Range Boost circuitry is incorporated for greater

- 14 Tube Performance with 9 Tubes, and 9 Diodes
- Variable Squelch Control with Standby Switch for Low Drain Instant Operation
- Illuminated "S"/"PRF" Meter
- Tape Record Output Jack (Rear)
- CB/Public Address Switch
- Headphone/External Speaker Jack

average talk power. Includes a Standby switch for low current drain and instant operation. Operates Mobile with use of optional 12 Volt power supply. Size: 12Wx8½Dx5"H. Imported. Shpg. wt.. 16 lbs.


99 R 3160WX \$5.00 Monthly ..... Net 99.95

### OPTIONAL ACCESSORIES

HA-19 DC POWER SUPPLY. Permits 12-volt mobile operation with Negative or Positive Battery Ground. 6W x 4H x 4½"D. 42 R 4704W Shpg. wt., 4 lbs. .... Net 11.50

MOBILE MOUNTING BRACKET. Facilitates under-dash mounting of Comstat 23 Mark V. Shpg. wt., 2 lbs. 99 R 3187 ..... Net 2.95

## COMSTAT 23 MARK V 23 CHANNEL CB 2-WAY SYSTEMS



BASE SYSTEMS	
Comstat 23 Mark V CB Transceiver	99.95
Heavy Duty Ground Plane Antenna	9.95
50 Ft. RG-8/U Low-Loss Cable Assembly	8.50
<b>TOTAL</b>	<b>118.40</b>

42 R 9136WXM Shpg. wt., 23 lbs. Net 112.95  
Above system with "Range Boost II" Deluxe ½ wave end fed antenna instead of ground plane antenna. Shpg. wt., 29 lbs.  
42 R 9137WXM ..... Net 121.95  
SAVE 6.45 from individual catalog prices!



**Package Special**

**112<sup>95</sup>**

**SAVE 5.45**


from individual catalog prices!

**Package Price**

**114<sup>95</sup>**

**SAVE 6.20**

from individual catalog prices!



MOBILE SYSTEMS	
Comstat 23 Mark V CB Transceiver	99.95
HA-19 Mobile Power Supply	11.50
Stainless Steel Body Mount Antenna	6.95
20 Ft. RG-58/U Coaxial Cable	2.75
<b>TOTAL</b>	<b>121.15</b>

42 R 9133WXM Shpg. wt., 17 lbs. Net 114.95  
Above system except with bumper antenna.  
42 R 9134WXM Shpg. wt., 16 lbs. Net 116.50  
SAVE 6.65 from individual catalog prices!  
42-9134WXM system except with CB/AM broadcast and CB cowl mount antenna.  
42 R 9135WXM Shpg. wt., 16 lbs. Net 113.95  
SAVE 5.45 from individual catalog prices!

# 23 Channel Crystal Controlled Two Way Radio



ONLY  
**139<sup>95</sup>**  
NO MONEY DOWN



**COMSTAT 25A**

FCC Type Accepted

## ALL CRYSTALS SUPPLIED

- Wired Priva-Com® Private Call Socket
- 17 Tube Performance with 11 Tubes, 2 Transistors and 11 Diodes
- Built-in 117 VAC, 12 VDC Solid-State Power Supply
- Dual Conversion Receiver Features 8/10  $\mu$ V Sensitivity
- Range Boost™ Circuitry for Added Talk Power
- Illuminated "S"/"PRF" Meter
- CB/Public Address Switch
- Headphone/External Speaker Jack
- 2.5 Kc Fine Tuning Vernier
- Adjustable Squelch Control with Standby Switch for Low Drain Instant Operation

Pace-setting Comstat 25A transceiver features high performance circuitry for superb mobile and base station operation. "RANGE BOOST" greatly increases the average talk power and raises the overall modulation percentage. 2.5KC total spread of fine tuning vernier facilitates accurate reception. Highly selective circuits greatly suppress adjacent channel interference (-45db). Variable squelch quiets receiver between calls. Pi-network final tank circuit and lowpass filter combine to provide efficient power transfer into the antenna with superior harmonic suppression. Crystal frequency synthesizer enables operation on all 23 CB channels with crystals supplied. No extra crystals are necessary! Built-in

dual purpose power supply allows 12-VDC mobile and 115-VAC base station operation. Front panel switch converts transceiver to a handy 4.5 watt public address amplifier. A convenient front panel jack for headphones or external extension speakers for CB/PA is provided. Comstat 25A also features push-to-talk relay switching and plug-in ceramic microphone with coiled cord. Rear socket is prewired to accept Lafayette Priva-Com selective call unit. Complete with Vartilt mounting bracket. With FCC License Application Form 505 per Regulation 95. Size: 12Wx8½Dx5"H. Imported. Shpg. wt., 16 lbs. \$7.50 monthly.

99 R 3130WX Net 139.95

## COMSTAT 25A ECONOMY CB 2-WAY SYSTEMS



### MOBILE SYSTEMS

Comstat 25A CB Transceiver	139.95
Stainless Steel Body Mount Whip Ant.	6.95
20 Ft. RG-58/U Coaxial Cable Assembly	2.75
<b>TOTAL</b>	<b>149.65</b>

**SYSTEM PRICE 142<sup>95</sup>**

- 42 R 9098WXM Shpg. wt., 21 lbs. \$8 monthly Net 142.95  
 Same system as above except with Bumper Mount instead of Body Mount antenna. Shpg. wt., 20 lbs.  
 42 R 9099WXM \$8 monthly Net 144.50  
 YOU SAVE 7.15 from individual catalog prices.  
 Same as above except with CB/AM combination Broadcast and CB Cowl Mount antenna instead of Bumper Mount antenna.  
 42 R 9101WXM \$8 monthly Shpg. Wt. 21 lbs. Net 141.95  
 SAVE 5.95 from individual catalog prices.

**SAVE 6.70**

From Individual Catalog Prices

**SAVE 7.90**

From Individual Catalog Prices

### BASE SYSTEMS

Comstat 25A CB Transceiver	139.95
Heavy Duty Ground Plane Antenna	9.95
50 Ft. RG-8/U Low-Loss Coaxial Cable	8.50
<b>TOTAL</b>	<b>158.40</b>

**SYSTEM PRICE 150<sup>50</sup>**

- 42 R 9102WXM Shpg. wt., 27 lbs. \$8 monthly Net 150.50  
 SAVE 7.90 from individual catalog prices.  
 Same package as above except with "Range Boost II" high gain ½ wave length base station antenna instead of Ground Plane antenna. Shpg. wt., 33lbs.  
 42 R 9103WXM \$8 monthly Net 159.95  
 SAVE 8.45 from individual catalog prices.

Buy Your CB System with Lafayette's Easy Pay Plan - No Money Down

Lafayette Cat. No. 684 113

NOW WITH



FOR:

**Sterling Performance!**  
**Years of Satisfactory Service!**

# LAFAYETTE HB-525C Solid State Mobile 2-Way Radio

**"Hottest"  
Selling  
Unit  
on the  
CB Market!**

Only

**149<sup>95</sup>**

No Money Down



FCC Type Accepted

Canadian D.O.T. Approved\*

Only 2<sup>3</sup>/<sub>8</sub>" High

**23 Crystal Controlled Channels . . . ALL CRYSTALS SUPPLIED!**

## Accepts Priva-Com® Plug-In Private Tone Caller

- 23 Transistors, Including Integrated Circuitry, 9 Diodes, 1 Thermistor
- Dual Conversion For High Selectivity
- 3-Position Crystal Delta Tune
- Transmit Mode Indicator Light
- Pi-Network for Optimum RF Output
- Mechanical 455 KC Filter
- Automatic S/Prf Illuminated Meter
- Variable Squelch Plus Series Gate Automatic Noise Limiting
- Range Boost™ Circuitry for Added Talk Power
- A P.A. Amplifier with External Speaker
- Auxiliary Audio Input Jack
- 12 Volt DC Operation (Neg. and Pos. Ground)

Lafayette's latest member of the famous HB-525 Series CB Transceivers. Now with all the great features plus new revolutionary Integrated Circuit. Crystal controlled synthesizer provides 23 channel transmit and receive operation...all crystals supplied. Dual conversion receiver incorporates 455 KC mechanical filter and revolutionary Integrated Circuit for high selectivity, superior adjacent channel rejection, and extra long life. Variable squelch quiets receiver when no signal is being received. 3-position delta tune permits easy copy of off frequency stations. Powerful 5 watt transmitter features range boost modulation circuit for greater effective range. Illuminated S/Prf meter indicates signal strength on receive and RF output in transmit. Full public address provisions include audio input jack for tape recorder, tuner, etc. Supplied with PTT dynamic mike, mobile mounting bracket. DC cable, and FCC license Form 505. Size: 2<sup>3</sup>/<sub>8</sub> x 6<sup>1</sup>/<sub>4</sub> x 8"D. Imported. Shpg. wt., 7 lbs.

99 R 3156WX \$8 Monthly Net 149.95

MODEL HB-502A AC POWER SUPPLY/CHARGER

99 R 3153W Shpg. wt., 5 lbs. Net 16.95

MODEL HB-506 PORTABLE DC POWER PACK attaches to HB-525C for convenient portable operation. Shpg. wt., 2 lbs.

99 R 3154 Less Batteries Net 19.95

99 R 6257 "C" Dry Cell (8 req.) for HB-506 ea. .14; 10 for 1.20


99 R 6293 "C" Alkaline, Alt. HB-506 Battery (8 req.) ea. Net .35

32 R 4888 "C" Nicad, Alt. HB-506 Battery (10 req.) ea. Net 4.06

99 R 4608 CB Dynamic Desk Mike Net 11.95

\*D.O.T. Permits Legal Operation On 19 Channels Only In 27.00 MHz Thru 27.30 MHz Range.

## ECONOMY SOLID STATE CB SYSTEMS With HB-525C



Bumper Mount

Cable Ass'y

Package Price

**152<sup>95</sup>**

**SAVE 6.70**

from individual catalog prices!



Ground Plane

"Range Boost II"

BASE SYSTEMS

HB-525C Solid State CB Transceiver 149.95

Model HB-502A 117VAC Solid State

Power Supply/Charger 16.95

Heavy Duty Ground Plane Antenna 9.95

50 Ft. RG-8/U Low-Loss Cable Assembly 8.50

TOTAL 185.35

42 R 9143WXM Shpg. wt., 25 lbs. Net 177.95

Same system as above except with high gain

"Range Boost II" 1/2 wave length base station antenna. Shpg. wt., 31 lbs.

42 R 9139WXM Net 196.95

SAVE 8.40 from individual catalog prices!



Package Price

**177<sup>95</sup>**

**SAVE 7.40**

from individual catalog prices!

HB-525C Solid State CB Transceiver 149.95  
Stainless Steel Body Mount

Whip Antenna 6.95

20 Ft. RG-58/U Coaxial Cable Assembly 2.75

TOTAL 159.65

42 R 9118WXM Shpg. wt., 11 lbs. Net 152.95

Same system as above except with bumper mount antenna. Shpg. wt., 10 lbs.

42 R 9119WXM Net 154.75

SAVE 6.90 from individual catalog prices!

**23 Crystal Controlled Channels — ALL CRYSTALS SUPPLIED**



**FOR 117 VOLTS AC  
and  
12 VOLTS DC**

**ONLY  
159<sup>95</sup>  
NO MONEY  
DOWN**

**FCC TYPE ACCEPTED**


# Telsat<sup>®</sup> 23 Deluxe Solid State 2 Way Radio

- Double Conversion Superhet Receiver
- Mechanical Filter Plus IC For Super Selectivity
- Excellent Sensitivity of Less Than 1  $\mu$ V
- Range Boost Circuitry For Added Talk Power
- Accepts Priva-Com<sup>®</sup> Plug-in Private Tone Caller
- Full Public Address Amplifier Provisions
- Illuminated Automatic S/Prf Meter
- Variable Squelch Plus Noise Limiting
- Automatic Transmit Indicator Light
- 3-Position  $\pm 1.4$  KC Crystal Delta Fine Tune
- TVI Trap Minimizes TV Interference

An exciting feature packed deluxe 23 channel 2-way radio ready to serve as either a 117 volt AC base or 12 volt DC mobile station. Use of revolutionary space age integrated circuitry assures greater sensitivity and selectivity with high efficiency and low power drain. Full 23 channel crystal controlled transmit and receive operation — all crystals supplied. Receiver's superior selectivity is attained by using carefully tuned IF stages coupled with a hand crafted mechanical filter. Delta tune permits copy of "off channel" stations. Full legal power transmitter uses Range Boost modulation for greater talk power.

Illuminated S/Prf meter reads signal strength on receive and RF output on transmit. Built-in public address provisions include audio input for tape recorder, tuner, etc. and tape output jack for recording. Supplied with PTT dynamic microphone, mobile mounting bracket, negative ground DC cable, and FCC License Form 505. Size: 4 $\frac{1}{4}$ "x11 $\frac{1}{4}$ "x8"D. Imported. Shpg. wt., 15 lbs.  
**99 R 3157WX \$8 mo. ... Net 159.95**  
 Dynamic Desk Stand Push-To-Talk Mike. Shpg. wt., 1 $\frac{1}{2}$  lbs.  
**99 R 4608 ..... Net 11.95**  
 DC Cable for Positive Ground Batteries. Shpg. wt., 8 oz.  
**99 R 3106 ..... Net 1.50**

## TELSAT 23 ECONOMY CB 2 WAY SYSTEMS



**MOBILE SYSTEMS**  
 Telsat 23 Solid State CB Transceiver 159.95  
 Stainless Steel Body Mount  
 Whip Antenna ..... 6.95  
 20 Ft. RG-58/U Coaxial Cable Assembly 2.75  
**TOTAL 169.95**  
**42 R 9123WXM** Shpg. wt., 23 lbs. Net 162.50  
 Same system as above with Trunk mount mobile antenna that requires no mounting holes instead of body mount whip antenna.  
**42 R 9124WXM** Shpg. wt., 24 lbs. Net 164.95  
**SAVE 7.74** from individual catalog prices!

**Package Price**  
**162<sup>50</sup>**  
**SAVE 7.15**  
 from individual catalog prices!

**BASE SYSTEMS**  
 Telsat 23 Solid State CB Transceiver 159.95  
 Heavy Duty Ground Plane Antenna ..... 9.95  
 50 Ft. RG-8/U Low-Loss Cable Assembly 8.50  
**TOTAL 178.40**  
**42 R 9126WXM** Shpg. wt., 29 lbs. Net 171.95  
 Same system as above except with "Range Boost II" 1/2 wave length high gain base station antenna.  
**42 R 9127WXM** Shpg. wt., 35 lbs. Net 181.50  
**SAVE 6.90** from individual catalog prices!

**Package Price**  
**171<sup>95</sup>**  
**SAVE 6.45**  
 from individual catalog prices!

# Now... 3 + 3 Stage RF Noise Silencer

## 23 Crystal Controlled Channels— ALL CRYSTALS SUPPLIED!

## 10 SILENCER



FCC TYPE ACCEPTED

Only **189<sup>95</sup>** No Money Down

### DELUXE HB-625 SOLID STATE 2-WAY MOBILE RADIO

- 18 Transistors + 3 I.C.'s = 40 Transistor Performance!
- Selective Dual Conversion Superhet Receiver
- 3-Position Delta Tune for Accurate Tuning
- Mechanical Filter for Superior Selectivity


The HB-625 is superbly engineered to conquer the major problems of citizens band communications—adjacent channel interference and unwanted ignition noise. Incorporates a highly selective 455 KC mechanical filter to virtually eliminate adjacent channel splatter. The HB-625 utilizes a 3 stage RF noise silencer including a 10-transistor, 8 diode integrated circuit to keep ignition noise interference from getting into the receiver's audio without cutting the incoming signal strength. This system has been proven to be vastly superior to common noise limiting techniques by actual field tests. Range Boost audio system uses revolutionary new IC microcircuits for the ultimate in efficiency with improved average modulation for increased effective talk power. Dual conversion superheterodyne receiver has 3-position delta tune for accurate off-channel tuning. Variable squelch and standard ANL combine with noise silencer to provide quiet, pleasurable reception. Other quality features include built-in public address amplifier facilities with rear panel jack for hi-fi tuner or tape recorder input. Operates Instantaneously from 12 volts DC positive or negative ground with low battery drain or

- Range Boost Circuitry for Added Talk Power
- Built-in Public Address Amplifier Facilities
- Accepts Priva-Com® Plug-in Private Tone Caller
- 12-Volt Mobile or Portable DC Operation

on 117 volts AC with optional power supply. Supplied with mounting bracket, power cord, PTT dynamic microphone with coiled cord, and FCC Form 505 CB License Application. Size: 2<sup>3</sup>/<sub>16</sub> x 6<sup>1</sup>/<sub>4</sub> x 8" D. Imported. Shpg. wt., 7 lbs.

99 R 3148WX \$10 Monthly	Net 189.95
MODEL HB-502A AC Power Supply and Battery Charger.	
99 R 3153W Shpg. wt., 5 lbs.	Net 16.95
MODEL HB-506 PORTABLE DC POWER PACK. Attaches to HB-625 to permit portable DC operation. Includes battery pack (less batteries), telescopic antenna, and shoulder strap. Shpg. wt., 2 lbs.	
99 R 3154	Net 19.95
Batteries For HB-506 Portable Pack. "C" Cell (8 req.)	
99 R 6257	Ea. .14 Lots of ten Net 1.20
99 R 6293 Alternate "C" Alkaline (8 req.)	Ea. .35
32 R 4888 Alternate "C" Nicad (10 req.)	Net ea. 4.06
99 R 4608 Dynamic CB Desk Microphone (not illus.)	Net 11.95

### HB-625 ECONOMY SYSTEMS



HB-625

Body-Mount Whip




Bumper Mount



Cable Ass'y



Ground Plane



Range Boost II



HB-502A

#### MOBILE SYSTEMS

Model HB-625 Deluxe Solid State	
CB Transceiver	189.95
Stainless Steel Body Mount Whip Antenna	6.95
20 Ft. RG-58/U Coaxial Cable Assembly	2.75
<b>TOTAL</b>	<b>199.65</b>
42 R 9128WXM Shpg. wt., 24 lbs. Net 190.95	
Same system as above except with bumper mount instead of body mount whip antenna.	
42 R 9129WXM Shpg. wt., 23 lbs. Net 192.50	
SAVE 9.15 from individual catalog prices!	

**Package Price**

**190<sup>95</sup>**

**SAVE 8.70**

from individual catalog prices!

#### BASE SYSTEMS

Model HB-625 Deluxe Solid State	
CB Transceiver	189.95
Model 502A Solid State 117 VAC	
Power Supply	16.95
Heavy Duty Ground Plane Antenna	9.95
50 Ft. RG-8/U Low-Loss Cable	8.50
<b>TOTAL</b>	<b>225.35</b>
42 R 9140WXM Shpg. wt., 25 lbs. Net 213.95	
Same system as above except with "Range Boost II" Deluxe 1/2 wave end-fed base antenna instead of ground plane antenna.	
Shpg. wt., 31 lbs.	
42 R 9141WXM	Net 219.95
SAVE 15.40 from individual catalog prices!	

**Package Price**

**213<sup>95</sup>**

**SAVE 11.40**


from individual catalog prices!

# HB-600 "CB Commander" Solid-State 2-Way Radio



**23 CB Channels +  
Choice from 5  
Business Band\*  
Channels**

Separate license is  
required for CB  
and Business Band.



**\*FCC Type Accepted Part 91  
CANADIAN D.O.T. APPROVED †**

**219<sup>95</sup>** No Money Down

- Unique RF Noise Silencer (Pat. Pend.)
- 21 Transistors, 13 Diodes—Draws 1 ampere Maximum On Full Transmit!
- Mechanical Filter for Ultra Selectivity and Adjacent Channel Rejection
- Ultra-Stable Circuit Uses A Separate Crystal for Each Transmit/Receive Channel—All CB Crystals Supplied!

- Plug-in Dependable Sealed Relay Switching
- 0.5  $\mu$ v Dual Conversion Receiver with 3-Crystal "Delta" Fine Tuning
- Pi-Network Output With Low Pass Filter
- Plug-in Facilities for Lafayette Selective Call Unit
- Operates As a PA Amplifier with External PA Speaker
- Built-in Solid State 117 Volt AC and 12 Volt DC Power Supply

- RANGE BOOST. For greater "talk-power."
- SQUELCH/PA. "Quiets" the receiver between calls—adjustable to suit operating conditions. Full counter-clockwise for PA operation.

- PHONE JACK. For headphones or speaker.
- NOISE LIMITER. Provides choice of noise reduction circuits—(A) Audio Noise Limiter, (B) Audio Noise Limitor plus RF Noise Silencer.

The "CB Commander" offers every feature you'll ever want in a 2-way CB radio—PLUS provision for Business Band\* operation! You get 23 crystal-controlled CB channels plus 2 extra channels—lets you choose from 5 Business Band\* frequencies—27.235, 27.245, 27.255, 27.265, or 27.275 Mc. Range Boost circuit increases average modulation and lets your voice cut through noise to reach further! A dual conversion receiver provides high sensitivity—pulls in even the weak signals! RF Noise Silencer (Pat. Pend.) provides excellent ignition noise reduction—you learn what quiet operation really means! Other top features include a mechanical filter for razor-sharp selectivity, Delta tuning, Variable Squelch, effective Automatic Noise Limiter, Push-Pull audio, plus provision for Public


Address operation with external speaker. Built-in solid-state AC and DC power supply permits low drain operation on 117V AC or 12V DC (Neg. or Pos. Gnd.). Supplied with push-to-talk dynamic microphone with coiled cord, AC and DC power cables, "quick-release" mounting bracket and hardware, microphone bracket. Dimensions: 4 1/2" high, 11 1/2" wide, 8" deep. Shpg. wt., 11 lbs. †Limited to 19 channels in Canada from 27.00 MHz to 27.230 MHz.

99 R 3071WX Imported. \$11.00 monthly Net 219.95

Business Band Crystals.\* Specify one of the following frequencies for which you have received Business Radio License—27.235, 27.245, 27.255, 27.265 or 27.275 MC.

42 R 0132C (Spec by Frequency—only 1 Crystal Required) Net ea. 3.95

## Model HB-600 Solid State Economy CB Systems



### MOBILE SYSTEMS

Model HB-600 CB Transceiver 219.95  
Stainless Steel Body Mount Whip Ant. 6.95  
20 Ft. RG-58/U Coaxial Cable Assembly 2.75  
TOTAL 229.65

**SAVE 4.70**  
from individual  
catalog prices

### BASE SYSTEMS

Model HB-600 CB Transceiver 219.95  
Heavy Duty Ground Plane Antenna 9.95  
50 Ft. RG-8/U Low-Loss Coaxial Cable 8.50  
TOTAL 238.40

**SAVE 8.45**  
from individual  
catalog prices

System Price **224<sup>95</sup>** No Money Down

42 R 9046WXM Shpg. wt., 16 lbs. \$11.50 monthly Net 224.95  
Above with Bumper Mount instead of Body Mount antenna.

42 R 9086WXM Shpg. wt., 15 lbs. \$11.50 monthly Net 226.50  
SAVE 5.15 from individual catalog prices.

HB-600 Transceiver plus CB/AM Adapter Antenna. Converts your front AM Broadcast cowl mount antenna to operate efficiently on CB and AM broadcasts. Shpg. wt., 15 lbs.

42 R 9096WXM \$11.50 Monthly Net 222.95  
SAVE 3.95 from individual catalog prices.

System Price **229<sup>95</sup>** No Money Down

42 R 9088WXM Shpg. wt., 22 lbs. \$11.50 monthly Net 229.95

Same as above except with Lafayette "Range Boost II" 1/2 wave length high gain base station antenna instead of Ground Plane antenna. Shpg. wt., 28 lbs.

42 R 9089WXM \$11.50 monthly Net 239.95  
SAVE 8.45 from individual catalog prices.

Get Your Two-Way Radio Station Now—No Money Down

Lafayette Cat. No. 684 117

# SAVE — TIME, ENERGY, MONEY WITH LAFAYETTE PRIVA-COM ENCODERS-DECODERS!

## LAFAYETTE PRIVA-COM® III SOLID STATE PRIVATE ENCODER-DECODER

For Lafayette 12 Volt Solid State CB Transceivers



Only **34<sup>95</sup>**  
No Money Down

Real Tiny: 1 1/4" H x 3 3/8" W x 6 1/4" D.

Using a new ingeniously designed ceramic and resonant tuning fork circuitry instead of conventional reed relays, the Priva-Com III is exceptionally adaptable for reliable mobile as well as fixed station performance. Its tiny size makes it a handsome mate for even the smallest solid state CB transceivers. Its dual tone signal minimizes the possibility of the transceiver speaker being turned on by stray ignition and power line signals. The Priva-Com III mutes the receiver. When its call switch is activated, either at base or mobile stations, the transmitted dual tone is received by the other Priva-Com III. The CB receiver is activated and the indicator light goes on. This light

- 9 Transistors plus 2 Diodes
- No Reed Relay Contact Points—Longer Life!
- No Need for Continuous Monitoring... Saves Time and Money!
- Dual Tone Minimizes Stray Signal Interference
- Incoming Call Indicator Light
- Mates Directly with Lafayette HB-555, HB-525A, HB-525B, HB-525C, HB-500A, HB-600, HE-20T, HB-625, HB-23, Telsat 23.
- Compatible with Lafayette Priva-Com IV and Priva-Com 10

stays on until manually reset. Both base and mobile units can initiate calls at any time. The Priva-Com III features simple-to-operate push-button switches for Standby, Normal, Call and Reset; a Volume Control; Indicator Light; and a sturdy mobile bracket for mounting under dash, under transceiver, etc. Supplied with 2 plug-in selective ceramic and resonant tuning fork filters, one for 817.5 cps, and one for 997.5 cps tone frequencies. Size: 1 1/4" H x 3 3/8" x 6 1/4" D. Imported. Shpg. wt., 3 lbs.

99 R 3117 \$5 Monthly Net 34.95

### PRIVA-COM® IV PRIVATE TONE CALLER

Same as Priva-Com III except for use only with Lafayette HB-444/25 (Starting with Serial No. 12101) and for Comstat 25 and Comstat 25A

(starting with Serial No. 21351). 3 3/8" W x 6 1/4" D x 1 1/4" H. Shpg. wt., 3 lbs. Compatible with Priva-Com III, and Priva-Com 10.

99 R 3123 \$5 monthly Net 34.95

## LAFAYETTE PRIVA-COM® V PRIVATE ENCODER-DECODER

For Lafayette Tube-Type CB Transceivers

- Compatible, with Lafayette Priva-Com II and VI (Solid State) and with HA-200 & HA-100
- 10 Dual-Tone Frequency Capability
- Incoming Call Indicator Light
- Operates Horn or External Alarm

Mutes CB receiver until a Priva-Com dual tone signal is received. The speaker is then activated for audible communications. For use with Lafayette Comstat 25, Comstat 25A, HB-444/25, Comstat 23, HB-444, HE-20, A,B,C, HE-90, HB-111, HB-200, HB-222, HB-333, and HB-400. Not compatible with Priva-Com III, Priva-Com IV, or Priva-Com 10. Size: 4 1/2" x 2 1/2" x 5 3/4". Shpg. wt., 3 lbs.

42 R 0149 \$5 Monthly Net 32.95

**NOTE:** "A" Priva-Coms can be used only with the same or other "A" Priva-Coms. "B" Priva-Coms can be used only with the same or other "B" Priva-Coms. "A" units CANNOT be used with "B" units.  
"A" Priva-Coms: Priva-Com III, Priva-Com 10, Priva-Com IV (Only for use with Lafayette Comstat 25 serial No. 21351 and up, and HB-444/25 serial No. 12101 and up).  
"B" Priva-Coms: Priva-Com II, HA-100, HA-200, Priva-Com V, and Priva-Com VI.



SAVE  
**5<sup>00</sup>**

Now Only **32<sup>95</sup>**

### LAFAYETTE PRIVA-COM® VI PRIVATE ENCODER-DECODER FOR LAFAYETTE SOLID STATE CB TRANSCEIVERS


Same as Lafayette Priva-Com V, except for use with Lafayette Solid State CB Transceivers only. For use with Lafayette HB-500A, HB-555, HB-525A, HB-525B, HB-525C, HB-600, HB-625, HB-23, and Telsat 23. Compatible with Lafayette Priva-Com V, Priva-Com II, HA-100 and HA-200 (Priva-Com). Not Compatible with Priva-Com III, Priva-Com IV, or Priva-Com 10. Shpg. wt., 3 lbs.

42 R 0150 \$5 Monthly Save \$5.00 Net 32.95

## LAFAYETTE PRIVA-COM® 10 SOLID STATE BASE STATION SELECTIVE ENCODER-DECODER

Single Out The Mobile You Want To Reach!

- Push-button Selection of Any one of 10 Different Dual-Tone Frequencies
- Indicator Lamps Signal and Identify Incoming Calls
- External Speaker/Horn Switch and Terminals
- Dual Tone Minimizes False Triggering On Stray Signals
- Priva-Com Plug Mates directly With Socket On HB-500A, HB-555, HB-525A,B,C, HB-600, HB-625, HE-20T, HB-23 and Telsat 23
- Compatible With Priva-Com III and IV



Only **129<sup>95</sup>** No Money Down

23 Transistors, 13 Diodes, 6 Thermistors and 5 Tuning Fork Filters

Expertly designed solid state circuitry features push-button selection and communications with any one of 10 mobile stations at any one time, or with any assorted quantity of remote stations using up to 10 different dual tone frequencies. The remote mobile remains quiet until the call signal from the Priva-Com 10 activates the receiver. When the remote or mobile station initiates a call to the base station, the Priva-Com 10 indicator lamps signal and identify the call. The indicator lamps remain lit until the reset button is depressed. With a remote speaker or horn connected to the external speaker/horn

terminals an audible signal can be heard with the incoming call. A standby switch permits continuous active operation with a minimum of current drain. AC convenience outlet for lamps, etc. Attractively styled with brushed aluminum panel and oiled walnut wood case. For 115 volt AC 50/60 cycle operation. NOT COMPATIBLE WITH HA-100, HA-200, Priva-Com II, Priva-Com V, AND Priva-Com VI. Size 10 1/2" W x 7 7/8" D x 3 3/4" H. Shpg. wt., 6 lbs.

99 R 3161W Imported \$7 Monthly Net 129.95

118 Lafayette Cat. No. 684

Citizens Band Equipment Is Available On Easy Pay Plan—No Money Down

# Super Power Long Range WALKIE TALKIES

## 3 WATTS 3 CHANNELS NEW! DYNA-COM 3A

- 6 Stage Transmitter • Range Boost Circuitry
- 12 Transistors, 6 Diodes
- 455 Kc Ceramic Filter • T.V.I. Trap
- Variable Squelch and Automatic Noise Limiting
- 1  $\mu$ v Sensitivity • RF Surge Protection
- Battery Condition and RF Power Output Indicator
- Jacks for External Antenna & Battery Eliminator

Lafayette's new Dyna-Com 3A walkie talkie is a hand-held powerhouse featuring 3 full watts of power with added flexibility of 3 crystal-controlled switchable transmit and receive channels. 12-transistor, 6-diode circuitry incorporates a sensitive superhet receiver which utilizes an RF amplification stage with lightning surge protection, and a highly selective ceramic filter for super reception. Automatic gain control, automatic noise limiter, and variable squelch combine to achieve truly quiet operation. 6-stage transmitter uses Range Boost modulation to increase the sideband modulation and thus provide far greater talk power. Includes TVI trap for minimum TV interference. Meter indicates battery level on receive and RF power output on transmit. Jacks are provided for earphone, external antenna, and external power. Operates on batteries or any other 12 volt DC supply. Complete with telescoping antenna, battery holder with batteries, one set of crystals for channel 10, shoulder strap, and FCC Form 505. Imported. Size: 8 $\frac{3}{8}$ "H x 3 $\frac{3}{4}$ "W x 1 $\frac{1}{4}$ "D. Shpg. wt., 2 $\frac{1}{4}$  lbs.

99 R 3194L \$5 Monthly	Net 64.95
99 R 3198YL Dyna-Com 3A modified for 26.62MHz	Net 74.95
99 R 3199YL Dyna-Com 3A modified for 27.575MHz	Net 74.95

## 1.5 WATTS 3 CHANNELS NEW! DYNA-COM 2A


- 12 Transistors, 6 Diodes
- 455 Kc Ceramic Filter • T.V.I. Trap
- 1  $\mu$ v Sensitivity • RF Surge Protection
- Variable Squelch and Built-In Automatic Noise Limiting
- Battery Condition and RF Power Output Indicator

Lafayette's new Dyna-Com 2A walkie talkie is a compact hand-held 3 channel 1.5 watt transceiver featuring full 23-channel crystal controlled transmit and receive capabilities. Built-in provisions for 3 switchable channels greatly increases its flexibility. Incorporates latest circuitry for outstanding sensitivity, selectivity, and adjacent channel rejection. Outstanding features include Range Boost modulation circuitry, ceramic IF filter, TVI trap, RF surge protection, AGC, ANL, variable squelch, and Battery/PRF output meter. External earphone, antenna and power jacks provided. Operates on built-in batteries or any 12 volt DC power source. Complete with telescoping antenna, batteries, crystals for channel 10, shoulder strap, and FCC Form 505. Size: 8 $\frac{3}{8}$ "H x 3 $\frac{3}{4}$ "W x 1 $\frac{1}{4}$ "D. Imported. Shipping weight, 2 $\frac{1}{4}$  lbs.

99 R 3193L \$5 Monthly	Net 49.95
99 R 3196YL Dyna-Com 2A modified for 26.62MHz	Net 59.95
99 R 3197YL Dyna-Com 2A modified for 27.575MHz	Net 59.95

### ACCESSORIES FOR DYNA-COM 2A, 3A


Heavy Duty Alkaline "Z" Batteries	
99 R 6294 (10 required)	Net ea. .29
Alternate Nickel Cadmium Batteries	
32 R 4740 (10 Required)	Net ea. 1.93
Extra Crystals, Specify Channel	
42 R 0153C Dyna-Com 2A Transmit	Net 2.25
42 R 0136C Dyna-Com 3A Transmit	Net 2.25
42 R 0135C Dyna-Com 2A and 3A Receive	Net 2.25
42 R 0920 External Antenna Adapter Cable	Net 2.95
99 R 4605 Mobile Cigarette Lighter Cable	Net 2.95
40 R 7901 Earphone for Dyna-Com 2A, 3A	Net .59
99 R 3147 Dyna-Com Battery Eliminator/Charger	Net 22.95
Dyna-Charge. Charges Nicad "Z" Cells with external adapter (Incl.)	
99 R 3100	Net 9.95
Miniature Top Loaded Antenna. Mounts on top of collapsed Dyna-Com Telescopic Antenna.	
99 R 3143	Net 4.50
Genuine Top Grain Leather Case.	
42 R 2801	Net 4.95



**DYNA-COM 2A ONLY**  
**49<sup>95</sup> EACH**  
No Money Down

**DYNA-COM 3A ONLY**  
**64<sup>95</sup> Each**  
No Money Down

# 5 ACCLAIMED ON LAND, ON SEA, AND IN THE SKIES! Watts of Power You Can Hold in Your Hand! LAFAYETTE DYNA-COM 5



## 3 CHANNELS

Only **79<sup>95</sup>** with Leather Shoulder Strap  
No Money Down

- ★ 3 Switchable Crystal Controlled Transmit and Receive Channel Positions
- ★ 5-Watt FCC Maximum Input . . . with the Power of the Most Powerful Base and Mobile CB Transceivers!
- ★ 13 Transistors, 6 Diodes
- ★ 7-Stage Transmitter for Extra Transmit Sock!
- ★ Operate Mobile in Your Car with Optional Cigarette Lighter Plug-in Adapter
- ★ Superheterodyne Receiver With Less Than 1 Microvolt Sensitivity for 10 db S+N/N Ratio
- ★ Mechanical Filter for Superior Selectivity
- ★ Automatic Compressor Range Boost—Assures High Talk Power
- Variable Squelch and Automatic Noise Limiting
- Battery Condition and Automatic Relative RF Power Output Indicator
- External Antenna Jack for Base and Mobile Antennas
- Provision for External Battery Pack, Mobile Battery, Charger and Eliminator
- Pi-Network Antenna Matching for Maximum Output!

The Dyna-Com 5 is small in size—BIG in performance and versatility. A Lafayette exclusive, this amazing 2-way radio has every feature you have ever wanted in a compact walkie-talkie. The unique, removable battery pack facilitates charging ni-cad batteries on or off the walkie-talkie. You always have a fresh supply of batteries on hand. In addition, an optional portable dry cell power pack keeps reserve power on tap when you need it. The unit may be connected to your auto, boat or tractor battery and external antenna for the ultimate in portable convenience. Attractive die-cast brushed aluminum case with shoulder carrying strap. Measures only 3¼x10¼x2¼"D. Supplied with transmit and receive crystals for channel 10, telescoping whip antenna and FCC license application Form per regulation 95.

99 R 3087L \$5 Monthly (Less Batteries)	Net 79.95
Extra Crystals (Specify Channel)	
42 R 0907C Transmit Crystal	Net 2.25
42 R 0135C Receive crystal	Net 2.25
DYNA-COM 5 Modified for 26.62 MHz	
99 R 3107YL \$5 Monthly	Net 89.95
DYNA-COM 5 Modified for 27.575 MHz	
99 R 3108YL \$5 Monthly	Net 89.95

FCC TYPE ACCEPTED	CANADIAN D.O.T. APPROVED
----------------------	-----------------------------

## DYNA-COM OPTIONAL ACCESSORIES\*



(A) Battery Eliminator/Charger

(A) Battery Eliminator/Charger  
Professionally designed attractive battery eliminator and charger. Plugs into 117 VAC outlet to permit base station operation. Charges up to 12 nickel cadmium batteries at the rate of 40 ma per hour both internally as well as externally in Dyna-Com 5 and 6; charges batteries of Dyna-Com 2, 2A, 3 and 3A in holder externally with adapter (supplied). Contains individual power supplies for battery eliminator and for charger. Attractive front panel meter normally indicates charging. When button is depressed the meter indicates the battery voltage. Negative ground only. Has fused AC line. Size: 7½Hx5½D (at bottom)x3-11-16"W. Imported.  
99 R 3147 Wt., 5 lbs. Net 22.95



(B) Extra Battery Pack

(B) Extra Battery Pack for Dyna-Com 5 and 6  
Consists of extra removable back of walkie-talkie, battery holder, 12 nickel cadmium rechargeable batteries. Permits charging of complete Battery Pack outside of Walkie-talkie while another Pack is in use. Imp.  
99 R 3099 Shpg. wt., 2 lbs. Net 27.50

(C) Dyna-Pack  
Neatly designed external battery pack with 10 "D" size dry cell batteries. Plugs into Dynacom to assure reserve power when required in the field. Imported. 3x3½x7½".  
99 R 3101 Shpg. wt., 4 lbs. Net 5.95  
Replacement "D" Dry Cell Batteries.  
99 R 6256 (10 required) Ea. .15, 10 for 1.20  
Replacement "D" Alkaline Batteries  
99 R 6292 (10 required) Ea. Net .44  
Extra 10 Cell Battery Holder.  
99 R 3131 Net 1.95



(C) Dyna-Pack



**NEW Revolutionary**

**+**



# LAFAYETTE DYNA-COM 6

Only **99<sup>95</sup>** with Leather  
Shoulder Strap

**No Money Down**


- ★ 5-Watts FCC Maximum Permitted Input Power
  - ★ 6 Switchable Crystal Channel Positions
  - ★ 7-Transistor, 3-Diode Integrated Circuit Used in Transmit, Receive, and Audio Limiting Circuits
  - ★ 19 Transistors + 8 Diodes for Super Performance
  - ★ Mobile Operation with Cigarette Lighter Adapter
  - ★ Public Address External Speaker Jack with PA Switch and PA Volume Control
- Superheterodyne Receiver With Less Than 1 Microvolt Sensitivity for 10 db S+N/N Ratio
  - Mechanical Filter for Superior Selectivity
  - Variable Squelch and Automatic Noise Limiting
  - Battery Condition and RF Power Indicator
  - External Antenna Jack for Base and Mobile Antennas
  - Provision for External Battery Pack, Mobile Battery and Battery Charger/Eliminator

Lafayette's star performer of the Dyna-Com walkie-talkie series features rugged silicon "IC" (micro-miniature circuit) plus 5-watts RF input to meet the highest requirements for portable or mobile 2-way communications. The "IC" is engineered into the audio section to virtually eliminate distortion and thus provide better reception with clearer transmission than conventional solid state units. 6-switchable, precision tuned, crystal-controlled operating channels assure sharp definitive, 2-way communications even over crowded city channels. Full time "Range-Boost" modulation circuit delivers greater effective range. The Dyna-Com 6 has a host of extra features for unsurpassed flexibility . . . such as built-in PA facilities, automatic gain control, automatic series gate noise limiter, RF Battery Condition meter, and variable squelch. Can be connected to 12V., DC power source, or operated from 110V., 60 power supply. Attractive die-cast brushed aluminum carrying strap and crystals for channel 10.

Net 99.95

Net 109.95

# Our Walkie Talkies are Plug-in C



## A HA-70C "SPACE COMMANDER" CB WALKIE TALKIE

- Not a Kit—Completely Wired
- Solid State for Low Battery Drain
- Interstage Transformer for More Sound

Compact 3-transistor walkie-talkie features a sensitive superregenerative receiver for minimum noise pick-up when voice signal is being received. Crystal controlled transmitter provides range up to 1/4 mile. Has push-to-talk button, off-on volume control, and efficient speaker/mike. Supplied with telescopic antenna, crystal, battery, and plastic carrying case. Size: 5 1/2" x 2 1/2" x 1 3/8". Imported. Shpg. wt., 1 lb. Does not have plug-in crystals or Call Alert.

99 R 3080L Model HA-70C Net ea. 5.99  
99 R 6021 Replacement Battery Net .21

## C HA-73A 2 CHANNEL 7-TRANSISTOR SUPERHET CB WALKIE TALKIE

- Built-in Call Alert
- Powerful Push-Pull Audio
- Battery Eliminator Jack

New power boost reflex circuit utilizes 7 transistors to achieve higher sensitivity for extended range. 2-channel operation permits greater flexibility. Call alert system sends or receives a pleasant alerting tone for convenient calling. Call alert system sends optional battery eliminator. Case features beautiful die-cast chrome high-lighted front panel. Supplied with carrying strap, telescopic antenna, battery, and plug-in crystals for channel 9. Size: 5 7/8" x 1 1/4" x 2 3/4". Imported.

99 R 3145L HA-73A Net ea. 15.95  
99 R 6021 Replacement Battery Net .21  
99 R 3142 AC Battery Eliminator Net 2.95

## E GT-50A 500 MILLIWATT 2-CHANNEL WALKIE TALKIE

- With Call Alert

5 times more  
the range

## B HE-210A 3-CHANNEL 10-TRANSISTOR WALKIE TALKIE

- Selective Channels
- 2 Switch

3 channel heterodyne receiver for clear, controlled operation powered 100 milliwatt transmitter using plug-in, easy-to-change crystals for any 2 switchable audio tone Transmits and receives alerting tone to initiate channel 10 communication. Supplied with crystals and 9 volt battery. Size: 2 3/4" x 5 3/8" H x 1 1/2" D. Imported.

99 R 3185L HA-132 Net ea. 11.95  
99 R 6021 Replacement Battery Net .21

## D HE-210A 3-CHANNEL 10-TRANSISTOR WALKIE TALKIE

- Built-in Call Alert
- 3 Channels

Features a powerful Range Boost modulated transmitter and efficient superhet receiver in a lightweight, 16 ounce package. Call alert system sends or receives a pleasant alerting tone for convenient calling. Styled in professionally designed black and brushed aluminum metal case. Supplied with antenna, 6 penlight batteries, and a pair of plug-in crystals for channel 10. Size: 6 7/8" x 2 1/8" x 1 1/8". Imported. Shpg. wt., 2 1/2 lbs.

99 R 3127L HE-210A Net ea. 24.95  
99 R 6294 Replacement Dry-Cell Batteries (6 require Heavy Duty Alkaline Battery (6 require 99 R 6294 Net ea. 2.95  
99 R 3142 Battery Eliminator Net ea. 2.95

## F HA-305 .5 WATT 3 CHANNEL WALKIE TALKIE WITH RANGE BO

- Built-In Call Alert
- Switchable 3 Channel Operation
- Large, Efficient Speaker/Microphone
- Range Boost For Extra
- Adjustable S

# And **B-E-E-P** Call Alert



HA-70C

**(A) "SPACE COMMANDER"**

No License Required  
FCC Regulation Part 15

**5<sup>99</sup>**  
Each



HA-132

**(B) 2 CHANNEL 5-TRANSISTOR SUPERHET WITH CALL ALERT**

No License Required  
FCC Regulation Part 15

**11<sup>95</sup>**  
Each



HA-73A

**(C) 2 CHANNEL 7-TRANSISTOR SUPERHET WITH CALL ALERT**

No License Required  
FCC Regulation Part 15

**15<sup>95</sup>**  
Each



HE-210A

**(D) 3-CHANNEL 10-TRANSISTOR RANGE BOOST WITH CALL ALERT**

No License Required  
FCC Regulation Part 15

**24<sup>95</sup>**  
Each



GT-50A

**(E) 500 MILLIWATT 2-CHANNEL RANGE BOOST WALKIE TALKIE**

only **28<sup>95</sup>**  
Each



HA-305

**(F) .5 WATT 3 CHANNEL RANGE BOOST WITH CALL ALERT**

only **32<sup>95</sup>**  
Each

**LAFAYETTE**  
**RADIO**  
**ELECTRONICS**  
 111 JERICHO TURNPIKE  
 SYOSSET, L.I., N.Y. 11791

L NEMETH  
 440 E LAS OLAS BLVD  
 FT LAUDERDALE FL 33301

ULK RATE  
 U.S. Postage  
**PAID**  
 LAFAYETTE  
 Radio Electronics

POSTMASTER: If Undeliverable Handle In  
 Accordance To Sec. 158.5 Of Postal Manual.

# Sale!

SAVE 20.00

was 129.95 1968 Catalog 683

Now **109<sup>95</sup>**

**LAFAYETTE RK-815 PORTABLE  
 SOLID STATE 3-SPEED  
 4-TRACK STEREO RECORDER**



Complete with  
 2 dynamic microphones,  
 4-connecting cables,  
 2-rubber reel caps,  
 7" empty take-up reel

Superbly Stylized . . . with  
 These Outstanding Features



1/4-Track Lamination-Type Record/Playback Stereo Head

1/4-Track Double-Gapped High Efficiency Erase Head



Illuminated VU Meter Indicates Record/Playback Level for Top Stereo Sound Results

2 Record Safety Buttons for Left and Right Channels Prevents Accidental Erasures



5-Position "Selector" Control Knob for Rewind, Stop, Run, Fast Forward and Pause for In-start Editing



- 4-Track Stereo and Monaural Record/Playback
- 3 Tape Speeds—1 7/8, 3 3/4 and 7 1/2 IPS
- Sound-on-Sound
  - Separate Tone and Volume Controls For Each Channel
  - 3-Digit Tape Counter with Reset Button

Super Value! Save 20.00 on this full-feature Lafayette stereo tape recorder. Solid-state circuitry permits instant play or record. Features three speeds, 1 7/8, 3 3/4 and 7 1/2 ips plus smooth running 4-pole motor. Uses quality laminated 4-track record/play head with double gap erase head for thrilling stereo and mono record, sound-on-sound, sound-with-sound for voice language training and sound effects. Two built-in 5" x 3" full range speakers, plus output jack for external speakers or stereo headphones. Easy-to-operate pushbutton controls for VU meter, "Pause" for editing and cueing, safety-interlock to prevent accidental tape erasure and Mike/Aux input selector. Takes 7" reels. Housed in a handsome textured solid vinyl case with built-in accessory compartment and carrying handle. For 110-120 v., 60 cycles AC. Imported. Shpg. wt., 22 lbs. 99 R 1532WX \$6 Monthly ..... Net 109.95  
 7" reel of 1800' Lafayette Mylar Base Recording Tape. Wt., 1 1/4 lbs. 28 R 0106 ..... Net 2.49

**SPECIFICATIONS**

Frequency Response: ±3 db, 40-15,000 cps at 7 1/2 ips; ±3 db, 40-10,000 cps at 3 3/4 ips Wow and Flutter: under 0.25% rms at 7 1/2 ips; under 0.35% at 3 3/4 ips. Signal-to-Noise: Better than 45 db. Bias & Erase Frequency: 60 kc. Cross Talk: Better than 55 db. Power Output: 5-watts maximum. Input Sensitivity: Mike, 0.2 mv; Aux., 100 mv. Monitor Output: 16-ohm speaker or low impedance stereo headphones. Solid-State Circuitry: 10 transistors, 4 diodes. Dimensions: 11 3/4"W x 12 1/4"H x 6 2/3"D.