

LAFAYETTE

RADIO ELECTRONICS

Summer Catalog 694

- Index Facing Pg. 50A • Easy Pay Pg. 50C
- Store Addresses: Pg. 51A

Check and Compare These Quality Features

- Includes Remote Control Mike, Earphone, Built-in AC Line Cord, Batteries, Blank 60-Minute Cassette, and Integrated Carrying Handle For Ease Of Portability
- Direct Recording From AM or FM Radio
- Live Recording With Mike
- 5" Acoustically Matched HI-FI Speaker
- 5 Pushbutton Tape Function Controls
- Battery Condition/Recording Level Meter
- Cassette Ejects For Easy, Instant Tape Changing
- Switchable AFC Control • Continuous Tone Control

Deluxe LAFAYETTE RK-150 AC/BATTERY AM-FM RADIO CASSETTE TAPE RECORDER

Only **89⁹⁵**
No Money Down



NEW!

Magnificent Lafayette full-feature Cassette Radio-Recorder is an entertainment center in itself. Easy to use—no tape threading. Pushbutton controls. Plays back or records on a cassette tape for up to two hours. Records AM or FM programs directly "Off the Air", or "Live" with a mike. Versatile and handsome—goes with you everywhere. Operates on 6 "D" batteries or 117VAC with built-in, self-storing AC Line cord. Superb AM-FM radio section features a precision slide-rule tuning dial, continuous tone control and switchable FM/AFC or FM. 5" acoustically matched HI-FI speaker provides rich, full frequency sound reproduction. Tele-scopic FM antenna and ferrite core AM antennas. External speaker

or earphone jack. Tape Monitor Switch, Aux. Input for phono or another recorder for tape duplicating. Five pushbutton Tape Functions: Play, Record, Rewind, F. F. and Stop/Cassette Eject. Record safety interlock prevents accidental erasures. Also includes self-storage compartment for microphone. SPECIFICATIONS: Professional AC bias and erase system; 12 transistors, 8 diodes, 1 thermistor; Power output 1.8 watts. Size: 11 1/4" x 3 3/4" x 13 1/4" W. Imported.
27 C 0175L Shpg. wt., 10 lbs. Net **89.95**
99 C 6256 Extra "D" batteries. (6 required) Net **.15**

SUMMER SWEEPSTAKES

7,676
PRIZES WORTH
\$125,000⁰⁰

**YOU MAY ALREADY
HAVE WON**

Enter Lafayette's
Summer Sweepstakes
To See If Your
Number Is A Winner.

See Center Insert For Details

NO PURCHASE REQUIRED

1ST PRIZE
\$10,000⁰⁰
IN CASH

AWARD WINNER

"...a unit with excellent tuner characteristics... I suspect that Lafayette will have a great many satisfied customers."
 "MODERN HI-FI & STEREO GUIDE"



**4 IC's +23 Transistors
 +2 FET's +17 Diodes**

LAFAYETTE 75-WATT* SOLID-STATE AM/FM STEREO RECEIVER

LR-500TA
179⁹⁵

With Case

- Exclusive Front and Rear Panel Tape Output Jacks
- Speaker Mode Switch Activates Main and/or Remote Speakers
- Front Panel Stereo Phone Jack
- With Revolutionary IC's for Outstanding Performance
- Automatic FM Stereo Switching and Indicator Light
- Illuminated Tuning Meter for Accurate FM/AM Tuning
- Fused Output Transistors

The LR-500TA incorporates 4 revolutionary integrated circuits and 2 high-performance field-effect transistors to provide magnificent FM/Stereo reception. Advanced solid-state engineering of its AM broadcast stages lets you hear your favorite AM stations with maximum possible fidelity. There are built-in AM and FM antennas for local stations, plus provision for an external antenna for those distant, hard-to-get stations. 4 rugged, silicon output transistors delivering 75 watts of stereo music power with full fidelity assure you of stunning audio realism. Unit incorporates every needed control for complete flexibility of operation, plus a full range of stereo inputs to accommodate virtually any external program source. You get outputs

for stereo tape recording (both front and rear of unit for convenience), provision for 4, 8, and 16 ohm main and remote speakers, plus a stereo headphone receptacle. There's a handsome brushed gold anodized extruded aluminum front panel with matching knobs and, at no extra cost you get a vinyl clad, heavy gauge metal enclosure with the simulated look of rich walnut wood-grain. Imported. 15W x 12D x 5"H. For 117 VAC, 50/60 Hz.
 *1HF + 1db rating standard used by major audio manufacturers.
 99 C 0194WX \$9 Monthly. Shpg. wt., 27 lbs. Net 179.95
 Optional Attractive Oiled Walnut Cabinet for LR-500TA
 21 C 0156WX Shpg. wt., 6 lbs. Net 19.95

Lafayette 75-WATT STEREO SYSTEMS with LR-500TA SOLID-STATE AM/FM STEREO RECEIVER

- Lafayette Model LR-500TA 75-Watt Solid State AM/FM Stereo Receiver 179.95
- Garrard Model 40MKII 4-Speed Record Changer 44.50
- Garrard Base for Automatic Record Changer 4.95
- *Pickering V-15/AC-3 Stereo Cartridge with Diamond Stylus and Stylus Brush 24.95
- 2-Famous Lafayette "Criterion 50" Wide-Range 2-Way Bookshelf and/or Floor Speaker Systems (Oiled Walnut) 59.90

Total 314.25

This complete stereo system with *choice of Pickering V-15/AC-3, Empire 888, or Shure M75-6 stereo cartridge with diamond stylus. Complete with 30 ft. clear polarized speaker cable. Shpg. wt., 97 lbs.
 21 C 9471WX \$13.50 Monthly Net 265.95

Same system as above except with 2-Lafayette "Criterion 150's" completely sealed and damped acoustic suspension speaker systems instead of "Criterion 50" speaker system. Shpg. wt., 75 lbs.
 21 C 9472WX \$17 Monthly Net 301.95

You SAVE 52.30 From Individual Catalog Prices



LR-500TA

SYSTEM PRICE


265⁹⁵ No Money Down

SAVE 48.30

From Individual Catalog Prices



Alternate Speaker Systems "Criterion 150"



"Criterion 50"

"Choice of Stereo Cartridge"




Model 40 MKII

See Pages 28, 29 and 31 for full description of components on this page.

CASSETTE

Stereo Tape Listening in the Car



LAFAYETTE **RK-200** CAR CASSETTE STEREO TAPE SYSTEM

Stereophonic Playback
Monaural Record

ONLY **79⁹⁵**
less speakers
No Money Down

- Reliable Space Age Solid-State Circuitry
- Compact Design For Easy Mounting in Dash or Console
- Fast-Forward and Rewind Lever Control
- Separate Balance, Volume, and Tone Controls
- Up To 120 Minutes Record Time
- No Tape Threading—Simple To Use



STEREO SOUND wherever you travel in your car!

Enjoy concert hall stereo sound reproduction in the comfort of your car. Lafayette's stereo cassette tape system provides 4-track stereo playback as well as 2-track monaural record. Fast-Forward and Rewind lever control allows you to choose the exact selections on a tape. Dependable solid-state circuitry provides outstanding, reliable performance. Convenient ONE-LEVER operation for Start, Stop, Fast-Forward, and Rewind. Stereo balance control adjusts stereo separation through left and right channels. Also features Record safety button, automatic stop at end of tape and plastic

slide door. Includes: Remote Control Start/Stop Mike with spiral retractable cord; adjustable gimble mounting bracket and hardware that permits unit to easily mount in any car dash or console, truck, or boat; and blank 60 minute-tape cassette. For 12VDC, negative ground systems. Uses AC bias erase. Tape speed 1 7/8 ips. Size: 7x8 3/4"x4". Imported. Shpg. wt., 5 lbs.
 99 C 1573 \$5 Monthly Net 79.95
 Deluxe Set of 2 Rear Deck Matching Speaker Systems. 99 C 6298 Imported. Shpg. wt., 4 lbs. Net 9.95

NEW

Deluxe Cassette Auto Stereo Tape System

- Stereo Playback
- Monaural Record

Compact car stereo cassette tape system. Plays back stereo cassette tapes. Permits mono recording of sales calls, memos, dictation, etc. Features front loading of tapes. Instant-on solid state circuitry; record safety button; individual tone, volume, and balance controls; fast forward and rewind, lever control. For 12 volt negative ground systems. Includes remote control mike with coiled cord, and adjustable mounting bracket. Sizes: 8 3/4"Wx8 1/2"Dx2 3/8"H. Imported. Shpg. wt., 6 lbs.
 17 C 4901W \$15 Monthly Net 99.95

Deluxe Set of 2 Rear Deck Matched Speakers. Imported. Shpg. wt., 4 lbs.
 99 C 6298 Net 9.95



ONLY **99⁹⁵** Less Speakers
No Money Down

8-Track Car Stereo Tape Players plus Bonus Tape



Package of 2 CAPITOL Stereo Twin-Pack 8-Track Pre-Recorded Tape Cartridges

Only **12⁹⁵** OR **2⁰⁰** with purchase of any Player on this page

Bonus Offer Expires 8/15/69

Package of two marvelous pre-recorded TWIN PACK Stereo Tape Cartridges from the huge Capitol Tape Library. Each deluxe long-playing tape contains 15 selections. The following are some highlights from these tapes: Love Is Blue—George Shearing; UP, UP, And Away—The Sound of Our Times; Music-to-Watch Girls By—Mat Monro; More—The Four Freshmen; Strangers in the Night—Peggy Lee; MAME—Jackie Gleason; Born Free—The Letterman; James Bond Theme—Jimmie Haskell; Fascination—Nat "King" Cole; Walking in the Sunshine—Ella Fitzgerald; Symphonic Excerpts from Carmen—Hollywood Symphony Orchestra; Homeward Bound—Glen Campbell; On A Clear Day—Laurindo Almeida; Exodus—David Rose plus many more. Shpg. wt., 1 lb. **28 C 6701** Net 12.95

FAMOUS PERFORMERS: Jackie Gleason, Peggy Lee, Four Freshmen, Nat "King Cole", Ella Fitzgerald, Glen Campbell, Hollywood Symphony Orchestra, and Many More.

NEW! Ranger 4 and 8-Track Solid State Car Stereo Tape Player

NOW with Built-In

BURGLAR ALARM



79⁹⁵ Less Speakers With Mounting Bracket.

81⁹⁵ Less Speakers With Mounting Bracket, Plus Tape Bonus

- Fully Automatic—Instant Operation
- Fine Tuning for Precision Head Alignment with Tape
- Illuminated Channel Indicator Light

★Theft-Proof

- Thumbwheel Type Control Knobs Conform with Federal Safety Regulations

Our Best Selling 4 and 8-Track Tape Cartridge Player now with built-in Burglar Alarm. Any attempt by unknown persons to remove a properly installed player will result in setting off the built-in alarm system—continuous horn blowing to scare the would-be thief away. Deluxe player measures only 2⁷/₈ x 7⁷/₈ x 8" and can be easily mounted under the dash of your car with attached universal bracket. Fully automatic—no switches or lever to select choice of cartridge. Either 4- or 8-track cartridge slips in easily and plays instantly. Provides superb tape reproduction. Removal of cartridge automatically switches player off. Fine tuning control tunes out undesirable cross-talk in worn or defective 8-track

cartridges by adjusting playback head to precision alignment with the recorded tracks. Channel changes automatically after each program or by instantly operating the selector bar. Peak audio output: 20 watts; 12-transistors, 4-thermistors. Dual tone control for 12 volt neg/pos. ground. Less Speakers. Imported. Shpg. wt., 12 lbs.
 17 C 7449WX \$5 Monthly Net 79.95
 Ranger Tape Player Plus Package of 2 Tapes Shpg. wt., 13 lbs.
 17 C 7450WXM \$5 Monthly Net 81.95
 Set of two 3 x 5" Matching Speaker Systems. Imported. Net 6.95
 99 C 6299 Shpg. wt., 3 lbs.

COMPACT "AUTOMATIC" 8-TRACK STEREO TAPE PLAYER

- All Solid State Circuitry
- Mounts Easily in Cars, Trucks, or Boats

Plays 8-track tape cartridges instantly. Fully transistorized—operates on any 12-volt negative system. Comes complete with an under-dash mounting bracket and all necessary hardware. Features attractive chrome front panel; thumb dial controls; dual push pull amplifier; manual or automatic channel selection. 10-transistors, 1-diode. Size: 3H x 7L x 7"D, less speakers. Imported. Net 49.95
 17 C 2619WX \$5 Monthly. Shpg. wt., 8 lbs.
 "AUTOMATIC" Tape Player Plus Package of 2 Tapes. Net 51.95
 17 C 2627WXM Shpg. wt., 9 lbs.
 Set of 2 Matching Speakers. Imported. Shpg. wt., 3 lbs. Net 6.95
 99 C 6299



49⁹⁵ Less Speakers With Mounting Bracket,

51⁹⁵ Less Speakers With Mounting Bracket, Plus Tape Bonus

Stereo 8-Track Car Tape Players and Accessories

AUTOMATIC CAR FM STEREO 8 TRACK TAPE CARTRIDGE PLAYER

FM STEREO CAR RADIO

STEREO 8-TRACK CAR PLAYER

ONLY

119⁹⁵ Less Speakers

No Money Down



1C SPEAKER BONUS

Custom In-Door Set of

4 Speakers

Only **1c** More

With Purchase of
FM Stereo/Tape Player

SAVE 8.94

BONUS OFFER ENDS 8/15/69

Wherever you travel in your car, enjoy the full dimension and "live" reality of either 8-track STEREO TAPE or FM STEREO MULTIPLEX RADIO as well as FM monoaural broadcasts. Plays all 8-track stereo tape cartridges and any 4-track tape cartridge with an adapter. You can also listen to standard AM broadcasts with an optional AM tuner pack. For instant music—just slip in a cartridge . . . automatically your car is filled with any kind of tape entertainment you select . . . jazz, pop, classical. Modern, solid-state circuitry insures reliable, outstanding performance. Features a tape channel indicator, channel selector button, plus an FM stereo indicator and separate balance and tone controls. Tape speed: 3 3/4 IPS. Operates on 12 VDC neg. ground. Power output: 8-watts. Frequency range: 60-12,000 Hz. FM section features 4 tuned IF stages. Size: 2 1/2 x 7 1/2 x 7" D. Complete with adjustable mounting bracket and all mounting hardware. Imported.

17 C 2623WX Automatic FM Stereo 8-Track Player Only. Wt., 13 lbs. Net 119.95

AUTOMATIC FM STEREO 8-TRACK PLAYER PLUS BONUS SPEAKERS. Net 119.96

17 C 2626WXM Shpg. wt., 16 lbs. Net 119.96

4 Lafayette Custom In-Door Speakers Only. Net 8.95

99 C 6286 Shpg. wt., 3 lbs. Net 24.95

AM RADIO TUNER CARTRIDGE 5 Semiconductors. Slide-rule Illuminated Dial. Net 24.95

17 C 2609L Imported. Shpg. wt., 1 lb.

NEW LAFAYETTE 4-TRACK TAPE CARTRIDGE ADAPTER

2⁹⁵

- Permits 4-Track Tape Cartridges To Be Placed on 8 Track Tape Players

Universal adapter that turns any 4-track cartridge into an 8-track cartridge. Simply insert adapter into your 4-track cartridge — can easily be moved from cartridge to cartridge. Shpg. wt., 6 oz.

99 C 1574 Net 2.95



AUTOMATIC "UNIVERSAL" AM/FM TUNER CARTRIDGE

44⁹⁵ No Money Down

- Converts 8-Track and Compatible 4 & 8-Track Tape Players Into High-Fidelity AM or FM Receivers

Now listen to all your favorite radio news, music, and information programs on your cartridge tape player. True, high-fidelity reception through your car or home system with this quality AM/FM tuner cartridge. No modification of your tape player is required. Solid-state tuner features AFC and 4 FM IF stages, AVC on AM, and a precision slide-rule dial. Power for the tuner cartridge is provided by the player itself. With antenna lead. Size: 6 1/2" L x 4W x 1 1/2" H. Imported. Shpg. wt., 1 lb.

17 C 2625L \$5 Monthly Net 44.95



8 TRACK TAPE HEAD CLEANING CARTRIDGE

Only **99^c**

A must for removing coating deposits from tape heads to restore high frequency response and volume. For use in any 8-track player accepting 8-track cartridges. Easy to use and reuse. Simply run the cartridge for a short period. 28 C 1292 Shpg. wt., 8 oz. Net .99




SPEAKER KITS FOR CAR STEREO TAPE PLAYERS

LAFAYETTE CUSTOM IN-DOOR SET OF 4 SPEAKERS for CAR STEREO TAPE PLAYERS

Only **8⁹⁵**


Ready for quick installation. Improves the sound and performance of any car tape player. Kit includes: Four 4 3/4" extended range 8-ohm PM speakers; four round custom mount plastic speaker grills; all necessary hook-up wire with solderless connectors; mounting hardware and easy-to-follow instruction. Imported. Wt., 3 lbs. 99 C 6286 Net 8.95



LAFAYETTE SET OF TWO UNDER-DASH 3x5" MATCHING SPEAKER SYSTEMS

Only **6⁹⁵**

Two—3 x 5" wide-range ceramic speakers mounted in plastic housing will mount under dash, under seats, on kick panels, doors, or rear package shelf. Includes all necessary cables and mounting hardware. Imported. Shpg. wt., 3 lbs. 99 C 6299 Net 6.95



8-Track Home Stereo Tape Players and Accessories

NEW

PANASONIC RS-802US 8-TRACK STEREO TAPE CARTRIDGE DECK

- Plays 8-Track Pre-Recorded Tape Cartridges Thru the Amplifier of Your Hi-Fi System

Solid state 8-track home cartridge deck with advanced IC circuitry. Built-in dual pre-amplifier permits use with any stereo amplifier or receiver having an "Auxiliary" input jack. Simple push-button channel program selector. 4 easy-to-read illuminated channel indicators that individually light-up to quickly show you the exact channel you are listening to. Decorator styled in tasteful walnut grain finish metal cabinet with silver control panel. For 117 VAC, 60 Hz. Size: 8 1/4" W x 4 1/4" H x 9 3/4" D. Imported. Wt., 7 lbs. 17 C 3150W \$5 Monthly Net 49.95



Only **49⁹⁵**

No Money Down

NEW

LAFAYETTE PRE-RECORDED 8-TRACK STEREO TAPE CARTRIDGES



As Low As

2⁹⁵ each

*Twin Pack



CLASSICAL

Beethoven Symphony No. 5. Cento Soil Orchestra of Paris. Shpg. wt., 8 oz.	Net 2.95
28 C 4050L	
Beethoven Symphony No. 6 "Pastoral". Klemperer conductor. Vienna Symphony Orchestra. Shpg. wt., 8 oz.	Net 2.95
28 C 4051L	
Beethoven Symphony No. 7. Van ReMoortel conductor. London Symphony Orchestra. Shpg. wt., 8 oz.	Net 2.95
28 C 4052L	
*Berlioz Symphony "Fantastique". Perlea conductor. Bamberg Symphony Orchestra. Shpg. wt., 1 lb.	Net 3.29
28 C 4055L	
*1812 Overture, Russian Easter Overture, Polovetsian Dances, A Night on Bald Mountain. Vienna Symphony Orchestra.	Net 3.29
28 C 4056L Shpg. wt., 1 lb.	
*Rachmaninoff Piano Concerto No. 2; Tchaikovsky Piano Concerto No. 1. Felicja Blumental soloist. Orchestra Der Wiener Musikgesellschaft. Shpg. wt., 1 lb.	Net 3.29
28 C 4057L	
*Offenbach—Gaité Parisienne; Bizet—Carmen Suite; Ravel—Bolero. Cento Soil Orchestra of Paris. Shpg. wt., 8 oz.	Net 3.29
28 C 4053L Shpg. wt., 8 oz.	
Brahms—Dvorak, Hungarian and Slavonic Dances. Perlea conductor. Bamberg Symphony Orchestra. Shpg. wt., 8 oz.	Net 3.29
28 C 4054L	

POPULAR

Great Movie Themes—Exodus, Around the World in 80 Days, Picnic, Moulin Rouge, Merry Widow. London Pops Orchestra. Shpg. wt., 8 oz.	Net 2.95
28 C 4058L	
Hits from Broadway Shows—My Fair Lady, Camelot, Gigi, Sound of Music. Hollywood Radio City Orchestra. Shpg. wt., 8 oz.	Net 2.95
28 C 4059L	

LEAR JET BATTERY/ELECTRIC 8-TRACK PORTABLE TAPE CARTRIDGE SYSTEM



Only **74⁵⁰**

No Money Down

- Detachable Speaker For True Stereo Separation


Listen to the beautiful sound of 8-track stereo tape cartridges wherever you go! Operates off 8 "D" batteries (not included) or 117VAC 60 Hz. Twin, full-range speakers for magnificent tone. 4-controls: Tone, Volume, stereo balance, program selector. Speaker extension cord. Chrome carrying handle. Program indicator light. Dim: 8"Hx3"Dx12"W. Color: blue with chrome trim. Imported. Shpg. wt., 10 lbs.

17 C 1602W \$5 Monthly Net 74.50
99 C 6256 "D" Batteries—8 required Net ea. 15

Deluxe 4 and 8 TRACK TAPE CARTRIDGE STORAGE RACK

Only **10⁹⁵**

- Holds Up To 48 Tapes
- Lazy Susan Type Base



Easy access to your 4 and 8-track tape cartridges. No more misplaced tapes. Attractively styled wood and masonite storage rack with simulated walnut vinyl finish. Has "Lazy Susan" type base. Holds up to 48 tapes. Size: 9 1/2" W x 9 1/2" D x 12 1/2" H. Wt., 8 lbs. 28 C 7804 Net 10.95

"STEREO 8" TAPE CARTRIDGE PLAYER HEAD DEMAGNETIZERS



As Low As **3⁵⁰**

Maintain the sound quality of your tape player. Prevents background noise and sound distortion. For car tape players—helps prevent strong magnetic fields from (generator, starter, etc.) distort part of your tapes. Imported. Shpg. wt., 1 lb. For Car Players—Plugs into Lighter 28 C 7802 Net 4.25
For Home Players—For 115 volts 60 cps. 28 C 7803 Net 3.50

8 TRACK STEREO TAPE RECORDERS AND ACCESSORIES

SONY-SUPERSCOPE TC-8 "STEREO 8" HOME CARTRIDGE RECORDER/PLAYER DECK



129⁵⁰
No Money
Down

Records or plays back 8 track cartridges through your existing stereo HI-Fi system.

- Sony-Matic Recording Control
- Automatic Shut-Off
- Cartridge Alignment Indicator

Now, with the new and exciting Sony TC-8, you can select and record your own library of stereo 8-track cartridges for automobile and home use. Instantly connects to your home system for recording or playback. Features "Sonomatic" recording control which automatically adjusts recording level and indicates which tracks are being recorded. Perfect track alignment is assured by alignment indicator light, and automatic power mechanism which turns unit on only when cartridge is properly inserted and shuts it off at the end of the tape. Also has record interlock to prevent accidental erasure. Frequency Response: 40-12,000 Hz. Tape speed: 3 3/4 ips. Wow and Flutter: 0.32%. Dimensions: 12Wx8 1/2Hx4 1/2"D. Imported. Shpg. wt., 11 lbs.
27 C 6034WX \$7 Monthly

Net 129.50

NEW VIKING 811R 8-TRACK HOME CARTRIDGE RECORDER/PLAYER TAPE DECK



159⁹⁵
No Money Down

Records and plays back 8-track cartridges through your existing stereo HI-Fi System.

- Individual Record Gain Control For Left And Right Channels
- Automatic Stop At End Of Any Single Track or Completion Of All 4-Tracks On Record Mode

High quality 8-track stereo tape cartridge RECORD/PLAYER deck in a handsome walnut cabinet with built-in record/playback preamp for use with existing stereo equipment in the home. Features a special Logic Circuit that permits choice of continuous play or auto-stop at end of tape. In PLAY mode, and, allows choice of auto-stop at end of single track or completion of all 4-tracks in RECORD mode. Unit automatically plays when cartridge is inserted; has automatic and pushbutton track selection; 40-15,000Hz response; 0.3% rms wow and flutter; numerical track indicator; VU meter; record button interlock, and pilot light. For 117VAC., 60 Hz. Size: 15 1/4 x 11 x 4". Shpg. wt., 26 lbs.
27 C 6809WX \$8 Monthly

Net 159.95

Model 811P—Portable, Self-contained, 8-Track, Stereo Tape Player only. With built-in power amplifier and two detachable speakers. Size: Player 15 1/4Lx11Dx4 1/2"H. Speakers 10 7/8Hx7 3/8Wx3 3/8"D. Shpg. wt., 30 lbs.
27 C 6810WX

Net 139.95

8-TRACK CARTRIDGE MYLAR RECORDING TAPE



As Low
As
1⁷⁵

Continuous loop 8-track cartridges well lubricated to preserve tape life. Fits all standard 8-track recorders and players. With UNI-tension pressure pads, precision molded tape guide.

Stock No.	Type (Recording Time)	Wt.	Net
28 C 1031	30 Minute	6 oz.	1.75
28 C 1704	60 Minute	6 oz.	1.95
28 C 1703	80 Minute	6 oz.	2.25

8-TRACK TEST and HEAD CLEANING TAPE CARTRIDGE

Only **3-In-1 Cartridge**

1⁴⁹

- 1) Tests For Proper Head Alignment
- 2) Tests For Stereo Balance
- 3) Cleans Tape Head

Keep your stereo 8-track tape player sounding new with this professionally calibrated test tape. Cleans tape and restores full richness of tone. Checks for proper alignment of heads to eliminate crosstalk. Checks for proper equalization of channels. Shpg. wt., 6 oz.
28 C 9201

Net 1.49

Deluxe ROBERTS 778X SOLID STATE STEREO INTEGRATED CARTRIDGE AND REEL RECORDER

Only
399⁹⁵

No Money
Down



Make Your Own
8-Track Tapes

- Records "Stereo 8" Cartridge From Reels
- Built-In Cartridge Erase
- 4-Track Stereo Reel to Reel Plus "Stereo 8" Track Combination Record And Play

Deluxe home instrument that records "Stereo 8" cartridges for music in your car or home, plays stereo reel-to-reel tapes and records cartridges at the same time. Also features 4 track stereo, monaural record and playback at 3 speeds—1 7/8, 3 3/4, 7 1/2 ips with cross field heads; cartridge channel selector and illuminated track selector read-out indicators; 12 watt solid state stereo amplifier; two 4" acoustic suspension speakers. Signal-to-Noise ratio: reel -50 db, cartridge -45 db Twln VU recording level meters. For 120 volt 50/60 Hz. Size: 15x13 1/2x9 1/2"D. Imported. Shpg. wt., 47 lbs.
27 C 5517WX \$19 Monthly

Net 399.95

Join the

Cassette

Rebellion

NO TAPE THREADING



29⁹⁹

Includes Remote Control Microphone with Stand, Earphone, Vinyl Accessory Pouch, Shoulder Strap and Batteries.

LAFAYETTE RK-80 SOLID STATE PORTABLE CASSETTE RECORDER

Simple to use—no tape threading. Solid state circuitry featuring 6-transistors, 2-thermistors, and 1-diode. Constant 1 7/8 ips speed capstan drive. Pushbutton controls, Safety record button, recording level and battery indicator. Records up to 120 minutes (both tracks) on a Phillips type Cassette. Large 2 3/4" speaker. Operates on 4 "C" batteries or 110V., 60 Hz AC with optional adapter (see below). Mike and Aux. inputs. With headphone jack. Attractive black cabinet with silver trim. Size: 5 3/8" x 9 1/2" x 2 1/2" H. Imported. Shpg. wt., 3 lbs.

27 C 0109L	Net	29.99
27 C 0111 AC Adapter. Shpg. wt., 1/2 lb.	Net	3.95
99 C 1540 Lafayette 60-Minute Tape Cassette	Net	1.35
99 C 6257 Extra "C" Batteries (4-required)	Net ea.	.14

LAFAYETTE RK-85 SOLID STATE PORTABLE CASSETTE RECORDER

ONLY 39⁹⁵

No Money Down

Includes Remote Control Microphone with Stand, Earphone, Batteries, Accessory Case, Hand Strap, and Blank Cassette Tape.

- Utilizes Professional AC Bias and Erase System



One of the easiest tape recorders in the world to operate—there are no reels, and therefore no tape threading. Tape stops automatically at the end. Beautifully styled and engineered. 1 7/8 ips speed. Operates on 5 "C" batteries or 117VAC current (with optional AC adapter). Separate pushbutton controls for: Fast Forward, Rewind, Stop, Play, plus safety record button. Permits perfect recordings with level meter that also checks batteries. 8-transistors, 1-diode. With earphone jack, auxiliary input jack for recording from external sources such as phonograph, TV set, or Tuner, and remote control mike jack. Large 2 3/4" dynamic speaker. Size: 8 3/4" x 5 x 2 1/4" H. Imported. Shpg. wt., 4 lbs.

99 C 1557L \$5 Monthly	Net	39.95
99 C 1562 Deluxe Vinyl Carrying Case with Strap. Wt., 1 lb.	---	2.95
99 C 1558 AC Adapter Shpg. wt., 1/2 lb.	---	4.95
99 C 6257 Extra "C" Batteries—5 req., 2 oz.	---	.14
99 C 1540 60 minute Lafayette Cassette Cartridge 6 oz.	---	1.35



Lafayette RADIO/CASSETTE Recorders

Model RK-95 AM-FM Radio Cassette Recorder

Only **59⁹⁵**

Model RK-90 AM Radio Cassette Recorder

SALE 44⁹⁵

WAS 48.95 1969 CATALOG 693

- Direct Recording From Radio To Recorder
- Complete with Remote Control Microphone with Stand, Blank 60 Minute Cassette, Earphone, Vinyl Accessory Pouch, Shoulder Strap and Batteries

Model RK-95 AM-FM RADIO/CASSETTE RECORDER. Sensational combination of a quality AM-FM RADIO and Cassette recorder lets you record broadcasts directly, or live with a microphone. You can permanently build your own tape library of fine music, world-wide news events as they happen, historic speeches by renowned statesmen, thrilling sports events like the World Series and the Super Bowl. Easy to use—no tape threading, pushbutton controls, record safety interlock button, AC bias and erase system, dynamic speaker for outstanding tonal quality, recording level and battery indicator. Can record up to 120 minutes (both tracks) on one Phillips type Cassette. External speaker output. Operates on 4 "C" batteries or 117VAC 60 Hz with optional adapter (see listing below). Includes Aux. input and remote control mike input. Tape speed 1 7/8 ips. 12 transistors, 2 diodes, 2 thermistors. Radio tunes: FM 88-108 MHz, AM 550-1600 kHz. Beautiful black case with chrome and walnut wood trim. Size: 7W x 9 1/2D x 2 1/8"H. Imported. Wt., 5 lbs.

27 C 0112L \$5 Monthly	Net	59.95
Model RK-90 AM RADIO CASSETTE RECORDER—Same deluxe features and size as the RK-95 except with AM radio instead of AM/FM radio. Imported. Shpg. wt., 5 lbs.		
27 C 0110L \$5 Monthly	Net	44.95

ACCESSORIES FOR RK-90 AND RK-95

27 C 0111 AC Adapter. Shpg. wt., 1/2 lb.	Net	3.95
99 C 1540 Lafayette 60 Minute Tape Cassette	Net	1.35
99 C 6257 Extra "C" Batteries (4-required)	Net ea.	.14

See Page 17 for Lafayette Pre-Recorded LP Stereo Cassette Tapes

TOP QUALITY CASSETTE TAPE RECORDERS

NEW Deluxe LAFAYETTE RK-99 Portable Cassette Recorder

FEATURING BUILT-IN AC LINE CORD

ONLY

49⁹⁵

INCLUDING:

Remote Control Mike,
Leather Carrying Case,
Earphone, Batteries,
Patch Cord, Blank
60 Minute Cassette



- Professional AC Bias Recording System with ALC
- Reliable Instant Start Solid-State Circuitry
- Cassette "Semi-Slot" Loading For Ease of Operation

One of the finest portable cassette recorders offered by Lafayette! Operates on 4 "C" batteries, or, 117VAC with built-in AC line cord. Plays and records up to 2-hours using standard type cassettes. Cassette semi-slot loading and pop-up removal for complete ease of operation. Six piano-type keyboard push-buttons: Play, Record, Fast-Forward, Rewind, Stop, and Cassette Eject. Automatic Level Control (ALC) to keep loud tones from distorting. Also features: dual purpose battery level and recording meter, record safety interlock, Individual Tone and Volume controls, Auxiliary input for radio, phono, or tape recorder for tape duplicating, external speaker/headphone jack. Speed 1 7/8 ips. Handsomely styled cabinet enhanced by simulated walnut wood grain panels. Sizes: 10 1/2 L x 5 1/4 W x 2 3/4 H. Imported. Shpg. wt., 5 lbs.

27 C 0174L \$5 Monthly Net 49.95
99 C 6257 Extra "C" Batteries (4-required) Net ea. .14
99 C 1540 60 Minute Blank Cassette Tape Net 1.35



6-PUSHBUTTON CONTROLS!

LAFAYETTE PROFESSIONAL MODEL RK-550 SOLID-STATE STEREO PUSHBUTTON CASSETTE TAPE DECK




- Records: 4 Track Stereo and 2 Track Monaural
- Plays back 4 and 2 Track Stereo and Monaural
- 2 Large Illuminated VU Meters
- Automatic Shut-Off Switch, Record Safety Button
- 3 Digit Tape Counter with Reset Button

119⁹⁵

Professionally styled and engineered to provide superb stereo and monaural cassette recording facilities. Makes amazingly clear voice and music recordings due to a unique jam-proof tape drive system—tape speed is constant at 1 7/8 ips. Features a full set of pushbutton controls for all tape modes; record, play, fast-forward, rewind, pause, stop, cassette ejector; stereo/mono input selector switch, record safety button. Specifications: 1/4 Track Lamination Tape Stereo Cassette Record/Play Head, 1/2 Track double gapped high efficiency erase head. Response 40-12,000 Hz, S/N ratio: Better than 45 db. Wow and Flutter: Less than 0.25%. Overall Distortion: Less than 1.5% at 0 VU, Channel Separation: Better than 32 db. Bias & Erase Freq: 105 kHz. Mic. Input 0.2 mv for 0 VU @ 600 ohms, Aux. Input (Low) 100 mv for 0 VU @ 150 ohms, Aux. Input (high) 500 mv for 0 VU @ 700 K ohms. Size: 15W x 5H x 9"D. Handsome brushed aluminum gold anodized extruded front panel. Attractive metal enclosure with the simulated look of rich walnut wood grain. Matches Lafayette Hi-Fi Line of Receivers, Tuners, and Amplifiers. Wt., 12 lbs. Imported. For 117VAC, 60 Hz

99 C 1871WK \$8.50 Monthly Net 119.95
99 C 4830 Dynamic Mike. Shpg. wt., 8 ozs. Net ea. 5.95

Deluxe SONY 124-CS SOLID STATE BATTERY ELECTRIC STEREO CASSETTE TAPE RECORDER



Only
175⁰⁰
No Money
Down

Complete 4-track stereo cassette-corder system with matched pair of extension speaker systems. Operates on 117VAC, or batteries with recharging circuit. Other features: Sonymatic recording level control; record level/battery indicator; separate Tone, Volume and stereo Balance controls; stereo headphone jack; mike and aux. inputs. With batteries, remote start/stop mike, earphone, patch cords, AC power cord, carrying case and 60 minute blank cassette. Size 6 1/4 W x 2 1/4 H x 9 3/4 D. Imported. Wt., 7 1/2 lbs.

27 C 6043WX \$9 Monthly Net 175.00

Get The Tape Recorder You Want Now! No Money Down

Lafayette Cat. No. 694 9

Get Professional Results with Exclusive

SUPERB PERFORMING Model RK-810A PORTABLE SOLID STATE RECORDER

Featuring 4-Track Stereo Playback*
4-Track Mono Record/Playback

ONLY
89⁹⁵
No Money
Down

Complete With
Dynamic Mike,
3-Connecting Cables,
2-Rubber Reel Caps,
7" Empty Take-up Reel



- 3-Speeds: 17 $\frac{1}{2}$, 3 $\frac{3}{4}$ and 7 $\frac{1}{2}$ IPS
- Record/Playback VU Level Meter
- 3-Digit Tape Counter with Reset Button

Easy-to-operate, the RK-810A features: 5-position Selector control for Rewind, Stop, Run, Fast-Forward and "Pause" for instant tape editing; pushbutton Record safety switch to insure against accidental tape erasure; 3-speed tape selector lever; VU meter; pushbutton channel selector; separate Volume and Tone controls. In addition to 4-track mono record/playback, *the RK-810A plays stereo tapes when used with a second channel external amplifier containing a tape head input. Response: 40-15,000 Hz at 7 $\frac{1}{2}$ ips, 40-10,000 Hz at 3 $\frac{3}{4}$ ips. Wow and Flutter: Less than 0.25% rms at 7 $\frac{1}{2}$ ips, less than 0.35% at 3 $\frac{3}{4}$ ips. Signal-to-Noise Ratio: 42 dB, or better. Bias and Erase: 60 kHz. Crosstalk: 55 dB, or better. Sensitivity: Mike, 0.6 mv; Aux., 200 mv; External speaker, 16 ohms. Motor: 4-pole. Power Output: 2.5 watts. 2-Inputs (Mike and Aux.); 2-Tape Head outputs and extension speaker output. Takes 7" reels. Housed in an attractive textured solid vinyl case with built-in accessory compartment and carrying handle. For 110-120V., 60 Hz AC. Size: 11 $\frac{1}{2}$ "x12 $\frac{1}{4}$ "x6 $\frac{3}{4}$ "D. Imported. Shpg. wt., 18 lbs.

99 C 1565WX \$5 Monthly Net 89.95

7" Reel of 1800' Lafayette Mylar Base Recording Tape.

28 C 0106 Shpg. wt., 1 $\frac{1}{4}$ lbs. Net 2.49

Model RK-825 — OUR LOWEST PRICED QUALITY 4-TRACK STEREO RECORDER

139⁹⁵

No Money Down

Complete With
2-Dynamic Mikes
4-Connecting Cables
2-Rubber Reel Caps
7" Empty Take-up Reel



- 4-Track Stereo and Monaural Record/Playback
- 3-Tape Speeds—17 $\frac{1}{2}$, 3 $\frac{3}{4}$ and 7 $\frac{1}{2}$ IPS
- Sound-with-Sound • Stereo Headphone Monitoring
- 3-Digit Tape Counter with Reset Button

Feature Packed—"low-priced" stereo hi-fidelity tape recorder built for ease of operation. Solid-state circuitry permits instant play, or record. Features: three speeds—17 $\frac{1}{2}$, 3 $\frac{3}{4}$, and 7 $\frac{1}{2}$ ips; aluminum die-cast tape transport chassis; 4-pole induction motor; single lever control for all tape transport modes plus "Pause" for editing and cueing; illuminated VU meters for left and right channels; safety interlock button to prevent accidental tape erasures, plus Microphone and Auxiliary input selector switch. Has 2-Microphone/Auxiliary inputs; 2-extension speaker outputs plus stereo headphone jack. Takes 7" reels. Housed in a handsome sturdy wood cabinet with attractive black leatherette cover. Frequency Response: ± 3 dB, 40-15,000 Hz at 7 $\frac{1}{2}$ ips; ± 3 dB, 40-10,000 Hz at 3 $\frac{3}{4}$ ips. Wow and Flutter: under 0.23% rms at 7 $\frac{1}{2}$ ips; under 0.35% at 3 $\frac{3}{4}$ ips. Signal-to-Noise: Better than 55 dB. Power Output: 5-watts maximum. Input Sensitivity: Mike, 0.5 mv., for 0 VU, 600 ohms; Aux., 100 mv. Solid-state Circuitry: 10-transistors, 4-diodes. Has built-in accessory compartment and carrying handle. For 110-120V., 60 Hz AC. Size: 12W x 12H x 7 $\frac{1}{4}$ "D. Imported. Shpg. wt., 22 lbs.

99 C 1568WX 7.50 Monthly Net 139.95

7" Reel of Lafayette Mylar Base Recording Tape.

28 C 0106 Shpg. wt., 1 $\frac{1}{4}$ lbs. Net 2.49



NEW IMPROVED 1969 FEATURES

- Tape Spill Proof
- 600-Ohm Impedance Mike
- Reel Hub with Rubber Pads
- Wide-Range 3"x5" Speaker
- Tape Lifters



NEW IMPROVED 1969 FEATURES

- Two 600-Ohm Impedance Dynamic Mikes For Quality Recordings
- 2-Full Range 3"x5" Speakers For Superb Voice and Music Reproduction
- Tape Spill-Proof
- Reel Hubs with Rubber Pads
- Tape Lifters
- Stereo Headphone Jack

LAFAYETTE Reel-to-Reel Tape Recorders

Model RK-835 4-TRACK SOLID STATE STEREO PUSHBUTTON TAPE RECORDER



NEW IMPROVED 1969 FEATURES

- Tape Spill-Proof
- Tape Lifters
- Solid-State Silicon Modular Circuitry
- Independent Power Switch
- Reel Hub with Rubber Pads
- Automatic Equalization For 3-Speeds
- 2-Mic., and 4-Aux. Inputs
- Two 600-Ohm Impedance Dynamic Mikes For Quality Recordings



Complete With
2-Dynamic Mikes,
4-Connecting Cables
2-Rubber Reel Caps
7" Empty Take-up
Reel

179⁹⁵

No Money Down

- 1/4-Track Lamination Type Record/Playback Stereo Head
- 1/4-Track Double Gapped High Efficiency Erase Head
- Sound-with-Sound ● Sound-on-Sound
- 3-Tape Speeds—1 7/8, 3 3/4 and 7 1/2 IPS
- Stereo Headphone Monitoring Facilities
- Record Direct From Record Player with Magnetic Cartridge

Designed to satisfy even the most critical music listeners. Can be operated either vertically or horizontally. Records and plays back 4-track stereo and monophonic tapes. Features spill-proof single tape function Selector knob for 5-modes of tape transport—Record, Stop, Run, Fast-Forward, and "Pause" for instant editing and cueing; two large studio-type VU meters with pilot lights and Record mode indicator lights; individual Record safety buttons for left and right channels to prevent accidental tape erasures; automatic shut-off at end of tape; automatic equalization for three tape speeds. Has input selector button for mic., and Aux/Magnetic cartridge. Separate volume controls for both channels. 2-Built-in 5" speakers provide true hi-fi sound reproduction. Take up to 7" reels. In black leatherette covered wood case with silver metal trim. Response: ± 3 dB 30-18,000 Hz at 7 1/2 ips. Wow and Flutter: Less than 0.18% rms at 7 1/2 ips. Signal-to-Noise: Better than 50 db. Bias & Erase Frequency: 105 kHz. Power Output: 8-watts maximum. Input Sensitivity: Mike, 0.15 mV. for 0 VU, 600-ohms; Magnetic Phono: 0.7 mV; Aux (low) 100 mV., Aux (high) 500 mV. Outputs: External Amp: 1V., to 2.5V. variable. Headphone and Speaker Imp.: 8-ohms. For 105-125V., 60 Hz AC. Size: 15 3/4 x 14 x 7 3/4"D. Imported. Shpg. wt., 27 lbs. 99 C 1569WX \$9 Monthly Net 179.95

7" Reel of 1800' Lafayette Mylar Base Recording Tape. 28 C 0106 Shpg. wt., 1 1/4 lbs. Net 2.49

DELUXE Model RK-845 4-TRACK SOLID STATE STEREO PUSHBUTTON RECORDER



NEW IMPROVED 1969 FEATURES

- Tape Spill-Proof
- Tape Lifters
- 4-Digit Tape Counter with Single Reset Button
- Independent Power On/Off Switch
- Automatic Equalization For 3-Speeds
- 2-Variable External Amp Output Jacks
- 2-Mic., and 4-Aux. Inputs
- Silicon Solid-State Modular Circuitry
- Two 600-Ohm Impedance Mikes For Quality Live Recordings
- Aluminum Die-Cast Panel and Head Covers



Complete With
2-Dynamic Mikes
4-Connecting Cables
2-Rubber Reel Caps
7" Empty Take-up
Reel

229⁹⁵

No Money Down

- Powerful 12-Watts Output
- Sound-on-Sound ● Sound-with-Sound
- Sound Monitoring
- 5-Pushbutton Controls plus 5-Position Selector Knob
- Direct Record/Playback from Record Player with Magnetic Cartridge

Phenomenal performance and superb reliability. Records and plays back stereo and monophonic tapes at three speeds: 7 1/2, 3 3/4 and 1 7/8 ips. Brilliantly records directly from FM stereo tuners. Features: 1/4-track lamination type Record/Playback stereo head; 1/4-track double gapped high efficiency erase head; 2-large studio type Record/Playback VU meters with pilot lights and record mode lights; 2-Record Safety buttons for Left and Right channels; individual Volume and Tone controls for each channel; Mike, Aux., and Magnetic Phono selector button; and automatic shut-off at end of tape. Also has pushbutton monitor speaker switches, and two full-range 5 x 7" speakers. Takes up to 7" reels. Housed in beautiful black leatherette covered wood case with silver metal trim and die-cast handle. Response: ± 3 dB 40-18,000 Hz at 7 1/2 ips; 40-12,000 Hz at 3 3/4 ips. Wow and Flutter: less than 0.15% rms at 7 1/2 ips. Signal-to-Noise Ratio: 50 dB or better. Bias & Erase Freq.: 105 kHz. Sensitivity and Impedance: Inputs—Mike, 0.15 mV for 0 VU, 600 Ohms; Auxiliary (low), 100 mV for 0 VU, 150K ohms; Auxiliary (high) 500 mV for 0 VU, 700K ohms. Outputs—External Amplifier, 1V., to 2.5V., variable, 5K ohms. External Speaker, 8-ohms. Power Output: 6-watts. For 105-125V., 60 Hz AC. Imported. Size: 15 3/4 x 14 x 7 3/4"D. 99 C 1570WX \$11.50 Monthly. Shpg. wt., 29 lbs. Net 229.95

7" Reel of 1800' Lafayette Mylar Base Recording Tape. 28 C 0106 Shpg. wt., 1 1/4 lbs. Net 2.49

Top Quality LAFAYETTE Solid-State Stereo Tape Decks

SALE

LAFAYETTE RK-830 4-TRACK STEREO RECORD/PLAYBACK TAPE DECK



10⁰⁰
PRICE CUT
NOW ONLY
129⁹⁵
 WAS 139.95
 1969 CATALOG 693

3 TAPE HEADS

Optional Mikes
 7.95 ea.

- Separate Solid-State Record and Playback Stereo Preamps
- Tape and Input Source Selector Switch Permits Tape and Input Source Monitoring
- 2-Studio-Type Record/Playback VU Meters
- 3-Speeds: 7½, 3¾ and 1½ IPS
- Digital Tape Counter with Reset Button
- Sound-on-Sound—Sound-with-Sound

With 7" take up reel, 2 rubber reel caps, 4 connecting cables.

Truly outstanding solid-state 3-head, 4-track stereo tape deck. Provides brilliant "concert hall" tape reproduction and playback. Thrilling sound-on-sound and sound-with-sound plus complete 4-track stereo and monophonic record/playback facilities. Operates vertically or horizontally. Single lever control selects Fast-Forward, Rewind, Stop, Run plus "Pause" for precise editing and cueing. Automatic shut-off at end of play. Rugged 4-pole motor. Low level inputs for microphones; high level for radio, TV, phono. Outputs for external amplifier. Takes 7" reels. Specifications—Frequency Response: ±3 db, 40-18,000 Hz at 7½ ips; ±3 db, 40-12,000 Hz at 3¾ ips. Wow and Flutter: Less than 0.15% rms at 7½ ips; less than 0.25% rms at 3¾ ips. Signal-to-Noise: —50 db or better. Bias & Erase Frequency: 96 kHz. Crosstalk: Over 60 db. Inputs:

(Each Channel) Microphone, 9 mv. @ 10k ohms; Auxiliary, 300 mv. @ 500k ohms. Outputs: (Each Channel) External Amplifier, 0.9 v., 3k ohms. Size: 11¾" W x 9¼" H x 5¼" D; In base: 12¾" W x 10¾" H x 6" D. 12-Transistors, 6-Diodes. In sturdy utility base ready to play. For 110-120v., 60 Hz AC. Imported. Shpg. wt., 18 lbs.
 99 C 1534WX \$7 Monthly Net 129.95

Accessories for RK-830

- 7" reel of 1800' Lafayette Mylar Base Recording Tape. 28 C 0106 Net 2.49
- Deluxe Oiled Walnut Wood Base. Shpg. wt., 4 lbs. 24 C 1214W Net 9.95
- 99 C 4633 Dynamic Mike. Imported. Wt., 1½ lbs. Net 7.95

Deluxe LAFAYETTE RK-920 "AUTOMATIC REVERSING" STEREO TAPE DECK



ONLY

199⁹⁵

No Money Down

With 7" take-up reel,
 2 rubber reel caps,
 4 connecting cables

"COMPUTER-MATIC"™ Reversing System Operates on 4-Modes In Either Record or Playback

- 1) Manual
- 2) Automatic
- 3) Single Reverse
- 4) Continuous Reverse

Optional Dynamic Mikes
 14.95 ea.

- Two Sensory Switches for Automatic Tape Reversing System
- 4-Track Stereophonic or Monophonic Recording/Playback in connection with External Amplifier
- Built-in Solid State Stereo Record/Playback Preamp
- Sound-on-Sound, Sound-with-Sound
- 3-Digit Tape Counter with Push Button Reset
- Two Large Illuminated VU Meters

Deluxe 4-track, 3-speed "Automatic Reversing" tape deck with every facility for making professional quality recordings from AM-FM stereo broadcasts, phonographs, or record "live" using microphones. "COMPUTER-MATIC" control can be preset for manual or automatic reversing for single reverse or continuous reversing. Feather-touch push-button controls allow you to change operational modes instantly. 100% solid-state circuitry (14-transistors, 27-diodes) features a top performing stereo preamp, perfectly matched for use with high quality basic stereo amplifiers. Tape transport is powered by two separate 4-pole induction capstan drive motors to provide smooth tape runs and low (less than 0.2% rms at 3¾ ips) wow and flutter. S/N ratio: 50dB or better. Harmonic distortion: less than 1.5%. Cross talk: better than 58db. Instant pause control for smooth professional editing; Two professional VU meters. Response: 30-22,000 Hz ±3db. @ 7½ IPS, 40-18,000 Hz ±3db. @ 3¾ IPS. 3 speeds—7½ ips, 3¾ ips, 1½ ips. Heads: Two ¼ track lamination type stereo record/playback; two ¼ track double-gapped high efficiency erase heads. Equalization: 7½ ips, NAB;

3¾ ips, RIAA. Input impedance: Microphone, 10K-ohms; Auxiliary, 500K-ohms. Output impedance: External Amplifier, 3K-ohms. For 110-120V., 60 Hz AC. Housed in a beautiful brown leatherette covered wood case. 17 x 15½ x 8¼" D. Imported. Shpg. wt., 38 lbs.
 99 C 1554WX \$10 Monthly Net 199.95

LAFAYETTE Self-Contained RK-960 "AUTOMATIC REVERSING" SOLID STATE STEREO TAPE RECORDER. Same as RK-920 but with built-in 12-watt stereo amplifier, two 5 x 7 wide range hi-fi speakers, stereo headphone jack, and 2 external speaker jacks. Size: 22" x 15½" x 8¼". Imported. Shpg. wt., 44 lbs.
 99 C 1548WX \$15 Monthly Net 299.95

- 99 C 4588 Optional Dynamic Mike Shpg. wt., 2 lbs. Net 14.95
- 7" Reel of 1800 Ft. Mylar Base Recording Tape with Reversing Sensing Foils. Shpg. wt., 1¼ lbs. 28 C 0118 Net 2.69

LAFAYETTE RK-710 "Professional 7" Reel-to-Reel 3-Speed Tape Recorder

Only **59⁹⁵** With dynamic mike,
7" empty reel,
2-rubber reel caps

No Money Down



Lafayette Tape Splicer

Only **1^c** More

with Purchase of RK-710
Bonus Expires 8/15/69

SAVE 2.38

- 2 Track Monaural Record/Playback
- Reliable Solid-State Circuitry
- Record Safety Button
- Single Tape Function Control: Rewind, Stop, Run, Pause For Editing, Fast Forward

Our best selling tape recorder! Records and plays back two track monaural at three speeds—7½, 3¾ and 1½ ips. Easy to operate, offers the convenience of a single tape function control knob for five modes of operation: Rewind, Stop, Run, Pause for editing and cueing, and Fast-Forward. Records direct from FM tuner, phono, TV; plus "live" performances using the dynamic mike. Built-in 3x5" full range dynamic speaker provides outstanding sound reproduction. Also includes output for connecting an external speaker system. Vertical or horizontal operation; illuminated VU meter for record/playback level; individual volume and tone controls; and a 4-pole induction motor. SPECIFICATIONS: Response: 60-12,000 Hz @ 7½ ips; Wow and Flutter: Less than 0.25% rms @ 7½ ips; Signal-to-



Noise Ratio: Better than 42 db; Bias and Erase Frequency: 60 kHz; 2 inputs: Microphone and Auxiliary; 1 output: External speaker. For 110-120 v., 50/60 Hz AC. Housed in solid vinyl case with built-in accessory compartment and carrying handle. Size: 11½ x 12¼ x 6¼" D. Imported. Shpg. wt., 16 lbs.

99 C 1543WX \$5 Monthly Net 59.95

RK-710 PLUS TAPE SPLICER. Shpg. wt., 17 lbs. Net 59.96

99 C 9943WXM Net 59.96

28 C 0905 Tape Splicer Only. Wt. ¾ lb. Net 2.39

5" Reel of 600' Lafayette Mylar Recording Tape. Net .99

28 C 0102 Shpg. wt., 1¼ lbs.



Lafayette RK-33 PORTABLE REEL-TO-REEL RECORDER

With Remote Control Dynamic Microphone, 3" Reel Of Recording Tape, Take-up Reel, Earphone, Batteries, and Carrying Strap.

29⁹⁵

- Reliable Solid-State Circuitry
- Automatic Level Control
- Record Level Control
- Up To 2 Hrs. Record Time On 3¼" Reels
- 2-Speeds: 3¾ and 1½ IPS

Handsome, lightweight, compact, capstan drive, solid state reel-to-reel tape recorder at an amazingly low price! Takes reels up to 3¼". Can record or playback up to 2 hours (with a 3¼" reel). Dynamic mike has remote control start/stop switch—prevents tape waste. Other features include: record safety interlock switch, large 3" dynamic speaker, built-in (ARL) automatic record level to keep loud tones from distorting. Separate Aux. input and Mike input, earphone jack for private listening. Operates on 4 "C" batteries or 117V., 60 Hz AC with optional adapter (see below). Attractive two tone black and grey case. Size: 2¾ H x 6½ L x 10½ W. Imported.

99 C 1561 Net 29.95

ACCESSORIES FOR RK-33

99 C 3541 AC Adapter. Shpg. wt., ½ lb. Net 4.95
99 C 6257 Extra "C" Batteries (4-required) Net ea. .14
28 C 0109 3" reel of 300 ft. Lafayette Recording Tape Net .69

Lafayette Stocks A Complete Line Of Tape Accessories



TRUTEST® 150 PORTABLE RECORDER

Plus **1^c**
Tape
Bonus

9 Reels of 3" Mylar Tape for **1^c**
With Purchase of Trutest 150
Bonus Expires 8/15/69

SAVE 2.96

From Individual
Catalog Prices

Recorder Less Tape Bonus	Recorder Plus Tape Bonus
14.95	14.96

99 C 1556L Net 14.95
99 C 9942LM Recorder Plus Tape Bonus Net 14.96
99 C 3537 117 VAC adapter 6 oz. Net 3.95
99 C 6021 Extra 9 V. Bat. (1 req.) 2 oz. Net .21
99 C 6257 Extra "C" cell (2 req.) 2 oz. Net .14
Package of Three Reels of 225 ft. Mylar Recording Tape.
28 C 1702 Shpg. wt., 6 oz. Net .99

Famous Brand Cassette and Reel-to-Reel Tape Recorders

CONCORD F-105 SOLID-STATE STEREO CASSETTE TAPE DECK



Our Low,
Low Price

Only
69⁵⁰

No Money Down

Plugs into your hi-fi system for stereo or monaural recording. Tape your own music collection off the air, from records, or another tape recorder. Plays back stereo and monaural cassettes. Has dual VU meters and two recording level controls; stereo microphone inputs; cue control for editing; Instant Fast-Forward and Reverse. Response: 50-10 kHz. Teak cabinet base. Four patch cords included. For 110/117V., 60 Hz AC. Size: 9 1/4" W x 2 3/4" H x 8 1/4" D. Shpg. wt., 6 lbs. Imported.
27 C 3533 \$5 Monthly Net 69.50

SONY SUPERSCOPE MODEL 355 SOLID-STATE 3-HEAD REEL-TO-REEL STEREO TAPE DECK



Only
199⁵⁰

With
Walnut Base
and
Protective
Dust Cover

- 3 Speeds: 1 7/8, 3 3/4, 7 1/2 IPS
- Pause Control
- Vertical and Horizontal Operation

Deluxe professional stereo tape recorder to add to your present hi fi system. Features 3-heads, automatic tape lifters, retractable pinch rollers, automatic shut-off and a 4-digit tape counter. Also has a source and tape monitor switch, individual channel record button, 2 VU meters, record level controls, built-in patching and balance control for sound-on-sound recording, instant tape threading, stereo headphone jack, and a noise suppressor switch. 2 mike and 2 aux. inputs. Freq. response: 20-20,000 Hz @ 7 1/2, 20-17,000 Hz @ 3 3/4, 20-9,000 Hz @ 1 7/8 ips. S/N: 52 db. Wow and flutter: 0.09% @ 7 1/2, 0.12% @ 3 3/4, 0.17% @ 1 7/8 ips. Size: 15 3/4" W x 7 1/4" H x 14" D. Imported. Shpg. wt., 26 lbs.
27 C 6036WX \$10 Monthly Net 199.50
27 C 6037 F98 Mike for Model 355 Net 13.50

HITACHI BATTERY/ELECTRIC PORTABLE 4-TRACK STEREO CASSETTE RECORDER



Only **119⁹⁵** No Money Down

- Reliable Solid State Circuitry
- With 2-Mikes, 2-Earphones and Batteries

Compact, lightweight traveling companion, for the music lover. Easy-to-carry cassette stereo tape recorder. Plays anywhere, anyplace. Operates on 117 V., 60 Hz. AC. house current, or on standard "D" type flashlight batteries. Two swing-out extension cabinets each contain a 5" speaker. Provides excellent stereo sound reproduction and full dimensional stereo separation. Features "Levelmatic" (automatic record level control). Also has pushbutton control; level and tone controls for each channel; two record level VU meters and remote control jack. Frequency Response: 100 to 10,000 Hz. Speed: 1 7/8 ips. Circuitry: 16 transistors, 10 diodes, 4 thermistors. Size: 11x6 1/4x8 3/4". Imported. Shpg. wt., 7 lbs.
27 C 2301WX \$6.50 Monthly Net 119.95
"D" Batteries for above (6 req.) Net ea. .15
99 C 6256 Net ea. .15

PANASONIC RQ-210 "MINI-CASSETTE" SOLIO-STATE PORTABLE TAPE RECORDER

Only **99⁹⁵**

with:

- Remote Control Pencil Mike
- Earphone
- 60 Minute Cassette
- 4 "AA" Batteries
- Leather Carrying Case
- Wrist Strap

Features:

- Five Integrated Circuits
- Built-In Speaker
- Automatic Record Level Control



Dual track miniature Cassette tape recorder, compact enough to be hand-held for on-the-spot recording anywhere! Simple to use—no tape threading; uses standard Phillips Type Tape Cassettes. Features: advanced solid-state circuitry utilizing 5-Integrated Circuits, 5-transistors and 3-diodes. Records and plays back music or voice up to an hour per cartridge at 1 7/8 ips (both tracks). Single lever control knob determines all modes of tape operation; Record, Play, Stop, Rewind, Fast-Forward. Automatic Recording Level Control assures easy, perfect recordings everytime. Built-in 2 1/2" dynamic speaker offers full fidelity mono sound. Remote control start/stop mike input, earphone output for private listening. Response: 50-10,000 Hz. Size: 3 3/4" W x 6 1/4" H x 1 7/8" D. Imported. Shpg. wt., 3 lbs.
27 C 1217L \$5 Monthly Net 99.95
27 C 1218 Accessory Tie Clip Mike. Shpg. wt., 2 oz. Net 14.95
99 C 6258 Extra "AA" Batteries (4-required) Net ea. .10

LAFAYETTE RECORDING TAPES

LAFAYETTE'S GUARANTEE — YOU BE THE JUDGE!

Lafayette's tape is made by outstanding nationally known manufacturers. It is first quality, splice free, red oxide coated, with full frequency response, uniform output and no "drop-outs." Resistant to moisture, heat,

cold and abrasion. If for any reason you are dissatisfied return the tape within 30 days and we will refund your money less only transportation charges. You are the sole judge.



LAFAYETTE ACETATE RECORDING TAPE

Stock No.	Feet	Reel	Mils	Wt. Lbs.	Net Per Reel		
					1-4	5-24	25 up
28 C 0102	600	5"	1½	1/2	.98	.80	.85
28 C 0103	980	5"	1	3/4	1.20	1.10	.99
28 C 0101	1200	7"	1½	1	1.39	1.49	1.35
28 C 0104	1800	7"	1	1¼	1.98	1.88	1.78

LAFAYETTE TENSILIZED MYLAR** TAPES

Stock No.	Feet	Reel	Mils	1-4	Net Per Reel		
					5-24	25 up	
28 C 0109	300	3"	1/2	.69	.63	.59	
28 C 0110	600	3¼"	1/2	.89	.90	.81	
28 C 0111	1200	5"	1/2	2.25	2.03	1.83	
28 C 0108	2400	7"	1/2	3.89	3.39	3.09	

LAFAYETTE MYLAR** RECORDING TAPE

Stock No.	Feet	Reel	Mils	Wt. Lbs.	Net Per Reel		
					1-4	5-24	25 up
28 C 0105	1200	5"	1/2	3/4	1.75	1.58	1.42
28 C 0106	1800	7"	1	1¼	2.49	2.25	2.13
28 C 0107	2400	7"	1/2	1¼	3.10	2.78	2.91

LAFAYETTE TAPE FOR AUTOMATIC REVERSING TAPE RECORDERS

Stock No.	Feet	Reel	Description	Net Per Reel		
				1-4	5-24	25 up
28 C 0116	1200	5"	1/2 mil mylar	1.99	1.84	1.87
28 C 0117	1200	7"	1½ mil acetate	1.84	1.75	1.62
28 C 0118	1800	7"	1 mil mylar	3.89	3.54	3.38
28 C 0119	2400	7"	1/2 mil tens mylar	5.84	5.32	5.23

* Mylar is the registered DuPont trademark for its polyester film

LAFAYETTE BULK TAPE ERASERS



11⁷⁵
Standard Model
24⁹⁵
Professional Model

PROFESSIONAL MODEL For complete erasing of 3", 5", 7" or 10½" reels of tape. Erases ¼" tapes in one operation without requiring reversing of reel. Will erase up to 1" wide tapes. An extra-powerful unit draws over 9 amperes. Can be used to demagnetize tape, magnetically stripped film, as well as tools and watches. Has built-in fuse. 6¼x7¾x 3½". 105-125V. 60 Hz. Imported. 99 C 1516 Shpg. wt., 14 lbs. Net 24.95

STANDARD MODEL

Similar to professional model for all size reels but handles only standard size ¼" tapes or smaller and reel must be turned over once. Has separate spindle positions for 10½" and 3, 5, and 7" reels; non-magnetic bakelite plate for reel rest. One powerful coil consumes 5 amps. Metal case 7¼ x 4¼ x 3½". Imported. Shpg. wt., 9 lbs. 99 C 1518 Net 11.75

LAFAYETTE TAPE HEAD DEMAGNETIZER WITH SWITCH

Pencil shaped head demagnetizer with one extending probe. Styling allows you to reach all heads in all positions. Features switch control... no need to leave unit on constantly. Turn on when needed and off to conserve unit's life. Operates on standard 110-120V 60 Hz AC. Imported. Shpg. wt., 1 lb. 99 C 1533 Net 2.49



2⁴⁹

TELEPHONE PICKUP FOR CRADLE OR UPRIGHT PHONES



1⁴⁹

Induction telephone pick-up for cradle or upright phones. Simply place phone base on pickup and connect leads to high impedance input of an audio amplifier or directly to a tape recorder. Imported. Shpg. wt., 8 oz. 99 C 1034 Net 1.49

LAFAYETTE STEREO RECORDER PATCH CORD



1¹⁹

Ideal for making tape recorder connections from stereo receivers, tuners and amplifiers having front panel tape output jacks. A convenient 6 foot cable has stereo 3 conductor phone plug at one end and two standard color coded RCA type phono plugs at the other. Insert phone plug into front panel tape output jack of receiver, tuner or amplifier and connect phono plugs to inputs of tape recorder for convenient connection. Imported. Shpg. wt., 8 oz. 99 C 6336 Net 1.19

7 INCH POLYESTER TAPES

• Leading USA Manufacturer • Factory Boxed

1200 FT., 1½ MIL., Shpg. Wt. 1 lb.	
28 C 0113	1-2 ea. .95 3-9 ea. .82
	10-24 ea. .74 25 up .69
1800 FT., 1 MIL., Shpg. Wt., 1¼ lbs.	
28 C 0114	1-2 ea. 1.29 3-9 ea. 1.19
	10-24 ea. 1.14 25 up 1.09

1200 FT. 1½ MIL

As Low As **69^c** Lots of 25

1800 FT. 1 MIL

As Low As **1⁰⁹** Lots of 25

LAFAYETTE TAPE SLICER



2³⁹

- Two Operations—Cuts & Trims
- Clean Splices in Seconds
- For Monaural or 2 and 4-Track Stereo
- Splicing Tape Supplied

A sturdy precision instrument for professional use in all splicing and editing applications. Gives clean, quick cuts on all tapes without losing a significant portion of the sound track. Splicing tape fed from below will not foul and waste tape. Sharp long lasting blades provide trouble-free operation. A must for professionals and demanding audio hobbyists. Imported. Shpg. wt., 3/4 lb. 28 C 0905 Net 2.39

Replacement splicing tape for above. 28 C 0906 Shpg. wt., 2 oz. Net .30

HEAD-KLEEN SPRAY

1¹⁹

Aerosol spray removes oxide, dirt and other particles from heads to improve sound fidelity. 3 oz. 28 C 7194 Net 1.19



3 INCH RECORDING TAPES

As Low As **89^c** Per Pkg.

High quality recording tape made in U.S.A. available in either acetate or mylar base. On 3" reels. Ideal for correspondence. In poly bag. Shpg. wt., 8 oz.

5-150 FT. 3" ACETATE TAPES

Package of 5 3" acetate reels, 150' per reel.
28 C 1701 Single pkg. .99
Lots of 5 pkgs. ea. .94
Lots of 10 pkgs. ea. .89

3-225 FT. 3" MYLAR TAPES

Package of 3 3" mylar reels, 225' per reel.
28 C 1702 Single pkg. .99
Lots of 5 pkgs. ea. .94
Lots of 10 pkgs. ea. .89

15 CARDBOARD TAPE MAILING BOXES
28 C 7158 Shpg. wt., 6 oz. Net .75



Cassette Tape Players and Accessories

LAFAYETTE CASSETTE RECORDING TAPE

As Low As **79^c**



High quality tape assures full fidelity recording. Records and plays 2-tracks at 1 7/8 ips. Super strong polyester base. Proper lubrication for longer tape life. Protects heads. Imported. Shpg. wt., 4 oz.

Stock No.	Model No.	Playing Time	NET EACH			
			1-2	3-9	10-49	50 & Up
99 C 1572	C-30	30 Minutes	.99	.95	.89	.79
99 C 1540	C-60	60 Minutes	1.35	1.29	1.19	1.09
99 C 1560	C-90	90 Minutes	1.99	1.79	1.59	1.49
28 C 0121	C-120	120 Minutes	2.49	2.19	1.99	1.79

DELUXE PORTABLE CASSETTE CARRYING CASE

- Holds Up to 10 Cassettes

Compact, deluxe case is extra sturdy and covered with black and gold plastic coated Kivar with brass trim. Lined interior and stylish loop handle. Provides storage and protection for 10 cassettes. Dim: 10L x 4 3/4 W x 3 3/8"H. Shpg. wt., 1 1/2 lbs. **28 C 2013** Net 4.25



4²⁵

SOLID STATE CASSETTE AM & FM RADIO TUNERS



AM RADIO TUNER

6⁹⁵

FM RADIO TUNER

12⁹⁵

- Converts Most Cassette Tape Recorders and Players into a Sensitive Radio

Miniaturized, solid-state radio tuner circuit with self-contained battery (included). Same size as any standard cassette player or recorder. High-impact break resistant case. Size: 4x2 1/2x3/8". Imported. Shpg. wt., 1/2 lb.

ard blank or prerecorded cassette. Take it anywhere, play it anywhere. Plays directly through the amplifier and speaker system of your cassette player or recorder. High-impact break resistant case. Size: 4x2 1/2x3/8". Imported. Shpg. wt., 1/2 lb.

28 C 4301L AM Radio Tuner Net 6.95
28 C 4302L FM Radio Tuner Net 12.95

CASSETTE TAPE CARTRIDGE STORAGE RACK



10⁹⁵

- Holds Up To 48 Tapes
- Lazy Susan Type Base

Attractively styled wood and masonite cassette cartridge storage rack with simulated wainut vinyl finish. Has "Lazy Susan" type base for easy access to your cassettes. Size: 7 7/8x7"x10"H. Shpg. wt., 5 lbs. **28 C 7805W** Net 10.95

CASSETTE CARRYING CASE

ONLY

1⁹⁵

- Holds 12 Cassettes



Black vinyl with chrome trim, shoulder strap, and spring snap lock. Dim.: 6 1/2Lx-5 1/2Hx3"D. Shpg. wt., 1 lb. **28 C 2701** Net 1.95

CASSETTE TAPE HEAD CLEANER



ONLY

1²⁹

Removes coating deposits from tape heads and restores both volume and high frequency response. For use in any player accepting cassettes. Simply run tape, impregnated with special formula, like regular tape cassette. Cleans in a couple of minutes. Can be reused many times. Shpg. wt., 6 oz. **28 C 1601** Net 1.29

LAFAYETTE SOLID-STATE "CASSETTE" PORTABLE TAPE PLAYER

Goes Anywhere—Plays Anyplace!

Our **LOW, LOW PRICE**
From Spring Catalog 693
CONTINUES

Only

17⁹⁵

A great way to listen to the vast selection of pre-recorded cassette tapes on the market today. The "Cassette-Mate" gives you remarkably Full Range sound and unlimited convenience. Battery operated or can be played on 110 VAC house current with optional adapter. Integrated carrying handle for ease of portability. Earphone for private listening. Instant-on solid-state circuitry. Easy to use "Stop/Play Switch." Earphone/external speaker jack. Volume Control. With batteries and earphone. Size: 9 1/2"H x 5 1/4"W x 2 1/2"D. Imported. Shpg. wt., 4 lbs.

99 C 1578 Net 17.95
99 C 3568 AC Adapter For Cassette-Mate..... Net 3.95
99 C 6257 Extra "C" batteries (4 req.) Net ea. .14



LAFAYETTE Long Play Pre-Recorded Stereo Cassette Tapes



YOUR CHOICE
Only **2⁹⁵** each

Playable On Stereo
or Monaural Equipment



STOCK NO.	DESCRIPTION	STOCK NO.	DESCRIPTION
CLASSICAL MUSIC		ORCHESTRATION—BACKGROUND MUSIC	
28 C 4101L	1812 Overture/Russian Eastern Dverture/Polovetsian Dances/A Night on Bald Mountain—Vienna Symphony Orchestra. Playing Time* 55:36.	28 C 4125L	Under Paris Skies—Roger Leausand and His Club Lido Orchestra. Playing Time* 25:47.
28 C 4102L	Bolero/Espana Rapsodie/The Sorcerer's Apprentice/Afternoon of the Faun—Vienna Symphony Orchestra. Playing Time* 44:28.	28 C 4130L	Tribute to Mantovani by the Hollywood String—Lovers of Paris, Lover's Waltz, The Golden Touch, Plus other selections. Playing Time* 24:50.
28 C 4103L	Beethoven:—Piano Concerto #5 (Emperor) Alfred Brendel Soloist, Pro Musica Orchestra, Vienna. Playing Time* 38:43.	28 C 4127L	The Brave Bulls—La Orchestra de la Plaza De Toros. Playing Time* 25:01.
28 C 4104L	Tchakovsky: Nutcracker Suite; Weber: Invitation to the Dance—Bamberg Symphony Orchestra. Playing Time* 31:06.	POPULAR, FOLK, JAZZ, ROCK	
28 C 4105L	Rachmaninoff: Piano Concerto #2—Tchakovsky: Pianc Concerto #1—Felicia Blumental Soloist, Orchester Der Wiener Musikgesellschaft. Playing Time* 61:35.	28 C 4132L	Psychedelic Rhythm—The Cross Fires, Anna, Highland Guitar, Third Man Cha, Cha, Cha, Taboo plus other selections. Playing Time 28:20.
28 C 4106L	Tchakovsky: Symphony #6 "Pathetique" Hollreiser, Conductor—Filarmonica Triestina. Playing Time* 44:00.	28 C 4131L	Guadalajara Brass—Zorba the Greek, Whipped Cream, A Taste of Honey, plus other selections. Playing Time 22:16.
28 C 4107L	Grieg: Peer Gynt Suites—Bizet: L'Arlésienne Suites, Bamberg Symphony Orchestra. Playing Time* 49:20.	28 C 4128L	Pradomania — Frances Bay Orchestra — Pradomania Mambo No. 5, April in Portugal, Guaglione, Mangas plus other selections. Playing Time 27:00.
28 C 4137L	Tchakovsky: Sleeping Beauty—Swan Lake Ballet Suites, Vienna Symphony Orchestra. Playing Time* 39:02.	28 C 4133L	Folk Festival on Campus—The Minute Man, Song of Hope, California, Green Grow the Laurels, Scotch and Soda, I'm Comin Home. Playing Time* 34:10. *Includes Side A & B
28 C 4136L	Mendelssohn—Symphony No. 4 "Italian" Tchakovsky: Capriccio Itallen—Orch. Der Wiener Musikgesellschaft. Playing Time* 41:29.	28 C 4115L	Mardi Gras Time with the Dukes of Dixieland. Playing Time* 36:51.
28 C 4135L	Liszt: Piano Concerto No. 1 & No. 2. Alfred Brendeh, Soloist—Pro Musica Orchestra, Vienna. Playing Time* 37:18.	28 C 4116L	Percussion Espanol—Charlie Fox and Orchestra—Hoot Blues, Guajira, Holiday, Hollywood Cha-Cha, Minor Mambo, plus other selections. Playing Time* 28:18.
28 C 4134L	DeFalla: The Three Corned Hat: Vienna Symphony Orchestra. Playing Time* 38:35.	28 C 4117L	Big Band Percussion—Francis Bay and Orchestra—When Your Lover Has Gone, The Song is You, As Time Goes By, Bye-Bye Blackbird plus other selections. Playing Time* 27:14.
MOVIE and BROADWAY SHOW MUSIC		28 C 4118L	Andre Previn Plays: I've Got A Feeling I'm Falling, Black and Blue, Gypsy Dance, Honey Suckle Rose plus other selections. Playing Time* 25:54.
28 C 4108L	Gershwin's Rhapsody in Blue—American in Paris—London Pops Orchestra. Playing Time* 30:79.	28 C 4119L	Herbie Mann—Hi Flutin'—Herbie's Buddie; Perdido, Baubles, Bangles & Beads, Give A Little Whistle, plus other selections. Playing Time* 32:17.
28 C 4109L	Hits from: My Fair Lady—Camelot—GIGI—Sound of Music—Hollywood Radio City Orchestra and Chorus. Playing Time* 26:35.	28 C 4120L	John Gary—New Singing Sensation—How Many Teardrops Must I Shed, One Last Night Together, How Can My Heart Forget You, Little People, plus other selections. Playing Time* 26:08.
28 C 4110L	Hits from Oklahoma—South Pacific—King & I—Flower Drum Song—Hollywood Radio City Orchestra and Chorus. Playing Time* 26:06.	28 C 4121L	Go Go Discotheque—The Kites—Stomp (Frug), No More (Jerk), Watasi Ball (Watasi), Monkey Mash (Monkey), Baby Love Me More Hully Gully, plus other selections. Playing Time* 24:38.
28 C 4111L	Hits from Music Man—Can Can—Porgy & Bess—Showboat—Hollywood Radio City Orchestra and Chorus. Playing Time* 26:36.	28 C 4123L	Rock & Roll Guitar—Rhythm Rockers—Guitar Boogie, Moon Rock, 120 MPH, String Blues, Chick's Song, Picking and Rooking, plus other selections. Playing Time* 26:50.
28 C 4112L	Around the World in 80 Days—Robert Fielding Orchestra. Playing Time* 27:22.	28 C 4124L	Dancetime—Tribute To Glen Miller—Sleepy Town Train, In the Mood, American Patrol, Tuxedo Junction, Green-sleeves, plus other selections. Playing Time* 26:40.
28 C 4113L	Hollywood Strings Play Rogers & Hammerstein. Playing Time* 28:46.	28 C 4129L	Salute to Benny Goodman by the members of the Benny Goodman Band—Jersey Bounce, and the Angles Sing, Let's Dance, Benny Rides Again plus other selections. Playing Time* 25:50. *Includes Side A & B
28 C 4114L	Hollywood Strings Play Irving Berlin. Playing Time* 28:19.		
28 C 4122L	Great Movie Themes—London Pops Orchestra—Exodus, Around the World in 80 Days, Picnic, Moulin Rouge, Merry Widow. Playing Time* 28:51.		
28 C 4126L	Hits from Fiddler On The Roof, West Side Story, Pal Joey—Hollywood Radio City Orchestra and Chorus and London Pops Orchestra. Playing Time* 27:53.		

LATEST OUTSTANDING LAFAYETTE RELEASES

• Great Symphonic Masterworks • Opera • Popular

28 C 4138L	Brahms—Dvorak: Hungarian and Slavonic Dances, Bamberg Symphony Orchestra; Perlea, Cond. Playing Time* 39:12.	28 C 4143L	Beethoven Symphony No. 5. Centi Solti Orchestra of Paris. Playing Time* 26:36.
28 C 4139L	Vocal Highlights from Aida, Soloists and Orchestra from the Milan Opera. Playing Time* 47:07.	28 C 4144L	Beethoven Symphony No. 7. London Symphony, Van Remoortel, Cond. Playing Time* 33:44.
28 C 4140L	Vocal Highlights from Madam Butterfly, Soloists and Orchestra from the Milan Opera. Playing Time* 41:24.	28 C 4145L	Beethoven Symphony No. 6. "Pastoral", Vienna Symphony Orchestra, Klemperer, Cond. Playing Time* 42:31.
28 C 4141L	Great Million Sellers: Never on Sunday—Los Espanoles, Vanity—Don Cherry, Peter Gunn—Embers & Candido, You Made Me Love You—Karin Chandler, Greensleeves—Joe Zawinul, plus 5 more hits. Playing Time* 24:03.	28 C 4146L	Rossini "William Tell" and other Famous Overtures, Bamberg Symphony Orchestra, Perlea Cond. Playing Time* 50:22.
28 C 4142L	Elegant Violins—The Philharmonic Strings, C'est Si Bon, C'est Magnifique, Isle of Capri, If I Love Again, Lovers Theme, Brahms Waltz plus 5 more selections. Playing Time* 27:24.	28 C 4147L	Berlioz — Symphonic Fantastique, Bamberg Symphony Orchestra, Perlea Cond. Playing Time* 54:28. * Includes Side A and B.

Deluxe LAFAYETTE RK-570 Solid State FM Stereo Cassette Hi-Fi Music System



ONLY
249⁹⁵

Cassette Storage Rack

ONLY **1** MORE

With Purchase of RK-570

BONUS OFFER
ENDS 8/15/69



SAVE 10⁹⁴

From Individual Catalog
Prices. See Page 16 for
Complete Description of
Storage Rack.

Complete System Consists Of:

- 17-Watt Lafayette FM Stereo Receiver
- Lafayette Cassette Stereo Tape Recorder
- 4-Speed Mini-Automatic Stereo Record Changer
- Handsomely Styled Oiled Walnut Wood Cabinet
- Two Detached Matching Oiled Walnut Wood Bookshelf-Type Speaker Systems

Play monaural and stereo records. Listen to stereo and monaural FM radio broadcasts. Play and record stereo and monaural cassette tapes. Record live. Record your records while they play on the Mini changer. Tape FM stereo and monaural broadcasts directly off the air—THERE IS NOTHING ELSE TO BUY (but optional microphones) because you also get two deluxe matching 2-way speaker systems each containing a high compliance 9" woofer and a wide dispersion 3" tweeter which provide the listener with superb full range Hi-Fidelity sound reproduction. 17-Watt solid state FM stereo receiver features powerful 28-transistor, 1-FET, and 20-diode solid-state circuitry; FET front-end FM stereo tuner for superb sensitivity and selectivity; stereo indicator light; precision slide rule logging scale; stereo headphone jack; separate balance, volume, treble, and bass controls. Direct recording from FM stereo tuner or stereo record changer to cassette recorder. Two auxiliary input jacks and two external speaker output jacks. Cassette stereo recorder has six pushbutton controls (Record, Rewind, Stop, Play, Fast Forward, and Pause for editing). Tape speed 1 7/8 ips., 2 microphone input jacks with stereo/mono input selector

switch, record/playback VU meter. 4 speed stereo automatic mini-changer plays all size records and intermixes 12" and 10" records of the same speed. Tone arm is equipped with a turnover stereo cartridge with diamond LP needle. Handsomely styled walnut decorator cabinetry. Control center 20 3/4" x 14 1/4" x 3 3/8" H (overall height to top of spindle, 7"). Each speaker system 12 x 7 x 8". Includes two 6-ft. connecting speaker cables. For 117 VAC. 60 Hz. Imported. ± 1 dB. New rating standard used by major audio manufacturers. 99 C 9939WXM System Only. Shpg. wt., 48 lbs. Net 249.95

RK-570 FM STEREO CASSETTE HI FI MUSIC SYSTEM PLUS CASSETTE STORAGE RACK. Shpg. wt., 53 lbs.
99 C 9944WXM \$12.50 Monthly Net 249.96
24 C 7805W Storage Rack Only. Shpg. wt., 5 lbs. Net 10.95

ACCESSORIES FOR RK-570

24 C 0906W Tinted Plastic Dust Cover wt. 1 lb. Net 7.95
99 C 4630 Dynamic Mike wt. 6 oz. Net 5.95
99 C 1540 60 Minute Blank Cassette Tape wt. 2 oz. Net 1.35

LAFAYETTE "Mini" 4-SPEED AUTOMATIC STEREO PHONOGRAPH

SALE!
44⁹⁵
SAVE
5.00

Was 49.95
1969 Cat. 690

Sale Ends
8/15/69



Diamond Needle



- Exciting BSR 4-Speed Automatic "Mini" Stereo Changer
- Space Age Solid State Circuitry
- Two 4" Wide Range Speakers

Beautifully styled with drop-down compartment which folds away for maximum space saving efficiency. Features BSR 4-speed stereo automatic "Mini-changer", with automatic shut-off. Plays all size records at 16, 33 1/3, 45 and 78 RPM. Intermixes 12" and 10" records of the same speed. Two separate 4" wide range speakers are acoustically balanced and spaced for true stereophonic full-dimensional sound. Powerful solid-state stereo amplifier with 4-transistors and 2-10's (integrated circuits) provides instant-on operation—no warm up. 3 controls: volume left, volume right, and tone. Equipped with stereo turnover cartridge with diamond LP needle. Attractive, washable bright textured blue covering. For 110-120 VAC, 60 Hz. Measures 27 1/2" x 10 3/4" x 6 1/2" D. Shpg. wt., 18 lbs.

24 C 0271WX \$5 Monthly
24 C 0256 45 RPM Spindle for MS24B

Net 44.95
Net 1.48

DELUXE MODEL 10C 4-SPEED MANUAL PHONOGRAPH

NEW

Our Best
Manual
Phono



Made in
U. S. A.

Only **19⁹⁵**


- Speaker Front Mounted for Full Tone Sound Dispersion

Plays monaural records of all speeds—33 1/3, 45, 16 2/3, and 78 RPM—all sizes 12", 7", and 10". Solid state circuitry provides instant on operation. 2 controls—on/off Vol., Tone. Arm is equipped with dual turnover cartridge with 2 synthetic sapphire needles. Built-in 45 RPM adapter disc. Attractive blue washable pyrolox coated fabric with silver metal grill. Size: 12 1/4" x 10 1/2" x 5" H. For 110-120 VAC 60 Hz. UL Listed. Shpg. wt., 9 lbs. 24 C 0289W Net 19.95

SAVE 40⁰⁰
FROM INDIVIDUAL CATALOG PRICES

on a

DAZZLING STEREO
COMPACT MUSIC SYSTEM



ONLY **249⁸⁵**

LRC-60 Receiver/Turntable Purchased Separately 229.95
2 Criterion 50 Speaker Systems Purchased Separately 59.90
Total 289.85
SPECIAL CATALOG 694 SALE PRICE 249.85

SALE ENDS 8/15/69

Deluxe 75-WATT HI-FI MUSIC SYSTEM Featuring The LAFAYETTE LRC-60 AM-FM STEREO RECEIVER/TURNTABLE CONTROL CENTER

- Powerful 75-Watt AM-FM Stereo Receiver*
- BSR McDonald 500 Stereo Automatic Turntable

Save 40.00 on this superb stereo music system featuring the best selling Lafayette LRC-60. The LRC-60 consists of a 75-watt AM/FM stereo receiver with FET front-end and 4 revolutionary IC's, plus the famous BSR McDonald 500 4-speed automatic stereo turntable with a Pickering V15/AC-3 Dustomatic stereo cartridge, all mounted in a superbly crafted and styled oiled walnut wood cabinet. You get a stunning blend of beauty and performance from a truly space saving compact control unit. Also included are two Lafayette Criterion 50 quality bookshelf speaker systems. (See page 28 for complete description of the Criterion 50.) The use of IC's on the LRC-60 provides significantly better front-end performance and greater sensitivity enabling you to hear more stations with less noise and interference. McDonald 500 turntable features a low mass tubular tone arm, micrometer stylus pressure adjustment, dynamic anti-skate control, and a cueing and pause control.


- 2 Criterion 50 2-Way Bookshelf Speaker Systems
- Superbly Crafted Oiled Walnut Wood Cabinetry

Plays 7, 10, or 12" records at 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45, and 78 rpm. Amplifier delivers wide-range response of 20-20,000 Hz \pm 1 db, plus 75-watts output power. Impedance: 8-16 ohms. FM Sensitivity: 1.8 μ v IHF. 11-audio controls, plus precision D'Arsonval tuning meter, automatic FM stereo/mono switching, stereo FM indicator light, stereo headphone jack, tape recorder jacks. Size, LRC-60 Control Center: 16 $\frac{3}{4}$ " W x 7 H x 15 $\frac{3}{8}$ " D. Criterion 50 Speaker System: 21 $\frac{1}{2}$ " W x 11 $\frac{3}{4}$ " H x 10 $\frac{1}{2}$ " D. Imported. *IHF \pm 1db rating standard used by major audio mfrs.
99 C 9937WXM Shpg. wt., 98 lbs. Net 249.85

LRC-60 Stereo Receiver/Turntable Only.
99 C 0189WX Shpg. wt., 42 lbs. Net 229.95
99 C 0128WX Criterion 50 Speaker System Only. 28 lbs. Net ea. 29.95
Tinted Plexiglas Dust Cover for LRC-60. Size: 15 $\frac{3}{8}$ " x 13 $\frac{3}{8}$ " x 4 $\frac{1}{8}$ ".
24 C 0905W Shpg. wt., 1 lb. Net 8.95

LAFAYETTE LSC-10 SOLID-STATE STEREO MODULAR HI-FI PHONO SYSTEM

ONLY
59⁹⁵
No Money Down



Features Oiled Walnut Wood Cabinetry, and a Tinted Plastic Dust Cover

Diamond Stylus

Made in U.S.A.

- 10-Watt Solid State Stereo Amplifier
- BSR 4-Speed Automatic Stereo Record Changer
- Two 4" Matching Speaker Systems
- Stereo Headphone Jack For Private Listening

Thrill to breathtaking hi-fi sound. Solid state stereo amplifier for instant play, cool operation, and longer life features space age integrated circuits. Delivers a big 10-watts of power. Has 3 controls—Volume Left, Volume Right, Continuous Tone (Base/Treble). Stereo Headphone Jack for private listening. BSR 4-speed stereo automatic "Mini-changer" features automatic shut-off after last record has been played. Plays all size records—7", 10" 12" and all speeds—16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45 and 78 RPM. Intermixes 12" and 10" records of the

same speed. Tone arm is equipped with a stereo turnover cartridge with diamond LP needle. Each matched speaker system contains a powerful 4" speaker and includes a 6-ft. cable for outstanding stereo separation. Size—Amplifier/Changer Section—17 $\frac{1}{2}$ "x10"x7" H (dust cover). Speaker systems each: 8" Lx6"Dx10 $\frac{1}{2}$ " H. For 117 VAC, 60 Hz. Shpg. wt., 23 lbs.
24 C 0268WX \$5 Monthly Net 59.95
24 C 0238 Replacement needle for LSC-10 Net 1.89

Hi-Fi Systems Are Available on Easy Pay Plan—No Money Down

Lafayette LR-20 Solid State Deluxe AM/FM Stereo Radio

with Separate MATCHING OILED WALNUT WOOD Speaker Systems



Only **99⁹⁵**

No Money Down

- 48 Solid State Devices Provide 12 Watts Music Power
- Automatic FM Stereo Switching
- Stereo Headphone Jack
- Each Speaker Enclosure Contains a Full-Range 6½" Speaker

Provides brilliant and rewarding AM/FM stereo radio performance. Includes many of the characteristics of a fine hi-fi stereo component music system. Two separate 6½" rich sounding wide range matching oiled walnut wood speaker systems permit you to enjoy true stereo separation. Deluxe Features: Stereo Indicator Light; Automatic FM Stereo Switching; Full complement of controls; Function selector for AM, FM, FM, AFC, Phono-Aux; Volume/Balance; continuous Tone (Bass/Treble); Mode switch (stereo-mono); Loudness compensator switch, stereo headphones jack; phono input jack. 26-Transistors, 18 diodes and 4-thermistors. Ferrite AM antenna and FM line cord antenna, as well as connection for external FM antenna. Overall FM sensitivity: 7µv; Output: 12-watts. Control unit is housed in a handsome simulated walnut metal enclosure. For 117V., 50/60 Hz. AC. Size: Control Unit—15W x 4¼H x 10¼"D.; Speakers—7½W x 9¾H x 5¼"D. Imported. Shpg. wt., 24 lbs.

99 C 3549WX \$5 Monthly Net 99.95

DELUXE LAFAYETTE 4-SPEED "MINI" AUTOMATIC STEREO RECORD CHANGER mounted on matching walnut base with tinted plastic dust cover and diamond LP needle. Dimensions: 14¾ x 5 x 10". Shpg. wt., 7 lbs. Imported

21 C 1401W \$5 Monthly Net 34.95

LAFAYETTE 8X STEREO HEADPHONE for LR-20. 99 C 0180 Shpg. wt., 1¼ lbs. Imported Net 7.95

Optional Lafayette 4-Speed Automatic Stereo Record Changer



34⁹⁵ No Money Down

DELUXE Lafayette "CRITERION® IV" SOLID STATE PROFESSIONAL FM RADIO RECEIVER



Only **59⁹⁵**
No Money Down

Engineered to reproduce the full-range brilliance of FM broadcasting in your home. Handsomely styled and compact, the Criterion IV measures only 14½W x 9D x 8¼"H, yet its sound quality is astonishing. Solid-state circuitry with 17-transistors and 5-diodes provides FM performance equal to that of expensive FM receivers. Tuned RF and 4 IF stages assure superb sensitivity and selectivity—bringing in the most distant stations, without distortion, noise or drift. Superb sound quality is provided by a powerful 5" full range, high-compliance speaker mounted in a completely sealed and damped enclosure, utilizing the acoustic suspension principle. Includes inputs for external program sources such as record changer (with ceramic/crystal cartridge) or tape recorder. Output jacks for tape, external 8-ohm speaker, and external antenna. SPECIFICATIONS: Output: 6-watts music power. Sensitivity: 2.5 µv. Controls: Tuning, Volume, Bass, Treble, FM-AUX Selector Switch, Main-Remote Speaker Selector. Protective output fuse. Built-in FM antenna. For 110-120 VAC 50/60 Hz. Imported. Shpg. wt., 12½ lbs. 99 C 3525W \$5 Monthly Net 59.95

- Tape Recorder Inputs and Outputs
- Magnificent Sound Quality From a Special Self Contained 5" High Compliance Acoustic Suspension Speaker System
- Advanced Solid State Circuitry With 17-Transistors, 5-Diodes
- Tuned RF FM Stage and 4 IFs for Superb Sensitivity and Selectivity



OFFER ENDS 8/15/68

SAVE
45%

Special

36" RECORD CABINET OFFER!

This rich, contemporary 36" record cabinet with deep-grain Stylite mar-resistant walnut finish, regularly priced at \$19.95... Yours for only \$10.95 with the purchase of any Lafayette stereo system, receiver, amplifier, or tuner shown on pages 20 thru 27. Cabinet can also be used as a bar, bookcase, etc. Sizes: 35½ x 14 x 20". Shipped knock-down. Easy to set up. Shpg. wt., 30 lbs.

20 C 5807W Cabinet Alone Net 19.95
BONUS PRICE Net 10.95

Lafayette SOLID STATE AM/FM STEREO TUNERS



2 FET's + 17 Transistor
+ 16 Diodes + 4 IC's

Only
109⁹⁵
No Money Down

Ⓐ LT 425T

FET Front-End + 16 Transistors
+ 14 Diodes

Only
79⁹⁵
with case
No Money Down



Ⓑ LT 225T

(A) Lafayette Deluxe SOLID STATE AM/FM STEREO TUNER

- Static Noise Filter
- Built-in AM/FM Antennas
- Front and Rear Tape Output Jacks
- Fully Automatic Stereo Indication
- Muting Control Eliminates Tuning Noise Between Stations
- Front Panel Zero Center Meter For Accurate Tuning of Stations

Tune more stations than you ever thought possible before! Unprecedented clear reproduction of weak as well as strong stations with least outside noise interference! 2 FET's used in the separately shielded front-end section provide a high degree of overload capability, minimum cross-modulation, and stronger image rejection. 4 IC's are used in the IF amplifier section for hard limiting, excellent temperature stability, and increased reliability. Each of these Lafayette type IC's contains 5 transistors, and 2 resistors. Its handsome brushed aluminum gold anodized extruded front panel, and simulated walnut wood grain case makes it ideal for any decor. Size: 13x3¾x9¾". For 110 V., 50/60 Hz. AC. Imported: Shpg. wt., 16 lbs.

99 C 0184WX \$6.00 Monthly Net 109.95

(B) SOLID STATE AM/FM STEREO TUNER

- Distinctive Styling • 3 µV IHF Sensitivity
- 3 Gang FM and AM Tuning
- Built-in FM and AM Antennas
- Automatic Mono-Stereo Switching, plus Stereo Indicator Light
- Tuning Meter Fine Tunes FM and AM

Experience superb FM that's virtually free of outside electrical interference! Discover more AM stations across the tuning dial! Has an FET front-end for high sensitivity and minimum noise pickup, plus high quality semi-conductors (16-transistors and 14-diodes) offering all the advantages expected from solid-state circuitry— instant operation, low current consumption, cool operation, and minimum distortion. An advanced feature is the fully automatic FM stereo-mono switching system for automatic reception and identification of stereo programs. Other features are: Built-in AM and FM antenna systems for reception of local stations; illuminated slide rule dial; and stereo indicator light. Handsomely styled die-cast aluminum front panel with black metal case. Size: 11W x 4½H x 8¼"D. For 117 V., 50/60 Hz. AC. Imported.

99 C 0197WX Shpg. wt., 12 lbs. \$5 Monthly Net 79.95

SPECIFICATIONS. FM SECTION: 4 Gang Tuning Condenser. FM Sensitivity, IHF: 1.6 µV; Harmonic Distortion @ 100% Modulation: 0.3%; Image Rejection: 85 db; Selectivity: 40 db; Capture Ratio: 1.5 db; MPX Channel Separation: 38 db. at 400 Hz, Cross Modulation Index: 90 db; External Antenna Impedance: 300 ohms (balanced); AM SECTION: 3 Gang Tuning Condenser.

Save Money with Lafayette's Stereo Components

Lafayette Cat. No. 694 21

Lafayette "STEREO 20A" 20-Watt Solid-State Stereo Amplifier

Now... with 2 IC's
For Even Greater Value!

Only **39⁹⁵**
no money
down

- With Deluxe Wood Enclosure
- 20 Watts of Power at 8 Ohms
- 30-40,000 Hz. Freq. Response
- 2 IC's, 10 Transistors, 2 Diodes, 2 Thermistors



Minuette II

Model 200

89⁹⁵

No Money Down

With 20 watts of power (10 each channel), the Stereo 20A offers full, wide-range response for outstanding music reproduction. Transformerless solid-state complementary symmetry output circuitry plus 2 dependable integrated circuits ensure extended response and lowest distortion, plus long life for the power transistors.

Features include a tuner or ceramic phono selector switch, a switch for mono or stereo operation, and a speaker mode switch for selection of main speakers, remote speakers, or headphones. There's a master volume control for both stereo channels, plus a separate balance control that lets you adjust individual speaker levels for best stereo effect. Separate Bass and Treble controls let you "tailor" the sound to suit your taste! Stereo outputs include provision for main and remote speakers rated from 4 to 16 ohms impedance plus a front panel jack for stereo headphone listening. Also features a tape recorder output that lets you record your favorite stereo music. You'll like the attractive, modern styling too... the satin-gold front panel with handsome walnut grain accent, the all-wood enclosure in rich walnut finish, plus the stylish, non-mar plastic legs. Stereo Inputs: Phono (Ceramic/Crystal), Tuner. Power Supply: AC Transformer operated with full-wave rectification, 105/120 VAC., 50/60 Hz input. Size: 12W x 7 $\frac{3}{4}$ "D x 4 $\frac{1}{2}$ "H. Shpg. wt., 8 lbs.

21 C 0947WX \$5 Monthly

Net 39.95

20-Watt Stereo Hi-Fi Phono System

Featuring the "Stereo 20A"

- Lafayette Stereo 20A Solid State Amplifier
- Lafayette Model 200 4-Speed Automatic Stereo Record Changer with Turn-over Stereo Cartridge, and Balanced Featherweight Tone arm
- Oiled Walnut Changer Base
- Two Lafayette Minuette® II Oiled Walnut, Decorator Styled, Ducted Port, Bass Reflex 2-Way Speaker Systems

Complete system above. Shpg. wt., 41 lbs.

21 C 9470WXM \$5 Monthly

Net 89.95



Only
69⁹⁵
No Money
Down

STEREO/10 HI-FI STEREO PHONO MUSIC SYSTEM

- Lafayette Model 200 4-Speed Automatic Stereo Record Changer with Balanced Featherweight Tone Arm and Stereo Turnover Cartridge
- Lafayette Stereo/10 Solid State Stereo Amplifier
- Two Lafayette Minuette® II 2-Way Speaker Systems.
- Oiled Walnut Base for Record Changer

Complete Stereo/10 stereo system above with speaker connecting cable. Shpg. wt., 33 lbs.
21 C 9440WXM \$5 Monthly Net 69.95

LAFAYETTE STEREO/10 SOLID STATE STEREO AMPLIFIER

COMPACT SIZE, BIG PERFORMANCE! Ideal amplifier for Hi-Fi beginners, or use it in a second system for the living room, den, bedroom or business. Perfect for limited-space installation; bookshelf or end table. For use with record players, AM, FM and FM MPX tuners. Completely transistorized to provide clean, cool operation. Output stages couple directly to the speakers for smooth frequency response and low distortion. Input stages are designed to present a high impedance, resulting in an excellent low frequency response when used with high impedance crystal or ceramic phono cartridges. Front

panel features: Separate volume controls for Left/Right channels; tone control for Bass and Treble; individual slide switches for mode input (1-Stereo/Mono operation), (1-Phono/Tuner input); power On/Off slide switch. Rear panel features: Right/Left channel inputs for phono and tuner; Right/Left channel taps for 8-ohm speakers. Beautifully finished in neutral gray and aluminum. Size: 7 $\frac{1}{2}$ "W x 2 $\frac{1}{4}$ "H x 5 $\frac{3}{8}$ "D. For 105-125V 50/60 Hz AC. Imported. Wt., 4 lbs.

99 C 0161

Net 22.95

LAFAYETTE
Stereo Receivers

**50-WATT AM/FM SOLID-STATE
NEW STEREO RECEIVER LR-99A**



37-Transistors,
18-Diodes
Only
119⁹⁵
No Money Down

- 50-Watt Stereo Amplifier at 4-Ohms IHF ± 1 dbt
- Automatic FM Stereo Switching with Stereo Indicator Light
- Rotary Switch for Selection of Main and Remote Speakers, Stereo Headphones, and Power On/Off
- Illuminated Signal Strength Tuning Meter for Fine Tuning of AM and FM Stations
- 5 IF and Limiting Stages
- Fused Output Circuits
- Positive Action Rocker Switches
- High and Low Frequency Filters

New, deluxe version of our popular 50-watt LR-99 series at the same unbelievable low price. Just place the LR-99A in a convenient place in your home, add two speakers and enjoy top-notch AM Standard broadcasts plus FM and FM Stereo reception. Tuner section features automatic FM Stereo switching and stereo light to visually indicate the presence of FM Stereo Broadcasts; five FM IF stages for excellent selectivity, stereo separation, and interference rejection; an illuminated slide rule dial plus built-in AM and FM antennas. The versatile front control panel allows personal sound quality adjustment to suit your taste. Includes stereo headphone jack for private listening of your favorite stereo broadcasts or records. Controls include input selector, rotary switch for Power On-Off

and choice of Main or Remote Speakers or Stereo Headphones, individual Bass and Treble, High and Low Frequency switches, concentric Volume/Balance, Mode (Stereo/Mono), and Loudness. Semi-conductor compliment: 37-transistors, 18-diodes, and 2-thermistors. Protective circuitry guards against accidental shorts or overloads. Beautifully styled gold finish extruded aluminum front panel with attractive two-tone knobs and simulated walnut grain metal case. For 117 VAC, 50/60 Hz. Size: 13 $\frac{3}{4}$ "W x 4 $\frac{1}{4}$ "H x 10 $\frac{1}{2}$ "D. Imported. Shpg. wt., 21 lbs. †New rating standard used by major audio manufacturers.

99 C 0202WX \$6.50 Monthly Net 119 99

**50-WATT AM/FM STEREO SYSTEMS
With LR-99A**

- Lafayette LR-99A 50-Watt Solid State AM-FM Stereo Receiver 119.95
 - Garrard Model 40 MKII 4-Speed Automatic Record Changer 44.50
 - *Pickering V-15/AC-3 Diamond Stylus Stereo Cartridge With Stylus Brush..... 24.95
 - Garrard Base for Automatic Changer 4.95
 - Two Lafayette "Criterion 25" Wide Range 2-Way Bookshelf Speaker Systems (Oiled Walnut) 39.99
- Total 234.25



Above 50-watt stereo system with *choice of Pickering V-15/AC-3, Shure M75-6, or Empire 88E stereo cartridge with diamond stylus. Complete with 30 ft. speaker cable. Shpg. wt., 53 lbs. 21 C 9473WXM \$10 Monthly Net 199.95

Same system as above except with two Lafayette "Criterion 50" ducted port 2-way speaker systems instead of "Criterion 25" speaker systems. 21 C 9474WXM Shpg. wt., 91 lbs. Net 217.95

See Pages 18, 29 and 31 for full description of components on this page.

*Choice of Stereo Cartridge

SYSTEM PRICE **199⁹⁵**

SAVE
34.30 From Individual Catalog Prices




AWARD WINNER

"...It offers most of the refinements (and performance) typical of receivers selling for twice its price...clearly one of the best buys in audio." **"STEREO REVIEW"**

COMPUTOR-MATIC™ Protective Circuitry For Audio Power Stages

Lafayette 150-WATT AM/FM STEREO RECEIVER LR-1000T



4 IC's + 31 Transistors
+ 2 FET's + 17 Diodes

239⁹⁵ With Walnut
Grain Case
No Money Down

- 150 Watts (IHF ± 1 db at 4 Ohms)† Output Power
- IHF FM Sensitivity 1.65 μ V
- Automatic FM Stereo Switching
- Interstation Muting Control
- Center Channel Output

- Built-in FM Antenna Plus AM Antenna
- High/Low Phono Sensitivity Switch
- Exclusive Front and Rear Tape Output Jacks
- Illuminated Selector Function Indicators

Every performance feature that you'd expect to find along with many extras to obtain the superb character of brilliant sound previously found only in expensive components! The LR-1000T features the new space age miracle, Integrated Circuits (IC's) plus FET's in the tuner front end to assure outstanding selectivity, stability, and superior capture ratio. Ingenious computer-type circuitry (patent pending) provides protection of audio driver and power output transistors. Advanced circuitry is complemented by all the controls you need to adjust the sound to your particular taste. Fine features include special high frequency noise filter, front panel headphone


output jack, switchable tape output jack for direct tape recording, tape monitor and loudness switches, signal strength tuning meter, colored-function lights, and automatic FM stereo indicator light. Complete input and output facilities designed for easy installation and connection to any program source or external component. LR-1000T's professional styling is enhanced by a brushed gold anodized extruded aluminum front panel and simulated walnut grain metal case. For 105-120 VAC 50/60 Hz. Size: 15 $\frac{1}{2}$ x4 $\frac{3}{4}$ x11 $\frac{1}{4}$ " D. Imported. Shpg. wt., 35 lbs. † New rating standard used by major audio mfrs.

99 C 0183WX \$11.50 Monthly


Net 239.95

Extra Value 150 WATT STEREO SYSTEMS with LR-1000T SOLID-STATE AM/FM STEREO RECEIVER

- Lafayette Model LR-1000T 150 Watt Solid State AM/FM Stereo Receiver **239.95**
 - Garrard SL-55 4-Speed Synchro-Lab® Automatic Turntable **59.50**
 - *Pickering V-15/ACE-3 Stereo Cartridge with High Compliance Elliptical Diamond Stylus **29.95**
 - Garrard Base for Auto Turntable **4.95**
 - 2-Lafayette "Criterion 100A" Wide-Range Ducted-Port Bookshelf and/or Floor Speaker Systems (Oiled Walnut) **89.90**
- Total 424.25**




"Criterion 100A"



Alternate "Criterion 200A"

- Choice of Elliptical Cartridge
- Pickering V15/ACE-3
- Empire 808E
- Shure M32E



LR-1000T

Garrard Model SL-55

Complete stereo system with *choice of Pickering V-15/ACE-3, Empire 808E or Shure M32E stereo cartridge with high compliance elliptical diamond stylus. Complete system is designed to blend with any room decor. Supplied with 30 ft. clear polarized speaker cable. Shpg. wt., 109 lbs.
21 C 9449WXM \$19 Monthly Net 361.95
Same System as above except with 2-Lafayette "Criterion 200A" 3-speaker, 3-way acoustically tuned speaker systems, instead of 2-"Criterion 100A's." Shpg. wt., 119 lbs.
21 C 9450WXM \$22 Monthly Net 406.95
You SAVE 67.30 From Individual Catalog Prices

SYSTEM PRICED 361⁹⁵ No Money Down

SAVE 62.30
From Individual Catalog Prices



See pages 28, 29 and 31 for full description of above components and page 9, catalog 690 for full receiver specifications.


**AWARD
WINNER**

"High performance and an abundance of features.. an excellent buy on today's market."

"HIGH FIDELITY"

COMPUTOR-MATIC™ Protective Circuitry For Audio Power Stages

Lafayette 220-WATT Deluxe AM/FM STEREO RECEIVER LR-1500T



4 IC's + 40 Transistors
+ 2 FET's + 35 Diodes

299⁹⁵ With Walnut
Grain Case
No Money Down


- 220-Watts (IHF ± 1 db at 4 ohms)† Output Power
- Adjustable Automatic Interstation Muting
- Center Channel Monaural Output
- Built-In AM and FM Antennas
- IHF FM Sensitivity 1.5 μ v.

- Illuminated Selector Function Indicator Jewels
- Automatic Stereo FM Switching
- Exclusive Front and Rear Tape Output Jacks
- Massive, Regulated Power Transformer


Lafayette's finest deluxe solid-state AM/FM stereo receiver! In addition to its complement of fine quality transistors, the LR-1500T includes 4 revolutionary new Integrated Circuits (IC's) and 2 high-performance Field Effect Transistors to provide truly sterling FM Stereo reception. You'll hear more stations—the weak as well as the strong, with amazing noise-free clarity! Ingenious new patent pending computer designed circuitry for protection of audio driver and power output transistors. Utilizes a complete set of automatic and manual controls such as: Automatic FM stereo/mono switching; sharp, adjustable muting circuit to silence the receiver when tuning

between stations; dual system speaker switch permits enjoyment of stereo in one or two rooms separately or simultaneously; direct tape monitor switch. Separate input jacks provide for two magnetic phono and for ceramic/crystal cartridges. AM RF section has a separate 3-gang tuning condenser. Distinctively styled with a handsome gold anodized extruded aluminum front panel and matching knobs. Includes an attractive vinyl-clad metal enclosure with simulated walnut wood-grain. For 117 VAC, 50/60 Hz. Imported. Size: 16 $\frac{1}{4}$ x 4 $\frac{3}{8}$ x 14 $\frac{1}{4}$ "D. Shpg. wt., 43 lbs. † New rating standard used by major audio mfrs.
99 C 0190WX \$15 Monthly Net 299.95

Magnificently Matched 220-Watt Stereo Systems



Alternate "Criterion 3X"



"Criterion 100A"



LR-1500T

- Choice of Elliptical Cartridge
- Pickering V15/ACE-3
- Empire 808E
- Shure M32E

**FEATURING
AWARD WINNING LR-1500T**

- Lafayette Model LR-1500T Deluxe 220 Watt Solid State AM/FM Stereo Receiver **299.95**
 - Garrard Model SL-55 4-Speed Synchro-Lab® Automatic Turntable **59.50**
 - *Pickering V-15/ACE-3 Stereo Cartridge with High Compliance Elliptical Diamond Stylus **29.95**
 - Garrard Base for Automatic Turntable **4.95**
 - 2-Lafayette "Criterion 100A" Wide-Range Ducted-Port Bookshelf and/or Floor Speaker Systems (Oiled Walnut) **89.90**
- Total 484.25**

Complete 220-watt stereo system above with *choice of V-15/ACE-3, Empire 808E, or Shure M32E stereo cartridge with high compliance elliptical diamond stylus. Complete with 30-ft. clear polarized speaker cable. Shpg. wt., 117 lbs.
21 C 9452WXM \$22 Monthly Net 415.95
Same system as 21-9452WXM except with two Lafayette famous super deluxe "Criterion 3X" 3-speaker 3-way completely sealed and damped acoustic suspension speaker systems, instead of 2-Lafayette "Criterion 100A's". Shpg. wt., 121 lbs.
21 C 9454WXM \$24 Monthly Net 496.95
You Save 77.30 From Individual Catalog Prices



Garrard
Model SL-55

SYSTEM PRICE **415⁹⁵** No Money Down

SAVE 68.30
From Individual Catalog Prices

See pages 28, 29 and 31 for full description of above components and page 11, catalog 690 for full receiver specifications.

Hi-Fi Systems Are Available on Easy Pay Plan—No Money Down



LAFAYETTE

Stereo Hi-Fidelity

40 WATT MATCHED STEREO SYSTEM With LA-224T SOLID-STATE STEREO AMPLIFIER

- Lafayette LA-224T 40-Watt Solid State Stereo Amplifier 59.95
- Garrard Model 40MKII 4-Speed Automatic Record Changer 44.50
- *Pickering V-15/AC-3 Diamond Needle Stereo Cartridge with Stylus Brush 24.95
- Garrard Base for Changer 4.95
- 2 Lafayette "Criterion 25" 2-Way Compact Shelf Speaker Systems (Oiled Walnut) 38.50

TOTAL 172.85

Above stereo system with *choice of Pickering V-15/AC-3, Shure M75-6, or Empire 888 diamond needle stereo cartridge. Complete with 30 ft. polarized speaker cable. Shpg. wt., 41 lbs.

21 C 9458WXM \$7.50 Monthly Net 139.95

40-WATT STEREO AMPLIFIER LA-224T

- 40-Watts IHF ± 1 dbt


- Frequency Response: 30-20,000 Hz at 1 Watt ± 2 db

All the characteristics of a quality hi-fi amplifier have been incorporated into the LA-224T. 40-watts of power supplied through the use of a 19-transistor, 8 diode circuit for instant, cool operation, low current drain, minimum distortion and noise, and excellent frequency response. A full compliment of front panel controls have been provided for maximum stereo capability. Mode switch controls mono or stereo operation. Selector switch determines external music source: Phono; Tuner; or Auxiliary positions. Additional switch for speaker or headphone listening. Rear panel features: AC convenience outlet; output jacks for direct connection to your tape recorder; input jacks for magnetic, crystal, or ceramic cartridges. Outputs for 4, 8, and 16 ohm impedance speakers. Attractive, brushed aluminum, gold anodized extruded front panel with complimentary metal case. Size: 10 $\frac{1}{4}$ "W x 3 $\frac{3}{4}$ "H x 7 $\frac{3}{4}$ "D. For 110-125 VAC, 50/60 Hz. Imported. Shpg. wt., 9 lbs. †New rating standard used by major audio manufacturers.

99 C 0167WXM \$5.00 Monthly Net 59.95



LA-224T



Garrard Model 40MKII

"Criterion 25"

*Choice of Stereo Cartridge

SYSTEM PRICE

139⁹⁵

No Money Down

SAVE 32.90

From Individual Catalog Prices

60-WATT MATCHED STEREO SYSTEM With LA-450 SOLID-STATE AMPLIFIER

- Lafayette LA-450 60 Watt Solid State Stereo Amplifier 74.95
- Garrard Model 40MKII 4-Speed Automatic Record Changer 44.50
- *Pickering V-15/AC-3 Diamond Needle Stereo Cartridge with Stylus Brush 24.95
- Garrard Base for Changer 4.95
- 2-Lafayette "Criterion 25" 2-Way Compact Shelf Speaker Systems (Oiled Walnut) 38.50

TOTAL 187.85

Complete 60-watt stereo system with *choice of Pickering V-15/AC-3, Shure M75-6, or Empire 888 diamond needle stereo cartridge. With 30 ft. polarized speaker cable. Shpg. wt., 45 lbs.

21 C 9467WXM \$8 Monthly Net 154.95

60-WATT STEREO AMPLIFIER LA-450

- Smart Distinctive Styling
- Front and Rear Tape Output Jacks
- Speaker Mode Switch Selects Main, Main and Remote, or Remote Speakers

The LA-450 is superbly suited for any "high quality" minimum priced stereo system. Delivers a full 60-watt punch and faithfully reproduces audio sound with an ultimate degree of realism. Front panel controls include: Volume, Channel Balance, Bass, Treble, Stereo /Mono Mode, Input Selector for choice of program source, HI-Filter, Speaker Mode, Loudness, and Power On/Off. Tone controls work on both channels simultaneously. Front panel jack permits stereophonic headphone listening. Real panel jack inputs for magnetic or ceramic phono; tuner; auxiliary. Main and remote speaker outlets fused to protect output transistors. Outputs (front and rear) allow direct recordings with your tape recorder. Two AC convenience outlets (1-switched). Smartly and distinctively styled; its black silhouette front panel with silver trim is complimentary to most decors. Housed in a black-wrinkle metal enclosure. For 117 VAC 50/60 Hz. Size: 15 $\frac{1}{16}$ "W x 3 $\frac{3}{4}$ "H x 8 $\frac{1}{4}$ "D. Imported. Shpg. wt., 13 $\frac{1}{2}$ lb. †IHF ± 1 db at 4 ohms. New rating standard used by major audio manufacturers.

99 C 0196WXM \$5.00 Monthly Net 74.95



LA-450



Garrard Model 40MKII

"Criterion 25"

*Choice of Stereo Cartridge

SYSTEM PRICE

154⁹⁵

No Money Down

SAVE 32.90

From Individual Catalog Prices

See Pages 28, 29, and 31 for description of components on this page.

Hi-Fi Systems Are Available on Easy Pay Plan—No Money Down

110-WATT MATCHED STEREO SYSTEM With LA-85TA SOLID STATE STEREO AMPLIFIER



LA-85TA

- Lafayette LA-85TA 110 Watt Solid State Stereo Amplifier 99.95
 - Garrard Model 40MKII 4-Speed Automatic Record Changer 44.50
 - *Pickering V-15/AC-3 Diamond Needle Stereo Cartridge with Stylus Brush 24.95
 - Garrard Base for Changer 4.95
 - 2-Lafayette Famous "Criterion 50" Wide-Range 2-Way Bookshelf and/or Floor Speaker Systems (Oiled Walnut) 59.90
- TOTAL 234.25**

Complete 110-watt stereo phono system with *choice of Pickering V-15/AC-3, Empire 888, or Shure M75-6 diamond needle stereo cartridge. Complete with 30 ft. clear polarized speaker cable. Shpg. wt., 86 lbs. 21 C 9475WXM \$10 Monthly Net 193.95


NEW! 110 WATT† STEREO AMPLIFIER LA-85TA

- 20-Transistors + 4-Diodes • Fused Output Transistors

This new improved version of the popular Lafayette LA-85T stereo amplifier offers the following front panel features: Selector for Ceramic and Magnetic Phono, Tuner and Auxiliary inputs; Mode switch for Right and Left Channel, Mono, Stereo, Reverse and Tape monitor; Bass and Treble Tone controls; dual concentric Volume/Balance control; rocker switches for Main and Remote speakers, Loudness, High-Filter, and Power. Convenient front panel jacks for Stereo Headphone and Tape Output completes these sterling front panel features. In addition to 2-AC convenience outlets (1 switched), the rear panel of the LA-85TA also has jacks for High and Low Tuner inputs, for Magnetic and Ceramic Phono inputs, for Auxiliary Inputs, for Tape Record and Play, and a high gain and low gain Tuner switch. Terminals for 4, 8 and 16 ohm Main and Remote speakers are also provided. This outstanding amplifier is attractively styled with a gold anodized extruded aluminum front panel with simulated walnut wood grained case. Size: 13x3 7/8 x 9 1/4". For 117VAC, 50/60 Hz. Imported. Shpg. wt., 17 lbs. †HF ±1db at 4 ohms. New rating standard used by major audio manufacturers. 99 C 0206WX \$5 Monthly Net 99.95



Garrard Model 40 MKII



"Criterion 50"

*Choice of Stereo Cartridge

SAVE 40.30
From Individual Catalog Prices

SYSTEM PRICE
193⁹⁵
No Money Down

160-WATT MATCHED STEREO SYSTEM With LA-125T SOLID-STATE AMPLIFIER

LA-125T SOLID-STATE AMPLIFIER

- Lafayette LA-125T 160 Watt Solid State Stereo Amplifier 129.95
 - Garrard Model 40MKII 4-Speed Automatic Record Changer 44.50
 - *Pickering V-15/ACE-3 Stereo Cartridge with High Compliance Elliptical Diamond Stylus .. 29.95
 - Garrard Base for Changer 4.95
 - 2-Lafayette "Criterion 100A" 2-Way Bookshelf and/or Floor Speaker Systems (Oiled Walnut) 89.90
- TOTAL 299.25**

Above stereo system with *choice of Pickering V-15/ACE-3, Shure M32E, or Empire 808E stereo cartridge with high compliance elliptical diamond needle. Complete with 30 ft. clear polarized speaker cable. Shpg. wt., 93 lbs. 21 C 9464WXM \$12.50 Monthly Net 247.95

160-WATT† STEREO AMPLIFIER LA-125T

COMPUTOR-MATIC™ (Pat. Pend.)
Protective Circuitry for Audio Power Stages


Produces a full 160-watt† of audio power from 20-20,000 Hz ±2 db with virtually no faltering at either end of the response range. Concentric Balance/Volume, Treble, and Bass controls provide easy adjustment of both channels. Four "rocker type" switches for Low Filter, High Filter, Loudness switch, and a Tape Monitor switch for monitoring tape while recording or playing back tape through amplifier. Rotary switches for Speaker Mode, Amplifier Mode, and Program Source Selector. Front panel also has provisions for Stereo Headphones, Tape Output, and Microphone or Musical Input. The rear panel provides 12 inputs (6 per channel), tape outputs for recording directly through amplifier, and tape inputs for connection to a tape deck with or without preamps. 4, 8, and 16 ohm speaker output impedances. Special remote speaker terminals are provided for placement of speakers anywhere in your home. Gold anodized, extruded front panel and simulated walnut wood-grained case. For 117 VAC, 50/60 Hz. Sizes: 13 x 3 7/8 x 9 1/4". Imported. Shpg. wt., 19 lbs. †HF ±1db at 4 ohms. New rating standard used by major audio manufacturers. 99 C 0185WX \$7 Monthly Net 129.95



LA-125T



Garrard 40 MK II



"Criterion 100A"

*Choice of Elliptical Stereo Cartridge

SAVE 51.30
From Individual Catalog Prices

SYSTEM PRICE
247⁹⁵
No Money Down

See Pages 28, 29, and 31 for description of components on this page.

Hi-Fi Systems Are Ready to Play—Include Cables, Instructions

Deluxe LAFAYETTE Criterion® 3XA

75 Watt 12-Inch 3-Way Shelf or Floor-Standing Speaker System With Acoustic Suspension

- 12" Heavy-Duty Woofer—Acoustically Isolated 6½" Midrange Speaker—4" Super Tweeter
- Individually Variable Acoustic Controls For Treble and Midrange
- Overall Response: 18 to 25,000 Hz
- Maximum Input Power: 75 Watts (IHF)
- Elegant Oiled Walnut Enclosure With Snap-Out Front Panel

12" Heavy-Duty Acoustic Suspension Woofer With Unique Voice Coil Construction.

Fully Air Tight ¾" Enclosure, Internally Braced and Fiber Glass Filled.



A truly superior speaker system that provides astonishing range and clarity, with a deep, solid bass response that creates a stunning impact on the listener, and offers an unbelievable degree of realism. Employing the acoustic suspension principle, the 3XA uses 3 outstanding speakers to cover the full spectrum of sound. Each is carefully designed for optimum response, so that in conjunction with the full 12 db/octave crossover network, the system yields a carefully tailored, linear response. A 12" acoustic suspension woofer, with a uniquely constructed voice coil, has an exceptionally compliant, long-throw suspension and provides remarkably low bass response—undistorted even at high power levels. An acoustically isolated 6½" midrange speaker offers flawless reproduction and adds true "presence" to the system. A 4" super tweeter, with a specially designed aluminum cone, provides brilliant high frequency response without any shrillness to mar listening enjoyment. Separate, continuously variable mid and treble range controls enable you to adjust the system to suit the acoustics of your listening area. Oiled walnut enclosure, with a decorator-styled front framed in ebony and gold, and a snap-out panel with a nubby, light beige grille cloth. Imported.

99 C 0199WX \$7 Monthly Shpg. wt., 46 lbs. Net 129.95

SPECIFICATIONS

System Response: 18 to 25,000 Hz. Woofer: 12" heavy-duty, acoustic suspension, high compliance type with edge-wound, ribbon-type voice coil. Free air resonance, 18 Hz. Response, 18-800 Hz. Midrange: 6½" acoustically isolated speaker. Response, 800-4,500 Hz. Tweeter: 4" with die-cast housing, aluminum cone and acoustic screen. Response, 4,500-25,000 Hz. Crossover: L-C network at 800 and 4,500 Hz. Power Capacity: 75 watts IHF. Impedance: 8 ohms. Dimensions: 23x13½x11¾"D.

Only **129⁹⁵**
No Money Down



LAFAYETTE "Criterion® 50" TRUE 2-WAY BOOKSHELF SYSTEM

- 20-Watts Power Handling Capacity
- 8" Woofer Plus 4" Tweeter
- Highly Efficient—Perfect for Low Power Amplifiers

29⁹⁵

A true 2-way bookshelf-type speaker system that offers impressive hi-fi sound, yet measures only 19Wx8½Dx10¼"H. Contains two separate speakers — you get an 8-inch woofer and a 4-inch tweeter to provide realistic wide-range reproduction. An acoustically "tuned" enclosure, fully lined, assures smooth, resonant-free sound output with extended bass response. The enclosure is finished on all four sides in a rich, hand-rubbed oiled walnut veneer and tastefully framed in an ebony and gold picture frame molding with white and gold acoustic grill material. Truly, an outstanding buy at this low price. For use with low-power stereo amplifiers — but rated at 20 watts program material for use with larger amplifiers. Designed for vertical or horizontal placement. Overall response: 35-18,000 Hz. 3000 Hz electrical crossover. Nominal impedance: 8 ohms. Imported. Shpg. wt., 28 lbs.

99 C 0128WX Net 29.95



LAFAYETTE "CRITERION®100A" DELUXE 2-SPEAKER 2-WAY SYSTEM

- Power Handling Capacity—30 Watts
- Powerful 10" Woofer with 1 lb. Magnet Plus 4" Tweeter
- Overall Response 30-19,000 Hz.

44⁹⁵ 2 for **88.88**

No Money Down

Top quality, moderately priced speaker system that delivers really "big" sound. A powerful 10-inch woofer provides smooth bass response down to 30 Hz. A 4-inch Cone-type tweeter provides reproduction of the mid-range and high frequencies (to beyond audibility) and is of the closed back type to prevent interaction with the 10-inch woofer. Smooth transition is achieved by means of electrical crossover at 2800 Hz. Features high frequency brilliance control. Enclosure is a bass-reflex type using a ducted port to provide proper acoustic tuning and has a beautiful walnut finish on 4-sides. Dimensions are 21½Wx11¾Hx10½"D. Overall frequency response: 30-19,000 Hz; nominal impedance: 8 ohms; power handling capacity: 30 watts program material. Imported. Wt., 30 lbs. 99 C 0148WX \$5 Monthly Net 44.95

BEST SELLING Lafayette Criterion® SPEAKER SYSTEMS

Only
19⁹⁵
2 for
38⁵⁰

No Money Down



"Criterion® 25" 2-SPEAKER 2-WAY AIR SUSPENSION 8" SYSTEM

- 25 Watts Power Handling Capacity
- 8" Woofer, 2½" Tweeter
- Frequency Response: 55-19,500 Hz.
- Rich, Hand Rubbed Oiled Walnut Finish

FULL SIZE PERFORMANCE . . . achieves a purity of sound and music quality that is astounding for a speaker system measuring only 12Wx7Dx10"H. Perfect for use anywhere in your home or office. System consists of a powerful 8" woofer which provides smooth bass sound reproduction down to 55 Hz, and a 2½" cone tweeter that gives you sparkling clean high frequency response. Built-in 8,000 Hz. electrical crossover network. Power handling capacity of 25 watts makes it compatible for use with most amplifiers and receivers. Interior of cabinet is designed to damp out standing waves and other spurious vibrations. Voice Coil Impedance: 8 ohms. Woofer: 8" high compliance with 8.6 oz. alnico V magnet; rolled edge suspension. Tweeter: 2½" cone type with alnico V magnet. Size: 12Wx7Dx10"H. Imported. Shpg. wt., 9 lbs.

99 C 0201WX

Set of 2 for Stereo SAVE 1.40 \$5 Monthly

Net 19.95

Net 38.50



LAFAYETTE "Criterion® 150" 10" ACOUSTIC SUSPENSION SPEAKER SYSTEM

49⁹⁵ **No Money Down** • Power Handling Capacity—40 Watts
• Overall Response—20-20,000 Hz.

Professional Quality 2-Way System Mounted in a Completely Sealed and Damped Enclosure

High quality, excellent performance, and handsome decorator styling keynote the exciting Lafayette "Criterion 150" Speaker System. It utilizes the famous acoustic suspension design principle to develop extended bass with velvet smooth high frequency response in a cabinet of compact proportions. The system's main working element is a special 10" high compliance woofer with a massive magnet structure for powerful deep bass response down to 20 Hz. 3½ inch tweeter extends high frequency response to beyond audibility for thrilling clarity and wide angle dispersion. Built-in (LC) Electrical Crossover Network is adjusted for 2000 Hz. Features High Frequency brilliance control on rear of cabinet. Power Handling Capacity: 40 watts. Impedance: 8-ohms. Luxurious oiled walnut veneer enclosure with gold frame molding and beige grille. Shelf size: 19 W x 11 H x 9" D. Imported. Shpg. wt., 17 lbs.

99 C 0181WX \$5 Monthly

Net 49.95



DELUXE LAFAYETTE "Criterion® 200A" 3-Speaker 3-WAY SYSTEM

Only
69⁹⁵
No Money Down

- Power Handling Capacity—40 Watts
- 12" Woofer With 1 LB Magnet
- 3" Dome-Type "Super" Tweeter
- 8" Closed Back Midrange Unit
- Response 25-25,000 Hz.
- 2 Controls-Brilliance Presence

One of our finest speaker systems—manufactured to rigid specifications and designed to provide full, wide-range response . . . from a low 25 Hz all the way up to 25,000 Hz. The Criterion 200 employs 3 separate speakers to provide performance that will satisfy even the more critical listener. 12" woofer with a 1 lb. magnet and 2½" diameter voice coil provides deep, solid bass . . . reproduces low-frequency instruments with thrilling realism! A superb 8" mid-range speaker and a back-loaded 3" metallic dome-type "Super" tweeter provide flawless reproduction of the mid-range and high frequencies. Features high frequency brilliance range presence control at rear of cabinet. Enclosure is finished on all four sides in a rich, hand-rubbed oiled walnut veneer, attractively framed in an ebony and gold picture-frame molding with white and gold acoustic material. Dimensions 24Wx14Hx12"D. Overall Frequency Response: 25 to 25,000 Hz. Crossover Frequencies: 700 and 5,000 Hz. Impedance: 8 ohms. Power Handling: 40 watts program material. Imported. Shpg. wt., 35 lbs.

99 C 0149WX \$5 Monthly

Net 69.95

SUPER LAFAYETTE Criterion® 3X 3-WAY 12" ACOUSTIC SUSPENSION SYSTEM

Only
89⁹⁵
No Money Down

- Power Handling Capacity 50 Watts
- Designed For Use with The Highest Quality Components
- Overall Response 20-25,000 Hz.
- Separate Midrange and High Frequency Controls

Superb 3-way speaker system for the critical listener seeking greater realism in reproduced sound. Uses the renowned acoustic suspension principle to extend low frequency response down to a low 20 Hz . . . gives you the deep, powerful bass that is so necessary to proper musical enjoyment. Heart of the system is a special 12" high compliance woofer with long-throw voice coil. Midrange frequencies are flawlessly reproduced by a 6½" cone driver which employs a sealed back to avoid interaction with the woofer and to prevent air leakage from the enclosure. 3" metallic, dome-type super tweeter provides brilliant, peak-free reproduction of the highs. Electrical 1200 and 6000 Hz. L-C network ensures smooth crossover between all speaker units. Separate midrange and high frequency level controls. Fully air-tight enclosure is solid ¾" construction filled with fiber glass to prevent resonance. Rich, hand-rubbed oiled walnut veneer. Attractive frame of ebony and gold with new snap-off nubby grille cloth panel. Impedance: 8 ohms. Size: 23x13½x11¾" deep. Imported. Shpg. wt., 32 lbs.

99 C 0176WX \$5 Monthly

Net 89.95

Order Your Speakers Now With Lafayette's Easy Pay Plan

Best-Selling LAFAYETTE Headphones and Speakers

**Our Lowest-Priced
Quality Stereo Headphones**

ONLY
5⁹⁵



LAFAYETTE MODEL SP22

- Frequency Response: 35-12,000 Hz
- Lightweight, Only 10 oz.

Perfect for stereo or monaural applications at a price everyone can afford. Designed for use with low priced stereo receivers, amplifiers, and phonographs. Adjustable headband and comfortable foam-filled vinyl ear pads. Large, 2 1/4" diameter transducers for full-range response. Impedance: 8-ohms. With 6-feet of cable and standard stereo phone plug. Imported. Shpg. wt., 1 1/2 lbs.

99 C 0212 Net 5.95

25 FT. UNIVERSAL STEREO HEADPHONE EXTENSION CORD.

Only **2²⁹**



Listen to stereo through your favorite stereo headphone anywhere in the room. Flexible 3-conductor cable. With a 1/4" 3-circuit plug on one end, a 3-circuit jack on the other end. Imported. Shpg. wt., 1 lb.

99 C 0116 Net 2.29

**Deluxe LAFAYETTE F-990
Professional Stereo Headphones**



ONLY
29⁹⁵

- Two large 3 1/2" Wide Range Transducers
- Frequency Response 20-20,000 Hz

Now the listener in his home can own a pair of professional stereo headphones similar to the ones used in laboratories, recording studios and broadcast stations. Two large 3 1/2" transducers provide complete full-range coverage from 20-20,000 Hz for magnificent stereo hi-fi sound reproduction. A comfortably soft, but tight seal to the ear is provided by foam filled earphone cushions. Fully adjustable, cushioned vinyl headband will give you hours of listening comfort. Comes with 6 1/2 ft. cable and standard stereo phone plug. Impedance: 8 ohms. Imported. Shpg. wt., 2 1/2 lbs.

99 C 0209 Net 29.95

The Amazing Lafayette SOUND REPRODUCER



- For Stereo or As Extra Speaker Throughout Your Home or Office
- Turns Walls, Doors, Ceilings, Windows, Furniture, etc. Into a Speaker

ONLY **7⁹⁵**

**MADE IN U.S.A.
Compact Enough To
Be Used Anywhere**

New, startling development for providing sound almost anywhere. Coneless reproducer attaches to wall, doors, ceilings, or most any object. Transforms the whole surface into a sounding board for beautiful "sound reproduction". Easily connects to speaker leads of any radio, phono, tape player, amplifier, receiver or other sound equipment. Perfect for use in background music or PA systems. For 4, 8, or 16 ohm solid-state or tube equipment. Can be used in a car. Built-in magnet for attaching to metal objects and screw for attaching to wood, plastic, etc. Size: 2" dia. x 1 1/2"H. Shpg. wt., 1 lb.

21 C 0159 Net 7.95

Revolutionary LAFAYETTE "Poly-Planar" Speakers Replaces Cone Speakers in Any Application

Lafayette "Poly-Planar" wafer-type component loudspeakers employ a lightweight acoustic panel supported by a frame of polystyrene plastic material to reproduce a range of frequencies from 40 Hz to 20,000 Hz. This material also permits the speakers to be made impervious to extremes of temperature, humidity, shock and vibration.


12" LAFAYETTE POLY-PLANAR WIDE RANGE SPEAKER—Unique physical and audio characteristics permit a wide range of uses: Hi-Fidelity speaker systems, phono, public address, architectural application (Build Poly-Planars into walls, closet doors, ceilings). Use it as it is or cover it, baffle it, enclose it. Specifications: Power Capacity 20 watts Peak; Frequency Range, 40-20,000 Hz; Voice Coil diameter, 1"; Magnet weight, 4.8 oz.; Imp. 8 ohms; Size: 17 1/8"Dx14 1/8"Hx11 3/4"W. 21 C 5601 Shpg. wt., 2 lbs. Net 10.95

5" LAFAYETTE POLY-PLANAR WIDE RANGE SPEAKER—Same physical and audio characteristics as above 12" speaker but especially designed for small space applications such as automobile speakers, extension speakers. Specifications: Power capacity, 5 watts Peak; Imp., 8 ohms; Frequency range, 60 Hz to 20,000 Hz; Voice Coil diameter, 3/4". Size: 3 1/4"Dx8 1/2"Hx4 1/2"W. Shpg. wt., 1 lb. Net 5.95



SIDE VIEW

**5" SPEAKER
5⁹⁵**



FRONT VIEW

**12" SPEAKER
10⁹⁵**

Garrard Synchro-LabTM Automatic Turntables



SAVE UP TO 44.95

From Individual Catalog Prices on Garrard Turntable and Famous Name Stereo Elliptical Cartridge Combinations.

SEE ANNUAL CATALOG 690

Pages 116 and 117 For Complete Descriptions of Garrard Synchro-LabTM Turntables

MODEL SL-55 STEREO AUTOMATIC TURNTABLE
Four speeds: 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45, and 78 RPM. Automatic intermix operation. Cueing lever control. For 110-130 VAC, 60 Hz. With all connecting cables. Dim: 14 $\frac{1}{2}$ "Wx13 $\frac{3}{4}$ "Lx4 $\frac{3}{4}$ " above motor board, 2 $\frac{7}{8}$ " below. Imported from England. Shpg. wt., 11 lbs. (less base).
21 C 3791WX \$5 Monthly Net 59.50

MODEL SL-65 STEREO AUTOMATIC TURNTABLE
Plays 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45, and 78 RPM records. With Intermix operation, automatic and manual spindles, and automatic anti-skating. With all connecting cables. For 110-130 VAC, 60 Hz. Dim: 15 $\frac{3}{4}$ "Wx13 $\frac{1}{2}$ "Lx3 $\frac{3}{4}$ " above motor board and 2 $\frac{7}{8}$ " below. Imported from England. Shpg. wt., 13 lbs. (less base).
21 C 3790WX \$5 Monthly Net 79.50

MODEL SL-75 STEREO AUTOMATIC TRANSCRIPTION TURNTABLE
3-speeds: 33 $\frac{1}{3}$, 45, and 78 RPM. Extruded aluminum tone arm with adjustable counterweight and adjustable anti-skating control. Auto-Rise retractable record safety platform. With all connecting cables. For 110-130 VAC, 60 Hz. Dim: 15 $\frac{3}{4}$ "Wx14 $\frac{1}{2}$ "Lx4 $\frac{3}{8}$ " above motor board and 3" below. Imported. Shpg. wt., 13 lbs. (less base).
21 C 3789WX \$6 Monthly Net 109.50

MODEL SL-95 STEREO PROFESSIONAL AUTOMATIC TURNTABLE
Garrard's finest 3-speed automatic stereo turntable. Plays 33 $\frac{1}{3}$, 45, and 78 RPM records. Advanced, ultra-low mass, one-piece tonearm of lightweight aluminum with Afrormosia wood insert for low resonance damping. With all connecting cables. For 110-130 VAC, 60 Hz. Dim: 15 $\frac{3}{4}$ "Wx14 $\frac{1}{2}$ "Lx4 $\frac{3}{8}$ " above motor board and 3" below. Imported. Shpg. wt., 13 lbs. (less base).
21 C 3788WX \$7 Monthly Net 129.50

GARRARD TURNTABLES WITH ELLIPTICAL CARTRIDGES

21 C 4010WX	SL-55 plus Pickering V15/ACE-3	Net 59.51
21 C 4011WX	SL-55 plus Empire 808E	Net 59.51
21 C 4012WX	SL-55 plus Shure M32E	Net 59.51
21 C 4038WX	SL-55 plus Pickering V15/ATE-3	Net 64.50
21 C 4039WX	SL-55 plus Empire 888E	Net 64.50
21 C 4040WX	SL-55 plus Shure M93E	Net 64.50
21 C 4007WX	SL-65 plus Pickering V15/ACE-3	Net 79.51
21 C 4008WX	SL-65 plus Empire 808E	Net 79.51
21 C 4009WX	SL-65 plus Shure M32E	Net 79.51
21 C 4035WX	SL-65 plus Pickering V15/ATE-3	Net 84.50
21 C 4036WX	SL-65 plus Empire 888E	Net 84.50
21 C 4037WX	SL-65 plus Shure M93E	Net 84.50
21 C 4004WX	SL-75 plus Pickering V15/ATE-3	Net 109.51
21 C 4005WX	SL-75 plus Empire 888E	Net 109.51
21 C 4041WX	SL-75 plus Shure M44E	Net 109.51
21 C 4032WX	SL-75 plus Pickering XV-15AME	Net 114.50
21 C 4033WX	SL-75 plus Empire 888TE	Net 114.50
21 C 4034WX	SL-75 plus Shure M91E	Net 114.50
21 C 4001WX	SL-95 plus Pickering V15/ATE-3	Net 129.51
21 C 4002WX	SL-95 plus Empire 888E	Net 129.51
21 C 4042WX	SL-95 plus Shure M93E	Net 129.51
21 C 4029WX	SL-95 plus Pickering XV-15AME	Net 134.50
21 C 4030WX	SL-95 plus Empire 888TE	Net 134.50
21 C 4031WX	SL-95 plus Shure M91E	Net 134.50

OTHER GARRARD AUTOMATIC TURNTABLES

MODEL 30 AUTOMATIC TURNTABLE

- Complete with Ceramic Cartridge And Diamond Stylus

39.50
Less Base



Designed especially for use in low priced hi-fi systems and for replacement in consoles and phonographs. Plays 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45, and 78 RPM records. Automatic intermix operation when desired. With connecting cables. Size: 14 $\frac{1}{2}$ " x 12 $\frac{1}{2}$ ". Above motor board 4 $\frac{3}{4}$ ", below 2 $\frac{1}{4}$ ". For 110-130 VAC, 60 Hz. Less base. Imported from England. Shpg. wt., 11 lbs.
21 C 3792W \$5 Monthly Net 39.50

ACCESSORIES FOR GARRARD TURNTABLES

Stock No.	Description	For	Shpg. wt.	Net ea.
21 C 4022W	Base	SL-55, SL-65, 30, 40	2 lbs.	4.95
21 C 4023W	Base	SL-75, SL-95	2 lbs.	5.95
21 C 4026W	Dust Cover	SL-55, SL-65, 30, 40	1 $\frac{1}{2}$ lbs.	4.95
21 C 4027W	Dust Cover	SL-75, SL-95	1 $\frac{1}{2}$ lbs.	5.95
21 C 3787	45 RPM Spindles	SL-55, SL-65, 30, 40	10 oz.	3.80
21 C 3797	45 RPM Spindles	SL-75, SL-95	10 oz.	3.80

MODEL 40/MK II With Choice of Pickering Cartridge

Model 40
Less Base **44.50**

With V15/AC-3
Cartridge **44.51**

With V15/ACE-3
Elliptical
Cartridge **49.50**



4 speed, automatic intermix stereo turntable—plays—16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45, and 78 RPM records. Counterweighted, cast aluminum tone arm. Simple, convenient stylus pressure adjustment. 4-pole, shaded "Induction Surge" Motor with dynamically balanced rotor. Size: 14 $\frac{1}{2}$ "L x 12 $\frac{1}{2}$ "D. Requires 4 $\frac{3}{8}$ " above and 2 $\frac{7}{8}$ " below motor board. With connecting cables. Less base. For 110-130V 60 Hz AC. Shpg. wt., 11 lbs. Imported from England.

21 C 3756W	Model 40 only.	\$5 monthly	Net 44.50
21 C 4013WM	Model 40 plus Pickering V15/AC-3		Net 44.51
21 C 4014WM	Model 40 plus Pickering V15/ACE-3		Net 49.50

Automatic Stereo Turntables, Cartridges, and Phono Accessories

LAFAYETTE Model 200 4-SPEED AUTOMATIC STEREO TURNTABLE

Only
19⁹⁵
Less
Base

Made in U.S.A.

- Heavy 10" Turntable Platter



Model 200

Quality 4-speed automatic changer providing outstanding performance at a low, low price. Heavy duty 10" turntable platter delivers no noticeable hum, rumble, or wow. Plays 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45, 78 RPM records automatically or manually. An extra added feature is a 7", 10" or 12" record selector knob. Manual intermix of up to seven 7", 10", or 12" records of the same speed. Automatic shut-off after last record has been played. Balanced featherweight tone arm is equipped with a turnover stereo cartridge with dual

synthetic sapphire stylus. Dimensions: 13 $\frac{1}{2}$ x 12", 4 $\frac{7}{8}$ " above, 2 $\frac{1}{2}$ " below mounting surface. For 117 VAC 60 Hz. Brown with gold trim. Shpg. wt., 10 lbs.

21 C 0154W Net 19.95

ACCESSORIES FOR MODEL 200

Oiled Walnut Recessed Base. 21 C 0201W Shpg. wt., 2 lbs. Net 4.50
Tinted Plastic Dust Cover 24 C 0904W Shpg. wt., 1 lb. Net 3.95
45 RPM Spindle 21 C 0202 Shpg. wt., 6 oz. Net .99

DELUXE LAFAYETTE Model 400 4-SPEED AUTOMATIC STEREO TURNTABLE

Only
29⁹⁵
Less
Base

Made in U.S.A.

- Heavy 11" Turntable
- Balanced 4 Pole Motor
- Tubular Tone Arm



MODEL 400

Diamond Needle



4-speed automatic record changer features a professional type tubular tone arm with adjustable counterweight. Elegantly styled with gold plated overarm. Plays 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45, and 78 RPM records, both stereo and monaural, either automatically or manually. Spindle prevents double record drops. Ribbed rubber turntable mat cushions records, and absorbs vibration thus reducing rumble. Changer automatically turns off after last record has been played. Automatically intermixes up to seven 10" and 12" records of the same speed. Arm comes equipped with turnover stereo cartridge with .7 mil dia-

mond stylus for LP records, and 3 mil synthetic sapphire for 78 RPM records. Dim.: 13 $\frac{3}{4}$ "x12". 2 $\frac{1}{2}$ " below and 5 $\frac{1}{2}$ " above mounting surface. For 117 VAC 60 Hz. Beautiful brown and gold trim. Shpg. wt., 12 lbs.

21 C 0155W Net 29.95

ACCESSORIES FOR MODEL 400

Oiled Walnut Recessed Base 21 C 0203W Shpg. wt., 2 lbs. Net 4.50
Tinted Plastic Dust Cover 24 C 0904W Shpg. wt., 1 lb. Net 3.95
45 RPM Spindle. Wt. 6 Oz. 21 C 0105 Net 1.65

AUTOMATIC HI-FI SHUTOFF

Only
5²⁵



Shuts off Hi-Fi equipment automatically or manually at the end of the last record. Housed in a rugged drawn-steel case with mounting bracket, amplifier outlet, and 6 ft. AC cord. Size: 2 $\frac{1}{8}$ x 4 $\frac{3}{4}$ x 1 $\frac{7}{8}$ ". 24 C 2801 Shpg. wt., 1 lb. Net 5.25

FAMOUS BRAND STEREO CARTRIDGES

21 C 5370L Pickering V15/AME-3* Net 44.95
21 C 5378L Pickering V15/ATE-3* Net 39.95
21 C 5377L Pickering V15/ACE-3* Net 29.95
21 C 3418L Empire 888T Net 24.95
21 C 3469L Empire 888TE* Net 49.95

21 C 3457L Empire 888E* Net 39.95
21 C 6206L Shure M7/N21D† Net 7.95
21 C 6244L Shure M91E* Net 49.95
21 C 6243L Shure M93E* Net 39.95
21 C 6239L Shure M32E* Net 25.00

*Elliptical †Conical

Imc HI-FI BOXER FAN

Only

14⁸⁵



- Ideal For Cooling Hi-Fi Equipment
- Super Silent, Compact
- Sturdy Metal Construction


Exceptionally low-noise fan for cooling hi-fi equipment. Slow rotating 5-blade impeller delivers 50 cfm, enough air to exhaust the average enclosure 10 to 30 times per minute, to minimize thermal drift and increase equipment life. Airflow is reversible. Prelubricated for years of maintenance-free operation. Only 4 $\frac{1}{4}$ " square by 1 $\frac{1}{2}$ " deep, fits any cabinet. Easy to install. With complete mounting kit including special heavy duty brackets for mounting versatility, hardware, grommets, shock-absorbing spring mounting pad, A.C. power cord and clip on plug, template and instruction sheet. Rated 115 VAC, 60 Hz. Shpg. wt., 2 lbs.

24 C 4301 Net 14.85

EXCITING CARTRIDGE VALUES

ADC 220 DIAMOND NEEDLE STEREO CARTRIDGE

Only
7⁹⁵



Induced-magnet low mass design. Tracking force 2-5 grams. Separation 20 db. Response 10-18,000 Hz. Shpg. wt., 4 oz. 21 C 1323L Net 7.95

PICKERING V-15/AC-2 DIAMOND NEEDLE STEREO CARTRIDGE

Only
8⁹⁵



Micro-magnetic cartridge with exclusive Pickering "Floating Stylus". Response: 20-20,000 Hz. Shpg. wt., 3 oz. 21 C 5361L Net 8.95

PICKERING V-15/ATE-2 ELLIPTICAL DIAMOND NEEDLE STEREO CARTRIDGE

Only
12⁸⁸



Deluxe cartridge with bi-radial .009 x .004 elliptical stylus. Response: 20-20,000 Hz. 21 C 5362L Shpg. wt., 3 oz. Net 12.88

Desk Lamps—Electrical Accessories

LAFAYETTE 5-WAY HIGH INTENSITY LAMP



- Hi-Lo-Off Selector Switch
- Adjustable Telescoping Arm

5⁹⁵



Spot Light



T.V. Light



Night Light



Wall Light

Beautifully designed, transformer powered, telescoping Hi-Intensity lamp featuring HIGH and LOW switch. Telescopes from 3½" to 11½". May be used as a desk and wall light, spot and TV lamp. Use as a night light when closed. Shade swivels 360° with an arc of 180°. Shade and base are richly finished in black. Uses #93 bulb, supplied. Overall height 13". Imported. Shpg. wt., 2½ lbs.

99 C 9198	Net 5.95
Replacement Bulb (pkg. of 2)	Net .55
12 C 7550	

DIAL-A-LITE HIGH INTENSITY LAMP



By **EAGLE**

- Continuous Variable Intensity

Now you can vary your light continuously from a soft glow that is dimmer than a night light to a brilliant, glare-free, white light equivalent to 150 watts of illumination. Slide switch turns light on or off without disturbing dial setting. Telescoping arm extends to 15"; shade swivels 360°. The lamp can be hung on a wall by using keyhole slot on base. Unit folds down to only 3¼x9¼". Sand finish. For 120v, 60 Hz AC. Uses GE No. 1129 bulb (included). Shpg. wt., 1½ lbs.

13 C 8131	Net 12.95
Replacement Bulb	
32 C 6647	Net .32

HIGH INTENSITY LAMP




- Hi-Lo-Off Selector Switch
- Rugged Construction
- Sleek Modern Styling!

3⁹⁵

Ideal for desk or wall mounting. Lamp shade turns in any direction, giving an ample uniform, non-glare beam of light. Sturdy hinged arm extends to 14 inches, folds flat against a hi-impact base. Hi-Lo-Off switch plus 6 ft. cord. Gold finish lamp shade and arms; ivory base. Uses #93 bulb, supplied. 117 volts, 50/60 Hz AC. Imported.

12 C 2550 Shpg. wt., 2 lbs.	Net 3.95
Replacement Bulb (pkg. of 2)	Net .55
12 C 7550	

LAFAYETTE WIRELESS REMOTE CONTROL FOR 2-CHANNEL OPERATION



- Turns Lights, TV, Hi-Fi, and Household Appliances On and Off From Anywhere In Your Home — By Remote Control

As Low As **14⁹⁵**

Lafayette wireless remote control permits remote operation of electrical devices in two separate areas from anywhere in your home or shop. Simply plug in the transmitter and place the receivers at remote locations, also plugged in. The switches on the transmitter will turn any appliance plugged into the receivers on or off. Transmitter and receivers operate on standard house current. Receivers accept any 105 to 120 volt device up to 500 watts per channel. Supplied with dual channel transmitter and one receiver for channel A. Imported. Shpg. wt., 1¼ lb.

99 C 9193 Dual Channel Transmitter and Receiver	Net 19.95
99 C 9194 Channel B Receiver	Net 10.95
99 C 9195 Extra 2 channel Transmitter	Net 9.95

SINGLE CHANNEL WIRELESS REMOTE CONTROL UNIT

Similar unit as above but for single channel operation of appliances up to 300 watts. Shpg. wt., ½ lb.

99 C 9118 Complete Transmitter & Receiving Unit	Net 14.95
99 C 9122 Extra Receiver	Net 9.95
99 C 9178 Extra Transmitter	Net 5.95

LAFAYETTE CLAMP-TYPE "INCANDESCENT LAMP"



7⁹⁵

- Spring Controlled Swivel Joints
- Extends To 30 Inches

Perfect illumination wherever you require it. Ideal for benches, tables, and drafting boards. Clamps securely to any surface up to 3" thick. Spring controlled swivel joints and double arm action moves light in any direction. Arm extends to 30". Neutral color. For 110-125V, 60 Hz AC. less bulb. Imported. Shpg. wt., 9 lbs.

99 C 9077	Net 7.95
-----------	----------

WHISTLE SWITCH




Only **11⁹⁵**

- The Amazing Electro-Sonic Switch That Turns Anything Electrical On or Off With a Whistle

Let Sound Command do the work. Turns radios, televisions, Hi-Fi, Lamps, outdoor lights, On or Off while you relax in your chair or bed. No need to walk in darkness... turn on lights in a different room before you get there. Just blow the whistle and appliance immediately goes On or Off. WHISTLE SWITCH is plugged into any standard household outlet then electrical appliance is plugged into WHISTLE SWITCH. Nothing further is required. 350-watt capacity.

12 C 7850 Shpg. wt., 1 lb.	Net 11.95
Extra Whistle for above	
12 C 7851	Net 1.49

LAFAYETTE ELECTRONIC LIGHT DIMMER CONTROL



5⁹⁵

- Full Range
- 600 Watts Capacity

Enjoy modern lighting in any room in your home or office. Soft light for TV viewing, bright light for reading or working. Dimming is continuous from off to full illumination. Push on or off at any light level. Fits standard wall box. Ivory knob has brass finish insert. For 120 volts. 60 Hz AC. Operates incandescent lamps to 600 watt capacity.

12 C 0101 Shpg. wt., 1 lb.	Net 5.95
----------------------------	----------



CORDLESS ELECTRIC DECORATOR CLOCKS

CORDLESS ELECTRIC
PENDULUM CLOCK

SALE

NOW ONLY **13⁹⁵** WAS **16.95**

Handsome pendulum clock in walnut finished hardwood with contrasting ebony line design. Features unique two piece construction with smart, trim hands on a white dial face. Sleek golden pendulum is an integral part of the precision time keeping mechanism. No cord, no plug, never needs winding. Operates a year or more on one "D" cell. Dimensions: 21½x10". Wt., 60 lbs. 13 C 3051W Net 13.95


Battery for above Net .15
99 C 6256

■ "GRANDFATHER" CORDLESS
ELECTRIC PENDULUM CLOCK

Only **29⁹⁵**

Warm walnut American styling for a charming blend of accuracy and handsome traditional design. Beautifully accented handsome spun gold and ivory dial with smoked antique Federal mirror complements the graceful motion of the golden swinging pendulum. Carved walnut raised trim is crowned with an eagle to complete this elegant timepiece. Runs up to one year on a single "D" cell. Size: 25Hx11"W. Shpg. wt., 5 lbs.

13 C 3052W Net 29.95
99 C 6256 Battery for above Net .15



FUSED POWER CONVENIENCE CENTER Only **3⁹⁵**

Lafayette's power control center adds six, fused convenient outlets anywhere you choose. Designed to mount on walls, floor, benches, counter tops or for portable use. On/Off rocker switches and panel mounted On/Off indicator light. Built-in fused holder with replaceable 15 amp. fuse. Heavy duty 8-foot line cord. For 120 volts AC, 1500 watts, 15 amps. With Fuse. Imported. 99 C 9209 Shpg. wt., 1 lb. Net 3.95
13 C 1053 Pkg. of 5 fuses for above Net .81



OUTDOOR LAMPLIGHTER CONTROL

- Turns Lights On At Dusk/Off At Dawn Automatically
- Easily Screws Into Fixture Socket

4⁹⁵


Helps prevent burglary...vandalism... accident by turning on all your outdoor lights at home, store, office, factory, signs, etc. It's cordless. Screws into any standard or floodlight socket. Compact, requires only 2¼" of additional clearance in fixture. Weather resistant. 300 watts. U.L. listed. Shpg. wt., 1 lb. Net 4.95
12 C 2850



LAFAYETTE TECHNI-TIMER

ONLY
7⁹⁵

- Turns Lights and Appliances On and Off Automatically



For radios, refrigerators, electric blankets, fans...turns your lights On and Off while you're away. Repeats cycle every 24 hours without resetting. Minimum On time 15 minutes; maximum On time 23 hours; minimum Off time 1 hour; maximum Off time 23 hours 45 minutes. Can be set to "skip-a-day" operation, or manually controlled. No special wiring—just plug into 117V., 60 Hz AC line. Includes 6 ft. cord with plug and receptacle for equipment to be controlled. Capacity 1875 watts. UL/CSA listed. 1-year guarantee. Size: 5x4x2½"D. Shpg. wt., 2 lbs. 13 C 0140 Net 7.95

WESTCLOX 24 HOUR CLOCK AND SWITCH TIMER

9⁹⁵



- Turn Lights, Appliances On and Off Beautiful electric clock/timer makes any appliance completely automatic while serving as a timepiece, complete with a sweep second hand. Just plug the appliance into the timer and plug the timer into the wall outlet for instant operation. Will repeat one on-off cycle per day without resetting or may be manually switched. Unlimited applications! Handsomely styled wood tone case with gold color spun aluminum dial. Handles appliances up to 1800 watts (15 amperes). For 117 VAC. UL Listed. 13 C 5650 Shpg. wt., 1¼ lbs. Net 9.95

Intermatic

T101 TIME SWITCH **9⁰⁷**



Turns equipment "on" and "off" once in 24 hours, or from 1-12 "on" and "off" operations a day can be obtained by use of extra trippers—can be added without removing dial. Min. on or off time 1 hr., max. 23 hours. Can be turned on or off manually with reset SPST switch rated at 40 amps. 4375 watt capacity. Mounting holes and knockouts. Gray steel case. UL Listed. Operates on 110 volt 60 Hz AC, 7¾Lx5Wx3"D. Shpg. wt., 4 lbs. 13 C 2702 Net 9.07

AUTOMATIC PHOTO-ELECTRIC LIGHT CONTROL

Only **3⁹⁵**

- Turns Lights On At Sunset Off At Sunrise

Automatically turns lights on at dusk and off at dawn. Helps to prevent burglary, vandalism, and accidents. Just attach to lamp cord and plug into wall socket for automatic light control. Responsive only to daylight... car lights, flashlights, or lightning will not operate unit. For 117 V AC, 300 Watts. UL Listed. Shpg. wt., 1 lb. 12 C 2851 Net 3.95





Watches shown Actual Size

A SELF WINDING 17 JEWEL DAY & DATE CALENDAR WATCH

Just set it and forget it. Deluxe Swiss watch is self-winding and automatically changes the day and the date. Shock and water resistant, antimagnetic, and has an unbreakable mainspring. Case is handsomely styled gold tone with a stainless steel back and a matching expansion band. Easy-to-read dial features the date in red and the day of the week in black.

13 C 3128L Shpg. wt., 8 oz. Net 32.95

B 17 JEWEL WRIST ALARM WATCH

Swiss made wrist alarm serves as automatic reminder. Movement is shock and water resistant, antimagnetic and has an unbreakable mainspring and a radium dial. With genuine lizard band. Shpg. wt., 8 oz.

Stainless Steel Case 13 C 3114L Net 32.95

Gold Tone Case 13 C 3115L Net 32.95

17 JEWEL DOUBLE-BUTTON CHRONOGRAPH WATCH


32⁹⁵

Precision movement 17 jewel chronograph is ideally suited for accurate elapsed timing of sporting events, scientific experiments, etc. Features a tachometer for measuring speed, a telemeter for measuring the distance of sound and a stop watch with a 30 minute register and a sweep second hand. Accurate, dependable movement features an unbreakable mainspring, is water and shock resistant, dust-proof and antimagnetic. Bright chrome case with a stainless steel back, raised numerals, and a genuine leather strap.

13 C 3113L Wt., 8 oz. Net 32.95



As Low As **9⁹⁵**



PRECISION-SWISS STOP WATCHES

A 1/10 SECOND TIMER

Designed for close timing. Large hand registers 1/10 of a second, up to 30 seconds; small hand reads minutes, up to 15. Start, stop, and continue from crown; instant zero, 7 jewel movement. Chromium plated case. Shpg. wt., 8 oz. Imported.

13 C 3103L Net 11.50

Same as 13 C 3103 (above) except 1 jewel.

13 C 3102L Net 9.95

SPORTSMAN'S WATCHES

Swiss Precision Crafted Automatic Underwater Watches That Indicate Elapsed Diving Time!



Tells Time In **26** WORLD WIDE CITIES

DELUXE DAY DATE MODEL

17⁹⁵



CALENDAR WATCH

11⁹⁵

Also available in ladies' model

A DELUXE DAY DATE MODEL

- Accurate Swiss Movement • Stainless Steel Band
- Automatic Day-N-Date Calendar

Designed for the active sportsman or skin divers! Tell the time, day and the date at a glance. Revolving bezel lets you know the time in 26 cities around the world, and also operates as a 60 min. elapsed timer. Features a telemeter scale, a sweep second hand and luminous hands and dial markers. Rugged, precision timepiece is waterproof, pressurized and tested to 5 atmospheres, shock resistant, antimagnetic and has an unbreakable mainspring. Case is finished in bright chrome with a stainless steel back and a matching stainless steel band. Shpg. wt., 8 oz.

13 C 3127L Net 17.95

B CALENDAR WATCH

- Pressurized Waterproof Case • Parking Meter Timer
- Automatic Daily Calendar • Luminous Marker and Hands

Handsome wristwatch especially designed for the sportsman who is apt to get his watch wet—fishermen, hunters, or skin divers. Hermetically sealed pressurized waterproof case provides maximum protection for precision timing under adverse conditions. Movable outer bezel permits easy timing of events, parking meter time, or elapsed submerged time. Swiss crafted anti-magnetic shock protected movement features automatic daily calendar, unbreakable mainspring, and sweep second hand. Luminous hour markers and hands for high visibility. Polished chrome case, stainless back, and comfortable waterproof strap. Imported. Shpg. wt., 8 oz.

13 C 3118L Men's Net 11.95

Ladies Model—Similar to above.

13 C 3126L Net 12.95

Same as above men's watch but with 17 jewel movement.

13 C 3119L Net 21.95

- Accurate Jeweled Movements
- Unbreakable Main Spring
- Anti-Magnetic Hair Spring

B 1/5 SECOND TIMER • Ideal for Sports

Second hand registers 1/5 of a second and completes turn in 60 seconds. Small hand indicates up to 30 minutes. Side slide starts and stops hands. Fast resetting dependable 7-jewel movement. Shpg. wt., 8 oz. Imported.

13 C 3104L Net 11.50

Same as 13 C 3104 (above) except 1 jewel.

13 C 3105L Net 9.95



Lafayette SUPER 8 REFLEX ZOOM MOVIE CAMERA

\$15.00 PRICE CUT was 54.95
NOW ONLY 39.95 No Money Down

- Sharp f/1.8 Zoom Lens • Thru The Lens Viewing
- Automatic Thru-The-Lens CdS Electric Eye

An easy loading super 8 reflex camera with an automatic thru-the-lens CdS electric eye that automatically adjusts lens for correct exposure. F stop visible in viewfinder with a warning system for extreme lighting conditions. Fast f/1.8 zoom lens from 12 to 30 mm, for wide angle, normal, and telephoto shots. Focuses from 5 ft. to inf. Other features include: battery-powered motor drive; pistol grip; built-in type A filter that automatically disengages and provides the proper ASA setting for indoors; footage counter; film transport signal, and adjustable eye piece. Imported. Shpg. wt., 2½ lbs.

99 C 7216L \$5 Monthly Net 39.95
15 C 1610 Camera Case for above Net 3.95
99 C 6258 Extra Batteries for above (4 req.) Net ea. .10



YASHICA SUPER 8-60E 6-1 POWER ZOOM

Only **154.95**
No Money Down

- 8-48mm f/1.8 Automatic Zoom Lens
- Motorized—3-Speeds
- With Ultra-Modern Servomatic CdS Thru-the-Lens Exposure Control
- Reflex Viewing

Deluxe electric drive Super 60 Electronic reflex camera with fast electric f/1.8 lens zooms from 8 to 48 mm. Automatic CdS through-the-lens exposure system and micro-split focusing. Other features include film type indicator window, parallax free reflex viewing, shutter trigger with continuous run button, spotlight and background lighting control, automatic film ASA speed selector, insufficient light indicator, remote control, single frame, and cable release sockets. 85A filter, battery checker, footage counter, and movie light slot. ASA Speeds: 25-400. Film Speeds: 12, 18, 24 fps. Imported. 15 C 3640L \$8 Monthly. Shpg. wt., 3 lbs. Net 154.95

YASHICA SUPER 8-40E

Similar to above but with Yashinon f/1.8, 4:1 power zoom from 9 to 36 mm. Imported. Shpg. wt., 3 lbs.
15 C 3642L \$7.50 Monthly Net 139.95
99 C 6258 Batteries for above (4 required) Net ea. .10



YASHICA SUPER 825 REFLEX ZOOM

Only **79.95**
No Money Down

- Automatic Thru-the-Lens Exposure Control
- Zoom 12-30 mm, f/1.8 Lens

Brilliant reflex viewing with behind-the-lens CdS metering system for automatic or manual exposure. Over/under exposure indicator warning in viewfinder. Manually operated, 2.5:1 zoom from 12-30 mm, with f/1.8 lens. Focuses to under 4 ft. Features battery operated motor film drive; shutterlock; foldaway pistol grip; slide-rule footage counter. ASA settings: 25, 40, and 100. With battery check meter and built-in "A" filter keyed to movie light. Imported. Shpg. wt., 2½ lbs. 15 C 3643L \$5 Monthly Net 79.95

YASHICA SUPER 8-40

Similar to above but with f/1.7 lens, 4:1 power zoom (9-36 mm) 18 and 24 frames per second and single frame. Shpg. wt., 3 lbs. 15 C 3633L \$6.50 Monthly Net 109.95
99 C 6258 Batteries for above (4 required) Net ea. .10

ATLAS-WARNER DUAL 8 EDITOR For Both Standard and Super 8



- Over 17 Sq. In. Viewing Screen

25.50

Large screen editor with over 17 sq. in. of viewing area. Film slips in place in seconds; notches in exact frame that is being viewed. Takes reels up to 400 ft. Smooth and rapid rewind operates without scratching film. Adjustment knob for critical focusing. Foldaway arms for convenient storage. Die cast construction, with dry splicer and splicing tape. Size: 9½ x 7 x 6½". UL listed. 15 C 8409 Shpg. wt., 7½ lbs. Net 25.50
For Super 8 only, similar to above. 15 C 8410 Net 20.95

Deluxe Movie And Slide Projectors

AIREQUIPT REMOTE CONTROL SLIDE PROJECTOR



59⁹⁵

No Money
Down


- Includes Remote Control for Forward/Reverse and Micro Focus

- 500 Watt Lamp
- 4" 3-Element Color Correct Lens
- Complete With Circular Magazine For 100 Slides

Fully remote controlled projector with a sharp 4" lens and a 500 watt lamp for brilliant screen viewing. Features a highly efficient blower for cool, quiet operation, slide preheat to insure immediate focus, thermo-cut-off to prevent overheating, panel focus control, elevation control, 3-way on/off switch, and a smartly designed self-contained unbreakable case. Shpg. wt., 10 lbs.

15 C 3647W \$5 Monthly _____ Net 59.95
15 C 3648 100 Slide Circular Magazine Shpg. wt., 1 lb. _____ Net 2.79
15 C 3649 36 Slide Metal Magazine Shpg. wt., 1/2 lb. _____ Net 1.99

500 WATT SLIDE PROJECTOR



26⁹⁵

- Automatic Slide Changer
- Color Corrected 4 Inch f3.5 Lens
- Quiet Fan Cooled Operation


Designed for simplicity of operation and ease of maintenance. 500 watt lamp assures sharp brilliant pictures. Projects any 35 mm, Bantam, 127, or Instamatic slides. Does not require slide trays. Loads up to 40 slides and allows intermix of different size slides. Uses standard projection lamp. Compact—5 3/4" H x 14 L x 8 1/2" W. For 105/120 volts 50/60 Hz Shpg. wt., 7 1/2 lbs.

15 C 8401 _____ Net 26.95

SUPER 8 SEALED-BEAM MOVIE LIGHT

5⁹⁵

Head
Tilts
Bounce
Lighting



Compact, powerful 650 watt tungsten sealed beam lamp will provide sparkling, bright indoor movies. Features top mounting and switch on power cord. Will fit all new super 8mm cameras plus all standard 8mm cameras with tripod socket on top, with 6 1/2 ft. cord and exposure guide. UL listed. Shpg. wt., 3 1/2 lbs.

Net 5.95

DROP FRONT "PRO" BAGS



AS
LOW
AS
9⁹⁵

The perfect accessory bag for professionals or camera bugs. Heavy duty bags will hold movie, reflex, 35 mm and press cameras, flash guns, bulbs, meters and a host of other items. Constructed of durable vinyl material, with red corduroy lining and non-jam zipper. Leather loops, hand strap and front key lock.

PRO 13 Size: 13 x 10 x 6". Shpg. wt., 3 lbs.
15 C 1607 _____ Net 9.95
PRO 16 Size: 16 x 7 x 9 1/2". Wt., 3 1/2 lbs.
15 C 1608 _____ Net 13.95

DeJUR DUAL PROJECTOR FOR BOTH SUPER AND STANDARD 8



SALE
89⁹⁵
Cut
10.00



- With Self Contained Case
- Die Cast Aluminum Construction
- Film Selector Switch From Standard To Super 8

MODEL DP-787Z. Cool running compact projector with advanced engineering features provides high brilliance from movies taken with any 8 mm camera... super or standard 8 mm. Zoom lens assures sharp color reproduction. Selection of Super or standard 8 mm film is made by the flick of a switch. Other quality features include reel-to-reel threading, multiple speed control plus instant forward/reverse and rapid rewind, single frame stills, built-in film trimmer, automatic room light receptacle. Rugged motor is factory lubricated for years of operation. 400 ft. reel capacity. Shpg. wt., 20 lbs.

15 C 5211WX \$5 Monthly _____ Net 89.95

VICEROY 801 SUPER 8 AUTOMATIC MOVIE PROJECTOR

49⁹⁵

No Money Down



Beautifully styled 8 MM projector combines 500-watt brilliance and a fast f/1.4 color coated lens for vivid screen viewing. Features Adjustable film control for proper

feed onto the take-up reel; automatic film threading; adjustable framing; automatic rapid rewind; built-in elevator adjustment, and focus control. Includes a self-contained carrying case, 400' reel and 6' power cord. UL listed. Shpg. wt., 15 lbs.

15 C 7806WX \$5 Monthly _____ Net 49.95

ELEVATOR TRIPOD



- Tri-Tilt Head
- Velvet Smooth Panning

For any small camera — 35mm, reflex or movie. Compact and lightweight... folds to 16", extends to 47" plus 7" with geared center elevator. Single action tilt/pan and 180° swing over for vertical and horizontal format pictures. Positive lock, folding crank. Chrome plated brass legs. Weighs 31 Oz. Imported. Shpg. wt., 2 1/2 lbs.

99 C 7029 Net 6.95



with case
209⁹⁵
 No Money Down
MIRANDA

**"SENSOREX"
 35 MM SLR**

- Behind-The-Lens CdS Meter
- Variable Delay Self-Timer

Fully automated SLR camera utilizes cross-coupled behind-the-lens CdS spot-meter (ASA range 25-1600 and EV 3-18) and ultrasharp Auto Miranda lens. Illumination is measured with the lens wide open and exposure is set by adjusting f-stop and/or shutter speeds. Multi-split-grid resolves into perfect clarity when pin point focus is achieved. Features interchangeable lens mount, built-in self timer, instant return mirror, interchangeable viewfinder, and rapid advance 150° cocking lever. Complete with built-in variable delay self-timer. Includes case and strap. Specifications: 50mm f/1.8 lens. Speeds: B, 1-1/1000th sec. FP & X synch. Imported. 15 C 3711L \$11 Monthly. Shpg. wt., 3 lbs. Net 209.95

"SENSOREX" 35 MM f/1.4. As above with super fast lens. Net 249.95
 15 C 3724L \$12.50 Monthly

**KODAK
 INSTAMATIC CAMERA
 COLOR OUTFIT**

As Low As **16⁹⁵**
 • Accepts Flashcube
 —Rotates it
 Automatically



Model A-124R Outfit. Features the simple-to-operate Kodak Instamatic 124 camera. Prefocused lens for perfect exposures. Shutter speed automatically adjusts for flash or outdoor shooting. Double exposure prevention. Kit includes camera, wrist strap, Kodacolor-X film cartridge, flashcube, alkaline batteries. Net 16.95

15 C 2635L Shpg. wt., 4 lbs.
 Model 174R Outfit. Quality camera for the casual photographer utilizes motor operated automatic film advance for rapid picture taking. Prefocused lens and automatic flash settings combine for perfect exposure. Lumenized f/11 lens is factory focused from 4 ft. to infinity. Flashcube attachment automatically selects correct speed setting. Supplied with camera, wrist strap, Kodacolor-X film cartridge, flashcube, alkaline batteries, and instructions. Net 25.50
 15 C 2636L Shpg. wt., 6 lbs.

**MIRANDA
 "SENSOMAT"
 35MM SLR**

with case
159⁹⁵
 No Money Down



- Shutter Speeds to 1/1000th
- Thru-The-Lens CdS Meter
- Sharp 50 MM F/1.8 Lens

"Sensomat" is a truly versatile 35 mm SLR featuring a thru-the-lens CdS metering system with a narrow angle of acceptance for easier, more perfect picture taking. Match needle in the viewfinder can be centered for proper exposure by rotating the diaphragm and/or the shutter speed dial. ASA range: 25-1600. Other features include fully interchangeable finder and lens systems, shutter speeds of 1-1/1000th plus B, FP & X synch, automatic reset film counter with a magnifying lens, and a front and top shutter release for greater convenience. Focus from 17". Camera includes 50 mm f/1.8 auto lens, case and strap. Imported. Shpg. wt., 3 lbs. Net 159.95
 15 C 3722L \$8 Monthly

"SENSOMAT" 35 MM f/1.4. As above but with fast lens. Net 199.95
 15 C 3723L \$10 Monthly

Kowa
SALE!
89⁹⁵
 WITH CASE
 Cut 10.00

"SET" 35MM SLR



Kowa "SET" fully coupled behind-the-lens CdS exposure meter system measures illumination with the lens at full aperture. Match-needles, visible in the viewfinder, ASA range is 10-800. Finder uses a microprism dot in the center for more accurate focusing, and a Fresnel collar for a bright edge-to-edge view. Features an easy loading system, leaf shutter with speeds from 1-1/500th and B, rapid advance lever, autoreset film counter, self-timer, and a 50 mm f/1.8 lens. M or X synch. Imported. Shpg. wt., 2 lbs. Net 89.95
 15 C 6304L \$5 Monthly

**YASHICA
 LYNX - 5000E**

with case
87⁹⁵
 No Money Down



- Unique Electronic Integrated Circuit CdS Exposure System
- Combination Range and Viewfinder—Exposure Signal in Viewfinder

Modern easy to use camera with CdS exposure system that uses "space-age" electronic circuitry for accurate exposure every time. "Over" or "under" signal appears in the viewfinder indicating which way to adjust the speed or aperture. Lamp turns off when correct exposure is set. Other features include shutter speeds from 1-1/1000th plus B, convenient speed aperture coupling, M & X synch., automatic parallax correction, rangefinder focusing, self-timer, single stroke film advance with double exposure prevention, auto-reset film counter, rapid rewind and an accessory shoe. ASA range is 10 to 800. Includes 45mm f/1.8 color corrected lens, case and strap. Imported. Shpg. wt., 3 lbs. Net 87.95
 15 C 3646L \$5 Monthly

**Minolta "16 II"
 SUBMINIATURE
 CAMERA**

with case
 ONLY
31⁹⁵



An extremely easy-to-operate, palm-size camera. Sliding camera in and out of built-in case advances film, cocks, shutter, counts exposure and prevents double exposure—all automatically. 6 shutter speeds from 1/30 to 1/500 sec. plus "B". Takes B & W pictures, color prints or color slides that fit any 35mm projector. Direct viewfinder shows picture exactly as it will appear on film. Lens opening from f/2.8 to f/16. With Case. Imported. Shpg. wt., 1 lb. Net 31.95
 15 C 3416L \$5 Monthly

MINOLTA 16 II Accessories. Av. Shpg. wt., 6 oz.
 15 C 3421 Baby BC Flash with Capacitor and Case Net 5.49
 15 C 3422 Bracket for Flash and Tripod Mtg. Net 1.95
 15 C 3423 Aux. Lens Set—2 closeup, 1 distance, 1 Y filter Net 4.49
 15 C 3424 Color Filter Set—1 ea, 1A, 80A, 81B Net 4.49
FILM FOR "16 II"—All are 20-exposure magazines Shpg. wt., 3 oz.
 15 C 3417L Kodak Plus-X Net .99
 15 C 3419L Kodachrome II Net 1.25
 15 C 3418L Kodak Double-X Net .99
 15 C 3450L Ektacolor Negative (color prints) Net 1.49

LAFAYETTE CdS EXPOSURE METER

- Professional Quality Ultra Sensitive—Measures Moonlight, Candlelight, Bouncelight

15⁹⁵

NOT A KIT
Completely
Wired




Now you can achieve correctly exposed photographs from the light of a single candle with this versatile, low cost Lafayette meter. Ultra-sensitive CdS photocell meter utilizes dual light ranges to accurately measure light intensity including extremely low light levels for night or available light photography. Operates comfortably with one hand. A single slide switch controls light range and automatically moves the proper scale into position for easier readings. Measures reflected and incident light with built-in hemispheric diffuser. The meter can be adjusted with a click stop switch to three angles of light acceptance; 15° telephoto, 45° standard and 75° wide angle matching your readings to the camera lens and scene being photographed. Reflex viewfinder with frame markers provide precise area readings for 15° and 45°. Has battery test and "off" position to prolong battery life. External zero adjustment and two mercury batteries (included) assure accuracy over long continuous use. Cushioned jewel mechanism and high impact case, 4 3/4 x 2 1/2 x 1 3/8" D. Imported. Shpg. wt., 13 oz.

99 C 7197L Net 15.95
15 C 1609 Hard leather eveready case strap. Wt., 6 oz. Net 3.95

SPECIFICATIONS

Sensitivity: Low Range, 0.44 to 110 footcandles; High Range, 110 to 28,000 footcandles. ASA Film Speed Range: 6 to 12,000 (1° to 12°). Diaphragm Stops: f/0.5 to f/64. Shutter Speeds: 1/4000 second to 30 minutes. Movie Scale: 4 to 128 frames per second. EL-LVS Scale: -12 to +22. Acceptance Angle: 15° Tele, 45° Std., 75° Wide Angle. Color Response: 5,600 Angstroms (peak). Photocell Type: Cadmium Sulphide. Batteries: 2 Mercury.


ULTRABLITZ CORNET "100" ELECTRONIC FLASH



24⁹⁵

LAFAYETTE TRANSISTORIZED ELECTRONIC STROBE FLASH

SALE!
14⁹⁵
Cut 2.00



- Operates on Batteries or AC
- Fully Transistorized
- Re-cycling Time 5-12 Seconds
- With AC Cord

- Operates on Batteries or AC

Featuring compact design and quality transistorized circuitry. Uses two "C" type batteries or AC. Solid state circuit for low battery drain and constant high intensity output. F-stop computer, retract; able pc cord and "hot center contact" for cameras and "hot shoe." Guide No's: Kodachrome II (ASA 25) 44; (ASA 64) 63; Tri-X (ASA 400) 176. Color temp: 5600° K. Angle of illumination: Vertical; 50°, Horizontal; 58° Ready light indicator. Imported. Shpg. wt., 2 1/2 lbs. 15 C 3715 Net 24.95

Now you can have a high-powered transistorized electronic flash that operates from standard AC house current or 4 economical "AA" cell batteries. Compact and feather-weight—no power pack is required. Flash duration is 1/2000th of a second for "stop-action" pictures. Recycling time: 6 to 8 seconds; color temperature: balanced for all daylight B&W and color films. Guide number dial for F stop on-back. Mounts either vertically or horizontally. Fits any camera shoe. Complete with AC cord, camera cord and batteries. Imported. 99 C 7184 Shpg. wt., 2 lbs. Net 14.95

32 C 4887 Alkaline Batteries for above (2 req.) Net ea. .49

32 C 4886 Alkaline batteries for above (4 req.) Net ea. .39

DELUXE LENTICULAR SCREEN

- Automatic Lever-Type Handle Permits Smooth And Easy Adjustment



10⁹⁵

Specially-designed, optically-correct lenticular screen is free of glare, sheen and hot spots. Amazing sharpness and color rendition. Durable vinyl fabric resists fire and fungus. Sturdy, secure tripod legs. Screen is 40 x 40". Shpg. wt., 12 lbs.

15 C 5005W Net 10.95

Same as above, Extra Large 50" x 50" Super Screen—Ideal for New Super 8 Movies. Shpg. wt., 14 lbs.

15 C 5021W Net 16.25

GLASS BEADED SCREEN

Fine grain glass beading for extra brilliance excellent viewing. Heavy-duty folding tripod adjustable to various heights. Large 30" x 40" size. Shpg. wt., 10 lbs.

15 C 5003W Net 6.95

WIDE ANGLE AND TELEPHOTO LENSES for KODAK INSTAMATIC CAMERAS



5⁴⁹

Add a custom made, auxiliary lens to your camera. Greatly increase your cameras' versatility with a wide angle or telephoto lens. Just slip on the lens and shoot. The telephoto increases the focal length and results in a magnification of about 2 times the image size as compared with the normal lens. The wide-angle lens decreases the focal length and results in an increased subject area of about 75% as compared with the normal lens. Each lens includes a built-in viewfinder adaptor. Shpg. wt., 1/2 lb.

For Instamatic Models—
104, 154, 100, 150, 124R, 174R, Hawkeye 50.
15 C 4935 Wide Angle Lens Net 5.49
15 C 4936 Telephoto Lens Net 5.49

PHOTO COPIER FOR POLAROID CAMERAS

As
Low As

4⁹⁵



Want copies of your Polaroid snapshots? Make them yourself on the spot in as little as 15 seconds using your present Polaroid. It's easy! Imported. Wt., 2 lbs.

FOR ALL POLAROID COLOR PACK CAMERAS
15 C 4950 Net 7.49

FOR POLAROID SWINGER 20
15 C 4951 Net 4.95

FOR BIG SWINGER
15 C 4952 Net 7.49

Optics and Camera Accessories

750X ZOOM MICRO-LABORATORY

SALE 10⁹⁵



- Any Magnification from 100X to 750X
- Complete Assortment of Accessories
- Molded Attaché Type Storage/Carrying Cas

Open the way to the exciting world of microscopic research and observation with "Micro-laboratory," a complete research lab featuring a powerful illuminated "zoom" microscope and an assortment of specially selected chemicals and accessories. Versatile 8½" high "Zoom" microscope with built-in illuminating light provides clear, sharp images on a wide, undistorted field of view—magnifies from 100X to 750X! Sturdy slide stand construction prevents slide movement and allows for steady, detailed viewing. Set includes a 6-piece dissecting kit, eleven blank slides, 2 test tubes, a glass beaker, an alcohol burner, a package of cover slips, and, to start you off on some really exciting experiments, you will receive one prepared slide, 2 dry micro-specimens, a frog, brine shrimp eggs complete with hatchery, sea salts, 7-assorted stains and fixatives plus a comprehensive 19-page instruction booklet. Complete outfit comes in a handsome molded attaché type carrying case. 99 C 7214 Imported. Shpg. wt., 7 lbs. Net 10.95

99 C 6258 Battery (2 required)

Net ea. .10

FRONT FOCUS PHOTO MONOCULAR

MAKES YOUR CAMERA TELE-PHOTO—Brings Distant Objects From 6 to 8 Times Nearer



ENLARGES THIS



TO THIS



SALE! 9⁹⁵

SAVE UP TO 3.00

Take super-telephoto pictures with your single lens or twin-lens reflex camera. The front focus system is specially made for on-camera operation. There is no need to miss those once-in-a-lifetime shots. Increases focal length of your camera lens 6X, or 8X depending on model selected (i.e. 50mm lens plus 8X monocular equals 400mm telephoto). Rugged, lightweight construction—weight only 7½ ounces; is only 5 inches long. Includes converter supplied to fit any series 6 adapter ring. With leather case. Imported. Wt., 1 lb. 99 C 7072 6x30 mm. Was 11.95 Net. 9.95
99 C 7074 8x30 mm. Was 12.95 Net 9.95

Astro Zoom

2.4" Zoom Refractor

★200X With Optional Barlow Lens



49⁹⁵

- 100X Plus Zoom Eyepiece For 20 to 80 X
- Variable Tension Alt-Azimuth Mount

An outstanding optics buy that combines a sharp 2.4 inch refractor with a zoom objective to provide an infinite range of possible magnification powers. Suitable for the beginner or amateur astronomer. Rack and pinion assures smooth focusing. Lens system focuses from 13 ft. to infinity. Lightweight aluminum body features baked enameloid two-tone beige finish. Adjustable 50" wood tripod permits use on uneven surfaces. Specs: Objective Dia.: 60 mm. Focal Length: 400 mm. Zoom Eyepiece: 20-80X. Fixed Eyepiece: Huygenian 4mm(100X). With stand, sun filter, zoom and fixed eyepieces. Imported. Shpg. wt., 10 lbs.

99 C 7213WX \$5 Monthly Net 49.95
99 C 7054 Barlow Lens for Double Power. Wt., 8 oz. Net 3.95

LAFAYETTE BEARING SCOPE

- Take Instant, Accurate Bearings



Designed for the small boat owner—fisherman—hunter—camper. A combination of an "alldade" type sighting tube and a jeweled pivot, liquid compass. Takes instant, accurate sightings on landmarks and converts them into compass bearing. Fixes your position automatically—easily. Graduated in increments of 1° with each 10° called out. Constructed of heavy brass throughout, antimagnetic & corrosion-proof. Complete with instructions. Imported. Shpg. wt., 3 lbs.

99 C 7158 Net 15.95
99 C 6258 Battery for above Net .10

3M DYNACHROME COLOR FILM WITH PROCESSING

- Beats the High Cost of Color Film
- Same Fine Pictures
- Processing Included Direct To Your Home



Dynachrome film is the newer, faster color film now in demand. Same reversal type, same natural colors, same superb quality. Only the price is different—it's almost like getting the processing free. And the low price includes processing direct to your home. Av. Shpg. wt., 6 oz.

COLOR SLIDE FILM

15 C 1818L 35mm, 20 Exp. Daylight ASA 64 Net 2.59
15 C 1819L 35mm, 36 Exp. Daylight ASA 64 Net 3.74
15 C 1817L 126, 20 Exp. Daylight ASA 64 Net 2.59

COLOR MOVIE FILM

15 C 1808L 8mm, 25 ft. Double Roll Daylight ASA 25 Net 2.79
15 C 1809L 8mm, 25 ft. Double Roll Indoor ASA 40 Net 2.79
Super 8mm 50 ft. Cartridge Indoor/Outdoor ASA 40
15 C 21816L Net 3.49

LAFAYETTE Quality Binoculars



As Low As
16⁹⁵

VERSATILE BINOCULARS

- All Lenses Are Coated!
- Sealed Against Dust & Moisture

Precise design, quality material and expert workmanship. All center focus; adjustable right eye-piece. Leather case, neckstraps included. Imported.

7x35 Popular, versatile, all-purpose binoculars. Shpg. wt., 3 lbs.

99 C 7018 Net 16.95

7x50 Navy style night glasses, Favored for marine use.

99 C 7016 Shpg. wt., 3½ lbs. Net 19.95

20x50 King of the long range.

99 C 7020 Shpg. wt., 4½ lbs. Net 26.95



Only
27⁹⁵

EXTRA WIDE-ANGLE BINOCULARS

- Doubles the Field of Ordinary Binoculars

Multi-purpose 7x35mm binoculars which are especially useful in field studies. Wide angle view allows brilliant and close-up views of sporting events without cutting the image as regular narrow angle binoculars do. Field of view at 1000 yards, is 580 feet! Center focus and right eye adjustment insures perfect focus. All optics are coated. Lined leather case provides protection when not in use. Imported. Shpg. wt., 5 lbs.

99 C 7019 Net 27.95



Only **44⁹⁵** No Money Down

WIDE ANGLE TRU-ZOOM™

- Not a "Vari-Power," One Control Zooms Both Barrels!
- Center Focus, Adjustable Right Eyepiece, plus Single Synchronous Zoom Control!

Sight in subject at 7 power—then Zoom up to 12 power (or any four in between) for closeup viewing power. 40 mm objective lenses are hard coated achromats. Field of view is 323 feet at 1000 yards at 12 power (5.5°). Prisms in shock-resistant mounts. Lightweight alloy frame and body. Includes lined hard leather case and straps. Shpg. wt., 5 lbs. Imported.

99 C 7108 \$5 monthly Net 44.95



20X 40mm SPOTTING SCOPE

SALE
12⁹⁵

Extremely attractive spotting scope with 40mm coated lens. A complete assortment of accessories makes it ideal for use everywhere by everyone. Complete with black, zippered carrying case with belt loop, elevator table tripod with rubber-tipped legs, tripod adapter, pistol grip with convenient wrist strap, car window adapter. Overall length of scope, 10½". Imported. Shpg. wt., 3 lbs.

99 C 7193 Net 12.95



Mounts on Window

Convenient Pistol Grip with Wrist Strap

LAFAYETTE 8x24 MINI-SCOPE

- Includes 6x Super Wide-Angle (11°) Objective
- Fits in Palm of Hand
- Use as Close-up Magnifying Glasses

Only **12⁹⁵**

Versatile, precision pocket telescope provides powerful 8-power optics, yet slips into your pocket. Ideal for travel, hiking or nature study. For a larger field, quick-change to the 6x extra-wide view 18mm lens. Pulls in the action at football, hockey, and shows. 24mm coated lens provides 435 ft. viewing area at 1000 yds., 18mm coated lens gives 575 ft. viewing area. With soft zippered case, wrist strap. Imported. Shpg. wt., 1 lb.

99 C 7215 Net 12.95



Bushnell

INSTA-FOCUS 7x35 Wide Angle Binocular



• "Focus So Fast—You'll Think It's Automatic"

39⁹⁵

- With Hard Lined Case

Superb performance, both optically and mechanically. Focus fast and accurately with finger. Perfect for baseball, football, racing, nature study, and travel. When the action is fast, there's no time to adjust the focus as in standard binoculars. Exclusive "INSTA-FOCUS" changes focus so rapidly it's almost automatic. Reduces eye fatigue to a minimum. Wide field of coverage (578 feet at 1000 yds.). Blue coated lenses provide protection against reflected glare of water, sand, snow, and haze. With hard lined case. Shpg. wt., 4 lb.


15 C 1101 \$5 Monthly Net 39.95

10X30mm TELESCOPE with TRIPOD

- Full 10 Power

A 10 power, 30mm internal (front) focus telescope that is compact, lightweight and portable—ideal for taking it everywhere you go. Features coated achromatic lenses. Has built-in camera tripod socket. Sturdy tripod supplied with rubber-tipped legs that prevent scratching. Imported. Shpg. wt., 2 lbs.

99 C 7071 Net 6.95



6⁹⁵

- Portable-Compact-Lightweight



COPYMATE[®]

DRY COPIER

Only **29⁹⁵**

★ Completely Dry

★ Easy To Use

- Does Not Use Messy Chemicals
— Inks-Powders-Sprays
- Makes Crisp Black-On-White Copies
- Copy Letters-Photographs
—Even Pages Bound In Books

Easy to use dry copier for home and office. Anyone can make permanent, black-on-white copies of documents, recipes etc. in less than one minute, regardless of color or thickness up to size 8x10. No messy chemicals, inks, powders or sprays; uses two ordinary 150 watt frosted bulbs and "Copymate" paper. Features a built-in automatic timer that determines proper exposure, and also indicates when copies are ready. Handsome brown and gold case with built-in carrying handle. For 110-120 VAC, 60 Hz: UL listed. Size: 22 1/4 x 17 1/2 x 6 1/4". Shpg. wt., 9 lbs.

15 C 4601W _____ Net 29.95

"Copymate" Paper. 33 sheets per pkg. shpg. wt., 1 1/2 lbs. Net 2.99
15 C 4602 _____



AUTOMATIC ELECTRIC PENCIL SHARPENER

13⁹⁵

- Automatic Stopper When Pencil Is Sharpened
- Heavy Duty Electric Motor

Model 660—Ideal for student, artist, draftsman, business firms... anyone who needs sharp writing or drawing points. Powerful sharpener gives a needle point instantly. Unit even sharpens charcoal and pastel pencils. Sensitive micro switch automatically stops motor when pencil is sharpened. Carefully machined precision ground cutters last indefinitely. Neat, easy cleaning is achieved with convenient push out receptacle drawer. Simple and safe for even a child to use. Constructed of sturdy die cast metal with heavy duty 115 volt AC motor. UL Listed. Imported. Shpg. wt., 3 1/2 lbs.

15 C 1705 _____ Net 13.95

PENCIL SHARPENER AND LETTER OPENER

Model 770—Similar to above pencil sharpener with built-in automatic letter opener. Opens any size envelope quickly and accurately. Shpg. wt., 6 1/2 lbs.

15 C 1710 _____ Net 24.95

ELECTRIX[®] THE EXECUTIVE PERSONAL FAN


SALE

9⁹⁵

CUT 2.00

SALE ENDS
AUGUST 15, 1969

A Concentrated Stream of Cool, Freshly Circulating Air That Will Never Disturb Papers



- Powerful—Compact Whisper Quiet
- Use Anyplace You Relax

Cools like fans several times in size, yet it's so light in weight (less than two pounds), you can take it with you from room to room... set it on a desk, alongside your bed, or in the kitchen... wherever a breath of fresh air is needed without blowing up a storm, or disturbing surface papers. In fact, the Executive is so whisper quiet and efficient you can use it any place you relax or work. Durable, high impact Cyclac[®] base adjusts to direct a concentrated, cooling, even stream of air. Comes in beautiful off-white finish. Size: 8Wx4"D. Shpg. wt., 2 lbs.

15 C 5101 _____ Net 9.95

draftette PORTABLE DRAFTING MACHINE



- Precision Instrument

15⁹⁵

DRAFTETTE[®] 9-B—sketch draft, design, draw diagrams and schematics like a professional. A new DRAFTETTE which gives you all the advantages of a T-square, triangle and protractor in a compact, easy to operate portable drafting machine. Constructed of anodized aluminum, features tubular arms, 360° protractor, one-piece 6"x9" scale calibrated in 16ths-1/8-1/4. Mounted on a lightweight 16"x21" drawing board, completely assembled ready to use. Shpg. wt., 4 lbs.

15 C 7401 _____ Net 15.95



7⁹⁵

TECHNICAL DRAFTING SET

- Made in W/Germany of Nickel Plated Brass

Contains 6 1/8" self-centering compass, one leg knuckle joint with divider, pencil, pen parts and lengthening bar; 6 1/8" self-centering divider; spring bow divided 4 1/8", center wheel adjustment with interchangeable needle points; spring bow pencil and spring bow pen, both 4 1/8" with center wheel adjustment and interchangeable needle point; two 5 1/8" ruling pens; extra handle for pen and pencil parts; adjustment tool; lead case and leads; and spare parts kit, all in velvet lined snap closing case. Shpg. wt., 1 1/2 lbs.

99 C 7003 _____ 7.95

TACRO

TACROGRAPH SET



Drawing pen for all lettering and drawing work. Uses both India and drawing inks. Precision point for constant flow lines. Slim, easy to hold pen comes with 3 color coded nibs. Fine (Size 0, Grey nib), Light Medium (Size 1, Yellow nib), Very Broad (Size 3, Blue nib). Shpg. wt., 8 oz.

15 C 8002 _____ Net 4.95


Deluxe Tacrograph Set—Similar to above with 7-precision crafted points, Plgskin Case. Nibs: White-00-very fine; grey-0-fine; yellow-1-light med.; beige-2-heavy med.; green-2 1/2-broad; blue-3-very broad; red-4-extra broad. Shpg. wt., 1 lb.

15 C 8003 _____ Net 8.95

SMITH-CORONA

Coronet Electric™ Typewriters

CORONET ELECTRIC	CORONET ELECTRIC 12	CORONET AUTOMATIC ELECTRIC
134⁹⁵	144⁹⁵	159⁹⁵



Pica characters

- With Luggage Type Carrying Case

Type Easier Electrically with this Coronet Electric typewriter. Makes up to 10 carbons... repeats dots, dashes, spacing, the letter X and underlines. Full-sized 88 character keyboard features Impression control dial and touch selector. Amazing accelerator action gives faster type-bar actions for a snappier touch. Includes efficient saving page gage, quick set margins, exclusive forward-glide top deck, push-variable line spacing. Pica characters. Strong steel frame. Trimline luggage type carrying case. U.L. listed. 110-120 Volts AC. Shpg. wt., 26 lbs.

15 C 4003WX Tan, \$7.50 Monthly	Net 134.95
15 c 4004WX Mist Blue, \$7.50 Monthly	Net 134.95

CORONET ELECTRIC 12
Similar to above with versatile 12" carriage. Shpg. wt., 29 lbs.

15 C 4011WX Mist Blue, \$8 Monthly	Net 144.95
15 c 4012WX Tan, \$8 Monthly	Net 144.95

CORONET AUTOMATIC ELECTRIC Similar to above with 10" push-button power return carriage. Shpg. wt., 26 lbs.

15 C 4013WX Mist Blue, \$8 Monthly	Net 159.95
15 c 4014WX Tan, \$8 Monthly	Net 159.95

brother Portable Typewriters



(A)
42⁹⁵

No Money Down

(B)
57⁹⁵

No Money Down

(C)
73⁹⁵

No Money Down

(A) **PORTABLE TYPEWRITER** • All Steel/With Case

Echelon 44 typewriter contains a full 88 character office keyboard—4 characters more than standard typewriters (+=17). Features two-color plus stencil position, variable line spacer, erasure table and paper support arm, half-space ratchet, touch adjustment, hand set margins, paper bale scale, jam release key, measuring scale holder, line drawing aperture and comfort sloped keyboard. Popular pica type. Size: 14½x15x6¾". With case. Shpg. wt., 15 lbs.

18 C 1706WX \$5 Monthly Net 42.95

Echelon 66—Same as above but with tabulator key. Net 47.50

15 C 1707WX \$5 Monthly Net 47.50

(B) **DELUXE PORTABLE TYPEWRITER**

- Full Featured/With Case

Echelon 88 full featured deluxe compact portable typewriter with key set tabulator and full 88 character keyboard. Features include convenient "touch" control, variable line spacer, two-color ribbon plus stencil position, automatic and manual ribbon reverse, erasure table and paper support arm, jam release key, synchronized measuring scale and card holder provide additional typing comfort. All steel with carrying case. Pica type. Size 16¾x18x7½". Shpg. wt., 19 lbs.

15 C 1708WX \$5 Monthly Net 57.95

(C) **DELUXE HOME/OFFICE TYPEWRITER**

- Deluxe Molded Case
- All Steel

Echelon 99 full 88 character home/office typewriter features push-button key set tabulator, pushbutton 2 color ribbon selector, jam release key, rapid paper advance lever, synchronized measuring scale and card holder. Has automatic and manual ribbon reverse, line finder, line drawing aperture, and segment shift. With deluxe carrying case. 88 Pica characters. Size: 16¾x18x17¾". Shpg. wt., 23 lbs.

15 C 1709WX \$5 Monthly Net 73.95



SMITH-CORONA "FIGUREMATIC" Portable Electric Adding Machine

Only **66⁹⁵**

No Money Down

- Totals up to \$999,999.99
- "Hand-Span" Keyboard
- Lightweight and Compact

A fast-figuring electric portable that adds, subtracts and multiples. Full-featured construction with 10 keys. Add-Subtotal, Subtract-Total, and Repeat. "Clear" and digital indicator are combined. Lists 7 columns of figures. New, easy-load ribbon cartridge gives thousands of extra prints. Easy to carry—the cord tucks in, stylish dust cover snaps on, built-in retractable carrying handle comes out, and away it goes. Ideal for everyone who figures—at work, home, in-between. Overall 7x9x13". For 110-115 volts, 60 Hz, AC. Shpg. wt., 10½ lbs.

15 C 4007WX \$5 Monthly	Net 66.95
Adding tape for above 2½" wide.	
15 c 4006	Net ea. .39


HOLLOW BODY ELECTRIC GUITARS

AND

"SLIMLINE" 2 PICK-UP HOLLOW BODY ELECTRIC GUITAR

- "Hi-Response" True Vibrato Tailpiece
- Adjustable Bridge—Adjustable Pick-Ups

Handsomely styled double cut-away electric guitar with dual pickups for solo or rhythm work. Narrow celluloid bound high-speed adjustable neck is steel reinforced for extra strength and features a 21 fret rosewood fingerboard with white inlaid position markers. Also has sturdy tremolo tailpiece, laminated arched top and back, volume and tone controls plus 3-position selector switch for choice of pickup. Individual precision machine heads. Hand-rubbed shaded red finish. 16W x 41 1/4 H x 1 3/4 D. Imported. Wt., 14 lbs.
 13 C 6618WX \$5 Monthly Net 49.95
 Sturdy Case for Above Guitar. Shpg. wt., 4 lbs.
 13 C 6601WX Net 8.95



ONLY
49⁹⁵

No Money Down

DELUXE 2 PICK-UP "SLIMLINE" HOLLOW BODY ELECTRIC GUITAR

Custom crafted, professional quality instrument! Features a 21 fret, oval rosewood fingerboard with mother-of-pearl inlaid position blocks, plus side position markers and triple bound edges. Has two ultra-sensitive, hum-free pick-ups with individual pole adjustments, height adjustments, and individual volume and tone controls. 3-position lever switch selects bridge pickup for solo, and forward pickup for rhythm work; or, permits use of both pickups simultaneously. Large handsome celluloid bound body is shaped and contoured for optimum sound response. Beautifully flamed high-gloss poly-estic finish. 16W x 44H x 2"D. Imported. Shpg. wt., 16 lbs.
 13 C 6602WX \$5 Monthly Net 79.95
 Sturdy Case with Plush Lining for Above.
 13 C 6603WX Shpg. wt., 4 lbs. — Net 10.95



- Steel Reinforced, Adjustable Neck
- Individual Volume and Tone Controls
- Custom Designed Tremolo Tailpiece

ONLY
79⁹⁵

No Money Down

12
STRING

ELECTRIC GUITAR

ONLY

89⁹⁵

No Money Down



DELUXE 12-STRING 2 PICK-UP HOLLOW BODY ELECTRIC GUITAR


- Steel Reinforced Adjustable Neck
- 4-Controls plus Switch For Exciting Musical Sounds and Effects

Ultra sleek, double cutaway, thin-line instrument for the professional guitarist. Two ultra-sensitive hum-free pick-ups with individual pole and height adjustment. Separate volume and tone controls for individual pickups; 3-position selector switch for Solo/Rhythm and Super Bass sounds. The body is of selected flame grained woods and contoured both front and back for perfect body comfort. Slim fast-action neck is steel reinforced and features a 21 fret oval rosewood fingerboard with mother-of-pearl inlaid position blocks plus side position markers and triple bound edges. Also has Universally adjustable bridge; custom designed tailpiece. Beautifully flamed high-gloss poly-estic finish. Imported. With cord. Shpg. wt., 18 lbs.

13 C 6604WX \$5 Monthly Net 89.95
 Sturdy Case with Plush Lining for Above.
 13 C 6605WX Shpg. wt., 4 lbs. — Net 12.50



BASSES



- Steel Reinforced Adjustable Neck

ONLY

49⁹⁵

No Money Down

VIOLIN SHAPED 2-PICK-UP ELECTRIC BASS

Classic violin shape with Italian styled headpiece, combines with two magnetic pick-ups for a pure, rich, bass sound. Three position switch accentuates the highs, lows and mid-range. Delicately arched hollow body bound in decorative celluloid trim, features: a 4-piece laminated, fully adjustable, steel reinforced neck; bound rosewood fingerboard with heavy nickel silver frets and inlaid position markers; chrome plated trapeze tailpiece; adjustable bridge; fully enclosed tuning machines; sparkling sunburst finish with a celluloid pick guard, and mahogany finger rest, cord. 44 $\frac{1}{2}$ x13x2 $\frac{1}{4}$ ". Imported. 13 C 2453WX Shpg. wt., 12 lbs. Net 49.95 Sturdy case for above. Shpg. wt., 4 lbs. 13 C 2454WX Net 8.95

- Exceptional RESONANCE . . . Responds To The Lightest Touch

Only

99⁹⁵

No Money Down



PROFESSIONAL VIOLIN SHAPED 2-PICK-UP ELECTRIC BASS

A professional instrument of magnificent quality and great flair that can be played with pride by all guitarists. Features: crafted scrolled headpiece, bound "f" holes, heavy-duty laminated pickguard, deluxe cast chrome precision machines; 3-piece adjustable, reinforced maplewood neck; 2-perfectly balanced, adjustable "hum-free" pickups; individual Volume/Tone controls; 3-position switch for Solo/Rhythm work; fully adjustable compensating bridge; 21 frets; full size rosewood fingerboard with 9-inlaid pearl position markers. Triple bound edges on fingerboard and body, plus deluxe tailpiece with rosewood inlay. Finished in glistening ebony, or golden sunburst. Size: 46Lx13 $\frac{3}{4}$ Wx 3"D. Imported. Shpg. wt., 14 lbs.

13 C 6637WX Ebony Black Finish . . . Net 99.95
 13 C 6638WX Golden Sunburst . . . Net 99.95
 Sturdy Case with "plush lining" for above.
 13 C 6639WX Shpg. wt., 4 lbs. . . . Net 14.95

- Hard Maple, Steel Reinforced Adjustable Neck
- Double Cutaway Thin-line Body

Only

89⁹⁵

No Money Down



DELUXE 2-PICK-UP HOLLOW BODY ELECTRIC BASS

Produces deep bass tones with brilliant cadence! Features adjustable mute control; 2-perfectly balanced adjustable "hum-free" pick-ups; individual tone and volume controls for each pick-up; 3-position toggle switch for solo/rhythm work; fully adjustable compensating bridge; individual cast-chrome covered precision machines; and custom designed tailpiece. A 20 fret fingerboard made of oval rosewood features 7-mother-of-pearl inlaid position blocks, side position markers and triple bound edges. The beautiful flame-grained hardwood body is celluloid bound and protected by a pick guard. With cord. Size: 46"H x 16"W x 2"D Imported. 13 C 6608WX Shpg. wt., 16 lbs. . . . Net 89.95 Sturdy case with "plush lining" for above. 13 C 6609WX Shpg. wt., 4 lbs. . . . Net 12.50

COMPLETE ELECTRIC BASS OUTFITS Save Up To \$26.25 from Individual Catalog Prices

Each Electric Bass Guitar Outfit consists of a Electric Bass, Amplifier, Case, Neck Strap, Pick-up Cord plus "Modern Electric Bass Guitar Method" book.

See Page 46 to 47 for Amplifiers

Outfit No.	Elect. Bass	Amplifier	Watts	Shpg. wt.	Net
13 C 9112WXM	13 C 2453WX	13 C 0148WX	80	75 lbs.	186.95
13 C 9113WXM	13 C 2453WX	13 C 0134WX	50	52 lbs.	145.95
13 C 9032WXM	13 C 6608WX	13 C 0148WX	80	79 lbs.	224.95
13 C 9074WXM	13 C 6608WX	13 C 0154WX	50	56 lbs.	184.95
13 C 9114WXM	13 C 6637WX	13 C 0148WX	80	78 lbs.	236.34
13 C 9115WXM	13 C 6638WX	13 C 0148WX	80	78 lbs.	236.34



LAFAYETTE

Amplifiers

Deluxe, Powerful Musical

80
WATT
144⁹⁵
No Money Down



80-Watt "Piggy Back" Bass Amplifier

- Powerful 15" Special Design Jensen Speaker with 27 oz. Magnet
- Projects "Big Bass Sound"
- Excellent For Use With Electric Bass, Regular Guitar, Accordion and Combo-Organ
- "Easy Reach" Extruded Brushed Aluminum Control Panel will handle up to 3 instruments

Fabulous, full bass sound with a minimum of distortion. Specially designed durable 15" Jensen speaker has a wide range response. Has 3 inputs: bass, high and low. Two slide switches for "deep" or "sharp" reproduction. Treble, bass, and volume controls: Neon pilot lamps. Fuse and 3-position switch for power off/standby on. Super 80-watt peak power chassis uses 5 tubes, 2 dual purpose tubes for 7 tube performance, and all solid state rectifier circuit. Heavy duty transformers provide greater output. Two units; 3/4" wood amplifier/speaker cabinet, and "piggy back" amplifier which sits neatly on top of speaker cabinet. Cabinets have attractive gray and silver acoustical cloth. Ribbed vinyl carrying handle. Speaker cabinet size: 23 1/2"H x 22" x 11 1/2"D. Amplifier: 7 1/4"H x 18 1/2"L x 10 1/2"D. For 117V AC 50/60 Hz. Shpg. wt., 58 lbs.

13 C 0148WX \$8.00 Monthly Net 144.95
13 C 0149W Dolly for above amplifier Net 11.95

5-Watt Solid State Amplifier

- Two Instrument Inputs
- Volume and Tone Controls

24⁹⁵

Great for the student or beginner! Features rugged solid-state circuitry for cool, instantaneous amplification. Provides 5-watts peak music power into a heavy-duty specially designed 6" speaker. Control panel has tone and volume control; two instrument inputs; On/Off switch. Housed in sturdy vinyl covered wood cabinet with carrying handle. Size: 15 1/4" H x 13 1/4" W x 6"D. For 117V., 60 Hz AC. Shpg. wt., 11 lbs. 13 C 0163W Net 24.95



46 Lafayette Cat. No. 694

50
WATT
Only **99⁹⁵**
No Money Down



50-Watt Solid State "Piggy Back" Bass Amplifier

- Heavy Duty 15" Special Design Speaker
- For Use With Electric Bass, Regular Guitar, Accordion and Combo-Organ • 2-Instrument Inputs

Gives full bass and vibrant sound with a minimum of distortion. Powerful 50 watt peak amplifier is ideal for use with electric bass or standard guitars, and combo organs. All solid state circuitry (5-transistors and 4-silicon rectifiers) provides excellent sound. Features a specially designed 15" speaker with a wide range response. High and low gain inputs plus separate volume and tone controls allow complete operating flexibility. Has On-Off switch plus pilot light and fuse. Two units; speaker and amplifier in matching black, vinyl covered wood enclosures with handles. Size: Amp., 4 3/4"H x 14"W x 8"D; Speaker, 22 7/8"H x 18"W x 11"D. For 117V 50/60 Hz AC. 13 C 0154WX \$5 Monthly Shpg. wt., 35 lbs. Net 99.95

PORTO-STAND

26⁶⁷

All-In-One Microphone Stand — Baby Boom — Cablehanger and 2 Lock-on Connectors



Professional, portable microphone stand greatly reduces the time and trouble involved in assembling and disassembling. No need for unscrewing. 2 lock-on connectors offer instant microphone and boom attachment or removal. Stand has fully chromed tube assembly with a "Full-Grip" clutch assembly for quick, silent adjustments without slipping. Height range is 34"-62". Tip-proof 10", 12 lb. base assures maximum stability. Compact when disassembled! Fits neatly into a luxurious, black vinyl carrying case. Carrying case has pocket for 2 microphones with cable and a large area for sheet music. Includes floor stand, 31" baby boom, 2 lock-on connectors and cable-hanger. Shpg. wt., 20 lbs. 44 C 1042W Net 26.67

Musical Instruments Are Available On Easy Pay Plan—No Money Down.

Instrument Amplifiers



70-Watt Solid State "Reverb"—"Tremolo" Twin-Speaker 2 Channel Amplifier

- Hammond "Reverb" Unit For Echo-Like Effect
- Pulsating "Tremolo" For "Go-Go" Effect
- 2-12" Heavy Duty Special Design Jensen Speakers plus High-Frequency Horn
- Extruded Aluminum "Slanted Front Panel"

Remarkable reproduction, finest craftsmanship, make up this 2-channel 70 watt peak amplifier. Produce "Tremolo" "Reverb" effects separately or simultaneously. Exceptionally good for guitar, organ and vocal use. Features 13 silicon transistors plus silicon rectifiers and heavy-duty output transformers. Has 4-instrument inputs (2-per channel), plus separate volume and tone controls for each channel. Two superb 12" Jensen musical instrument speakers plus a high frequency horn. Includes tremolo with speed and intensity controls and Hammond reverb unit with depth control plus foot switch jacks for reverb and tremolo activation; pilot light; fuse; and "T" nut provisions for dolls. Sturdy wood cabinet, covered in black textured, scuff-resistant vinyl. For 117V., 50/60 Hz AC. Size: 32H x 23W x 10"D. Shpg. wt., 50 lbs.

13 C 0157WX \$8 Monthly Net 159.95

Dual Foot Switch for remote control of tremolo/reverb.

13 C 0150 Shpg. wt., 1 lb. Net 4.95

13 C 0149W Dolly for above amplifier Net 11.95

50 Watt "Reverb" "Tremolo" Twin-Speaker 2 Channel Amplifier

- 2-12" Heavy Duty Special Design Jensen Speakers
- Pulsating "Tremolo" For "Go-Go" Effect
- Hammond "Reverb" Unit For Echo-Like Effect

Get faithful reproduction of every note. Excellent for guitar, organ and vocal use. Has special heavy-duty Jensen speakers. AC chassis utilizes 6 tubes, 4 dual purpose tubes provide 10 tube performance. 4 instrument inputs provide outstanding versatility. Two channel 50 watt peak amplifier. Has 2 volume and 2 tone controls. Features remote control foot switch jacks for colorful tremolo and reverb operation, plus 2 tremolo controls—speed and intensity; reverb "depth" control; on/off/standby switch; pilot light and carrying handle. Sturdy wood case covered in shimmering black vinyl. "T" nut provision for dolly. Size: 32H x 23L x 10"D. For 117V., 50/60 Hz AC. Shpg. wt., 45 lbs.

13 C 0156WX \$7 Monthly Net 129.95

Dual Foot Switch for remote control of tremolo and reverb.

13 C 0150 Shpg. wt., 1½ lbs. Net 4.95

13 C 0149W Dolly for above amplifier Net 11.95

**30
WATT
NEW
LOW
PRICE
69⁹⁵**

WAS 79.95
1968 Catalog 684
Quantities Limited



30-Watt "Tremolo" Twin-Speaker Amplifier

- 2-10" Jensen Music Series Speakers
- Extruded Aluminum "Slanted" Front Panel
- 3 Inputs
- Foot Switch Jack For Remote Control of Tremolo

Features two built-in heavy duty Jensen 10" speakers for clean reproduction of every musical note. Three instrument inputs. Four controls: two for volume and tone, two for speed and intensity of tremolo. Foot switch jack for remote control of Tremolo. 30 watt peak AC amplifier chassis utilizes 4 dual tubes equivalent to an 8 tube circuit, plus solid-state rectifiers for reliable operation. Sturdy wood cabinet covered in luxurious black vinyl. Size: 28H x 17½L x 9¼"D. For 117 volts AC 60 cycles. Shpg. wt., 33 lbs.

13 C 0146WX \$5 Monthly Net 69.95

Foot switch for remote control of tremolo. Shpg. wt., 1½ lbs.

13 C 0151 Net 2.99



**15
WATT
57⁹⁵
No Money Down**

15-Watt Tremolo Amplifier

- Big 12" Jensen Speaker
- 3 Instrument Inputs
- Extruded Aluminum "Slanted" Control Panel

An efficient 15-watt peak tremolo amplifier with big 12" specially designed speaker by Jensen. Provision for three instrument inputs. Jack provided for tremolo foot switch. Handy carrying handle. Controls: volume, tremolo speed, tone. AC chassis utilizing 4-tube circuitry. 4 dual purpose tubes used to provide 7 tube design. Handsome brushed aluminum slope mounted control panel for "easy reach". Sturdy wood cabinet covered in luxurious black vinyl. On-Off switch activates pilot light. Size: 17¾H x 16½L x 10"D. For 117 volts. 50/60 cycles AC. Shpg. wt., 29 lbs.

13 C 0147WX \$5 Monthly Net 57.95

Foot switch for remote control of Tremolo. Shpg. wt., 1½ lbs.

13 C 0151 Net 2.99

MUSICAL INSTRUMENT ACCESSORIES

AUTOMATIC RHYTHMER

Only **124⁹⁵** No Money Down

- A Versatile Electronic Instrument Producing a Wide Variety of Rhythms For Accompaniment



Compact, solid-state portable rhythmer. Ideal for teachers to produce a wide variety of rhythms and a steady beat for the student to follow. For students—a complete rhythm section to play along with. For single performers—bring along your own rhythm section! Works with any amplifier to produce 12 distinctive rhythm selections plus an infinite variety of accompaniments by mixing two or more rhythms. Variable tempo control can be set for accompaniment to a Waltz, Fox Trot, Rhumba, Samba, Mambo, Slow Rock, Fast Rock, Swing, Bossa Nova, Cha-Cha, Tango, or a March. Each rhythm is made up of a variety

of percussion sounds: Bass Drum, Snare Drum, High Hat, Cow Bell, Bass Conga, Tenor Conga, and Cymbal. Additional features include: Master Volume and On/Off control, Tone control, On/Off rocker switch for instant control of rhythmer plus On/Off Remote Control Foot switch, pilot light and 12 pushbutton rhythm selectors. Circuitry: 32 transistors, 95 diodes. For 100-117 VAC, 50/60 Hz. Handsomely styled walnut finish case with brushed aluminum panel. Size: 17 $\frac{3}{4}$ x4 $\frac{1}{4}$ x9 $\frac{1}{2}$ "O. Shpg. wt., 10 lbs. 13 C 2455W \$7 Monthly Net 124.95

LAFAYETTE SOLID-STATE "ECHO-VERB" REVERBERATION UNIT

Only **21⁹⁵**



- "Add-on" Reverb Unit for any Musical Instrument Amplifier or P.A. System

Simulates the full sound top artists get! Compact, lightweight, transistorized reverberation unit creates a new dimension in audibility to overcome dull, flat ordinary sound. Can be used with any instrument amplifier, or P.A. system. Minutes to connect, the "Echo-Verb" may be used for sound effects. Has inputs for mike and/or instrument—plus a foot switch input to cut reverberation in or out from a remote location, pilot light and a reverb mix control that lets you select whatever intensity of reverberation you desire. With reverb mix control in the "Off" position, standard sound will be heard from the amplifier. With on/off switch. For 117v., 50/60 Hz. AC. Size: 3 $\frac{3}{4}$ x 11 $\frac{1}{2}$ W x 6 $\frac{1}{2}$ "D. Imported.

99 C 9202W Shpg. wt., 5 lbs. Net 21.95

Foot Switch for Remote Control of "Echo-Verb" Net 2.99
13 C 0151 Shpg. wt. 1 $\frac{1}{2}$ lbs.



Only **299⁹⁵** No Money Down

FULLY TRANSISTORIZED

Portable Electronic Organ With BUILT-IN AMPLIFIER

- Fully Transistorized—With Two Speakers
- Easy to Carry—Packs Like a Suitcase
- Perfect for Combo or Home Use

Portable organ has a built-in fully transistorized 10-watt amplifier and two oval speakers. Ready to play anywhere... Suitable for any entertainer, at home or school. 49-key keyboard spans 4 full octaves and produces a wide range of tonal variations. Three 16' voice tabs—bass bourdon; bourdon; and strings. Four 8' voice tabs—flute; diapason; strings; and trumpet. Trumpet tab simulates 4' effects to give an even wider variety of sounds. On-Off tab vibrato with rotary speed and intensity controls. Volume/On-Off switch with pilot light and separate volume control for bass octave. Photo-cell type expression pedal. Can also be played through an external amplifier. Comes in red and black trim. Size: 31" keyboard; height 32"; 18" deep. Operate on 117 VAC. Imported from Italy. Shpg. wt., 68 lbs. 13 C 6634W (Mail order customers see note below) Net 299.95

MAIL ORDER CUSTOMERS

Mail order customers please use stock number below. All orders will be shipped transportation charges collect. All orders (except Easy-Pay) must include full remittance. No C.O.D.

13 C 6635WXY \$15 Monthly Net 299.95



FREQ-LITE
49⁹⁵

- Fantastic Color Frequency of Light with Sound

- The Louder the Sound, the Brighter the Light!

Now, without complicated and costly stage production equipment, lighting can be as wild as voice or music! Connected to any amplifier, tape recorder, or record player, its brilliance changes from note-to-note, projecting fantastically fast and precise variations of lighting to match the intensity of sound. Use multiple units in a group with varied light colors in each unit to get sensational color blending with sound. Control unit can be placed virtually anywhere for remote operation of light sensitivity, or to turn lights on and off. System can also be used as a constant light source. Uses 2-75W flood lamps. Operates on 110-125V., 60 Hz AC. Includes lamps, 10' AC line cord. Shpg. wt., 4 lbs. Net 49.95
13 C 1775 \$5 Monthly

MUSICAL INSTRUMENT ACCESSORIES

ROTO VIBE

A New Dimension In Sound

PRODUCE THE ROTATING SPEAKER EFFECT AND VIBRATO WITH YOUR OWN AMPLIFIER — ELECTRONICALLY!



ONLY
79⁹⁵

No Money Down

Finally an electronic instrument that can truly simulate the rotating speaker effect through any musical instrument amplifier! Not only produces the Fast or Slow rotating effect but, by the use of the remote speed control pedal, can vary the speed at any rate you desire. Enables the player to produce the various modern effects which are being used on the stage, in the studio, and with theater organs. Can be used with any of the following instruments: organ, bass guitar, rhythm and lead guitar, electric piano, accordion, and other electronic band instruments. Plus: Voice for vocal effects now being used by the top recording groups around the country. Easily connects

between instrument and amplifier. Foot pedal has cancel switch to instantly cancel effect being produced. Also features a rocker switch for selecting either the rotating speaker effect or a true vibrato effect. Other controls include Volume, Chorus/Vibrato, Intensity, On/Off power switch, fuse, pilot light, inputs for 2 instruments, and an output for the amplifier. Unit is AC operated, fully transistorized, and has a rugged metal construction. Compact, only 10" W x 6 1/2" D x 3" H. Can be placed in any conveniently reached location. Imported. Shpg. wt., 6 lbs.

13 C 6640 \$5 Monthly

Net 79.95

LAFAYETTE "FUZZ SOUND"

SALE

Only **11⁹⁵**

Cut 3.00

SALE ENDS Aug 15, 1969

- Make your guitar or bass produce the harmony of several wind instruments!



Add more instruments to your small combo with the "Fuzz" Sound! Create a wide variety of synthesized tones such as those produced by a baritone, or bass saxophone. Battery powered, it easily connects between your guitar, or bass and the amplifier and is operated by an On/Off switch. Has two variable control knobs; one for regulating the "fuzz" effect and one for volume and intensity. A supplementary On/Off switch is combined with the volume control to conserve battery life. Fully transistorized, the unit is built for heavy duty use and operates on a single penlight battery. A rugged metal case protects inside circuitry. Overall size: 5 1/2" L x 3 1/2" W x 2 1/8" over. H. Imported. Shpg. wt. 1 1/4 lbs.

99 C 9199

Net 11.95

99 C 6258 Battery for above

Net .10

WAH WAH SOUND and VOLUME CONTROL

Only **29⁹⁵**

- Produce A Wide Variety of Special Sound Effects
- Use With Any Electric Guitar or Bass



Produce the Wah-Wah effect of a trumpet or trombone with your guitar or base, electronically. Add extra instruments to your combo by creating the effect of synthesized tones identical to those of a trombone or trumpet when muted by hand or derby. No reaching down for controls. Large, 8 1/2" footpedal gives you the full range of Wah-Wah sounds plus operates as a volume control by depressing a built-in switch under the heel of the footpedal. Input jack contains a switch to turn the unit on or off. Operates on 3 "C" cells. Fully transistorized, rugged construction. Imported. Size: 10x3 1/4x3".

13 C 6630 Shpg. wt., 3 lbs.

Net 29.95

99 C 6257 Battery for above. 3 required

Net ea. .14

DELUXE AC SUPER FUZZ

- Remote Control Foot Switch for Ease of Operation
- Expanded Fuzz Produces A New Dimension in sound Effects
- Complete Controlled Range of Sustained Fuzz Effects



39⁹⁵ No Money Down

AC operated super fuzz. No more batteries to fuss with as in conventional units. No more bending to adjust controls; control unit is separate from foot switch. Can be placed on amplifier or speaker within easy reach of the performer. Controls include Balance, Expander, and Tone control for a complete, controlled range of sustained fuzz effects. Electronically creates an harmonic producing sustained sound, now being used by top recording artists. Connects easily between your guitar or bass and the amplifier. Includes remote control foot switch. Long-lasting, solid-state circuitry combined with rugged metal construction. Size: 7 3/4" W x 5" D x 2" H. For 117 VAC, 60 Hz. Imported. Shpg. wt., 3 lbs.

13 C 6641 \$5 Monthly

Net 39.95

SUPER FUZZ

Today's "In-Sound"

Only **24⁹⁵**

- Expanded Fuzz Can Produce a Sitar-Like Dimension in Sound
- Complete Controlled Range of Sustained Fuzz Effects



Solid-state Super Fuzz provides a complete range of controlled new harmonic sustained fuzz effects. Produces the wild new In-Sound widely used by the top recording groups. Balance control enables perfect blend of fuzz and normal tones. Expander control provides unlimited range of sustained fuzz effects. Two position tone compensator permits choice of standard fuzz or new harmonic sustained sitar-like dimensional sound. Master foot control switches instantly to normal guitar operation. Rugged metal construction. Size: 6 1/2" x 3 1/4" x 1 7/8". With cord and battery. Imported. Shpg. wt., 1 1/2 lbs.

13 C 6617

Net 24.95

99 C 6021 Battery for above

Net .21

Prices and Specifications are Subject to Change Without Notice

Lafayette Cat. No. 694 49

**9-PC. "COMBO"
DRUM OUTFIT**


- 6-Ply Construction Thru-Out
- Double Lug—Separate Tension Rods
- With 14" Cymbal—Cow Bell—Tonablock—Sticks—Brushes
- Double Spring "Fast-Action" Bass Drum Pedal

A quality 9 piece drum outfit for the beginner or advanced musician. Outfit contains an 8" x 12" Tom Tom, a 14" x 20" bass drum, both with double lug separate tension rods, and a 5½" x 14" separate tension snare drum. Bass drum features a fully adjustable "fast" action pedal and chrome plated cow bell. All drums have plastic heads, feature triple flanged rims and chrome plated hardware. Other items include a 14" cymbal with fully adjustable cymbal holder that will adjust to any height or angle, disappearing spurs, sticks, and stick holder, a flat base snare drum stand, and a universal adjustable rail mount console for "ride" of Tom Tom. Bright finish. Imported. Wt., 50 lbs. 13 C 2450WX \$5 Monthly Net 99.95
3-piece vinyl drum cover case. 13 C 6624W Shpg. wt., 7 lbs. Net 21.95

BIG SOUND Drums



ONLY
99⁹⁵
No Money
Down



**"Value" CUTAWAY
SOLID-BODY ELECTRIC GUITAR OUTFIT
with 5-WATT AMPLIFIER**

SALE

**39⁹⁵ CUT
6.50**

Complete beginners outfit! Includes: electric guitar with heavy lined zippered carrying bag, extra set of strings, neck strap, and connecting cord; 5-watt amplifier with built-in heavy-duty 6" speaker, two instrument inputs, On/Off switch, Tone and Volume controls; plus self-instruction book and rebord. Guitar features magnetic pick-up with separate Volume and Tone controls, steel reinforced neck, 21-frets, white inlay markers, individual machines, adjustable bridge, guard plate and high gloss finish. Amplifier housed in sturdy vinyl covered wood cabinet with carrying handle. Size: Guitar—37½" x 11¼" x 1¼"; Amplifier—15¾" x 13¼" x 6"D., for 117V., 60 Hz AC. Shpg. wt., 19 lbs. 13 C 9076WX \$5 Monthly Net 39.95

Seth Thomas

KEYWORD METRONOME

9⁹⁵

Streamlined, keyword metronome gives both a visual and audible beat timing from 40 to 208 beats per minute. Invaluable aid while practicing or giving instruction. Brown case with wood grain cover and gold-colored trim. 8½"H x 4¾"W x 3¼"D. Shpg. wt., 3 lbs. 13 C 4456 Net 9.95

PLAY GUITAR IN MINUTES

JIFFY CHORDS

- With Stick-on Jiffy Chord Cards

5⁹⁵

Just stick Jiffy Chords under the strings of your guitar and learn to play in minutes, no knowledge of music required! Press a color for each chord, 3 chords per card. Helps develop an ear for harmonies and a sense of rhythm. With 8 reusable cards, illustrated instruction book with 27 songs. Wt., ½ lb. For "Regular" size neck guitars. 13 C 6350 Net 5.95
For "Thin" size neck guitars. 13 C 6351 Net 5.95

— 694 INDEX —

Adding Machines	43
Amateur Gear	86, 87
Amplifiers, Hi-Fi	22, 26, 27
Amplifiers, Musical And Access.	46, 47, 100
Antennas, TV and Boosters	76-78
Auto Accessories	59-63
Auto Radios, Reverbs and Tape Players	45, 57, 58
Batteries & Chargers	75
Binoculars	41
Burglar Alarms	63
Cameras And Accessories	36-39
Cartridges, Hi-Fi Phono	32
Cassette Players and Recorders	3, 8, 9, 14
Cassette Tapes, Pre-recorded	17
CITIZENS BAND EQUIPMENT	91-99
Citizens Band Accessories	91, 92
Computer Kits	74
Copier	42
Drafting Supplies	42
Drums	50
Easy-Pay Plan	50C
Educational Kits	72-74
Electrical Accessories	33
Experimenter's Specialties	73, 74
Garden Tools	68
Guitars	44, 45, 50, 100
Headphones	30
Hi-Fidelity Receivers	2, 20, 22-25
Hi-Fidelity Stereo Compacts	18, 19
Hi-Fidelity Systems	2, 22-27
Intercoms	81
Kits	72-74
Lamps	33
Lawnmower, Electric	69
Microscope	40
Minibike	69
Movie Cameras And Projectors	36, 37
MUSICAL INSTRUMENTS AND ACCESSORIES	44-50, 100
Ordering Information	See Center Insert
Organs	48
PA Amplifiers and Systems	82-85
Phonographs and Accessories	32
RADIOS	
Auto	57, 58
Clock And Table	20, 51
Police, Fire, Aircraft And Marine	52-55, 88-90, 99
Portable And Shortwave	52-56
Radio Control Equipment	70, 71
Refrigerator	69
Receivers, Hi-Fidelity	2, 20, 22-25
Record Cabinet	21
Record Changers	30, 31
Recording Tape And Accessories	16, 17
Reverb Amplifier	58
Speakers and Systems	28-30, 85
Store Addresses	51A
Tape Cartridge Players	4-7
TAPE CASSETTE PLAYERS AND RECORDERS	3, 8, 9, 14
Tape Recorders and Decks, Reel To Reel	10-14
Telephones and Accessories	80
Telescopes	40
Televisions	56
TV Antennas; Boosters; Rotors	76-78
Test Equipment	60, 79
Timers	34
Tools And Accessories	64-68
Tuners	21
Typewriters	43
WALKIE TALKIES	93
Watches And Clocks	34, 35
Vacuum Cleaners, Portable	69
Welder	67
Closeout Specials (Portable Tape Player, Speakers, Vu Meters, VOM)	See Back of Order Blank

ARE YOU INTERESTED IN OWNING A LAFAYETTE ASSOCIATE STORE ?

ALL YOU NEED IS

1. Basic knowledge of Retailing, Television or Electronics
2. Financial Investment of \$20,000 to \$45,000

WE WILL PROVIDE YOU WITH

1. Initial Inventory Selection and Stimulating Sales Displays
2. Store Layout Designs
3. Advertising and Publicity Aids Including Catalogs and Flyers
4. Price and Merchandise Return Protection
And The Famous LAFAYETTE Name

To learn how easy it is to join hands with Lafayette Radio Electronics and have your own electronics department store, fill in and mail the coupon below for full information FREE. There is no obligation.

Tear along this line

Lafayette Radio Electronics Corporation
Attn. Associate Store Dept. RL
111 Jericho Turnpike, Syosset, L.I., N.Y. 11791

I am interested in owning a Lafayette Associate store. Without obligation on my part, please send me full information, FREE and postpaid.

Name _____

Address _____

City _____ State _____ Zip _____

Indicate below phone number giving area code.

Phone: Home _____ Business _____

Most convenient time to phone you _____

Open a

Lafayette[®]

Credit
Account

TODAY

NO MONEY DOWN Up To 2 Years
To Pay
LOW MONTHLY PAYMENTS

**2 EASY PAY
CREDIT
PLANS**

TO SUIT YOUR INDIVIDUAL NEEDS

EXTENDED PLAN*

**TAKE UP TO
2 Years To Pay**

BUDGET PLAN*

**LOW
Credit Service Charge**

*Pay balance in 30 days, save entire service charge.

**Start Now To Take FULL ADVANTAGE
LAFAYETTE'S Easy Pay Plans**

- No down payment.
- Take up to 2 years to pay.
- One low Monthly Payment buys all your electronic and hi-fi requirements
- Add-On any time you like. No money down and usually no change monthly payment.
- No hidden charges. Small service charge included in fixed monthly payment.
- Choose the plan that suits you best — Budget or Extended.

**No need to wait to enjoy anything
you need from LAFAYETTE**

HERE IS HOW YOU MULTIPLY YOUR SHOPPING DOLLAR UP TO 20 TIMES

Monthly Payments FOR ONLY	▶ \$5	6	7	8	9	10	11	15	17	19	22	23	24
YOU CAN BUY UP TO	▶ \$100	110	130	160	180	200	220	300	340	400	440	460	500

See Easy Pay Schedule on back of Order Blank

50A

CLOSE-OUT

CLEARANCE - Quantities Limited

LAFAYETTE LAB TYPE MULTITESTER WITH MIRROR SCALE




SALE
5⁹⁵
WAS 7.95
1969 CATALOG 692

- Automatic Overload Protection
- 1% Resistors • 2,500 ohms/volt AC and DC

Accurate, multitester checks voltage, current resistance and db ranges on large, easy-to-read 2 color scale. Automatic overload protection, 1% precision resistors. 16-position selector switch, and zero-adjust switch. Lightweight high-impact case. Sensitivity: 2,500 Ω /volt AC & DC. DC volts, 5 ranges: 0-6, 12, 60, 300, 1200V. AC volts, 5 ranges: 0-6, 12, 60, 300, 1200V; DC amps, 3 ranges: 0-300 μ A, 3mA, 300mA; DC ohms, 3 ranges: 0-20K, 200K, 2 Meg. Decibels: From -20 to +17. 1 1/2 x 2 3/4 x 6 3/4". Imported. Shpg. wt., 1 1/2 lbs.
99 C 5069 Net 5.95

LAFAYETTE SK-180 3-WAY 10" TRIHELIX® SPEAKER

ONLY
17⁹⁵



- Power Rating 20 Watts

Superb performing hi-fi speaker featuring 3 completely independent speakers with 3 separate voice coils in a single 10" compact unit. Frequency response: 20-20,000 Hz (30-18,000 Hz \pm 3 db). Cross-over points: 1,500 and 5,000 Hz. Built-in crossover network and brilliance control. High excursion woofer. Power rating: 20 watts. Overall depth: 7". Imported. Shpg. wt., 8 lbs.
99 C 0020W Net 17.95

PLAYTAPE MODEL 1310 MUSIC-MACHINE Just Insert Cartridge— PLAYS INSTANTLY ANYWHERE



SALE
9⁹⁵
Plus 4
Famous-Name
Pre-Recorded
Tapes
FREE!
(A 5.56 Value)


Portable, battery-operated 2-Track Tape Cartridge Player plus package of 4 assorted prerecorded tapes. So easy to use — even a child can operate this marvelous player. Powerful all solid-state circuitry delivers rich, pleasing sound instantly when you insert the cartridge. Each tape plays for 10 to 12 minutes. Get together—have a party anytime—player operates on just 4 low-cost "C" type batteries. Only 2 controls—Volume and Track selector. Features high impact plastic case with built-in carrying handle. Size: 10 x 6 x 2 3/4". Less batteries. Imported. Shpg. wt., 3 lbs.
27 C 1702L Net 9.95

99 C 6257 "C" Type Batteries for above (4 req.) Net ea. .14

LAFAYETTE 12" 3-WAY HI-FI SPEAKER

WAS 9.95
1969 CATALOG 692


SALE
8⁹⁵



- Frequency Response 35-17,500 Hz
- 20 Watts Power Capacity

Features a 10 oz. ceramic magnet, and when correctly baffled, will reproduce bass notes down to 35 Hz. A special elliptical tweeter extends response to 17,500 Hz. Voice coil diameter is 1 1/2". Impedance is 8 ohms. Power Capacity is 20 watts. Plated steel frame finished in brown baked enamel. Has 4-way binding posts. Shpg. wt., 8 lbs.
21 C 4714 Net 8.95

MINIATURE LAFAYETTE VU METERS



WAS 2.49
1969
CATALOG
692

SALE
1⁹⁹
ea.

- Jeweled Bearings
- Precision D'Arsonval Movement

Precision VU meters with scale calibrated from -20 to +3 VU and 0-100% Ranges. Impedance: 7.5K ohms. Accuracy: \pm 0.5 db. Frequency Response: 25 to 10KC. With external zero adjust. Square type has removable plastic front; round type has permanent glass front. Mount in 1 1/2"D hole.
99 C 5045 Square Face, 1 1/2 x 1 1/4". Wt. 8 Oz. Net 1.99
99 C 5057 Round Face, 1 1/2 x 1 1/4". Wt. 8 Oz. Net 1.99

IS THIS YOUR TIME?

**THOUSANDS OF THE ENTRANTS
have been Winners in our other
Sweepstakes Contests. Why not You?**

**THE ONLY WAY YOU CAN JOIN THE PARADE
OF WINNERS IS TO ENTER THE CONTEST. IT IS
YOUR CHANCE TO TAKE ADVANTAGE OF THE
FACT THAT YOU MAY ALREADY HAVE A WINNING
NUMBER IN YOUR HAND RIGHT NOW FOR ONE
OF THE 7,676 PRIZES DESCRIBED ON THE
FOLLOWING PAGES. THE NUMBER ON YOUR
ORDER BLANK (enclosed) MAY BE ONE OF THE
WINNERS PRESELECTED AT RANDOM BY
COMPUTER.**

NOTHING TO BUY. NO STRINGS ATTACHED.

HERE'S HOW TO ENTER LAFAYETTE'S SWEEPSTAKES IT'S SIMPLE—DO IT NOW.

Simply print your name and address on the Lucky Number Order Blank enclosed. Your merchandise order from any of our catalogs goes on the same Order Blank, but you can enter Lafayette's \$125,000 Summer Sweepstakes whether you order or not. Just check the appropriate box at the top of the order blank and mail it to us in the reply envelope provided. Entries must be mailed as above. Do not submit them to our stores. Entries must be post-marked no later than July 31, 1969. Entries received after August 7, 1969 will be disqualified. Prize-winning numbers have


been computer-selected by an independent computer service organization whose programmed decisions will be final. Winners will be notified by mail. No substitutions will be made for any prize offered. Employees of Lafayette Radio Electronics Corporation, its subsidiaries, associate stores, dealers, advertising agencies, the computer service organization, printers and their families are not eligible. This offer is subject to all federal, state, and local regulations, and is void wherever prohibited by law.

THE 1ST PRIZE
\$10,000⁰⁰

IN CASH

**TO USE ANY WAY
YOU WISH!**

*You Could Take
That Super Deluxe
Vacation
You've Always
Wanted*




*Ever Thought of Your Own Home?
\$10,000 Could Make The Difference*



That New Car?



*A
College
Education
Fund?*



*This Space
Reserved For
Your Own
Dream*



If Your Number Is The First Prize Winner We Will Give You \$10,000.00

**25
2nd
PRIZES**

**Andrea
"MARBELLA"
COLOR TV SET**

**\$829.00 Worth of
Elegant Design and Outstanding Performance**

The "MARBELLA" Features:

- ★ Mediterranean Motif
 - ★ Cabinet of Handrubbed Oak in a Deep Florentine Finish
 - ★ 295 Sq. In. Picture
 - ★ Tunes All 82 VHF and UHF Channels
- Size: 48" wide x 29¼" high x 22¼" deep



OPEN VIEW

Select Your Own Assortment!

\$500 Worth of Merchandise from Lafayette's 1969 Catalogs

**25
3rd
PRIZES**



ADDING MACHINES

8-TRACK
AUTO
TAPE
PLAYERS



TOOLS



MOTORIZED
MINI BIKES



RADIOS




HIGH FIDELITY EQUIPMENT



COMBINATION
AM/FM RADIO AND
CASSETTE RECORDER



**25
4th
PRIZES**




*A Deluxe Photographic Set
Worth \$250.00*



MIRANDA "SENSOREX"
35 MM SLR CAMERA with 50 mm f/1.8 LENS
plus ULTRABLITZ ELECTRONIC FLASH and 5 ROLLS of COLOR FILM WITH PROCESSING

**100
5th
PRIZES**



**LAFAYETTE RK-90
COMBINATION CASSETTE RECORDER
and AM RADIO**

SEE PAGE 8 FOR DESCRIPTION

**500
6th
PRIZES**

**17 JEWEL
SWISS MADE
WRIST ALARM
WATCH**



- ★ Serves As An Automatic Reminder
- ★ Anti-magnetic
- ★ Water and Shock Resistant
- ★ Unbreakable Mainspring
- ★ Choice of Gold Tone or Stainless Steel Case

**1000
7th
PRIZES**

**LAFAYETTE
AM/FM
MINI-PORTABLE**

**With Earphone
For Private
Listening**



**2000
8th
PRIZES**

\$10.00 GIFT CERTIFICATE



**4000
9th
PRIZES**

\$5.00 GIFT CERTIFICATE

it's easy to shop at LAFAYETTE

BY MAIL

Fill in any Lafayette order blank, enclose check and mail. Your order will be shipped direct to your home. See parcel post and express charts below to figure shipping charges.

BY PHONE

Dial 516 921-7500 and a trained personal service shopper will help you. Your order will soon be on its way to your home.

IN PERSON

Visit any of our conveniently located stores. Specially trained sales personnel will assist you. See opposite page for store nearest you.

See page 453 in our catalog No. 690 for special kit guarantee.

NO MATTER HOW YOU SHOP You Can Take Advantage of Lafayette's EASY-PAY PLAN NO MONEY DOWN — UP TO 2 YEARS TO PAY

SHIPPING AND DELIVERY INFORMATION



HOW TO ESTIMATE PARCEL POST CHARGES



Up to 16 oz., all zones allow 6¢ for first 2 oz., 2¢ for each additional oz. Find the weight of your merchandise in the extreme left-hand column of the chart at left. Pay the amount listed for Parcel Post shipment to your zone. A fraction of a pound is charged as a full lb. For example, if the weight is 6 lbs. and 1 oz., to Zone 3, postage would be for 7 lbs. (90c). Over 30 lbs. shpd. truck or exp. See below.

AIR PARCEL POST SHIPMENTS

We will ship your order via Air Parcel Post upon your request. Rates are given in the table below. Size and weight limits: 70 lbs. and 100 in. (length plus girth). 7¢ per ounce, up to 8 ounces

	ZONES 1, 2 & 3		4	5	6	7	8
1st LB.	.80	.80	.80	.80	.80	.80	.80
For Each Extra Lb.	Add 48c	Add 50c	Add 56c	Add 64c	Add 72c	Add 80c	

U.S. Territories, Possessions and APO & FPO Addresses, 80c per lb.

PARCEL POST RATES FOR ALL ZONES

Hawaii and Alaska are in the 8th zone. Puerto Rico and the Virgin Islands in the 7th zone. All other U.S. possessions and territories in the 8th zone.

WEIGHT 1 Lb. & Not Exceeding	Local	1st & 2nd Zone up to 150 mi.	3rd Zone 150 to 300 mi.	4th Zone 300 to 600 mi.	5th Zone 600 to 1000 mi.	6th Zone 1000 to 1400 mi.	7th Zone 1400 to 1800 mi.	8th Zone Over 1800 mi.
2	\$0.50	\$0.60	\$0.60	\$0.65	\$0.70	\$0.80	\$0.85	\$0.90
3	.50	.65	.70	.75	.85	.95	1.05	1.15
4	.55	.70	.75	.85	.95	1.10	1.20	1.35
5	.55	.75	.80	.90	1.05	1.25	1.40	1.60
6	.55	.80	.90	1.00	1.15	1.40	1.55	1.75
7	.60	.90	.95	1.10	1.30	1.50	1.75	1.95
8	.60	.95	1.00	1.15	1.40	1.65	1.90	2.15
9	.65	1.00	1.05	1.25	1.50	1.80	2.05	2.35
10	.65	1.05	1.15	1.35	1.65	1.90	2.25	2.55
11	.65	1.10	1.20	1.40	1.75	2.00	2.40	2.75
12	.70	1.15	1.25	1.50	1.85	2.15	2.55	2.90
13	.70	1.20	1.35	1.55	1.95	2.25	2.70	3.10
14	.75	1.25	1.40	1.65	2.05	2.40	2.85	3.25
15	.75	1.30	1.45	1.75	2.15	2.50	3.00	3.45
16	.75	1.35	1.55	1.80	2.25	2.60	3.15	3.60
17	.80	1.40	1.60	1.90	2.35	2.75	3.30	3.80
18	.80	1.45	1.65	1.95	2.45	2.85	3.45	4.00
19	.85	1.50	1.75	2.05	2.55	2.95	3.60	4.15
20	.85	1.55	1.80	2.10	2.65	3.10	3.75	4.35
For Each Extra Lb.	Add 5c	Add 5c	Add 5c	Add 5c	Add 10c	Add 10c	Add 15c	Add 15c

RATES SUBJECT TO CHANGE

REA EXPRESS INFORMATION

Large, bulky or delicate articles are shipped by Railway Express, the fastest and most economical way to ship merchandise which is unmailable. (If you desire other shipping methods, please specify). The letter "X" after our stock number (i.e., 21 T 44-17WX) identifies the item exceeding parcel post limits.

DO NOT SEND MONEY for express charges with your order. Express charges are collected upon delivery at no extra cost to you. Insurance is included in your express rates. Be sure to specify your nearest Express Office if there is no agent in your town.

SHIPMENTS OUTSIDE OF U.S.A.

We ship all over the free world. Allow up to 60 days for delivery. Write to our International Sales Division for details.

PARCEL POST HANDLING CHARGE

Up to \$15.00	20¢
\$ 15.01 to \$ 50.00	30¢
\$ 50.01 to \$100.00	40¢
\$100.01 to \$150.00	50¢
\$150.01 and Up	60¢

ABOUT C.O.D. ORDERS

If you order C.O.D., the post office collects a handling charge, plus a money order fee, in addition to the regular parcel post charge. (We cannot accept CDD's for APO's, FPO's or for special order merchandise). Here are the extra C.O.D. fees:

Amount of Order	Money Order Fee	COO Fee
Minimum order \$5.00	25c	60c
\$5.01 to 10.00	25c	60c
10.01 to 25.00	35c	70c
25.01 to 50.00	35c	80c
50.01 to 100.00	40c	90c

UNITED PARCEL DELIVERY

If your area is serviced by UPS and the service or rates are to your benefit, we will route your order via United Parcel Service. This fast, economical service is available from New York to most of the eastern states for parcels up to 50 lbs. and 108 inches in length and girth.

APPROXIMATE REA EXPRESS CHARGES

Weight	100 Miles	150 Miles	300 Miles	500 Miles	1000 Miles	2000 Miles	2400 Miles
20 lbs.	5.50	5.65	5.75	6.10	6.80	8.15	8.80
30 lbs.	5.85	6.05	6.25	6.80	7.80	10.00	10.95
40 lbs.	6.20	6.50	6.70	7.45	8.80	11.85	13.15
50 lbs.	6.60	6.90	7.20	8.15	9.85	13.70	15.30
60 lbs.	6.95	7.35	7.70	8.80	10.85	15.55	17.45
70 lbs.	7.35	7.75	8.20	9.50	11.90	17.40	19.60
80 lbs.	7.70	8.15	8.65	10.15	12.90	19.25	21.80
90 lbs.	8.05	8.60	9.15	10.80	13.90	21.10	23.90
100 lbs.	8.40	9.00	9.60	11.40	14.85	22.75	25.00

28 Convenient Locations

Visit the Lafayette Store nearest you for fast personalized service. See the catalog "come to life" and many other exciting displays of the latest products just released. Associate Stores From Coast To Coast. Watch for New Grand Openings.

Mail Order
 and Sales Center } 111 Jericho Turnpike
 (west of So. Oyster Bay Rd.)
Syosset, L. I., N. Y. 11791

All Departments 516 921-7700 C.O.D. Orders Only 516 921-7500
 Open Mon., Thurs., Fri. 'til 9:30 P.M.

Our modern Mail Order Headquarters, located on over 8 acres of land, includes expanded warehouse facilities plus the most modern handling equipment to give you quicker service. Within 24 hours after receipt, most orders are processed, picked, wrapped and shipped.

NEW YORK

Grand Opening Mid-May
NEW ROCHELLE 10801
 218 North Ave.
 Phone: (914) 235-5101

Opening Spring
BUFFALO, N. Y.
Sheridan Shopping Center

N.Y.C. - WARREN ST. 10007
 45 Warren Street
 (between Church and W. Broadway)
 Phone: 212 964-0334
 Open Daily 9 AM - 6 PM
 Sat. 9 AM to 5 PM

N.Y.C. - 45th STREET 10036
 71 West 45 St.
 (between 5th-6th Aves.)
 Phone: 212 757-3121
 Open Thurs. 'til 9:00 PM

N.Y.C. - UNION SQUARE 10003
 17 Union Square West
 (corner 15th St.)
 Phone: 212 924-4433
 Open Thurs., Fri. 'til 8:00 PM

BROOKLYN 11226
 2265 Bedford Ave.
 (cor. Snyder Ave.)
 Phone: 212 469-8900
 Open Mon., Thurs., Fri. 'til 9:30 PM

NEW JERSEY

NEWARK 07102
 24 Central Ave.
 (west of Broad St.)
 Phone: 201 622-1661
 Open Wed. 'til 8:45 PM

PARAMUS 07652
 182 Route 17
 (1 mile north of Garden State Plaza)
 Phone: 201 261-8800
 Open Daily 9:30 AM - 9:30 PM
 Sat. 9 AM to 5:30 PM

PLAINFIELD 07060
 139 W. 2nd St.
 (1 block east of Front St.)
 Phone: 201 756-5100
 Open Mon., Thurs. 'til 8:45 PM

JAMAICA 11433
 165-08 Liberty Ave.
 (Off Murrick Rd.)
 Phone: 212 291-7000
 Open Mon., Thurs., Fri. 'til 8:45 PM

SCARSDALE 10583
 691 Central Ave.
 (1/2 mile north of Ardsley Rd.)
 Phone: 914 472-2700
 Open Daily 9:30 AM - 9:30 PM
 Sat. 9 AM to 5:30 PM

LAKE GROVE 11755
 248 Middle Country Rd.
 (Rt. 25—1/4 mile E. of Smithhaven Mall)
 Phone: (516) 586-3600

LYNBROOK, L. I., N. Y. 11563
 381 Sunrise Highway
 (2 miles East of Green Acres)
 Phone: 516 887-9800
 Open Mon., Thurs., Fri. 'til 9:30 PM

ROCHESTER-IRONDEQUOIT 14621
 999 Ridge Road East
 (Adjoining Arlan's)
 Phone: (716) 467-1310
 Open Mon.-Fri. 10 AM to 10 PM
 Sat. 9 AM to 6 PM

ROCHESTER - PITTSFORD 14618
 3330 Monroe Ave.
 (Adjoining Arlan's)
 Phone: (716) 586-6331
 Open Mon.-Fri. 10 AM to 10 PM
 Sat. 9 AM to 6 PM

WASHINGTON, D.C. (AREA)

VIRGINIA

FALLS CHURCH 22044
 Plaza 7 Shopping Center
 (cor. Wilson & Roosevelt Blvd.)
 (across from 7 corners)
 Phone: 703 534-5772
 Open Mon., Thurs., Fri. 'til 9:30 PM

MARYLAND

MT. RAINIER/HYATTSVILLE
 3191 Queens Chapel Rd. (Rt. 500)
 (Queenstown Shopping Center)
 Phone: 301 779-7020
 Open Mon., Thurs., Fri. 'til 9:30 PM

CONNECTICUT

WEST HARTFORD 06117
Bishop's Corner Shopping Center
 (357 North Main St. cor. Albany Ave.)
 Phone: 203 236-0693
 Open Mon., Thurs., Fri. 'til 9:30 PM

HAMDEN 06514
Hamden Plaza
 (2100 Dixwell Ave., adjoining Pagnataro's)
 Phone: 203 248-2182
 Open Daily 10 AM - 9 PM
 Sat. 9 AM to 6 PM

MASSACHUSETTS

BOSTON 02215
584 Commonwealth Ave.
 (1/2 block above Kenmare Sq.)
 Phone: 617 267-8900
 Open Daily 9:30 AM - 9:00 PM
 Sat. 9 AM to 6 PM

NATICK 01760
1400 Worcester St.
 (Rt. 9 opp. Shopper's World)
 Phone: 617 875-6146
 Open Mon., Wed., Thurs.,
 Fri. 'til 9:30 PM

SAUGUS 01906
Saugus Plaza Shopping Center
 (Rt. 1 & Walnut St.)
 Phone: 617 233-6710
 Open Daily 9:30 AM - 9:00 PM
 Sat. 9 AM to 6 PM

PENNSYLVANIA

PITTSBURGH 15237
North Hills Village Shopping Ctr.
 4801 McKnight Road
 Phone: 412 366-0810
 Open Daily 10 AM - 9 PM
 Sat. 9 AM to 9 PM

MONROEVILLE 15146
Monroe Plaza Shopping Center
 4045 William Penn Highway
 Phone: 412 373-0060
 Open Mon. through Sat. 10 AM - 9 PM

KING OF PRUSSIA 19406
King of Prussia Shopping Center
 (Routes 202 and 23)
 Phone: 215 265-3300
 Open Mon. through Sat. 10 AM - 10 PM

PHILADELPHIA 19095
Wyncote (Cheltenham Township)
 8156 Ogontz Ave.
 Phone: 215 885-2140
 Open Daily 10 AM - 9:30 PM
 Sat. 9 AM to 6 PM

LANCASTER 17603
2152 Lincoln Plaza
 Phone: 717 397-3681
 (Adjoining Two Guys)
 Open Daily 10 AM - 9 PM
 Sat. 10 AM - 6 PM


Clock and Table Radios Make Memorable Gifts

LAFAYETTE LOW PROFILE FULL FEATURE AM/FM CLOCK RADIO

only **27⁹⁵**

No Money Down
with earphone
for private listening

- 60 Minute Sleep Switch
- Slide Rule Dial For Precise Tuning
- 10 Minute Snooze Button
- Large 3½" Wide Range Speaker



Quality FM-AM clock radio for your home. Combines a fully automatic full feature Telechron clock and a superb FM/AM radio in a handsomely low profile styled walnut grained plastic cabinet with black and silver trim. Handy sleep-switch permits you to slowly drift-off to dreamland while the radio automatically shuts itself off (up to 60 minutes). Beautiful FM or AM music awakens you at a preset time pleasantly. Even includes a snooze button so that the set can again be turned off to permit you an extra 10 minutes of sleep.

Clock face has luminous hand and dial markers. FM-AM radio features a slide rule dial for precise tuning, and a large 3½" wide range speaker for luxurious tonal quality. All solid state circuitry with 10 transistors, 4 diodes and 1 thermistor provides high sensitivity and selectivity. Size: 9½ x 5½ x 3½" D. For 117V AC, 60 Hz. Imported. Shpg. wt., 4 lbs.

17 C 0134W

Net 27.95

PANASONIC RC-7148 SOLID-STATE AM/FM DIGITAL CLOCK RADIO

NEW!

- Easy to View Digital Clock with Illuminated Face
- 30 Minute Sleep Timer
- Full-Range 4" Speaker

NEW LOOK IN CLOCK RADIOS! The RC-7148 features a digital clock and a superb solid-state AM/FM radio in an attractively styled modern cabinet, designed to complement the most exacting home decor or executive suite. Digital clock wakes you up to music or by a buzzer alarm. A 30 minute sleep timer lulls you to sleep with music, then shuts off automatically. AM/FM radio features convenient slide-rule tuning, AFC on FM, and built-in AM/FM antennas. Size: 9½ Wx4½ Hx8" D. Imported. Shpg. wt., 5 lbs. 17 C 3099 \$5 Monthly Net 49.95



49.95

Deluxe Lafayette SOLID-STATE STEREOFONIC FM/AM CLOCK RADIO


SALE!

SAVE 10.00

79⁹⁵

Was ~~89.95~~
1969 Cat. 691

- Two 4 x 6" Wide Range Speakers For True Full Dimensional Stereophonic Hi-Fi Sound



With Beautiful Oiled Walnut Wood Cabinetry

A magnificent performing 2-piece modular stereophonic FM-AM clock radio styled in elegant walnut wood cabinetry. Includes many features normally found in more expensive stereo HI-FI receivers such as: inputs for stereo or monaural phonograph, output jack for stereo headphone, separate tone and balance controls, automatic FM stereo indicator light and switchable AFC. Full feature Telechron clock has

front setting controls with 60 minute wake-up alarm, and soft glow electro-luminescent night light. Stereo radio and modular cabinet each contain a wide range 4 x 6" HI-FI speaker with 10 ft. hook-up cable. Size: Radio, 13½ W x 8 H x 6" D. Matching speaker system, 6¾ W x 8 H x 6" D. For 117 VAC 60 Hz. Imported. Shpg. wt., 11 lbs. 17 C D172WX \$5 Monthly Net 79.95

Radios Are Available On Easy Pay Plan—No Money Down

Lafayette Cat. No. 694 51

Lafayette FM/VHF Public Service Portable Police Radios

- Listen To Police and Fire Calls
- Monitor Civil Defense and Public Services

- Receive Regional U.S. Weather Bureau Forecasts

GUARDIAN 300 3-BAND BATTERY ELECTRIC SOLID STATE FM-VHF/FM/AM POLICE RADIOS



Low, Low Price from Spring Catalog 693 Continues

YOUR CHOICE **29⁹⁵** ea.

2 Deluxe Models to Choose From

HIGH BAND	LOW BAND
FM-VHF— 147-174 MHz	FM-VHF— 30-50 MHz
AM — 540-1600 kHz	AM — 540-1600 kHz
FM — 88-108 MHz	FM — 88-108 MHz

HIGH BAND FM-VHF POLICE AND AM/FM RADIO. Listen to Police and fire calls... ANYWHERE—ANYPLACE. Deluxe 3-band radio operates on 4 "C" batteries or 117 VAC 60 Hz by means of a self-storing AC line cord. Powerful space age solid-state circuitry with 12 transistors, 6 diodes, and 2 thermistors. Variable 6-gang capacitor tuning for extremely high sensitivity and selectivity enables you to pull in even the weakest stations. Complete coverage includes high-band FM-VHF 147-174 MHz and standard AM and FM broadcast bands. Slide rule dial for precise tuning, ferrite rod antenna for AM, telescoping antenna for FM-VHF and FM bands, and an external antenna input jack. Padded black leatherette case with silver trim. Includes batteries, earphone, and self-storing AC line cord. Size: 3 3/8"W x 4 3/8"H x 2 7/8"D. Imported. Shpg. wt., 6 lbs.

99 C 3546L \$5 Monthly Net 29.95

LOW BAND FM-VHF POLICE AND AM/FM RADIO. Same deluxe features and specifications as above but tunes low Band FM-VHF 30-50MHz Instead of High Band. Imported. Wt. 6 lbs.

99 C 3547L \$5 Monthly Net 29.95

99 C 6257 Extra "C" bat. for above radios—4 req. Net ea. .14


Lafayette HAND-HELD FM/VHF POLICE AND FIRE MONITOR RADIOS

HIGH BAND
146-175 MHz
17⁹⁵
with batteries and carrying strap

LOW BAND
27-50 MHz
17⁹⁵
with batteries and carrying strap



GUARDIAN II 2-BAND SOLID STATE FM-VHF AND AM POLICE RADIOS



HIGH BAND	LOW BAND
FM-VHF — 147-174 MHz	FM-VHF — 30-50 MHz
AM — 540-1600 kHz	AM — 540-1600 kHz
21⁹⁵ with earphones and batteries	21⁹⁵ with earphones and batteries

Only an alert and informed citizen can keep up with the electrifying happenings of our everyday life. Two superb Lafayette FM/VHF receivers bring you live coverage of your city or town's daily drama on either 146-175 MHz or 27-50 MHz police and fire bands. 146-175 MHz receiver tunes to 162.55 and 163.275 MHz U.S. Weather Bureau weather reports and disaster alarms in many parts of the country. Has a built-in 2 1/2" speaker plus an external earphone jack for convenient private listening. Rugged construction and sleek styling combine to give a clean professional type appearance. Operates on 4 penlight batteries (included with set). This ultra-compact unit also features a built-in swivel telescoping antenna and provision for an external antenna. With batteries and carrying strap. Size: 6 x 2 x 1 1/8". Imported. Shpg. wt., 2 lbs.

99 C 3531L 146-175 MHz FM VHF Receiver Net 17.95
99 C 3533L 27-50 MHz FM VHF Receiver Net 17.95

ACCESSORIES FOR HAND HELD FM VHF RECEIVERS

Stock No.	Description	Shpg. Wt.	Net Ea.
99 C 3536	117 VAC Adapter	10 oz.	3.95
99 C 6258	Extra "AA" Batteries (4 required)	5 9/16" x 8 1/2"	1.10
40 C 7901	Earphone for Private Listening	5 9/16" x 8 1/2"	1.59

HIGH BAND FM-VHF POLICE AND AM RADIOS. Listen to the drama of everyday life with this exciting radio. Monitor local and state police, as well as fire departments, 162.55 MHz and 163.275 MHz, U.S. Weather Bureau stations*, civil defense, and emergency public services. Includes standard AM band. Loaded with these outstanding features: 2 RF stages, 4 IF stages, slide rule logging scale for precise tuning, ferrite rod AM antenna, telescoping VHF antenna, large 3" speaker for superb fidelity. Handsome black case with silvertrim. Earphone jack for private listening. Operates on 4 "AA" type batteries (included) or 117 VAC with optional AC adapter. 11 transistors, 4 diodes, 1 thermistor. 7W x 4 1/2"H x 2 1/2"D. Imported.

99 C 3522L Shpg. wt., 4 lbs. Net 21.95

LOW BAND FM VHF POLICE AND AM RADIO. Same deluxe features and specifications as above Police radio but tunes low band 30-50 MHz Instead of High Band. Imported.

99 C 3534L Shpg. wt., 4 lbs. Net 21.95

ACCESSORIES FOR GUARDIAN II POLICE RADIOS

Stock No.	Description	Shpg. Wt.	Net Ea.
99 C 3836	AC Adapter	10 oz.	3.95
99 C 6258	Extra "AA" Batteries (4 required)	1 oz.	1.10

LAFAYETTE "GUARDIAN 5000" 5-BAND SOLID-STATE AC and BATTERY OPERATED AM/FM/SW/FM-VHF POLICE RADIO



TUNES 5 EXCITING BANDS

- 1) High Band FM-VHF Police 147-174 MHz
- 2) Low Band FM-VHF Police 30-50 MHz
- 3) International Shortwave 4-12 MHz
- 4) Standard FM Broadcast 88-108 MHz
- 5) Standard AM Broadcast 550-1600 kHz

59⁹⁵

With batteries,
earphone for
private listening
and AC adapter.

- Two Separate Front End RF Tuning Sections For Both High And Low FM-VHF Bands
- Variable Squelch Control While Tuning FM-VHF Bands . . . Also Serves As Interstation Muting on Standard FM Band

Monitor the airwaves of the world! Listen to Police, Fire, Civil Defense, 2-way Business and U.S. Weather forecasts* on BOTH THE HIGH (147-174MHz) and LOW (30-50 MHz) FM-VHF band. Tune the 4-12 MHz International Shortwave Bands. Enjoy outstanding music on the standard FM band (88-108MHz), as well as news, weather and sports on the standard AM band (55-1600kHz). Advanced space age solid-state circuitry permits instant operation—no loss of precious time due to warmup—permits immediate response to emergency situations. Two separate 4 gang tuning capacitor front ends for both high and low FM-VHF Police bands for greater sensitivity and more dependable selectivity—weak stations can be heard clearly—while outside noise and interference are drastically reduced. Operates on 4 "C" batteries or 117 VAC household current with AC adapter (included). Excellent quality of tone from large 3½" speaker makes this a true hi-fidelity portable radio. Telescoping antenna for FM, FM-VHF, and SW bands. Built-in ferrite core antenna for AM band. Accessory jack for use of separate external antenna. Slide rule logging scale for precise tuning. AFC circuitry prevents drift on FM. Beautiful walnut wood grain molded case with metal grill, gold trim, and handle. Includes 4 "C" batteries, earphone, and AC adapter. Dim.: 8¾"Hx 6"Wx2¾"D. (Metal handle 3½") Imported. Shpg. wt., 6 lbs.

99 C 3543L \$5.00 Monthly Net 59.95
 99 C 6257 Extra "C" batteries—4 required Net ea. .14
 * 162.55 MHz, or, consult your local weather bureau concerning reception in your area.

LAFAYETTE 4-BAND TV-FM-FM/VHF PORTABLE RADIO

★ Listen to TV Without Viewing ★



- Perfect For Remote Control of TV Sound.
- Monitor Exciting Police, Fire, and U.S. Weather Bureau Broadcasts.
- Listen To Beautiful FM Music.
- Instant-On Reliable Solid State Circuitry

A unique and truly different concept in the design of a radio allows you to tune TV channels 2 thru 13. Listen to the many outstanding sporting events, variety shows and specials normally transmitted only on TV. At night, use TV for picture but control sound from radio—earphone lets you listen without disturbing others. You can also monitor Police and Fire emergency calls. Listen to U.S. Weather Bureau forecasts on 162.55 or 163.275 MHz. Also receives standard FM broadcasts. Operates on 4 "C" batteries or 110 VAC with optional adapter. Powerful, super sensitive 14 transistor, solid-state circuitry. Precision, slide-rule tuning dial. Large speaker provides fine tonal quality. With built-in telescoping antenna, external antenna jack, leatherette carrying handle, earphones, and batteries. Handsome black plastic cabinet with silver trim. Size: 9Lx 5¾Hx2¾"D. Imported. Shpg. wt., 2 lbs.

99 C 3563L \$5 Monthly Net 39.95

TUNES:

TV Low: Channels 2 thru 6
 TV High: Channels 7 thru 13
 FM-VHF High band Police: 146-175MHz
 Standard FM Broadcasts: 88-108 MHz

39⁹⁵

No Money Down

With batteries and
earphone for private
listening.

99 C 6257 Extra "C" cells. 4 req. Net ea. .14
 117 VAC Adapter. Shpg. wt., 10 oz. Net 3.95

Radios Are Available On Easy Pay Plan—No Money Down

Lafayette Cat. No. 694 53

Deluxe LAFAYETTE "Star-Fire™ VI" 18 Transistor 6-Band AM/FM/SW/FM-VHF Police Portable Radio



SALE

74⁹⁵

With Batteries
and Earphone

~~WAS 79.95~~

1969 Catalog 693

SALE ENDS 8/15/69

SAVE 500

6 Thrilling Bands

AM	535-1605kHz
FM	88-108MHz
FM-VHF	147-176MHz (Police)
SW-1	1.6-4.5MHz (Marine)
SW-2	4-10MHz (International)
SW-3	10-23MHz (International)

- Electronic Bandsread Fine Tuning Control
- Tuning/Battery Strength Meter
- Two 4" Wide Range Hi Fi Speakers for Magnificent Sound Reproduction
- Built-in Compass Point Indicator to Help Locate Your Position at Sea as a Radio Finder Indicator

Deluxe Starfire VI speaks all the languages of the world. Powerful 18 Transistor and 7 diode solid state circuitry provides extremely high sensitivity. Two 4" wide range Hi Fi speakers offer magnificent sound reproduction. Cover has worldwide shortwave time zone chart. Booklet with listings of shortwave stations throughout the world included. Monitor police and fire radio calls as well as U.S. Weather Bureau Forecasts on the 147-176MHz VHF band — other outstanding features: AFC to eliminate drift on FM, eight ivory

pushbutton controls, tone control, pushbutton pilot lamp to illuminate dial at night, luxurious genuine black leather cabinet with die cast front, and earphone jack, telescoping antenna for FM, SW, and VHF reception. Supplied with earphone and 4 "D" type batteries. Size: 12x9½x4½D. Imported. Shpg. wt., 18 lbs.

99 C 3526WX Star-Fire VI..... Net 74.95
99 C 6256 Extra "D" Batteries, 4 Required..... Net ea. .15
99 C 3541 AC Adapter for Star-Fire VI ½ lb. Net 4.95

Lafayette Solid State Battery/Electric 4-Band Twin Speaker AM/FM/Police/Aircraft Radio



147-174MHz FM/VHF
High Band
Police and Fire



108-136 MHz AM/VHF
Aircraft Band

Only **44⁹⁵**

With Earphones
and Batteries

Powerful 23 semiconductor, 4-band, battery/electric portable radio. Listen to dramatic police-fire calls, U.S. Weather Bureau reports, on the FM-VHF high band (147-174 MHz). Tune in on pilots in flight awaiting instructions from the control tower, on the fascinating AM-VHF aircraft band (108-136MHz). Enjoy beautiful music on the standard FM band (88-108 MHz). Keep informed of the latest news and sports results on the standard AM band (54-1600 kHz). Two large 3" dynamic speakers. Self-storing AC line cord enables you to play on 117 VAC. Also operates on 4 "C" cell batteries. Rotary, telescoping antenna for FM, Police, and Aircraft. Built-in ferrite bar antenna for AM. Vinyl padded black case with earphone and batteries. Size: 11-1/6x7-1/8x3-1/2". Imported.

99 C 3550W Shpg. wt., 6 lbs. Net 44.95
99 C 6257 Extra "C" batteries. 4 req. Net .14

Exciting Selection of Solid-State Multiband Radios

Lafayette STAR-FIRE® II 2-BAND FM/AM PORTABLE WITH BUILT-IN TELEPHONE AMPLIFIER

ONLY
22⁹⁵
with Earphone, Batteries, and Telephone Amplifier Jack.

- Large 4" Speaker Offers Life-Like Hi-Fi Sound Reproduction
- AFC Lock Prevents Drift on FM
- 1 FF and 3 IF Stages for extremely High Sensitivity



Be the proud owner of a superb performing FM-AM portable radio that can also be used as a telephone amplifier with any telephone pick-up. Operates on 4 "C" type batteries or use in the home with economical optional accessory AC adapter which connects to 110-120 VAC house line. Features 1 RF and 3 IF stages for extremely high sensitivity and selectivity. AFC circuit makes drift on FM virtually non-existent. Built-in carrying handle is recessed to hold 33" telescoping antenna. Luxurious break-resistant black plastic case with chrome trim. Complete with earphone for private listening, batteries, telephone amplifier jack. Imported. Shpg. wt., 3½ lbs.

99 C 3551L	Net 22.95
99 C 3516 Plug-in 117VAC Adapter. Shpg. wt., 6 oz.	Net 3.95
99 C 3532 Telephone Pick-up with plug. Wt., 4 oz.	Net .99
99 C 6257 Extra "C" Batteries (4-required)	Net ea. .14

Lafayette 2-BAND AM & VHF AIRCRAFT PORTABLE



- ONLY
19⁹⁵
- 108-136MHz VHF Aircraft Band
 - 540-1600kHz AM Band
 - Slide Rule Logging Scale
 - Large 3" Speaker

with batteries, earphone, carrying strap Monitor aviation control tower transmissions, listen to planes in flight, get their landing patterns and weather reports. Tunes the standard AM band. Ferrite rod AM antenna, telescoping VHF antenna. Operates on 4 "AA" batteries (included), or 117VAC with optional AC adapter. Earphone for private listening. 10-transistors, 2-diodes, 2-thermistors. Size: 7W x 4½H x 2½"D. Imported. 99 C 3523L Shpg. wt., 4 lbs. Net 19.95

AC Adapter for above. Wt., 6 oz.	Net 3.95
99 C 3536	Net .99
Extra "AA" batteries (4-required)	Net ea. .10
99 C 6258	Net ea. .10

SUPERB Lafayette 4 BAND BATTERY/ELECTRIC FM-AM-SW-MARINE PORTABLE

4 BANDS FM: 88-108MHz
AM: 540-1600kHz
MB: 1.6-4MHz
SW: 4-12MHz

ONLY
34⁹⁵

- 12 Transistors, 7 Diodes, 1 Thermistor
- Slide Rule Dial For Precision Tuning
- Continuous Tone Control
- Ferrite Core And Telescoping Antenna On Swivel

A superb performing radio for all around use on land or sea. Listen to exciting and informative international shortwave programs, the Marine Band as well as standard AM and FM broadcast bands. Big easy-to-read slide rule tuning dial. Built-in ferrite core antenna for AM, and telescoping antenna for FM, Marine, and SW bands. Feature large 3½" full toned dynamic speaker, built-in AFC lock to prevent drift on FM, continuous tone control, self-storing AC line cord for 117 VAC operation. Also plays on 4 economical "C" batteries. Padded, black leatherette cabinet measures 10¼ x 6¾ x 3¾". With earphone and batteries. Imported. Shpg. wt., 6 lbs.

17 C 0166L \$5 monthly	Net 34.95
99 C 3257 Extra "C" batteries (4 req.)	Net ea. .14



No Money Down

Deluxe SHARP 2-BAND FM-AM CAR/PORTABLE RADIO

- Install In Any 6 or 12 Volt Car or Boat System
- Use As A Portable, or On 117VAC 60 cps With Built-In AC Line Cord

Versatile "multi-purpose" AM/FM 12 Transistor Radio designed to provide outstanding reception anywhere. Used as an AM/FM car radio, it locks into its specially designed under-the-dash bracket and operates thru the car's electrical system (6 or 12 volts pos./neg. ground). Slips easily out of bracket for use outdoors—and plays on 4 "C" Batteries (Included). For indoor use, it operates on pushbutton household current with the AC line cord provided. Pushbutton band selector controls. AFC for drift free FM reception. Ferrite Bar AM antenna, telescoping FM antenna, large 4" speaker, and wood grain finished front panel. 9W x 6¾H x 2½"D. Imported. 17 C 5301 \$5 Monthly Net 39.95

99 C 6257 Extra "C" batteries (4 req.)	Net ea. .14
--	-------------



39⁹⁵

Complete With Car Bracket With Lock and Key, Batteries, AC Line Cord, Earphone

Quality Portable Solid-State Radios & Television Sets

POWERFUL Lafayette SOLID-STATE "MINI" AM POCKET RADIO



SALE 6⁹⁵

WAS 7.95
1969 Catalog 693

Includes: battery, earphone, carrying case

- Operates on Battery or 117 VAC with Optional AC Adapter

Engineered and constructed with the jewel-like precision of a fine watch, this handsomely styled personal pocket radio uses 8 transistors in a sensitive superheterodyne circuit. Provides clean, crisp tone through a large 2 1/4" speaker. Beautiful durable black plastic case with chrome plated trim and silver metal grill. Ferrite core antenna. Includes vinyl carrying case, battery, and earphone for private listening. Size 4 1/2"H x 2 3/4"W. and 1 1/4". Shpg. wt., 2 lbs.

17 C 0168L Net 6.95
AC Adaptor For Above Radio. Wt., 6 oz. Net 2.95
17 C 0169L Wt., 6 oz. Net 2.95
Extra 9 Volt battery for above radio Net .21
99 C 6021

DELUXE Lafayette "MINI" AM/FM SOLID-STATE PORTABLE

Only

14⁹⁵

- Precision Slide Rule Tuning Dial with Logging Scale

Super-sensitive, power-packed beauty provides sparkling performance on both FM and AM and measures only 2 7/8"W x 4 3/8"H x 1 1/2"D. Solid state superheterodyne circuit gives you real pulling power of stations both near and far. Built-in AFC circuitry to prevent drift on FM. Large 2 1/2" dynamic speaker reproduces voice and music with fine tonal balance. Ferrite rod antenna for AM, telescoping antenna for FM. Superbly styled and constructed die cast front. Powered by single 9-volt battery. Imported. Shpg. wt., 3 lbs.

99 C 3524L Net 14.95
99 C 6021 Extra 9 V. bat. for above Net .21



DELUXE 10-TRANSISTOR 3-BAND AM/VHF AIRCRAFT/MARINE PORTABLE

SALE 16⁹⁵ WAS 18.95

(Quantities Limited)

1969 Catalog 693

COVERS.


AM Broadcast Band: 540-1600 kHz

Marine Band: 2-6 MHz

VHF-Aircraft: 108-135 MHz

Listen to aviation control towers, monitor aircraft frequencies, hear marine weather reports as well as standard AM broadcasts. Large 3 1/2" full-range speaker offers fine sound reproduction. Precision slide rule tuning dial. Operates on 4 penlight batteries. Beautiful leather-like plastic cabinet. Dimensions: 6 3/4" x 4 5/8" x 2 1/2". Shp. wt., 5 lbs. With batteries and earphone. Imported.

17 C 7816L Net 16.95
99 C 6258 Extra batteries, 4 req. Net ea. .10



SONY Model TV-720U PERSONAL SOLID STATE PORTABLE TV

109⁹⁵

with earphone, loop antenna for UHF and built-in battery charger



- 7" Picture Measured Diagonally
- Channel Coverage: VHF 2-13, UHF 14-83

Rich, contemporary styling in ebony and gleaming chrome. Operates on 117V., 60 Hz AC; optional rechargeable 12-volt battery, or 12VDC car/boat battery. Black 7-inch diagonal screen gives superb contrast. All solid-state circuitry that includes new passivated mesa transistors and a forward AGC system for sensitive reception. Built-in UHF telescoping antenna and front mounted speaker. With earphone, UHF loop antenna, built-in battery charger. Size 9 1/2"H x 9W x 11 1/4"D. For 117V., 60 Hz AV. Imported. Shpg. wt., 11 lbs.

17 C 3265WX \$6 Monthly Net 109.95

SONY TV-110V SOLID-STATE PORTABLE TV

139⁹⁵

With earphone, loop antenna for UHF, snap-in sunglass filter



- 11" Picture Measured Diagonally
- Operates On Battery or AC
- Channel Coverage: VHF 2-13, UHF 14-83

Big 11" screen measured diagonally. Lightweight enough to be carried anywhere. Snap-in sunglass filter provides bright, glare-free reception in any light. Super sensitive solid-state circuitry. Built-in VHF adjustable telescoping antenna. UHF loop antenna. Front mounted oval speaker. 27-transistors, 15-diodes, 1-rectifier. Contemporary styling in black with silver trim. Size: 11 1/2" x 11 1/4" x 11 1/2" D. Imported. 17 C 3279WX Shpg. wt., 17 lbs. \$7.50 Monthly Net 139.95

ACCESSORIES for Models TV-110V and TV-720U

Model BP/7 564. Shoulder rechargeable battery pack. Net 22.95
17 C 3229 Shpg. wt., 3 lbs. Net 22.95
Model DCC-2AW. Car battery cord. For 12V/neg. ground systems. Net 14.95
17 C 3230 Shpg. wt., 1/2 lb. Net 14.95
Model VCA-14. Car window antenna. Shpg. wt., 1 lb. Net 22.95
17 C 3260

DELUXE SOLID STATE CAR RADIOS

SOLID STATE FM STEREOHONIC CAR RADIO



SALE
SAVE \$10.00
NOW 89⁹⁵
 was 99.95
 Sale In Effect Thru 8/15/69

- For 12 Volt Negative Ground Systems

Enjoy rich, vibrant FM stereophonic programming in your car with this magnificent performing FM stereo radio. Simple to install under the dash with adjustable brackets—only 2 screws are required to mount the radio. Features powerful Hi-Fi audio circuit for true stereo sound reproduction on both channels. Stereo Indicator Lamp Illuminates when station is receiving stereophonic sound. Dual channel tone and volume controls.

Balance control permits adjustment of channel separation for perfect sound balance. Illuminated slide rule dial. Specifications: 23 Transistor, 11 Diodes, Output 5 watts per channel. Sensitivity: 5 μ v. For 12V negative ground systems. Includes 2 instant-mount speakers in plastic housings. Size: 9" W x 1 1/2" H x 6 1/4" D. Imported. Shpg. wt., 6 lbs.
 17 C 7437 \$5 Monthly Net 89.95

UNIVERSAL SOLID STATE AM CAR RADIO



19⁹⁵

- Built-in Speaker
- Removable Face Plate
- Tone Control Switch

Universal Solid State AM radio that is easy to install under the dash. Offers fine sound reproduction. Features built-in speaker and tone control slide switch, 7 transistors, 2 diodes, RF stage, AVC. Removable face plate. For 12 volt negative ground system. Size: 2 x 4 3/4 x 6 1/2". Imported. Shpg. wt., 3 lbs.

17 C 7425 Net 19.95

SOLID STATE FM CAR CONVERTER




39⁹⁵

- Convert Your Car AM Radio To A Quality AM-FM Car Radio

Converts your existing 12 volt negative ground AM radio to the FM band. All solid state circuit (6 transistors, 8 diodes) gives instant operation. Built-in AFC permits drift-free reception of distant FM stations. AM/FM switch allows instant selection of AM or FM stations. Sensitivity: 4 μ v. Size: 1 7/8" x 4" x 9". Imported. Shpg. wt., 4 lbs.
 17 C 7420 \$5 Monthly Net 39.95

CUSTOM RADIOS FOR VOLKSWAGEN CARS

Designed For All Standard Models Thru 1969



- Snap-In Front Mount for Easy Installation

Custom AM-FM Pushbutton **69⁹⁵**

Custom AM Pushbutton **37⁹⁵**

SOLID STATE PUSH-BUTTON AM-FM RADIO—Matches decor of car's interior. All solid state circuitry with hi-fi features. 11-transistors, 9-Diodes. AFC on FM for drift-free performance. Push-pull output, high sensitivity for long distance reception on both AM and FM. 4-IF stages on FM. Continuous variable tone control. Large 6" external speaker. Imported. Shpg. wt., 6 lbs.
 17 C 7440 For 1967-69 Volkswagens ONLY Net 69.95

SOLID STATE PUSHBUTTON AM RADIO—Rich, radiant styling. Custom designed to snap into instrument panel from the front. Full 5 watts audio power. Includes 5" external speaker. Seven tuned circuits including RF-stage give maximum sensitivity. Fits all 6 or 12 volt standard VW cars thru 1969. Imported. Shpg. wt., 7 1/2 lbs.
 17 C 7439 For 1957-69 Volkswagens (Not Illustrated) Net 37.95

SOLID STATE UNIVERSAL AM/FM PUSHBUTTON CAR RADIO



Only **49⁹⁵** No Money Down


With Antenna

- Large 5x7" External Speaker
- For 12 Volt Neg./Positive Ground Systems

All solid state circuitry. 11 transistors, 8 diodes, 2 thermistors. Push-pull Hi-Fi output. AFC for FM drift-free performance. High sensitivity for long distance reception on both AM and FM. Four I.F. stages on F.M. for maximum noise limiting. Large 5 x 7" external speaker. Radio mounts neatly under dash. Overall size: 6 1/2" W x 2 3/8" H x 6 5/8" D. Imported. Shpg. wt., 6 lbs.

17 C 7412 \$5 Monthly Net 49.95

VERBALITE SOLID-STATE CAR REVERBERATION SOUND SYSTEM with **COLOR** -LIGHTS



Only **34⁹⁵**

With 6x9" Speaker,
Chrome Grill, and All
Connecting Cables.

- For Car AM, FM, FM Stereo Radios and Stereo Tape Players
- Tuneable . . . Custom Fits Sound To Your Car
- Can Be Used With Any 12-Volt Negative Ground System
- Control Panel Provides A Myriad of Colorful Patterns

Verbalite is a unique, tuneable reverberation system that blends and matches sight with sound. Features a deluxe, solid-state tuneable reverberation amplifier that converts your present car radio or tape player (stereo or mono) into a brilliant sound system providing truly 3-dimensional concert hall realism. The Verbalite's panel is illuminated with a myriad of colors. Everchanging, colorful patterns are activated by the beat and frequency range of the music you are listening to. Features controls for adjusting

the intensity of the light and the amount of reverberation. Easily mounts under dash of your car by means of adjustable bracket. Includes 6x9" dynamic speaker and chrome grill for rear deck mounting. Specifications: 9-transistors and 2-watts peak audio output. For 12-volt neg. ground systems. Size: 1 $\frac{1}{2}$ "x8"x5 $\frac{3}{4}$ "D. Imported. Shpg. wt., 3 lbs. 17 C 7448 \$5 monthly Net 34.95

LAFAYETTE SOLID-STATE CAR REVERBERATION AMPLIFIER



Only

11⁹⁵

Including
Mounting Bracket
Less Speaker

- Can Be Used With Any 12-Volt Negative Ground Car Radio—AM or FM

NOW—listen to the most dramatic sound of music you have ever heard in a car with the Lafayette solid state Automobile Reverberation amplifier. When used with your present 12-volt negative ground AM or FM car radio, the Lafayette Reverb amplifier creates a second set of reflected sound waves reproduced through a rear seat speaker (not included). These reflected sound waves provide this exciting new dimension in sound reproduction. Features a pushpull Fader/Balance control. Balances regular car radio speaker and reverb speaker. Also controls amount of reverberation—from 0 to maximum. Separate isolation transformer for ultimate matching conditions. For underdash mounting. Dim.: 7 $\frac{1}{2}$ "D x 3 $\frac{1}{2}$ "W x 1 $\frac{3}{4}$ "H. Includes mounting bracket. Imported. Shpg. wt., 4 lbs. 99 C 8519W Net 11.95

LAFAYETTE SOLID-STATE CAR REVERBERATION SOUND SYSTEM



Only **22⁹⁵**

Complete with 6" x 9" Speaker
Chrome Grill, and All Connecting
Cables.

- For 12 Volt Negative Ground AM and FM Auto Radios—Convenient Under Dash Mounting
- Tuneable . . . Electronic Tuning Control.

"Custom Fits" the Sound to your Car, to your Ear. Deluxe solid state tuneable reverberation unit converts your present car radio into a magnificent sound system offering concert hall realism. Consists of the tuneable amplifier control unit which easily mounts under the dash panel of your car by means of adjustable brackets, 6x9" dynamic speaker and chrome grill for rear seat mounting, and all connecting cables. Includes simple instructions for connecting the reverb unit to your regular car radio system. Reverberation is an entirely different approach to sound reproduction. Normal sound reproduction from a single source has a flat, one dimensional effect; with proper sound delay thru "REVERBERATION," tones are created with a truly third dimension for concert hall originality. Fader control permits balance of sound between front and rear seat speaker. Verb-A-Tone control adjusts the amount of reverberation to your taste. Specifications for 12 volt negative ground cars, peak audio output—4 watts, 2 transistors. Size: 1 $\frac{1}{2}$ "x4"x9". Imported. Shpg. wt., 5 lbs. 17 C 0109 Net 22.95

DUAL HI-FI REAR-SEAT SPEAKER KIT

ONLY

7⁷⁵



- Woofer-Tweeter-Crossover

Multi-impedance voice coil for all transistor and tube sets. "Universal" speaker kit includes two Aincio V units—a 5 $\frac{1}{2}$ " woofer and 3" tweeter with electronic crossover network; chrome grille and baffle which fits regular 6x9" cut-out; plus pre-wired, pre-soldered, 3-position switch. Shpg. wt., 4 lbs. 32 C 4933 Net 7.75

LAFAYETTE "VARY-MOUNT" CAR SPEAKER

Only

4⁴⁴




Deluxe flush-mounting speaker with beautiful chrome grill. Features full range frequency response with heavy magnet assembly and provides outstanding sound quality. Can also be used as a ceiling or wall mount speaker in your home. Imp., 8 ohms. Overall dia.: 6 $\frac{1}{4}$ ". Imported. Wt., 3 lbs. 99 C 0179 Net 4.44

2 for 7.99

Inverters — Battery Chargers — Power Supply

TRIPP LITE ALL SOLID STATE POWERVERTERS



Model PV-200-B Model PV-450-B

• Combination Power Inverters and Battery Chargers

MODEL PV-200-B—200-WATT INVERTER, 6 AMP BATTERY CHARGER. Converts 12-volt DC to 115-volt 60 cycle AC, delivers 200 watts continuously, 250 watts intermittently. 4 power transistor circuitry for power boost. Battery charger is rated 6 amp, has automatic control which tapers current down to prevent overcharging. Size: 3 1/2 x 5 x 5" Shpg. wt., 5 1/2 lbs.
11 C 8951 \$5 Monthly Net 49.95

MODEL PV-450-B—450 WATT INVERTER, 10 AMP BATTERY CHARGER. Rugged, heavy-duty inverter with 450-watt continuous output, 500 watt intermittent, 10 power transistors; hash-free TV, AM-FM reception. Battery charger rated 10 amp, ampere meter for both inverter and battery charger use. Pilot light warns against overloading. Built-in rack handles. Size: 5 1/4 x 9 1/4 x 10", Shpg. wt., 14 lbs.
11 C 8955 \$5 Monthly Net 99.50

TRIPP LITE 150-WATT TRANSISTORIZED INVERTER

SALE!
29⁹⁵
NO MONEY DOWN



CUT 5.00
SALE ENDS 8/15/69

- Delivers 150 Watts Continuously
- Provides Household Current Anywhere
- Fused to Protect Battery

A low-cost transistorized inverter which changes 12-volt DC to 115-volt 60 Hz AC. Delivers 150-watts continuously; 175-watts intermittently for shavers, recorders, radios, TV and many other appliances. Has on-off switch and replaceable fuse. Rugged construction. Size: 5 x 5 x 3 1/2". Shpg. wt., 5 1/2 lbs.
11 C 8950 Net 29.95



terado TRAV-ELECTRIC
63⁴⁰

Self-Contained Power Supply with Battery and Automatic Recharger

- Delivers 117 Volts 60 Hz A.C. At 125 Watts Continuous
- 3 to 4 hours of Portable T.V. Operation on One Charge

Hundreds of uses: Operates TV's, power tools, barbecue motors, lights, hedge clippers, or, appliances using 117V., 60 Hz AC. Has self-contained 25 amp, rechargeable wet storage battery. Frequency stable within 1/2 cycle with load changes. Plugs into AC outlet, or car cigarette lighter to recharge battery. Has automatic overcharge protection. Meter shows charge rate and hours of anticipated output. Size: 12x5 1/2x8". Shpg. wt., 36 lbs.
11 C 6316WX \$5 Monthly Net 63.40

PATHFINDER DELUXE PLUG-IN SPOTLIGHT



- 4⁹⁵**
- 12 Volt GE Sealed Beam
 - 10-Foot Cord with Plug
 - All Chrome, Zinc Cast Housing

Plug-in portable spotlight is a real "life-saver" in emergencies—provides dependable, instant, powerful light for safety in every night-driving need. Finger-grip handle permits easy direction of light beam. Flexible 10-foot cord; GE sealed beam; convenient hang-up hook; rich chrome plate on die-cast metal. Fits most cigarette lighter sockets. Stows away in glove compartment.
11 C 1625 Shpg. wt., 2 lbs. Net 4.95

RAPID-FIRE™ FLASHER



- Signals and Warns For Miles Around

Automatic traffic hazard protection. Five lights create hundreds of different flashing patterns. Brilliantly signals help. Can be used in car without unlocking doors—great for women traveling late at night. Rubber suction cup mounts and 15 ft. cord permits fast easy attachment. Plugs into cigarette lighter. For 6 or 12 volt use. Imported. Shpg. wt., 1 1/2 lbs.
11 C 1312 Net 5.50

TERADO "DYNAMO" DC TO AC INVERTER

Operate any small radio in any 12 volt car, truck, boat or trailer. No installation—just plug into cigar lighter. Operate electric shaver or any electric appliance up to 25 watts. With generator condenser and ignition noise suppressor. Size: 2 x 2 x 3 3/4".
11 C 6317 Shpg. wt., 2 lbs. Net 12.95



LAFAYETTE BOOSTER CHARGER

- ONLY 26⁹⁵**
- 50 Amp. Battery Boost Power
 - 10 Amp. Battery Charger

Starts cars fast in the coldest weather with automatic 50 amp. boost. Perfect for 6, 8 or 12 volt batteries. Operates as a booster and as a 10 amp. charger. Color coded meter indicates battery condition, charging and booster rate, and correct polarity. Full wave charging circuit, triple density selenium rectifiers, and auto-reset circuit breaker; heavy duty 8' input cord, and heavy duty 6' cables with clamps. Chrome plated front panel and baked enamel back and sides. UL listed. Size 8H5 3/4 Wx6"D. Shpg. wt., 13 lbs.
11 C 0106 Net 26.95




AUTO HOOD LOCK KIT

Hood can only be opened from inside of car. Protects battery, generator, distributor, etc. Complete with all parts for installation. Fits following cars:

- 61 Buick • 64 Cadillac • 68 Camaro
 - 61-68 Chev. • 67-68 Chevy II • 67-68 Chevelle • 63-65 Comet • 63-67 Ford • 63-65 Falcon • 64-67 Mercury • 64-65 Mustang • 68 Olds • 63-68 Tempest • 62-66 Rambler (not Classic) • 64 T-Bird • and other cars with striker bolt in hood.
- 11 C 5301 Shpg. wt., 1 lb. **3.29**

3²⁹



COMPLETE SOLID-STATE ENGINE ANALYZER

For All Electrical Systems 6, 12, 24 or 32 Volt —Regular, Transistorized or Magneto Ignition, 8, 6 or 4 Cylinder 4 or 2 Cycle Engines.

ONLY

49⁹⁵

No Money Down

- Large 6" D'Arsonval Double Jeweled Meter
- Do-It-Yourself Instruction Book

Solid-State Engine Analyzer Will Test:

- Dwell or Cam Angle
- Measure Engine Speed
- Adjust Carburetors
- Adjust Points
- Check Condensers
- Check Coil Resistance
- Measure Carbon Suppressor Spark Plug Cables
- Check Batteries
- Test Alternators, Generators & Regulators
- Check Shorts & Opens In Wiring
- Checks All Lamps, Fuses, Relays & Switches
- Check Diodes

Performs "FIFTEEN" authoritative tests under actual operating conditions! Tests output voltages in three separate ranges: 0-3.2, 0-16, 0-32 VDC. Determines the condition of batteries, battery cables, spark plug wires, coil wire, solenoids and starter motors. Permits precise setting of distributor points (cam-dwell angle) and test centrifugal advance mechanism on three scales: 0-45° for 8-cylinder, 0-60° for 6-cylinder, and 0-90° for 4 cylinder. RPM scales allow precise setting of carburetor air/fuel mixture and engine RPM in four separate scales: 8 or 6-cylinder (low) 0-1,200, (high) 0-6000; 4-cylinder (low) 0-2400, (high) 0-12,000. Measures amps from -5 to +90. Resistance scale from 0-100,000 ohms. High voltage coil and spark test scale from 0-30,000 volts. Operates on single "D" cell battery. Complete simple operating instructions allows anyone to use this instrument to its full capabilities. Detailed information supplied by make and model. Rugged steel case finished in baked enamel. Rear storage compartment holds 5 1/2' leads, clamps, plug jacks and connectors. Size: 12x6 1/2x6". Shpg. wt., 10 lbs.

11 C 2450 \$5 Monthly Net 49.95
99 C 6256 Battery For Above Net .15



6 1/2" DWELL TACHOMETER

28⁵⁰

- Tunes up Electronically, Any Car Ever Made
- Three Dwell Scales
- Giant 6 1/2" Easy-to-Read Scale
- Use to Adjust Carburetors—Points

Made in U.S.A.

Tests cam Dwell angle and engine RPM on 4, 6 or 8 cylinder cars, 6 or 12 volt right on the engine. Giant 6 1/2" easy-to-read meter makes it simple for anyone to adjust points and carburetors to insure maximum gas economy and quiet engine running. RPM readings are also essential to properly service automatic transmissions. Three dwell angle scales are provided: 0 to 45 degrees, 0-60 degrees, and 0 to 90 degrees. This instrument is suitable for dwell angle adjustment on all foreign and domestic cars. Dual range tachometer 0 to 1000 rpm for precise carburetor adjustments. 0 to 5000 rpm, suitable for making all other tests at high engine speeds. Complete with instruction manual. Shpg. wt., 4 lbs.

11 C D101W Net 28.50



3 1/2" DWELL TACHOMETER

16⁹⁵

- Tune Up Electronically Any Car Ever Made
- 3 1/2" Double Jeweled D'Arsonval Meter
- For 4, 6 or 8 Cylinder Engines
- For 6 or 12 Volt Systems
- Point Resistance Check

Made in U.S.A.

Electronically tune your car! This Dwell-Tachometer permits setting the carburetor for maximum efficiency, gas economy and greater power; indicates the correct point gap setting electrically (even if the points are pitted or corroded); permits setting points with the distributor cap off and engine cranking, and permits setting points on "Window" distributors with engine running. It also locates defective spark plugs; permits correct engine RPM setting for automatic transmission adjustments, throttle linkage and Idle adjustment. RPM scale: 0-3000; 8-cylinder dwell: 5-45°; 6 cylinder dwell: 20°-60°. 4 cylinder reading obtained by doubling 8 cylinder scale reading. Two-color scale. Small and compact—measures only 6 1/4 x 3 3/4 x 2". Complete with instruction manual. Shpg. wt., 2 lbs.

11 C 0105 Net 16.95

PROFESSIONAL DC-POWER TIMING LIGHT

- Ultra-Brite Zenon Strobe Tube

ONLY

22⁹⁵

Chrome finished DC-power timing light. The ultimate in a mechanics light. Ultra-brilliant blue white Zenon strobe tube light for day or night use, insures maximum light. Rugged case; designed for operator to reach inaccessible timing marks. Simple replacement of zenon bulb. For 6 and 12 volt battery. On/Off Switch. Wt., 2 lbs.

11 C 4240 Net 22.95

PROFESSIONAL AC-POWER TIMING LIGHT

Deluxe 110 volt AC power timing light. Uses ultra-brilliant white zenon strobe tube. For day or night use. Plugs into any 110 volt AC line, insures maximum light regardless of condition of vehicles battery. Rugged black case with power cord and On/Off switch. 11 C 4239 Shpg. wt., 1 1/2 lbs.

Net 11.95

Test Equipment Is Available On Easy Pay Plan—No Money Down



"CUSTOM RALLY STYLED" Auto Gauges

DELUXE 3/4" GAUGE AMMETER -WATER-OIL PRESSURE

As
Low
AS **15⁹⁵**

- All Electric—No Tubing

End guess work and space problems with this beautiful three-in-one gauge. Illuminated dial face gives accurate individual readings of oil pressure, amperage, and water temperature. Amp. gauge reads —60 to +60, oil pressure registers 0 to 80 lbs., and water temperature is indicated from 100° to 220°. Fits all 12 volt negative or positive ground alternator or generator electrical systems. Handy 360° universal mount and durable chrome zinc die cast case. Supplied with wire, adjustable mounting ring, and senders.

11 C 4203 Shpg. wt., 2 1/2 lbs. Net 19.95
OIL AND AMMETER GAUGE—Similar to above, less water temp. gauge.
11 C 4204 Shpg. wt., 2 lbs. Net 15.95




DIXCO PRECISION ELECTRIC HT/X

TACHOMETER For Hood Mounting

39⁹⁵

- Keep Your Eyes on the Road—Track—or Starting Light
- Precision Solid State Circuitry
- 200° Wide Sweep Illuminated Dial

Hood mounted design places this vital engine speed monitoring instrument out front, directing vision towards the action. Stylish recessed face features an easy-to-read 200° illuminated scale with adjustable red set pointer. Solid state circuitry with D'Arsonval meter is factory calibrated to 8,000 RPM. Easy one hole installation utilizes a unique mounting and locking device which provides theft protection. Sporty rugged construction withstands shock, vibration, and weather extremes. Racing black finish. For 6 and 8 cylinder 12-volt negative ground systems. Shpg. wt., 1 1/2 lbs. Net 39.95



GAS SAVER VACUUM GAUGES

As
Low
As **6⁹⁵**

(A) DELUXE 3/4" TWIN VACUUM GAUGE. Automatically shows miles per gallon. Instrumented driving saves up to 40% of your gasoline dollars by showing you how to drive for the best economy or power. Also checks your engine constantly by measuring its manifold pressure on a clear, four color illuminated dial. 360° universal mounting, zinc die cast case, T connector, 6 ft. vacuum tubing, steering column mount ring and instructions. Fits any car.
11 C 4205 Wt., 2 1/2 lbs. Net 12.50

(B) "BULLET" VACUUM GAUGE. Shows most efficient engine speed. 2" meter in chrome bullet housing. Illuminated dial indicates maximum engine efficiency. Warns of leaky intake and exhaust systems or improper adjustment of valves, tappets, and timing. Fits any car.
11 C 4222 Wt., 1 lb. Net 6.95



3/4" 270°
"WIDE-SWEEP"
TRANSISTORIZED TACH
27⁹⁵

- Precision 0-10,000 RPM Scale For 6 or 8 Cylinder

Our finest tachometer features a wide sweep 3/4" illuminated black and white scale, precision D'Arsonval movement calibrated to 2% accuracy, and a shift set needle with 270° swing. Equal divisions between graduated markings for pin-point accuracy over the entire range. This handsomely styled instrument is virtually unaffected by vibration.

Has deluxe 3" long chromed zinc die cast housing and 360° universal mounting for dash, console, or steering column mounting. For transistor or regular ignition systems at 6 or 12 volt positive or negative ground. Shpg. wt., 2 1/2 lbs. Net 27.95

AUTO/MARINE BATTERY CLOCK



10⁹⁵

OPERATES UP TO 1 YR. ON SINGLE "C" CELL.

Attractively styled chrome bezel, with bright easy-to-read white face, has black markings and features a second pacing sweep hand. Fiber mesh fastening arrangements on base. Can be positioned on any metal, wood, plastic surface, including padded dashboards and yet is readily removable. 3 1/4" x 3 1/2" x 2 1/2" gray plastic case. Wt. 1 lb.

11 C 1750 Net 10.95
99 C 6257 Battery for above Net .14



JET ACTION HYDRO-PUMP FIRE EXTINGUISHER

3²⁹

- New Safety From Fire Damage for Auto-Home-Boat
- Complete with Wall Bracket

Extinguishes oil and grease fires, chemical fires, electrical fires, wood, paper and plastic fires. Chemically smothers fires in seconds that water cannot control. Just aim and pump. Put a unit wherever a fire is likely to start. Keep one ready in your kitchen, basement, bedrooms, and car. Complete with "Quick-Disengage" wall mounting bracket and hardware. Imported. Shpg. wt., 2 lbs. Net 3.29



DELUXE REVOLVING BEACON

6³⁹


- Plugs Into Cigarette Lighter Outlet
- Rotates Like a Lighthouse Beacon

A red warning light that rotates 360 degrees and flashes in all directions. Suction mount holds the beacon firmly in place. Signals for help for miles around: creates a safety zone during a traffic emergency: For use on autos, boats, trucks, docks, etc. For 12 volt use; complete with cigarette lighter adapter plug. Shpg. wt., 2 lbs.

11 C 1304 Net 6.39
BLUE TURRET LENS. Converts Revolving Beacon for use by emergency vehicles, volunteer fire depts., CD units, etc. Shpg. wt., 1 lb. Net .95
11 C 1305 Net .95



Capacitive Discharge Ignition System



with
**Silicon
Controlled
Rectifier**

Only **39⁹⁵**

No Money Down

- Quick, Easy Installation
- Constant Spark to 10,000 RPM
- Extremely Low Input Power—Less Load On The Engine

Combines all the advantages of capacitive discharge with those of solid state circuitry. Patented circuitry eliminates point bounce problems and positively fires plugs regardless of point condition. Fast rise time spark prevents fouling from three to ten times above normal. Point contacts last indefinitely. Eliminates mis-firing, helps reduce oil contaminants, prolongs engine life. Provides smoother and more efficient operation at all speeds; constant spark up to 10,000 RPM; with dramatically improved acceleration and economy. Provides faster, easier starting in all weather. Reliability

and performance proven on thousands of military, commercial and private vehicles from Alaska to Cape Town. Unit operates with all commercial and original equipment tachometers. Installs immediately with two simple connections to the existing coil, leaving the standard system intact. No temperature limitations—mounts anywhere. Requires only a very small amount of input power—reduces load on engine and electrical load. For 12 volt negative ground system only. Shpg. wt., 2½ lbs.

11 C 8450 \$5 Monthly Net 39.95

DRIVER ALERT Warns of Traffic Zones!



29⁹⁵

- Gives Advance Warning
- Miniature and Completely Transistorized
- Complete w/Long Life Mercury Batteries
- Clips Easily on Sunvisor

Miniature electronic detector gives an audible warning whenever it intercepts a radar beam. Dual-Band circuit detects all commonly used police radar speed meters and traffic control devices, both vertically and horizontally polarized, to promote safer driving. Miniaturized and completely transistorized. Top quality components; printed wiring; 8 transistors; two 1,000 hour mercury cell, self-testing batteries (equivalent to 35,000 miles of driving at 35 M.P.H.) Magnesium case eliminates radio, TV and other interference. Weighs only 13 ozs., measures 3½W x 2¼ x 3¼"D; clips to sunvisor. Complete with batteries, sunvisor clip. Instructions included. Shpg. wt., 1½ lbs.


11 C 4201 Net 29.95

This item not intended for resale in States where its use is forbidden in motor vehicles by public regulation.

"FIAMM" ELECTRO COMPRESSOR AIR HORNS

- Chrome Plated Brass Trumpet
- Range of ½ Mile
- Loud—Clear—Continental Tone

As Low As
15⁹⁵




Model 32. Custom quality chromed trumpets with loud clear, piercing, continental tone. Range up to ½ mile. Ideal for use on trucks, sports cars, emergency vehicles, buses, boats, etc. Compressor pumps air to trumpets instantly when horn is pressed—there's no waiting for pressure to build up. Supplied with Town and Country Selector Switch which enables use of original horns for city driving. Complete with: 2 horns (7" & 9"), compressor, fittings, horn relay, and all necessary hardware. For 12 volts only. From Italy.


11 C 8250 Shpg. wt., 6 lbs. Net 19.95

Model 22. Same as above but trumpets are enameled die-cast metal. 11 C 8251 Net 15.95

ELECTRONIC CRUISE CONTROL



EASY
TO
INSTALL



- Only **19⁹⁵**
- Maintains Any Selected Highway Speed
 - Does Not Affect Braking or Instant Acceleration
 - Helps Adhere To Posted Speed Limits
 - Sets Fast Idle for Quick Cold-Weather Warm-Up

An Electronic Cruise Control which enables you to drive at a constant speed by automatically holding the throttle steady. Eliminates the need to keep a foot glued on accelerator on long trips. Once you reach desired speed, simply pull out knob and the Cruise Control will automatically hold that speed. Allows instant acceleration for passing but takes over again when the foot is taken off the gas pedal. Ceases to function the moment the brake is depressed and completely disengages in the event of any malfunction. Designed to fit all cars and trucks. Shpg. wt., 1½ lbs.

11 C 5901 Net 19.95



HORN

10⁹⁵

- Chrome Plated Bell
- With Horn Button

A real joy for the sports car enthusiast. An authentic motor driven horn approved as an exact reproduction in sound and appearance by members of antique car, hot rod, and horseless carriage clubs the world over. Chrome plated bell with black wrinkle painted housing. With horn button, wire, bracket and instructions. Shpg. wt., 1 lb.

11 C 3001 6-volt Net 10.95

11 C 3002 12-volt Net 10.95


For Compacts and Sports Cars

11 C 3007 12-volt Net 10.95

11 C 3008 6-volt Net 10.95

Automotive Accessories & Specialties

ON-GUARD PROFESSIONAL SIREN -OPERATED BURGLAR ALARM



27⁸⁸


- Loud, Police-type Siren Gives 3-Way Protection—All Doors, Trunk and Hood
- Pick-Proof On-Off Key Lock Mounts on Outside of Auto
- Complete—Easy To Install

Get 24-hour protection on your car, station wagon or truck with this complete burglar alarm system. The sharp penetration sound of the police-type siren will scare thieves away. The siren blasts off when anyone opens a door, the hood or trunk. The alarm can be shut off only with the alarm key. Complete system includes siren with trumpet, 4 door switches, hood switch, trunk switch, 2 brackets, electrical lock with 2 keys, wire, mounting hardware, instructions and 2 warning decals. For 12-volt cars only. Shpg. wt., 3 lbs.

11 C 6201

Net 27.88

DEFROSTER/DEFOGGER KIT FOR REAR WINDOW



Only
16⁹⁵

- Enjoy The Convenience and Safety of Clear Rear Vision
- Adjustable Louvers Direct Air Where Needed


Rear window defrosting kit with giant defrosting capacity—50 cu. feet of warm air per minute quickly defrosts and defogs rear window regardless of weather. Unit is easily installed in trunk; does not interfere with spare tire or luggage space. Adjustable louvers to direct flow of air are recessed; will not interfere with vision or rear deck space. Dash switch controls defroster operation. Improves heating and air conditioning operation of car by increasing air circulation. Kit includes heavy duty motor, defrost hoses, adjustable louvers, switch, wiring, templates, and installation instructions. Fits all cars, (except station wagon, convertibles, and rear engine cars) for 12 volt electrical system. Shpg. wt., 5 lbs.

11 C 1250

Net 16.95

AUTO-LOK PREVENTS AUTO THEFT

Only
6⁹⁵




- Locks Steering Wheel and Brake

Prevent auto theft with this anti-theft device. Attaches in only a few seconds to almost any make or model car. No tools or wiring needed. Steel guard hooks to brake pedal and vinyl shielded steel guard hooks onto steering wheel preventing the car from being steered properly. Adjustable length locking device and heavy-duty pad-lock with key. Stores under seat when not in use. Shpg. wt., 3 lbs.


11 C 3250

Net 6.95

CUSTOM SIDE LIGHTS



2 For
3⁹⁵



- Conforms To New 1968 Safety Code

Newly designed, custom side marker lights that keep pace with 1968 model cars by conforming to the new automotive safety code. Small button style design will enhance your cars appearance by day, prevent accidents by night... your cars visibility improves attracting attention of drivers coming from either side. Easy to mount and install into car's electrical system... Complete with hardware and instructions.

11 C 2750 Set of 2 Amber for front. Wt. 1/2 lb. Net 3.95

11 C 2751 Set of 2 Red for rear. Wt. 1/2 lb. Net 3.95

AUTOMATIC TRUNK & HOOD LIGHT



1⁶⁹

- For All Cars With 12 Volt System

Light up your entire hood or trunk compartment. Bright diffused light illuminates trunk or hood compartment for loading or unloading trunk... for making engine inspection or repairs at night. Completely automatic with Honeywell mercury switch. Easily installed. All hardware and wire included. Shpg. wt., 1/2 lb.

11 C 4301

Net ea. 1.69

High Quality Drop-Forged Steel Socket Sets



• CHROME PLATED
17 PIECE 1/4" DRIVE SOCKET SET

Heavily chrome plated socket set. Contains 6 Pt. socket; 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1", 1 1/4", 1 1/2", 1 3/4", 2", 2 1/4", 2 1/2", 3", 3 1/4", 3 1/2", 4", 4 1/2", 5", 5 1/2", 6", 6 1/2", 7", 7 1/2", 8", 9", 9 1/2", 10", 11", 11 1/2", 12", 13", 14", 15", 16", 17", 18", 19", 20", 21", 22", 24", 27", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96", 102", 108", 114", 120", 126", 132", 138", 144", 150", 156", 162", 168", 174", 180", 186", 192", 198", 204", 210", 216", 222", 228", 234", 240", 246", 252", 258", 264", 270", 276", 282", 288", 294", 300", 306", 312", 318", 324", 330", 336", 342", 348", 354", 360", 366", 372", 378", 384", 390", 396", 402", 408", 414", 420", 426", 432", 438, 444, 450, 456, 462, 468, 474, 480, 486, 492, 498, 504, 510, 516, 522, 528, 534, 540, 546, 552, 558, 564, 570, 576, 582, 588, 594, 600, 606, 612, 618, 624, 630, 636, 642, 648, 654, 660, 666, 672, 678, 684, 690, 696, 702, 708, 714, 720, 726, 732, 738, 744, 750, 756, 762, 768, 774, 780, 786, 792, 798, 804, 810, 816, 822, 828, 834, 840, 846, 852, 858, 864, 870, 876, 882, 888, 894, 900, 906, 912, 918, 924, 930, 936, 942, 948, 954, 960, 966, 972, 978, 984, 990, 996, 1002, 1008, 1014, 1020, 1026, 1032, 1038, 1044, 1050, 1056, 1062, 1068, 1074, 1080, 1086, 1092, 1098, 1104, 1110, 1116, 1122, 1128, 1134, 1140, 1146, 1152, 1158, 1164, 1170, 1176, 1182, 1188, 1194, 1200, 1206, 1212, 1218, 1224, 1230, 1236, 1242, 1248, 1254, 1260, 1266, 1272, 1278, 1284, 1290, 1296, 1302, 1308, 1314, 1320, 1326, 1332, 1338, 1344, 1350, 1356, 1362, 1368, 1374, 1380, 1386, 1392, 1398, 1404, 1410, 1416, 1422, 1428, 1434, 1440, 1446, 1452, 1458, 1464, 1470, 1476, 1482, 1488, 1494, 1500, 1506, 1512, 1518, 1524, 1530, 1536, 1542, 1548, 1554, 1560, 1566, 1572, 1578, 1584, 1590, 1596, 1602, 1608, 1614, 1620, 1626, 1632, 1638, 1644, 1650, 1656, 1662, 1668, 1674, 1680, 1686, 1692, 1698, 1704, 1710, 1716, 1722, 1728, 1734, 1740, 1746, 1752, 1758, 1764, 1770, 1776, 1782, 1788, 1794, 1800, 1806, 1812, 1818, 1824, 1830, 1836, 1842, 1848, 1854, 1860, 1866, 1872, 1878, 1884, 1890, 1896, 1902, 1908, 1914, 1920, 1926, 1932, 1938, 1944, 1950, 1956, 1962, 1968, 1974, 1980, 1986, 1992, 1998, 2004, 2010, 2016, 2022, 2028, 2034, 2040, 2046, 2052, 2058, 2064, 2070, 2076, 2082, 2088, 2094, 2100, 2106, 2112, 2118, 2124, 2130, 2136, 2142, 2148, 2154, 2160, 2166, 2172, 2178, 2184, 2190, 2196, 2202, 2208, 2214, 2220, 2226, 2232, 2238, 2244, 2250, 2256, 2262, 2268, 2274, 2280, 2286, 2292, 2298, 2304, 2310, 2316, 2322, 2328, 2334, 2340, 2346, 2352, 2358, 2364, 2370, 2376, 2382, 2388, 2394, 2400, 2406, 2412, 2418, 2424, 2430, 2436, 2442, 2448, 2454, 2460, 2466, 2472, 2478, 2484, 2490, 2496, 2502, 2508, 2514, 2520, 2526, 2532, 2538, 2544, 2550, 2556, 2562, 2568, 2574, 2580, 2586, 2592, 2598, 2604, 2610, 2616, 2622, 2628, 2634, 2640, 2646, 2652, 2658, 2664, 2670, 2676, 2682, 2688, 2694, 2700, 2706, 2712, 2718, 2724, 2730, 2736, 2742, 2748, 2754, 2760, 2766, 2772, 2778, 2784, 2790, 2796, 2802, 2808, 2814, 2820, 2826, 2832, 2838, 2844, 2850, 2856, 2862, 2868, 2874, 2880, 2886, 2892, 2898, 2904, 2910, 2916, 2922, 2928, 2934, 2940, 2946, 2952, 2958, 2964, 2970, 2976, 2982, 2988, 2994, 3000, 3006, 3012, 3018, 3024, 3030, 3036, 3042, 3048, 3054, 3060, 3066, 3072, 3078, 3084, 3090, 3096, 3102, 3108, 3114, 3120, 3126, 3132, 3138, 3144, 3150, 3156, 3162, 3168, 3174, 3180, 3186, 3192, 3198, 3204, 3210, 3216, 3222, 3228, 3234, 3240, 3246, 3252, 3258, 3264, 3270, 3276, 3282, 3288, 3294, 3300, 3306, 3312, 3318, 3324, 3330, 3336, 3342, 3348, 3354, 3360, 3366, 3372, 3378, 3384, 3390, 3396, 3402, 3408, 3414, 3420, 3426, 3432, 3438, 3444, 3450, 3456, 3462, 3468, 3474, 3480, 3486, 3492, 3498, 3504, 3510, 3516, 3522, 3528, 3534, 3540, 3546, 3552, 3558, 3564, 3570, 3576, 3582, 3588, 3594, 3600, 3606, 3612, 3618, 3624, 3630, 3636, 3642, 3648, 3654, 3660, 3666, 3672, 3678, 3684, 3690, 3696, 3702, 3708, 3714, 3720, 3726, 3732, 3738, 3744, 3750, 3756, 3762, 3768, 3774, 3780, 3786, 3792, 3798, 3804, 3810, 3816, 3822, 3828, 3834, 3840, 3846, 3852, 3858, 3864, 3870, 3876, 3882, 3888, 3894, 3900, 3906, 3912, 3918, 3924, 3930, 3936, 3942, 3948, 3954, 3960, 3966, 3972, 3978, 3984, 3990, 3996, 4002, 4008, 4014, 4020, 4026, 4032, 4038, 4044, 4050, 4056, 4062, 4068, 4074, 4080, 4086, 4092, 4098, 4104, 4110, 4116, 4122, 4128, 4134, 4140, 4146, 4152, 4158, 4164, 4170, 4176, 4182, 4188, 4194, 4200, 4206, 4212, 4218, 4224, 4230, 4236, 4242, 4248, 4254, 4260, 4266, 4272, 4278, 4284, 4290, 4296, 4302, 4308, 4314, 4320, 4326, 4332, 4338, 4344, 4350, 4356, 4362, 4368, 4374, 4380, 4386, 4392, 4398, 4404, 4410, 4416, 4422, 4428, 4434, 4440, 4446, 4452, 4458, 4464, 4470, 4476, 4482, 4488, 4494, 4500, 4506, 4512, 4518, 4524, 4530, 4536, 4542, 4548, 4554, 4560, 4566, 4572, 4578, 4584, 4590, 4596, 4602, 4608, 4614, 4620, 4626, 4632, 4638, 4644, 4650, 4656, 4662, 4668, 4674, 4680, 4686, 4692, 4698, 4704, 4710, 4716, 4722, 4728, 4734, 4740, 4746, 4752, 4758, 4764, 4770, 4776, 4782, 4788, 4794, 4800, 4806, 4812, 4818, 4824, 4830, 4836, 4842, 4848, 4854, 4860, 4866, 4872, 4878, 4884, 4890, 4896, 4902, 4908, 4914, 4920, 4926, 4932, 4938, 4944, 4950, 4956, 4962, 4968, 4974, 4980, 4986, 4992, 4998, 5004, 5010, 5016, 5022, 5028, 5034, 5040, 5046, 5052, 5058, 5064, 5070, 5076, 5082, 5088, 5094, 5100, 5106, 5112, 5118, 5124, 5130, 5136, 5142, 5148, 5154, 5160, 5166, 5172, 5178, 5184, 5190, 5196, 5202, 5208, 5214, 5220, 5226, 5232, 5238, 5244, 5250, 5256, 5262, 5268, 5274, 5280, 5286, 5292, 5298, 5304, 5310, 5316, 5322, 5328, 5334, 5340, 5346, 5352, 5358, 5364, 5370, 5376, 5382, 5388, 5394, 5400, 5406, 5412, 5418, 5424, 5430, 5436, 5442, 5448, 5454, 5460, 5466, 5472, 5478, 5484, 5490, 5496, 5502, 5508, 5514, 5520, 5526, 5532, 5538, 5544, 5550, 5556, 5562, 5568, 5574, 5580, 5586, 5592, 5598, 5604, 5610, 5616, 5622, 5628, 5634, 5640, 5646, 5652, 5658, 5664, 5670, 5676, 5682, 5688, 5694, 5700, 5706, 5712, 5718, 5724, 5730, 5736, 5742, 5748, 5754, 5760, 5766, 5772, 5778, 5784, 5790, 5796, 5802, 5808, 5814, 5820, 5826, 5832, 5838, 5844, 5850, 5856, 5862, 5868, 5874, 5880, 5886, 5892, 5898, 5904, 5910, 5916, 5922, 5928, 5934, 5940, 5946, 5952, 5958, 5964, 5970, 5976, 5982, 5988, 5994, 6000, 6006, 6012, 6018, 6024, 6030, 6036, 6042, 6048, 6054, 6060, 6066, 6072, 6078, 6084, 6090, 6096, 6102, 6108, 6114, 6120, 6126, 6132, 6138, 6144, 6150, 6156, 6162, 6168, 6174, 6180, 6186, 6192, 6198, 6204, 6210, 6216, 6222, 6228, 6234, 6240, 6246, 6252, 6258, 6264, 6270, 6276, 6282, 6288, 6294, 6300, 6306, 6312, 6318, 6324, 6330, 6336, 6342, 6348, 6354, 6360, 6366, 6372, 6378, 6384, 6390, 6396, 6402, 6408, 6414, 6420, 6426, 6432, 6438, 6444, 6450, 6456, 6462, 6468, 6474, 6480, 6486, 6492, 6498, 6504, 6510, 6516, 6522, 6528, 6534, 6540, 6546, 6552, 6558, 6564, 6570, 6576, 6582, 6588, 6594, 6600, 6606, 6612, 6618, 6624, 6630, 6636, 6642, 6648, 6654, 6660, 6666, 6672, 6678, 6684, 6690, 6696, 6702, 6708, 6714, 6720, 6726, 6732, 6738, 6744, 6750, 6756, 6762, 6768, 6774, 6780, 6786, 6792, 6798, 6804, 6810, 6816, 6822, 6828, 6834, 6840, 6846, 6852, 6858, 6864, 6870, 6876, 6882, 6888, 6894, 6900, 6906, 6912, 6918, 6924, 6930, 6936, 6942, 6948, 6954, 6960, 6966, 6972, 6978, 6984, 6990, 6996, 7002, 7008, 7014, 7020, 7026, 7032, 7038, 7044, 7050, 7056, 7062, 7068, 7074, 7080, 7086, 7092, 7098, 7104, 7110, 7116, 7122, 7128, 7134, 7140, 7146, 7152, 7158, 7164, 7170, 7176, 7182, 7188, 7194, 7200, 7206, 7212, 7218, 7224, 7230, 7236, 7242, 7248, 7254, 7260, 7266, 7272, 7278, 7284, 7290, 7296, 7302, 7308, 7314, 7320, 7326, 7332, 7338, 7344, 7350, 7356, 7362, 7368, 7374, 7380, 7386, 7392, 7398, 7404, 7410, 7416, 7422, 7428, 7434, 7440, 7446, 7452, 7458, 7464, 7470, 7476, 7482, 7488, 7494, 7500, 7506, 7512, 7518, 7524, 7530, 7536, 7542, 7548, 7554, 7560, 7566, 7572, 7578, 7584, 7590, 7596, 7602, 7608, 7614, 7620, 7626, 7632, 7638, 7644, 7650, 7656, 7662, 7668, 7674, 7680, 7686, 7692, 7698, 7704, 7710, 7716, 7722, 7728, 7734, 7740, 7746, 7752, 7758, 7764, 7770, 7776, 7782, 7788, 7794, 7800, 7806, 7812, 7818, 7824, 7830, 7836, 7842, 7848, 7854, 7860, 7866, 7872, 7878, 7884, 7890, 7896, 7902, 7908, 7914, 7920, 7926, 7932, 7938, 7944, 7950, 7956, 7962, 7968, 7974, 7980, 7986, 7992, 7998, 8004, 8010, 8016, 8022, 8028, 8034, 8040, 8046, 8052, 8058, 8064, 8070, 8076, 8082, 8088, 8094, 8100, 8106, 8112, 8118, 8124, 8130, 8136, 8142, 8148, 8154, 8160, 8166, 8172, 8178, 8184, 8190, 8196, 8202, 8208, 8214, 8220, 8226, 8232, 8238, 8244, 8250, 8256, 8262, 8268, 8274, 8280, 8286, 8292, 8298, 8304, 8310, 8316, 8322, 8328, 8334, 8340, 8346, 8352, 8358, 8364, 8370, 8376, 8382, 8388, 8394, 8400, 8406, 8412, 8418, 8424, 8430, 8436, 8442, 8448, 8454, 8460, 8466, 8472, 8478, 8484, 8490, 8496, 8502, 8508, 8514, 8520, 8526, 8532, 8538, 8544, 8550, 8556, 8562, 8568, 8574, 8580, 8586, 8592, 8598, 8604, 8610, 8616, 8622, 8628, 8634, 8640, 8646, 8652, 8658, 8664, 8670, 8676, 8682, 8688, 8694, 8700, 8706, 8712, 8718, 8724, 8730, 8736, 8742, 8748, 8754, 8760, 8766, 8772, 8778, 8784, 8790, 8796, 8802, 8808, 8814, 8820, 8826, 8832, 8838, 8844, 8850, 8856, 8862, 8868, 8874, 8880, 8886, 8892, 8898, 8904, 8910, 8916, 8922, 8928, 8934, 8940, 8946, 8952, 8958, 8964, 8970, 8976, 8982, 8988, 8994, 9000, 9006, 9012, 9018, 9024, 9030, 9036, 9042, 9048, 9054, 9060, 9066, 9072, 9078, 9084, 9090, 9096, 9102, 9108, 9114, 9120, 9126, 9132, 9138, 9144, 9150, 9156, 9162, 9168, 9174, 9180, 9186, 9192, 9198, 9204, 9210, 9216, 9222, 9228, 9234, 9240, 9246, 9252, 9258, 9264, 9270, 9276, 9282, 9288, 9294, 9300, 9306, 9312, 9318, 9324, 9330, 9336, 9342, 9348, 9354, 9360, 9366, 9372, 9378, 9384, 9390, 9396, 9402, 9408, 9414, 9420, 9426, 9432, 9438, 9444, 9450, 9456, 9462, 9468, 9474, 9480, 9486, 9492, 9498, 9504, 9510, 9516, 9522, 9528, 9534, 9540, 9546, 9552, 9558, 9564, 9570, 9576, 9582, 9588, 9594, 9600, 9606, 9612, 9618, 9624, 9630, 9636, 9642, 9648, 9654, 9660, 9666, 9672, 9678, 9684, 9690, 9696, 9702, 9708, 9714, 97



fury

50 Piece Power Workshop

WITH 3/8" VARIABLE TRIGGER SPEED CONTROL DRILL



Complete Kit Only

29⁹⁵

Powerful! Efficient! Flexible! Rugged! 3/8" variable speed power drill with 3/4 HP 2.6 Amp universal motor is capable of performing most any job around workshop and home. Squeeze the trigger for any speed you desire from 0 to 1,000 RPM. Complete assortment of attachments includes: Jacobs geared chuck and key, tilting top saw attachment, crosscut and rip saw blade, horizontal bench stand, lambswool polishing bonnet, 13 pc. drill kit, rubber backing pad, steel paint mixer, grinding wheel, 6 pc. adapter set, steel saw table with protractor and mounting post, drill press with mounting post and stand, and 15 pc. sanding disc set (5 fine, 5 med., 5 coarse). Drill features multiple thrust bearings and locking button on handle for constant speed without holding trigger. Bright mirror finish with pistol grip handle for easy handling. With instruction book. Drill UL listed. For 115 volts AC 60 Hz. Shpg. wt., 12 lbs.

13 C 7129W Net 29.95
13 C 7124 Drill Only, Shpg. wt., 3 1/2 lbs. Net 16.95



fury



SALE!
744
Cut \$1.50

SALE ENDS
AUG. 15, 1969

1/4" DRILL

- 2-Amp UL Listed Motor
- Jacobs Geared Chuck & Key
- Multiple Thrust Bearings

Model F-11 popular drill for all-around home and hobby use. Rated at a full 2.0 amps. UL listed. 1/4" capacity in steel, 1/2" in hardwood. 1200 RPM speed under full load; 2000 RPM no-load speed. Automatic trigger switch. For 115 volts. AC. Shpg. wt., 3 lbs.

13 C 7101 Net 7.44



10⁹⁵

HUSKY 3/8" DRILL

- 3 AMP UL Listed
- Auxiliary Left or Right Handle
- Double Reduction Gears

A rugged, powerful 3/8" drill for tough drilling jobs around the house and shop. Features double reduction gears for maximum torque. No load speed 1000 rpm. Capacity 3/8" in steel, 1" in wood. Ball thrust bearing takes the full drilling load. Welded commutator leads prevent motor burnout. Geared key chuck, 3-conductor power cord. Bright finish. For 120 VAC, 50/60 Hz.

13 C 3655 Shpg. wt., 4 lbs. Net 10.95



17 Pc. HIGH SPEED DRILL SET
with CENTER PUNCH

9⁹⁵

- 16 Sizes 1/16"-1/2"
- Hang on Pegboard—Mount on Wall or Stand on Workbench

MADE IN U.S.A.

Top quality, high speed drill set contains sizes from 1/16" to 1/4" by 64ths and 5/16", 3/8", and 1/2" with 1/4" shanks. Also contains center punch for accurate placement of drill. Convenient, high impact plastic case stands on workbench or mounts easily on wall or pegboard. Has built-in shelf for holding pencils or additional drill bits. Shpg. wt., 1 lb.

13 C 1875 Net 9.95

"JIFFY" VARIABLE MOTOR SPEED CONTROL

- Varies Speed on AC-DC Motors From 0 RPM To Full Speed
- Ideal For Electric Drills, Saws, Polishers

8⁹⁵

Dependable motor speed control ideal for workshop power tools using universal AC-DC and series DC motors. Assures constant speed variation from zero rpm to maximum speed. Has built-in circuit breaker. 5 amps load rating. Input: 120 volts 50-60 Hz AC. 3-wire receptacle and line cord. 3x2 1/2x1 1/8" D.

13 C 2700 Wt., 1 lb. Net 8.95



SKIL REVERSING

DRIVE-R-DRILLS with Adjustable Trigger Speed Control

- Pre-Set The Speed You Desire in Forward or Reverse
- Lock Drill at Any Speed • Burn-Out Protected Motor

Now! a variable speed control drill that can be locked at any speed—in either forward or reverse! Just squeeze the trigger for any speed from 0 to maximum rpm. Unique all purpose drill can tackle most any job with precision and accuracy. Using a driver bit or socket, you can drive or remove screws or nuts. Tap holes in metal! Features: a powerful, burn-out protected motor; high torque helical gears; geared key chuck; lock button for sustained operation, and a sturdy, lightweight aluminum housing. Comes with: 6 ft. 3-wire cord and plug for 115 v, 60 Hz AC operation. UL listed.

1/4" ADJUSTABLE DRIVE-R-DRILL

Model 596 rated at 2.5 amps. 0-2000 rpm Forward/Reverse. Capacity 1/4" in steel, 1/2" in wood. Shpg. wt., 5 lbs. Net 29.88
13 C 6931

3/8" ADJUSTABLE DRIVE-R-DRILL

Model 597 drill has extra capacity chuck; 0-1000 rpm, forward/reverse 3-amp motor. Double reduction gears. Capacity: 3/8" in steel, 3/4" in wood. Removable handle. Shpg. wt., 5 lbs. Net 36.88
13 C 6932 \$5 monthly

1/2" ADJUSTABLE DRIVE-R-DRILL

Model 598 Heavy-duty-deluxe 3 amp 0-750 rpm forward/reverse, no load speed. Heavy-duty double-reduction gears multithrust bearings. Capacity: 1/2" in steel. 1 1/4" in wood. Removable handle. Shpg. wt., 5 lbs. Net 39.88
13 C 6933 \$5 monthly



- Reversing Lever
- Adjustable Locking Control
- Trigger Speed Control

As Low As **29⁸⁸**



RAM 2-WAY ELECTRIC SANDER

18⁵⁰

- Orbital or Straight Line

Model R-120: A heavy-duty electric sander with 3/16" stroke in orbital or straight line. Features 2.4 amp. universal series wound motor. Heavy-duty ball bearing and self-lubricating sleeve bearings. Pad size: 3 3/8" x 7 1/8"; sandpaper size: 3 1/2" x 9". Industrial mirror finish. 6-ft. UL Listed cord. 115 V, 60 Hz, AC-DC. Shpg. wt., 5 lbs. Net 18.50
13 C 7102



SKIL

7 1/4" BUILDERS' SAW

ONLY 29⁸⁸

- 1 1/2 HP Burnout Protected Motor
- 5200 RPM No Load Speed 10 Amp Motor
- UL Listed Motor

Model 574 Tackle the "big" jobs, with this dependable 7 1/4" builders' saw. Reinforced die-cast housing that really stands up. Cuts 2x4's with ease, at 45° angle. Easy set bevel and depth adjustments. Safe non-binding blade guard with vari-torque safety clutch. Sawdust ejector keeps your work clean, lets you see what you are doing. 7 1/4" combination blade and blade wrench. Powerful 1 1/2 HP motor is designed to be trouble free. Cutting depth: 90° 2 3/8", 45° 1 7/8", 10 amps. UL listed. 115 volts AC, 3 wire cord and plug. Shpg. wt., 12 1/2 lbs.

13 C 6926 Net 29.88
13 C 6912 Rip Fence Net 1.79



WEN 2-SPEED 7" SANDER-POLISHER

- Powerful 1/2 H.P. Motor
- Burnout-Proof Armature
- Sands Metal and Plastics

Model 940: Combines two handy tools—a sander operating at 3400 RPM and an efficient polisher at 1800 RPM. As a sander, you get the right combination of high speed and oversize sanding discs. Has perfect balance . . . auxiliary grip handle for right or left hand use. Tool rest. Extra large wool polishing bonnet permits working around and over edges. UL and CSA Listed. Shpg. wt., 8 1/2 lbs. Net 34.97
13 C 6518 \$5 Monthly

HEAVY-DUTY VARIABLE SPEED SABRE-JIG SAW

Powered By GENERAL ELECTRIC MOTOR

- "Dial Control" Any Speed From 0-4800 S.P.M.

Electronic dial variable speed control lets you use this one tool for any cutting job. Cuts through 6" logs, 6 x 6" lumber, metal pipe, masonry—practically any material. Makes its own starting hole. Low speed for steel and plastics, medium for non-ferrous metals, high for rip or cross-cut. Bevel cuts to 45°. Features a 5 amp, 1 1/3 HP General Electric motor. With 6' 3-cond. cord, 5 assorted blades and rip gauge. For 115 VAC, 25-60 Hz. UL listed.

14 C 4805 Shpg. wt., 4 1/2 lbs. Net 27.95
Heavy-Duty Sabre Jig-Saw. Similar to above less variable dial speed control. 3.5 amp. motor. Shpg. wt., 4 1/4 lbs. Net 20.95
14 C 4806





Sabre-Lathe Multi-Purpose Shop Tool



ONLY
29⁹⁵

It's a . . .

- Wood Turning Lathe
- Sabre Jig Saw
- Bench Grinder
- Disc or Drum Sander
- Buffing or Polishing
- Horizontal Drill

A home shop tool that will excite the interest of every home craftsman! Powerful, 3-speed motor provides plenty of drive for every operation... unit changes for any purpose in just seconds. Complete with wood turning chisel, sanding discs, sanding drum discs, 3 sabre saw blades, 45° adjustable sanding table. Entire unit is mounted on wooden base for easy portability and stability. Lathe has 18" bed, 4" throat, can be used for spindle or face plate turning. 115 volt, approximately 1/3 h.p. motor, AC only. Output speeds 3,700, 3,300 and 3,100 rpm. With illustrated instruction booklet. Mounted on 32" x 6" board. Shpg. wt., 16 lbs.

13 C 3650W

Net 29.95



DREMEL MOTO-TOOL KITS

As Low As **26⁹⁵**

- Grinds—Polishes—Engraves—Sands—Drills
- Precision High-Speed Steel Cutters and Wheel Points

Model 261—Kit. Rugged, compact machine shop with an assortment of fine accessories in a molded polyethylene case. 30,000 rpm for peak performance with small abrasive wheel points and both high-speed and carbide cutters. Kit contains: No. 260 Moto-Tool with 1/32", 3/32, 1/16", 1/8" collets; 4 emery wheel points; 8 cutters; dressing stone; steel saw; 4 brushes; 1/2" drum sander, and mandrels. 117 VAC, 5 amp motor. UL listed. Shpg. wt., 4 lbs.

14 C 4304

Net 26.95

Model 260 Moto-Tool only. Shpg. wt., 1 1/4 lbs.

14 C 4312

Net 18.50

Model 271—Heavy Duty Moto-Tool Kit. Similar to above but heavy-duty .8 amp.

No. 270 Moto-Tool. Shpg. wt., 4 lbs.

14 C 4305

Net 31.95

Model 270 Heavy-Duty Moto-Tool only. Shpg. wt., 1 1/2 lbs.

14 C 4313

Net 24.50

BURGESS SAFARI LITE FLUORESCENT LIGHT SAFE—BRIGHT—



- AC or Battery Operation
- Hi-Lo Switch

18³¹

Efficient battery powered light weighs only a compact 9 lbs. yet delivers plenty of bright light for use in tents, trailers, boats, patios, etc. Especially useful during emergencies. Two light levels are provided for brilliant or low intensity illumination. Operates on batteries for only pennies per hour. Built-in 110 volt circuit permits use with standard AC current. Attractive polystyrene case and handle complemented with gleaming stainless steel trim. Size: 12 3/4"Hx4Wx7 3/4"D. With batteries.

13 C 8056 Shpg. wt., 6 lbs. Net 18.31

Extra batteries for above (2 required).

32 C 3906 Wt. ea., 1 1/2 lbs. Net ea. 2.93

12 C 1007 F8T5CW Repl. Bulb Net 1.39

Turner "TRAILBLAZER" LANTERN



- Safe—
- Economical—
- Portable—
- Instant Light
- Equivalent To
- 125 Watt
- Electric Bulb
- Light When and
- Where Needed

9⁹⁵

Model LP-4 Instant, economical portable lantern is designed with the camper or outdoorsman in mind. Provides adjustable light from a low glow to an intensive brite level equivalent to a 125 watt electric bulb. Exclusive air adjustment control assures perfect operation—up to fifteen hours of light on one tank of propane fuel! Safe... no pumping, priming, and no dangerous liquid fuels. Beautiful enamel shade dispenses light in a complete 360 degree circle through a crystal clear globe. 18 inches high. Complete with Tank. Shpg. wt., 6 lbs.

13 C 2653 Net 9.95

Deluxe Trailblazer Lantern similar to above.

Features 2-mantle construction that provides light intensity equivalent to 250 watt electric bulb. Shpg. wt., 7 lbs.

13 C 2654 Net 14.95

13 C 2656 Extra Mantles (pkg. of 2) Net .39

Extra Propane Fuel Tank. Shpg. wt., 2 1/2 lbs.

13 C 2651 Net 1.19

Turner 2-BURNER CAMPSTOVE



14⁹⁵

- High Quality Cooking Performance
- Ideal For Campers or Hunters... Picnics
- Easy Storing In Car Trunk or Picnic Hamper

Lightweight, portable, quick meal maker that will add versatility and convenience to your outdoor cooking needs. Dual burners cook as clean and quickly as kitchen units... holds two pans or skillets. Each burner has its own control and fuel tank. Big wind guards protect the flame. Knocks down quickly for easy storing; wind screen is removable and propane cylinders store in rack below burner table. Durable construction offers a quality campstove that will furnish many years of satisfactory service. (2-fuel tanks included). Size: 16Lx7Dx6"H. Wind Screen, 5 1/2"H. Shpg. wt., 10 lbs.

13 C 2655 Net 14.95

Extra Propane Fuel Tank. Shpg. wt., 2 1/2 lbs.

13 C 2651 Net 1.19

SPRAYIT 600 HEAVY DUTY HANDYMAN SPRAYER



Only
34⁹⁵

No Money Down

- Integral Compressor-Motor
- Sprays Oils, Paints, Stains, Insecticides, Liquid Wax

All-purpose spray unit that gives professional results from the start. Provides uniform adjustable pattern from "dime" size to a fan 10" wide. Precision made with sealed ball bearings, never needs oiling. Easy-to-use 2-finger trigger gun. Air delivery: 1.5-2 CFM at 15-20 lbs. Complete with 6 ft. cord and plug, 8-ft. air hose, spray gun. Comes with internal-mix fan spray nozzle—1 pint capacity aluminum cup. For 115 v. 60 Hz AC. Shpg. wt., 11 lbs.

14 C 8414 \$5 Monthly

Net 34.95

TINY TIGER "HUSH TONE" PORTABLE GENERATOR

99⁹⁵
No Money Down

- Economical Gas Driven Motor
- 115 A.C. 350 Watts Electric Power 12V D.C. 12 Amps.
- Only 12 lbs.
- Automatic Overload Relief—for Tools, Appliances, Boats
- 12V D.C. for Battery Charging



1 HP
MOTOR

Model 67—Lightweight, rugged metal construction! Features a 1 hp, 2 cycle Ohlsson & Rice air cooled engine with a high capacity magneto ignition. 6 pint, premixed (10 parts gas—1 part oil) fuel capacity allows operation at full power (6,300 rpm) for 2 1/2 hours. Also features built-in quietness with a larger "Hush Tone" spark arrester muffler. Dual voltage, direct drive Tiny Tiger generator produces up to 350 watts of 115V., AC, and 12 amps of 12V., DC simultaneously for charging auto batteries or starting cars, boats and trucks. Constant voltage within 110-120 volts with an automatic overload relief system. Light enough to carry anywhere (12 lbs.)...small enough to carry in one hand (8 1/2"H x 8 1/2"W x 10 1/4"L). Shpg. wt., 13 lbs.

12 C 3552 \$5 Monthly


Net 99.95

HANDY CARRYING CASE

12 C 3551 Shpg. wt., 4 lbs.

Net 8.95

DYNAMIC MARK 35 PORTABLE ELECTRIC WELDER



Complete
Ready To Use

Only
19⁹⁵

- Weld-Brize-Solder-Cut
- Produces 11,000° Heat Operation on 110 Volt Line

Dependable unit that produces professional welding—Save time, money by making your own repairs. Cuts and welds up 1/4" metals with 1/8" welding rods and 1/4" carbon. Completely portable. Simple instructions explain how to make spot repairs. Weld-brize-solder-cut on most metals. Ideal for use around home-shop-farm—even repair auto bodies. Includes welding and carbon rods. Protective mask, holders, 10 ft. H.D. cables, ground clamp, brazing rods, flux, solder and instruction manual. For 115V AC or DC.

13 C 2054 Shpg. wt., 6 lbs.

Net 19.95

MECHANICS' FOUR TRAY CANTILEVER TOOL BOX



- Full Size Storage Compartment PLUS Four Easy-Glide Cantilever Trays

8⁹⁵

Professional quality tool box... stores, protects precision tools. Ideal for machinists, electronics and automotive repairmen. Double cover swings out fully exposing four easy-glide cantilever trays for easy access to each compartment. Bottom compartment is completely exposed and large enough to store most bulky tools. Entire box is made of prime quality, extra-heavy gauge steel. Also has two heavy-duty round handles running along the entire length of the box and padlock eyes for locking. Handsome baked blue enamel finish. Over-all size: 17"L x 8"W x 8 1/4"H. Shpg. wt., 13 lbs.

13 C 5610W

Net 8.95

ZIPPIDI-DO ALL PURPOSE CUTTING AND SANDING DISC

- Will Cut or Shape Anything



2⁹⁵

Fantastic power tool accessory for every home and industrial workshop! Works with any electric drill or flexible shaft for cutting or sanding ceramic tile, fiberglass, brick, slate, stone, all metals... removing old paint. Fabricated of silicon carbide grains embedded in nylon mesh; no hard sharp teeth to grab and throw the work or accidentally cut the user. Complete with 7" disc, 5" molded backing disc for sanding and shaping, 1/2" shank arbor, 2-steel flanges and instructions. Shpg. wt., 1 lb.

13 C 4152

Net 2.95

Swingline inc.



ELECTRIC GLUE GUN

- Automatic Feed Trigger
- Finger Tip Control Thermostat

ONLY
6⁹⁵

Features exclusive automatic feed trigger and finger tip thermostat control, handy "on-off" switch plus contoured handle. You get 60 second bonding for wood, tile, leather, fabrics, metals, masonry; or caulking. Thermostat control has three heat ranges for "idling," "normal operation" and "extra flow." "Open/Close" nozzle control valve wrench included. Rated 70 watts at 120V., AC/DC. UL listed. Size: 6 1/4 x 4 1/2". Made of black, heat-resistant phenolics.

13 C 5821 Shpg. wt., 1 1/2 lbs. Net 6.95

Pkg. of 8 Hot Melt Glue Sticks Net .49

13 C 5822 Net .49

Pkg. of 8 Hot Melt Caulk Net .49

13 C 5823

MINIATURE IMPROVED HOIST

NEW

Only
5⁹⁵



- Completely Assembled

Simple, reliable hoist enables you to lift as much as 2000 lbs. yet, weighs only 1 1/2 lbs! Ideal for hunters to hoist heavy game for cleaning, or boat owners to mount outboard engines with ease; can also be used to stretch a chain link fence. Has rust resistant cadmium plated housings, heavy duty welded ring, double grip safety hooks, nylon rollers, and locking device to eliminate slack. Includes high tensile-strength 65" nylon rope for long life. Shpg. wt., 2 lbs.

13 C 1906

Net 5.95

Garden Tools and Accessories

GRASS EDGER-TRIMMER

Only **16⁹⁵**

- Powerful 3 AMP 4500 RPM With Rugged Reduction
- Easily Adjustable Trimming Height
- Die Cast Aluminum Housing Gear

Lightweight Edger-Trimmer easily trims close-up to trees, foundations, and fences. Turning handle converts unit into a powerful edger. Features 6" tempered spring steel blade, diecast aluminum housing, side grip, finger tip push button switch on handle, fully adjustable trimming height, and oiled-for-life bronze bearings. Requires 115 volt 50-60 Hz, 3 amp. AC motor. Shpg. wt., 9½ lbs. UL listed.

13 C 3654W Net 16.95



URNS ON SIDE FOR USE AS EDGER



DELUXE SHRUB AND HEDGE TRIMMER

Only **18⁹⁵**

- Double Edge 13" Blade
- "Roll-Bar" For All Angle Use

The fast, labor saving way to trim hedges, shrubs and bushes. Deluxe "Roll-Bar" handle allows maximum comfort and safety—adjusts for any angle cut. 2-cutting edges, each with 16-teeth—cuts 12" swath in either direction. 13" blade cuts at 1850 strokes per minute. Die-cast aluminum housing with bright finish and enamel finish roll-bar. Fingertip On/Off switch. Hardened spring steel teeth are self-sharpening. 2.6 amp, 115 volt, 50/60 Hz AC motor. UL listed. Shpg. wt., 6 lbs.

Net 18.95

3 CONDUCTOR EXTENSION CORDS					
Stock No.	Feet	Amp.	Gauge	Wt.	Net
12 C 3403	25	10	16	1½ lbs.	2.89
12 C 3402	50	7	16	2¼ lbs.	4.49
12 C 3404	100	5	16	3½ lbs.	7.95

220 GPH SUBMERSIBLE PUMP

11⁵⁰

- Corrosion Resistant
- Hermetically Sealed Motor
- For Circulating And Dispensing Water

Pow-R-Pak, trouble-free, permealubed, under-water pump. Circulates and dispenses water, beverages; Ideal for fountains, aquariums, photo developing, air conditioners, etc. Gallons per hour delivery: 220 @ 1-ft.; 155 @ 3-ft.; 80 @ 6 ft., max. ht., 7-ft. Inlet has std. 1/2" pipe thread and outlet has std. 1/4" pipe thread. Comes with 6 ft. cord. For 110VAC, 60 Hz. Amps: 4.0. Size: 2¾ x 4 x 3¾". Shpg. wt., 2¾ lbs.

13 C 8904 Net 11.50

WATERFALL KIT

Only **14⁹⁵**



Enhancing waterfall of cascading water constantly recirculated by electric pump. Gallons per hour delivery: 180 @ 1 ft., 140 @ 3 ft., 100 @ 5 ft.; shut off @ 10 ft. Outlet 5/16"; inlet 1/2" pipe O.D. Load; amps. .65; watts 43. No concrete needed; complete with instructions. Kit consists of pump, 8-ft. plastic hose, 7 ft. sealing poly, pump filter. Shpg. wt., 4 lbs.

13 C 8902 Net 14.95

HEDGE TRIMMER ATTACHMENT

5⁹⁵



- Lock Into Place With Ease
- Makes Short Work of Hedges, Shrubs!

Converts any 1/4" drill into an easily handled hedge trimmer. Cuts, trims and shapes hedges and shrubbery. Extra long 14" blade of hardened tool steel. Keen edges for fast shearing action. Steel drive gear—permanently lubricated. Long, comfortable handle. Locks in any of 10 different positions. Light weight-compact. Shpg. wt., 3 lbs.

13 C 5015 Net 5.95

DELUXE ELECTRONIC INSECT KILLER

Easy To Use... Just Plug-in



As Low As **5.95**

- Ideal For Patios
- No Chemicals
- No Sprays
- No Fumes



Safe, automatic insect control system with ACTINIC-LITE™ electronic exterminator. Eliminates flying insects such as beetles, gnats, mosquitoes, moths, bees, and flies without the use of insecticides; does not require refills, produce disagreeable odors or harmful fumes. Works continuously anywhere... in or out-of-doors; on porch, patio, around barbecue pit, in the garden. Simple and easy to use...

Just plug-into any 110 volt AC outlet within 15' to 30' of area to be protected and enjoy the comfort of insect-free living. Engineered to provide years of trouble-free performance and service. Attractive white and green finish. Complete with suspension ring, line cord and plug. Size: 7H x 3¾" Dia. Imported. Shpg. wt., 1 lb.

14 C 2107 Net 7.95

Economy Electronic Insect Killer. Similar to above. Black Finish.

14 C 2108 Shpg. wt., 1 lb. Net 5.95

14 C 2109 Replacement bulb for above insect killers. Net 1.59

WATER FLOW METER

Only **4⁹⁵**



- Automatic Shut-Off For Any Sprinkler
- Non-Corroding
- Up To 750 Gallons Per Setting

Set it, then forget it. The automatic water meter does the rest, shutting-off automatically when sprinkling is completed. Set dial for the degree of sprinkling needed up to 750 gallons. Quickly attached to any standard faucet or sprinkler. Non-corroding heavy duty zinc construction gives years of dependable service. Size: 8x7x3".

12 C 7800 Shpg. wt., 2 lbs. Net 4.95

MINI-BIKES

- Easily Transported — Ideal for Teens, Hunters, Campers, Fishermen, Farmers, and Ranchers
- Factory Assembled

"CRICKET" 2 HP MINI-BIKE*

• Runs Up To 18 MPH

"Go-Anywhere" mini-bike with economical, 4-cycle Briggs and Stratton engine. Weighs only 66 lbs. Features hand throttle, automatic clutch, positive contact brake, and big 10½", puncture-proof tires with steel rims. With kickstand. Attractive bonded enamel finish. 44" overall. Shpg. wt., 74 lbs.

13 C 6850WXY See note below. \$6 Monthly Net 109.95

"CABALLERO" DELUXE 3½ HP MINI-BIKE*

• Runs Up To 28 MPH

4-cycle Tecumseh engine for high torque and speed. More comfortable ride with coil spring front and rear suspension, oversize poly-foam seat, and large 12½" knobby, pneumatic tires with steel rims. 48½" overall. Maximum stopping with disc brakes. Convenient motorcycle throttle and brake lever plus automatic clutch. Attractive full length fenders and bonded enamel finish. With kickstand. Weighs only 79 lbs.

13 C 6851WXY See note below. Shpg. wt., 89 lbs. Net 149.95

"CORSAIR" 3½ HP MINI-BIKE*

Similar to "CABALLERO" with Tecumseh engine. Coil spring front suspension only, large pneumatic tires, disc brakes, kickstand, etc., but without fenders. Weighs 75 lbs.

13 C 6852WXY See note below. Shpg. wt., 85 lbs. Net 129.95

ALL MINI BIKES SHIPPED F.O.B. DUMONT, N.J.
NO C.O.D. SHIPPING CHARGES COLLECTED ON DELIVERY
SEND FULL REMITTANCE OR USE LAFAYETTE'S EASY PAY PLAN

Fun For
The
Whole
Family



As Low As

109⁹⁵

No Money
Down

* NOT FOR USE
ON PUBLIC
THOROUGHFARES


FRIDGETTE COMPACT PORTABLE REFRIGERATOR

- Works On Both 110 Volts AC and 12 Volts DC

Only

49⁹⁵

No Money Down



Lightweight, .4 cubic foot portable refrigerator perfect for use in autos, trailers, boats, or on picnics. Interior measures 12L x 6W x 10" deep and features a high impact PVC plastic liner. Plugs into cigarette lighter or AC outlet. Stores all types of food with the convenience of a home refrigerator. Ice tray and cover keeps premade icecubes cold. Quiet operating absorption system, no disturbing compressors or motors. Fits almost anywhere. Outside dimensions are 14¾W x 12½D x 13"H. All metal construction. With all power cords. Shpg. wt., 25 lbs.

13 C 3275WX \$5 Monthly Net 49.95

Black & Decker[®] ELECTRIC LAWN MOWERS

- Instant Starting and Stopping with a Flick of a Switch

MODEL U-273 Deluxe 18" Twin Blade Lawn Mower
Advanced, dual blade design gives maximum cutting area and even, seamless mowing. Creates a high powered suction for efficient discharge into an easy-to-remove grass catcher. Quick, 1¼-3" fingertip height adjustment eliminates tools. Low profile design, recessed wheels and only 38 lb. weight offer easy maneuverability. Instant release, self-locking handle flips at end of run eliminating power cord interference. Double-foldover handle for compact storage or fitting in car trunk. 1½ HP motor and all ball-bearing construction for long life. Double insulated for safety. UL listed. Shpg. wt., 45 lbs.

12 C 6865WX \$5 Mo. Net 94.95

MODEL U-173 18" Twin Blade Lawn Mower
Similar to above but has 1¼ HP motor, weighs 31 lbs., has non-folding handle, and without grass catcher. Shpg. wt., 38 lbs.

12 C 6866WX \$5 Mo. Net 69.99

SEE FACING PAGE FOR LISTING OF 3-CONDUCTOR ELECTRIC POWER CORDS



As Low As

69⁹⁹

Hippo POWERFUL VACUUM CLEANER

- Perfect For Around The Home, In The Garden, In The Workshop—Anyplace Where A Quick Cleaning, Portable Vacuum Is Needed

34⁹⁵

No Money Down

You have to use the Hippo to believe its power. Powerful enough to pick up leaves, nails, sawdust, and small stones that most hand vacs cannot. Features quick opening and emptying and a dual filtration cloth that eliminates replacing dirt bags. Weighs only 6 lbs.; easily carried to the shop, porch, patio, garage, or car for tough cleaning jobs. Only 15" long and 7" dia. With 18 ft. power cord. Accessories included are a 2½" to 1¼" adapter, 2½" to 2½" coupling, 6" rectangular nozzle and brush, 2½x14" crevice tool, two 2½x23" extension tubes, 3 ft. of 2½" dia. flexible hose, and an adjustable shoulder strap. 1 HP motor. Shpg. wt., 8 lbs.

13 C 3562W \$5 Monthly Net 34.95



Buy Now! Pay Later . . . Use Lafayette's Easy Pay Plan. No Money Down.

Lafayette Cat. No. 694 69

CITIZEN-SHIP RADIO CONTROL EQUIPMENT

3 CHANNEL R/C DIGITAL PROPORTIONAL SYSTEM MODEL DP-3

GREAT FOR CLASS I AND II CONTESTS!



Only
233⁹⁵
No Money Down
\$11 Monthly

- Includes Proportional Motor Control
- Completely Wired... Ready For Use

Consists of:

DPT-3 Transmitter: With built-in charger for airborne battery supply. DPR-3 Receiver: Superheterodyne. Size: 2 1/2" x 1 7/8" x 1 3/4", 3 3/4 oz. wt. Includes batteries.

3-OPC SERVOS: Powerful 4 pounds thrust plus. High quality nylon gear train.

Wiring Board: Just plug individual units into wiring board. Complete with connectors.

Battery: 4 cell Nicad Pack for Receivers and Servos.

Model OP-3 for 27 MHz Frequencies: 26,995, 27,045, 27,145, 27,195 or 27,255 MHz. System Shpg. wt., 51 lbs.

42 C 1926Y Specify frequency (3-4 wks delivery) Net 233.75

FCG Type Accepted 72 MHz Operation on 72,080, 72,240, 72,400, 75,640 MHz.

42 C 1923Y Specify frequency (3-4 wks delivery) 254.95

Batteries Required

32 C 4705 9 volt battery for transmitter Net 1.57

CITIZEN-SHIP MODEL SL-6 SIX CHANNEL ALL-TRANSISTORIZED HIGH POWER TONE TRANSMITTER

59⁹⁵

No Money Down



Operates RL-6 Reed Receiver, and all single channel receivers on these pages. Features F output from silicon transistor and center loaded antenna; "contest type" lever switches, 4-transistor temperature-compensated circuit for tone stability. Six adjustable tone frequencies from 350-650 Hz. Battery drain 50 MA. Anodized aluminum case with rubber feet. 6 7/8 x 5 1/2 x 2 3/4". Weight 2 3/4 lbs. with battery. Complete with antenna, less battery. For 27.145MHz

42 C 1901 27.145 MHz \$5 Monthly Net 59.95

Model SL-6 for operation on 26,995, 27,045, 27,095, 27,195 or 27,255 MHz.

42 C 1930Y Specify frequency (4 wks delivery) Net 59.95

32 C 4705 9-volt battery for above Net 1.57

CITIZEN-SHIP MODEL RL-6 SIX-CHANNEL TRANSISTORIZED RELAYLESS SUPERHET REED RECEIVER

ONLY **43⁹⁵**

No Money Down

- Companion to SL-6
- Light weight
- Ideal For Class I, II, and Pylon Racing



Especially designed for use with the Citizen-Ship SL-6 transmitter, the combination is ideal for Rudder (class I), Intermediate (class II), and Pylon racing. Receiver operates 3 separate servos (rt., lft.; up, down; high and low motor). 6 transistors, crystal controlled. Change frequency by changing crystals. High selectivity permits flying up to 5 different models simultaneously without interference. Current drain: 5 MA signal off, 15 MA signal on. Weighs only 3 1/2 oz. Size: 2 7/8 x 1 3/4 x 1". Less battery. 1, 2 or 3 TCB or TLB actuators required. For 27.145 MHz.

42 C 1905 27.145 MHz \$5 Monthly Net 43.95

Model RL-6 for operation on 26,995, 27,045, 27,095, 27,195 or 27,255 MHz.

42 C 1931Y specify frequency (4 wks delivery) Net 43.95

32 C 4807 9-volt battery for above Net .48

SINGLE CHANNEL DIGITAL PROPORTIONAL SYSTEM Model DP-1

Perfect Control Of Any Size Plane From .049 Models Through The Largest!

Only **84⁹⁵**

No Money Down

- Powerful Feedback Actuator With 4 1/2 Pound Thrust



Now you can fly a system that moves the rudder only when you move the stick, steers your plane, boat or car in direct response to the movement of the stick. Battery drain is kept to a minimum—Servos use current only when a command is signalled. Has the power to move any size control surface, yet is light enough for a 1/2A plane. Transmitter is high output digital type. Superheterodyne receiver works from servo battery. Servo is powerful feedback type. Decoder, Switch, Servo and connectors assembled on printed circuit mounting tray in a compact unit. Complete system. Shpg. wt., 3 lbs.

42 C 1924 For 27.145 MHz Only. \$5 Monthly Net 84.95

DP-1 System for operation on 26,995, 27,045, 27,195 or 27,255 MHz

42 C 1921Y Specify frequency (3-4 wks delivery) Net 84.95

250 Ma/H Nicad Battery for Receiver and Servo. Shpg. wt., 8 oz.

42 C 1922Y Net 12.90

32 C 4886 Alternate Alkaline Batteries—4 req. Net ea. .39

32 C 4705 9-volt battery for Transmitter Net 1.57

CITIZEN-SHIP TRANSISTORIZED MODEL TTX TONE TRANSMITTER

24⁹⁵



This popular single channel tone transmitter measures 3 1/4 x 5 1/2 x 1 7/8" and weighs only 12 oz. with battery. 100% collector modulated (no reduction of RF signal with modulation). Operates on single 9V battery; requires no license. Operates R/C pack with SE-2 Escape-ment and with SSH-P receiver giving rudder, or rudder and motor control. High efficiency externally loaded antenna. Printed circuit chassis 99 milliwatt input. For 27.145 MHz. Shpg. wt., 2 lbs.

42 C 1913 27.145 MHz, less battery Net 24.95

32 C 4704 9-Volt Battery (Burgess 2N6) Net 1.36

CITIZEN-SHIP SSH-P RECEIVER

27⁹⁵

Matching receiver for above. Single channel, 7 transistor superhet. 1 7/8" x 1 1/2" x 3/4". Weighs only 1 oz. Crystal frequency 27.145MHz Requires 2 batteries. Shpg. wt., 8 oz.

42 C 1935 Net 27.95

99 C 6258 Batt. Ea. .10



CITIZEN-SHIP MODEL TCB CAM ACTION SERVO

- Ideal For Contest Work
- Gives Variable Ratio



For use up to 140°F. Operates directly from any standard reed bank. Features a variable push and pull ratio for slow start, smooth flying, and fast finish for quick recovery. Perfect for alleron and elevator. Weighs 3 oz. Uses 6 volts (4 penlight cells). Shpg. wt., 1 lb.

42 C 1909 Less Batteries Net 20.75

1 1/2 Volt Batteries (4 req.) Net ea. .10

99 C 6258 Net ea. .10

MODEL TLB TRANSISTORIZED LINEAR ACTION SERVO. Same as Model TCB except true linear motion-rack and plinion gearing. Ideal for motor and trim. Shpg. wt., 1 lb.

42 C 1914 Less Batteries Net 21.75

1 1/2 Volt Batteries (4 req.) Net ea. .10

99 C 6258 Net .10

FLY THE BIG SKYHAWK BY REMOTE CONTROL

COMPLETE OUTFIT:
Plane, Receiver, Transmitter,
Batteries and Charger



Only
79⁹⁵

No Money Down

TESTOR'S R/C SKYHAWK

- Easy To Fly—Ideal For Beginners
- One Mile Range of Control
- Rechargeable Batteries with Charger
- Big 44" Wingspan—Length 27"
- Internal Combustion .049 Engine

Completely assembled ready to fly radio controlled plane which incorporates true (pulse) proportional control for smoother, more realistic flight control. This plane is so easy to fly that it is recommended for beginners—no electronic or mechanical skill is required. Aircraft fuselage constructed of virtually indestructible super impact styrene. Wings and horizontal stabilizer are of super light styrofoam. Tricycle landing gear assures simple landings. High torque .049 cubic inch internal combustion engine has gas tank attached for 4 minutes of powered flight. Super sensitive 9 transistor superhet receiver combines with a powerful dual coil, twin magnet actuator for superior reliability. 8 transistor 250 milliwatt transmitter provides up to one mile range control. Simple guidance controls include finger tip trim for basic in-flight stabilization. Heavy duty recharge-

able batteries are easily charged with convenient charger (included). Complete with R/C plane, transmitter, battery charger, and illustrated flying instruction book. Shpg. wt., 9 lbs.

42 C 7301WX for 27.145 MHz. \$5 Monthly Net 79.95

MAIL ORDER CUSTOMERS USE THE FOLLOWING STOCK NUMBERS FOR THE SPECIFIED DESIRED FREQUENCIES. *See Note Below

Stock No.	Frequency	Net
42 C 7305WXY	26.995 MHz	79.95
42 C 7306WXY	27.045 MHz	79.95
42 C 7307WXY	27.095 MHz	79.95
42 C 7308WXY	27.145 MHz	79.95
42 C 7309WXY	27.195 MHz	79.95

SKYHAWK SPECIFICATIONS

Length: Fuselage 27", Wing 44". Flying Weight: 23 ounces (approximately). Speed: 30 MPH True. Fuel Capacity: 4 Minutes powered

flight. Transmitter: Single Tone AM Modulated Relayless Pulse. Receiver: Superheterodyne With Pulse Width Rate Decoders.

*Mail orders on above Skyhawk, except Easy-Pay, must be accompanied by full remittance.

Shipments made direct from Los Angeles, Calif., transportation charges collect.

REMOTE CONTROL MUSTANG GT OUTFIT



- Completely Assembled—Ready To Use
- Rechargeable Batteries with Charger
- Twin High Torque Drive Motors
- Electronic "Relay-less" Drive Control

Authentic 1/11th scale model R/C Mustang GT. Fully assembled. Car body of glossy polystyrene. Durable chassis is tempered aluminum. Twin high torque drive motors are coupled to rear wheels through an electronically controlled 4 transistor rear end... achieves true differential action! True (pulse) proportional circuitry permits feather-touch control. Guidance controls include steering (left-center-right), drive motor (start-stop) and speed (high-low). Super sensitive 9 transistor receiver combines with powerful dual coil, twin magnet actuator for superior reliability. 8 transistor 100 milliwatt transmitter provides convenient control board. Heavy duty

rechargeable batteries are easily charged with convenient charger (included). Complete with R/C model, transmitter, and battery charger. Shpg. wt., 7 lbs.

For 27.095 MHz. 42 C 7303WX \$5 Monthly Net 79.95

*MAIL ORDER CUSTOMERS USE THE FOLLOWING STOCK NUMBERS FOR THE SPECIFIED DESIRED FREQUENCIES. *See Note Below.

Stock No.	Frequencies	Net
42 C 7310WXY	26.995 MHz	79.95
42 C 7311WXY	27.095 MHz	79.95
42 C 7312WXY	27.195 MHz	79.95

COMPLETE OUTFIT:
MUSTANG, Receiver, Transmitter,
Batteries and Charger

79⁹⁵

No Money Down

MUSTANG GT SPECIFICATIONS

Length: 16 inches. Width: 6 inches. Height: 4 inches. Weight: 2 lbs., 8 ounces. Speed: 100 MPH Scale. Turning Radius: 3 feet.

Transmitter: Single Tone AM Modulated Relayless Pulse. Receiver: Superheterodyne With Pulse Width Rate Decoders.

*Mail orders on above Mustang, except Easy-Pay, must be accompanied by full remittance.

Shipments made direct from Los Angeles, Calif., transportation charges collect.

NEW

RADIO CONTROL MOON PATROL

Only **16⁹⁵**
less batteries



- Remote Control for the Younger Set
- Completely Assembled—Ready To Run
- Operates with Inexpensive Batteries

Sturdy, metal radio controlled moon patrol operated by a lightweight, hand-held R/C transmitter enabling the young driver to control the vehicle via radio signals. Simple to operate with a bubble encased rotating spaceman determining the direction of movement. Transistorized circuitry requires inexpensive batteries—two 1.5V "D" cells and two 9V transistor batteries (not supplied). Has antennas for both vehicle and transmitter. Patrol size: 11 1/2 x 4 1/2 x 5"; Transmitter size: 5 x 2 x 1 1/2". Complete outfit less batteries. Imported. Shpg. wt., 4 lbs.

42 C 1802 R/C Moon Patrol (less batteries) Net 16.95
99 C 6256 1.5V "D" Cell (2 required) Net .15
99 C 6021 9V Transistor Battery (2 required) Net .21

Educational Kits

Norelco 23-In-1 Electronics Kit

19⁹⁵



- No Soldering — No Tools
- Quick Easy Peg Board Assembly
- Safe — Educational

Build any of 23 useful operating projects including 3 transistorized radio receivers, 5 amplifiers. 2 code trainers, burglar alarms, intercom, rain indicator, electronic organ, light meter and other interesting projects. No soldering, no tools required. Template for each model placed on peg board for quick easy guide. All parts mounted with pressure springs. Step-by-step details with pictorial charts in large 72-page instruction manual with section on general theory. All powered by a single 9 volt battery. Absolutely safe. Size: 14 1/4 x 10 1/4 x 2 1/2". Imported. Shpg. wt., 4 1/2 lbs.

19 C 6301 Less Battery Net 19.95
32 C 4898 Battery for above Net 1.35



LAFAYETTE "EXPLOR-AIR"™

4-BAND RECEIVER KIT

TUNE IN THE WORLD! 22⁹⁵



- Covers 10, 15, 20, 40, 80, 160 Meter Amateur Bands
- Tunes International Broadcast, Citizens Band, Maritime, Aeronautical and WWV Time Signals
- Covers Standard AM Broadcast Band
- Complete Band Switching from Front Panel
- Bandsread Tuning • Built-in 4" Speaker

Lafayette's sensational shortwave receiver kit is a complete shortwave and standard broadcast set which covers the entire region from 550 kHz to 30 MHz. Four whole bands of fascinating programming. Perfect for language students and shortwave listeners. Only a regenerative circuit can offer such amazing performance and yet be so simple to build. Building this fine kit is an absolute pleasure — it's so well designed, you can't go wrong. Kit includes all the parts you need, and the detailed step-by-step instruction book with its giant pictorial drawings shows you just how to put them together. One front panel knob does all the bandswitching, immediately taking you from band to band. All coils are prewound for greater accuracy. Complete 4 band coverage of broadcast stations, international broadcast bands, amateur, maritime, and WWV time signals. Big 4" speaker and sensitive circuit with 50C5 output stage and 12AT7 regenerative detector and amplifier stages give you all the volume you want. Phone jack for privacy automatically disconnects speaker. All controls are on the front panel: On-Off Volume, Main Tuning, Band Spread, Bandswitch, Antenna Tuning, and Regeneration. 110 volt 50-60 Hz AC-DC power supply. Size: 10x7x5".

19 C 0905 (Less Cabinet) wt., 5 lbs. Net 22.95
Leatherette covered Wooden Cabinet for above. 1 lb. Net 2.85
19 C 0906

IC TRANSISTOR 12-in-1 EXPERIMENTAL ELECTRONIC KIT

- 12 Exciting Experiments, Using Integrated Circuits
- This kit is the last word for young experimenters wanting to learn about electronics. Employs integrated circuits, the electronic miracle of the space age, built and housed in a transistor case no larger than a pea. Contains enough parts and detailed instructions to build:

- RADIO RECEIVER • VOICE TRANSMITTER • CODE PRACTICE
- OSCILLATOR • VOICE ACTIVATED SWITCH • ELECTRONIC TIMER
- AUDIO AMPLIFIER • AUDIO OSCILLATOR • LIGHT BLINKER
- METRONOME • RAIN ALARM • VOICE TRANSMITTER

Safe to use, no soldering or high voltage. Spring clips simplify assembly of parts which are used over and over. Uses one inexpensive 9-volt transistor battery, not supplied. Detailed instruction booklet. Shpg. wt., 2 1/4 lbs.

19 C 3103 Kit, less battery Net 7.98
99 C 6021 9V battery for above Net .21



Made in U.S.A.

LAFAYETTE WIRELESS BROADCAST/AMPLIFIER KIT

Use it either as a Wireless Broadcaster or AM Audio Amplifier!

Kit Form 15⁹⁵

Factory Wired 19⁹⁵

- Clean, Modern Styling
- Powerful Signal
- Works With All Crystal and Magnetic Mikes and Phono Cartridges
- Plays Through All AM Radios

Treat yourself and your family to hours of fun with this Lafayette Kit. Make your own radio programs, announcements, etc., through AM radios anywhere in the house, without wires or extra gadgets. Designed for easy construction by youngsters. It combines in one compact unit a powerful 3-tube wireless broadcaster and an audio amplifier. Clearly written instruction manual makes it a cinch to build. Operates on any frequency between 900 and 1600 kHz on your radio dial. It will accept any crystal or magnetic microphone. In addition, it may be used directly as a phono or microphone amplifier. No external preamp is required. Simple slide switch permits either form of operation. Just connect it to a PM speaker (4-16 ohms). Conforms to FCC regulations and is designed to provide voice or record broadcasts. No license or permit is necessary. Complete with crystal clear instruction manual. Less Mike. For 105-125V AC or DC. Attractively styled metal cabinet. Size 4H x 8W x 4 3/8"D. Shpg. wt., 3 lbs.

19 C 0903 Net 15.95

Same as above, but factory wired & tested.

19 C 0908 Net 19.95

Crystal microphone for above. Desk or hand held. 5 ft. cable. Shpg. wt., 1 lb. Imported.

99 C 4543 Net 1.95

Science Kits & Specialties



WEATHER STATION KIT

Fun to erect and fascinating to use, this weather station kit operates with flashing neon lights to show wind speed and direction on indoor indicator board. Includes a sensitive air tank barometer with 4-ft. indicator column, a sling psychrometer to measure relative humidity, rain gauge with scale calibrated to measure 1/100th of an inch rainfall, cloud chart, weather map and interesting manual. 150 ft. wire supplied, enough for a 2-story house. Safety power cord. All connections safe to touch.
19 C 3002 Shpg. wt., 3 lbs. Net 8.95

ALL-TRANSISTOR BULL HORN



- Weighs only 2½ lbs.
- For Hunting, Camping, Boating, Sports

A fully transistorized directional megaphone at Lafayette's low price. Lightweight, it carries your voice over 100 yards or above noise. Just press the trigger and talk. Features variable volume control and carrying strap. Uses 4-standard "D" cells (not supplied with unit). 11" long. Shpg. wt., 3 lbs.

44 C 1509 Net 7.95
1½-volt D batteries, 4 required. Imported.
99 C 8256 Net ea. .15

MOD-U-KITS



MULTI-BAND RECEIVER KIT

- 4 Kits In One!

Consists of a sensitive amplifier kit, a citizens band tuning head kit, FM tuning head kit and AM tuning head kit. Each tuning head works in conjunction with the amplifier by simply plugging into the amplifier input jack. Requires 9-volt battery. Shpg. wt., 2½ lbs.
19 C 7014 Less Battery Net 14.95
99 C 6021 9V Battery Net .21

SOUND TO LIGHT CONVERTER KIT

- Supplies 100 Watts Of Psychedelic Lighting!


Accepts sound from any radio, hi-fi, phono, or any amplifier and changes these direct audio signals to light keying signals. In addition to 3 colored pilot light indicators plugged into the unit, an AC socket supplies 100 watts of external psychedelic lighting which varies with the sound. Shpg. wt., 1 lb.
19 C 7015 Net 5.95

NEW!

VALKYRIE-2 ROCKET KIT

11.95

- Looks And Performs Like The Real Thing
- Safe, Non-Flammable Non-Toxic Propellant
- Altitude Capability Over 1000 Feet
- Reusable With Parachute Recovery
- Launched Mechanically Or Electrically



Here is an authentic, educational and yet entirely safe rocket kit for modelers and hobbyists which demonstrates the principles of rocket propulsion. The propellant releases no heat, is non-flammable, non-toxic and non-explosive. The 16 inch long Valkyrie-2 which blasts off to 1000 feet, can be safely held in hand. Uses durable polished aluminum rocket, engine and parts, with real working valves, separator and parachute. At liftoff, the rocket starts slowly at 4 "G's", with acceleration at burnout about 10 "G's". A timer assures deployment of the parachute which returns the rocket for another launch. May be either mechanically or electrically launched with a battery (not supplied). Complete kit includes rocket, engine, timer, separator, parachute, balsa nose cone, fins, loading valve and hose, electric firing assembly, launch stand, one can of propellant, accessories and instructions. Size: 16" long x 1" dia.
19 C 7501 Complete rocket kit. Shpg. wt., 3 lbs. Net 11.95
Can of propellant sufficient for 4 launchings.
19 C 7502 Shpg. wt., 2 lbs. Net 2.00
6-Volt battery for electrical launching.
32 C 4818 Shpg. wt., 1¼ lbs. Net .99
Replacement ignitor wire for electrical launching.
19 C 7503 Shpg. wt., 3 oz. Net .35

LAFAYETTE 20-IN-1 TRANSISTOR EXPERIMENTERS KIT


Fun To Build—Educational—and all 20 projects result in a useful working instrument!

PROJECTS YOU BUILD

1. TRANSISTOR TESTER
2. VOICE ACTUATED ALARM
3. PHOTO TIMER
4. AUDIO AMPLIFIER
5. CRYSTAL SET
6. SOLAR RADIO
7. RAIN ALARM
8. TIMER
9. ONE TRANSISTOR RECEIVER
10. CODE PRACTICE OSCILLATOR
11. METRONOME
12. TWO TRANSISTOR RECEIVER
13. ELECTRONIC RELAY
14. HOME BROADCASTER
15. PHOTO ELECTRIC RELAY
16. BURGLAR ALARM
17. WIRELESS TRANSMITTER
18. REGENERATIVE RECEIVER
19. CITIZENS BAND MONITOR
20. AUDIO OSCILLATOR

18.95

Made In U.S.A.




Excellent for beginners as well as advanced experimenters, this kit enables you to build and learn about 20 interesting and useful transistor circuits. By utilizing "Breadboard" construction, each project can be simply wired and traced. After building the basic circuit, any of the 20 projects can be built by simply inserting a few preassembled component blocks and interconnecting leads between them. A soldering iron is only required for the basic wiring and not for subsequent projects. All wiring is covered in a step-by-step manner by the instruction manual. Each of the 20 projects is clearly presented with step-by-step instructions, large easy-to-read pictorial wiring diagrams, schematic diagrams, and an explanation of the circuit behavior. The kit is complete with perforated mounting board, 2-transistors, 1-diode, earphone, and all other parts required for construction. The detailed 28-page instruction manual contains a wealth of information about each project. Less batteries.

19 C 0902 Complete. Shpg. wt., 6 lbs. Net 18.95
99 C 6258 Z Cell Battery for Kit projects Net .10
32 C 4723 22½ Volt Battery for Kit projects Net 1.61

THUMLERS TUMBLER

ONLY **18.95**

- Grinds and Polishes Rocks, and Gem stones



A fascinating hobby-craft. You can polish all rocks to a sleek, gleaming gem-like finish. Use them for decoration, put in settings, etc. Tumbling machine has two side by side barrels with a total capacity of approx. 6 lbs. of stones. This is not a knock-down kit, but a completely assembled unit ready to run with powerful continuous duty motor that operates on standard 110 VAC current. Size: 7" x 9" x 11". Complete with cans, but less grit and can liner. Shpg. wt., 7 lbs.
15 C 4401 Net 18.95
Accessory pack. Ass't. of coarse and fine grits, pre-polish and polish, and liners. Shpg. wt., 2 lbs.
15 C 4402 Net 2.95
Stones. 1 lb. pkg. of Oregon Beach Agate and Jasper.
15 C 4403 Net 1.69

Educational Computer Kits and Modules

GENIAC® COMPUTER KITS

For Schools,
For Science Fairs.
For
Advanced Experimenters

- Over 800 Parts
- Computes, Reasons, Plays Games
- Composes Music, Forecasts Weather
- Design Your Own Computers



DOUBLE GENIAC

The newest kit in famous Geniac series! The "Double" Geniac contains over 800 parts. Two of everything in the Standard model. Offers the advanced experimenter a far wider range of activities. Perfect for school demonstration. Multiple setup is ideal for Science Fair projects—submit one or more designs. Build "electric brains" that test intelligence—code and decode—add, subtract, multiply and divide—solve puzzles

—play games—forecast weather—reason in syllogisms—information and logic circuits. No soldering required. Easily assembled and operated. 64 page guide and reference book, beginners manual, wiring diagrams and many extra pamphlets outlining projects and methods. Complete with mounting rack and batteries. Shpg. wt., 12 lbs.

19 C 3803 Net 18.95

STANDARD GENIAC

You build up to 125 exciting "electric brain" machines. Has special circuits for forecasting weather. No soldering required. Comes complete with extra pamphlets including 64-page "Simple Electronic Brains and How To Make Them," "Symbolic Analysis of Relay

and Switching Circuits," "Beginner's Manual," "Machine to Compose Music," wiring diagrams, etc. Complete with battery. 16 1/2 x 11 3/4". Shpg. wt., 6 lbs.

19 C 3804 Net 11.95

ANALOG COMPUTER KIT




- Ideal Introduction to Basic Elements of Analog Computers
- Work Over 50 Experiments
- Easy-to-Assemble with Screwdriver and Pliers
- Learn the Way to Sound Scientific Knowledge

Analog Computer Kit offering a basic introduction to computer theory—gives accurate answers to practical problems. Perform over 50 experiments—multiplication, division, powers, square roots, rocketry, interest, radio-active decay, light, kinetic energy, etc. Level of accuracy better than 5%. The computer consists of a masonite, solid instrument panel, kits, potentiometers, meter specially calibrated scales, guide and operating booklet. Easy-to-assemble.

19 C 3805 Shpg. wt., 6 lbs. Net 14.95

LAFAYETTE KT-92 5-WATT PUSH-PULL AMPLIFIER KIT



12.95

Made in U.S.A.

- Push-Pull Audio Output Stage—Inverse Feedback Circuit
- Separate Volume, Bass & Treble Controls
- AC or DC Operation

Here in kit form is an AC-DC hi-fi amplifier that presents deluxe features despite its amazingly low price. The separate bass and treble controls permit adjustment of both low and high frequency response and balance. Works equally well with both crystal or ceramic cartridges. Tube lineup consists of a 12AX7 amplifier and phase inverter, a pair of 35C5's in push-pull, having a power-packed

low-distortion output plus a 35W4 rectifier. The circuit utilizes an inverse feedback loop to reduce the level of hum and distortion. Kit is complete containing all essential parts, tubes and detailed instruction manual showing pictorial and schematic diagrams. Shpg. wt., 4 lbs.

19 C 0101 Net 12.95

LAFAYETTE CONVERTER MODULES



LISTEN TO POLICE, FIRE, AIRCRAFT, AND SHORTWAVE ON YOUR PRESENT AM SET

5.00

Now you can have the thrill of listening to the exciting police broadcasts, the fire department calls, communications between planes and ground stations as well as international shortwave bands. Simple to connect to your present AM broadcast radio. Size: 1 1/2 x 3 1/4 x 1". Control extends 1 1/2". Shpg. wt., 1 lb.

VHF POLICE AND FIRE CONVERTER MODULE
Convert your AM radio to receive police and fire calls in the 30 to 50 MHz band. Requires 9-volt battery.

19 C 5528 Net 5.00

AIRCRAFT CONVERTER MODULE
Same as above but for reception of 118 to 128 MHz. Band. Requires 9-volt battery.

19 C 5529 Net 5.00

SHORTWAVE CONVERTER MODULE
Same as above but tunes 25, 31, and 41 meter bands (7-12 MHz.). Requires 9 volt battery and wire.

19 C 5530 Net 5.00

9-volt battery for above modules.

99 C 6021 Net .21



TV WIRELESS MICROPHONE TRANSMITTER MODULE (Fig. A). Transmits from your high impedance microphone (crystal, ceramic, high impedance dynamic) over moderate distances into any TV set in your home on channels 2, 3 or 4. Built-in fine tuning control. Use with accessories A, B, D and E below.

19 C 5534 Shpg. wt., 8 oz. Net 5.00

TV WIRELESS PHONO TRANSMITTER MODULE (Fig. A). Transmits music, etc. over moderate distances within a home, from the tone arm crystal or ceramic cartridge of a phonograph into channels 2, 3, or 4 of any TV set. Meets FCC regulations. No license or registration is required. Built-in tuning control. Use with accessories A and B below.

19 C 5535 Shpg. wt., 8 oz. Net 5.00

STEREO PHONO AMPLIFIER MODULE (Fig. B). Compact module for use as a stereo phono amplifier for use with crystal or ceramic cartridges. Drives any 8-ohm speaker. Use with accessories C, two F and two G below.

19 C 5533 Shpg. wt., 8 oz. Net 5.00

ACCESSORIES FOR ABOVE MODULES

Stock No.	Price	Description
A	99-6021	.21 9 V. Battery
B	99-6287	.29 Clips for A
C	32-4818	.99 6 V. Battery
D	99-4543	1.95 Xtal Mike
E	33-1138	1.02 100K pot
F	32-7361	.59 1 Meg Pot
G	99-6032	.99 3" 8-ohm speaker

HEARING AID BATTERY RECHARGER



- Recharges Nickel Cadmium Cells Repeatedly To Replace The "675" And "625" Batteries
- Cuts Battery Cost in Half
- Just Insert Rechargeable Cells Into Charger—Plug In And 14 Hours Later They Are Fully Charged

Economical, convenient charger permits replacement of the popular "675" and "625" disposable hearing aid batteries with rechargeable nickel cadmium cells which give up to 15 hours use per charge and 500 charges per cell. Simply insert the nickel cadmium cell into its slide-out compartment and fully recharge in 10-14 hours. Cells cannot be over-charged. Use one cell in the hearing aid while another is being charged, to have power available at all times. Tiny size permits carrying the charger with you. For 110-120 Volt, 60 Hz AC. Less batteries. Imported. Shpg. wt., 3 oz.

99 C 9203 Charger only, less batteries Net 6.75
 32 C 4746 Nickel Cadmium Replacement for 675 battery Net 1.05
 32 C 4730 Nickel Cadmium Replacement for 625 battery Net .74

Only **6⁷⁵**

Less Batteries

LAFAYETTE MULTI-PURPOSE BATTERY CHARGER



2⁴⁹

- Recharge All Popular Batteries — Transistor, AA Penlight, C And D Cells ... Up To 3 At One Time!
- Just Plug-In And Use

Designed to charge regular carbon zinc, nickel cadmium and alkaline batteries. Charges up to 3 batteries in a relatively short time for less than a penny. Two compartments automatically adjust to size of battery inserted, plus 2 snaps are provided for 9V, transistor radio batteries. Red light indicates charger is operating. For 110-120 volts 50/60 Hz AC. Imported. Shpg. wt., 1 lb.

99 C 9205 Net 2.49

CHARGATRON HOME BATTERY CHARGER



3⁹⁵

- Recharge Batteries Up to 15 Times
- Battery Tester Included
- "D" - "C" - "AA" and 9V Transistor Sizes

Recharge from one to four batteries at one time. Safety is assured since charger is in operation only when lid is closed. Plugs into standard 110-120 volt, 60 Hz AC outlet. With free battery tester.

34 C 4202 Net 3.95

LAFAYETTE 5-TUBE AC-DC KIT



2⁵⁹ SAVE 2.29

From Individual Tube Prices

Most common types found in AC-DC radios. Contains one each: 12AV6, 12BA6, 12BE6, 35W4 and 50C5. Imported. Shpg. wt., 12 oz.

36 C 8901 Net 2.59

3500 RPM SHADED POLE MOTOR



- Ideal For The Hobbyist

1⁹⁵

Rugged, GI open frame shaded-pole motor for continuous operation such as blowers, pumps, fans, animation, gear trains and many other hobbyist applications. 3500 RPM CCW rotation. Has oil-less type bearings. Shaft 3/16" dia. x 1/4" long. Body 2 3/4" wide x 3" high x 2" deep.

32 C 4325 Net 1.95

LAFAYETTE Batteries



POPULAR SIZES AT POPULAR PRICES

Popular batteries for portable and transistor sets, flashlights and toys. *For hearing aids and transistor sets. Imported.

Stock No.	Volt-age	Singly	Lots 10 Ea.	Fig-ure	Replaces			Shpg. wt.
					RCA	Bur-gess	Eve-ready	
99 C 6022	9	.34	.29	B	VS300A VS314 VS016	P6 P6M XX45	226	3 oz.
99 C 6024	67 1/2	1.59	1.43	A	VS084	U15	467	3 oz.
99 C 6027*	22 1/2	.59	.53	C			412	3 oz.

FLASHLIGHT BATTERIES



Stock No.	Volt-age	Net	Lots 10 Ea.	Fig-ure	RCA	Bur-gess	Eve-ready	Shpg. wt.
99 C 6256	1 1/2 (D)	.15	1.20	D	VS036	2	950	4 oz. ea.
99 C 6257	1 1/2 (C)	.14	1.20	E	VS035	1	935	3 oz. ea.
99 C 6258	1 1/2 (AA)	.10	.69	F	VS034	Z	915	2 oz. ea.

NICKEL CADMIUM BATTERY

32 C 4740 1 1/2 (AA) Ea. 1.40 F — CD6 C450 1 oz.

9-VOLT TRANSISTOR RADIO BATTERY

Replaces RCA VS323, Burgess 2U6, Eveready 216, Zenith 2216, Ray-O-VAC 1604, NEDA 1604, Imported. Shpg. wt., 2 oz.

99 C 6021 Net ea. .21
 99 C 6279 Package of 2 Net Per Pkg. .40
 5 Packages of 2 Net 1.89



"STORAGE CELL" for TRANSISTOR RADIOS

ONE CHARGEABLE BATTERY OUTLASTS DOZENS OF CONVENTIONAL BATTERIES

- Replaces 2U6, BL-006P and BA-2
- Fluid Storage Type
- Plays About 15 Hours on One Charging
- Battery Recharges Overnight
- Complete—Battery Plus Charger



9V Battery complete with charger. Battery 1 7/8 x 1 1/8"; charger 3 3/8 x 1 1/4 x 7/8". Imported. Shpg. wt., 6 oz.

99 C 9016 Battery and Charger Net 2.69
 99 C 8026 Battery Replacement for above Net 1.49

LAFAYETTE 9-VOLT TRANSISTOR RADIO BATTERY CHARGER AND ELIMINATOR



- Charge Battery, Operate Set On AC, or Both
- Isolation Transformer — Shock-Proof

3⁶⁹

Just plug into any 117-volt AC receptacle and recharge your old 9-volt battery for many hours of extra use; or operate your set indoors without using the battery at all; or you can both charge battery and operate set at the same time. Has 4-position switch for above functions plus off position and pilot light. Size 4Wx1 1/4 x Hx 2 5/8" D. Imported. Shpg. wt., 1 lb.


99 C 9021 Net 3.69



LAFAYETTE

TV Antennas

COLOR
Approved



As low as
10⁹⁵

3 ANTENNAS IN 1

UHF-VHF-FM
CHANNELS 2-83

- For Color or Black-White Pictures Plus FM
- One Down Lead for All 3 Signals
- Famous Log Periodic Design
- High Front-to-Back Ratio—High DB Gain
- Goldenized Finish For Long Lasting Protection
- Heavy-Duty Boom Brace Support

Complete with
VHF-UHF-FM
Splitter/Coupler
**NO EXTRA
CHARGE!**



Super color improved antennas of efficient log periodic design. Now you can easily install one antenna to obtain superb reception on VHF channels 2-13; UHF channels 14-83, and the FM band (88-108MHz) with one down lead. Does the job of three antennas! Ends unsightly roof clutter while providing strong, clear signals to improve the performance of any TV or FM set. Best for Color TV and Stereo FM (multiplex). All antennas are preassembled with dowel reinforced aluminum snap-lock elements and goldenized finish for long lasting protection. Features rugged 1" square boom, 28 element model utilizes a heavy-duty boom brace support for superior rigidity. Supplied with a specially designed 3-way splitter for good isolation with low signal loss.

Stock No.	Elements	Maximum Range (miles)		Boom Length	Shpg. Wt. (lbs.)	Net
		VHF	FM			
18 C 0180WX	28	175	95	15"	15	32.95
18 C 0182WX	18	125	65	10'1"	9	20.95
18 C 0183WX	12	100	60	4'8"	7	14.95
18 C 0184WX	10	60	30	30"	5	10.95

TWIN-BOOM VHF-UHF-FM/Stereo Log-Periodic Antennas

3 ANTENNAS IN 1

Complete with
VHF-UHF-FM
Splitter/Coupler
NO EXTRA CHARGE



—DELUXE FEATURES—

**"Cap-Electronic"
Elements**




**Disc-on-Rod
Director System**



**Twin-Boom
Construction**



**Planar-Grid
UHF Driver**



COLOR
Approved

OUR BEST ANTENNA

24 ELEMENT

27⁹⁵

VHF—To 150 Miles
UHF—To 80 Miles
FM—To 85 Miles

39 ELEMENT

41⁹⁵

VHF—To 200 Miles
UHF—To 100 Miles
FM To 110 Miles

Lafayette deluxe all-purpose twin boom three-in-one antennas for VHF, UHF, FM/STEREO. New frequency independent design permits all elements to work together on both low and high bands for maximum front-to-back ratio and high db gain. Extra long up to 110" reinforced aluminum VHF dipoles with wide band "cap-electronic" elements operate on both fundamental and harmonic modes. The result is an increased number of working elements producing maximum gain and directivity to bring sharpness and color brilliance to your screen. Disc-on-Rod

director system reinforces performance of planar-grid UHF driver on low end of UHF band. It's log-periodic dipoles step-up gain, flatten response, and narrows beamwidth. On channels 14 to 83. Improved impedance match obtained by unique twin boom construction which combines mechanical rigidity with superior electrical performance. Utilizes single 300-ohm downlead. Rugged quality construction boasts 1" twin booms, heavy duty insulators, rust resistant hardware and lasting goldenized finish. Supplied complete with splitter to separate VHF, UHF, and FM signals.

39 ELEMENT "ULTRA-FRINGER" ANTENNA
Range in miles up to: VHF to 200, UHF to 100, FM to 110—Has heavy-duty 1" square 14' 8" "twin-boom" and boom brace support. Shpg. wt., 18 lbs.

18 C 0208WX \$5 Monthly Net 41.95

24 ELEMENT "DEEP-FRINGER" ANTENNA
Range in miles up to: VHF to 150, UHF to 80, FM to 85—Has heavy-duty 1" square 12' "Twin-Boom." Shpg. wt., 12 lbs.

18 C 0207WX Net 27.95

TV-FM Antennas and Accessories

LAFAYETTE 5-FT. PARABOLIC UHF ANTENNA

- Ultimate In Directivity—Rugged Construction
- Range Up to 110 Miles

15⁹⁵



A 5 foot parabolic antenna which utilizes a single drive broadband driver unit. The high front-to-back ratio eliminates the necessity of reflectors which shadow the center of the field. Signals reaching any part of the parabola are concentrated on the driver mounted at the exact focal point. This selective design provides up to 18.6 db gain. Back of reflector acts as a shield to reduce unwanted and reflected signals. Preassembled for easy installation. Small diameter, rugged elements with vibration dampers limit ice loading. All aluminum with protective Gold Corodized finish. Shpg. wt., 6½ lbs. 18 C 0190W Net 15.95

LAFAYETTE UHF CORNER REFLECTOR

- Range Up to 50 Miles 4¹⁵
- Goldenized

For quality UHF reception even in fringe areas. High gain, sharp horizontal and vertical directivity eliminates "ghosts" and "snow." Rugged construction, large reflector screen made of highest grade aluminum tubing. "Fold-open" assembly. "Goldenized" finish for 100% protection against weather and salt-air deterioration. Shpg. wt., 5 lbs. 18 C 0144W Net 4.15



LAFAYETTE 7" COLOR TV PURIFIER

- For Sharp and Clear Color Reception
- Sharpens color reception through demagnetization of the picture tube. Simply turn on the set, plug in the purifier, and with switch depressed rotate unit in front of the TV screen. Use regularly to keep your color reception sharp and clear. Convenient clip for hanging on back of set when not in use. Imported. Shpg. wt., 1 lb. 99 C 4024 Net 2.49



LAFAYETTE TV/FM COUPLERS—SPLITTERS

As Low As
1⁴⁹

TV/FM 2 SET COUPLER

Ideal for operating two TV and/or FM receivers from a single antenna. Has low loss and high isolation between sets. Easy to connect with one antenna downlead. Supplied with indoor/outdoor universal mounting, hardware. Imported. Shpg. wt., ½ lb. 99 C 4019 Net 1.49


TV/FM 4 SET COUPLER

For operation of up to four TV and/or FM sets with a single broadband antenna connection. Gives complete isolation between sets. Low forward loss makes it ideal for use with color TV and FM stereo sets. Imported. Shpg. wt., ½ lb. 99 C 4020 Net 2.29

TV/FM SPLITTER/COUPLER

Splits TV and FM signals with minimum loss to either signal from a single broadband antenna. Also combines separate TV and FM antennas into one line. Gives complete isolation between sets. For indoor or outdoor mounting. Imported. Shpg. wt., 1/2 lbs. 99 C 4022 Net 2.95

"DOUBLE-DRIVEN" 10 ELEMENT FM ANTENNA



- For Deep Fringe Areas

GOLDENIZED

10⁹⁵

Ideally suited to Multiplex FM reception. This 10-element double-driven yagi array has the necessary added gain, sensitivity and directivity to compensate for the lack of signal strength. All-aluminum goldenized construction. Fiberglass insulators. Torsion lock hardware sure-lock mast clamp. Shpg. wt., 7 lbs. 18 C 0128WX Net 10.95

FM ANTENNA KIT

- Ready to Install
- Fully Assembled
- All Directional
- 40 Mile Range

4⁹⁵



Provides excellent gain for areas up to 40 miles from the station. Gold anodized aluminum. Complete with 50 ft. of 300-ohm twin lead, mast standoff, screw eye standoffs, mast mount.

18 C 0132W Shpg. wt., 5 lbs. Net 4.95

FM ANTENNA ONLY. Shpg. wt., 3 lbs. Net 3.29

REMBRANDT

"DELUXE" VHF/UHF ANTENNA

9⁹⁵

- For Channels 2-83
- For Color, Black and White TV



Indoor TV antenna with 46" telescoping arms coupled with adjustable radar loops for extra efficient operation in difficult reception areas. 12-position dual control to reject ghosts and orient antenna to direction of strongest signal. Brass tip balls on telescoping arms eliminate signal losses and static discharge interference. Radar loop principle makes possible clearer and sharper pictures on all channels. Matched impedance with separate leads for VHF and UHF. Attractive, durable plastic base. Shpg. wt., 4 lbs. 18 C 1207 Mahogany Net 9.95

18 C 1208 Walnut Net 9.95

TV GHOST ELIMINATOR



- Improves Color Reception
- Receives From All Directions
- Filters Out Interference
- No Installation Problem

5⁹⁵

Improve any existing antenna—indoor, outdoor, master or built-in. Electrically rotates the polar receiving pattern of your existing antenna and boosts TV signal strength for "snow-free," brighter, clearer pictures on all channels. Attaches to antenna terminals on rear of TV set and plugs into 117 v AC/DC. Complete satisfaction guaranteed or your money back. Shpg. wt., 2 lbs. 18 C 1208 Net 5.95



LAFAYETTE

TV and FM Boosters

Color TV-FM Boosters

COLOR-AMP TRANSISTORIZED VHF-TV/FM ANTENNA BOOSTER



MAST MOUNTED UNIT

COLOR Approved

21⁹⁵

INDOOR POWER SUPPLY

TRANSISTORIZED 4-SET VHF-TV/FM BOOSTER



COLOR Approved

14⁹⁵

- Gain 20db/Up • Built-in 2-Set Coupler • Uses Low Noise, High Gain Solid-State Circuit • Use With Any Outdoor TV or FM Antenna • AC Isolation Transformer—No Shock Hazard

- Amplifies Signals for Top Reception on Up to 4 Sets
- Easy to Connect and Economical to Operate

Improve the performance of any new or existing outdoor TV/FM antenna. Efficient solid-state design utilizes reliable silicon transistors for more than 20 db gain across the VHF-FM band. Compact, lightweight construction permits mast mounting for maximum transfer of energy. Metal case is weatherproof with built-in lightning-protected circuit and high-pass filter which rejects CB and other interference. Separate power supply plugs into any 110-volt house outlet. No batteries required. Consumes less power than an electric clock. Handles up to 2 TV or FM receivers. Uses standard 300 ohm twinline. Imported. Shpg. wt., 2 lbs.

If your antenna isn't pulling in signals of sufficient strength then this Lafayette Booster Amplifier is just what you need. Screw-on terminals make wire connections easy, no cutting is necessary. Transistor circuit runs cool, draws little current. Signal strength is boosted 3 to 5 times. Will operate up to 4 TV and or FM sets on the same antenna. Input impedance is matched to antenna impedance. Needs no adjustment. Isolated outputs insure maximum set separation. Can be mounted in any convenient location where adequate ventilation is provided. Size 4³/₄Wx1¹/₄Hx3¹/₂"D. For 117 volts, 60 Hz AC. Imported. Shpg. wt., 1 lb

99 C 4018

Net 21.95

99 C 4011

Net 14.95

ANTENNA INSTALLATION KITS

AS LOW AS 5⁹⁹



CHIMNEY MOUNT



WALL MOUNT



ROOF MOUNT

Chimney Mount Kit includes "Z" type chimney mounts with stainless steel straps. Wall Mount Kit includes set of 2-7" galvanized wall brackets.

Roof Mount Kit includes galvanized roof mount, 1 guy ring, clamp and 50-ft. of galvanized steel guy wire.

Each of the above kits also includes 2-5' galvanized steel masts, 3-3¹/₂" screw stand-offs. Kits for use with VHF-UHF-FM antennas, supplied with 100 ft. foam type twin lead cable; kits for use with VHF-FM antennas, supplied with 100 ft. flat twin-lead cable; Avg. shpg. wt., 10 lbs.


FOR VHF-UHF-FM ANTENNAS

Stock No.	Description	Net
18 C 1604WX	Chimney Mount Kit	7.95
18 C 1605WX	Wall Mount Kit	7.50
18 C 1606WX	Roof Mount Kit	7.50

FOR VHF-FM ANTENNAS

18 C 1607WX	Chimney Mount Kit	7.19
18 C 1608WX	Wall Mount Kit	5.99
18 C 1609WX	Roof Mount Kit	5.99

BLONDER TONGUE



MODEL BTX-11A UHF CONVERTER/AMPLIFIER

29⁹⁵

- All Channel — All Transistor
- Amplifies Signal 3 Times
- Illuminated Dial for Precise Channel Tuning

If you live anywhere within the range of a UHF station you can enjoy additional educational and regular programming. This attractive converter adds all UHF channels (14-83) to your present TV, anywhere within the range of a UHF station. Features a new dual speed 100 to 1 fine vernier and illuminated dial for easy tuning; double tuned UHF input circuits and shielded oscillator section for interference-free reception. AC convenience outlet. Complete with UHF loop antenna, connecting cable. Reliable patented tuner; spliceless, striplless terminals. For 110-120V, 60 Hz AC. UL listed. Shpg. wt., 2 lbs.

18 C 1831

Net 29.95

ALLIANCE TENNA-ROTOR®

Only 28⁷⁸



- Will Handle the Largest Color TV Antenna In Winds In Excess of 90 M.P.H. Rotation Speed 1 R.P.M.
- Magnetic Brake for Instant Stops with No Drift
- Full 360° Rotation

Model U-100 Automatic Rotor System. If an individual can lift and install his antenna, this Tenna-Rotor will support it, hold it, and rotate it. Accepts masts to 1³/₈" O.D. Guy wire accessories provide secure installation. Control Box fully automatic, just set control knob and antenna rotates to desired position and stops automatically. Indicator shows position of antenna. Has positive mechanical stop at the end of rotation. Sizes: Rotor 7³/₄x4¹/₂x8". Control Case 7x4¹/₂x4". 100 V. 60 Hz AC at 65 watts. Uses 4 Cond. Cable. Shpg. wt., 12 lbs. 18 C 1403W

Net 28.78

4 Conductor flat cable. Shpg. wt., 3 lbs. per 100 ft.

32 C 8910 per 100 ft.

Net 3.10

TOP QUALITY, RELIABLE Lafayette TEST INSTRUMENTS

LAFAYETTE 30,000 OHMS PER VOLT MULTITESTER WITH MIRROR SCALE

17⁹⁵

- 30,000 Ohms Per Volt DC, 15,000 Ohms per Volt AC
- Low Voltage Scale For Transistors
- 1% Precision Resistors
- Unique "Buzzer" for Fast Short Tests
- Built-in Overload Protective Circuitry • 27 Meter Ranges



A deluxe portable VOM with a Mirror Scale. Provides wide voltage, current, resistance and db ranges clearly visible on a large 4" meter with 2-color calibrations. Sensitive 33 microamp meter provides full scale readings down to 1/4 volt on DC and 0.05 milliamps. Ranges: DC volts 0-.25, 1, 2.5, 10, 25, 100, 250, 500, 1000; AC volts 0-2.5, 10, 25, 100, 250, 500, 1000. DC Current: 0-0.05, 5, 50, 500 ma; 0-12 amps. Ohmmeter: 0-60K, 6 Meg., 60 Meg. Db's: -20 to +56 db. Controls: Range Switch, Ohms Adjust. Audio output jack with DC blocking capacitor. Built-in overload protective circuitry. With leads, batteries. 4 3/4" x 6 1/4" x 2" D. Imported. Shpg. wt., 2 lbs.

99 C 5071 Net 17.95
38 C 0108 Pigskin Carrying Case for above Net 1.95

LAFAYETTE 20,000 OHMS PER VOLT MULTITESTER WITH MIRROR SCALE

9⁹⁵

- 20,000 Ohms/Volt DC, 10,000 Ohms/Volt AC
- 1% Precision Resistors
- Low Voltage Scale For Transistors
- Built-in Overload Protective Circuitry



40 μ A, D'Arsonval meter movement permits a high input resistance on all ranges. Features a Mirror Scale. Rugged high impact plastic case. Ranges (DC Volts): 0-3, 30, 60, 300, 600, 3,000V; AC Volts: 0-6, 60, 120, 1200V. DC Current: 0-60, μ A, 0-12, 0-300 ma. Resistance: 0-60K, 0-6 megohms. Decibels: -20 to +63 db. Audio output jack: 0-60K, 0-6 megohms. DC amperes: 0-10 @ 250 mV; 0-5 @ 125 mV. Ohms: R/5, R, 10R (13, 65, 650 Ohms @ center); 100R, 1000R (6.5K, 65K Ohms @ center). DB: -20 to +85" in 10 AC volt ranges. Size: 3 1/4" x 4 1/2" x 1". Imported. Shpg. wt., 1 lb.

99 C 5072 Net 9.95
38 C 0107 Pigskin Carrying Case for above Net 1.95

Lafayette SOLID-STATE REGULATED DC BENCH POWER SUPPLY

only **39⁹⁵**



- Continuously Variable Output Voltage 5-13, 12-20 VDC at 2.0 Amp
- Output Voltage Regulation: $\pm 1\%$
- Automatic Protection Against Overload

Lab-type regulated DC bench power supply with dual range voltage selector. Ideal for all types of transistor servicing and testing. Provides well filtered, continuously adjustable DC output of 5-13 or 12-20 volts. Fully regulated with continuous output current of up to 2 amp. with less than 5 mV RMS ripple at full load. Self-restoring overload protection. Two D'Arsonval meters for constant monitoring of voltage and current output. Both Input and output of power supply are fused for maximum protection. Input: 115 or 230 VAC $\pm 10\%$ 50/60 Hz. Housed in a rugged steel case. Size: 6 1/2" H x 4 1/2" W x 8 3/4" D. Imported. Shpg. wt., 9 lbs.

99 C 5077 \$5 Monthly Net 39.95

SUPER Deluxe 50,000 OHMS PER VOLT MULTITESTER

Only **24⁹⁵**
Factory Wired



- 50K Ohms Per Volt DC • 5K Ohms Per Volt AC
- Giant 5 1/4" Meter • Built-in Overload Protection
- Low Voltage Ranges For Transistor Circuitry

Super-sensitive, self-contained, portable Multi-Tester! Employs 1% precision resistors and high quality components for an accuracy of better than 2% on DC; 3% on AC. Useable at frequencies up to 100Hz. Meter movement is self-shielded with spring-backed jewels. Also has polarity reversal switch and easy-to-read range indicator. Built-in meter overload protection. Size: 5 1/4" x 2 3/4" x 6 1/2". With batteries and test leads. Imported. Shpg. wt., 4 lbs.

99 C 5076 Net 24.95

SPECIFICATIONS

Ranges—DC Volts: 0-0.25-2.5-10-50-250-1000 @ 25K ohm/V; 0-0.125-1.25-5-0.25-125-500 @ 50K ohm/V. AC Volts: 0-3-10-50-250-1000 @ 2.5K ohm/V; 0-1.5-5-0.25-125-500 @ 5K ohm/V. DC μ A: 0-25 @ 125 mV; 0-50 @ 250 mV. DC mA: 0-5-50-500 @ 250 mV; 0-2.5-25-250 @ 125 mV. DC amperes: 0-10 @ 250 mV; 0-5 @ 125 mV. Ohms: R/5, R, 10R (13, 65, 650 Ohms @ center); 100R, 1000R (6.5K, 65K Ohms @ center). DB: -20 to +85" in 10 AC volt ranges.

Deluxe VTVM With GIANT 6 1/2" METER

Only

34⁹⁵
Factory Wired

No Money Down

Made in U.S.A.



A high quality, accurate VTVM employing a giant 6 1/2" easy reading 400 μ A meter. 11 megohm input resistance. AC RMS voltages may be read directly up to 1500 volts and resistance from 0 to 1,000 megohms in 5 overlapping ranges. Has zero-center scale for alignment of FM and TV detector circuits. Push-pull amplifier electrically isolates the meter movement—meter is virtually impossible to burn out. Precision 1% multiplier resistors. SPECIFICATIONS: DC VOLT-METER RANGES: 0 to 3, 30, 150, 300, 1500 volts. Input resistance: 11 megohms (1 megohm in probe) on all ranges. A.C. VOLT-METER RMS RANGES: 0 to 3, 30, 150, 300, 1500 volts. PEAK-TO-PEAK RANGES: 0 to 8, 80, 400, 800 volts. DECIBEL RANGES: -10 to +5, +6 to +25, +26 to +45 db. Response: 30Hz. to above 5 MHz. OHM-METER RANGES: 0 to 1000 megohms in 5 overlapping ranges. ZERO CENTER VOLT-METER RANGES: 0-1.5, 15, 75, 150, 750 volts. Complete with 1 1/2 V battery, instructions, and 3 probes: Common, AC volts/ohms and DC volts probe. Size 7 1/2" H x 6 1/2" W x 5" D. For 110-120 V 60 cycle AC. Shpg. wt., 7 lbs.

38 C 0101W \$5 Monthly Net 34.95
38 C 0103 Accessory RF Probe Shpg. wt., 1 lb. Net 3.95
38 C 0106 H.V. Probe. Extends range to 30,000 V. wt. 1 lb. Net 5.95
38 C 1501 Leather Case For VTVM, Shpg. wt., 1 lb. Net 2.95


PRESTODIAL™ Automatic Telephone Dialer

No More Looking Up Phone Numbers

- Computerized Number Memory and Automatic Dialing
- Dials Local, Long Distance, Inter-Office Calls
- Fits All Telephones

At a press of a button talk to Police, Fire House, Doctor, Emergency Services, friends, relatives, business associates, or up to 36 pre-determined phone numbers. The PRESTODIAL uses no magnetic tapes, no cards. Numbers are stored in a "memory bank" consisting of 36 unbreakable cyclocac® disks. The phone caller slides a pointer on the visual index of the memory bank to the name he wishes to call, picks up the receiver, and presses a single button. The PRESTODIAL then dials the call automatically—and correctly. Each PRESTODIAL disk will handle 14 digits—or more. This permits the automatic dialing of even the most complex long distance phone calls—also equally useful for frequently called inter-office numbers. Works with all phones. One simple connection. Comes complete with programmer, memory bank, and 42 memory disks. Programmer contains dial and cutter for cutting a permanent disk which will contain the required telephone number. Dim. of memory bank: 8½" x 4" x 3¼". For 110V., 60 Hz AC. Shpg. wt., 6 lbs.

44 C 5401 \$5 Monthly Net 99.95
 Package of 12 extra disks. Shpg. wt., 1 lb. Net 3.95
 44 C 5402



Made
In U.S.A.

99⁹⁵

No Money Down

Includes Program-
mer, Memory Bank,
42 Memory Discs



DIAL PHONE

Have your own
Private Intercom

8⁹⁵

- For Intercoms,
Private Systems

Popular modern dial phone. Can be used to make complete private systems. Equipment taken from service, reconditioned and ready to work. Simple 3-wire hook-up. Complete with handset, dial bell, induction coil and connecting cable. General appearance may vary slightly from catalog illustration. Shpg. wt., 8 lbs.

44 C 1801 Net 8.95

*Authentic Lafayette Reproduction of
a French Cradle Phone*



For Only
39⁹⁵

An exquisite reproduction of the classic turn-of-the century French Cradle Phone. Adds a touch of continental charm to your home—your phone will become a conversation piece. Simple hook-up. Ideal for private phone systems, extension, or intercoms. Ready to use...equipped with bell ringer, induction coil, dial, horn, mouthpiece handset, 5-ft. cord and plug. Finished in beautiful Ivory with gold trim. Imported. Shpg. wt., 9 lbs.
99 C 4632 \$5 Monthly Net 39.95

DELUXE LAFAYETTE EASY-PHONE TELEPHONE AMPLIFIER



SALE

9⁹⁵ WAS ~~10.95~~
1969 CATALOG 683

- Amplifies Telephone
To Room Volume
- 4 Transistors +
Varistor
- No Dangling Wires Or
Pickups To Connect
- No Warm-up, Instant
Operation

The Easy-Phone amplifier is ideal for group conversation with one telephone in the room. Easy to operate: simply place the telephone on the amplifier, adjust the volume and everyone can listen, leaving both hands free for writing or typing. The Easy-Phone is a 4-transistor battery powered amplifier and inductive pick-up, in an attractive plastic case. Features: 3" speaker, volume control, on/off switch activated by telephone's weight, sturdy chrome plated runners, 8¼L x 3¼W x 9¼"H. Supplied with miniature plug and jack for recorder input. Imported. Shpg. wt., 3 lbs.

99 C 9020 With batteries Net 9.95
 99 C 6258 Replacement "AA" Type Batteries (4 req.) Net ea. .10

30 FT. TELEPHONE EXTENSION CORD

2⁴⁹




Add flexibility to your telephone intercom. Now be able to move your telephone intercom from room to room. 30 feet of telephone extension cord with standard 4-pin plug and jack. Color coded cord to match screw terminals on plug and socket. Imported. Wt., 1½ lbs.
99 C 4539 Net 2.49

TELEPHONE PLUGS AND JACKS

44 C 6003 Phone Plug (Imported) 2 oz. Net .59
 44 C 6002 Phone Plug (Imported) 2 oz. Net .59

INTERCOMS FOR THE HOME AND OFFICE



RM-16 Master



RI-17 Remote



RO-14 Remote

EMERSON RITTENHOUSE SOLID-STATE AM/FM HOME RADIO-INTERCOM SYSTEM

- AM-FM Master Unit Features Powerful 17 Semi-Conductor Solid State Circuitry with Tuned RF Stage For Improved FM Performance
- Radio Is Silenced Automatically When Intercom Calls Are Made From Any Station

Only
99⁹⁵

COMPLETE SYSTEM INCLUDES

- 1-AM/FM Master Unit
- 3-Indoor Remote Stations
- 1-Entrance Remote Station
- 1-Installation Kit with Plastic Frames For Above Equipment, AM/FM Antenna, Low Voltage Antenna, and 165 ft. 3-Wire Cable

Handsomely styled FM/AM home radio intercom system fills your home with the pleasant sounds of music, entertainment and news. Intercom permits instant room-to-room communication, monitoring and door answering. Radio is silenced automatically when intercom calls are made from any station. Twelve transistors and 5 diodes with tuned RF stage for improved FM performance. Up to 8 remote stations may be connected to master. All stations are designed for built-in installation in walls of 2" or more thickness. Color coded wiring simplifies connections. Powered by U.L. listed low voltage transformer (supplied). Complete system includes 1 RM-16 master


station with off-white finish and gold trim, 3 each RI-17 indoor stations, 1 RO-14 weatherproof door entrance station, AM and FM antenna, RT-28 low voltage transformer, plaster rings for above and 165 ft. coil of 3-wire intercom cable. Dimensions: Master Unit—14½" x 5"; RI-17: 7¾" x 4¼"; RO-14: 3¾" x 5¾". Shpg. wt., 14 lbs.

44 C 4601WX \$5 Monthly Net 99.95

ADDITIONAL STATIONS AND WIRE FOR ABOVE SYSTEM

44 C 4602W RI-17 Indoor Remote. Shpg. wt., 2 lbs. Net 6.95
32 C 1452 100' 3- cond. Cable. Shpg. wt., 2 lbs. Net 3.10

2-STATION SOLID STATE INTERCOM SYSTEM




8⁹⁵

2 Stations

Solid-state miniature 2-station intercom. Operates from one inexpensive 9-volt battery. System consists of one master and one remote with 66 feet of lightweight cable. Plug at each end speeds up connection—no tools needed! Master unit has power on/off/volume control and listen-talk switch—you can listen or talk to the master without operating any buttons. Master and remote can call each other even when master is switched off. Housed in a high impact plastic case with cable and 9-volt battery. Dimension: 3W x 1¾H x 4"D. Imported. Shpg. wt., 1½ lbs.

99 C 4570 Net 0.95
99 C 6021 Extra 9-volt battery Net .21
AC power supply and battery charger for above. Shpg. wt., 2 lbs.
33 C 7702 Net 2.99

PROTECTO-CON SOLID STATE DOOR ANSWERING INTERCOM SYSTEM



Complete System

24⁹⁵

Includes:
1 Master Amplifier Control Station
1 Door Station
1-18 Volt Transformer
50 ft. of 2 Conductor Cable
All Hardware Necessary For Installation

- Provides Protection—Identify Callers Without Opening Doors

A complete door answering intercom system designed for installation in new or existing homes. Easy-to-use "talk-listen" switch on master. Protects residents from unwanted callers. Inexpensive and easily installed. Comes complete with master station, door station, transformer, 50 ft. of 2-conductor cable, and all the hardware necessary for installation. Shpg. wt., 14¾ lbs.

44 C 3705 Net 24.95
32 C 3052 100 ft. coil of wire Net 1.09

SOLID-STATE WIRELESS 2-STATION INTERCOM SYSTEM



2-Stations

27⁹⁵

- Instant On Operation—No Warm-up

Solid-State 2-station intercom system at an amazingly low, low price. Ideal for use in the home, office, factory, etc.—will connect any two places that are serviced by the same electric company 117V power line transformer. No wiring required, simply plug each unit into the AC outlet and start talking—4-transistor circuit. Each unit is a "Master" can use as many as you need. Features a Volume/On-Off control, Push-to-Talk Bar with a "lock-bar" for continuous talking, and a pilot light. 2-tone gray-colored plastic case has rubber-tipped base that will not scratch furniture. Overall 6½"x5"x2½"H. For 110-120V 60 Hz AC. Imported. Shpg. wt., 2 lbs.

99 C 4573M Net 27.95
Additional Intercom Stations
99 C 4572 Net ea. 14.95

ONE WAY DOOR VIEWER



Only **99¢**

One-way viewing only—you can look out, no one can see in. Installs quickly with a hand drill. ½" in diameter, length adjusts to fit any door thickness up to 1¾". Shpg. wt., 4 oz.
14 C 8502 Net .99



LAFAYETTE

Public Address

45-Watt P.A. Amplifier & Systems

Model PA-645A 45-WATT P.A. AMPLIFIER



PA-645A

67⁹⁵
No Money Down

An outstanding P.A. amplifier that incorporates a low frequency filter which acts as an anti-feedback network and trumpet protector. Two handy outputs are provided; one 25 volts and the other at 70.7 volts. Separate bass and treble controls. Master gain control eliminates chance errors when making volume adjustments. Outputs: 4, 8, and 16 ohms. Comes complete with Amphenol 75MCF connector and phone plug. Handsomely styled black vinyl-clad metal case with brushed aluminum panel. For 115V, 50/60 Hz AC. 15 1/4 x 10 1/4 x 5 1/4. 44 C 0145WX \$5 Monthly. Shpg. wt., 30 lbs. Net 67.95
44 C 0158 Phonotop for above. Shpg. wt., 8 lbs. Net 18.95

PA-645A SPECIFICATIONS

POWER OUTPUT: 45 watts RMS (90 watts peak)
FREQUENCY RESPONSE: ±2 db, 30 to 20,000 Hz
INPUTS: 2—Microphone; 2—Auxiliary (high gain phono, tuner, or tape recorder)
CONTROLS: 2—Microphone; 1—Auxiliary fader; 1—Bass, 1—Treble; 1—Master gain, 1—Anti-Feedback; 1—On-Off
OUTPUTS: 4, 8, 16 ohms; 25 and 70.7 volts
TUBES: 2—12AX7A/ECC83; 1—6AV6; 2—6L6GC; 1—5AR4/GZ-34
POWER CONSUMPTION: 110 watts at 120VAC.

45-WATT INDOOR P.A. SYSTEMS with LAFAYETTE 6-SPEAKER COLUMN SPEAKERS

Excellent for: Auditoriums, Churches, Theatres, Studios, and special events.



Column Speakers



Electro-Voice 664 Deluxe Cardioid Dynamic Mike



Deluxe Column Speakers

Lafayette 99-4598 Dual Impedance Dynamic Mike

- Lafayette PA-645A 45-Watt PA Amplifier
- 2 Each 30-Watt 6-Speaker Column Speakers
- Choice of Deluxe Dynamic Microphones
- 2—35 Ft. Lengths of Speaker Cables

As Low As

126⁹⁵

Above system with Lafayette 99-4598 dual impedance dynamic microphone and desk stand. Can also be hand-held or used with standard floor stand. Column speaker is 30 1/4" x 7" x 3 1/4" utilizing 6 speakers for efficient reproduction of program material. Shpg. wt., 61 lbs.

- 44 C 9124WXM \$7 monthly Net 126.95
- Same as above system except with Electro-Voice 664 Cardioid Dynamic Microphone instead of 99-4598 microphone. Wt., 61 lbs.
- 44 C 9125WXM \$8 monthly Net 155.95
- Same system as 44-9124WXM except with 2 Deluxe 60 watt, 6-speaker sound column speakers instead of 30 watt speakers.
- 44 C 9126WXM Shpg. wt., 72 lbs. \$9 Monthly Net 171.00
- Same as 44-9126WXM except with Electro-Voice 664 Cardioid Dynamic Microphones instead of Lafayette 99-4598 microphones.
- 44 C 9127WXM Shpg. wt., 72 lbs. \$10 Monthly Net 199.95

45-WATT OUTDOOR PA SYSTEMS WITH PA645A

For Airports, Loading platforms, Railroad Stations, Country Clubs, etc.



Electro-Voice 848A 30-Watt Projectors



Lafayette 99-4598

- Lafayette Popular, Versatile 45-Watt PA Amplifier
- Choice of Deluxe Dynamic Microphones
- Three E-V PA-30A 30-Watt Weatherproof Speakers

As Low As


139⁹⁵

Above system with Lafayette 99-4598 deluxe dynamic dual-impedance microphone with desk stand. Microphone can be hand-held or used with standard floor stand. Includes microphone connectors.

- 44 C 9128WXM \$7.50 Monthly. Shpg. wt., 59 lbs. Net 139.95
- Same system as above except with Electro-Voice 664 deluxe dynamic cardioid mike instead of Lafayette microphone.
- 44 C 9129WXM \$9 Monthly Net 168.95
- Same system as 44-9128WXM except with 2 Electro-Voice 848A Wide-Range 40-Watt CDP Compound Diffraction Projectors instead of 3 E-V PA-30A's. Shpg. wt., 67 lbs.
- 44 C 9130WXM \$9 Monthly Net 175.95
- Same as 44-9130WXM except with E-V 664 dynamic cardioid mike instead of Lafayette 99-4598 microphone.
- 44 C 9131WXM \$10 Monthly Net 204.95

45-WATT PORTABLE PA SYSTEMS WITH MODEL PA-645A With Dual Speakers

• For the Majority of Sound System Applications...School Auditoriums, Churches, Theatres, Dance Halls, Studios, Lecture Halls.



Lafayette 99-4598

- Lafayette PA-645A 45-Watt P.A. Amplifier
- 2 Each 30-Watt Heavy Duty 12" P.A. Speakers with 1 1/4 lb. ceramic magnet.

As Low As

125⁹⁵

- Lafayette 99-4598 All-Purpose Dynamic Dual Impedance Microphone for desk stand, floor stand, or hand held-use.
- Attractive Sturdy Carrying Case For Amplifier, Speakers and Accessories; serves as efficient baffle for speakers.
- 2 35' Speaker Cables.

No Money Down

- Complete system as above. Shpg. wt., 80 lbs.
- 44 C 9132WXM \$7. monthly Net 125.95
- Same 45-Watt P.A. System as above except with Electro-Voice Model 664 cardioid dynamic microphone with on-off switch and 18' cable for high feedback problem areas, instead of Lafayette 99-4598 dynamic microphone.
- 44 C 9133WXM \$8 Monthly Net 158.95
- 44 C 0158 Phonotop for above. Shpg. wt., 8 lbs. Net 18.95

75-Watt P.A. Amplifier & Systems



Model PA-675A 75-WATT P.A. AMPLIFIER



PA-675A

- High Power • Wide Range
- Anti-Feedback Network
- 25 Volt and 70.7 Volt Constant Voltage Outputs

Only **89⁹⁵**
No Money Down

A high quality 75-watt P.A. amplifier ideal for large meeting areas, factories, department stores, outdoor areas, etc. where maximum coverage is essential. Features include separate bass and treble controls, efficient master gain control, separate mixer controls, inputs for two microphones, and common mixer control for both auxiliary inputs (phono, tuner, or recorder). Switchable anti-feedback network attenuates the lower frequencies to minimize feedback and to protect the speakers against burnout. Also features 25 volt and 70.7 volt constant voltage outputs for a constant level sound system. Complete with microphone connector and one phono plug. Attractively styled black vinyl-clad metal case with brushed aluminum front panel. For 105-120 volts, 50/60 Hz AC, 1 AC accessory outlet provided. Size: 15 1/4 x 10 1/4 x 5 1/4" H. Shpg. wt., 39 lbs.
44 C 0147WX \$5 Monthly Net 89.95
44 C 0158 Phonotop for above. Shpg. wt., 8 lbs. Net 18.95

PA-675A SPECIFICATIONS

POWER OUTPUT: 75-watts RMS (150-watts peak).
FREQUENCY RESPONSE: 30-20,000 Hz ± 2 db.
INPUTS: 2-Microphone, 2-Auxiliary (high gain phono, tuner, or tape recorder).
CONTROLS: 2-Microphone, 1-Auxiliary Fader, 1-Master Gain, 1-Bass, 1-Treble, 1-Anti-Feedback, 1-Power On/Off.
OUTPUTS: 8, 16 ohms; 25 volts and 70.7 volts.
Tubes: 2-12AX7A/ECC83, 1-6AV6, 2-6CA7/EL34, 1-GZ34, 1-5Y3GT.

LAFAYETTE 75-WATT HI-POWER OUTDOOR P.A. SYSTEMS

A truly high power PA system for up to 200,000 sq. ft. of coverage. Consists of:


As Low As
149⁹⁵

- Lafayette PA-675A 75 Watt PA Amplifier.
- 3 Electro-Voice PA30A 30 Watt Projector Speakers.
- Lafayette 99-4633 High Impedance Dynamic Mike! with stand adapter and talk switch.


Complete 75 watt PA system above, shpg. wt., 65 lbs.
44 C 9139WXM \$8 Monthly Net 149.95
Same system as above except with 3 University PH directional reproducing trumpets for noisy areas, plus 3 Lafayette 99-4507 driver units. In place of the 3 Electro-Voice PA30A. Shpg. wt., 90 lbs.
44 C 9140WXM \$10 Monthly Net 192.95
Same as 44-9139WXM except with famous Shure Model 585SA Unisphere A unidirectional dynamic cardioid "pop" proof microphone instead of Lafayette 99-4633 dynamic microphone. Shpg. wt., 73 lbs.
44 C 9141WXM \$10 Monthly Net 173.95
Same as 44-9140WXM except with Shure Model 585SA Unisphere A cardioid "pop" proof dynamic microphone instead of Lafayette 99-4633 dynamic microphone. Shpg. wt., 90 lbs.
44 C 9142WXM \$11 Monthly Net 216.95




Lafayette 99-4633 Dynamic Mike



E-V PA-30A Projectors



Shure Unisphere A Dynamic Mike



University PH Trumpets and Lafayette 99-4507 Drivers

LAFAYETTE 75 WATT INDOOR PUBLIC ADDRESS SYSTEMS


As Low As
169⁹⁵

CHOICE OF MICROPHONES

- Lafayette PA-675A 75 Watt PA Amplifier.
- 6 Lafayette Pre-Wired Speakers Baffle Combinations with 8" Speakers with Individual volume controls and Pre-Wired Matching Transformers with Taps for 10, 5, 2.5, 1.25, and .625 Watts per Speaker.
- Choice of Deluxe Dynamic Microphones.
- 6-35 Ft. Speaker Cables.

Complete 75 watt indoor PA system above with Lafayette 99-4633 high-output dynamic microphone with on-off switch, omni-directional head, swivel type stand adapter, extra microphone & phono plugs and cable. Shpg. wt., 84 lbs.
44 C 9143WXM \$9 Monthly Net 177.95
Same PA System as above except with Shure Model 585SA Unisphere A unidirectional dynamic cardioid "pop" proof microphone instead of Lafayette 99-4633 dynamic microphone. Shpg. wt., 84 lbs.
44 C 9144WXM \$11 Monthly Net 201.95
Same 75 Watt PA system as 44-9143WXM except with 2 Lafayette Deluxe 60-Watt column speakers containing 6 speakers each instead of the speaker baffle combinations. Shpg. Wt., 82 lbs.
44 C 9145WXM \$9 Monthly Net 169.95
Same system as 44-9145WXM except with Shure Model 585SA Unisphere A deluxe cardioid dynamic microphone instead of Lafayette 99-4633 dynamic microphone. Shpg. wt., 82 lbs.
44 C 9146WXM \$10 Monthly Net 193.95

Ideal for: Paging and Background Music, Auditoriums, Churches, Department Stores, Airports, etc.




Lafayette 8" Speaker Baffle Combinations.



Lafayette 99-4633 Dynamic Mike



Shure Unisphere A Dynamic Mike



Deluxe Column Speakers

Public Address Systems Are Available On Easy Pay Plan—No Money Down

LAFAYETTE 40-WATT SOLID STATE MOBILE PA AMPLIFIER and SYSTEMS



IDEAL FOR:
Outdoor Campaigns
Police
Fire
Civil Defense
Boats

PA-640
ONLY **69⁹⁵**
No Money Down

Excellent 40-watt mobile P.A. amplifier for civil, military and general commercial use. 55-watt peak power solid state circuitry employs 5-transistors and 1-diode for economical and instant "On" operation. Three separate easy to see fiber-optic illuminated controls have individual On/Off and gain functions to permit separate or simultaneous playing of external equipment and paging system. Three inputs are provided: 1—low impedance microphone input (50-500 ohms); 1—high level crystal or ceramic phono input; 1—auxiliary input for tuner, tape recorder, etc. Has 12-14VDC power and audio output socket for siren, fog horn, etc. Response: 150-15,000 Hz Output Impedance: 4, 8, 16 ohms. Operates from any 12-15VDC source. Includes mobile mtg. bracket and DC cable. Size: 9 1/4" x 2 1/4" x 9" D. Shpg. wt., 9 lbs.

44 C 0140WX PA-640 \$5 Monthly Net 69.95
Dynamic Push-to-Talk Public Address Microphone. Net 3.95
99 C 4577 Net 3.95

40-WATT MOBILE P.A. SYSTEMS



Atlas MO-1 99-4577 Microphone Atlas MO-2

Complete 40-watt mobile PA system featuring the Lafayette PA-640 40-watt solid state mobile public address amplifier with DC battery cable, 2 each Atlas MO-1 mobile weatherproof speakers with special fail-safe mobile bracket, Lafayette 99-4577 push-to-talk dynamic microphone with plug, and two 35 ft. speaker cables. Shpg. wt., 20 lbs.

44 C 9101WXM \$6.50 Monthly Net 114.95
Same system as above except with one Atlas MO-2 mobile communications speaker, instead of two MO-1 speakers, for mounting under the hood and/or concealed limited spaces. MO-2 speaker size: 6 5/8" x 8" x 4 3/4" D. System shpg. wt., 15 lbs.
44 C 9102WXM \$5 Monthly Net 89.95

LAFAYETTE 22-WATT PA AMPLIFIER and SYSTEMS



PA-622A

Model PA-622A P.A. AMPLIFIER

only **49⁹⁵** • Outputs For 4, 8, and 16 Ohms, 25 and 70.7 Volts
No Money Down

An outstanding 22-watt P.A. amplifier for medium sized areas up to 6000 sq. ft. Inverse feedback circuitry delivers clean sound from 30 to 20,000 Hz., ±2 db. Ideal for paging, background music, etc. Front panel has mike plus two auxiliary inputs (phono, tuner, recorder) as well as master tone and on-off controls. Standard 4, 8, and 16 ohm impedance output termination plus 25 and 70.7 constant voltage taps. Complete with mike connector and phono plug. Also features a handsome black vinyl-clad cabinet and attractive brushed aluminum front panel with matching knobs. 110-120 volts, 50-60 Hz. Size: 12 3/4" x 8 1/2" x 5 1/2". Shpg. wt., 14 lbs.
44 C 0137WX Net 49.95
4-Speed Phono Top For Above Amplifier.
44 C 0158 Net 18.95

22-WATT INDOOR P.A. SYSTEMS

• PA-622A 22-Watt P.A. Amplifier • Heavy Duty 12" P.A. Speaker • Walnut Finish Wooden Wall Baffle • Lafayette 99-4587 Slim Crystal Mike with On-Off Switch, Desk Stand, Lavalier Cord, Cable, and Floor Stand Adapter • 35 Ft. Speaker Cable

44 C 9134WXM \$5 Monthly Net 64.95
Additional 12" P.A. Speaker and Baffle
44 C 9050WXM Shpg. wt., 10 lbs. Net 9.95
Same system as 44 C 9134WXM except with 30 1/4" x 7 x 3 1/8" 6-speaker column speaker instead of 12" speaker and baffle.
44 C 9135WXM Shpg. wt., 32 lbs., \$5 Monthly Net 74.95
Same system as 44 C 9135WXM plus additional 6-speaker column speaker and cable. Shpg. wt., 47 lbs.
44 C 9136WXM \$5 Monthly Net 98.95

22-WATT PORTABLE P.A. SYSTEMS

A complete 22-watt portable P.A. system that consists of the PA-622A amplifier, a heavy duty 12" P.A. speaker, The Lafayette 99-4587 slim crystal microphone, 35 ft. speaker cable, a fine rugged carrying case that serves as speaker baffle and houses the amplifier, optional phono top, microphone, cable and up to two 12" speakers.
44 C 9137WXM Shpg. wt., 47 lbs. \$5 Monthly Net 74.95
Same as 44 C 9137WXM with extra 12" P.A. speaker and 35' cable.
44 C 9138WXM Shpg. wt., 52 lbs. Net 80.95



As Low As **64⁹⁵**

12" Speaker

Speaker Baffle

99-4587

Portable System

Column Speaker

Outdoor Hi-Fi and Paging Speakers and Accessories

LAFAYETTE OUTDOOR 8" PATIO SPEAKER

- Weather Proof Waterproof
- CLEAR Hi-Fi Sound
- Use Two for Stereo

SALE
988



Enjoy music while relaxing outdoors on your patio; in your yard; at your bar-b-que. Completely wired, ready to install to a radio, phono or hi-fi system. Unaffected by dampness, humidity, or rain. Metal baffle finished in burgundy enamel. 8 ohm impedance. Peak Power 20 watts. Size: 11½ x 11½ x 5¼". With 15' hook-up wire attached.

44 C 3305 Shpg. wt., 6¼ lbs. Net 9.88
Similar to above but with 8" coaxial speaker and electronic crossover. For extended range coverage of 70-15,000 Hz.
44 C 3306W Shpg. wt., 7 lbs. Net 10.88

MISCO WEATHERPROOF SPEAKERS

As Low As **649**

- 3½" and 8" Models
- Gimbal Type Mounting Bracket
- For Patio, Paging, or Mobile Applications



Model MS-3B. Compact, weatherproof, dustproof. Ideal for use in mobile communications, for intercom paging, and as an extension speaker. Can be immersed in water. Power rating 3-watts. Resp 100 to 10,000 Hz; 8 ohms imp. 4½ x 4½ x 2¾ with bracket. Wt., 2 lbs. 44 C 5201 Net 6.49

Model MMS-8F. Similar to above, but with 8" speaker. Power rating 8 watts. Resp: 70-13,000 Hz. 9 x 9 x 4¼". Shpg. wt., 5 lbs. 44 C 5202 Net 12.96

LAFAYETTE MINIATURE HORN PAGING SPEAKER

- Mounts Easily
- 90° Dispersion
- Weatherproof

795



An excellent general purpose paging speaker of amazingly compact size. Ideal for portable PA systems, patios, etc. Long-throw projection of 90° dispersion offers maximum speech intelligibility in high noise areas. Compact size enables it to be mounted anywhere in almost any position. Frequency response 400-12,000 Hz. Impedance 8 ohms. Power handling capacity 5 watts, 8 watts maximum. Complete with mounting bracket, 2-conductor cable. Horn diameter 5½". Depth 4¾". Imported. Shpg. wt., 1½ lbs.

99 C 4508 Net 7.95

UNIVERSITY MM-2F SUBMERGENCE-PROOF SPEAKER

- Ideal For Boats, Marinas and Firetrucks

3848

Designed to meet U.S. Navy Standard for shipboard speakers. Rugged, use wherever water hazards exist. Response: 350-10,000 Hz. Handles 25 watts. Dispersion 150°. Impedance 16 ohms. 7¼" dia. x 3¾"D. Shpg. wt., 5¼ lbs.

44 C 8029 \$5 Monthly Net 38.48



WEATHERPROOF OUTDOOR HI-FI SPEAKERS

Our Low, Low Price
from Spring Catalog 693 continues!
1795



Price Good Until Aug. 15th Only

ELECTROVOICE SONOCASTER I Auxiliary hi-fi loudspeaker system. Lightweight, rugged and weatherproof for extension or portable use anywhere. Special radax coaxial 8" speaker provides amazingly wide range response, 70-13,000 Hz. Ideal for use with existing stereo system, improves performance of any portable radio, record player, recorder, etc. Black molded housing similar to fine air travel luggage; can't chip, fade or peel. Accessory hangup bracket included. Molded in handle. 8 ohms. 30 watts peak. 16¾H x 17W x 5¾"D. Wt. 8 lbs. 21 B 3030W Net 17.95

LAFAYETTE PA DRIVER UNITS FIT ALL TRUMPETS AND PROJECTORS

As Low As **1195**

Hermetically sealed weatherproof driver units. Recommended for all type of PA work and industrial requirements. Wide-range response of these drivers assure excellent reproduction of voice and music. Impedance 16 ohms.



Stock No.	Response (Hz)	Size	Watts	Shpg. Wt.	Net
99 C 4507	120-7100	4 x 3¾	25	3¼ lb.	11.95
99 C 4626	80-12,000	4½ x 4	40	6 lb.	19.95

LAFAYETTE 6 SPEAKER DIRECTIONAL SOUND COLUMNS

For Auditoriums, Schools, Churches, Meeting Rooms

- Reduces Reverberation and Feedback Problems
- Concentrates or "Focuses" Sound Where Needed

A Lafayette 30 Watt Sound Column—Handles up to 30 watts power. Frequency response 200-10,000 Hz. Dispersion 120° horizontal, 30° vertical. Impedance 16 ohms. Attractive vinyl covered wood cabinet. Dimensions 31"H x 7¼"W x 3¼"D. Imported. Shpg. wt., 15 lbs. 99 C 4614WX Net 24.95

B Deluxe Lafayette 60 Watt Sound Column—Handles up to 60 watts power. Size: 41½"H x 7¾"W x 5"D. Frequency response 70-10,000 Hz. Dispersion 120° horizontal, 30° vertical. Handsome vinyl covered wood cabinet. Impedance 8 ohms. Shpg. wt., 25 lbs. \$5 Monthly. 99 C 4625WX Net 49.95



As Low As **2495**

LAFAYETTE DYNAMIC PA MICROPHONE W/SWITCH

- 300-2500 Hz Frequency Response
- Push-to-talk Switch
- Ideal for Solid State PA Amplifiers

395

Features a high impact styrol case, hang-up clip and flexible single conductor shielded cable. Omnidirectional pattern mike has output impedance of 300 ohms and output level of -73 db. at 1000 Hz. Grey and black case, with push-to-talk switch. Imported. Shpg. wt., 1 lb. 99 C 4577 Net 3.95



DYNAMIC MIKE FOR HOME RECORDING

- Ideal Mike for Home Recording
- Frequency Response: 100-10,000 Hertz

349

An outstanding Lafayette microphone for home use. Frequency response: 100-10,000 Hz ±10 db Output level: -57 db at 1000 Hz. Impedance: 50,000 ohms. Complete with 5' shielded cable. 2"W x 3"H x ¾"D. Imported. Shpg. wt., 8 oz. 99 C 4502 Net 3.49



To Speed Your Mail Order—Please Give Your Zip Code Number

7 BANDS


SALE

OUR LOWEST PRICE EVER!

ONLY

79⁹⁵

No Money Down



Bring History Making News Into Your Home... from the famous Capitals of the World Lafayette EXPLOR-AIR MARK VI Professional FM-AM-SW & Weather Receiver

- ★ Thrill To Live Broadcasts of World-Shaking Events!
- ★ Relax With The Magnificent Sound of FM Hi-Fi Music!
- ★ Hear Latest Weather & Marine Reports!
- ★ Enjoy Popular AM Local News, Sports and Weather

Hear exciting International news from: Prague, Berne, Berlin, BBC London, Havana, Vatican, Moscow, Rio, Canada, Japan, Bucharest, Mexico, France, Athens, etc.

The Lafayette Explor-Air Mark VI is a professionally designed FM, AM, Shortwave and Weather receiver with such advanced features as individually tuned circuits for each band, automatic volume control, 455kHz ceramic filter for superior selectivity, tuned RF stage for outstanding sensitivity, and a "Shock-free" high voltage transformer-operated power supply. Seven full dial bands offer extra-wide station separation; illuminated wide-view slide rule dial is labeled with clearly visible names of primary cities and countries. The back panel has terminals for external AM and FM antennas; tape recorder output jack; 8-ohm extension speaker jack; speaker fuse and 24 volt DC input connection. Attractive styling includes brushed aluminum trim and control panel, and oiled walnut wood sides. Two built-in 4" PM speakers. FM Sensitivity: 2µv or less. Size: 14 3/4 x 6 1/2 x 9 7/8" D. Imported. Shpg. wt., 17 lbs.

99 C 2601WX \$5 Monthly

Net 79.95

7 BANDS:

**Hi-Fi FM-AM Broadcast —
Shortwave—Weather—Marine**

Band 1	Weather/Marine	150-400kHz
Band 2	AM Broadcast	550-1600kHz
Band 3	FM Broadcast	88-108MHz
Band 4	Shortwave	5.9-6.25MHz
Band 5	Shortwave	9.45-9.85MHz
Band 6	Shortwave	11.85-12.05MHz
Band 7	Shortwave	15.05-15.55MHz

- 17 Transistors, 6 Diodes, 2 Thermistors
- Attractive Front Panel with Large Illuminated Slide-Rule Dial
- Illuminated Jewel Band Indicators
- Private Listening Headphone Jack
- Built-in FM and AM Antennas
- Tape Record Output Jack
- 105-125VAC/50-60 Hz; 24VDC

Lafayette EXPLOR-AIR MARK V SHORTWAVE + AM BROADCAST RECEIVER

49⁹⁵

No Money Down



5 BANDS

**Broadcast + 4 Exciting
International Shortwave Bands**

- 550 to 1600 kHz
- 9.45 to 9.8 MHz
- 5.9 to 6.25 MHz
- 11.45 to 12 MHz
- 15.05 to 15.5 MHz

Hear the actual broadcasts from the major news centers around the world in English and foreign languages; BBC London, Radio Moscow and many others.

The Explor-Air Mark V receiver brings in stations loud and clear and features simplicity of operation. In addition to the standard AM broadcast frequencies, the receiver is designed to tune the popular international shortwave broadcast bands on 49, 31, 25 and 19 meters (each band occupies a select portion of the full shortwave spectrum) through the use of individual tuned circuits for each of the five bands. For greater ease of tuning on con-

The World at Your Fingertips!

**SUPERHETERODYNE—Not Super-Regenerative!
NOT A KIT—COMPLETELY WIRED**

gested bands each shortwave band has been extended to cover the entire width of the 0 to 100 logging scale. Operating features on the receiver include a self-contained 4" dynamic speaker, built-in loopstick antenna, large illuminated slide-rule dial calibrated in frequency and indicating place names, a front panel headphone jack for optional silent listening, controls for Volume Off/On, Tone and Band Selection, plus rear panel connection for external shortwave antenna. Receiver is AC transformer powered with efficient superheterodyne circuitry. Complete with beautiful walnut grained metal cabinet. For 105-125V., 50/60 Hz AC. Size: 14W x 8D x 6"H. Imported. Shpg. wt., 11 lbs.

99 C 2585WX \$5 Monthly

Net 49.95

SALE

**NEW
AMAZING
LOW
PRICES!**



6 and 10 Meter Amateur Transceivers

Model HA-460 50-52 MHz

SAVE **10.00** Now Only **114⁹⁵**

Model HA-410 28-29.7 MHz

SAVE **10.00** Now Only **99⁹⁵**



**BUILT-IN VFO -
COMPLETELY WIRED**

- Dual Conversion with Crystal Controlled 2nd Converter
- Built-in Solid State 12 V.D.C. and 117 V.A.C. Power Supplies
- Built-in Low Pass TVI Filter
- Tuned Nuvistor Front End
- 20 Watt DC Input—2E26 Final

- Front Panel Speaker
- Front Panel Crystal Socket
- Frequency Spotting Switch
- Air Variable Antenna Load and Plate Tuning
- Illuminated "S" and RF Output Meter

Exciting 400 series transceivers feature a powerful plate modulated 20 watt DC input transmitter and stable VFO with its own frequency control knob. Tune up is fast and efficient with driver and multiplier automatically tuning with VFO. Shielded low pass filter minimizes TVI problems. Dual conversion receiver utilizes a crystal controlled 2nd converter. Nuvistor RF amplifier's sensitivity is less than 1 μ v. for 10 db signal to noise ratio. Selectivity at 8 kHz is 35 db. SCR controlled noise limiter effectively eliminates most types of QRM. Other features include spotting switch, use of standard 7 and 8 MHz Crystals with front panel crystal socket; illuminated meter that reads S units on receive and RELATIVE RF output on transmit; plug-in encapsulated dust free relay switching; front panel earphone jack; push-pull audio amplifier; and rugged push-to-talk ceramic mike with coiled cord and plug. Going mobile? The 400's come with both 117 V.A.C. and 12 V.D.C. (positive or negative ground) built-in solid state power supplies. Supplied with AC + DC power cords, mike and mobile mounting bracket. Size: 12 $\frac{1}{4}$ "Wx5 $\frac{1}{2}$ "Hx3 $\frac{3}{4}$ "D. Imported. Shpg. wt., 22 lbs.

Lafayette Model HA-460—6 Meter Amateur Transceiver for 50.0-52.0 MHz.
99 C 2579WX \$7 Monthly Net 114.95
Crystals for HA-460. Specify Fundamental Frequency (divide operating frequency by 6). Will supply to nearest 5 kHz.
40 C 54037 Specify Frequency Net 2.95
Lafayette Model HA-410 — 10 Meter Amateur Transceiver for 28.0-29.7 MHz.
99 C 2575WX \$6 Monthly Net 99.95
Crystals for HA-410. Specify Fundamental Frequency (divide operating frequency by 4). Will supply to nearest 5 kHz.
40 C 54027 Specify Frequency Net 2.95
Lafayette 6-Meter "Rapid Grip" Mobile Trunk Antenna, 40 C 0109 Less Cable. Shpg. wt., 2 lbs. Net 11.95
20 Ft. RG-58/U Cable Assembly, 42 C 7002 Net 2.75

LAFAYETTE SWR AND FIELD STRENGTH METER

ONLY **9⁹⁵**



- Measures SWR, Relative Forward And Reflected Power to 1 KW
- Reads Field Strength

Can be left continuously in the circuit for monitoring transmitter outputs. SWR: 1:1 to 3:1; Accuracy \pm 5 db, 2 to 30 MHz; Impedance: 52 Ohms; Antenna: 5-section collapsible. Comparative RF field strengths can be easily determined with this fine meter. Sensitive 100 micro-ammeter movement with easy to read 2-color dial. Attractive grey hammertone aluminum case. Size: 1 $\frac{3}{4}$ "W x 5 $\frac{1}{4}$ "H x 2 $\frac{1}{4}$ "D. Imported Shpg. wt., 1 lb. 99 C 2537 Net 9.95

100-WATT MOBILE LINEAR AMPLIFIER Model HA-250

SMALL... COMPACT
ONLY 2 INCHES HIGH!

Convert Flea Power
To Real Power!

79⁹⁵
No Money Down



Made in U.S.A.

- Covers 20-54 MHz... 6, 10, 11 and 15 Meters (not Permitted on 11 Meters Class D (CB) in U.S.A.)
- Will Work On Any Signal of 1 to 10 Watts—AM, FM, SSB or DSB and CW
- No External Switching Required

Provides up to 100 watts PEP (50 Watts DC) input into a 50 ohm load (with 8 watts RF drive). Unique RF sensing circuit automatically switches in linear when transmitter is activated. Absolutely no external switching is necessary. Built-in relay directly connects antenna to input SO-239 coaxial socket when receiving. No external connections are required to your existing equipment. Illuminated front panel meter indicates relative RF strength of linear's output

signal when linear is on, or exciter's relative RF signal strength when linear is off. Self-contained power supply utilizes a high efficiency toroid power transformer. Ruggedly designed chassis with oversized heat sinks assures sturdy and cool operation. Supplied with comprehensive manual, fused DC power cables, and mounting bracket. Size: 7Dx9Wx2"H. 12 Volt DC Neg. Ground Only. Shpg. wt., 3 $\frac{1}{2}$ lbs. 40 C 0106WX \$5 Monthly Net 79.95
Model HA-260 120-Watt, 2-Meter Version of above plus Grid Tune. 11 $\frac{1}{2}$ "x8 $\frac{1}{2}$ "x2 $\frac{3}{8}$ ". 40 C 0108WX Shpg. wt., 3 $\frac{1}{2}$ lbs. Net 99.95

**Listen to U.S. Weather Forecasts
and Disaster Warnings!
with LAFAYETTE
VHF RECEIVERS**

MONITOR

STATE, COUNTY AND MUNICIPAL POLICE—FIRE DEPARTMENT—CIVIL DEFENSE—RAILROADS—TRUCKING—HIGHWAY MAINTENANCE—FORESTRY—AVIATION—CONSERVATION—PETROLEUM and INDUSTRIAL ACTIVITIES.

**POLICE And FIRE DUAL BAND
SOLID STATE FM RECEIVER**

**2 Receivers In 1! 2 Bands:
30-50 MHz + 152-174 MHz**



+17 Transistors = Super Sensitivity, Selectivity

**CRYSTAL CONTROL PLUS
TUNEABLE RECEPTION**



Model PF-175

Only **99⁹⁵** No Money Down

- Operates on 117VAC and 12VDC
- Sensitivity 0.7 μ V for 20 db Quieting
- Tuned RF and Mixer Stages
- 4 IF Stages with IC's
- Tape Recorder Output Jack

An advanced FM receiver that is outstanding in performance and features. Covers two VHF communications bands with super-sensitivity—fully tuneable or can be crystal-controlled for reception on a single frequency in either band. Also tunes to 162.55 MHz and 163.275 MHz U.S. Weather Bureau reports and disaster alarms in many parts of the country. Superheterodyne circuit includes tuned RF and mixer stages. Four IF stages, each using an advanced space-age Integrated Circuit (IC). No larger than a tiny transistor, each IC is actually a complete circuit with 5 transistors and 2 resistors—you get the equivalent of 20 transistors in the IF stages alone! 100% solid state design offers top reliability too! "Instant-on" transistor circuit permits immediate response to emergencies! Built-in universal power supply assures continuous monitoring under any conditions—the unit also operates from a 12VDC battery supply for field use or as an emergency portable if AC power fails. Front panel controls include a 4-position selector for choice of Xtal or

Tuneable reception on either of the two VHF bands. Variable squelch control lets you silence the receiver during no-signal conditions to reduce monitoring fatigue. Also equipped with illuminated slide-rule dial, plus handy on-off volume control. Has a handsomely styled vinyl-clad steel cabinet in a simulated walnut wood-grain finish, and equipped with built-in 4" front-mounted speaker and external phone jack. Size: 13 $\frac{1}{4}$ " x 7 $\frac{1}{2}$ " x 6"H. Imported. Shpg. wt., 17 lbs.

99 C 2589WX Model PF-175 (less Crystals) Net 99.95
CRYSTALS—Specify Exact Operating Frequency.
40 C 8207Y 30-50 MHz. Subject to 4 weeks delivery. Net 5.95
40 C 8208Y 152-174 MHz. Subject to 4 weeks delivery. Net 5.95
ANTENNAS For PF-175
"Range Boost" Ground Plane Antenna for 30-50 MHz & 130-174 MHz.
40 C 0105WX Shpg. wt., 6 lbs. Net 19.95
2 Band Center Loaded Indoor Antenna for 30-50 MHz and 152-174 MHz.
99 C 2610 Shpg. wt., 2 lbs. Net 8.95

POLICE And FIRE SINGLE BAND SOLID STATE FM RECEIVERS

CRYSTAL CONTROL plus TUNEABLE RECEPTION



4 **INTEGRATED IC CIRCUIT** **+ 13 Transistors**

Only **79⁹⁵**

No Money Down

**Model PF-30
30-50 MHz**

**Model PF-60
152-174 MHz**

- 4 IC's Plus 12 Transistors for PF 30
- Crystal Control Plus Tuneable Reception
- 117 VAC and 12 VDC Operation
- Tape Recorder Output Jack

Same super-sensitive solid-state FM receivers as Model PF-175 except that these are single band models covering the high or low bands. Advanced IC's included in the IF stages, plus tuned RF and Mixer stages. Also feature same rugged design for trouble-free operation and have universal power supply for either normal 117-VAC operation or 12 VDC battery operation for field use or during emergencies. Model PF-60 can tune to 162.55 MHz and 163.275 MHz U.S. Weather Bureau reports and disaster alarms in many parts of the country. Controls: Variable Squelch, On-Off Volume, Tuning and Selector (Tune-Xtal) Less Crystal. Size: 13 $\frac{1}{4}$ " x 7 $\frac{1}{2}$ " x 6"H. Im-

ported. Shpg. wt., 16 $\frac{1}{2}$ lbs.
99 C 2590WX Model PF-60 152-174 MHz. \$5 Monthly Net 79.95
99 C 2591WX Model PF-30 30-50 MHz. \$5 Monthly Net 79.95
CRYSTALS—Specify Exact Operating Frequency, 4 weeks delivery.
40 C 8208Y 152-174 MHz Net 5.95
40 C 8207Y 30-50 MHz Net 5.95
ANTENNAS For PF-30 And PF-60.
40 C 0116W Ground Plane Antenna for 130-174 MHz. 2 lbs. Net 7.50
40 C 1301W Window Antenna for 30-50 MHz. Wt. 3 lbs. Net 7.95
40 C 0117W Ground Plane Antenna for 25-50 MHz. 2 lbs. Net 8.95

Business Service
Taxicabs
Railroads
Auto Emergencies
Forestry Conservation

Police Department
Fire Department
Special Emergency
Highway Maintenance
Local Government



MONITOR

Listen To U.S. Weather Forecasts
and Disaster Warnings!

Model PB-50
30-50 MHz

Model PB-150
152-174 MHz

Only
69⁹⁵
No Money Down



With NEW REVOLUTIONARY



For SPACE AGE
DEPENDABILITY

PORTABLE

MOBILE

Police And Fire Solid State Mobile Monitor Receivers


★ Tunable Plus One Crystal Position

★ 4 IC's Plus 13 Transistorst

Thrill to urgent police broadcasts, hear the excitement of fire squads in action! PB-150 tunes to 162.55 MHz and 163.275 MHz. U.S. Weather Bureau weather reports and disaster alarms in many parts of the country. You have a choice of two wide range models, tuneable from either 30 to 50 MHz or 152 to 174 MHz. Each has provision for one crystal controlled frequency. The highly sensitive front end features .7 μ v for the PB-50 and less than 1 μ v for the PB-150. The selectve "I.F." features four integrated circuits in the IF section. Weak distant stations can be heard clearly, while outside noise and interference are drastically reduced. The efficient 2.8 watt audio section terminates in a big 3 x 5" PM speaker, providing for clean, clear sound reproduction. Only 2 $\frac{3}{8}$ " high, the units are ideal for car, truck or boat and are easily mounted under virtually any dash board or control panel (Mounting brackets are included). Power may be supplied by any standard 12 volt negative ground battery or by the HB-502A 117 VAC base station power supply listed. Its 13 transistor + 4 IC's (PB-150) and 12 Transistor + 4 IC's (PB-50) solid state circuitry features extremely low current drain. Three controls complement the stylish front panel: Volume/Squelch, X'tal/Tune, and

Tuning. Antenna Impedance: 50-75 omhs. Size 2 $\frac{3}{8}$ Hx6 $\frac{1}{4}$ Wx8"D. Imported. Shpg. wt., 7 lbs.
99 C 2593WX Model PB-50 (30-50 MHz) \$5 Monthly Net 69.95
Crystal for PB-50. Specify exact operating frequency.
40 C 8207Y 3-4 weeks delivery Net 5.95
99 C 2592WX Model PB-150 (152-174 MHz) \$5 Monthly Net 69.95
Crystal for PB-150. Specify exact operating Frequency.
40 C 8208Y 3-4 weeks delivery Net 5.95
Model HB-502A AC Power Supply and Battery Charger. Net 16.95
99 C 3153W Shpg. wt., 5 lbs. Net 19.95
Model HB-506 Portable DC Power Pack with shoulder strap. Net 19.95
99 C 3154 Less Batteries. Shpg. wt., 2 lbs. Net 19.95
32 C 4887 "C" Alkaline HB-506 Battery (8 req.) Net ea. .49
32 C 4888 "C" Nicad Chargeable Alternate Batt. (10 req.) Net ea. 4.06
Mobile Antennas For PB Monitors
40 C 0113W 130-174 MHz. Shpg. wt., 1 lb. Net 5.95
40 C 0114W 30-36 MHz. Shpg. wt., 2 lbs. Net 11.95
40 C 0115W 36-42 MHz. Shpg. wt., 2 lbs. Net 11.95
40 C 0112W 42-50 MHz. Shpg. wt., 2 lbs. Net 11.95

ECONOMY MONITOR SYSTEMS WITH "PB" and "PF" POLICE AND FIRE RECEIVERS



Low Band Antenna
MOBILE STATIONS

High Band Antenna

BASE STATION With Outdoor Antenna

Indoor Antenna

- PB-150 Monitor Receiver (152-174 MHz)
- High Band Mobile Antenna, Roof or Trunk Mount, Complete with Cable

40 C 9010WXM Shpg. wt., 11 lbs. Net 73.95

Package Price
73⁹⁵
\$5 Monthly

- PF-60 High Band Receiver (152-174 MHz)
- High Band Ground Plane Antenna
- 50 Ft. RG-8/U Low Loss Coaxial Cable

40 C 9040WXM Shpg. wt., 26 lbs. Net 92.95

Package Price
92⁹⁵
\$5 Monthly

- PB-50 Monitor Receiver (30-50 MHz)
- Low Band Mobile "Rapid-Grip" Trunk Lid Mount Antenna (30-36 MHz)
- 20 Ft. Coaxial Cable Assembly

40 C 9019WXM Shpg. wt., 13 lbs. Net 81.95

Package Price
81⁹⁵
\$5 Monthly

- PF-30 Low Band Receiver (30-50 MHz)
- Low Band Ground Plane Antenna
- 50 Ft. RG-8/U Low Loss Coaxial Cable

40 C 9041WXM Shpg. wt., 26 lbs. Net 93.95

Package Price
93⁹⁵
\$5 Monthly

Same as 40-9019WXM except with 36-42 MHz antenna.
40 C 9020WXM Net 81.95

Same as 40-9020WXM except with 42-50 MHz antenna. Shpg. wt. 13 lbs.
40 C 9021WXM Net 81.95

Package Price
81⁹⁵
\$5 Monthly

- PF-175 Dual Band Monitor Receiver
- Dual Band Range Boost Antenna
- 59 Ft. RG-8/U Low Loss Coaxial Cable

SAVE 5.45 from Catalog Individual prices
40 C 9024WXM Shpg. wt., 30 lbs. Net 122.95
Same as 40-9024WXM except with Lafayette 2-Band VHF Indoor antenna.
40 C 9042WXM Shpg. wt., 19 lbs. Net 104.95
SAVE 3.95 from Individual Catalog prices

Package Price
93⁹⁵
\$5 Monthly

POLICE, MARINE, WEATHER, SOLID-STATE RADIOS & CONVERTERS

SHARP 3 BAND AM-FM-FM/VHF CAR/PORTABLE POLICE RADIO



ONLY
49⁹⁵

Complete with Car Bracket, Lock and Key, Batteries, AC Line Cord, and Earphone.

- Install in any 6 or 12 volt car system, use as a portable or on 117VAC with self-storing AC line cord.

Deluxe, multi-purpose 3-way solid state radio specially designed for use in car, as a portable, or in the home, features dramatic FM-VHF High Band (150-176 MHz) reception of police, fire, civil defense, and U.S. Weather Bureau forecasts. Also tunes the standard AM and FM broadcast bands. As a car radio, it locks into its specially designed, under-the-dash bracket (supplied) and operates thru the car's 6 or 12-volt electrical system. Outdoors it plays on 4 "C" size flashlight cells. Indoors it plays on 117 VAC with an AC line cord (supplied). Features: dynamic oval speaker and 2-watt output for excellent sound quality; precision vernier slide-rule tuning dial; dial light (when operated on car battery); pushbutton tone control; earphone jack and earphone for personal listening; telescoping FM and FM-VHF antenna; ferrite core AM antenna. Dimensions: 7 1/2 x 5 1/4 x 2" D. U.L. listed. Imported. Shpg. wt., 6 lbs.

17 C 5306 \$5 Monthly Net 49.95
99 C 6257 Extra "C" cells, 3 required Net .14

DELUXE FM-VHF and AM-VHF MOBILE POLICE and FIRE TUNAVERTERS



Your Choice

32⁹⁵ ea.

- For High And Low Band Police, Fire, Aircraft
- Plugs Into Your Regular AM Car Radio
- Tuneable And Crystal Control
- Self-Contained Battery Power Supply

All transistor tuneable converter that enables your regular car AM auto radio to receive Police, Fire, and aircraft VHF frequencies. Drift-free monitoring with FET transistor oscillator. 3-gang tuning capacitor. Completely tuneable or crystal controlled operated. Comes complete with 24" special low capacity coax cable with Motorola plugs on each end of the cable ready to plug into your auto radio. 2 1/2" x 3 1/2" x 4 1/2". Operates on 9 Volt battery. Shpg. Wt., 2 lbs.

STOCK NO.	TUNES	NET EA.
40 C 2002	Police 150-164 MHz	32.95
40 C 2003	Police 33-48 MHz	32.95
40 C 2004	Aircraft 118-128 MHz	32.95
99 C 6021	9-Volt battery for above	.21

NOVA-TECH "ACTION II" 5 BAND AM-FM/VHF POLICE MARINE RADIO

With Radio Direction Finder



SALE!
99⁹⁵ **3000 PRICE CUT**
Was 129⁹⁵ 1969 CATALOG 690
SALE PRICE IN EFFECT THRU 8/15/66

Tunes 5 Exciting Bands:

Police: 30-50 MHz Marine: 1.5-4.5 MHz
Police: 150-175 MHz Beacon: 200-400 kHz AM: 550-1600 kHz

Deluxe 5 Band Portable Receiver with Radio Direction Finder. Tunes in FM police frequencies (both high and low band). Also covers entire regular marine band, new VHF marine band, special weather broadcasts (up to 200 mile radius around reporting station), navigation beacons, shortwave, 75 meter "ham" band, and your favorite AM music, news and sports programs. Features squelch control, three telescoping antennas, rotating loop antenna, 180° left-right bearing scale, null meter, DF level control, calibrated optical sights on rotating antennas for taking visual bearings, pushbutton dial light, earphone jack, 117VAC adapter cord which plugs into house current. Sensitive 14-transistor circuit for superb sensitivity and selectivity. Includes instruction manual with Morse code guide. Dim. 9 1/2 x 5 1/2 x 2 1/2". Imported. Shpg. wt., 6 lbs.

40 C 3802WX \$5 Monthly Net 99.95
99 C 6258 Extra "AA" batteries (4 required) Net ea. .10

"SHIPMATE" MOBILE MARINE RADIO CONVERTER



- Receive Marine Broadcasts On Your AM Car Radio
- Tuning Range 2000-3000 kHz
- For Coast Guard, Marine Telephone, Ship-to-Ship Broadcast, WWV (weather), Ship-to-Shore Conversations

19⁹⁵

Now you can listen to marine broadcasts on your car radio. A flick of the switch and your auto radio becomes a powerful, long-range marine receiver. Switch back and it plays the normal broadcast band. All-transistor circuitry uses only 1/2000 of an amp from built-in battery; virtually the battery's entire shelf life. Converter selects any frequency between 2000 kHz and 3000 kHz. Operates with either 6V or 12V automobile ignition system. Comes complete with mounting hardware, 24" antenna cable and 9v battery. Size: 4 1/2 x 2 1/2 x 1 1/2". 40 C 3201 Shpg. wt., 1 1/2 lbs. Net 19.95
"Weathermate" Mobile Marine And Weather Band Converter: All the features of above plus continuous marine weather reception. Includes crystal-controlled VHF converter for 162.55 MHz. Also tunes 2-3 MHz. 4 1/2 x 2 1/2 x 1 1/2". 40 C 3202 \$5 Monthly. Shpg. wt. 1 1/2 lbs. Net 39.95

LAFAYETTE—Headquarters For Top Quality CB Accessories

(A) LAFAYETTE CB TRANSCEIVER TESTER. Easily and quickly evaluate and improve operating efficiency in both fixed and mobile installations. Permits aural monitoring of local transmitters; visual transmitter monitoring with scope. Measures: RF power output, relative field strength, SWR, % modulation, and crystal activity. Generates: controlled RF signal, modulated audio signal and 1 Kc audio signal. Also has in-circuit connection to antenna without removing cables from transmitter. Sensitive D'Arsonval meter. Sturdy attractive molded case with brushed aluminum front panel. Includes 9V battery; 30" telescoping antenna. 7 $\frac{7}{8}$ x 5 $\frac{3}{8}$ x 2 $\frac{7}{8}$ ". Shpg. wt., 4 lbs. 42 C 0126 \$5 Monthly Net 37.95

(A)

 Only **37⁹⁵**
CB TRANSCEIVER TESTER

(B)

 Only **2²⁹**
GENERATOR NOISE FILTER

(B) LAFAYETTE GENERATOR NOISE FILTER. Enables quiet receiver operation for Citizen Band, Amateur and industrial frequencies. Standard frequency range 3-30 MHz. Maximum current 25 amps. Imported. Shpg. wt., 1 lb. 99 C 6018 Net 2.29

(C) LAFAYETTE CB NUVISTOR PREAMPLIFIER. Can be added to virtually any CB transceiver to improve gain and noise figure. Covers a frequency range of 26.96 to 27.225MC and employs a nuvistor tube in a neutralized circuit. Tuned circuitry is employed for both the grid and plate. Gain is 20 db and noise figure of 2.0 db at 27MC. Power requirements are 6.3 volts at 135 ma, and 100-250 volts DC at 8 ma. Only 2 $\frac{1}{2}$ x 3 $\frac{1}{2}$ x 1 $\frac{1}{2}$ ". Shpg. wt., 2 lbs. 42 C 0127 Net 10.95

(C)


 Only **10⁹⁵**
CB NUVISTOR PREAMPLIFIER

(D)

 Only **7⁹⁵**
 Made in U.S.A.
CB LOW PASS FILTER

(D) LAFAYETTE CB LOW PASS FILTER. Attenuates radiated spurious and other undesirable harmonic signals higher than 50 MC approximately 50 db or more; Minimizes interference with your own or your neighbor's TV set. Simple to install with two built-in SO-239 connectors. Impedance is 50-75 ohms and connections may be reversed for same imped. match. Max. power rating is 100 W. Size: 5x2x1 $\frac{3}{4}$ ". 42 C 0123 Shpg. wt., 1 $\frac{1}{2}$ lbs. Net 7.95

(E) LAFAYETTE AUTO-MARINE ENGINE NOISE SUPPRESSOR KIT. A must for mobile CB and Ham Operators! Effectively suppress ignition, generator and voltage regular noise. Kit includes: 8 spark plug suppressors; 1 distributor suppressor; 1 voltage regulator suppressor; 12 ft. shielded cable, 18" bonding strap 1/4" wide, 4 coaxial capacitors. All necessary hardware and instructions for installation included. Shpg. wt., 2 lbs. 42 C 0905 Net 10.95

(E)

 Only **10⁹⁵**
AUTO-MARINE ENGINE NOISE SUPPRESSOR KIT

(F)

 Only **3²⁹**
ALTERNATOR NOISE FILTER

(F) ALTERNATOR NOISE FILTER. A highly effective filter for alternator equipped automobiles. Attenuates alternator noise by 50 db. Can operate up to 32 volts DC. Results in quiet mobile receiver operation. 42 C 4900 Shpg. wt., 8 oz. Net 3.29

(G) CB ANTENNA MATCH. Gives a perfect antenna/transmission line match of 1:1 VSWR for full power. Easy to install. Requires no special tools for installation. Simply insert the CB MATCHER between the transmitter and antenna lead-in. Adjustable tuning knobs permit precise matching under various operating conditions. 42 C 2103 Shpg. wt., 6 oz. Net 9.95

(G)

 Only **9⁹⁵**
CB ANTENNA MATCH

(H)

 Only **4⁹⁵**
MOBILE CB TRANSCEIVER IC BURGLAR ALARM

(H) MOBILE CB TRANSCEIVER IC BURGLAR ALARM. Guard against theft of your CB equipment. Simple connection between your car's horn and CB set automatically sounds horn when someone tries to steal your CB Unit. Alarm incorporates dependable IC circuitry. Two way switch permits you to remove your transceiver without sounding alarm. For 12VDC negative or positive ground electrical system. Complete with instructions, wire and mounting hardware. Shpg. wt., 3 oz. 42 C 7101 Net 4.95

(I) CB BASE STATION DYNAMIC MIKE. With push-to-talk button plus push lock switch for prolonged transmission. Low impedance for use with transistorized CB transceivers. 3-conductors plus shield for relay or electronic switching. Size: 3 $\frac{3}{4}$ x5 $\frac{3}{4}$ x7 $\frac{3}{4}$ ". Imported. 99 C 4608 (less plug) Shpg. wt., 1 $\frac{1}{2}$ lbs. Net 11.95
MIKE PLUG FOR HB-600, HB-500, A, HB-555, HB-525, A, B, C, HB-625, HB-23, Telsat 23, and Telsat 150. Shpg. wt., 4 oz. 99 C 6283 Net 9.99

(I)

 Only **11⁹⁵**
CB BASE STATION DYNAMIC MIKE

(J)

 Only **9⁹⁵**
CB OUTPUT POWER SENSOR

(J) CB OUTPUT POWER SENSOR. Output power sensor and dummy load! Easy-to-use and very accurate. Helps trouble shoot transmitter and antenna by reading output power and converting volts to watts *when used with a VOM rated at 10K, 20K or 100K ohms/volt. Voltage to watts conversion table on the sensor will show output in watts. Dummy load: non-inductive 52-ohms. Shpg. wt., 6 oz. 42 C 2105 Net 9.95

(K) 2-POSITION ANTENNA COAXIAL SWITCH. Cber's and Hams can stop reaching behind their rigs, wasting time and missing calls switching antenna leads. With this quality coaxial switch—just turn the knob and instantly change from one antenna to another. Size: 2 $\frac{1}{2}$ x 1 $\frac{1}{4}$ ". Shpg. wt., 1 lb. 42 C 2102 Net 5.95

(K)

 Only **5⁹⁵**
2-POSITION ANTENNA COAXIAL SWITCH


(L)

 Only **5⁹⁵**
DYNAMIC CB MIKE

(L) LAFAYETTE HAND HELD CB DYNAMIC MIKE. For use with low impedance solid state transceivers. Mates directly with Lafayette HB-500A, HB-555, HB-525, A, B, C, HB-625, HB-23, HE-20T, HE-20D, HA-450T, HB-600, and Telsat 23. With 3-cond. coiled cord plus shield. Wired for relay switching. Size: 3 $\frac{3}{8}$ x2 $\frac{3}{8}$ x1 $\frac{1}{4}$ ". Imported. 99 C 4618 Shpg. wt., 1 lb. Net 5.95

Deluxe LAFAYETTE CB Antennas And Accessories

LAFAYETTE RANGE BOOST//II Deluxe BASE STATION CB ANTENNA



- Heavy Duty Mounting Bracket
- Static Clover Leaf Ball Design Reduces Receiver Noise
- 3.75 db True Omni-Directional Gain
- VSWR-1.17-1
- Signal to Noise Improvement of 6-20db

Only **19⁹⁵**

Made in U.S.A.

Best selling 1/2 wave Base Station Antenna. Specially designed anti-static cloverleaf ball drastically reduces receiver noise by continuous dissipation of static discharge. Weatherproof phasing transformer, three 54" radials provide proper transmission line decoupling. Heavy duty mounting bracket. Direct ground lightning protection. 50 ohm match. 17'6" over-all length. Accepts up to 1 1/2" masts, and PL-259 cable connector. (Less mast and coax). Wt., 6 lbs. 42 C 0144WX Net 19.95


RG58/U POLYFOAM COAX CABLE ASSEMBLIES

- PL-259 Connectors on Both Ends

Stock No.	Length	Wt.	Net
42 C 0910	50 ft.	7 lbs.	8.50
42 C 0911	100 ft.	11 lbs.	14.95

20 FT. RG58/U MOBIL CABLE ASSEMBLY Terminates in PL259 and universal lugs. Shpg. wt., 1 lb. 42 C 7002 Net 2.75

NEW! ANTENNA SPECIALISTS M-195 "SQUARE RIGGER" CB Basic Quad



Only **49⁹⁵**

- 30db Front-to-Back Ratio
- 7.5db True Forward Gain

"Maximum focus" design featuring large reflector element produces 7.5db true forward gain — reduces interference drastically with 30db front-to-back ratio. Split-wire matching eliminates loading stubs. Precision matching provides optimum VSWR at center, 1.3:1 or better at band edges. Sturdy, seamless aluminum tubing throughout. Dipoles are steel-core copper-clad cable. Fool-proof assembly — prealigned. Accepts masts up to 1 1/4" pipe or 2" tubing. Less coaxial cable. Shpg. wt., 15 lbs. 42 C 1055W \$5 Monthly Net 49.95

BEST SELLING LAFAYETTE MOBILE CB ANTENNA

- 102" Stainless Steel Whip For Optimum 11-Meter Performance
- Heavy-Duty Cadmium Plated Steel Spring
- Aluminum Swivel Ball Jointed Mount Base

Only **6⁹⁵**

Aluminum swivel mount base designed to be mounted on any surface. Plated steel spring holds rod in properly adjusted position and prevents rod damage from shocks and blows. Stainless steel whip for resiliency and strength. Less cable. Shpg. wt., 4 lbs. 42 C 0155WX Net 6.95



Deluxe LAFAYETTE 4 ELEMENT GROUND PLANE ANTENNA



Only **10⁹⁵**

Solid aluminum 4 heavy duty 108" heat-treated radials and radiator. Elements supplied in two 54" lengths joined by threaded coupling nuts. Radial droop for 50 ohm match. Accepts 1 1/4" tubing, RG-58/U cable and PL-259 connector. Less mast and coax. Wt. 4 lbs. 42 C 0156W Net 10.95

LAFAYETTE CB BUMPER MOUNT ANTENNA WITH STAINLESS STEEL STRAP

- Cadmium Plated Bumper Mount with Plated Steel Strap
- 102" Stainless Steel Whip
- Heavy-Duty Cadmium Steel Spring Plated

Only **9⁹⁵**

An outstanding Lafayette CB antenna. Features a full-size 102" stainless steel whip and a fully adjustable steel plated mount with a steel plated strap which was specially designed to fit most cars. Heavy duty plated steel spring is built for extremely rugged mobile use. Less cable. Imported. Shpg. wt., 3 lbs. 99 C 3032WX Net 9.95



6⁹⁵

LAFAYETTE MOBILE AM TO CB ANTENNA CONVERTER



3⁹⁵

UNIVERSAL BASE LOADED CB WALKIE-TALKIE ANTENNA



A DELUXE LAFAYETTE MOBILE AM TO CB ANTENNA CONVERTER ASSEMBLY. Specially designed AM to CB antenna converter consisting of a weatherproof loading coil with a universal mount and adjustable 7/4" stub. Covers entire 27 MC Citizens Band. Easily attaches to your existing AM automobile antenna. Includes dividing harness which couples your new combination AM and CB antenna directly to your C B Transceiver and AM auto radio. Imported. 99 C 3116 Shpg. wt., 2 lbs. Net 6.95

B DELUXE UNIVERSAL BASE LOADED CB WALKIE-TALKIE ANTENNA. Only 16" in length. Replaces broken or existing recessed antenna. Instantly attaches without tools. Can be tuned to compensate for antenna length. Made of non-corrosive materials. Electrically equal to long telescoping antennas. Shpg. wt., 1 lb. 42 C 0151 Net 3.95

C UNIVERSAL ANTENNA MOUNTING KIT AND LIGHTING PROTECTOR. Deluxe mounting kit for base station consists of: Blitzbug Lightning Arrestor, 50 ft. ground wire, angle base and roof mount—works on any surface—takes masts up to 2 1/4" O.D., 50' of steel guy wire, 3 steel turnbuckles, 3 way guy wire clamps, package of 3 open eye bolts (Kit comes less mast.) Shpg. wt., 6 lbs. 42 C 0130M Net 6.99

D CORNELL-DUBILIER MODEL AR-22R AUTOMATIC ROTOR FOR CB ANTENNAS. Heavy-duty rotor unit will handle CB antennas up to 150 lbs. Simply set the control unit pointer to the desired direction, and the antenna will automatically rotate to this position and stop. Rotor unit employs 12 heavy duty ball bearings. Reversible clamps on rotor will take masts from 7/8" to 2". O.D. Control unit is marked in compass points. For 110-120 volts, 50-60 cps AC. Requires 4 conductor cable. Shpg. wt., 14 lbs. 42 C 8607WX \$5 monthly Net 34.95
100 ft. coil of 4-conductor rotor cable. Shpg. wt., 3 lbs. 32 C 8910 Net 3.10

6⁹⁹

UNIVERSAL ANTENNA MOUNTING KIT AND LIGHTING PROTECTOR

34⁹⁵

CORNELL- DUBILIER AR-22R AUTOMATIC ROTOR



Lafayette CB/WALKIE TALKIES with Plug-In Crystals And

B-E-E-P Call Alert

A 2 CHANNEL 5 TRANSISTOR HA-132

- Audio Call Alert • Superheterodyne
- 2 Switchable Channels

5 transistor, 1 diode circuit employs crystal-controlled superheterodyne receiver for clear, crisp reception and extra powered 100 millwatt transmitter using plug-in, easy-to-change crystals for any 2 switchable channels. Transmits and receives alerting audio tone to initiate communications. Supplied with channel 10 transmit and receive plug-in crystals and 9 volt battery. Size: 2 3/4 W x 5 9/16 H x 1 1/2" D. Imported, 2 1/2 lbs.

99 C 3185L Net ea. 9.95
99 C 6021 Replacement Battery Net .21

B 3-CHANNEL 10-TRANSISTOR RANGE BOOST HE-210A

- Built-in Call Alert
- 10 Silicon Transistors
- 3-Channels For More Versatility

Features a powerful Range Boost modulated transmitter and efficient superhet receiver in a lightweight, 16 ounce package. Sends or receives an initial alerting tone. Styled in professionally designed black and brushed aluminum metal case. Supplied with antenna, 6 penlight batteries, and a pair of plug-in crystals for channel 10. Size: 6 7/8 x 2 1/4 x 1 5/8". Imported, Shpg. wt., 2 1/2 lbs.

99 C 3127L HE-210A Net ea. 19.95
Replacement Dry-Cell Batteries (6 required)
99 C 6258 Net ea. .10
Alternate Alkaline Battery (6 required)
99 C 6294 Net ea. .29
99 C 3142 Battery Eliminator Net 2.95

C .5 WATT 3 CHANNEL HA-305

- Built-In Call Alert
- Range Boost For Extended Talk Power
- Adjustable Squelch, and Noise Limiter
- Superhet Receiver with 1µV Sensitivity

Lightweight 2-way transceiver includes three switchable channel positions for alternate choice of frequencies. Call alert system. 117 volt AC operation with optional battery eliminator and battery condition indicator. 14 transistor, 2 diode, 1 varistor circuit. With telescopic antenna, batteries, carrying strap, crystals for channel 9, and FCC License Form 505. Imported, 2 1/2 lbs.

99 C 3139L \$5 Monthly Net ea. 24.95
99 C 3186 Battery Eliminator Net 7.95
99 C 6294 Alkaline Batt. (8 req.) Ea. .29
99 C 2541 Earphone for above Net 1.29

D 2 WATT 3 CHANNEL HA-303

- Built-in Call Alert
- Variable Squelch, ANL, AVC
- Range Boost Modulating Circuitry

Powerful walkie talkie features 3 channel operation and 2 watt transmitter input for flexible, dependable communications. Superhet receiver utilizes a tuned RF amplifier to pull in weak signals. Built-in alert system. 117 volts AC operation with optional battery eliminator. 13 transistor 4 diode circuit features built-in battery meter, push-pull audio, jacks for external antenna and earphone. Supplied with telescoping antenna, battery holder (less batteries), set of crystals for channel 11, and FCC License Form 505. Size: 3 1/4 W x 8 1/4 H x 1 3/4" D. Imported. Shpg. wt., 3 1/2 lbs.

99 C 3091L \$5 Monthly Net ea. 39.95
99 C 3109 Eliminator Charger Net 13.95
99 C 6294 Alkaline Batt. (10 req.) Ea. .29
See Page 497 Cat. 690 for full accessories.

EXTRA CRYSTALS FOR ABOVE WALKIE TALKIES
46 C 15 Transmit, Specify Channel Net 2.25
46 C 12 Receive, Specify Channel Net 2.25



HA-132




HE-210A

A 2 CHANNEL 5 TRANSISTOR SUPERHET WITH CALL ALERT
No License Required
FCC Regulation Part 15 **9⁹⁵ Each**

B 3-CHANNEL 10-TRANSISTOR CB WALKIE TALKIE WITH CALL ALERT
No License Required
FCC Regulation Part 15 **19⁹⁵ Each**



HA-305




HA-303

C .5 WATT 3 CHANNEL CB WALKIE TALKIE WITH CALL ALERT
Only **24⁹⁵ Each**

D 2 WATT 3 CHANNEL CB WALKIE TALKIE WITH CALL ALERT
Only **39⁹⁵ Each**

5 Watts of Power — You Can Hold in Your Hand!

3 Channels



FCC Type Accepted
Canadian D.O.T.
Approved

See Page 95 For DYNA-COM Accessories.

Lafayette
DYNA-COM 5 Only **79⁹⁵** No Money Down

- ★ With Power Equal to the Most Powerful CB Transceivers!
- ★ 13 Transistors, 6 Diodes, 1 Thermistor
- ★ 7-Stage Transmitter for Extra Transmit Sock!
- ★ Operate Mobile in Your Car with Optional Cigarette Lighter Plug-in Adapter
- ★ Superheterodyne Receiver with Less Than 1 Microvolt Sensitivity for 10 db S+N/N Ratio
- ★ Mechanical Filter for Superior Selectivity
- ★ Automatic Range Boost for High Talk Power
- Variable Squelch and Automatic Noise Limiting
- Battery Condition and RF Power Output Indicator
- External Mobile and Base Antenna Jack
- Provision for External Battery Pack, Mobile Battery, Charger and Eliminator
- Pi-Network Antenna Matching for Maximum Output!
- Push-Pull Audio Modulator Circuit

The Dyna-Com 5 is small in size—BIG in performance and versatility. A Lafayette exclusive, this amazing 2-way radio has every feature you have ever wanted in a compact walkie-talkie. The unique, removable battery pack facilitates charging ni-cad batteries on or off the walkie-talkie. You always have a fresh supply of batteries on hand. In addition, an optional portable dry cell power pack keeps reserve power on tap when you need it. The unit may be connected to your auto, boat or tractor battery and external antenna for the ultimate in portable convenience. Attractive die-cast brushed aluminum case with shoulder carrying strap. Measures only 3¼" x 10¼" x 2¼" D. Supplied with transmit and receive crystals for channel 10, telescoping whip antenna and FCC license application Form per regulation 95. Imported. Shpg. wt., 5 lbs.

99 C 3087L \$5 Monthly (Less Batteries)	Net 79.95
46 C 15 Extra Transmit Crystal, Specify Channel	Net 2.25
46 C 10 Extra Receive Crystal, Specify Channel	Net 2.25
99 C 3107YL Dyna-Com 5 modified for 26.620 MHz	Net 89.95
99 C 3108YL Dyna-Com 5 modified for 27.575 MHz	Net 89.95

Lafayette SUPER POWER LONG RANGE Walkie Talkies

3-WATTS 3-CHANNELS Dyna-Com® 3a

- 12 Transistors, 6 Diodes ● 455 kHz Ceramic Filter ● T.V.I. Trap ● RF Surge Protection
- Jacks for External Antenna & Battery Eliminator ● 6 Stage Transmitter ● 1 μV Sensitivity
- Variable Squelch and Automatic Noise Limiting ● Range Boost Circuitry
- Battery Condition and RF Power Output Indicator

Lafayette's Dyna-Com 3a walkie talkie is a hand-held powerhouse featuring 3 full watts of power with added flexibility of 3 crystal-controlled switchable transmit and receive channels. 12-transistor, 6-diode circuitry incorporates a sensitive superhet receiver which utilizes an RF amplification stage with lightning surge protection, and a highly selective ceramic filter for super reception. Automatic gain control, automatic noise limiter, and variable squelch combine to achieve truly quiet operation. 6-stage transmitter uses Range Boost modulation to increase the sideband modulation and thus provide far greater talk power. Includes TVI trap for minimum TV interference. Meter indicates battery level on receive and RF power output on transmit. Jacks are provided for earphone, external antenna, and external power. Operates on batteries or any other 12 volt DC supply. Complete with telescoping antenna, battery holder with batteries, one set of crystals for channel 10, shoulder strap, and FCC Form 505. Imported. Size: 8½" H x 3¾" W x 1¼" D. Shpg. wt., 2¼ lbs.

99 C 3194L \$5 Monthly	Net 64.95
46 C 11 Extra Transmit Crystal (Specify Channel)	Net 2.25
46 C 10 Extra Receive Crystal (Specify Channel)	Net 2.25

FCC Type Accepted

DYNA-COM 3a

64⁹⁵

Each

DYNA-COM 2a

49⁹⁵


Each

1.5 WATTS • 3 CHANNELS Dyna-Com 2a

Essentially same as DYNA-COM 3a except 1.5 watts.

99 C 3193L \$5 Monthly	Net 49.95
------------------------	-----------

46 C 14 Extra Transmit Crystal (Specify Channel)	Net 2.25
46 C 10 Extra Receive Crystal (Specify Channel)	Net 2.25



NEVER BEFORE!

FIVE plus TWELVE

5 WATTS
Hand-Held Power

Plus

12 CHANNELS
SWITCHABLE
CRYSTAL CONTROLLED

Lafayette
DYNA-COM 12
ONLY

99⁹⁵

No Money
Down

With Leather Shoulder Strap


- ★ 12 Switchable Crystal Controlled Transmit and Receive Channel Positions
- ★ 5-Watts FCC Maximum Permitted Input Power In The Palm of your hand!
- ★ 14 Transistors, 6 Diodes, 1 Thermistor
- ★ Superheterodyne Receiver plus RF Stage with 0.7 μ V. Sensitivity
- ★ Automatic Compressor Range Boost for Consistently High Talk Power
- ★ Use It In Your Car with Optional Cigarette Lighter Plug-in Adapter
- ★ Public Address External Speaker Jack with PA Switch
- Mechanical Filter for Superior Selectivity
- Variable Squelch plus Automatic Noise Limiter for Minimum Noise
- Battery Condition and Automatic Relative RF Power Output Indicator
- External Antenna Jack Permits Use with Base Station and Mobile Antennas
- Provision for External Battery Pack, Mobile Battery and Battery Charger/Eliminator
- Push-pull Audio/Modulator Circuit for More Powerful Speech Transmission and High Quality Reception
- TVI Trap To Minimize Television Interference

Another 5 watt 2-way radio first by Lafayette, the Dyna-Com 12 pioneers the walkie talkie feature of 12 switchable crystal controlled transmit and receive channel positions for extra utility and flexibility. In addition to its superb engineering resulting in excellent sensitivity, selectivity, adjacent channel rejection, and RF protection, the Dyna-Com 12 incorporates all the features you would ever expect to find in a high power hand-held walkie talkie. The removable battery pack makes it simple to charge the ni-cad batteries on or off the walkie-talkie. The Dyna-Com 12 may be connected to your auto, boat, or tractor 12 volt battery and to external antenna for efficient mobile communications. It can also be used on 110 volt 60 Hz AC with the optional battery eliminator/charger and

with a base station antenna for reliable base station communications. Features a professionally designed attractive die-cast case with shoulder carrying strap and crystals for channel 10. Size: 3 $\frac{1}{4}$ x 10 $\frac{1}{2}$ x 2 $\frac{1}{8}$ " D. Imported. Shpg. wt., 5 lbs.

99 C 3201L \$5 Monthly (Less Batteries)	Net 99.95
46 C 15 Extra Transmit Crystal (Specify Channel)	Net 2.25
46 C 10 Extra Receive Crystal (Specify Channel)	Net 2.25
99 C 2541 Earphone for Dyna-Com 12	Net 1.29
99 C 3210YL Dyna-Com 12 Modified for 26.620 MHz	Net 109.95
99 C 3211YL Dyna-Com 12 Modified for 27.375 MHz	Net 109.95

SEE BELOW FOR ACCESSORIES



DYNA-COM OPTIONAL ACCESSORIES*

Battery Eliminator/Charger. Plugs into 117 VAC outlet to permit base station operation. Charges up to 12 nickel cadmium batteries internally and externally in Dyna-Com 5, 6, and 12; charges batteries of Dyna-Com 2, 2a, 3 and 3a in holder externally with adapter (supplied). Negative ground only. Has fused AC line. Size: 7 $\frac{5}{8}$ H x 5 $\frac{5}{8}$ " D (at bottom) x 3 $\frac{1}{4}$ " W. Imported. Shpg. wt., 5 lbs.
99 C 3147 Net 22.95

Extra Battery Pack for Dyna-Com 5, 6 and 12. Extra removable back of walkie-talkie plus battery holder and 12 nickel cadmium rechargeable batteries. Imported.
99 C 3099 Shpg. wt., 2 lbs. Net 22.50

Mobile Cigarette Lighter Cable Assembly permits operation of Dyna-Com from car 12 volt DC cigarette lighter.
99 C 4605 Shpg. wt., 6 oz. Net 2.95

Cases: Genuine Top Grain Leather. Shpg. wt., 12 oz.
42 C 2801 For Dyna-Com 2a, 3a Net 4.95
42 C 2802 For Dyna-Com 5 Net 6.95
42 C 2804 For Dyna-Com 6, 12 Net 5.95

Dyna-Pack External Battery Pack with 10 "D" size dry cell batteries. Plugs into Dynacom to assure reserve power when required in the field. Imported. 3 x 3 $\frac{1}{2}$ x 7 $\frac{1}{2}$ ". Shpg. wt., 4 lbs.
99 C 3101 Net 5.95

Extra 10-cell Battery Holder for Dyna-Pack
99 C 3131 Net 1.95

Miniature Top Loaded Antenna. Highly efficient coil loaded 18" antenna which mounts on top of collapsed telescopic antenna. Imported. Shpg. wt., 1 lb.
99 C 3143 Net 4.50

Antenna Adapter Cable. Connects PL-259 plug of external antennas to Dyna-Com's antenna jack. Shpg. wt., 6 oz.
42 C 0920 Net 2.95

Dyna-Charge. Charges from 8 to 15 nicad "Z" size cells. Plugs directly into Dyna-Com 5, 6 and 12 charge jacks and into jack of Extra Back Battery Pack. Charges batteries of Dyna-Com 2, 2a, 3 and 3a externally in holder with use of adapter (supplied). Size: 3 $\frac{3}{8}$ x 2 $\frac{3}{4}$ x 2". Imported. Shpg. wt., 2 lbs.
99 C 3100 Net 9.95

Nicad Rechargeable Batteries. 12 required for Dyna-Com 5, 6 and 12; 10 for Dyna-Com 2, 2a, 3 and 3a. Shpg. wt., 1 oz.
32 C 4740 Net ea. 1.40
Alternate Heavy-Duty Alkaline Batteries. 12 required for Dyna-Com 5, 6 and 12; 10 for Dyna-Com 2, 2a, 3 and 3a.
99 C 6294 Shpg. wt., 1 oz. Net ea. .29

* Applicable to Dyna-Com 2, 2a, 3, 3a, 5, 6 and 12 unless otherwise Specified.

NEW! 23 CHANNEL CRYSTAL CONTROLLED TWO-WAY RADIO

Sensational LOW PRICE!

ALL CRYSTALS SUPPLIED!

ONLY **99⁹⁵** NO MONEY DOWN

FCC TYPE ACCEPTED



LAFAYETTE Comstat 23 MARK VI

- Dual Conversion Receiver, 8/10 μ V Sensitivity
- Pi-Network and Low Pass Filter
- Illuminated 'S'/'PRF' Meter
- Internal Range Boost Circuitry
- CB/PA Switch
- 14 Tube Performance with 9 Tubes, and 10 Diodes

Never before so much for so little Lafayette offers a truly great CB value, the Comstat 23 Mark VI deluxe CB Transceiver with 23 active Crystal-Controlled channels, at an amazing low price. Crystal synthesizer circuit includes all crystals necessary for active coverage of all 23 CB Channels. Each channel is clearly identified on the illuminated channel selector dial. Features a sensitive and selective dual conversion superheterodyne receiver. Variable Squelch control for quieting receiver during "no-signal" conditions, and tape recorder output jack on rear panel. RF output is coupled through a highly effective Pi-Network and Low Pass Filter for maximum energy transfer to antenna with low harmonic radiation. Range Boost circuitry is incorporated for greater average talk power. Includes a Standby switch for low current

- Built-in 117 VAC Power Supply, Operates Mobile with Optional 12 VDC Power Supply
- Variable Squelch Control with Standby Switch
- Tape Record Output Jack
- Headphone/Ext. Spkr. Jack

drain and instant operation. Operates Mobile with use of optional 12 Volt power supply. Size: 12W x 8½D x 5" H. Imported. Srp. wt. 15½ lbs.
99 C 3223WX \$5 Monthly Net 99.95

OPTIONAL ACCESSORIES

HA-19 DC POWER SUPPLY. Permits 12-volt mobile operation with Negative or Positive Battery Ground. 6W x 4H x 4½"D. 42 C 4704W Shpg. wt., 4 lbs. Net 13.95
MOBILE MOUNTING BRACKET. Facilitates under-dash mounting of Comstat 23 Mark VI. Shpg. wt., 2 lbs. Net 2.95
99 C 3187 Net 2.95

Lafayette 23 CHANNEL CRYSTAL CONTROLLED TWO-WAY RADIO

Over 35,000 Enthusiastic Owners!



FCC TYPE ACCEPTED

ALL CRYSTALS SUPPLIED

ONLY **139⁹⁵**

NO MONEY DOWN

LAFAYETTE Comstat 25A

With Standby Switch For Low Current Instantaneous Communications

- 17 Tube Performance with 11 Tubes, 2 Transistors and 11 Diodes
- Accepts Priva-Com® Call Unit
- Built-in 117 VAC, 12 VDC Solid-State Power Supply

Pace-setting Comstat 25A transceiver features high performance circuitry for superb mobile and base station operation! "RANGE BOOST" greatly increases the average talk power and raises the overall modulation percentage. Total spread of 2.5 kHz on fine tuning vernier facilitates accurate reception. Highly selective circuits greatly suppress adjacent channel interference (-45dB). Has variable squelch; crystal frequency synthesizer for 23 CB channels with all crystals supplied. Front panel switch converts transceiver to a handy

- Dual Conversion Receiver Features 8/10 μ V Sensitivity
- Range Boost Circuitry for Added Talk Power
- Pi-Network and Low Pass Filter for Maximum Power Output

4.5 watt public address amplifier. Convenient front panel jack accommodates headphones, or external extension speaker for CB/PA. Also featured are push-to-talk relay switching and plug-in ceramic mike with coiled cord. Rear socket is prewired to accept Lafayette Priva-Com selective call unit. Complete with vari-tilt mounting bracket. With FCC License Application Form 505 per Regulation 95. Size: 12Wx8½Dx5"H. Imported. Shpg. wt., 16 lbs.
99 C 3130WX \$7.50 Monthly Net 139.95

With Revolutionary New



ELECTRONIC
MIRACLE OF
THE SPACE AGE

23-Channel Crystal Controlled Solid State 2-Way Radios

Lafayette HB-23
MOBILE 2-WAY RADIO

Only **99⁹⁵** FOR OPERATION
ON CHANNELS
9, 13 AND 19
No Money Down

Add 2 More Channels With
Each Additional Plug-In Crystal

Only **124⁹⁵** Full 23 Channel
Operation



With New RF
Overload Protection
(Pat. Pending)

FCC Type Accepted
CANADIAN D.O.T. APPROVED

- ★ 455 kHz Mechanical Filter In IF Stage
- ★ Dual Conversion Superheterodyne Receiver
- 12 Volts DC Negative or Positive Ground
- 117 Volts AC With Optional AC Power Supply
- Portable Operation With Optional Battery Pack

- ★ 15 Transistors, 8 Diodes, Plus IC
- ★ Full 5-Watt FCC Maximum Input Power
- Variable Squelch Plus Automatic Noise Limiting
- Accepts Priva-Com® Private Tone Caller
- Large 5 x 3 Inch Speaker For Superior Audio

Never before has a CB transceiver been offered with all these features! Solid-state, ultra-compact synthesis transceiver incorporates 15 transistors and one integrated circuit stage to achieve 20 transistor performance. Offers superior sensitivity, greatly increased dependability, and lower current drain. Permits economical addition of 2 channels with each plug-in crystal. Carefully tuned 455 kHz mechanical filter assures razor-sharp selectivity with excellent adjacent channel rejection. Dual conversion receiver features 0.7 μ V sensitivity, ANL, variable squelch, and a push-pull audio amplifier.

Illuminated front panel meter monitors "S" units on receiver and PRF output during transmit. PA Speaker/Earphone jack for silent listening or public address operation. Complete with dynamic, push-to-talk microphone, power cable, mounting bracket, fixed crystals for channels 9, 13, and 19, and FCC application form 505. Imported. Size: 5 $\frac{1}{2}$ "Wx7 $\frac{1}{8}$ "Dx2 $\frac{1}{4}$ "H. Shpg. wt., 6 $\frac{1}{4}$ lbs. †See page 511, cat. 690 for individual plug-in crystals.

99 C 3149WX \$5 Monthly Net 99.95

ACCESSORIES

Package of 10 Additional Plug-In Crystals. Converts HB-23 from 3 channels to full 23 channel crystal controlled operation.
99 C 3174 Shpg. wt., 1 lb. Net 25.00
Model HB-502A Solid State 117 VAC Power Supply/Charger. Enables operation of HB-23 as a table top base station.
99 C 3153W Net 16.95

Base Station Dynamic Desk Microphone
99 C 4608 Net 11.95
Model HB-507 Portable Battery Pack. Adapts HB-23 for convenient portable operation with shoulder strap. Less "C" batteries.
99 C 3155 Shpg. wt., 2 lbs. Net 19.95
32 C 4887 "C" Alkaline Battery for HB-507 (8 req.) Net ea. .49

CB's Hottest Seller. Real Cool!

Lafayette HB 525C
Mobile 2-Way Radio

Only **149⁹⁵**
No Money Down

23 Crystal Controlled
Channels...

ALL CRYSTALS SUPPLIED!



FCC Type Accepted
Canadian D.O.T. Approved

With RF Overload Protection (Pat. Pend.)

- Accepts Priva-Com® Plug-in Private Tone Caller
- 1 IC, 18-Transistors, 9-Diodes, 1-Thermistor
- Dual Conversion For High Selectivity
- 3-Position Crystal Delta Tune
- Transmit Mode Indicator Light
- Mechanical 455 kHz Filter
- Automatic S/PRF Illuminated Meter
- Variable Squelch plus Series Gate Automatic Noise Limiting
- Range Boost™ Circuitry for Added Talk Power
- PA Amplifier with External Speaker
- 12-Volt DC Operation (Neg. or Pos. Ground)

Lafayette's most advanced model of the famous HB-525 series of CB Transceivers. Now with all the great features plus revolutionary Integrated Circuitry. Dual conversion receiver incorporates 455 kHz mechanical filter and an integrated circuit for high selectivity, superior adjacent channel rejection, and extra long life. Variable squelch quiets receiver when no signal is being received. 3-position crystal delta tune permits easy copy of off-frequency stations. Illuminated S/PRF meter indicates signal strength on receive and RF output in transmit. Full public address provisions include audio input jack for tape recorder, tuner, etc. Supplied with PTT dynamic mike, DC cable, and mobile mounting bracket, and FCC license form 505. Size: 2 $\frac{3}{8}$ "H x 6 $\frac{1}{4}$ "W x 8"D. Imported. Shpg. wt., 7 lbs.

99 C 3156WX \$8 Monthly Net 149.95
MODEL HB-502A AC POWER SUPPLY/CHARGER
99 C 3153W Shpg. wt., 5 lbs. Net 16.95
MODEL HB-506 PORTABLE DC POWER PACK attaches to HB-525C for convenient portable operation. Shpg. wt., 2 lbs.
99 C 3154 Less Batteries Net 19.95
32 C 4887 "C" Alkaline Battery for HB-506 (8 req.) ea. Net .49
99 C 4608 CB Dynamic Desk Mike Net 11.95
*D.O.T. Permits Legal Operation On 19 Channels Only in 27.00 MHz Through 27.30 MHz Range.

**NEVER
BEFORE!**

3 IC'S + 3 STAGE RF

IC SILENCER



With Revolutionary New

**ELECTRONIC
MIRACLE
OF THE SPACE AGE**



**Lafayette Deluxe HB-625
MOBILE 2-WAY RADIO**

**23 Crystal Controlled Channels
... ALL CRYSTALS SUPPLIED!**

ONLY 189⁹⁵

FCC Type Accepted
With RF Overload Protection

UNIQUE, 3 STAGE IC SILENCER "CHOPS OUT" MOBILE IGNITION NOISE

- 18 Transistors + 3 IC's + 11 Diodes
- Selective Dual Conversion Superhet Receiver
- 3-Position Delta Tune for Accurate Tuning
- Mechanical Filter for Superior Selectivity

The HB-625 incorporates a highly selective 455 kHz mechanical filter to virtually eliminate adjacent channel splatter. It utilizes a 3-stage RF noise silencer including a 10-transistor, 8-diode integrated circuit to keep ignition noise interference from getting into the receiver's audio without cutting the incoming signal strength. Range Boost audio system uses revolutionary new IC microcircuits for increased effective talk power. Variable squelch and standard ANL combine with noise silencer to provide quiet, pleasurable reception. Other quality features include built-in public address amplifier facilities with rear panel jack for hi-fi tuner or tape recorder input. Operates instantaneously from 12-volts DC positive or negative ground with low battery drain or on 117 volts AC with optional power supply. Supplied with mounting bracket, power cord, PTT dynamic micro-


- Range Boost™ Circuitry for Added Talk Power
- Built-in Public Address Amplifier Facilities
- Accepts Priva-Com® Plug-in Private Tone Caller
- 12 Volt Mobile or Portable DC Operation

phone with coiled cord, and FCC Form 505 CB License Application.
Size: 2³/₈" H x 6¹/₄" W x 8" D. Imported. Shpg. wt., 7 lbs.
99 C 3148WX \$10 Monthly Net 189.95

Model HB-502A AC Power Supply and Battery Charger.
99 C 3153W Shpg. wt., 5 lbs. Net 16.95

Model HB-506 Portable DC Power Pack. Attaches to HB-625 to permit portable DC operation. Includes battery pack (less batteries), telescopic antenna, and shoulder strap. Shpg. wt., 2 lbs.
99 C 3154 Net 19.95

Batteries For HB-506 Portable Pack. "C" Alkaline (8-required).
32 C 4887 Shpg. wt., 2 oz. ea. Net ea. .49



FCC Type Accepted
With New RF Overload Protection (Pat. Pend.)

**Lafayette Deluxe TELSAT™ 23
2-WAY RADIO**

**23 Crystal Controlled Channels
... ALL CRYSTALS SUPPLIED!**

ONLY 159⁹⁵

No Money Down

Operates On Both 117 Volts AC
or 12 Volts DC

1 IC, 18 TRANSISTORS, 10 DIODES, 1 THERMISTOR

- Double Conversion Superhet Receiver
- Mechanical Filter Plus IC For Super Selectivity
- Excellent Sensitivity of Less Than 1 μV.
- Range Boost™ Circuitry for Added Talk Power
- Accepts Priva-Com® Plug-in Private Tone Caller

- Illuminated Automatic S/Prf Meter
- Variable Squelch Plus Noise Limiting
- 3-Position ±1.4 kHz Crystal Delta Fine Tune
- TVI Trap Minimizes TV Interference
- Full Public Address Amplifier Provisions

An exciting feature packed deluxe 23 channel 2-way radio ready to serve as either a 117-volt AC base or 12 volt DC mobile station. Use of revolutionary space age integrated circuitry assures greater sensitivity and selectivity with high efficiency and low power drain. Receiver's superior selectivity is attained by using carefully tuned IF stages coupled with a hand crafted mechanical filter. Delta tune permits copy of "off channel" stations. Full legal power transmitter uses Range Boost modulation for far greater talk power. Front panel light indicates presence of RF energy at antenna socket. Illuminated S/Prf meter reads signal strength on receive and RF output on transmit. Built-in public address provisions include audio

input for tape recorder, tuner, etc. and tape output jack for recording. Phone jack for private listening. Supplied with PTT dynamic microphone, mobile mounting bracket, DC cable, and FCC License Form 505. Size: 4¹/₂" H x 11³/₈" W x 8" D. Imported. Shpg. wt., 11 lbs.
99 C 3157WX \$8 Monthly Net 159.95

Dynamic Desk Stand Push-To-Talk Mike. Shpg. wt., 1¹/₂ lbs.
99 C 4608 Net 11.95

DC Cable for positive ground vehicles. Shpg. wt., 8 oz.
99 C 3106 Net 1.50

BREAKTHROUGH



Monitor 150-174 MHz and Communicate on 23 CB Channels

2 SOLID STATE UNITS IN... 1

NEVER BEFORE

For Volunteer Firemen, Auxiliary Police, etc.

A CITIZENS BAND 2-WAY RADIO Plus A POLICE and FIRE MONITOR RECEIVER

1-INTEGRATED CIRCUIT + 1-FET + 25-TRANSISTORS + 9-DIODES

CB TWO-WAY RADIO

- 5-Watt FCC Max. Rating
- 0.7 μ V Sensitivity
- 23 Crystal Controlled Channels . . . All Crystals Supplied!
- Socket For Priva-Com IIIA For Quiet Standby
- Television Interference Trap

VHF FM MONITOR RECEIVER

Tuneable Receive Plus 2 Crystal Positions

- Monitors 150 thru 174 MHz
- Manual Tuning of Complete Band Plus . . .
- Two Switchable Crystal Positions For Optional Crystals*
- Less Than 1 μ V Sensitivity

Now you can monitor the police and/or fire frequencies and immediately communicate with your family and with members of your volunteer fire or auxiliary police squad. The Telsat 150 helps you become an alert and informed citizen in your community. In addition to the above, the Telsat 150 features: two switchable rear coaxial jacks for common or individual antennas; external speaker jack; concentric, individually variable squetch controls; and 3 ceramic IF filters for excellent selectivity. The Telsat 150 is expertly engineered for efficient performance in a vehicle, as well as in an office or home with the optional AC power supply. Complete with mobile mounting bracket, less crystals for 150 thru 174MHz. * If more than 1 optional crystal is used, the crystals must be within 1MHz of each other.

LAFAYETTE TELSAT 150

ONLY 199⁹⁵ NO MONEY DOWN

- Ideal Size For Car and Home
- 12VDC Neg. Ground
- 117VAC With Optional Power Supply

† Receive U.S. Weather Reports

Size: 2½HX6½WX8" L. Imported. Shpg. wt., 8 lbs.
 99 C 3215WX \$10 Monthly
 Model MB-502A AC Power Supply. Permits operation of Telsat 150 at home or in the office. Shpg. wt., 5 lbs. Net 199.95
 99 C 3153W Net 16.95
 Crystals for 150 - 174MHz. Specify exact operating frequency. Special order, allow 4 weeks delivery.
 40 C 8208Y Net 5.95
 † 162.55 and 163.275MHz in many parts of country, consult local weather bureau for reception in your area.
 40 C 0113W Mobile Antenna, Shpg. wt., 1 lb. Net 5.95
 40 C 0116W Base Station Antenna, Shpg. wt., 2 lbs. Net 7.50



NEVER BEFORE!
2 IN 1

FOR VOLUNTEER FIREMEN, AUXILIARY POLICE, ETC.

LAFAYETTE
RADIO
ELECTRONICS
 111 JERICHO TURNPIKE
 SYOSSET, L.I., N.Y., 11791

01090 10 701018B
 BRISTOL CT 06010
 RFD 1
 T R ZARECKI
 S13247300
 B

BULK RATE
 U.S. Postage
PAID
 LAFAYETTE
 Radio Electronics

POSTMASTER: If Undeliverable Handle In Accordance To Sec. 158.5 Of Postal Manual.

SALE! **SAVE \$5.00**

**LAFAYETTE 3 and 4-PICKUP
 SOLID BODY ELECTRIC GUITARS**

3-PICKUP

4-PICKUP

34⁹⁵

44⁹⁵


Was 39.95

Was 49.95

- True "Vibrato" Torsion Bar
- Detachable, Adjustable, Steel Reinforced Neck
- Double Cutaway, Beveled Body

3-pickup, solid body electric guitar features slim, fast, blond neck, 6 chrome machine heads, 7 "pearl" inlay markers and 20 frets on a rosewood fingerboard. Adjustable bridge, volume, tone and rhythm controls plus individual pickup switches and heavy chrome tremolo bar. Highly polished pick guard resists scratches. In gleaming hand rubbed shaded finish on fine mahogany stock. Complete with cord. Size: 39Hx13Wx1½"D. Imported. Shpg. wt., 12 lbs. 99 C 9139WX \$5 Mon. Net 34.95

4-pickup, solid body electric guitar. Similar to above with 4 magnetic pickups. 99 C 9140WX Net 44.95
 Sturdy Lined Case for Above Guitars. Shpg. wt., 3 lbs. 13 C 1325WX Net 8.95



Audio-Lites

Panorama of Living Music In Colored Lights

Add a new dimension to your musical enjoyment the modern way! Offers more than listening pleasure from your favorite music, you can actually visualize a brilliantly moving panorama of colored, dancing images with each note, tone, and pitch produced by the music. Will not affect amplifier operation. Easily connects to speaker leads. In attractive simulated walnut grained cabinet with shatter-proof plastic front. Size: 24 x 12 x 11¾"D. Shpg. wt., 10 lbs. \$5 Monthly

Only **49⁹⁵**
 No Money Down

13 C 7550WX Net 49.95

SALE! **44⁹⁵** **SAVE \$5.00**

SALE ENDS AUGUST 1, 1969

10-WATT Tremolo/Reverb Amplifier

- Tremolo Speed/ Depth Reverb Controls
- Heavy-Duty 10" Speaker

Impressive, 10-watt solid state reverb and tremolo amplifier with self-contained 10" heavy-duty speaker. Slanted, front-mounted control panel features "easy-to-reach" controls for Volume, Tone, Reverb, Tremolo speed, Tremolo depth; two instrument inputs; reverb and tremolo foot switch input jack; bright-glow pilot light. Housed in an attractive sturdy vinyl covered wood cabinet with carry handle and grill cloth. Size: 19"H x 15"W x 6½"D. For 117V., 60Hz AC. Imported. Wt., 16 lbs. 99 C 9207WX \$5 Monthly Net 44.95
 Dual Foot Switch For Remote Control of Tremolo and Reverb. 13 C 0150 Wt., 1½ lbs. Net 4.95

