

# LAFAYETTE

## RADIO ELECTRONICS

SPRING  
CATALOG 713

**BIG SAVINGS** on Our Best Selling  
Battery-AC AM/FM Radio Cassette Recorder

10<sup>00</sup>

PRICE  
CUT

WAS 69.95.  
NOW ONLY

59<sup>95</sup>

with

Remote Control Mike with Stand,  
Earphone, Built-in AC Line Cord,  
Batteries, Blank 60-Minute Cas-  
sette, and Integrated Carrying  
Handle For Ease Of Portability.



- Direct Recording From AM or FM Radio
- Instant-On Solid-State Circuitry
- 4" Acoustically Matched Hi-Fi Speaker
- Semi-Slot Tape Loading
- Battery Condition—Record Level Meter
- 8 Pushbutton Tape Function Controls

Magnificent full-feature AM/FM Cassette Radio-Recorder is an entertainment center in itself. Easy to use—no tape threading. 8 Piano Key type pushbutton controls. Plays back or records on a cassette tape for up to two hours. Records AM or FM programs directly "Off the Air" while monitoring through the speaker. Versatile and handsome simulated plastic walnut grain case with metal trim. Operates on 4 "D" batteries or 117 VAC with built-in self-storing AC Line cord. Superb AM/FM radio section features a precision slide-rule tuning dial, bass/treble control. 4" acoustically matched Hi-Fi speaker provides rich, full-frequency sound reproduction. Telescopic FM antenna and ferrite core AM antennas. External speaker or earphone jack. Speaker on/off Switch, Aux. input for phono or another recorder for tape duplicating. 8 pushbutton Tape Functions: Eject, Record, Play, Rewind, Fast-Forward, Stop, Cassette/Radio, AM/FM radio. Record safety interlock prevents accidental erasures. Also includes self-storage compartment for microphone and accessories. SPECIFICATIONS: Professional AC bias recording system; Power output 1 watt. Size: 3<sup>3</sup>/<sub>4</sub>Dx11<sup>1</sup>/<sub>2</sub>Wx11<sup>3</sup>/<sub>8</sub>"H. Imported. Shpg. wt., 9 lbs.

|  |             |
|--|-------------|
| 99 A 15471W                                  | Net 59.95   |
| 12 VDC CAR ADAPTER — Imported Wt., 2 lbs.    |             |
| 99 A 3152B                                   | Net 3.95    |
| 99 A 62564 Extra "D" Batteries (4 req.)      | Net ea. .15 |
| 28 A 01223 Lafayette 60 Minute Tape Cassette | Net 1.19    |

Index: Facing Page 24a

Easy Pay Plan: Page 25

Store Addresses: Opp. Page 83

Mail Order and Sales Center

111 Jericho Turnpike, Syosset, L. I., New York 11791

# BIG SALE on Car Stereo Tape Players and Radios

## Deluxe Solid-State FM Stereo Car Radio

**SAVE 10<sup>00</sup>** NOW **49<sup>95</sup>** less speakers

was ~~59.95~~ 1971 cat. 712  
(Sale Price in effect thru April 30, 1971)  
(Quantities Limited)

- Instant-on Silicon Transistor Circuitry
- AFC "Drift Lock" Tuning
- Stereo Indicator Light

Fill your car with full dimensional FM stereo sound. Deluxe FM stereo car radio features stereo indicator light—illuminates when radio is receiving stereophonic sound. Has 4-controls: On-Off/Volume; Tone; Balance to permit perfect adjustment of sound for each channel; and Tuning. AFC "drift lock" pinpoint and holds even the weakest FM station. Power Output 6 watts per channel. FM Sensitivity 3µv. For 12V., negative ground system. Designed for underdash mounting. Comes complete with mounting bracket. Size: 7 1/8" x 2 1/4" x 9 1/2" D. Imported. Shpg. wt., 8 lbs.

17 A 58002 No Money Down\* Net 49.95  
Set of two rear deck 3 x 5" speakers systems. Imported.  
99 A 62994 Shpg. wt., 3 lbs. Net 6.95



## LAFAYETTE "Stereo 88" Solid-State 8 Track Cartridge Car Tape Player



**SAVE 10<sup>00</sup>** NOW **49<sup>95</sup>** less speakers

was ~~59.95~~ 1971 cat. 712  
(Sale Price in effect thru April 30, 1971)

- Built-in Burglar Alarm
- Power Output: 12 Watts
- Pushbutton Track Selector
- Volume, Balance, and Tone Controls
- For 112 Volt Negative Ground System

Beautifully designed stereo car tape system superbly engineered to provide high quality stereo sound playback of 8-Track Stereo Pre-Recorded Tape Cartridges. Features a built-in Burglar Alarm System to prevent theft. The "Stereo 88" measures only 2 3/8" H x 7 W x 7 3/8" D, and can be easily mounted under the dash of your car with attached adjustable mounting bracket. Fully automatic—just slip in an 8-track tape cartridge and the "Stereo 88" plays instantly. Removal of cartridge automatically switches player off. Illuminated track indicator shows track that is playing. Tracks change automatically after end of each program or instantly by operating the selector button. Frequency Response: 50 to 10,000 Hz; Signal-To-Noise Ratio: more than 40 db. Wow and Flutter: less than 0.3%. 12-transistors, 1-diode, 4-thermistors; Output Impedance: 4-ohms. For 12 volt negative ground systems. With mounting bracket and hardware. Imported. Shpg. wt., 10 lbs. Less Speakers.

99 A 15521W No Money Down\* Net 49.95  
Set of two Rear Deck 3x5" Speaker Systems. Imported.  
99 A 62994 Shpg. wt., 3 lbs. Net 6.95

## LAFAYETTE RK 210 Solid-State Car Cassette Stereo Tape Player / Recorder



**SAVE 10<sup>00</sup>** NOW **79<sup>95</sup>** less speakers

was ~~88.95~~ 1971 cat. 712  
(Sale Price in effect thru April 30, 1971)


- Push-In Front Loading of Cassette Tapes
- Automatic Level Control on Record
- Pushbutton Fast Forward and Rewind
- Professional AC Bias Recording and AC Erase System
- 20 Watts Peak Music Power
- Automatic Stop/Automatic Eject

Full Feature instant-on solid state cassette car stereo tape player with built-in monaural recording system. Operates with any 12 volt negative ground system. Designed for convenience—front loading tape insertion with automatic stop and ejection when tape is finished playing or recording. Pushbutton fast forward and rewind. Manual stop and eject button. Separate tone, volume, and balance controls. Record safety button and indicator light. Built-in ALC for record. Professional AC record bias system. Plays-back 4 Track 2 channel stereo; Records 2 Track monaural. Channel Separation 30 db. Power Output: 20 watts peak per channel. 14 transistors and 4 diodes. Includes mounting bracket, hardware, connecting cables, remote control mike with coiled cord and suction cup stand. Hand-some black enclosure with brushed aluminum front panel. Size: 8 3/4" x 8 3/8" x 3". Shpg. wt., 7 lbs. Imported.

99 A 15802WX RK-210 No Money Down Net 79.95  
Set of two Rear Deck 3x5" Speaker Systems. Imported.  
99 A 62994 Shpg. wt., 3 lbs. Net 6.95

# \$1.00 SPEAKER SALE


BUY A  
SECOND  
SYSTEM  
**\$1.00**  
More  
SAVE **\$98.95**



Offer Expires  
April 30, 1971

## SAVE 49% on 2 Utah A100 3 Speaker Acoustic Suspension Systems

Hand-Rubbed Oiled  
Walnut Finish



3 1/2" Tweeter    2 x 6" Compression    12" Woofer With  
Midrange Horn    1 1/2" Voice Coil and    2 1/4 lb. Magnet Structure

Peak Power  
Handling:  
60 Watts

1 System

**99<sup>95</sup>**

2 Systems

**100<sup>95</sup>**

Lafayette's continues its 50th Anniversary Celebration with this fantastic Speaker System offer. You can buy 2 superb sounding acoustic suspension systems for only 100.95. These systems sold in our 1971 Catalog 710 for 99.95 ea. The A100's are constructed of 3/4" thick stock to assure magnificent rich bass from the powerful 12" woofer. The 2 x 6" compression horn and 3 1/2" tweeter provide brilliant lifelike mid and high frequencies. Power Handling Capacity: 30 watts program, 60 watts peak. Response 28-19,500 Hz. Impedance, 8 ohms. High Frequency Brilliance Control. Size: 14H x 23W x 10"D. Shpg. wt., 35 lbs.  
21 A 47320WX No Money Down\* ..... 99.95  
2 for 100.95

## SAVE 23.95 on a Pair of Utah 8" 3-Way Co-Ax Hi-Fi Speakers

Buy 1 Speaker At Regular Price  
Buy 2nd Speaker For Only **1<sup>00</sup>** MORE


1 Speaker

**24<sup>95</sup>**

2 Speakers

**25<sup>95</sup>**

A SENSATIONAL OFFER — YOU GET A PAIR OF 8" CO-AXIAL SPEAKERS FOR JUST 1.00 more than the regular price of one. This fine performing Utah speaker sold for 24.95 in our 1971 Catalog 710. This deluxe 8" 3-way co-axial speaker features a rigid, die cast frame with 3 1/2" co-axially mounted cone-type tweeter and a cloth roll to enhance bass performance. Spring loaded, finger tip terminals are color coded for easy phasing of stereo systems. Voice coil 1". Peak Power handling capacity 30 watts. Freq. Response 32-20,000 Hz. Resonance 55 Hz. Impedance 8-ohms. Overall depth 3 3/8". Shpg. wt., 5 lbs.  
21 A 47312 ..... 24.95  
2 for 25.95



OFFER ENDS 4/30/71

- Peak Power Handling: 30 Watts
- Freq. Response: 32-20,000 Hz

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 3

# Lafayette LSC-50 Solid State Modular Hi-Fi Phono System featuring Two 360° Omni-directional Speaker Systems



**Our Most Revolutionary  
STEREOPHONIC  
PHONOGRAPH**

 **Diamond  
Needle**  
Made in U.S.A.

Includes Tinted  
Plastic Dust Cover

**SALE 64<sup>95</sup>**  
WAS 69.95

Sale Expires 4/30/71

- 10 Watt Stereo Amplifier
  - Stereo Headphone Jack for Private Listening
- Presenting an imaginative and modernistic design in stereo phonos. Thrill to breathtaking hi-fi sound from our handsome 3-piece modular hi-fi phono system. Featuring 2 revolutionary, omni-directional speaker systems with 360° sound dispersion. Sound waves from a wide range high compliance speaker are beamed off a uniquely designed cone deflector dispersing sounds in all directions. Powerful state stereo amplifier delivers a big 10-watts I.P.P. of power. Has 3 controls: Volume Left, Volume Right, Continuous Tone (Bass/Treble), plus a stereo headphone jack for private listening. BSR 4-speed stereo automatic "Mini-Changer" features automatic shut-off after last record has been played. Plays all size records: 7", 10" and 12"; and all speeds; 16 $\frac{2}{3}$ , 33 $\frac{1}{3}$ , 45, speed. Tone arm is equipped



**HEART OF THE SYSTEM  
OMNIDIRECTIONAL SOUND**

Spreads sound throughout the entire room.  
You sit anywhere you want and hear stereo.

- BSR 4-Speed Automatic Stereo Record
- Automatic Shut-Off Changer

with a stereo turnover cartridge with diamond LP needle. Attractive wood cabinetry is covered with simulated walnut vinyl. Includes plastic dust cover, and speaker hook-up cable. Size: Amplifier/Changer Control Section—17 $\frac{1}{2}$ Lx10 $\frac{1}{2}$ Dx7"H (with tinted plastic dust cover). Speaker Systems (each): 9Wx9Dx12 $\frac{1}{2}$ "H. For 117 VAC, 60 Hz. Shpg. wt., 24 lbs.

|                               |           |
|-------------------------------|-----------|
| 24 A 03160WX No Money Down*   | Net 64.95 |
| <b>ACCESSORIES for LSC-50</b> |           |
| 24 A 02568 45 RPM Spindle     | Net 1.49  |
| Replacement needle for LSC-50 |           |
| 24 A 02386                    | Net 2.49  |

## Lafayette LSC-25 Solid-State 3-Piece Stereo Modular Hi-Fi Phono System

**49<sup>95</sup>**



Includes Tinted  
Plastic Dust Cover

- Two 4" Wide-Range Acoustically Matched Speaker Systems
- Ultra-Modern Low Profile Styling
- Famous BSR 4-Speed Automatic "Mini" Record Changer

Component inspired design. Now a stereo hi-fidelity phono graph with the advantages of separate components. Our handsome 3-piece modular hi-fi phono system features a control unit containing a 10-watt I.P.P. solid-state stereo amplifier and a BSR 4 speed automatic "mini-changer" mounted in a simulated high-impact black leather plastic base with walnut vinyl trim. Each magnificent sounding matching speaker system can be ideally spaced for proper stereo separation. They can be placed on a bookshelf, hung on a wall, or set on end-tables. The amplifier has a stereo headphone jack for private listening and 3 controls: volume left, volume right and tone. BSR 4-speed automatic "mini-changer" features automatic shutoff



**Diamond Needle**

after last record has been played. Plays all size records—7", 10" 12" and all speeds—16 $\frac{2}{3}$ , 33 $\frac{1}{3}$ , 45, and 78 RPM. Intermixes 12" and 10" records of the same speed. Tone arm is equipped with a stereo turnover cartridge with a diamond LP needle. Includes a tinted plastic dust cover for the control unit. Size: Control Unit—10 $\frac{1}{4}$ "W x 16 $\frac{1}{2}$ "L x 6 $\frac{1}{2}$ "H. Speaker—7 $\frac{3}{8}$ "W x 9 $\frac{1}{2}$ "L x 4"D. For 110 VAC, 60 Hz. 24 A 03236WX Shpg. wt., 18 lbs. Net 49.95

|  |          |
|--|----------|
| <b>ACCESSORIES for LSC-25</b>                        |          |
| 24 A 02386 Replacement Needle for LSC-25. Wt., 3 oz. | Net 2.49 |
| 24 A 02568 45 RPM Spindle for LSC-25                 | Net 1.49 |

# Deluxe Lafayette LSC-100B AM/FM Stereo Modular Hi-Fi System

## SALE 149<sup>95</sup>

with Tinted  
Plastic Dust Cover,  
Diamond LP Needle,  
and 45 RPM Spindle

WAS 159.95

No Money Down\*

Sale Ends 4/30/71

### SAVE 10<sup>00</sup>



Made in U.S.A.

### Magnificent Ultra-Modern Styling

- Garrard 4-Speed Automatic Record Changer with Cueing
- 40-Watt I.P.P. Solid State Stereo Amplifier
- Electronic FM Stereo Indicator Light
- Stereo Headphone Jack for Private Listening

- Two 8" 2-Way Wide Range Speaker Systems
- Guitar Microphone Input Jack
- Tape Input and Output Jacks
- Main and Remote Speaker Jacks

Our finest stereo phonograph with built-in stereo FM/AM radio is fully solid-state and features magnificent ultra-modern styling. The control center's stereo amplifier provides 40-watts I.P.P. output—and has provisions for tape input and output, guitar mike input, and stereo headphone. Also includes AC convenience outlet on rear panel. Features remote speaker output jack for hooking up an additional pair of speakers for another room. Tunes in regular FM & AM radio and receives full-dimensioned stereo FM broadcasts. 6 controls for complete flexibility: selector, balance, bass, treble, loudness and tuning. Built in AM/FM antennas. Provision for attaching external FM antenna. Calibrated slide rule tuning. AFC switch for drift-free FM reception. Garrard 2025 4-speed automatic stereo record changer with cueing lever plays 7", 10" and 12" records at 16 $\frac{2}{3}$ , 33 $\frac{1}{3}$ , 45,

and 78 rpm. Operates automatically or manually. Shuts off both changer and amplifier automatically after last record. Features tubular tone arm with Vaco TN-4 stereo turnover cartridge with diamond LP needle. Each 2-way 8" wide-range speaker system provides brilliant concert hall realism. You also get a handsome tinted plastic dust cover for the complete control unit, speaker hook-up cable and a 45 rpm spindle. The components are mounted in beautiful walnut vinyl veneer covered wood cabinets. Size: Control unit 23 $\frac{3}{4}$ "x14 $\frac{1}{2}$ "x10 $\frac{3}{4}$ "H (with dust cover). Speaker Encl.: 15 $\frac{1}{2}$ "x10 $\frac{1}{2}$ "x4 $\frac{1}{2}$ "D. For 110-120 VAC, 60 Hz. Shpg. wt., 45 lbs.

24 A 03251WX ..... Net 149.95  
24 A 03202 Replacement needle for LSC-100B ..... Net 2.40

# Lafayette LSC-45B Stereo Modular Hi-Fi Phono System

### Handsome Contemporary Styling

- Garrard 4-Speed Automatic Record Changer with Cueing
- 20-Watt I.P.P. Solid State Stereo Amplifier
- Two 8" Wide Range Speaker Systems
- Input For Tuner or Tape Recorders
- Stereo Headphone Jack

Luxurious 3 piece solid-state stereo hi-fi modular phono system. Two separate acoustically matched, rich sounding 8" speaker systems can be spaced apart for the utmost stereo effect. Has Aux. input jack so an AM or FM tuner or tape recorder can be played thru the powerful 20-watt I.P.P. solid state amplifier. Full complement of controls: balance, bass, treble, volume, selector, automatic shut-off switch, front panel stereo headphone jack. Garrard 2025 4-speed automatic stereo changer with cueing control plays 7", 10", and 12" records at 16 $\frac{2}{3}$ , 33 $\frac{1}{3}$ , 45, and 78 RPM. Tubular tone arm has a Vaco TN-4 stereo turnover cartridge with diamond LP needle. System includes a beautiful plastic dust cover, 45 RPM spindle, and speaker cable. The components are mounted in a beautiful walnut vinyl veneer covered wood cabinet. Size: control unit. 16x16 $\frac{1}{2}$ x7 $\frac{3}{4}$ "H; speaker system: 13 $\frac{3}{4}$ x9 $\frac{3}{4}$ x5"D each. Shpg. wt., 40 lbs.

24 A 03244WX ..... Net 94.95  
Replacement needle for LSC-45B  
24 A 03202 ..... Net 2.40



Made in U.S.A.

No Money Down\*

## SALE 94<sup>95</sup>

with Plastic Dust Cover,  
Diamond LP Needle,  
and 45 RPM Spindle

WAS 99.95

Sale Ends 4/30/71

# Fabulous LAFAYETTE 8-Track Stereo Phono Systems

## Lafayette LSC-888B SOLID-STATE 3 PIECE MODULAR STEREO PHONOGRAPH and 8-TRACK STEREO TAPE SYSTEM



Diamond  
Needle



Tinted Plastic Dust Cover

# 149<sup>95</sup>

With Tinted  
Plastic Dust Cover and  
45 RPM Spindle

- Garrard 4-Speed Automatic Record Changer with Cueing
- 20 Watt Solid-State Stereo Amplifier
- Stereo Headphone Jack
- Input For Tuner or Tape Recorder
- Individual Illuminated Track Indicator Lights
- Pushbutton Track Selector
- Each Speaker Enclosure Contains An 8" Woofer and a 4" Tweeter

Deluxe 3-piece stereo music system plays both stereo phonograph records and stereo 8-track tape cartridges. You get superb hi-fi performance and versatility. The magnificent vinyl walnut and ebony low-line silhouette styling of the control center will blend into any decor. Each brilliant-sounding, 2-way 8" Speaker System contains a powerful 8" woofer and a 3½" super tweeter housed in a handsome vinyl walnut covered wood enclosure. The professional Garrard Stereo Record Changer with tubular tone arm, cueing, and diamond stylus plays 12", 10" and 7" records at 16 $\frac{2}{3}$ s, 33 $\frac{1}{3}$ s, and 45 and 78 rpm. Operates manually or automatically. The 8-Track Stereo Cartridge

Tape Player features individually illuminated track indicators and a pushbutton track selector switch. The All Transistor 20 Watt Stereo Amplifier has six controls: Treble, Bass, Balance, Volume, On/Off switch, Phono/Aux selector switch as well as inputs for stereo tuner or tape recorder and a front panel stereo headphone jack. Also includes a tinted plastic dust cover and 45 rpm spindle. Size: Control Center—23½" L x 4H x 14"D; each speaker system—15H x 10W x 4½"D. For 110-120 VAC.. 60 Hz. Shpg. wt., 50 lbs.  
24 A 03343WX No Money Down\* Net 149.95  
24 A 03202 Replacement needle for LSC 888 Net 2.49

## DELUXE Lafayette LSC-8000 SOLID-STATE 3-PIECE MODULAR AM/FM STEREO PHONO and 8-TRACK STEREO TAPE PLAYBACK SYSTEM

Plays Stereo Records, Stereo FM, AM/FM Radio Broadcasts and 8-Track Stereo Tape Cartridges



# 229<sup>95</sup>

With Tinted  
Plastic Dust Cover and  
45 RPM Spindle

Two 3-Speaker  
Acoustic Suspension  
Speaker Systems

- 100 watt I.P.P. Stereo Amplifier
- FM Stereo Indicator Light and Tuning Meter
- Garrard 4-Speed Automatic Record Changer with Cueing

- Stereo Headphone and Remote Speaker Outputs
- Individual Illuminated Track Indicator Lights
- Pushbutton Track Selector

The ultimate in a 3 piece Modular stereo phono system. Start with a handsome Control Center containing a powerful solid state 100 watt, I.P.P. AM/FM stereo Tuner/Amplifier. Add to the Control Center: (1) A famous professional Garrard 4 speed Automatic stereo record changer with anti-skating and cueing devices, (2) a deluxe 8 Track stereo Cartridge Player with an AC hysteresis motor. Take the two perfectly balanced full range 3 Speaker Acoustic Suspension Systems and plug them into the control center (cable is included). You now have a magnificent performing system that permits you to enjoy the finest in hi-fidelity music listening. Specifications: Garrard changer: 4 speeds—16 $\frac{2}{3}$ s, 33 $\frac{1}{3}$ s, 45, 78 RPM. Intermixes records of the same speed. Tone arm has VACO TN-4 turnover stereo ceramic cartridge with Diamond LP needle. 8 Track Stereo Tape

Cartridge Player: Individual Illuminated Track Indicators, Pushbutton Track Selector—100 watt Solid state I.P.P. AM/FM Stereo Tuner Amplifier: 6 Controls—selector, balance, treble, base, volume, tuning; FM Tuning meter; FM stereo indicator light, stereo Headphone jack, Main and remote speaker output jacks, Guitar mike input; Tape Input jacks; AC Convenience outlet. Each Acoustic Suspension Speaker System contains one 6½" woofer, and two 3½" tweeters. Freq. response 50-19,000 Hz. Beautiful walnut vinyl wood cabinetry. Includes tinted plastic dust cover and 45 RPM Spindle. Size: Control Center: 23½" W x 9¾" H x 15"D, Speaker System 14¾" H x 11¼" W x 6¾" D. For 110-120 VAC, 60 Hz.  
24 A 03269WX Shpg. wt., 63 lbs. No Money Down\* Net 229.95  
24 A 03202 Replacement needle for LSC8000 Net 2.49

Perfection in  
Performance—  
Lafayette  
and  
Garrard



ONLY  
**249<sup>95</sup>**  
No Money Down\*

With Purchase of LRC 70 or Below  
LRC 70 Systems

**SPECIAL  
BONUS**

**SAVE \$20<sup>00</sup>**



When you purchase the NEW  
LAFAYETTE F-1000 Deluxe  
Stereo 2-Way Headphone  
with the LRC-70 or below  
LRC-70 Systems.

See Page 8 For Details

## SUPERB LAFAYETTE "LRC-70" SOLID STATE 50 WATT AM/FM STEREO RECEIVER TURNTABLE CONTROL CENTER

- Professional Garrard Model 40B Stereo Automatic Turntable
- Pickering V15/AC-3 Dustamatic™ Cartridge
- Two Front Panel Stereo Mike Inputs— Can be used as a PA Amplifier
- Main and/or Remote Speaker Outputs

- Power Output 50 Watts at 4 ohms ±1db
- Tape Input and Output Jacks
- Tape Monitor Pushbutton
- Front Panel Stereo Headphone Jack
- Automatic FM Stereo Switching

The "low profile" LRC-70 has been created for the connoisseur who demands magnificent stereo hi-fidelity performance from a compact, gracefully styled control unit. The LRC-70 has been designed for complete ease of installation and use. This has been accomplished by integrating a superb Lafayette AM/FM Stereo Receiver and a professional Garrard stereo record changer onto a handsome base. The LRC-70 contains a powerful solid state 50-watt AM/FM Stereo Receiver with 2 FET's, 31 Transistors, 25 Diodes, and 2 Thermistors. Features an illuminated AM/FM signal strength tuning meter, automatic FM Stereo switching, MX Filter, FM stereo indicator light, and a 4-Gang FM tuning condenser for extra sensitivity. The renowned Garrard 40B stereo turntable features a full viscous damped tone arm and single lever cueing. Plays 7", 10", and 12" records at 16 $\frac{2}{3}$ , 33 $\frac{1}{3}$ , 45, and 78 rpm. A Deluxe Pickering V15/AC-3 Dustamatic™ stereo cartridge is already installed in the tone arm. LRC-70 controls


include: pushbutton loudness, tape monitoring, high filter, and stereo/mono mode selection, concentric volume/balance, bass, treble, and a mode selector. Outputs for use of Main, Remote, Main and Remote speakers are provided. 2 Front panel stereo Mike Inputs, Tape Inputs, Front and rear panel Tape Outputs. 2 AC convenience outlets, external FM antenna jack. Specifications: Amplifier; Response, 20-20,000 Hz  $\pm$ 1.5 db, Output, 50 watts at 4 ohms (both channels)  $\pm$ 1 db, 40 watts IHF. Input Sensitivity: Phono Mag. 4 mV, Aux. 250mV, Mic. 6 mV. FM sensitivity: 2.5  $\mu$ V. Selectivity: Adjacent Channel; 40db. AM Selectivity:  $\pm$ 20KC 35 db. Size: 17 x 9 x 16 $\frac{1}{2}$ "D. Imported. For 117 VAC 50/60 Hz.  
99 A 02347WX Shpg. wt., 46 lbs. Net 249.95

Beautiful, Heavy Gauge, Tinted Plexiglass Dust Cover for LRC-70.  
24 A 09050W Shpg. wt., 11 lbs. Net 8.95

## SPECIAL OFFERS with LAFAYETTE LRC-70 CONTROL CENTER

**Save 20<sup>00</sup>**

On the Purchase of  
2 Lafayette Criterion 50A  
Speaker Systems  
when bought with the LRC-70



LRC-70 plus 2 Criterion 50A Bookshelf Speaker Systems: See page 18 for description of the Criterion 50A. Shpg. wt., 100 lbs.

99 A 02404WXM 209.85

**Save 30<sup>00</sup>**

On the Purchase of  
2 Lafayette Criterion 50A  
Speaker Systems  
and the Lafayette RK-760A Cassette  
Stereo Tape Recorder  
when bought with the LRC-70



LRC-70 plus RK-760A Cassette Stereo Recorder and 2 Criterion 50A Bookshelf Speaker Systems. (See page 68 for description of RK-760A). Shpg. wt., 108 lbs.

99 A 02412WXM 379.80

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 7

**bonus special!**

**SAVE \$20.00**

**LAFAYETTE F1000**

DeLuxe 2-Way Hi-Fi Stereo Headphones  
with Individual Volume Controls



Regular Price **39.95**

**NOW ONLY 19<sup>95</sup>**

With Purchase of Any Stereo Receiver, Amplifier, Tuner or Systems on Pages 7 through 16, or Profile 80 on Page 60.

OFFER EXPIRES April 30, 1971.

Lafayette's stereo headphone bonus special makes it easy for you to purchase these excellent 2-Way Hi-Fi Stereo Headphones, a most enjoyable natural complement to your stereo equipment, at the same time that you purchase your hi-fi stereo component or system. You get these wonderfully performing stereo headphones that feature an individual volume control for each earpiece, at the special price of \$19.95, a saving of \$20.00 over the regular catalog price, when you buy any of the Lafayette stereo receivers, amplifiers, tuners, or systems shown on pages 7 through 16, or the Profile 80 on page 60.

When Purchased with any of Above Components or Systems  
89 A 02568 ..... Net **10.95**

89 A 02592 Purchased Separately wt. 2 lbs. .... Net **39.95**

See Page 24 for full description of Lafayette F1000 Stereo Headphones.

**Lafayette AWARD-WINNING LR-1500TA**  
**240 Watt Deluxe Solid State AM/FM Stereo Receiver**



With **ACRITUNE**

Precision Tuning Indicator

ONLY

**299<sup>95</sup>**

with case

**AAA 2 YEAR GUARANTEE**

With **COMPUTOR-MATIC™**

Automatic Overload Protection.

No Money Down\*

See Page 9 for Details

**4 IC's + 5 FET's + 39 Transistors + 35 Diodes + 2 Thermistors**

- IHF FM Sensitivity 1.5 $\mu$ v
- Automatic Stereo FM Switching
- Built-in AM and FM Antennas
- Center Channel Monaural Output
- 240 Watts  $\pm$  1 db, 190 Watts IHF Output Power
- Adjustable Automatic FM Interstation Muting
- Illuminated Selector Function Indicator Jewels
- Exclusive Front and Rear Panel Tape Output Jacks

Lafayette's latest and better than ever deluxe solid state AM/FM stereo receiver in the acclaimed and award winning LR-1500 series! The LR-1500TA 240-watt stereo receiver is expressly engineered to blend the ultimate in high fidelity sound with superb performance, long life, and space-age reliability. In addition to its complement of fine quality transistors the LR-1500TA includes 4 Integrated Circuits (IC's) and 5 high-performance Field Effect Transistors to provide truly sterling FM stereo reception and audio reproduction. You'll hear more stations—the weak as well as the strong, with amazing, noise-free clarity and tonal purity! Features patent pending computer designed protective circuitry for virtually foolproof protection against burnout or failure of audio driver and power output transistors, and "ACRITUNE" circuitry for foolproof visual tuning accuracy. Utilizes a complete set of automatic and manual controls such as: Automatic FM stereo/mono switching; sharp, adjustable Muting circuit to silence the receiver when tuning between stations; dual system speaker switch which permits enjoyment of stereo in one or two rooms separately or simultaneously; di-

rect tape monitor switch and tape monitor jeweled indicator light for tape monitoring without changing cable connections; a front panel stereo headphone jack for enjoyable private stereo listening; and a center channel low level output for monaural amplifier and speaker. Separate input jacks provide for switchable high, low and medium magnetic phono and ceramic/crystal cartridge inputs. AM rf section has a separate 3-gang tuning condenser and rf stage to accommodate the full sound potential of standard AM broadcasting. Incorporates built-in FM and AM antennas plus connections for external local and distant FM & AM antennas. Distinctively styled to enhance any decor. Features a handsome gold anodized extruded aluminum front panel with matching knobs and includes an attractive vinyl-clad metal enclosure finished with the simulated look of rich walnut wood-grain. For 117v., 50/60 Hz AC. Imported. Size 16 $\frac{1}{2}$  x 4 $\frac{1}{2}$  x 14 $\frac{1}{4}$ "D.

89 A 01950WUX Shpg. wt., 38 $\frac{1}{2}$  lbs. .... Net **299.95**  
Attractive Oiled Walnut Wood Cabinet for LR-1500TA  
21 A 01582W Shpg. wt., 8 lbs. .... Net **10.95**

# LAFAYETTE 240-Watt AM/FM Stereo Systems with LR-1500TA Receiver



Garrard  
SL55B

SYSTEM PRICE

**424<sup>95</sup>**

SAVE 69.85

From Individual  
Catalog Price



LR-1500TA

SYSTEM PRICE

**516<sup>95</sup>**


SAVE 77.85

From Individual  
Catalog Price



Garrard  
SL65B

Choice of Stereo Cartridge



Criterion "100B"

**SAVE \$20.00** ON

Deluxe Stereo Headphones

With Purchase of Any System on  
this page. See Page 8 for Details.

## A SELECTED 240-WATT AM-FM STEREO SYSTEMS

This expertly matched stereo system includes our finest receiver, the award-winning Lafayette LR-1500TA 240-Watt Solid-State AM-FM Stereo Receiver which features advanced solid-state circuitry with 4 integrated Circuits, 5 F.E.T.'s, 39 discrete transistors, Computer-Matic® protective circuitry and ACRITUNE precision visual tuning for extraordinary performance; Garrard Synchro-Lab Model SL55B 3-Speed Automatic Turntable with attractive matching base; Pickering V-18/ACE-3 Elliptical Stereo Cartridge® with high compliance diamond stylus; and 2 Lafayette Criterion 100B 3-way speaker systems with 10" woofer, 3 1/2" mid-range, 1 1/2" super tweeter, loaded sonic port and high frequency brilliance control in attractive oiled-walnut finished enclosures. Complete with speaker cable. Shpg. wt., 113 1/2 lbs.

21 A 93080WXM No Money Down" ..... Net 424.95

Same as above but with Shure M55E elliptical stereo cartridge.

21 A 93241WAM Shpg. wt., 113 1/2 lbs. .... Net 424.95

Dust Cover for SL 55B and SL65B. Shpt. wt., 3 lbs.

21 A 40267W ..... Net 5.50

## B DELUXE 240-WATT AM-FM STEREO SYSTEMS


A deluxe stereo system that features the renowned Lafayette LR-1500TA 240-Watt Solid State AM/FM Stereo Receiver with meticulously engineered solid-state circuitry that includes 4 integrated Circuits, 5 Field Effect Transistors and 39 discrete transistors, Computer-Matic® protective circuitry for the audio power stages and ACRITUNE precision visual tuning resulting in extraordinary performance; Garrard Model SL65B Synchro-Lab 3 Speed Automatic Turntable with adjustable anti-skating control, viscous damped cueing, etc.; Matching Base for turntable; Pickering V-15/ACE-3 Elliptical Stereo Cartridge with high compliance diamond stylus; and 2 new Lafayette Criterion VI deluxe 4-way, 6-speaker systems with 12" woofer, 5" mid-range, two 3" tweeters, two 1 1/2" super tweeters, and Brilliance and Presence controls in a handsome oiled-walnut finished enclosure. With cable. Shpg. wt., 139 1/2 lbs.

21 A 93092WXM No Money Down" ..... Net \$16.95

Same System as above except with Shure M55E elliptical stereo cartridge.

21 A 93217WXM Shpg. wt., 139 1/2 lbs. .... Net \$16.95

Choice of Stereo Cartridge



Criterion "VI"

See pages 8, 19, 22, and 23  
for full descriptions of components  
in above systems.

### LAFAYETTE AAA GUARANTY

- LAFAYETTE HIGH FIDELITY SPEAKERS = 5 YEARS
- LAFAYETTE HIGH FIDELITY RECEIVERS = 2 YEARS
- LAFAYETTE HIGH FIDELITY TUNERS = 2 YEARS
- LAFAYETTE HIGH FIDELITY AMPLIFIERS = 2 YEARS

All Lafayette high fidelity components identified as covered by Lafayette's AAA guaranty are guaranteed to be free of defects in material or workmanship from the date of sale for the time period shown above. During that period we will repair (or at our option replace) them without charge for either material or labor. Material must be returned prepaid to us for our inspection. This guaranty does not apply to items which have been subjected to misuse, abuse, alteration, repair without our authorization or used in violation of operating Instructions, nor to normal wear and tear. The speaker guaranty does not cover external parts such as cabinets, grille cloth etc. Serial number must not be defaced. Guaranty is not transferrable.

### LAFAYETTE GUARANTEES

#### LAFAYETTE AAM GUARANTY

This guaranty covers Lafayette items so indicated in our catalog which contain several integrated sections in a single unit such as compacts and integrated entertainment centers. The time period for each section is as follows:

- SPEAKERS ..... 5 YRS.
- RECEIVER OR TUNER SECTION ..... 2 YRS.
- AMPLIFIER SECTION ..... 2 YRS.
- RECORDER SECTION ..... 3 MOS.
- CHANGER SECTION ..... 3 MOS.

The terms and conditions of this guaranty are otherwise identical to the AAA Guaranty.

#### OTHER GUARANTEES

All merchandise not covered either by the special guarantees on this page or by other specific guarantees in the catalog are covered by a 90 day repair or replacement guarantee (at our option) against defects in material or workmanship.

#### SATISFACTION GUARANTEED

If for any reason you are not satisfied with your purchase return it to us within 30 days in the original factory carton and we will exchange it or return your money (less transportation charges). Merchandise returned must be in good condition and not soldered or abused—no holes drilled or changes made in any other way. This policy does not apply to kits, nor to pre-recorded tape, records, books or merchandise not regularly stocked that has been ordered especially for you.



**A PERENNIAL FAVORITE OF THE PROFESSIONAL CRITICS**

**DELUXE 150-WATT SOLID-STATE AM/FM STEREO RECEIVER**



**LR-1000B**

**AAA 2-YEAR GUARANTEE**

See Page 8 for Details

**NOW with ACRITUNE**  
Precision Tuning Indicator

Only **239<sup>95</sup>**

No Money Down\*

**4 IC's + 5 FET'S + 32 Transistors + 29 Diodes**

- 150 Watts  $\pm$  1db, 120 Watts IHF Output Power
- IHF Sensitivity 1.65  $\mu$ V
- Interstation FM Muting Control Switch
- Automatic FM Stereo Switching

- Center Channel Output
- Built-In FM Antenna Plus Flexible Swivel-Mount AM Antenna
- High/Low Phono Sensitivity Switch
- Front Panel Stereo Headphone and Tape Output Jacks

Every performance feature that you'd expect to find along with many extras to obtain the superb character of brilliant sound. The LR-1000B features the new space age miracle, Integrated Circuits (IC's), plus FET's in the tuner front end to assure outstanding selectivity, stability and superior capture ratio. Advanced circuitry is complemented by all the controls you need to adjust the sound to your particular taste. Fine features include ACRITUNE indicator for fool-proof FM visual tuning accuracy, special high and low frequency switchable noise filters, front panel 4, 8 or 16 ohm headphone output jack for silent listening, tape output jack for direct tape recording, tape monitor plus tape monitor illuminated

jewel indicator, loudness switch, signal strength tuning meter, colored function lights, and automatic FM stereo indicator light. Complete input and output facilities designed for easy installation and connection to any program source or external component. Has 1 switched and 1 unswitched AC receptacle. The LR-1000B's professional styling is enhanced by an attractive 2 tone anodized extruded aluminum front panel and a simulated walnut grain metal case. For 105-120 VAC, 50/60 Hz. Size: 15 1/2 x 5 x 13" D (incl. rear projections). Imported.

99 A 01904WUX Shpg. wt., 32 lbs. Net 239.95

**LAFAYETTE 150-Watt Stereo Systems Featuring LR-1000B**

This fine 150-watt stereo system features the Lafayette LR-1000B 150-Watt Solid State AM-FM Stereo Receiver with outstanding performance characteristics and fine circuitry innovations; the Garrard Model 40B 3-Speed Automatic Turntable; matching base for turntable; Pickering P/ATE-1 Elliptical Stereo Cartridge with high compliance diamond stylus; and 2 Lafayette Criterion 100B 3-Way loaded sonic speaker systems with 10" woofer, 3 1/2" midrange, 1 1/2" super tweeter and brilliance control in an attractively styled oiled-walnut finished enclosure. With speaker cable.

21 A 09019WXM Shpg. wt., 106 1/2 lbs. Net 355.95

As above except with Shure M44E elliptical stereo cartridge.

21 A 09027WXM Shpg. wt., 106 1/2 lbs. Net 355.95

Same as 21 A 09019WXM except with Empire 90EE/X elliptical stereo cartridge.

21 A 09035WXM Shpg. wt., 106 1/2 lbs. Net 355.95

Same system as 21 A 09019WXM except with two Lafayette Deluxe Criterion VI 6-speaker, 4-way systems that feature a 12" woofer with 4 1/2 lb. magnet structure, 5" midrange in sealed sub-enclosure, two 3" cone tweeters, two 1 1/2" aluminum cone super tweeters, and tuned "sonic tube" in oiled walnut finish enclosure, instead of Criterion 100B speakers. Shpg. wt., 132 1/2 lbs.

21 A 09043WXM No Money Down\* Net 427.95

You Save 66.85 From Individual Catalog Prices!

Same system as 21 A 09043WXM except with Shure M44E elliptical stereo cartridge. Shpg. wt., 132 1/2 lbs.

21 A 09050WXM No Money Down\* Net 427.95

Same system as 21 A 09043WXM except with Empire 90EE/X elliptical stereo cartridge. Shpg. wt., 132 1/2 lbs.

21 A 09058WXM No Money Down\* Net 427.95



LR-1000B



GARRARD 40B



ALTERNATE SPEAKERS

CRITERION 100B

Choice of Elliptical Stereo Cartridge



CRITERION VI

SYSTEM PRICE **355<sup>95</sup>** No Money Down\*

**SAVE 58.85**

From Individual Catalog Prices

**SAVE \$20.00 MORE!**



LAFAYETTE Deluxe 2-Way Hi-Fi Stereo Headphones

With Purchase of Receiver or Any System on This Page. See Page 8 For Details.

# LAFAYETTE 100-Watt AM/FM Stereo Receiver LR-775



4 IC's + 24 Transistors  
+ 4 FET's + 25 Diodes

**199<sup>95</sup>**  
WITH CASE

No Money Down\*

AAA 2-YEAR GUARANTEE

LR-775

See Page 9 for Details

- 100-Watts  $\pm$  1 db, 80 Watts IHF Stereo Power
- 4-Gang FM Tuning Condenser
- Fused Output Transistors
- 1.7 $\mu$ v IHF Sensitivity
- Automatic FM Stereo Switching and Stereo Indicator Light

This 100-watt stereo receiver is one of Lafayette's finest with its distinctive styling and advanced solid state circuitry, truly a thing of beauty with top-notch stereo performance. The large tuning panel is black when the power is off, thus blending harmoniously even with the most luxurious decors. When the power is turned on, the tuning meter, FM Stereo Indicator and AM and FM dials light up and are revealed with the utmost clarity, thus enhancing the attractive appearance of the LR-775 and that of the room in which it performs. Another styling innovation is the aluminum and black knobs which contrast nicely with the gold anodized brushed aluminum panel trim. The LR-775's sensitive FM Stereo circuitry will receive even the weakest signals while maintaining excellent fidelity and freedom from distortion. The AM tuner section offers very good selectivity plus a built-in, flexible-mount ferrite loopstick antenna for optimum

- Front and Rear Panel Tape Output Jacks
- Speaker Mode Switch Selects Main, Main and Remote, or Remote Speakers
- Pushbutton Switches Select Loudness, Stereo/Mono, Tape Monitor and High Filter

sensitivity. A meticulously designed amplifier section gives faithful reproduction with more than adequate volume from any program source. Output transistors are fused for full overload protection. The LR-775 also has a selector switch for Aux Phono, FM, MPX Filter, and AM; Front and Rear panel jacks for tape outputs; Rear panel stereo inputs for magnetic and ceramic phono, Aux. Tape Record, and Tape Play; and one switched plus one unswitched AC convenience outlets. Complete with built-in FM antenna and provisions for external AM and FM antennas. Power requirements: 105-120 VAC, 50/60 Hz. Size: 14 $\frac{1}{2}$ "W x 4" H x 10 $\frac{1}{4}$ "D. Imported. Shpg. wt., 16 $\frac{1}{2}$  lbs.

99 A 02156WUX ..... Net 189.95  
Oiled Walnut Wood Cabinet for LR-775 Shpg. wt., 8 lbs.  
21 A 01601W ..... Net 19.95

## Choice 100-Watt Stereo Systems With LR-775 Solid State AM/FM Stereo Receiver



Lafayette LR-775



CRITERION 30A



Choice of Elliptical Stereo Cartridge

Garrard 408



ALTERNATE SPEAKERS  
CRITERION "OMNI-1"

SYSTEM PRICE **283<sup>95</sup>**

No Money Down\*

**SAVE 50.85**

From the Individual Catalog Prices

This complete versatile stereo system consists of Lafayette LR-775 100-Watt Solid State AM-FM Stereo Receiver with advanced solid state stereo circuitry; Garrard Model 408 3-Speed Automatic Turntable; Matching base for turntable; Pickering P/ATE-1 Elliptical Stereo Cartridge with high-compliance diamond stylus; and 2 famous Lafayette Criterion 50A 2-way bass reflex ducted port speaker systems with 8" woofer and 3 $\frac{1}{2}$ " direct radiator tweeter in oiled walnut finish enclosure for horizontal or vertical placement. With cable.

21 A 93381WXM Shpg. wt., 73 lbs. .... Net 283.95

Same as above but with Shure M44E elliptical stereo cartridge. 21 A 93389WXM Shpg. wt., 73 lbs. .... Net 283.95

Same as above but with Empire 90EE/X elliptical stereo cartridge. 21 A 93407WXM Shpg. wt., 73 lbs. .... Net 283.95

Same system as 21 A 93381WXM except with 2 Lafayette Criterion "Omni-1" omnidirectional 5 speaker thin-line speaker systems that include 8" woofer plus four 3 $\frac{1}{2}$ " close-back tweeters with 360° acoustic deflector in attractive oiled walnut enclosure. 21 A 92070WXM Shpg. wt., 85 lbs. .... Net 361.95

Same system as 21 A 92070WXM except with Shure M44E elliptical stereo cartridge. Shpg. wt., 85 lbs. .... Net 361.95

21 A 92060WXM No Money Down\* ..... Net 361.95

Same system as 21 A 92070WXM except with Empire 90EE/X elliptical Stereo cartridge. Shpg. wt., 85 lbs. .... Net 361.95

21 A 93423WXM No Money Down\* ..... Net 361.95


**SAVE \$20.00 MORE!**



LAFAYETTE DeLuxe 2-Way H.F. Stereo Headphones

With Purchase of Receiver or Any System on This Page. See Page 8 For Details.

# LAFAYETTE 50-Watt AM/FM Stereo Receiver LR-100



33 Transistors  
25 Diodes  
2 Thermistors  
ONLY  
**139<sup>95</sup>**  
with Case  
No Money Down\*

LR-100

AAA 2 YEAR GUARANTEE

See Page 9 for Details

- 50 Watts  $\pm 1$ db, 40 Watts IHF Stereo Output
- 4-gang FM Tuning Condenser for Sensitivity of 2.5  $\mu$ v
- Illuminated Signal Strength Tuning Meter
- Built-in FM plus Flexible-Mount AM Antenna

An outstanding hi-fi value, the Lafayette LR-100 features deluxe decorator-designed styling plus full-range, full-fidelity sound from thrilling stereo or mono FM broadcasts, AM broadcasts, as well as phono or tape. A full complement of front panel tone controls (Bass, Treble, Volume/Balance) and push-button switches (Loudness, Stereo/Mono, High Filter) enable the LR-100 to be tailored to the acoustical characteristics of any room, and to match the sound characteristics of virtually any phono cartridge, tape player or speaker system—performance features normally included only on much more expensive hi-fi components. Excellent sensitivity, selectivity, and capture ratio are inherent in the technologically advanced and long-life circuitry of the LR-100. You will be delighted with the clear reception

- Front and Rear Panel Tape Output Jacks
  - Front Panel Stereo Headphone Jack
  - High Frequency Filter
  - Automatic FM Stereo Switching and Stereo Indicator Light
- of the weak as well as the stronger stations! The amplifier section has power to spare . . . 50 watts will drive main and remote stereo speakers, and will easily fill any room with clean, wall-to-wall sound. Some additional fine features of the LR-100 are: automatic stereo switching; signal-strength tuning meter for more accurate tuning; MPX filter; FM stereo indicator light; front and rear panel tape outputs for easier tape recording; stereo headphone output for enjoyable private listening; fused speaker outputs; distinctively styled front panel and attractive simulated walnut grain vinyl-clad metal case. Size: 14 $\frac{1}{2}$ "Wx4 $\frac{1}{2}$ "Hx10 $\frac{1}{2}$ "D. For 117 VAC 50/60 Hz. Imported. Shpg. wt., 21 lbs.  
99 A 92214WUX ..... Net 139.95

## 50-Watt AM/FM Stereo Systems With LR-100 Solid-State Stereo Receiver



LR-100


Choice of  
Elliptical  
Stereo  
Cartridge



Garrard 40B



Criterion 50A Alternate Speaker Systems



Criterion 25A

SYSTEM PRICE **211<sup>95</sup>**  
No Money Down\*

**SAVE 42.85**  
From Individual Catalog Prices

Features the Lafayette LR-100 50-Watt Solid State AM-FM Stereo Receiver which offers full-feature stereo versatility; Garrard Model 40B 3-speed Automatic Turntable with viscous damped, single lever cueing, complete with Matching Base; Pickering P/ATE-1 Elliptical Stereo Cartridge with high compliance diamond stylus; 2 Lafayette Criterion 25A 25-Watt 2-Way speaker systems, each featuring an extra-efficient 8" woofer and 2 $\frac{1}{2}$ " tweeter. Speakers are housed in attractive enclosures with hand-rubbed oiled walnut finish. Complete with speaker cable.

21 A 94789WXM Shpg. wt., 56 lbs. .... Net 211.95

Same as above except with Shure M44E elliptical cartridge.

21 A 94777WXM Shpg. wt., 56 lbs. .... Net 211.95

Same as above except with Empire 90EE/X elliptical cartridge.

21 A 93464WXM Shpg. wt., 56 lbs. .... Net 211.95

Same system as 21 A 94789WXM except with 2 Lafayette Criterion 50A 30-Watt 2-way bass reflex ducted port speaker systems with 8" woofer and 3 $\frac{1}{2}$ " tweeter in oiled-walnut finish enclosure instead of Criterion 25A speakers.

21 A 93472WXM Shpg. wt., 87 $\frac{1}{4}$  lbs. .... Net 229.95

21 A 93472WXM system except with Shure M44E Elliptical Cartridge.

21 A 93468WXM Shpg. wt., 87 $\frac{1}{4}$  lbs. .... Net 229.95

21 A 93472WXM system except with Empire 90EE/X Cartridge.

21 A 93498WXM Shpg. wt., 87 $\frac{1}{4}$  lbs. .... Net 229.95

**SAVE \$20<sup>00</sup> MORE!**



LAFAYETTE Deluxe  
2-Way Hi-Fi Stereo  
Headphones

With Purchase of Receiver or  
System on This Page.

See Page 8 for Details

# LAFAYETTE 25-Watt Solid-State AM/FM Stereo Receiver LR-75



**AAA 2-YEAR GUARANTEE**

See Page 8 for Details

**AMAZING  
LOW PRICE**  
**109<sup>95</sup>** with case  
**No Money Down\***

- 25-Watts  $\pm 1$  db, 20 Watts IHF Stereo Output
- IHF Sensitivity 3.5 $\mu$ V
- Automatic FM Stereo Indicator
- Automatic Station Lock-In

- Built-In FM plus Flexible-Mount AM Antennas
- Front Stereo Headphone Jack
- Front Panel Tape Output Jack
- Main-Remote Speaker Switches

NOW AT A SENSATIONAL LOW PRICE . . . for the music-lovers who want the "very best" but must consider their budgets, the LR-75 is the modern solution to big AM/FM stereo sound at a low price! All solid-state circuitry (24 transistors, 21 diodes) delivers clean, crisp stereo realism with a maximum degree of freedom from unwanted interference and noise. Among the many convenience features there are **AUTOMATIC STEREO/MONO SWITCHING** and a simultaneous **STEREO INDICATOR LIGHT** that automatically signals the presence of an FM stereo broadcast. The LR-75 features the following desirable controls: **PROGRAM SELECTOR** (Auxiliary, Phono CER., FM, MPX Filter, and AM); **BASS** and **TREBLE** controls; dual concentric **VOLUME/BAL-**

**ANCE**; and **TUNING**. In addition there are see-saw rocker switches for **POWER on/off**, **LOUDNESS** contour, **LOCK** (automatic frequency control), **STEREO/MONO** mode, and switches for two separate speaker system selection. (Lets you turn on or off both **MAIN** and **REMOTE** speakers.) It also includes a front panel tape output jack and stereo headphone jack; plus unswitched AC convenience outlet on rear panel. The unit comes in a handsome, vinyl clad, heavy gauge metal enclosure, with the simulated look of rich walnut wood grain. Front panel and knobs are matching brushed gold anodized extruded aluminum. For 105/120 VAC, 50/60 Hz. 13Wx9 $\frac{1}{2}$ Dx4 $\frac{1}{2}$ "H. Imported. 99 A 02362WUX Shpg. wt., 16 $\frac{1}{2}$  lbs. . . . . Net 109.95

## 25-Watt AM/FM Stereo Systems with LR-75 Solid State Stereo Receiver

A truly exciting value in a complete 25-watt stereo system package! Matched for performance as well as economy, this stereo system features the Lafayette LR-75 25-watt Solid State AM-FM Stereo Receiver with full stereo performance capability, and with pleasing complementary styling; Garrard Model 30 3-Speed Automatic turntable with oversized turntable, efficient ceramic stereo cartridge and long-life diamond stylus; Attractive Matching Turntable base for Model 30; and 2 Lafayette Criterion 2X neatly styled, highly efficient 2-way oiled walnut finish bookshelf speaker systems with fine performing 6" woofer and 3 $\frac{1}{2}$ " cone-type tweeter. Shpg. wt., 45 lbs. 21 A 93522WXM . . . . . Net 166.95

Same system as above except with 2 popular, best-selling Lafayette Criterion 50A 2-way bass-reflex, ducted port speaker systems with heavy-duty 8" woofer and 3 $\frac{1}{2}$ " direct radiator tweeter in attractive oiled-walnut finish enclosure for horizontal or vertical placement instead of Criterion 2X speakers. Shpg. wt., 71 lbs. 21 A 93530WXM . . . . . Net 193.95



LR-75



Garrard 30



Criterion 2X



Alternate Speakers Criterion 50A

**SAVE \$20<sup>00</sup> MORE!**



**LAFAYETTE Deluxe  
2-Way Hi-Fi Stereo  
Headphones**

With Purchase of Receiver or System on This Page.  
See Page 8 for Details

**SYSTEM PRICE 166<sup>95</sup>**  
No Money Down\*

**SAVE 17.90**  
From Individual Catalog Prices

\*See Page 25 for Full Credit Details on Easy Pay Plan

# LAFAYETTE

Stereo Amplifiers

## 160 Watt Solid State Stereo Amplifier



Model LA-125B

**129<sup>95</sup>** WITH CASE  
No Money Down\*

AAA 2-YEAR GUARANTEE

See Page 9 for Details

- 160 Watts  $\pm 1$  db, 125 Watts IHF Output Power into 4 Ohms
- 2 FET's, 18 Transistors, 6 Diodes and 2 Thermistors
- 2 Front Panel Microphone/Musical Instrument Jacks for Voice, and Musical Instrument Inputs
- Main-Remote Speaker Mode Switch
- High Gain Plus Low Gain Phono Inputs
- High Gain Plus Low Gain Tuner Inputs
- Front and Rear Tape Output Jacks
- Low and High Frequency Filters
- Front Panel Stereo Headphone Jack
- Distinctive Styling

Produces a full 160 watts of audio power from 20-20,000 Hz with outstanding clarity at virtually any listening level. Concentric Balance/Volume, Treble, Bass controls provide easy adjustment on both channels. Mode/Tape control selects Left and Right channel inputs, Mono, Stereo; Tape Monitor—Left, Right, and Stereo. Four pushbutton switches are provided for Low Filter, High Filter and Loudness for tonal balance at low volume levels. The rear panel provides 6 stereo inputs and a stereo output for tape recording through amplifier. The stereo inputs include: Switchable high and low inputs for magnetic and ceramic phono cartridges; Auxiliary; and Tape input for connection of a tape deck. Left and right speaker connections permits the use of 4, 8 or 16 ohm speakers. Special remote speaker terminals are provided for remote placement of speakers anywhere in your home. 2 AC outlets (1 switched) on rear panel. For 117 VAC, 50/60 Hz.

99 A 62305W Shpg. wt., 19½ lbs. ..... Net 129.95



## 100 WATT SOLID STATE STEREO AMPLIFIER

Model LA-750

**79<sup>95</sup>** WITH CASE  
No Money Down\*

AAA 2-YEAR GUARANTEE

See Page 9 for Details

- 100-Watts  $\pm 1$  db, 80-Watts IHF Stereo Power
- Fused Output Transistors
- 2 FET's, 16 Transistors, 6 Diodes, 2 Thermistors
- Main-Remote Separate/Simultaneous Speaker Switch
- Front Panel Stereo Headphone Jack
- High Frequency Noise Filter
- Front and Rear Tape Output Jacks
- Decorator Styling of Distinction

All solid-state for utmost in dependable service with such advanced features as Push On/Push Off switches for Main Power, Loudness, Stereo/Mono, Tape Monitor, and High Filter, plus separate Bass, Treble, and Volume/Balance controls. Speaker Mode switch selects Main, Main plus Remote, Remote speakers, or Stereo Headphones. There are convenient tape output jacks on front and rear panels. Rear panel includes stereo jacks for Aux., Tuner, Phono, Tape Play, and Tape Record. Has fused right and left channels for protection against shorts and overloads; Remote and main speaker outputs for stereo sound anywhere in your home; 1-switched and 1-unswitched AC outlet; AC power fuse. For 105-120 VAC., 50/60 Hz. Size: 12W x 3¼H x 9¼"D. Imported.

99 A 62140W Shpg. wt., 13½ lbs. .... Net 79.95



## 50 WATT SOLID-STATE STEREO AMPLIFIER

Model LA-324A

**59<sup>95</sup>** WITH CASE  
No Money Down\*

AAA 2-YEAR GUARANTEE

See Page 9 for Details

- 50-Watts  $\pm 1$  db, 40-Watts IHF Output Power
- Frequency Response: 20-20,000 Hz  $\pm 1.5$  db
- 18 Transistors, 4 diodes, 2 Thermistors
- Main-Remote Speaker Switch
- Front Panel Stereo Headphone Jack
- Attractive Front Panel Plus Simulated Walnut Case

The LA-324A will drive most speaker systems to maximum volume while maintaining very good frequency response and low distortion. The LA-324A features: fused output transistors for protection against overloads, and front panel controls which include concentric volume/Balance, Treble and Bass, Input Selector for Aux., Tuner, Mag Phono, and Ceramic Phono. Also included are rocker switches for Mono/Stereo mode, Remote/Main Speakers and Power On/Off. Rear panel features stereo inputs for Aux., Tuner and Phono; 2 AC convenience outlets; Tape Output Jack; and Main and Remote Speaker terminals for 4, 8, 16 ohm speakers. Its attractive design (only 10½W x 3¼H x 8¼"D) will complement any home decor. For 105-120VAC., 50/60 Hz with AC power Fuse. Imported.

99 A 62339W Shpg. wt., 10¼ lbs. .... Net 59.95


**SAVE** LAFAYETTE Deluxe 2-Way  
**\$20.00** on Hi-Fi Stereo Headphones



With Purchase of Any  
Amplifier On This Page.  
See Page 8 For Details

# LAFAYETTE Matched Stereo Phono Systems

**256<sup>95</sup> SAVE 47.85**  
 No Money Down\* From Individual Catalog Prices



Criterion 100B



LA-125B



Garrard 40B

Choice of Stereo Cartridge

## 160-WATT STEREO SYSTEMS with LA-125B

Packed with satisfaction-giving audio features, this stereo system consists of the Lafayette LA-125B 160-Watt, Solid-State Stereo Amplifier with superbly designed solid-state circuitry for unexcelled stereophonic sound reproduction; the Garrard Model 40B 3-speed Automatic Turntable with outstanding turntable features; matching base for turntable. Pickering P/ATE-1 Elliptical Stereo Cartridge with high compliance diamond stylus; and 2 fine Lafayette Criterion 100B 3-speaker systems with 10" woofer, 3 1/2" midrange, 1 1/2" super tweeter, loaded sonic port and brilliance control in a handsomely styled oiled walnut finished enclosure. With speaker cable. Shpg. wt., 93 lbs.

- 21 A 89876WXM ..... Net 256.95
- 21 A 89884WXM Above System but with Shure M44E elliptical cartridge. .... Net 256.95
- 21 A 89892WXM Above System but with Empire 90EE/X elliptical cartridge. .... Net 256.95
- Same as 21 A 89876WXM except with 2 Lafayette Criterion 4X 4-speaker systems with 12" woofer, 5" midrange, 3" tweeter and 1 1/2" super tweeter in ducted port oil-walnut finished enclosure. Shpg. wt. 114 lbs. .... Net 292.95
- 21 A 89900WXM No Money Down\* ..... Net 292.95

Alternate Speakers



Criterion 4X



Criterion 50A

**175<sup>95</sup> SAVE 38.85**  
 No Money Down\* From Individual Catalog Prices



LA-750



Garrard 40B

Choice of Stereo Cartridge

## 100-WATT STEREO SYSTEMS with LA-750


A 100-watt stereo phono system that features the Lafayette LA-750 100 watt Solid State Stereo Amplifier; Garrard Model 40B 3-Speed Automatic Turntable with attractive matching base; Pickering P/ATE-1 Elliptical Cartridge with high compliance diamond stylus; plus 2 Lafayette Criterion 50A popular 2-way bass reflex ducted-port speaker systems with heavy duty 8" woofer and 3 1/2" cone type direct radiator tweeter in decorative oiled-walnut finished enclosures. Complete with speaker cable. Shpg. wt., 70 lbs.

- 21 A 93621WXM ..... Net 175.95
- 21 A 93639WXM Above System but with Shure M44E elliptical cartridge. .... Net 175.95
- 21 A 93647WXM Above System but with Empire 90EE/X elliptical cartridge. .... Net 175.95
- Same as 21 A 93621WXM except with 2 Lafayette Criterion "Omni-1" 5 speaker thin line systems each with 8" woofer, four 3/4" closed back tweeters and 360° acoustic deflector in oiled-walnut finished enclosure. .... Net 193.95
- 21 A 92353WXM Shpg. wt., 82 lbs. .... Net 193.95

Alternate Speakers



Criterion "Omni-1"



Criterion 25A

**139<sup>95</sup> SAVE 34.85**  
 No Money Down\* From Individual Catalog Prices



LA-324A



Garrard 40B

Choice of Stereo Cartridge

## 50-WATT STEREO SYSTEMS with LA-324A

A budget-priced system with high performance, this Lafayette matched stereo system consists of the new Lafayette LA-324A 50-Watt Solid State Stereo Amplifier; Garrard Model 40B 3-Speed Automatic Turntable with neatly designed matching base; Pickering P/ATE-1 Elliptical Stereo Cartridge with high compliance diamond stylus and 2 Lafayette Criterion 25A efficient 25-Watt 2-Way air suspension speaker systems with 8" woofer, and 2 1/2" tweeter in decorative hand-rubbed oiled-walnut finished enclosure. With cable.

- 21 A 93696WXM Shp. wt., 47 1/4 lbs. .... Net 139.95
- 21 A 93704WXM Above System but with Shure M44E elliptical cartridge ..... Net 139.95
- 21 A 93712WXM Above System but with Empire 90EE/X elliptical cartridge ..... Net 139.95
- Same as 21 A 93696WXM except with 2 famous Lafayette Criterion 50A 30-watt, 2-way speaker systems with 8" woofer and 3 1/2" tweeter in ducted port oiled-walnut finish enclosure. .... Net 157.95
- 21 A 93720WXM Shpg. wt., 67 1/4 lbs. .... Net 157.95

Alternate Speakers



Criterion 50A

**SAVE \$20.00** on **LAFAYETTE Deluxe 2-Way Hi-Fi Stereo Headphones**



With Purchase Of Any System On This Page. See Page 8 For Details.

\*See Page-25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 15



**DESIGNED FOR PERFORMANCE...  
STYLED FOR DISTINCTION!**



ONLY  
**99<sup>95</sup>**  
No  
Money  
Down\*

**AAA 2-YEAR GUARANTEE**

See Page 9 for Details

## LAFAYETTE Solid-State AM/FM Stereo Tuner Model LT-725A

- 1.7 $\mu$  IHF Sensitivity
- 4 IC's, 2 FET's, 14 Transistors, 19 Diodes
- 4 Gang Tuning Condenser
- Front Panel Tape Output Jack
- Illuminated Signal-Strength Tuning Meter  
For Normal and Center Scale Tuning
- Automatic Stereo Switching and  
Stereo Indicator Light
- Push-Button FM Mute Switch
- Beautifully Styled Dial That Illuminates  
with "Power-On"
- 1.5db Capture Ratio • 40db Stereo Separation

The Lafayette LT-725A establishes performance standards for excellence in performance, flexibility of controls, ease of operation, and convenience. Its distinctive styling will compliment any home decor. Yet with all these features it is priced within the budget of the music lover who seeks superior performance and design at a moderate cost. In addition to high performance and unique circuit design, the LT-725A boasts an ultra-modern exterior with space-age styling. The most striking of these is the elegant ebony face-plate with gold embossed lettering; when the unit is turned "On", the logging scale, tuning meter and stereo indicator are illuminated into a highly attractive soft, rich blend from behind the face-plate. The front panel also features a row of push-buttons for the functions of Stereo/Mono mode, MPX Filter, Mute Switch for minimum noise while tuning FM stations, FM/AM reception, and tuning meter for center channel tuning and signal strength indication. There are tape output jacks at the rear and front panels; and rear inputs for external FM and AM antennas. Complete with built-in FM and AM antennas, AC fuse holder and grounding post. Output suitable for any quality stereo amplifier. Size: 12Wx3 $\frac{3}{4}$ Hx9 $\frac{1}{2}$ "D. Imported. For 105-120 Volts AC, 50/60 Hz. 99 A 02297WUX Shpg. wt., 1 $\frac{1}{2}$  lbs. Net 99.95

**SAVE \$20.00** on

LAFAYETTE Deluxe 2-Way Hi-Fi  
Stereo Headphones

With Purchase of Any Tuner On  
This Page. See Page 8 For Details.



**Amazing Low Price**

ONLY  
**69<sup>95</sup>**  
No  
Money  
Down\*

**AAA 2-YEAR GUARANTEE**

See Page 9 for Details

## LAFAYETTE Solid State AM/FM Stereo Tuner Model LT-670

Enjoy the full measure of high priced AM/FM stereo reception at an "Amazingly" low price. Solid-state circuitry combines advanced design and electronic principles to provide a level of performance that far exceeds the cost! Included are AUTOMATIC MULTIPLEX CIRCUITRY which instantly switches the tuner to stereo operation when stereo is being broadcast. A "STEREO" INDICATOR LIGHT gives instantaneous visual indication of stereo broadcasts. Every control feature for outstanding performance has been included: switchable (On/Off) MPX FILTER for reduction of external interference on FM stereo; AUTO LOCK (AFC) assures drift-free reception. Other features include a MODE selector (Mono or Stereo); and a SELECTOR for AM or FM reception. There are even tape output jacks on front and rear for recording directly to a tape recorder. Has built in FM antenna and Ferrite bar for AM; plus terminals for adding a FM external antenna. With simulated walnut grain vinyl covered, metal enclosure and anodized brush aluminum front panel and knobs. For 105/120 VAC., 50/60 Hz. Size: 10 $\frac{1}{2}$ Wx3 $\frac{1}{4}$ Hx8 $\frac{3}{4}$ "D.

99 A 02313WUX Shpg. wt., 12 lbs. Net 69.95

- Automatic Stereo Switching and  
Stereo Indicator Light
- Front Panel Tape Output Jack
- Automatic FM Station Lock
- 3.5 $\mu$ v IHF Sensitivity
- 30 db Stereo Separation
- Multiplex Filter
- 14 Transistors plus 16 Diodes
- Internal FM Antenna plus Flexible—  
Mount AM Antenna
- Attractively Styled To Blend With All Decors

# Lafayette

## 20-WATT SOLID-STATE STEREO AMPLIFIER

"Stereo 25"

Only

**39<sup>95</sup>** With Case

No Money Down\*



Criterion 2X

- 20 Watts  $\pm$  1 db of Stereo Power at 4 or 8 Ohms
- 20-20,000 Hz  $\pm$  1 db Frequency Response
- Main/Remote Speaker Switch
- Front Panel Stereo Headphone Jack

The Stereo 25 faithfully reproduces the full spectrum of audio sound with adequate volume and very low distortion. Solid state design assures top-notch performance. Convenient operating features include front panel rocker switches for activation of source (tuner, phono or auxiliary), selection of stereo or mono output, selection of remote or main speakers, and power on/off. A full complement of controls is supplied for best stereo effects and permits you to "tailor" the sound to suit your taste! Front panel controls include separate bass, treble, concentric volume/balance and stereo headphone jack for private listening. Stereo outputs are available for 4-16 ohm main speakers and for remote speakers in the den, dining room or patio area. Attractive, modern styling with a matte black and satin gold front panel is complemented by a handsome walnut grained vinyl clad metal enclosure. Fused AC line and separately fused speaker outputs prevent damage to output transistors. Operates on 105-120 VAC, 50/60 Hz. Size: 10 $\frac{1}{4}$ "Wx3 $\frac{1}{2}$ "Hx6 $\frac{1}{4}$ "D. Imported. Shpg. wt., 10 lbs.

99 A 02271WX

Net 39.95

## 20 WATT STEREO PHONO SYSTEM with "STEREO 25"

This value-packed stereo system includes the Lafayette "Stereo 25" 20-Watt Solid State Stereo Amplifier; Garrard Model 30 4-Speed Automatic Turntable with oversized turntable, ceramic stereo cartridge and long-life diamond stylus; Matching turntable base; and 2 Lafayette Criterion 2X oiled-walnut 2-way bookshelf speaker systems with 6" woofer and 3 $\frac{1}{2}$ " direct radiator cone tweeter. With speaker cable. Shpg. wt. 40 lbs.

21 A 93340WXM

Net 103.95



Garrard 30

THE COMPLETE SYSTEM

**103<sup>95</sup>** with case



**SALE!**

NOW ONLY

**79<sup>95</sup>**

No Money Down\*

## STEREO 10A HI-FI STEREO PHONO MUSIC SYSTEM

- LAFAYETTE STEREO 10A SOLID-STATE STEREO AMPLIFIER
- LAFAYETTE MODEL AC50B 4-SPEED AUTOMATIC PUSH-BUTTON STEREO RECORD CHANGER WITH STEREO TURNOVER CERAMIC CARTRIDGE AND DIAMOND LP NEEDLE, AND PROFESSIONAL LEVER CUEING

- MATCHING WALNUT BASE FOR RECORD CHANGER
- TWO LAFAYETTE CRITERION 2X 2-WAY OILED WALNUT BOOKSHELF SPEAKER SYSTEMS WITH 6" WOOFER AND 3 $\frac{1}{2}$ " DIRECT RADIATOR TWEETER

Complete Stereo 10A Stereo System above with speaker cable. Shpg. wt., 32 $\frac{1}{2}$  lbs.

21 A 93365WXM

Net 79.95

## LAFAYETTE STEREO 10A SOLID STATE STEREO AMPLIFIER

Attractive, neat styling, compact size, big performance. Ideal amplifier for the hi-fi beginner or use it as a second system for the living room, den, bedroom, or business. Perfect for limited space installations, bookshelf or end of table. For use with record players, AM, FM, and FM Stereo tuners. Completely transistorized to provide clean sound and cool operation. Output stages couple directly to the speakers for smooth frequency response and low distortion. Provides excellent low frequency response with high impedance crystal or ceramic phono cartridges. Front panel features: Separate volume controls for Left/Right channels; Tone control for Bass and Treble;

Rotary selector switch for Phono, Tuner and Auxiliary; Individual slide switches for Mono/Stereo Mode, Power-On/Off and Speakers-Main/Remote; Stereo headphone jack for private listening; Power On/Off indicator light. Rear panel features: Left/Right channel inputs for phono, tuner and auxiliary; Left/Right channel outputs for main and remote speakers; switched AC convenience outlet. Beautifully finished brushed aluminum front panel with complementary metal knobs and attractive metal case. Size: 9Wx3 $\frac{1}{2}$ Hx6 $\frac{1}{4}$ "D. For 105-125 VAC, 50/60 Hz. Imported. Shpg. wt., 7 lbs.

99 A 02289

Net 27.95

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 17

# LAFAYETTE "Criterion"® Hi-Fi Speaker Systems

## CRITERION "2X" 2-SPEAKER 2-WAY ACOUSTIC SUSPENSION SYSTEM



14<sup>95</sup>

- Truly Compact, Measures only 11"W x 7"D x 8 1/4"H
- Power Handling 20 Watts

- 5" Acoustic Suspension Woofer with 7/8" voice coil and 1 lb. magnet structure
- 3 1/2" Cone-Type Tweeter
- 60-19,000 Hz overall response

A low-cost, ultra-compact 2-way speaker system that offers astonishing music reproduction for its size. Perfect for use as main speakers with low-powered stereo amplifiers or receivers... as remote or extension speakers in any existing stereo hi-fi system... even as replacement speakers to upgrade sound quality in modular compact phono systems. Fine sound quality results from the use of techniques employed in high-priced hi-fi speaker systems. 5" woofer in a sealed cabinet uses the well-known acoustic suspension principle to produce substantial bass from a system this size. A 3 1/2" tweeter provides smooth, crystal-clear sound up to 19,000 Hz—enclosure is fiberglass-loaded to reduce unpleasant resonances. Finished on four sides in rich oiled walnut-veneer. Crossover frequency 4000 Hz. Impedance 8 ohms. Imported. Shpg. wt., 9 lbs.

99 A 02388W

Net 14.95

## CRITERION "25A" 2-SPEAKER 2-WAY AIR SUSPENSION 8" SYSTEM



19<sup>95</sup>

5 Yr.-AAA Guarantee See Page 9


- 25 Watts Power Handling Capacity
- 8" Woofer, 2 1/2" Tweeter
- Frequency Response: 55-18,500 Hz.
- Rich, Hand Rubbed Oiled Walnut Finish

FULL SIZE PERFORMANCE... achieves a purity of sound and music quality that is astounding for a speaker system measuring only 12 3/4 x 10 1/4 x 7"D. Perfect for use anywhere in your home or office. System consists of a powerful 8" woofer which provides smooth bass sound reproduction down to 55 Hz, and a 2 1/2" cone tweeter that gives you sparkling clean high frequency response. Built-in 8,000 Hz. electrical crossover network. Power handling capacity of 25 watts makes it compatible for use with most amplifiers and receivers. Interior of cabinet is designed to damp out standing waves and other spurious vibrations. Voice Coil Impedance: 8 ohms. Woofer: 8" high compliance with 32.6 oz. magnet structure; rolled edge suspension. Tweeter: 2 1/2" cone type with 2.4 oz. magnet structure. Imported. Shpg. wt. 12 1/2 lbs.

99 A 02255W

Net 19.95

## CRITERION "50A" 2-SPEAKER 2-WAY BOOKSHELF SYSTEM



29<sup>95</sup>

5 Yr. AAA Guarantee See Page 9

- 30-Watts Power Handling Capability
- Powerful 8" Woofer with 1" Aluminum Voice Coil
- 3 1/2" Cone-Type Radiator Tweeter
- Frequency Response: 55-19,000 Hz


Improved version of our best selling Criterion 50. Provides impressive hi-fi-sound, yet measures only 19"W x 8 3/4"D x 10 7/8"H. Contains two separate speakers—you get an 8-inch woofer with a 32.6 oz. magnet structure and 1" aluminum voice coil acoustically matched with a 3 1/2" cone-type Radiator Tweeter. Provides superb wide-range response from 55-19,000 Hz. An acoustically "tuned" enclosure, fully lined, assures smooth resonant-free sound output with extended bass response. The enclosure is finished on all four sides in a rich, hand-rubbed oiled walnut veneer and tastefully framed in an ebony and gold picture frame moulding with white and gold acoustic grill material. Truly, an outstanding buy at this low price. Designed for vertical or horizontal placement. Built-in electrical crossover at 7,000 Hz. Nominal impedance: 8 ohms. Imported.

99 A 02131W

Shpg. wt. 22 lbs.

Net 29.95

## CRITERION "77" 3-SPEAKER 3-WAY ACOUSTIC SUSPENSION SHELF SYSTEM



39<sup>95</sup>

5-Year AAA Guarantee See Page 9

- 30-Watts Power Handling Capability
- 8 1/2" Woofer with 1 3/4 Lb. Magnet Structure and 1" Voice Coil
- 3 1/2" Mid-Range Speaker with 1/2" Voice Coil
- 1 1/2" Direct-Radiator Type Tweeter

Expert combining of components for outstanding performance at an unbelievable low price! Heavy-duty 8 1/2" woofer in a sealed fiberglass-filled enclosure uses the well-known acoustic suspension principle to extend response down to a low 40 Hz, assuring deep, natural bass with outstanding clarity and impact. Reliable 3 1/2" cone-type mid-range speaker reproduces clean, full bodied sound throughout the important middle frequency range. Sharply detailed high frequency reproduction is accomplished with a 1 1/2" direct radiator type tweeter. Electrical crossover network at 3,000 and 10,000 Hz. High frequency level control (on rear) permits you to tailor the sound to your specific room acoustics. Handsome walnut finish on four sides. Overall response: 40 Hz to 19,000 Hz. Impedance: 8 ohms. Imported. Size: 19 1/2"W x 10 7/8"D. Wt., 21 lbs.

99 A 02321WX

No Money Down

Net 39.95

# SPECIAL

# SYSTEM HI-FI

# QUOTATION

Select Your  
Own System  
and

# SAVE

MAIL THE  
CARD

**TODAY**

Or Bring Into  
Your Local Store

No Charge

No Obligation

Name ..... **please print**

Address .....

City ..... State ..... Zip .....

## Select Your Own Hi-Fi System and Get Lafayette's Special Low Price

A component hi-fi music system must consist of, at least, all of the following:

Receiver or Amplifier plus Music Source (changer, turntable, tuner or tape deck) and Hi-Fi Speakers.

| HOW MANY | COMPONENT                     | MFR's NAME AND MODEL                                     |
|----------|-------------------------------|--|
|          | RECEIVER<br>or AMPLIFIER      |  |
|          | TUNER                         |  |
|          | CHANGER or<br>TURNTABLE       |  |
|          | Cartridge                     |  |
|          | Base for Above                | <input type="checkbox"/> Yes <input type="checkbox"/> No |
|          | Dust Cover<br>for Above       | <input type="checkbox"/> Yes <input type="checkbox"/> No |
|          | 45-rpm Spindle<br>for Above   | <input type="checkbox"/> Yes <input type="checkbox"/> No |
|          | SPEAKER                       |  |
|          | Wood finish, if in enclosures | _____  |
|          | OTHER<br>ITEMS                | _____<br>_____<br>_____                                  |

Dept 713

**SPECIAL HI-FI  
SYSTEM  
QUOTATION**

**Select Your  
Own System  
and**

**SAVE**

**MAIL THE  
CARD  
TODAY**  
Or Bring Into  
Your Local Store  
**No Charge  
No Obligation**

**PLACE  
STAMP  
HERE**

**LAFAYETTE RADIO ELECTRONICS**  
111 JERICO TURNPIKE  
SYOSSET, L.I., NEW YORK 11791




**RUSH —Special Hi-Fi System Price Requested**

**Please Fill Out Other Side Before Mailing**

# LAFAYETTE "Criterion"® Hi-Fi Speaker Systems

## LAFAYETTE CRITERION® 100B 3-SPEAKER 3-WAY BOOKSHELF SYSTEM



**49<sup>95</sup>**

- Power Handling Capacity 40 Watts
- Powerful 10" Woofer with 5½ lb. Magnet Structure and 2" Diameter Voice Coil

**5 YEAR AAA Guarantee.** See Page 9

- 3½" Mid-Range Speaker
- 1½" Direct Radiator Super Tweeter

Top quality, moderately priced 3-speaker 3-way system that delivers really "big" sound. A powerful 10 inch woofer with a 5½ lb. magnet structure and 2" pure copper wire voice coil provides smooth bass response down to 30 Hz. A 3½" mid-range and a direct radiator type super tweeter provides reproduction of the mid-range and high frequencies. All 3 speakers are acoustically matched and employ a 12 db/octave L/C crossover network at 3,500 Hz and 10,000 Hz. System also features a high frequency brilliance control. Enclosure is a bass-reflex type using a "sonic tube" to provide proper acoustic tuning and has a beautiful walnut finish on 4 sides. Dimensions are 21½" W x 11¾" H x 9¾" D. Overall frequency response: 30-19,000 Hz; nominal impedance: 8-ohms; power handling capacity: 40 watts program material. Imported. Wt., 31 lbs.

99 A 02115WX No Money Down\* Net 49.95

## CRITERION "4X" 12" 4-WAY 4-SPEAKER 50-WATT SPEAKER SYSTEM

**69<sup>95</sup>**

**5-Year AAA Guarantee**  
See Page 9


- 12" Woofer with 4½ lb. Magnet Structure and Large 2" Voice Coil
- 5" Midrange Driver
- 3" Hi-Frequency Tweeter
- 1½" Super-High Frequency Tweeter



Specially engineered 4-speaker system with a full 4-way electrical crossover, housed in a deluxe oiled walnut enclosure. 4 separate speakers, each a brilliant performer over its assigned range, work in harmony to provide superb overall sound. A big 12" woofer operating in a rigid fiberglass-filled enclosure with a tube-type ducted port (sonic tube), provides deep, enhanced bass. A 5" mid-range speaker housed in its own fiberglass-filled chamber and acoustically isolated from the main bass enclosure, assures smooth, peak-free reproduction in the important mid-range. Two high frequency units cover the upper musical ranges—a 3" speaker from 5,000 to 10,000 Hz, and a 1½" super tweeter from 10,000 to 20,000 Hz. Specifications—Overall Response: 25 to 20,000 Hz. Crossover Network: 4-way LC (coil-capacitor) at 800, 5,000 and 10,000 Hz. Impedance: 8-ohms. Also has high frequency and mid-range controls. Dimensions: 22 x 14¼ x 11½" D. Imported. Shpg. wt., 40 lbs.

99 A 02370WUX No Money Down\* Net 69.95

## CRITERION "VI" 50 WATT 6-SPEAKER 4-WAY SYSTEM



**89<sup>95</sup>**

**5 YEAR AAA Guarantee.**  
See Page 9

- Enclosure Uses "Sonic Tube" for Deep, Reinforced Bass
- 12" Woofer with 4½ lb. Magnet Structure and Large 2" Voice Coil
- 5" Midrange Speaker Housed in a Sealed Fiberglass Filled Sub-Enclosure
- Frequency Response: 20-20,000 Hz

Here's a bookshelf system with the big, multi-dimensional sound that only multiple speakers can produce... and at an unbeatable price too! Every musical instrument is reproduced with brilliant realism because there are 6 speakers covering four portions of the entire audio spectrum. There's a big 12" speaker for the lows, a 5" unit for the midrange, two 3" tweeters for the highs and two 1½" super-tweeters for the ultra high frequencies. Enclosure is of 3/4" construction and is fiberglass-filled. Tastefully styled with a fine furniture finish of oiled walnut on four sides. Overall Response: 20-20,000 Hz. Impedance: 8 ohms. Crossover Frequencies: 800 and 5,000 Hz (6 db/octave LC network). 12,000 Hz (mechanical). Controls: Continuously Variable Midrange and High Frequency. Dimensions: 24 x 14½ x 12" D. Imported. Shpg. wt., 42 lbs.

99 A 02263WX No Money Down\* Net 89.95

## DELUXE CRITERION® "5XB" 75-WATT 12" 4-WAY ACOUSTIC SUSPENSION SYSTEM



No Money Down\*

**129<sup>95</sup>**

**5 YEAR AAA Guarantee.**  
See Page 9

- 12" Woofer Features a 6 lb. 2 oz. Magnet Structure
- 6½" Acoustically Isolated Mid-Range Speaker
- 3" Aluminum Cone Type Tweeter
- 1½" Aluminum Cone Super Tweeter

Employing the acoustic suspension principle, the Criterion 5XB provides astonishing overall range and clarity, with a deep, solid bass response that makes a stunning impact on the listener. Four outstanding speakers are used to cover the full spectrum of sound. A 12" acoustic suspension woofer with 6 lb. 2 oz. magnet structure produces remarkably low bass response—undistorted even at high power levels. An acoustically isolated 6½" mid-range speaker with 12.4 oz. magnet structure provides flawless reproduction of the mid-range—free of annoying peaks, yet adding true "presence" to the system. Extending response to beyond audibility are 3" and 1½" tweeters. Separate, continuously variable mid and treble range controls. Enclosure has a fine furniture finish in oiled walnut on all four sides. Specifications—Overall Response: 18 to 25,000 Hz. Impedance: 8-ohms. Size: 23¾ x 14¾ x 11½" D.

99 A 02230WUX Imported. Shpg. wt., 46 lbs. Net 129.95

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 19

# LAFAYETTE Criterion "80" 100 Watt 6-Speaker 4-Way Acoustic Suspension Console Speaker System



*The Finest Reproducer of Sound  
Offered by LAFAYETTE  
for the Home...*

## 159<sup>95</sup>

5 Yr. AAA Guarantee  
See Page 9


- Overall Response 18-25,000 Hz
- 12" Acoustic Suspension Woofer with over 6-lb. Magnet Structure and Edge-Wound Ribbon-Type Copper Voice Coil on an Aluminum Form
- 6½" Acoustically Isolated Midrange Speaker with 12-oz. Magnet Structure
- Four Tweeters—Two 3" Tweeters and Two 1½" Super Tweeters
- Separate Midrange and High Frequency Level Controls
- 3/4" Enclosure in Rich, Hand-rubbed Oiled Walnut Finish

A no-compromise 6-speaker system created for just one purpose—the authentic reproduction of a massive symphony orchestra. Brings the spectacular realism of a living performance right into your home. This major accomplishment was achieved by careful selection and design of speaker units and enclosure. A 12" acoustic suspension woofer in a large air-tight enclosure over 3½ cubic feet in overall size results in remarkably powerful, solid bass. Added to this is an acoustically isolated 6½" midrange speaker that offers natural "presence" without exaggerated midrange peaks. Four tweeters

spread across the front in a calculated configuration ensure a wide dispersion of the highs and reduce high frequency "beaming." Two of these are 3" units covering the 4,500 to 12,000 Hz range, and two are ultra-high frequency 1½" aluminum cone units that extend response to well beyond audibility. Crossover frequencies: electrical at 800 and 4,500 Hz, mechanical at 12,000 Hz. Hand-some enclosure is finished in a rich, hand-rubbed oiled walnut with dark brown tweed grille cloth. Impedance 8 ohms. Dimensions: 30"H x 18"W x 12"D. Imported. Wt., 67 lbs. 99 A 02248WX No Money Down\* Net 159.95

## LAFAYETTE CRITERION 150A 3-SPEAKER 3-WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM

**Power Handling Capacity: 40 Watts**



- Overall Response 30 to 20,000 Hz
- 10" Acoustic Suspension Woofer with 2½ lb. Magnet Structure
- L/C Crossover at 1600 Hz. and 10,000 Hz.
- High Frequency Level Control
- Fine Furniture Oiled Walnut Finish

Everything you'd expect to find in a larger system is here. A full, 3-way acoustic suspension design with 3 speakers—but using an enclosure only 1 cubic foot in size. Advanced acoustic design with skillful blending of all speakers provides wide-range natural sound—the ideal system for those wanting the finest possible reproduction from a compact enclosure. A big 10" air-suspension woofer in an air-tight enclosure uses the acoustic suspension principle to extend bass remarkably. A closed-back 3" cone-type driver provides natural reproduction of the upper mid-range and lower-high frequencies and assures authentic "presence." The extreme high frequencies are extended cleanly to beyond the limits of hearing by a 1½" super-tweeter with an aluminum cone. Smooth, balanced reproduction over the entire sound spectrum is assured by the use of a full L/C crossover network at 1600 Hz and 10,000 Hz. System is equipped with a high frequency level control and finished on all four sides in rich, hand-rubbed oiled walnut veneer. Grille cloth in attractive light beige. Impedance: 8 ohms. Size 19x11x8¾"D. Imported. Shpg. wt., 22 lbs.

ONLY **59<sup>95</sup>** 5 Yr. AAA  
Guarantee  
See Page 9

99 A 02222WX No Money Down\* Net 59.95

## LAFAYETTE CRITERION® "R-10" SOLID STATE TRINARY REVERB AMPLIFIER/SPEAKER SYSTEM

Actually 3 Quality Amplifiers in 1

- 1) Use as a Reverb Amplifier and Speaker;
- 2) Use as a Stereo Center Channel Amplifier and Speaker;
- 3) Use as a Phono Amplifier and Speaker

Engineered to fill an important void in today's high fidelity market. Certain to be one of our best sellers. Enhances your stereo listening by adding a center channel to your amplifier or receiver. Creates concert-hall realism when used as a reverb amplifier and speaker in stereo or mono systems. Or you can plug in a record changer with a ceramic cartridge—and you have a complete hi-fi system. Wide-range high compliance speaker delivers rich natural sound. Power output is 1.7 watts RMS. Sensitivity—ceramic phono—100 mv, center channel—150 mv. Inputs—Reverb, Center channel, phono (all inputs use RCA jacks and require leads with RCA plugs). Space-age solid state circuitry. Front panel volume control with push type on/off switch. Rear panel AC convenience jack. Size: 11¾Wx8¼Hx5¾"D. For 117 VAC 60 Hz. Imported. Shpg. wt., 8 lbs.

99 A 32446 No Money Down\*

Net 34.95




Handsome Hand Rubbed  
Oiled Walnut Cabinet

## 34<sup>95</sup>

# OUTDOOR SPEAKER SYSTEMS for Homes, Schools, & Business

## NEW Deluxe High Fidelity Outdoor Weatherproof Speaker




**34<sup>95</sup>** Each

Especially Suitable for Outdoor Home Stereo High Fidelity Music Systems

This full range weatherproof outdoor speaker was designed to be used with outdoor home high fidelity and stereo music systems on patios, lawns, terraces, and around swimming pool areas. The magnificent projecting speaker consists of a special 6½" full range speaker mounted in a totally sealed, infinite baffle-type compression chamber with the speaker diaphragm driving on one piece, fiberglass reinforced polyester, folded, front loaded horn. The woofer compression chamber is made of spun aluminum. Comes with adjustable and serrated "U" bracket which permits 180° variation in mounting position. Dispersion 120°. Response, 100-15,000 Hz. Power Handling 20 Watts. Impedance 8 ohms. Size: 12¾"W" x 9¼"H. Finish—Light Grey.

44 A 80307W Shpg. wt., 10 lbs. No Money Down\* Net 34.95

## All Weather Outdoor Poly Planar Hi-Fi Speaker Systems



12" SYSTEM  
**179<sup>5</sup>**

5" SYSTEM  
**12<sup>95</sup>**

- Fully Weatherproof
- Can be Mounted, Can be Hung, or Can Stand

12" system: Fully weatherproof! Can be used outdoors or indoors for hi-fi or bidirectional PA paging. Handsome, high-impact white styrene enclosure with accessory walnut wood stand contains 12" Poly Planar hi-fi speaker. Includes 8 ft. hook-up wire, and all necessary hardware to simply let you stand, hang, or mount the system. Power: 20 watts peak. Frequency Response: 40-20,000 Hz handling capacity. Input Impedance: 8 ohms. Size: 1¾ x 13¼ x 16¼". Shpg. wt., 4¼ lbs.

Net 17.95

5" System: Same as above, but with 5" poly-planar speaker. Power handling capacity: 5 watts peak. Frequency Response: 70 Hz to 20 Hz; Impedance: 8 ohms, Size: 3/8" x 6" x 10". Shpg. wt., 2 lbs.

Net 12.95

### LAFAYETTE OUTDOOR 8" PATIO SPEAKERS

As Low As **10<sup>95</sup>**

- Weatherproof Waterproof
- Freq. Response: 40-15,000 Hz
- 5.5 oz. Ceramic Magnet
- Peak Power 20 Watts

Relax with music outdoors at patio, porch or poolside. Prewired with 25' cable for easy connection to radio, phono or hi-fi system. Unaffected by dampness or rain. Durable steel enclosure with baked-on finish. Convenient, step-saving volume control. 8 ohms; 20 watts peak; 40-15,000 Hz.; 10½"x10½"x5½"D. Shpg. wt., 7 lbs. 44 A 33058 Net 10.95

DELUXE VERSION of above with heavy-duty speaker featuring 10 oz. ceramic magnet and co-axially mounted high-frequency cone for 35-19,000 Hz response. 15 watts normal, 30 watts peak. 44 A 33066 Shpg. wt., 7¼ lbs. Net 13.95

### MISCO WEATHERPROOF SPEAKERS

As Low As **7<sup>35</sup>**

- 3½" and 8" Models
- Gimbal Type Mounting Bracket
- For Patio, Paging, or Mobile Applications



Model MS-3-3B. Compact, weatherproof, dustproof. Ideal for use in mobile communications, for intercom paging, and as an extension speaker. Can be immersed in water. Power rating 3-watts. Resp: 100 to 10,000 Hz; 8 ohms imp. 4½ x 4¼ x 2½ with bracket. Wt., 1¼ lbs. 44 A 52017 Net 7.35

Model MMS-8F. Similar to above but with 8" speaker. Power rating 8 watts. Resp: 70-13,000 Hz. 9 x 9 x 4¼". Shpg. wt., 7¼ lbs. 44 A 52025 Net 13.90

## The Amazing LAFAYETTE Sound Reproducer Compact Enough To Be Used Anywhere



**SAVE 2.00**

Turns Walls, Doors, Ceilings, Windows, Furniture, etc. Into a Speaker

- For Stereo or As Extra Speaker Throughout Your Home or Office

New, startling development for providing sound almost anywhere. Coneless reproducer attaches to wall, doors, ceilings, or most any object. Transforms the whole surface into a sounding board-for beautiful "sound reproduction". Easily connects to speaker leads of any radio, phono, tape player, amplifier, receiver or other sound equipment. Perfect for use in background music or PA systems. For 4, 8, or 16 ohm solid-state or tube equipment. Can be used in a car. Built-in magnet for attaching to metal objects and screw for attaching to wood, plastic, etc. Size: 2" dia. x 1½" H. Shpg. wt., 1 lb.

21 A 01590

Net 5.95

# DELUXE

## LAFAYETTE AC-50B 4-SPEED Automatic Pushbutton Stereo Record Changer



Diamond Needle



SAVE 5.00

• Professional Single Lever Cueing Control

**SALE** 24<sup>95</sup>

WAS 29.95  
1971 CAT. 710

With Stereo Turnover Ceramic Cartridge and Diamond LP Needle

- 4-Speeds: 16, 33 $\frac{1}{2}$ , 45, 78 RPM
- Pushbutton Operation for Automatic Play, Manual Play, Stop
- Automatic Shut-Off After Last Record

A superb 4-speed automatic record changer with professional single lever cueing. Handsomely styled and engineered to provide the highest standard of performance and dependability. Ideal for playing both stereo and monaural 12", 10" and 7" records. Can play up to 7 records automatically. Features oversized turntable with ribbed record mat; one piece low mass square cast aluminum tone arm; 4-position speed selector slide switch; two spindles, one for manual play and a center drop for automatic play. All controls are always perfectly accessible, even with 12" records on the turntable. Main-plate has beautiful leather-like finish with black rubber turntable platter, and chrome trim. For 117 VAC., 60 Hz. Size: 13 $\frac{1}{4}$ Wx11"D. Requires 3 $\frac{3}{4}$ " above and 3" below motor board. Imported.

|   |           |
|---|-----------|
| 21 A 01699W Shpg. wt., 8 lbs.               | Net 24.95 |
| 21 A 01657W Walnut Wood Base for AC-50B     | Net 4.95  |
| 24 A 09043W Dust Cover for AC-50B           | Net 4.50  |
| 21 A 01673 45 RPM Spindle for AC-50B        | Net 1.95  |
| 21 A 01665 Replacement Cartridge for AC-50B | Net 4.95  |

### LAFAYETTE "Mini" 4-Speed Automatic Stereo Record Changer Ensemble



34<sup>95</sup>

Pre-Mounted on a Simulated Black Leather Base with Walnut Vinyl Trim, Heavy Gauge Tinted Plastic Dust Cover, and Diamond Needle Cartridge.

Completely ready to plug into your audio equipment. 4 Speeds: 16, 33 $\frac{1}{2}$ , 45, and 78 RPM. Features low-mass tubular aluminum tone arm, high quality ceramic turnover stereo cartridge with diamond LP needle, detachable spindle, vibration-free dynamically balanced 2-pole motor. Handies stack of 6-records automatically. Intermixes 10" or 12" records of the same speed. UL listed. Size (Includes Base): 14 $\frac{3}{8}$  x 5 x 10". Shpg. wt., 7 lbs. For 110-130 volts AC, 60 Hz. Made in England.

21 A 01632W No Money Down\* Net 34.95

### GARRARD 30 4-Speed Automatic Stereo Turntable

39<sup>50</sup>

With Diamond Needle Ceramic Cartridge, Less Base



Garrard 4-speed automatic stereo turntable designed especially for use in low priced hi-fi systems. Features oversized, weighted turntable, one piece cast aluminum tone arm, ultra compact size. Plays 16 $\frac{2}{3}$ , 33 $\frac{1}{2}$ , 45 and 78 RPM records. Intermix automatic operation when desired. Two spindles—short for manual, center drop for automatic play. With ceramic cartridge, diamond stylus. All connecting cables. Dim.: 14 $\frac{1}{2}$  x 12 $\frac{3}{4}$ , above motor board 4 $\frac{3}{4}$ , below 2 $\frac{1}{4}$ ". For 110-130 VAC, 60 Hz. Less base. Imported. Wt., 10 lbs.

21 A 37925W No Money Down\* Net 39.50

Accessories For Garrard 30

|   |          |
|---|----------|
| 24 A 03335 Replacement Diamond Needle 2 oz. | Net 2.49 |
| 21 A 40226W Walnut Plastic Base 2 lbs.      | Net 5.50 |
| 21 A 40267W Plastic Dust Cover 2 lbs.       | Net 5.50 |

### GARRARD Model 40B 3-Speed Automatic Stereo Turntable



Only 1¢ More

44<sup>50</sup>

Less Cartridge and Base

44<sup>51</sup>

Less Bass With Elliptical Cartridge

49<sup>50</sup>

Less Base With Quality Elliptical Cartridge

Pickering P/ATE-1

Only \$5 More



Pickering V15/ACE-3

Plays 33 $\frac{1}{2}$ , 45 and 78 RPM records. Full viscous damped, single lever cueing. Low mass tubular aluminum tone arm with fixed, isolated counterweight. Easy to adjust stylus pressure control with visible scale. Two interchangeable spindles. Oversize turntable with handsome safety mat. Size: 14 $\frac{3}{8}$ W x 12 $\frac{1}{2}$ "L. Requires 4 $\frac{3}{8}$ " above and 3" below motor board. With all connecting cables. Less base. For 110-130 VAC, 60 Hz. Imported. Shpg. wt., 10 lbs.

|   |           |
|---|-----------|
| 21 A 40490W Model 40B only. No Money Down*          | Net 44.50 |
| Model 40B and Pickering P/ATE-1 Ellip. Cartridge.   |           |
| 21 A 40556W No Money Down*                          | Net 44.51 |
| Model 40B and Pickering V15/ACE-3 Ellip. Cartridge. |           |
| 21 A 40580W No Money Down*                          | Net 49.50 |

# Garrard Synchro-Lab Automatic Turntables



## MODEL SL55B 3-SPEED STEREO AUTOMATIC TURNTABLE

Plays 33 $\frac{1}{3}$ , 45, and 78 RPM Records. Lightweight, tubular aluminum tonearm with fixed-position damped counterweight and slide-in cartridge clip. Built-in stylus force adjustment and optical scale. Viscous damped, single-lever cueing. Fully adjustable anti-skating. Oversized turntable with all connecting cables. For 110-130V 60 Hz AC. Size: 13 $\frac{3}{4}$ "x12 $\frac{1}{2}$ "x1"; above motor board 4 $\frac{3}{4}$ ", below 2 $\frac{1}{2}$ ". Imported, Wt., 12 lbs. less base.

21 A 40481W No Money Down\* Net 59.50

## MODEL SL65B 3-SPEED STEREO AUTOMATIC TURNTABLE

Plays 3 Speeds: 33 $\frac{1}{3}$ , 45, and 78 RPM. Features: Synchro-Lab Motor, and low-mass tubular aluminum tonearm dynamically balanced with adjustable counterweight, adjustable anti-skating control, viscous damped single lever cueing. Precision stylus pressure gauge with optical scale. Automatic and manual spindles. Connecting cables. For 110-130V, 60 Hz AC. Size: 15"x13 $\frac{1}{4}$ "x1"; above motor board 4 $\frac{3}{4}$ ", below 3". Imported, Wt., 12 lbs. less base.

21 A 40473W No Money Down\* Net 79.50

## MODEL SL72B STEREO AUTOMATIC TRANSCRIPTION TURNTABLE

Plays 33 $\frac{1}{3}$ , 45 and 78 RPM Records. Viscous damped setdown of tone arm in automatic play. Adjustable anti-skating controls. Calibrated stylus pressure gauge with visible scale. Fingertip tab-controls. All connecting cables. Size 15 $\frac{1}{2}$ "x14 $\frac{1}{4}$ "x1"; above motor board 4 $\frac{3}{4}$ ", below 2 $\frac{1}{2}$ ". Imported. Shpg. wt., 13 lbs. less base.

21 A 40485W No Money Down\* Net 89.50

## MODEL SL95B STEREO PROFESSIONAL AUTOMATIC TURNTABLE

Garrard's finest 3-speed automatic stereo turntable. Plays 33 $\frac{1}{3}$ , 45, and 78 RPM records. Advanced, ultra-low mass, one-piece tonearm of lightweight aluminum with Afrormosia wood insert is gyroscopically gimballed mounted. Features viscous damped setdown in automatic play. With all connecting cables. For 110-130 VAC, 60 Hz. Dim: 15 $\frac{1}{2}$ "x14 $\frac{1}{4}$ "x1 $\frac{3}{4}$ " above motor board and 3" below. Imported. Shpg. wt., 13 lbs. (less base).

21 A 40440W No Money Down\* Net 129.50

Your Choice of  
Elliptical Stereo Cartridge  
For As Low As **1c** or **5<sup>00</sup>** more  
with the Purchase of a Garrard Automatic Turntable

Listed on This Page

**SAVE** up to **44<sup>95</sup>**

From Individual Catalog Prices

  
Pickering  
Phase IV/AME  
**49.95**

  
Pickering  
V15/ATE-3  
**39.95**

  
Pickering  
V15/ACE-3  
**29.95**

  
Shure M91E  
**49.95**

  
Shure M93  
**39.95**

  
Shure M55E  
**29.95**

## TURNTABLE AND ELLIPTICAL CARTRIDGE COMBINATIONS

|              |                              |            |
|--------------|------------------------------|------------|
| 21 A 40606WM | SL55B and Pick. V15/ACE-3    | Net 59.51  |
| 21 A 40614WM | SL55B and Shure M55E         | Net 59.51  |
| 21 A 40622WM | SL55B and Pick. V15/ATE-3    | Net 64.50  |
| 21 A 40945WM | SL55B and Shure M93E         | Net 64.50  |
| 21 A 40648WM | SL65B plus Pick. V15/ACE-3   | Net 79.51  |
| 21 A 40655WM | SL65B plus Shure M55E        | Net 79.51  |
| 21 A 40663WM | SL65B plus Pick. V15/ATE-3   | Net 84.50  |
| 21 A 40952WM | SL65B and Shure M93E         | Net 84.50  |
| 21 A 40689WM | SL72B plus Pick. V15/ATE-3   | Net 89.51  |
| 21 A 40960WM | SL72B and Shure M93E         | Net 89.51  |
| 21 A 40978WM | SL72B and Pick. Phase/IV AME | Net 84.50  |
| 21 A 40986WM | SL72B and Shure M91E         | Net 84.50  |
| 21 A 40762WM | SL95B plus Pick. V15/ATE-3   | Net 129.51 |
| 21 A 40911WM | SL95B and Shure M93E         | Net 129.51 |
| 21 A 40937WM | SL95B and Pick. Phase/IV AME | Net 134.50 |
| 21 A 40929WM | SL95B and Shure M91E         | Net 134.50 |

## Accessories for Garrard Turntables

| Stock No.   | Description | For                 | Shpg. wt. | Net ea. |
|-------------|-------------|---------------------|-----------|---------|
| 21 A 40226W | Base        | SL65B, 55B, 40B, 30 | 2 lbs.    | 5.99    |
| 21 A 40234W | Base        | SL95B, 75B, 72B     | 2 lbs.    | 6.99    |
| 21 A 40267W | Dust Cover  | SL65B, 55B, 40B, 30 | 3 lbs.    | 5.99    |
| 21 A 40275W | Dust Cover  | SL95B, 75B, 72B     | 3 lbs.    | 6.99    |
| 21 A 40531  | 45 Spindle  | SL65B, 55B, 40B, 30 | 6 oz.     | 1.99    |
| 21 A 37974  | 45 Spindle  | SL95B, 75B, 72B     | 6 oz.     | 3.00    |

## LOW, LOW PRICES on Quality Famous Name Stereo Magnetic Cartridges

### Pickering V-15/AC-2 Diamond Needle Stereo Cartridge

Only **7<sup>95</sup>**



Micro-magnetic cartridge with exclusive Pickering "Floating Stylus". Response: 20-20,000 Hz. Shpg. wt., 3 oz.  
21 A 53617L ..... Net 7.95

### Pickering V-15/ATE-2 Elliptical Diamond Needle Stereo Cartridge

Only **11<sup>95</sup>**



Deluxe cartridge with bi-radial .009 x .004 elliptical stylus. Response: 20-20,000 Hz. Shpg. wt., 3 oz.  
21 A 53629L ..... Net 11.95

## SPECIAL PURCHASE

### ADC 990E Elliptical Diamond Needle Stereo Cartridge

## SENSATIONALLY PRICED BELOW ORIGINAL WHOLESALE COST



Only **8<sup>88</sup>**

At this price everyone can afford to replace his used cartridge. The magnificent 990E tracks at 1 $\frac{1}{2}$  to 4 grams. Response 10 to 10,000 Hz. .003 x .007 diamond elliptical stylus. Sensitivity 5 mv. Shpg. wt., 3 oz.  
21 A 13355L ..... Net 8.88


# LAFAYETTE Stereo Headphones For Magnificent Private Listening

## NEW Lafayette F1000 Two-Way Stereo Headphone with Individual Volume Controls

- Two 2 1/2" 2-Way Woofer/Tweeter Transducers
- Response: 20-20,000 Hz

With the F1000 you can enjoy the super-realism of wide range stereo headphone listening. Each earcup contains a specially designed 2-way woofer/tweeter transducer and a volume control for critical, controlled sound monitoring. For private music listening you can tailor the sound to your personal taste without having to get up and adjust the volume controls on your amplifier. Comfortable, lightweight, form fitting design permits you to enjoy extended listening without tiring—hour after hour—stereo or mono. Impedance: 8-ohms. With coiled cord that extends up to 6 feet. Shpg. wt., 3 lbs. 99 A 02552 No Money Down\* Net 39.95

Only  
**39<sup>95</sup>**  
With 6 ft.  
Coiled Cord



### Low Cost SP22 Stereo Phones

- Only  
**5<sup>95</sup>**  
with 6 ft. cord
- Frequency Response: 35-12,000 Hz
  - Lightweight, Only 10 oz.
  - Adjustable Headband



Quality, private listening stereo headphones at a price everyone can afford. Perfect for stereo or mono. Designed for use with low priced stereo receivers, amplifiers, and phonographs. Adjustable headband and comfortable foam-filled vinyl ear pads. Large, 2 1/4" diameter transducers for full-range response. Impedance: 8-ohms. With 6-foot of cord and standard stereo phone plug. Imported. Shpg. wt., 1 lb. 99 A 02123 Net 5.95

### Model 8X Stereo Headphones

- Only  
**7<sup>95</sup>**  
with 5 ft. cord
- Soft Rubber Cushion Earcups
  - Frequency Response: 35-15,000 Hz



Wonderfully comfortable—features rubber cushion earcups, and adjustable lightweight vinyl covered headband. The big 2" transducers in each earcup bring to your ears smooth, full fidelity sound and complete stereo separation. Frequency response: 35 to 15,000 Hz. Output: 100 mw. Matches 8 or 16-ohm impedance. Supplied complete with 5-ft. coiled cord and standard 1/4" phone plug. Imported. Shpg. wt., 1 1/2 lbs. 99 A 01802 Net 7.95

### Model SP55 Stereo Headphones

- Only  
**11<sup>95</sup>**  
with 5 ft. cord
- Two 2 1/2" Wide Range Transducers
  - Frequency Response 30-15,000 Hz



Provides outstanding private stereo listening. Extremely comfortable air-cushioned headband. Soft foam rubber air pads keep out external noise and provide maximum bass response. Two specially designed full range, 2 1/2" transducers are precisely matched to each ear cup. Includes junction box for connection of phones to equipment which does not have stereo phone jacks. Supplied with cord. Imp. 8-ohms. Imported. 99 A 01935 Shpg. wt. 1 1/2 lbs. Net 11.95

### Model F-990 Stereo Headphones

- Only  
**29<sup>95</sup>**
- Two Large 3 1/2" Wide Range Transducers
  - Frequency Response 20-20,000 Hz



Now the listener in his home can own a pair of superb stereo headphones similar to the one used in recording studios and broadcast stations. Engineered to provide brilliant, full-dimensional stereo sound. Two large 3 1/2" transducers provide complete full-range coverage from 20-20,000 Hz. A comfortably soft, but air-tight seal to the ear is provided by foam filled earphone cushions. Fully adjustable, cushioned vinyl headband. Comes with 6 1/2 ft. cord. Impedance: 8 ohms. Imported. 99 A 02099 Shpg. wt., 2 1/2 lbs. Net 29.95

## ACCESSORIES FOR STEREO HEADPHONES

|   |  |
|---|--|
| <p><b>A</b> <b>4<sup>95</sup></b> Headphone Volume Controls</p> <p><b>A</b> <b>NEW!</b> Stereo Headphone Volume Control—ideal for stereo headphones that do not have self-contained volume controls. Permits the listener to individually control the volume of his stereo headphone to his personal taste. Features left and right channel volume controls, and 3-way switch (right, left, stereo). With 6-foot cord standard and plug on one end for connection to stereo amplifier jack, and 2 foot cord and jack on other end for connection to stereo headphone. Shpg. wt., 1 lb. Imported. 99 A 90242 Net 4.95</p> <p><b>B</b> <b>1<sup>79</sup></b> "Y" Adapter Cable for Dual Stereo Headphone Listening. For connecting 2 stereo headphones to 1 output jack. Permits 2 persons to listen to same program. Two 3-circuit 1/4" plugs on one end, 3 circuit jack on other end. 3-feet long. Shpg. wt., 6 oz. 21 A 71001 Net 1.79</p> | <p><b>C</b> <b>4<sup>95</sup></b> Remote Control Box</p> <p><b>C</b> <b>Remote Control Box.</b> Designed to connect 1 or 2 stereo headphones to an existing system without the need of continually disconnecting speakers. Separate volume controls are provided for each side of the headset. Speaker muting switch permits using stereo headphones and speakers together, or stereo phones only. Impedance: 4-16 ohms. Size: 4 3/4" W x 1 1/4" H x 1 3/4" D. Imported. Shpg. wt., 1 1/4 lbs. 99 A 00366 Net 4.95</p> <p><b>D</b> <b>2<sup>95</sup></b> 25 Ft. Extension Cord. Listen to stereo anywhere in the room. Flexible 3-conductor coiled cable. With a 1/4" 3-circuit plug on one end, a 3-circuit jack on the other end. Imported. Shpg. wt., 1 lb. 99 A 01166 Net 2.95</p> |
|---|--|

# OPEN AN EASY-PAY CREDIT ACCOUNT TODAY

**EXTENDED PLAN**

**TAKE UP TO 2 Years To Pay**

# 2

**EASY PAY CREDIT PLANS**

**TO SUIT YOUR INDIVIDUAL NEEDS**  
Pay balance in 30 days and save the entire FINANCE CHARGE.

**STANDARD PLAN**

**TAKE UP TO 16 Months To Pay**

# NO MONEY DOWN

• It's easy to open a credit account. Simply fill in application on back of order blank when you send your order.

• Add on any time you like. No money down and usually at no increase in monthly payment.

## EASY PAY PAYMENT SCHEDULE

| \$250.01 to \$500.00                        |          | STANDARD PLAN          |                    | EXTENDED PLAN          |                    |
|---|----------|------------------------|--------------------|------------------------|--------------------|
| If Unpaid Balance (Amount Financed) Is From | To       | Add for FINANCE CHARGE | Monthly Payment Is | Add for FINANCE CHARGE | Monthly Payment Is |
| \$490.01                                    | \$500.00 | \$64.75                | \$35.00            | \$98.00                | \$25.00            |
| 480.01                                      | 490.00   | 63.50                  | 34.50              | 96.00                  | 24.50              |
| 470.01                                      | 480.00   | 62.25                  | 33.50              | 94.00                  | 24.00              |
| 460.01                                      | 470.00   | 61.00                  | 33.00              | 92.00                  | 23.50              |
| 450.01                                      | 460.00   | 59.50                  | 32.50              | 90.00                  | 23.00              |
| 440.01                                      | 450.00   | 58.25                  | 31.50              | 88.00                  | 22.50              |
| 430.01                                      | 440.00   | 57.00                  | 31.00              | 86.00                  | 22.00              |
| 420.01                                      | 430.00   | 55.75                  | 30.00              | 84.00                  | 21.50              |
| 410.01                                      | 420.00   | 54.25                  | 29.50              | 82.00                  | 21.00              |
| 400.01                                      | 410.00   | 53.00                  | 29.00              | 80.00                  | 20.50              |
| 390.01                                      | 400.00   | 51.75                  | 28.00              | 78.00                  | 20.00              |
| 380.01                                      | 390.00   | 50.50                  | 27.50              | 76.00                  | 19.50              |
| 370.01                                      | 380.00   | 49.00                  | 26.50              | 74.00                  | 19.00              |
| 360.01                                      | 370.00   | 47.75                  | 26.00              | 72.00                  | 18.50              |
| 350.01                                      | 360.00   | 46.50                  | 25.00              | 70.00                  | 18.00              |
| 340.01                                      | 350.00   | 45.25                  | 24.50              | 68.00                  | 17.50              |
| 330.01                                      | 340.00   | 43.75                  | 24.00              | 66.00                  | 17.00              |
| 320.01                                      | 330.00   | 42.50                  | 23.00              | 64.00                  | 16.50              |
| 310.01                                      | 320.00   | 41.25                  | 22.50              | 62.00                  | 16.00              |
| 300.01                                      | 310.00   | 40.00                  | 22.00              | 60.00                  | 15.50              |
| 290.01                                      | 300.00   | 38.50                  | 21.00              | 58.00                  | 14.50              |
| 280.01                                      | 290.00   | 37.25                  | 20.00              | 56.00                  | 14.00              |
| 270.01                                      | 280.00   | 36.00                  | 19.50              | 54.00                  | 13.50              |
| 260.01                                      | 270.00   | 34.50                  | 19.00              | 52.00                  | 13.00              |
| 250.01                                      | 260.00   | 33.25                  | 18.00              | 50.00                  | 12.50              |

| \$100.01 to \$250.00                        |          | STANDARD PLAN          |                    | EXTENDED PLAN          |                    |
|---|----------|------------------------|--------------------|------------------------|--------------------|
| If Unpaid Balance (Amount Financed) Is From | To       | Add for FINANCE CHARGE | Monthly Payment Is | Add for FINANCE CHARGE | Monthly Payment Is |
| \$240.01                                    | \$250.00 | \$32.00                | \$17.50            | \$48.00                | \$12.00            |
| 230.01                                      | 240.00   | 30.50                  | 17.00              | 46.00                  | 11.50              |
| 220.01                                      | 230.00   | 29.25                  | 16.00              | 44.00                  | 11.00              |
| 210.01                                      | 220.00   | 28.00                  | 15.50              | 42.00                  | 10.50              |
| 200.01                                      | 210.00   | 26.50                  | 15.00              | 40.00                  | 10.00              |
| 195.01                                      | 200.00   | 25.75                  | 14.50              | 39.00                  | 9.75               |
| 190.01                                      | 195.00   | 25.25                  | 14.00              | 38.00                  | 9.50               |
| 185.01                                      | 190.00   | 24.50                  | 13.75              | 37.00                  | 9.25               |
| 180.01                                      | 185.00   | 23.75                  | 13.50              | 36.00                  | 9.00               |
| 175.01                                      | 180.00   | 23.25                  | 13.00              | 35.00                  | 8.75               |
| 170.01                                      | 175.00   | 22.50                  | 12.50              | 34.00                  | 8.50               |
| 165.01                                      | 170.00   | 22.00                  | 12.00              | 33.00                  | 8.25               |
| 160.01                                      | 165.00   | 21.25                  | 11.50              | 32.00                  | 8.00               |
| 155.01                                      | 160.00   | 20.50                  | 11.00              | 31.00                  | 7.75               |
| 150.01                                      | 155.00   | 20.00                  | 10.75              | 30.00                  | 7.50               |
| 145.01                                      | 150.00   | 19.25                  | 10.50              | 29.00                  | 7.25               |
| 140.01                                      | 145.00   | 18.50                  | 10.50              | 28.00                  | 7.00               |
| 135.01                                      | 140.00   | 16.75                  | 10.50              | 27.00                  | 6.75               |
| 130.01                                      | 135.00   | 16.25                  | 10.25              | 26.00                  | 6.50               |
| 125.01                                      | 130.00   | 14.50                  | 10.25              | 24.00                  | 6.50               |
| 120.01                                      | 125.00   | 14.00                  | 10.00              | 23.00                  | 6.25               |
| 115.01                                      | 120.00   | 12.50                  | 10.00              | 21.00                  | 6.25               |
| 110.01                                      | 115.00   | 12.00                  | 10.00              | 20.00                  | 6.00               |
| 105.01                                      | 110.00   | 10.50                  | 10.00              | 18.35                  | 6.00               |
| 100.01                                      | 105.00   | 9.25                   | 10.00              | 17.50                  | 5.75               |

The ANNUAL PERCENTAGE RATE of each FINANCE CHARGE set forth in the above tables is 17.75%. The number of payments will be the Total of Payments (Amount Financed plus the FINANCE CHARGES) divided by the amount of one monthly payment.

| \$50.01 to \$100.00                         |          | STANDARD PLAN          |                    |                        | EXTENDED PLAN          |                    |                        |
|---|----------|------------------------|--------------------|------------------------|------------------------|--------------------|------------------------|
| If Unpaid Balance (Amount Financed) Is From | To       | Add for FINANCE CHARGE | Monthly Payment Is | ANNUAL PERCENTAGE RATE | Add for FINANCE CHARGE | Monthly Payment Is | ANNUAL PERCENTAGE RATE |
| \$95.01                                     | \$100.00 | \$9.25                 | \$10.00            | 18.50%                 | \$15.65                | \$5.50             | 17.50%                 |
| 90.01                                       | 95.00    | 9.25                   | 9.75               | 19.50                  | 14.85                  | 5.50               | 17.50                  |
| 85.01                                       | 90.00    | 9.25                   | 9.50               | 22.50                  | 13.45                  | 5.25               | 17.75                  |
| 80.01                                       | 85.00    | 9.25                   | 9.25               | 23.75                  | 12.00                  | 5.25               | 17.75                  |
| 75.01                                       | 80.00    | 9.00                   | 9.00               | 24.50                  | 10.70                  | 5.00               | 17.75                  |
| 70.01                                       | 75.00    | 8.40                   | 8.00               | 24.50                  | 10.00                  | 5.00               | 18.75                  |
| 65.01                                       | 70.00    | 7.80                   | 7.50               | 24.50                  | 10.00                  | 5.00               | 21.25                  |
| 60.01                                       | 65.00    | 7.20                   | 7.00               | 24.50                  | 10.00                  | 5.00               | 24.50                  |
| 55.01                                       | 60.00    | 6.65                   | 6.50               | 24.50                  | 8.55                   | 5.00               | 24.50                  |
| 50.01                                       | 55.00    | 6.10                   | 6.00               | 24.50                  | 7.25                   | 5.00               | 24.50                  |

| \$20.00 to \$50.00                          |         | STANDARD PLAN          |                    |                        |                        |
|---|---------|------------------------|--------------------|------------------------|------------------------|
| If Unpaid Balance (Amount Financed) Is From | To      | Add for FINANCE CHARGE | Monthly Payment Is | ANNUAL PERCENTAGE RATE | ANNUAL PERCENTAGE RATE |
| \$45.01                                     | \$50.00 | \$6.00                 | \$5.00             | 24.50%                 | 24.50%                 |
| 40.01                                       | 45.00   | 5.25                   | 4.75               | 26.00                  | 26.00                  |
| 35.01                                       | 40.00   | 4.75                   | 4.25               | 26.75                  | 26.75                  |
| 30.01                                       | 35.00   | 4.50                   | 3.70               | 29.25                  | 29.25                  |
| 25.01                                       | 30.00   | 3.50                   | 3.35               | 30.00                  | 30.00                  |
| 20.00                                       | 25.00   | 3.00                   | 2.70               | 32.00                  | 32.00                  |

OVER \$300.00. Please write for terms for amounts to be financed over \$300.00.

minimum ORDER - \$30  
minimum "ADD-ON" - \$20

Number of payments will be Total of Payments (Amount Financed plus the FINANCE CHARGE) divided by the amount of one monthly payment.

Depend on Lafayette For Complete Stocks, Lowest Prices, Fastest Service

# Electronic Audio Color Organs

## DELUXE LAFAYETTE 4 CHANNEL FREQUENCY SYNCHRONIZED SOUND ACTUATED COLOR LIGHTS




ONLY **79<sup>95</sup>**

- Giant 28½" by 13½" Screen
- 4 Adjustable Color Controls

A sophisticated electronics system that provides true synchronization of color and sound. See every tone, each note, and every combination of instruments create its own vivid color pattern. The system includes 4 color channels: red, blue, green and yellow that are everchanging, interweaving, and blending to produce fantastic, spontaneous, frequency synchronized multi-color patterns to the music reproduced by your speakers. Connects in seconds to your Hi-Fi system or guitar amplifier without any loss in sound quality or volume. All solid state integrated circuitry. Handsome walnut vinyl covered wood cabinet. Size: 30x15x11". For 117 VAC 60 Hz. Shpg. wt., 31½ lbs. No Money Down\*  
21 A 03000WX Net 79.95

## NEW WIRELESS SOUND ACTUATED 3 CHANNEL COLOR LIGHTS




**29<sup>95</sup>**

Responds to any Sound from built-in Microphone pick-up

Exciting Environmental Sound Actuated Color Lighting System. Create dramatic color effects from any sound. This 3 channel color organ does not have to be hooked to a speaker. Responds to any sound from its built-in microphone. Just plug into 110 volt AC outlet and place next to a radio, phono, TV set, Hi-Fi set, etc. 3 color channels—red, blue, and green blend to provide brilliant dancing color images—produced by the sound picked up from the microphone. Handsome walnut tone finished cabinet. Size: 15"x10"x7". Shpg. wt., 8 lbs.  
13 A 69503W Net 29.95

## EICO 4 COLOR SOUND ACTUATED COLOR LIGHTS




**39<sup>95</sup>**

- No Loss in Speaker Volume
- Easily Connects to Speaker Leads

Top quality, 4-color, solid-state sound activated color organ. You can actually see every note and tone converted to a brilliantly moving panorama of colored, dancing images with each note and tone produced by the music. Flashing red, blue, green and yellow colors create an entertaining display of multi-color, 3-dimensional spontaneity which varies to the amplitude of the sound source. Hi/low inputs allows you to adjust for music power levels; exclusive 4-in-1 color control. Housed in walnut wood grained cabinet. For 110 VAC 60 Hz. Size: 24 x 12 x 10". Shpg. wt., 10 lbs. No Money Down\*  
21 A 25904W Net 39.95


## PRISMATIC COLOR AUDIO LIGHTS



*Audio-Lites* **26<sup>95</sup>**

Add a new dimension to your musical enjoyment. Priced to fit your budget. One-piece prismatic lens produces a brilliantly moving panorama of colors that have a 3-dimensional effect. Dancing images are seen with each note, tone and pitch produced by the music. Solid-state electronic control transposes sound impulses into multi-color patterns. Will not affect amplifier operation. Easily connects to speaker leads. Attractive simulated walnut vinyl cabinet. For 117 VAC, 60 Hz. Size: 18x11x7". Shpg. wt., 8 lbs.  
13 A 75526W Net 26.95

## "MINI" ELECTRONIC STROBE LIGHT



ONLY **19<sup>95</sup>**

- Fully Transistorized
- Only 5¼" High

A compact electronic strobe light unit in attractive walnut finished cabinet. Use for special lighting effects in photography, combo groups, or discotheques. Adjustable speed control can be varied to the beat of music from 1 to 12 flashes per second. A 4

inch chrome reflector, clear plastic deliver a powerful light flash over a 60° arc. For 117 VAC 60 Hz. Size: 5¼x5¼x4¼". Shpg. wt., 1¾ lbs.  
13 A 40010 Net 19.95

## NEW 3 CHANNEL DIMMER STROBE LIGHT CONTROL



**49<sup>95</sup>**

- 3 Individual Dimmer-Strobe Rate Controls
- 500 Watts Per Channel

With this solid state Dimmer/Strobe Control Unit you can create your own dramatic light effects. Control any level or shade of light (fade in-out) individually on each channel. Create and vary generated pulses (strobe rate) individually on each channel, or any combination of light control and generated pulses can be set up in the 3 channels and changed at a flick of a switch. Control Unit contains 3 AC Convenience Outlets, 3 Dim/Strobe Slide Switches, and 3 continuous Dim/Strobe power controls. Each channel handles up to 500 watts. For 60 Hz. Size: 6¾"x6"x2¾". Shpg. wt., 3 lbs.  
13 A 40026 No Money Down\* Net 49.95

# Stereo Table Radios & Portable T.V. Sets

## 3 Piece Solid-State AM/FM Stereo Table Radio Ensemble



ONLY **59<sup>95</sup>**

- Separate Controls for Bass, Treble, Volume, and Balance

Features Two Matched 4" x 6" Speaker Systems

Offers everything you could want in a low price modular AM/FM Stereo Table Radio. Features: AM radio, FM radio with Automatic Frequency Control and FM Stereo Radio. Full control and convenience features include: Input jacks for stereo or monaural phonographs plus tape input and output; front panel stereo headphone jack; separate bass, treble, volume and balance controls; rotary band selector knob; precision illuminated slide rule tuning dial; stereo

indicator light and built-in Automatic Gain Control. Two 4" x 6" perfectly balanced wide range hi-fidelity speakers are mounted in matched walnut grain enclosures. Built-in ferrite bar AM antenna. Includes external "T" type dipole FM antenna. Handsome simulated plastic walnut grain cabinet. Size: Tuner/Amplifier—5½ x 15½ x 9". Speakers—9½ x 7½ x 4½". Imported. For 117 VAC 60 Hz. 17 A 69421W Shpg. wt., 17 lbs. Net 59.95

### LAFAYETTE MC22 4-Speed "Mini" Automatic Stereo Record Changer



ONLY **34<sup>95</sup>** Ideal For Above System

21 A 01632W Shpg. wt., 10 lbs. Net 34.95 See page 22 for full description of MC22.

### PANASONIC AN-40STA PORTABLE TV WITH DIGITAL CLOCK

- 3½ Hour Shut-Off Timer
- Channel Coverage: VHF 2-13, UHF 14-83
- Detachable Tinted Screen

Tomorrow's look featuring built-in digital clock. Up to 3½ hour sleep timer with automatic shut-off. 38 square inch viewing area. 90° deflection aluminized picture tube plus 10-tube 8-solid-state component circuitry delivers sharp "black and white" pictures. Instant On with "one touch" On/Off power switch. Sliding vertical controls for contrast, brightness and pre-set volume. VHF-UHF antennas. 3" up-front speaker. With earphone and retractable handle. Charcoal grey, ivory trim. For 117VAC., 60 Hz. 934x15x11"D. Shpg. wt., 14 lbs. Imported. 17 A 31884W No Money Down" Net 99.95



**99<sup>95</sup>**

9 Inch Picture Measured Diagonally

### Sony TV-110U Solid-State Portable TV



**129<sup>95</sup>**

With Earphone, Loop Antenna for UHF, Snap-In Sunglass Filter

11 Inch Picture Measured Diagonally

- Channel Coverage: VHF 2-13, UHF 14-83
- Battery or AC operated

Big 11" screen measured diagonally. Lightweight enough to be carried anywhere. Operates on batteries, 12v auto/boat battery or 117 VAC. Snap-in sunglasses filter provides bright, glare-free reception in any light. Super sensitive solid-state circuitry. Built-in VHF adjustable telescoping antenna. UHF loop antenna. Front mounted oval speaker. 27 transistors, 15 diodes. Rectifier. Contemporary styling in black with silver trim. Size 11½ x 11¼ x 11½"D. Imported. Shpg. wt., 17 lbs. 17 A 32791WX No Money Down" Net 129.95

#### ACCESSORIES FOR SONY TV-110U

Model BP/7 564. Rechargeable Battery Pack. Net 22.95  
 17 A 3229G Shpg. wt., 7¼ lbs. Net 22.95  
 Model DCC-2AW. Car battery cord. For 12V/neg. ground systems. Net 14.95  
 17 A 32304 Shpg. wt., ½ lb. Net 14.95  
 Model VCA-14. Car window antenna. Shpg. wt., 1 lb. Net 22.95  
 17 A 32601 Net 22.95

### Panasonic TR-425R Portable "Pop-up" TV with AM-FM Radio



Battery or Ac Operated

**149<sup>95</sup>**

- 5 Inch Picture—Measured Diagonally
- Hide-away Screen Pops Up for Viewing
- Channel Coverage: VHF 2-13, UHF 14-83
- Built-in Rechargeable Panaloid Batteries

"The solid-state TV that lives in a radio." With the screen down, the set turns "off" automatically and you have a smart attached FM/AM radio. Pop-up the screen and it becomes a TV. Plays on Panaloid rechargeable batteries (included). With the AC adapter (included) you can recharge the batteries as well as operate the set at home. Telescopic monopole/bowtie antennas. Front-mounted dynamic speaker provides rich, resonant sound. Slide rule UHF and radio tuning. With sun shield and an earphone for private listening. Pop-up chrome handle for easy handling. Size 5½ x 11 x 12". Imported. Shpg. wt., 15 lbs. 17 A 31692WX No Money Down" Net 149.95

# BIG SAVINGS ON LAFAYETTE Solid-State Twin Speaker Stereo AM/FM Walnut Wood Table Radio



**SAVE**  
10<sup>00</sup>  
NOW  
**49<sup>95</sup>**  
was 59.95  
1971 cat. 712  
Sale ends 4/30/71

- FM Stereo Indicator Light
- 22 Transistors, 21 Diodes
- Separate Bass and Treble Controls
- AFC For Drift-Free FM
- Tape Recorder Output Jacks
- Automatic Loudness Compensator
- Phono Input Jacks
- External Stereo Speaker Jacks
- Perfectly Matched 4" Wide Range High Compliance Speakers
- Stereo Headphone Jack

Luxurious instant-on solid state AM/FM stereo table radio with many of the deluxe features normally found only in expensive stereo hi-fidelity receivers. Its compact size, makes it ideal for use on a bookshelf or table top. Its walnut wood cabinet will enhance the decor of your home or office. Equipped with built-in AM and FM antenna systems—all you have to do is connect this radio to a standard 117 VAC outlet to immediately enjoy standard AM, FM, or full dimensional FM stereo broadcasts. A special indicator light will enable you to readily identify FM Stations broadcasting in stereo. In addition, the radio is equipped with a phono input to permit playing

of a stereo record changer (with ceramic/crystal cartridge) thru the radio. Stereo tape recorder outputs have been provided to let you record all stereo programs reproduced through the radio. You get magnificent tone from two matched 4" high compliance speakers. Built-in automatic loudness circuit compensates for normal loss of bass experienced at low level volume. External output jack for headphones or stereo speakers. Tuned FM RF for extremely high sensitivity and selectivity. Illuminated sliderule tuning dial. For 117 VAC, 60 Hz. Size: 20 3/4 x 7 1/4 x 6 3/8" D. Imported. Shpg. wt., 11 lbs. 99 A 35073W No Money Down\* ..... Net 49.95

## PANASONIC RE6137 SOLID-STATE FM-AM TABLE RADIO

**24<sup>95</sup>**

- AFC For Drift-Free FM Performance




Fine performing FM/AM radio features rich tonal quality from its large 4" full range dynamic speaker. Its smart, functional low profile styling will be a pleasing addition to the decor of any home or apartment. Dependable and reliable solid-state semiconductor circuitry. Precision sliderule tuning. AFC for drift-free performance on FM. With FM line cord antenna and built in ferrite core antenna. Handsome high impact antique white plastic case. Size: 12"x5 1/2"x4 3/8". Imported. For 110-120 VAC 60 Hz. 17 A 30803W Shpg. wt., 4 lbs. .... Net 24.95

## ALL TRANSISTOR AM TABLE RADIO


Only  
**8<sup>95</sup>**

- Large 3" Dynamic Speaker
- Direct Dial Tuning



Everyone can use a smartly styled, low priced AM Table Radio. Perfect for the kitchen, basement, or children's room. Solid-state circuitry provides instant-on play. Superheterodyne circuit for extremely high sensitivity. Big 3" speaker for fine tonal quality. Built-in ferrite bar antenna. Ivory plastic cabinet. Size: 4 1/2" x 8 1/4" x 2 1/2". For 110 VAC 60Hz. Imported. Shpg. wt., 3 lbs. 17 A 69447W ..... Net 8.95

## DELUXE LAFAYETTE SOLID STATE AM/FM WALNUT WOOD HI-FI TABLE RADIO



- Only  
**39<sup>95</sup>**
- 5" Acoustic Suspension Speaker for Magnificent Sound
  - Tuned RF FM and 4 IF Stages
  - Tape Recorder Output Jack
  - 12-Transistors and 14-Diodes
  - External Speaker Output Jack


A deluxe high-fidelity AM/FM radio employing an advanced solid-state circuit with 12-transistors and 12-diodes. However, it is more than just an AM/FM radio, it combines a super-sensitive AM and FM receiving section with a tuned RF FM stage and 4 IF's, a high-fidelity amplifier, and a full-range acoustic suspension loudspeaker in one compact and handsomely designed 3/4" walnut wood enclosure. Equipped with a built-in AM and FM antenna system, this outstanding radio need only be connected to a standard 117 VAC outlet to place it in operation. Separate Band Selector, Continuous Tone control, and Volume control. AFC for drift-free FM. Jack at the rear of the radio marked REC may be used to plug in a tape recorder to record any programs heard on radio. Also includes provisions for hooking up an external 8-ohm speaker as well as external FM or AM antenna. Beautifully finished walnut wood cabinet with woven tan grill. For 105-120V, 50/60 Hz AC. Size: 13Lx5 7/8x8 3/8"H. Imported. Shpg. wt., 8 1/2 lbs. 99 A 35644W No Money Down\* ..... Net 39.95

# Our Best Selling Solid State AM/FM Clock Radios

## LAFAYETTE Low Profile Full Feature AM/FM Clock Radio

Only **29<sup>95</sup>**

- 60 Minute Sleep Switch
- Precision Slide Rule Dial
- 10 Minute Snooze Button
- Large 3½" Speaker
- Full Feature Westclox Clock Movement
- Soft Glow Electro-Luminescent Night Light



Combines a fully automatic full feature Westclox clock with Soft Glow Electro-Luminescent Night Light and a superb FM/AM radio in a handsome low profile styled walnut grained plastic cabinet with black and silver trim. Handy sleep-switch permits you to slowly drift-off to dreamland while the radio automatically shuts itself off (up to 60 minutes). Beautiful FM or AM music will awaken you at a preset time. Even includes a snooze button so that the Radio can again be turned off to permit you an extra 10 minutes of sleep.

FM-AM radio features a slide rule dial for precise tuning, and a large 3½" wide range speaker for luxurious tonal quality. All solid state circuitry with 10 transistors, 4 diodes and 1 thermistor provides high sensitivity and selectivity enabling you to pull in stations crystal clear, both near and far. Size: 9½x5½x3½" D. For 117V AC, 60 Hz. Imported. Shpg. wt., 4 lbs.

17 A 01895W ..... Net 29.95

## LAFAYETTE Full Feature Solid-State AM/FM Digital Clock Radio

Only **34<sup>95</sup>**

- Separate Digital Control Setting for Waking you up at a Preset Time to Music, Alarm or both
- Large Prismatic Illuminated Station Selector Dial For Precise Tuning
- 60 Minute Sleep Switch
- Handsomely Styled Swivel Pedestal



Sensational concept in the design and performance of a clock radio. Will become a quality addition to your home, office or den. This luxurious AM/FM radio features an easy-to-read, illuminated clock face that provides accurate, large digital indication of hours and minutes as well as seconds. Separate visual digital control setting allows you to wake-up at a preset time to music, an alarm, or both. You can also have the radio lull you to sleep with up to 60 minutes of music or your favorite program—then automatically

shut-off. Large prismatic lit station selector for precise tuning. Built-in AFC prevents station drift on FM. Top mounted wide-range 3½" speaker provides fine tone. Earphone for private listening. Built-in AM ferrite core antenna. Highly sensitive FM line cord antenna. Attractive walnut grain and black matte, silver trimmed plastic cabinet is 9½"x5½"x2½" mounted on 1½" inch swivel pedestal. For 117 VAC 60 Hz. Imported. Shpg. wt., 3 lbs.

17 A 01887 No Money Down\* ..... Net 34.95

## Deluxe LAFAYETTE-Full Feature Walnut Wood AM/FM Digital Clock Radio

Only **44<sup>95</sup>**

- Prismatic Illuminated Precision Slide Rule Tuning Dial with Logging Scale
- 60 Minute Automatic Shut-Off Timer
- Separate Digital Control For Waking You Up At a Preset Time to Radio, or Alarm and Radio
- Continuous Tone Control
- AFC to Prevent Drift on FM



**BIG FULL FEATURE  
ILLUMINATED 24 HOUR  
LEAF-TYPE DIGITAL CLOCK**

An exceptionally fine looking and performing AM/FM Solid State Clock Radio. Attractively styled with Smoke-Gray Acrylic front panel with black and silver trim and handsome walnut veneer wood cabinet. The illuminated 24 hour full feature leaf-type digital clock has large 3/4" numerals, and needs to be set only once. Thereafter it will wake you up every morning at the same time without additional adjustment. A timer can be set to lull you to sleep with up to 60 minutes of music. Large prismatic lit slide rule tuning dial with

logging scale. Wide-range 3½" speaker baffled in a wood cabinet provides rich, brilliant sound. Continuous tone and volume controls AFC for drift-free FM performance. Highly Sensitive FM AC line cord antenna. Ferrite core AM antenna. Earphone for private listening. Size: 4¼" x 12" x 5¾". Shpg. wt., 4½ lbs. Imported. For 117VAC 60Hz.

17 A 01135W No Money Down\* ..... Net 44.95

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 29

# Popular Priced Lafayette Portable Radios

## DELUXE LAFAYETTE SOLID STATE AM POCKET PORTABLE RADIO

ONLY **6<sup>95</sup>** with Carrying Case, Earphone and Battery

Beautifully styled instant play AM pocket radio. Powerful 2 1/4" speaker provides clean, crisp tone. Features professional vernier slide rule tuning dial, and 3 IF transformers for superb sensitivity for reception on stations both near and far. Built-in ferrite antenna. Operates on only one inexpensive 9-volt battery. Includes vinyl carrying case, batteries and earphone. Color: Black with chrome trim. Size: 4 1/2"Hx2 1/2"Wx 1 1/4"D. Imported. Shpg. wt., 1 1/4 lbs. 17 A 01782L ..... Net 8.95  
Extra 9-volt Battery ..... Net .21  
99 A 60212 ..... Net .21



## LAFAYETTE SOLID-STATE AM/FM PORTABLE RADIO

ONLY **9<sup>95</sup>** With Earphone, Battery and Carrying Strap

Handsomely styled, personal pocket-size AM/FM portable radio. Powerful solid-state circuitry provides sparkling performance. Precision slide-rule tuning dial. Large 2 1/4" dynamic speaker. Built-in AFC. Ferrite rod antenna for AM, telescoping antenna for FM. Powered by single inexpensive 9-volt battery. Earphone for private listening. Black with walnut and chrome trim. Size: 5x3x1 1/2". Imported. Shpg. wt., 2 lbs. 17 A 01937L ..... Net 9.95  
Extra 9V batt. ..... Net .21  
99 A 60212 ..... Net .21



## LAFAYETTE BATTERY/ELECTRIC SOLID-STATE AM/FM PORTABLE RADIO

ONLY **17<sup>95</sup>** with earphones and batteries

- Plugs into any AC Outlet or Plays Anywhere on 4 "C" Batteries
- Powerful 3" Speaker

Handsome, full-sized personal AM/FM portable. Smartly styled leatherette cabinet with beige and chrome trim. Provides excellent FM as well as AM reception. Comes gift packed with earphone and batteries included. Features precision slide rule dial, and wide range 3" dynamic speaker for clear, crisp tonal quality. Telescopic FM antenna and ferrite core AM antenna. Leatherette carrying handle. Size: 9"Wx5"Hx3"D. Imported. Shpg. wt. 3 3/4 lbs. 17 A 01903L ..... Net 17.95  
99 A 02572 Extra "C" bat. (4 req.) ..... Net. ea. .14



Full Size: 9"Wx5"Hx3"D

## LAFAYETTE BATTERY/ELECTRIC SOLID-STATE 3-BAND AM/FM/SW PORTABLE



- Self Storing AC Line Cord • Rigid handle

ONLY **27<sup>95</sup>** with earphone and batteries

### TUNES 3 BANDS

AM: 530-1600 kHz  
FM: 88-108 MHz  
SW: 3.8-12 MHz

- Vernier Slide Rule Tuning
- Powerful Wide Range 3 1/2" Speaker
- AFC for Drift-Free FM Reception

Enjoy the finest in drift-free reception—hear your favorite news, weather and special events on AM radio. Hear symphony concerts, world renowned soloists, jazz bands on FM radio. Tune in Paris, Rome, London, Moscow and dozens of other cities on the International Shortwave band. This superb radio operates on 4 "C" batteries or on standard 117VAC house current. Comes with convenient carrying handle for effortless portability. Features AC/DC switch, logging scale for precise tuning, color-coded band indicator, and AFC for drift-free FM reception. Telescoping antenna for FM and SW. Ferrite rod antenna for AM. Instant-on solid-state circuitry, earphone jack for private listening. Black padded, simulated leatherette cabinet. Size: 8 3/4"W x 7 1/4"H x 3"D. Imported. Shpg. wt., 5 lbs. 17 A 02307L ..... Net 27.95

# DELUXE

## Lafayette GUARDIAN "6000" 6-Band Battery/Electric AM-FM-Police-Aircraft-Marine Portable Radio

### Radio Direction Finder

180° Rotatable Ferrite Loopstick Antenna For LW, AM, and MB Reception PLUS Direction Finding on these Bands.



Optional Mounting Bracket for Marine use so that Radio can be secured.

ONLY 3.95

Signal Strength Tuning Meter/Battery Condition Meter

### TUNES 6 BANDS

- 1 LW: 180-380 kHz Beacon Band
- 2 AM: 540-1600 kHz Standard Broadcast
- 3 MB: 1.6-4.0 MHz Marine Band
- 4 FM: 88-108 MHz Standard Broadcast
- 5 AIR: 108-136 MHz AM/VHF Aircraft
- 6 POLICE: 147-174 MHz FM/VHF High Band Public Service and U.S. Weather Bureau Forecasts and New VHF/FM Marine Band

Professionally designed 6-band portable radio with individually tuned circuits to provide extra sharp reception on each band. Tunes Long Wave Beacon Band, Standard AM & FM broadcast Bands, Marine Band, Aircraft Communications Band, and FM-VHF Police and Public Service High Band including the 162.55 MHz U.S. Weather Bureau Forecasts. Can be operated on 4 "C" batteries for portable use, or from 117 volt, 60 Hz AC with built-in AC line cord for home use. In addition the Guardian "6000" also has Radio Direction Finding Facilities. This will permit the boat owner to obtain bearings from marine beacon stations on the Long Wave Beacon Band, from broadcast stations on the AM Band, and small craft stations on the Marine Band. Also includes a calibrated optical sighting arrangement for visual bearings. Other features include a combined Tuning Meter/Battery Condition Indicator; adjustable telescoping whip antenna



79<sup>95</sup>

With Batteries and Earphone

- Instant-on Solid State Circuitry
- Individually Tuned Circuits

(plus an external antenna jack) for reception on FM, AM/VHF (Air) and FM/VHF Police Band; adjustable squelch control to eliminate background noise on the FM, Air, and Police Bands; output jacks for use with headphone or external speaker; and Automatic Gain Control to vary the sensitivity of the radio and tuning meter for direction-finding purposes. Slide Rule dial has a logging scale for precise tuning and a push-button dial light. Large 4" Speaker for exceptional tonal quality. Steel handle for ease of portability. 18 Transistors, 14 Diodes, and 2 Thermistors. Size: 11½W x 9H x 3"D. Imported.

99 A 35065W Shpg. wt., 10 lbs. No Money Down\* Net 79.95  
 Mounting Bracket For Fixed Marine Use. Imported. Wt. 5 oz.  
 17 A 64000 Net 3.95  
 99 A 62572 Extra "C" Batteries (4 req.) wt., 4 oz. Net ea. .14

## Lafayette Battery/Electric 4-Band Solid-State AM/FM/SW Marine Portable

ONLY 34<sup>95</sup>

Including 5 Piece Accessory Package

### TUNES 4 BANDS

AM: 530-1600 kHz FM: 88-108 MHz  
 MB: 2.5-6.5 MHz SW: 9-18 MHz

- ★ Precision Slide Rule Tuning Dial with Logging Scale
- ★ Self-storing AC Line Cord



- Pillow Speaker
- Headphone
- Earphone
- External antenna
- Batteries

Superb performing 4-band portable radio for all around use. Use it to travel the world with international shortwave. Use it to listen to the Marine band: ship-to-shore, and up to the minute weather forecasts. Use it for listening to FM and AM broadcasts. Separate AC/DC switch permits you to play this fine portable on 117 VAC 60 Hz or with 4 economical "C" batteries. Large 3½" full range dynamic speaker for outstanding tonal quality. Built-in ferrite core antenna for AM and telescoping antenna for FM, Marine and SW bands. Handsome black padded, simulated leatherette cabinet with die-cast frame and chrome grill: 9½x6x3½". Imported. Shpg. wt., 7 lbs.  
 17 A 01796L No Money Down\* Net 34.95  
 Extra "C" batteries for above, 4 required.  
 99 A 62572 Shpg. wt., 4 oz. Net ea. .14

# LAFAYETTE'S Best Selling Police and Aircraft Portables


## "Air Master 400" 4-Band 17 Transistor FM/AM/Police/Aircraft Radio



ONLY **44<sup>95</sup>** With Batteries and Earphone  
No Money Down\*

- Operates on 4 "D" Batteries or 117 VAC
- Variable Squelch Control for Tuning FM, AIR and Police Bands
- Record Output Jack
- Large 4" Speaker for Magnificent Tonal Quality
- Precision Slide Rule Tuning Dial
- Tunes U.S. Weather Broadcasts on 162.55 KHz!

### Guardian II 2-Band Solid-State FM-VHF and AM Police Radios



HIGH BAND

LOW BAND

FM-VHF — 147-174 MHz  
AM — 540-1600 kHz

FM-VHF — 30-50 MHz  
AM — 540-1600 kHz

**21<sup>95</sup>** with earphones and batteries

**21<sup>95</sup>** with earphones and batteries

**HIGH BAND FM-VHF POLICE AND AM RADIO.** Listen to the drama of everyday life with this exciting radio. Monitor local and state police, as well as fire departments, 162.55 MHz, U.S. Weather Bureau stations, civil defense, and emergency public services. Includes standard AM band. Loaded with these outstanding features: 2 RF stages, 4 IF stages, slide rule logging scale for precise tuning, ferrite rod AM antenna, telescoping VHF antenna, large 3" speaker for superb fidelity. Handsome black case with silver trim. Earphone jack for private listening. Operates on 4 "AA" type batteries (included) or 117 VAC with optional AC adapter. 11 transistors, 4 diodes, 1 thermistor. 7W x 4 1/2" x 2 1/4" D. Imported.

99 A 35222L Shpg. wt., 2 1/4 lbs. Net 21.95

**LOW BAND FM VHF POLICE AND AM RADIO.** Same deluxe features and specifications as above Police radio but tunes low band 30-50 MHz instead of High Band. Imported. Shpg. wt., 2 1/4 lbs.

99 A 35347L Net 21.95

#### ACCESSORIES FOR GUARDIAN II POLICE RADIOS

| Stock No.  | Description                       | Shpg. Wt. | Net Ea. |
|------------|-----------------------------------|-----------|---------|
| 99 A 35362 | AC Adapter                        | 12 oz.    | 3.95    |
| 99 A 62580 | Extra "AA" Batteries (4 required) | 3 oz.     | .10     |

32 Lafayette Cat. No. 713

tunes 4 exciting bands!



High Band  
Police and Fire  
147-174MHz FM/VHF

Aircraft Band  
108-136 MHz AM/VHF


FM Broadcast  
88-108 MHz

AM Broadcast  
540-1600 kHz

The "Air Master 400" is a professionally designed portable radio that tunes Standard AM Broadcasts, Standard FM Broadcasts, FM-VHF High Band Police Calls, AM-VHF Aircraft Band (monitor planes in flight awaiting instructions from the control tower), and U.S. Weather Bureau Forecasts. Individually tuned front end circuits for each band provides higher sensitivity—assuring sharp response with exceptional stability. Variable Squelch control while tuning Police and Aircraft Bands—also serves as interstation muting on FM Broadcast Band. Self-Storing AC line cord for 117 VAC house current. Also operates on 4 "D" cell batteries. Telescoping antenna for FM, Police and Aircraft; built-in loopstick antenna for AM. 17 transistors, 11 diodes; 2 thermistors. Jack for Ext. Ant. Phone; Record output. Padded black Vinyl case with handle. Size: 11 1/2 x 7 1/2 x 3 1/2" D

99 A 35578W Imported. Shpg. wt., 7 lbs. Net 44.95  
99 A 62564 Extra "D" bat. 4 req. Shpg. wt., 5 oz. Net ea. .15

### "Guardian 300" 3 Band Battery Electric Solid-State FM-VHF /FM/AM Police Radios



HIGH BAND

LOW BAND

FM-VHF — 147-174 MHz  
AM — 540-1600 kHz  
FM — 88-108 MHz

FM-VHF — 30-50 MHz  
AM — 540-1600 kHz  
FM — 88-108 MHz

**29<sup>95</sup>** with earphones and batteries

**29<sup>95</sup>** with earphones and batteries

**HIGH BAND FM-VHF POLICE AND AM/FM RADIO.** Listen to Police and fire calls . . . ANYWHERE—ANYPLACE. Deluxe 3-band radio operates on 4 "C" batteries or 117 VAC 60 Hz by means of a self-storing AC line cord. Powerful space age solid-state circuitry with 12 transistors, 6 diodes, and 2 thermistors. Variable 6-gang capacitor tuning for extremely high sensitivity and selectivity enables you to pull in even the weakest stations. Complete coverage includes: High-Band FM-VHF 147-174 MHz including 162.55 U.S. Weather Bureau Forecasts and standard AM and FM broadcast bands. Slide rule dial for precise tuning, ferrite rod antenna for AM, telescoping antenna for FM-VHF and FM bands, and an external antenna input jack. Padded black leatherette case with silver trim. Includes batteries, earphone and self-storing AC line cord. Size: 8 3/8" W x 4 1/2" H x 2 7/8" D. Imported. Shpg. wt., 3 1/4 lbs.

99 A 35461L Net 29.95

**LOW BAND FM-VHF POLICE AND AM/FM RADIO.** Same deluxe features and specifications as above but tunes low band FM-VHF 30-50 MHz instead of High Band. Imported. Shpg. wt., 3 1/4 lbs.

99 A 35479L Net 29.95

99 A 62572 Extra "C" bat. for above radios—4 req. . . Net ea. .14

\*See Page 25 for Full Credit Details on Easy Pay Plan

**POLICE  
AIRCRAFT  
T.V.**

# SPECIALTY RADIOS

**CLOCK  
CAMPING  
NOVELTY**

## LAFAYETTE 4-BAND TV-FM-FM/VHF POLICE PORTABLE RADIO

**39<sup>95</sup>**

with earphones  
and batteries

### TUNES

- TV Low: Channels 2 thru 6
- TV High: Channels 7 thru 13
- Standard FM Broadcasts: 88-108 MHz
- FM-VHF High band Police: 146-175 MHz
- Instant-on Solid State Circuitry

A unique and truly different concept in the design of a radio. Allows you to tune TV channels 2 thru 13. Listen to the many outstanding sporting events, variety shows and special normally transmitted only on TV. At night, use your TV for the picture but control the sound from the radio—earphone lets you listen without disturbing others. Monitor Police and Fire emergency calls. Listen to U.S. Weather Bureau forecasts on 162.55 MHz. Also receives standard FM broadcasts. Operates on 4 "C" batteries or 110 VAC with optional adapter. Super-sensitive, instant-on solid-state circuitry. Precision sliderule tuning dial. Built-in telescoping antenna, external antenna jack, leatherette carrying handle, earphones, and batteries. Black plastic cabinet. Size: 9 x 5 1/4 x 2 3/8" D. Imported.

99 A 35638L Shpg. wt., 4 lbs. No Money Down\* ..... Net **39.95**  
99 A 62972 Extra "C" batteries. 4 req. .... Net ea. **.14**  
99 A 35362 110 VAC Adapter. Wt. 10 oz. .... Net **3.95**



- Listen to TV Privately Without Disturbing Others
- Listen to TV Anywhere Without Viewing

## Panasonic R-70 Spherical AM Portable

**9<sup>88</sup>**

Gift-boxed  
With Earphone  
and Battery

### Instant-on Solid State Circuitry

Funloving spherical styling, unique easy-grip controls and carrying chain. Sensitive built-in ferrite core antenna pulls in both local and distant stations loud and clear. A 2 1/4" PM dynamic speaker delivers rich sound. Size: 4 3/8" D. Imported.  
17 A 31975L Shpg. wt., 2 lbs. .... Net **9.88**  
99 A 60212 Extra 9V Battery ..... Net **.21**



## LAFAYETTE "Magic Cube" Solid State AM/FM Clock Radio

**SALE 24<sup>95</sup>**

Was  
**29.95**  
1971  
Cat. 712

With Earphone for  
Private Listening

- 60 Minute Sleep Switch
- 10 Minute Snooze Button
- Soft-Glow Electro-Luminescent Panel



**SALE ENDS  
4/30/71**

Compact and futuristic in styling and design. Only 4 1/2" W x 4 1/2" D x 5 3/8" H including pedestal. Will add to the decor of any bedroom, den or kitchen. Full-feature Telechron clock with alarm, sleep switch and snooze button. Wake up to beautiful music from the super sensitive solid-state AM/FM radio. Handsome walnut grain plastic cabinet. Features a large 3" speaker for full-bodied tone and AFC circuitry to prevent drift on FM. Built-in ferrite core AM antenna. Line-card FM antenna. For 117 VAC, 60 Hz. Imported. Shpg. wt., 3 lbs.  
17 A 61879 ..... Net **24.95**

## LAFAYETTE "Air Master" 10 Transistor AM and VHF Aircraft Portable Radio

**19<sup>95</sup>**

With Batteries, Earphone,  
and Carrying Strap

- 108-136MHz VHF AM Aircraft Band
- 540-1600kHz AM Band
- Precision Slide Rule Logging Scale

Listen to the exciting frequencies of aircraft communications in your home, car, or office on the 108-136MHz aircraft band. Monitor aviation control tower transmissions, listen to planes in flight, get their landing patterns and weather reports. You are actually with the pilot as he receives instructions for take-offs and landings. Also includes AM band. Features large 3" speaker, slide rule dial with logging scale, ferrite rod AM antenna, telescoping VHF antenna. Operates on 4 "AA" batteries (included) or on 117V AC with optional AC adapter. Earphone for private listening. 10 transistors, 2 diodes, 1 thermistor. Size: 7" W x 4 1/4" H x 2 1/4" D. Imported. Shpg. wt., 2 1/4 lbs.  
99 A 35230L ..... Net **19.95**  
99 A 35382 AC Adapter for above. Shpg. wt., 12 oz. .... Net **3.95**  
99 A 62580 Extra "AA" batteries (4 required) wt., 3 oz. Net ea. **.10**



## Sharpe FX182 Battery/Electric FM/AM Solid State Camping Radio

**49<sup>95</sup>**

With Batteries  
and Earphone

- Built-in Flashlight with Red Filter
- Built-in Thermometer, Humidity Indicator, and Compass.



The perfect companion for the traveler or outdoors man. This quality performing AM/FM radio has a built-in hi/lo beam flashlight and red filter for emergency warning. Unique features include thermometer, humidity indicator, and compass. Operates on 4 "D" flashlight or rechargeable alkaline mang. batteries (included), or, on 117 VAC house current. Convenient vinyl belt for easy carrying. AFC for drift-free FM performance. All silicon transistor circuitry with AGC. FM telescopic rod antenna, AM Ferrite bar antenna, dial light switch, AC Power lamp, charge indicator, and tuning/battery meter. Earphone for private listening. Large 3 1/2" speaker. Size: 10 1/4" W x 7 7/8" H x 2 3/8" D. UL Listed. Imported. Shpg. wt., 5 lbs.  
17 A 53144L No Money Down\* ..... Net **49.95**

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 **33**

# Car Portable Radios, FM Converters, and Reverbs

## Sharp FX28A FM-AM Car/Portable Radio



Complete with Car Bracket,  
Lock and Key, Batteries, AC Line Cord, Earphone

**39<sup>95</sup>** • Install In Any 6 or 12 Volt Car  
or Boat System  
• Use As A Portable, or On 117VAC  
60 Hz. With Built-in AC Line Cord

Versatile "multi-purpose" AM/FM solid-state radio designed to provide outstanding reception anywhere. Used as an AM/FM car radio, it locks into its specially designed under-the-dash bracket and operates thru the car's electrical system (6 or 12 volts pos./neg. ground). Slips easily out of bracket for use outdoors—and plays on 3 "C" Batteries (included). For indoor use, it operates on regular 117VAC household current with the AC line cord provided. Pushbutton switches for tone, AFC, and Car antenna. 3-Controls: Tuning, On/Off-Volume, and Band Switching. AFC for drift free FM reception. Ferrite bar AM antenna, telescoping FM antenna. Wide range 4 x 2 3/4" oval speaker. Wood grain finish front panel. 2Hx7 3/8Wx5 1/8"D. Imported. Shpg. wt. 5 3/4 lbs.

17 A 53110 No Money Down\* Net 39.95  
99 A 62572 Extra "C" cells (3 required) Net ea. .14

## Sharp FYP-30 3-Band AM/FM/FM VHF Car/Portable Police Radio




Complete with Car Bracket,  
Lock and Key, Batteries, AC Line Cord, Earphone

**49<sup>95</sup>** Tunes:  
FM-VHF:150-176 MHz. High Band Police and  
162.55 MHz. U.S. Weather Forecasts  
AM:550-1600 kHz.  
FM: 88-108 MHz.

Deluxe, multi-purpose 3-way solid state radio specially designed for use in car, as portable, or in the home. Features dramatic FM-VHF High Band (150-176 MHz) reception of police, fire, civil defense, and U.S. Weather Bureau forecasts. Also tunes the standard AM and FM broadcast bands. As a car radio, it locks into its specially designed, under-the-dash bracket (supplied) and operates thru the car's 6 or 12-volt electrical system. Outdoors it plays on 4 "C" size flashlight cells. Indoors it plays on 117 VAC with an AC line cord (supplied). Features: dynamic oval speaker and 2-watt output for excellent sound quality; precision vernier slide-rule tuning dial; dial light (when operated on car battery); pushbutton tone control; earphone jack and earphone for personal listening; telescoping FM and FM-VHF antenna; ferrite core AM antenna. Dimensions: 7 1/2x5 1/8x2" D. U.L. listed. Imported. Shpg. wt. 6 lbs.

17 A 53060 No Money Down Net 49.95  
99 A 62572 Extra "C" cells, 3 Required Net ea. .14

## LAFAYETTE SOLID-STATE CAR REVERBERATION AMPLIFIER Recreates Concert Hall Listening In Your Car



**9<sup>95</sup>**

Less Speakers.

• Can Be Used With Any 12-Volt  
Negative Ground Car Radio—AM or FM

NDW—listen to the most dramatic sound of music you have ever heard in a car with the Lafayette solid state Automobile Reverberation amplifier. When used with your present 12-volt negative ground AM or FM car radio, the Lafayette Reverb amplifier creates a second set of reflected sound waves reproduced through a rear seat speaker (not included). These reflected sound waves provide this exciting new dimension in sound reproduction. Features a pushpull Fader/Balance control. Balances regular car radio speaker and reverb speaker. Also controls amount of reverberation—from 0 to maximum. Separate isolation transformer for ultimate matching conditions. For underdash mounting. Dim.: 7 1/2"Dx3 1/2"Wx1 3/4"H. Includes mounting bracket. Imported. Shpg. wt., 4 lbs.

99 A 85193

Net 9.95

## MINIATURE SOLID-STATE FM CONVERTER FOR AM CAR RADIOS



- AFC for Drift Free Performance
- Local/Distance Switch for Optimum Reception
- Ideal for Cars with Limited Space under or Above the Dash
- For 12 Volt Negative Ground System

**29<sup>95</sup>**

Includes: Mounting Bracket for Under-Dash Installation, Fastener for Top of Dash or Console Installation, Antenna and Patch Cords.

Operates with no alterations to your present AM car radio by tuning to 1580 KHz and then turning on the FM converter. Tunes standard FM broadcasts from 88-108 MHz. Volume and tone are controlled from the AM radio. Features 8 transistors, 7 diodes and a built-in noise filter for fine FM reception. Also includes vernier slide rule tuning dial with luminous scale and dial pointer, AFC for drift free reception and local/distance switch for optimum reception. Slim-line design allows converter to be placed on or beneath dashboard with equal convenience. With all mounting hardware. Size: 1 3/4 Hx 4 1/4 Dx 5 1/2 W. Imported. Shpg wt., 2 lbs.

17 A 41008

Net 29.95



—713 INDEX—

|  |                        |
|--|------------------------|
| Adding Machine .....                         | 77                     |
| Alarms, Electrical Accessories .....         | 54, 55                 |
| Amateur Gear .....                           | 103, 104               |
| Amplifiers, Hi-Fi .....                      | 14, 15, 17             |
| Amplifiers, Musical and Accessories .....    | 44-47                  |
| Amplifiers, PA and Accessories .....         | 92-95                  |
| Antennas, TV and Accessories .....           | 88-90                  |
| Audio Lights .....                           | 26                     |
| Auto Accessories .....                       | 84-87                  |
| Auto Radios Reverbs and Tape Players .....   | 34, 35, 70             |
| Battery Chargers, Batteries .....            | 53                     |
| Binoculars .....                             | 39                     |
| Cameras and Accessories .....                | 36-39                  |
| Cartridges, Hi-Fi Phono .....                | 23                     |
| Cassette Accessories .....                   | 71, 72                 |
| Cassette Players and Recorders .....         | 66-69                  |
| CITIZENS BAND EQUIPMENT .....                | 105-116                |
| Closeout Specials .....                      | 34A, 34B               |
| Copier .....                                 | 76                     |
| Drafting Supplies .....                      | 76                     |
| Easy-Pay Credit Plan .....                   | 25                     |
| Educational Kits, Hobbies .....              | 48-52                  |
| Garage Door Opener .....                     | 83                     |
| Garden Tools .....                           | 81                     |
| Generator, (portable power plant) .....      | 81                     |
| Guarantees .....                             | 9                      |
| Guitars .....                                | 41-43                  |
| Headphones .....                             | 24                     |
| Hi-Fidelity Receivers .....                  | 8-13                   |
| Hi-Fidelity Stereo Compacts .....            | 4-7, 69                |
| Hi-Fidelity Systems .....                    | 9-13, 17, 69           |
| Insect Killer (Electric) .....               | 82                     |
| Intercoms .....                              | 96                     |
| Lamps .....                                  | 54                     |
| Mini Bikes .....                             | 83                     |
| Movie Cameras and Projectors .....           | 36, 37                 |
| MUSICAL INSTRUMENTS AND ACCESSORIES .....    | 41-47                  |
| Ordering Information .....                   | SEE ORDER BLANK INSERT |
| Phonographs and Accessories .....            | 4-7, 23                |
| Pre-Recorded Tape .....                      | 59, 73, 74             |
| Psychedelic Lights .....                     | 26                     |
| RADIOS .....                                 |                        |
| Auto .....                                   | 35                     |
| Clock and Table .....                        | 28, 29, 33             |
| Police, Fire, Aircraft and Marine .....      | 30-33, 99-101, 115     |
| Portable and Shortwave .....                 | 30-33, 102-103         |
| Radio Control Equipment .....                | 50-51                  |
| Receivers, Hi-Fidelity .....                 | 8-13                   |
| Record Changers .....                        | 22, 23                 |
| Recording Tape and Accessories .....         | 71, 72                 |
| Refrigerator .....                           | 83                     |
| Speakers and Systems .....                   | 3, 18-21               |
| Store Addresses .....                        | OPPOSITE 83            |
| Tape Cartridge Players .....                 | 58-61, 64              |
| TAPE CASSETTE PLAYERS AND RECORDERS .....    | 1-2, 66-70             |
| Tape Recorders and Decks, Reel to Reel ..... | 74                     |
| Telephones and Accessories .....             | 97, 98                 |
| Telescopes .....                             | 40                     |
| Television Sets .....                        | 27                     |
| Test Equipment .....                         | 91                     |
| Tools and Accessories .....                  | 78-82                  |
| Tuners .....                                 | 16                     |
| Turntables, Automatic .....                  | 22, 23                 |
| Typewriters .....                            | 77                     |
| Walkie Talkies .....                         | 107, 108, 116          |
| Watches and Clocks .....                     | 56, 57                 |
| Vacuum Cleaner, Auto .....                   | 87                     |
| Weather Instruments .....                    | 50                     |

# ARE YOU INTERESTED IN OWNING A LAFAYETTE ASSOCIATE STORE ?

## ALL YOU NEED IS

1. Basic knowledge of Retailing, Television or Electronics
2. Financial Investment of \$20,000 to \$50,000

## WE WILL PROVIDE YOU WITH

1. Initial Inventory Selection and Stimulating Sales Displays
2. Store Layout Designs
3. Advertising and Publicity Aids Including Catalogs and Flyers

## And The Famous LAFAYETTE Name

To learn how easy it is to join hands with Lafayette Radio Electronics and have your own electronics department store, fill in and mail the coupon below for full information FREE. There is no obligation.

Tear along this line

**Lafayette Radio Electronics Corporation**  
**Attn. Associate Store Dept.**  
**111 Jericho Turnpike, Syosset, L.I., N.Y. 11791**

I am interested in owning a Lafayette Associate store. Without obligation on my part, please send me full information, FREE and postpaid.

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Indicate below phone number giving area code.

Phone: Home \_\_\_\_\_ Business \_\_\_\_\_

Most convenient time to phone you \_\_\_\_\_

# SALE!

QUANTITIES LIMITED  
**BUY NOW**  
SALE ENDS 4/30/71

## LAFAYETTE "Omni II" 10" 2-Way 360° Multi-Directional Speaker System

**CUT \$20.00**  
**ONLY 39<sup>95</sup>**

was 59.95 1971 Cat. 710


**Multi-Directional Sound** spreads sound through entire room. You sit anywhere you want and hear perfect stereo.

- Power Handling: 40 Watt
- Response: 50-20,000 Hz
- 6 db/octave LC Crossover Network

5 Year AAA Guarantee  
see page 9

Here is a multidirectional acoustic suspension system that provides undeniably realistic sound in any room . . . and with virtually any arrangement. Placement is not critical. Use 2 anywhere in the room . . . sit where you want-hear a natural blend of direct and reflected 360° sound. Features a powerful 10" woofer with a 40.6 oz. magnetic structure and a 1¼" voice coil, plus a direct

radiator type 3½" super tweeter. Handsome hand rubbed oiled walnut finish with charcoal brown grille cloth. 6 db/octave crossover network at 2600 Hz. Power handling capacity: 40 watts. Impedance, 8-ohms. Brilliance level control. Size: 3"x13"x19¼". Imported. Shpg. wt., 29 lbs.  
89 A 02438W No Money Down\* ..... Net 39.95



## Lafayette MINUETTE® "II" 2-Way Hi-Fi Speaker System

- 2 Speakers, 5" x 7" Woofer, 2½" Tweeter
- Shelf Size 6"W x 15⅞"H x 9⅞"D
- Genuine Oiled Walnut Finish On 4-Sides
- Brilliance Control

# SALE!

**ONLY 10<sup>95</sup> EACH** was 12.95

1971 Catalog 712

Lafayette Minuette "II" Hi-Fi Speaker System will bring music to any room in your home-and for a remarkably low cost. Designed for use where space is at a premium; ideal for the small apartment or listening area. Expands your stereo system to other areas of your home . . . easily used in the den, kitchen, patio or bedroom. Employs a specially designed 5x7" woofer, electrical crossover at 8,000 Hz, plus a 2½" tweeter in a duct-port

bass reflex type enclosure. Provides exceptionally fine musical quality yet measures only 6W x 15⅞H x 9⅞D. Small enough to fit anywhere. Superb oiled walnut finish on 4 sides allows placing speaker horizontally or vertically. Frequency Response: 80-19,500 Hz. Features adjustable level control for brilliance. Impedance 8-ohms. Rated at 5 watts (10 watts peak). Imported.  
89 A 01711W Shpg. wt., 8½ lbs. .... Each Net 10.95

34A Lafayette Cat. No. 713

\*See Page 25 for Full Credit Details on Easy Pay Plan

# SALE!

QUANTITIES LIMITED  
**BUY NOW**  
SALE ENDS 4/30/71



**LAFAYETTE PORTABLE  
CASSETTE TAPE PLAYER  
with BUILT-IN AM RADIO**



- Instant "On" Solid State Circuitry
- 3 Cassette Controls: Stop-Play-Rewind

Enjoy the pleasure of listening to wonderful pre-recorded cassette tapes with added convenience of being able to also hear music, news and sports events on the built-in AM radio. Compact, portable cassette player is pushbutton operated. Plays on 4 "C" batteries, or, 117VAC with optional adapter. Superheterodyne AM

radio has a ferrite core antenna. You get excellent sound quality from a special dynamic speaker. Size: 11H x 6 $\frac{3}{4}$ W x 2 $\frac{3}{4}$ "D. Imported. Shpg. wt., 5 lbs.  
27 A 01134 ..... Net **16.95**  
27 A 01142L AC Adapter for above, wt. 6 oz. .... Net **3.95**  
99 A 62572 Extra "C" Batteries (4 req.) ..... Net ea. **.14**

# SALE! Below Cost!

Fun To Build — Educational—and all 20 projects result in a useful working instrument!


ONLY **6.95**

### PROJECTS YOU BUILD

- |                              |                             |
|------------------------------|-----------------------------|
| 1. TRANSISTOR TESTER         | 11. METRONOME               |
| 2. VOICE ACTUATED ALARM      | 12. TWO TRANSISTOR RECEIVER |
| 3. PHOTO TIMER               | 13. ELECTRONIC RELAY        |
| 4. AUDIO AMPLIFIER           | 14. HOME BROADCASTER        |
| 5. CRYSTAL SET               | 15. PHOTO ELECTRICAL RELAY  |
| 6. SOLAR RADIO               | 16. BURGLAR ALARM           |
| 7. RAIN ALARM                | 17. WIRELESS TRANSMITTER    |
| 8. TIMER                     | 18. REGENERATIVE RECEIVER   |
| 9. ONE TRANSISTOR RECEIVER   | 19. CITIZENS BAND MONITOR   |
| 10. CODE PRACTICE OSCILLATOR | 20. AUDIO OSCILLATOR        |

Excellent for beginners as well as advanced experimenters. A soldering iron is only required for the basic wiring and not for subsequent projects. Each of the 20 projects is clearly presented in the 28 page instruction manual with step-by-step instructions, large easy-to-read pictorial wiring diagrams, schematic diagrams, and an explanation of the circuit behavior. The kit is complete

## LAFAYETTE 20-IN-1 TRANSISTOR EXPERIMENTERS KIT



with perforated mounting board, 2-transistors, 1-diode, earphone, and all other parts required for construction. Less batteries.

- 19 A 09027 Complete. Shpg. wt., 6 lbs. .... Net **6.95**  
99 A 62580 Z Cell Battery for Kit projects ..... Net **.10**  
32 A 47236 22 $\frac{1}{2}$  Volt Battery for Kit projects Net **1.61**

# Quality Solid State Radios For The Car

## MANUAL AM CAR RADIO



**19<sup>95</sup>**

- For 12 Volt Negative Ground Systems
- Built-in Speaker
- Removable Face Plate
- Tone Control Switch

Universal Solid State AM radio that is easy to install under the dash. Offers fine sound reproduction. Features built-in speaker and tone control slide switch, 7 transistors, 2 diodes, RF stage, AVC, Removable face plate. For 12 volt negative ground system. Size: 2x4 3/4 x 6 1/2". Imported, Shpg. wt., 3 lbs.

17 A 74256 ..... Net 19.95

## DELUXE MANUAL AM CAR RADIO



**29<sup>95</sup>**

- For 12 Volt Negative Ground Systems

Superb quality in a completely self-contained universal AM radio. Features all-transistor circuitry for instant action, continuously variable tone control, built-in speaker, and slide rule dial for fast accurate tuning. AVC assures stable, fade-free reception of distant stations. Sensitivity: 10 mv; peak audio out: 2 watts; speaker: 3 1/2" round; 6 transistors, 2 diodes. Size: 1 7/8" x 4 1/2" x 9". For 6 or 12 Volt Negative or Positive ground. Imported. Shpg. wt., 5 lbs.

17 A 74173 ..... Net 29.95

## DELUXE PUSHBUTTON AM CAR RADIO



**32<sup>95</sup>**

- 6 Watt Push/Pull Output
- Large 5" by 7" External Speaker
- For 12 Volt Neg./Pos. Ground Systems

Attractively styled under-dash solid state AM push-button car radio with reversible face plate—black on one side, walnut on the other. 6-watt push-pull output with AGC. External 5 x 7" speaker. Size: 6 1/4 W x 4 3/4 D x 2" H. Shpg. wt., 5 lbs. Imported.

17 A 80048 No Money Down\* ..... Net 32.95

## RANGER SOLID-STATE FM CAR RADIO CONVERTER



**39<sup>95</sup>**

- Converts Your Existing 12 Volt Negative Ground AM Radio to the FM Band

Complete auto radio entertainment at a minimum cost. All solid state circuit (6 transistors, 8 diodes) gives instant operation. Built-in AFC permits drift-free reception of distant FM stations. AM/FM switch allows instant selection of AM or FM stations. Simplified installation. Sensitivity: 4  $\mu$ V. Size: 1 7/8 x 4 x 9". Imported. Shpg. wt., 4 lbs.

17 A 74207 No Money Down\* ..... Net 39.95

## PUSHBUTTON AM/FM CAR RADIO



**54<sup>95</sup>**

- Includes Free Antenna
- Large 5 x 7" External Speaker
- For 12 Volt Neg./Pos. Ground Systems

All solid state circuitry. 11 transistors, 8 diodes, 2 thermistors. Push-pull Hi-Fi output. AFC for FM drift-free performance. High sensitivity for long distance reception on both AM and FM. Four I.F. stages on FM for maximum noise limiting. Large 5x7" external speaker. Radio mounts neatly under dash. Overall size: 6 1/2 W x 2 3/4 H x 6 3/4 D. Imported. Shpg. wt., 6 lbs.

17 A 74124 No Money Down\* ..... Net 54.95

## DELUXE PUSHBUTTON STEREO FM/AM CAR RADIO



**No Money Down\* 109<sup>95</sup> less speakers**

Stereo FM/AM radio with push-button station selector and stereo/mono switch. Enjoy high quality stereo in your car wherever you go. Stereo light indicates when FM stereo broadcast is being received. Continuous dual tone control. Response: 50-10,000 Hz. FM and AM sensitivity: 5  $\mu$ V. 22 transistor circuitry. Mounts in or under dash. Size: 2 1/2 x 6 1/2 x 8 1/2". Imported. Shpg. wt., 6 1/2 lbs.

17 A 74512 ..... Net 109.95  
Set of 2 Rear Deck Matching Speaker Systems Imported.  
99 A 62994 Shpg. wt., 3 lbs. .... Net 6.95

# Custom Deluxe Solid State Radios For Volkswagen Cars

## PUSHBUTTON AM CAR RADIO



**34<sup>95</sup>**

- For All Standard Models from 1958-1971
- Will also custom fit "Super Beetle"
- Complete with 5" Diameter External Speaker and All Mounting Hardware

Just a snap to install. Custom designed to snap into instrument panel on the dash board from the front. Mounts in a matter of minutes. Features all-transistor circuit of advanced design which gives a full 3-watts of superb audio power. Automatic volume control provides constant, even comfort-level listening. Continuously variable tone control. Five quick-set pushbuttons permit finger-tip station tuning. Seven tuned circuits including RF stage, give maximum sensitivity. For 6/12 volts D.C., negative ground. Imported. Shpg. wt., 6 lbs.

17 A 64447 No Money Down\* ..... Net 34.95

## DELUXE PUSHBUTTON FM-AM CAR RADIO



**69<sup>95</sup>**

- For 1967 Thru 1970 1300 Series Models
- 6-Inch External Speaker
- 11-Transistors, 2-Diodes
- Snap-in Front Mount for Easy Installation

Deluxe solid-state custom AM-FM radio for all standard Volkswagen 1967-1970 models. Matches decor of car's interior. All solid-state circuitry with hi-fi features. 11-transistors, 2-diodes. AFC on FM for drift-free performance. Push-pull output. High sensitivity for long distance reception on both AM & FM. 4-I.F. stages on FM. Continuous variable tone control. Snap-in front mount for easy installation. Large 6" external speaker. Imported. Shpg. wt., 6 lbs.

17 A 74405 For 1967-1970 Volkswagens No Money Down\* ..... Net 69.95

# DELUXE SUPER 8 REFLEX AUTO POWER ZOOM MOVIE CAMERA



Camera Only  
**79<sup>95</sup>**  
SAVE When You Buy Complete Outfit  
**159<sup>95</sup>**  
No Money Down\*

- Thru-The-Lens CdS Electric Eye
- 3.5 To 1 Power Zoom
- Two-Speed Operation
- Fast f/1.8 Lens

Take sharper, better exposed movies with this deluxe super 8 power zoom reflex camera. Features a thru-the-lens CdS electric eye that automatically controls the lens opening according to light conditions and drop-in, instant cartridge loading. Shoots 50 ft. with a single cartridge. Meter system automatically adjusts for film speeds from 10-400 ASA. Electric film drive motor does away with bothersome hand winding. Offers a choice of two filming speeds: 18 and 24 fps. Super fast f/1.8 Cinetron 3.5 to 1 zoom lens may be manually or automatically operated. Warning signal shows in viewfinder under insufficient light conditions. Exceptional features include automatic resetting footage counter, built-in type "A" filter, battery tester, focusing eyepiece, full range film speed, safety lock, light bar re-

ceptacle, cable release socket, pistol grip, and die-cast aluminum body with hinged doors. Focuses from 6 ft. to inf. Imported. Shpg. wt., 3 lbs.

- 15 A 78079L ..... Net 79.95
- 15 A 16103 Camera Case for Above. Shpg. wt., 1 lb. .... Net 3.95
- 99 A 63703 Batteries for above (4 req.) ..... Net ea. .15

## COMPLETE POWER ZOOM MOVIE CAMERA OUTFIT

Everything you need for movie making and showing fun. Matched components consist of Power Zoom Super 8 f/1.8 camera—fully automatic 500W brilliance projector with F/1.6 Zoom Lens, automatic Reel-to-Reel threading thru gate, single knob control for Forward, Reverse, Still and Automatic Rapid Rewind. 400 ft. capacity. Projector includes self contained case—outfit also includes: 1-camera case; 1-roll GAF Anscochrome II film with free processing; extra 400 ft. reel and can; Mr. "Magoo" cartoon; 1-30x40 inch folding tripod screen; 4-batteries for camera; 1 Light Bar. 2 Bulbs. Shpg. wt., 23 lbs.

- 15 A 90173WXM ..... Net 159.95
- Auto Zoom Projector Only
- Full feature, forward, still and reverse. Shpg. wt., 10 lbs.
- 15 A 78087WY ..... Net 74.95

## YASHICA SUPER 600 ELECTRO 6-1 POWER



**zoom**

Only  
**164<sup>95</sup>**  
No Money Down\*

- 8-48mm f/1.8 Automatic Zoom Lens
- Motorized—3-Speeds
- With Ultra-Modern Servomatic CdS Thru-the-Lens Exposure Control
- Reflex Viewing

Deluxe electric drive Super 600 Electronic reflex camera with fast electric f/1.8 lens zooms from 8 to 48 mm. Automatic CdS through-the-lens exposure system and micro-split focusing. Super 8 drop-in cartridge loading, no threading. Shoot 50 ft. without rewinding. Other features include film type indicator window, parallax free reflex viewing, shutter trigger with continuous run button, spotlight and backlight lighting control, automatic film ASA speed selector, insufficient light indicator, remote control, single frame, adjustable eyepiece, and cable release sockets, 85A filter, battery checker, footage counter, and movie light slot. ASA Speeds: 25-400. Film Speeds: 12, 18, 24 fps. Imported. Shpg. wt., 3 lbs.

- 15 A 36770L ..... Net 164.95
- 99 A 63703 Batteries for above. (4 req.) ..... Net ea. .15

## SEALED-BEAM MOVIE LIGHT

- Head Tilts for Bounce Lighting **6<sup>95</sup>**




Compact, powerful 650 watt tungsten sealed beam will provide sparkling, bright indoor movies. Features top mounting and convenient on-off switch. Will fit all new super 8mm cameras plus all standard 8mm cameras with tripod socket on top, with 6 ft. cord and exposure guide.

- 15 A 68013 Shpg. wt., 3 lbs. .... Net 6.95

## DELUXE LENTICULAR SCREEN

- Automatic Lever-Type Handle Permits Smooth Easy Adjustment



Specialty-designed, optically-correct lenticular screen is free of glare, sheen and hot spots. Amazing sharpness and color rendition. Durable vinyl fabric resists fire and fungus. Sturdy, secure tripod legs. Screen is 40 x 40". Shpg. wt., 10 lbs.

- 15 A 50052W ..... Net 11.95
- Same as above. EXTRA Large 50"x50" Super Screen—Ideal for New Super 8 Movies. Shpg. wt., 12 1/4 lbs. .... Net 16.95
- 15 A 50219W ..... Net 16.95
- GLASS BEADED SCREEN
- Fine grain glass beading for extra brilliance excellent viewing. Heavy-duty folding tripod adjustable to various heights. Large 30"x40" size. Shpg. wt., 10 lbs. .... Net 7.95
- 15 A 50037W ..... Net 7.95
- TABLE TOP SCREEN
- 22"x30" Lenticular. Shpg. wt., 2 1/4 lbs. .... Net 2.95
- 15 A 87021W ..... Net 2.95

# PROJECTORS—EDITOR—CAMERAS


## DeJUR

### DUAL PROJECTOR FOR BOTH SUPER AND STANDARD 8

AS LOW AS

# 74<sup>95</sup>

No Money Down\*



- Sharp F1.5 Zoom Lens
- A Movie Projector That Thinks It's A Slide Projector
- Self-Enclosed Case
- Ultra-Bright Quartz Lamp

Eldorado 86Z movie projector with the advanced features of variable speed control, true slow motion and forward or reverse projection. 100% illumination for extended "still" projection, ultra-bright, long-life quartz Halogen lamp and cool, quiet operation. With sturdy diecast aluminum body, 400 ft. reel capacity, built-in automatic room light receptacle, automatic reel-to-reel threading, fast rewind, built-in film trimmer, lifetime lubrication and a self enclosed carrying case with handle. Sharp f/1.5 zoom lens for excellent sharpness. For 117 VAC, 60 Hz.

15 A 52140WX Shpg. wt., 14 lbs. No Money Down\* ..... Net 109.95  
 Eldorado 84-Z. Similar to above but less slow motion, variable speed control, reverse projection and automatic room light illumination. 15 A 52132WX No Money Down\*. Shpg. wt., 15 lbs. .... Net 74.95

## AIREQUIPT

### REMOTE CONTROL SLIDE PROJECTOR



# SALE

# 54<sup>95</sup>

SAVE 5.00  
 SALE ENDS  
 APRIL 30, 1971

- Remote Control-Forward/Reverse and Micro Focus
- With Circular Magazine For 100 Slides

Model 135. Fully remote controlled, jam-proof projector with a sharp, 4" color-corrected lens and a 500-watt lamp for brilliant screen viewing. Features a highly efficient blower for cool, quiet operation, slide pre-heat to insure immediate focus, elevation control, 3-way on/off switch, panel focus control, remote control for forward/reverse and micro-focus. Smartly designed, self-contained, unbreakable case. Complete with circular slide magazine. Wt., 10 lbs.

15 A 36473W No Money Down\* ..... Net 54.95  
 15 A 36481 100-Slide Circular Magazine. Wt., 1 lb. .... Net 2.79  
 15 A 36499 36-Slide Metal Magazine. Wt., ½ lb. .... Net 1.99


## ATLAS-WARNER DUAL 8 EDITOR

For Both Standard and Super 8

- Over 17 Sq. In. Viewing Screen
- Die-cast Construction

# 24<sup>95</sup>


Large screen editor with over 17 sq. in. of viewing area. Film slips in place in seconds; notches in exact frame that is being viewed. Takes reels up to 400 ft. Smooth and rapid rewind operates without scratching film. Adjustment knob for critical focusing. Foldaway arms for convenient storage. Die cast construction, with dry splicer and splicing tape. Size: 9½ x 7 x 6½". UL listed, 15 A 84093. Shpg. wt., 9 lbs. .... Net 24.95



## Minolta

# 34<sup>95</sup>

No Money Down\*



### "16 II" SUBMINIATURE CAMERA

An extremely easy-to-operate, palm-size camera. Sliding camera in and out of built-in case advances film, cocks shutter, counts exposure and prevents double exposure—all automatically. 6 shutter speeds from 1/30 to 1/500 sec. plus "B". Takes B & W pictures, color prints or color slides that fit any 35mm projector. Direct viewfinder shows picture exactly as it will appear on film. Lens opening from 1/2.8 to 1/16. With Case. Imported. Shpg. wt., 1 lb. 15 A 34163L ..... Net 34.95

MINOLTA 16 II Accessories. AV. Shpg. wt., 6 oz. .... Net 7.95  
 15 A 34213 Duo Fit Flash Gun ..... Net 1.95  
 15 A 34221 Bracket for Flash and Tripod Mtg. .... Net 4.95  
 15 A 34239 Aux. Lens Set—2 closeup, 1 distance, 1 Y filter ..... Net 4.95  
 15 A 34247 Color Filter Set—1 ea. 1A, 80A, 81B ..... Net 4.95  
 FILM FOR "16 II"—All are 20-exposure magazines. Shpg. wt., 3 oz. .... Net 1.19  
 15 A 34171L Kodak Plus-X ASA 100 ..... Net 1.19  
 15 A 34197L Kodachrome II ASA 25 ..... Net 1.49  
 15 A 34189L Kodak Double-X ASA 250 ..... Net 1.19  
 15 A 34502L Ektachrome Negative (color prints) ASA 80 ..... Net 1.80

## KODAK

### INSTAMATIC CAMERA COLOR OUTFITS



As Low As

# 19<sup>95</sup>



- Uses Pop-on Magicubes

Model AX-15R Outfit. Simple-to-operate camera with Lumenized f/11 pre-focused lens for quality pictures. Bright, large viewfinder for realistic viewing. Quick film advance. Uses self-powered Magicube flashcube which requires no batteries. Automatically adjusts for outdoor or flash shooting. "Used Lamp" shows in viewfinder when new Magicube required. Outfit: camera with wriststrap, Kodacolor-X film cartridge, Magicube, and instructions. 15 A 26375L Shpg. wt., 1½ lbs. .... Net 19.95

Model AX-25R Outfit. Features automatic film advance for up to 12 pictures in 12 sec. Uses self-powered Magicube flashcube which requires no batteries. "Used Lamp" shows in viewfinder when new Magicube required. Bright, large viewfinder for true-to-life viewing. f/11 Lumenized pre-focused lens. Automatically adjusts for flash or outdoor operation. Outfit: camera with wriststrap, Kodacolor-X film cartridge, Magicube, and instructions. 15 A 26383L Shpg. wt., 1½ lbs. .... Net 29.95

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 37



**219<sup>95</sup>** with case  
No Money Down\*

**MIRANDA "SENSOREX" 35MM SLR**

- Behind-The-Lens CdS Meter
- Variable Delay Self-Timer

Fully automated SLR camera utilizes cross-coupled behind-the-lens CdS meter (ASA range 25-1600 and EV 3-18) and ultrasharp Auto Miranda lens. Illumination is measured with the lens wide open. Built-in shoe provided for wide range of accessories. Multi-split-grid resolves into perfect clarity when pin point focus is achieved. Features interchangeable lens mount, built-in self timer, instant return mirror, interchangeable viewfinder, and rapid advance geared 150° cocking lever. Complete with built-in variable delay self-timer. Includes case and strap. Specifications: 50mm f/1.8 lens. Speeds: 8, 1-1/1000th sec. FP & X Synch. Imported.

15 A 37451 Shpg. wt., 4 lbs. .... Net 219.95  
"SENSOREX" 35 MM f/1.4. As above with super fast lens.  
15 A 37463L No Money Down\* ..... Net 259.95



**179<sup>95</sup>** with case  
No Money Down\*

**MIRANDA "SENSOMAT" RE 35MM SLR**

- Shutter Speeds to 1/1000th
- Rapid-loading spool
- Thru-The-Lens CdS Meter
- Sharp 50 MM F/1.8 Lens

"Sensomat" is a truly versatile 35 mm SLR featuring a thru-the-lens CdS metering system with a narrow angle of acceptance for easier, more perfect picture taking. Match needle in the viewfinder can be centered for proper exposure by rotating the diaphragm and/or the shutter speed dial. ASA range: 25-1600. Other features include rapid loading spool, fully interchangeable finder and lens systems, shutter speeds of 1-1/1000th plus B & X synch., automatic reset film counter with a magnifying lens, and a front and top shutter release for greater convenience. Focus from 17". Camera includes 50 mm f/1.8 auto lens, case and strap. Imported. Shpg. wt., 4 lbs.  
15 A 37471L ..... Net 179.95

**YASHICA ELECTRO-35 35MM**


- Sensitive CdS Sensor
- Electronic Exposure Control: 30 Sec. to 1/500 Sec.

**109<sup>95</sup>** with case  
No Money Down\*



Advanced 35 mm rangefinder camera with the "electronic brain". Sensitive solid-state circuit reads the existing lighting conditions and automatically sets the proper shutter speed at a preselected aperture. Continuously variable range of shutter speeds from 30 sec. to 1/500 sec. For maximum reliability shooting flash, contacts are finished in gold providing very low resistance and long life. Also features coupled range/viewfinder focusing with automatic parallax correction, built-in self timer, shutter release lock, accessory shoe for flash or other accessories, battery checker. ASA: 12-500.X sync. Sharp f/1.7. 45 mm lens. Imported.

15 A 36754L Shpg. wt., 3 lbs. .... Net 109.95



**LAFAYETTE ELECTRONIC STROBE FLASH**

ONLY **11<sup>95</sup>**


- Fully Transistorized
- Use Horizontally or Vertically

Lightweight strobe weighs under 7 oz. with batteries for easy carrying on the camera at all times. Small size: 3/4 x 2 3/8 x 1 3/8". Hot shoe adapter allows vertical or horizontal use for best flash coverage. Recycles in 7-10 seconds on 2 easily replaceable penlight batteries. Kodachrome II (ASA 25) guide no. of 28. Flash duration: 1/2000 sec. Color temperature: 6000 K. On/Off switch to prolong battery life. Neon lamp signals when strobe is ready to fire. Built-in PC cord prevents loss. Imported. Shpg. wt., 1 lb.

99 A 71128 ..... Net 11.95  
"AA" Alkaline Batteries for above (2 req.)  
99 A 63828 ..... Net ea. .35

**PHOTO COPIER FOR POLAROID CAMERAS**

- No Waiting—Make Extra Prints




As Low As **5<sup>95</sup>**

Want copies of your Polaroid snapshots? Make them yourself on the spot in as little as 15 seconds using your present Polaroid. It's easy! Imported: Shpg. wt., 2 lbs.

For Polaroid Series 100, 200, 300 Colorpack Cameras  
15 A 49500 ..... Net 7.95  
FOR POLAROID COLOR PACK II, III CAMERA  
15 A 49559 ..... Net 7.95  
FOR POLAROID SWINGER 20  
15 A 49518 ..... Net 5.95  
FOR BIG SWINGER  
15 A 49526 ..... Net 7.95

**DELUXE ELEVATOR TRIPOD**



**12<sup>95</sup>**

- 3-Sections Extend to 60"

Stability and minimum weight make for easy portability. Suitable for both still and movie cameras. Quick column lift allows you to raise camera in a jiffy and lock it at desired height. Reversible pan-tilt handle permits right or left handed operation at varying heights. 3-section non-binding aluminum tubular legs have grip-tite internal lock and non-slip, protective feet. Constructed of sturdy lightweight die-castings and chrome finished cycloc. Overall extended height: 64". Closed length: 22". Shpg. wt., 4 lbs.  
15 A 68021 ..... Net 12.95

## LAFAYETTE CdS EXPOSURE METER

ONLY **14<sup>95</sup>**

- High Quality, Ultra-Sensitive—Measures Moonlight, Candlelight, Bouncelight
- With Padded Vinyl Carrying Strap Case and Neck Strap

Achieve correctly exposed photographs and slides from the light of a single candle with this versatile, low cost Lafayette meter. Ultra-sensitive CdS photocell meter utilizes dual light ranges to accurately measure light intensity including extremely low light levels for night and available light photography plus bright beach and snow scenes. Operates comfortably with one hand. A single rocker switch controls light range and turns meter "on" or "off". Measures both reflected and incident light with built-in hemispheric diffuser. 50° angle of coverage provides good averaging of subjects for proper exposure. Has battery test switch for maintaining accurate readings. Provision for zero adjustment. Long life mercury battery (included) assures accuracy over continuous use. Precision jeweled mechanism in high impact case. Size: 3 3/4 x 2 1/2 x 1 1/4" D. With padded vinyl carrying case and neck cord. Imported. Shpg. wt., 9 oz.

99 A 71961L

Net 14.95



### SPECIFICATIONS

Sensitivity: Low Range, 0.275 to 444 footcandles; High Range, 444 to 36,674 footcandles. ASA Film Speed Range: 6 to 12,000. DIN: 9 to 42. Diaphragm Stops: f/1 to f 32. Shutter Speeds: 1/8000 to 8 minutes. Movie Scale: 8 to 128 frames per second. EV Scale: -3 to +22. Acceptance Angle: 50°. Color Response: 6,200 Angstroms (peak). Photocell Type: cadmium sulphide. Battery: 1 mercury, RM-625 or equivalent.

## LAFAYETTE Quality Binoculars



As Low As

**18<sup>95</sup>**

Only

**28<sup>95</sup>**

Only

**49<sup>95</sup>**

No Money Down\*

### VERSATILE BINOCULARS

- All Lenses Are Coated!
- Sealed Against Dust & Moisture

Precise design, quality material and expert workmanship. All center focus; adjustable right eye-piece. Leather case, neckstraps included. Imported.

7x35 Popular, versatile, all-purpose binoculars. Field of view 367' at 1000 yards.

99 A 70187 Shpg. wt., 3 lbs. Net 18.95

7x50 Navy style night glasses, favored for marine use. Field of View, 372' at 1000 yds. 99 A 70161 Shpg. wt., 3 3/4 lbs. Net 22.95

20x50 King of the long range. Field of view 157' at 1000 yds. 99 A 70203 Shpg. wt., 4 1/2 lbs. Net 28.95

### EXTRA WIDE-ANGLE BINOCULARS

- Doubles the Field of Ordinary Binoculars

Multi-purpose 7x35mm binoculars which are especially useful in field studies. Wide angle view allows brilliant and close-up views of sporting events without cutting the image as regular narrow angle binoculars do. Field of view at 1000 yards, is 578 feet! Center focus and right eye adjustment insures perfect focus. All optics are coated. Lined leather case provides protection when not in use. Imported. Shpg. wt., 2 3/4 lbs.

99 A 70195 Shpg. wt., 2 3/4 lbs. Net 28.95

### WIDE ANGLE TRU-ZOOM™

- Not a "Vari-Power," One Control Zooms Both Barrels!
- Center Focus, Adjustable Right Eyepiece, plus Single Synchronous Zoom Control!

Sight in subject at 7 power—then Zoom up to 12 power (or any four in between) for closeup viewing power. 40 mm objective lenses are hard coated achromats. Field of view is 323 feet at 1000 yards at 12 power (5.5"). Prisms in shock-resistant mounts. Lightweight alloy frame and body. Includes lined hard leather case and straps. Shpg. wt., 4 3/4 lbs. Imported.

99 A 71086 Shpg. wt., 4 3/4 lbs. Net 49.95

### MAGNI-BOOSTER Converts Binoculars Into High-Powered Scope



**14<sup>95</sup>**

- Magnifies Binocular power 2 1/2 Times (7 Power becomes 17 1/2 Power!)

Instantly converts standard binoculars into a high-powered all-purpose spotting scope with crystal clear magnification! Performs the function of usually bulky telescopes. Increases the power of your binoculars 2 1/2 times making it possible to spot details which cannot be seen with the binoculars alone. Ideal for slipping onto your binoculars when spotting game, checking target hits, or other uses where critical viewing is necessary. Easily slips off for standard binocular viewing. Fits over front lens of binocular with appropriate locking adapter (see below). Focuses with binocular controls or with its own focusing ring. Shpg. wt., 1 lb.

15 A 42018 Shpg. wt., 1 lb. Net 14.95


#### MOUNTING ADAPTERS

| Stock No.  | For Binocular Objective Rim Dia.         | Net  |
|------------|--|------|
| 15 A 42026 | 1 3/4" to 2" O.D. Shpg. wt., 1/2 lb.     | 2.99 |
| 15 A 42034 | 2" to 2 1/4" O.D. Shpg. wt., 1/2 lb.     | 2.99 |
| 15 A 42042 | 2 1/4" to 2 3/4" O.D. Shpg. wt., 1/2 lb. | 2.99 |

# Arcturus

## ARCTURUS 4 1/2" D. EQUATORIAL REFLECTOR

- 450X with Barlow Lens



**99<sup>95</sup>**

No Money Down\*

# LAFAYETTE Telescopes

## Meteor 4" Reflector

- 264X with Optional Barlow Lens



**34<sup>95</sup>**

No Money Down\*

- Eyepieces and Barlow Lens For 450X, 300X, 225X, 150X, 90X and 45X • 900mm Focal Length • Micromotion Controls For Horizontal, Polar, Declination • 4 1/2" (114mm) F/8 Spherical Aluminized Quartz Mirror • Barlow Lens Included

4 1/2" spherical, aluminized quartz mirror gives wide, flat field of view and outstanding color definition. Three coated eyepieces provide magnifications of 45X, 150X, 225X; (with Barlow lens 90X, 300X and 450X). Fast resolving power of 1.5 seconds and 900mm focal length permits detailed viewing up to twelfth magnitude. 5X24mm right-angle, prismatic finder scope with cross hairs easily locates objects to be viewed. Micro-motion controls and equatorial mount with hour and declination circles provides complete control for tracking. Heavy-duty hardwood tripod with accessory tray adjusts from 33° to 60°. Complete with lenses, Sun glass, Moon glass, Barlow lens. Scope size: 4 1/2" Dia., 36" long. Imported. Shpg. wt., 29 3/4 lbs. 99 A 72183W No Money Down\* Net 99.95

- Eyepieces for 132, 64X and 32X
- 4" (100mm) f/8
- Aluminized First Surface Secondary Mirror

A fine, compact professionally designed 4" reflecting telescope with carefully aluminized optics for exceptionally low light loss. Primary mirror is aluminized and quartz overlaid. Highly achromatic optical system features very low chromatic aberration. Adjustable wooden 48" tripod with tray brace and convenient optical sight permit easy field use on uneven surfaces. Rack and pinion drive assures smooth focusing. Lightweight aluminum body has white baked enameloid finish. Specs.: Mirror Dia.: 4" (100mm). Focal Length: 800 mm. Eyepieces: 6; 12.5; and 25 mm Huygenian. Resolving Power: 1.4 seconds. Supplied with stand, sun filter and three eyepieces. Imported. 99 A 72126W Shpg. wt., 10 lbs. Net 34.95 99 A 70542 Barlow lens for double power. Wt., 8 oz. Net 3.95

## LAFAYETTE 8-25X 30-mm ZOOM SPOTTING SCOPE



8-25X  
**15<sup>95</sup>**


13-40X  
**21<sup>95</sup>**

- Zoom Any Power From 8X to 25X
- Quick Focusing With Table Top Tripod

An outstanding varipower spotting scope that is ideal for any "spotting" need in field or general use... shooters, bird watchers, etc. Features 30mm coated lens for brilliant viewing. Fingertip controls for quick zooming and focusing. Has a built-in camera tripod socket. Includes a table-top tripod with rubber-tipped legs that prevent scratching of furniture. Compact, lightweight and portable... ideal for taking it everywhere you go. Complete with black, zippered carrying case with convenient belt loop. Overall length of scope is 12". Imported. Shpg. wt., 3 lbs. 99 A 71920 Net 15.95

**DELUXE 13-40X 40-mm ZOOM SPOTTING SCOPE**  
• Zoom From 13x to 40x Power • 40 mm Objective  
Same unique design as above but with extra power and larger 40-mm objective. With tripod less case. Overall Length 16". 15 A 64036 Shpg. wt., 4 1/4 lbs. Net 21.95

## LAFAYETTE TELE-CAM ADAPTER



OUR LOW PRICE **4<sup>95</sup>**

- Adapts Most Cameras to Your Reflector or Refractor Telescope For Permanent Records of Your Observations

Make permanent visual records of your astronomical observations, wildlife sightings etc. This easy to use adapter matches most cameras to virtually any reflector, refractor, or fixed lens telescope. Accurate, motion-free alignment assures you the finest pictures possible from your equipment. May be used with interchangeable or fixed lens cameras. With complete instructions. Imported. Shpg. wt., 1 lb. 99 A 71946 Net 4.95

## 10X30mm TELESCOPE with TRIPOD



**8<sup>95</sup>**

- Full 10 Power
- Portable-Compact-Lightweight

A 10 power, 30mm internal (front) focus telescope that is compact, lightweight and portable—ideal for taking it everywhere you go. Features coated achromatic lenses. Has built-in camera tripod socket. Sturdy tripod supplied with rubber-tipped legs. Minimum focusing distance 14 ft. Imported. Shpg. wt., 2 lbs. 15 A 64046 Net 8.95

# RICH TONE

CLASSIC GUITARS  
AS LOW AS  
**24<sup>95</sup>**

# ACOUSTIC GUITARS

FOLK GUITAR  
**34<sup>95</sup>**

JUMBO COUNTRY  
& WESTERN  
**69<sup>95</sup>**



A



B



C

## A GRAND CONCERT SIZE CLASSICAL GUITAR

Beautiful detailed concert classical guitar with white spruce top and mahogany sides and back. Features a steel reinforced rosewood neck with 19 fret fingerboard and the finest quality fan braced top. Front and back of the large, handsome body are individually shaped and contoured for ultimate performance. Has rosewood pinless bridge, 6 side position markers, heavy duty machine heads with rollers and an open headpiece. Highly polished, grained sides and back. With nylon strings. Sizes: 39L x 14<sup>3</sup>/<sub>4</sub>W x 3<sup>3</sup>/<sub>4</sub>"D. Imported. Shpg. wt., 10 lbs.

13 A 66152WX See Case Below No Money Down\* ..... Net 34.95

### CONCERT SIZE CLASSICAL GUITAR

Similar to above. Size: 38<sup>5</sup>/<sub>8</sub>L x 14<sup>1</sup>/<sub>4</sub>W x 3<sup>5</sup>/<sub>8</sub>"D. Imported.

13 A 24684WX Shpg. wt., 10 lbs. .... Net 24.95

Sturdy Case for Above Guitars. Shpg. wt., 4 lbs. .... Net 8.95

## B GRAND CONCERT SIZE FOLK GUITARS

Grand concert size folk guitar is made of beautiful, carefully selected natural white spruce top, mahogany sides, and highly polished light mahogany color back. Features adjustable thin neck reinforced double truss rod; all white celluloid-bound edges of neck, top, and back of body; mosaic inlay around soundhole; moderate celluloid guard-plate; rosewood pin bridge and solid oval rosewood fingerboard. 6 inlaid square type larger position markers for easier finger placement. Matching heads have white buttons. Size: 39<sup>3</sup>/<sub>4</sub>L x 14<sup>7</sup>/<sub>8</sub>W x 3<sup>3</sup>/<sub>4</sub>"D. Imported.

13 A 24684WX Shpg. wt., 10 lbs. No Money Down\* ..... Net 34.95

Sturdy Lined Case for Above Guitar. .... Net 8.95

## C JUMBO COUNTRY AND WESTERN GUITAR

Rich deep bass and clear treble tones are built-in this jumbo size model. Made of carefully selected woods—resonant hand rubbed maple back and sides, and close grained, antique colored spruce top. Genuine "Nato" wood adjustable neck with celluloid bound rosewood fingerboard; inlaid pearl position markers; 20 nickel silver frets. Rosewood adjustable bridge, black pickguard with flowered design, individual tuning pegs. 40<sup>1</sup>/<sub>2</sub>L x 16<sup>1</sup>/<sub>2</sub>W x 4<sup>1</sup>/<sub>4</sub>"D. Steel Strings. Imported. Shpg. wt., 13 lbs.

13 A 52816WX No Money Down\* ..... Net 88.95

Jumbo Country & Western 12-String Guitar similar to above. Except with Stationary Bridge and Tailpiece. .... Net 74.95

13 A 52822WX Shpg. wt., 13 lbs. No Money Down\* ..... Net 74.95

Sturdy Lined Case for above guitars. Shpg. wt., 4 lbs. .... Net 12.95

13 A 52830WX ..... Net 12.95

## 7-Piece "Beginners Outfit"

**24<sup>95</sup>**



• Everything You Need Including  
Beginners Record Course and Book

Nicely finished with open head-piece and pinless bridge. Can be used either as nylon string classic or steel string Folk guitar. Steel reinforced neck. Guitar has hardwood body with Blonde top. Highly polished finish with design around scored hole. Comes complete with Nylon and extra set of steel strings. Vinyl zippered carrying bag, neck cord, pick, instruction book and record course. Size: 36<sup>1</sup>/<sub>4</sub> x 13W x 13<sup>1</sup>/<sub>2</sub>"D. Imported. Shpg. wt., 9 lbs.

13 A 66120WX ..... Net 24.95



**2 PICK-UP  
SOLID BODY  
ELECTRIC  
GUITAR**



**DELUXE 4 PICK-UP  
SOLID BODY  
ELECTRIC  
GUITAR**

ONLY  
**44<sup>95</sup>**

- With Tremolo Tailpiece
- Modern, Double Cutaway Design
- Adjustable, Steel Reinforced Neck

**S  
A  
L  
E**

**31<sup>25</sup>** No Money  
Down\*  
**SAVE  
OVER 10 %**

SALE ENDS APRIL 30, 1971

Thin body, double cutaway design features a fast, slimline neck. An instrument with great flair that can be played with pride by all guitarists. Features a steel reinforced adjustable neck with variable string guides and an adjustable metal bridge. Includes tremolo with a large, flat bar for convenient use. Has attractive oval rosewood fingerboard and 20 new flat-type frets providing faster fingering. Separate on/off switch and volume control for each pick-up plus a master tone control. Richly designed, ebony pick guard with gold floral inlay.

9 mother-of-pearl inlaid markers. Highly polished green sunburst finish. 40½" H x 13½" W x 2" D. Imported. Shpg. wt., 12 lbs. No Money Down\*  
13 A 24593W ..... Net 44.95

Sturdy lined case for above. Shpg. wt., 11½ lbs.  
13 A 13261W ..... Net 8.95




- With Tremolo Tailpiece
- Steel Reinforced Adjustable Neck
- Volume and Tone Controls

Electric solid body, double-cutaway guitar. Steel reinforced neck features fast fingering over rosewood fingerboard. 23 frets with 9 white inlaid position markers. Adjustable steel bridge guides strings over dual pickups, each with individual on/off switch and volume control; master tone control provided. Compression tremolo, mounted to slimline body, has large flat bar for convenient use. Black pickguard is beautifully inlaid with gold floral patterns. Lacquered, highly polished, body is finished in radiant yellow sunburst effect. 40½" H x 13½" W x 2" D. Imported. Shpg. wt., 12 lbs.

13 A 24556W Shpg. wt., 12 lbs. .... Net 31.25

Sturdy Lined Case For Above.

13 A 13261W Shpg. wt., 11½ lbs. .... Net 8.95



**"VU-PITCH"  
6 STRING GUITAR**

**5<sup>25</sup> TUNER**


- Lets Anyone Professionally Tune a Guitar in Minutes
- Great For the Beginner

Tune your guitar visually! The easy-to-use VU-Pitch tuner with 6 precision tuned reeds works on the principle of sympathetic vibration. When the guitar string is exactly tuned, the vibration from the string will be transmitted to the associated reed and cause it to visibly vibrate thereby indicating proper pitch. Great for the beginner, the VU-Pitch tuner, will tune your guitar rapidly and precisely in a professional manner. Shpg. wt., 10 oz.  
13 A 48507 ..... Net 5.25

DELUXE 2-PICK-UP  
"SLIMLINE"  
HOLLOW BODY  
ELECTRIC GUITAR

ONLY  
**79<sup>95</sup>**

- Custom Designed Tremolo Tailpiece
- Individual Volume and Tone Controls
- "Laminated" —Steel Reinforced Adjustable Neck



DELUXE 2-PICK-UP  
"SLIMLINE" HOLLOW BODY  
ELECTRIC GUITAR

Custom crafted, professional quality instrument! Features 21 fret, oval rosewood fingerboard with mother-of-pearl inlaid position markers and triple bound edges. Has two ultra-sensitive, hum-free pick-ups with individual pole adjustments, height adjustments, and individual volume and tone controls. 3-position lever switch selects bridge pickup for solo and forward pickup for rhythm work; or, permits use of both pickups simultaneously. Large handsome celluloid bound body is shaped and contoured for optimum sound response. Beautifully flamed high-gloss poly-estic finish. 16W x 44H x 2"D. Imported. Shpg. wt., 15 lbs.  
13 A 66020W No Money Down\* Net 79.95  
Sturdy Case With Plush Lining For Above,  
13 A 66038W Shpg. wt., 8 lbs. Net 11.95



2-PICK UP  
SOLID-BODY  
ELECTRIC BASS

**49<sup>95</sup>**



2-PICK UP SOLID-BODY  
ELECTRIC BASS

- Long, Slim Adjustable Steel Reinforced Neck

Long neck, slimline electric bass guitar of selected woods for excellent speed and response and easy fingering. Hand rubbed, shaded sunburst body finished in durable acrylic lacquer, 46" steel reinforced adjustable neck has celluloid bound oval rosewood fingerboard, 20 frets, 8 pearl inlaid position markers, and large machines for fast accurate tuning. Sensitive pick-ups have adjustable pole pieces for precise balancing of individual strings. Two feather-touch rocker standby switches for instant control of each pick-up. Includes separate volume and tone controls and compensation adjustable bridge. With cord. Imported. Size. 46L x 13 1/2W x 1"D. Shpg. wt., 12 lbs.  
13 A 24615W No Money Down\* Net 49.95  
Sturdy Case For Above,  
13 A 24623W Shpg. wt., 7 1/2 lbs. Net 9.95

2 PICK-UP  
VIOLIN SHAPED  
ELECTRIC BASS

**59<sup>95</sup>**



2 PICK-UP VIOLIN SHAPED  
ELECTRIC BASS

- Steel Reinforced Adjustable Neck

Classic violin shape produce brilliant electric bass tones, with the rich accent of an acoustic guitar. Three position switch accentuates the highs, lows and mid-range. Delicately arched hollow body bound in decorative celluloid trim, features a 4-piece laminated, fully adjustable, steel reinforced neck; bound rosewood fingerboard with heavy nickel silver frets and inlaid position markers; chrome plated trapeze tailpiece; adjustable bridge; fully enclosed tuning machines; sparkling sunburst finish with a celluloid pick guard, and mahogany finger rest, cord. 44 1/2 x 13 x 2 1/4". Imported. Shpg. wt., 12 lbs.  
13 A 24532W No Money Down\* Net 59.95  
Sturdy case for above. Shpg. wt., 7 1/2 lbs. Net 9.95  
13 A 24540W

# LAFAYETTE Deluxe Musical

## 140 Watt Solid State "Piggy Back" Amplifier with Reverb-Tremolo, 3-Speakers, 2-Channels

- For Guitar, Organ and Vocal Use
- Hammond Reverberation Unit • Variable Tremolo
- 2-12" Special Design Heavy Duty Speakers plus High-Frequency Horn • Extruded Aluminum Panel

Piggy back amplifier with 14 silicon transistors plus silicon rectifier and heavy-duty power and driver transformers provides 140 watts peak music power! Closed back speaker designed to project low end response. Two 12" Heavy-Duty speakers plus a high frequency horn results in tremendous reproduction of brilliant highs, deep lows and solid midrange. Excellent for lead or rhythm guitars. Two channels with high and low level inputs. Separate volume and tone controls for each channel. Depth control for reverb. Intensity control for tremolo circuit. Footswitch jacks for reverb and tremolo activation. Pilot light, fuse, and on-off switch. Sturdy wood cabinets covered in black textured scuff-resistant vinyl with metal corner protectors and heavy duty handles. Amplifier size: 7H x 22½L x 10¾"D. Speaker cabinet size: 27H x 23½ x 11½"D. For 117 VAC 50/60 Hz.

- 13 A 01647WX Shpg. wt., 70 lbs. .... Net 199.95  
 Dual Foot Switch for Remote Control of Tremolo and Reverb.  
 13 A 01506 Shpg. wt., 1½ lbs. .... Net 4.95  
 13 A 01498W Dolly for above Amplifier. Wt., 6½ lbs. .... Net 11.95

**140  
WATT**  
**199<sup>95</sup>**  
No Money Down\*



## Big Bass Sound

### 170-Watt "Piggy Back" Bass Amplifier

**170  
WATT**  
**169<sup>95</sup>**  
No Money Down\*



- Two Powerful 12" Special Design Heavy-Duty Speakers With 20 Ounce Alnico Magnets
- For Use With Bass, Accordion and Combo-Organ

A real powerhouse! Fabulous, full bass sound with a minimum of distortion. Two powerful 12" speakers have a wide-range response. The amplifier features three inputs with deep and sharp selector switches, treble, bass, and volume controls and neon pilot lamps. Fuse and 3-position switch for power off/standby/on. Super 170-watt peak music power chassis uses 5 tubes, 2 dual purpose tubes for 7 tube performance, and all solid state rectifier power supply circuit. Heavy duty transformers provide greater output. Two units: Rugged acoustic wood amplifier/speaker cabinet, and a "piggy back" amplifier which sits neatly on top of speaker cabinet. Cabinets have attractive gray and silver acoustical cloth. Ribbed vinyl carrying handle. Speaker cabinet size: 30H x 22½W x 13½"D. Amplifier cabinet size: 9¼H x 22½W x 11"D. For 117VAC 50-60 Hz.

13 A 01654WX Shpg. wt., 75 lbs. .... Net 169.95

**60  
WATT**  
**109<sup>95</sup>**  
No Money Down\*


### 60-Watt Solid State "Piggy Back" Bass Amplifier

- Heavy Duty 15" Special Design Speaker
- For Use With Electric Bass, Regular Guitar, Accordion and Combo-Organ
- 2-Instrument Inputs

Gives full bass and vibrant sound with a minimum of distortion. Powerful 60 watt peak music power amplifier is ideal for use with electric bass or standard guitars, and combo organs. All solid state circuitry (5-transistors and 4-silicon rectifiers) provides excellent sound. Features a specially designed 15" speaker with a wide range response. High and low gain inputs separate volume and tone controls allow complete operating flexibility. Has On-Off switch plus pilot light and fuse. Two units; speaker and amplifier in matching black vinyl covered wood enclosures with handles. Size: Amp. 4¾H x 14W x 8"D; Speaker, 22¾H x 18W x 11"D. For 117V 50/60 Hz AC.

13 A 01548WX Shpg. wt., 47 lbs. .... Net 109.95

# Instrument Amplifiers



**70  
WATT**

**149<sup>95</sup>**

No Money Down\*

## 70 Watt "Reverb" "Tremolo" Twin-Speaker 2 Channel Amplifier

- Hammond "Reverb" Unit For Echo-Like Effect
- 2-12" Heavy Duty Special Design
- Pulsating "Tremolo" For "Go-Go" Effect

Get faithful reproduction of every note. Excellent for guitar, organ and vocal use. Has special heavy-duty speakers. AC chassis utilizes 6 tubes, 4 dual purpose tubes provide 10 tube performance. 4 instrument inputs provide outstanding versatility. Two channel 70 watt peak music power amplifier. Has 2 volume and 2 tone controls. Features remote control foot switch jacks for colorful tremolo and reverb operation, plus 2 tremolo controls—speed and intensity: reverb "depth" control; on/off/standby switch; pilot light and carrying handle. Sturdy wood case covered in shimmering black vinyl. "T" nut provision for dolly. Size: 32H x 23L x 10"D. For 117V., 50/60 Hz AC. Shpg. wt., 46 lbs.

13 A 01563WX ..... Net 149.95

Dual Foot Switch for remote control of tremolo and reverb. Net 4.85

13 A 01506 Shpg. wt., 1½ lbs. Net 4.85

13 A 01498W Dolly for above amplifier. Shpg. wt., 6½ lbs. Net 11.95

## 5-WATT STUDENT AMPLIFIER

**22<sup>95</sup>**

Great for the student or beginner! Features rugged, solid state circuitry for cool, instantaneous amplification and trouble-free operation. Provides 5-watts peak music power into a heavy-duty specially designed 6" speaker with excellent clarity and tonal response. Smartly styled control panel has Tone and Volume control; two instrument inputs; On/Off switch. Attractively designed lock plywood construction covered in water repellent, scuff resistant black vinyl. With carrying handle. Size: 15¾"H x 13¼"W x 6"D. For 117V., 60 Hz AC operation. Shpg. wt., 13 lbs.

13 A 01639W ..... Net 22.95



**20 Watt  
Solid-State  
"Reverb  
Tremolo"  
Amplifier**

**SALE  
44<sup>95</sup>**

Save 10%  
Sale Ends April 30, 1971

- Tremolo Speed/Depth Reverb Controls
- Heavy-Duty 10" Speaker

Impressive, 20-watt solid state peak music power reverb and tremolo amplifier with self-contained 10" heavy-duty speaker. Slanted, front-mounted control panel features "easy-to-reach" controls for Volume, Tone, Reverb, Tremolo speed, Tremolo depth; two instrument inputs; reverb and tremolo foot switch input jack; bright-glow pilot light. Housed in an attractive sturdy vinyl covered wood cabinet with carry handle and grill cloth. Size: 19"H x 15"W x 6¼"D. For 117V, 60 Hz AC. Imported. Shpg. wt., 16 lbs.

99 A 92074W No Money Down\* ..... Net 44.95

Dual Foot switch for remote control of tremolo and reverb. Shpg. wt., 1½ lbs.

13 A 01806 ..... Net 4.95



**40  
WATT**

**79<sup>95</sup>**

No Money Down\*

## 40 Watt Solid-State "Reverb-Tremolo" Amplifier

- "Reverb" For Echo-Like Effect
- Tremolo For Pulsating Sound
- 12" Special Design Speaker

Features a built-in heavy duty 12" speaker for clean reproduction of every musical note. Excellent for guitar, microphone, and accordion use. Three instrument inputs. Five controls: two for volume and tone; two for speed and intensity of tremolo, and one for "reverb" depth control. Footswitch jacks for remote control of tremolo and reverb. 40 watt peak, music power AC amplifier chassis utilizes 5 dual tubes equivalent to an 8 tube circuit, plus solid state rectifiers for reliable operation. Also has pilot light, on/off switch and fuse. Sturdy wood cabinet covered in black vinyl. Size: 22H x 17W x 8½"D. For 117 VAC 50-60 Hz.

13 A 01662W Shpg. wt., 25 lbs. .... Net 79.95

Dual Foot Switch for remote control of tremolo and reverb. Net 4.95

13 A 01506 Shpg. wt., 1½ lbs. .... Net 4.95

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 45

# MUSICAL INSTRUMENT

## AUTOMATIC RHYTHMER 129<sup>95</sup>

No Money Down\*



- 12 Exciting Rhythms
- A Versatile Electronic Instrument Producing a Wide Variety of Rhythms For Accompaniment

Solid-state portable rhythmmer. Ideal for teachers to produce a wide variety of rhythms and a steady beat for the students to follow. For students—a complete rhythm section to play along with. For single performers—bring along your own rhythm section! Works with any amplifier to produce 12 distinctive rhythm selections plus an infinite variety of accompaniments by mixing two or more rhythms. Variable tempo control can be set for accompaniment to a Waltz, Fox Trot, Rumba, Samba, Mambo, Slow Rock, Fast Rock, Swing, Bossa Nova, Cha-Cha, Tango, or a March. Each rhythm is

made up of a variety of percussion sounds: Bass Drum, Snare Drum, High Hat, Cow Bell, Bass Conga, Tenor Conga, and Cymbal. Additional features include: Master Volume, and On/Off control, Tone control, On/Off rocker switch for Instant control or rhythmmer plus On/Off Remote Control Foot switch, pilot light and 12 pushbutton rhythm selectors. Circuitry: 32 transistors, 95 diodes. For 100-117 VAC, 50/60 Hz. Handsomely styled walnut finish case with brushed aluminum panel. Size: 17 $\frac{3}{4}$  x 4 $\frac{1}{4}$  x 9 $\frac{1}{2}$ "D. Shpg. wt., 10 lbs. 13A 24557W Net 129.95

## "SUPER" AUTOMATIC RHYTHMER

- Nineteen Automatic Rhythms
- Fox Trot/Swing Section with 36 Variations

Become a one-man combo with this fully transistorized instrument—you'll never miss a beat! Provides nineteen computer programmed rhythms plus a special Fox Trot/Swing section with thirty-six variations. By mixing two or more rhythms, additional sounds can be added to create a myriad of accompaniments. The "Super" Automatic Rhythmmer gives you "true-to-life" sound, tonal variations and accurate tempo. Actual musical instrument sounds created include: Bass Drum, Large and Small Conga, Claves, Cowbell, Maracas, Snare Drum, and Cymbal. Computer programmed rhythms include: Rock 1-2-3-4; Ballad; Western; Bossa Nova 1-2; Tango; Rumba; Mambo; Cha-Cha; Samba; Beguine; Meringue; Waltz/Viennese Waltz; and thirty-six variations of Fox Trot/Swing. Controls: Tempo; Volume On/Off Switch; Pilot Light; Tone Downbeat Start Switch; Fuse; High-Low Impedance Outputs; and Foot Control. Vinyl carrying bag. Size: 4 $\frac{1}{2}$  x 9 $\frac{1}{2}$  x 14" L. Imported. Shpg. wt., 8 lbs. 13A 65509W No Money Down\* Net 169.95

169<sup>95</sup>



## LAFAYETTE SOLID-STATE "ECHO-VERB" REVERBERATION UNIT



21<sup>95</sup>

- "Add-on" Reverb Unit for any Musical Instrument Amplifier or P.A. System

Simulates the full sound top artists get! Compact, lightweight, transistorized reverbation unit creates a new dimension in audibility to overcome dull, flat ordinary sound. Can be used with any instrument amplifier, or P.A. system. Minutes to connect, the "Echo-Verb" may be used for sound effects. Has inputs for mike and/or instrument—plus a foot switch input to cut reverbation in or out from a remote location, pilot light and a reverb mix control that lets you select whatever intensity of reverbation you desire. With reverb mix control in the "OFF" position, standard sound will be heard from the amplifier. With on/off switch. For 117V, 50/60 Hz. AC. Size 3 $\frac{3}{4}$  x 11 $\frac{1}{2}$  x 6 $\frac{1}{2}$ " D. Imported. Shpg. wt., 4 lbs. 99 A 92025W Net 21.95

Foot Switch for Remote Control of "Echo-Verb." Shpg. wt. 1/2 lb. 13A 01514 Net 2.99

## LAFAYETTE TWO-CHANNEL "ECHO-VERB II" REVERBERATION UNIT



29<sup>95</sup>

- 4 Inputs Mix and Fade
- Master Reverb Intensity Control
- Separate Volume Controls For Each Channel

"Echo-Verb II" offers full, dynamic reverbation, comparable to professional sound, in a lightweight, transistorized compact unit. Has two inputs for microphones and two inputs for instruments, each with individual volume controls to permit mixing and fading. A separate, full-range Reverb Control adjusts from zero to maximum intensity, assuring you a desired level of reverbation. The "Echo-Verb II" also features a pilot light and a foot switch jack which allows you to cut reverbation in or out from anywhere in your room. Can be easily connected to an instrument amplifier, P.A. amplifier, or Hi-Fi amplifier/receiver. Simulated black pebble-grain leather enclosure with leather strap. Size: 3 $\frac{3}{4}$  x 11 $\frac{1}{2}$  x 6 $\frac{1}{2}$ " D. For 117VAC 50-60 Hz. Imported. Shpg. wt., 5 lbs. 99 A 92116W Net 29.95

Foot Switch for Remote Control of "Echo-Verb II" Shpg. wt., 1/2 lb. 13A 01514 Net 2.99

# ACCESSORIES

## ROTO-VIBE



79<sup>95</sup>

A NEW DIMENSION IN SOUND



PRODUCE THE ROTATING SPEAKER EFFECT AND VIBRATE WITH YOUR OWN AMPLIFIER — ELECTRONICALLY!

## 3 CHANNEL COLOR LIGHT ORGAN CONTROL CENTER



39<sup>95</sup>

- True Frequency Division
- 500 Watts Per Channel (1500 Watts Total)
- Easily Connects to Any Speaker

Transform a large room into a total light-sound environment! Translates musical patterns into dynamic patterns of throbbing, flashing lights precisely synchronized to the music. Provides 500 watts per channel (1500 watts total). Audio spectrum is divided into 3 ranges, low, medium and high, by 3 separate, transistorized frequency selective amplifiers. Accepts nine 150 watt or eighteen 75 watt lights at once; on/off switch; 3 intensity adjustments; on/off pilot light and three channel indicator lights. For 110-120 VAC. 15 amps, max.

13 A 48002 Shpg. wt., 3 lbs. Net 39.95

## SUPER-DRIVE FOOT PEDAL CONTROL

37<sup>95</sup>

- Use on P.A., Guitar, Bass, Organ, Electric Piano, Etc.
- Built-in Volume Control Pedal
- 6-Step Calibrated Input Boost
- Volume "Leakage" Control
- Full Die-Cast Casing
- 100 Times Amplification Factor



Fully solid state Super Drive offers a new dimension in completely controlled sound. Set your amplifier for the tonal range desired and let Super Drive provide the volume you wish to play. This eliminates amplifier playing at full volume. Contains a calibrated attenuator which provides 6 ranges of boost, plus a built-in volume pedal which varies the boost selected. Super Drive provides "clean distortion", rich harmonics and is capable of feedback. In addition, Super Drive also contains a volume "leakage" control which will adjust the volume pedal to hold a desired leakage when the control is in the off position. Battery powered. Frequency Range: 20-30 kHz. Size: 11 $\frac{3}{4}$ "x5 $\frac{1}{2}$ "x4 $\frac{3}{4}$ "H. Shpg. wt., 6 lbs.

13 A 66517 No Money Down Net 37.95  
99 A 60212 9V Battery Net ea. .21

## LAFAYETTE "FUZZ SOUND"

SALE  
11<sup>95</sup>  
CUT 3.00  
SALE ENDS  
April 30, 1971



- Make your guitar or bass produce the harmony of several wind instruments!

Add more instruments to your small combo with the "Fuzz" Sound! Create a wide variety of synthesized tones such as those produced by a baritone, or bass saxophone. Battery powered, it easily connects between your guitar, or bass and the amplifier and is operated by an On Off foot switch. Has two variable control knobs: one for regulating the "fuzz" effect and one for volume and intensity. A supplementary On Off switch is combined with the volume control to conserve battery life. Fully transistorized, the unit is built for heavy duty use and operates on a single penlight battery. A rugged metal case protects inside circuitry. Overall size: 5 $\frac{1}{2}$ "x3 $\frac{1}{2}$ "x2 $\frac{1}{8}$ "H. Imported. Shpg. wt., 1 $\frac{3}{4}$  lbs.

99 A 91993 Net 11.95  
99 A 62580 Battery for above Net .10

## WAH WAH SOUND AND VOLUME CONTROL

- Produce A Wide Variety of Special Sound Effects
- Use With Any Electric Guitar or Bass



Only  
29<sup>95</sup>

Produce the Wah-Wah effect of a trumpet or trombone with your guitar or bass, electronically. Add extra instruments to your combo by creating the effect of synthesized tones identical to those of a trombone or trumpet when muted by hand or derby. No reaching down for controls. Large, 8 $\frac{1}{2}$ " footpedal gives you the full range of Wah-Wah sounds plus operates as a volume control by depressing a built-in switch under the heel of the footpedal. Input jack contains a switch to turn the unit on or off. Operates on 3 "C" cells. Fully transistorized, rugged construction. Imported. Size: 10x3 $\frac{1}{2}$ x3".

13 A 66301 Shpg. wt., 3 $\frac{1}{4}$  lbs. Net 29.95  
99 A 62572 Battery for above, 3 required. Net ea. .14

## SUPER FUZZ Today's "In-Sound"

Only 27<sup>95</sup>

- Super Fuzz Can Produce an Expanded Dimension in Sound
- Full Control of Fuzz Sustain Effects
- Heavy Metal Casting For Long Life and Appearance




Solid-state Super Fuzz provides a complete range of controlled new sustained harmonic effects. Produces the wild new In-Sound widely used by the top recording groups. Balance control enables perfect blend of fuzz and normal tones. Expander control provides unlimited range of sustained fuzz effects. Tone switch permits choice of conventional fuzz or new harmonic sustained effects. Master foot control switches instantly to normal guitar operation. Rugged die-cast metal construction. Size: 6 $\frac{1}{2}$ "x3 $\frac{1}{2}$ "x1 $\frac{1}{8}$ ". With cord and battery. Imported. Shpg. wt., 2 $\frac{1}{2}$  lbs.

13 A 66525 Net 27.95  
99 A 60212 Battery for Above Net .21

# EDUCATIONAL-CREATIVE-NO TECHNICAL KNOWLEDGE NECESSARY! LEARN WHILE YOU BUILD!

## LAFAYETTE 80-IN-1 ELECTRONIC PROJECT KIT

## LAFAYETTE 150-IN-1 I.C. ELECTRONIC EXPERIMENTERS KIT



- Detailed Instruction Manual
- 100% Reusable Components
- Sturdy Compact Wooden Case
- All Solid-State Circuitry
- No High Voltage or Soldering

**Assemble 80 to 150  
Safe Operated  
Electronic Projects**



ONLY  
**16<sup>95</sup>**

**Features a sensitive  
Galvanometer and  
Extension Speaker.**

**Featuring An  
Enlarged Visualized  
Integrated Circuit**

ONLY  
**24<sup>95</sup>**

The ideal introduction to the world of electronics for young or old experimenters. Build over 80 safe, battery operated, useful solid-state projects with this one kit. No soldering or tools required. Detailed, simplified instruction manual provides easy-to-follow instructions for each project. Point-point wiring between numbered parts using spring type connectors completely eliminates soldering. Each project can be assembled and disassembled in just minutes. This "breadboard" type kit is ideally suited to the design of as many additional circuit projects as your ingenuity and creativity can produce. Nothing else needed—kit includes all parts for these projects—galvanometer, solar cell, transistors, relay, baffled speaker, earphone, microphone, relay transformer, tuning capacitor, volume control, telegraph key, antenna, diode, resistors, capacitors, batteries and connecting wires—all packed in a fitted hardwood case. Size: 15x8x4". Imported. Shpg. wt., 3 lbs.

Lafayette's 150-in-1 IC Electronic Experimenters Kit supplies a variety of exciting projects dealing with measurement, radio broadcasting and receiving, communications, sound and musical instruments, physics, chemistry, amusement, and convenient living. Its quality components are attractively displayed in a functional, sturdy wooden storage case for ease in experimentation and long-lasting protection. The enlarged visualized integrated circuit clearly shows the various devices that form a typical IC. Each experiment is wired using easy to connect spring tension terminals. This feature permits 100% reuse of all components and eliminates the bother and danger of soldering. Power is supplied from three standard low voltage batteries, thus eliminating the possibility of shock hazard. Simplified manual portrays each experiment in both visual and written forms. The visual representation permits convenient theoretical circuit reasoning and the instructions provide a short cut for speedy wiring. Geared to be educationally stimulating for youngsters as well as adults. Supplied with all components including batteries. Size: 3 1/2" H x 15 1/2" W x 8 1/2" D. Shpg. wt., 3 3/4 lbs.

|   |         |       |
|---|---------|-------|
| 99 A 35016 Complete 80-in-1 Kit                     | Net     | 16.95 |
| 99 A 62580 1 1/2 V Replacement Battery (2-required) | Net ea. | .10   |
| 99 A 60212 9V Replacement Battery (1-required)      | Net     | .21   |

|   |         |       |
|---|---------|-------|
| 99 A 35107  | Net     | 24.95 |
| 99 A 62572 Extra 1 1/2 volt "C" Cell (2 required) | Net ea. | .14   |
| 99 A 60212 Extra 9 volt battery                   | Net     | .21   |

### SOME OF THE PROJECTS YOU CAN BUILD

The fascinating projects which can be assembled with these Lafayette kits cover a wide range of subjects such as home entertainment, wireless communications, telephony and telegraphy, music, public address, alarms and warning systems, electrical measurement, digital circuitry, physiology, weather, etc. You can build many different radio receivers, including a solar powered transistor radio. Also included are projects concerning computer type "AND" and "OR" circuits, many varieties of light and sound code signal com-

munications using Morse Code, several transistorized amplifiers and public address systems, continuity checkers and signal tracer, wireless microphone, metronomes, electric harmonica, photoelectric relay and burglar alarms. Some unusual projects include a sensitive photometer, rain alarm, auto headlight dimmer, cat sound simulator, muscle simulator, water level warning system and many others designed to provide fun for the entire family.

## LAFAYETTE "EXPLOR-AIR"<sup>TM</sup> 4-BAND RECEIVER KIT

- Covers 10, 15, 20, 40, 80, 160 Meter Amateur Bands
- Tunes International Broadcast, Citizens Band, Maritime, Aeronautical and WWV Time Signals
- Covers Standard AM Broadcast Band
- Complete Band Switching from Front Panel
- Bandsread Tuning
- Built-in 4" Speaker

Lafayette's sensational shortwave receiver kit is a complete shortwave and standard broadcast set which covers the entire region from 550 kHz to 30 MHz. Four whole bands of fascinating programming. Perfect for language students and shortwave listeners. Only a regenerative circuit can offer such amazing performance and yet be so simple to build. Building this fine kit is an absolute pleasure—it's so well designed you can't go wrong. Kit includes all the parts you need and the detailed step-by-step instruction book with its giant pictorial drawings shows you just how to put them together. One front panel knob does all the bandswitching, immediately taking you from band to band. All coils are prewound for greater accuracy. Complete 4 band coverage of broadcast stations, international broadcast bands, amateur, maritime, and WWV time

Made in U.S.A.

**22<sup>95</sup>**  
Less  
Cabinet



signals. Big 4" speaker and sensitive circuit with 500C output stage and 12AT7 regenerative detector and amplifier stages give you all the volume you want. Phone jack for privacy automatically disconnects speaker. All controls are on the front panel: On-Off Volume, Main Tuning, Band Spread, Bandswitch, Antenna Tuning, and Regeneration. 110 volt 50-60 Hz AC-DC power supply. Size 10x7x5"

|  |     |       |
|--|-----|-------|
| 19 A 09050 (Less Cabinet) wt., 5 lbs.                  | Net | 22.95 |
| Shortwave antenna kit for above. Shpg. wt., 1 1/4 lbs. |     |       |
| 32 A 30984   | Net | 2.35  |
| Leatherette covered Wooden Cabinet for above. 1 lb.    |     |       |
| 19 A 09058   | Net | 3.49  |

# Amplifier Modules & Hobbyists Items

## 20 WATT STEREO SOLID-STATE AMPLIFIER MODULE




**22<sup>95</sup>** Now With Integrated Circuits

This especially fine transistor stereo amplifier delivers 10 watts per channel continuous power (RMS) into any 8 ohm speaker. Has 2-IC's and 8-transistors. The separate bass and treble controls allow 20 db adjustment at 100 Hz and 10 kHz. The dual volume control allows simultaneous increase in volume of both channels, while the balance control allows compensation for program variations. The low noise preamp stage provides a sensitivity of 0.5 volts for use with a ceramic phono cartridge or a AM/FM tuner. The direct coupled complementary symmetry circuit gives a Hi-Fi frequency response of 30 Hz to 40 kHz @-3 db. Includes the power supply components except a power transformer. Size: 7<sup>9</sup>/<sub>16</sub>" x 1<sup>9</sup>/<sub>16</sub>" x 4<sup>3</sup>/<sub>4</sub>".

19 A 09159 Shpg. wt., 1<sup>1</sup>/<sub>2</sub> lbs. Net 22.95  
Same model as above but on two separate printed circuit boards for compact mounting. Control strip size: 7<sup>9</sup>/<sub>16</sub>"x1<sup>1</sup>/<sub>2</sub>"x1<sup>9</sup>/<sub>16</sub>". Power amplifier size: 7<sup>9</sup>/<sub>16</sub>"x1<sup>1</sup>/<sub>16</sub>"x2<sup>7</sup>/<sub>16</sub>"D. Shpg. wt., 1<sup>1</sup>/<sub>2</sub> lbs. Net 22.95  
19 A 09167 Net 22.95  
Power transformer for above amplifier modules. Shpg. wt., 1<sup>3</sup>/<sub>4</sub> lbs. Net 2.95  
19 A 09175 Net 2.95

## 8-WATT STEREO SOLID-STATE AMPLIFIER MODULE



**17<sup>95</sup>**

Now With Integrated Circuits

A complete 4-control stereo amplifier with 2-IC's and 6-transistors which provides 4 watts RMS per channel; 8 watts continuous power total output! The four controls allow separate volume, balance bass and treble adjustments. The direct couple complementary symmetry circuit gives a true Hi-Fi response of 45 Hz to 20kHz @-3 db. 1 Meg input impedance allows this amp to be used with a wide range stereo crystal cartridge, FM tuner or other 1.5 volt source. Use with 8 ohm speakers to give top performance. The amplifier includes power supply components (2 diodes, 1 filter capacitor) except the power transformer. Dimensions: 7<sup>1</sup>/<sub>2</sub>"x1<sup>1</sup>/<sub>2</sub>"x3<sup>1</sup>/<sub>2</sub>"D. Shpg. wt., 1<sup>1</sup>/<sub>4</sub> lbs.

19 A 09142 Net 17.95  
Power transformer for above amplifier module. Shpg. wt., 1<sup>1</sup>/<sub>2</sub> lbs. Net 2.95  
19 A 09183 Net 2.95

## EICOCRAFT MINI COLOR ORGAN KIT



**14<sup>95</sup>**

- Watch Colors Dance To Your Favorite Beat

EC-3800. Converts your favorite music to an, entertaining display of multi-color red, blue and green 3 dimensional patterns varying to the amplitude of the sound source. Molded plastic cabinet has 8 x 8" viewing screen. For 115 VAC 60 Hz. Ship. wt., 1<sup>1</sup>/<sub>2</sub> lbs. Net 14.95  
19 A 66183

## LAFAYETTE CONVERTER MODULES



**LISTEN TO POLICE, FIRE, AIRCRAFT, AND SHORTWAVE ON YOUR PRESENT AM SET**

Now you can have the thrill of listening to the exciting police broadcasts, the fire department calls, communications between planes and ground stations as well as international shortwave bands. Simple to connect to your present AM broadcast radio. Size: 1<sup>3</sup>/<sub>4</sub> x 3/4 x 1". Control extends 1<sup>1</sup>/<sub>2</sub>". Shg. wt., 1 lb.

VHF POLICE AND FIRE CONVERTER MODULE Permits reception of police and fire calls in the 30-50 MHz band on your standard broadcast band AM radio. Requires 9V transistor battery and wire. Net 5.00  
19 A 55285

FM VHF POLICE AND WEATHER CONVERTER MODULE Permits reception of 150-164 MHz FM-VHF police, fire, emergency, marine and weather transmissions on a standard FM radio. Requires 9V transistor battery, 5K potentiometer and knob, and wire.. Net 5.00  
19 A 55366

AIRCRAFT CONVERTER MODULE Same as above but for reception of 118 to 128 MHz. Band. Requires 9 volt battery D. Net 5.00  
19 A 55293

SHORTWAVE CONVERTER MODULE Same as above but tunes 25, 31, and 41 meter bands (7-12 MHz). Requires 9 volt battery and wire. Net 5.00  
19 A 55301

## ACCESSORIES FOR MODULES

|            |                         |     |
|------------|-------------------------|-----|
| 99 A 60212 | 9V Battery              | .21 |
| 99 A 62879 | Battery clips for above | .29 |
| 32 A 31909 | Wire                    | .49 |
| 32 A 22510 | 5K Potentiometer        | .67 |
| 32 A 24052 | Knob, miniature         | .15 |

## PROJECT-A-SCOPE

- Projects Giant Pictures in Color or Black and White
- Films or Negatives Not Needed

Handsome projector molded of heat and abuse resistant, hi-impact plastic for long life. Casts sharp, giant-size enlargements on any white wall or screen in brilliant color or black and white. Simple to operate. Can be used by students, artists, lecturers and demonstrators. Children can project comic or story books to amuse themselves and their friends. Uses ordinary household bulbs. U/L listed. 110 volts, AC-DC. Shpg. wt., 2 lbs. Net 5.95  
19 A 50011



**5<sup>95</sup>**

## EICO "TREASURE HUNTER" SOLID-STATE METAL DETECTOR KIT

- Gives Positive Variable Audible Signal Indicating The Presence Of Buried Coins And Metal Objects
- Locates Both Ferrous Metals (Iron, Steel, Tin) And Non-Ferrous Metals (Gold, Silver, Copper)

Only **29<sup>95</sup>**

Pays for itself many times over... opens up a whole new world of excitement and adventure! Electronically detects buried metal objects as small as a half-dollar up to 6" beneath the ground: gold, silver, coins, anything metallic. No meters or dials to check; solid-state circuitry (5-transistors) gives positive audible low frequency beat heard through a built-in 2<sup>1</sup>/<sub>4</sub>" speaker whenever a metal object is approached. Beat intensity increases when the "Treasure Hunter" draws nearer the object. Practical for home and public utilities (Gas and Telephone servicemen) too. Helps locate plumbing inside walls, or, find pipes in yard or garden before digging. Super sensitive detector coil is shock and heat resistant. Special shield increases sensitivity, prevents false indications. Lightweight and easy-to-use. Complete kit includes collapsible handle for easy storage; all parts and easy-to-follow assembly instructions. Uses single 9-volt transistor battery. Dimensions—Overall Length: 40"; Length of Handle: 36"; Housing 9W x 1<sup>1</sup>/<sub>2</sub>"D. Imported. Shpg. wt., 2<sup>1</sup>/<sub>2</sub> lbs. Net 29.95  
19 A 66175 Net 21  
99 A 60212 Extra 9-Volt Battery. Shpg. wt., 3 oz.



Find buried coins and metals

Locate pipes inside

# FLY THE BIG SKYHAWK BY REMOTE CONTROL

TESTOR'S R/C SKYHAWK

COMPLETE OUTFIT:  
Plane, Receiver, Transmitter,  
Batteries and Charger for Plane



Only **79<sup>95</sup>** No Money Down\*

- Easy to Fly — Ideal for Beginners • One Mile Range of Control
- Rechargeable Batteries with Charger • Big 44" Wingspan — Length 27" • Internal Combustion .049 Engine

Simple snap in wing and ready to fly radio controlled plane which incorporates true (pulse) proportional control for smoother, more realistic flight control. This plane is so easy to fly that it is recommended for beginners—no electronic or mechanical skill is required. Aircraft fuselage constructed of virtually indestructible super-impact styrene. Wings and horizontal stabilizer are of super light styrofoam. Tricycle landing gear assures simple landings. High torque .049 cubic inch internal combustion engine has gas tank attached for 4 minutes of powered flight. Super sensitive 9 transistor superhet receiver combines with a powerful dual coil, twin magnet actuator

for superior reliability, 8 transistor 250 milliwatt transmitter provides up to one mile range control. Simple guidance controls include built-in tip trim for basic in-flight stabilization. Transmitter powered by eight 1½V penlite cells (not supplied). Complete with R/C plane, transmitter, battery charger, and illustrated flying instruction book. Shpg. wt., 9 lbs.

|  |            |
|--|------------|
| 42 A 73017WX for 27.145 MHz.             | Net 79.95  |
| 42 A 73058WX for 26.995 MHz              | Net 79.95  |
| 42 A 73090WX for 27.195 MHz              | Net 79.95  |
| 99 A 62580 1½V Penlite cells—8 required. | Net ea. 10 |

## SKYHAWK SPECIFICATIONS

Length: Fuselage 27", Wing 44". Flying Weight: 23 ounces (approximate). Speed: 30 MPH True. Fuel Capacity: 4 Minutes powered

flight. Transmitter: Single Tone AM Modulated Relayless Pulse. Receiver: Superheterodyne With Pulse Width Rate Decoders.

## PSYCHEDELIC COLOR WHEEL KIT

NEW!

ONLY **14<sup>95</sup>**



- Provides Colored Lighting Effects Synchronized With Audio Signal
- Uses Regular 100 Watt House Lamp (not included)

This fantastic color wheel kit is a novel device which is easy to assemble. The kit comes with a complete instruction manual, and all the necessary parts you need, to project a beautiful panorama of colored lights. The motor turns the 4-colored wheel at 4 R.P.M. which provides 100 watts of light controlled by sound from a radio, Hi-Fi or phono. A sensitivity control is included to adjust for soft or loud input sounds. Shpg. wt. 2½ lbs. 19 A 70201 ..... Net 14.95

## NOVATRON A SCIENTIFIC INSTRUMENT FOR THE EXPERIMENTER

- Miniature Atom Smasher
- Produces 75,000 Volts
- Absolutely Safe

Completely Wired (Not A Kit)



A scientific instrument capable of producing 75,000 volts—makes sparks up to 2" long—yet it is absolutely safe because the current is infinitesimal. The science-teacher—science lover—or hobbyist can perform experiments to astound students—friends—family. Makes smoke disappear—defy gravity—turns propellers at a distance—transforms atomic energy into light—makes artificial lightning—smashes atoms—demonstrates ionic space ship drive—and many other experiments. Includes an experimental kit and illustrated experiment manual. A fine research tool that will give years of beneficial service. 110 VAC. Imported. Assembled. 99 A 90086 Shpg. wt., 4 lbs. .... Net 13.95

## WEATHER STATION KIT



**9<sup>95</sup>**

Fun to erect and fascinating to use, this weather station kit operates with flashing neon lights to show wind speed and direction on indoor indicator board. Includes a sensitive air tank barometer with 4-ft. indicator column, a sling psychrometer to measure relative humidity, rain gauge with scale calibrated to measure 1/100th of an inch rainfall, cloud chart, weather map and forecasting manual. 150 ft. wire supplied, enough for a 2-story house. Safety power cord. All connections safe to touch. Shpg. wt., 3 lbs. 19 A 30023 ..... Net 9.95

## MOD-U-KIT PSYCHEDELIC LIGHT KITS

### FREQUENCY CONTROLLED 3-CHANNEL PSYCHEDELIC CONTROL CENTER KIT

**24<sup>95</sup>**



• Frequency Controlled 500 Watts Per Channel—1500 Watts Total  
A 3-channel sound to light control center providing frequency separation of the incoming sound into 3 parts: low frequencies—60 Hz to 1 kHz, medium frequencies—1 kHz to 3 kHz, high frequencies—3 kHz to 15 kHz. Uses triacs to control 500 watts of light per channel for a total of 1500 watts. Each channel has its own sensitivity control and an AC outlet. On/off neon panel indicator. Size: 5x4½x2½". 19 A 70165 Shpg. wt., 2 lbs. .... Net 24.95

### 3-CHANNEL PSYCHEDELIC CONTROL CENTER KIT

**12<sup>95</sup>**



• Responds to Intensity of Sound  
• Provides 500 Watts Per Channel — 1500 Watts Total  
Converts audio signals to 1500 watts of available external psychedelic lighting. The audio input signal is directly applied to 3 separate SCR's. Has 3 individual sensitivity controls for 3 separate channels each capable of accommodating 500 watts of external light. Housed in walnut finish aluminum case. Size 5x4x2½". 19 A 70169 Shpg. wt., 1½ lbs. .... Net 12.95

### ELECTRONIC STROBE KIT

**9<sup>95</sup>**



• 100 Watt Incandescent Lamp Strobe  
This electronic strobe converts a 100 watt incandescent bulb into a strobe type lighting unit which gives eerie stopmotion and light-burst effects for light shows. An adjustable frequency auto oscillator and SCR circuit controls the lamp. The pulsations can be varied from fast to a one pulse per second slow rate. Powered by a 9 volt internal battery (not supplied). 19 A 78177 Wt., 1 lb. .... Net 9.95  
99 A60212 9V battery ..... Net .21

# Hobby Kits & Specialties



## RENVAL VISIBLE V-8 ENGINE KIT

9<sup>95</sup>

Looks And Performs Like The Real Thing

The Visible V-8 is a superb guide to the study of the internal combustion engine. Precise 1/4 scale "see-thru" model engine that simulates the power plant of V-8 autos. Parts molded in 4 colors, including "clear", so that functioning pistons, connecting rods, rocker arms and properly timed spark plugs can be observed. Powerful permag motor activates over 100 moving parts. Powered by two "C" batteries (not supplied). Complete with polystyrene cement, hardware, screwdriver, and illustrated instruction manual which details how an auto engine works. Shpg. wt., 5 lbs.

19 A 69005 Complete Kit Less Batteries ..... Net 9.95  
99 A 62572 1.5V "C" battery, (2 required) ..... Net ea. .14

## REMOTE CONTROL MUSTANG GT OUTFIT



79<sup>95</sup>

No Money Down\*

## COMPLETE OUTFIT: MUSTANG, Receiver, Transmitter, Batteries and Charger

Authentic 1/11th scale model R/C Mustang GT. Fully-assembled. Car body of glossy polystyrene. Durable chassis is tempered aluminum. Twin high torque drive motors are coupled to rear wheels through an electronically controlled 4 transistor rear end... achieves true differential action! True (pulse) proportional circuitry permits feather-touch control. Guidance controls include steering (left-center-right), drive motor (start-stop) and speed (high-low). Super sensitive 9 transistor receiver combines with powerful dual coil, twin magnet actuator for superior reliability. 8 transistor 100 milliwatt transmitter provides convenient control board. Transmitter powered by eight 1.5V penlight cells, (not supplied). Complete with R/C model, transmitter, and battery charger. Shpg. wt., 7 1/4 lbs.

42 A 73033WX for 27.095 MHz ..... Net 79.95  
42 A 73108WX for 26.995 MHz ..... Net 79.95  
42 A 73124WX for 27.195 MHz ..... Net 79.95  
99 A 62580 1 1/2 V Penlight Cell, 8 req. .... Net ea. .10

### MUSTANG GT SPECIFICATIONS

Length: 16 inches. Width: 6 inches. Height: 4 inches. Weight: 2 lbs., 8 ounces. Speed: 100 MPH Scale. Turning Radius: 3 feet. Transmitter: Single Tone AM Modulated Relayless Pulse. Receiver: Super-heterodyne With Pulse Width Rate Decoders.

## MEDIUM RANGE R/C SYSTEM MRC-FUTABA F-66




only 34<sup>95</sup>

### • SINGLE CHANNEL — 27.145MHz

Complete, ready-to-operate (except for batteries) single channel Radio Control system. Ideal for medium range (up to 800 feet) operation of small planes, cars and boats. All transistorized circuitry for dependable operation on 27.145 MHz. Compact, lightweight (1 1/2 oz.) relayless receiver has tuning lamp to adjust for maximum efficiency. Transmitter has 7-section retractable antenna. Compound escapement actuated by receiver batteries. Complete installation diagram and instructions are provided. Transmitter 4 3/8 x 2 3/4 x 1 3/8"; Receiver 1 1/2 x 1 1/4 x 3/4". Complete system less penlite cells not supplied. Imported.

42 A 76002 Shpg. wt., 3/4 lb No Money Down\* ..... Net 34.95  
99 A 62580 AA Batteries (10 required) ..... 10 for .69

## VASHON ROCKET AND ROCKET PLANE KITS



As Low As 9<sup>95</sup> • Looks And Performs Like The Real Thing  
• Safe, Non-Flammable Non-Toxic Propellant  
• Altitude Capability Over 1000 Feet  
• Reusable With Parachute Recovery

### VALKYRIE-2 ROCKET KIT

- Launched Mechanically or Electrically

Here is an authentic, educational and yet entirely safe rocket kit for modelers and hobbyists which demonstrates the principles of rocket propulsion. The propellant releases no heat, is non-flammable, non-toxic and non-explosive. The 18 1/2 inch long Valkyrie-2 which blasts off to 1000 feet, can be safely held in hand. Uses durable polished aluminum rocket, engine and parts, with real working valves, separator and parachute. At liftoff, the rocket starts slowly at 4 "G's," with acceleration at burnout about 10 "G's." A timer assures deployment of the parachute which returns the rocket for another launch. May be either mechanically or electrically launched with a battery (not supplied). Complete kit includes rocket, engine, timer, separator, parachute, balsa nose cone, fins, loading valve and hose, electric firing assembly, launch stand, one can of propellant, accessories and instructions. Size: 18 1/2" long x 1" dia.

19 A 75010 Complete rocket kit. Shpg. wt. 2 3/4 lbs. .... Net 12.95  
15 oz. can of propellant, sufficient for 3 launchings. ....  
19 A 75028 Shpg. wt., 1 1/2 lbs. .... Net 2.00  
6-volt battery for electrical launching. ....  
32 A 49184 Shpg. wt., 1 1/4 lbs. .... Net 1.13  
Replacement ignitor wire for electrical launching. ....  
19 A 75036 Shpg. wt., 3 oz. .... Net .35

### VIKING TWO STAGE ROCKET KIT

The Viking is a complete, high performance, functioning two stage rocket with staging mechanism for in-flight separation. The first stage boosts the rocket to about 75 feet where a "burn-out" signal triggers the second stage engine. This accelerates to a velocity of 300 feet per second (200 miles per hour) while the first stage drops away. This velocity carries the second stage well over 1000 feet, where a parachute is automatically deployed to return it. All parts are recovered for future flights. Both engines are the same—reloadable, highly polished aluminum construction, pre-assembled and factory tested, each using 2 ounces of propellant per flight. The kit is complete including launcher, 15 ounce can of propellant, clear, concise instructions and a booklet on the principles of multi-staged rockets. Size 20" long x 1" dia.

19 A 75051 Complete Kit. Shpg. wt., 3 1/4 lbs. .... Net 14.95  
15 oz. can of propellant sufficient for 3 launchings. ....  
19 A 75028 Shpg. wt., 1 1/2 lbs. .... Net 2.00

### BARON ROCKET PLANE KIT

The bright red Baron Rocket Plane is a combination of a rocket and a plane. The rocket carries the plane up hundreds of feet, then catapults the plane free, at the height of its flight. While the Baron glides high in the sky, the booster rocket parachutes to earth. The aluminum booster rocket engine uses a non-flammable, non-explosive aerosol propellant and may be launched alone. The kit is complete with factory assembled and tested engine, fins, nose cone, parachute, 7 oz. can of propellant, decals, etc. and clear illustrated instructions. Size: 22 1/2" long x 1" dia. Shpg. wt., 2 1/2 lbs.

19 A 75069 Complete rocket plane kit ..... Net 9.95  
15 oz. can of propellant. ....  
19 A 75028 Shpg. wt., 1 1/2 lbs. .... Net 2.00

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 51


# Rock Polisher & Specialty Items

## GEM STONE TUMBLING AND JEWELRY MAKING KIT

- Grinds and Polishes Rocks and Gem Stones
- Complete Outfit, Nothing Else to Buy

Only  
**23<sup>95</sup>**

## SHORTWAVE AND SUPERHET BROADCAST RADIO KIT



Only  
**17<sup>95</sup>**

2 bands cover both standard broadcast 540-1620 kHz and shortwave 5.8-18 MHz which includes international broadcast, 40 and 20-meter ham bands and some of the aeronautical and marine bands. Superheterodyne circuit has high gain IP's, built-in broadcast band loop antenna. Comes complete with ivory cabinet 4" PM speaker, tubes (12BE6, 12BA6, 12AV6, 50C5, plus 35W4 Rectifier) and all parts. Easy to follow step-by-step instructions. Shortwave band requires external antenna (not supplied). Size: 8 3/4" W x 5 5/8" H x 5 1/4" D. For 110V AC or DC. 19 A 40071 Shpg. wt., 4 3/4 lbs. .... Net 17.95  
Shortwave antenna kit for above 32 A 30984 Shpg. wt., 1 1/4 lbs. .... Net 2.35



Here is your opportunity to enjoy the fascinating craft of gem polishing. Kit includes Mini-Tumbler, 2 1/2 lb. load capacity drum and liner, 3 grades of abrasive grits plus polishing medium, assorted jewelry mountings (tile clasp, earrings, etc.), jewelry glue, and assortment of rough, exotic and aztec stones. Motor operates on 115 VAC, with built-in circuit protection. UL listed. Everything you need to go from "rocks" to "jewelry".  
15 A 58006 Shpg. wt., 13 3/4 lbs. .... Net 23.95

## ACCESSORIES FOR TUMBLERS

Stones. 1 lb. pkg. of Oregon Beach Agate and Jasper. Shpg. wt., 1 1/2 lbs.  
15 A 44030 ..... Net 1.89


Deluxe Rough Stone Assortment. Approximately 200 agate and rose quartz, tiger eye, jasper, etc. Exotic colored rock is from all over the world; will polish to a jewelry like finish.  
15 A 58014 Shpg. wt., 3 lbs. .... Net 2.05

Grit and Polish Assortment Kit. Provides everything needed to polish rocks. Packed in resealable plastic container. Each kit contains graded silicon carbide grit and fine polish compound for fast grinding and fine finishes. Each set will process 14 lbs. of rock.  
15 A 58022 For Smooth Rocks, 3 step. Shpg. wt., 3 1/2 lbs. .... Net 2.50  
15 A 58030 For Rough Rocks, 4 step. Shpg. wt., 5 lbs. .... Net 3.85

Jewelry Making Kit. Jewelry blanks for mounting polished stones. Includes earrings, tie clasps and tacks, rings, cuff links, jewelers cement, jump rings, etc. Shpg. wt., 7 oz.  
15 A 58063 ..... Net 4.95

## ATOMIC ENERGY LAB

Only  
**8<sup>95</sup>**



Ingenious kit for studying some basic nuclear physics by experimentation. See the vapor tracks of alpha and beta particles, and of cosmic rays. Shows exploding atoms. Instruction book covers such experiments as detecting radioactivity with a cloud chamber, with a splinteroscope, and with radiographs; checking radioactivity with an electroscope, detecting ionization and others. Kit includes radioactive materials. Shpg. wt., 3 1/4 lbs.  
19 A 30015 ..... Net 8.95

## PHOTOGRAPHY DARKROOM LAB WITH ENLARGER



- Complete Darkroom Outfit
- Photo Enlarger, Contact Printer, 35mm Projector — All In One Kit

Photography lab kit enables you to print and develop your own photos, enlarge 35mm shots up to 8 x 10", and project your 35mm negatives. Kit includes developing chemicals, printing and enlarging paper, 3 trays, thermometer, neon safelight, print frame taking negatives up to 3 1/2 x 4 1/4", twin condensing lenses and G.E. projection lamp. A complete photo lab in one kit. Shpg. wt., 4 lbs.  
19 A 30031 ..... Net 13.95

## TRANSISTOR RADIO AND BROADCAST KIT

- Use It Either As An AM Wireless Broadcaster or AM Radio Receiver

Only  
**9<sup>95</sup>**



Transmit your own radio program with this safe, battery-operated transistorized broadcaster or receive AM radio programs. Includes headphone, broadcast microphone for home broadcasts, Alnico loudspeaker, antenna, plus all other required parts. Big 18" plastic cabinet. Easy to assemble with instructions provided. Operates on 3 inexpensive "C" cells (not included). Shpg. wt., 5 lbs.  
19 A 31096W Less batteries ..... Net 8.95  
89 A 62572 C Batteries (3 required) ..... Net ea. .14



## ALL-TRANSISTOR BULL HORN

Made in U.S.A.  
Only **8<sup>95</sup>**  
NOT A KIT  
COMPLETELY PREASSEMBLED

- Range up to 400 feet • Weighs only 2 1/2 lbs.
  - For Hunting, Camping, Boating, Sports
- A fully transistorized directional megaphone at Lafayette's low price. Lightweight, it carries your voice over 100 yards or above noise. Just press the trigger and talk. Features variable volume control and carrying strap. Uses 4 standard "D" cells (not supplied with unit). 11" long. Shpg. wt., 2 lbs.  
44 A 15087 ..... Net 8.95  
1 1/2-volt D batteries, 4 required. Imported. Shpg. wt., 4 oz.  
89 A 62584 ..... Net ea. .15

## LAFAYETTE 9-VOLT TRANSISTOR RADIO BATTERY CHARGER AND ELIMINATOR



- Charge Battery, Operate Set On AC, or Both
- Isolation Transformer — Shock-Proof

**3<sup>99</sup>**

Just plug into any 117-volt AC receptacle and recharge your old 9-volt battery for many hours of extra use; or operate your set indoors without using the battery at all; or you can both charge battery and operate set at the same time. Has 4-position switch for above functions plus off position and pilot light. Size 4Wx1 1/2xHx 2 3/4"D. Imported. Shpg. wt., 3/4 lb.

98 A90219

Net 3.99

## AUTOMATIC DRY CELL BATTERY CHARGER



**6<sup>95</sup>** Charge Up To 14 Batteries At A Time

- Uses AC Or DC Power Source
- Will Not Overcharge
- Built-in Battery Tester

Recharges all "D", "C", and 9-volt transistor carbon-zinc, alkaline, mercury, and nickel cadmium batteries. Charging receptacles for 4 "D" cells, 4 "C" cells, 6 "AA" cells and one 9V battery permits recharging up to 14 batteries at one time. Transformer circuitry operates on a demand principle and automatically prevents overcharging. Has built-in battery tester-indicator light. Shock-proof since low voltage charging occurs only when lid is closed. Attractive, decorator styled hi-impact pliable plastic case. For 110-120 volt AC or AC 60 Hz. Size: 7 1/2x4 3/4x2 3/4". Shpg. wt., 1 1/4 lbs.

34 A 25006

Net 6.95

## POWERHOUSE HOME BATTERY CHARGER



**3<sup>95</sup>**

- Recharge Batteries Up to 15 Times
- Built-in Battery Tester

• "D" - "C" - "AA" and 9V Transistor Sizes

Recharge from one to five batteries at one time. Safety is assured since charger is in operation only when lid is closed. Plugs into standard 110-120 volt, 60 Hz AC outlet. Imported.

34 A24017 Shpg. wt., 1 lb., 5 oz. Net 3.95

## CHARGER WITH TWO NICAD<sup>®</sup> BATTERIES



CLOSE OUT

**SALE!**

**6<sup>95</sup>**

QUANTITIES LIMITED AVAILABLE SYOSSET ONLY

These D-size nicad cells can be recharged hundreds of times, for use in your flashlight, toys, games and other portable appliances. You may buy extra batteries and always have fully charged spares on hand. Charger uses any 115V 60 cycle AC outlet. Size: 4 3/4x3 1/2x 2". Wt., 2 lbs.

34 A 35013 Complete set Net 6.95

- Complete with Two Rechargeable Nickel Cadmium "D" Cells

## LAFAYETTE MULTI-PURPOSE BATTERY CHARGER

Designed to charge regular carbon zinc, nickel cadmium and alkaline batteries. Charges up to 3 batteries in a relatively short time for less than a penny. Two compartments automatically adjust to size of battery inserted, plus 2 snaps are provided for 9V., transistor radio batteries. Red light indicates charger is operating. For 110-120 volts 50/60 Hz AC. Imported. Shpg. wt., 3/4 lb.

99 A 92058

Net 2.95

## LAFAYETTE Batteries



## POPULAR SIZES AT POPULAR PRICES

Popular top-rated batteries constructed to Lafayette's rigid specifications. For transistor sets, flashlights, toys, and other portable power applications. \*9V transistor battery with a snap at each end. Imported.

## STANDARD BATTERIES

| Stock No.   | Volt-age  | Net | Lots of 10 | Fig-ure | RCA    | Bur-ess ready | Ever-ready | Shpg. wt. |
|-------------|-----------|-----|------------|---------|--------|---------------|------------|-----------|
| 99 A 62564  | 1 1/2(D)  | .15 | 1.20       | A       | VS036  | 2             | 950        | 5 oz. ea. |
| 99 A 62572  | 1 1/2(C)  | .14 | 1.20       | B       | VS035  | 1             | 935        | 4 oz. ea. |
| 99 A 62580  | 1 1/2(AA) | .10 | .69        | C       | VS034  | 2             | 915        | 3 oz. ea. |
| 99 A 60220* | 9         | .34 | 2.90       | O       | VS300A | P6            | 226        | 3 oz. ea. |
|             |           |     |            |         | VS314  | P6M           |            |           |

## EXTRA LONG LIFE BATTERIES

Lafayette's extra long life batteries reduce the frequency of necessary replacement. They use a special chemical formulation which provides more than 50% longer useful life without either diminishing their shelf life or increasing battery weight.

| Stock No.  | Volts     | Net. | Lots of 10 | Fig-ure | RCA   | Bur-ess ready | Ever-ready | Shpg. wt. |
|------------|-----------|------|------------|---------|-------|---------------|------------|-----------|
| 99 A 63661 | 1 1/2(D)  | .23  | 1.85       | A       | VS036 | 2             | 950        | 5 oz. ea. |
| 99 A 63687 | 1 1/2(C)  | .20  | 1.60       | B       | VS035 | 1             | 935        | 4 oz. ea. |
| 99 A 63703 | 1 1/2(AA) | .15  | 1.20       | C       | VS034 | 2             | 915        | 3 oz. ea. |

## ALKALINE BATTERIES

These high energy Alkaline batteries provide up to 10 times longer life than ordinary zinc-carbon types in heavy and/or continuous drains, at all temperatures. Especially good for toys, photo, radios, tape recorders, record players and heavy-duty flashlights.

| Stock No.  | Volt-age   | Net. ea. | Fig-ure | Mall-ory | Bur-ess ready | Ever-ready | Shpg. wt. |
|------------|------------|----------|---------|----------|---------------|------------|-----------|
| 99 A 63786 | 1 1/2 (D)  | .55      | A       | MN1300   | AL2           | E95        | 5 oz.     |
| 99 A 63802 | 1 1/2 (C)  | .44      | B       | MN1400   | AL1           | E93        | 3 oz.     |
| 99 A 63828 | 1 1/2 (AA) | .35      | C       | MN1500   | AL9           | E91        | 2 oz.     |

## NICKEL CADMIUM BATTERY

32 A 47400 1 1/4(AA) Ea. 1.65 F — C06 C450 1 oz.

## STANDARD 9-VOLT TRANSISTOR BATTERY

Replaces RCA VS323, Burgess 206, Eveready 216, Zenith 2216, Ray-D-Vac 1604, NEDA 1604. Imported.

99 A 60212 Shpg. wt., 3 oz. Net ea. 21

99 A 62796 Package of 2 Net Per Pkg. .40

99 A 63844M 5 Packages of 2 Net 1.89



## EXTRA LONG LIFE 9 VOLT BATTERY

As above, but provides more than 50% longer useful life.

99 A 63729 Singly .40 10 for 3.20

## "STORAGE CELL" FOR TRANSISTOR RADIOS

ONE CHARGEABLE BATTERY OUTLASTS DOZENS OF CONVENTIONAL BATTERIES

- Replaces 206, 216, and BL-006P
- Fluid Storage Type
- Plays About 15 Hours on One Charging
- Battery Recharges Overnight
- Complete—Battery Plus Charger
- 9V Battery complete with charger. Battery 1 1/4x1 1/2"; charger 3 1/4x 1 1/4x7/8" imported. Shpg. wt., 6 oz.
- 99 A 90169 Battery and Charger Net 2.89
- 99 A 80261 Battery Replacement for above Net 1.49



**2<sup>95</sup>**



- Recharge All Popular Batteries—Transistor, AA Penlight, C And D Cells
- ... Up to 3 At One Time!
- Just Plug-In And Use

# Desk Lamps for Home & Office

## HIGH INTENSITY DESK LAMP




only  
**15<sup>95</sup>**

- All Angle
- Spring Control Arm For Perfect Balance
- Extra-Wide Shade For Glare Free Light


Now you can have pure white concentrated light exactly where you want it. Decorator styled to fit any decor in your home or office. The glare-free bulb supplied with the lamp is equal to 200 watts of illumination. An oversize shade provides a greater light area than ordinary high intensity lamps and does not retain heat. A steel spring gives you complete mobility in all directions with perfect balance. Arm reach is 24". Lamp is black with a heavy chrome and black vinyl finish base. Shpg. wt., 6 lbs.  
12 A 33501 Net 15.95

## LAFAYETTE 5-WAY HIGH INTENSITY LAMP



**5<sup>95</sup>**

- Hi-Lo-Off Selector Switch
- Adjustable Telescoping Arm



Beautifully designed, transformer powered telescoping Hi-Intensity lamp featuring HIGH and LOW switch. Telescopes from 3½" to 11½". May be used as a desk and wall light, spot and TV lamp. Use as a night light when closed. Shade swivels 360° with an arc of 180°. Shade and base are richly finished in black. Uses #93 bulb, supplied. Overall height 13". 117V, 60 Hz. Imported.

99 A 91985 Shpg. wt., 2 lbs. Net 5.95  
Replacement Bulbs (pkg. of 2) Net .59  
12 A 75502

## ALL PURPOSE LAMP



**21<sup>95</sup>**

- Universal Joints
- Light at Any Angle
- Extends to 36"

Ideal for factory benches, tables and drafting boards. Two bolts clamp base securely to any surface up to 3" thick. Spring-controlled swivel joints and double arm action give you light in any desired position. Arm extends 36". Uses two T8, 15-W lamps. For 110-125V., 60 Hz. AC. Bronze finish. Shpg. wt., 9½ lbs.  
12 A 10012W Less lamps. Shpg. wt., 9½ lbs. Net 21.95  
T8, 15-watt, cool white lamp. Shpg. wt., 5 oz.  
12 A 10020 Net ea. 1.35

## FLUORESCENT MAGNIFYING LAMP



As Low As  
**22<sup>95</sup>**

Designed for precision work, features a 5" diameter magnifying glass with a powerful 13" focus, surrounded by a 22 watt shadow-free fluorescent tube. A custom-engineered arm permits complete directional mobility—special adjustment knobs insure the proper tension and steadiness for any desired position. 45" arm reach. Ideal for assembly, laboratory, quality control and other detail work. In kit or assembled form. Shpg. wt., 6 lbs.  
12 A 69521W Kit, less lamp Net 22.95  
12 A 69539W Assembled less lamp Net 25.95  
19, 22-watt, cool white lamp. Shpg. wt., 11 oz.  
12 A 75015 Net ea. 3.49

## FUSED POWER CONVENIENCE CENTER



**3<sup>95</sup>**

Lafayette's power control center adds six, fused convenient outlets anywhere you choose. Designed to mount on walls, floor, benches, counter tops or for portable use. On/Off rocker switches and panel mounted On/Off indicator light. Built-in fused holder with replaceable 15 amp. fuse. Heavy duty 8-foot line cord. For 120 volts AC, 1500 watts, 15 amps. With Fuse. Imported.  
99 A 92090 Shpg. wt., 1 lb. Net 3.95  
Pkg. of 5 fuses for above Net .81  
13 A 11679

## 600 WATT LIGHT DIMMER CONTROL



**4<sup>95</sup>**

- Full Range: Total Darkness to Maximum Brightness
- Replaces Any Ordinary Switch in Minutes

Convenient push-on, push-off control stays set at any lighting level. Pleasing lighting for any room in your home. Soft lighting for TV viewing and relaxing, bright light for reading and working. Easy to install in any standard wall box without complicated rewiring. Operates incandescent lamps to 600-watt capacity. Ivory plastic knob with brass finish insert. For 115 VAC, 60 Hz. Shpg. wt., 1 lb.  
12 A 26505 Less wall plate Net 4.95

## FLUORESCENT DESK LAMP



- White Translucent Diffuser
- Complete with Bulb

**6<sup>95</sup>**

An attractive all metal fluorescent lamp with combination solid/gooseneck support finished in chrome. Brown metal base with push button light control... perfect for study, office or den. Translucent white plastic diffuser for maximum light dispersal. Includes 14-watt, 15", cool fluorescent bulb. Streamline design complements any room decor, 14 inches high by 5 inches wide. Provides illumination anywhere on your work or reading surface. 117V, 60 Hz. Imported. Shpg. wt., 5¼ lbs.  
12 A 16027 Net 6.95

# Electronic Burglar Alarms & Accessories

## ON-GUARD DOOR BURGLAR ALARM



For:  
Apartment—Store—Home—Office

**39<sup>95</sup>** No Money Down\*

- Fits All Doors
- No Lock Hole in Door
- No Wiring Necessary

Fully transistorized, battery operated burglar alarm for the home, apartment, store, and office. Universal mounting fits any door. Push-button control is provided for manual alarm to signal for aid at any time; another control has been included to permit you to open the door from the inside without setting off the alarm. Upon closing the door alarm is automatically reset. Slide switch control can be set for instant, or, 20 second delay before alarm sounds. Key operated switch controls on/off and reset functions. Mounts instantly, no wiring required. Constructed of heavygauge, anodized aluminum with neutral sand colored finish. Comes complete with battery and mounting hardware. Size: 4½ x 8 x 3". Shpg. wt., 4¼ lbs.

14 A 13509 ..... Net 39.95

## BURGLAR LOCKALARM



For Doors

**3<sup>95</sup>**

- Requires No Wiring

Automatically locks when unauthorized forced entry is attempted, plus emits a piercing sound capable of awaking the entire household. Inconspicuously mounts on doors, and windows in minutes with only a screw-driver. Uses a single penlite AA 1½ volt battery. Complete with mounting hardware, horn, and latch mechanism. Shpg. wt., 1 lb.

14 A 63504 ..... Net 3.95  
99 A 62580 Battery for above ..... Net .10

For Window

## LAFAYETTE WIRELESS REMOTE CONTROL

For Lamps, T.V., Hi-Fi, Household Appliances


Only **14<sup>95</sup>**

- Turns Lights and Appliances On and Off From Anywhere In Your Home—By Remote Control!
- A Lafayette Exclusive!
- Simply Plug In and Operate!

Now you may turn on or off any electrical device from anywhere in your home or shop. The Lafayette wireless remote control requires no additional wires. Simply plug in your transmitter wherever you choose in the house, and the appliance, TV, hi-fi system or lights that are plugged in to the receiver will be turned off or on by pressing the button on the transmitter. Perfect for viewing TV or listening to hi-fi in bed. When you get sleepy press the switch and turn everything off. Safe! Simple remote switch of lights, lamps, radios, TV and appliances. Transmitter and Receiver operate on ordinary house current, receiver accepts any 105 to 120 volt device up to 300 watts. Imported. Shpg. wt., ½ lb.

99 A 91183 Complete Transmitter and Receiving Unit ..... Net 14.95  
99 A 91787 Extra Transmitter ..... Net 5.95  
99 A 91225 Extra Receiver. Shpg. wt., 1¼ lbs. .... Net 9.95

\*See Page 25 for Full Credit Details on Easy Pay Plan



## INTRUSION ALARM

Protects Your Home or Business Against Intruders and Burglars

**64<sup>95</sup>**

- Easy, Plug-In Installation
- Turns On Lamps, Rings Bells

Have a safer home while you're asleep or away. Will protect doorways, rooms, or any area that an intruder may enter. Ultrasonic beam covers an area up to 15-30 ft. in front of unit depending on shape of room and contents. When area is entered, lights, bell or both are turned on to give a visual and audible alarm. Can be set as a convenience monitor to turn light on when you enter a room; shuts off 3 min. after you leave. Sensitivity/range and position easily set to allow pets to enter. Variable timer allows alarm to remain on from 8 sec. to 3 min.; automatically resets itself for continuous protection. No special wiring necessary; lights or bell plug directly into unit. Handles up to 575 watts; 117VAC at 5 amps. Alarm system turns on 10 sec. after you activate system to allow you leave area. Controls on/off switch, sensitivity and range. Size: 10½ x 3¼ x 3¼". Attractive walnut finish. Requires 110-130 VAC, 60 Hz. Shpg. wt., 3 lbs. See optional unit below which provides a built-in horn and a 20 sec. delay of bell for extra time to enter protected area.

12 A 56510 No Money Down\* ..... Net 64.95  
12 A 87044 3½" Bell for above. Shpg. wt., 1 lb. .... Net 5.50  
12 A 87051 Deluxe 6" Bell for above. Wt., 4 lbs. .... Net 22.50

## DELTA HORN


- Combination Horn/Delay



Plugs directly into above intrusion alarm. Provides delay of 20 sec. before built-in horn or external bell are activated to allow entering protected area and turning off alarm. Internal horn operates intermittently (10 sec. "on", 5 sec. "off"); external bells operate as long as above alarm is on. With built-in AC outlet, line cord and plug. Handles up to 575 watts; 115 AC at 5 amps. Size: 3¼ x 3¼ x 3¼".

12 A 56528 Shpg. wt., 1½ lbs. .... Net 24.95

## PHOTO ELECTRIC LIGHT CONTROL



Only **3<sup>95</sup>**

- Turns Lights On At Sunset Off At Sunrise

Automatically turns lights on at dusk and off at dawn. Helps to prevent burglary, vandalism, and accidents. Just attach to lamp cord and plug into wall socket for automatic light control. Responsive only to daylight . . . car lights, flashlights, or lightning will not operate unit. For 117V AC. 300 Watts. UL Listed. Shpg. wt., 9 oz

12 A 28519 ..... Net 3.95

## AUTOMATIC OUTDOOR LIGHT CONTROL

- Turns Lights On At Dusk/Off At Dawn Automatically
- Easily Screws Into Fixture Socket



Helps prevent burglary . . . vandalism . . . accident by turning on all your outdoor lights at home, store, office, factory, signs, etc. Screws into any standard or floodlight socket. Compact, requires only 17½" of additional clearance in fixture. Weather resistant. 300 watts. U.L. listed. Shpg. wt., 1 lb.

12 A 28527 ..... Net 3.95

## CORDLESS ELECTRIC DECORATOR CLOCKS


### AMERICAN TRADITIONAL CORDLESS ELECTRIC PENDULUM CLOCK



Only **16<sup>95</sup>**

Charming replica of an old favorite expertly reproduced in Timewood and carefully accented in walnut tones. Mottled parchment dial is in striking contrast to the large Roman Numerals. The graceful motion of its swinging pendulum completes the authenticity of this ageless favorite. Runs up to one year on a single "D" cell. Size: 14"H x 9"W x 2"D. Shpg. wt., 3 lbs. 13 A 30547 — Net 16.95  
Battery for above  
99 A 62564 — Net .15


### "GRANDFATHER" CORDLESS ELECTRIC PENDULUM CLOCK



Only **29<sup>95</sup>**

Warm walnut American styling for a charming blend of accuracy and handsome traditional design. Beautifully accented handsome spun gold and ivory dial with smoked antique Federal mirror complements the graceful motion of the golden swinging pendulum. Carved walnut raised trim is crowned with an eagle to complete this elegant timepiece. Runs up to one year on a single "D" cell. Size: 25"H x 11"W. Shpg. wt., 6 lbs. 13 A 30521W..... Net 29.95  
Battery for above.  
99 A 62564 ..... Net .15

### DIGITAL TV LAMP CLOCK



**12<sup>95</sup>**

- Take Guesswork Out of Telling Time
- Relieves TV Eye Strain

Ideal for use on a TV cabinet, in the kitchen or baby's room. Provides soft illumination and precise time. Attractive sturdy plastic case with gold trim. Size: 4x7x3 7/8" Deep. Shpg. wt., 2 1/4 lbs. UL listed. 110V. 60 Hz. AC.

14 A 60013 Walnut ..... Net 12.95  
14 A 60021 White ..... Net 12.95

## DIGITAL CALENDAR WRIST WATCH



- Swiss Precision Crafted

**50th Anniversary SALE**  
**12<sup>95</sup>** CUT 2.00  
SALE ENDS APRIL 30, 1971

- Gives You The Hour, Minute And Date At A Glance
- Sweep Second Hand

Digital read-out watch shows hour and minute and date in large, easy-to-read red and blue numerals. Great for anyone who must account for time at a glance . . . pilots, rally drivers, etc. Ideal for the visually handicapped. Striking dial features sweep second calendar which digitally indicates hand and incorporates an automatic the day of the month. Precision anti-magnetic Swiss movement has unbreakable mainspring. Beautiful gold tone finish case with genuine lizard strap. Imported. Shpg. wt., 8 oz. 13 A 31362L ..... Net 12.95

### ELECTRIC CALENDAR WRIST WATCH




- Never Needs Winding
- See The Date At a Glance
- Precision 13-Jewel Movement

Electric battery operating watch with precision crafted, anti-magnetic 13 jewel movement. This fine quality watch features an unbreakable mainspring, automatic changing calendar, sunbrush dial, gilt-raised figures, and sweep second hand. Runs on tiny energy cell for never-wind convenience. Gleaming 10 micron gold-filled case with stainless steel back and genuine lizard strap. Comes in deluxe presentation box. Energy Cell: Standard, long-lasting 12 to 18 month. Imported. Shpg. wt., 8 oz. No Money Down\*  
13 A 31388L ..... Net 36.95

**36<sup>95</sup>**

### LAFAYETTE TECHNI-TIMER



**7<sup>95</sup>**

- Handles Up To 1875 Watts
- Turn Lights & Appliances On & Off Automatically

For radios, refrigerators, electric blankets, fans . . . turns your lights On and Off while you're away. Repeats cycle every 24

hours without resetting. Minimum On time 15 minutes; maximum On time 23 hours; minimum Off time 1 hour; maximum Off time 23 hours 45 minutes. Can be set to "skip-a-day" operation, or manually controlled. No special wiring—just plug into 117V., 60 Hz. AC line. Includes 6 ft. cord with plug and receptacle for equipment to be controlled. Capacity 1875 watts. UL/CSA listed. Size: 5x4x2 1/2"D. 18 A 01407 Shpg. wt., 2 lbs. Net 7.95



**SELF WINDING 17 JEWEL DAY AND DATE CALENDAR WATCH**

Deluxe Swiss watch is self winding, and automatically changes the day and the date. Precision made 17 jewel movement is water resistant, antimagnetic, and features an unbreakable mainspring. Handsomely styled 10 micron gold filled case with a stainless steel back and a matching expansion band. Easy-to-read dial features the date in red and the day of the week in black, raised gilt numerals on an attractive white dial face and a sweep second hand. Shpg. wt., 8 oz.  
**13 A 31289L ..... Net 36.95**



**17 JEWEL CALENDAR WRIST ALARM WATCH**

Swiss made wrist alarm serves as an automatic reminder any time—any place. Features automatic daily calendar, 17 jewel movement is water resistant, antimagnetic and features an unbreakable mainspring. And radium dial case is 10 micron gold-filled with stainless back or all stainless steel. Both with genuine lizard band. Dial has raised gilt numerals on a white face with a sweep second hand. Shpg. wt., 8 oz. No Money Down\*  
**Stainless Steel Case**  
**13 A 31396L ..... Net 39.95**  
**Gold Tone Case**  
**13 A 31404L ..... Net 39.95**

**SPORTSMAN'S CALENDAR WATCH SWISS PRECISION CRAFTED**



- Pressurized Water-Resistant Case
- Automatic Daily Calendar
- Parking Meter Time
- Luminous Marker and Hands

**An Automatic Underwater Watch That Indicates Elapsed Diving Time**

Handsome wristwatch especially designed for the sportsman who is apt to get his watch wet—fishermen, hunters, or skin divers. Hermetically sealed pressurized case provides maximum protection to 5 atmospheres. Movable outer bezel permits easy timing of events, parking meter time, or elapsed submerged time. Swiss crafted antimagnetic movement features automatic daily calendar, unbreakable mainspring, and sweep second hand. Luminous hour markers and hands for high visibility. Polished chrome case, stainless back, and comfortable waterproof strap. Imported. Shpg. wt., 7 oz.  
**13 A 31180L Mens' ..... Net 9.95**

**DELUXE SPORTSMAN'S WATCH WITH WORLD TIMER**



**18.95**



- Swiss Precision Crafted
- Automatic Day-N-Date Calendar
- Stainless Steel Band

**An Automatic Underwater Watch That Indicates Elapsed Diving Time**

Designed for the active sportsman! Tell the time, day and the date at a glance. Revolving bezel lets you know the time in 26 cities around the world, and also operates as a 60 min. elapsed timer. Features a telemeter scale, a sweep second hand and luminous hands and dial markers. Rugged, precision timepiece is water-resistant, anti-magnetic and has an unbreakable mainspring. Hermetically sealed pressurized case provides protection to 5 atmospheres. Case is finished in bright chrome with a stainless steel back and a matching stainless steel band. Shpg. wt., 9 oz.  
**13 A 31271L ..... Net 18.95**



**17 JEWEL DOUBLE-BUTTON CHRONOGRAPH WATCH**

Precision made 17 jewel Swiss chronograph is ideally suited for accurate elapsed timing of sporting events, scientific experiments, etc. Features a tachometer for measuring speed, a distance meter for measuring the distance of sound and a stop watch with a 30 minute register and a sweep second hand. Accurate, dependable movement features an unbreakable mainspring. Water resistant, dustproof and antimagnetic. Bright chrome case with a stainless steel back, raised numerals, and a genuine leather strap. No Money Down\* Shpg. wt., 13 oz.  
**13 A 31131L ..... Net 37.95**



As Low As **11.50**



**PRECISION-SWISS STOP WATCHES**

**A 1/10 SECOND TIMER**

Designed for close timing: Large hand registers 1/10 of a second, up to 30 seconds; small hand reads minutes, up to 15. Start, stop, and continue from crown; Instant zero. 7 jewel movement. Chromium plated case. Shpg. wt., 8 oz. Imported.  
**13 A 31032L ..... Net 12.95**  
 Same as 13 A 31032 (above) except 1 jewel.  
**13 A 31024L ..... Net 11.50**

**B 1/5 SECOND TIMER**

Second hand registers 1/5 of a second and completes turn in 60 seconds. Small hand indicates up to 30 minutes. Side slide starts and stops hands. Fast resetting dependable 7-jewel movement. Shpg. wt., 8 oz. Imported.  
**13 A 31040L ..... Net 12.95**  
 Same as 13 A 31040 (above) except 1 jewel.  
**13 A 31057L ..... Net 11.50**

\*See Page 25 for Full Credit Details on Easy Pay Plan

# 8-Track Stereo Tape Cartridge Recorders

## DELUXE LAFAYETTE RK-890 Solid-State Stereo 8-Track Cartridge Recorder/Player Tape Deck



With Pushbutton  
Fast Forward

Record 8-Track Cartridges thru your Stereo Amplifier  
or Receiver, or live with Microphones using the RK-890

**119<sup>95</sup>**  
less miles

### RECORD FEATURES

- Stop after each Channel and Automatic Eject, or Stop after Channel 1 thru 4 and Eject
- Sound with Sound Mixing
- Pushbutton Manual Eject
- Pushbutton Fast-Forward
- Front Panel Left and Right Channel Microphone Input Jacks
- Record Safety Interlock Button
- Illuminated Track Indicator Lights
- Dual Recording VU Level Meter
- Separate Dual Concentric Microphone and Aux. Volume Controls

### PLAYBACK FEATURES

- Continuous Play
- Pre-Select and Play any 1 Channel and Stop and Automatic Eject
- Pushbutton Track Selector
- Illuminated Track Indicator Lights
- Pushbutton Fast Forward
- Pushbutton Manual Eject

### EXCLUSIVE FEATURES

- Automatic Cartridge Ejector—Insures you do not damage the tape head and your cartridge
- Specially Designed Built-In Lafayette Solid-State Stereo Record/Playback Pre-Amplifiers

Certain to be one of our most exciting new recorders, as well as one of our best sellers of the year. Offers unsurpassed 8 Track cartridge record and playback facilities. You can enjoy hours of listening pleasure from your own pre-recorded stereo cartridges. The RK-890 will become the ideal companion to your present high fidelity system. Exclusive Automatic Cartridge Ejector will provide years of trouble-free 8-Track performance—no longer will you damage the heads of your recorder or the roller of any cartridge by leaving a tape inserted after you have turned the power off. The fast forward feature permits quick selection of tape sections. And, most important, you can automatically record 4 tracks continuously and stop, or record each track individually and stop. Specifications: 2 Mike

Input, (Sensitivity 1 MV) 2 Aux. Input, (Sensitivity 100MV) BIAS Freq.: 60 kHz. AC erasing system. Freq. response: 30 Hz to 12 kHz. Wow and Flutter: less than .25%. Channel Separation—more than 40db, output level 1 volt Max., 300MV average. 13 Transistors, 12 diodes, Walnut metal wrap around case. Brush gold anodized aluminum trim. AC Power Fuse. For 117VAC 60 Hz. Size: 12" x 3 3/4" H x 9 1/2" D. Imported. No Money Down\*  
 99 A 15844W Shpg. wt., 12 lbs. Net 119.95  
 Microphone for RK890. Imported. Shpg. wt., 8 oz. Net 6.50  
 99 A 46161  
 Lafayette 60 Min. 8 Tr. Mylar Recording Tape Net ea. 1.95  
 28 A 01348

## PANASONIC RS-820S 3-PIECE SOLID-STATE AM/FM STEREO 8-TRACK CARTRIDGE RECORDER SYSTEM

**299<sup>95</sup>**

With 1 Mike and Stand




- Each Speakers Enclosure Contains 2 Separate Full Range 4" Speakers

Luxurious in every way—from its distinctive walnut wood cabinetry and black and silver control panel to its magnificent sound performance. 8-Track Recorder section provides superb Record-Playback performance. Features track selector button, four illuminated track indicators, fast-forward control, accidental erasure guard, Mono/Stereo playback change-over switch, speaker switch, and two large VU Record meters. AM/FM Stereo radio features: "Black-Out" dial face, FET tuner, AFC on FM, and separate sliding bass and treble controls. Brilliant sound is assured by 2 separate 4" full range speakers in each enclosure. 32-watt peak music power, super sensitive stereo balance control. Imported. For 110VAC 60 Hz. Size: 20 1/2 x 6 3/4 x 14 3/4" D. Shpg. wt., 29 lbs. 17 A 31868WX No Money Down\* Net 299.95

- 8 Track Recorder Features FAST Forward, Accidental Erasure Guard ● 2 VU Record Level Meters
- Direct FM Stereophonic Radio Recording

# Any 5 cartridges for only \$100

plus mailing  
and handling




See  
details  
inside



191825



193623



188357



196246



196717

# Any 5

8-track cartridges  
for only \$1.00

plus mailing  
and handling

when you join now, and agree to purchase as few as six additional cartridges during the coming year, from the more than 600 to be offered.

**YES, THAT'S RIGHT!** You may have any 5 of the best-selling 8-track cartridges shown here—ALL 5 for only \$1.00! That's the fabulous bargain for new members who join now and agree to purchase as few as six additional selections in the coming year. As a member you will receive, every four weeks, a copy of the Club's buying guide. Each issue offers scores of different cartridges to choose from—the best-sellers from over 50 different labels!

If you want only the regular selection of your main musical interest, you need do nothing—it will be shipped to you automatically. Or you may order any of the other cartridges offered...or take no cartridge at all...just by returning the convenient selection card by the postmark date specified. What's more, from time to time the Club will offer some special cartridges which you may reject by returning the special dated form provided...or accept by doing nothing.

**YOUR OWN CHARGE ACCOUNT!** Upon enrollment, we will open a charge account in your name. You pay for your cartridges only after you've received them—and are enjoying them. They will be mailed and billed to you at the regular Club price of \$6.98 (some special cartridges somewhat higher), plus a mailing and handling charge.

**FANTASTIC BONUS PLAN!** Once you've completed your enrollment agreement, you'll get a cartridge of your choice FREE for every two cartridges you buy. That's like getting a 33 1/3% discount from regular Club prices on all the cartridges you want, for as long as you want!

Columbia Tape Club  
a service of



Terre Haute, Indiana 47808



195685



188060



195891



195487



196493



191205



194712



176859



194779



185876




195693




171504



193789



186809



188136

\*Twin-pack cartridges are twice the music, yet each counts as 1 selection.

Send no money—Just mail this postage-paid card today!

Columbia House  
Columbia Tape Club  
Terre Haute, Indiana 47808

Please accept me as a member of the Club. I've indicated below the five cartridges I wish to receive for \$1.00, plus mailing and handling. I agree to purchase six more selections during the coming year (I may choose selections from all fields of music) at the regular Club price, under the terms outlined in this brochure. I may cancel my membership any time thereafter. If I continue, I will be eligible for the Club's generous bonus plan.

SEND ME THESE 5 CARTRIDGES FOR ONLY \$1.00 (fill in numbers below)

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

My main musical interest is (check 1 BOX only): BO17/54

Easy Listening  Today's Sound  Country

- Mr.  
 Mrs.  
 Miss

(Please print) First Name Initial Last Name

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

Signature \_\_\_\_\_

Any 5 cartridges for only \$100



195917




196352



195701



197012



197004



195222



195719



193177




193748



191742



191809



193821



189035



181909



187088

© "Columbia", "Epic", Marcas Reg.

© 1971 Columbia House

First Class  
Permit No. 1098  
Terre Haute, Ind.

### Business Reply Mail

No Postage Stamp Necessary If Mailed in the United States  
Postage will be paid by



Columbia Tape Club  
Terre Haute  
Indiana 47808



# 8-Track Stereo Tape Players and Pre-Recorded Tape



ONLY

**129<sup>95</sup>**

## Deluxe Lafayette "Profile 80" Solid State AM/FM Stereo 8-Track Player/Receiver

- 26 Transistors—1 FET—15 Diodes
- Tape Recorder Outputs
- FM Stereo Indicator Light
- Front Panel Stereo Headphone Jack

Magnificent performing solid-state home entertainment control center. Its handsome streamlined styling will enhance the decor of any home. Completely versatile, its features will let you reproduce and enjoy music in depth from virtually every source. You can play brilliant 8 Track stereo tape cartridges without using an accessory tape deck. You can receive AM, FM and FM stereo radio broadcasts. You can plug-in and play a record changer with a ceramic cartridge, or you can plug-in and play a cassette or reel-to-reel tape deck or recorder. In addition, tape recorder output jacks are available for taping all the music reproduced by this fine receiver. Features: RECEIVER SECTION—Six position function selector knob—AM, FM, FM-AFC, Phono, Aux., Tape; separate volume, balance, bass, and treble controls; individual switches for loudness, stereo/mono, hi-filter, main or remote speaker, power on/off FM stereo indicator light—automatically switches to FM stereo when tuning in on an FM stereo broadcast. Rear Panel inputs for Phono (ceramic pick-up), or Aux. (Tape In). Rear Panel Tape Recorder output,

- Individual Illuminated Track Indicator Lights
- Pushbutton Track Selector
- Spill-Proof Capstan Mechanism
- Main and Remote Speaker Outputs

AC convenience outlet, main and remote speaker. Built-in AM and FM Antenna. Provisions for external FM Antenna. Fused speaker outputs. 8-TRACK CARTRIDGE PLAYER: Four indicator lights tell you which track is playing at any given time. In sequence you may switch tracks by pressing the pushbutton track selector. Unique capstan bearing assembly insures long-life operation without damage to your tapes. Spill-proof mechanism stops the tape from wrapping around capstan. Specifications—Receiver: FM IHF Sensitivity: 5µV; Tuning condenser: 3-gang AM, 3-gang FM. Stereo Separation: 30 db at 400 Hz; Power output: 18 watts Music Power; Phono Ceramic Sensitivity: 100µV; Hum & Noise on phono: —50 db, on Aux. 60 db. Tape output: maximum 1 volt-average 300µV. Cartridge Player: S/N Ratio: better than 38 db; Wow and Flutter: less than 0.36 RMS. Tape Speed—3¾ ips, 4 pole AC condenser motor. Housed in a handsome walnut metal enclosure. Size 20½" W x 4½" H x 10¾" D. For 117V 60 Hz AC. Imported. Shpg. wt. 20 lbs. 99 A 02354WX No Money Down\* Net 129.95

## SENSATIONAL PURCHASE of Pre-Recorded 8-Track Stereo Tape Cartridges



your choice

only

**1.49**

Each

28 A 24043 Selections from My Fair Lady—Andre Previn—Playing Time 52 minutes.  
28 A 24035 Light and Bright—Neil Hefft Quintet—12 selections—Playing Time 32 minutes.  
28 A 24068 You'll Never Walk Alone—Roy Hamilton—Playing Time 32 minutes.  
28 A 24084 The Fabulous Les Paul & Mary Ford—10 selections—Playing Time 26 minutes.  
28 A 24092 The Definitive—Pearl Bailey—12 selections—Playing Time 36 minutes.


28 A 24001 Dance Parade—Woody Herman—8 selections—Playing Time 32 minutes.  
28 A 24027 Mod Jazz—The Mod Jazz Quartet—Playing Time 40 minutes.  
28 A 24050 Johnny Cash Favorites—Burd Boys—12 selections—Playing Time 32 minutes.  
28 A 24076 A Touch of Elegance—Andre Previn—12 selections—Playing Time 36 minutes.  
28 A 24019 BeatleMania—Buddy Morrow & Orchestra—12 selections Playing Time 30 minutes.

**SAVE 10<sup>00</sup>**

From Individual Catalog Prices

COMPLETE SYSTEM

**159<sup>85</sup>**



"PROFILE 80" with Two Criterion 25A Speaker Syst.

Save 10.00 when you purchase the "Profile 80" with 2 Lafayette Criterion 25A Speaker Systems. (See page 18 for description of the Crit. 25A's.) Shpg. wt., 48 lbs. 99 A 02420WXM Net 159.85

\*See Page 25 for Full Credit Details on Easy Pay Plan

**STEREO 8 for the home**

**LAFAYETTE LR-818 FM/AM/FM STEREO  
3 Piece 8 TRACK PLAYBACK SYSTEM**

With 2 Separate 8" Duo-  
Cone Acoustic Suspension  
Speakers For Magnificent  
Sound Quality.

Only  
**119<sup>95</sup>**  
No Money  
Down\*



- Illuminated Track Indicator Lights
- Pushbutton Track Selector
- FM Stereo Indicator Light

Enjoy the pleasure and ease of listening to pre-recorded 8-Track stereo tape cartridges. Tune in brilliant FM stereo plus standard FM, and AM radio broadcasts. Input jacks are provided for plugging in a record changer with ceramic cartridge so you can listen to your favorite records. You can also plug in a stereo reel-to-reel or cassette tape deck. The 8-Track stereo tape player features a pushbutton track selector, and separate illuminated channel indicator lights. Desirable

- Instant On Solid-State Circuitry
- Inputs For Phono, or Tape Recorder
- Tape Recorder Output Jacks
- Front Panel Stereo Headphone Jack

features are: separate controls for volume, balance and tone; illuminated slide rule tuning, built in FM and AM antennas, provisions for external FM antenna, and AC convenience outlet on the rear panel. Power Output: 120 watts IPP. FM sensitivity; 5 $\mu$ v. Stereo separation: 25 db. Walnut grained finished cabinet. Size: Control Unit: 4 x 11 x 18"; Speakers: 8 x 14 $\frac{1}{2}$  x 10". or 117 VAC 60 Hz. Imported. 17 A 02299WX Shpg. wt., 36 lbs. Net 119.95

**Outstanding Selection of Pre-Recorded 8-Track Stereo Tapes**

**POPULAR  
SERIES  
2 99**  
each

**Deluxe "Lafayette" Premier  
8-Track Pre-Recorded  
Stereo Tape Cartridges**

**CLASSICAL  
1 HR. SERIES  
3 29**  
each

**NEW LOW PRICES**

**28 A 04086 THIS IS BROADWAY—My Fair Lady Overture, Wouldn't It Be Lovely, The Rain in Spain, I Could Have Danced All Night, plus many more.**

**28 A 04094 MUSIC FROM WEST SIDE STORY: Hollywood Radio City Orchestra & Singers, London Pops Orchestra, Hollywood Light Opera, Al Goodman Orchestra.**

**28 A 04102 MUSIC FROM CAMELOT: Hollywood Radio City Orchestra & Singers, London Pops Orchestra, Hollywood Light Opera, Al Goodman Orchestra.**

**28 A 04110 MUSIC FROM SOUND OF MUSIC: Hollywood Radio City Orchestra & Singers, London Pops Orchestra, Hollywood Light Opera, Al Goodman Orchestra.**

**28 A 04128 BIG BAND ERA—Charlie Barnet, Woody Herman, Tito Puente, Bobo Valdez, Ernie Wilkins; Stardust, Canadian Sunset, Southern Fried, Serenade to May, and others.**

**28 A 04136 IT HAPPENED IN MONTEREY (JAZZ) VOL. I—Duke Ellington: Take The A Train, Solitude, others.**

**28 A 04144 IT HAPPENED IN MONTEREY (JAZZ) VOL. II—Miles Davis, Art Pepper, Bob Cooper: Blue Bird, Moment's Notice, Stable Mates, and others.**

**28 A 04151 SILK, SATIN, AND STRINGS: Velvet Strings Orchestra—Jalousie, Sleepy Lagoon, Holiday for Strings, and others.**

**28 A 04168 DANCING AND DREAMING VOL. I—Velvet Strings Orchestra: Somebody Loves Me, The Way You Look Tonight, The Breeze and 1, plus others.**

**28 A 04177 DANCING AND DREAMING VOL. II—Velvet Strings Orchestra: Just One of Those Things, Last Time I Saw Paris, plus others.**

**28 A 04003 BEETHOVEN SYMPHONY NO. 9 "CHORAL", London Symphony Orchestra, Joseph Krips, Conductor.**

**28 A 04011 BEETHOVEN SYMPHONY NO. 1 AND BEETHOVEN SYMPHONY NO. 5, London Symphony Orchestra, Joseph Krips, Conductor.**

**28 A 04029 DVORAK: NEW WORLD SYMPHONY NO. 5, London Symphony Orchestra, Leopold Ludwig, Conductor, STRAUSS—TILL EULENSPIEGEL'S MERRY PRANKS, Stadium Symphony Orchestra of N.Y., Leopold Stokowski, Conductor.**

**28 A 04037 SMETANA: The Moldau—Austrian Symphony Orchestra, TCHAIKOVSKY — THE NUTCRACKER SUITE — London Symphony Orchestra.**

**28 A 04045 MUSSORGSKY: PICTURES AT AN EXHIBITION and RESPIGHI: PINES OF ROME. London Symphony Orchestra, Malcolm Sargent, Conductor.**

**28 A 04052 MOZART: EINE KLEINE NACHTMUSIK—Viennese Chamber Orchestra and BARTOK: CONCERTO FOR ORCHESTRA—Houston Symphony Orchestra, Leopold Stokowski, Conductor.**

**28 A 04060 RESPIGHI — FOUNTAINS OF ROME — London Symphony Orchestra, M. Sargent—Conductor. STRAUSS, DON JUAN—Stadium Symphony Orchestra, of N.Y. Stokowski—Cond., OEBUSSY: IBERIA, Rochester Philharmonic Orch., WAGNER—GOOD FRIDAY SPELL, Houston Symphony Orchestra.**

**28 A 04078 RIMSKY-KORSAKOV—SCHEHERAZADE London Symphony Orchestra—Goosen, Conductor and KHACHATURIAN: GAYNE SUITE, London Symphony Orchestra, M. Sargent—Conductor.**


# LAFAYETTE Finest 8-Track Stereo Tape Players

LAFAYETTE RK-850 20-WATT SOLID-STATE 8-TRACK STEREO AMPLIFIER/PLAYER



**SAVE \$10.00**

From Individual Catalog Prices When You Purchase RK-850 with Criterion 2X Speakers



**99<sup>85</sup>**

No Money Down\*

**79<sup>95</sup>**  
Less  
Speakers  
No Money Down\*

with **EXCLUSIVE "REMOVE TAPE INDICATOR LIGHT"**

Insures That You Do Not Damage The Tape Head and Your Cartridges

- 20-Watts  $\pm 1$  db of Stereo Power
- Inputs For Phono, Tuner, Tape
- Tape Outputs • Stereo Headphone Jack

- Main and Remote Speaker Switch
- Individual Illuminated Track Indicator Lights
- Pushbutton Track Selector

The RK-850 combines a complete 8-track stereo playback system with a powerful 20-watt full feature stereo amplifier on one integrated chassis. Advanced solid-state circuitry (16 transistors, 3-diodes, and 2-thermistors) provides instant-on play with superb high fidelity performance and reliability. The RK-850's exclusive "Remove Tape" indicator light will provide years of trouble-free 8-track performance . . . no longer will you have to worry about damaging the playback head by leaving a tape inserted in the player after you have turned the power off; a "Remove Tape" bulb illuminates with the power turned off and a tape cartridge left fully inserted in the player. This feature will also preserve the life of your cartridges. Convenient operating features include: Pushbutton Track Selector; 4-illuminated Track Indicator lights; Selector Switch for choice of inputs: Phono (with ceramic cartridge), Tuner, and Auxiliary; plus tape output for external tape recorder. Push-

button Switches for: Main and Remote speakers; Loudness; Stereo/Mono mode; Power on/off with Pilot Lamp. Separate controls for Volume/Balance, Treble, Bass. Stereo headphone jack for private listening. **SPECIFICATIONS:** Tape Section—Response: 30 Hz to 10 kHz; S/N: 50 db; Wow and Flutter: 0.3% rms. Amplifier Section—Frequency Response: 20 Hz to 20 kHz; Separation: 60db; H/D: 0.2%; Input Sensitivity (Aux., Tuner, Phono CER.): 250 mV; Hum and Noise (Aux., Tuner, Phono CER.): 70 db. Distinctive styling features a black front panel accented by brushed gold anodized aluminum trim and simulated walnut grain case. For 105/120 VAC., 60 Hz. Imported. Size: 12W x 3<sup>3</sup>/<sub>4</sub>H x 9<sup>1</sup>/<sub>2</sub>"D.

99 A 15836WX Shpg. wt., 13 lbs. Net 79.95  
RK-850 plus 2-Criterion 2X speakers (See page 18 for description of speakers), Shpg. wt., 31 lbs. Net 99.85  
21 A 93811WXM No Money Down\* Net 99.85

## DELUXE LAFAYETTE RK-800A 8-TRACK STEREO CARTRIDGE PLAYBACK DECK



**NEW**

**54<sup>95</sup>**

No Money Down\*

Update Your Home Stereo System to Play Brilliant 8-Track Stereo Tape Cartridges

- Built-in Solid-State Stereo Playback Pre-amplifier
- Pushbutton Track Selector
- Individual Illuminated Track Indicator Lights
- Spill-Proof Capstan Mechanism

Improved version of our best selling 8-Track stereo playback deck. Designed to complement the finest stereo systems. Unique capstan bearing assembly insures long-life operation without damage to your tapes. Spill-proof mechanism stops tape from wrapping around capstan. Built-in solid-state stereo playback pre-amplifiers. Connects to your stereo amplifier or receiver tape input. Tape plays continuously. Four indicator lights tell you which track is playing at any given time. In sequence you may switch tracks by depressing the pushbutton track selector button. Power Output: 1-volt. Freq. Response: 25-12,000 Hz  $\pm$  2db. S/N Ratio: better than 47 db. Wow & Flutter: less than 0.2% rms. Tape Speed: 3<sup>3</sup>/<sub>4</sub> ips. 4-pole AC condenser motor. Walnut grain finished metal case. Brushed aluminum front panel. Size: 9Wx4<sup>1</sup>/<sub>2</sub>Hx9<sup>1</sup>/<sub>4</sub>"D. For 117VAC., 60 Hz. Imp. Shpg. wt., 10<sup>1</sup>/<sub>2</sub> lbs.


99 A 15893W

Net 54.95

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 61

**NEW  
and  
EXCITING**



No  
Money  
Down\*

COMPLETE SYSTEM **199<sup>95</sup>**

**4 CHANNEL STEREO QUAD-8 AND 8 TRACK PLAYBACK SOUND SYSTEM**

**NEW! RCA "QUAD-8" 4 CHANNEL STEREO TAPE CARTRIDGES 7<sup>95</sup> ea.**

- 28 A 14002 Boston Pops—Music From Million Dollar Movies
- 28 A 14010 Best of Boston Pops
- 28 A 14028 Highlights From Madame Butterfly—Price, Tucker
- 28 A 14036 Hair—Original Broadway Cast
- 28 A 14044 Best of Charlie Pride
- 28 A 14051 Best of Eddie Arnold
- 28 A 14069 Best of Henry Mancini

Shpg. wt., 4 oz. ea.

- Plays New Stereo 4 Channel Quad-8 Tapes
- Plays 2 channel Stereo 8-Track Tapes


Provides a totally new dimension in stereo sound. The Playback/Amplifier plays the new Quad-8 4 Channel Stereo tape cartridges. Quad-8 reproduces 4 separate sound tracks simultaneously—gives you complete multi-dimensional stereo. System comes with 4 Lafayette Criterion 2x Speaker Systems. (See page 12 for description of 2x's). Also plays conventional Stereo 8 Track Tapes. Inputs are provided for attaching an FM stereo Tuner or a record changer. All solid-state circuitry. Output 48 watts (12 per channel), 4 separate volume controls, tone control. Size of Playback/Amplifier 4½"x20"x9". Imported. For 117VAC 60Hz.

- 27 A 90012WM Shpg. wt., 52 lbs.
- Quad-8 Playback Amplifier only (ies: speakers)
- 27 A 19003W Shpg. wt., 15 lbs.

Net 199.95

Net 149.95

**PORTABLE 8-TRACK TAPE PLAYER AND AM/FM/FM STEREO RADIO**



**114<sup>95</sup>**

With 8 "D"  
Batteries,  
AC Line Cord  
Car Adapter

**FEATURES 3-WAY OPERATION:**

- 1) Self-Contained Battery
- 2) 117VAC Home Current
- 3) 12V DC Neg. Ground Car System

Deluxe all Transistor portable 8-Track Tape Cartridge Sound System with built-in AM-FM stereo radio. Unique player operates on 117 VAC, or on 8 "D" batteries (included). A cigarette lighter adapter cord (included) also permits this amazing player to be used in car and boats with a 12 VDC negative ground electrical source. Magnificent sound quality is achieved thru use of 2 high compliance 3" x 6" speakers each mounted in an acoustically matched enclosure that can be placed as far as 5 feet apart for maximum stereo effect. Also features channel selector button, channel indicator lights, continuous tone control, FM stereo indicator light, built-in telescoping FM antenna, and left and right channel volume control. Size: 9x11x6¼"D. Imported. Shpg. wt., 10 lbs.

- 17 A 26397W No Money Down\*
- 99 A 62564 Extra "D" Batteries, 8 required


Net 114.95

Net ea. .15

**Automatic Portable Battery/AC  
8-Track Stereo Tape Player  
SALE! SAVE 5.00**

Now  
**69<sup>95</sup>**

With Batteries  
and 12 VDC  
Car Adapter  
Sale Price  
in effect  
thru 4/30/71



Enjoy 8-track stereo tape cartridges wherever you are. Attractive portable instant-on player operates on 117VAC home current or 8 "D" batteries. Cigarette lighter adapter cord permits use in cars and boats with 12V pos. or neg. ground electrical source left and right channel volume controls. 2 quality Hi-Fi speakers may be placed as far as 5 feet apart from each other. 9"Hx11"Wx6¼"D. Imported. Shpg. wt., 16 lbs.

17 A 26322W No Money Down\*

99 A 62564 Extra "D" Batteries, 8 required

Net 69.95

Net ea. .15

**NEW RELEASES of Big Name 8 Track  
Pre-Recorded Stereo Tape Cartridges**

**ONLY 3<sup>29</sup> EACH**



- 28 A 44272 Johnny Cash—I Walk The Line, Born To Lose, Cry, Cry, Cry, Straight A's in Love
- 28 A 44322 Sounds of the Woodstock Age—Sung and Played by the Tribe
- 28 A 44314 David Clayton Thomas—The Super Voice of Blood, Sweat and Tears, and Linda Ronstadt & the Stone Poneys
- 28 A 44280 Rod McKuen—Love's Been Good to Me
- 28 A 44306 Get Together—Snowbird, We've Only Just Begun, Candida, Look What They've Done To My Song, and others. Played and Sung by the Young Lovers
- 28 A 44298 The Guess Who—Wild One, Pretty Blue Eyes, Don't Be Scared, Shot of Rhythm and Blues
- 28 A 44173 Hank Larkin—Queen of Hearts, Lessons in Love, The Red Rose, I Always Lose

\*See Page 25 for Full Credit Details on Easy Pay Plan

# 8 Track Stereo Tape Players and Accessories

**Deluxe 4 and 8-Track Tape Cartridge Storage Rack**



**10<sup>95</sup>**

- Holds Up To 48 Tapes
- Lazy Susan Type Base

Easy access to your 4 and 8-track tape cartridges. No more misplaced tapes. Attractively styled wood and masonite storage rack with simulated walnut vinyl finish. Has "Lazy Susan" type base. Holds up to 48 tapes. Size: 9½"W x 9½"D x 12½"H. 28 A 78049W Shpg. wt., 8 lbs. Net 10.95

**Deluxe Carrying Case For 8-Track Tape Cartridges**



**7<sup>95</sup>**

- Holds Up To 24 Cartridges

Deluxe Lafayette all wood carrying case. Measures 17½"W x 6½"H x 7½"D. Black simulated alligator vinyl covering. Felt inserts, brass fasteners, and handle. Shpg. wt., 4 lbs.

28 A 78064W Net 7.95

**Lafayette 8-Track Equipment Check Out and Demo Tape**



**2<sup>95</sup>**

- Tests And Balances Your Equipment
- Excerpts From Gayne Suite

Every owner of an 8-track tape system should have this tape. Tests and balances your equipment for optimum performance. Test part of tape includes: Speaker phasing, channel separation check, balance check, wow and flutter check. Demo part of tape includes excerpts from Gayne Suite by Khachaturian. Shpg. wt., 8 oz. 28 A 01371 Net 2.95

**Deluxe Aiwa TP 1028 Combination Car 8-Track/Cassette Stereo Tape Player**



**SAVE 40<sup>00</sup>**

**SENSATIONAL SALE**

**NOW 119<sup>95</sup>**

**WAS 159.95**  
1970 CAT. 704

**Plays: 8-Track Stereo Tape Cartridges  
Cassette Stereo Tapes**

- Push-in Front Loading of Both 8-Track and Cassette Tape—No Adapter Required
- Automatic Cassette Reverse
- Automatic Cassette Eject
- Pushbutton 8-Track Eject
- Illuminated Track Selection on 8-Track and Cassette
- Separate Volume, Tone and Balance Controls

Complete, compatible stereo tape player system for the car. Plays both stereo 8-track tape cartridges and cassette tapes. There is nothing else to buy but speakers. No adapters are required for inserting the tapes into the player. Features: cassette automatic reverse, cassette automatic ejection, pushbutton 8-track ejection, illuminated track indicators for 8-track and cassette, pushbutton 8-track channel selection button, separate drive mechanism for cassette and 8-track. Instant-on space-age solid state circuitry — 18 transistors, 3 diodes, 6 varistors and 1 I.C. 5-watts output per channel. Separate volume, tone and balance controls. For 12 VDC neg. ground car systems. Includes mounting brackets and connecting wires. Size: 8½"Wx3Dx9"L. Imported. Shpg. wt., 12 lbs.

17 A 56022WX No Money Down\*

Net 119.95

Deluxe Set of 2 Lafayette Rear Deck Matching Speaker Systems.

Net 9.95

99 A 62986 Shpg. wt., 4 lbs.

**NEW!**

**Deluxe Combination 4-Speed Automatic Stereo Turntable and 8-Track Stereo Tape Player**

**119<sup>95</sup>**

Pre-Mounted on a Handsome Base with Plastic Dust Cover

No Money Down\*

- Plays 16, 33½, 45, and 78 RPM Records
- Magnetic Cartridge with Diamond Stylus

One unit—plays both records (up to 6 automatically) and 8-track Stereo Tape Cartridges. Turntable features an 11-inch die-cast platter and heavy duty 4 pole condenser outer rotor motor. Wow and flutter is less than 0.3%. Complete with dynamically balanced tubular tonearm, moving magnetic cartridge and diamond stylus. Handsome base has furniture finished wood panels. Includes Dust cover and 45 RPM adaptor. Size: 9½"H x 17¼"W x 13¾"D. Imported. 21 A 22000W Shpg. wt., 23¼ lbs. Net 119.95



# Stereo 8-Track Tape Cartridge Players for the Car

**Deluxe Ranger 4 and 8-Track Solid-State Car Stereo Tape Player  
Featuring Built-In Burglar Alarm**



**1¢ Speaker Bonus**

Pair of 3 x 5" Rear Deck Speakers

ONLY **1¢** MORE



With Purchase of Ranger Player

No Money Down\*

- Fine Tuning for Precision Head Alignment with Tape
- Illuminated Channel Indicator Lights

**79<sup>95</sup>**  
Less Speakers  
With Mounting Bracket


**79<sup>96</sup>**  
WITH SPEAKERS  
and Mounting Bracket

**SAVE  
6.94**  
Bonus Offer Expires  
4/30/71

Our Best Selling 4- and 8-Track Tape Cartridge Player now with built-in Burglar Alarm. Any attempt by unknown persons to remove a properly installed player will result in setting off the built-in alarm system—continuous horn blowing to scare the would-be thief away. Deluxe player measures only 2 7/8 x 7 7/8 x 8" and can be easily mounted under the dash of your car with attached universal bracket. Fully automatic—no switches or lever to select choice of cartridge. Either 4- or 8-track cartridge slips in easily and plays instantly. Provides superb tape reproduction. Removal of cartridge automatically switches player off. Fine tuning control tunes out undesirable

cross-talk in worn or defective 8-track cartridges by adjusting playback head to precision alignment with the recorded tracks. Channel changes automatically after each program or by instantly operating the selector bar. Peak audio output: 20 watts; 12-transistors, 4-thermistors. Dual tone control. For 12 volt neg./pos. ground. Imported. Shpg. wt., 12 lbs. Less Speakers. Net 79.95  
17 A 74496WK Ranger 4- & 8-Track Player only Net 79.95  
Ranger Tape Player Plus Pair of 3 x 5" Bonus Speakers. Net 79.96  
17 A 74553WXM Shpg. wt., 13 lbs. Net 79.96  
99 A 62994 Pair of 3 x 5" Matching Speaker Sys. 3 lbs. Net 6.95

**Lafayette "Micro 8" Stereo  
8 Track Car Tape Player**



**39<sup>95</sup>**

with mounting  
bracket, less  
speakers

- Compact Size—For Easy Installation
- Individual Illuminated Channel Lights
- Pushbutton Channel Selector Button
- "Instant-on" Solid State Circuitry

Listen to beautiful 8 track stereo track cartridges in your car. Compact design permits simple installation—even where space is at a premium. Player is only 7 3/8" D x 5 1/2" W x 2 3/4" H in size. Fully automatic operation—turns on when a tape is inserted, changes tracks automatically at the end of each program. A selector button permits you to instantly change tracks. Individual illuminated lights tells you which track is playing. Balance control to adjust for proper stereo channel separation. Separate volume and tone controls. Power output 100 watts. Freq. Response 30-10,000 Hz. For 12 volt neg. ground systems. Adjustable mounting bracket. Imported. Net 39.95  
17 A 01143W Shpg. wt., 5 lbs. No Money Down\* Net 39.95

Pair of Two 3 x 5" matching speaker systems Net 6.95  
99 A 62994 Shpg. wt., 3 lbs. Net 6.95

64 Lafayette Cat. No. 713

**NEW!** Automatic 8 Track Car  
Stereo Tape Cartridge Player  
with FM Stereo Radio



**99<sup>95</sup>**

with mounting  
bracket, less  
speakers

- Compact—Only 2 1/2" x 8" x 7 3/4"
- Illuminated Channel Indicators
- Instant-On Solid State Circuitry
- FM Stereo Indicator Light

Combination stereo tape player and FM stereo radio receiver provides the "Live" reality of either stereo tape or monaural FM and FM stereo broadcasts in your car. Separate stereo volume, tone and balance controls are located on the front panel. The high sensitivity and extremely selective FM multiplex section features 13 selective tuned circuits and a 3 gang tuner. A stereo station indicator glows whenever an FM multiplex broadcast is being received. Other features include: pushbutton channel selector and illuminated channel indicator lights. Power output: 8 watts per channel. For 12V neg. ground. Size: 2 1/2" H x 8" W x 7 3/4" D. Net 99.95  
17 A 26454W No Money Down\* Shpg. wt., 13 lbs. Net 99.95  
Pair of two 3 x 5" matching speaker systems Net 6.95  
99 A 62994 Shpg. wt., 3 lbs. Net 6.95

\*See Page 25 for Full Credit Details on Easy Pay Plan

# Mobile Accessories for 8-Track Car Tape Players

## UNIVERSAL Lock Mount For Car Tape Players



**NEW Low Price**

**795**

### Prevents Theft

- Remove Your Tape Player When Your Car is Unprotected

Prevent the theft of your car stereo tape player. Makes your player removable. Takes minutes to install. Adjustable mount adapts to car stereo tape players or CB transceivers. Once installed, no screws or wires are needed to disconnect player from mount. Plug-in and locks. For 6 or 12 V. neg or positive ground. Dim.: 6 1/2" x 7 1/4" x 1 1/4". 17 A 83010 Shpg. wt., 1 lbs. Net 7.95

## Universal Power Connector Harness for Car Tape Players

**1 95**



Ideal for installing tape players in cars. Features one plug-universal to all car stereo tape players. Inline fuse holder and speaker leads. Complete instructions for: 5 pin, 4 pin, 4 pin "Y", and 4 pin "odd" connections. Shpg. wt., 6 ozs. 17 A 83028 Net 1.85

## Lafayette 8 Track Equipment Check Out and Demo Tape

**2 95**



- Tests And Balances Your Equipment
- Excerpts From Gayne Suite

Every owner of an 8-track tape system should have this tape. Tests and balances your equipment for optimum performance. Test part of tape includes: Speaker phasing, channel separation check, balance check, wow and flutter check. Demo part of tape includes organ and piano music plus excerpts from Gayne Suite by Khachaturian. Shpg. wt., 8 oz. 28 A 91371 Net 2.95

## UNIVERSAL FM Stereo Tuner Cartridge



**29 95**

with Auto-Y antenna

## Converts Stereo 8-Track and 4-Track Car Tape Players Into an FM Stereo Radio

- FM Stereo Indicator Light
- Built-in AFC

Listen to full dimensional FM stereo radio broadcasts in your car. Inserts into your car tape player just like a regular tape cartridge. Requires a 9-volt battery (not included). Features instant-on solid-state circuitry, FM stereo indicator light, built-in AFC to prevent station drift, roll-bar FM tuning, and an auto-Y antenna. Size: 7 1/2" x 3 1/4" x 7/8" D. Imported. 17 A 43053 Shpg. wt., 1 lb. Net 29.95 99 A 60212 9V Battery for above. Net .21

## PAIR OF TRUSONIC DIE-CAST STEREO HI-FI SPEAKERS FOR THE CAR

**29 95**  
Pair

With Grills and Mounting Hardware



- Power Handling: 12-Watts
- For Door or Rear Deck Mounting
- Frequency Response: 50-18,000 Hz

The ultimate in auto speaker design. Powerful 5" full-range speaker delivers brilliant clean highs to 18,000 Hz and deep solid bass down to 50 Hz. Features rigid die-cast frame, free cone suspension, 2 lb. magnet structure and 1" edge-wound wire ribbon voice coil. Handles 12 full watts of power. Custom mounts in door panels or on rear deck. 32 A 49489 2-Speaker Kit. Shpg. wt., 8 lbs. Net 29.95

## 8-Track Test and Head Cleaning Tape Cartridge

ONLY **1 49**



3-in-1 Cartridge

Keep your stereo 8-track tape player sounding new with this professionally calibrated test tape. Cleans tape and restores full richness of tone. Checks for proper alignment of heads to eliminate crosstalk. Checks for proper equalization of channels. 26 A 82016 Net 1.49

## LAFAYETTE Speakers for 8-Track and Cassette Car Stereo Tape Players

### "VARY-MOUNT" FLUSH MOUNTING SPEAKER

**3 95**



Deluxe flush-mounting speaker with beautiful chrome grill. Ideal for use as an auto speaker or anywhere shallow depth is required. Full range speaker has heavy magnet and offers outstanding sound quality. Can also be used as a ceiling or wall mount speaker in your home. Imp., 8 ohms. Overall dia.: 6 1/4". Imported. Shpg. wt., 3 lbs. 99 A 01794 Net 3.95

### PAIR OF 3 x 5 UNDER-DASH MATCHING SPEAKER SYSTEMS

**6 95**




- Full Range Response

Two—3 x 5" wide-range ceramic speakers mounted in plastic housing will mount under dash, under seats, on kick panels, doors, or rear package shelf. Includes all necessary cables and mounting hardware. Imported. Shpg. wt., 3 lbs. 99 A 62904 Net 6.95

### CUSTOM INDOOR SET OF FOUR SPEAKERS & MATCHING GRILLES

**8 95**



Ready for quick installation. Improves the sound and performance of any car tape player. Kit includes: Four 4 1/2" extended range 8-ohm FM speakers; four round custom mount plastic speaker grilles; all necessary hook-up wire with solderless connectors; mounting hardware and easy-to-follow instructions. Imported. Shpg. wt., 3 lbs. 99 A 62881 Net 8.95

### DELUXE PAIR OF REAR DECK MATCHING SPEAKER SYSTEMS

**9 95**



• 5 Watts Peak Handling Power  
Set of two powerful 4" speakers mounted in handsome ebony plastic cabinets with silver trim. Specially designed to mount on car's rear deck. Can also be surface mounted anywhere. Provides outstanding sound reproduction. Includes all necessary cables and mounting hardware. 99 A 62908 Wt., 4 lbs. Net 9.95

# Our Best Selling Portable Cassette Recorders

## LAFAYETTE RK-65 Solid State Portable Cassette Recorder




**19<sup>95</sup>**

with remote control mike, and integrated carrying Handle

- Record Safety Interlock Button
- Single Tape Function Control: Record, Stop, Play, Fast Forward

## New Battery/AC Solid-State Pushbutton Portable Cassette Recorder



**29<sup>95</sup>**

Includes:

- (1) Remote Control Mike and Stand,
  - (2) AC Adapter,
  - (3) Carrying Strap
  - (4) Earphone
  - (5) 30 Minute Blank Cassette Tape
  - (6) 4 "C" Batteries
- No Tape Threading
  - Automatic Record Level Control
  - Ideal for Use in the Office for Dictation

Compact, quality portable cassette recorder is just perfect for instant recording in the classroom, office, home, car or outdoors. Operates on 4 "C" Batteries or 117 VAC with accessory adapter included. Comes complete with all accessories. Built-in Automatic Level Control circuit assures perfect voice recording level regardless of volume control position. Remarkably easy to use—there are no reels to thread—just snap in a cassette for quick recordings of up to 2 hours. Plays back both monaural and stereo music cassettes. Piano key pushbuttons for easy selection of Play, Record, Fast Forward, Rewind, and stop. Jacks are provided for Mike, Remote Control, Aux. input, Earphone Monitor and AC Adapter. Size: 8¼x5¼x2¾"H. Hand-stand charcoal cabinet with metal grills. Imported.

So easy to use! Just snap in a cassette and you are ready to record or play. No tape to thread. Operates on 4 "C" batteries (not included) or 117 VAC house current with optional AC adapter. Instant-on solid state circuitry. Includes dynamic start-stop microphone for remote control operation. Big 2¾" speaker for excellent sound reproduction. Input jack for earphone or extension speaker. Built-in integrated carrying handle. Size 9Lx5¾Wx2½"H. Shpg. wt. 4 lbs. Imported.

|             |  |              |
|-------------|--|--------------|
| 99 A 15828L | ACCESSORIES FOR RK-65                  | Net 19.95    |
| 99 A 35115  | AC Adapter for RK-65, Shpg. wt., 6 oz. | Net 3.95     |
| 99 A 01223  | Lafayette 60 minute Tape Cassette      | Net ea. 1.19 |
| 99 A 62572  | "C" Batteries, 4 Required              | Net .14      |

|                                |                                       |              |
|--------------------------------|---------------------------------------|--------------|
| 27 A 02512L                    | Shpg. wt., 5 lbs.                     | Net 29.95    |
| ACCESSORIES FOR ABOVE RECORDER |                                       |              |
| 99 A 62572                     | Extra "C" Batteries (4 req.)          | Net .14      |
| 99 A 15810                     | Footswitch for Remote Playback, ½ lb. | Net 3.95     |
| 99 A 01223                     | Lafayette 60 minute Tape Cassette     | Net ea. 1.19 |

## LAFAYETTE RK-95 Portable Desk Top AM/FM Radio Cassette Tape Recorder

**SALE 49<sup>95</sup>**

Sale Expires 4/30/71

WAS 54.95  
1971 Cat. 711

- Complete with Remote Control Microphone with Stand, Blank 60 Minute Cassette, Earphone, Vinyl Accessory Pouch, Shoulder Strap and Batteries

- Direct Recording From Radio to Recorder
- Instant-On Solid-State Circuitry

Sensational combination of a quality AM-FM RADIO and Cassette recorder lets you record broadcasts directly, or live with a microphone. You can permanently build your own tape library of fine music, world-wide news events as they happen, historic speeches by renowned statesmen, thrilling sports events like the World Series and the Super Bowl. Easy to use—no tape threading, push-button controls, record safety interlock button, AC bias and erase system, dynamic speaker for outstanding tonal quality, recording level and battery indicator. Can record up to 120 minutes (both tracks) on one standard Cassette. External speaker output. Operates on 4 "C" batteries or 117VAC 60 Hz with optional adapter (see below). Includes Aux. input and remote control mike output. Tape speed 1½ ips. Radio tunes: FM 88-108 MHz, AM 550-1600 kHz. Beautiful black case with chrome and walnut wood trim. Size: 7Wx9½Dx2½"H. Imported.

|                       |                                   |           |
|-----------------------|-----------------------------------|-----------|
| 27 A 01126L           | Shpg. wt., 5¼ lbs.                | Net 49.95 |
| ACCESSORIES FOR RK-95 |                                   |           |
| 27 A 01110L           | AC Adapter, Shpg. wt., ½ lb.      | Net 3.95  |
| 99 A 15810            | Lafayette Foot Switch, Wt., 6 oz. | Net 3.95  |
| 24 A 01223            | Lafayette 60 Minute Tape Cassette | Net 1.19  |
| 99 A 62572            | Extra "C" Batteries (4-required)  | Net .14   |



# Portable Solid State Stereo Cassette Tape Recorders

## Deluxe Pushbutton Battery/Electric Cassette Recorder



Case



Batteries

only  
**49<sup>95</sup>**  
Including these  
Accessories



Blank Cassette



Patch Cord



Remote Control Mike



Earphone

- Professional AC Bias Recording System with ALC
- Reliable Instant Start Solid-State Circuitry
- Cassette "Semi-Slot" Loading For Ease of Operation

One of the finest portable cassette recorders offered by Lafayette—Operates on 4 "C" batteries, or, 117VAC with built-in AC line cord. Plays and records up to 2-hours using standard type cassettes. Cassette semi-slot loading and pop-up removal for complete ease of operation. Six piano-type keyboard pushbuttons: Play, Record, Fast-Forward, Rewind, Stop, and Cassette Eject. Automatic Level Control (ALC) to keep loud tones from distorting. Also features: dual purpose battery level and recording meter, record safety interlock, individual Tone and Volume controls, Auxiliary input for radio, phono, or tape recorder for tape duplicating, external speaker/headphone jack. Speed 1 7/8 ips. Handsomely styled cabinet enhanced by simulated walnut wood grain panels. Sizes: 10 1/2" x 5 1/4" W x 2 5/8" H. Imported. Shpg. wt., 5 lbs.

27 A 02298L No Money Down\* Net 49.95  
99 A 62572 Extra "C" Batteries (4-required) Net ea. .14  
28 A 01223 60 Minute Blank Cassette Tape Net 1.19



Semi-Slot Loading

6 Pushbutton Controls!

### HITACHI Portable Battery/Electric 4-Track Stereo Cassette Recorder

### Panasonic RF7490 FM/AM/FM Stereo Portable Radio Cassette Recorder



- Operates on 6 "D" Batteries or 117 VAC House Current

**99<sup>95</sup>**

with batteries and earphone

Compact, lightweight traveling companion, for the music lover. Easy-to-carry cassette stereo tape recorder. Plays anywhere, anytime. Operates on 117V, 60 Hz. AC, house current, or on standard "D" type flashlight batteries. Two swing-out extension cabinets each contain a 5" speaker. Provides excellent stereo sound reproduction and full dimensional stereo separation. Features "Levelmatic" (automatic record level control). Also has pushbutton control; level and tone controls for each channel; two record level VU meters and remote control jack. Frequency Response: 100 to 10,000 Hz. Speed: 1 7/8 ips. Circuitry: 16 transistors, 10 diodes, 4 thermistors. Size: 11 x 6 1/4 x 8 3/4". Imported. Shpg. wt., 14 lbs.

27 A 23013W No Money Down\* Net 99.95  
Extra "D" Batteries for above (6 req.) Net ea. .15  
99 A 62564 Net 1.19  
28 A 01223 60 Minute Blank Cassette Tape Net 1.19



**149<sup>95</sup>**

With 6 "D" batteries, remote control mike, earphone and pre-recorded tape Cassette

- Operates on 6 "D" Batteries or 117 VAC House Current

Its unique twin-case fold-away concept with hide-away carrying handle offers the ultimate in portable stereo radio/cassette entertainment. The Radio's separate FM and AM tuning dials permit accurate station selection on both bands. AFC on FM locks in signal for crystal clear, drift-free reception. Two 6" x 4" oval PM dynamic speakers deliver excellent sound with full tonal range most pleasing to your ear. The "Tri-Purpose" meter tells you when you are precisely tuned, also functions as a VU meter, and as a battery drain indicator. Built-in stereo cassette recorder features push-button controls, and easy-change cassette pop-up for easy and convenient operation. Input for plugging in a record changer. Instant on Solid State circuitry for extreme reliability and constant high-level performance. Size: 13 1/2" x 11 x 5". Imported. Shpg. wt., 13 lbs.

27 A 12263W No Money Down\* Net 149.95  
99 A 62564 Extra "D" batteries — 6 req. Net ea. .15  
28 A 01223 60 Minute Blank Cassette Tape Net 1.19

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 67

# NEW LAFAYETTE RK-760A Solid State Stereo Cassette Tape Deck with Switchable Bias Equalizer



ONLY **99<sup>95</sup>**  
Less Microphone

- STD/CRO-2 Switch on Front Panel for Recording with Chromium Dioxide Tape
- Sound with Sound Mixing
- 3 Digit Tape Counter with Reset Button
- Large Color Illuminated Dual Channel VU Level Record Meter
- 7-Pushbutton Tape Functions Including Pause for Cueing and Editing
- Visual Record Indicator Light
- Cassette Ejector Button • Semi-Slot Tape Loading

**Records 4-Track Stereo and 2-Track Monaural  
Plays Back 4 and 2-Track Stereo and Monaural**


Magnificent solid-state stereo cassette tape deck featuring Switchable Bias Equalization. An STD/CRO-2 bias equalizer switch on the front panel permits choice of recording on the RK-760A with either a standard cassette tape or the new revolutionary chromium dioxide (CRO-2) cassette tapes. CRO-2 tape increases high frequency level up to 8db, and reduces inherent tape noise (hiss) for superb studio-type stereo cassette recordings. Connects into any standard amplifier or receiver tape input and output. Has semi-slot tape loading for complete ease of operation plus a full set of pushbutton controls for all tape functions: Record, Play, Stop, Rewind, Fast-Forward, Pause, and Cassette Eject. The record button incorporates a safety-interlock to prevent accidental erasures. Includes left and right channel dual concentric record level controls—enables you to make sound with sound recordings. Simultaneously record live with mikes and thru an external source such as record changer, Tuner,

or another tape recorder. Tape speed is a constant 1 1/2 ips. Specifications: 4-pole hysteresis synchronous AC motor, AC biasing and erase frequency: 95 kHz Playback output 1 volt. Frequency Response: 30 to 12,000 Hz. S/N Ratio: Better than 48 db. Overall Distortion: less than 2.5% at 0 VU recording. Channel Separation: 35 db at 1 kHz for 0 VU Recording. Input: 2-mike, 2-high level tape. Mike Input Sensitivity: 1.0 mv for 0 VU at 10K ohms. Tape Input Sensitivity: 90 mv for 0 VU at 50K ohms. Wow and Flutter: Less than 0.3%. Outputs: 2-tape. Handsome walnut side panels, brushed aluminum gold anodized extruded front panel. For 117 VAC. 60 Hz. Imported. Size: 12 3/4" x 4 1/2" x 9 1/2".  
99 A 15669W Shpg. wt., 1 1/2 lbs. No Money Down\* Net 99.95  
99 A 46161 Dynamic Mike. Imported. Shpg. wt., 8 oz. Net ea. 6.50  
28 A 01223 Standard 60 Minute Cassette Recording Tape. Net ea. 1.19  
28 A 47002 CRO-2 60 Minute Cassette Recording Tape. Net ea. 2.99

## Deluxe Lafayette RK-510 Solid-State Stereo Cassette Recorder



### RK-510 CASSETTE TAPE RECORDER SYSTEM



Only **179<sup>95</sup>** No Money Down\*

**SAVE 8.50**  
From Individual Catalog Prices  
When You Purchase RK-510  
With Criterion 25A Speakers

Lafayette Model RK-510 Stereo Cassette Recorder Plus 2 Lafayette Criterion 25A Speaker Systems. See Page 18 for complete description of Criterion 25A. Shpg. wt., 30 lbs.  
99 A 99459WX Net 179.95

**149<sup>95</sup>** with mikes less speakers

- Narrow-Gap Record/Playback Heads with 4-Laminations Per Stack For Virtually Distortion-Free Performance
- 10 Watt Solid-State Stereo Amplifier
- 2-Mic. and 4-Aux. Input Jacks

Superb hi-fidelity stereo cassette tape recorder (less speakers) featuring the convenience of no tape threading. Includes the latest type narrow-gap record/playback heads with four laminations per stack to deliver wide-band frequency response and virtually distortion-free performance. Records 4-track stereo and 2-track monaural, playback 4 and 2-track stereo and monaural. 2-mike input jacks are located on the front panel for live recording. Jacks for external recording from record changer or phono, and an FM stereo tuner are provided on the rear of the recorder. Has 6-pushbut-

ton controls for all tape modes including Pause for instant editing and cueing. 3-digit tape counter with reset button. Large dual illuminated VU record level meters. Handsome brushed aluminum gold anodized extruded front panel. Attractive metal enclosure with the simulated look of rich walnut grain. Frequency Response  $\pm 2$  db 30-12,500 Hz; Wow and Flutter, less than 0.2% rms. Signal-to-Noise—better than 44 db @ 0 VU. Channel Separation—36 db. Bias Frequency—106 kHz. For 110-125 VAC., 50/60 Hz. Imported Size: 14 3/4" x 4 1/2" x 8 1/2" D. Shpg. wt., 13 lbs. 99 A 15779WX No Money Down\* Net 149.95

# Record Your Own Cassette Tape Library

## Lafayette 100-Watt Solid-State AM/FM Stereo Cassette/Receiver



**229.95**  
 Plus  
**Free Bonus**  
 with Purchase of LRK-1600  
 or LRK-1600 system  
 12 Sixty Minute  
 Lafayette Cassette  
 Recording Tapes  
 Bonus Expires April 30, 1971

Model LRK-1600

- 7 Pushbutton Tape Functions Including Pause for Instant Editing & Cueing
- Semi-Slot Tape Loading for Complete Ease of Operation
- Automatic FM Stereo Switching and Stereo Indicator Light
- Speaker Mode Switch: Main, Remote, Main and Remote
- Simultaneous Sound-with-Sound Recording Facilities

The LRK-1600 adds the complete recording and playback facilities of a professional stereo cassette recorder with a superb 100 watt AM/FM stereo receiver. Add a pair of speakers and you have a complete, versatile, ready-to-play home music system. Build a great stereo cassette library: just connect a turntable and put your favorite records on tape; record AM, FM or FM stereo directly from the tuner section; connect a reel-to-reel tape recorder and convert ordinary tapes into compact cassettes; connect a pair of stereo microphones (2 mike input jacks are located on the front panel) and record your own music live, or most important—make sound-with-sound recordings (record live with a mike simultaneously while recording an external source such as broadcast, records, tape). Exceptional quality and performance are assured by the use of 4-Integrated Circuits (IC's), 4-Field-Effect-Transistors (FET's), 24-transistors, and 25-diodes. You'll hear more stations, as well as brilliant FM stereo reception with amazing noise-free clarity. Outstanding features and specifications: Receiver section—Power Output 100 watts  $\pm$ 1 db; FM Tuner IHF Sensitivity 1.7  $\mu$ v; front panel stereo headphone jack; illuminated AM and FM tuning meter. Push-button switches for Loudness, Stereo-Mono, Tape Monitor, High Filters, Black-face tuning dial, Cassette Section: 4-pole Hysteresis Synchronous motor; dual channel VU recording meter; record Indicator light; Cassette Ejector Button; 3-Digit Counter with Reset Button. Records 4-track stereo and 2-track mono, plays back 4 and 2-track stereo and mono. Low profile enclosure with walnut side panels. Size: 21 $\frac{1}{2}$ "L x 5 $\frac{3}{4}$ "H x 14"D. For 105-120VAC. Imported.

LRK-1600 Plus 12 Tapes. Shpg. wt., 30 lbs. Net 229.95  
 99 A 02540WXM No Money Down\*  
 99 A 46181 Dynamic Mike for LRK-1600, Wt., 8 oz. Net 6.50  
 28 A 01308 Deluxe 60 Min. Blank Tape Cassette, Wt., 2 oz. Net 1.50



### LRK-1600 Cassette/Phono— Hi-Fi System



Carrard 40B With Pickering P/ATE-1 Cartridge

SP55 Stereo Headphone

**COMPLETE SYSTEM PLUS BONUS TAPES** **306.95** **YOU SAVE 69.80**  
 No Money Down\* From Individual Catalog Prices

Magnificent 100-watt component Hi-Fi System featuring the LRK-1600 Cassette/Receiver, Carrard 40B 3-speed automatic record changer with base, Pickering P/ATE-1 elliptical stereo cartridge, 2-Lafayette Criterion 50A's Bookshelf Speaker Systems (See pg. 18 for description of the Crit. 50A's), and Lafayette's best selling Model SP-55 Stereo Headphone.

LRK-1600 System with 12 Tapes. Shpg. wt., 97 lbs. Net 306.95  
 99 A 02578WXM


## Advocate "DOLBY" Solid State Noise Reducer For Tape Recorders

**ONLY 125.00**

- Lowers Noise—Provides An Extra 10 db of Usable Dynamic Range in Cassette and Open Reel Recorders

Drastically reduces High Frequency noise and hiss that plagues wide range open reel and cassette recording at low speeds by 90%. Utilizes famous DOLBY System of noise reduction now used for master taping and other critical studio applications by virtually every major professional recording company. Can be added to any tape deck or any self-contained recorder with audio inputs and outputs. Besides providing the Dolby System, it becomes a functional recording center that takes over the setting of recording balances and levels. Specifications: Distortion: Less than 0.4% THD at Dolby Level; Input Sensitivity: 30mv for Dolby Level (0 VU); Input Imped.—50K ohms. All solid state circuitry. Size: 12 $\frac{3}{4}$ "W x 7"D x 2 $\frac{1}{2}$ "H. For 110 VAC 60 Hz. Shpg. wt., 9 lbs.

27 A 24003W No Money Down\* Net 125.00



Model 101

\*See Page 25 for Full Credit Details on Easy Pay Plan

# Solid-State Stereo Cassette Players and Recorders for the Car

## HITACHI TRQ-206 CAR/PORTABLE CASSETTE PLAYER/RECORDER



## AMPEX MICRO 44 SOLID-STATE CAR STEREO CASSETTE PLAYER WITH FM/FM STEREO RADIO



**99<sup>95</sup>**

No Money Down\*

Includes

Mounting Bracket with Lock and Key, Connecting Cable, Remote Control Microphone, Power Cord, Demonstration Tape

- 3-Way Operation—AC, Battery, or Car Battery
- Stereo Playback in the Car and Home Using Optional Speakers
- Monaural Record/Playback

**169<sup>95</sup>**

Less Speakers

With Universal Mounting Bracket, Wiring Harness and Antenna Adapter Cable

- Simple Push-in Slot Loading Of Cassette Tapes
- Automatic Eject and Turn-Off
- FM Stereo Indicator Light

Sensational and versatile cassette tape system. Features special bracket for auto mounting with lock and key included for 12 volt DC Neg. ground systems. Removable for use as a portable with its own batteries (operates on 8 "C" Cells not included)—or operates in the home on 117VAC 60 Hz. Built-in wide range speaker. Semi-slot tape loading. Automatic stop and eject. Fast Forward and rewind. Separate Tone and balance controls. External speaker jacks for stereo. Size 9½" x 3½" x 10½".

27 A 23054 Shpg. wt., 8½ lbs. Imported Net 99.95

Deluxe Set of 2 Rear Deck Matched Speaker Systems. Net 9.95

99 A 62986 Shpg. wt., 4 lbs. Imported Net 9.95

99 A 62572 "C" Batteries—8 Req. Wt. 1 lb. Net ea. .14

Enjoy the convenience of stereo cassette tapes in your car . . . plus the luxury of standard FM and FM Stereo broadcasts from one compact unit. Features fully automatic operation; fast slot load "Star System"; single lever function control for Eject/Off, Fast Forward and Rewind; illuminated FM tuning dial; stereo indicator light; AFC, Local/Long distant switch and Mono/Stereo FM reception. Thumb-wheel control for Volume, Balance, Tone and FM tuning. Has built-in noise suppression filters. 20-watts output power. Response: 40-15,000 Hz Radio; 40-10,000 Hz Tape. Sensitivity (FM): 4 µV. For 12V., neg/ grnd., car system. Size: 9¼ x 9 x 4¼". Imported.

17 A 57012 Shpg. wt., 12 lbs. No Money Down\* Net 169.95

Deluxe Set of 2-Lafayette Rear Deck Matched Speakers. Imported. Net 9.95

99 A 62986 Shpg. wt., 4 lbs. Net 9.95

# Specialty Cassette Recorders for the Home or Office

## NEW PANASONIC RE-6600 AM/FM DIGITAL CLOCK RADIO WITH BUILT-IN CASSETTE TAPE RECORDER



**99<sup>95</sup>**


With Earphone and Remote Control Mike

wake up to Alarm, wake up to Radio, or wake up to Pre-Recorded Cassette Tape

Combination Full-Feature Digital Clock FM/AM radio and a custom Cassette Tape Recorder. Clock Radio features: 24 hour timer, continuous tone control, full range 4" dynamic speaker, and AFC on FM. Cassette Recorder features: Auto-stop, Easy-matic Recording Level Control and push button controls. All solid state circuitry of extreme reliability. Built-in FM line cord and AM ferrite core antennas. Earphone/Ext. speaker jack; phone and mike input jack. With earphone and remote control mike. Size: 4½"H x 18¾"W x 10"D. Shpg. wt., 10 lbs. For 120VAC, 60 Hz. Imported.

17 A 31066W No Money Down\* Net 99.95

## NORELCO 1140 EXECUTIVE MINI CASSETTE RECORDER



**89<sup>95</sup>**

With Remote Control Mike and 60 Minute Cassette

Handsomely styled miniature cassette recorder with solid state integrated circuitry for outstanding performance and reliability. Pushbutton controls for record, play, fast forward/rewind, stop, and cassette eject. Automatic Record Level for perfect recordings. Safety system prevents accidental erasure of pre-recorded cassettes. Operates on 4 "AA" batteries (not included) or 117VAC with optional AC Adapter. Imported. Shpg. wt., 3 lbs.

27 A 48366L No Money Down\* Net 89.95

BE70 AC Adapter-wt. 1 lb. Net 9.95

27 A 48358 Net 9.95

"AA" Batteries-(4 req) Net ea. .10

99 A 62580 Net 9.95

70 Lafayette Cat. No. 713

\*See Page 25 for Full Credit Details on Easy Pay Plan



# LAFAYETTE RECORDING TAPES

## LAFAYETTE'S GUARANTEE — YOU BE THE JUDGE!

Lafayette's tape is made by outstanding nationally known manufacturers. It is first quality, splice free, red oxide coated, with full frequency response, uniform output and no "drop-outs." Resistant to moisture, heat,

cold and abrasion. If for any reason you are dissatisfied return the tape within 30 days and we will refund your money less only transportation charges. You are the sole judge.



### LAFAYETTE ACETATE RECORDING TAPE

| Stock No.  | Feet | Reel | Mils  | Wt. lbs. | Net Per Reel |      |       |
|------------|------|------|-------|----------|--------------|------|-------|
|            |      |      |       |          | 1-4          | 5-24 | 25 Up |
| 28 A 01025 | 600  | 5"   | 1 1/2 | 1/2      | .99          | .90  | .85   |
| 28 A 01033 | 900  | 5"   | 1     | 3/4      | 1.20         | 1.10 | .99   |
| 28 A 01017 | 1200 | 7"   | 1 1/2 | 1        | 1.59         | 1.49 | 1.35  |
| 28 A 01041 | 1800 | 7"   | 1     | 1 1/4    | 1.98         | 1.88 | 1.79  |

### LAFAYETTE TENSILIZED MYLAR® TAPES

| Stock No.  | Feet | Reel   | Mils  | Wt. lbs. | Net Per Reel |      |       |
|------------|------|--------|-------|----------|--------------|------|-------|
|            |      |        |       |          | 1-4          | 5-24 | 25 Up |
| 28 A 01080 | 300  | 3"     | 1/2   | 3/4      | .68          | .63  | .59   |
| 28 A 01108 | 600  | 3 1/4" | 1/2   | 1/2      | .99          | .90  | .81   |
| 28 A 01116 | 1200 | 5"     | 1     | 1        | 2.25         | 2.03 | 1.83  |
| 28 A 01082 | 2400 | 7"     | 1 1/4 | 1 1/4    | 3.49         | 3.14 | 2.86  |
| 28 A 01231 | 3600 | 7"     | 1 1/2 | 1 3/4    | 4.98         | 4.49 | 3.99  |

### LAFAYETTE MYLAR® RECORDING TAPE

| Stock No.  | Feet | Reel | Mils  | Wt. lbs. | Net Per Reel |      |       |
|------------|------|------|-------|----------|--------------|------|-------|
|            |      |      |       |          | 1-4          | 5-24 | 25 Up |
| 28 A 01058 | 1200 | 5"   | 1 1/2 | 3/4      | 1.75         | 1.58 | 1.42  |
| 28 A 01066 | 1800 | 7"   | 1     | 1 1/4    | 2.14         | 1.93 | 1.75  |
| 28 A 01074 | 2400 | 7"   | 1 1/2 | 1 1/4    | 3.10         | 2.79 | 2.51  |

\*Mylar is the registered DuPont trademark for its polyester film

### CRITERION® DELUXE BLANK TAPE CASSETTES



- Head Cleaning Tape on Each Cassette
- Super-Calendered Tape to Minimize Wear and Improve Frequency Response

- Sensing Foils to Actuate Machines with Reversing Mechanisms
- With Plastic Album Storage Box

Lafayette's best recording tape cassettes manufactured to our specifications, with extra deluxe features. Deep lubricated, super-calendered tape in an improved black plastic cassette, minimizes tape head wear and provides better low and high frequency response. Head cleaning tape at one end removes accumulated material from recorder heads. Sensing foils at each end actuate recorders having automatic reversing capabilities, but may also be used on all cassette recorders. Comes in hard plastic album storage box. Imported. Shpg. wt., 5 oz.

| Stock No.  | Model No. | Playing Time | NET EACH |       |
|------------|-----------|--------------|----------|-------|
|            |           |              | 1-9      | 10 up |
| 28 A 01298 | C-30      | 30 Minutes   | 1.23     | 1.11  |
| 28 A 01306 | C-60      | 60 Minutes   | 1.90     | 1.35  |
| 28 A 01314 | C-90      | 90 Minutes   | 2.40     | 2.16  |
| 28 A 01322 | C-120     | 120 Minutes  | 3.18     | 2.86  |

### CRITERION® HI-FI CASSETTES



As Low As **220**  
In Lots of 25

- Wide Dynamic Range—30-20,000 Hz Response
- Super-Calendering Minimizes Wear and Improves Frequency Response
- Head Cleaning Tape on Each Cassette
- Sensing Foils to Actuate Machines with Reversing Mechanisms
- Low Noise—High Output

These Lafayette ultra-dynamic hi-fi cassettes are the only ones having all of these deluxe features and represent the peak of cassette excellence. Advanced oxide formulation provides a wide dynamic range with a frequency response of 30-20,000 Hz. The low noise, distortion-free high output results in the highest performance that can be expected of a cassette tape. Each tape has a section of head cleaner at one end and sensing foils at each end to actuate equipment having automatic reversing capabilities, but may be used on all cassette recorders. In hard clear plastic hinged album storage box, imported. Shpg. wt., 5 oz.

|   |                   |
|---|-------------------|
| C-60UD 60 MINUTE HI-FI CASSETTE<br>99 A 15851 | 1-11 Net ea. 2.89 |
| 12-24 Net ea. 2.59 25 or more Net ea. 2.20    |                   |
| C-90UD 90 MINUTE HI-FI CASSETTE<br>99 A 15901 | 1-11 Net ea. 3.49 |
| 12-24 Net ea. 3.10 25 or more Net ea. 2.79    |                   |

Lafayette Stocks A Complete Line Of Tape Accessories

### LAFAYETTE TAPE FOR AUTOMATIC REVERSING TAPE RECORDERS

| Stock No.  | Feet | Reel | Description          | Net Per Reel |      |       |
|------------|------|------|----------------------|--------------|------|-------|
|            |      |      |                      | 1-4          | 5-24 | 25 Up |
| 28 A 01165 | 1200 | 5"   | 1/2 mil mylar        | 1.99         | 1.84 | 1.67  |
| 28 A 01173 | 1200 | 7"   | 1 1/2 mil acetate    | 1.84         | 1.73 | 1.62  |
| 28 A 01181 | 1800 | 7"   | 1 mil mylar          | 2.89         | 2.69 | 2.43  |
| 28 A 01199 | 2400 | 7"   | 1 1/2 mil tens mylar | 3.99         | 3.74 | 3.32  |

### LAFAYETTE ECONOMY BLANK TAPE CASSETTES



As Low As **69c**

High quality tape assures full fidelity recording. Records and plays 2-tracks at 1 1/2 ips. Super strong polyester base. Proper lubrication for longer tape life. Protects heads. Imported. Shpg. wt., 4 oz.

| Stock No.  | Model No. | Playing Time | NET EACH |      |       |
|------------|-----------|--------------|----------|------|-------|
|            |           |              | 1-2      | 3-9  | 10 Up |
| 28 A 01280 | C-30      | 30 Minutes   | .99      | .79  | .69   |
| 28 A 01223 | C-60      | 60 Minutes   | 1.19     | .99  | .89   |
| 28 A 01207 | C-90      | 90 Minutes   | 1.99     | 1.79 | 1.59  |
| 28 A 01215 | C-120     | 120 Minutes  | 2.49     | 2.19 | 1.99  |

### LAFAYETTE 8-TRACK CARTRIDGE



#### MYLAR RECORDING TAPE

As Low As **1<sup>29</sup>**

Continuous loop 8-track cartridges well lubricated to preserve tape life. Fits all standard 8-track recorders and players. With UNI-tension pressure pads, precision molded tape guide. Shpg. wt., 6 oz.

| Stock No.  | Record Time | Net Ea. |      |       |
|------------|-------------|---------|------|-------|
|            |             | 1-5     | 6-11 | 12 up |
| 28 A 01330 | 30 Min.     | 1.69    | 1.49 | 1.29  |
| 28 A 01348 | 60 Min.     | 1.95    | 1.79 | 1.49  |
| 28 A 01355 | 80 Min.     | 2.25    | 2.05 | 1.85  |

### SHAMROCK RECORDING TAPE

- Made by Leading U.S.A. Manufacturer
- Extra Strong Polyester Base
- Factory Boxed

|  |   |   |
|--|---|---|
| 1200 FT. 1 1/2 MIL<br>AS LOW <b>99c</b> LOTS of 12 | 1800 FT. 1 MIL<br>AS LOW <b>1<sup>29</sup></b> LOTS of 12 | 2400 FT. 1/2 MIL<br>AS LOW <b>2<sup>19</sup></b> LOTS of 12 |
|--|---|---|



POLYESTER TAPE ON 7 INCH REELS


Prime quality, first line extra-strength polyester base recording tape supplied by one of America's top manufacturers. Available on 7" reels in 1200, 1800, and 2400 foot lengths at great savings. Shpg. wt., 1 lb. 1200 Ft. 1 1/2 MIL

|                             |              |
|-----------------------------|--------------|
| 28 A 19001                  | 1-4 ea. 1.19 |
| 5-11 ea. 1.09, 12 up .99    |              |
| 1800 Ft. 1 MIL              |              |
| 28 A 19019                  | 1-4 ea. 1.59 |
| 5-11 ea. 1.49, 12 up 1.29   |              |
| 2400 Ft. 1/2 MIL TENSILIZED |              |
| 28 A 19027                  | 1-4 ea. 2.50 |
| 5-11 ea. 2.39, 12 up 2.19   |              |

Lafayette Cat. No. 713 71

# Accessories For Cassette Players and Recorders

## DELUXE CASSETTE TAPE STORAGE CABINET



14<sup>95</sup>

- Holds Up to 32 Cassettes
- Store in Bookcase or on Wall, on Top of Desk, or Stereo Cabinet

Contemporary styling to fit every home. Beautiful Brazilian grained walnut finish. Attractive burgundy styrene sliding doors. Individual tape compartments. Size: 21 x 4 x 7½" D. Shpg. wt., 5½ lbs.

28 A 78088W Net 14.95

## SOLID STATE CASSETTE AM & FM RADIO TUNERS



AM RADIO TUNER

6<sup>95</sup>

FM RADIO TUNER

12<sup>95</sup>

- Converts Most Cassette Tape Recorders and Players into a Sensitive Radio

Miniaturized, solid-state radio tuner circuit with self-contained battery (included). Same size as any standard blank or prerecorded cassette. Take it anywhere, play it anywhere. Plays directly through the amplifier and speaker system of your cassette player or recorder. High-impact break resistant case. Size 4x2½x¾". Imported. Wt. ½ lb.

28 A 43019L AM Radio Tuner ..... Net 6.95  
28 A 43027L FM Radio Tuner ..... Net 12.95

## CASSETTE HEAD CLEANER AND TEST TAPE



1.49

### 3-in-1 Cassette


- 1) Tests for Proper Head Alignment
- 2) Tests for Stereo Balance
- 3) Cleans Tape Head

Keep your cassette player sounding like new with this professionally calibrated test tape. Cleans tape heads to restore full richness of tone. Checks for proper alignment of heads to eliminate crosstalk. Checks for proper balance and equalization of channels. Shpg. wt., 6 oz.

28 A 92024 ..... Net 1.49

72 Lafayette Cat. No. 713

## CASSETTE TAPE CARTRIDGE STORAGE RACK



10<sup>95</sup>

- Holds Up To 48 Tapes
- Lazy Susan Type Base

Attractively styled wood and masonite cassette cartridge storage rack with simulated walnut vinyl finish. Has "Lazy Susan" type base for easy access to your cassettes. Size: 7½x7½x10" H. Shpg. wt., 3¼ lbs.

28 A 78056W Net 10.95

## CASSETTE TEST STROBE




3<sup>90</sup>

Checks your cassette recorder/player for proper speed. Too fast causes flutter; too slow creates tape drag or wow. Strobe tape and light built into standard cassette. For 110 VAC 50/60 Hz. Shpg. wt., 5 oz.

28 A 72414 ..... Net 3.90

## LAFAYETTE FOOT SWITCH



3<sup>95</sup>

Ideal for Stenographic Transcribing

Gives your cassette recorder the versatility of a dictating machine. Plays when the foot switch is depressed, stops when released. Simply plugs into "remote" jack. 5 ft. cable with micro-miniature plug. Imported. Shpg. wt., 1 lb.

89 A 15810 ..... Net 3.95

## TAPE HEAD CLEANER



Only

99<sup>c</sup>

Use in any cassette recorder, removes coating deposits from tape heads, restores both volume and high frequency response. Can be reused many times. Shpg. wt., 6 oz.

28 A 16015 ..... Net .99

## CASSETTE TAPE SPLICER



1.95

Sturdy precision instrument for use in all splicing and editing of cassette tapes.

28 A 78080 Shpg. wt., 7 oz. ..... Net 1.95

## DELUXE CASSETTE TAPE CARRYING CASE



Only

7<sup>95</sup>

- Holds up to 30 Cassettes

Solid wood construction. Durable black alligator vinyl covering with attractive red push interior. Horizontal storing of cassettes permits immediate visibility of all titles. Equipped with lock and key and handle.

28 A 78072 Shpg. wt., 3½ lbs. .... Net 7.95

## CASSETTE "CARRY-ALL" PORTABLE CASE



7<sup>95</sup>

Holds up to 6 Cassettes and Most Portable Cassette Recorders

- Measures up to 10"D x 5½"W x 2¾"H

Carry your cassette recorder, tapes and accessories in one handy case. Rich leather textured vinyl with sturdy compartments in a suede-like finished interior.

28 A 78114 Shpg. wt., 2 lbs. .... Net 7.95

## UNIVERSAL CARRYING CASE FOR PORTABLE CASSETTE RECORDERS



2<sup>95</sup>

- Measures 9½"D x 5¾"W x 2½"H

Durable black texon carrying case for most portable cassette recorders. Double adjustable strap. Shpg. wt., 1 lb.

28 A 27020 ..... Net 2.95

## CASSETTE CARRYING CASE



1.95

- Holds 12 Cassettes

Black vinyl with chrome trim, shoulder strap, and spring snap lock. Dim: 6½xLx5½xHx3" D.

28 A 27012 Shpg. wt., 1 lb. .... Net 1.95

# Prices Cut on LAFAYETTE Pre-Recorded Stereo Cassette Tapes



**SENSATIONALLY  
PRICED  
AT ONLY 2.29  
EACH**

- 28 A 41013L 1812 Overture/Russian Eastern Overture/Polovetsian Dances/A Night On Bald Mountain—Vienna Symphony Orchestra. Playing Time 55:36.
- 28 A 41021L Bolero/España Rhapsodie/The Sorcerer's Apprentice/Afternoon of a Faun—Vienna Symphony Orchestra. Playing Time 44:28.
- 28 A 41039L Beethoven: Piano Concerto #5 (Emperor) Alfred Brendel Soloist, Pro Musica Orchestra, Vienna. Playing Time 38:43.
- 28 A 41435L Beethoven: Symphony No. 5. Cento Soli Orchestra of Paris. Playing Time 26:36.
- 28 A 41450L Beethoven: Symphony No. 6. "Pastoral", Vienna Symphony Orchestra, Klemperer, Cond. Playing Time 42:31.
- 28 A 41443L Beethoven: Symphony No. 7. London Symphony, Van Remoortel, Cond. Playing Time 33:44.
- 28 A 41062L Tchaikovsky: Symphony No. 6 "Pathétique" Holsreiser. Conductor—Filarmonica Triestina. Playing Time 44:00.
- 28 A 41377L Tchaikovsky: Sleeping Beauty—Swan Lake Ballet Suites. Vienna Symphony Orchestra. Playing Time 39:02.
- 28 A 41054L Rachmaninoff: Piano Concerto #2—Tchaikovsky: Piano Concerto #1—Felicja Blumental Soloist, Orchester Oer Wiener Musikgesellschaft. Playing Time 61:35.
- 28 A 41070L Grieg: Peer Gynt Suites—Bizet: L'Arlesienne Suites, Bamberg Symphony Orchestra. Playing Time 49:20.
- 28 A 41344L DeFalla: The Three Corned Hat: Vienna Symphony Orchestra. Playing Time 38:35.
- 28 A 41351L Liszt: Piano Concerto No. 1 & No. 2. Alfred Brendel, Soloist—Pro Musica Orch. Vienna. Playing Time 37:18.
- 28 A 41369L Mendelssohn: Symphony No. 4 "Italian"—Tchaikovsky: Capriccio Italien—Orch. Der Wiener Musikgesellschaft. Playing Time 41:29.
- 28 A 41401L Vocal Highlights from Madam Butterfly, Soloists and Orchestra from the Milan Opera. Playing Time 41:24.
- 28 A 41476L Berlioz: Symphonie Fantastique, Bamberg Symphony Orchestra, Perlea Cond. Playing Time 54:28.
- 28 A 41302L Tribute to Mantovani by the Hollywood Strings—Lovers of Paris, Lover's Waltz, The Golden Touch, Plus other selections. Playing Time 24:50.
- 28 A 41419L Great Million Sellers: Never on Sunday—Los Espanoles, Vanity—Don Cherry, Peter Gunn—Embers & Candido, You Made Me Love You—Karin Chandler, Greensleeves—Joe Zawinul, plus 5 more hits. Playing Time 24:03.
- 28 A 41427L Elegant Viols—The Philharmonic Strings, C'est Si Bon, C'est Magnifique, Isle of Capri, If I Love Again, Lovers Theme, Brahms Waltz plus 5 more selections. Playing Time 27:24.

- 28 A 41088L Gershwin's Rhapsody in Blue—American in Paris—London Pops Orchestra. Playing Time 30:79.
- 28 A 41096L Hits from: My Fair Lady—Camelot—GiGi—Sound of Music—Hollywood Radio City Orchestra and Chorus. Playing Time 26:35.
- 28 A 41104L Hits from Oklahoma—South Pacific—King & I—Flower Drum Song—Hollywood Radio City Orchestra and Chorus. Playing Time 26:06.
- 28 A 41138L Hollywood Strings Play Rogers & Hammerstein. Playing Time 28:46.
- 28 A 41146L Hollywood Strings Play Irving Berlin. Playing Time 28:19.
- 28 A 41229L Great Movie Themes—London Pops Orchestra—Exodus, Around the World in 80 Days, Picnic, Moulin Rouge, Merry Widow. Playing Time 28:51.
- 28 A 41153L Mardi Gras Time with the Dukes of Dixieland. Playing Time 36:51.
- 28 A 41161L Percussion Espanol—Charlie Fix and Orchestra—Hoot Blues, Guajira, Holiday, Hollywood Cha-Cha, Minor Mambo, plus other selections. Playing Time 28:18.
- 28 A 41179L Big Band Percussion—Francis Bay and Orchestra—When Your Lover Has Gone, The Song is You, As Time Goes By, Bye-Bye Blackbird plus other selections. Playing Time 27:14.
- 28 A 41187L Andre Previn Plays: I've Got A Feeling I'm Falling, Black and Blue, Gypsy Dance, Honey Suckle Rose plus other selections. Playing Time 25:54.
- 28 A 41195L Herbie Mann—Hi Flutin'—Herbie's Buddie, Perdido, Bumbles, Bangles & Beads, Give A Little Whistle, plus other selections. Playing Time 32:17.
- 28 A 41203L John Gary—New Singing Sensation How Many Teardrops Must I Shed, One Last Night Together, How Can My Heart Forget You, Little People, plus other selections. Playing Time 26:08.
- 28 A 41211L Go Go Discotheque—The Kites—Stomp (Frog), No More (Jerk), Watusi Ball (Watusi), Monkey Mash (Monkey), Baby Love, Me More (Hully Gully), plus other selections. Playing Time 24:38.
- 28 A 41237L Rock & Roll Guitar—Rhythm Rockers—Guitar Boogie, Moon Rock, 120 MPH, String Blues, Chick's Song, Picking and Rooking, plus other selections. Playing Time 26:50.
- 28 A 41245L Dance-time—Tribute To Glen Miller—Sleepy Town Train, In the Mood, American Patrol, Tuleedo Junction, Greensleeves, plus other selections. Playing Time 26:40.
- 28 A 41286L Pradomania—Francis Bay Orchestra—Pradomania Mambo No. 5, April in Portugal, Guaglione, Manges plus other selections. Playing Time 27:00.
- 28 A 41294L Salute to Benny Goodman by the members of the Benny Goodman Band—Jersey Bounce, and the Angels Sing, Let's Dance, Benny Rides Again plus other selections. Playing Time 25:50.
- 28 A 41310L Guadalajara Brass—Zorba the Greek, Whipped Cream, A Taste of Honey, plus other selections. Playing Time 22:16.
- 28 A 41328L Psychedelic Rhythm The Cross Fires, Anna, Highland Guitar, Third Man Cha, Cha, Cha, Taboo plus other selections. Playing Time 28:20.
- 28 A 41336L Folk Festival on Campus—The Minute Man, Song of Hope, California, Green Grow the Laurels, Scotch and Soda, I'm Comin Home. Playing Time 34:10.

## LAFAYETTE STEREO CHECKOUT AND DEMONSTRATION CASSETTE



**2.95**

Every owner of a cassette tape system should have this tape. Tests and balances your equipment for optimum audio reproduction. The test portion of this tape includes checks for speaker phasing, channel separation and balance. Checks for Wow and Flutter. The demonstration portion of this tape demonstrates the dynamic range of your sound system and includes sound effects and excerpts from Gayne Suite by Khachaturian. In durable clear plastic box. Shpg. wt., 4 oz.  
28 A 01397 ..... Net 2.95

## AMPEX DEMAGNETIZER/CLEANING CASSETTE



**4.95**

Cleans and demagnetizes cassette recorder heads and guides in one brief pass through the recorder. Since it requires no power, fits all cassette recorders including slot-loaded ones. Non-abrasive cleaning tape won't damage tape heads.  
28 A 54008 Shpg. wt., 4 oz. .... Net 4.95

### PLASTIC CASSETTE STORAGE BOX

Snap-open plastic box for individual cassettes. Clear hinged cover for instant identification. Built-in stops prevent tape slack and unwinding. Shpg. wt., 3 oz.  
28 A 17054 Net ea., .25 Lot of 5.99

## ADVOCATE CROLYN® CASSETTES



**2.99**  
Each

- Increases High Frequency Levels
- Reduces Inherent Tape Noise

A revolutionary 60 minute cassette recording tape using a chromium based coating rather than iron based coatings found in conventional tapes. It can be used in standard recorders to increase the high frequency level up to 8 db, reduce tape hiss, and provide an exciting experience in high fidelity listening. Hard plastic storage box. Shpg. wt., 4 oz.  
28 A 47002 ..... Net ea. 2.99

# Reel-To-Reel Tape Recorders And Pre-Recorded Tapes

## LAFAYETTE RK-710A SOLID STATE 3 SPEED 7" RECORDER



ONLY  
**49<sup>95</sup>**  
With Dynamic Mike,  
7" Empty Reel,  
2 Rubber  
Reel Caps



- ★ 3 Speeds—7½, 3¾, 1½ ips
- ★ Illuminated VU Record Level Meter
- ★ Tape Spill Proof

Professionally styled, three speed, two-track monaural 7" tape recorder. Records and plays back two-track monaural at three speeds: 7½, 3¾, and 1½ ips. Easy to operate—offers the convenience of a single tape function control knob for five modes of operation: Rewind, Stop, Run, Pause for editing and cueing, and Fast Forward. Illuminated VU meter for proper record/playback level. Record safety button guards against accidental tape erasure. Individual volume and tone controls. 4-pole induction motor. Response: 60-12,000 Hz at 7½ ips., 60-8,000 Hz at 3¾ ips. Wow and Flutter: less than 0.25% RMS at 7½ ips. Large 3 x 5" speaker. 2 Inputs: Microphone and Auxiliary. 1 Output: External Speaker. Solid vinyl cabinet has built-in accessory compartment and carrying handle. Size: 11½x12¼x6½"D. For 117 VAC 60 Hz. Imported. Shpg. wt., 18 lbs.  
99 A 15646W No Money Down\* Net 49.95  
7" Reel of 1800 Lafayette Mylar Recording Tape. Net 2.14  
28 A 01066 Shpg. wt., 1¼ lbs.

## SONY/SUPERSCOPE 252-D SOLID STATE STEREO RECORD/PLAYBACK TAPE DECK



**139<sup>95</sup>**

With Two Patch  
Cords, Walnut  
Wood Base

- 2 Speeds: 7½ or 3¾
- Sound With Sound Mixing
- Dual VU Record Meter

## LAFAYETTE REEL RECORDER CHECK OUT AND DEMONSTRATION TAPE



**2<sup>95</sup>**

- Tests and Balances Your Stereo Equipment
- Excerpts From Outstanding Recordings

Every owner of a reel-to-reel tape system should have this tape. Tests and balances your equipment for optimum audio reproduction. Test portion of tape includes speaker phasing, channel separation and balance checks, wow and flutter. Demonstration portion of tape demonstrates the dynamic range of your sound system and includes sound effects and excerpts from Gayne Suite by Khachaturian. On 7" reel. Shpg. wt., 10 oz.  
28 A 01389 Net 2.95

With self contained solid-state stereo pre-amplifier for the recording and playback of 4-track stereo and 4-track mono reel tapes thru your home hi-fi system. Features two speeds: 7½ or 3¾ IPS. Sound with sound mixing, dual VU recording level meters, 3 digit tape counter, stereo headphone monitor jack, record interlock, and automatic shut off. Specifications: Takes reels up to 7". Freq. resp. 30-18,000 Hz @ 7½ IPS. Wow/flutter 0.12% @ 7½ IPS. Signal-to-Noise ratio 52db. Size 15¼" x 7½" x 13¼". For 117 VAC 60 Hz. Imported. Shpg. wt., 18 lbs.  
27 A 60569W No Money Down\* Net 139.95  
F98 Mike for 252-D. Shpg. wt., 1 lb.  
27 A 60379 Net 13.50

## TRUTEST<sup>TM</sup> 150 SOLID STATE RECORDER

## LAFAYETTE 3-HOUR PRE-RECORDED STEREO REEL-TO-REEL TAPE

ONLY **5<sup>95</sup>** each

- 3 Hours of Magnificent Music on 4 Track Stereo Tapes at 3¾ IPS



Our Lowest  
Price Ever  
**8<sup>95</sup>**

Includes:  
Remote Control Mike,  
3" Reel of Recording Tape,  
Take-up Reel, Earphone,  
Carrying Strap, and Batteries

Operates from batteries or 117 VAC with optional adapter. Dynamic microphone has its own remote control on/off switch for taping "letters". Jam-proof piano style pushbuttons simplify operation. Convenient earphone for monitoring recordings, or, for private listening. Uses 2—1.5V., and 1—9V battery. Reel size: 3¾". Size: 8¾x 3¼x6½"D. Imported. Shpg. wt., 2¼ lbs. (with batteries).  
99 A 15562L Net 8.95

### ACCESSORIES FOR TRUTEST<sup>TM</sup> 150

|                                   |       |      |
|-----------------------------------|-------|------|
| 99 A 35370 117V AC Adapter        | 6 oz. | 3.95 |
| 99 A 60212 Extra 9V Bat. (1 req.) | 2 oz. | .21  |
| 99 A 62572 Ex. "C" Cell (2 req.)  | 2 oz. | .14  |

28 A 51012 BROADWAY SHOW TUNES — The Hollywood Strings — Theater music Richard Rogers. Irving Berlin, George Gershwin, Jerome Kern, Victor Herbert, and Franz Lehár.

28 A 51020 MOONLIGHT SERENADE — The Hollywood Strings — Background music for cocktails, dinner, and romantic evenings. Green-sleeves, Smoke Gets In Your Eyes, Stardust, Autumn Leaves, Theme from Exodus, Theme from Moulin Rouge, Around The World In 80 Days, and La Vie en Rose, plus more.

28 A 51030 THREE HOURS OF POPULAR CLASSICS — London Pops Symphony Orchestra — Gershwin: American In Paris, Rhapsody In Blue; Beethoven: Fifth Symphony; Tchaikovsky: Favorite Themes; Grofé: Grand Canyon Suite; Rimsky-Korsakov: Scheherazade; Strauss: Waltzes.

28 A 51046 EVENING AT THE BALLET — London Pops Symphony Orchestra — Excerpts from Sleeping Beauty, Swan Lake, Gáite Parisienne, Carmen, Petrouchka, Nutcracker, plus many more.

28 A 51004 THREE HOURS OF TCHAIKOVSKY — 1812 Overture, Sleeping Beauty Ballet Suite, Piano Concerto #1 — Capriccio Italian, Somp. #6 Swan Lake Ballet Suite, Nutcracker Suite excerpts — Vienna Symphony and other great European Orchestras.

# LAFAYETTE Recording Accessories

## LAFAYETTE BULK TAPE ERASERS



**11<sup>95</sup>**  
Deluxe  
Model

**26<sup>95</sup>**  
Professional  
Model

### PROFESSIONAL MODEL

- Completely Erases Tape
- Two Erasing Coils
- Erases up to 1" Tapes
- Erases 1/4" Tapes in One Operation—No Reversing
- For 3", 5", 7" or 10 1/2" Reels

A carefully designed and precisely manufactured tape "degausser" for complete erasing of tapes. Just place the tape reel on spindle of demagnetizer, slowly rotate 2 or 3 turns, take off, and that's all. Reduce tape hiss to the level of new "virgin" tape. Two completely separate coils are used for doubly-effective erasures, even of large, 10 1/2" reels. Will erase 1" wide tape. An extra powerful unit for heavy-duty use—draws over 9 amperes. Can be used to demagnetize tape, magnetically stripped film, plus tools and watches. Has a heavy, custom finished case, a rugged non-magnetic top, heavy duty on-off switch and power cord. Has built-in fuse. Pilot light prevents accidentally leaving it turned on. Size 6 1/4 x 7 3/8 x 3 1/2". 105-125V, 60 Hz. Imported. Shpg. wt., 12 3/4 lbs.

99 A 15166 Professional Model ..... Net 26.95

### Deluxe Model

Similar to professional model for all size reels but handles only standard size 1/4" tapes or smaller and reel must be turned over once. Has separate spindle positions for 10 1/2" and 3, 5, and 7" reels; non-magnetic bakelite plate for reel rest. One powerful coil consumes 5 amps. Metal case 7 1/4 x 4 1/4 x 3 1/2". Imported. Shpg. wt., 4 3/4 lbs.

99 A 15182 ..... Net 11.95

## LAFAYETTE CORDLESS 3-WAY TAPE ERASER



- Universal Tape Eraser for Cassettes, 8-Track Cartridges and Reel-to-Reel Tapes.

**8<sup>95</sup>**

A compact, easy-to-use universal tape eraser which works on a self-contained DC source. Powerful rotating magnets provide the strong field which removes previous recordings and noise from cassettes, 8-track cartridges and open reel tapes. Requires 4-inexpensive AA penlite cells (not supplied). Has On-Off slide switch; plastic case. Size: 4 3/8 x 3 7/8 x 2 3/8". Imported. Shpg. wt., 1 1/4 lbs.

99 A 15077 Eraser (less batteries) ..... Net 8.95

1 1/2 volt AA cells for above (4-required).  
99 A 62580 ..... Net ea. 1.10

## HAND HELD BULK ERASER

- Utmost Versatility—Demagnetizes Cassettes, Cartridges All Size Reels and Equipment



**10<sup>95</sup>**

Easily erases tapes or sound films regardless of reel size. Convenient, comfortable hand held design. Also demagnetizes capstans, tape guides, etc. Lowers background noise better than new tape. Safe, durable plastic case and control switch. High intensity field with low power consumption.

28 A 30016 Shpg. wt., 2 3/4 lbs. .... Net 10.95

## LAFAYETTE TAPE HEAD DEMAGNETIZER

### DELUXE MODEL WITH SWITCH



**2<sup>95</sup>**

Pencil shaped head demagnetizer with one extending probe. Styling allows you to reach all heads in all positions. Features switch control... no need to leave unit on constantly. Turn on when needed and off to conserve unit's life. Operates on standard 110-120 VAC 60 Hz. Imported. Shpg. wt., 9 oz.

99 A 13331 ..... Net 2.95

### TELEPHONE PICKUP COIL

Designed to feed into the microphone input of a tape recorder or any high gain amplifier. Easily attached to the telephone by rubber suction-type attachment. Has 5 ft. cable with stripped ends to attach connector to fit recorder. Imported. Shpg. wt., 4 oz.

99 A 61970

Net 1.38

**1<sup>39</sup>**

## LAFAYETTE TAPE SLICER



**2<sup>69</sup>**

- Two Operations—Cuts & Trims
- Clean Splices in Seconds
- For Monaural or 2 and 4-Track Stereo
- Splicing Tape Supplied

A sturdy precision instrument for professional use in all splicing and editing applications. Gives clean, quick cuts on all tapes without losing a significant portion of the sound track. Splicing tape fed from below will not foul and waste tape. Sharp long lasting blades provide trouble-free operation. A must for professionals and demanding audio hobbyists. Imported. Shpg. wt., 9 oz.

28 A 09031 ..... Net 2.89

Replacement splicing tape for above.  
28 A 09069 Shpg. wt., 3 oz. .... Net .39

### TELEPHONE PICKUP FOR CRADLE OR UPRIGHT PHONES



**1<sup>49</sup>**

Induction telephone pick-up for cradle or upright phones. Simply place base on pickup and connect leads to high impedance input of an audio amplifier or directly to a tape recorder. Imported. Shpg. wt., 5 oz.

99 A 10340 ..... Net 1.49

### HUM-BUCKING TELEPHONE PICKUP COIL



Designed with symmetrical hum cancelling pick-up coils to eliminate high stray hum pickup usually encountered with conventional coils. For use with high impedance tape recorders, amplifiers and dictating machines. Double suction cup for easy mounting. 5' cable with stripped leads. Shpg. wt., 3 oz.

28 A 32012 ..... Net 4.95

### 1200 FT. LEADER TAPE ON 7 INCH REEL



- For Indexing and Cueing

Lafayette brings you this jumbo reel of leader tape at a tremendous savings over the cost of leader tape customarily available in 100 ft. quantities. 1 1/2 mil mylar tape, 1200 ft. x 1/4" wide on 7" clear plastic reusable reel. Individually boxed. Shpg. wt., 3/4 lb.

28 A 77017 ..... Net 2.89


### REUSABLE CLEAN-LUBE CLOTHS



Protects recording tape by depositing a silicone film. Eliminates tape squeal & chatter. Cloths are washable. Pkg. of 3 cloths. Shpg. wt., 4 oz.

28 A 72638 ..... Net .69

# COPYMATE DRY COPIERS



- Copy Letters, Photographs, Pages Bound in Books
- Makes Crisp, Black on White Copies
- Easy to Use—Two Simple Steps
- No Messy Liquids, Powders, Sprays or Inks

As low as **29<sup>95</sup>**

## DELUXE COPYMATE II

Makes copies faster, more conveniently at home or in the office. Make permanent, 8 x 10" non-fading copies of bills, news articles, letters or receipts. Exposure time is cut to 10-15 seconds, complete copies in 30 seconds. Warm-up time only 5 minutes, faster than original Copymate. Can be left on all day. New hold-down latch lets you leave machine during exposure cycle. Built-in automatic timer controls exposure for light or dark copies. Contrast is changed by varying developing time. No liquids or powders to refill. No spilling of inks. A completely dry process. Attractive front panel has automatic timer, pilot light, and power switch. Unit is compact and portable, only 22 3/4 x 17 1/2 x 6 3/4" H and weighs only 8 lbs. High-impact green plastic case with built-in carrying handle and cord storage compartment. Complete with cover. Operates on 110-120 VAC. 60 Hz. U.I. Listed. Shpg. wt., 10 lbs.

See COPYMATE paper to right.  
15 A 48035W No Money Down\*

Net 38.95

## ORIGINAL COPYMATE

Makes 8x10" dry copies in less than a minute without using messy chemicals or inks. Front panel has pilot light and automatic exposure timer. Power switch on line cord. Handsome brown and gold case with built-in carrying handle. Compact, only 22 3/4 x 17 1/2 x 6 3/4" H. Weighs 7 1/2 lbs. Operates on 110-120 VAC, 60 Hz U. I. listed.

15 A 46019W Shpg. wt., 10 lbs. Net 29.95  
COPYMATE Paper, 8x10" white bond. 33 sheets per pkg. Shpg. wt., 12 oz.  
15 A 48027 Net 2.99

## AUTOMATIC ELECTRIC PENCIL SHARPENER



**12<sup>95</sup>**

- Automatic Stopper When Pencil Is Sharpened
- Heavy Duty Electric Motor

Model 850—Ideal for student, artist, draftsman, business firms... gives a needle point instantly. Unit even sharpens charcoal and pastel pencils. Sensitive micro switch automatically stops motor when pencil is sharpened. Carefully machined precision ground cutters last indefinitely. Easy cleaning with convenient push out receptacle drawer. Safe for even a child to use. Sturdy die cast metal with heavy duty 115 volt AC motor. U.I. Listed. Imported.

15 A 17051 Shpg. wt., 3 1/2 lbs.

Net 12.95

## 1 3/4" VECTORLOG® SLIDE RULE



**16<sup>95</sup>**


- Laminated Bamboo Construction

The Lafayette VECTORLOG Slide Rule provides a new concept in scientific calculation, incorporating scales and arrangement designed for quick-easy manipulation. Twenty-seven (27) scales incorporate the many problems encountered in Electrical Engineering and Physics. The unique P, P, and Q scales allow direct right angle vector addition. No longer are several settings required to obtain right angle vector sums—these scales work in the same manner as the C and D for multiplication. The two Hyperbolic Sine and one Hyperbolic Tangent Scale, the voltage db scale, and the five Log Log scales, provide maximum coverage of these dynamic fields. VECTORLOG is the result of extensive tests for ease of manipulation. Several of these features are: C and D scales on both the front and back of the rule; Sine scales in both degrees and radians, removing the necessity of bothersome conversion of units; a problem-tested location of scales; and adjusted screws to allow variable tension on the slide. Scales include: (FRONT) Tr-1, Tr-2, P, P, Q, ST, S-1, S-O, C, D, LLO1, LLO2, LLO3, LL1; (REAR) Sh-1, Sh-2, DF, A, B, C, I, CF, Th, C, D, LL3, LL2, db. With instruction book, leather carrying case, and belt carrying loop. Imported. Shpg. wt., 1 1/4 lbs.

95 A 71029

Net 18.95

## draftette PORTABLE DRAFTING MACHINE



- Precision Instrument

**16<sup>95</sup>**

Model 9-B—sketch draft, design, draw diagrams and schematics like a professional. A new DRAFTETTE which gives you all the advantages of a T-square, triangle and protractor in a compact, easy to operate portable drafting machine. Constructed of anodized aluminum, features tubular arms, 360° protractor, one-piece 6"x9" scale calibrated in 16ths-1/8-1/4. Mounted on a 16"x21" drawing board, completely assembled ready to use. Shpg. wt., 5 1/2 lbs.

15 A 74011

Net 18.95

## TACRO TACROGRAPH SET



**5<sup>95</sup>**

Drawing pen for all lettering and drawing work. Uses both India and drawing inks. Precision point for constant flow lines. Slim, easy to hold pen comes with 3 color coded nibs. Fine (Size 0, Grey nib), Light Medium (Size 1, Yellow nib), Very Broad (Size 3, Blue nib). Shpg. wt., 4 oz.

15 A 80026

Net 5.95

Deluxe Tachrograph Set—Similar to above with 7-precision crafted points. Pigskin Case. Nibs: White-00-very fine; grey-0-fine; yellow-1-light med.; beige-2-heavy med.; green-2 1/2-broad; blue-3-very broad; red-4-extra broad. Shpg. wt., 8 oz.

15 A 80034

Net 11.50

## TECHNICAL DRAFTING SET



**10<sup>95</sup>**

- Made in W/Germany of Nickel Plated Brass

Contains 6 1/4" self-centering compass, one leg knuckle joint with divider, pencil, pen parts and lengthening bar; 6 1/4" self-centering divider; spring bow divider 4 3/4"; center wheel adjustment with interchangeable needle points; spring bow pencil and spring bow pen, both 4 1/4" with center wheel adjustment and interchangeable needle point; two 5 1/4" ruling pens; extra handle for pen and pencil parts; adjustment tool; lead case and leads; and spare parts kit, all in fitted lead case. Shpg. wt., 1 1/2 lbs.

95 A 70039

10.95

# SMITH-CORONA "FIGUREMATIC" PORTABLE ELECTRIC ADDING MACHINE

**SALE 69.95**  
**Cut 5.50**  
 Sale Ends April 30, 1971

- Totals 8 columns to \$999,999.99



A fast-figuring electric portable that adds, subtracts and multiplies. Full-featured construction with 10 keys. Add-Subtotal, Subtract-Total, and Repeat. "Clear" and digital indicator are combined. Lists 7 columns of figures. New, easy-load ribbon cartridge gives thousands of extra prints. Easy to carry—the cord tucks in, stylish dust cover snaps on, built-in retractable carrying handle comes out, and away it goes. Ideal for everyone who figures—at work, home, in-between. Overall 7½x13". For 110-115 volts, 60 Hz. AC. Shpg. wt., 10½ lbs. 15 A 40079W No Money Down\* Net 69.95 Adding tape for above 2½" wide. Net 69.95 15 A 40061 Shpg. wt., 10 oz. Net ea. .39

## ROYAL APOLLO 10 ELECTRIC PORTABLE TYPEWRITER

**99.95**

No Money Down\*

- Full-Size 88 Character Keyboard
- Pre-Set Tab Has 7 Stops

Features fast-action tab pre-set every 10 spaces. Automatic/manual ribbon reverse; touch-set margin control; 1, 1½, 2 line spacing. Chrome-plated paper support; paper ball with carriage scales; dual shift keys. Release lever frees jammed type keys. Ribbon selector lever for red or black ribbon or stencil. Top cover zips off for cleaning keys or changing ribbon. Finger-formed double-molded plastic keys. Accepts standard # 10 business envelopes, paper 9½" wide. Molded hi-impact plastic case. Pica type 110-120 V 60 Hz. AC. UL Listed. Shpg. wt., 20 lbs. 15 A 31045W No Money Down\* Net 99.85



## Smith-Corona CORONET AUTOMATIC 12 ELECTRIC PORTABLE

**174.95**

No Money Down\*

- Big 12" Carriage
- Fully Powered Carriage—Tabulation —Keys

The Coronet Automatic 12 meets the most exacting needs of office, home or school—yet travels with flite-lite ease. Full sized keyboard, full length tabulator key sets, clears. Repeat action for dashes, dots, X's, underlines. Repeat spacing; copy-set dial; 3-position ribbon selectors. 12" carriage automatically returns and advances to next line. Copy set dial—makes up to 10 carbons. Aztec blue body w/Seamist keyboard. Pica type. All steel construction. Carrying case incl. 110-120V 60 Hz. AC. Shpg. wt., 26 lbs. 15 A 40160W Net 174.95



## brother PORTABLE TYPEWRITER

**39.95**

No. Money Down\*



- All Steel/With Case

Charger II standard full-size 84 character portable gives solid performance and dependability in a lightweight, compact design. Features instant margins, paper bale scale; jam release key, measuring scale, card holder, half-space ratchet and two-color ribbon with stencil position. With console type case cover. Pica type. Size: 14½x15x5½". Shpg. wt., 13½ lbs. 15 A 17119W Net 39.85

## brother DELUXE PORTABLE TYPEWRITER

**54.95**

No Money Down\*



- With Tabulator/Auto Repeat Space Key

Echelon 79 all-steel typewriter with tabulator and full 88 character keyboard features +, =, 1 all characters—four more than standard! Has automatic repeat space key, stencil selector, variable line spacer, jam release key, half-size ratchet, convenient eraser table and paper support arm. With attractive, luggage-type carrying case. Pica type. Size: 14½x15x6¾". Shpg. wt., 15 lbs. 15 A 17127W Net 54.95

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 77

**RYAN fury** 1/4" DRILL



**9<sup>95</sup>**

- 2.5-Amp UL Listed Motor
- Jacobs Geared Chuck & Key
- Multiple Thrust Bearings

Model F-11 popular drill or all-around home and hobby use. 1/4" geared chuck drill rated at full 2.5 amps. UL listed. 1/4" capacity in steel, 1/2" in hardwood. 1200 RPM speed under full load; 2000 RPM no-load speed. Precision anti-friction bearings. Automatic trigger switch. Specially designed gear train for maximum torque transfer. For 115 volts. AC/DC. Shpg. wt., 3 1/2 lbs.

13 A 71012

Net 9.95



**15<sup>99</sup>**

**Black & Decker**

**HEAVY-DUTY 3/8" DRILL**

- 1/2 HP 1000 RPM
- Uses Double Reduction Gear System

Model U-124 Heavy duty capacity 3/8" drill incorporates a double reduction gear that permits a wide range of drilling needs. Perfect for grinding, buffing, mixing and all types of heavy and light drilling chores. Heavy duty UL listed 2.5 amp motor and precision gears combine to give maximum torque at all drilling speeds. "Cyclocac" handle provides positive grip at all times. Jacobs geared chuck and key for quick change of bits. Handy trigger switch, with locking button, permits use in awkward places. 3 wire cord plug. Uses 115V AC. Shpg. wt., 4 lbs.



12 A 68507

Net 15.99

**RYAN fury**

## 50 Piece Power Workshop

WITH 3/8" VARIABLE TRIGGER SPEED CONTROL DRILL



**Complete Kit Only**

**29<sup>95</sup>**

Powerful! Efficient! Flexible! Rugged 3/8" variable speed power drill with 3/8 HP 3 Amp universal motor is capable of performing most any job around workshop and home. Squeeze the trigger for any speed you desire from 0 to 1,000 RPM. Complete assortment of attachments includes: Jacobs geared chuck and key, tilting top saw attachment, crosscut and rip saw blade, horizontal bench stand, lambswool polishing bonnet, 13 pc. drill kit, rubber backing pad, steel paint mixer, grinding wheel, 6 pc. adapter set, steel saw table with protractor and mounting post, drill press with mounting post and stand, and 15 pc. sanding disc set (5 fine, 5 med., 5 coarse). Drill features multiple thrust bearings and locking button on handle for constant speed without holding trigger. Bright mirror finish with pistol grip handle for easy handling. With instruction book. Drill UL listed. For 115 volts AC, 60 Hz. Shpg. wt., 12 lbs.


13 A 71293W

Net 29.95

13 A 71244Y Drill Only. Shpg. wt., 3 1/2 lbs.

Net 15.95

**14 Pc. HIGH SPEED DRILL SET with CENTER PUNCH**



**Century** **11<sup>50</sup>**

- 13 Sizes  
1/16", 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8", 1"
- Plus Center Punch
- Hang on Pegboard  
Mount on wall or  
Stand on Workbench

Top quality, high speed drill set contains sizes 1/16", 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8", 1" with 1/4" shanks. Also contains center punch for accurate placement of drill. Convenient, high impact plastic case stands on workbench or mounts easily on wall or pegboard. Has built-in shelf for holding pencils or additional drill bits, chuck keys, etc. Shpg. wt., 1 1/4 lbs.

13 A 18112

Net 11.50

**"JIFFY" VARIABLE MOTOR SPEED CONTROL**

**ONLY 9<sup>95</sup>**

- Varies Speed on AC-DC Motors From 0 RPM To Full Speed
- Ideal For Electric Drills, Saws, Polishers



Dependable motor speed control ideal for workshop power tools using universal AC-DC and series DC motors. Assures constant speed variation from zero rpm to maximum speed. Has built-in circuit breaker. 5 amps load rating. Input: 120 volts 50-60 Hz AC. 3-wire receptacle and line cord. 3x2 1/2 x 1 1/4" D. Shpg. wt., 1 lb.

13 A 27006

Net 9.95

## 7/4" BUILDERS' SAW

- 1 1/2 HP Burnout Protected Motor
- 5200 RPM No Load Speed 10 Amp Motor
- UL Listed

Model 574 Tackle the "big" jobs, with this dependable 7/4" builders' saw. Reinforced die-cast housing that really stands up. Cuts 2x4's with ease, at 45° angle. Easy set bevel and depth adjustments. Safe non-binding blade guard with vari-torque safety clutch. Sawdust ejector keeps your work clean, lets you see what you are doing. 7/4" combination blade and blade wrench. Powerful 1 1/2" HP motor is designed to be trouble free. Cutting depth: 90° 2 3/4", 45° 1 7/8", 10 amps. UL listed. 115 volts AC, 3 wire cord and plug. Shpg. wt., 11 1/2 lbs. See rip fence below.

13 A 69263

Net 29.99

13 A 69123 Rip Fence

Net 1.99

Carrying Case for Above Saw

13 A 69370 Shpg. wt., 4 lbs.

Net 9.95



### RAM GO

#### TWO-WAY ELECTRIC SANDER

## 19<sup>95</sup>

- Orbital or Straight Line

Heavy-duty electric sander with 3/16" orbital or straight line stroke. Features 3.5 amp. universal series wound motor. Heavy-duty ball bearing and self-lubricating sleeve bearings. Pad size: 3 3/4" x 7 1/4"; sand-paper size: 3 3/4" x 9". Assorted grit paper included. Industrial mirror finish. 6 ft. 3-cond cord. For 115 V 60 Hz. AC-DC. UL listed: 13 A 71020 Shpg. wt., 5 1/2 lbs. Net 19.95

# SKIL

## 29<sup>99</sup>



## 29<sup>95</sup>

#### HEAVY-DUTY VARIABLE SPEED SABRE SAW

#### POWERED BY GENERAL ELECTRIC MOTOR

- "Dial Control" Any Speed From 0-4800 S.P.M.
- Cuts Thru 6x6 Lumber

Electronic dial variable speed control lets you use this one tool for any cutting job. Cuts through 6" logs, 6 x 6" lumber, metal pipe, masonite—practically any material. Makes its own starting hole. Low speed for steel and plastics, medium for non-ferrous metals, high for rip or cross-cut. Bevel cuts to 45°. Features a 5 amp. 1/2 HP General Electric motor. With 6' 3-cond. cord. 5 assorted blades and rip gauge. For 115 VAC. 25-60 Hz. UL listed. Shpg. wt., 6 1/4 lbs. Net 29.95


14 A 48059

Net 29.95

## DYNAMIC

### MARK 35

#### PORTABLE ELECTRIC ARC WELDER



Complete  
Ready To Use **19<sup>95</sup>**

- Weld-Brize-Solder-Cut
- Produces 11,000° Heat
- Operation on 110 Volt Line

Practical, dependable unit that produces professional welding—Save time, money by making your own repairs. Cuts and welds up 1/4" metals with 1/8" welding rods and 1/4" carbon. Completely portable. Simple instructions explain how to make spot repairs. Weld-brize-solder-cut on most metals. Ideal for use around home-shop-farm—even repair auto bodies. Includes welding and carbon rods, Protective mask, holders, 10 ft. H.D. cables, ground clamp, brazing rods, flux, solder and instruction manual. For 115V AC or DC. Fused for 30 amps. Shpg. wt., 7 1/4 lbs. 13 A 20548 Net 19.95

## WEN

#### 2-SPEED SANDER POLISHER

## 37<sup>50</sup>




- Powerful 1/2 H.P. Motor
- Burnout-Proof Armature
- Sands Metal and Plastics

Model 940: Combines two handy tools—a sander operating at 3400 RPM and an efficient polisher at 1800 RPM. As a sander, you get the right combination of high speed and oversize sanding discs. Has perfect balance... auxiliary grip handle for right or left hand use. Tool rest. Extra large wool polishing bonnet permits working around and over edges. UL and CSA Listed. For 117 VAC. Shpg. wt., 10 lbs. 13 A 65188 No Money Down\* Net 37.50

## McGRAVE EDISON

#### HEAVY DUTY 4" BELT SANDER



## 31<sup>95</sup>

- Powerful 7.5 Amp  
Motor

Model 72510: A powerful belt sander for every sanding job. Rugged gear drive moves 1500 surface feet per minute. Unique snap-lock on front roller for easy belt changing, vacuum cleaner hook-up provided for dust pick-up. Die cast aluminum housing, locking trigger switch. Uses standard 4 x 2 1/4" belt. AC motor with life-time lubricated bearings. 3-cond. cord. For 115 V 60 Hz. AC. UL listed. No Money Down\*

13 A 36601 Shpg. wt., 13 lbs. Net 31.95  
Sanding Belts For Above. Shpg. wt. 4 oz.  
13 A 36619 40 Grit, Coarse Net .89  
13 A 36627 60 Grit, Medium Net .89  
13 A 36635 80 Grit, Fine Net .89

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 79



## DREMEL MOTO-TOOL KITS



As Low As  
**29<sup>95</sup>**

- Grinds—Polishes—Engraves—Sands—Drills
- Precision High-Speed Steel Cutters and Wheel Points

**Model 261**—Kit. Rugged, compact machine shop with an assortment of fine accessories in a molded polyethylene case. 30,000 rpm for peak performance with small, abrasive wheel points and both high-speed and carbide cutters. Kit contains: No. 260 Moto-Tool with high speed steel cutters, grinding wheels, wire and bristle brushes, rubber polishing tip, sanding discs, drum sander and sanding bands, mandrels, dressing stone, finger grip extension, collet wrench;  $\frac{1}{8}$ ",  $\frac{3}{16}$ ",  $\frac{1}{4}$ " and  $\frac{1}{2}$ " collets, 117 VAC, 5 amp motor. UL listed. 14 A 43043 Shpg. wt., 2 3/4 lbs. Net 29.95

**Model 271**—Heavy Duty Moto-Tool Kit. Similar to above but with heavy duty .8 amp. No. 270 Moto-Tool. 14 A 43050 Shpg. wt., 4 lbs. No Money Down\* Net 33.95

## HEAVY DUTY 18" BENDING AND FORMING BRAKE



**11<sup>95</sup>**

- For Experimenters—Servicemen—Shops
- Clean Smooth Bends
- Forms Up To 90°
- Handles Up To 18" Width In Up To 16 Gauge Thickness

Rugged heavy-duty all steel construction and unique design permits forming chassis, boxes, covers, trays, etc. by means of 1" deep slots in brake-bar which allows corners to fold in. Provides flange edges up to 1" high. Easy to adjust for thickness, accuracy, angle of bend. Features built-in clamps. Imported. Shpg. wt., 17 lbs. 99 A 80640WX Net 11.95

## MICROFLAME®

### GAS WELDING TORCH SET



**17<sup>95</sup>**

- WELDS, BRAZES, CUTS MOST METALS

**Completely Self-Contained Torch Produces 5000°F Pin-Point Flame**

### Miniature Torch Set

Miniature gas welding torch for precision welding, brazing and cutting jobs. Pin-point flame produces high heat in a very selective area. Many uses in printed circuit repair, jewelry repair, shop, dental lab, tool and model making. Hand-held, lightweight torch has self-contained oxygen and LP cylinders which are easily replaced. Up to 20 minutes of continuous heat. Cylinders last indefinitely when not in use. Complete torch with 3 tip sizes, 1 cylinder butane, 1 cylinder oxygen, gaskets and instructions. Overall size: 5 1/4 x 2 x 1 1/4" thick. 14 A 42508 Shpg. wt., 1 lb. Net 17.95  
14 A 42516 Butane Cylinder (Pk. of 2) Net 8.9  
14 A 42524 Oxygen Cylinder (Pk. of 2) Net 1.39

### Deluxe Miniature Torch Set

Deluxe miniature torch set is similar to basic torch set above but includes 6 oxygen cylinders, 3 LP gas cylinders, spark igniter, 3 welding tips, 4, 6 inch gold-silver alloy brazing rods, a two-way bench bracket for mounting on bench or pegboard plus booklet on "How to Weld" properly. Comes with storage case. Shpg. wt., 2 lbs.

14 A 42532 Net 26.95  
14 A 42516 Butane Cylinder (Pk. of 2) Net 8.9  
14 A 42524 Oxygen Cylinder (Pk. of 2) Net 1.39

## 3 DRAWER TOOL CHEST

Only **14<sup>95</sup>**



An all purpose ruggedly constructed 3 drawer carrying type chest. Drawers have full suspension slides. Drawers may be locked in place even if cover is closed. Features electrically welded heavy gauge steel and baked enamel silicone treated finish. Dimensions: Box — 8 1/2" Dx 10 1/4" Hx 20" long; 3 drawers — 7 1/2" Dx 1 1/2" Hx 18 1/4" L. Shpg. wt., 8 1/2 lbs. 13 A 19508W Net 14.95

## High Quality Drop-Forged Steel Socket Set



**5<sup>95</sup>**

### • CHROME PLATED 17 PIECE 1/4" DRIVE SOCKET SET

Heavily chrome plated socket set. Contains 6 Pt. socket;  $\frac{3}{16}$ ",  $\frac{1}{2}$ ",  $\frac{3}{4}$ ",  $\frac{1}{2}$ ",  $\frac{3}{4}$ ",  $\frac{1}{2}$ ",  $\frac{3}{4}$ ",  $\frac{1}{2}$ ". 8 Pt. socket sizes:  $\frac{3}{16}$ ",  $\frac{1}{2}$ ". Plus 2" extension, 6" extension, 5 1/4" flex handle, 4 1/2" crossbar, 5 1/2" reversible ratchet. Each set packed in heavy gauge lacquered metal box. Imported. Shpg. wt., 2 1/4 lbs.

13 A 55643 Net 5.95



**14<sup>95</sup>**


### • CHROME PLATED 21 PIECE 3/8" DRIVE

Precision quality socket set. Contains: 12 Pt. socket sizes:  $\frac{3}{16}$ ",  $\frac{1}{2}$ ",  $\frac{3}{4}$ ",  $\frac{1}{2}$ ",  $\frac{3}{4}$ ",  $\frac{1}{2}$ ",  $\frac{3}{4}$ ",  $\frac{1}{2}$ ". 12 Pt. deep socket sizes:  $\frac{3}{16}$ ",  $\frac{1}{2}$ ",  $\frac{3}{4}$ ",  $\frac{1}{2}$ ". Plus 3" extension, 8" flex handle, 6" crossbar, universal joint, 8" reversible ratchet. Packed in heavy gauge red lacquered metal box with handle. Imported. Shpg. wt., 6 1/4 lbs. 13 A 55650 Net 14.95

## MINIATURE IMPROVED HOIST

- Completely Assembled
- 2000 lb. Capacity

Simple, reliable hoist enables you to lift as much as 2000 lbs., yet weighs only 1 1/2 lbs! Ideal for hunters to hoist heavy game for cleaning, or boat owners to mount outboard engines with ease; can also be used to stretch a chain link fence. Has rust resistant cadmium plated housings, heavy duty welded ring, double grip safety hooks, nylon rollers, and locking device to eliminate slack. Includes high tensile-strength 65 nylon rope for long life. Shpg. wt., 2 lbs. 13 A 10800 Net 5.50



## TINY TIGER "HUSH TONE" PORTABLE GENERATOR

# 114<sup>95</sup>



- 115 A.C. 350 Watts Electric Power 12V D.C. 12 Amps.
- Only 12 lbs.
- 12V D.C. for Battery Charging
- 1 H.P. Motor

Model 67—Lightweight, rugged metal construction! Features a 1 hp, 2 cycle Ohlsson & Rice air cooled engine with a high capacity magneto ignition. 6 pint, premixed (24 parts gas—1 part oil) fuel capacity allows operation at full power (6,300 rpm) for 2½ hours. Also features built-in quietness with a larger "Hush Tone" spark arrester muffler. Dual voltage, direct drive Tiny Tiger generator produces up to 350 watts of 115V, AC, and 12 amps of 12V, DC simultaneously for charging auto batteries or starting cars, boats and trucks. Constant voltage within 110-120 volts with an automatic overload relief system. Light enough to carry anywhere (14 lbs.)... small enough to carry in one hand (8½" H x 8½" W x 10¼" L.) Shpg. wt., 16½ lbs. **12 A 35522 No Money Down\***..... Net **114.95**

HANDY CARRYING CASE

12 A 35514 Shpg. wt., 6 lbs. .... Net **10.95**

## STEEL STORAGE UNITS

- Braced on Back & Sides **As Low As 6<sup>95</sup>**
- Heavy Angle Posts



For stores, offices, garages, basements, pantries, closets—just what you need to solve your storage problems. You'll find dozens of uses for these rugged racks. Available in two sizes to fit virtually anywhere—30W x 12D x 60"H with 4 shelves, or 36W x 12D x 72"H with 5 shelves. Corner post and all edges are rounded and snag-proof with back and side braces providing added strength and rigidity. Charcoal tone finish. Shipped unassembled with protective floor guards and all necessary hardware for fast easy assembly.

4-Shelf Unit Size: 12 x 30 x 60".  
13 A 23070W Shpg. wt., 19 lbs. .... Net **6.95**

5-Shelf Unit Size: 12 x 36 x 72".  
13 A 23088WX Shpg. wt., 26 lbs. .... Net **8.95**

## DYMO 3/8" LABELMAKER KIT



Only  
**3<sup>95</sup>**


**SAVE  
25%**  
From  
Individual  
Catalog  
Prices

Includes 3 Full  
144" Rolls of Tape

Home label maker embosses raised characters on vinyl tape. Just dial the letters, numbers, or symbols and squeeze the handle. Has pull tab cut-off and rugged plastic body. Supplied complete with 3 full 144" magazines of 3/8" tape. Size: 6½x6"H. Shog. wt. 2 lbs.

14 A 41583 ..... Net **3.95**  
14 A 41534 Label Maker Only ..... Net **2.75**

## DRILL-MATE




**3<sup>95</sup>** ■ Portable Organizer For  
Drill And Accessories

Keep your drill and accessories organized and ready to use with Drill-Mate, the portable organizer. Holds any 1/4" or 3/8" drill. Handy and convenient to use, the Drill-Mate has a 25 hole drill bit index — 1/4" to 1/2", a retractable handle for easy access, handy pockets for tools, discs and accessories, and two utility drawers. Hi-impact polystyrene construction.

13 A 76268W Shpg. wt., 4 lbs. .... Net **3.95**

## HEAVY DUTY HANDYMAN SPRAYER

# 34<sup>95</sup>



- Designed for Home Owner or Hobbyist
- Integral Compressor Motor
- Sprays Oils, Paints, Insecticides, Liquid Wax

Economy priced portable sprayer designed for the homeowner and hobbyist. Precision engineered throughout to give professional results. Compact, lightweight, versatile... perfect for those dozens of small jobs around the house, wherever and whenever spraying is needed. The spray gun easily handles paint and other types of sprayable material. Sprayer unit features an internal mix spray gun, adjustable spray pattern, quart aluminum canister with a delrin thread insert to prevent fouling and 8' air hose. Easy to operate, just plug in any 115 v. outlet. Air delivery 1.5-2 CFM at 15-20 PSI. 7 ft. power cord. Shpg. wt., 16 lbs.

14 A 67539 No Money Down\* ..... Net **34.95**

# Ungar

## 7070 TECHNICIANS SOLDERING KIT




# 5<sup>50</sup>

- Interchangeable Tips & Heating Units
- Complete with 777 Handle, 37½W Heating Unit, 3 Tips, Solder

Worthy soldering package for electronic assembly and service. Features #777 pastel handle with "Clean-Cool" grip. #1237 heating unit. 3 interchangeable thread-on-copper tips, and a spool of 60/40 rosin core solder. UL listed. Shpg. wt., 8 oz.

13 A 21900 ..... 1-5, Net each **5.50**  
6-up **4.95**

## 25 DRAWER PARTS CABINET



- For Home, Office, Shop
- Heavy Gauge Welded Steel Frame

# 4<sup>95</sup>

Versatile, large cabinet holds dozens of items. Ruggedly constructed steel frame and shelves provide support for all drawers and any load. Cabinet can be stacked or wall mounted. Plastic feet prevent scratching and insure easy stacking. All drawers have an easy grip handle and dividers, labels, and label holders. Sprayed-on, double baked-on hammertone finish. Size: 9¾x12½x6¼"D.


13 A 77027W Shpg. wt., 6 lbs. .... Net **4.95**

# Electric Tools for the Gardener and Hobbyist

## GRASS EDGER-TRIMMER

Only **17<sup>95</sup>**

- Powerful 3 AMP 4500 RPM with Rugged Reduction Gears
- Easily Adjustable Trimming Height
- Die Cast Aluminum Housing



**TURNS ON SIDE FOR USE AS EDGER**

Lightweight Edger-Trimmer easily trims close-up to trees, foundations, and fences. Turning handle converts unit into a powerful edger. Features 6" tempered spring steel blade, diecast aluminum housing, side grip, finger tip push button switch on handle, fully adjustable trimming height, and oiled-for-life bronze bearings. Requires 115 volt 50/60 Hz 3 amp, AC motor. Shpg. wt., 10½ lbs. UL listed.




13 A 36544W ..... Net 17.95



## DELUXE SHRUB AND HEDGE TRIMMER

Only **19<sup>95</sup>**

- Double Edge 16" Blade
- "Roll-Bar" For All Angle Use



The fast labor saving way to trim hedges, shrubs and bushes. Deluxe "Roll-Bar" handle allows maximum comfort and safety—adjusts for any angle cut. 2-cutting edges, each with 16-teeth—cuts 15" swath in either direction. 16" blade cuts at 1850 strokes per minute. Die-cast aluminum housing with bright finish and enamel finish roll-bar. Fingertip On/Off switch. Hardened spring steel teeth are self-sharpening. 2.6 amp, 115 volt, 50/60 Hz AC motor. UL listed. Shpg. wt., 7½ lbs.

13 A 36536WX ..... Net 19.95

## 3 CONDUCTOR EXTENSION CORDS

| Stock No.  | Feet | Amp. | Gauge | Wt.    | Net  |
|------------|------|------|-------|--------|------|
| 12 A 34038 | 25   | 10   | 16    | 1¾lbs. | 3.19 |
| 12 A 25028 | 50   | 7    | 16    | 3¾lbs. | 5.49 |
| 12 A 34046 | 100  | 5    | 16    | 7¾lbs. | 8.95 |

## 220 GPH SUBMERSIBLE PUMP

Only **11<sup>95</sup>**



- Corrosion Resistant
- Hermetically Sealed Motor
- For Circulating And Dispensing Water

Pow-R-Pak, trouble-free, permatubed, underwater pump. Circulates and dispenses water, beverages; ideal for fountains, aquariums, photo developing, air conditioners, etc. Gallons per hour delivery: 220 @ 1 ft.; 155 @ 3 ft.; 80 @ 6 ft., max. ht., 7 ft. Inlet has std. ½" pipe thread and outlet has std. ¼" pipe thread. Comes with 6-ft. cord. For 110VAC, 60 Hz. Amps: 40. Size: 2½x4x3¾".

13 A 89048 Shpg. wt., 3 lbs. Net 11.95

## WATERFALL KIT



Only **17<sup>95</sup>**

Enhancing waterfall of cascading water constantly recirculated by electric pump. Gallons per hour delivery: 180 @ 1 ft., 140 @ 3 ft., 100 @ 5 ft.; shut off @ 10 ft. Outlet ¾"; inlet ½" pipe O.D. Load; amps. 65; watts 43. No concrete needed; complete with instructions. Kit consists of pump, 8-ft. plastic hose, 7 ft. sealing poly, pump filter.

13 A 89022 Shpg. wt., 6¼ lbs. Net 17.95

## 12 VOLT DC SUBMERSIBLE PUMP



- Operates In Any Position—Submerged or in Open Air When Primed

Ideal for marine use, recreational vehicles and mobile homes. Pump delivers up to 400 gal./hr. (direct discharge) or pumps to 11' heights. Lifts water more than 6' below when primed. Draws 1.5 amp. at 12 volts. Port Connections: Beige inlet plate and strainer, and ½" female pipe threaded inlet plate. Outlet is ¾" N.P.T. male and will accept ¾" I.D. hose. Stainless steel shaft and high impact cycolac case. 2½ x 2½ x 5½".

13 A 89071 Shpg. wt., 1¼ lbs. Net 13.95

## ELECTRONIC INSECT KILLER

Only **3<sup>95</sup>**

- Easy To Use Just Plug In
- Ideal For Patios
- No Chemicals—No Sprays—No Fumes



An efficient, economical, and safe insect control system with INSECT-O-MATIC™ electronic bug killer. Helps kill gnats, mosquitoes, moths, bees, and flies in your home, porch, garden, or pool area without the use of messy insecticides. Completely electronic system produces no disagreeable odors or harmful fumes. Operates indoors or out for pennies a day. Attractive white and black finish. Size: 10½"H x 4¾"W x 4½"D. For 117 VAC 60 Hz. Imported. Shpg. wt., 2 lbs.

14 A 21130 ..... Net 3.95

Replacement bulb for above (pk. of 2) Shpg. wt., 6 oz. Net 1.99

14 A 21122 ..... Net 1.99

## POWERFUL SELF-PRIMING PUMP

**6<sup>95</sup>**

**WORKS OFF ANY ELECTRIC DRILL**

- Easily Connects To Standard Garden Hose



Now you can pump water, lubricants, solutions, and other liquids up to 10 feet vertically or prime a maximum horizontal distance of 50 feet. Compact and economical self priming pump handles up to 200 gallons per hour with 2,000 RPM ¼" drill at temperatures from 40° to 180° F. Perfect for home, farm, or industry, to pump out basements, fill or empty tanks, or transfer chemical solutions. Lightweight, rugged phenolic plastic construction resists chemical corrosion. Fits electric drills like a "bit" and takes ordinary garden hose. Shpg. wt., 1 lb.

13 A 33756 ..... Net 6.95

# it's easy to shop at LAFAYETTE

## BY MAIL

Fill in any Lafayette order blank, enclose check and mail. Your order will be shipped direct to your home. See parcel post and express charts below to figure shipping charges.

## BY PHONE

Dial 516 921-7500 and a trained personal service shopper will help you. Your order will soon be on its way to your home.

## IN PERSON

Visit any of our conveniently located stores. Specially trained sales personnel will assist you. See opposite page for store nearest you.

## Take Advantage of Lafayette's EASY-PAY PLAN NO MONEY DOWN — UP TO 2 YEARS TO PAY

See Page 13 for Full Credit Details on Easy Pay Plan

## SHIPPING AND DELIVERY INFORMATION

**Use our Order Blank . . .** To assure fast delivery fill in all information requested (Please Print). Always give your Zip Code! We'll send you new order blanks each time you order.

**Cash Orders . . .** Please remit full amount, including amount you calculate for shipping charges, tax, handling charge or insurance. We refund any excess.

**COD Orders . . .** Ordering by COD is more expensive for you. You pay an extra fee (see COD Chart). For COD orders you

must send a deposit and pay the balance when your package arrives. No COD's under \$10.00. (20% deposit required).

**Easy Pay Orders . . .** Indicate on the order blank whether a "new" or "add-on" Easy Pay order and fill in all information requested on back of the order blank.

**Shipping Weights . . .** All weights shown in this catalog are as accurate as we can determine. Use these weights and rate charts to determine shipping charges.

### PARCEL POST SHIPMENT

Parcel Post Rate Chart Items Keyed "WUX" or "WX" are not shippable Parcel Post (Example = 18-0182WX). Figure Parcel Post Charges only for items not keyed WX or WUX. (See REA Express information.)

| WEIGHT<br>1 lb. & Not<br>Exceeding | Local     | 1st & 2nd<br>Zone up<br>to 150 mi. | 3rd Zone<br>150 to<br>300 mi. | 4th Zone<br>300 to<br>600 mi. | 5th Zone<br>600 to<br>1000 mi. | 6th Zone<br>1000 to<br>1400 mi. | 7th Zone<br>1400 to<br>1800 mi. | 8th Zone<br>Over<br>1800 mi. |
|------------------------------------|-----------|------------------------------------|-------------------------------|-------------------------------|--------------------------------|---------------------------------|---------------------------------|------------------------------|
| 2                                  | \$0.60    | \$0.65                             | \$0.70                        | \$0.75                        | \$0.80                         | \$0.90                          | \$1.00                          | \$1.05                       |
| 3                                  | .60       | .75                                | .80                           | .85                           | .95                            | 1.10                            | 1.30                            | 1.35                         |
| 4                                  | .65       | .80                                | .85                           | .95                           | 1.10                           | 1.30                            | 1.40                            | 1.60                         |
| 5                                  | .70       | .85                                | .90                           | 1.05                          | 1.20                           | 1.45                            | 1.65                            | 1.90                         |
| 6                                  | .70       | .95                                | 1.00                          | 1.15                          | 1.35                           | 1.60                            | 1.85                            | 2.10                         |
| 7                                  | .75       | 1.05                               | 1.10                          | 1.25                          | 1.50                           | 1.75                            | 2.10                            | 2.35                         |
| 8                                  | .75       | 1.10                               | 1.15                          | 1.35                          | 1.60                           | 1.90                            | 2.30                            | 2.60                         |
| 9                                  | .80       | 1.15                               | 1.20                          | 1.45                          | 1.75                           | 2.05                            | 2.45                            | 2.85                         |
| 10                                 | .80       | 1.20                               | 1.30                          | 1.55                          | 1.90                           | 2.20                            | 2.65                            | 3.10                         |
| 11                                 | .80       | 1.25                               | 1.35                          | 1.60                          | 2.00                           | 2.30                            | 2.85                            | 3.35                         |
| 12                                 | .85       | 1.30                               | 1.45                          | 1.70                          | 2.10                           | 2.45                            | 3.05                            | 3.55                         |
| 13                                 | .85       | 1.35                               | 1.55                          | 1.80                          | 2.20                           | 2.60                            | 3.25                            | 3.80                         |
| 14                                 | .90       | 1.40                               | 1.60                          | 1.90                          | 2.35                           | 2.75                            | 3.45                            | 4.00                         |
| 15                                 | .90       | 1.45                               | 1.65                          | 2.00                          | 2.45                           | 2.85                            | 3.60                            | 4.20                         |
| 16                                 | .95       | 1.55                               | 1.75                          | 2.05                          | 2.55                           | 2.95                            | 3.80                            | 4.40                         |
| 17                                 | 1.00      | 1.60                               | 1.80                          | 2.15                          | 2.65                           | 3.10                            | 3.95                            | 4.60                         |
| 18                                 | 1.00      | 1.65                               | 1.90                          | 2.20                          | 2.75                           | 3.20                            | 4.15                            | 4.80                         |
| 19                                 | 1.05      | 1.70                               | 2.00                          | 2.30                          | 2.85                           | 3.35                            | 4.30                            | 5.00                         |
| 20                                 | 1.05      | 1.75                               | 2.05                          | 2.40                          | 2.95                           | 3.50                            | 4.50                            | 5.20                         |
| For Each<br>Extra Lb.              | Add<br>5c | Add<br>5c                          | Add<br>5c                     | Add<br>5c                     | Add<br>10c                     | Add<br>10c                      | Add<br>15c                      | Add<br>15c                   |

### AIR PARCEL POST SHIPMENTS

We will ship your order via Air Parcel Post upon your request. Rates are given in the table, below. Size and weight limits: 70 lbs. and 100 in. (length plus girth).

10c per ounce, up to 7 ounces

| ZONES                 | 1, 2 & 3   | 4          | 5          | 6          | 7          | 8          |
|-----------------------|------------|------------|------------|------------|------------|------------|
| 1st LB.               | .80        | .80        | .80        | .80        | .80        | .80        |
| For Each<br>Extra Lb. | Add<br>48c | Add<br>50c | Add<br>56c | Add<br>64c | Add<br>72c | Add<br>80c |

U.S. Territories, Possessions and APO & FPO Addresses, 80c per lb.

### MINIMUM ORDER CHARGE

| ORDERS UNDER | \$5.00           | ..... | .50 |
|--------------|------------------|-------|-----|
| PARCEL POST  | \$5.00 to 15.00  |       | 20c |
| PARCEL POST  | 15.01 to 50.00   |       | 30c |
| HANDLING     | 50.01 to 100.00  |       | 40c |
| CHARGE       | 100.01 to 150.00 |       | 50c |
|              | 151.01 to 200.00 |       | 60c |

### UNITED PARCEL DELIVERY

If your area is serviced by UPS and the service or rates are to your benefit, we will route your order via United Parcel Service. (You must give us a complete street address, we can not ship UPS to P.O. Box numbers only). This fast, economical service is available from New York to most of the eastern states for parcels up to 50 lbs. and 108 inches in length and girth.

### REA EXPRESS INFORMATION

Items not shippable Parcel Post or UPS are sent Railway Express. The Letters WX or WUX identify these items. **DO NOT SEND MONEY** for express charges with your order. Express charges are collected upon delivery at no extra cost to you. Insurance is included in your express rates. Be sure to specify your nearest Express Office if there is no agent in your town.

### APPROXIMATE REA EXPRESS CHARGES

| Zone          | 1 & 2  | 3       | 4       | 5        | 6         | 7         | 8         |
|---------------|--------|---------|---------|----------|-----------|-----------|-----------|
|               | 0-150  | 151-300 | 301-600 | 601-1000 | 1001-1400 | 1401-1800 | 1801 & up |
| Pounds        | Local  | Miles   | Miles   | Miles    | Miles     | Miles     | Miles     |
| 1-25          | \$6.05 | \$6.85  | \$7.85  | \$8.75   | \$9.75    | \$10.90   | \$12.00   |
| 26-50         | 6.55   | 7.75    | 9.25    | 10.55    | 12.10     | 13.85     | 15.45     |
| 51-75         | 7.05   | 8.60    | 10.70   | 12.40    | 14.40     | 16.70     | 18.90     |
| 76-100        | 7.55   | 9.45    | 12.00   | 14.15    | 16.65     | 19.50     | 22.30     |
| over 100 lbs. |        |         |         |          |           |           |           |
| Add per lb.   | .08c   | .10c    | .12c    | .14c     | .17c      | .20c      | .22c      |

### 47 Convenient Shopping Locations

## MAIL ORDER and Sales Center

111 Jericho Turnpike  
(west of So. Oyster Bay Rd.)  
**Syosset, L. I., N. Y. 11791**

All Departments 516 921-7700      C.O.D. Orders Only 516 921-7500  
Open Mon., Thurs., Fri. 9:30 P.M.

| NEW YORK  |   | PENNSYLVANIA   |   | MASSACHUSETTS   |  |   |
|---|---|--|---|---|--|---|
| <p><b>BROOKLYN</b> 11226<br/>2265 Bedford Ave. (cor. Snyder Ave.)<br/>Phone: 212 469-8900</p> <p><b>BUFFALO (Amherst)</b> 14226<br/>Sheridan Shopping Center<br/>(3600 Sheridan Dr.)<br/>Phone: 716 883-2826</p> <p><b>HEMPSTEAD</b> 11550<br/>120 N. Franklin St.<br/>Phone: 516 538-6464</p> <p><b>JAMAICA</b> 11433<br/>165-08 Liberty Ave.<br/>(Off Merrick Rd.)<br/>Phone: 212 291-7000</p> <p><b>LAKE GROVE</b> 11755<br/>2848 Middle Country Rd.<br/>(Rt. 25—1/4 mile E. of Smithhaven Mall)<br/>Phone: 516 585-3600</p> <p><b>LYNBROOK, L. I., N. Y.</b> 11563<br/>381 Sunrise Highway<br/>(2 miles East of Green Acres)<br/>Phone: 516 887-9800</p> <p><b>NEW ROCHELLE</b> 10801<br/>218 North Ave. (opp. Macy's Mall)<br/>Phone: 914 235-5101</p> <p><b>N.Y.C.</b> 10036<br/>49 West 45 St.<br/>(between 5th-6th Aves.)<br/>Phone: 212 757-3121</p> <p><b>N.Y.C.-UNION SQUARE</b> 10003<br/>17 Union Square West (cor. 15th St.)<br/>Phone: 212 924-4433</p> <p><b>N.Y.C.</b> 10007<br/>45 Warren St.<br/>(between Church and W. Broadway)<br/>Phone: 212 964-0334</p> <p><b>ROCHESTER-IRONDEQUOIT</b> 14621<br/>999 Ridge Road East<br/>(Carter St. exit of Keeler Expressway)<br/>Phone: 716 467-1310</p> <p><b>ROCHESTER-PITTSFORD</b> 14618<br/>(Opposite Pittsford Plaza)<br/>3330 Monroe Av. (Adjoining Arian's)<br/>Phone: 716 586-6331</p> <p><b>SCARSDALE</b> 10583<br/>691 Central Ave.<br/>(1/2 mile north of Ardsley Rd.)<br/>Phone: 914 472-2700</p> <p><b>SYOSSET</b> 11791<br/>111 Jericho Turnpike<br/>(west of So. Oyster Bay Rd.)<br/>Phone: 516 921-7700</p> <p><b>SYRACUSE (WEST)</b> 13219<br/>3548 West Genesee St.<br/>(Opp. Fairmont Fair)<br/>Phone: 315 488-4921</p> <p><b>NEW SYRACUSE (EAST)</b> 13224<br/>2544 Erie Blvd. East<br/>Spring 1971</p> | <p><b>KING OF PRUSSIA</b> 19406<br/>King of Prussia Shopping Center<br/>(Routes 202 and 23)<br/>Phone: 215 265-3300</p> <p><b>LANCASTER</b> 17603<br/>2152 Lincoln Plaza<br/>(Adjoining Two Guys)<br/>Phone: 717 397-3681</p> <p><b>MONROEVILLE</b> 15146<br/>Monroe Plaza Shopping Center<br/>4045 William Penn Highway<br/>Phone: 412 373-0060</p> <p><b>PHILADELPHIA</b> 19095<br/>Wyncote (Cheltenham Township)<br/>8156 Ogontz Ave.<br/>Phone: 215 885-2140</p> <p><b>PITTSBURGH</b> 15237<br/>North Hills Village Shopping Ctr.<br/>4801 McKnight Road<br/>Phone: 412 366-0810</p> <p><b>BRIDGEVILLE</b> 15017<br/>Washington Pike<br/>(Great Southern Shopping Center)<br/>Phone: 412 221-7888</p> | <p><b>BOSTON</b> 02215<br/>584 Commonwealth Ave.<br/>(1/2 block above Kenmore Sq.)<br/>Phone: 617 267-8900</p> <p><b>NATICK</b> 01760<br/>1400 Worcester St.<br/>(Rt. 9 opp. Shopper's World)<br/>Phone: 617 875-6146</p> <p><b>SAUGUS</b> 01906<br/>Saugus Plaza Shopping Center<br/>(Rt. 1 &amp; Walnut St.)<br/>Phone: 617 233-6710</p> <p><b>WEST ROXBURY</b> 02132<br/>1530 V. F. W. Parkway<br/>(1 mile north of Dedham Mall)<br/>Phone: 327-0300</p>              | <p style="text-align: center;"><b>CONNECTICUT</b></p> <p><b>HAMDEN</b> 06514<br/>Hamden Plaza<br/>(2100 Dixwell Ave., adjoining Pegnataro's)<br/>Phone: 203 248-2182</p> <p><b>WEST HARTFORD</b> 06117<br/>Bishop's Corner Shopping Center<br/>(357 North Main St. cor. Albany Aves.)<br/>Phone: 203 236-0693</p> | <p style="text-align: center;"><b>VIRGINIA</b></p> <p><b>FALLS CHURCH</b> 22044<br/>Plaza 7 Shopping Center<br/>(cor. Wilson &amp; Roosevelt Blvd.)<br/>(across from 7 corners)<br/>Phone: 703 534-5772</p> | <p style="text-align: center;"><b>GEORGIA</b></p> <p><b>ATLANTA</b> 30327<br/>West Paces Ferry Shopping Center<br/>NEW (opposite Sear's)<br/>(47 West Paces Ferry Road N.W.)</p> <p><b>DECATUR</b> 30032<br/>4610 Memorial Drive<br/>(Grant City Shopping Center)<br/>Phone: 404 292-3474</p> <p><b>SMYRNA</b> 30080<br/>Fall 1971</p> | <p style="text-align: center;"><b>OHIO</b></p> <p><b>CLEVELAND-MENTOR</b> 44060<br/>(1/4 Mile W. of Great Lakes Shopping Center)<br/>Spring 1971</p> <p><b>CLEVELAND-PARMA-HEIGHTS</b> 44130<br/>NEW 6425 Pearl Road<br/>(1 mile E. of Southland Shopping Center)<br/>Phone: 216 884-2393</p> <p><b>COLUMBUS</b> 43213<br/>Great Eastern Shopping Center<br/>(Hamilton Rd. &amp; Main St.)<br/>Phone: 614 861-8660</p> <p><b>COLUMBUS</b> 43224<br/>(Northern Lights Shopping Center)<br/>3395 Cleveland Avenue<br/>Phone: 614 267-3106</p> <p><b>TOLEDO</b> 43613<br/>Miracle Mile Shopping Center<br/>(Jackman and Lesky Roads)<br/>Phone: 419 479-9167</p> |
| <b>NEW JERSEY</b>   |   | <b>MARYLAND</b>  |   | <b>ILLINOIS</b>   |  |   |
| <p><b>NEWARK</b> 07102<br/>24 Central Ave. (west of Broad St.)<br/>Phone: 201 622-1661</p> <p><b>PARAMUS</b> 07652<br/>182 Route 17<br/>(1 mile north of Garden State Plaza)<br/>Phone: 201 261-8800</p> <p><b>PLAINFIELD</b> 07060<br/>139 W. 2nd St.<br/>(1 block east of Front St.)<br/>Phone: 201 756-5100</p> <p><b>TOTOWA</b> 07512<br/>410 Route 46<br/>(1/2 Mile E. of Willow Brook Shopping Center)<br/>Phone: 201 785-1763</p>  |   | <p><b>MT. RAINIER/HYATTSVILLE</b> 20822<br/>3191 Queens Chapel Rd. (Rt. 500)<br/>(Queenstown Shopping Center)<br/>Phone: 301 779-7020</p> <p><b>TOWSON</b> 21204<br/>815 Taylor Avenue<br/>(Loch Raven Plaza)<br/>Phone: 301 825-7750</p> <p><b>GLEN BURNIE</b> 21228<br/>Glen Burnie Shopping Center<br/>NEW (316 S. Ritchie H'way)<br/>Phone: 301 760-5700</p> <p><b>BALTIMORE/CATONSVILLE</b> 21227<br/>Summer 1971</p> <p><b>ROCKVILLE</b> 20852<br/>Summer 1971</p> |   | <p><b>CHICAGO</b> 60652<br/>NEW Ford City Shopping Center<br/>(7401 South Cloare Avenue Adj. Weibolds)<br/>Phone: 312 767-5400</p>  |  |   |

**For Store Hours — Check The Store In Your Location**



**RETAIL INSTALMENT CONTRACT AND SECURITY AGREEMENT**

**NOTICE TO THE BUYER:** 1. Do not sign this agreement before you read it or if it contains any blank space. 2. You are entitled to a completely filled in copy of this agreement. 3. Under the law, you have the right to pay off in advance the full amount due and under certain conditions to obtain a partial refund of the credit service charge (FINANCE CHARGE), based on the "rule of 78's."

**LAFAYETTE RADIO ELECTRONICS CORPORATION (Seller)**

111 JERICHO TURNPIKE, SYOSSET, L. I., N. Y. sells and buyer purchases merchandise as described on reverse side hereof to be kept in good repair and unencumbered at buyer's stated address. Seller shall retain title to and right to possession of merchandise until fully paid. The unpaid balance of this order together with applicable **FINANCE CHARGE** maybe added to an existing unpaid account for convenience of both buyer and seller. Should the buyer place subsequent orders, unpaid balances on such orders may be combined with any balance owing on this order together with applicable **FINANCE CHARGE**, if buyer so authorizes and seller accepts in appropriate spaces elsewhere in this contract. Upon default of any payment or payments seller may declare entire unpaid balance due at once and may also repossess merchandise. If proceeds of resale of merchandise are insufficient to cover buyer's obligation, buyer will pay the deficiency to seller; if proceeds result in overage, seller will pay such overage to buyer.

LAFAYETTE RADIO ELECTRONICS CORPORATION

(SELLER)

By

(Please Print)

Name \_\_\_\_\_  
Present \_\_\_\_\_  
Home Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip No. \_\_\_\_\_  
How Long At This Address \_\_\_\_\_ Telephone \_\_\_\_\_

To fill in spaces below correctly refer to Easy Pay PAYMENT SCHEDULE and note example.

1. Cash Price \$ \_\_\_\_\_
2. Sales Tax (N. Y. Customers only) \$ \_\_\_\_\_
3. Total Cash Price (1 + 2) \$ \_\_\_\_\_
4. Total Down Payment \$ \_\_\_\_\_
5. Unpaid Balance of Cash Price (Amount Financed) (3 minus 4) \$ \_\_\_\_\_
6. FINANCE CHARGE (See Easy Pay PAYMENT SCHEDULE) \$ \_\_\_\_\_
7. Total of Payments (5 + 6) \$ \_\_\_\_\_
8. Deferred Payment Price (3 + 6) \$ \_\_\_\_\_

**EXAMPLE**

If Item (5) Unpaid Balance of Cash Price = \$106.50  
Item (6) Add for **FINANCE CHARGE** = 10.50  
Item (7) Total of Payments = 117.00  
Your Monthly Payment (See Schedule) is 10.00  
You will pay \$10.00 for 11 months or 110.00  
And your **FINAL** Monthly payment will be 7.00

Beginning one month after shipment BUYER AGREES TO PAY \$ \_\_\_\_\_ per month for \_\_\_\_\_ months, and a FINAL monthly payment of \$ \_\_\_\_\_ to the place and/or to any party designated in writing by the Seller. The ANNUAL PERCENTAGE RATE of the FINANCE CHARGE is \_\_\_\_\_%. (See Easy Pay PAYMENT SCHEDULE.)

Do not include shipping charges. Easy Pay orders are sent shipping charges collect, except for PARCEL POST CHARGES which are added to your account.

**RETAIL INSTALMENT CONTRACT**

**BUYER SIGN HERE** Signed

(L.S.) DATE

IF YOU NOW HAVE OR HAVE HAD A PREVIOUS ACCOUNT PLEASE INDICATE:


ACCT. # EP \_\_\_\_\_ DATE DUE \_\_\_\_\_ UNPAID BALANCE \$ \_\_\_\_\_

For purpose of receiving credit for above EASY PAY PLAN purchase, the buyer makes the following representation:

Fill in if you are a new account, or if your previous account has been paid up for 12 months or more.

|  |                     |  |                         |   |  |
|--|---------------------|--|-------------------------|---|--|
| Present Home Address   |                     | How Long?  | Previous Home Address   |   | How Long?  |
| With Whom Living<br>Parents <input type="checkbox"/> Spouse <input type="checkbox"/><br>Alone <input type="checkbox"/> | Age                 | Single <input type="checkbox"/> Married <input type="checkbox"/> Divorced <input type="checkbox"/> | # of Dependents         | Social Security #   | Draft Class  |
| Name and Address Present Employer (if self-employed, give nature of self-employment and Business Address)              |                     |  | Position                | Salary \$   | Per week <input type="checkbox"/> Per month <input type="checkbox"/> |
| Name and Address Former Employer   |                     |  | Position                | Salary \$   | Per week <input type="checkbox"/> Per month <input type="checkbox"/> |
| Spouse Employed By (Name and Address)  |                     |  | Position                | Salary \$   | Per week <input type="checkbox"/> Per month <input type="checkbox"/> |
| Real Estate Owned — Address including City and State   |                     |  |                         | Recorded in Name of <input type="checkbox"/> yourself <input type="checkbox"/> spouse | Present Market Value \$  |
| Bank Reference — Name and Address  |                     |  |                         | Mortgage Loan <input type="checkbox"/> Other <input type="checkbox"/>                 | Any other income \$  |
| 1. Instal. Trade Reference   | Instal. Account No. | Name   | Complete Street Address | City and State  | Highest Credit \$  |
| 2. Instal. Trade Reference   |                     |  |                         |   | Still Owing \$   |
| Landlord's Name and Address  |                     |  |                         | Year and Make of automobile   | With Whom Financed   |
| Parent (Name and Address)  |                     |  |                         |   |  |
| Name and Address of Another Nearest Relative (With whom you do not reside)   |                     |  |                         |   | Relationship   |

3 HP  
MODEL



# MINI-BIKES

*Fun For The  
Whole Family*

- Easily Transported—Ideal for Teens, Hunters, Campers, Fishermen, Farmers, and Ranchers
- Fully Factory Assembled


## DELUXE 3 HP MINI-BIKE†

- Aircraft Caliper Type Disc Brake

**159<sup>95</sup>**

Ride the sporty one for 1971, and travel up to 28 MPH. A powerful 3 horsepower Tecumseh Silver Streak Engine provides reliable, economical riding. Exciting features of this minibike include: aircraft caliper disc brakes, forward sweep high rise handlebars, coil spring front suspension, all steel fully automatic clutches, heavy duty vinyl molded seat covers with a racing stripe, aircraft heavy duty control cables, vinyl coated control cable clamps, triple chrome plated steel fenders, full length triple chrome plated steel chain guards. Other features include: motorcycle type profile tread tires (13" wheels), hand operated brake controls, black vinyl foot rest is. The overall size of the minibike is 50" x 37½" in height, 21" width, 38" wheelbase, with a 6½" ground clearance. Metallic red ish. Shpg. wt., 75 lbs.  
A 68570WX No Money Down\* Net 159.95

4 HP  
MODEL



†NOT FOR USE ON  
PUBLIC THROUGHFARES

## DELUXE 4 HP MINI-BIKE†

- Dual Independent Braking System
- Dual Suspension (Front & Rear)

**179<sup>95</sup>**

A real beauty . . . engineered to take you off the beaten path, hunting, fishing or just riding for fun. Large, comfortable metal flaked gold seat combines with golden steel racing fenders and chain guard, forward sweep high rise handlebars and rugged heavy gauge welded tubular steel frame finished in lustrous metallic gold. Powerful, yet thrifty Tecumseh Silver Streak 4 H.P. engine delivers speeds up to 28 MPH. Features include twin beam cantilever frame with twin coil telescoping rear springs and a coil spring front suspension, dual independent braking systems (hand and disc), full width 13" hub wheels with sealed ball bearings, metal twist throttles, steel, fully automatic clutch, and retractable folding foot pegs. Fully assembled. Overall length: 49" Height: 41". Wheelbase: 37". Width: 21". Ground clearance: 7½". Shpg. wt., 75 lbs.  
13 A 68588WX No Money Down\* Net 179.95




## Liftmaster™ Garage Door Openers



Motor Control

**SALE**

Receiver



**NOW ONLY**

**149<sup>95</sup>** **SAVE 10.00**

No Money Down\*

SALE ENDS APRIL 30, 1971



Transmitter

• Closes—Securely Locks Door  
• Automatically Controls Garage Door  
• Operates from Inside Your Car

entire door operating system. Easily installed on residential, track guided garage doors of fiberglass or wood doors up to 8 ft. high. Only your tone transmitter can open the door. Gear-drive motor exerts 200 lbs. of force. Needs only 1½" of headroom between high arc of door and automatic. Built-in light goes on when door starts to open and stays

- Fully Transistorized Transmitter and Receiver with Private Tone Coding
- Operates 1-Piece or Sectional Doors
- 1/3 HP Motor—For Doors Up To 22 ft.

on for approximately two minutes after door closes. If door hits obstruction, it stops automatically. Safety clutch prevents damage. When started again, it will reverse itself. Transmitter can be carried in pocket, kept in glove compartment, clipped to sun visor or mounted under dash. Motor operates on 117 VAC. 60 Hz. UL listed. Shpg. wt., 65 lbs.  
13 A 82183WXZ . Net 149.95

See Listing of Accessories Below.

Garage Door Openers Shipped F.O.B. CHICAGO, ILLINOIS, NO C.O.O. SHIPPING COLLECTED ON DELIVERY. SEND FULL REMITTANCE OR USE LAFAYETTE'S N.

### ACCESSORIES

- For second car  
wt., ¾ lb. Net 19.95
- For outdoor operation, with 2  
wt., 1½ lb. Net 4.95

- Outside quick release lock. Used to open door from outside when electricity fails. Shpg. wt., ¼ lb. Net 4.95
- 13 A 82134
- 16 oz. Dry Spray Silicone Spray Lube Net 2.50
- 13 A 82142

for Full Credit Details on Easy Pay Plan

## COMPACT PORTABLE REFRIGERATOR



**74<sup>95</sup>**

- Works On Both 110 Volts AC and 12 Volts DC

Lightweight .62 cubic foot portable refrigerator perfect for use in autos, trailers, boats, or on picnics. Interior measures 12 x 6½ x 12½" and features a high impact PVC plastic liner. Plugs into cigarette lighter or AC outlet. Stores all types of food with the convenience of a home refrigerator. Ice tray for making ice on AC. Quiet operating absorption system, no disturbing compressors or motors. Fits almost anywhere. Outside dimensions are 14D x 15H x 15¼"W. High impact housing, grey with white top. With power cords. Shpg. wt., 23 lbs.  
13 A 32816W No Money Down\* Net 74.95

Lafayette Cat. No. 713 83



## COMPLETE SOLID-STATE ENGINE ANALYZER

For All Electrical Systems 6, 12, 24 or 32 Volt  
—Regular, Transistorized or Magneto Ignition,  
8, 6 or 4 Cylinder 4 or 2 Cycle Engines.

ONLY  
**49<sup>95</sup>**

- Large 6" D'Arsonval Double Jeweled Meter
- Do-It-Yourself Instruction Book

No Money Down\*

### Solid-State Engine Analyzer Will Test:

Dwell or Cam Angle  
Measure Engine Speed  
Adjust Carburetors  
Adjust Points  
Check Condensers  
Check Coil Resistance  
Measure Carbon Suppressor Spark Plug Cables  
Check Batteries  
Test Alternators, Generators & Regulators  
Check Shorts & Opens in Wiring  
Checks All Lamps, Fuses, Relays & Switches  
Check Diodes

Performs "FIFTEEN" authoritative tests under actual operating conditions; Tests output voltages in three separate ranges: 0-3.2, 0-16, 0-32 VDC. Determines the condition of batteries, battery cables, spark plug wires, coil wire, solenoids and starter motors. Permits precise setting of distributor points (cam-dwell angle) and test centrifugal advance mechanism on three scales: 0-45° for 8-cylinder, 0-60° for 6-cylinder, and 0-90° for 4 cylinder. RPM scales allow precise setting of carburetor air-fuel mixture and engine RPM in four separate scales: 8 or 6-cylinder (low) 0-1,200, (high) 0-6000; 4-cylinder (low) 0-2400, (high) 0-12,000. Measures amps from -5 to +90. Resistance scale from 100,000 ohms. Operates on simple "D" cell battery. Complete simple operating instructions. Detailed information supplied by make and model. Rugged steel case finished in baked enamel. Rear storage compartment holds 5 1/2' leads, clamps, plug jacks and connectors. Size: 12 x 6 1/2" x 6". Shpg. wt., 10 lbs.

11 A 24502

Net 49.95

99 A 62564 Battery For Above

Net .15



### 6 1/2" DWELL TACHOMETER

**28<sup>95</sup>**

Tunes up Electronically, Any Car Ever Made

- Three Dwell Scales
- Giant 6 1/2" Easy-to-Read Scale
- Use to Adjust Carburetors
- Use to Adjust Points

Made in U.S.A.

A complete ready-to-use Dwell Meter and Tachometer which will operate on any car ever made. Tests cam dwell angle and engine RPM on 4, 6 or 8 cylinder cars, 6 or 12 volt right on the engine. Giant 6 1/2" easy-to-read meter makes it simple for anyone to adjust points and carburetors to insure maximum gas economy and quiet engine running. RPM readings are also essential to properly service automatic transmissions. Three dwell angle scales are provided: 0 to 45 degrees, 0-60 degrees, and 0 to 90 degrees. This instrument is suitable for dwell angle adjustment on all foreign and domestic cars. Dual range tachometer 0 to 1000 rpm for precise carburetor adjustments. 0 to 5000 rpm, suitable for making all other tests at high engine speeds. Complete with instruction manual. Shpg. wt., 3 1/2 lbs.

11 A 01013W

Net 28.95



### 3 1/2" DWELL TACHOMETER

**SALE**

**14<sup>95</sup> CUT 2.00**

SALE ENDS APRIL 30, 1971

- Tune Up Electronically Any Car Made
- 3 1/2" Double Jeweled D'Arsonval Meter
- For 4, 6 or 8 Cylinder Engines
- For 6 or 12 Volt Systems
- Point Resistance Check

Made in U.S.A.

Electronically tune your car! This Dwell-Tachometer permits setting the carburetor for maximum efficiency, gas economy and greater power; indicates the correct point gap setting electrically (even if the points are pitted or corroded); permits setting points with the distributor cap off and engine cranking, and permits setting points on "Window" distributors with engine running. It also locates defective spark plugs; permits correct engine RPM setting for automatic transmission adjustments; throttle linkage and idle adjustment. RPM scale: 0-3000; 8-cylinder dwell: 5-45°; 6 cylinder dwell: 20°-60°; 4 cylinder reading obtained by doubling 8 cylinder scale reading. Two-color scale. Small and compact—measures only 6 1/4 x 3 3/4 x 2". Complete with instruction manual. Shpg. wt., 1 1/4 lbs.

11 A 01054

Net 14.95

## PROFESSIONAL AC OR DC—POWER TIMING LIGHTS

- Ultra-Brite Zenon Strobe Tube
- DC POWER TIMING LIGHT

Chrome finished DC-power timing light. The ultimate in a mechanics light. Ultra-brilliant blue white zenon strobe tube gives bright light for day or night use. Rugged case; designed for operator to reach inaccessible timing marks. Simple replacement of zenon bulb. For 6 and 12 volt battery. On/Off Switch. Shpg. wt., 1 1/4 lbs.

11 A 42405

Net 22.95

Same as above in kit form

Net 16.95

11 A 42470

- Available in Wired or Kit Form
- AC POWER TIMING LIGHT

Deluxe 110 volt AC power timing light. Use ultra-brilliant white zenon strobe tube. For day or night use. Plugs into any 110 volt AC line, insures maximum light regardless of condition of vehicles battery. Rugged black case with power cord and On/Off switch. Shpg. wt., 1 1/2 lbs.


11 A 42397

Net 12.9

Same as above in kit form

11 A 42488

Net 10.1



AS LOW AS


**10<sup>95</sup>**

# Auto Accessories You Can Install



## CAPACITIVE DISCHARGE IGNITION SYSTEM

With Silicon Controlled Rectifier



**SALE**  
**34<sup>95</sup>**  
SAVE 5.00  
SALE ENDS  
APRIL 30, 1971

- Quick, Easy Installation
- Constant Spark to 10,000 RPM
- Extremely Low Input Power—Less Load On The Engine

Combines all the advantages of capacitive discharge with those of solid state circuitry. Eliminates point bounce problems and positively fires plugs regardless of point condition. Fast rise time spark prevents fouling from three to ten times. Point contacts last indefinitely. Eliminates mis-firing, reduces oil contaminants, prolongs engine life. Provides smoother and more efficient operation at all speeds; constant spark up to 10,000 RPM; with dramatically improved acceleration and economy. Provides faster, easier starting in all weather. Unit operates with all commercial and original tachometers. Installs immediately with two simple connections to the existing coil, leaving the standard system intact. No temperature limitations—mounts anywhere. Requires only a very small amount of input power—reduces load on engine and electrical load. For 12 volt negative ground system only. Shpg. wt., 2½ lbs.

11 A 84506 No Money Down\* ..... Net 34.95

## JUDSON ELECTRONIC IGNITION SYSTEM



**NEW**  
**19<sup>95</sup>**

- Quick Easy Installation
- Improves Performance and gas mileage

Install a Judson SEE/DEE Electronic Ignition System on your car. It provides the dependability and performance required for the modern high speed engine. The current for the See/Dee system is completely controlled by a zener diode. It provides for a better and smoother running engine plus faster starting. In addition point and plug life are extended and there is a reduction of ignition failure and tune-up requirements. Good for a 6 or 12-volt battery and single or dual point negative ground systems. Shpg. wt., 1 lb.

11 A 35516 ..... Net 19.95

## AUTO/MARINE BATTERY CLOCK

**11<sup>95</sup>**



Operates Up To 1 Yr. On Single "C" Cell.

Attractively styled chrome bezel; with bright easy-to-read white face, has black markings and features a second pacing sweep hand. Fiber mesh fastening arrangements on base. Can be positioned on any metal, wood, plastic surface, including padded dashboards and yet is readily removable. 3¼" x 3½" x 2½" gray plastic case. Wt., 1 lb.


11 A 17506 ..... Net 11.95

99 A 62572 Battery for above ..... Net .14

\*See Page 25 for Full Credit Details on Easy Pay Plan

## ¾" SLIMLINE TRANSISTORIZED TACHOMETER

**SALE**  
**14<sup>95</sup>**  
CUT 2.00  
SALE ENDS  
APRIL 30, 1971



- Shift Set Needle
- 0-8,000 RPM
- For 4, 6, or 8 Cylinder

An attractive ¾" illuminated black and white face tachometer with precision 0-8,000 RPM scale, 200 RPM divisions, and adjustable shift indicator. Factory calibrated transistorized circuitry with precision D'Arsonval meter assures steady, accurate readings throughout the entire range. Can be used with transistor ignition systems. Has 360° universal mount 1½" depth slim line case with hooded bezel for easy dash mounting on compacts or on steering wheel column. Complete with installation kit. Heavy chrome and black wrinkle construction. For 6 and 12 V positive or negative ground.

11 A 42496 Shpg. wt., 1¼ lbs. .... Net 14.95

## DELUXE ¾" GAUGE AMMETER - WATER-OIL PRESSURE

**19<sup>95</sup>**



- All Electric—No Tubing

End guess work and space problems with this beautiful three-in-one gauge. Illuminated dial face gives accurate individual readings of oil pressure, amperage, and water temperature. Amp. gauge reads —60 to +50; oil pressure registers 0 to 80 lbs., and water temperature is indicated from 100° to 220°. Fits all 12 volt negative or positive ground alternator or generator electrical systems. Handy 360° universal mount and durable chrome zinc die cast case. Supplied with wire, adjustable mounting ring, and senders.

11 A 42033 Shpg. wt., 2½ lbs. .... Net 19.95

OIL AND AMMETER GAUGE—Similar to above, less water temp. gauge. 11 A 42041 Shpg. wt., 2 lbs. .... Net 15.95

## GAS SAVER VACUUM GAUGE

Only  
**12<sup>95</sup>**



- Automatically Shows Miles Per Gallon
- Chrome Die Cast Case

DELUXE ¾" TWIN VACUUM GAUGE. Automatically shows miles per gallon. Saves up to 40% of your gasoline dollars by showing you how to drive for the best economy or power. Checks your engine constantly by measuring its manifold pressure on a clear, four color illuminated dial. With 360° universal mounting, zinc die cast case, T-connector, 6 ft. vacuum tubing, steering column mount ring and instructions. Fits any car.

11 A 42050 Shpg. wt., 1¾ lbs. .... Net 12.95

# Automotive Accessories & Specialties



## QUARTZ-IODINE FOG AND DRIVING LAMPS

**12<sup>95</sup>**

- 260,000 Candle Power
- Die-cast, Slim-Line Body



High power, long life lamp gives life saving illumination in poor weather, makes night driving safer and less tiring. Wide angle, sharp cut-off fog lamp beam penetrates heavy fog. Driving lamp has concentrated, narrow beam for reaching far ahead of normal high beams. Chrome plated body. Sealed lens and reflector keeps out dirt and moisture. Fully adjustable mounting bracket. For 12 volt use. 5 1/4" diameter, 2 1/4" deep. Shpg. wt., 2 1/2 lbs.

- 11 A 26515 Fog Lamp, yellow ..... Net 12.95
- 11 A 26523 Driving Lamp, clear ..... Net 12.95
- 11 A 26531 Replacement Bulb ..... Net 4.95

## RADAR ALERT

- Warns of Traffic Zones!

**KIT  
23<sup>95</sup>**

**WIRED  
29<sup>95</sup>**

- Miniature and Completely Transistorized
- Rugged Printed Circuit
- Complete With Long Life Mercury Batteries



- Clips Easily on Sunvisor
- Gives Advance Warning

Radar alert wired—miniature electronic detector gives an audible warning whenever it intercepts a radar beam. Dual-Band circuit detects all commonly used police radar speed meters and traffic control devices, both vertically and horizontally polarized, to promote safer driving. Miniaturized and completely transistorized. Top quality components; printed wiring; 8 transistors; two 1,000 hour mercury cell, self-testing batteries (equivalent to 35,000 miles of driving at 35 M.P.H.) Magnesium case eliminates radio, TV and other interference. Weighs only 13 ozs., measures 3 3/4" x 2 1/4" x 3 1/4" D; clips to sunvisor. Complete with batteries, sunvisor clip. Instructions included. Shpg. wt., 1 1/2 lbs.

11 A 42617

Net 29.95

RADAR ALERT KIT. Same as above in kit form.

Net 23.95

11 A 42482  
This item not intended for resale in States where its use is forbidden in motor vehicles by public regulation.

## "FIAMM" ELECTRO COMPRESSOR AIR HORNS

- Chrome Plated Brass Trumpet
- Range of 1/2 Mile
- Loud—Clear—Continental Tone

As Low As

**16<sup>95</sup>**



Model 32. Custom quality chromed trumpets with loud clear, piercing, continental tone. Range up to 1/2 mile. Ideal for use on trucks, sports cars, emergency vehicles, buses, boats, etc. Compressor pumps air to trumpets instantly when horn is pressed—there's no waiting for pressure to build up. Supplied with Town and Country Selector Switch which enables use of original horns for city driving. Complete with: 2 horns (7" & 9"), compressor fittings, horn relay, and all necessary hardware. For 12 volts only. From Italy.

- 11 A 82500 Shpg. wt., 5 lbs. .... Net 21.50
- Model 22. Same as above but trumpets are enameled die-cast metal.
- 11 A 82518 ..... Net 16.95

## AUTO BURGLAR ALARM

**SALE  
16<sup>95</sup>  
Cut 3.00**

Sale Ends April 30, 1971



- Loud Siren Gives Fool Proof Protection To Doors, Trunk, and Hood
- Pick-Proof Key Lock Mounts on Outside of Auto


A heavy-duty siren with large 4 1/2" rotor constructed of DuPont Delrin for loud piercing sound output with less current drain. System helps prevent break-in, pilferage, damage, and inconvenience. Activator switches protect all access openings including trunk and hood. Can be wired to sound when emergency brake is released. Automatically flashes interior light on when alarm sounds. Instantly discloses violation and remains on until manually reset by pick proof lock switch. Great for cars, wagons, trailers, trucks, and vans. Supplied with relay switch unit, six alarm activator switches, wire, terminals, screws, in-line fuse, and pick-proof key lock with two keys.

11 A 89834 Shpg. wt., 4 1/2 lbs.

Net 16.95

## ELECTRONIC SPEED CONTROL

EASY  
TO  
INSTALL



ONLY  
**21<sup>95</sup>**

- Maintains Any Selected Highway Speed
- Does Not Affect Braking or Instant Acceleration
- Helps Adhere To Posted Speed Limits
- Sets Fast Idle for Quick Cold-Weather Warm-up



**As Low As  
11<sup>95</sup>**

- Chrome Plated Bell
- With Horn Button

A real joy for the sports car enthusiast. An authentic motor driven horn approved as an exact reproduction in sound and appearance by members of antique car, hot rod, and horseless carriage clubs the world over. Chrome plated bell with black wrinkle painted housing. With horn button, wire, bracket and instructions. Shpg. wt., 4 1/4 lbs.

- 11 A 30812 6-volt ..... Net 11.95
- 11 A 30820 12-volt ..... Net 11.95
- For Compact and Sports Cars
- 11 A 30879 12-volt ..... Net 11.95
- 11 A 30887 6-volt ..... Net 11.95

An Electronic Cruise Control which enables you to drive at a constant speed by automatically holding the throttle steady. Eliminates the need to keep a foot glued on accelerator on long trips. Once you reach desired speed, simply pull out knob and the Speed Control will automatically hold that speed. Allows instant acceleration for passing but takes over again when the foot is taken off the gas pedal. Ceases to function the moment the brake is depressed and completely disengages in the event of any malfunction. Designed to fit all cars and trucks. Shpg. wt., 2 lbs.

11 A 50811

Net 21.95

# Auto Accessories—Power Inverters

DELUXE PLUG-IN SPOTLIGHT

TRIPP LITE 150-WATT TRANSISTORIZED INVERTER



**SALE 3<sup>95</sup>**  
**SAVE 20%**

Sale Ends April 30, 1971


- 12 Volt GE Sealed Beam
- 10-Foot Cord with Plug
- All Chrome, Zinc Cast Housing

Plug-in portable spotlight is a real "life-saver" in emergencies—provides dependable, instant, powerful light for safety in every night-driving need. Finger-grip handle permits easy direction of light beam. Flex-chrome plate on die-cast metal. Fits most cigarette lighter sockets.

11 A 16250 Shpg. wt. 2 lbs. Net 3.95

## INSIDE WINDOW AUTO ANTENNA

- For AM-FM Reception
- Eliminates Theft-Breakage



Now you can have the latest type of AM/FM auto window antenna similar to Detroit's 1971 models. The antenna fits all cars, and can be installed in minutes. The antenna wire is laminated between 2 pieces of crystal clear self-adhering tape. Complete with easy to follow instructions, and a fender replacement cap to cover the hole of your old antenna mount to preserve your car's appearance. Shpg. wt., 1 lb.

11 A 63562 Net 3.90

## CAR VACUUM CLEANER

**4<sup>95</sup>**

- Plugs into Cigarette Lighter Outlet




Portable and powerful! Cleans upholstery, carpeting, ashtrays, under mouldings. Picks up dust, dirt and lint into a removable container. Designed to give trouble-free service. Complete with two attachments—a utility pick-up and a long nozzle to reach hard to get at places. Supplied with handy 15' Power Cord. Power source: 12V, DC. Imported.

11 A 67519 Shpg. wt., 2 lbs. Net 4.95

## CUSTOM SIDE LIGHTS

Two For

**2<sup>95</sup>**



- Conforms To New Car Safety Standards

Newly designed, custom side marker lights that keep pace with 1971 model cars by conforming to the new automotive safety code. Small button style design will enhance your cars appearance by day, prevent accidents by night... your cars visibility improves attracting attention of drivers coming from either side. Easy to mount and install into car's electrical System. . . . Complete with hardware and instructions. Chrome finish.

11 A 27505 Set of 2 Amber for front. Wt., 6 oz. Net 2.95

11 A 27513 Set of 2 Red for rear. Wt., 6 oz. Net 2.95

\*See Page 25 for Full Credit Details on Easy Pay Plan



**SALE**  
**34<sup>95</sup> CUT 5.00**

Sale Ends April 30, 1971

Model PV-150

- Delivers 150 Watts Continuously
- Fused to Protect Battery
- Provides Household Current Anywhere

A low-cost transistorized inverter which changes 12-volt DC to 115-volt 60 Hz AC. Delivers 150-watts continuously; 175-watts intermittently for shavers, recorders, radios, TV and many other appliances. Has on-off switch and replaceable fuse. Rugged construction. Size: 5 x 5 x 3 1/2". Shpg. wt., 5 1/2 lbs.

11 A 69505 No Money Down\* Net 34.95

## TRIPP LITE 350 WATT TRANSISTORIZED INVERTER



**NEW**

ONLY

**69<sup>95</sup>**

NO MONEY DOWN\*

- 350 Watts of Continuous Power
- Use It In Your Car, Boat, Trailer, Plane

Model PV-350. Converts 12-Volt D.C. current into 115-Volt A.C. Enables you to operate your house appliances and tools in your car, trailer, boat, plane, etc. Delivers 350 watts continuously, 385 intermittently, 8 power transistor circuitry for power boost. Advanced design has no moving parts to wear out. Inverter puts less strain on your battery, allowing your tool or appliance to do a quicker, better job. Mounts easily on any flat surface. Size: 3 1/2"H x 6 1/2"W x 9"D. Shpg. wt., 13 lbs.

11 A 69570W No Money Down\* Net 69.95

## TRIPP LITE ALL SOLID STATE POWERVERTERS



Model PV-200-B

Model PV-500-B

- Combination Power Inverters and Battery Chargers

MODEL PV-200-B—200 WATT INVERTER, 5 AMP BATTERY CHARGER. Converts 12-volt DC to 115-volt 60 cycle AC, delivers 200 watts continuously, 220 watts intermittently. 4 power transistor circuitry for power boost. Battery charger is rated 5 amp, has automatic control which tapers current down to overcharging. Size: 3 1/2 x 5 x 5 1/4". Shpg. wt., 6 1/2 lbs.

11 A 69513 No Money Down\* Net 49.95

MODEL PV-500-B—500 WATT INVERTER, 10 AMP BATTERY CHARGER. Rugged, heavy-duty inverter with 500 watt continuous output, 550 watt intermittent. 10 power transistors; hash-free TV, AM-FM reception. Battery charger rated at 10 amp, polarity protection in case of incorrect hook-up. Pilot light warns against overloading. Built-in rack handles. Size: 5 1/4 x 9 1/4 x 9".

11 A 69562 No Money Down\* Shpg. wt., 15 lbs. Net 99.95


Lafayette Cat. No. 713 87



# LVL-UV Log-Periodic Antennas

## FOR VHF-UHF-FM/STEREO

**COLOR**  
Approved



**3** ANTENNAS IN **1**  
UHF-VHF-FM  
CHANNELS 2-83

- For Color or Black-White Pictures Plus FM
- One Down Lead for All 3 Signals
- Powerful Log Periodic Design
- High Front-to-Back Ratio—High DB Gain
- Goldenized Finish For Long Lasting Protection

As low as  
**11<sup>95</sup>**

Complete with  
VHF-UHF-FM  
Signal Splitter

**NO EXTRA  
CHARGE!**



Super color improved antennas of famous log periodic design. Now you can easily install one antenna to obtain superb reception on VHF channels 2-13; UHF channels 14-83, and the FM band with one down lead. Does the job of three antennas! Ends unsightly roof clutter while providing strong, clear signals to improve the performance of any TV or FM set. All antennas are preassembled with dowel reinforced aluminum snap-lock elements and goldenized finish for long lasting protection. Features rugged 1" square boom. 28 element model utilizes a heavy-duty boom brace support for superior rigidity. Supplied with a specially designed 3-way splitter for good isolation with low signal loss.


| Stock No.    | Elements | Maximum Range (miles) |     |    | Boom Length | Shpg. Wt. (lbs.) | Net   |
|--------------|----------|-----------------------|-----|----|-------------|------------------|-------|
|              |          | VHF                   | UHF | FM |             |                  |       |
| 18 A 01802WX | 41       | 175                   | 90  | 95 | 15'         | 15               | 32.95 |
| 18 A 01828WX | 25       | 125                   | 65  | 70 | 10'-1"      | 9                | 21.95 |
| 18 A 01836WX | 17       | 85                    | 50  | 55 | 4'-8"       | 7                | 15.95 |
| 18 A 01844WX | 13       | 60                    | 30  | 35 | 30"         | 5                | 11.95 |

# TWIN-BOOM VHF-UHF-FM/Stereo Log-Periodic Antennas

**3** ANTENNAS IN **1**

Complete with  
VHF-UHF-FM  
Signal Splitter


**NO EXTRA CHARGE!**



- One Down Lead for All 3 Signals
- Extra Long Super Sensitive Capacitor-Coupled VHF Elements for High Gain
- Multiple Directors and UHF Driven Elements for Maximum Picture Power
- Twin-Boom Construction for Extra Strength
- Goldenized Finish for Long Lasting Protection

As Low As  
**19<sup>95</sup>**

**COLOR**  
Approved



Lafayette deluxe all-purpose twin boom three-in-one antenna for VHF, UHF, FM/STEREO. New frequency independent design permits all elements to work together on both low and high bands for maximum front-to-back ratio and high db gain. Extra long up to 110" reinforced aluminum VHF elements with wide band "cap-electronic" elements operate on both fundamental and harmonic modes. The result is an increased number of working elements producing maximum gain and directivity to bring sharpness and color brilliance to your screen. Disc-on-Rod UHF director system reinforces performance of surface wave UHF driver on low end of UHF band. Improved impedance match obtained by unique twin boom construction which combines mechanical rigidity with superior electrical performance. Utilizes single 300-ohm downlead. Rugged quality construction boasts 1" twin booms, heavy duty insulators, rust resistant hardware and lasting goldenized finish. Supplied complete with splitter to separate VHF, UHF, and FM signals. Less mast.

### 63 ELEMENT "ULTRA-FRinge" ANTENNA

Range in miles up to: VHF to 200, UHF to 100, FM to 110. 63 individual elements, 22 for VHF/FM, 41 for UHF. Has heavy-duty 1" square "twin-boom" and boom brace support. Boom Length 15'2".  
18 A 02172WX No Money Down! Shpg. wt., 14 lbs. Net 44.95

### 45 ELEMENT "DEEP-FRinge" ANTENNA

Range in miles up to: VHF to 150, UHF to 80, FM to 85, 45 individual elements, 16 for VHF/FM, 29 for UHF. Has heavy-duty 1" square "Twin-Boom" and boom brace support. Boom Length 11'2".  
18 A 02180WX Shpg. wt., 12 lbs. Net 29.95


### 27 ELEMENT "NEAR FRinge" ANTENNA

Range in miles up to: VHF to 100, UHF to 60, FM to 65, 27 individual elements, 12 for VHF/FM, 15 for UHF. Has heavy-duty 1" square "Twin Boom." Boom Length 7'10". Shpg. wt., 10 lbs. Net 19.95  
18 A 02198WX

# TV-FM Antennas And Accessories

## LAFAYETTE 5-FT. PARABOLIC UHF ANTENNA

18<sup>95</sup>



- Ultimate In Directivity — Rugged Construction Sharp Pictures Even In Fringe Areas

A 5 foot parabolic antenna which utilizes a signal drive broadband driver unit. The high front-to-back ratio eliminates the necessity of reflectors which shadow the center of the field. Signals reaching any part of the parabola are concentrated on the driver mounted at the exact focal point. This selective design provides up to 18.6 db gain. Back of reflector acts as a shield to reduce unwanted and reflected signals. Preassembled for easy installation. Small diameter, rugged elements with vibration dampers limit ice loading. All aluminum with protective Gold Corodized finish. Shpg. wt., 8 lbs. **18A 01801W** Net 18.95


## LAFAYETTE UHF CORNER REFLECTOR



- Range Up to 50 Miles **4<sup>95</sup>**
- Goldenized

For quality UHF reception even in fringe areas. High gain, sharp horizontal and vertical directivity eliminates "ghosts" and "snow." Rugged construction, large reflector screen made of highest grade aluminum tubing. "Fold-open" assembly. "Goldenized" finish for protection against weather and salt-air deterioration. Shpg. wt., 3 lbs. **18A 01449W** Net 4.95

## BLONDER-TONGUE UHF CONVERTER/AMPLIFIER



Only

30<sup>90</sup>

Model BTX-11A Now you can enjoy additional educational and regular UHF programming. This attractive solid-state converter adds all UHF channels (14-83) to your present TV, anywhere within the range of a UHF station. Features a new dual speed 100 to 1 fine vernier and illuminated dial for easy tuning; 3 times amplification; double tuned UHF input circuits and shielded oscillator section for interference-free reception. AC convenience outlet. Complete with UHF loop antenna, connecting cable. Reliable patented tuner; splicing, stripless terminals. For 110-120V, Hz AC. UL listed. Shpg. wt., 2 lbs. **18A 18319 No Money Down\*** Net 30.90

## LAFAYETTE 7" COLOR TV PURIFIER

- For Sharp and Clear Color Reception


Sharpens color reception through demagnetization of the picture tube. Simply turn on the set, plug in the purifier, and with switch depressed rotate unit in front of the TV screen. Use regularly to keep your color reception sharp and clear. Convenient clip for hanging on back of set when not in use. Imported.

**99 A 40240** Shpg. wt., ¾ lb. Net 2.95



2<sup>95</sup>

## "DOUBLE-DRIVEN" 10 ELEMENT FM ANTENNA



- For Deep Fringe Areas
- GOLDENIZED**

11<sup>95</sup>

Ideally suited to Multiplex FM reception. This 10-element double-driven, yagi array has the necessary added gain, sensitivity and directivity to compensate for the lack of signal strength. All-aluminum goldenized construction. Fiberglas insulators. Torision lock hardware sure-lock mast clamp. Boom Length: 128". Shpg. wt., 8 lbs. **18A 01201W** Net 11.95



## 2-SET VHF-UHF-FM COUPLER

1<sup>49</sup>

- Up To 2 TV or FM Sets From One Antenna
- Low Signal Loss

Couples 2 TV or FM sets from a single TV/FM Antenna. Low insertion loss and high isolation between sets. Ideal for color or black and white installations. Easy to install, no-strip 300-ohm input and output terminals and mounting hardware. When used with 82 channel (VHF-UHF) TV sets, 99-40339 signal splitter required (see below). Imported. Shpg. wt., 8 oz. **99 A 40313** Net 1.49

## 4-SET VHF-UHF-FM COUPLER

Similar to above except couples up to 4 TV or FM sets from one antenna. Imported. Shpg. wt., 8 oz. **99 A 40321** Net 1.99

## LAFAYETTE INDOOR VHF-UHF SIGNAL SPLITTER



1<sup>49</sup>

- Separate VHF And UHF Signal From An 82 Channel Single Line Installation

Back of set, VHF-UHF signal splitter. Adapts a single all-channel 300-ohm twinlead to a 82 channel TV set with separate VHF and UHF 300-ohm input terminals. Low insertion loss and high isolation between VHF and UHF bands insures sharp pictures on color and black & white. No-strip input terminals—includes pre-attached VHF-UHF leads. Imported. Shpg. wt., 3 oz. **99 A 40339** Net 1.49

Rembrandt

## TV GHOST ELIMINATOR

5<sup>95</sup>

- Improves Color Reception
- Receives From All Directions
- Filters Out Interference



Electrically rotates the polar-receiving pattern of your existing antenna and phases the ground wave picked up by the electrical wiring system with the sky wave picked up by the antenna. Improves any existing antenna; indoor, outdoor, master or built-in. Boosts pick-up power of any antenna—old or new. Just a flick of the selector control tunes out ghosts—filters out interference—tunes in those "hard-to-get" problem channels. Automatically amplifies TV signal strength for "snow" free, brighter, clearer pictures. Works on every channel—in any location—with any antenna—for any TV set. No installation problem—simply attach to antenna terminals in back of TV set—and plug into 117V AC/DC socket. UL Listed. Shpg. wt., 1½ lbs. **18A 12064** Net 5.95

In lots of 6 ea. Net 5.00

# TV Antenna Boosters - Rotator - Accessories

**LAFAYETTE COLOR-AMP TRANSISTORIZED  
VHF-UHF-FM ANTENNA BOOSTER  
FOR CHANNEL 2 - 83**

**LAFAYETTE TRANSISTORIZED  
4-SET VHF-TV/FM BOOSTER  
FOR CHANNEL 2-13**



- Gain 20 db VHF-FM — 10 db UHF — Uses Low Noise 2-Transistor Solid-State Circuit
- Use With Any Outdoor TV or FM Antenna — AC Isolation Transformer — No Shock Hazard

- Amplifies VHF-FM Signals for Reception on Up to 4 Sets
- Easy to Connect and Economical to Operate

Enjoy vivid color and crisp black and white pictures; instantly improve your FM reception. 2-transistor solid-state mast-mounted pre-amplifier overcomes downlead losses and rejects interference, matching your roof antenna to your TV or FM set under all atmospheric and weather conditions. Gives 20 db boost to VHF and FM; 10 db to UHF. Designed for moderate to fringe area signals. Weatherproof outdoor housing mounts easily on any antenna boom or mast. Complete with 117 VAC indoor power supply and hardware. Has single 300-ohm input and output thru "no-strip" screw terminals. Shpg. wt., 1 1/2 lbs. **18 A 02149** Net 19.95

If your antenna isn't pulling in signals of sufficient strength then this Lafayette Booster Amplifier is just what you need. Screw-on terminals make wire connections easy, no cutting is necessary. Transistor circuit runs cool, draws little current. Signal strength is boosted 3 to 5 times. Will operate up to 4 TV and or FM sets on the same antenna. Input impedance is matched to antenna impedance. Needs no adjustment. Isolated outputs insure maximum set separation. Can be mounted in any convenient location where adequate ventilation is provided. Size 4 3/4" x 1 1/4" x 3 1/2" D. For 117 volts, 60 Hz AC. Imported. Shpg. wt., 1 lb. **99 A 40115** Net 14.95



## ALLIANCE AUTOMATIC ROTOR-SYSTEM

only  
**28<sup>78</sup>**



- Full 360° Rotation
- Will Handle the Largest Color TV Antenna In Winds In Excess of 90 M.P.H. Rotation Speed 1 R.P.M.
- Magnetic Brake for Instant Stops with No Drift

**Model U-100 Automatic Rotor System.** If an individual can lift and install his antenna, this Tenna-Rotor will support it, hold it, and rotate it 360°. Accepts masts to 1 3/8" O.D. Guy wire accesses provide secure installation. Control Box fully automatic, just set control knob and antenna rotates to desired position and stops automatically. Indicator shows position of antenna. Has positive mechanical stop at the end of rotation. Sizes: Rotor 7 3/4" x 4 1/2" x 8". Control Case 7 x 4 1/2" x 4". 100 V. 60 Hz AC at 65 watts. UL listed. Shpg. wt., 15 lbs.

**18 A 14037W** ..... Net 20.78  
4-Conductor Flat Cable  
**32 A 09105** (per 100 ft.) ..... Net 3.40

## COLOR CHAMPION UHF/VHF ANTENNA


**19<sup>95</sup>**

- Features Color Tuning Loops and Power Boosters
- VHF-UHF Isolation Switch


Get clearer, sharper pictures on all VHF/UHF channels 2 thru 83. In color and black and white, plus FM stereo. Combined action of color tuning loops, power boosters, and 5 section 46" solid brass elements give superb reception. 12 position picture correction control clears up ghosts, snow and color fading in most difficult areas. Separate VHF/UHF isolation network switch allows consistent true color levels and sharper color register. Attractive styling with walnut finish. Range up to 30 miles. **18 A 12411** Shpg. wt., 5 lbs. Net 19.95



## ANTENNA INSTALLATION KITS



As Low As **5<sup>50</sup>**



**CHIMNEY MOUNT**      **WALL MOUNT**      **ROOF MOUNT**

Chimney Mount Kit includes "Z" type chimney mounts with stainless steel straps.  
Wall Mount Kit includes set of 2-7" galvanized wall brackets.

Roof Mount Kit includes galvanized roof mount, 1 guy ring, clamp and 50-ft. of galvanized steel guy wire.


Each of the above kits also includes 2-5' galvanized steel masts, 3-3 1/2" screw stand-offs, 2-mast standoffs. Kits for use with VHF-UHF-FM antennas, supplied with 100 ft. foam type twin lead cable; kits for use with VHF-FM antennas, supplied with 100 ft. twin-lead cable; Avg. shpg. wt., 10 lbs.

### FOR VHF-UHF-FM ANTENNAS

| Stock No.           | Description       | Net  |
|---------------------|-------------------|------|
| <b>18 A 1604WX</b>  | Chimney Mount Kit | 7.50 |
| <b>18 A 1605WX</b>  | Wall Mount Kit    | 6.50 |
| <b>18 A 1606WX</b>  | Roof Mount Kit    | 6.50 |
| FOR VHF-FM ANTENNAS |                   |      |
| <b>18 A 1607WX</b>  | Chimney Mount Kit | 6.50 |
| <b>18 A 1608WX</b>  | Wall Mount Kit    | 5.50 |
| <b>18 A 1609WX</b>  | Roof Mount Kit    | 5.95 |

# LAFAYETTE Introduces a NEW Premiere Line of Multitesters

- Especially Designed For Ease of Handling and Convenience
- Self Supporting—Meter Can Be Tilted at a 45° Angle for Easy Viewing
- Burnout Protected • Mirror Scale • Low Voltage Scale for Transistors



**22<sup>95</sup>**

## 30,000 Ohms Per Volt Multitester RANGES

- AC Volts: 0-2.5, 10, 25, 100, 250, 500, 1000
- DC Volts: 0-.25, 1, 2.5, 10, 25, 100, 250, 500, 1000
- DC Current: 0-.0.5, 5, 50, 500 MA
- Ohms: 0-60K, 6M, 60 Megohms
- DB: -20 to +56

Deluxe VOM with mirror scale has professional "lab" styling, carrying-handle for portable or bench use. Provides wide voltage, current, resistance and db ranges clearly visible on a large, easy-to-read scale with 2 color calibrations. Built-in overload protective circuitry to assure a long trouble-free life. Sensitivity is 30,000 ohms-per-volt DC and 15,000 ohms-per-volt AC. All multipliers used are 1% precision resistors for maximum accuracy and years of dependable service. Sensitive 33 microampere meter provides full scale readings down to 1/4 volt on DC and .05 ma. Features a unique, self-contained buzzer to give you fast in-circuit checks on opens, shorts. Audio output jack with DC blocking capacitor. Sturdily housed in a handsome, dustproof black plastic case. With leads and batteries. Size: 7W x 4H x 2 1/4"D. Imported.

99 A 50817 Shpg. wt., 1 1/2 lbs. Net 22.95



**15<sup>95</sup>**

## 20,000 Ohms Per Volt Multitester RANGES

- AC Volts: 0-6, 30, 120, 600, 1200
- DC Volts: 0.6, 6, 30, 120, 600, 1200
- DC Current: 0-60  $\mu$ A, 0-6, 60, 600 MA
- Ohms: 0-10K, 100K, 1M, 10 Megs.
- DB: -20 to +63

Handsome "lab-type" low profile design with carrying handle. Has every needed range and mirror scale for precise readings. Ideal for repair and service work as well as testing and troubleshooting electronic circuits and appliances in the shop. 40 microampere meter movement permits a high input resistance on all ranges. Has a single range/function control for quick, simple operation, plus zero ohms adjust and built-in overload protective circuitry. Complete with batteries and test leads. Specifications: Sensitivity: 20,000 ohms/volt DC; 10,000 ohms/volt AC. Ranges: DC volts: 0.6, 6, 30, 120, 600, 1200; AC volts: 0-6, 30, 120, 600, 1200. Resistance: 0-10K, 100K, 1M, 10 Megs. Current: 0-60  $\mu$ A, 0-6, 60, 600 MA. Decibels: -20 to +63. Capacity: 200 mmf to 0.2 mfd. Size: 7W x 4H x 2 1/4"D. Imported.

99 A 50825 Shpg. wt., 1 1/2 lbs. Net 15.95

## UNIMETRICS 50,000 OHMS PER VOLT VOLT-OHM MILLIAMMETER

**24<sup>95</sup>**

- Big 4" Meter
- Low Voltage Scale for Transistor Tests
- All Ranges Burnout-Proof
- 50,000 Ohms Per Volt DC
- Mirror Scale
- Single Selector Switch
- Pocket Size—Lightweight



Advanced VOM with internal overload protection on all ranges. Eliminates burned-out resistors, meter movements, and bent pointers. Mirror scale and single selector switch. Carrying handle tilts at 20° angle for easy scale reading. Ranges: DC Volts: 0-.25, 2.5, 10, 50, 250, 1000 (at 25K ohms/volt); 0-.125, 1.25, 5, 25, 125, 500 (at 50K ohms/volt); AC Volts: 0-3, 10, 50, 250, 1000 (at 2.5K ohms/volt); 0-1.5, 5, 25, 125, 500 (at 5K ohms/volt); DC Current: 0-50, 0-25  $\mu$ A; 0-5, 50, 500 ma; 0-2.5, 25, 250 ma; 0-10, 0-5 amps; DB -20 to +81.5. Resistance: 0-10K, 100K, 1 Meg, 10 Meg. With batteries, leads, and instructions. Imported. Shpg. wt., 3 lbs.

38 A 63004 Net 24.95

## LAFAYETTE "SUPER MINI" AC/DC VOM

**6<sup>95</sup>**

- Only 3 1/2"Hx2 1/4"Wx1 3/8"D.
- Reads AC/DC Volts To 1200 Volts
- 8-Input Ranges
- 4-Reading Scales
- Separate Red Scale For Low AC Reading



Highly accurate, low cost multitester: Handy to use anywhere by technicians, hobbyist or home owners for trouble shooting electronic circuits and testing appliances. Ranges: AC/DC voltage, 0-12, 0-120; and 0-1200; DC current, 0-1mA and 0-120mA. Reads resistance from 0 to 200,000 ohms. Easy to read red scale for low AC readings. 1% resistors offer precise readings. Sensitivity: 1000 ohms per volt. Zero ohms adjust. Operates on 1.5 volt "Z" cell. Complete with test leads and battery.

99 A 50791 Imported. Shpg. wt., 10 oz. Net 6.95

99 A 50809 Pileskin Carrying Case for above. Shpg. wt., 5 oz. Net 1.49

## PROTECT YOUR METER with METERGARD

**2<sup>95</sup>**

- Easily Installed
- No Overload Damage



Protect your meter, regardless of make, against overloads. No more bent pointers, damaged pivots, or burnt out coils. Installation of metergard will allow your meter to withstand as much as a 10,000% overload. Shpg. wt., 1 lb.

38 A 68015

Net 2.95

# NEW! LAFAYETTE 25-Watt Solid State P.A. Amplifier



## Model PA-25

# ONLY 59<sup>95</sup>

- 25-Watts Continuous Power (RMS), 50 Watts Peak
- Microphone Precedence Switch
- Anti-Feedback Network
- Switchable High and Low Level Mike Input
- Tape Recorder and Booster Amplifier Outputs
- Master Volume Control
- Outputs for 4, 8 and 16 ohm Speakers for 25 Volt and 70 Volt Constant Voltage Speaker Installations

### Specifications

Power Output: 25 Watts (RMS) at less than 5% distortion (50 Watts Peak).  
 Frequency Response: 100 to 10,000 Hz  $\pm$  2db.  
 Sensitivity: High Impedance Mike = 4mV  
 Low Impedance Mike = 0.3mV, Aux-1/Phono = 400mV, Aux-2 = 200mV.  
 Inputs: Mike High = 100K ohms, Mike Low = 200 ohms; Aux-1 = 400K ohms, Aux-2 = 100K ohms.  
 Hum and Noise: Mike Input = 45db; Aux Input = 60db.  
 Outputs: 4, 8, 16 ohm speaker; 25V, 70V, Tape/Booster = 5V at rated output; Tape Recorder = 0.5V at rated output.  
 Semi-conductors: 9 Silicon Transistors, 2 Silicon Diodes, 1 Zener Diode, 1 Thermistor.

Delivery April 15, 1971

Lafayette's PA-25, 25-Watt solid state PA amplifier will more than satisfy your requirements for dependable performance for medium size meeting rooms, classrooms, entertainment centers, etc. The PA-25 incorporates all the desirable PA features plus several other sophisticated characteristics found in much more expensive equipment, i.e.: Controls: Separate Bass and Treble, Master Volume, Microphone Volume, Auxiliary-1, Auxiliary-2, Anti-feedback for minimizing feedback and for protection of speakers, and Microphone Precedence for direct or remote muting of auxiliary inputs when only microphone input is desired. In the rear, the PA-25 features a tape record output jack plus a separate output jack for tape recorder or booster amplifier, 2 speaker output sockets and impedance matching terminals for 4, 8, 16-ohms and 25-Volt and 70-Volt constant outputs, an AC convenience outlet, and a circuit breaker. Complete with microphone connector and 2 plug-in speaker connectors. For 105-125 Volts, 60 Hz. Size 15 $\frac{1}{2}$ "x5 $\frac{1}{4}$ "x10 $\frac{1}{2}$ " D. Shpg. wt., 27 lbs. 99 A 4626W No Money Down\*

Net 59.95

## 25-WATT INDOOR P.A. SYSTEMS

### with HEAVY DUTY 12" SPEAKER



As Low As  
**74<sup>95</sup>**

PA-25

12" Speaker

Column Speakers

99-45874

Wall Baffle

Includes PA-625 25-watt P.A. amplifier; Rugged, specially designed hi-power 12" P.A. speaker; Polished walnut wooden wall baffle; Lafayette 99-45874 slim crystal microphone with on-off locking switch, desk stand, lavalier cord, cable and removable type floor stand and desk stand adapter; 35 ft. speaker cable. Shpg. wt., 37 lbs. 44 A 91965WXM No Money Down\*

Net 74.95

### with COLUMN SPEAKERS

Same P.A. system as 44-91965WXM except with 30 $\frac{1}{2}$ "x7 $\frac{3}{8}$ " column speaker instead of 12" speaker and wall baffle. Attains extra efficient sound reproduction with 6 internal speakers. Shpg. wt., 43 lbs.

44 A 91973WXM No Money Down\*

Net 90.95

Above system with extra column speaker and cable. Shpg. wt., 57 lbs.

44 A 91981WXM No Money Down\*

Net 119.95

## 25-WATT PORTABLE P.A. SYSTEMS



As Low As  
**90<sup>95</sup>**

99-45874

### Phono Turntable

4-speed (16, 33 $\frac{1}{3}$ , 45, and 78 RPM) phonograph turntable. Used alongside of PA-25, PA-50 and PA-100. Takes records up to 12". High quality ceramic pickup—turnover type with dual synthetic sapphire stylus. Power requirements: 15 watts, 117 volts 60 Hz AC. Durable finish. Size 12 $\frac{3}{8}$ "x8 $\frac{1}{2}$ "x4". Shpg. wt., 6 $\frac{3}{4}$  lbs. 44 A 01584

Net 18.95

A complete 25-watt P.A. portable system that in addition to Lafayette's fine 25-watt P.A. amplifier, includes a heavy duty 12" P.A. speaker; a rugged excellently constructed carrying case that serves as an efficient speaker baffle and housing for the amplifier, optional phonotop, microphone, cables and up to 2-12" speakers; Lafayette 99-45874 high impedance slim crystal microphone with on-off locking switch, with cable, desk stand, removable swivel type floor stand adapter, and lavalier cord; and 35 ft. speaker cable. For 105-125 volts 60 Hz. AC. Shpg. wt., 52 $\frac{3}{4}$  lbs.

44 A 91999WXM No Money Down\*

Net 90.95

Same as 44-91999WXM except with 2-12" heavy duty 15 watt PA speakers plus 35' speaker cable. Shpg. wt., 57 $\frac{3}{4}$  lbs.

44 A 92005WXM No Money Down\*

Net 98.95




# NEW! LAFAYETTE 50-Watt Solid-State P.A. Amplifier

## Model PA-50

ONLY **79<sup>95</sup>**

No Money Down\*



- 50-Watts Continuous Power (RMS)
- Switchable High and Low Level Mike Inputs
- Microphone Precedence Switch
- Anti-Feedback Network
- Tape Recorder and Booster Amplifier Outputs
- Master Gain Control
- 25 Volt and 70 Volt Constant Voltage Outputs.

### SPECIFICATIONS

**Power Output:** 50 watts at less than 5% Distortion (Peak Power 100 Watts). **Frequency Response:** 100 to 10,000Hz  $\pm 2$  db. **Sensitivity:** High Impedance Microphone—4mV; Low Impedance Microphone—0.3mV; Aux 1/phone—400mV, Aux 2—200 mV. **Inputs:** Mic-1 High—100 K ohms, Low—200 ohms; Mic-2 High—100K ohms; Aux-1—400K ohms; Aux-2—100K ohms. **Hum and Noise:** Mic. Input—40 db; Aux Input—55 db. **Outputs:** 4, 8, 16-ohm Speaker; 25V; 70V; Tape/Booster—5V at rated output; Tape Record—0.5V at rated output. **Semi-Conductors:** 10 Silicon Transistors, 4 Silicon Diodes, 1 Zener Diode, 1 Thermistor.

Lafayette's new 50-watt solid state P.A. amplifier combines power with versatility for superb performance in indoor and outdoor applications. Features separate bass and treble controls, master gain control, 2 separate microphone volume controls, mixer control for both auxiliary inputs, and switchable anti-feedback network for minimizing feedback and for protection of speakers. The PA-50 also incorporates a microphone precedence switch and terminals for direct or remote muting of auxiliary inputs when only microphone input is desired; one tape record output jack plus a common tape record and booster amplifier output jack; 2 speaker output sockets for 4, 8 and 16-ohm speakers, and 25 volt and 70 volt constant voltage speaker outputs for a multiple speaker constant level sound system. The PA-50 also includes power-in light, AC convenience outlet, and push-to-reset circuit breaker. Complete with microphone connector and 2 plug-in speaker connectors. For 105-125 volts, 60Hz, 90VA. Size 15 $\frac{1}{4}$ "W x 5 $\frac{1}{4}$ "H x 10 $\frac{1}{2}$ "D. Shpg. wt., 29 lbs.

Net 79.95

4-Speed Turntable for Above Amplifier.

44 A 01584 Shpg. wt., 8 lbs.

Net 18.95

## 50-WATT INDOOR PA SYSTEMS

### WITH 8" SPEAKER BAFFLE COMBINATIONS

Consists of:

- Lafayette PA-50 50-Watt PA Amplifier.
- 4-8" Speaker-Baffle Combinations; each with Matching Transformer for 25 and 70.7 Volt Constant Voltage Outputs, plus Volume Control.
- Choice of Deluxe Dynamic Microphones.
- 4-35' Lengths of Speaker Cable.

Complete PA system as above with Lafayette 99-46039 dual impedance dynamic microphone and 99-45999 desk stand. Mike can also be hand-held or can be used with standard floor stand.

44 A 91924WXM Shpg. wt., 65 lbs. Net 159.95

Same as 44-91924WXM except with Shure Unisphere A dynamic cardioid "pop-proof" microphone instead of Lafayette microphone. Shpg. wt., 64 lbs.

44 A 91932WXM Net 169.95

AS LOW AS **159<sup>95</sup>**  
No Money Down\*

Shure Unisphere A Dynamic Mike

99-46039 Dynamic Mike with Desk Stand

8" Speaker Baffle Combinations

Lafayette 99-46039 Dynamic Mike with 99-45999 Desk Stand

AS LOW AS **134<sup>95</sup>**  
No Money Down\*

Shure Unisphere A Dynamic Mike

## 50-WATT PORTABLE PA SYSTEMS

For Auditoriums, Churches, Theaters, Dance Halls, Studios, Lecture Halls etc.

Consists of:

- Lafayette PA-50 50-Watt P.A. Amplifier
- Two 30-Watt Heavy Duty 12" P.A. Speakers
- Lafayette 99-46039 Dual Impedance Dynamic Microphone & Desk Stand
- Attractive, Sturdy Carrying Case for Amplifiers, Speakers, & Accessories. Serves As Efficient Baffle
- Two 35' Speaker Cables

Complete System as above. Shpg. wt., 64 $\frac{3}{4}$  lbs.

44 A 91940WXM Net 134.95

Same as above system except with Shure Unisphere A Cardioid Dynamic Microphone instead of Lafayette microphone. Shpg. wt., 62 $\frac{3}{4}$  lbs.

44 A 91957WXM Net 164.95

# LAFAYETTE 100-Watt Solid State P.A. Amplifier Model PA-100

Only **114<sup>95</sup>**



- 100-Watts (RMS) at Less Than 5% Distortion (200-Watts Peak Power)
- Switchable High & Low Level Mike Inputs
- Microphone Precedence Switch
- Anti-Feedback Network
- Tape Recorder and Booster Amplifier Outputs
- Master Gain Control
- 25 Volt and 70 Volt Constant Voltage Outputs

## SPECIFICATIONS

**Power Output:** 100 Watts at less than 5% Distortion (Peak Power 200 Watts)  
**Frequency Response:** 100 to 10,000 Hz  $\pm$  2db.  
**Sensitivity:** High Impedance Microphone = 4mV. Low Impedance Microphone = 0.3 mV. Aux 1/Phono = 400 mV, Aux 2 = 200 mV.  
**Inputs:** Mic-1 High = 100K ohms; Mic. -2 Low = 200 ohms; Aux-1 = 400K ohms; Aux-2 = 100K ohms.  
**Hum and Noise:** Mic. Input = 40db; Aux Input = 55db.  
**Outputs:** 4, 8, 16 ohm Speaker. 25V, 70V; Tape/Booster = 5V; Tape Record = 0.5V.  
**Semi-Conductors:** 10 Silicon Transistors, 4 Silicon Diodes, 1 Zener Diode, 1 Thermistor.  
**Power Requirements:** 105 to 125V, 60 Hz AC; 190 VA.

Lafayettes' 100-watt solid-state P.A. amplifier features outstanding solid state circuitry design for truly dependable public address long life performance. Its high power and special features make it ideal for use in large meeting areas, factories, department stores, airports, churches, temples, outdoor areas, etc. where maximum coverage is essential. Some of its salient features are separate bass and treble controls, efficient master gain control, separate microphone volume controls for microphone 1 and microphone 2, mixer control for both auxiliary inputs (phono, tuner, etc.), 2 switchable high and low level microphone inputs, a switchable anti-feedback network to minimize feedback and to protect speakers against burnout. In addition the PA-100 incorporates a microphone precedence switch that permits muting of auxiliary inputs when only microphone input is desired, as well as separate mike precedence terminals to permit remote switchable microphone precedence and booster amplifier output jack; 2 speaker output sockets for 4, 8 and 16 ohm speakers, and 25 volt and 70 volt constant voltage outputs for a constant level sound system. The PA-100 also includes power-on indicator light, AC convenience output and push-to-reset circuit breaker. It is professionally designed for attractive appearance as well as for exceptional utility. Complete with microphone connector and 2 plug-in speaker connectors. For 105-125 volts, 60 Hz, 190 VA. Size 15 1/4" W x 5 3/4" H x 10 1/2" D. Shpg. wt., 29 lbs. **99 A 46138WUX No Money Down\*** Net 114.95

4-Speed Turntable for Above Amplifier. Shpg. wt., 8 lbs. **44 A 01584** Net 18.95  
 Desk Type Dynamic Dual Impedance Press-to-Talk P.A. Microphone. Excellent for Standard and Mike Precedence Activation of PA-100. Shpg. Wt., 2 1/2 lbs. **99 A 46096** Net 12.95

## 100-Watt Indoor Public Address Systems

Excellent for: Department Stores, Auditoriums, Airports, Large Meeting Halls, Churches, Temples, etc.

99-45981



As Low As  
**228<sup>95</sup>**



As Low As  
**180<sup>95</sup>**



E-V 664

Model PA-100

### with WALL-MOUNT SPEAKERS

- Lafayette PA-100 100-Watt Solid State PA Amplifier
- 6 Lafayette Pre-wired Speaker Baffle Combination with 8" Speakers, Volume Controls, and Universal 25 Volt/70.7 Volt Constant Voltage Matching Transformers
- Choice of Deluxe Dynamic Microphones
- Six 35 ft. Speaker Cables

Complete 100-watt indoor PA system as above with Lafayette 99-45981 deluxe dual impedance dynamic "pop-proof" microphone with on-off switch, desk stand and 6 ft. detachable cable. The microphone can also be hand held or mounts on any standard floor stand. Shpg. wt., 76 lbs. No Money Down\*

**44 A 91825WXM** Net 228.95

Same as above system except with famous Electro-Voice 664 dynamic cardioid microphone with 15 ft. of cable. Shpg. wt., 76 lbs. **44 A 91833WXM** Net 268.95

### with COLUMN SPEAKERS

- Lafayette PA-100 100 Watt Solid State PA Amplifier
- Two 30-Watt 6-Speaker Sound Column Speakers for Optimum Voice and Music Reproduction
- Choice of Deluxe Dynamic Microphones
- Two 35 ft. Speaker Cables

Above 100-watt PA system with Lafayette 99-45981 deluxe dual impedance dynamic "pop proof" microphone with on-off switch and desk stand. Column speakers are 30 1/4" H x 7" W x 3 1/8" D. Shpg. wt., 59 lbs. No Money Down\*

**44 A 91841WXM** Net 180.95

Same system as above except with 2 Lafayette deluxe 60-watt 6-speaker 4 1/2" H x 7 1/4" W x 5" D sound column speakers instead of 30-watt column speakers. Shpg. wt., 76 1/2 lbs. No Money Down\*

**44 A 91858WXM** Net 218.95

Same system as above 44-91858WXM except with Electro-Voice 664 dynamic cardioid microphone with 15 ft. of cable. Shpg. wt., 76 1/2 lbs. No Money Down\*

**44 A 91874WXM** Net 255.95



Column Speakers



Wall-Mount Speaker Baffle Combinations

94 Lafayette Cat. No. 713

\*See Page 25 for Full Credit Details on Easy Pay Plan

# Lafayette Public Address Systems and Accessories

## 100-Watt Portable P.A. Systems with Dual Speakers



As Low As  
**167<sup>95</sup>**

Consists of:

- Lafayette PA-100 100-Watt PA Amplifier
- Two 30-Watt Heavy Duty 12" P.A. Speakers
- Choice of Deluxe Dynamic Microphones
- Attractive, Sturdy Carrying Case and Baffle for Amplifiers, Speakers, and Accessories.
- Two 35' Speaker Cables

Complete 100-Watt portable PA system as above with Lafayette 99-45981 deluxe dual-impedance dynamic "pop-proof" microphone with on-off switch, desk stand and 6 ft. detachable cable. The microphone can also be hand-held or mounts on any standard floor stand. Shpg. wt., 62 $\frac{3}{4}$  lbs.

44 A 91809WXM No Money Down\* ..... Net 167.95  
Same system as above except with Electro-Voice 664 dynamic cardioid microphone with 15 ft. of cable, instead of 99-45981 microphone. Shpg. wt., 62 $\frac{3}{4}$  lbs.  
44 A 91817WXM No Money Down\* ..... Net 204.95

## 100-Watt Hi-Power Outdoor P.A. Systems

Ideal For Large Area Coverage

Consists of:

- Lafayette PA-100 100-Watt Solid State PA Amplifier
- 2 Electro-Voice PA30A 30-Watt outdoor speakers
- Choice of Deluxe Dynamic Microphones

This outstanding outdoor PA system with Lafayette 99-45981 deluxe dual-impedance dynamic "pop-proof" microphone with on-off switch, desk stand and 6-ft. detachable cable. Microphone can also be hand held or mounts on any standard floor stand. Shpg. wt., 46 lbs.

44 A 91882WXM No Money Down\* ..... Net 167.95  
Same system as above plus 2 additional E-V PA30A projector speakers. Shpg. wt., 61 lbs.

44 A 91890WXM No Money Down\* ..... Net 211.95  
Same system as 44-91882WXM except with famous Electro-Voice 664 dynamic cardioid microphone instead of 99-45981 microphone. Shpg. wt., 46 lbs.

44 A 91900WXM No Money Down\* ..... Net 204.95  
Same system as 44-91890WXM except with Electro-Voice 664 dynamic cardioid microphone instead of 99-45981 microphone. Shpg. wt., 61 lbs. Net 249.95

Lafayette  
99-45981



Model PA-100




E-V PA30A  
Projectors

As Low As  
**167<sup>95</sup>**



E-V 664

### LAFAYETTE 8" 10-WATT MULTI-TAP PA SPEAKER SYSTEM



**17<sup>95</sup>**

- Built-in Volume Control
- 70 Volt and 25 Volt Line Matching Transformer

An 8" multi-tap PA speaker completely prewired in a finished wood baffle. Ideal for any type of indoor sound system. Heavy duty speaker has 4.64 oz. Alnico magnet. Transformer is mounted directly on speaker frame. Taps are 10, 5, 2 $\frac{1}{2}$ , 1 $\frac{1}{4}$ , and  $\frac{3}{8}$  watts for connection to 70 volt and 25 volt amplifier output. Terminal board with screw terminals is provided at the rear of baffle for easy connections. Speaker has its own volume control for setting volume levels as desired at speaker location. Size: 11W x 9 $\frac{1}{2}$ H x 6 $\frac{1}{4}$ "D.  
99 A 46310 Imported. Shpg. wt., 7 lbs. Net 17.95

### LAFAYETTE TRANSISTORIZED STEREO/MONAUROAL MIKE MIXER

**9<sup>95</sup>**

- Up to 4 Input Channels
- Matches High Impedance Mikes

• Transistorized No Warm-up

In monaural position, can be used to control up to four different signals into a single output. In the Stereo position, it can be used to feed two separate signals into each of the left and right outputs. Each mike control independent of the other, permits fading of one input while increasing others. Controls high impedance microphones, recorders, phonographs or tuners. Output jack fits standard RCA type phone plugs. Inputs are standard 2-conductor phone plugs. Requires single 9 volt battery (not supplied). Size: 6W x 2 $\frac{1}{2}$ H x 3 $\frac{1}{2}$ "D. Imported. Shpg. wt., 1 $\frac{1}{2}$  lbs.


99 A 45635 ..... Net 9.95  
99 A 60212 Battery for above ..... Net .21

### LAFAYETTE TRANSISTORIZED MIKE MIXER

**5<sup>60</sup>**

- Up to 4 Channels
- Matches High Impedance Microphones

• Modern Solid State Design



Mixer controls high impedance signals from mikes, phonos, recorders or tuners. Standard 2-conductor phone inputs, standard RCA type phono pin plug output, 9 volt battery. Imported.  
99 A 45353 Monaural Mixer Shpg. wt., 1 $\frac{1}{2}$  lbs. Net 5.60  
99 A 60212 Battery for above ..... Net .21

# LAFAYETTE Intercoms For The Home And Office

## Miniature Lafayette Solid State Wireless Intercom System

2-Stations  
For Only  
**19<sup>95</sup>**


- Portable—Move From Room to Room or Between Houses—No wiring
- Push-to-Talk Button—Lock Button

A highly efficient wireless intercom system that simply plugs into standard 110V 60Hz AC outlets. Your voice is transmitted thru the electric power line. Talk-Lock button for monitoring baby's room or long time talking. Solid state circuitry for instant-on communication between any rooms in your home. Wide range speaker-microphone for fine tone quality. Operates on very low voltage for pennies a week. Each unit is a master so you can use as many intercoms as you need. High impact styrene cabinet. On/off switch—volume control. Pilot light. Size: 3 7/8" W x 5 1/2" D x 1 3/4" H. Imported. For 110VAC, 60 Hz. Shpg. wt. 3 lbs. **99 A 46278** Net 19.95



- No Installation Required  
Just Plug In and Talk

### LAFAYETTE SOLID STATE 2 STATION INTERCOM SYSTEM



**8<sup>95</sup>**  
with  
Battery  
Complete  
System

- Inter-Unit Tone Calling
- Battery-Operated
- Simple Plug-in Connecting Cord

Battery operated solid-state 2-station intercom system. Especially useful where AC outlets are not readily available. Complete system includes 1-Master unit, 1-Remote unit, and 70' of interconnecting cable with molded plugs for easy installation. Master unit features On/Off/Volume control plus a Listen/Talk switch. "Beep" tone signaling from either Master or remote operates even when Master is "Off". Has simple provision for stationary wall mounting, or, can be conveniently placed on desk top. 9-volt battery included. Size: 2H x 3 1/2" W x 5" D. Shpg. wt., 1 1/2 lbs.

**99 A 46245** 2-Station System Net 8.95  
**99 A 60212** Extra 9-Volt Battery Net .21

### LAFAYETTE 2-STATION SOLID-STATE WIRELESS INTERCOM SYSTEM



2-Stations  
For Only  
**27<sup>95</sup>**

- Instant-On  
Operation—  
No Warm-Up

Deluxe performing solid-state 2-station wireless intercom system. Ideal for use in the home, office, factory, etc.—will connect any two places that are serviced by the same electric company 117V power line transformer. No wiring required, simply plug each unit into the AC outlet and start talking—4-transistor circuit. Each unit is a "Master" can use as many as you need. Features a Volume/Dn-Off control, Push-to-Talk Bar with a "lock-bar" for continuous talking, and a pilot light. 2-tone gray-colored plastic case has rubber-tipped base that will not scratch furniture. Overall 6 1/2" x 5" x 2 1/2" H. For 110-120V, 60 Hz AC. Imported. Wt., 2 lbs.

**99 A 45734M** Net 27.95  
Additional Intercom Stations. Wt., 2 lbs.  
**99 A 45726** Net ea. 14.95

## Power Megaphones For Marine, Camping, And Sports Use

### FANON MV-3 TRANSISTORIZED MEGAPHONE



**31<sup>95</sup>**

No Money Down\*

- Range up to 600 Ft.
- 3 Watts Output.

Lightweight aluminum. Baked enamel finish for durability. Anti-howling damping element. Pistol grip. Hi/Lo volume switch. 5" reflex air column. 8 1/2" bell. Power output: 3 watts peak—1.5 watts rated. Range: 200 yds. Batteries: Four "D" cells (not included) give over 6 hours continuous operation. Convenient carrying strap. Size: 9" x 13". Imported. **44 A 30260W** Shpg. wt., 5 lbs. Net 31.95  
Long-Life "D" Batteries (4 req'd.). **99 A 63661** Ea. .23

### POWERHOUSE TRANSISTORIZED MEGAPHONE



**44<sup>95</sup>**

- Rustproof
- Waterproof
- Range Up to 1200 Feet

This land and sea megaphone features all aluminum construction, superb clarity and tonal quality, a durable handy carrying strap, instant battery loading, a noise cancelling microphone, fingertip volume control and power-packed amplification. It is capable of 5-watts output and operates off 4 optional flashlight "D" cells. The bell is protected and cushioned with a polyvinylchloride bumper rim. Finished in brilliant red and ebony black. Imported. Dim.: 7 1/4" Dia. x 12 1/4" L. Shpg. wt., 5 lbs.

**44 A 27027W** No Money Down\* Net 44.95  
Long-Life "D" Batteries (4 Required) **99 A 63661** Ea. .23

### DELUXE TRANSISTORIZED MEGAPHONE



**79<sup>95</sup>**

- MARINE AND SPORTS  
Blast-Siren-Signal
- Fog Horn - Boat Horn "Mayday"
- Coast Guard Distress Signaling
- Power Range Up to 3600 Feet

Perfectly balanced pistol grip with trigger switch and fingertip volume control. All aluminum weatherproof construction, adjustable carrying strap and rubber bumper rim. Power output of 16-watts. Instant battery loading with 4 optional "D" cell batteries. Finished in red and ivory. Imported. Dim.: 7 1/8" Dia. x 12 3/4" L. Shpg. wt., 6 lbs.

**44 A 27035W** No Money Down\* Net 79.95  
Long-Life "D" Batteries (4 req'd.) **99 A 63661** Ea. .23

# Telephone and Accessories for Private Systems

*Authentic Lafayette Reproduction of  
a French Cradle Phone*



**44<sup>95</sup>**

with 5 ft.  
Cord and  
Plug

An exquisite reproduction of the classic turn-of-the-century French Cradle Phone. Adds a touch of continental charm to your home—your phone will become a conversation piece. Simple hook-up. Ideal for private phone systems or as an extension to your present phone system. Ready to use... equipped with bell ringer, induction coil, dial, horn, mouthpiece handset, 5-ft. cord and plug. Finished in beautiful ivory with gold trim. Size: 8½" L x 8½" W x 8¾" H. Imported. Shpg. wt., 9 lbs.  
99 A 46328 No Money Down\* ..... Net 44.95



**DIAL PHONE**  
Have Your Own  
Private Extension  
Phone

**9<sup>95</sup>**

• For Telephone Systems, Intercoms, and Private Systems  
Popular modern dial phone. Can be used to make complete private systems, or add to your present system. Equipment taken from service, reconditioned and ready to work. Simple 3-wire hook-up. Complete with handset, dial bell, induction coil and connecting cable. General appearance may vary slightly from catalog illustration. Shpg. wt., 6 lbs.  
44 A 18018 ..... Net 9.95

**"PRINCESS-DUTCHESS" TYPE  
DIAL TELEPHONE**



**34<sup>95</sup>**

With 6 Ft. Coiled  
Cord and Plug

Add a touch of elegance to your decor with the "Princess-Dutchess" type dial phone. Can be used to make complete private systems or add to your present phone system. Comes complete with built-in buzzer, metropolitan dial with numbers, ear piece, transmitter, and 6 ft. coiled cord with plug. Beautiful pearl white finish. 8½" L x 4" W x 4½" D. Imported. Shpg. wt., 5 lbs.  
44 A 17010 No Money Down\* ..... Net 34.95



**TELEPHONE OUTLET KIT**

**1<sup>49</sup>**

Complete telephone outlet kit with telephone jack, mounting bracket, and wall plate for standard outlet box. Flush mounted.  
44 A 60007 Shpg. wt., 6 oz. .... Net 1.49

**TELEPHONE PLUGS AND JACKS**

44 A 60636 Phone Plug (Imported) 2 oz. .... Net .49  
44 A 60028 Phone Jack (Imported) 2 oz. .... Net .49

**30 FT. TELEPHONE EXTENSION CORD**




**2<sup>49</sup>**


• Ideal Extension Cord for Use With  
Phones Listed on this Page

Add flexibility to your telephone intercom. Now be able to move your telephone intercom from room to room. 30 feet of telephone extension cord with standard 4-pin plug and jack. Color coded cord to match screw terminals on plug and socket. Imported. Shpg. wt., 3/4 lb.  
99 A 45395 ..... Net 2.49

**Deluxe LAFAYETTE EASY-PHONE TELEPHONE AMPLIFIER**



**12<sup>95</sup>**  
with batteries



- 4-Transistors
- No Warm-up, Instant Operation
- No Pick-ups To Connect
- Amplifies Telephone To Room Volume

The Easy-Phone amplifier is ideal for group conversation with one telephone in the room. Easy to operate, simply place the telephone on the amplifier, adjust the volume and everyone can listen through the separate matching speaker system, leaving both hands free for writing or typing. The Easy-Phone utilizes a 4-transistor battery powered amplifier and inductive pick-up, in an attractive plastic case. Features separate 3" speaker, volume control, on/off switch. Imported. Dimensions—Amplifier Section: 8Wx3½Hx3¾"D. Speaker Section: 3½Wx2½Hx4¼"D. Supplied with batteries. Shpg. wt., 3 lbs.  
99 A 62886 ..... Net 12.95

Replacement "AA" Type Batteries (4 req.) ..... Net .10  
99 A 62890

**MINIATURE "SNAP-ON"  
TELEPHONE AMPLIFIER  
AND HEARING AID**

**6<sup>95</sup>**

- Portable  
Carry It  
In Your Pocket



Miniature, portable, snap-on telephone amplifier because of its compact size can be carried in a pocket or purse. Designed to fit any modern telephone. Just insert battery (supplied) into battery holder. Attach amplifier to the receiver of the telephone you are using—and turn up the volume control of the amplifier. IDEAL FOR HARD-OF-HEARING. Specifications: 4 transistors, 2" dynamic speaker. Size 2½" round, 1" in depth. With battery and snaparound band. Imported.  
99 A 62062 Shpg. wt., 1 lb. .... Net 6.95  
Eveready E90 Replacement Alkaline Battery  
32 A 47541 Pkg. of 2 ..... Net .66

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 97

# Telephone Recorder, Automatic Dialers, and CCTV Cameras

## NEW! DELUXE CROWN CTA-4450 TELEPHONE ANSWERING AND RECORDING MACHINE

- Direct In-Line Coupling Facilities
- Incoming Recording Time Can Be Set At 30, 60, or 90 Seconds
- Outgoing Message Recording Time—23 seconds

Crown's finest telephone answering and recording machine. Completely self-contained with built-in cassette recorder. Features direct in-line coupling—the 4450 can be plugged directly into the phone line, bypassing the phone itself. Or, you can have indirect connections with the phone itself by using the accessory phone cradle (included). Incoming Messages are recorded on 60 or 90 minute cassette Tapes. Recording Time per incoming call can be set, 30, 60, or 90 seconds. Beep tones will let the caller know his message is being recorded. Outgoing Messages are recorded on a separate 23 second tape (included). The 4450 is completely pushbutton operated and is mounted in a handsome wood grained cabinet. Other important features are: Automatic Record Level Control, and 3 digit tape counter with instant reset button. Size: 15 3/4 x 11 x 4 3/4" D. For 117VAC 60 Hz. Imported.

27 A 72184W No Money Down\* Shpg. wt., 14 lbs. Net 249.95  
 27 A 72192 Extra 23 second outgoing Message Tapes Net ea. 4.95  
 Accessory Cassette Recording Tapes  
 28 A 01223 Lafayette 60 Min. Cassette. Imported. Net 1.19  
 28 A 01207 Lafayette 90 Min. Cassette. Imported. Net 1.99



ONLY **249<sup>95</sup>**  
 with Dynamic Mike,  
 Phone Cradle, 60 Minute Cassette Tape,  
 and 23 second outgoing Message Tape

## DELUXE SOLID STATE CLOSED CIRCUIT TELEVISION CAMERA



**199<sup>95</sup>**  
 No Money Down\*  
**For Sales Promotion  
 For Security  
 For Surveillance**

- Use With Any Home TV Set or Commercial Monitor
- Switchable Output Signals, Composite Video; up to 2.2v P-P at 75 ohms, RF Modulated: 50 mv
- Automatic Eye
- Provision For Intercom Permits Simultaneous Sound with RF Video Signal

High quality, moderately priced CCTV camera that has unlimited applications in industry, business, education, institutions, and the home. Easy to install—all cables supplied are terminated with connecting plugs and leads. Simple to operate—can be used with either a commercial video monitor or any standard television set. Solid state circuitry—power consumed is very low. Provides cool and dependable operation. Lightweight, compact size permits inconspicuous mounting. Once focused, the camera needs no further attention. Automatic Eye (through the lens light control). Provisions for hooking up an intercom for intercommunication between CCTV camera and television receiver location. Specifications: Composite video output: 1.4V P-P to 2.2v P-P. RF modulated: more than 50 mv at 75 ohms; Scanning frequencies: Horizontal-15.750 kHz Vertical-50-60 Hz synchronized to power line. Horizontal resolution: more than 400 lines at center. Vertical resolution: more than 280 lines at center. Camera comes complete with 25 mm/f1.8 lens with adjustable iris, C-mount, lens cap, vidicon cap, 32 ft. 75 ohm twin lead, 75:300 ohm line transformer and instruction manual. For 105-125 VAC, 50/60 Hz. Size: (less lens) 6 1/4 H x 3 1/4 W x 10 1/2" D. 44 A 08019WX Imported. Shpg. wt., 7 lbs. Net 199.95  
 Heavy Duty Tripod for CCTV Camera. Shpg. wt., 2 1/2 lbs. 15 A 68021 Net 12.95

98 Lafayette Cat. No. 713

## CROWN 4100 TELEPHONE RECORDER



**79<sup>95</sup>**  
 No Money Down\*

Records Incoming Messages  
 Up To 1 Minute In Duration  
 With Any Tape Recorder with  
 a Remote Control Mike Input

Can be plugged directly into phone line using optional RC-4 Direct Line Adapter. Answers phone callers with up to 60 second prerecorded message. Incoming phone calls with optional recorder attached are recorded for up to 1-minute in duration. Can be played back at a later time at your leisure. Can also be used as a message repeater. With AC/DC remote control terminal, recording switch, and built-in mike. For 110VAC, 60 Hz. Imported.  
 27 A 72143W Shpg. wt., 6 lbs. Net 79.95  
 27 A 72150 Model RC-4 In-Line Adapter. Shpg. wt., 1 lb. Net 19.95  
 27 A 72101 1-Minute Message Tape For 4100 Net 4.95  
 Lafayette RK-65 Cassette Tape Recorder. Imported.  
 99 A 15828L Shpg. wt., 4 lbs. Net 19.95

## CROWN CAD-8 AUTOMATIC SOLID STATE TELEPHONE DIALER

ONLY

**139<sup>95</sup>**



- Solid State Circuitry
- Built-in Telephone Amplifier For Incoming Calls
- Automatically Dials up to 26 numbers

A solid state automatic telephone dialing system using regular telephone sockets for easy installation to your telephone. The CAD-8 memorizes up to 26 telephone numbers (Up to 13 digits for each number). Simply select the persons code number (1 to 26) and push a button. The CAD-8 automatically dials the number and connects with the person you are calling. For business discussions or family messages, a flip of a switch amplifies the call, allowing everyone to hear the conversation. Telephone operates normally for incoming calls, and for numbers not coded. Preset numbers can be changed simply. Easily operated by one hand. Housed in a low profile, decorator styled walnut cabinet which sits flat on any desk or table. A complement to any home or office. Size: 11"x5"x16". For 110 VAC 60 Hz. Imported. Shpg. wt., 11 1/2 lbs. 44 A 41002W Net 139.95

\*See Page 25 for Full Credit Details on Easy Pay Plan

Mail This Card Today For Your

**FREE!**

1971 Lafayette Catalog 710



**84031**

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_

**Please Give Your Zip Code Number**

**Do A Friend a Favor . . .**

If you have a friend who would be interested in getting a copy of the big new 1971 Lafayette Catalog 710, just give him this card . . . or fill in his name and complete address, and mail this card to us. He will receive a catalog absolutely FREE, without charge or obligation.

**84031**

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_

**Please Give Your Zip Code Number**

PLACE  
STAMP  
HERE

**LAFAYETTE  
RADIO ELECTRONICS**

111 JERICO TURNPIKE  
SYOSSET, L.I., N.Y. 11791

**DEPT. 713**

PLACE  
STAMP  
HERE

**LAFAYETTE  
RADIO ELECTRONICS**

111 JERICO TURNPIKE  
SYOSSET, L.I., N.Y. 11791

**DEPT. 713**

# DIGI SCAN-8

by UNIMETRICS



3 2 1

## THE FIRST 8-CHANNEL VHF/UHF CRYSTAL CONTROLLED FM RECEIVER SCANNERS with DIGITAL READOUT!

3 Models } Low Band VHF/FM—30-50 MHz  
to Choose } High Band VHF/FM—147-174 MHz  
from: } UHF/FM—450-470 MHz

As Low As **139<sup>95</sup>** Includes AC Cable, DC Cable, and Mounting Bracket.

- Digital Read-Out Indicates the Channel Receiving a Signal
- Automatic Scanning Stops When a Signal is Received, Continues Scanning After Transmission is Over
- Interchangeable Front End Modules Convert Digi Scan-8 to Low VHF/FM, High VHF/FM, or UHF/FM

- Listen to Police and Fire Calls on any one of 3 Bands
- Manual Channel Selection • Variable Squelch Control
- Will Operate on 12 volt DC or 117 VAC
- Individual Channel "Lock-Out" Switches for Channel Programming

Digi Scan-8 is the ultimate in an 8-channel, crystal controlled FM Monitor Scanner. Digi Scan-8's exclusive bold flashing digital read-out indicator automatically seeks a voice signal on any of eight programmed channels. Digital Readout indicates which channel is receiving, and after transmission is over, automatically continues scanning. The exclusive "Drop in" front end modules offer amazing versatility and economy. Easy interchangeable front end modules convert any Digi Scan-8 for either low band VHF/FM, high band VHF/FM, or UHF/FM monitoring. The unique individual channel "Lock Out" switches permit programmed listening. Ultra sophisticated solid state engineering will enable superior and accurate monitoring of the Public Service Band, which includes Fire, Police, Local Government, Special Emergency, VHF/FM Marine, Weather, and many other exciting channels. Deluxe features include: double conversion superheterodyne circuit with .5  $\mu$ V sensitivity for 20 db quieting, variable squelch control, pushbutton switches for selecting automatic scanning or manual scanning mode, separate push-button On/Off switch, "Easy Open" compartment for instant crystal changes, built-in speaker plus back panel external speaker jack and professional PL-259 antenna jack, and attractive vinyl and metal

cabinet with die-cast front panel. The all solid state circuit permits very low current on 12 volt DC for continuous monitoring with very little battery drain. Digi Scan-8 comes complete with all mounting hardware, AC and DC line cords. Size: 9W x 3 $\frac{1}{4}$ H x 7"D. Shpg. wt., 5 $\frac{1}{2}$  lbs. Imported. For 117 VAC 60 Hz and 12 VDC. SPECIFY FREQUENCY COVERAGE WHEN ORDERING TOTAL FREQUENCY SPREAD SHOULD NOT EXCEED 7 MHz. On 147-174 and 450-470 MHz Bands, and 5 MHz on 30-50 MHz Band.

|             |             |                 |        |
|-------------|-------------|-----------------|--------|
| 40 A 69001Y | Digi Scan-8 | For 30-50 MHz   | 139.95 |
| 40 A 69019Y | Digi Scan-8 | For 147-174 MHz | 139.95 |
| 40 A 69027Y | Digi Scan-8 | For 450-470 MHz | 154.95 |

#### Accessories For Digi Scan-8

|   |                 |       |
|---|-----------------|-------|
| Interchangeable Front End Modules. Shpg. wt., 6 oz. Imported. |                 |       |
| 40 A 69035Y   | For 30-50 MHz   | 12.95 |
| 40 A 69043Y   | For 147-174 MHz | 12.95 |
| 40 A 69050Y   | For 450-470 MHz | 22.95 |

Crystals for Digi Scan-8 Monitor Receivers. Specify exact Frequency. Allow 3 weeks for Delivery.

|             |          |
|-------------|----------|
| 40 A 69068Y | Net 6.75 |
|-------------|----------|

### LAFAYETTE MOBILE FM-VHF FIVE TUNAVERTERS with SQUELCH



- Tuneable and Crystal Control
- For High and Low Band Police, Fire, Aircraft
- Plugs Into Your AM Car Radio
- For 12 Volt Negative Ground Cars

Tuneable converter that enables your regular car AM radio to receive Police and Fire frequencies. Drift free monitoring with FEI transistor oscillator, 3 gang tuning capacitor. Completely tuneable or crystal controlled operation. Built in squelch. Comes complete with 24" special low capacity coax cable with Motorola plugs on each end of the cable ready to plug into your auto radio. 2 $\frac{1}{2}$ "x3 $\frac{1}{2}$ "x4 $\frac{1}{2}$ ". Operates from 12V negative ground car battery. Shpg. wt., 2 lbs.

| STOCK NO.  | TUNES              | NET   |
|------------|--------------------|-------|
| 40 A 20079 | Police 150-164 MHz | 44.95 |
| 40 A 20053 | 'Police' 33-48 MHz | 44.95 |

Crystal Certificate for Tunaverters. See page 100 for how to order crystal certificate.

40 A 82103Y Net 5.95

\*See Page 25 for Full Credit Details on Easy Pay Plan

### LAFAYETTE MOBILE FM VHF ANTENNAS

As Low As **6.95**

- A** HIGH BAND MOBILE FM VHF ANTENNA
- For 130-174 MHz • For 450-470 MHz • 21 $\frac{1}{2}$ " Long
  - Roof or Trunk Mount • With 12' Cable Assy.
  - 40 A 01137W Shpg. wt., 1 lb. Net 6.95

- B** LOW BAND MOBILE FM VHF ANTENNAS
- For 30-50 MHz
  - Feature "Rapid-grip" trunk lid mounts. 43" long. Shpg. wt., 2 lbs.
  - 40 A 01145W 30-36MHz Net 12.95
  - 40 A 01152W 36-42MHz Net 12.95
  - 40 A 01129W 42-50MHz Net 12.95

- A** 20' Coaxial Cable Assembly for above antennas. Net 2.95

### LAFAYETTE BASE GROUND PLANE FM-UHF ANTENNAS

As Low As

- For 130-174MHz and 450-470MHz. 4 Stainless steel radials. Accepts PL-259 cable plug and up to 1 $\frac{1}{8}$ " diameter masts. **750**
- 40 A 01160W Shpg. wt., 2 lbs. Net 7.50
- For 25-50MHz. 3 solid aluminum radials. Accepts Lug-type connector and up to 1 $\frac{1}{8}$ " masts. Net 9.50
- 40 A 01170W Shpg. wt., 4 lbs.

Lafayette Cat. No. 713 99



# LAFAYETTE

VHF Monitor Receivers

# MONITOR


State, County and  
Municipal Police  
Fire Department  
Civil Defense  
Trucking  
Highway Maintenance

Forestry  
Aviation  
Conservation  
Petroleum and  
Industrial Activities  
Railroads

## POLICE AND FIRE DUAL BAND SOLID STATE FM RECEIVER

**2 RECEIVERS IN 1 2 BANDS:** 30-50 MHz  
144-174 MHz

**2 Crystal Channels  
In Each Band**



Model PF-200

ONLY  
**99<sup>95</sup>**  
No Money Down\*

- Operates on 117VAC and 12 VDC
- 1 IC + 1 FET + 13 Transistors + 9 Diodes
- Separate, Large Tuning Dials
- Sensitivity, Less Than 1  $\mu$ V for 20 db Quieting
- Tape Recorder Output Jack
- Headphone Jack for Private Listening

**Receives U.S. Weather Bureau Reports**

### CRYSTAL CONTROL PLUS TUNEABLE RECEPTION

Lafayette's superb dual band, FM monitor receiver has been especially engineered for outstanding performance and dependability. The PF-200 covers both the high and low VHF communications bands, is fully tuneable and can be crystal controlled for reception of any two frequencies in either band. It also tunes to and receives 162.55 MHz U.S. Weather Bureau reports in parts of the country where these reports are broadcast. The PF-200 features a highly sensitive superheterodyne circuit that includes tuned RF and mixer stage with F.E.T., 3 ceramic IF filters for exceptional selectivity, and an integrated circuit for efficient FM detection. Its 100% solid state design offers top reliability and instantaneous monitoring of, and response to, emergencies. Built-in universal power supply assures continuous monitoring under any conditions since it operates on both 117VAC and 12 VDC (negative ground only.) The

front panel features two large individual tuning dials for low and high bands, 2 selector switches for Xtal or tuneable reception, one for each band, and a variable Squeech control that lets you silence the receiver during no signal conditions. The PF-200 is also distinguished by professionally designed neatly contrasting front panel, knobs and enclosure. A large built-in speaker, an external phone jack for private listening and a tape recorder output jack are also included. Size: 13 $\frac{3}{4}$ Wx7 $\frac{1}{2}$ Dx4 $\frac{1}{2}$ H. Shpg. wt., 10 lbs. **99 A 25983WUX** Less Crystals, See Below for Crystals ... Net **99.95** Ground Plane Antennas Shpg. wt., 4 lbs.

- 40 A 01178W 30-50 MHz ..... Net 8.95
- 40 A 01160W 130-174 MHz ..... Net 7.96
- 40 A 13017W Window Antenna for 30-50 MHz wt. 2 lbs. .... Net 7.95

## POLICE AND FIRE SINGLE BAND SOLID STATE FM RECEIVERS

**4 IC's + 13 Transistors + 9 Diodes + 2 Thermistors**



Model PF-30  
30-50 MHz

Model PF-60  
152-174 MHz

ONLY  
**69<sup>95</sup>**  
No Money Down\*

- 4 IC's Plus 12 Transistors For PF-30
- 117 VAC and 12 VDC Operation
- Phone Jack For Private Listening
- Tape Recorder Output Jack

### CRYSTAL CONTROL PLUS TUNEABLE RECEPTION

An advanced solid-state single band FM monitor receiver that covers the high or low bands with excellent sensitivity. These monitors are fully tuneable or can be crystal controlled on a single frequency. Outstanding performance results from meticulously engineered solid state superheterodyne circuitry that includes 4 IC's in the IF stages, plus tuned RF and mixer stages. Its solid state circuit permits instantaneous monitoring of, and response to, emergency situations. Features rugged design for trouble-free operation and has universal power supply for either normal 117 VAC operation or 12 VDC battery operation for field use or during

emergencies. Model PF-60 can receive 162.55 MHz U.S. Weather Bureau reports in many parts of the country. Front panel controls included are Variable Squeech, On-Off Volume, Tuning and Selector (Tune Xtal). Size: 13 $\frac{3}{4}$ Wx7 $\frac{1}{2}$ Dx6"H. Imported. Less crystal.

- 99 A 25900WUX PF-60 152-174 MHz Shpg. wt., 16 lbs. .... Net 69.95
- 99 A 25918WUX PF-30 30-50 MHz Shpg. wt., 16 $\frac{1}{4}$  lbs. .... Net 69.95
- 40 A 01160W Ground Plane Antenna 130-174 MHz, wt. 1 lb. Net 7.50
- 40 A 01178W Ground Plane Antenna 30-50 MHz, wt., 4 lbs. Net 8.95
- 40 A 13017W Window Antenna 30-50 MHz, wt., 2 lbs. .... Net 7.95

### CRYSTAL CERTIFICATE FOR PF-200 PF-60, AND PF-30

Send filled-out certificate, one for each crystal, to manufacturer. Manufacturer ships crystal directly to you, postage prepaid, within a maximum of 30 days.  
40 A 82103Y CERTIFICATE Specify Exact Operating Frequency. No C.O.D. .... Net 5.95

# MONITOR

Business Service  
Taxicabs  
Railroads  
Auto Emergencies

Police Department  
Fire Department  
Special Emergency  
Local Government



# LAFAYETTE

VHF Monitor Receivers

## POLICE AND FIRE SOLID STATE MOBILE MONITOR RECEIVERS



**ONLY  
1 3/4"  
HIGH**

**MICRO P-100 (148-174 MHz)  
MICRO P-50 (30-50 MHz)**



**AMAZING  
LOW PRICE!**  
No Money Down\*

**ONLY 69<sup>95</sup>**

### TUNEABLE PLUS 2 CRYSTAL POSITIONS

- Hear U. S. Weather Bureau Forecasts on MICRO P-100†
- 1 FET plus 14 Transistors plus 9 Diodes

Self-Contained 117 VAC and 12 VDC Supply



Mobile: For Car, Truck, Boat, etc.



Base: For Home, Office, etc.



Portable

Discover the everyday heroics in your community! Listen and thrill to the excitement of urgent police broadcasts and of fire squads in action! Hear industrial, public safety, ambulance, transportation and other public service radio communications. Monitor the U.S. Weather Bureau forecasts and disaster warnings on the MICRO P-100. Hear all this and more on Lafayette's MICRO P-100 and MICRO P-50 miniature solid state monitor receivers. Their compact size (1 3/4" x 4 7/8" x 7 3/4") permits convenient mobile and base operation. Exceptional features include tuneable plus 2 crystal receive positions, better than 1  $\mu$ V sensitivity for 20db S/N, 3 ceramic IF filters for exceptional selectivity, variable squelch, built-in fused AC and DC power supplies, 2 watt audio output, SO-239 antenna jack, and space-age styling with attractive illuminated dial. Supplied with AC and DC cables plus mobile mounting/base station stand bracket. For 117 VAC, 60 Hz or 12 VDC (Negative Ground). Easy, portable operation with optional battery operated portable power pack. Imported. Shpg. wt., 5 lbs.

99 A 26122W MICRO P-100 (148-174 MHz) Net 69.95  
99 A 26064W MICRO P-50 (30-50 MHz) Net 69.95  
HB-509A Portable Battery Pack with shoulder strap, battery strength indicator and antenna. Less batteries. Shpg. wt., 3 1/2 lbs.  
99 A 32260 Net 19.95

Alkaline Batteries for HB-509A. (8 req.) Shpg. wt., 4 oz. ea.  
99 A 63802 Net ea. .44

CRYSTAL CERTIFICATE FOR MICRO P-100 and MICRO P-50. Send filled-out certificate, one for each crystal, to manufacturer. Mfr will ship crystal directly to you, postage prepaid, within a maximum of 30 days.

Certificate. Specify Exact Monitoring Frequency. No C.O.D.  
40 A 82103Y Net ea. 5.95

†Consult your local weather bureau concerning reception in your area.

## LAFAYETTE Hand-Held FM/VHF Police and Fire Monitor Radios



POLICE



FIRE



CIVIL DEFENSE



WEATHER

- Listen To Police and Fire Calls
- Monitor Civil Defense and Public Services
- Receive U.S. Weather Forecasts on 162.55 MHz†

Only an alert and informed citizen can keep up with the electrifying happenings of our everyday life. Two superb Lafayette FM/VHF receivers bring you live coverage of your city or town's daily drama on either 146-175 MHz or 27-50 MHz police and fire bands.

Has a built-in 2 1/2" speaker plus an external earphone jack for convenient private listening. Rugged construction and sleek styling combine to give a clear professional type appearance. Operates on 4 penlight batteries (included with set). This ultra-compact unit also features a built-in swivel telescoping antenna and provision for an external antenna. With batteries and carrying strap. Size: 6x2 1/8". Imported Shpg. wt., 1 1/4 lbs. in many parts of the country.

99 A 35313L 146-175 MHz FM VHF Receiver Net 17.95  
99 A 35339L 27-50 MHz FM VHF Receiver Net 17.95  
99 A 35362 117 VAC Adapter 12 oz. Net 3.95  
99 A 62580 Extra "AA" Batteries (4 required) 3 oz. Net .70  
40 A 79018 Earphone for Private Listening 2 oz. Net .59  
99 A 30264 Replacement Antenna Shpg. wt., 6 oz. Net .99

### HIGH BAND

146-175 MHz

**17<sup>95</sup>**

with batteries  
and carrying strap

### LOW BAND

27-50 MHz

**17<sup>95</sup>**

with batteries  
and carrying strap



\*See Page 25 for Full Credit Details on Easy P

Lafayette Cat. No. 713 101



*The World at Your Fingertips!*



**7 BANDS**

ONLY  
**79<sup>95</sup>**  
No Money Down\*

**Lafayette EXPLOR-AIR MARK VI Professional FM-AM-SW & Weather Receiver**

- ★ Thrill To Live Broadcasts of World-Shaking Events!
- ★ Relax With The Magnificent Sound of FM Hi-Fi Music!
- ★ Hear Latest Weather & Marine Reports!
- ★ Enjoy Popular AM Local News, Sports and Weather

Hear exciting International news from: Prague, Berne, Berlin, BBC London, Havana, Moscow, Japan, Bucharest, Mexico, France, Athens, etc.

The Lafayette Explor-Air Mark VI features individually tuned circuits for each band, automatic volume control, 455kHz ceramic filter for superior selectivity, tuned RF stage for outstanding sensitivity, and a "Shock-free" transformer-operated power supply. Seven full dial bands offer extra-wide station separation; illuminated wide-view slide rule dial is labeled with clearly visible names of primary cities and countries. The back panel has terminals for external AM and FM antennas; tape recorder output jack; 8-ohm extension speaker jack; speaker fuse and 24 volt DC input connection. Attractive styling includes brushed aluminum trim and control panel, and oiled walnut wood sides. Two built-in 4" PM speakers. FM Sensitivity: 2µv or less. Size: 14 1/4 x 6 1/2 x 9 7/8" D. Imported. Shpg. wt., 17 lbs.

99 A26015WUX Net 79.95

| 7 BANDS | Hi-Fi FM-AM Broadcast—<br>Shortwave—Weather—Marine |                |
|---------|--|----------------|
| Band 1  | Weather/Marine                                     | 150-400kHz     |
| Band 2  | AM Broadcast                                       | 550-1600kHz    |
| Band 3  | FM Broadcast                                       | 88-108MHz      |
| Band 4  | Shortwave  | 5.9-6.25MHz    |
| Band 5  | Shortwave  | 9.45-9.85MHz   |
| Band 6  | Shortwave  | 11.85-12.05MHz |
| Band 7  | Shortwave  | 15.05-15.55MHz |

- 17 Transistors, 6 Diodes, 2 Thermistors
- Attractive Front Panel with Large Illuminated Slide-Rule Dial
- Illuminated Jewel Band Indicators
- Private Listening Headphone Jack
- Built-in FM and AM Antennas
- Tape Record Output Jack
- 105-125VAC/50-60 Hz; 24VDC



**Lafayette  
EXPLOR-AIR MARK V  
SHORTWAVE + AM  
BROADCAST RECEIVER**

**54<sup>95</sup>**  
No Money Down\*

**5  
BANDS**

**Broadcast + 4 Exciting  
International Shortwave Bands**  
• 550 to 1600 kHz • 9.45 to 9.8 MHz  
• 5.9 to 6.25 MHz • 11.45 to 12 MHz  
• 15.05 to 15.5 MHz

Hear the actual broadcasts from the major news centers around the world in English and foreign languages; BBC London, Radio Moscow and many others.

The Explor-Air Mark V receiver brings in stations loud and clear and features simplicity of operation. In addition to the standard AM broadcast frequencies, the receiver is designed to tune the popular international shortwave broadcast bands on 49, 31, 25 and 19 meters (each band occupies a select portion of the full shortwave spectrum) through the use of individual tuned circuits for each of the five bands. For greater ease of tuning on con-

**BRING HISTORY-MAKING NEWS  
INTO YOUR HOME!**

**SUPERHETERODYNE— Not Super-Regenerative!**

**NOT A KIT— COMPLETELY WIRED**

gested bands each shortwave band has been extended to cover the entire width of the 0 to 100 logging scale. Operating features on the receiver include a self-contained 4" dynamic speaker, built-in loopstick antenna, large illuminated slide-rule dial calibrated in frequency and indicating place names, a front panel headphone jack for optional silent listening, controls for Volume Off/On, Tone and Band Selection, plus rear panel connection for external shortwave antenna. Receiver is AC transformer powered with efficient superheterodyne circuitry. Complete with beautiful walnut grained metal cabinet. For 105-125V., 50/60 Hz AC. Size: 14W x 8D x 6"H. Imported. Shpg. wt., 13 1/2 lbs.

99 A25850WUX Net 54.95

# 5 BAND AM/CW/SSB SOLID STATE AMATEUR AND SW RECEIVER



## PRODUCT DETECTOR FOR SSB/CW

Only  
**99<sup>95</sup>**  
No Money Down\*

### 5 BANDS

|        |                     |
|--------|---------------------|
| BAND A | 150 kHz to 400 kHz  |
| BAND B | 550 kHz to 1600 kHz |
| BAND C | 1.6 MHz to 4.8 MHz  |
| BAND D | 4.8 MHz to 14.6 MHz |
| BAND E | 10.5 MHz to 30 MHz  |



HA-600A

### SHORTWAVE - AMATEUR - AM BROADCAST - WEATHER & MARINE BANDS

- 10 Transistors, 2 FET's, 7 Diodes, and 1 Zener Diode
- Mechanical Filter for Exceptional Selectivity
- Huge Edge-Illuminated Slide Rule Dial with "S" Meter
- Automatic Series Gate Noise Limiter with AVC on AM
- Full 24½ Inches of Bandsread On 10-80 Meter Bands
- 117-Volts AC and 12-Volts DC Negative Ground Operation
- Front Panel Headphone Jack For Private Listening
- Sensitivity: 1 µV. at 10 db S/N

The HA-600A general coverage receiver combines the latest solid state electronics with sleek, modern appearance to achieve a superb blend of performance and style. Advanced circuitry utilizes two Field Effect Transistors in the front end RF stages to assure high sensitivity with lowest noise factor. 10 high performance transistors and 8 diodes compliment the FET's to provide sharp response with exceptional stability. Series-Gate noise limiter and automatic volume control circuitry provide efficient noise and audio blasting suppression on AM. Built-in variable BFO permits clear reception of code and single side-band signals. 455 kHz mechanical filter assures superior selectivity. Receiver's operation is virtually undisturbed by harmonics or

noise from antenna to speaker. Rear panel accessory socket provides convenient connection for audio output. 12 VDC, ground and AVC line, along with receiver muting connections. Huge flywheel operated slide rule dial has easy-to-read illuminated main tuning, logging and bandsread scales. Electrical bandsread features wide calibration for easier tuning of crowded ham bands. Operates from 117 VAC 60 Hz or 12 VDC (negative ground only) . . . perfect for emergency use! Imported. Shpg. wt., 25¾ lbs.

99 A 25991WUX ..... Net 99.95

Matching 3 x 5-inch speaker in handsome cabinet.  
40 A 09056

Net 8.95

## 6-80 Meter SSB/AM/CW Solid-State Amateur Receiver

6 AMATEUR BANDS  
INCLUDING 6 METERS

SENSATIONAL LOW PRICE!

**129<sup>95</sup>** No Money Down\*

- ★ Product Detector for SSB/CW
- ★ Built-in 100 kHz Crystal Calibrator
- ★ Operates on 117 VAC or 12 VDC
- 14-TRANSISTORS + 7-DIODES + 3-FET's

- Two 455 kHz Mechanical Filters For Sharp Selectivity
- FET's For Automatic RF Overload Protection

- Zener Voltage Regulated Power Supply
- Series Gate Automatic Noise Limiting



MODEL HA-800

### Instantaneous Cool Performance

- Illuminated Calibrated "S" Meter
- Dual Conversion On All Bands
- Huge Edge-Illuminated Slide Rule Dial

The Lafayette Model HA-800 receiver covers the 80 through 6 meter amateur bands with outstanding reception of CW, AM, and SSB signals. Tuned RF and 1st mixer stages combine with an FET to provide high front end selectivity and sensitivity of .5 µV on 15 and 10 meters, less than 1 µV on 80, 40 and 20 meters, and 2.5 µV on 6 meters. Product detector and BFO assure crisp CW and clear SSB. Built-in 100 kHz frequency calibrator provides accurate pre-selection (supplied less crystal). Rear panel accessory socket provides convenient con-

nection for audio output, 12 volts DC, ground, and receiver muting. Front panel earphone and rear panel tape output jacks. Operates from 117 VAC 50/60 Hz. or 12 volts DC. Imported. Size: 15Wx9¾Dx8¼H. 99 A 25942WUX Shpg. wt., 24¾ lbs. .... Net 129.95

Model HE-48B 3x5" Matching 8 ohm Speaker ..... Net 8.95

40 A 09056 Shpg. wt., 4 lbs. .... Net 4.95

100 KHz. Calibrator Crystal for HA-800 Receiver ..... Net 4.95

40 A 09015L ..... Net 4.95

\*See Page 25 for Full Credit Details on Easy Pay Plan



# 6 Meter Amateur Transceiver

WITH BUILT-IN VFO

ONLY

**129<sup>95</sup>**

**Model HA-460  
50-52 MHz.**



- Dual Conversion with Crystal Controlled 2nd Converter
- Built-in Solid State 12 V.D.C. and 117 V.A.C. Power Supplies
- Built-in Low Pass TVI Filter
- Tuned Nuvistor Front End
- 20 Watt DC Input—2E26 Final
- Air Variable Antenna Load and Plate Tuning
- Illuminated "S" and RF Output Meter
- Front Panel Speaker
- Front Panel Crystal Socket
- Frequency Spotting Switch

Exciting 6-meter transceiver features a powerful plate modulated 20 watt DC input transmitter and stable VFO with its own frequency control knob. Tune up is fast and efficient with broad-banded driver and multiplier stages. Shielded low pass filter minimizes TVI problems. Dual conversion receiver utilizes a crystal controlled 2nd converter. Nuvistor RF amplifier's sensitivity is less than 1  $\mu$ V. for 10 db signal to noise ratio. Selectivity at 8 kHz is 35 db. Effective automatic noise limiter eliminates most types of QRM. Other features include spotting switch, use of standard 8 MHz crystals with front panel crystal socket; illuminated meter that reads S units on receive and RELATIVE RF output on transmit; plug-in encapsulated dust free relay switching; front panel earphone jack; push-pull audio amplifier; and rugged push-to-talk ceramic mike with coiled cord and plug. Going mobile? The HA-460 comes with both 117 V.A.C. and 12 V.D.C. (positive or negative ground) built-in solid state power supplies. Sup-

plied with AC + DC power cords, mike and mobile mounting bracket. Size: 12 $\frac{1}{2}$ "x5 $\frac{1}{2}$ "x3 $\frac{3}{4}$ "D. Imported. Wt., 24 lbs. 4 oz. Lafayette Model HA-460—6 Meter Amateur Transceiver for 50.0-52.0 MHz. No Money Down\*  
99 A 25793WUX ..... Net 129.95

**CRYSTAL CERTIFICATE.** Send filled-out certificate, one for each crystal, to crystal manufacturer. Manufacturer will ship crystal directly to you, postage prepaid, within a maximum of 30 days. Specify Fundamental Frequency.  
40 A 54037Y No C.O.D.'s ..... Net 2.95  
Lafayette 6-Meter "Rapid-Grip" Mobile Trunk Antenna. Less Cable. 40 A 01095 Shpg. wt., 2 lbs. .... Net 12.95  
20 Ft. RG-58/U Cable Assembly. .... Net 2.95  
42 A 70021 .....

## LAFAYETTE SWR AND FIELD STRENGTH METER

ONLY **9<sup>95</sup>**

- Measures SWR, Relative Forward And Reflected Power to 1 KW
- Reads Field Strength



Can be left continuously in the circuit for monitoring transmitter outputs. SWR: 1:1 to 3:1; Accuracy  $\pm 5$  db, 2 to 30 MHz; Impedance: 52 Ohms; Antenna: 5-section collapsible. Comparative RF field strengths can be easily determined with this fine meter. Sensitive 100 micro-ammeter movement with easy to read 2-color dial. Size: 1 $\frac{3}{4}$ "x5 $\frac{1}{2}$ "x2 $\frac{1}{4}$ "D. Imported.  
99 A 25371 Shpg. wt., 1 lb. .... Net 9.95

## 100-WATT MOBILE LINEAR AMPLIFIER Model HA-250

**89<sup>95</sup>**  
No Money Down\*



**SMALL, COMPACT... ONLY 2 INCHES HIGH!**  
**Convert Flea Power To Real Power!**

- Covers 20-54 MHz . . . 6, 10, 11 and 15 Meters (Not Permitted on 11 Meters Class D (CB) Operation in U.S.A.)
- No External Switching Required
- Will Work On Any Signal of 1 to 10 Watts — AM, FM, SSB or DSB, and CW
- Completely Self-Contained 12 Volt Power Supply

Boost flea power real high power for extended range and better readability. Provides up to 100 watts PEP (50 Watts DC) input into a 50 ohm load (with 8 watts RF drive). Unique RF sensing circuit automatically switches in linear when transmitter is activated. Absolutely no external switching is necessary. Built-in relay directly connects antenna to Input 50-239 coaxial socket when receiving. No internal connections are required to your existing equipment. Simply insert the unit in series with your transmitter (or transceiver) and antenna and you're on the air with a real punch. Circuitry is broadbanded so only one

tune-up is usually necessary on any band. Illuminated front panel meter indicates relative RF strength of linear's output signal when linear is on, or exciter's relative RF signal strength when linear is off. Self-contained power supply utilizes a high efficiency toroid power transformer. Ruggedly designed chassis with oversized heat sinks assures sturdy and cool operation. Supplied with comprehensive manual, fused DC power cables and mounting bracket. Size: 7" D x 9" W x 2" H. Made in U.S.A. Shpg. wt., 5 $\frac{1}{2}$  lbs. 12 Volt DC Negative Ground Only.

40 A 01061WUX ..... Net 89.95

# LAFAYETTE—Headquarters for CB Accessories & Equipment

## LAFAYETTE CB Transceiver Tester

### Measures

- RF Power Output
- % Modulation
- Relative Field Strength
- Crystal Activity
- SWR

### Generates

- Crystal Controlled RF Signal
- 1 kHz Audio Signal
- Modulated Audio Signal

### Provides

- In-Circuit Instant Connection to Antenna Without Removing Cables From Transmitter

### Permits

- Aural Monitoring of Local Transmitters
- Visual Transmitter Monitoring with Oscilloscope

Features sensitive d'Arsonval meter, front panel jacks for aural and visual monitoring, audio generator output and RF signal generator output; ceramic jacks for standard miniature crystal sockets. Controls include Function Selector Antenna Selector, Generator, Selector, Modulation Calibrate Switch, Modulation Calibrate Control and Meter Adjust Control. Sturdy professional type SO-239 sockets accept standard PL-259 connectors. Sturdy attractive molded case with brushed aluminum front panel. 7 $\frac{1}{2}$ " x 5 $\frac{1}{2}$ " x 2 $\frac{1}{8}$ ". Includes 9V battery; 30" telescoping antenna. Shpg. wt., 4 lbs. **Net 47.95**



**47<sup>95</sup>**

Made in U.S.A.

## NEW Turner MOD 1 Modulation Indicator



- Measures Percentage of Modulation

**39<sup>95</sup>**

Permits you to effectively monitor the percentage of modulation of your CB transceiver at all times. Guards against distortion and splatter from over-modulation. Assures you of maximum voice Power to increase your Range and Reduce noise. Large easy to read meter connects between your transceiver and your antenna. Custom designed cabinet—3 $\frac{1}{2}$ " x 4" x 7 $\frac{1}{2}$ " L, is styled for ease of meter viewing. Comes with 50 ohm coaxial input and output cable and connectors. Powered by inexpensive 9-volt battery (not included). Shpg. wt., 3 $\frac{1}{2}$  lbs. 44 A 70340 No Money Down\*. **Net 39.95** 9 Volt Battery for above. **99 A 60212** **Net ea. 21**

## Antenna Coaxial Switch

**5<sup>95</sup>**



- 2-Position
- Rated At 1 KW AM, 2 KW PEP SSB

CBer's and Hams can stop reaching behind their rigs, wasting time and missing calls switching antenna leads. With this quality coaxial switch—just turn the knob and instantly change from one antenna to another. Size: 2 $\frac{1}{2}$ " x 1 $\frac{1}{4}$ ". Shpg. wt., 1 lb. **42 A 21024** **Net 5.95**

## CB Antenna Match

**9<sup>95</sup>**



- 1.1:1 VSWR

Gives a perfect antenna/transmission line match of 1.1:1 VSWR for full power. Requires no special tools for installation. Simply insert the CB MATCHER between the transmitter and antenna lead-in. Adjustable tuning knobs permit precise matching under various operating conditions. **42 A 21032** Shpg. wt., 6 oz. **Net 9.95**

## LAFAYETTE CB Phone Patch


**15<sup>95</sup>**



- Ideal for Emergency Phone Calls using your CB Transceiver

Talk anywhere in the world from your car or truck. Simple installation allows your telephone to be connected to your CB communications system. For use with 3-16 ohm speakers and high impedance microphone inputs. Modulation gain control to compensate for varying line level. On-off switch disconnects patch when not in use. Dimensions: 4 $\frac{1}{4}$ " W x 1 $\frac{1}{8}$ " H x 2" D. Shpg. wt., 2 lbs. **42 A 01638** **Net 15.95**

## Auto-Mount-For CB Transceivers




**7<sup>95</sup>**

- Adjustable—Fits all Transceivers

Screws firmly to floor. 1" strap holds transceiver firmly in place. Easy access to all controls. Steel construction. Size: 10 $\frac{1}{2}$ " to 14 $\frac{3}{4}$ " wide, 10 $\frac{3}{4}$ " long. Rear height: 5 $\frac{1}{2}$ ", front height 9". Shpg. wt., 5 lbs. **42 A 68059** **Net 7.95**

## NEW FM/VHF High Band 140-175 MHz. Police Converter For CB Transceivers



**Only 39<sup>95</sup>**

with crystal installed

- Converts your CB Transceiver to a Sensitive Crystal Controlled High Band 140-175 MHz FM/VHF Monitor Receiver

Instantly converts your 23 channel CB base station or mobile CB transceiver into an ultra sensitive crystal controlled 140-175 MHz FM/VHF Receiver. You can monitor Police, Fire, Civil Defense, Public Services, and U.S. Weather Bureau Reports (162.55MC) on your CB set. Easy to install. May be used on base stations by connecting a 9-volt battery eliminator, or mobile use by connecting to the 12 volt neg. ground D.C. source. Utilizes CB transceiver controls. Solid State Circuitry. Comes with Crystal installed. You must specify exact operating frequency. Allow 4 weeks for delivery. Dimensions: 2 $\frac{3}{4}$ " W x 1 $\frac{1}{4}$ " H x 6". **42 A 30009Z** Shpg. wt., 2 lbs. No Money Down\*. **Net 39.95** 9 Volt Battery Eliminator. Imported. **99 A 90210** Shpg. wt., 1 lb. **Net 3.99**

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 105

# Deluxe LAFAYETTE CB Antennas And Accessories

## LAFAYETTE RANGEBOOST II DELUXE BASE STATION CB ANTENNA

**19<sup>95</sup>**

Made in U.S.A.

- Heavy Duty Mounting Bracket
- Static Clover Leaf Ball Design Reduces Receiver Noise
- 3.75 db True Omni-Directional Gain
- VSWR-1.17-1
- Signal to Noise Improvement of 6-20 db

Best selling 1/2 wave Base Station Antenna. Specially designed anti-static cloverleaf ball drastically reduces receiver noise by continuous dissipation of static discharge. Weatherproof phasing transformer, three 54" radials provide proper transmission line decoupling. Heavy duty mounting bracket. Direct ground lightning protection. 50 ohm match. 17'-6" over-all length. Accepts up to 1 1/2" masts, and PL-259 cable connector. (Less mast and coax). Wt.. 6 lbs.  
42 A 01448W Net 19.95

## DELUXE LAFAYETTE 4 ELEMENT BASE STATION GROUND PLANE ANTENNA

**12<sup>95</sup>**

Made in U.S.A.

4 heavy duty solid aluminum 108" heat-treated radials and radiator. Elements supplied in two 54" lengths joined by threaded coupling nuts. Radial droop for 50 ohm match. Accepts 1 1/4" tubing. RG-58/U cable and PL-259 connector. Less mast and coax. Wt. 4 lbs.  
42 A 01562W Net 12.95

## BEST-SELLING LAFAYETTE MOBILE CB ANTENNA

- 102" Stainless Steel Whip For Optimum 11-Meter Performance
- Heavy-Duty Cadmium Plated Steel Spring
- Aluminum Swivel Bail Jointed Mount Base

**8<sup>95</sup>**

Made In U.S.A.

Aluminum swivel mount base designed to be mounted on any surface. Plated steel spring holds rod in properly adjusted position and prevents rod damage from shocks and blows. Stainless steel whip for resiliency and strength. Less cable. Shpg. wt.. 4 lbs.  
42 A 01554WX Net 8.95

## LAFAYETTE CB BUMPER MOUNT ANTENNA WITH STAINLESS STEEL STRAP

**10<sup>95</sup>**

Made in U.S.A.

- Cadmium Plated Bumper Mount with Plated Steel Strap
- 102" Stainless Steel Whip
- Heavy-Duty Cadmium Spring

An outstanding Lafayette CB antenna. Features a full-size 102" stainless steel whip, and a fully adjustable steel plated mount with a steel plated strap designed to fit most cars. Heavy duty plated steel spring is built for extremely rugged mobile use. Less cable. Shpg. wt. 3 lbs.  
42 A 01596WX Net 10.95

## LAFAYETTE "RAPID GRIP" BASE LOADED MOBILE CB ANTENNA

Only

**12<sup>95</sup>**

Made in USA.



"Rapid-Grip" Mount Provides Permanent Antenna Installation In Seconds Without Drilling Holes. Especially suitable for trunk mounts. No holes to drill. Slips over trunk lip. Cable is completely hidden. Water resistant body seal. 39" Stainless Steel whip. Base loaded phasing transformer completely weather proof. Overall length 43". Less cable. Has lug terminals for 42 A 70021 cable assembly. Wt.. 2 lbs.  
42 A 01521 Net 12.95

## DELUXE LAFAYETTE SUPER RANGE-ROOST/II™ OMNI-DIRECTIONAL BASE STATION CB ANTENNA

**29<sup>95</sup>**

Made in U.S.A.

- End Fed 1/2 Wave
- Hi-Q Phasing Coil
- VSWR 1.4 to 1 or less
- 4 db Gain Delivers 13 Watts E.R.P.
- Loaded Ground Radials For Optimum Performance

Our best base station CB antenna. Huge loading coil will safely handle 50 to 75 times normal CB power. Rubber covered, Hi-Q phasing coil optimizes impedance match, VSWR less than 1.4:1. Three ground radials (54") are base loaded. Constructed of seamless aircraft tubing and corrosion-proof steel. Rated to withstand 100 mph winds. Four element static ball passes off percipitous static smoothly and reduces receiver noise. Direct ground lightning protection. Over all height 18 ft. Stainless steel mounting hardware will accommodate up to 1 1/2" mounting mast. Less mast and coax. Shpg. wt.. 10 lbs.  
42 A 01604W Net 29.95

## LAFAYETTE 1/2 WAVE CB MARINE ANTENNA

ONLY **24<sup>95</sup>**

With 22 Ft. Coax Cable, Connector, and Mounting Hardware

- No Ground Required
- Center Loaded
- Pre-tuned

Top performing CB Marine Antenna—can be mounted on a wooden or fiberglass boat. Single hole mount—3/8" diameter stud, 2" long. Base cover cap is white polypropylene. Center loaded high efficiency Tuned Circuit. Stainless steel whip. Overall height 58 1/2". Feedpoint 52-ohms. Shpg. wt., 3 1/2" lbs.  
42 A 01612W Net 24.95

## 10 Ft. Steel Mast For Mounting CB Antennas

ONLY **2<sup>89</sup>**

10 ft. 16 gauge Gold Kote steel mast—1 1/4" O.D. Shpg. 4 lbs.  
18 A 63281WX Net 2.89

## ANTENNA CABLE ASSEMBLIES

### POLYFOAM COAX CABLE ASSEMBLY for BASE STATIONS




As Low As

**8<sup>50</sup>**

Complete transmission line packages designed for better CB operating efficiency. The polyfoam dielectric insures low line loss importance in getting the most from your base station. Ready to use. PL-259 connectors on both ends.

| Stock No.  | Type          | Length ft. | Wt. lbs. | Net   |
|------------|---------------|------------|----------|-------|
| 42 A 09102 | RG8/U-50 ohms | 50         | 7        | 8.50  |
| 42 A 09110 | RG8/U-50 ohms | 100        | 11       | 14.95 |

### 20 FT. MOBILE COAXIAL CABLE ASSEMBLIES



Type A

As Low As

**2<sup>95</sup>**

Type B

TYPE A—Consists of 20 ft. RG-58/U cable with PL-259 plus UG-175/U on both ends. 42 A 70013 Shpg. wt., 8 oz. Net 3.25  
TYPE B—Same as Type A except one end is terminated with PL-259 plus UG-175/U and other end with universal ring type terminal lugs. Shpg. wt., 8 oz. Net 2.95  
42 A 70021 Net 2.95

# WALKIE TALKIES by LAFAYETTE

## LEADER IN 2-WAY CB RADIOS

### 1.5 Watt 3 Channel WALKIE-TALKIE

Great for Industry, Farm, Boats, Sports!

#### LAFAYETTE HA-310A

- 3 Switchable Crystal Channels
- Jack for Internal Charging
- Superhet Receiver with Less than 1 $\mu$ V Sensitivity
- Battery Condition Indicator
- Push-Pull Modulator with "Range-Boost"
- Jacks for External Battery Eliminator, Earphone and Antenna

**32<sup>95</sup>** Each  
No Money Down\*




Lafayette's HA-310A is a lightweight powerful walkie-talkie that features 3-channel operation and 1.5-watt transmitter input for flexible and dependable communications. The efficient superhet receiver incorporates an RF amplifier for extra sensitivity. It's 13-transistor, 4-diode circuit features a built-in battery indicator, a high level push-pull modulator with RANGE-BOOST for greater range, variable squelch and automatic noise limiting for quiet communications, and 117 VAC operation with optional battery eliminator/charger. With telescoping antenna, battery holder (less batteries), set of crystals for channel 10, FCC License Form 505. Size: 8 $\frac{1}{2}$ "H (less antenna) x 3"W x 1 $\frac{1}{2}$ "D. Imported.

|  |               |
|--|---------------|
| 99 A 31593L Shpg. wt., 2 $\frac{3}{4}$ lbs. ....         | Net ea. 32.95 |
| Alkaline Batteries, (8 required.)                        |               |
| 99 A 6382B Shpg. wt., Ea. 2 oz. ....                     | Net ea. .35   |
| 117 Volt AC Battery Eliminator and Battery Charger. .... |               |
| 99 A 35081 Shpg. wt., 3 $\frac{1}{2}$ lbs. ....          | Net 14.95     |
| 99 A 25413 Earphone .....                                | Net 1.29      |
| 46 A 151 Transmit Crystal .....                          | Net 2.25      |
| 46 A 101 Receive Crystal .....                           | Net 2.25      |

\*See Page 108 on "How To Order Crystals."

## Popular LAFAYETTE Walkie-Talkies

No License Required, FCC Regulations Part 15



ONLY  
**5<sup>99</sup>**  
Each

Model HA-70C

#### "ASTRO COMMANDER"

- Not a kit—Completely Wired
- Interstage Transformer for More Sound

Compact 3-transistor walkie-talkie features a sensitive superregenerative receiver for minimum noise pick-up when voice signal is being received. Crystal controlled transmitter provides range up to 1/4 mile. Has push-to-talk button, off-on volume control, and efficient speaker/mike. Supplied with telescoping antenna, crystal, and battery. Size 5 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ " x 1 $\frac{1}{4}$ ". Imported. Shpg. wt., 1 $\frac{1}{4}$  lb.

|   |              |
|---|--------------|
| 99 A 30801L HA-70C .....                        | Net ea. 5.99 |
| 99 A 66212 Replacement Battery .....            | Net .21      |
| Optional 9-volt Lead-Acid Battery plus Charger. |              |
| 99 A 90169 Imported, Wt., 6 oz. ....            | Net 2.69     |



With  
**B-E-E-P**  
Call Alert

ONLY  
**15<sup>95</sup>**  
Each  
Model HA-73A

#### 2 CHANNEL 7-TRANSISTOR SUPERHET

- Powerful Push-Pull Audio

Power boost reflex circuit utilizes 7 transistors to achieve higher sensitivity for extended range. 2-channel operation permits greater flexibility. Call alert system sends or receives a pleasant alerting tone for convenient calling. Case features beautiful die-cast chrome high-lighted front panel. Supplied with carrying strap, telescoping antenna, battery, and plug-in crystals for channel 9. Size: 5 $\frac{1}{2}$ " x 1 $\frac{1}{4}$ " x 2 $\frac{3}{4}$ ". Imported. Shpg. wt., 1 $\frac{3}{4}$  lbs.

|   |               |
|---|---------------|
| 99 A 31452L .....                         | Net ea. 15.95 |
| Extra Transmit Crystal                    |               |
| 46 A 15 (Specify Channel) .....           | Net 2.25      |
| Extra Receive Crystal                     |               |
| 46 A 10 (Specify Channel) .....           | Net 2.25      |
| *See Page 108 on "How To Order Crystals." |               |
| 99 A 66212 Replacement Battery .....      | Net .21       |
| Battery Eliminator                        |               |
| 99 A 31429 Shpg. wt., 8 oz. ....          | Net 2.95      |



With  
**B-E-E-P**  
Call Alert

ONLY  
**24<sup>95</sup>**  
Each  
Model HE-210A

#### 3-CHANNEL 10-TRANSISTOR SUPERHET

- "Range Boost" for More Talk Power
- 10 Silicon Transistors

Complete hand-held portable 2-way communications for everyone, everywhere: Hunting, fishing, boating construction, warehouse, office and on the farm. Features a powerful Range Boost modulated transmitter and efficient superheterodyne receiver in a lightweight, 16 ounce package. Call alert system sends or receives an alerting tone to initiate a call. Black and brushed aluminum metal case. Supplied with antenna, 6 penlight batteries, and a pair of plug-in crystals for channel 10. Size: 6 $\frac{1}{2}$ " x 2 $\frac{1}{4}$ " x 1 $\frac{1}{4}$ ". Imported. Shpg. wt., 3 lbs.

|   |               |
|---|---------------|
| 99 A 31270L HE-210A .....               | Net ea. 24.95 |
| Replacement Dry Cell Batteries (6 req.) |               |
| 99 A 62589 .....                        | Net ea. .10   |
| Battery Eliminator Shpg. wt., 8 oz.     |               |
| 99 A 31429 .....                        | Net 2.95      |

# SUPER POWER LONG RANGE WALKIE TALKIE

3 Watts

LAFAYETTE  
DYNA-COM 3A

3 Channels



FCC TYPE  
ACCEPTED

A HAND HELD POWERHOUSE!

ONLY 57<sup>95</sup>

EACH No Money Down\*

- 12 Transistors, 6 Diodes
- Range Boost For Higher Talk Power
- 6 Stage Transmitter
- T.V.I. Trap
- 1  $\mu$ v Sensitivity
- RF Surge Protection
- 455 KHz Ceramic Filter
- Jacks For External Antenna & Battery Eliminator
- Variable Squelch and Automatic Noise Limiting
- Battery Condition and RF Power Output Indicator

Lafayette's Dyna-Com 3a walkie talkie is a hand-held powerhouse featuring 3 full watts of power with added flexibility of 3 crystal-controlled switchable transmit and receive channels. 12-transistor, 6-diode circuitry incorporates a sensitive superhet receiver which utilizes an RF amplification stage with lightning surge protection, and a highly selective ceramic filter for super reception. Automatic gain control, automatic noise limiter, and variable squelch combine to achieve truly quiet operation. 6-stage transmitter uses Range Boost modulation to increase the sideband modulation and thus provide far greater talk power. Includes TVI trap for minimum TV interference. Meter indicates battery level on receive and RF power output on transmit. Jacks are provided for earphone, external antenna, and external power. Operates on batteries or any other 12 volt DC supply. Complete with telescoping antenna, battery holder with batteries, one set of crystals for channel 10, shoulder strap, and FCC Form 505. Imported. Size: 8 $\frac{3}{4}$ "H x 3 $\frac{3}{4}$ "W x 1 $\frac{1}{2}$ "D. Shpg. wt., 4 $\frac{1}{4}$  lbs.

|  |           |
|--|-----------|
| 99 A 31940L No Money Down*                           | Net 57.95 |
| 46 A 11 Extra Transmit Crystal                       | Net 2.25  |
| 46 A 10 Extra Receive Crystal                        | Net 2.25  |
| 99 A 31901YL Dyna-Com 3a for 26.620 MHz (C.A.P.)     | Net 67.95 |
| 99 A 31999YL Dyna-Com 3a for 25.575 MHz (U.S. Govt.) | Net 67.95 |
| 99 A 32302YL Dyna-Com 3a for 27.575 and 27.585 MHz   | Net 77.95 |

† See Below for "How to Order Crystals"

## DYNA-COM OPTIONAL ACCESSORIES

**Battery Eliminator/Charger.** Plugs into 117 VAC outlet to permit base station operation. Charges up to 12 nickel cadmium batteries internally and externally in Dyna-Com 5, 5a, 6, and 12; charges batteries of Dyna-Com 2, 2a, 3 and 3a in holder externally with adapter (supplied). Negative ground only. Has fused AC line. Size: 7 $\frac{3}{8}$ "H x 5 $\frac{1}{2}$ "D. (at bottom) x 3 $\frac{1}{4}$ "W. Imported. Wt., 6 $\frac{1}{4}$  lbs.

99 A 31478 Net 22.95

**Extra Battery Pack for Dyna-Com 5, 5a, 6 and 12.** Extra removable back of walkie-talkie plus battery holder. Enables charging of complete battery pack outside of walkie talkie while another pack is in use. Imported. Shpg. wt., 2 lbs.

99 A 32263 Net 8.95

**Nicad Rechargeable Batteries for Pack**  
32 A 47400 12 required Net ea. 1.65

**Mobile Cigarette Lighter Cable Assembly.** Permits operation of Dyna-Com from car 12 volt DC cigarette lighter. Shpg. wt., 8 oz.

99 A 46054 Net 2.95

**Cases: Genuine Top Grain Leather. Shpg. wt., 12 oz.**

42 A 28011 For Dyna-Com 2a, 3a Net 4.95

42 A 28029 For Dyna-Com 5, 5a Net 5.95

42 A 28045 For Dyna-Com 6, 12 Net 5.95

**Dyna-Pack External Battery Pack** with 10 "D" batteries. Plugs into Dynacoms to assure reserve power when required in the field. Imported. 3 x 3 $\frac{1}{4}$  x 7 $\frac{1}{2}$ ". Shpg. wt., 3 $\frac{1}{4}$  lbs.

99 A 31015 Net 5.95

**Antenna Adapter Cable.** Connects PL-259 plug of external antennas to Dyna-Com's antenna jack. Shpg. wt., 8 oz.

42 A 09201 Net 2.95

**Nicad Rechargeable Batteries.** 12 required for Dyna-Com 5, 5a, 6 and 12; 10 for Dyna-Com 2, 2a, 3 and 3a. Shpg. wt., 1 oz.

32 A 47400 Net ea. 1.65

**Alternate Heavy-Duty Alkaline Batteries.** 12 required for Dyna-Com 5, 5a, 6 and 12; 10 for Dyna-Com 2, 2a, 3 and 3a. Shpg. wt., 2 oz.

99 A 63828 Net ea. .35

**Miniature Top Loaded Antenna.** Highly efficient coil loaded 18" antenna which mounts on top of collapsed telescopic antenna. Imported. Shpg. wt., 1 lb.

99 A 31437 Net 4.50

**Dyna-Charge.** Charges from 8 to 15 nicad "Z" size cells. Plugs directly into Dyna-Com 5, 5a, 6 and 12 charge jacks and into jack of Extra Pack Battery Pack. Charge batteries of Dyna-Com 2, 2a, 3 and 3a externally in holder with use of adapter (Supplied). Size: 3 $\frac{3}{4}$  x 2 $\frac{3}{4}$  x 2". Imported. Shpg. wt., 2 lbs.

99 A 31007 Net 9.95

**HOW TO ORDER CRYSTALS.** Add 2 digits representing the Channel No. to the listed stock no. Sample: 46 A 10 for channel 9 is 46 A 1009; for Channel 23 is 46 A 1023.

\*Applicable to Dyna-Com 2, 2a, 3, 3a, 5, 5a, 6 and 12 unless otherwise Specified.

## DELUXE LAFAYETTE NICKEL CADMIUM BATTERY CHARGER AND ELIMINATOR AMAZING LOW PRICE!



6<sup>95</sup>

Below  
Cost

was 9.95  
1970 Cat. 702  
(Quantities  
Limited)

- Charges at a Rate of 25 ma. per hour
- Permits 117 Volt AC Base Station Walkie Talkie Operation
- Includes Plug-in Battery Holder for Charging 10 "Z" NiCad Cells

Consists of a deluxe battery eliminator which permits 117 VAC base station operation of 12 volt walkie talkies rated up to and including 2 watts input. Also includes plug-in battery holder for charging 10 "Z" size nickel cadmium batteries. Charges at a rate of 25ma per hour. Imported. Shpg. wt., 4 lbs.

99 A 32161M Net 6.95

# Lafayette MINI-MOBILE Micro-12

ONLY  
**79<sup>95</sup>**

No Money Down\*

FCC Type Accepted  
D.O.C. APPROVED

**Ideal For: Car, Truck, Trailer, Boat, Plane, Snowmobile, Cycle, Etc.**

- ★ 5 Watt Maximum FCC Legal Input Power
- ★ 12 Channel Crystal Controlled
- ★ Miniature Size: 1 1/4" H x 5 W x 7 1/2" D.
- ★ Operates on 12 Volts DC Negative Ground (Easily Convertible to Positive Ground) and from 117 VAC with Optional AC Supply

- Highly Sensitive Receiver with RF Stage
- Full-Time "Range-Boost" for Greater Effective Range
- Variable Squelch for Silent Standby
- Automatic Noise Limiting
- Mechanical IF Filter for High Adjacent Channel Rejection

The Lafayette Micro-12 miniature trail blazer embodies exceptional versatility and flexibility. Its compactness and size make it ideal for mobile and portable communications. The Micro-12 also includes a 3-stage transmit circuit with up to 100% modulation capability, an antenna matching adjustment for maximum radiated power, and a highly sensitive receiver with RF stage for 1  $\mu$ v. sensitivity at 10db S/N. The Micro-12 also features superior zener diode voltage regulation, very low current drain that permits continuous mobile operation, a TVI trap for minimizing TV interference, an illuminated channel indicator dial, and an 8-16 ohm external earphone/speaker jack for private or remote listening. Supplied complete with push-to-talk dynamic microphone with retractile cord, "quick-release" mobile mounting bracket, channel 10 crystals, DC power lead, and FCC Form 505. Size: 5W x 1 1/4 H x 7 1/2" D. Shpg. wt., 5 lbs.

99 A 31957WUX ..... Net 78.95

**WORLD'S SMALLEST  
5-Watt 12 Channel  
Mobile CB 2-Way Radio**

**1 3/4" HIGH!**



EXTRA CRYSTALS FOR MICRO-12 †See Page 108 for "How To Order Crystals."

46 A15† Transmit Crystal ..... Net ea. 2.25

46 A10† Receive Crystal ..... Net ea. 2.25

Micro-12 Modified for 26.620 MHz (C.A.P.)

99 A 3210WUX ..... Net 89.95

Micro-12 for 27.575 plus 27.585 MHz (Gov't.)

99 A32320WUX ..... Net 99.95

HB-509A Portable Battery Pack. Attaches to Micro-12 for conversion to portable operation. Less batteries.

99 A 32260 Shpg. wt., 2 lbs. .... Net 19.95

99 A 63802 Shpg. wt., 3 oz. .... Net ea. .44

Alternate Nicad Battery for HB-509A (10 req.)

32 A 48887 Shpg. wt., 5 oz. .... Net ea. 3.90

HB-512 AC Power Supply. Permits 117 VAC operation of Micro-12 and charges optional nicad batteries used in HB-509A.

99 A 32278 Shpg. wt., 5 lbs. .... Net 19.95



**5-Watt Solid State CB  
Citizen Band 2-Way Radio  
Model HE-20T**

ONLY  
**89<sup>95</sup>**

FCC Type Accepted

- 12 Channel Crystal Controlled Transmit and Receive
- 23 Channel Tuneable Receive
- 455kHz Mechanical Filter
- "Range Boost" for Extra Talk Power
- For 117VAC Base Station and For 12 VDC (Negative or Positive) Mobile Operation
- Also a PA Amplifier with External Speaker
- TVI Trap
- Spotting Switch for Accurate Reception
- With RF Overload Protection (Pat. Pend.)

Newest addition to the popular HE-20 series of CB transceivers. This 13 transistor, 10 diode Solid State transceiver is ideal for fixed and mobile communications. Solid-state circuitry features low battery drain and provides instant operation; full 5-watt transmitter input with efficient push-pull audio modulator, and "Range Boost" for extra talk power; and an extra-sensitive superheterodyne receiver with sensitivity of .7 $\mu$ v for 10db signal-to-noise ratio. Fine selectivity and adjacent channel rejection is obtained through a 455 kHz mechanical filter. Receiver also incorporates automatic floating series-gate noise limiter and variable squelch control resulting in virtually no background noise between calls. Other features: dust-free transmit/receive relay, earphone jack for headphones or external extension speaker for CB/PA application, illuminated "S" and relative

power output meter, mobile mounting bracket and front panel-mounted 4" speaker. Also features Privi-Com private tone caller socket. Complete with fused DC line cord for negative ground battery, push-to-talk mike and set of crystals for channel 9. Includes FCC license application form 505. Size 8 1/4 W x 4 1/2 H x 1 1/2 D. Imported. Shpg. wt., 13 1/2 lbs.

99 A 30884WUX No Money Down\* ..... Net 89.95

OPTIONAL ACCESSORIES

99 A 31064 Positive ground fused 12 VDC cord. Wt., 4 oz. Net 1.50

46 A 65 Extra transmit crystal (specify channel)† ..... Net 2.25

46 A 10 Extra receive crystal (specify channel)† ..... Net 2.25

†See Page 108 for "How to Order Crystals."

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 109

## 2 MORE CHANNELS WITH EACH ADDED PLUG-IN CRYSTAL!

**NEW!**

- Burglar Alarm Switch
- "Range-Boost" for More Range
- With RF Overload Protection (Pat. Pending)
- Mechanical IF Filter
- Dual Conversion Superhet Receiver
- Variable Squelch Plus Noise Limiting
- Large 5 x 3 Inch Speaker
- 12 Volts DC Negative or Positive Ground
- 117 VAC With Optional AC Power Supply
- Portable Operation With Optional Battery Pack
- Simulated Leather Front Panel



**LAFAYETTE HB-23A**

FCC Type Accepted • DOC Approved

Only

**99<sup>95</sup>**

with Crystals For Operation on Channels 9, 13, 19

No Money Down\*

### 23 CHANNEL CRYSTAL CONTROLLED MOBILE CB 2-WAY RADIO

Solid-state ultra compact synthesis CB transceiver features superior automatic gain control and sensitivity, greatly increased dependability, and lower current drain. Synthesis type frequency control section permits economical addition of 2 channels with each additional plug-in crystal. Carefully tuned 455 kHz mechanical filter assures razor sharp selectivity with excellent adjacent channel rejection. Dual conversion receiver with RF stage, features 0.7  $\mu$ v sensitivity, automatic noise limiting, variable squelch, and push-pull audio amplifier. Transmitter provides full 5 watt legal limit input and "Range Boost" circuitry for greater average modulation and transmitting range. Illuminated front panel meter monitors "S" units on receive and "PRF" output during transmit. PA Speaker/Ear- phone jack for silent listening or public address operation. Complete with automatic burglar alarm switch, dynamic push-to-talk microphone, power cable, mounting bracket, fixed crystals for channels 9, 13, and 19, and FCC application Form 505. Size: 6"Wx8"Dx2"H.

99 A 32351WUX Shpg. wt., 6 1/4 lbs. Net 99.95

Package of 10 Plug-In Crystals. Converts HB-23A to full 23 channel operation.

99 A 31742 Shpg. wt., 1 lb. Net 25.00

HB-502B Solid State 117VAC Power Supply/Charger. Enables operation of HB-23A as a table top 117 VAC base station, also charges nickel cadmium batteries used in the HB-507.

99 A 32068W Net 19.95

Model HB-507 Portable Battery Pack. Adapts HB-23A for convenient portable operation with shoulder strap. Less "C" batteries.

99 A 31551 Shpg. wt., 4 lbs. Net 19.95

"C" Alkaline Battery for HB-507 (8 req.)

99 A 63602 Shpg. wt., ea. 5 oz. Net ea. .44

Alternate Nickel Cadmium Battery. Shpg. wt., ea. 5 oz. (10 req.)

32 A 48887 Net ea. 3.90

See Page 464 Catalog #710 For Optional Individual Plug-in Crystals Each Crystal Adds 2 Operating Channels.



**LAFAYETTE  
Comstat 23  
Mark VI**

Only

**109<sup>95</sup>**

No Money Down\*

FCC Type Accepted

**ALL CRYSTALS SUPPLIED!**

### 23 CHANNEL CRYSTAL CONTROLLED CB 2-WAY RADIO

- Dual Conversion with 8/10  $\mu$ v. Sensitivity
- Pi-Network and Low Pass Filter
- Range Boost for Greater Average Talk Power
- Built-in 117 Volt AC Power Supply
- 14 Tube Performance with 9 Tubes, and 9 Diodes

The Comstat 23 Mark VI deluxe 5-watt CB transceiver incorporates a sensitive 8  $\mu$ v receiver with selective dual conversion superheterodyne circuitry. Variable squelch control quiets receiver during "no signal" conditions. Features include a full-time automatic noise limiter, 4-watt audio output into a built-in 3 1/2 in. speaker, and a tape recorder output jack on the rear panel. RF output is coupled through a highly effective pi-network and low-pass filter for maximum energy transfer to the antenna. Includes standby switch for low current drain and instant operation and facilities for PA with external speaker or phones of 4-8 ohm impedance. Matches antennas from 50-75 ohms. For operation on 105-120 volts AC, 50/60 Hz or operates mobile with

- Variable Squelch Control with Standby Switch
- Illuminated "S"/"PRF" Meter
- Tape Record Output Jack (Rear)
- CB/Public Address Switch
- Headphone/External Speaker Jack

the use of the optional 12 volt power supply. Size 12Wx8 1/2 Dx5 1/2"H. Imported. Shpg. wt., 20 lbs.

99 A 32237WUX Net 109.95

#### OPTIONAL ACCESSORIES


HA-19 DC POWER SUPPLY. Permits 12-volt mobile operation with Negative or Positive Battery Ground. 6Wx4Hx4 1/2"D.

42 A 47045W Shpg. wt., 4 lbs. Net 14.95

MOBILE MOUNTING BRACKET. Facilitates under-dash mounting. Imported. Shpg. wt., 2 lbs.

99 A 31874 Net 2.95

# 23 Crystal Controlled CB Channels ... ALL CRYSTALS SUPPLIED!



**LAFAYETTE Telsat™ 23 Deluxe  
Solid-State 2-Way Radio**

ONLY **129<sup>95</sup>**

No Money Down\*

FCC Type Accepted

- 1 IC, 18 Transistors, 10 Diodes
- With RF Overload Protection (Pat. Pend.)
- Double Conversion Superhet Receiver
- Mechanical Filter Plus IC for Super Selectivity
- Excellent Sensitivity of Less than 1  $\mu$ V
- Range Boost Circuitry for Added Talk Power
- Full Public Address Amplifier Provisions

An exciting feature packed deluxe 23 channel 2-way radio ready to serve as either a 117 volt AC base or 12 volt DC mobile station. Use of revolutionary space age integrated circuitry assures greater sensitivity and selectivity with high efficiency and low power drain. Receiver's superior selectivity is attained by using carefully tuned IF stages coupled with a hand crafted mechanical filter. Delta tune permits copy of "off channel" stations. Full legal power transmitter uses Range Boost modulation for far greater talk power. Front panel light indicates presence of RF energy at antenna socket. Illuminated S/Prf meter reads signal strength on receive and RF output on trans-

- Accepts Priva-Com® Plug-In Private Tone Caller
- Operates on 117 Volts AC or 12 Volts DC
- Illuminated Automatic S/Prf Meter
- Variable Squelch Plus Noise Limiting
- Automatic Transmit Indicator Light
- 3-Position  $\pm 1.4$  kHz Crystal Delta Fine Tune
- TVI Trap—Minimizes TV Interference

mit. Built-in public address provisions include audio input for tape recorder, tuner, etc. and tape output jack for recording. Phone jack for private listening. Accepts Lafayette Priva-Com III series plug-in private tone caller for selective interference-free standby. Supplied with PTT dynamic microphone, mobile mounting bracket, DC cable, and FCC License Form 505. Size: 4 $\frac{1}{2}$ "x11 $\frac{1}{2}$ "x8"D. Imported. Shpg. wt., 15 lbs.

99 A 31577WUX ..... Net 129.95

DC Cable for positive ground vehicles. Shpg. wt., 8 oz.

99 A 31064 ..... Net 1.50

**SOLID-STATE  
MOBILE CB  
TWO-WAY RADIO**

Only **149<sup>95</sup>**

No Money Down\*

**23 Crystal Controlled Channels ...  
All Crystals Supplied!**

**Now with Burglar  
Alarm Switch!**



FCC Type Accepted  
D.O.C. Approved †

- Dual Conversion for High Selectivity
- 19 Transistors, 10 Diodes, 1 Thermistor
- Advanced AGC For Outstanding Audio
- Advanced RF Overload Protection (Pat. Pend.)
- 3-Position Crystal Delta Tune
- Mechanical 455 kHz Filter
- Range Boost™ Circuitry For Added Talk Power
- Variable Squelch plus Automatic Noise Limiting
- Automatic Large Illuminated S/Prf Meter
- Receive and Transmit Indicator Lights
- PA Amplifier with External Speaker
- 4 x 6" Speaker For Better Audio
- 12-Volt DC Operation (Neg. or Pos. Ground)

†Canada Permits Legal Operation On 19 Channels Only in 27.00 MHz thru 27.30 MHz Range.

Lafayette's most advanced model of the famous HB-525 series of CB Transceivers. Dual conversion receiver incorporates 455 KHz mechanical filter plus revised IF stage for high selectivity, superior adjacent channel rejection, exceptional AGC and audio characteristics. Variable squelch quiets receiver when no signal is being received. 3-position crystal delta tune permits easy copy of off-frequency stations. Large, easy-to-read illuminated automatic S/PRF meter indicates signal strength on receive and RF output in transmit. Full public address provisions include audio input jack for tape recorder, tuner, etc. Also features indicator lights for transmit and receive modes. Supplied with PTT dynamic mike, DC cable, mobile mounting bracket, and FCC license form 505. Size: 2 $\frac{3}{4}$ "x6 $\frac{1}{4}$ "x8"D. Imported. Shpg. wt., 7 lbs.

99 A 32369WUX ..... Net 149.95

MODEL HB-502B AC POWER SUPPLY/CHARGER. For 115 VAC operation and for charging HB-506 Nicad batteries.

99 A 32088W Shpg. wt., 5 lbs. .... Net 19.95

MODEL HB-506 PORTABLE DC POWER PACK attaches to HB-525E for convenient portable operation. Shpg. wt., 2 lbs.

99 A 31544W Less Batteries ..... Net 19.95

99 A 63802 "C" Alkaline Battery for HB-506 (8 req.) ea. Net .44

32 A 48887 Alternate Nicad Batteries (10 req.) ..... ea. Net 3.90

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 111

## Famous 23 Channel

### CB Best Seller...

LAFAYETTE  
COMSTAT 25B

Only

# 149<sup>95</sup>

No Money Down\*



### ALL CRYSTALS SUPPLIED!

- Standby Switch for Low Current Instant Operation
- 17 Tube Performance with 11 Tubes, 2 Transistors and 11 Diodes
- Built-in 117 VAC, 12 VDC Solid-State Power Supply
- Dual Conversion Receiver Features 8/10  $\mu$ V Sensitivity

The pace-setting Lafayette Comstat 25B, with its high performance circuitry for excellent mobile and base station operation, features a handsome midnight-black and contrasting brushed aluminum front panel with complementary multi-colored illuminated "S-PRF" meter and attractive control knobs. A 2.5 kHz total spread fine tuning vernier facilitates accurate reception. Highly selective circuits greatly suppress adjacent channel interference (-45db). Variable squelch quiets receiver between calls. Crystal frequency synthesizer enables operation on all 23 CB channels with crystals supplied. No extra crystals are necessary! Built-in dual purpose power supply al-

- Range Boost Circuitry for Added Talk Power
- PiNetwork and Low Pass Filter for Maximum Power Output
- Vari-tilt Mounting Bracket
- Modulation Indicator
- TVI Trap

lows 12-VDC mobile and 115-VAC base station operation. Front panel switch converts transceiver to a handy 4.5 watt public address amplifier. A convenient front panel jack for headphones or external extension speakers for CB/PA is provided. Comstat 25B also features push-to-talk relay switching and plug-in ceramic microphone with coiled cord. Complete with vari-tilt mounting bracket which facilitates both easy mounting and optimum positioning of set as well as serving as an adjustable table top base. With FCC License Application Form 505. Size: 12Wx8½Dx5"H. Imported. Shpg. wt., 16 lbs.

99 A 32146WUX ..... Net 149.95

FCC Type Accepted

## 23 Crystal Controlled Channels

All Crystals Supplied!



## Lafayette Deluxe HB-625 Solid-State Mobile 2-Way Radio

ONLY **189<sup>95</sup>**

No Money Down\*

FCC Type Accepted

### 3-Integrated Circuits + 3-Stage RF

- 18 Transistors + 3 IC's + 11 Diodes
- With RF Overload Protection (Pat. Pend.)
- Selective Dual Conversion Superhet Receiver
- 3-Position Delta Tune for Accurate Tuning
- Mechanical Filter for Superior Selectivity

The HB-625 incorporates a highly selective 455 kHz mechanical filter to virtually eliminate adjacent channel splatter. It utilizes a 3-stage RF noise silencer including a 10-transistor, 8-diode integrated circuit to keep ignition noise interference from getting into the receiver's audio without cutting the incoming signal strength. Range Boost audio system uses revolutionary new IC microcircuits for increased effective talk power. Variable squelch and standard ANL combine with noise silencer to provide quiet, pleasurable reception. Other quality features include built-in public address amplifier facilities with rear panel jack for hi-fi tuner or tape recorder input. Operates instantaneously from 12-volts DC positive or negative ground with low battery drain or on 117 volts AC with optional power supply. Supplied with mounting bracket, power cord, PTT dynamic micro-

phone with coiled cord, and FCC Form 505 CB License Application. Size: 2¾H x 6¼W x 8"D. Imported. Shpg. wt., 7 lbs., 8 oz. 99 A 31486WX ..... Net 189.95

Model HB-502B AC Power Supply for base station operation and Nicad Battery Charger. 99 A 32088W Shpg. wt. 5 lbs. .... Net 19.95

Model HB-506 Portable DC Power Pack. Attaches to HB-625 to permit portable DC operation. Includes battery pack (less batteries), telescoping antenna, and shoulder strap. Shpg. wt., 2 lbs. 99 A 31544W ..... Net 19.95

Batteries for HB-506 Portable Pack. "C" Alkaline (8-required). 99 A 63802 Shpg. wt., 4 oz. ea. .... Net ea. 44

# A CB 2-WAY RADIO PLUS A POLICE AND FIRE RECEIVER

MONITOR 150-174 MHz Or 30-50 MHz And  
COMMUNICATE ON 23 CB CHANNELS



**SALE!** **SAVE 30.00!**

TELSAT 150 CB - 150-174MHz      TELSAT 50 CB - 30-50MHz

**NOW ONLY 169<sup>95</sup> ea.**  
No Money Down\*

FCC Type Accepted

**1-Integrated Circuit + 1-FET + 25 Transistors + 9 Diodes**

- For Car and Home
- 12 VDC Neg. Ground    • 117 VAC with HB-502B

## CB TWO-WAY RADIO

- 5-Watt FCC Max. Rating
- Dual Conversion    • 0.7  $\mu$ V Sensitivity
- 23 Crystal Controlled Channels... ALL Crystals Supplied!

This exciting Lafayette innovation in the field of communications permits you to become an alert and informed citizen in your community! Now you can monitor the police and/or fire frequencies and immediately communicate with your family and with members of your volunteer fire or auxiliary police squad. The Lafayette Telsat 150 and Telsat 50 are unique compact combinations of a 5-Watt 23 channel solid-state CB transceiver (all crystals supplied) and a VHF police/fire or industrial monitor receiver. These units are expertly engineered for outstanding CB and VHF performance in a car, truck, and boat as well as in an office or home (with optional AC power supply). Complete with mobile mounting bracket and FCC license application form 505. Less crystals. Size: 2 1/2" x

## VHF FM MONITOR RECEIVER

Tunable Receive Plus 2 Crystal Positions

- Monitors 150 thru 174 MHz or 30 thru 50 MHz
- Manual Tuning Plus Two Switchable Crystal Positions for Optional Crystals
- Less than 1  $\mu$ V Sensitivity

6 1/2" W x 8 L. Imported. † in certain areas of the country. Shpg. Wt., 7 1/2 lbs.  
 99 A 32153WUX Telsat 150 (150-174MHz) ..... Net 169.95  
 99 A 32179WUX Telsat 50 (30-50 MHz) ..... Net 169.95  
 Model HB-502B AC Power Supply For Operation in the Home or Office.  
 99 A 32088W Shpg. wt., 5 lbs. .... Net 19.95  
**Monitoring Crystal Certificates.** Send filled-out certificate, one for each crystal, to manufacturer. Mfr. will ship crystal to you postpaid, within a maximum of 30 days.  
 Certificates: Specify Exact Operating Frequency. NO C.O.D.  
 40 A 82103V ..... Net 5.95  
 See page 452 Catalog 710 for VHF Antennas for above.

# BUSINESS and CB SOLID-STATE 2-WAY RADIO Model HB-600

23 Crystal Controlled CB Channels  
All CB Crystals Supplied

Only  
**219<sup>95</sup>**  
No Money Down\*

FCC Type Accepted Part 91  
Canadian D.O.C. Approved!



**5-Stage RF Ignition Noise Silencer!**  
**With RF Overload Protection!**

## PLUS Choice From 5 Business Band Frequencies

- RANGE BOOST For Greater "Talk-power"
- SQUELCH/PA "Quiets" the Receiver Between Calls
- PHONE JACK For Headphones or Speakers
- Choice of Noise Reduction Circuits—(A) Audio Noise Limiter (B) Audio Noise Limiter plus RF Noise Silencer
- 21 Transistors, 13 Diodes. 1 Amp. Maximum On Transmit

The "CB Commander" offers every feature you'll ever want in a 2-way CB radio—PLUS provision for Business Band\* operation! You get 23 crystal-controlled CB channels plus 2 extra Business Band channels for optional crystals—lets you choose from 5 Business Band frequencies—27.235, 27.245, 27.255, 27.265, or 27.275 MHz. Range Boost circuit increases average modulation and lets your voice cut through noise to reach further! A dual conversion receiver provides high sensitivity—pulls in even the weak signals! A unique 5-stage RF ignition Noise Silencer (Pat. Pend.) provides excellent ignition noise reduction, literally "chops out" ignition noise—even really weak signals become perfectly intelligible under severe ignition noise conditions—you learn what quiet operation really means! Other top

\* BUSINESS BAND

CRYSTALS (Optional)  
 42 A 42566 27.245 MHz ..... Net 3.95  
 42 A 42574 27.255 MHz ..... Net 3.95  
 42 A 42582 27.265 MHz ..... Net 3.95  
 42 A 42590 27.275 MHz ..... Net 3.95

- Mechanical Filter for Ultra Selectivity
- 0.5  $\mu$ V Dual Conversion Receiver with 3-crystal "Delta" Fine Tuning
- Pi-Network Output with Low Pass Filter
- Plug-in Facilities for Lafayette Selective Call Unit
- Operates As a PA Amplifier with External PA Speaker
- Built-in 117 Volt AC and 12 Volt DC Power Supply

features include a mechanical filter for razor-sharp selectivity, Delta tuning, Variable Squelch, effective Automatic Noise Limiter, Push-Pull audio, plus provision for Public Address operation with external speaker. Built-in solid-state AC and DC power supply permits low drain operation on 117V AC or 12V DC (Neg. or Pos. Gnd.). Supplied with push-to-talk dynamic microphone with coiled cord, AC and DC power cables, "quick-release" mounting bracket and hardware, microphone bracket. Dimensions: 4 1/2" high, 11 1/2" wide, 8" deep. Shpg. wt., 15 lbs. †limited to 19 channels in Canada from 27.03 MHz to 27.230 MHz. Imported.

99 A 30710WUX ..... Net 219.95

\*See Page 25 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 713 113

# Lafayette Telsat SSB-25 CB Two-Way Radio

## TRUE SINGLE-SIDEBAND PLUS AM



Compatible with  
ALL AM, DSB, and  
SSB CB Transceivers!

Only **299<sup>95</sup>**

- ★ 15 Watts P-E-P SSB Input Power
- ★ Crystal Lattice Filter

23 Crystal Controlled AM Channels . . . Plus  
46 Crystal Controlled SSB Channels (Upper plus Lower Sidebands)

- Suppressed Carrier on Sideband for Greater Talk Power
- "Range-Boost" on AM and Automatic Modulation Control on SSB
- Dual Conversion Superheterodyne Receiver with Sensitivity of 0.5  $\mu$ V on AM and 0.15  $\mu$ V on SSB
- Built-in Product Detector for Outstanding SSB Reception
- Continuously Variable Fine Tuning for Clarifying SSB and for more Accurate AM Reception
- Automatic Burglar Alarm Switch
- Ingenious RF Noise Silencer Circuitry plus Variable Squelch
- 2 Large Illuminated Front-Panel Meters—1 Signal Strength "S" Meter plus 1 P-RF Meter
- RF Gain Control for Reduction of Overloading on Strong Local Signals and for Optimum SSB Reception
- Built-In Public Address Facilities
- Headphone Jack for Silent Listening

• Built-in 117 VAC and 12.6 VDC Power Supplies (Negative Ground Only)

Lafayette's superb compatible Telsat SSB-25 AM-True Single Sideband Solid-State 2-way Radio has been meticulously designed and engineered for outstanding citizens band performance. In addition to the deluxe features that result in exceptional conventional 23 channel crystal-controlled AM transmission and reception, the Telsat SSB-25 forges ahead with True-Single Sideband features that result in the addition of 46 more channel modes of operation with much greater effective transmit power, as well as in low noise, highly sensitive reception with a minimum of interference. Its powerful "true" single sideband transmitter, instead of dissipating its power in the carrier and duplicate sideband, concentrates all its power in the single selected upper or lower sideband . . . You get 100% talk power with far greater effective output and range! The transmitter also features internal RANGE-BOOST circuitry and adjustable antenna loading for maximum RF output as well as an adjustable TVI filter for minimum TV interference. In addition to the highly dependable reception of the 23 crystal controlled AM chan-

nels, the superbly engineered dual conversion superheterodyne receiver receives 46 frequency modes on single sideband (23 on upper and 23 on lower sidebands) and features a crystal lattice filter that provides maximum signal-to-noise ratio, resulting in far greater usable sensitivity while rejecting adjacent channel interference. The receiver also features a built-in product detector for superior reception of SSB transmissions, continuously variable fine tuning to clarify reception of SSB transmissions and to improve reception of AM stations, as well as unique RF noise silencing circuitry to minimize ignition type noise interference. The Telsat SSB-25 also includes a public address remote speaker jack and an external auxiliary input jack for Tuner, Tape and Phono. Supplied complete with Push-to-Talk Dynamic Microphone, AC and DC Power Cables, Mobile Mounting Bracket, and FCC License Form 505. Operates as base station on 117 VAC and mobile on 12.6 VDC, Negative Ground Only. Size: 9 1/2" W x 3 3/4" H x 11 1/4" D. Imported. Shpg. wt., 15 1/2 lbs. 99 A 32377WUX No Money Down\* . . . . . Net 299.95

# LAFAYETTE Comstat 19 5-Watt 2-Way Radio



D.O.C. APPROVED IN CANADA

ONLY  
**59<sup>95</sup>**  
No Money Down\*

- 9 Crystal Controlled Transmit and Receive Channels
- Sensitive 23 Channel Tuneable Receiver
- Front Panel Crystal Sockets
- Modulation Monitor
- Front Panel Phone Jack
- Pi Network Antenna Matching
- Variable Squelch

Advanced electronic circuitry utilizes 7 tubes and 3 diodes to achieve 13 stages of dynamic performance. Sensitive superheterodyne receiver permits reception of weak distant stations even in problem areas. Effective series gate limiter minimizes ignition and other noise pick-up. Receiver can be manually tuned or crystal controlled. Variable squelch control permits quiet automatic stand-by operation. Powerful audio stage delivers up to 100% AM plate modulation for real talk power. Monitor allows visual indication of modulation. Built-in 117VAC power supply. Front panel receive and transmit crystal sockets plus 8 sets of internal crystal sockets. Front panel phone jack for private listening or external speaker. Receiver sensitivity: 1  $\mu$ V @ 10 db signal to noise ratio. Output

impedance, 50 ohms. Supplied complete with push to talk ceramic microphone with coiled cord and positive lock plug, bracket for mobile or shelf mounting, 117 VAC power cord, and a pair of crystals for channel 11. Size: 12 1/4" W x 8 1/4" D x 5" H. Shpg. wt., 15 lbs. 99 A 30678WX . . . . . Net 59.95  
46 A 61 Extra Transmit Crystal (Specify Channel)† . . . . . Net 2.25  
46 A 17 Extra Receive Crystal (Specify Channel)† . . . . . Net 2.25  
HA-19 POWER SUPPLY Adapts Comstat 19 for 12 volt mobile operation negative or positive battery. Size: 6W x 4H x 4 1/2" D.  
42 A 47049W Shpg. wt., 4 lbs. . . . . Net 14.95  
†See page 108 for "How To Order Crystals"