JUNE 2003 ISSUE #511 USA \$3.95 CANADA \$4.95



QRP Antenna Showdown

W2NSD/1 on 9/11: "What I Believe"

Legendary Log Periodics

# Simple Magnetic Headphone

# Borneo On the Air

### Infordation and a standard and the standard and a stand

10938-9N ARO CAD3	231	
JACK SPEER BUCKMASTER PUBLISHING 6196 JEFFERSON HIGHWAY		89 121
MINERAL VA 23117-3425		

# ALINCO Unleash The Power

## DR-620T VHF/UHF Dual-Band Mobile/Base First Amateur Twin Band Mobile To Support Optional Digital Voice Communications\*

- RX-VHF 108-173.995 MHz, UHF 335-480 MHz
- TX-VHF 144-147.995 MHz, UHF 430-449.995 MHz
- Receives Airband and Wide FM
- Front control unit separation (optional EDS-9 kit required)
- Advanced 10F3 digital mode with speech compression technology (EJ-47U required)\*
- 200 memory channels
- Advanced EJ-50U TNC (optional) supports digi-peat mode

## DR-605TQ VHF/UHF Dual-Band Mobile/Base Full 2 Meter/440 Performance

- 100 memory channels, + a "call" channel for each band
- CTCSS encoded+decoded and tone scan
- Cross-band repeat and full duplex capability
- 9600 bps packet ready with dedicated terminals
- Internal duplexer one easy antenna connection
- RX-VHF 136-173.995 MHz, UHF 420-449.994 MHz
- TX-VHF 144-147.995 MHz, UHF 430-449.994 MHz
- MARS capability (permit required)
- OUTPUT H/L 50/5 watts VHF, 35/5 watts UHF
- Time-out timer (ideal for repeater and packet operation)
- Remote control features including parameter setting and direct frequency entry through the microphone
- Dual-Band receiver with V/U, V/V, U/U capability
- CTCSS/DCS encode/decode and European Tone-bursts
- OUTPUT: H/M/L-50/10/5 watts VHF
- OUTPUT: H/M/L-35/10/5 watts UHF

Ask your dealer about the full line of Iron Horse antennas & accessories!

## **DJ-V5TH VHF/UHF** Dual-Band FM Transceiver

### 5 watts of output power, in a compact package.

- Alphanumeric Display, up to 6 characters
- TX-VHF 144-147.995 MHz, UHF 420-449.995 MHz
- 200 memory channels plus two call channels
- Full VHF + UHF Amateur Band Coverage
- Receive Range, (76 999MHz)
   includes Wide FM capability
- Up to 5 watts output, 3 output settings
- CTCSS encode+decode DTMF squelch and European Tone bursts
- 4 scan modes, 5 programmable scan banks
- MARS capability (permit required)

**DJ-596T VHF/UHF Dual-Band HT with Digital Voice Option\*** Loaded with features! The breakthrough design supports optional digital voice communications and you can easily switch the unit between analog and digital modes!

- Full 4.5 watts output VHF/4w UHF
- Powerful NiMH battery
- 100 memories in any combination of VHF or UHF channels
- Direct frequency input from keypad
- Each memory capable of "odd split" operation.
- Alphanumeric channel labels
- CTCSS/DCS encode+decode plus tone bursts
- Full 2m and 440 band coverage
- Accepts 6 to 16 VDC direct input
- Illuminated Keys and display
- Wide and narrow FM modes
- 10 autodial memories
- Theft alarm feature
- Optional EJ-40U Digital Voice Board!\*
- Programming/Clone software available



AL INCO

Distributed in North America by Amateur Distributing LLC • 23 S. High St., Covington, OH 45318 • (937) 473-2840 Specifications subject to change without notice or obligation. \*Digital communications require at least two similarly equipped transceivers. Digital mode may not be legal in some countries. See FAQ on digital at www.alinco.com. Products intended for use by properly licensed operators. Permits required for MARS use. Specifications subject to change without notice or obligation.

## THE TEAM

El Supremo & Founder Wayne Green W2NSD/1

Associate Publisher F. I. Marion

Executive Editor Jack Burnett

Managing Editor Joyce Sawtelle

Technical Editor Hugh Wells W6WTU

### **Contributing Culprits**

Mike Bryce WB8VGE Jim Gray II Jack Heller KB7NO Chuck Houghton WB6IGP Andy MacAllister W5ACM Joe Moell KØOV Steve Nowak KE8YN/0 Dr. Rick Olsen N6NR

### **Advertising Sales**

Evelyn Garrison WS7A 21704 S.E. 35th St. Issaguah WA 98029 425-557-9611 Fax: 425-557-9612

### Circulation

Frances Hyvarinen

# 73 Amateur Radio Today **TABLE OF CONTENTS**

## FEATURES

- 10 QRP Antenna Showdown K7UGQ What's the best antenna to use with your QRP rig?
- Field Day 2002: Out on Our Own WA9PYH 14 Can you spell duct tape?

Now Hear This! - N4HCJ 18 Home-brew yourself a magnetic headphone.

- Yes, I Built Sixteen 20 Log Periodic Antennas! — W4AEO Part 1: Theory and tests.
- Travels with Henryk Part 13 SMØJHF 30 Borneo hams strut their stuff.
- **Reverse Breakdown Voltage Measurement** 34 Adapter — KC5MFY Build this simple project for your bench.

### DEPARTMENTS

Above & Beyond — WB6IGP 56

**JUNE 2003 ISSUE #511** 

- Ad Index 49
- Barter 'n' Buy 64
- 40 Calendar Events
- 42 The Digital Port KB7NO
- Hamsats W5ACM 47
- 53 Homing In KØOV
- 8 Letters
- Never Say Die W2NSD/1 4
- On the Go KE8YN/7 45
- Propagation Gray 60
- QRP WB8VGE 51
- QRX 1
- 63 Radio Bookshop

**E-Mail** design73@aol.com

Data Entry & Other Stuff Norman Marion

### **Business Office**

Editorial - Advertising - Circulation Feedback - Product Reviews 73 Amateur Radio Today Magazine 70 Hancock Rd. Peterborough NH 03458-1107 603-924-0058 Fax: 603-924-8613

Reprints: \$3 per article Back issues: \$5 each

Printed in the USA

Manuscripts: Contributions for possible publication are most welcome. We'll do the best we can to return anything you request, but we assume no responsibility for loss or damage. Payment for submitted articles will be made after publication. Please submit both a disk and a hard copy of your article [IBM (ok) or Mac (preferred) formats], carefully checked drawings and schematics, and the clearest, best focused and lighted photos you can manage. "How to write for 73" guidelines are available on request. US citizens, please include your Social Security number with submitted manuscripts so we can submit it to you know who.

### 38 73's DX Dynasty Award List - Staff

## ORX

### WA6ITF: "Dear Friends, Listeners, (and 73 Readers) ..."

I'm Bill Pasternak WA6ITF, and since 1977, I have been the unpaid volunteer producer of what is today the Amateur Radio Newsline. You often read our material here in this QRX column. I am here for one reason. In just one word, money. Money to keep Amateur Radio Newsline in operation.

Simply stated, Amateur Radio Newsline is once again in deep financial trouble and we need an immediate infusion of funds to keep the service alive and the weekly newscasts coming your way.

Here's the score. As this is being written [April 14], our Support Fund Administrator, Andy Jarema N6TCQ, says that there is only \$24.80 left in the Newsline Support Fund bank account. There are also outstanding bills totaling \$661 sitting on his desk that must be paid immediately.

No extensions of time will be given to us. No delays will be entertained. These creditors - namely telecommunications providers - want to be paid right now. Otherwise, our ability to communicate goes away and the news gathering process grinds to a halt. It could happen before the next newscast gets to you a week from now.

Actually, you would not have heard this week's Amateur Radio Newsline report (#1339) if I had not

### Continued on page 6

73 Amateur Radio Today (ISSN 1052-2522) is published monthly by 73 Magazine, 70 Hancock Rd., Peterborough NH 03458-1107. The entire contents ©2003 by 73 Magazine. No part of this publication may be reproduced without written permission of the publisher, which is not all that difficult to get. The subscription rate is: one year \$24.97, two years \$44.97; Canada: one year \$34.21, two years \$57.75, including postage and 7% GST. Foreign postage: \$19 surface, \$42 airmail additional per year, payable in US funds on a US bank. Second class postage is paid at Peterborough, NH, and at additional mailing offices. Canadian second class mail registration #178101. Canadian GST registration #125393314. Microfilm edition: University Microfilm, Ann Arbor MI 48106. POSTMASTER: Send address changes to 73 Amateur Radio Today, 70 Hancock Rd., Peterborough NH 03458-1107. 73 Amateur Radio Today is owned by Shabromat Way Ltd. of Hancock NH.

Web Page www.waynegreen.com



### 9 Autry Irvine, CA 92618 (949) 458-7277 • (949) 458-0826

E 151785 E 151785 E 151785 E 151785 E 151785 E 151785 E 151785 E 151785	POWER ON WERE SWITCHING POWER	
MODEL SS-10TK	<ul> <li>SPECIAL FEATURES:</li> <li>HIGH EFFICIENCY SWITCHING TECHNOLOGY SPECIFICALLY FILTERED FOR USE WITH COMMUNICATIONS EQUIPMENT, FOR ALL FREQUENCIES INCLUDING <u>HE</u></li> <li>HEAVY DUTY DESIGN</li> <li>LOW PROFILE, LIGHT WEIGHT PACKAGE</li> <li>EMI FILTER</li> </ul>	<ul> <li>PROTECTION FEATURES:</li> <li>CURRENT LIMITING</li> <li>OVERVOLTAGE PROTECTION</li> <li>FUSE PROTECTION.</li> <li>OVER TEMPERATURE SHUTDOWN</li> <li>SPECIFICATIONS:</li> <li>INPUT VOLTAGE: 115 VAC 50/60HZ</li> <li>OR 220 VAC 50/60HZ</li> </ul>
MODEL SS-12IF	• MEETS FCC CLASS B AVAILABLE WITH THE FOLLOWING AP	OUTPUT VOLTAGE: 13.8VDC
MODEL SS-18	DESKTOP SWITCHING POWER SUPPLIES         ICS           MODEL         CONT. (Amps)         ICS           SS-10         7         10           SS-12         10         12           SS-18         15         18           SS-25         20         25           SS-30         25         30	SIZE (inches)Wt.(lbs.) $1\% \times 6 \times 9$ 3.2 $1\% \times 6 \times 9$ 3.4 $1\% \times 6 \times 9$ 3.6 $2\% \times 7 \times 9\%$ 4.2 $3\% \times 7 \times 9\%$ 5.0
MODEL SS-25M	DESKTOP SWITCHING POWER SUPPLIES WITH VOLT AN MODELMODELCONT. (Amps)ICSSS-25M*2025SS-30M*2530	Size (inches)         Wt.(lbs.)           2% x 7 x 9%         4.2           3% x 7 x 9%         5.0
MODEL SRM-30	RACKMOUNT SWITCHING POWER SUPPLIES MODELMODELCONT. (Amps)ICSSRM-252025SRM-302530WITH SEPARATE VOLT & AMP METERS MODELCONT. (Amps)ICSSRM-25M2025SRM-30M2530	SIZE (inches)Wt.(lbs.) $3\frac{1}{2} \times 19 \times 9\frac{3}{8}$ 6.5 $3\frac{1}{2} \times 19 \times 9\frac{5}{8}$ 7.0SIZE (inches)Wt.(lbs.) $3\frac{1}{2} \times 19 \times 9\frac{3}{8}$ 6.5 $3\frac{1}{2} \times 19 \times 9\frac{3}{8}$ 7.0
MODEL SRM-30M-2	2 ea SWITCHING POWER SUPPLIES ON ONE RACK PANN MODELICSSRM-25-22025SRM-30-22530WITH SEPARATE VOLT & AMP METERS MODELICSSRM-25M-22025SRM-25M-22025SRM-30M-22530	SIZE (inches)         Wt.(lbs.) $3\frac{1}{2} \times 19 \times 9\frac{3}{8}$ 10.5 $3\frac{1}{2} \times 19 \times 9\frac{5}{8}$ 11.0           SIZE (inches)         Wt.(lbs.) $3\frac{1}{2} \times 19 \times 9\frac{3}{8}$ 10.5 $3\frac{1}{2} \times 19 \times 9\frac{5}{8}$ 11.0
rS - Intermittent Communication Service	CUSTOM POWER SUPPLIES FOR RADIOS BELOW EF JOHNSON AVENGER GX-MC41 EF JOHNSON AVENGER GX-MC42 EF JOHNSON GT-ML81 EF JOHNSON GT-ML83 EF JOHNSON 9800 SERIES GE MARC SERIES GE MONOGRAM SERIES & MAXON SM-4000 SERIES ICOM IC-F11020 & IC-F2020 KENWOOD TK760, 762, 840, 860, 940, 941 KENWOOD TK760H, 762H MOTOROLA LOW POWER SM50, SM120, & GTX MOTOROLA HIGH POWER SM50, SM120, & GTX MOTOROLA A RADIUS & GM 300 MOTOROLA RADIUS & GM 300 UNIDEN SMH1525, SMU4525 VERTEX — FTL-1011, FT-1011, FT-2011, FT-7011	NEW SWITCHING MODELS SS-10GX, SS-12GX SS-18GX SS-18EFJ SS-12EFJ SS-10-EFJ-98, SS-12-EFJ-98, SS-18-EFJ-98 SS-10-EFJ-98, SS-12-EFJ-98, SS-18-EFJ-98 SS-12MC SS-10-EFJ-98, SS-12-EFJ-98, SS-18-EFJ-98 SS-12MC SS-10MG, SS-12MG SS-10MG, SS-12MG SS-10IF, SS-12IF SS-10IF, SS-12IF SS-10SM/GTX, SS-12SM/GTX, SS-18SM/GTX SS-10SM/GTX, SS-12SM/GTX, SS-18SM/GTX SS-10SM/GTX, SS-12SM/GTX, SS-18SM/GTX SS-10RA SS-12RA SS-18RA SS-10SMU, SS-12SMU, SS-18SMU SS-10V, SS-12V, SS-18V

\*ICS - Intermittent Communication Service

# **Big Savings on Radio Scanners**

0 0 - 63 1000

Bearcat® 785DGV APCO P-25 Digital Ready with free deluxe scanner headset CEI on-line or phone special price \$339.95 1,000 Channels • 27 bands • CTCSS/DCS • S Meter Size: 615/16" Wide x 69/16" Deep x 23/8" High

New Product. Scheduled for initial release January 10, 2003. Order now. Frequency Coverage: 25.0000-512.0000 MHz., 806.000-823.9875MHz., 849.0125-868.9875 MHz., 894.0125-956.000, 1240.000-1300.000 MHz.

When you buy your Bearcat 785D state-of-the art Digital Capable Trunktracker III package deal from Communications Electronics, you get more. The GV means "Great Value." With your BC785D scanner purchase, you also get a free deluxe scanner headphone designed for home or race track use. The Bearcat 785D has 1,000 channels and the widest frequency coverage of any Bearcat scanner ever. When you order the optional BCi25D, APCO Project 25 Digital Card for \$299.95, when installed, you can monitor Public Safety Organizations who currently use conventional, trunked 3,600 baud and mixed mode APCO Project 25 systems. APCO project 25 is a modulation process where voice communications are converted into digital communications similar to digital mobile phones. You can also monitor Motorola, EDACS, EDACS SCAT, and EF Johnson systems. Many more features such as S.A.M.E. weather alert, full-frequency display and backlit controls, built-in CTCSS/DCS to assign analog and digital subaudible tone codes to a specific frequency in memory, PC Control with RS232 port, Beep Alert, Record function, VFO control, menu-driven design, total channel control and much more. Our CEI package deal includes telescopic antenna, AC adapter, cigarette lighter cord, DC cord, mobile mounting bracket with screws, owner's manual, trunking frequency guide and oneyear limited Uniden factory warranty. For maximum scanning enjoyment, operate your scanner from your computer running Windows, Order Scancat Gold for Windows, part number SGFW for \$99.95 and magnetic mount antenna part number ANTMMBNC for \$29.95. Not compatible with 9,600 baud APCO digital control channel with digital voice, AGEIS, ASTRO or ESAS systems. For fastest delivery, order on-line at www.usascan.com. Bearcat<sup>®</sup> 895XLT Trunk Tracker Manufacturer suggested list price \$499.95 Less -\$320 Instant Rebate / Special \$179.95 300 Channels • 10 banks • Built-in CTCSS • S Meter Size: 101/2" Wide x 71/2" Deep x 33/8" High Frequency Coverage: 29.000-54.000 MHz., 108.000-174 MHz., 216.000-512.000 MHz., 806.000-823.995 MHz., 849.0125-868.995 MHz., 894.0125-956.000 MHz. The Bearcat 895XLT is superb for intercepting trunked analog communications transmissions with features like TurboScan™ to search VHF channels at 100 steps per second. This base and mobile scanner is also ideal for intelligence professionals because it has a Signal Strength Meter, RS232C Port to allow computer-control of your scanner via optional hardware and 30 trunking channel indicator annunciators to show you real-time trunking activity for an entire trunking system. Other features include Auto Store - Automatically stores all active frequencies within the specified bank(s). Auto Recording - Lets you record channel activity from the scanner onto a tape recorder. CTCSS Tone Board (Continuous Tone Control Squelch System) allows the squelch to be broken during scanning only when a correct CTCSS tone is received. For maximum scanning pleasure, order the following optional accessories: PS001 Cigarette lighter power cord for temporary operation from your vehicle's cigarette lighter \$14.95; PS002 DC power cord - enables permanent operation from your vehicle fuse box \$14.95; MB001 Mobile mounting bracket \$14.95; EX711 External speaker with mounting bracket & 10 feet of cable with plug attached \$19.95. CAT895 Computer serial cable \$29.95. The BC895XLT comes with AC adapter, telescopic antenna, owner's manual and one year limited Uniden warranty. Not compatible with AGEIS, ASTRO, EDACS, ESAS or LTR systems.

# **Uniden<sup>®</sup> scanners**

### Bearcat<sup>®</sup> 245XLT Trunk Tracker II


Mfg. suggested list price \$429.95/CEI price \$189.95

300 Channels • 10 banks • Trunk Scan and Scan Lists Trunk Lockout • Trunk Delay • Cloning Capability 10 Priority Channels • Programmed Service Search Size: 21/2" Wide x 13/4" Deep x 6" High Frequency Coverage:

29.000-54,000 MHz., 108-174 MHz., 406-512 MHz., 806-823.995 MHz., 849.0125-868.995 MHz., 894.0125-956.000 MHz.

Our Bearcat TrunkTracker BC245XLT is the world's first scanner designed to track Motorola Type I, Type II, Hybrid, SMARTNET, PRIVACY PLUS and EDACS® analog trunking systems on any band. Now, follow UHF High Band, UHF 800/900 MHz trunked public safety and public service systems just as if conventional two-way communications were used. Our scanner offers many new benefits such as Multi-Track - Track more than one trunking system at a time and scan conventional and trunked systems at the same time. 300 Channels - Program one fre-

quency into each channel. 12 Bands, 10 Banks - Includes 12 bands, with aircraft and 800 MHz. 10 banks with 30 channels each are useful for storing similar frequencies to maintain faster scanning cycles or for storing all the frequencies of a trunked system. Smart Scanner - Automatically program your BC245XLT with all the frequencies and trunking talk groups for your local area by accessing the Bearcat national database with your PC. If you do not have a PC simply use an external modem. Turbo Search - Increases the search speed to 300 steps per second when monitoring frequency bands with 5 KHz. steps. 10 Priority Channels - You can assign one priority channel in each bank. Assigning a priority channel allows you to keep track of activity on your most important channels while monitoring other channels for transmissions. Preprogrammed Service (SVC) Search - Allows you to toggle through preprogrammed police, fire/emergency, railroad, aircraft, marine, and weather frequencies. Unique Data Skip - Allows your scanner to skip unwanted data transmissions and reduces unwanted birdies. Memory Backup - If the battery completely discharges or if power is disconnected, the frequencies programmed in your scanner are 11 retained in memory. Manual Channel Access - Go directly to any channel. LCD Back Light - An LCD light remains on for 15 seconds when the back light key is 300 pressed. Autolight - Automatically turns the backlight on when your scanner stops on a transmission. Battery Save - In manual mode, the BC245XLT automatically reduces its power requirements to extend the battery's charge. Attenuator -Reduces the signal strength to help prevent signal overload. The BC245XLT also 21-61 67:58 works as a conventional scanner. Now it's 3 2 easy to continuously monitor many radio NT AR 151-148 4 5 6 conversations even though the message 181218 215248 216278 is switching frequencies. The BC245XLT 8 9 7 comes with AC adapter, one rechargeable 271-352 PERMORE long life ni-cad battery pack, belt clip, flex-0 E ible rubber antenna, earphone, RS232C cable, Trunk Tracker frequency guide, 2500 owner's manual and one year limited LW WW 127 Uniden warranty. Not compatible with Inten BROACOT AGEIS, ASTRO, ESAS or LTR systems. Hear more action on your radio scanner today. Order on-line at www.usascan.com for quick delivery. For maximum scanning satisfaction, control your Bearcat 245XLT from your computer running Windows. Order Scancat Gold for Windows, part number SGFW for \$99.95 or the surveillance enhanced version with audio recording part number SGFWSE for \$159.95.



### AOR® AR8200 Mark IIB Radio Scanner

AOR8200 Mark IIB-A wideband handheld scanner/SPECIAL \$539.95 1.000 Channels • 20 banks • 50 Select Scan Channels PASS channels: 50 per search bank + 50 for VFO search Frequency step programmable in multiples of 50 Hz. Size: 21/2" Wide x 13/8" Deep x 61/8" High Frequency Coverage:

500 KHz to 823.995 MHz, 849.0125-868.995 MHz, 894.0125-2,040.000 MHz (Full coverage receivers available for export and FCC approved users.) The AOR AR8200 Mark IIB is the ideal handheld radio scanner

for communications professionals. It features all mode receive:

West farmer stores

440 AL 120


0000

......

......

00

00



modes, RF preselection of mid VHF bands, Detachable MW bar aerial. Tuning steps are programmable in multiples of 50 Hz in all modes, 8.33 KHz airband step correctly supported, Step-adjust, frequency offset, AFC, Noise limited & attenuator, Wide and Narrow AM in addition to the standard modes. For maximum scanning pleasure, you can add one of the following optional slot cards to this scanner: CT8200 CTCSS squelch & search decoder \$89.95; EM8200 External 4,000 channel backup memory, 160 search banks. \$69.95; RU8200 about 20 seconds chip based recording and playback \$69.95; TE8200 256 step tone eliminator \$59.95. In addition, two leads are available for use with the option socket. CC8200A personal computer control lead \$109.95; CR8200 tape recording lead \$59.95. Includes 4 1,000 mAh AA ni-cad batteries, charger, cigarette lighter adapter, whip aerial, MW bar antenna, belt hook, strap and one year limited AOR warranty. For fastest





### **More Radio Products**

Save even more on radio scanners when purchased directly from CEI. Your CEI price after instant rebate is listed below: Bearcat 895XLT 300 ch. Trunktracker I base/mobile scanner.\$179.95 Bearcat 785D 1,000 channel Trunktracker III base/mobile......\$339.95 Bearcat BCI25D APCO Project 25 digital software card......\$299.95 Bearcat 278CLT 100 ch. AM/FM/SAME WX alert scanner......\$139.95 Bearcat 250D 1,000 ch. Trunktracker III handheld scanner....\$339.95 Bearcat 245XLT 300 ch. Trunktracker II handheld scanner....\$189.95 Bearcat 248CLT 50 ch. base AM/FM/weather alert scanner......\$84.95 Bearcat Sportcat 200 alpha handheld sports scanner.....\$159.95 Bearcat Sportcat 180B handheld sports scanner.....\$139.95 Bearcat 80XLT 50 channel handheld scanner......\$99.95 Bearcat 60XLT 30 channel handheld scanner.....\$74.95 Bearcat BCT7 information mobile scanner.....\$139.95 AOR AR16BQ Wide Band scanner with quick charger.....\$199.95 Sangean ATS909 306 memory shortwave receiver.....\$209.95 Sangean ATS818 45 memory shortwave receiver......\$139.95 Uniden WX500 Weather Alert with S.A.M.E. feature......\$39.95

delivery, enter your order on-line at http://www.usascan.com.

### **Buy with Confidence** Order on-line and get big savings

For over 33 years, millions of communications specialists and enthusiasts worldwide have trusted Communications Electronics for their mission critical communications needs. It's easy to order. For fastest delivery, order on-line at www.usascan.com. Mail orders to: Communications Electronics Inc., P.O. Box 1045, Ann Arbor, Michigan 48106 USA. Add \$20.00 per radio receiver for UPS ground shipping, handling and insurance to the continental USA. Add \$15.00 shipping for all accessories and publications. For Canada, Puerto Rico, Hawaii, Alaska, Guam, P.O. Box or APO/FPO delivery, shipping charges are two times continental US rates. Michigan residents add sales tax. No COD's. Your satisfaction is guaranteed or return item in unused condition in original packaging within 61 days for refund, less shipping, handling and insurance charges. 10% surcharge for net 10 billing to qualified accounts. All sales are subject to availability, acceptance, verification and authentication. Prices, terms and specifications are subject to change without notice. We welcome your Discover, Visa, American Express, MasterCard, IMPAC and Eurocard. Call anytime 1-800-USA-SCAN or 800-872-7226 to order toll-free. Call +1-734-996-8888 if outside Canada or the USA. FAX anytime, dial +1-734-663-8888. Dealer and international inquiries invited. Order your radio products from CEI today at www.usascan.com.


### For credit card orders call 1-800-USA-SCAN e-mail: cei@usascan.com

### www.usascan.com

PO Box 1045, Ann Arbor, Michigan 48106-1045 USA For information call 734-996-8888 or FAX 734-663-8888 Price schedule effective December 2, 2002 AD #120202 @ 2002 Communications Electronics Inc.



Visit WWW.USASCAN.COM • 1-800-USA-SCAN



# Wise Up & Beat the Odds

## NEVER SAY DIE

Wayne Green W2NSD/1 w2nsd@aol.com www.waynegreen.com

### Planet X

Several readers have called, asking if I believe that Planet X is real. No, of course not.

Sure, Mark Hazelwood, in his book Blindsided, made a strong case for it coming along in May this year and almost extincting humanity.

Well, scientists agree that something has happened in the past that suddenly shifted the poles, causing enormous worldwide destruction. And we know that something is causing the Sun to act up like we've never seen it before. And that something is causing an increase in earthquakes and newly erupting volcanoes. And that the weather lately has been far beyond weird. And that something has caused Pluto and Mars to heat up. Then there's the disturbing unanimity of soon-to-come pole shift predictions by Nostradamus, Edgar Cayce, Jim McCanney, Charles Hapgood, and a bunch of other prophets with good records. I wonder what the people who co-existed with those Siberian woolly mammoths that were flash-frozen with tropical flowers in their mouths thought the day before the last time the poles suddenly shifted? Does Planet X come along every 3,630 years and on some passes shift the poles, wiping the slate clean as a bonus? No, I don't believe Planet X is real, no matter what Zacharia Sitchin has found in the ancient records, or all those prophets say. But, I'll

sure breathe a lot easier if we're all still around this summer sweating out how Bush's domestication of Iraq is going.

### Webbing It

More and more amateurs are integrating their operating with the Internet. There are things that are easier on the Web, and things we can do better on the ham bands ... so why not combine them for the betterment of both hobbies?

For instance, I was just reading in an ATV newsletter that more and more ATV repeaters are being interfaced with the Web, allowing hams just about anywhere in the world to swap videos over local ATV repeaters. That's great!

videos via my eMac via the Web over ATV repeaters? How about connections to voice repeaters around the country? Heck, around the world? And bring the readers up-to-date on high definition color digital pictures via slow scan.

Let's make 73 the magazine to look to for Internet/ ham interfacing and operating. If you've been participating in this mischief, tell us about it. Let's get the readers excited and busy upgrading their stations.

I don't believe that a group of Israelis, here without permits, were caught filming and cheering from the top of a building in Jersey City, New Jersey, as the Towers were being attacked - and then were allowed to return to Israel.

I don't believe that Secretary of State Madeline Albright (Clinton's appointment) turned down the offers of both Yemen and Sudan to extradite Osama bin Laden.

I believe that even though six of the eight pilots on the four flights had military backgrounds, that they were overwhelmed and killed by hijackers armed only with box cutters without being able to send out any alarm. I don't believe that experienced pilots claim that the maneuvers the planes made to hit the towers would be virtually impossible for any but the most advanced pilots. I believe that the information in all of the black boxes was destroyed, as the FAA claims. I don't believe that Flight 93, which crashed in Pennsylvania, was shot down ... that the debris was scattered over an eight mile radius, that the largest piece was the size of a telephone book, and that residents of the area heard a loud explosion and saw a military jet. I do believe that the terrorists permitted the passengers to make phone calls from the plane to their families. I do not find it strange that though the FAA knew Flights 11 and 175 had been hijacked, that when an F-16 was finally scrambled, that it was ordered

4 73 Amateur Radio Today • June 2003

W7DXX, a couple years ago, set up his station so it could be operated remotely over the Web. The first user was a ham in Hong Kong.

When I visited Art Bell W6OBB in Pahrump NV recently, Art's wife Ramona took a digital picture of Art and me which Art then sent to the group on 3840 via slow scan. He also sent a copy to me by E-mail, and the whole deal from taking the picture to delivering it over the air and via the Web took about two minutes.

Fun? You bet. So let's get more hams having fun like this. And that means I want to start seeing ham/Web articles being submitted. I want to know how to interface my rig to the Web. What software do I need and where can I get it? How can I start swapping

### What I Believe

The conspiracy buffs are having a field day with those ex-towers ... and I don't believe them for a minute. I believe the government. Never mind that the government lied to us about the Oklahoma City bombing. And about Flight 800 being downed by a missile. And about the Roswell UFO crash. And about Area 51 not existing. And about Amelia Earhart being lost at sea. And ... and ... and, etc.

I don't believe there was a 1200% increase in short orders on American and United Airlines stocks in the week before 9/11, even though this was reported by the Chicago Securities Exchange, and that there has been no official investigation.

I don't believe that two of the terrorists went to a topless bar a few nights before 9/11, spent over \$200 each for lap dances, and left their business cards and a copy of the Koran behind. Fundamental Muslims don't drink ... it's against Islamic law.

to proceed at a conventional speed, even though the pilot requested permission to go full speed ahead. Or that Flight 77 was in the air for 43 minutes after the FAA knew it had been hijacked and was headed for Washington DC, and yet no fighters were scrambled ... even from Andrews Air Force Base, minutes away.

I do not find it strange that the steel in the towers melted, even though steel melts at 2700° and jet fuel burns at 1800° at the highest ... and that much of the jet fuel burned outside the building.

I don't find it strange that the FBI was able to come up with the names and pictures of the hijackers within days of the attack.

Nor odd that the FBI found Mohammed Atta's bag, which somehow didn't make it on the plane, and it was loaded with incriminating evidence. But I do wonder why a terrorist bound on a suicide mission would check a bag for the flight.

And how about the amazing coincidence of a hijacker's passport surviving the crash into the tower and the ensuing fire, to be found by the police in the street unharmed? I love coincidences like that. Yes, of course I believe the official casualty numbers. Why would they lie? But I wonder how thousands upon thousands of people were able to get down the three usable narrow single-lane stairwells in the panic, and do it in the few minutes between the planes crashing into the towers and their collapsing. And this while the firemen, with their equipment, were trying to go up the same narrow stairwells. A miracle! And I marvel at how considerate the hijackers were of the Jews, whom they hate even more than the rest of us, yet they struck the buildings on Yom Kippur, a Jewish holiday, assuring that few Jews would be in the buildings that day. The choice of a major Jewish holy day could hardly have been a coincidence, since the attack had to have been planned far in advance. It's kinda like the coincidence with the Murrah building bombing in Oklahoma City, when the FBI staff didn't come in to work that day. Think of the odds!

### A Plan

Forty years ago, back when I started 73, when I went to an IEEE show, most of the top people I met in the electronic industry were hams. Same thing at the military electronics shows. Why? That's simple — because, according to an ARRL study at that time, 80% of our ham newcomers were teenagers and 80% of those went on to high-tech careers.

Today's teenagers have never heard of ham radio. Where would they hear about it? When is the last time you saw an article in the paper about our hobby? Or anything on television? Or heard about it on the radio? Or in a magazine article? We've become invisible unless a kid's grandfather happens to be a ham.

Our electronic industries are having to import their technicians from India, China, and other countries because we have so few Americans available. Less than half of our university engineering graduates are Americans. do we get the buzz started? The easiest way is the most fun way — by talking. That's something we presumably are good at. But I mean on talk radio shows, not on the ham bands.

Almost every radio station has a talk show, and they're really hurting for interesting guests. There are thousands of talk shows and they all need new guests every day.

Okay, here's the drill. First call every radio station in your phone books and ask about their talk shows. Get the name of the shows' producers. Next, send a short letter to the producers explaining why you'll make a good guest. Pose a question, and then answer it. "How can we interest teenagers in hightech careers — where the big money is? By getting them interested in an exciting hightech hobby like amateur radio."

Then briefly explain the excitement and adventure hamming has provided you and add a short bio.

Give the host some sample questions: How expensive is the hobby? How can a youngster get started? How difficult it is to get a license? Be persistent. Never Say Die.

### Am I Blue?

The drug industry is getting concerned over the word getting out about silver colloid being a better antibiotic than anything they're selling. It seems to be the only antibiotic that germs can't compromise and it's unpatentable, so no wonder the concern.

Their poster woman managed to turn blue as a result of too much silver. From silver colloid? No, from nose drops. I'm lucky I didn't do the same. Not long after my first childhood vaccinations I got serious ear infections and then a sinus infection that lasted for over three years. My mother tried to clear my sinuses first with ephedrin drops and then, for over a year, with Neosilvol. Nothing worked. I was unable to breathe through my nose for even an hour all those years. It's amazing that I didn't turn blue from all that silver.

Yes, I believe it's possible to turn your skin gray or blue if you drink enough silver colloid, but I'll bet we're talking 500 ppm, not 10 or 20 ppm, which is what I recommend people take. I don't see any big benefit in drinking the stuff on a regular basis, but I've had many people call who have been drinking a few teaspoons of it every day for years ... and still can't pass for ETs. I keep some on hand in a brown bottle and take some if I feel like something might possibly be coming on. The stuff is so easy to make that it's pathetic. I've been busy filling orders for my silver colloid kit (#82 in my catalog). It consists of two 5inch lengths of #10 (heavyduty) silver wire, a small power supply that plugs into the wall, an instruction sheet, and a reprint of an article on making and using silver colloid. The whole works, by priority mail, sells for \$37... one of the better bargains out there. You open the box, put the wires in a glass of distilled water along with about two

So, what can we do about it? What can you do about it? Two things.

First, we have to make ham radio visible to teenagers. We have to let them know the hobby exists.

Second, if we're going to get kids into ham radio, we have to get them excited about it. And that's where you can help right now.

Has ham radio ever provided you with any adventure or excitement? Okay, get busy and tell the story. Write about it and send it to me. I'll put your story on the Web, where teenagers will be able to read it and find out how much fun they've been missing.

That's the first part of the solution — now, how do we get the visibility it takes to get kids to the Web site? How

It's that easy.

There's nothing wrong with amateur radio today that a few million teenagers entering the hobby won't fix.

Yes, of course I'll publish an inexpensive book with reprints of the most interesting stories I get. That'll be for the few teenagers who have learned to read.

### The Ramsey Catalog

Wow! 48 pages of kits and gadgets that really got my juices going. All kinds of QRP stuff, test equipment, AM and FM broadcast transmitters, an ion generator, a Van de Graff generator, laserbeam communicators, lots of security stuff, underwater video camera systems, all kinds of antennas ... it goes on and on. Give 'em a call and get your copy ... 505-924-4560. Now, what did I do with my old workbench?

### Continued on page 7

73 Amateur Radio Today • June 2003 5

# QRX . . .

### continued from page 1

made partial payment on some of these bills out of my own pocket. But candidly, that's it. I just do not have the money to keep *Amateur Radio Newsline going all by myself.* 

For those of you who do not understand where the money is spent, let me lay it out for you. The biggest single cost is worldwide long distance telephone service. For example, I just got off the phone after talking to a ham in Kuwait City who had news of possible resumption of Amateur Radio in Iraq by broadcast engineers assigned to news bureaus. Calls like this are how we get most of the news that we deliver to you.

Even with the discounts we have negotiated through long-term contracts, a 12-minute call like this does not come cheap. But it is the price we pay so that we can bring you the most accurate and up-to-date news regarding amateur radio operations worldwide.

Currently, it costs Amateur Radio Newsline an average of \$500 to \$600 a month in long distance fees. And this is in addition to the cost of normal local phone service and any domestic long distance — the latter also negotiated at deep discount rates. Summing it up, the telephones total close to \$800 a month. Sometimes a bit more. Sometimes a bit less. But \$800 is a solid average these days.

But that's not all. There is also the cost of high speed Internet access, Web site hosting, file transfer space (FTP site), and everything else that comes with maintaining an interactive home in cyberspace. That's the home that we must retain to get the news out to you. It's called [http:// www.arnewsline.org]. And there are still tape cassettes and portable recorders. Yes, we still use good old cheap audiocassettes and mostly Sony consumer recorders to gather the news. And we go through quite a few tapes every month and a recorder or two a year. Even at the wholesale prices we pay, it's still an average of \$20 to \$30 for what we use. That's assuming that nothing goes wrong, of course. That nothing breaks. Or that on-line protocols do not change, and necessitate expensive software upgrades. So you see, the total cost of bringing you the news is over \$1,000 a month, or about \$250 a week. Some of you will say that this is an awful lot of money, so here is a point of comparison. As some of you know, I work in the broadcast industry. As such, I can tell you that amortized across the business day, it costs the "average" local television station around \$1,000 to \$1,500 per hour - depending on the market - just to cover a single story that may run 30 seconds on a newscast. If they fly a news helicopter, you can add another \$700 an hour. And that's local news! International news coverage costs a lot more than that. When you compare our rather meager budget with the news department of an "all news" local radio station,

it's easy to see that Amateur Radio Newsline has learned to squeeze a nickel so hard that it yells "Uncle!"

The reason we can do this is because there is no paid staff. Everyone — this writer included and the corporation's Board of Directors — is a volunteer. We have no salaries to pay and none of the peripheral expenses that come with maintaining a full-time group of employees.

But, what if something does go wrong? What if a fax machine or cassette recorder breaks and needs to be replaced? Or a computer dies and needs to be repaired? Or we are faced with a mandatory software upgrade because providers no longer support the software that worked just fine three days ago?

Well, it works this way. If it's a "must do," I pay for it out of my own pocket and hope that donations will cover it at some later date. That's the way that it has been since 1977, when I took over the then Westlink News Service from Jim Hendershot WA6VQP. And believe it or not that's the way it is, to this day!

If anyone else on our all-volunteer staff has a problem, they fix it and submit a bill. If there is money in the account, they get reimbursed. No money, and they wait. No bill submitted — no repayment.

And — oh, yes. There is the \$1,100 or so that it will cost us this August to present the Young Ham of the Year Award. Yes, Vertex-Standard and CQ Magazine cover all the expenses of the youngster chosen to receive the award, but we have to pay to send a representative to Huntsville, Alabama, to present the award and also -this is a biggie - cover the costs of the minibanquet to honor the youngster the committee has selected. (The Huntsville Hamfest, like most amateur radio shows, discontinued its annual banquet several years ago.) I was just over on ORBITZ.com, the airline travel site. I plugged in Burbank, California the airport closest to us - and Huntsville, Alabama, as the destination. This year's fare for this summer - the 21-day, discounted purchase price, is \$543. And that's if we buy it now - before prices go up in early May. And we would -if we had the money to do it! Here's the bottom line. I am a working stiff just like the rest of you. So are all of those who volunteer their time and talent to producing these weekly newscasts. I can personally help out with finances in a real pinch, but I am not made of money and cannot keep shelling out what it costs to keep the Amateur Radio Newsline newscasts coming your way. The money just isn't there! If you want Amateur Radio Newsline to continue, you will have to vote "yes" with your checkbook, and you have got to do it right now! Today! Not next week or next month. Today is it!

after month — we will be gone and we will not be back.

Remember, Amateur Radio Newsline is a federal, 501 (c)(3) non-profit corporation. Your contributions are tax-deductible. So we end this far-too-long announcement with the address for the Newsline Support Fund, PO Box 660937, Arcadia CA 91066.

OR ... Look us up if you are at Dayton ... We'll be happy to give you a receipt, hi.

We hope that you will respond and that this week — or next week — will not be the last week we bring you the news. Let's hope that it can, and will, continue to be with you for weeks, months, and years to come. Either way, it has been a great 26-year-run — and we thank you for supporting us over the years.

**Bill Pasternak WA6ITF** 

President, ARNewsline, Inc.

Providing Financial Support To The Amateur Radio Newsline, Inc.

(A Federal 501(c)(3) Non Profit Corporation) Post Office Box 660937 Arcadia CA 91066 Tel/Fax: (661) 296-7180 E-Mail: [newsline@arnewsline.org] Web: [www.arnewsline.org]

### **Space and Science:**

Again, this is the bottom line: If we do not raise the \$661 immediately, and an additional \$1,000 a month — every month — month after month

### SETI@home

The SETI@home screensaver that crunches data in search of intelligent signals from space has produced a list of candidate radio sources that deserve a second look. Scientists behind the project will use a giant radio telescope to take a second look based on this data.

SETI@home is more than the usual screensaver. It's actually a very high-tech data processing program disguised as a screensaver. It springs into action after a computer is idle for a given length of time. Its purpose is to analyze radio telescope data downloaded to the machine over the Internet, search for strong or unusual signals from space, and file a report back.

Many hams worldwide have embraced SETI@home and have it running around the clock on their PCs. They are the first to tell you that the project is in keeping with the spirit of amateur radio itself. What is important is that SETI@home has performed the most sensitive and detailed SETI sky survey to date, has demonstrated the power of the Internet for doing scientific distributed computing, and has allowed the general public to participate directly in exciting research.

So far, 4,287,000-plus users have lent their spare computing time to analyze radio data for the SETI@home team. You can become a part of the project by taking your Web browser over to http://setiathome.ssl.berkeley.edu.

Thanks to W6RCL, and K2SSQ, via Newsline, Bill Pasternak WA6ITF, editor.

6 73 Amateur Radio Today • June 2003

### **NEUER SAY DIE** continued from page 5

grains of salt to make it conductive, clip the two power supply wires on the wires (yes, the power supply wires come with alligator clips attached ... nothing to solder), wait about 20 minutes, and you've got 10 ppm silver colloid solution for about two cents a gallon.

The stuff is recommended by many experts for any rash, wart, infection, athlete's foot, jock itch, psoriasis, and so on. It's also perfect for rinsing any food that might have germs ... like E. coli and salmonella on chicken, or anything on fruit or vegetables that may have come from some other country.

### Service

One thing that makes it so difficult to learn English is that so many of our words can have several meanings. Like

Cat# 70-12

Cat# 70-11

Cat# 70-14

the word "service." It can mean doing things for people, like (sort of) the Postal Service. Then there's Internal Revenue Service, which brings to mind the term used by farmers of having their cows serviced by a bull.

### **French Fry Alert**

The next time they ask, "Do you want fries with that?", the answer is NO!

Outside of the fact that all cooked food is considered toxic by our immune systems and eventually will lead to stopping your body's engine via cancer, heart attack, or something else terminal ... and therefore you shouldn't be ordering anything that will trigger such a question. And never mind any boycott of anything French. Hey, does that also include French vanilla ice cream? Oh, what we have to give up to be politically correct!

Anyway, this screedlet has

to do Acrylamide, a very toxic chemical used in manufacturing plastic. This stuff has long been known to help cause malignant cancer, severe nerve damage, and DNA mutation which can carry on to one's children.

Last year, for some reason, the Center for Science in the Public Interest ran tests which showed that the amount of Acrylamide in a large order of fast-food fries was at least 300 times more than the EPA allows in a glass of water.

So where did it come from? Further research showed that when any food is fried, especially deep fried, and particularly starchy foods like potatoes, Acrylamide is produced. Hmm, starchy ... like maybe doughnuts?

No wonder our police are edgy ... on a diet of coffee and doughnuts. As I've mentioned before, coffee is a mind-altering stimulant that produces a surge of nervous energy ... and then leaves you exhausted, depressed, irritable and short tempered. Caffeine stimulates the brain cortex, causing poor memory, poor balance, fatigue, anxiety, hand tremors, hostility, headaches and dehydration. Researchers claim that it takes two or three cups of water to overcome the dehydration caused by one cup of coffee.

And sugar? Wait'll you read Nancy Appleton's *Lick The Sugar Habit*. Sugar is infamous for causing arthritis and boosting your cancer probability.

Any fried food includes those delicious chicken wings and KFC agenda.

Most authorities agree that the huge increase in cancer has been caused by our diet change over the last hundred years.


What percentage raw food have you achieved so far in your diet? You know, like apples, bananas, oranges?


Continued on page 28

# GOT NOISE?

## Get ADSP<sup>2</sup> - Your Noise Solution

It's hard to hear the stations you want to work, and *if you can't hear* them, you can't work them.





Noise reduction is essential on today's crowded bands. With up to 26 dB of noise reduction and three proprietary band pass filters, ADSP<sup>2</sup> boards can be fitted to nearly any transceiver. Or use the ADSP<sup>2</sup> Speaker with noise reduction levels selected from a single switch. Of course the legendary SG-2020 transceiver has ADSP<sup>2</sup> built in. Simple to use - just press the button to select your desired noise reduction. Adaptive Digital Signal Processing from SGC is the solution to your noise problem.

## No Compromise Communications

SGC Inc. 13737 SE 26th St. Bellevue, WA 98005 USA Tel: 425-746-6310 Fax: 425-746-6384 sgc@sgcworld.com www.sgcworld.com

# LETTERS

### From the Ham Shack

**R.A. Appleyard VE3YAG.** Wayne, this letter will warm your kit and homebrewing heart. My six-year-old son wants to build something for his mother, so I have ordered a catalog from Ramsey Electronics, and I mentioned your superb, well-written magazine too, and Ramsey is forwarding one to me. If my six-year-old is ambitious to build a kit, what is wrong with the rest of us hams?

Wayne, after I assist in building the kit, it will be entered into the VE3DC Hamilton Amateur Radio Club Crawford Trophy homebrew competition. The challenge is, Let's not have a six-year-old show us up.

My daughter, 12, for about the last 10 years has wanted to be a physician, and that has been her focus in life — plus, she wants to be a ham.

One comment, Wayne - Incentive Licensing keeps many hams from using many frequencies that otherwise would be available, especially Novice and Tech. If 80/40 are down and 10 is mainly daytime, they have nowhere to go. Maybe a class system like Canada Basic and Advanced. Advanced here in Canada can run more power, operate repeaters and club stations, and build transmitters. Basically, Wayne, the caste system has to go, and all hams are on the same level of equal access to all frequencies, or one day we will lose all frequencies. Me, I am a Basic with 12 wpm endorsement and quite satisfied, and when I get time, I will obtain my Advanced.

Jack Sauers, Seattle WA. Wayne, it was nice to receive your letter. Perhaps the northern expansion of the South Atlantic currents from Antarctica will be another aspect of the death of the Gulf Stream farther north. Maybe those Magellanic penguins know something Al Gore doesn't. Cold waters increase the plankton growth, and that increases the sardine and herring, and furnishes good munchies for the penguins, which headed 2,000 miles north, since the Antarctic Ocean is cooling during this La Niña, and pack ice has gone out to over 33 miles from the one mile during the last El Niño year of 1998.

A much slower process is the increase in mass balance of the 25,000,000-square-mile Antarctic Ice Sheet, which is going up, from satellite altimetry at 0.2 meters, or 8 inches a year, increasing by 200 gigatons in glacial ice per year. From my estimates, in excess of 1,000 gigatons a year calves off in mostly shelf ice each year, still further cooling the Antarctic waters in this Ice Age that's already started. I think it's humorous it sneaked up on Al Gore while he was pontificating on global warming, and decrying Global warming is a scam, a hoax, and a con game by totally irresponsible powergreedy people with no scruples. I have thought several times I should just stand back and let everyone find out what the natural climate has in store from natural cycles, the hard way (like in the past).

You will seldom see the proponents of anthropogenic warming even discussing the natural cycles that have run the climate in the past, because they are not competent to do so. Most meteorologists are functionally illiterate in estimating the interdisciplinary nature of real-world climatology, during the tenure of this totally corrupt administration.

So I decided to become more familiar with the 100,000-year cycle. It may in actuality be a Milankovich cycle plus an added solar cycle, that's a multiple of solar sunspot cycles; a fundamental harmonic, that can be plotted on a log graph, as a linear ascending line, or perhaps zone, like in research I was doing on data sent me by Prof. Emeritus Rhodes Fairbridge of NASA, and formerly of Columbia University (who has my added research interpretation).

My glacial terrace research, I have now plotted up on perhaps 28 USGS 7.5 min. quads, at a scale of 1:24000. I was fortunate that I had that scale, and such a fortunate contour interval where it's easy to recognize that there's a time sense to the contours when calibrated against sea core data that shows the 100,000-year cycle. When that is done, 40 feet is equal to 10,000 years. 400 to 100,000 year cycle. Except for the last one. Cascades went up 1,600 feet in the last 100,000 years. I finished this study and sent all the quads to my editors at 21st Century, which produced my first map for publication. My last map was Mt. St. Helens, and Mt. Mitchell south of it. The rate of uplift has been 2,600 feet in the last 340,000 years, from the terraces, or about half that in the Northern Cascades, or even Mt. Rainier. There is the old Pliocene erosion surface at 6,000 feet in elevation, with just a skim of volcanics. I have told both the USGS and FEMA about this. But even there under both volcanoes the rate in the last 100,000 years is up by 1,600 feet, increasing orosgraphic effect strongly. They know about my research. Short descriptions of the involved quadrangles studied were sent to my editors. They have been authorized to publish this, and the maps, or put it up on their Web site at 21st Century. It will be interesting to see what happens.

Looking at the Icom band chart, all those hams with no privilege of operating there gives the commercial operators more leverage at auction time.

Finally, CC&R rules and regulations. Why use a sledgehammer to kill a fly? If an amateur is moving into a restricted area, why not produce sketches to show how the antenna would look, especially if you can blend it in with the landscape? Show them your shack. Inform the board that an antenna provides lightning protection. If you reside in tornado or hurricane alley, you can provide timely warning, and when disaster strikes you could be the only link to the outside. If there are serious injuries, it will be a life-or-death matter in response time, so let's stop running to Big Brother and solve our own problems.

Wayne, if you do have an acid tongue it is only because you have hit the nail right square on the head.

Or something like that. Thanks. — Wayne. 8 73 Amateur Radio Today • June 2003 fossil fuels and their emissions on burning.

You don't need a computer, calculator, or even a pencil to compute the excess glacial ice going into the South Pacific and Atlantic. Simply take the 4 feet coming in around the ITT Towers each year. Subtract the 8 inches equivalent to 200 gigatons from 48 inches. That leaves an excess of 40 inches. That 40/8 is 5 times the 200 gigatons, or 1,000 gigatons that's going out into the Atlantic and Pacific from Antarctica. That's a huge ice cube, which should be cooling the water all the time, and smoothing the shorter-term El Niño-La Niña Oscillation. Since from Vostok Ice Core data, the oxygen isotopes' temperatures down in the core is showing Antarctica cooling since the mid-Twentieth Century just like palynology data, and dendrochronology data. Al Gore uses manipulated junk science from corrupted meteorologists, who never hear of real-world data. Newsweek is a crapped up publication, infested with liberals like our local papers here.

Cold water coming north along our Washington and Oregon coast, has also increased plankton, sardines, herring, and other fish, so catches are up.

Increased calving of glaciers into the seas is because the glaciers are increasing their advancing and increasing mass balances. If you can struggle through this letter you are welcome to use any of it.

The Neotectonic uplift of the Cascades has been one of my more interesting studies, though an outgrowth of 50 years of geologic research, a huge amount in the field. Rhodes Fairbridge thinks I must be one of the last boots-and-hammer field geologists left. There is an intimate relationship between physiography and structural geology, not really used as it should by present-day academia, like a hundred years ago. Professors today like warm offices in winter and air conditioning in summer. I wonder if computers are an excuse for not doing hands-on field work.

What I have been melding together is old, lost research, with modern-day methodologies. By the way, we have as a result of global cooling a West Coast energy crisis with a possible power shortfall, according to Seattle City Light, of 10%. They tremble at the thought of the Arctic Express this winter. They had better get their asses in gear and give up on the failed linear global warming hypotheses. They have already warned of rolling brownouts this winter, and raised power rates; but remain brainwashed by global warming. Guess they will have to learn the hard way. Wait until eventually this range fills up with ice again, which will wipe out their power plant dams, though the glaciers are growing already, so they will have plenty of hydro water, for a while.

Water is indeed falling around that Pacific atoll. Sea level is falling by 1 to 1.2mm a year, going into Antarctica. I would not try to tell anyone to move south. Buy long underwear — polypropylene, 3 pairs.

I'm thinking of doing next year's forecasting calendar.

When everyone finds out what's happening, it might get very crowded down south. Looks like time is running out on Al Gore, too, like global warming. Four feet of new snow in the Cascades, that's more than expected. Maybe even down here they are gearing up new snow removal equipment. 61SPZ data indicates, like a flickering switch, a major climate change can come in a three-year period. The next La Niña 2003–6 could be worse than 1993–6.

By the way, the Kebnakaise Mtn. in northern Sweden is going up at the same rate as the Cascades over the past 800,000 years ... 4,500 ft., and has the same last big U-shaped cross valley profile indicating 1,600 ft in the last 100,000 years in my analogy of that quad I did for a professor at the Univ. of Stockholm, from the map he sent me. 800,000 years ago it was as flat as the Canadian shield in Sweden. That mountain is now at 1,500 meters with elevations like Table Mountain and similar glacial terraces and intervals in between.

Randy Moeller KI7MU. Every now and then, my wife and I take a look at our distilled water, raw food, full-spectrum lighting, books on child-raising, Scott Kirby's CDs, etc., and say, "We sure owe a lot to Wayne." You have made a huge difference in our lives.

Thanks, to the tenth power! We're going to have our first baby in a few weeks he's responding well to the Prenatal Classroom lessons — and I love playing the "kick game" with him. We're also using a device called "baby-plus," which is a flannel bag with speakers. The mother straps it around her abdomen for an hour twice a day and it plays a series of rhythms that get more

Continued on page 62

Cat#54-22

# NEED A MATCH?

Even the best transceiver and the best antenna probably don't match.


Solution: The SGC Smartuner<sup>TM</sup> is the *Essential* link between your HF transceiver and antenna. They operate independently to provide the best match between the feed line and the antenna, totally eliminating SWR problems.



Cat#54-17


They are fully automated, intelligent enough to select the match you need in seconds and remember it so they can recall it in milliseconds.





There is a Smartuner to fit your needs. Choose from 5 models ranging from 1.5 to 500 watts and 1 to 60 Mhz. Buy one for your car, your home, or your portable station - or better yet, buy one for each.

Smartuners set the standard. They are the original and still the best.



## Smart Choice! Smartuner!

SGC Inc. 13737 SE 26th St. Bellevue, WA 98005 USA Tel: 425-746-6310 Fax: 425-746-6384 sgc@sgcworld.com www.sgcworld.com



Don Johnson K7UGQ 5 Redwing Rd. Enfield CT 06082 [k7ugq@cox.net]

# **QRP** Antenna Showdown

What's the best antenna to use with your QRP rig?

More often than not, when you hear someone ask this question, they are looking for answers more in line with those for a query like, "Which antenna is going to give me the biggest signal, or the most contacts?" That is, they are talking strictly performance.

How any antenna performs is a very important characteristic, without which there would be no wireless communications. However, if we can set aside an antenna's performance ability for a moment and give consideration to a couple of other important characteristics, the question stands a better chance of being answered correctly.

portable use; the intended "use" for the antenna and a familiarity with what's "available." Once the user understands and becomes familiar with these two issues, then performance can be given its deserving consideration as a determinate in deciding which antenna is best. I have been told that religion, sex, and antenna "stuff" can be taboo discussion items. However, after having heard so many QRP hams ask this very question regarding best antenna selection, I feel

the need to run the risk of being involved in such a taboo discussion. Note that I don't plan to include cost and ultimately "real value" into this discussion. The variables involved with real value are so numerous that this would be an article all its own! It is not my intention to dwell into the performance aspects of these antennas either. The myriad of details is mind-boggling. There have been antenna shootouts conducted under controlled testing conditions that better provide results comparing one antenna to another. Even more important than performance, the first step to finding the best antenna for your needs is to identify where and how you want to use your QRP rig the majority of your on-air time. For example, you might decide that ultimate mobile performance can be obtained by mounting a three-element beam on a 10-foot pole attached to the rear bumper of a minivan. Performance should be very good, but aside from looking silly and being expensive, it's unsafe and might not even be road-legal! Yet, there are several low profile antennas that are better suited for mobile, providing practicality over ultimate gain.

All too often the individual asking the question has not given thought about two other very important considerations for




Photo A. Mounting base standard with the Minute Man 20.10 73 Amateur Radio Today • June 2003

Or, if you're a hiker, a long wire antenna gets a little clumsy, if not impossible, on those mountain trails. Again, not a good choice for the specific application, in this example a pedestrian portable use. Thus the need to determine where and how (usage) the flea-powered rig will spend most of its "ON" time is the first consideration that needs addressing.

Another example of the importance of identifying usage lies with the simple rubber duck antenna. Consider this fact: There is no better antenna than the rubber duck type attached to a handheld rig while walking around a hamfest. Here you don't want directivity, don't need gain, and don't want anything protruding up into your sides when you're bent over picking up a prized goody. The right antenna for the right job!

Moving right along, let's first examine the basic groupings of the ways your rig can be pressed into service, and then examine what supports each.

Group 1: Pedestrian/fixed portable operation such as hiking, public service volunteering, and fixed such as sitting up on top of a mountain peak. Group 2: Mobile operation such as in an auto, motorcycle, bike, boat, airplane, etc. Group 3: Fixed station (home) use of the base station antenna. Hams, the versatile lot we are, will likely try all three groups. However, after the experimenting is done, most will usually settle on one or the other. Within that one category, most operators will drill down even further, settling on one or two sublevels of the group. For me, my FT-817 spends most of its time in Group 1 (fixed portable) and sometimes Group 3 (home). Thus, I have appropriate antennas that offer me the best performance within the limits imposed by the constraints within these two groups. Within the boundaries of my Group 3 hamming, I am restricted by my XYL, not restrictive covenants or CCRs!

that are more meaningful for your specific application.

PEDESTRIAN/FIXED PORTABLE. For hiking: reduced size, light weight, attaches directly to the radio, minimize the use of interconnecting coax, no radials (regardless of the improved performance); consider monobanders. For fixed portable operation at the family's beach cabana or on a mountaintop: some gain and directivity could be useful and easy to handle; any required rotation of an antenna should be the "Armstrong" rotation method; antenna, pole, and accessories should be easily assembled/disassembled and packed; may consider a reduced size and/or lightweight antenna if climbing is part of the trek to the operating site.

MOBILE OPERATION. The key nonperformance criteria here are physical characteristics such as wind loading and mounting methodology. Wind loading is a mechanical metric that you'll usually see offered by the manufacturers on larger, permanent installations, and hardly ever provided for the typical QRP/portable genre of antennas. However, you don't really need to be a mechanical or structural engineer to figure out if your antenna choices could stand up to whatever the fastest speed you'll be traveling is. Size as well as geometry of the elements must also be considered for mobile applications. A horizontally rigid dipole cut for 20 meters, regardless of how durable it is and how well it is welded to a motorcycle's frame, is probably not the best choice of this application! FIXED STATION (HOME). A fixed base station QRP antenna installation usage does not have many of the same physical property limitations as the portable and mobile application does. However, depending upon city, state, and federal regulatory laws, the antenna choices may not be any easier than the above two. In my experience living in homes that had restrictive covenants (CCRs), I almost always had to go about practicing my hobby in somewhat of a clandestine fashion. At one such house I decided to run my coax line to the mobile antenna on my parked car in the driveway, and use



I've listed some characteristics that I have found KEY for each of the 3 groupings. See if you agree and/or can add or change those characteristics

73 Amateur Radio Today • June 2003 11




Photo B. Center insulator and position adjustment knobs for the Buddipole.

small magnetic loops on portable tripods. Longwire antennas made from very-small-gage wire, tapping into the metal gutter system, or the concealed vertical within a fiberglass flagpole can all be made to work very well. Regardless, you'll need to keep size, weight, and the ability to be stealthy in mind before you settle on your antenna choice. Further information on dealing with CCRs can be found in the FCC's PRB-1 bill at [www.arrl.org]. Should you be one of those who lives where there are no restrictive covenants, then you're limited only by "best practices" techniques. Lucky you!!

hams back on the air. It is *so* popular that numerous manufacturers have begun marketing QRP-specific rigs coupled with a full array of accessories. My last (unofficial) count revealed that over 25 different antennas were being marketed as specialized QRP/portable antennas.

Almost weekly, new antenna products are appearing in magazine ads. Keeping up with all that's available is difficult and expensive. Over the past couple of years, I have acquired six commercially made portable/QRP antennas. As a way to assist in categorizing usage to decide what works best for your application, I've developed a table comparing my antennas. Within reason, you'll find that these six antennas fall somewhere within one of the three groupings above and represent a good cross-section of today's QRP/ portable antenna offerings. A lot of time has been spent assembling, disassembling, transporting, testing, evaluating, and developing my personal opinion as to where these six antennas fit.

In your judgment I may be off base, and that's OK. It's like taboo subjects: There definitely are no two opinions exactly alike. There are many good antennas on the market in addition to the six I listed here. The object here is the same when making the comparisons.

The chart I use lists 10 categories, each exhibiting a numeric score from 1 to 3 with 3 being EXCELLENT, and 2 and 1 being OK and WEAK, respectively. The scoring is very subjective and opinionated. The values you see are those I placed on the antennas, my call. You can accept my values or alter them as you see appropriate. The end results should fit your needs and usage, other than performance as discussed earlier in the article. Addressing the usage within the categories is what's important. The rationale I used for scoring is as follows:

Frequency coverage: More points are given to those antennas that are multi-banded. If my specific applications were for a single band only, I would reverse this scoring.

### What's available

QRP operation is not new. However, today it is credited for getting many




Photo C. The MFJ-1899 (ATX) and Maldol monobander antennas.
12 73 Amateur Radio Today • June 2003

Size, assembled, and disassembled: Smaller is important.

Ease of setup and teardown, including initial tuning and band changing: I don't want to spend a lot of time putting together the antenna, having to read a lengthy instruction manual, and having to pretune or trim parts of the antenna. (I don't do well at Christmastime assembling the kids' toys either!)

Portability when assembled: Specifically, can I easily walk around with the antenna attached to the rig if I want to use the radio while hiking?

Self-supporting/standing: If I decide to operate when stationary, will I need to provide some sort of pole and stand or wire guys to hold the antenna?

Quality of construction: Material selection, workmanship, appearance, all lead to product longevity. The repetitive process of assembling and disassembling the antenna is going to be the litmus test for durability.

### Wrapping up

Nothing is cast in concrete, that's for sure. If you add up all the data points on my chart for each antenna, you will notice that the Miracle Whip scored a perfect 30 points! You may or may not agree that the Miracle is excellent in all 10 nonperformance categories, but don't forget, a 5 watt, 50 ohm resistive dummy load would exhibit all the favorable nonperformance characteristics I've identified and scored excellent in the same categories.

Now it is up to you to insert a value, or better yet a multiplier, for performance. Performance data can be obtained from your very own experience or from organized efforts such as the HFpack [www.hfpack.com] group antenna shootout results. If all else fails, you could use the manufacturers' published performance specifications. If you do, make sure that all results are in the same unit of measure, dBs or dBi, etc.

I did not include the way I chose to factor performance but when I was done, the results can be seen by the order the antennas are listed in the chart. That is, for my particular QRP usage, the Buddipole and the Miracle Whip are the best antennas in this lot for my applications, all things being considered.



Photo D. The Buddipole's large loading coil.

you for the process of selecting the best antenna for your usage. A QRP/ portable antenna's purpose is to get you operating on the air in places where a larger antenna is not practical or feasible. Couple that with the challenge of QRP — that being to operate with low power, not with poorly chosen equipment — and you'll surely understand why all the characteristics of equipment selection must be given proper consideration. Performance and application, together, will yield the best antenna for any QRP/ portable activity.

### Best of the tests

Individual highlights for each antenna used in this article are:

beautifully designed antenna. Configuration versatility is an understatement with the Buddipole. The user can adjust the arms to make a horizontal dipole, centerfed vertical dipole, J-pole, "V" and inverted "V", etc., etc. A light-duty travel case comes with the antenna for transporting around. A standard of quality for all to strive for.

The Miracle Whip offered the widest frequency coverage. The small size of the MW made it a natural for throwing in my briefcase before leaving on a business trip. The designers chose topnotch materials, and used excellent workmanship skills when assembling this antenna. I found that the MW offered excellent performance when used as a short-wave receiving antenna, covering all the HF and VHF ham bands. The fact that you can also transmit on all the same bands was a plus. Note that for transmitting you really need a counterpoise.

The idea of looking at and evaluating other antenna characteristics in addition to performance will prepare The Buddipole demonstrated super construction and excellent material selection, all pointing to expected durability in the field. This antenna uses stainless whips instead of the lowercost, less durable aluminum, a nice complement of brass-threaded fittings and epoxy composite arms add to a

The MFJ Super Loop was absolutely

Continued on page 58

Antenna Model     Contact     Freq Coverage     Size     C       Model     Assembled     Disassembled     C	Construction Quality	Ease of		Portabil- ity Assem-	Self- Sup- port-	Performance Merit (0–10, 10 highest)					
			Assembled	Disassembled		Set- up	Tear- down	Band Change	bled	ing	
Buddipole	530-226-8446	3	2	3	3	2	3	2	2	0	10
Miracle Whip	866-311-6511	3	3	3	3	3	3	3	3	3	4.
MM-20	www.qsradio.com	2	2	3	1	3	3	2	1	3	10
ATX/MFJ	662-323-6551	3	3	3	2	3	3	3	3	3	6
MFJ Loop	662-323-6551	2	1	1	3	2	2	1	2	1	8
Maldol	www.cometantenna.com	3	3	3	3	3	3	Monobander	3	3	2
52Ω resistor		3	3	3	3	3	3	3	3	1	0

Table 1. Characteristics of six QRP/portable antennas.

Jim Kocsis WA9PYH 53180 Flicker Ln. South Bend IN 46637

# Field Day 2002: Out on Our Own

Can you spell duct tape?

First of all, I should explain that this is a real account of what happened to my friend Tom WB8WIV and me during Field Day 2002. Tom and I have operated Field Day off and on for 25 years now. He lives 4 hours away and we switch off "doing" FD at each other's city almost every year.

ast year, I wanted to participate in the true spirit of Field Day: set up a station in a location not normally used for communications, with minimal preparation of the communications equipment. I wanted to see what we would have to do to put a station on the air using whatever was at hand and to do it all under the (almost) worst conditions. Let me assure you that all the events described below really happened. We were ready at the start of Field Day, made many contacts, and had fun, too! the most useful, so I went out to the garage to look for some wire. Ah, there's some in my junk box on a reel! Now where did I put that ladder line? I looked in a box marked 75-ohm coax and 300-ohm twinlead. Nope, none there! Now, where could I have put it? I looked in the attic — none there either! I went back to the workshop where I keep a few parts and some wire. Aha! There it is, right beside my MFJ mobile tuner, spare speakers, and some other miscellaneous equipment - not where it should have been! I put together the antenna in about 30 minutes using some cable ties and a center insulator. Things are lookin' good! I put some lugs at the tuner end of the feedline and it was ready to go!

surgery on the antenna. I knew that the connector on the antenna would have to come off anyway, so I just attached the coax without any connectors. I stripped back the insulation on some RG-8 foam coax and soldered on some lugs. Then I attached the lugs directly to the ground connection and to the "ring" on the Ranger matching system. Good! That only took a half hour.

## Saturday morning, 7:00 a.m. local time (1200 UTC)

I fixed a quick breakfast of cold cereal and juice, read the rules for the contest and found out we will be Class 1A. We will transmit with 5 watts of power (QRP-CW), have one transmitter on the air at a time, and use battery power. I figured a random-length dipole fed with 600-ohm ladder line and a tuner would work fine for the HF bands. We will use verticals for 2-meter and 450 SSB if I have time to put them up.

### 8:00 a.m.


I thought I had better get started on the HF antenna first since it would be **14** 73 Amateur Radio Today • June 2003

### 8:30 a.m.

Let's see .... an antenna for 2-meter SSB is next. I'll simply get my 28year-old Ringo Ranger out from the attic and see how it works. Oh, no! I got it down and began screwing on the coax connector. Houston, we have a problem! The threads on the antenna SO-239 connector are stripped and I can't get the mating PL-259 coax connector on. Okay, it's time for major

### 9:00 a.m.

Okay, now. On to the 450 MHz vertical! I shouldn't have any problems with that, right? After all, it IS new and has never seen the outdoors. I attached the coax in about 20 seconds! This is the way it's SUPPOSED to work! Okay, what will I use for a support? I went back up to the attic to get a 12foot piece of pipe. I put the antenna on top of the pipe and grabbed a few open-end wrenches (from my tool rack in the garage) that seemed to be about the right size to fit the nuts on the Ubolt. None of them would fit! One was too large, the next size was too small. Oh, no! The hardware is METRIC! I went back inside to get my metric wrenches. I found the correct size and tightened up the mounting hardware,



### Arkansas's Communication Store

1710 East Parkway Russellville, AR 72801 Phone 479-967-8315 Fax 479-967-8317 **1-888-315-7388**  Kenwood, Icom, Alinco, ADI, Police & Fire Communications Equipment, Surveillance Electronics (Installed). We sell amateur & commercial band radios.

### www.rlselectronics.com

taped the coax to the pipe, and taped the coax fitting to waterproof it. I attached the whole assembly to a nearby rain gutter to complete the installation.

### 9:30 a.m.

Now I began thinking about how to get power from my car battery to the gazebo in our backyard where the station is to be located. Uh, let's see, it's only about 50 feet, so a length of RG-8 ought to be large enough to carry an Amp or two while running QRP on all bands. There can't be THAT much resistance in a 50-foot run of RG-8. Well, we will just have to see how it works — that's all that is available to get the power to the radios. After all, this IS supposed to be a simulation of an emergency, right? I put some large solder lugs on both ends of the RG-8 coax and went back inside to look for a barrier strip for the station end so we could attach both rigs to the battery at the same time. (The person who said it pays to have a well-stocked junk box really knew what he was talking about.) I began laying out the power cable from the car to the gazebo. Ouch! I banged my head right into a hanging plant by the gazebo door! Oo-o-o, my head is pounding now! I told myself that I've just gotta keep going and just tough it out! An emergency waits for no one. (I'm exactly what is NOT needed during an emergency: another injured person!) I should have been wearing a hard hat!

# A GREAT gift idea for yourself, your ham friend(s), or your child's school library

is a subscription to 73 Magazine ... only \$24.97! Call 800-274-7373 or write to 70 Hancock Rd., Peterborough NH 03458

# **RIGFUNCEF** Intelligent DC power panel

- Conveniently power your station with Anderson PowerPole<sup>®</sup> connectors.
- 40 Amps total, outlets to run all of your transceivers and accessories.
- Each and every outlet individually ATC fused with LED open fuse indicators.
- Precision LED and audio alert of safe, over or undervoltage, 4012 & 4008.
- No messy binding posts, frayed wires, black tape or short circuits.
- Safe, secure, hot connect, polarized, color keyed, unisex, connector system.
- Conforms to the ARES, RACES, RSGB recommended standard.
- Perfect for home, mobile, rover, portable, emergency and contest stations.

### 3 Models from \$49.95!

### 10:00 a.m.

Now my thoughts turned to figuring out how to support the center of the HF dipole antenna. I know that I had a few more 12-foot lengths of 1-inch-square aluminum tubing and some long pieces

# RIGBIASTER Have more fun with your radio

The only no compromise sound card interfaces.

The easiest to set up, high quality, complete solution.

The best support too! Read our user comments!

Internet remote base linking with EchoLink!



### NEW **RIGblaster pro** complete info on the web

http://www.westmountainradio.com West Mountain Radio de N1ZZ and K1UHF 18 Sheehan Avenue, Norwalk, CT 06854 (203) 853 8080 of wood. I figured a good tall support for the HF dipole could be made by using duct tape to join a length of tubing to each end of a 10-foot piece of wood. I overlapped each end of the wood about 3 feet and taped the junction tightly every 6 inches. That should work nicely! (After all, as all fans of "The Red Green Show" on PBS know, duct tape is the handyman's secret weapon.) That should get the center up around 28 feet and give us a really good signal to the east and west from our QTH in northern Indiana! I attached the dipole and feedline and took the assembly to the backyard to put it in place. Oh no! I found a little present the neighbor's dog left for me. I also left the sprinkler system on so the grass is nice and wet. It's really humid now and the temperature is starting to climb. It's 90 degrees in the shade. It must be Field Day.

### 10:30 a.m.

Tom called on the phone and said he would be here around 1600 UTC. He said "... I'm bringing my Icom 706 to try out ..." That got me to thinking that his rig may be what saves the day for us since I recalled how my Ten-Tec Jupiter had some problems with very strong signals during a very busy CW contest a few months ago. Strong signals would appear at the actual transmitted frequency and a few kHz outside the IF filter bandwidth selected. I honestly don't know if that was the fault of the rig or me just learning to operate the radio but I DO remember the problem. The Icom has an analog IF filter (unlike the Jupiter's digital filter) that would probably work better with crowded band conditions. We'll just have to see how the Jupiter works and switch to the Icom if needed.

### 10:45 a.m.

I just remembered that it nearly always rains at some point during Field Day and that I had not sealed the feedline/wire junction on the HF antenna. So, back down comes the HF dipole. I went inside and borrowed some of my daughter's nail polish to paint over the soldered junction to make it watertight. Thanks, Revlon! (Or whatever brand it was - just as long as it provides a watertight seal at the antenna!)

### 10:55 a.m.

out the operation of all rigs and antennas. I connected the Jupiter HF rig and checked and DOUBLE CHECKED the power supply polarity — I didn't want to see any smoke from the rig! (Years ago during one Field Day I actually did reverse the polarity, and thanks to a reverse protection diode we only blew a fuse in an old Ten-Tec. No one ever reverses polarity, do they? Heck, I'm employed professionally in electronics and I couldn't possibly do that - WRONG! That's what will happen during an emergency. Thanks to Ten-Tec: They had the foresight to put a little ol' 20 cent diode in there to keep the radio safe and sound.)

### 12:00 noon

Tom drives up, we have a quick lunch, catch each other up on family and job then decide to go out and have a listen before the flag drops at 1:00 p.m. local time (1700 UTC).

### 1:00 p.m.

Field Day officially starts for us and we make a bunch of contacts on 40 CW all afternoon.

The HF dipole and UHF and VHF antennas are all up - things are LOOKIN' GOOD! The air temperature in the shade is 90 degrees and the sun is nearly overhead. It's time to take the radios into the gazebo and check




Photo A. Tom WB8WIV logs the calls while Jim WA9PYH handles the mike during their annual Field Day activity.

### 4:30 p.m.

We're going along fine making contacts, laughing at mistakes we make, nursing down some cold pop and beer, then all of a sudden I hear a slight crash and see the HF dipole lying on the ground! Oh, no: The duct tape ripped! I ran inside and got some hose clamps to take the place of the duct tape. Of course I needed 4 and only had 3. Murphy, are you watching us? Okay, I'll fix you, Mr. Murphy! I went back inside and found two old aluminum C-clamps to take the place of the 4th hose clamp. I tightened them down really tight. They lasted the rest of the contest. Talk about patching things together — it was a classic Rube Goldberg!

### 5:00 p.m.

We were really taking a beating from the heat and humidity, so my wife suggested that our family and Tom go out for supper. We quickly agreed after racking up a screaming

16 73 Amateur Radio Today • June 2003

32 contacts on 40 CW. The air conditioning in the car and restaurant felt so-o-o-o good! Okay, there may not be air conditioning in a real emergency and you probably wouldn't go to a restaurant, but we figured going to one would not give us a big advantage in the contest!

### 6:30 p.m.

We got back from the restaurant and decided to check the battery voltage. It was 11.6 volts no load and 11.3 volts key-down (5 watts), so I started the car engine to charge the battery. We got back on the air and knocked out a bunch more contacts on 40- and 20- meter CW.

### 7:00 p.m.

The temperature is still 86 degrees! Even though the gazebo has screens on all sides, I think that some hot air gets trapped inside, making it hotter than outside.

### 8:00 p.m.

80 degrees and 51 contacts total we're still having fun but we're really feeling it from the heat. My wife and daughter came out to watch us for a bit and brought us some ice cream. We switched over to the VHF/UHF rig to check the sideband calling frequencies. We worked one local station on each band and that was it for phone. No band openings and no other stations. Back to HF CW.

### Sunday 1:00 p.m.

Field Day is over and we racked up 122 contacts. 120 CW and 2 phone. Then we realized we forgot to copy the *ARRL Field Day Bulletin* for the extra points and never tried CW on VHF and UHF! Oh, well, there's always next year!

We had fun, learned a lot about setting up a station with no preparation and got a few more gray hairs. But we DID have a BALL! I knew we wouldn't place high in the standings but it was so much fun setting up a station and talking to stations using just battery power and a kluged antenna! If you're a ham you already know the excitement of that first contact from a new QTH. Setting up FD on short notice in a new location was nearly as much fun. To hear the transceiver come alive while running on a car battery is really neat when you realize you're all on your own with no commercial power. (We had our own little emergency due to an ice storm this past winter with no power for 5 full days - that's another story, though!). Oh, yes: It never did rain. (In fact. it didn't rain for many weeks due to an extended drought in the Midwest.) But the HF antenna was ready for it with that nice nail polish. The Ten-Tec performed perfectly even with all those nearby strong signals! The hose clamps and C-clamps on the HF antenna support worked fine, too. The antenna was still up at the end of the contest. Will we do it again this year? YOU BET! But it's at Tom's this year, so all I have to do is drive up to his QTH and enjoy! But next time I will have a much better appreciation of what can go wrong when you need to put a station on the air in an emergency situation. Like the Boy Scouts 73 say: BE PREPARED!

### Scrambling News

915 NW First Ave., Suite 2902, Miami FL, 33136 305-372-9427 www.scramblingnews.com

 Pay TV and Satellite Descrambling 2002 -NEW! - satellite and cable. Includes latest information. \$19.95 plus \$1.75 shipping.
 Hacking Digital Satellite Systems Video 2002
 New! - \$29.95 plus \$3.50 shipping.
 Scrambling News Online - Online service for those interested in satellite television news.
 \$59.95/year. \$59.95/yr.
 Pay TV and Satellite Descrambling Series CD-Rom - all 13 volumes over 300 pages, \$59.95 plus \$3.50 shipping.

\$59.95 plus \$3.50 shipping.
 Best Deal - Everything listed above for only
 \$99.95 plus \$3.50 shipping.

Surplus Microwave Parts & Test Equipment dudleylab.com Visa/MC/Discover 732-240-6895 Toms River, NJ 08757

Your Ad Could Be Here! 73 Ad Sales call 1-800-677-8838

### 10:00 p.m.

We both agree it's time to get some sleep. We're not that young anymore. No all-nighters on Field Day like when we were younger!

### Sunday 8:00 a.m.

After a good breakfast we went out and hit it really hard, racking up many more contacts on 40- and 20-meter CW. This is REALLY fun!

### Sunday 11:00 a.m.

Two hours to go and we've got over 100 contacts. A good night's rest and a good breakfast keeps us going. We pay \$CASH\$ (well, check) for articles! SEND FOR "HOW TO WRITE FOR 73"



The impressive IC-756 Proll covers HF plus 6 meters. The high resolution 5 inch TFT color display provides more operating information than ever, including a spectrum scope. The 32 bit floating point DSP provides crisp, clear reception with 41 built-in filters. The "Pro II" is the choice for serious DXers and contesters.

### IC-746 Pro 160 to 2 Meters!



The IC-746 Pro covers 160-10 meters *plus* 6 and 2 meters with 100 watts on all bands. Call or visit our website for further details and pricing on this and other ICOM radios.



Universal Radio 6830 Americana Pkwy. Reynoldsburg, OH 43068 Orders: 800 431-3939 Info: 614 866-4267 www.universal-radio.com

73 Amateur Radio Today • June 2003 17

James L. Kretzschmar N4HCJ 104 Yount Circle San Antonio TX 78236

# Now Hear This!

Home-brew yourself a magnetic headphone.

In the past few years, there has been an increased interest in the early days of radio. Periodically you will see articles published on the construction of crystal or regenerative radios. There was even a crystal radio building contest in 2001. I entered the contest, learned a lot and had a blast even though my project did not win. I attempted to make all of the parts for that radio. This is part of that project.

Which readily available items from your junk box or hard ware store, it is possible to fabricate a functional magnetic headphone that is sensitive enough for crystal (diode) radio operation. This headphone has been used with my crystal radio and performs well; the best part is that it is homemade. If you don't have the exact parts, experiment with what you have, and most of all, have fun; in the process you will learn something that will be useful. The materials and tools used in this project


can be dangerous, so be safe in your work environment and use eye and ear protection. the nail. Hammer the nail completely through the 2" piece until the nail head is flush with the wood surface. Hammer the nail into the 1.5" piece until you have about 2" of spacing between the two pieces of wood. File the nail head until it is smooth and it is about 1.0 mm above the wood surface. You may want to remove the pointed end of the nail; however, this is not necessary.

### The nail

The nail is 4" long and 1/8" in diameter; the box was labeled "16d" ("sixteen penny"). The head of the nail is about 1/4" in diameter. Prepare two pieces of wood, one 2" square and one 1.5" square (I used 1/4" oak for sturdiness) and drill holes in the center just slightly smaller than the diameter of

### The wire

The wire used for this project is a



*Photo A. Components for headphone.***18** 73 Amateur Radio Today • June 2003

Photo B. Headphone (side view).




Fig. 1. Magnetic headphone assembly (see Parts list for key).

1/2 pound spool of #32 enameled magnet wire available from Hosfelt Electronics. This is about 2,600 feet and about 430 ohms resistance as described in the wire table from the ARRL Handbook. Different diameter wire would probably work, although much smaller than #32 becomes hard to see and to work with. It will take many, many turns to get it all wrapped on the nail. I used my variable speed electric drill with the nail secured in the chuck like it was a drill bit, and the spool of wire on a piece of dowel mounted in a vise. The wire was guided with my fingers as it wrapped on the nail. The process took about 15 minutes. A possible source of wire may be an old transformer.




Photo C. Headphone (front view).

sells them. The magnet simply attaches to the part of the nail that extends from the wood. Other types of magnets work, too — it is just nice to find a use for these powerful ones.

### The steel diaphragm

Most tin can lids and bottoms have ruffles and ridges. A search in the store shim stock. I have tried 0.01" through 0.05" and the best results were with 0.03" and higher. Steel shim stock is inexpensive and can be obtained from an industrial supply company. If the diaphragm is too flexible, it gets pulled into the magnetized nail and you lose the gap between the head of the nail and the diaphragm that is necessary for good performance.

### The magnet

The magnet was salvaged from a junked computer hard drive. There are generally two odd-shaped powerful magnets in hard drives. If you cannot locate any magnets, All Electronics

runnes and nuges. A search in the store
found a potato chip canister that has a
very nice flat bottom piece roughly
.08" thick. Also, frozen juice canisters
have flat tops and bottoms. A sturdy
pair of utility shears is used to cut the
piece to the size you need for the dia-
phragm. If you want to experiment a
little, try using different thickness steel

### **Final assembly**

The key to success is the positioning of the diaphragm above the nail head as close as possible without the

Continued on page 59

Fig. 1 Key Letter	Part
A	Nail (16d)
В	Magnet
с	1.5 in. x 1.5 in. wood retainer
D	Wire wrapped around nail
E	4-40 machine nut
F	2 in. x 2 in. wood retainer
G	Cork gasket material
н	Steel diaphragm
1	Cardboard spacer (index card)
J	Cover (aluminum, plastic, or wood)
к	4-40 x 3/4 in. machine screw

Table 1. Parts list.




Photo D. Completed headphone.

# Yes, I Built Sixteen Log Periodic Antennas!

Part 1: Theory and tests.

The broadband, unidirectional HF log periodic beam antenna was originally developed about 1957 (see references at the end of part 2). Although these very excellent beams are used extensively by commercial, military, and government agencies for both medium and long haul circuits, their use has been rather neglected by amateurs. I have assembled, erected, and tested a number of fixed log periodic wire beams since 1970 with excellent results and would like to pass along some information on these very efficient beams.

believe that the amateur fraternity may have overlooked or shied away from these antennas due to: 1) Very little information has been published on HF log periodics in ham publications, although there have been several articles covering these for VHF and UHF. (Listed in a previous LP article in the September 1973 issue of 73 Magazine, p. 42.) 2) These antennas are quite complex and are highly mathematical. Several pages of formulas, reference to log tables and four or five graphs or monographs are required for optimum design. This information was best presented to the hams in the May 1965 issue of 73. Although this covered the design of VHF LPs, the formulas also apply to HF. The antenna manufacturers producing LPs for commercial and military use program this data on a computer. By supplying the frequency range desired, gain required, etc., the computer prints out the element lengths, optimum element spacing, boom length, etc., to provide for maximum forward gain, front-to-back ratio, minimum beamwidth etc.

Although these formulas can be computed manually, several days may be required to design (on paper) an LP having optimum performance in a given space. 3) Most amateurs feel that log periodics are extremely expensive, which they are if purchased. The least expensive rotatable types by one commercial manufacturer are in the \$1500 to \$3000 range for a rotary covering 6 to 30 MHz, capable of 40, 20, 15, and 10m operation. Some of these are used by MARS stations. Rotatable LP ham antennas have recently been announced in the \$300 to \$1000 class.

a higher gain are generally in the 10– 30 "kilobuck" range. However, by assembling smaller, less complicated wire LPs for the 14–30 MHz range on a "do-it yourself" basis, one having an 8–10 dB forward gain (over a doublet

Reprinted from 73 Magazine, March 1975.

20 73 Amateur Radio Today • June 2003

The larger fixed types for the 2–30 MHz range having







Fig. 1. Doublet log periodic configuration. This will cover a 2:1 bandwidth, say 7–14 MHz or 14–28 MHz. (a) has a 22° aperture angle and gives about 10 dB gain. Note the criss-cross method of transposition of the feeder. (b) is shorter, with a 36° aperture and about 8 dB gain. Note alternate method of transposition of the feeder.





is true of the large commercial types having a 10:1 bandwidth or a single beam covering 3 to 30 MHz. These are 63.5-127 meters (250'-500') in length, some even 203 meters (800'). However, a 14-30 MHz LP for 20-15 and 10m having an 8 dB gain can be erected in a space 10.16m (40') wide by 12.7m (50') long. If the length can be extended to 17.78cm (70'), the gain can be increased 10 dB comto pared with a doublet at the same height. By extending to 25.4m (100'), 12-13 dB can be realized.



and Fig. 6. Illustrates the four masts used to support the antennas.

2) The vertical monopole log periodic working against ground or a ground plane counterpoise. Fig. 2 illustrates this type, also covering a 2:1 bandwidth.

3) The trapezoidal zigzag or sawtooth configuration, Fig. 3. This type, being more complicated and not too suited for HF ham applications, will not be covered by this article, which will deal only with the first two types. Before outlining the construction of the doublet and the monopole types, a brief report will be presented covering the tests conducted here over the past four years.

at the same height) can be assembled for a material cost of \$15 to \$25 not including masts or coax, which will vary depending on the particular site. The largest 17-element 14-30 MHz LP being used here, having a 12-13 dB measured gain, should cost about \$19.50

4) Many amateurs believe a fixed LP requires a great deal of "acreage." This

BEAM

Fig. 3. Trapezoidal log periodics.

### Log periodic types

Log periodic antennas can be classified under three general types:

1) The doublet log periodic (DLP) configuration. Fig. 1 illustrates this type covering a 2:1 (plus) bandwidth suited for a ham beam for 7-14.35 or 14-28 MHz.

### W4AEO test results on log periodic antennas

During 1970, the first log periodic was put up experimentally here for 20m and 15m only, to be compared with doublets and also a well-known "store bought" trap vertical for 40-20-15 and 10m (using separate radials for each band). The vertical had given fair results for DX, evidently due to its low angle of radiation and its 8.9m (35') height (at the base) above ground.

The first LP was quite simple, using only 7 elements for 20 and 15m and being only 9.7m (38') in length. The back end is supported by the peak of the roof, 10.2m (40') above ground, and the forward end by two cedar trees

73 Amateur Radio Today • June 2003 21

kHz	LP #1: 7- element 20 & 15	LP #2: 12- element 20-15-10	LP #11: 17- element 20-15-10		
14.0	1.1:1	1.1:1 1.4:1			
14.1	1.1:1	1.5:1	1.4:1		
14.2	1.02:1	1.6:1	1.3:1		
14.3	1.02:1	1.7:1	1.2:1		
14.35	1.01:1	1.7:1	1.1:1		
21.0	1.01:1	1.1:1	1.3:1		
21.1	1.01:1	1.2:1	1.15:1		
21.2	1.05:1	1.3:1	1.05:1		
21.3	1.15:1	1.4:1	1.01:1		
21.4	1.25:1	1.4:1	1.02:1		
21.45	1.3:1	1.5:1	1.1:1		
28.0	*	2.0:1	1.5:1		
28.2	*	1.5:1	2.0:1		
28.4		1.6:1	2.25:1		
28.6	*	1.6:1	2.0:1		
28.8	*	1.8:1	1.3:1		
29.0	*	2.0:1	1.01:1		
29.2		1.6:1	1.5:1		
29.4	•	1.6:1	2.0:1		
29.6	*	1.4	2.0:1		
29.7	*	1.3	2.7:1		
kHz	LP #15: 5- element mono- pole 80 only	kHz	LP #9: 5 element 40 only		
3.5	1.2:1	7.0	1.05:1		
3.6	1.2:1	7.1	1.05:1		
3.7	1.1:1	7.2	1.01:1		
3.8	1.2:1	7.3	1.1:1		
3.9	1.4:1				
4.0	1.25:1				

They were capable of making good comparisons with the non-gain antennas previously used.

The results of these first tests amazed me and also the stations being worked. Reports on the non-gain antennas (at the same height as the LP) normally gave reports of S8-9 on 20m from these stations. I used a popular transceiver operated "barefoot." Switching to the LP, these stations would generally report an increase of two Sunits, or at least a 10 dB increase over the doublet. Usually, when the doublet was giving S-9, they would give "20 over" on the LP. Although a 20 dB gain would seem exaggerated, the S-meter at this end would generally confirm this increase on their signal when switching to the LP.

It is realized that many S-meters exaggerate, but most are fairly linear and can be used for *relative* comparisons at the lower levels. Further, the S-meter here correlated very closely with the gain figures reported when switching to the experimental LP.

Although the original LP, Fig. 4, would only have a theoretical gain of 8-10 dB, LP gain figures are often based on VHF or UHF models tested over a line-of-sight path. It is noted that one of the large manufacturers of commercial and military HF log periodics (Hy-Gain) rates their 10-12 dB gains "over average soil conditions." It is therefore believed that this first experimental LP gives an honest 8-10 dB gain by averaging the many reports received from various stations to the south over the past 4 years. The S-meter on the receiver here is quite "Scotch." Generally, if a station reports a two S-unit or 12 dB increase when switching from the doublet to the LP, the S-meter here normally shows the same increase in his signal. Since the original simple 7-element (LP #1) for 20 and 15m was put up in 1970, it has continued to give excellent results and is still being used as of this writing. Several others having more elements and greater length, providing greater gain, have been put up and thoroughly tested. Briefly, these are (in the order tested):

LP #2. 12-element, 17.8m (70') length for 20–15–10m. Now being used for the NE beam for W1s, W2s, and Europe.

LP #3. 12-element, 6.35m (25') length for 15–10–6m.

LP #4. 12-element, 10.16m (40') length for 20–15–10m.

LP #5. #2 tested on edge in the vertical plane or vertically polarized for about two weeks.

LP #6. 13-element, 22.86m (90') length for 40–20–15m. This was a "skip band" type with a portion between the 40 and 20m bands omitted. Two of these are now being assembled for permanent north and south beams.

LP #7. 5-element, 12.7m (50') length for 40m only. (See reference 18.)

LP #8. Two 5-element (same as #7) for 40 only; back-to-back in an inverted vee configuration suspended by a single center support line. One beamed north, one south — exactly 180° difference. Put up to obtain additional and more accurate forward gain and better front-to-back data on 40m.

LP #9. Improved 5-element, 40m only at increased height for additional forward gain data. Aimed south. Gave consistent 10 dB gain over doublet "standard" at same height.

Table 1. SWR readings.

about 11.4m (45') high. It is beamed south, as I had been working friends in South and Central America also interested in improving beam antennas. **22** 73 Amateur Radio Today • June 2003

August 1973 issue of 73, pp. 23-24.

LP #10. 5-element, 10m monoband LP. (See reference 18.)

LP #11. 17-element, 25.4m (100') length for 20-15-10, 15.24m (60') above ground. This is the permanent west beam that has a measured 12–13 dB forward gain to the west. By far the best and highest gain LP installed here to date. Side attenuation is down 25– 30 dB.

LP #12. 6-element, 12.7m (50') length. Experimental for 20m only. 10 dB gain. Four additional forward parasitic directors (nondriven) were added later, but little if any increase in gain could be noted.

LP #13. 5-element vertical monopole LP for 40m only, using ground plane radials or counterpoise. Although this LP gave a 10 dB gain, it had an extremely low angle of radiation. Was good for DX, but horizontal doublet type LP #7 or #9 was better for normal operation.


LP #14. Same as #13 except inverted as an "upside-down" inverted ground

LP# & Length	#1: 38' 7 els	#2: 70' 12 els	#4: 40' 12 els	#7: 50' 5 els	#11: 102' 17 els	Exp: 25 5 els
Bandwidth	14-22 MHz	14–30 MHz	14-30 MHz	40 only	14-30 MHz	20 only
Element			Overall Le	ngth (ft.)		
1	36	36	36	70	36	35
2	32	32	32	64	34	33
3	28	29	28	56	31	28
4	24	26	25	49	29	24.5
5	21	22.5	22	40	26.5	20.5
6	18	20	20		24	
7	16	18	17.5		22	
8		16	15.5		21	
9		14	13.5		18.5	L VIII.
10		12	12	<b>Viet</b>	17	
11		11	10.5		16	
12		10	9.5		14.5	
13			624		13	
14	-1		( Constants		12	
15	Contraction				11	
16	hand he of	2		1.0	10	
17				1	9.5	
Total wire for els	175	246.5	231.5	279	345	141
		Spacing Dis	tance (ft.)			
1.	8	10	6	14	14	7
2	7.25	9	5.4	13	10	6.5
3	6.25	8.25	4.5	12	. 9	6
4	6	7.2	4.25	9	8.5	5
5	5.5	6.9	3.6		7.5	1. 181-
6	4.25	5.7	3.5		7	
7		5.35	3.2		6.5	
8		4.8	2.8		6	Salut I
9		4.3	2.5		5.5	(Item)
10		4	2		5	
11		3.4	1.8		4.7	
12	and/ only		- NOT		4.2	Sec.
13	CHERRY A-IS				3.8	
14		1.24	or to have		3.5	1.00
15					3.3	
16	1 Sugar				3.0	
Boom Length	37.25	68.9	39.55	48	101.5	24.5
2 Feeder Wire Req'd	74.5	137.8	79.1	96	203	49
+ Element Wire	175	246.5	231.5	279	345	141
Total Wire	249.5	384.3	310.6	375	548	190
Apex Angle	29° (α = 14.5°)	22° (α = 11°)	36° (α = 18°)	32° (α = 16°)	16° (α = 8°)	32° (α = 16°)
Approx. Gain	8–10 dB	10 dB	8 dB	10 dB	12-13 dB	10 dB

### **The New Pools!**

Examination Test Questions & Answers

The exact questions, multiple choices and answers for the Technician Class, General Class, and Extra Class operator's license.



Only \$9.95 Plus \$3.50 S&H





Everything for the Morse Enthusiast!

Table 2. Element lengths and element spacing distances.

Keys, Bugs, Paddles, Keyers, Books, Kits, Tools, Software.... *Free Catalog!* 

## www.MorseX.com (303) 752-3382



### Latest Features

Choose font and color of data display. Displays flag and map for each country. Shows CQ, ITU zone, and continent. History list shows each callsign entered. Print labels in a variety of formats. View & search interests of 44,000 hams. Search for club, military, vanity, silent keys, name, address, and more.

Over 1,700,000 listings world wide, 136,000 e-mail addresses, 4,300 photos and QSL cards, 42,000 vanity calls, and 24,000 references to QSL managers.

Shows path distance & bearing. Precise latitude/longitude for over 90%+ of addresses. HamCall is \$50.00, included is 6 months free access to our HamCall Internet Service - request when ordering.

New HCLog logging program - \$19.95.

\$5.00 shipping (\$8 Inti) perorder. Your satisfaction guaranteed!

 SUCKMASTER

 6196 Jefferson Highway • Mineral, VA 23117 USA

 e-mail: info@buck.com

 540:894-5777 • 800:282-5628 • 540:894-9141(fax)




Fig. 5. W4AEO inverted vee log periodic.

plane. Strictly an experimental antenna to try for an even lower angle of radiation.

LP #15. 5-element vertical monopole LP for 80m only. Results similar to 40m monopole, LP #13. Good for DX but poor for close-by stations. Gave 10 dB gain (over 80m doublet at 11.43m, 45') from stations greater than 1500 miles.

LP #16. Trapezoidal LP for 20 and 15m only, both the zigzag and the sawtooth types tested.

In addition to the above LPs designed and tested here, several other directional antennas were erected for comparison with the LPs. Some of these were:

angle of radiation may have been too low for this distance. It was only tested a few weeks.

In addition to the ham LPs assembled here, several other LPs have been designed "on paper" for friends and others, one covering 12-24 MHz for several MARS frequencies as well as 20 and 15m. These include several commercial LPs for 3-30 MHz, 2-4, 4-8, 6-12, 8-16 MHz; and several VHF and UHF for 30-50, 140-145, 150-470 MHz, including two for TV: 174-215 and 475-750 MHz. Several have been completely assembled for others on "custom-built" orders.

quite narrow. At ±50 kHz, the SWR exceeded 1.5:1. 3) A 5-element Bruce array on 20m beamed for Caracas. The gain was lower than any of the LPs tested in that direction; possibly, being vertical, the

After several months of 15m tests on #3, we wished to make a direct comparison with a good yagi aimed in the same direction. I assembled a 6-element "Long John" yagi per reference 20, p. 104. This was erected to the side of LP #3, exactly parallel and aimed in the same direction; both were 11.43m (45'), or about a full wave above ground.

Several weeks were spent comparing these two beams. Invariably, YV5DLT would report LP #3 to be 3-5 dB better than the yagi. The S-meter readings here confirmed this.

### 40m LP tests

Most of the 40m tests were conducted over a period of several months with old friends W4QS and K4FBU in Florida at the same time daily. During this period, four different 40m LPs were beamed south for Florida at various times for comparison with a good 40m horizontal doublet at 11.43m (45'). One 40m LP #8 was also beamed north for comparisons in that direction. All of these LPs produced 8-10 dB gain in these directions over the dipole; however, many of the tests indicated as much as a 20 dB improvement, which was confirmed by the S-meter at this end and a number of other stations in various parts of Florida. Since the usual 2-element 40m yagi or two extended  $1/2\lambda s$  in phase collinear do not normally exceed 3-4.8 dB gain, the 10 dB average gain of the LPs tested is worth considering - especially because of their low cost and ease of construction.

1) A 6-element, 15m "Long John" yagi mentioned below.

2) A 20m phased beam consisting of two  $1/2\lambda s$  in phase, collinear with two collinear reflectors and two collinear directors beamed toward Europe. Although this showed approximately a 10 dB gain, the lobe was much more narrow than the NE LP and the bandwidth




Fig. 6. Five-element monoband log periodic - fine for any band 10 through 80m - see the Aug. and Sept. 1973 issues of 73 Magazine for details.

24 73 Amateur Radio Today • June 2003

### **YV5DLT-W4AEO tests**

The most accurate 20 and 15m tests have been made with my long-time friend YV5DLT (ex-W5DLT) of Caracas. We have been constantly testing the LPs for several years. He is able to give very accurate readings on any changes made here.

During the original testing of the first three LPs, schedules were kept daily between 1200 and 1400 local time here as these hours gave the worst case conditions on 20m. Other schedules were kept on 15m.

It was during this period that the 17.78m (70') LP #2 and the 15 and 10m LP #3 were put up for comparison with the original LP #1, which had performed so well on both 20 and 15m. LP #3 was especially good during the 15m tests, generally showing 5 dB over LP #1 and even slightly better than LP #2; however, #3 was aimed at approximately 165°. Caracas is 149° true, 1854 miles statute. The other two LPs were approximately 180°. All three were about the same height above ground.

### 75 or 80m vertical monopole LP tests

A 5-element vertical monopole, LP #15, was assembled for 75m. Since the mast height limited the longest rear element (the reflector) to 16.51m (65',  $1/4\lambda + 5\%$ ), this LP was limited to 3.8–4.0 MHz, and all tests were within this range.

It was soon evident that this vertical beam was strictly for longer range communications, due to its lower angle of radiation. The  $1/2\lambda$  80m dipole up 45° (not an inverted vee) used as the "standard" was better for distances from 400–500 miles. Beyond this range, the vertical LP was better in the forward direction. At night the doublet was better to about 1000 miles; beyond, the monopole LP would show its increase, giving a good gain over its beamwidth.

For ranges greater than 1000 to 1500 miles, the 75m monopole, LP #15, showed at least a 10 dB gain over the dipole. However, for the normal working range on 80m or 75m, the doublet was better for the shorter distances.


A similar test using a 5-element 40m vertical monopole, LP #13, was conducted, with results similar to the 75m test. The horizontal doublet-type 5-element 40m LPs #7, 8, or 9 were better for normal operations, and the vertical monopole for DX. This beam was aimed NW.

During a predawn 40m test with LP #13, a W7 (working a VK on phone) in the NW, about 2,000 miles from here, was monitored. On repeated S-meter readings taken, the monopole was consistently 2 S-units or 12 dB better than on the 40m dipole when receiving the W7 in line with the monopole beam.

### Receiving advantages of the log periodic

In addition to the excellent forward gain of the LP which is quite apparent to those being worked, the received gain is also quite noticeable. Another plus factor of the LP is its excellent diversity or "capture" effect during reception.

When QSB is bad on the dipole used as the "standard," switching to the LP reduces fading considerably, since the "readability" on the LP is much better.




Evidently the number of elements and its "boom length" produces the diversity effect due to its size and length compared with the doublet or even a smaller 3- or 4-element beam. The greater the number of elements and the greater its length, the better it performs for reception in addition to the increased gain apparent on both transmission and reception.


For those more acquainted with the yagi, the LP can be considered as a multi-element, unidirectional endfire array having a driven (rear) reflector, a  $1/2\lambda$  driven "active" radiator, and a number of forward-driven directors.

LP theory implies that for a given discrete frequency within its bandwidth, 5 elements are generally excited or driven as an "active cell." However, while testing the 17.78m (70'), 12-element LP #2, it was excited with low power on 20m. RF voltage could be detected (using a neon bulb) on *all* elements except the long rear (reflector) element. The second or  $1/2\lambda$  driven element (on 20m) was quite "hot" at the ends, as would be expected. The RF voltage on the driven director elements 3, 4–11, and 12 decreased gradually toward the forward end. Some RF could still be detected on the short forward element, 12.

Evidently these multi-element, driven directors add gain and also possibly help lower the angle of radiation in the E

Continued on page 26





**Fig. 8.** Single-band vertical monopole — for 40 or 80m. About 10 dB gain.




Fig. 9. 15-element 20/15/10m periodic.

### Yes, I Built Sixteen Log Periodic Antennas!

in the H plane. This may be the reason the apparent gain generally exceeded the theoretical during tests.

### Front-to-back ratio

The front-to-back of the LP is generally less than that of a well-designed monoband yagi. The LP seems to be 14-15 dB maximum with 10 to 13 dB as typical. From the tests made here, the front-to-back improves as the LP is raised to at least a  $1/2\lambda$  above ground (at its lowest cutoff frequency).

The front-to-back or the 40m dipole LPs (DLP) tested appeared to be better for the horizontal than the inverted vee plane and concentrate the forward lobe | configuration, as would be expected, and the forward gain also better.

of Australia. The side attenuation of this long LP is down 25-30 dB.

A W1, -2 or -3 could use one or two LPs to cover most of the states. A W6 with an LP beamed east would cover most of the east coast. At this QTH, 4 LPs will cover most continents of interest: NE, Europe; east, Africa (and Australia long path); SE or south, South America; west, Australia; and NW - Alaska, Japan, etc. One for SW may be tried later for long path to Europe.

### Fixed beam antennas vs. rotaries

An advantage in using several fixed beams over a single rotary is that they can be switched instantly from one to the other (and to the doublet used as a "standard"), whereas it takes some time for the rotary to swing, making quantitative readings difficult (especially when QSB is bad).

Another item noted during the first year these LP tests were started: About half the stations worked during the winter of '70-'71, using rotaries, would come back, "Sorry OM, I can't swing my beam, it is frozen up for the winter." I noted less of this problem the second winter. Evidently better rotators are being used.

### continued from page 25

### The forward lobe

The forward lobe of the LP is generally wider (about 90-100° beamwidth) than that of a well designed yagi; however, for a large fixed beam, this is good, as it can be aimed to cover a certain part of the country or a particular DX continent. For example, the NE (LP #2) covers Europe quite well and the 30.48mlong, 17-element west beam (LP#11) seems to cover all

The following comments are comparisons of the LP with several other beams.

### Compared with the yagi

As more hams no doubt use yagis than other beams, these will be compared first. A well designed and properly adjusted 3- or 4-element monoband yagi should give about the same gain as a moderate-size 20-15-10m LP when both are at the same height above ground. The LP will, of course, cover all frequencies 14 and 28 MHz and can be operated with a comparatively flat SWR any place in the three bands. The bandwidth of a high-Q yagi may be limited to a portion of a band as the bandwidth at resonance may be only 2.5%.

Compared with a triband yagi for 20-15-10m, which is generally a compromise antenna, the LP should give the greater gain.




Fig. 10. 5-element vertical monopole log periodic 26 73 Amateur Radio Today • June 2003

BOOM LENGTH

FEED

NOT

OVER 6 in. [ COAX

Of all the contacts made while testing these LPs during the past four years, not a single station worked (most using yagis for 20, 15 and 10) had a doublet for use as a "standard" or test antenna for comparison with this beam. Many have been most cooperative in rotating their yagis the full 360° to demonstrate the front-to-back, but none were able to demonstrate its forward gain. The front-to-back on some of the monoband yagis was quite good, while others were very poor.

One MARS station worked had both a rotatable LP and a yagi. He obliged by rotating the LP 360°, which gave a good demonstration of its pattern. When both antennas were beamed in this direction, the LP showed greater gain; however, he did not have specifications on the yagi.

An advantage of having several fixed beams for various directions is that they can be selected instantly by a coax switch or relay. This allows for more accurate data in comparing antennas. Even under fading conditions, a fair comparison can be made by switching rapidly and averaging the readings.

### Compared with phased arrays

To date I have only made comparisons with two phased arrays on 20: a 5-element Bruce and a 6-element collinear array mentioned above, both strictly single band antennas. Neither gave the performance of the LPs. I do plan to test the LP vs. a multi-element Sterba curtain or similar stacked arrays later.

### The SWR of log periodics

As a general rule, the SWR of an LP does not exceed 2:1 over the bandwidth for which it is designed, i.e., 14– 28 MHz. From the tests here, the SWR over an entire band, 7.0–7.3; 14.0– 14.35, or 21.0–21.45 does not exceed 1.5:1. **Table 1** gives some of the readings taken from several of the LPs tested. (Also see reference 18 for SWR readings taken on the monoband LPs.)

### Log periodic site selection

The first step is to determine if space is available for the LP when beamed in the desired direction. The second step is to decide the desired bandwidth or the bands it must cover and the gain desired. These will, of course, determine the size (length) of the LP and if it will "fit" the space available. The long rear element (reflector) must be at least 5% longer than the lowest cutoff frequency. The short forward element should be 50% shorter than the high frequency cutoff. The pages of math required for their complete design will not be presented here. (See references 2, 3 4, 5, 8, 11 and 13.)

To simplify the design and eliminate the formulas entirely, **Table 2** presents in tabular form some of the doublettype LPs (DLP) assembled and tested here for the ham bands as mentioned above. (Dimensions for single band LPs were given by reference 18.)

This tabulation gives frequency bandwidth, element lengths and element spacings, overall (boom) length, apex angle, etc., of each.

Similar information on the vertical monopole LPs for 40m and 80m is supplied by **Fig. 10.** 

If space is available for an LP at your QTH, at least one of these can be tried.

Fig. 4 is a sketch illustrating four masts used to support a typical DLP for 20-15-10m. These masts can be inexpensive 12.20m (40') collapsible guyed TV masts, power poles, towers, trees (as used here), or other supports if available.

Fig. 5 illustrates two high and four stub masts for an inverted V-log-P which I call my " $\lambda$ -log-P" configuration.

### **Compared** with a rhombic

Anyone having room for a rhombic certainly has room for several LPs for various directions and is then not limited to one direction as with the rhombic.

The TCI engineers (Technology for Communications International of Mountain View CA) advertise their "Extended Aperture" LP, which is only 60.98m (200') in length and has a gain of 17 dBi. A rhombic to produce this gain requires a length of 518.29m x 228.66m (1700' x 750') width according to the TCI ads.

Further, the gain of a rhombic generally decreases at its low frequency end (fewer wavelengths per leg), whereas the gain of the LP is approximately the same over its bandwidth. If anything, at least from the tests here, the LP seems to give slightly better gain at the low frequency cutoff end. The forward lobe of the LP is generally wider than the rhombic, requiring less accurate aiming than the latter. **Fig. 6** illustrates a simple 5-element monoband LP that requires the least space. This is especially adapted for 40m. (See reference 18 for complete information.)

Fig. 7 illustrates an "acreage-saver," using a DLP on edge in the vertical plane. This only requires one high and one lower mast and little width.

Continued on page 59



### **NEUER SAY DIE** continued from page 7

### **Conspiracy?**

When I claim that the AMA and the medical industry seem to be colluding to hide the fact that any illness can be cured without the need of any drugs, some people put me down as another conspiracy wacko. Never mind the common sense of what I've been writing. And never mind the damning statement of the AMA's chief counsel.

See for yourself at [http:// educate-yourself.org/fc/ drugstory.shtml].

What you'll find is that the Rockefeller interests, starting back in 1910, have gained tight control of the major drug companies, our major newspapers, the radio and TV networks, the AP, and even the Fed, which issues of our money.

The drug industry is particularly choice because it produces such incredible profits.

Please download the story so you'll see how you and your family have been had 78 records in Hillsborough, CA. He was going to apply some computer magic and make the old 20s and 30s jazz music available again on CDs. His approach was to digitize three of the old records and let his computer select each byte where two were identical, thus cutting out most of the record's surface noise.

Next, by comparing second and third harmonics of bass notes cut off in the vinyl recording process, he was going to enhance the bass.

When I sold out my computer magazines, I lost track of George, and recent letters haven't been answered. But he sure had a great idea. Someone should do it.

I remembered this while listening to a local radio station playing 1920s records.

When I get some time, I'd like to make some of my 78 collection available over the Internet. It's out in the barn and should be preserved. No, I don't have three of every record like George. But songs like "Life Gets Tejus, Don't It," ought to be available again. And Rosalie Allen singing, "Can't You Take It Back and Change It For A Girl." Oh, by the way, about how many minutes a day are you spending sitting down, relaxing, and listening to music? How many times do I have to nag you about the importance of de-stressing your body with good music? For me there's nothing more relaxing ... and exciting, in a way ... than leaning back in an easy chair and listening to Wagner's Rienze Overture or Franck's Symphony in D Minor. Ahhh, nirvana!

Russia under Stalin, and in China under Mao, so it's not without precedent. Hitler came close. But, presuming that these boxcars can be used more than once, maybe we're talking about handling 100 million or even 200 million Americans. Hey, that's everyone except the guards and train crews.

What a crock.

First of all, (1) our country isn't worth much without people. We're the golden goose ---99% or more don't know what's going on and don't want to know. The few that do don't know what to do about it. Secondly, (2) killing off 20 million people, unless you use bioweapons or nukes, is a major undertaking. Hitler's helpers managed to kill off about 12 million people, but it took them quite a while. By the time you jam 143 people into a boxcar all you'd have to do is lock the doors. The handcuffs wouldn't make much difference.

If you're not going to kill them, (3) you'll need massive toilet facilities and an awful lot of food and water - plus a lot of trustworthy guards. (4) Where in the country could they hide 140,000 boxcars? At 20 per acre they would fill 7,000 acres. (5) And how about the hundreds of engines and train crews needed to move boxcars full of screaming people around? (6) All this would take a lot of fuel, which means that all of the businesses involved in getting fuel to the railroads would have to be left in place — all the way back to the oil wells in Saudi Arabia. Crock. I'm a lot more worried about the pole shift Nostradamus and a bunch of others have predicted than the New World Order.

Well, unless the natives in the Marshall Islands, where I spent a couple of submarine rest camp vacations on Majuro in 1944, were lying, she and Fred Noonan crash-landed in the Marshalls in 1937. Then, they said that the Japanese navy came a few days later and picked up Amelia, Fred, and their plane and took them to Saipan.

When we stopped off to refuel at Saipan the natives there confirmed that Amelia, Fred and their plane had been brought there. They said that Fred had been injured in the crash and died, but that Amelia was held there until just before the Americans came and took the island.

It's interesting that Fred Goerner got the same story from the natives at Majuro and Saipan when he visited the islands many years later. It's interesting too that our navy did everything it could to keep Goerner from visiting these islands. It's quite a story. Look it up in your library.

My interest, for newer readers, is that Amelia was a good friend of my dad's. She had dinner with us several times, and she kept her Lockheed at my dad's airport. Shortly before her 1937 flight, Bob Wemple, her chief mechanic, visited us for dinner and said he'd been working on her Electra, installing larger engines, extra wing tanks, and cameras. He said that the whole purpose of the aroundthe-world flight was so she could over fly the Japanese navy installation at Truk and get photos for our navy. President Roosevelt, previously the Secretary of the Navy, had asked her to do it. They knew the Japanese were doing something important there, and wanted to know what. The higher-powered engines, Bob said, were so she would be able to fly from Lea, New Guinea, to Howland Island via Truk in the same time that her regular engines would have taken. Only she missed Howland. If you look at a map of the Pacific you'll see that her only practical choice was to either fly west to the Gilbert

big-time.

### College, My 2020 Vision

With the best brains in the world in any field as advisers and professional actors as teachers available inexpensively via interactive DVD educational programs, a university campus will have to provide more than lectures and endless tests of short-term memory ... which have been the core product supplied by colleges and universities for over a century.

The students of 2020 are going to be able to pursue knowledge anywhere in the world their DVD player and Internet connections can take them. Unless a university is able to provide hardware beyond that available via computer simulation, it may be difficult to attract students.

### **Reviving 78s**

One of the personal computer pioneers, George Morrow, after the crash of Morrow Computers, retired with his collection of thousands of old peopl 28 73 Amateur Radio Today • June 2003

### New World Order?

Another militia-type rumor arrived from one of my readers. He'd heard from a "reliable source" that Gunderson Steel, in Washington, has made 140,000 railroad boxcars for the government, each fitted with 143 sets of handcuffs. That's handcuffs for 20 million people.

Well, killing 20 million people actually did happen in 2003

### Amelia

Reader Schmeusser was kind enough to send me a newspaper clipping about two groups heading for the Pacific to look for signs that Amelia Earhart crashed either on Nikumaroro or somewhere near Howland Island. Islands or northwest to the Marshalls. The Gilberts, being few and far between, were not a good choice. So I wasn't surprised when the Majuro natives said she'd flown to the Marshalls. It all made good sense.

Amelia, clearly being a spy, was captured by the Japanese and eventually executed.

Our government has been covering all this up because it was embarrassing that the most famous woman in the world had been made a spy and therefore was legally executed.

But, after over 60 years, perhaps it's time to come clean.

### The Liar

President Clinton set a new low in presidents. He was a liar. Over and over he was a liar: when he said he hadn't perjured himself; did not conceal evidence; did not conspire to intimidate witnesses; that all these things were just personal mistakes; that the raw files on 900 Republicans was not for the purposes of blackmail; that those files came to the White House by mistake; that Hillary did not benefit from the guaranteed commodities trading transactions; that this was not a bribe; that he did not receive millions of campaign dollars from China; that he did not personally intervene to aid the transfer of military technology to China (to use against the U.S.); that these two actions were not connected. Well, you can add to the list for me.

price controls have never worked. And that includes rent controls.

The recent power shortages were caused mainly by price controls. Nixon made everyone feel good with price controls. But not for long. The price-controlled stuff quickly disappeared from the market, replaced by "new" models, which were not price-controlled, and cost a lot more.

The more that the government meddles with markets, the more they mess them up. Rent controls have resulted in millions of buildings being destroyed. Drive the Cross-Bronx Expressway sometime to get the picture.

Competition brings us the best products at the lowest prices. Don't mess with it.

Then, along come monopolies, which give us bad products at high prices. Like the post office. Monopolies stifle innovation and defraud the customer.

Look at what happened to telephones when the government broke up the Bell monopoly. Before that we had very little choice of instruments. There were no cell phones, no answering machines, touchtone "dialing," wireless phones, and so on. Bell minions installed every phone and we weren't permitted to mess with the wires. We couldn't attach anything to their wires. We couldn't buy the phone instruments, we had to rent them from Bell. And ask any old-timer about long distance rates! We didn't make long distance calls unless it was an emergency, and then we went to the nearest Western Union or Postal Telegraph office and sent a wire. A ten-word wire that was delivered by boys on bicycles.

attend these government institutions. In NYC's inner-city schools the schools spend \$8,000 a year per student, and half of the students never make it to graduation. Parochial schools in the same areas spend about \$3,500 and nearly all graduate and most go on to college.

Look at the AMA's medical monopoly. We have, as a result, the most expensive so-called health care in the world and, according to the Department of Health, less than 2% of us are truly healthy.

Wow, are we suckers to put up with this baloney!

Then there's our post office with its government-guaranteed monopoly. While the prices on everything else have been dropping, we've just had another postal increase. If you could get your congressman to have the guts to get rid of that monopoly we'd see the cost of sending letters dropping. Sure, we might have to standardize envelope sizes and print the labels on our computer printer to get the 10-cent price.

Meanwhile, more and more of us are using E-mail.

any movement to educate school shrinks and social workers on the subject. These people pay no price for being wrong, so they've no interest in educating themselves. It's just the kids and the parents who have to pay the price for this drug madness.

### **Genetic Engineering**

The usual shrill, uneducated, but vocal groups are crying out against the rash of genetic engineered foods that are being produced. The Europeans, particularly, are very upset over Frankenfoods.

It's interesting that the first independent, non-industry-sponsored study of the effect of these foods on animals was made public three years ago. Arpad Pusztai, the researcher at Rowett Research in Aberdeen, Scotland, reported his findings on British TV.

He reported that rats fed gene-modified potatoes had substantial organ damage, a thickening of the small intestine, and poor brain development. The result was a public furor. Rowett's director, Philip James, quickly fired Pusztai, said the research didn't exist, broke up his research team, seized the data, and stopped six other similar projects. It then came out that Monsanto, a leading U.S. biotech firm, had given Rowett Institute a \$224,000 grant. Lancet, the British medical journal, published Pusztai's peer-reviewed paper supporting the research. What about the FDA? What do you think? Their stated view is that biotech-engineered foods are about the same as any other foods and thus are not required to be tested before being put on the market. The biotech firms are doing everything they can to make sure Congress doesn't require biotech engineered foods to be labeled as such. Not that people who are buying stuff from the giant food companies can avoid

### Competition

Barnum was sure right about suckers, only he vastly underestimated the sucker population. Politicians, who are experts in sucker manipulation, have been taking advantage of people's gullibility for thousands of years.

Case in point is the golden glow of price controls. Whee, those greedy businessmen are going to be forced to sell us something at a lower price than competition dictates. Never mind that in all of history Have rent controls helped low income families? Surveys have shown that they're quickly taken over by higherincome families, who pay the lower-income families a premium price to move.

Another beautiful example of a monopoly providing bad products at premium prices is our public school system. Our kids are forced by law to

### What's It Take?

The Medical Mafia is at it again! According to USA Today, schools and courts are putting pressure on parents to drug their children with Ritalin or have them taken away from them under charges of child neglect. All it takes is for school officials to diagnose a child as suffering from "attention deficit hyperactivity disorder" (ADHD). And never mind the causes ... such as boredom with the unchallenging schoolwork. Or, far more likely, being fed a highsugar breakfast of sugarcoated cold cereal or pop tarts.

And also never mind that all of the anti-depression drugs such as Ritalin, Prozac, Zoloft, Paxil, and so on have welldocumented histories of causing manic behavior. Every one of the school shootings has involved kids on these drugs, usually forced on them by the school authorities.

There doesn't seem to be

Continued on page 33

Henryk Kotowski SMØJHF Sibeliusgången 28 XI SE-164 77 Kista Sweden

# Travels with Henryk — Part 13

Borneo hams strut their stuff.

Borneo is one of the largest islands located on the Equator in Southeast Asia. The island is shared among Malaysia, the Sultanate of Brunei, and Indonesia. The Malaysian part is called East Malaysia and consists of two states: Sarawak (9M8) and Sabah (9M6). A few islands off the coast of Sabah count as the Spratly Islands, and the prefix 9MØ is used there.

arrived in Sabah by air to Kota Kinabalu. The city has grown immensely since it was totally deNext morning, I met Ralph DK3GH (Photo B), who was revisiting Hillview Gardens. I stayed in a small bungalow (Photo C) surrounded by antenna towers. The radio room is in the main building now, but initially it was in this bungalow. There are a few operating positions for HF and one for 50 MHz. They even have a 50 MHz beacon. The main station consists of a modern Icom transceiver and a mediumpower linear amplifier (**Photo D**). Exactly how many antennas there are is hard to tell (**Photo E**). The main tower carries large arrays for the 40- and 20-meter bands (**Photo F**), as well as a 2m FM repeater antenna. A good Internet connection is available, and the club has an informative Web site at [www.qsl.net/9m6aac].

stroyed during WWII. This area was called British Borneo until the '60s, and the city was called Jesselton then. At the airport I was met by Doris 9W6DU and Alfons 9M6MU (**Photo A**). We drove almost 100 miles to Hillview Gardens, a hotel combined with an amateur radio club.

Another visitor arrived at 9M6AAC a few days later. Barry VK2BJ came




**Photo A.** Doris 9W6DU and Alfons 9M6MU at the Kota Kinabalu airport.



Photo B. Ralph DK3GH and Alfons 9M6MU at Hillview Gardens.

30 73 Amateur Radio Today • June 2003



**Photo C.** A few antennas are visible in this view of the 9M6AAC club station at Hillview Gardens.




Photo D. Doris 9W6DU at the 9M6AAC microphone.




Photo E. More antennas of 9M6AAC.




Photo F. The main tower of the 9M6AAC club station. 73 Amateur Radio Today • June 2003 31




Photo G. Alfons checking E-mail while Barry VK2BJ looks on.



Photo I. QTH and antenna of Phil 9M6CT.




Photo H. After the contest, Barry VK2BJ gets a relaxing massage at the local beauty parlor.




Photo J. Butternut vertical attracts snakes at 9M6AAC. (A different kind of tuning loop?)





Photo K. Another ham from Keningau — John 9W6JS.

32 73 Amateur Radio Today • June 2003



here from Sydney, Australia, mainly for the Commonwealth Contest. When the contest was over, he E-mailed the logs to the QSL Manager Bob N2OO and the contest sponsor (Photo G). They have good facilities in Borneo and a good massage is available after a contest. I went to downtown Keningau, the nearest town to Hillview Gardens, with Barry, and he was treated to a relaxing half an hour in a beauty parlor (Photo H). The Hillview Gardens club is obviously very often on the air. Apart from paying guests there are a few local operators. Yani YBØUS from Jakarta looks after the antennas and the equipment, and of course spends much time on the air, sometimes as 9M6US. Phil 9M6CT, who moved from Hong Kong where he was VS6CT for years, is here. He now lives in Kota Kinabalu (Photo I) and often drops in to Hillview Gardens. There are other visitors, not so much welcome, like snakes that get tangled up in some antennas (Photo J).

The number of amateur radio operators is growing in Sabah. While we were looking for a component, Alfons 9M6MU introduced me to John 9W6JS (**Photo K**) in Keningau. Another active ham in this area is Elvin 9M6EL, who has a tall antenna tower on the outskirts of the town (**Photo L**).

There have been hundreds of amateur radio visitors from all over the world at Hillview Gardens and 9M6AAC since the grand opening in 1997. The Hillview Gardens club is a joint project with many people involved. Most of the equipment has been donated by individuals and companies. I strongly recommend visiting this place if you want to experience both exotic environment and equatorial propagation — not to mention the great hospitality of Doris and Alfons. In Nov. 2001, the annual SEANET Convention took place in Sabah in cooperation with the Hillview Gardens ARC.

Photo L. Antenna of Dr. Elvin 9M6EL.

### NEVER SAY DIE

### continued from page 29

genetically engineered ingredients, since 70% of our processed food now uses 'em.

### **Housing Shortage**

Proof #2,726,975 that the government makes a mess of everything it does is the housing shortage (translated: incredibly high home prices and rents) in San Mateo. The recent census showed that the housing supply there has grown half as fast as the population. Big surprise? Sure, with over two-thirds of the county off-limits for building anything. Naturally the "concerned citizens" are in favor of preserving both "open spaces" and "affordable housing."

We have the same kind of stupidity concentrated in state legislatures all around the country ... including a deadly concentration somewhere near Baltimore.

Open space preservation plus building

height limits guarantee that more and more people will have to commute to work from an hour or so away. And we wonder about road rage on California's clogged freeways ... and their high traffic death toll.

The recent electric blackouts have almost caused some of the vigorous opponents to the building of generating plants in general, and nuclear plants in particular, to start thinking. Almost. No, hey, let's just put a ceiling on the electricity prices by law ... that'll keep prices low. It will also keep the supply low.

Well, if the electric companies can't supply low-cost electricity when they're not permitted to build new generating plants, let's have the government take them over. Yep, that's what we're hearing from environmental activists and some movie stars.

Why am I reminded of New York City's 34th Street convention center? Donald Trump offered to build it for \$200 million, and to absorb any cost overruns. The city turned him down and did it themselves. The total cost was over \$1 billion, and they forgot to build any parking space for visitors.

Then there's the billions in cost overruns on Boston's Big Dig, which are so astronomical that all anyone can do is laugh.

If Congress would remove the Post Office's monopoly on mail, experts have estimated that privatization would lower postal costs by at least 50%, and more likely 70%. If you want something done over budget, over schedule, and poorly, let the government do it. A visit to Russia gets that message home in a hurry.

### Lying?

If you're interested in the Flight 800 crash, check [http://worldnetdaily.com/ news/article.asp?ARTICLE\_id=26266], wherein someone on the deck of a Navy submarine very close to the crash site saw TWA 800 shot down.

Continued on page 62

Paul C. Florian KC5MFY 1300 N. Redbud Blvd. Apt. #247 McKinney TX 75069-3355

# Reverse Breakdown Voltage Measurement Adapter

Build this simple project for your bench.

The circuit shown in **Fig. 1** is the schematic for a Reverse Breakdown Voltage Measurement Adapter. Many times it is necessary to determine the breakdown voltage of a semiconductor. A reverse-biased P-N junction conducts current when its reverse breakdown voltage is exceeded. For a regular diode, this is the same as the peak inverse voltage (PIV).

B ipolar junction transistor reverse breakdown voltages can also be measured with this device. Furthermore, a zener diode's breakdown voltage can be measured. If the current through the device under test (DUT) is limited during reverse bias, the junction voltage drop remains relatively constant.

Reverse breakdown voltage is read directly from the meter. When testing reverse bias diodes, a display of 5.1 V denotes a 5.1 V zener diode. Similarly, a display of 75 V represents a 75 V zener diode. When measuring these voltages, remember that the diodes usually have a  $\pm$  5% or  $\pm$  10% tolerance. The zener diode voltage is dependent on the current through the device. The reverse breakdown voltage measurement adapter described here has a short-circuit test current of approximately 10 mA. If the rated operating current of the zener is greater than 10 mA, the measured zener voltage will be incorrect.

This design will test zener diodes from 5.1 V to 75 V. A multimeter set on DC volts is plugged into the unit along with the DUT.




Fig. 1. Schematic of a Reverse Breakdown Voltage Measurement Adapter. 34 73 Amateur Radio Today • June 2003

### Description

The reverse breakdown voltage




Photo A. Front view.




Fig. 2. 1x PCB artwork.

measurement adapter is composed of two basic parts. The first is a +125 VDC power supply. The second is a 10 mA current source that is connected from the +125 V to the DUT. The other terminal of the DUT is connected to ground. T1 is a 1k to 8 ohm audio transformer. This transformer is used in reverse (the 8 ohm winding drives the 1k winding instead of vice versa).

This allows T1 to generate +125 V at its 1k to center-tap winding. This center tap is connected to ground. The voltage at the green wire of T1 is 180 degrees out of phase with the red to white winding. The feedback drives the base of Q1 through C2. Q1 provides an additional 180 degrees of phase shift, causing a 360 degrees total phase shift along with a loop gain greater than 1.

This results in sustained oscillation (with some clipping). R1 is necessary to start the oscillator. D1 protects the base of Q1 from negative high voltages. D2 and D3 form a full-wave rectifier with

Part	Description	P/N
R1	1k 1/4W 5%	
R2	27k 1/4W 5%	
R3	100Ω 1/4W 5%	
C1	100µF 35V electrolytic	
C2	10nF	
C3	100nF 250V film	1.00
Q1	TIP31	
Q2, Q3	MJE340	Mouser 511- MJE340
D1, D2, D3	1N4007	
T1	Audio transformer 1k CT to 8Ω	Radio Shack 273-1380
S1	N.O. push-button	
Case		Radio Shack 270-1803
Red tip jack		Mouser 530- 105-0802-1
Black tip jack		Mouser 530- 105-0803-1
Red banana jack		
Black banana jack		
9V battery holder		
9V battery clip		151513 m
9V battery		
2-sided adhesive tape		
Hookup wire		
Black test cable	Black banana plug to alligator clip cable	
Red test cable	Red banana plug to alligator clip cable	




Table 1. Parts list.

73 Amateur Radio Today • June 2003 35

Fig. 3. Component placement diagram.




Fig. 4. Drill template: (a) top template, (b) front template, (c) right side template.

board (PCB) artwork for the tester. Component placement is given in Fig. 3. Part values are referenced in Table 1. First, install the resistors and diodes in the PCB. Then mount the capacitors and transistors. Note that Q2 and Q3 are facing opposite directions. For proper mounting, examine the pin designations of the MJE340 in Fig. 5 and the emitter (E) marking in the compoplacement nent diagram in Fig. 3. After Q2 and Q3 are installed, mount the transformer to the circuit board




Fig. 5. Transistor designations.

holes in the case as shown in **Fig. 4**. Solder six inches of red wire to J1 and six inches of black wire to J2. Then, mount these connectors in the appropriate holes in the case. Mount J3 and J4 to their holes in the lid. Examine **Fig. 3** for the connections of the test jacks. Solder the red wire attached to J1 to J3.

Next, J3 is connected to the DUT + pad with a six-inch piece of hookup wire. Solder the black wire attached to J2 to J4. J4 is then connected to the DUT (-) pad of the circuit board with another short piece of wire. The +9 V pad is soldered to one terminal of the push-button switch S1, and the other terminal of the switch goes to the red wire of the 9 V battery snap. The black wire of the battery snap is attached to the GND pad of the circuit board. Finally, mount S1 to the case. The 9 V battery holder is attached to the reverse side of the lid near the lower part of the case with two-sided adhesive tape. Snap on the

reference to T1's center tap. The output voltage of D2 and D3 is filtered by C3. Q2, Q3, R2, and R3 form a current source with a short circuit current of 10 mA. The current source allows the testing of reverse breakdown voltages without having to constantly change a series resistance for a given test current.


#### Construction

Fig. 2 shows the 1x printed circuit

by inserting T1's

mounting tabs into the PCB and then bending them at right angles. Pads on the PCB are marked RED, WHT, BLU, BLK, and GRN (refer to **Fig. 3**). T1's color coded wires are soldered to each corresponding solder pad.

Obtain a 1x copy of the drill templates shown in **Fig. 4**. Cut them out and tape to the case. Next, mark the location of the holes with a punch. Remove the patterns and then drill the



*Photo B. Inside view.***36** 73 Amateur Radio Today • June 2003




Photo C. Test leads.

battery connector and install the battery into its holder.

#### Testing

To improve safety, it is suggested that a resistor of 1 megohm be placed across capacitor C3 to function as a bleeder.

To test the circuit, attach a voltmeter across capacitor C3 and press S1. The meter should read approximately +125 V. If there is no voltage across C3, verify the correct attachment of T1's colorcoded wires to their respective circuit board pads.

Also, check the correct installation of Q1 and D1.

Note: Because transformer color coding varies by manufacturer, proper phasing may be achieved by reversing a pair of colored leads, e.g., RED-WHT or BLU-GRN.

Once C1 has a charge of +125 V, the current source can be tested. Plug a voltmeter into J1 and J2.

To connect the DUT to the reverse breakdown voltage measurement adapter, either purchase or construct two test leads. One test lead has a red banana plug and alligator clip, while the other test lead has a black banana plug and alligator clip. Insert the red banana plug into J3 and insert the black banana plug into J4. Clip a 1k resistor between the alligator clips. After S1 is pressed, the meter should read between 8 V and 10 V. This voltage drop corresponds to a current of 8 to 10 mA, thus verifying the operation of the current source. If the voltage drop is too high or is zero, there may be a problem with the correct installation of Q2, Q3, R2, and R3. Once the adapter is operational, mount the circuit board to the inside of the case using small self-tapping screws. Then attach the lid with the four screws provided with the case.

clip to the cathode (black band of the diode) and connect the black alligator clip to the anode.

Then press S1 and observe the meter. The zener voltage can be read directly from the meter. If the meter reads +125 V, then the reverse bias voltage is greater than this instrument can measure. This may occur if the DUT is not an actual zener diode, but a regular diode with a peak inverse voltage (PIV) greater than +125 V.

The unit will also measure forward voltage drops for any diode. In this case, the red clip is attached to the anode of the DUT and the black clip is attached to the cathode (black band). Pressing S1 will send 10 mA through the DUT, and the meter will show the forward bias voltage drop for the diode being tested.

## **TRANSMITTER LOCATION**

New fixed site direction finders provide 2 degree accuracy, and include software for triangulation from a central control site. Mobile versions also available covering 50MHz to 1 GHz

#### **Doppler Systems Inc.**

PO Box 2780 Carefree, AZ 85377 Tel: (480) 488-9755 Fax: (480) 488-1295 www.dopsys.com

European Marketing Director Denis Egan PO Box 2, Seaton, Devon EX12 2YS England Tel & Fax: 44 1297 62 56 90

#### Operation

Set the multimeter to read DC volts. Verify that the meter is plugged into the tip jacks, J1 and J2. Be sure that the banana plugs with alligator clips attached are plugged into J3 and J4.

To measure the breakdown voltage for a zener diode, attach the red alligator This device can also be used to determine various properties of bipolar junction transistors (BJTs).

For NPN transistors, use the following instructions to measure the reverse breakdown voltages. In order to read the collector-emitter breakdown voltage (Vceo), clip the red test lead to the collector and the black test lead to the emitter of the BJT. When S1 is pressed, the collector-emitter breakdown voltage will be displayed.

To measure the emitter-base breakdown voltage (Vebo), clip the red lead to the emitter and the black lead to the base. Press S1 and read the result from the meter.

The collector-base breakdown voltage (Vcbo) can also be measured by connecting the red lead to the collector and the black lead to the base. Next, press S1 and examine the meter for the result. To determine the breakdown voltages for PNP transistors, measure similarly to the NPN transistors, except switch the polarity of the test leads.

Remember, the circuit can only measure reverse breakdown voltages of +125 V or less. Have fun building and operating the reverse breakdown voltage measurement adapter!

## to 73 Magazine

Only \$24.97 — 1 year \$44.97 — 2 years \$65.00 — 3 years\*

\*best buy (54% off cover price!) Call 800-274-7373


## 73's DX Dynasty Award

This is the current list of DXDA award winners. The DX Dynasty Award is the most enjoyable DX award around. Any correspondence concerning DXDA should be addressed to DXDA, c/o 73 Magazine, 70 Hancock Rd., Peterborough NH 03458, USA.

BASIC AWARD -	57. N6IV	117. IKIIYU	177. N7CNH	237. OZ9BX	297. NØIDT
100 COUNTRIES	58. KN8D	118. N6GCN	178. PY3IO	238. KB4HBH	298. KAIFUE
WORKED	59. KC5YQ	119. KB1AF	179. YBØZCA	239. KA3RWP	299. KD7EO
	60. WB6ITM	120. KB8BHE	180. YBØAF	240. NJ1T	300. JH8MWV
1. W1RFW	61. KA2AOT	121. KE2CG	181. VE3PQB	241. W4DCG	301. KB8ICD
2. WB2DIN	62. K4LHH	122. VS6CT	182. W2SV	242. YCØRX	302. JA1CKE
3. KT1A	63. VE2QO	123. G3IZQ/W	183. N1ADE	243. VE7OJ	303. N3GEE
4. W3FDU	64. KE5AT	124. WB6FNI	184. WP4AFA	244. AA4W	304. JA5MG
5. KA9JOL	65. W9SU	125. KAØIAR	185. KS7V	245. N9GMM	305. KA1FTU
6. WB1BVQ	66. W3OOU	126. K9SM	186. W2OFB	246. KB4HBH	306. WA8KMI
7. NW70	67. NR2E	127. W6BCQ	187. G4ASL	247. KM4HF	307. N2IBW
8. AK4H	68. KF5PE	128. KA5MSL	188. N5JUW	248. CE1YI	308. N4THE
9. W3HCW	69. N3FBN	129. WB4FLB	189. KA8WAS	249. KA1FVY	309. N3CYD
10. KZ2W	70. KB4SJD	130. N7GLT	190. 5NØWRE	250. N2GVB	310. JA4TF
11. K9FD	71. N3EZX	131. WAØX	191. AA4IP	251. N2DAO	311. W6YLL
12. WD5N	72. IK8GCS	132. KF4GW	192. JR5KDR	252. WF8E	312. WA1S
13. KA9TNZ	73. WB4I	133. N4QGH	193. KD2WQ	253. YBØHZL	313. KC5WA
14. K9GBN	74. NG1S	134. VE1CBK	194. KA3NIL	254. N5MBD	314. N6WK
15. N5GAP	75. WB7UUE	135. 7J1AAL	195. WA8YWK	255. N4SNS	315. PY4OY
16. WB3FMA	76. HK4EB	136. K6ICS	196. VEIACK	256. KA3TGY	316. KG7BO
17. NN6E	77. KØBFR	137. NZ7W	197. HP2XVB	257. JN3XLY	317. WB3FQY
18. AL7HG	78. N7GMT (KF7SH)	138. WBØN	198. WB5KYK	258. N4DUV	318. WCØA
19. N6CGB	79. AA4VN	139. WC7F	199. N5JUJ	259. KA9MRU	319. VE4AMU
20. KI6AN	80. KAILMR	140. F6IFE	200. N4OBJ	260. KA4OTB	320. YCØMC.
21. K9JPI	81. N8AXA	141. KL7N	201. 9Q5NW	261. N4JED	321. WA3LEU
22. N4WF	82. NM2I	142. KE8LM	202. KW2D	262. AB4KA	322. KB2GLO
23. K6PKO	83. KD9YB	143. WA6YOO	203. VE1HA	263. WA70ET	323. OZ1FNX
24. KW7J	84. HC2CG	144. VE2MFD	204. HP8BSZ	264. KA3RVH	324. K6GCF
25. VE6JO	85. VE1BXI	145. N3APQ	205. IK8JJQ	265. CE7ZK	325. KC4PCX
26. WA4IUV	86. YC20K	146. HK1DBO	206. YC3DKN	266. NI9J	326. KA7EXE
27. W4ZFE	87. N4GNL	147. NM3V	207. I3VKW	267. WB9PTN	327. DK9EA
28. N4KMY	88. GM3UBF	148. IK6GFY	208. K2EWA	268. KB8DAE	328. HL5AP
29. WØHBH	89. 5Z4BP	149. WB6UAN/M	209. KD3CR	269. WØCL	329. SM7BRC
30. K8KJN	90. IØAOF	150. NK6Z	210. N9GDG	270. WB7VUB	330. ON6DP
31. KGIV	91. VE1BN	151. KB6IUA	211. KF8K		Contraction of the second second
32. K1KOB	92. KA2NRR	152. W90KH	212. FD1BEG	271. JF6TUU	331. WA3KK0
33. KY3F	93. 5Z4DU	153. WB5FXT		272. ZY3IO	332. KB9ABI
34. PY2JY	93. 524D0 94. KB8ZM		213. DUIDZA	273. KB4VIR	333. DA2UI
35. YB5BEE	95. HK4CCW	154. NB3E	214. N8IMZ	274. OE6CLD	334. SMØBNI
36. YB5BEH	96. W2JQ	155. N2ESP	215. KK4YA	275. N7JJQ/DU3	335. WA2BM
37. WB9SBO	90. W2JQ 97. HC2AGT	156. YU2EJU	216. LUIJDL	276. KK4FB	336. WAØQIT
38. NØAFW	98. WD5N/M	157. OZIDXX	217. KA8YYZ	277. DUIAUJ	337. 5Z4BH
39. KA9MOM	and the second	158. IK5IIU	218. KA4TMJ	278. K2EWB	338. KB9ALG
	99. VEIBHR	159. KAIION	219. WA9DDC	279. NI5D	339. OA4ANE
40. N3II 41. W6DPD	100. VE1AGZ	160. KD3AI	220. YIICIS	280. N2JXC	340. OD5ZZ
	101. K5AOB	161. OKIAEH	221. YC3FNL	281. NØIWT	341. VE3ZD
42. KE8GG	102. KW2D	162. W9LCR	222. GØFWG	282. WB3BDH	342. LU2ATR
43. VE6VK	103. PY3ARZ	163. 8P6SH	223. KV4B	283. KICVF	343. HL5FRG
44. KD9RD	104. WB4ETD	164. KA6SPQ	224. N5IET	284. KA3CXG	344. UB5LRS
45. W4WJJ	105. N2FPB	165. ZF2KH	225. WA9WIG	285. KAISPO	345. N1ICC
46. KØHSC	106. KD3CQ	166. W6MVV	226. N3CDA	286. WA4NWT	346. UY5XE
47. KI6GI	107. K4NNK	167. JA8CAQ	227. KE6KT	287. KJ4OI	347. PS7AB
48. IKIAPP	108. VU2DNR	168. KI6WF	228. IK7DBB	288. KA3UNQ	348. IK4NPC
49. KJ4RR	109. AA5BE	169. K2MRB	229. JY5EC	289. WB2VMV	349. KD1CT
50. K8MDU	110. PY3OG	170. AA6GM	230. N1ETT	290. KD4MM	350. DU1CHI
51. NIEIU	111. VE4ACF	171. JAØSU	231. PY2DBU	291. OE3DHS	351. UB4WZ/
52. KIDRN	112. VE4SI	172. NU8Z	232. I8IYW	292. KD9HT	352. LU3CF
53. WD8REC	113. PJ2KI	173. GØGRK	233. NØISL	293. DL80BC	353. G7AZP
54. ZL2BLC	114. WB4CKY	174. YB8VM	234. KC4BEB	294. G3KVA	354. VE5AAD
55. VE3EFX	115. W6EQB	175. DVIBRM	235. WA7QQI	295. WA4NEL	355. IK3ITX
56. W9MCJ	116. KK4IY	176. WØTU	236. KAIRJG	296. KA4VZO	356. SM4SEF

38 73 Amateur Radio Today • June 2003

357. N9CPK	428. WØUHL	40. KD2WQ	120. LU5EWO	21. KB8DAE	10. N7GMT
358. VE2JWK	429. N4WJV	41. VEIACK	121. 5W1GC	22. K2EWB	11. KD3CQ
359. N7JXS	430. LU5DSE	42. N5JUJ	122. JA7JI	23. KD3CQ	12. KB8DAE
360. KO4VO	431. HS1NGR	43. 9Q5NW	123. W5RUK	24. KD4MM	
361. JE1GWO	432. DUISAN	44. KB8BHE	124. LU3OJZ	25. KD9HT	14. PY4OY
362. JM2DRM	433. 4X/G3WQU	45. I3VKW	125. ON4BCM	26. KA4TMJ	15. VE1RJ
363. IK1SLE	434. K3BSA	46. KD3CR	126. WØUHL	27. N7GMT	16. 5Z4BH
364. JF7QUE	435. CP8AK	47. N8IMZ	127. N4WJV	28. JA4TF	17. N2BI
365. HL5BUV	436. K8IHQ	48. GØFWG	128. LU5DSE	29. K2EWA	18. 1750156
366. VE3GLX	437. JA7NUZ	49. N2FPB	129. VOIUL	30. WA1S	19. VE6AML
367. N7QXQ	438. HL5FXP	50. KE6KT	130. DUISAN	31. PY4OY	20. KB8ZM
368. JE6KLR	439. N9PM	51. OZ9BX	131. 4X/G3WQU	32. ON6DP	21. LU5EWO 22. JA7JI
369. KK6JY	440. K9UQN	52. NJ1T	132. K8IHQ	33. VE1RJ	22 WSDUK
370. N2BI	441. WA7SNY	53. CE1YI	133. K9UQN	34. WA3KKC	24 WOULT
371. KK4XL 372. JA3SSB	442. HL5YAW 443. DS5WQT	54. YBØHZL 55. JN3XLY	134. WA7SNY	35. WAØQIT	25. K9UQN
373. KBØADI	444. JH7GZF	56. KA9MRU	135. HL5YAW	36. 5Z4BH	26 NOCM
374. 11-50156	445. K6CIL	57. CE7ZK	136. K6CIL 137. WA8NPX	37. HL5FRG 38. JAI-2Ø76	
375. VU2SMN	446. JK1QJE	58. KB8DAE	137. WASNEX 138. WA9MTP	39. VE6AML	300 COUNTRIES
376. EA6AAK	447. WA8NPX	59. K2EWB	139. JA8HIO	40. LU5EWO	ENDORSEMENT
377. N3IHS	448. WA9MTP	60. NI5D	140. N9GM	41. 5W1GC	
378. N8MOT	449. DK6AP	61. KD3CQ	140.1490M	42. JA7JI	1. WB2DIN
379. KB2NEK	450. DK6YY	62. KA4OTB	200 COUNTRIES	43. W5RUK	2. IK8GCS
380. PY2DBU	451. JA3BKP	63. WB2VMV	ENDORSEMENT	44. LU3OJZ	3. K2EWB
381. WA2CKP	452. JA8HIO	64. KD4MM		45. WØUHL	4. K8MDU
382. WB2PPN	453. JH1REP	65. KD9HT	1. N3II	46. N4WJV	5. N/GMT
383. JA1-2Ø762/BV	454. W9HBF	66. KA3NIL	2. WB2DIN	47. VO1UL	6. WA1S
384. AB4ZD	455. N9GM	67. NØ1DT	3. K9FD	48. DUISAN	7. PY4OY
385. YC8EMH	The second s	68. KA1TFU	4. IK8GCS	49. K8IHQ	8. KD3CQ 9. VE1RJ
386. WA8RLB	150 COUNTRIES	69. KA4TMJ	5. NØAFW	50. K9UQN	10. UY5XE
387. N5VWM	ENDORSEMENT	70. JA4TF	6. WB1BVQ	51. WA7SNY	
388. VE7SKB		71. KA3UNQ	7. VE4ACF	52. N9GM	12. VU2SMN
389. KB4BCC	1. WB2DIN	72. KB8ZM	8. KI6GI		13. JA7JI
390. VE7GSE	2. N4WF	73. K2EWA	9. N6GCB	250 COUNTR	
391. YC8BWN	3. N6GCB	74. WA1S	10. K8MDU	ENDORSEM	ENT 15. LU5EWO
392. KN6ER	4. K9FD	75. PY4OY	11. YU2EJU		16. WB2VMV
393. KD1CJ	5. NØAFW	76. WCØA	12. KE8LM	1. WB2DIN	
394. G2BFO	6. N3II	77. OZ1FNX 78. KA7EXD	13. WD5N	2. IK8GCS	350 COUNTRIES
395. KB7ROK 396. VK2EQ	7. WB1BVQ 8. KA2AOT	79. ON6DP	14. F6IFE	3. WD5N	ENDORSEMENT
397. 4X4-2175	9. KI6G1	80. VE1RJ	15. 5NØWRE	4. K8MDU	
398. JE1BGL	10. N7GMT	81–89. Omitted	16. KE2CG	5. KE2CG	1. WB2DIN
399. KF2LC	11. IK8GCS	90. N6WK	17. I3VKW	6. CE1YI	2. PY4OY
400. WV2X	12. IK1APP	91. WA3KKO	18. CE1YI	7. CE7ZK	3. UB4WZA
401. LU5EWO	13. VE6JO	92. KB9ABI	19. W6BCQ	8. K2EWB 9. KD9HT	4. JA7JI 5. KD3CQ
402. WAØCLR	14. VE4ACF	93. SMØBNK	20. CE7ZK	9. KD9111	1 J. KDSCQ
403. VO1UL	15. WB4I	94. WAØQIT		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
404. VE6AML	16. IK1IYU	95. 5Z4BH			
405. WD4REX	17. KE2CG	96. OA4ANR	In the second	A DESCRIPTION OF THE OWNER.	
406. WAØCLR	18. G3IZQ/W1	97. OD5ZZ		E	Beautifully hand-polished.
407. VE3VJC	19. WB6FNI	98. VE3ZD			Newwood business and
408. WA1MKS	20. K8MDU	99. HL5FRG	100	1 1000 1	Stamped brass case and
409. JH6FHJ	21. VE6VK	100. UB5LRS	11 12 1	S TEN AL COLOR	pezel.
410. JE9EMA	22. KB6IUA	101. PS7AB			Curved glass crystal.
411. WK8X	23. WB5FXT	102. KD1CT			Nall or bulkhead mounting.
412. TI2YLL	24. YU2EJU	103. DUICHD		3	ran or banaroad mounting.
413. KP4WN	25. IK5IIU	105. IK3ITX		4 1 1 1 N	Made so well they last from
414. KD6MOS	26. KE8LM	106. VE2JWK	5	g log g	generation to generation!
415. KI7CM	27. KAIION	107. N7JXS	Con 6 con		Order this month and source
416. JH1IED	28. KA6SPQ	108. JM2PRM 109. HL5BUV			Order this month and save
417. JN6MIC	29. W6MVV 30. JA8CAQ	110. VE3GLX		3	\$20!
418. BU7FC 419. DL1EMO	31. KI6WF	111. KK6JY	Chelsea C	lock	Your price \$75
420. KD4TWP	32. JAØSU	112. EA6AAK			
421. 5W1GC	33. WD5N	113. N3IHS	Clockmakers si	nce 1897	Omega Sales
422. JA7JI	34. W2SV	114. WA2CKP	The choice of T	The Coast	
423. W5RUK	35. W6BCQ	115. VE6AML	Guard Foundatio	n.	P.O. Box 376
424. LU30JZ	36. F6IFE	116. WAØCLR			laffron NILL 02450
		117. WAIMKS	Quartz Clo	ock	Jaffrey NH 03452
425. WD4OHD	37. VE2MFD	117. WAIMAS			
425. WD4OHD 426. 7L1MFS	37. VE2MFD 38. WP4AFA	117. WAIMINS 118. KD6MOS	4" Dial		1-800-467-7237



## CALENDAR EVENTS

Listings are free of charge as space permits. Please send us your Calendar Event two months in advance of the issue you want it to appear in. For example, if you want it to appear in the September issue, we should receive it by June 30. Provide a clear, concise summary of the essential details about your Calendar Event.

#### JUN 1

QUEENS, NY The Hall of Science ARC Hamfest will be held at the New York Hall of Science parking lot, Flushing Meadow Corona Park, 47-01 111th St., Queens NY. Doors open for vendors to setup at 7:30 a.m. Buyers admitted at 9 a.m. Free parking. Door prizes, food and refreshments. VE exams at 10 a.m. For VE info contact Lenny Menna W2LJM by calling 718-323-3464, or E-mail [LMenna6568@ aol.com]. Admission by donation: buyers \$5, sellers \$10 per space. Talk-in on 444.200 rptr. PL 136.5, and 146.52 simplex. Visit the Web site at [www.qsl.net/hosarc]. For more info call at night only, Stephen Greenbaum WB2KDG, 718-898-5599. E-mail [WB2KDG@arrl.net].

#### JUNE 7

BANGOR, ME Bangor Hamfest at Hermon High School, Hermon, Me. Time: 8 a.m. to 1 p.m. Admission, \$5.00. Tailgaters, \$5.00. dm. Directions: Interstate 95 to Exit 44 North to Rte #2, left on Rte #2 West for 1-1/2 miles to High School. From Newport, East on Rte #2 to Hermon Corner, then 1/2 mile east on Rte #2 to High School. Talk-in Freq. 146.34/94. Simplex 146.52. Grand Prize drawing At NOON. Must be present to win. Programs: ATV, APRS, ARES/RACES DEMO, TRAFFIC HANDLING, PSK 31, VINTAGE RADIO, ECHO LINK, FOX HUNT, GEOCACHING. Club Web site: [www.n1me.com]. Contact Person: Roger 207-848-3846; Dole, W. E-mail: [rdole@hermon.net].

Fairgrounds, Wheaton IL, west of Chicago, at 2015 Manchester Rd., north of Roosevelt Rd. (Rte. 38), east of County Farm Rd. Free parking with no extra charge for outdoor flea market space. Donation Auction at 11 a.m., proceeds to ARCI (Radios, test equipment, parts only, no PCs). Overnight RV parking with 110 VAC hookup, advance registration required. Tickets are \$5 in advance, \$7 at the gate. Advance tickets are available from Six Meter Club of Chicago, 7109 Blackburn Ave., Downers Grove IL 60516, or any club member. For more info call the 24-hour InfoLine at 708-442-4961, or see the Web site at [www.qsl.net/ K9ONA]. E-mail [WA9RIJ@mc.net]. General parking is at the west gate. Sellers only at the east gate. Handicap parking at the east gate. Gates open at 7 a.m. Buildings open to the public at 8 a.m. Talk-in on K9ONA 146.52, K9ONA/R 146.37/.97 (107.2 Hz). ARRL VE Exams 9 a.m. to 11 a.m. - call the InfoLine to pre-register for testing. This event will also feature ARRL, AMSAT and dealer displays. Absolutely no alcoholic beverages permitted. No sale of food or beverages in the flea market. All sellers responsible for cleanup of their spaces!

Other activities will include amateur radio demonstrations and exhibits plus a large free product literature area. Concessions are on site. Parking is free and there is handicap access. Talk-in on 147.300, 224.500 and 444.575 linked repeaters plus 53.770 rptr. The Web site is at [*www.W4BBB.org*]. The Radio Amateur Club of Knoxville is also celebrating its 50th Anniversary at the hamfest, and special activities are planned to celebrate this anniversary. For more info contact Radio Amateur Club of Knoxville, P.O. Box 50514, Knoxville TN 37950-0514. E-mail [d.bower@ ieee.org], or call 865-670-1503.

MIDLAND, MI The Midland Amateur Radio Club (M.A.R.C.) will sponsor its 26th annual Hamfest on Saturday June 14, 2003, from 8:00 a.m. until 1:00 p.m. at the Midland County Fairgrounds. Admission is \$4.00 per person, advanced table reservations are available for \$6.00 per 8 foot section, and trunk sale space for \$5.00 per space plus admission. FCC exams will be administered, food will be available. (Friday night camping is available on the fairgrounds.) Location: Gerstacker Fair Center on the Midland County Fairgrounds. Use Entrance off Airport Road. For further information and table reservations: M.A.R.C. Hamfest, P.O. Box 1049, Midland MI 48641-1049, or Bill AB8JF, 989-835-5562, or E-mail: [ab8jf@arrl.net]. Also: Lee KC8ITI, 989-652-6213.

WINSTON-SALEM, NC Setup Fri. night or 6 a.m. Sat.; gates open 6 a.m. to 1 p.m. Sponsor: Forsyth Amateur Radio Club. Dixie Classic Fairgrounds; I-40 to US52 to Akron Dr. ,follow signs to fairgrounds, enter Gate 5 off Deacon Blvd. Fleamarket, tailgating, VE Session. Camping hookups available for Friday night. Talk-In: 146.64 (145.47 B/U). Admission: \$5.00; tables: \$15.00. Raymond Taber KG4NTC, 336-786-8241 or 336-723-7388. E-mail for info: [kg4ntc@yahoo.com]. General info: [http:// www.w4nc.com].

#### JUNE 8

WHEATON, IL The Six Meter Club of Chicago Inc. will hold its 46th Annual ARRL sponsored Hamfest on Sunday, June 8th. This is an allweather location at the DuPage County 40 73 Amateur Radio Today • June 2003

#### JUNE 13, 14

KNOXVILLE, TN The Radio Amateur Club of Knoxville will sponsor its 37th Knoxville Hamfest and Electronics Exposition on June 14th at the Cokesbury Conference Center, 9915 Kingston Pike, Knoxville TN, from 9 a.m. to 4 p.m. ET. General admission is \$6. There will be a special Electronics Exposition and "Sneak Preview" on Friday evening, June 13th, from 6 p.m. to 9 p.m. ET. Admission for Friday activities is by advance hamfest ticket purchase only. The advance hamfest ticket package is \$10 and includes admission tickets for both Friday and Saturday events, plus one free tailgate space. On Saturday, inside dealer tables will be available for \$15 each (8 ft. x 30 in.) and the inside facility is air conditioned and carpeted. Outside tailgating is \$5 per space plus a \$6 admission. The Hamfest will feature forums and clinics on Digital RF Communications, Antennas, CW Operating, The Sun and Solar Activity, Amateur Radio Basics for New Hams, Emergency Communications and Amateur Radio, and a special FCC Forum by Bill Cross W3TN from the FCC in Washington DC. VE exams will be given at 2 p.m. ET with advance registration at 1:30 p.m.

MONUMENT, CO Pikes Peak Amateur Association Swapfest will be held on June 14, 2003, at the Lewis-Palmer High School, 1300 Higby Road, Monument, Colorado (just east of I-25 between exits 158 and 161). Prizes include Yaesu FT-817, Yaesu 8900R, Yaesu VX-1R. Forums, VE session, junk auction. Admission is \$5.00. Contact Dennis NØABC, n0abc@arrl.net. Additional information: Kate Muniz, kcegi@aol.com. Doors open 8:00 a.m. (0600 for sellers).

#### JUNE 15

**CROWN POINT, IN** The Dad's Day Hamfest and Computer Show, sponsored by the Lake County ARC, will be held at the Lake County Fairgrounds, 889 S. Court St. in Crown Point, starting at 8 a.m. June 15th. Talk-in on 147.00 PL 131.8 rptr, or 145.52 simplex. Setup for vendors is at 6 a.m. This event is totally indoors and features commercial vendors, indoor flea market, food and beverages, and walk-in VE exams. You can find more info at [http:// www.qsl.net/w9lj]; or contact Lee via E-mail at [leeraue@msn.com]; or Rich at [paris156@ yahoo.com].

#### JUNE 21

PISCATAWAY, NJ W2QW, the Raritan Valley Radio Club, will hold "Hamfest 2003" at Piscataway NJ High School (NEW LOCATION), near intersection of Old New Brunswick and Behmer Roads. Sellers 6:00 a.m., Buyers 7:00 a.m. - 2:00 p.m. Admission: Buyers \$5.00, Sellers \$5.00 (\$5.00 each additional space). Talk-in 146.625(r), 447.250(r), tone 141.3, 146.520(s). Contact person: Marty Ficke KD2QK@aol.com, 725-968-6911, or Fred Werner KB2HZO, 732-968-7789 before 8 p.m. Raritan Valley Radio Club W2QW Web site: [www.w2qw.org].

#### JUNE 28

HASTINGS, MI The Barry Amateur Radio Assn. Ham Radio and Computer Swap will be held at Charlton Park, 2545 S. Charlton Park Rd., Hastings MI, 8 a.m. to 12 noon. Admission 12 years and up is \$5. Trunk sales spaces \$5. Indoor spaces \$10 each. Talk-in on 146.46 FM. Vendor info E-mail to [field\_day\_swap 2003@yahoo.com], or write to Jack K8YPW, P.O. Box 370, Hastings MI 49058. For VE exam info E-mail Pete N8ZSG at [peted@

of charge. Lots of great door prizes will be available. Many dealers will be there selling amateur radio and computer gear. Demonstrations will also be featured. For inside tables w/elec., E-mail Rick Miskinis N3AGS at [reservations@marc-radio.org], or call him at 610-825-9590. Indoor tables are \$10 each for 1 to 4 tables, \$8 each for 5 or more, in addition to admission. Outdoor tailgate space \$6 per space in addition to admission (not available in advance). Food and beverage sales are to be done by authorized vendors only. For more info please E-mail MARC at [Hamfest-info@marcradio.org], or write to MARC, P.O. Box 2154, Southeastern PA 19399-2154. Info is also available on the club Web site at [http:// www.marc-radio.org]. Talk-in on 146.835(-) MHz and 443.800(+) MHz PL 131.8. Watch for signs directing you to the site.

#### JULY 18, 19

OKLAHOMA CITY, OK The Central Oklahoma Radio Amateurs will sponsor its 30th annual "Ham Holiday 2003" at the Oklahoma State Fair Park, northeast of the I-40 and I-44 intersection, in the Made In Oklahoma building. Doors open 5 p.m. to 8 p.m. Friday, July 18th; 8 a.m. to 5 p.m. Saturday, July 19th. Features: Technical and non technical programs, WAS card check, VE exams, flea market. Pre-registration is \$7, \$10 at the door. Advance flea market tables are \$15, \$20 per table at the door (if available). Electrical hookup \$10. People under 16 years of age are admitted free if accompanied by an adult. Talk-in on 146.82. Additional info and registration forms are available on the CORA Web site at [www.gsl.net/coranews]. Vendors, E-mail [kc5qcv@cox.net] for details. Send preregistration to CORA Ham Holiday 2003, P.O. 265, Ft. Supply OK 73841-0265.

bring original license, copy of license and photo ID. Contact Maurice L. Schietecatte W9CEO, c/o FRRL, P.O. Box 673, Batavia IL 60510. Phone 815-786-2860, or E-mail to [scat42@msn.com]. The Web site is at [http:// www.frrl.org].

WASHINGTON, MO The 41st Annual Zero Beaters ARC Hamfest will be held July 20th, 6 a.m. to 2 p.m. at Bernie E. Hillerman Park in Washington MO. Free parking and free admission. Sandwiches, brauts, refreshments and desserts will be available. Features: Commercial vendors, bingo, ham radio and computer flea market, technical sessions and ham radio demonstrations. Additional info and talk-in on 147.24(+) rptr. Watch for green on white hamfest signs. Registration for VE exams starts at 9 a.m. Walk-ins welcome: limit 30. Bring original license and a photocopy. For exam info SASE to ZBARC VE Exam, P.O. Box 1305, Washington MO 63090. For hamfest info, contact Zero Beaters ARC, P.O. Box 1305, Washington MO 63090; or Keith Wilson KØZH days at 636-629-7368; fax 636-629-0103.

#### JULY 26

CINCINNATI, OH West Side - Saturday, July 26, 2002, Flea market 6 a.m. - 1 p.m. Airconditioned inside vendor area 8 a.m. - 1 p.m. Sponsor: OH KY IN Amateur Radio Society. Location: Diamond Oaks Career Development Campus, 6375 Harrison Avenue, Cincinnati, OH (handicapped accessible). This large facility is located just east of I-275 and I-74. Take I-74 to the Rybolt Road/Harrison Avenue Exit (Exit #11). Go east on Harrison Avenue. Diamond Oaks is located on the right (south side) of Harrison Avenue, less that one mile from the I-74 exit. Special seminars, transmitter hunts, indoor vendors, large outdoor flea market, door prizes, VE exams (8 a.m., walk-ins accepted), refreshments, free parking, handicapped parking available. ARRL-approved! Talk-in: 146.670(-) repeater. Admission: Adv. \$5, gate \$6., age 12 and under free. Indoor vendor tables (6 ft. with free electricity) \$10 ea. Outdoor flea market, \$1 per space. Contact Lynn Ernst WD8JAW, 10650 Aspen Place, Union KY 41091-7665; 859-657-6161, E-mail [wd8jaw@arrl.net]. Web: [www. ohkyin.org].

msgexp.net].

#### JULY 12

OAK CREEK, WI The South Milwaukee ARC Inc. will hold its 36th annual Swapfest on Saturday, July 12th, at the American Legion Post #434 grounds, 9327 S. Shepard Ave., starting at 6:30 a.m. and running until at least 2 p.m. CDT. Free parking, a picnic area, and limited free overnight camping are available. Hot and cold beverages, donuts and sandwiches will also be available starting at 6 a.m. Admission is \$5 per person. Prizes will be awarded during the day and you need not be present to win. A free flyer and map may be had by writing to The South Milwaukee ARC Inc., P.O. Box 102, South Milwaukee WI 53172-0102. Talk-in will be on 146.52 (WA9TXE) simplex as well as on many of the local repeaters.

#### JULY 13

KIMBERTON, PA The Mid-Atlantic ARC will present their annual Valley Forge Hamfest and Computer Fair, Sunday, July 13th, at the Kimberton PA Fire Company Fairgrounds, Route 113, south of the intersection with Route 23. This ARRL sanctioned Hamfest will be held rain or shine. Sellers admitted at 7 a.m. and buyers admitted at 8 a.m. Admission is \$6. Unlicensed spouse and children of licensed amateur radio operator will be admitted free

#### JULY 19

CARY, NC An ARRL sanctioned "Mid-Summer Swapfest" will be held by the Cary ARC, July 19th, 8 a.m. to 2+ p.m. at the Herbert Young Community Center, Academy St. and Chapel Hill Rd. Talk-in on 145.39-.6. The event is indoors and air-conditioned. Tickets \$4 in advance and \$5 at the door. VE exams registration at 10 a.m. Testing starts at 11 a.m. Walk-ins OK. E-mail to [n4nc@arrl.net], or see the Web site at [www.qsl.net/n4nc/] for more info.

#### JULY 20

SUGAR GROVE, IL The Fox River Radio League of Batavia IL, will hold their Annual Hamfest at Waubonsee Community College, Rte. 47 at Waubonsee Dr. in Sugar Grove (5 miles NW of Aurora). Talk-in on 147.210(+) PL 103.5/107.2. Doors open Sunday at 8 a.m. Setup is 7 p.m. on Saturday and 6 a.m. to 8 a.m. on Sunday. VE exams start at 10 a.m., SWANSEA, MA The Fall River MA Amateur Radio Club will hold its annual Geek-fest, clamboil, and flea market, Saturday, July 26th, at American Legion Post 303, Ocean Grove Ave., Swansea MA. For more info contact George KB1CNA at [kb1cna@msn.com]; Skip KB1CNB at [kb1cnb@arrl.net; or Roland N1JOY at [n1joy@arrl.net].

#### JULY 27

TIMONIUM, MD The Baltimore Radio Amateur

Continued on page 59 73 Amateur Radio Today • June 2003 **41** 

## The Digital Port

Jack Heller KB7NO P.O. Box 1792 712 Highland St. Carson City NV 89702 [KB7NO@att.net] [http://kb7no.home.att.net]

## Linux Cont., Plus Some Digital Basics

Those of you who have been following the Linux saga have noticed I gave it a breather for a time. Quite a few of you have responded favorably to the project. I left off after successfully getting the Red Hat 8 distribution up and running in the little cheapo box along with KPSK up and on the air, and worked a few stations.

I was highly elated, but had to get back to some of those things that were not quite so off the wall, at least for a time. It was also necessary to make some minor hardware placement adjustments. One kind ham sent me a message concerning a very nice little package to combine the two CPUs using one monitor, keyboard, and mouse. It is the Belkin KVM system.

Not being familiar with this hardware, I was surprised when, during a subsequent visit to the local Office Depot, the system was displayed for all the world to inspect and purchase. I don't know if I would ever have noticed its existence if not for the gentle offerings afforded in the message from the ham. Sometimes we are blind to answers sitting in plain sight. I have since made a small modification to the clutter caused by too much hardware. I found an inexpensive extension cable for the monitor which allows better placement of the hardware. It is nice to have somewhere to wiggle your legs while you work. Some other happenings along the way include attempting to set up Win98se on the same hard drive. That seemed to almost be a success except for lack of a compatible driver for the monitor to go along with this slightly offbeat hardware. Sometimes, it is difficult to believe the strange incompatibilities experienced since beginning this project. However, the need for the Windows on the same hard drive became less pressing and that has slid further toward the back burner. Some of the needs to make this little machine do everything have been solved by other means. One of those was getting a new laptop, which we will discuss in a future column.

Windows on this hard drive, I lost the KPSK installation that I had worked so diligently to compile in the last Linux article. This was not so bad because it gave good reason to try a fresh approach to setting up KPSK by simply downloading an RPM file and installing it as an update.

Very slick indeed. Virtually nothing to the process. All I did in this case was go to the download site which was at SourceForge, and download it for the Red Hat 8 distribution. One thing I have to say about this is that the system certainly "knew" its way around. The download automatically went to the Red Hat Linux Home Directory that is default for all downloads. Next step was simply to double-click the file, and a window popped up explaining the "update" process and it took care of it from there. All I had to do to see that it was installed was simply type in KPSK in the terminal window and the program booted. Another kindly ham had informed me of this process after I had struggled through the entire compiling process previously. Again, the price of education leaves its impressions. By the way, I have started this month's article using the OpenOffice word processor that came with the Red Hat distribution. It was necessary to specify that it be installed since it was not an item that would have been automatically included in the install. If you have need for and appreciate a firstrate word processor, this is one you will like. As far as I can see, you can use it for anything you are apt to create, including a fullfledged book with footnotes, bibliography, and index. And one little aside: It is free.

I did quite a bit of searching and, truthfully, I found that there are several. Due to some of my as-yet-not-too-well-developed ability to follow instructions (and, perhaps, just a few system incompatibilities), some programs did not pan out well.

However, I came upon a real winner. At least, judging by the ease of installation, I came up with one that really does the job. It is called, simply, "xlog" and there is a screen shot showing some of the results of the labor here in the shack. It can be downloaded from [http://people.debian.org/~pa3aba/ xlog.html]. This program was also an easy install. The downloaded file was in .rpm format and did not require any compiling. Very easy and intuitive to use. The data for your QSOs is saved in ADIF format. I assumed that meant I could import an ADIF file, but I could not seem to accomplish that small bit of wizardry. Other than that, it does what you expect. See Fig. 1.

So, back to the current and more exciting adventure. In the process of installing the **42** 73 Amateur Radio Today • June 2003

#### More fun

I had mentioned a while back how I would like to find a full-fledged Linux log program.

#### Back to Microsoft with this text

This may not strike you as the high point of the article, but this is where I transferred the article from one computer to the other. It was perfectly intact, but formatting had suffered and, for some unknown reason, when I got it into WordPerfect, the spell checker insisted the text was written in German! A few handsprings later and it was working.

Such is education. I can guess how this happened and will know to watch my step in the future. But stranger things happen just opening documents written by different versions of the same word processor. I get some of the strangest formatting in Word attachments much of the time and that is because I simply do not have the correct version of that program to fit the stuff folks send.

#### On with the Linux fun

There are a lot of hams enthusiastic about writing ham software for Linux, but it appears to be a complex undertaking. The reason I say this is the documentation that accompanies so much of this software becomes confusing to us "normal" folk who are used to installing Windows software, which usually starts with a double-click followed by a number of Enter keystrokes.

It is truly different from that with the Linux software. And the problem seems to be that there are so many variations of the operating system. I am sure the programmer successfully builds a program and it works just fine on his machine. The tough part is telling us how to get it to work on our Linux machines.

As I progress, I find more ham software available for Linux. Since I started this article, I came across a contest log that looks very good. I went to the Web site and found what appears to be very thorough documentation with all the necessary extracurricular files and instructions for installation. I may be able to get this one going and let you know soon what we have here.

## Some hams are still waiting to take the plunge

Recently, I was asked if I had any interesting info I could pass along to a ham who writes a newsletter that goes out to RVers. That sounds pretty simple. I have a whole bunch of past articles that seem interesting to you and me. There is a difference when you change audience. I thought about this for a bit and recalled that a lot of these RV folks use WinLink2000. This means they are hams and there is more. They have to have a working mobile HF rig and a computer they are carrying about with them. This means most of them are just a few shakes away from getting into some real fun with digital ham modes. So I wrote a piece on that subject and emphasized how they should be able to take the equipment they already have and, with an expense estimated between 15 and 60 dollars, they could get into more fun than they could shake a stick at. And that is what we do here as most of you know. (My claim to fame is for being the cheerleader on the sidelines.) My first lash-up for PSK31 cost less than \$15. It was simply two audio cables to and from the rig and the computer. I manually toggled the rig between transmit and receive and had so much fun it was about three weeks before I even stopped long enough to build a PTT circuit.

OR         DATE         GMT         CALL         BAND         MODE         RST         MYRST         QSLOUT         QSL           Date         28         Mar 2003         0         1         28         Mar 2003         2045         K8VV         14         PSK31         589         579           Call         K8VV         Mode         PSK31         *         TX(RST)         589         579           RX(RST)         579         QSL out         QSL in         QSL in         Remarks         Remarks	\$	G	X	log	mixW2							
Use of the second se	Add	Update	Delete	NR	DATE	GMT	CALL	BAND	MODE	RST MY	RST	OUT
GMT       2045         Call       K8VV         MHz       14         Mode       PSK31         TX(RST)       589         RX(RST)       579         QSL out       QSL in         Remarks       Ace - San Diego, CA         K8VV-         United States         NA - ITU 8 - CQ 3         Timezone: +5.0         Location: +43.00 +87.90         Short Path: 071 deg, 1450 m		QSO 1			3 Mar 2003	And in case of the local division of the	the state of the s	Manufacture and the second	the second se	the second s	Contraction of the second s	
Call       K8VV         MHz       14       *         Mode       PSK31       *         TX(RST)       589       *         RX(FST)       579       •         QSL out       OSL in       •         Remarks       •       •         Ace - San Diego, CA       •       •         United States       •       •         NA - ITU 8 - CQ 3       •       •         Timezone: +5.0       •       •         Location: +43.00 +87.90       •       •         Short Path: 071 deg, 1450 m       •       •	Date	28 Mar 2003										
MHz 14 • Mode PSK31 • TX(RST) 589 RX(RST) 579 QSL out QSL in Remarks Ace - San Diego, CA Value Volted States NA - ITU 6 - CQ 3 Timezone: +5.0 Location: +43.00 +87.90 Short Path: 071 deg, 1450 m	GMT	2045										
Mode       PSK31         TX(RST)       589         RX(RST)       579         OSL out       OSL in         Remarks       Ace - San Diego, CA         K8VV         United States         NA - ITU 6 - CQ 3         Timezone: +5.0         Location: +43.00 + 67.90         Short Path: 071 deg, 1450 m	Call	KSVV										
TX(RST)       589         RX(RST)       579         QSL out       QSL in         Remarks       Remarks         Ace - San Diego, CA       K8VV         United States       NA - ITU 6 - CQ 3         Timezone: +5.0       Location: +43.00 +87.90         Short Path. 071 deg, 1450 m       Image: Comparison of the comparison of	MHz	14										
RX(RST) 579   QSL out QSL in   Remarks   Ace - San Diego, CA     K8VV   United States   NA - ITU 6 - CQ 3   Timezone: +5.0   Location: +43.00 +87.90   Short Path: 071 deg, 1450 m	Mode	PSK31	<u> </u>									
QSL out QSL in Remarks Ace - San Diego, CA United States NA - ITU 8 - CQ 3 Timezone: +5.0 Location: +43.00 +87.90 Short Path: 071 deg, 1450 m	TX(RST)	589										- 5
Remarks Ace - San Diego, CA K8VV United States NA - ITU 6 - CQ 3 Timezone: +5.0 Location: +43.00 +87.90 Short Path: 071 deg, 1450 m	RX(RST)	579										
Ace - San Diego, CA K8VV- United States NA - ITU 6 - CQ 3 Timezone: +5.0 Location: +43.00 +87.90 Short Path: 071 deg, 1450 m	QSL 0	ut 📋	QSL in	18								
K8VV           United States           NA - ITU 6 - CQ 3           Timezone: +5.0           Location: +43.00 +87.90           Short Path: 071 deg, 1450 m		Remarks										
United States NA - ITU 6 - CQ 3 Timezone: +5.0 Location: +43.00 +87.90 Short Path: 071 deg, 1450 m	Ace - San Dieg	io, CA										
NA - ITU 6 - CQ 3 Timezone: +5.0 Location: +43.00 +87.90 Short Path: 071 deg, 1450 m			en de la composition	-								
Timezone: +5.0 Location: +43.00 +87.90 Short Path: 071 deg, 1450 m		United States										
Location: +43.00 +87.90 Short Path: 071 deg, 1450 m		NA - ITU 6 - CQ 3										
Short Path: 071 deg, 1450 m		Timezone: +5.0										
	Loc	ation: +43.00 +87.9	90									
	Chard	Poth 071 day 145	0 m									

**Fig. 1.** xlog under Linux — This is a full-fledged standalone log program that is easy to install (see text) and saves the entries in ADIF format. I only made one contact while getting this in place. It is recorded and in the edit or update mode so you can see some of the features. The notes are hidden in the log display on the right, but you can scroll to read them. There is a place to enter your location info, which then makes it possible to determine beam heading. Of course the station I worked was not really in the "8" call district, so the info was incorrect, but you can get the picture. A good piece of software and there is at least one other module that will work with it to read the info from your rig. I did not get into that as I was just after the good looking log.

And you know what? Those same two audio cables are still in there working to this day. I have never succumbed to the purchase of a commercial interface. This is not to say those commercial offerings are not good or that there is anything wrong with them. To tell the truth, none of them were on the market when I got started. The only interface I recall from that early era was a project published in QST. I have talked to hams who are using that one and they are happy as clams.

The story is simply this: Any way and time you can get a good clean signal on the air and you are satisfied with the operating environs, you've got a system that works. If that is your goal, you have arrived in digital ham heaven.

#### So ... for the ham on the sidelines: How to start digital ...

Probably the most important essential to getting started on your digital ham adventure is what you already possess. By the sheer nature of being a ham, you are hyped about all the ways we can communicate via the airwaves. I know I have never gotten over the thrill of picking this invisible signal out of the air on a piece of wire and decoding with the rig to find a signal that none of my neighbors has the faintest clue is there. It doesn't have to be from the other side of the world to give me that euphoric fix. It just needs to exist from somewhere, and when I answer him he hears me and we can "talk."

I recall my first CW contact that was over a span of about 30 miles. It was truly a thrill. Then there was voice which was another thrill, but not as great as that which required the mastery of the Morse code.


The latest and greatest thrill? A few years ago, when the first PSK31 software for Windows by G3PLX became available, I rigged two audio cables between the Icom accessory port and the SB16 soundcard and tweaked knobs and audio driver sliders until I made a contact. Wow! I was in hog heaven and I had spent less money than my first one-tube CW transmitter had cost to build.

That was a great day. I have never looked back. The microphone gathers cobwebs and the CW paddles are usually dusty. I am using the same two cables to this day with some refinements, but those cables, in the


Continued on page 44 73 Amateur Radio Today • June 2003 **43** 

#### **Transmit Audio Connection**

Connect a shielded audio cable between the transceiver MIC input and the soundcard LINE OUT jack through a 40 db attenuator, consisting of a 100K series resistor feeding a 1K parallel resistor. This attenuator will reduce the soundcard LINE OUT level from about 1 Volt down to the normal MIC input level of about 10 millivolts, so the higher soundcard output level does not overdrive and distort the transceiver MIC input.



If the transceiver is equipped with a high-level auxiliary input, then the attenuator is unnecessary, and the transceiver auxiliary input may be connected directly by shielded cable to the soundcard LINE OUT. If using the auxiliary input of the transceiver, be sure the transceiver microphone is disabled when operating PSK31, to prevent illegal modulation of the transceiver in the CW band by sounds picked up by the microphone!




#### **TIR Connection**

The transceiver's VOX can theoretically be used to control the transmit/receive function, however it is often difficult to adjust for reliable operation while still maintaining the proper audio levels needed to preserve an undistorted PSK output signal. For this reason, Digipan provides for positive control of the transceiver's PTT via the RTS and/or DTR outputs of the computer's RS-232 serial port.

Signal RTS DTR	DB9 Connector	DB25 Connector
RTS	Pin-7	Pin-4
DTR	Pin-4	Pin-20
Ground	Pin-5	Pin-7

The RTS and DTR outputs of the serial port are not directly compatible with the PTT control of most transceivers. The serial port outputs +12 to +15 VDC for transmit and -12 to -15 VDC for the receive condition. Transceiver PTT circuits on the other hand, generally require a ground for transmit and an open circuit for receive. For most modern solid-state transceivers, a simple NPN switching transistor (2N2222 or equivalent), with a 2.2K resistor inserted in series between the base and the serial port, emitter connected to ground, a diode connected between the base and emitter (to prevent the -12 to -15 VDC from reaching the transistor), and the collector to the transceiver PTT line will suffice.



Connect a cable from the computer RS-232 connector to the transceiver PTT line, through a switching transistor as described above, using pin 7 or pin 4 if a DB-9 (small) connector, or pin 4 or pin 20, if a DB-25 connector (large).

**Fig 2.** Two excerpts from the DigiPan Help file — You can find just about every bit of necessary info in the DigiPan Help file to get your rig connected to your computer. Plus, of course, the file includes instructions to use the software. I talk to a lot of hams who start with this program and are so satisfied they just keep right on using it. "Why change? It ain't broke." See the text for instructions to find this software and also info to find at least one of the popular commercial interfaces. You really don't have to touch a soldering iron to get started in digital ham fun unless you want to.

#### THE DIGITAL PORT

continued from page 43

beginning, constituted all the hardware expense it took to get started.

through keyboard or macro commands. You can do as I did in the beginning and simply do that operation manually with the transmit button on the front of your rig. I did that for about three weeks. I was having so much fun, I just did not want to take the time to build the simple little circuit. Other hams I know have done the same thing. This is my recommendation. Go to The Chart on my Web site and scroll down to Line 17 and go to the DigiPan Web site. Download the free program and install it. This is a very simple, straightforward install. Run the program and click on Help. It will tell you all there is you need to know to get the software up and running. Plus — The really big plus is in the instructions to connect the soundcard to your rig. Take a look at the screenshot from the Help file and you will see just how simple things can get. Then, if you do not feel you want to invest time in rolling your own, go back to The Chart and click the link on Line 10. This will take you to one of the popular reasonably priced commercial interface sites where you can get going either with a kit or a fully assembled interface with a cable to plug into your rig. It just can't get simpler than that. So, if you are wanting to get started yourself or if you have a ham friend who needs a little shove, this is all the information you need. Get to it and I will see you on the air. One of the really nice things that happen in my life is to talk directly over the air to someone who got started in digital because they read about it here. It does happen every once in a while. Logistics and propagation should be the only barrier. Ease of getting started is covered.

#### One of those software hassles

From time to time I have to busy myself with Web site stuff. For my own, what I refer to as a utility Web page, I am not too fussy. I have nothing posted for sale. The site is simply there to provide info for the ham community.


But every now and then, someone asks for an attractive Web site for a specific purpose and I find myself at a loss to deviate from my normal black words on white background layout. I have found a very nice piece of freeware that is very powerful called 1<sup>st</sup> Page 2000 (perhaps a takeoff on the Frontpage name?) that I have been using. It does everything except manufacture cute little patterns similar to what we might call watermarks for the background.

I was searching for something to do that and came across an old "trial" package of Microsoft's Frontpage that came equipped with a big thick book of ideas and how-to stuff. It seemed a bargain. I took it home and installed it, and when I opened it, I was very surprised to see a program nearly identical to what I had been using for the past year, except that it had an option called themes. Some of that looked like what I was seeing here and there on the Web. Well, to keep this from getting to be a lengthy dissertation on an off-topic, some parts of this theme plan did not work, but the background I was after was intact, so I started working with it and found that, as with a lot of these editors there was a limit to the flexibility. So I found that the theme, once embedded, would transfer to the old editor, and the flexibility was back. This was all very nice, but trying to follow the rules, I checked with Microsoft and discovered the version of Frontpage I had the trial copy for was so antiquated (close to 3 years!) that there was no support nor update available. Such is the way with proprietary software. I didn't really expect to be shut out so quickly, but it was a learning experience I thought worth passing along. It certainly looks as though I can continue to use the 1st Page software, and perhaps snag a few of these themes for future reference and have a more powerful HTML editor than I anticipated. What I am saying is simply that if you want a good, powerful HTML editor to fit your budget (free is

#### You too can do this

And it is much easier today. The software has improved and there is an abundance of very good freeware available. I always suggest starting with DigiPan, for several reasons. Not just because it is good as well as free, but it is easy to install, set up, and use. And there is one more really big plus — The Help file is particularly helpful in that it shows exactly how to connect those cables as well as how to build a PTT circuit.

One more thing to give you a little boost: It is not mandatory to have a PTT circuit. What that does is toggle the transmit/receive functions automatically from the software



Continued on page 61

44 73 Amateur Radio Today • June 2003

## **ON THE GO**

Mobile, Portable and Emergency Operation

Steve Nowak KE8YN/7 804 Bonanza Trail Cheyenne WY 82009 [ke8yn@attbi.com]

## A New HF Mobile Installation

A few months ago, the XYL got a new car, so I, of course got the "hand-me-down." The price of being cheap, I guess. Naturally, I got the 2-meter/440 MHz rig in right away, but it has taken a bit longer to figure out what I wanted to do as far as an HF rig goes.

There are many steps to having a good HF system to operate mobile. In today's cars you need to figure out what will fit and where before you even begin thinking about the specific characteristics of the radio. Unless, of course, you do not have the need to carry passengers, children's car seats, groceries, etc.

In the past I have used a Ten-Tec 580 Delta, a Kenwood TS-120S, and most recently a Kenwood TS-130S. All of these rigs are fairly standard-sized, but when mounted on a "hump mount" they were reasonably workable. Not perfect - but reasonable. I liked the performance, but I wanted to have a more secure mount this time around and a mounting position that made it easier to see and reach the controls on the front panel. As any good ham would, I checked out the available options and agonized over exactly which rig would best meet my needs, especially since I have a tendency to keep a rig for an extended period of time. These days there are a number of good choices for mobile installations. After an appropriate amount of Internet surfing and comparing notes with other hams, I decided that the Alinco DX-70T would have all the capabilities and features I desired. It is allband, covering all amateur frequencies from 160 meters to 6 meters. (I have to admit that up till now my rigs had a top end of ten meters, so I had never operated on six meters. The chance to try something new added some appeal to the decision.) On high power it puts out 100 watts, but when set to low power the ten-watt output can extend battery life significantly. I figured that in an emergency I could remove the rig from the car and operate it off a deep cycle battery with a solar charger almost indefinitely. The rig can be mounted as one contiguous unit, or the control panel

can be installed almost anywhere, with the main body of the radio mounted in a location such as under the seat. The controls are neither complicated nor difficult to see - a major advantage both for mobile operations as well as for those of us who wear bifocals.

I checked various sources and compared prices. The latest version of this radio is the "TH", but the only real difference is that it has higher power on 6 meters. The nearly identical DX-70T is often available used and at a very attractive price. Several times I thought I had successfully landed a rig through one of the on-line auctions, only to be beat out at the last second by a dollar or two. If you've ever had this happen to you, you know how frustrating that can be.

Eventually there was one listed with a "Buy It Now" price that was competitive with the prices I had seen other rigs sell for, so I entered my bid and was informed that I was indeed the winner. About a week later I had the rig in hand, and spent some time perusing the manual before I charged ahead with the installation.

My son Paul (N8YDQ) happened to be visiting from Florida, and together we tackled the installation. Hopefully that won't dissuade him from visiting again in the future. The first task was to run power from the battery to the planned location of the rig. I examined the firewall for any point that would provide a place to pass the power cables. None were to be found. Eventually




Photo A. With the new HF rig installed, I have access to the "low bands" for DX as well as 6 meters, just for fun. The ashtray mount was almost a perfect fit for the Alinco DX-70T.

73 Amateur Radio Today • June 2003 45

#### HOUSTON AMATEUR **RADIO SUPPLY**

267 Cypresswood Drive . Spring, TX 77388 800-471-7373 Local: 281-355-7373 email: houstonamateurradio@prodigy.net **COMPLETE SALES & SERVICE** Yaesu, Icom, ALinco, ADI, Hustler, Cushcraft





Joyce Sawtelle, 73 Amateur Radio Today, 70 Hancock Road Peterborough NH 03458.



I found a removable rubber plug in the floor. I routed the cables from inside the car through a slit in the rubber plug so that it acted as a grommet and will help prevent any cutting through the insulation.

About 12 inches of the cable runs under the car, and I used cable ties to securely position it away from exhaust pipes, gas lines, etc. I then routed the power cable through the engine compartment and connected it directly to the battery. I found heavy-duty copper lugs that could be connected to the bolts on the battery cables. Make sure you use heavy-gauge cable if the supplied cables are not long enough. The local home improvement chain store fixed me up with stranded cable with red and black insulation. I believe it was 8 gauge - about 1/4" in diameter.

Next came the question as to where to locate the rig itself. My car is a 1996 Ford Taurus, and there isn't a lot of spare space available. One disadvantage the car suffers from is that the center console swings forward if you plan on using the cup holders. I had hoped to mount the rig in such a manner that I could keep the cup holders, since a little coffee is welcome on long drives. I had planned on using the remote control panel feature since it has worked so well for my Kenwood TMD-700A. However, there isn't much room available that would seem to work. It is important to locate any installation out of the way of the air bags so that nothing gets launched in the event of an accident. Between that and the layout of the controls for the car, options were limited. I looked at floor-mounting the rig, but felt that this was impractical because it would make the controls too difficult to reach. Paul came up with the idea of removing the ashtray. Initially we thought we could mount just the control head in that space and floor mount the main portion of the radio. The reason we decided against that was that the control panel extended just as far when mounted alone as it would if the entire rig were installed as a single unit. In either case, the flip out cup holder would hit the radio. Ah - the price we pay for our hobbies! The cup holder will now remain in its stowed position. The fit for the radio was tight, but that has certain advantages such as a more "finished" appearance. The standard bracket would not fit, so some generic mounting brackets were used. There are lockable mounting brackets available for floor mount or under-dash installations. If you are thinking of using that kind of mount, check out Bill Roth's home page --- [http://home.att.net/ ~wroth/wsb/html/view.cgi-home.html-.html] - where he has mounts available for the DX-70.

While I was crawling under the dashboard doing the installation, I decided that a few other small things could be done. I finally made a cable for my GPS so that it not only could communicate with my APRS but also would be powered by the car's electrical system. To help prevent a battery problem, I installed a switch under the dash so I can shut off all the auxiliary items when I park the car. I also looked at various options for dash-mounting the GPS unit. After looking at cellular telephone mounts, radar detector mounts, etc., I decided that good old Velcro® was the most practical method.

I'll be writing about antennas in more detail in the near future, but for now I will tell you that I used an MFJ trunk lip mount that accepts PL-259 base antennas. In my collection I have a number of antennas with that mount, so I grabbed a 20-meter resonator and attached it to the mount. Twenty meters is sometimes a good mobile band. The antenna covers a fair segment of the band without being overly large, although you do have to compete with the "big guns" out there. Naturally a mobile installation is never going to compete with full legal power and stacked monobanders on the top of a tower, but it can be a lot of fun. If you want to get a good idea as to how well your installation is working, watch for a good contest. Shortly after my installation was complete, the CQ Worldwide WPX contest was scheduled. In this contest operators are working as many stations as possible and mobile stations are a multiplier - they count for more points. As such, working a mobile station is highly desirable. If you want to see how well your rig works, try running mobile during such a contest. I quickly made a number of contacts from American and Canadian stations, so I knew the rig was working properly. I did make the modifications so that the DX-70T can operate on the MARS frequencies. Now I can operate mobile for both fun and for emergency operations in support of ARES or RACES as well as MARS. More importantly, I can pass the time when I have an extended drive working a little DX. So what are the secrets of a good mobile HF installation? First, a rig that has a good "fit" with your operating requirements. Second, a safe and solid rig location that is easy to see and easy to reach. Third, a heavy-gauge connection directly to the battery. And finally, a reasonable antenna. As I mentioned earlier, I'll be writing about mobile antenna 73 choices in the near future.

Equipment **12 FOOT MAST KIT** Antennas 12 foot Fiberglass Test Mast Kit 3/ 47"x 1 3/8" Dia fiberglass mast sections, 8" top mast section Supplies - Roller Inductors for two 28 inch dipole elements and 16 feet of RG-58 coax with BNC connectors, one guy ring with ropes, three 9" stain-Power less steel stakes, one 27" long mast base which is pushed into the ground, and O.D. green carrying bag with handle. Excellent for field day or other portable antenna use. 12 lbs sh. #MK-12, \$59.50 each; 2 for \$99.50 plus shpg.

FAIR RADIO SALES

ELECTRONIC MILITARY SURPLUS

Radios

Wire

Tubes

#### 30 Foot Mast Kit

Relays

Motors

Capacitors

Transformers 30 Foot Mast Kit. Twelve AB-35 33" aluminum mast sections, AB-154 mast base, 6/ guy ropes, 2/ guy rings, 3/guy stakes, and a heavy duty nylon carrying bag various colors - sorry no choice. 32 lbs sh. All items listed above are in used condition except the mast sections and the bag which are unused. #ANT-KIT-30, \$145.00 plus shpg. .

#### WEBSITE: fairradio.com E-MAIL: fairradio@fairradio.com PHONE: 419-227-6573 - FAX: 419-227-1313 2395 St Johns RD - Box 1105 Lima, OH 45802 VISA, MASTERCARD, DISCOVER accepted Write for latest Catalog - Address Dept. 73

46 73 Amateur Radio Today • June 2003

## HAMSATS

Amateur Radio Via Satellites

Andy MacAllister W5ACM 14714 Knights Way Drive Houston TX 77083-5640

## Awards and Field Day

Last month, we surveyed books and other publications about amateur satellite operation. Armed with these resources, the hamsat enthusiast can do a little research to provide new opportunities and challenges. How about awards and contests? They're not just for HF activity. Here are a few to get you started.

The Radio Amateur Satellite Corporation, AMSAT, has a number of operating awards available for their members and others who chase the hamsats. Difficulty ranges from extremely easy for the Satellite Communicators' Club, to the challenging W4AMI Satellite Operator Achievement Award. We'll focus on the introductory programs.

#### Satellite Communicators' Club

If you are already active on the satellites, this is an easy one. The award is available to any operator that has made one hamsat contact. For newcomers, it can be quite an adventure just to make a satellite contact, similar to that first-ever ham-radio QSO. To apply for the certificate, you need only send \$1 if a member or \$2 if a non-member, along with contact data and two units of postage to AMSAT Awards Manager Bruce Paige KK5DO, P. O. Box 310, Alief TX 77411. similar to those of the OSCAR Satellite Communications Achievement Award, with some subtle differences. The award is for 25 QSOs with different stations via low-orbit satellites. All of the contacts could be made with stations in Texas, but they must not be with the same station. Contacts via highorbit hamsats like AMSAT-OSCAR-40 (AO-40) do not count. Bruce handles submissions for this award for those in North America. Fee, submission info, and return postage requirements are the same as those for the OSCAR Satellite Communications Achievement Award. 28th and continues till 1800 UTC on the 29th (2100 UTC for those who begin setup no earlier than the beginning of the event). The Radio Amateur Satellite Corporation (AMSAT) promotes its own version of Field Day for operation via the hamsats, held concurrently with the ARRL event.

While the ARRL [http://www.arrl.org] rules provide a 100-point bonus for the successful completion of a single amateurradio satellite contact, the AMSAT rules promote activity on all of the current operational satellites. The AMSAT [http:// www.amsat.org] rules worked well last year. A key point to remember is that only one contact per each FM, single-channel satellite is allowed. Even with this rule, those stations with dual-band HTs using simple whip antennas won't have much success. It's just too congested. Stations that have completed their single contact via a particular FM satellite are encouraged not to make any further contacts via that satellite during the Field Day period. If one of the astronauts is active on the International Space Station for Field Day, only one contact is allowed per station for the duration of the event. One digital contact via the ISS packet digipeater or PCSat (Nav-OSCAR-44) is also allowed. PCSat has serious power problems and will only be available if control stations feel that the satellite's battery situation can survive the event. The first-place emergency-power/portable station will receive a plaque at the AMSAT General Meeting and Space Symposium in Toronto, Canada, October 17-19, 2003. Certificates will be awarded for second and third place, emergency-power/portable operation, in addition to a certificate for the first-place home station running on emergency power. Stations submitting high

#### OSCAR Satellite Communications Achievement Award

This one takes a little more work. You must make 20 "contacts" using any satellite. A contact is defined as a QSO with a station in a different state, DXCC country, or Canadian call area. If you have five QSOs with stations in Manitoba (VE4), only one counts toward the award. The fee is \$3.50 for AMSAT members and \$5.00 for nonmembers. Photocopies of both sides of the QSL cards should be sent, along with two units of postage, to Bruce's address above.

#### South Africa AMSAT Satellite Communication Achievement Award

The requirements for this award are

#### What's next?

AMSAT has other awards with more difficult requirements. You can find out more on the Internet at [http://www.amsatnet. com]. In addition to extensions of the awards noted above, they even have one for 1,000 contacts via satellite, the Robert W. Barbee, Jr., W4AMI Satellite Operator Achievement Award. Other organizations like the American Radio Relay League (ARRL) also have satellite-specific award programs. They include hamsat versions of their popular Worked All States, Worked All Continents, VUCC, and DX Century Club.

#### Field Day 2003

It's that time of year again; Summer and Field Day! Each year, the American Radio Relay League (ARRL) sponsors an emergency preparedness exercise called Field Day. The event takes place during the fourth weekend of June. Individual hams and ham clubs compete to make as many contacts as they can from remote locations using emergency power and portable stations. For 2003, Field Day starts at 1800 UTC on June

73 Amateur Radio Today • June 2003 47

award-winning scores will be requested to send in dupe sheets for analog contacts and message listings for digital downloads. Check the AMSAT Web page for details and a sample entry form.

There are some good reasons to consider participating in the AMSAT event if you are serious about chasing satellites on Field Day. The AMSAT rules recognize the individual hamsats as separate bands, thus promoting the pursuit of all of the "birds" for the duration of the event. AMSAT also encourages digital satellite activity. Special Field Day messages are sent to the "digisats" for download points by anyone who can receive them. It's even possible to participate in the AMSAT event and get points without a license. While monitoring the downlink from the digisats, complete short Field Day greeting messages can be received without ever transmitting. Each Field Day message download is worth three points.

#### Making choices

It would be nice to try to work every active hamsat in the sky on Field Day, but it's just not possible without a lot of gear and a lot of club members or active participants in the satellite chase. The best thing to do is to pick satellites that have transponders, either analog (voice and CW) or digital (1200 or 9600 baud), for which you have equipment.

If you are considering ONLY the FM voice satellites like UoSat-OSCAR-14, AMRAD-OSCAR-27, or the SaudiSats (SO-42 and SO- 50), don't — unless you are simply hoping to make one contact for the ARRL rules bonus points. The FM voice satellites turn into a solid FM-repeater pileup during Field Day. It's fun listening, but that's not what Field Day is all about. Diversify. Gear up for other voice/CW hamsats.

If you have worked the satellites on Field Day in recent years, you may have noticed that a lot of good contacts can be made on some of the less-populated low-earth-orbit satellites like Fuji-OSCAR-20, Fuji-OS-CAR-29, and AMSAT-OSCAR-7. During a typical workweek, contacts are few and far between, but during Field Day the transponders come alive like 20 meters on a weekend. The good news is that the transponders on these satellites will support multiple simultaneous contacts. The bad news is that you can't use FM, just low duty-cycle modes like SSB and CW.

This will be the second year for AMSAT-

OSCAR-40 on Field Day. Predictions show good opportunities (depending on your location) at the beginning of the event and during early Sunday-morning hours. It should be a very good year for AO-40.

#### Equipment


The best radios for Field Day are the ones you use at home, unless — of course — they are heavy antiques. If you have one of the newer, all-mode HF/VHF/UHF transceivers, take it with you. If you don't have one, find someone who does, and borrow it. Be sure that it can transmit on the satellite uplink band while simultaneously receiving the downlink band. Practice prior to the event. There's nothing worse than trying to figure out a strange radio while you are hunting for a satellite, keeping tabs on uplink and downlink frequencies, and adjusting for Doppler — all at the same time. Don't forget to take a backup station.

Be prepared to at least work SSB and CW on Mode J (two meters up and 70 cm down) via the Fujis. With a nice set of two-meter and 70-cm directional antennas, AO-7 Mode B (70 cm up and two meters down) can be a lot of fun. A station that is ready for AO-7

Continued on page 50



AMSAT



THIS IS TO CERTIFY THAT

WSACM

IS A MEMBER STATION OF THE

#### SATELLITE COMMUNICATORS' CLUB

AND IS ENTITLED TO ALL THE PRIVILEGES, PREROGATIVES, RIGHTS, FAVORS, GLORY, RANK, FAME, NOTORIETY, POPULARITY, AND HONOR OF MEMBERSHIP IN THAT WORTHY ORGANIZATION.

In accepting this certificate, the member-station certifies proficiency in satellite communication by having made a successful contact via a radio



Fig. 1. The Satellite Communicators' Club certificate.48 73 Amateur Radio Today • June 2003




Fig. 2. The OSCAR Satellite Communications Achievement Award certificate.

## **ADUERTISERS' INDEX**

	•	Alinco CV2	
	•	Alinco CV3	
	•	All Electronics Corp 11	
	16	Astron Corporation 2	
	•	ATOC Amateur	
		Distributing Corp CV2	
	•	ATOC Amateur	
		Distributing Corp CV3	
	42	Bilal Company 46	
1	68	Buckmaster Publishing 23	

9	Communication Concepts 27	
•	Communications	
	Electronics, Inc 3	
3	Doppler Systems 37	
	Dudley Lab 17	
	Fair Radio Sales 46	
	Houston Amateur	
	Radio Supply 46	
2	Isotron 46	
	M <sup>2</sup> 55	

•	Milestone Technologies 23
•	Omega Sales 23
•	Omega Sales 39
•	Omega Sales 49
•	Radcomm Radio 49
•	Radio Book Shop 15
•	Radio Book Shop 17
•	Radio Book Shop 37
•	Radio Book Shop 46
	Radio Book Shop

•	Radio Book Shop 55
•	Radio Book Shop 63
•	RLS 15
•	Ross Distributors 46
•	Scrambling News 17
•	SGC 7
•	SGC 9
•	Universal Radio 17
•	West Mountain Radio 15
•	Yaesu CV4

When you buy products from these advertisers, please tell them that you saw their ads in 73. Subscribe to 73 right now...call 800-274-7373 (9-5 Monday-Friday EDT).



<sup>73</sup> Amateur Radio Today • June 2003 49

MEJ

.

Kantronics

.

Daiwa

.

Comet

⋗

Л

Prym

VISA

IC-2720H

2m/70cm Mobile

Subscriptions to 73 Magazine Only \$24.97 — 1 year \$44.97 — 2 years \$65.00 — 3 years\* \*best buy (54% off cover price!) Call 800-274-7373

#### HAMSATS continued from page 48

is just a small step away from Mode U/S via AO-40. The 70-cm uplink for AO-7 will do fine for AO-40, and the two-meter receiver can be used as the "IF" or intermediate frequency for an AO-40 S-band (13 cm) downconverter. There are now many easily converted and cheap downconverters available. Check out [http://members.aol.com/ k5oe/] for some ideas.

Unless you have experience with lowpower satellite work, don't try satellite "QRP" on Field Day. It's really hard even for the best satellite operators, and can be quite difficult and disappointing to demonstrate to potential newcomers. There are too many inexperienced satellite operators on the air during Field Day and many are trying to deal with noisy generators, bugs, and unfamiliar radios. Listening for weak stations is too much to ask. meters up and 10 meters down) can get by with a dipole in the trees for 10-meter reception and a ground plane in the clear on the two-meter uplink. For the other satellites and modes, most serious satellite operators will have a VHF/UHF antenna system that will rival many home stations with large, circularly polarized yagis positioned by azimuth and elevation rotors. Something in between these extremes should suffice. A small dish with an S-band downconverter can easily be included in any medium- to large-size satellite array designed for two meters and 70 cm.

#### Predictions

Don't assume that you can take a laptop computer to Field Day and do your predictions after you get there. Plot all of your potential satellite passes in advance for every satellite you intend to pursue. Check the results. Look for timing conflicts. Instant Track 1.50 from AMSAT provides some scheduling functions that will help, and it runs on almost any PC. Make sure that the coordinates of the Field Day site and recent satellite element sets have been entered into the software. Don't forget to take along some satellite frequency guides (unless you are one of the few that has memorized all the uplink and downlink bands for all of the operational hamsats in orbit). Also, check the operating status of your target satellites prior to Field Day. For example, AO-7 is usually in Mode B, but can come up in Mode A when you least expect it. Be ready for surprises.

#### Power and interference

There is nothing worse than having all the gear, antennas, predictions and accessories ready to go, and then discovering that you can't hear anything but noise on the downlink frequencies. It happens a lot. Noisy power sources are the number-one culprit. If you can operate with batteries, do it. Satellite chasing is considered weak-signal work. Most of our hamsats only have a few watts output to simple antennas. They can be hard to hear. A typical consumer-grade gasoline generator can produce a lot of noise in the RF spectrum. Be sure to test your generator prior to Field Day. Check it with your satellite rig for a few passes. If it is noisy, either cure the problem or get another power source.

Don't forget about "the other guy." Most Field Day operations include multiple stations for HF, VHF, and satellite work. The folks in the tent next door on 70 cm can ruin your best attempts to make Mode-J contacts. Coordinate with them so that they can go to another band or take a break during those short intervals when the Fujis or FM hamsats come by.

If your group operation has any terrestrial VHF stations or two-meter packet systems, they can destroy any chances you might have had hearing AO-7 on Mode B with its two-meter downlink. As with the UHF folks, make your intentions known and arrange for an operating schedule, in advance. Even with all these precautions, it is always a good idea to isolate the satellite station from the others. There are even a few potential interference problems associated with S-band reception of AO-40. Microwave ovens and wireless 2.4 GHz devices like wireless LAN cards and portable phones are at the top of the list. It is doubtful that there will be a problem, but check first! A lot of mobile homes have microwave ovens, and hams tend to be techno-geeks who collect new RF toys just to see what they will do.

#### Antennas

A simple system for AO-7 Mode A (two



Fig. 3. The South Africa AMSAT Satellite Communication Achievement Award certificate is available from AMSAT-NA.

#### Have fun!

You may have multiple rig difficulties, antenna failures, computer glitches, generator disasters, tropical storms, and even satellite problems, but the goal is to test your ability to operate in an emergency situation. Try different gear. Demonstrate satellite operations to hams who don't even know that the hamsats exist. Test your equipment. And finally, have fun doing it!

50 73 Amateur Radio Today • June 2003

## QRP

Low Power Operation

Mike Bryce WB8VGE SunLight Energy Systems 955 Manchester Ave. SW North Lawrence OH 44666

## The Argonaut V

The new Ten-Tec Argonaut V QRP transceivers are now shipping. After a few false starts, the units began to arrive late October of 2002. I've talked about the new rig several months ago, so I won't go into great detail again. However, a quick overview should be in order.

The Ten-Tec Argonaut V is a DSP-based HF transceiver covering all HF ham bands in all modes. It is also known as the Model 516. It will operate in AM, FM, SSB, and CW modes. Of course, you get the famous Ten-Tec QSK CW break-in keying with the Argonaut V. There's an internal CW keyer built into the Argonaut V.

There are two VFOs and 100 internal memories. You can have an almost unlimited amount of memories using an external computer controlling the Argonaut V. To know where you're at, the Argonaut V uses sevensegment LEDs for the main and secondary displays. There are several green backlight enunciators as well. The Argonaut V transceiver will also provide general coverage receive from 500 kHz to 30 MHz. The receiver boost is 0.2 µV typical for 10 dB S+N/N @ 2.4 kHz bandwidth sensitivity. You have at your fingertips your choice of up to 34 DSP-generated filters built into the Argonaut V. These range from a rather narrow 300 Hz to a 6-kHzwide filter for shortwave AM broadcast listening. The FM mode bandwidth is set at 15 kHz. The Argonaut V's transmitter puts it into a class other than pure QRP; the output can be adjustable from 1 to 20 watts via a front panel control. The RF output is ALC-stabilized. You can order the optional TXCO and get frequency stability of +/- 3 ppm or +/- 20 ppm without the TXCO. Either with or without the TXCO, the Argonaut V is PSK31-ready out of the box, but take it from me and order the optional cable set from Ten-Tec. It will make your life easier! And like all the current Ten-Tec rigs, the Argonaut V is equipped with Flash-ROM to enable instant upgrading via the Internet. The Argonaut V requires 12 to 14 volts at

500 mA on receive and up to 6 amps on transmit at 20 watts. The Argonaut V tips the scales at five pounds.

#### **First impressions**

Let's face it: First impressions are lasting ones. And, out-of-the-box, the Argonaut V surprised me. Ten-Tec, while making great strides in quality in the last several years, always seemed to be a step or two behind the other guys when it came to fit and finish. With the Argonaut V, that problem is now over. The fit and finish of the rig is outstanding. Everything fits like it should. The legends are clear and crisp. The main tuning knob is a heavy zinc affair with lots of mass. In fact, I would bet the first thing most people will say when they open the box up is, "I am impressed." your current frequency in the stack register. There's one stack register for each band! This makes hopping around a bit quicker. Or you can use the memories. More on that later.

Some buttons provide more than one function. For example, pressing the FUNC button and then the A/B button turns on the 20-dB RF attenuator. Some buttons are mode-dependent. The keyer button will only work in CW mode. Speaking of keyers, the internal keyer works just great. You set the speed by the multi knob. You also have control over the weight of the CW shaping and sidetone frequency, CW offset, and sidetone volume. Nearly all the functions of the Argonaut V are controlled this way. The VOX works the same way as the keyer; you control the different VOX functions using the multi control. The VOX controls the QSK feature of the rig in CW mode. When in these "subset" modes, the secondary display is used to let the operator know what is going on. The values may show the bandwidth or the amount of RIT being used. The display is somewhat encrypted, and it takes a bit of practice to read some of the results. For example, when in the VOX mode, the display will show "Gn", which means VOX GaiN.

#### Digging deeper, and pushing some buttons on the way

The Argonaut V comes with a power cord, mode 701 hand microphone, instructions, and miscellaneous connectors. Hookup is simple and to the point. Apply +13.8 volts to the radio and turn it on.

The Argonaut V operates very much like its older brother, the Ten-Tec Jupiter. The "Func" control on the Argonaut V is the same as the "multi" on the Jupiter. These controls, along with the band and VFO controls, are very much alike. Within a few minutes after powering up the rig, I was making contacts. It really is that easy to operate.

#### More buttons to push

Changing bands is a simple process of pushing the band button. You cycle through the bands. You can't go backwards. You can press the FUNC key and BAND key to store

#### Memories

The Argonaut V has 100 internal memories. These hold the band, along with mode and other information for that specific memory location. The memory operation in the Argonaut V is a bit odd. It's not hard to do, but somewhat different from what I've seen in other gear.

The radio can be in either VFO mode or

Continued on page 52 73 Amateur Radio Today • June 2003 **51** 

#### **QRP** continued from page 51

memory mode. You select either one by alternate presses of the VFO/Memory button. While in memory mode, you can select one of the 100 internal memories via the multi control. Once you have selected the memory location you want to use, you rewrite it back into the VFO. There is no "mem recall" button used in other transceivers. To write a memory location, you dial up the band, frequency, mode, and bandwidth, etc., you like. Then press the function button and write button while in VFO mode. This will cause the display to show the last used memory channel number and its contents. The multi knob allows you to scroll though the memory channels or to move to an empty channel. A second push of the write button actually executes the copy operation.

To access the memories, pressing the V/M button will cause the MEM light on the enunciator row to glow. This lets you know you are in memory mode. Again, the multi knob allows you to scroll through the memory channels. Pressing FUNC and WRITE while in MEM mode WRITES the current memory BACK into the current VFO. It's not as hard as it seems, but it's very easy to get the steps out of sync and you end up rewriting the wrong stuff in the wrong location. It's a matter of practice until you get the sequence down correctly. The Argonaut V sports the usual RIT and XIT. There's also a very usable PBT control. There's a squelch control for the FM mode and for general scanning of the VFO or memories. The squelch is useful on all modes.

You can have the Argonaut V scan for a busy frequency via the VFO or memories. You can program the scan to skip busy frequencies and to scan backwards.

#### **Multifunction meter**

The Argonaut V's S-meter is quite busy. Besides the S-meter function, the meter also provides for setting the output power to five watts, measuring reflected power, measuring SWR, and measuring power amplifier current. To read the various ranges, you place the rig in CW mode and key it with a microphone's PTT. To measure PA current, you key the mic, and push the A/B button. The PA current of between 0 and 7 amps is read on the S-meter scale. To read SWR, again you press the PTT line while in CW mode and then press the SPLIT button. The SWR is read on the 0-25 watt power scale with a 1.0:1 SWR at 10 on the scale. A 2.5 SWR would read 25 on the scale. There's a lot of information to be displayed on the meter and it can become very confusing. Unless you use these functions all the time, keep the manual nearby; you'll need it.

#### **Operating with the Argonaut V**

The Argonaut V operation is pretty much straightforward. Select the band, frequency and mode. The QSK works just great with no pops or clicks. I use the internal keyer and have no problem with it. SSB operation is just as straightforward. Select the proper sideband for the band in use and adjust the mic gain so that the ALC LED just flashes. There's plenty of gain, and it's easy to overdrive the circuit, so make sure you have the gain set correctly.

#### Nits to pick

I truly believe there is no such thing as a perfect radio, and of course the Argonaut V is far from perfect. There are some things that I don't care for. Not that they're wrong or bad, it's just not to my liking. I don't like tuna salad, but that does not make it bad for those who do! So, in no particular order, here goes:

1. Band selection is only one direction. You can't back up if you miss the band you wanted. No big deal, but it is a pain in the butt. Perhaps a software upgrade will fix this.

2. You're not given enough information on the status of the radio. For example, you can't tell if you have the attenuator on unless you toggle it off and on while watching the effect on the S-meter. The same goes for the main tuning lock. The only way to know if you have the tuning locked is to try to tune the radio. If it does not tune, then the lock function is on! Now, having said that, I understand why some of the functions don't have a status enunciator: lack of space on the main display. To get everything on there, a costly LCD would have been the only choice. That would have raised the cost of the radio considerably.

3. Whoa! I can't believe there's no automatic notch on a DSP-based radio. Perhaps a software upgrade will address this problem, too.



Photo A. The Argonaut V.52 73 Amateur Radio Today • June 2003

4. If you buy the optional fans for the PA heatsink, they run all the time.

5. Not a problem for me, but for those that must have one, there is no RF gain control on the Argonaut V.

6. The radio does not work very well at operating voltages under 12.5 volts. At 12 volts, things get a little dicey.

#### But ....

All and all, the Ten-Tec Argonaut V is a <u>super</u> radio. I've had mine now for about six months and have just been amazed with its performance. No matter if I've been on SSB on 40 meters or FM on ten meters, the audio is great. The CW QSK is probably the best yet from Ten-Tec.

If you think that QRP just may not be your cup of tea, the 20 watts of RF that the Argonaut V produces will generate a lot of contacts. QRP operators at the five-watt level, too, will be at home with the Argonaut V with just a twist of a knob.

Ten-Tec has produced a great little transceiver. No matter if you like to run five watts or go for the gusto with twenty watts, the Argonaut V will serve you extremely well.

## HOMING IN

Radio Direction Finding

Joe Moell P.E. KØOV PO Box 2508 Fullerton CA 92837 [Homingin@aol.com] [http://www.homingin.com]

## Tracking Opportunities — Owls, Bats, and PLBs

I have found hundreds of hidden radio transmitters over the years. Each time it has been fun and exciting, but never more so than the first time I tracked down a radio-tagged animal.

It wasn't too hard, because that tag was on a slow-moving desert tortoise. Nevertheless, that experience made it clear how much can be learned about wildlife this way.

Biologists want to know about the effects of habitat, diet, dispersal, migration, and predation on species of concern. Radio tracking is an important tool for them. However, it's not easy for a few researchers to track critters that move large distances, such as migratory birds. They sometimes use small aircraft for radio tracking, but that's very expensive and requires consistent good enthusiasts, ham operators, and scanner fans, a great deal has been learned about the Western Burrowing Owl. Much of the news is not good. On 7 April 2003, a coalition of conservation groups, including chapters of the Audubon Society, petitioned the California Fish and Game Commission to list this bird under the California Endangered Species Act.

"California supports the largest remaining breeding and wintering populations of the species," states the news release accompanying the petition. "Many early accounts of the burrowing owl reported that the species was one of the most common birds in California. They historically ranged throughout the Central Valley, in coastal areas from Marin County south to the Mexican border, and in sparsely inhabited desert areas in northeastern and southeastern California. The release continued, "Surveys conducted throughout most of California during the early 1990s documented a nearly 60 percent loss in the number of breeding owl colonies known from the 1980s, and a decline in overall population numbers by eight percent per year. Breeding owls have recently been completely eliminated from five counties and are nearing so in at least six others. "Over 71 per cent of California's breeding owls currently live in the margins of agricultural land in the Imperial Valley, an area that accounts for only 2.5 percent of the land area of the state. Over 15 percent of the state's breeding owls reside in the southern Central Valley, an area undergoing explosive human population growth and rapid conversion of agricultural lands to urban development."

and nearby will have a chance to participate in studies of this fascinating bird. Robert Mrykalo, a graduate student in the Environmental Science and Policy Department at the University of South Florida at Tampa, is studying Florida Burrowing Owls. This is a slightly different subspecies, thought to have a range limited to Florida and the Keys. However, there is one 40-yearold report of a sighting in North Carolina. Researchers have banded these birds in the past, but none of the banded owls has been recovered after leaving its breeding home.

weather.

That's where hams come in. We're scattered throughout the country, most of us own equipment to monitor VHF frequencies, and many of us are interested in using our hobby for public service.

#### Learning about owls

For five years, ham operators in central and western states have carefully tuned their receivers each fall and spring, listening for weak pulsed signals from radio tags on Western Burrowing Owls (**Photo A**). We've provided volunteer support to researchers in the state of Washington and the provinces of Saskatchewan and Alberta.<sup>1</sup> This ongoing project has helped researchers learn the migratory habits of these threatened birds, which have been shown to travel almost 2,200 miles to their winter homes in Mexico and southern states.


Unlike other Strigiformes, burrowing owls nest underground in holes that have been dug and then abandoned by other animals such as ground squirrels. They require suitable habitat consisting of open fields with adequate food supply for foraging, roosting sites, and low vegetative cover to allow them to keep watch for predators.

As a result of uncounted hours of effort by researchers, park rangers, birding

#### It's Florida's turn


This spring, hams in the Sunshine State

"These owls are unique due to the fact that they dig their own burrows," Robert writes. "Florida Burrowing Owls are



**Photo A.** Burrowing owls are unusual because they prefer grasslands instead of forests. A new opportunity for hams to help study them is beginning soon. (Photo by Joe Moell KØOV)

73 Amateur Radio Today • June 2003 53



**Photo B.** This Mexican Long-nosed Bat has a face covered with pollen. Biologists want volunteers knowledgeable in RDF techniques to help track these bats in a Texas project this summer. (Photo by Merlin D. Tuttle, copyright Bat Conservation International, used by permission)

currently listed as a 'Species of Special Concern' due to a reduction in population size because of loss of suitable habitat. "My goal is to place necklace or tailmounted transmitters2 on the owls and attempt to follow them from late spring through summer this year," Robert continues. "There has been past telemetry work conducted on burrowing owls in Cape Coral, Florida, but the owls dispersed past the receiving distance of the telemetry receivers. The researchers were unable to locate the owls using aerial surveys. I found it fascinating that ham and VHF monitors were able to assist in locating transmitter signals! The one concern I have is that the owls on which I have placed transmitters will disperse large distances. I do not think I will have sufficient research funding to conduct aerial surveys." Robert and his associates will place transmitters on Florida owl hatchlings, beginning in April or early May. They will track them locally as they leave their burrow nests and learn to forage. Between July and September, the young owls will take off for parts unknown. Nobody knows why, since there will still be plenty of rodents, insects, and other food for them. Nobody knows where they will go, either. Perhaps a 73 Magazine reader will copy a tag signal and provide a valuable clue. Better yet, maybe a transmitter-hunt-54 73 Amateur Radio Today • June 2003

ing ham will track down one of the tagged owls for a positive sighting.

For more information on this project, including the list of all active tag frequencies when available, visit the "Homing In" Web site. You'll also find ideas for suitable receivers and antennas, plus other tips on hearing wildlife tags. If you want to get earliest notification of projects like this, plus an opportunity to exchange correspondence with wildlife researchers and other volunteer monitors, join the Biotrackers Email reflector. Subscription information is at the "Homing In" site.

#### Bats in the cacti

My Burrowing Owl Project Web page and Biotrackers mailing list have attracted favorable attention throughout the research community, so more biologists are enlisting the help of hams, scanner enthusiasts, and transmitter hunters. One of them is Angela England of Bat Conservation International (BCI) in Austin, Texas.<sup>3</sup>

"Mexican Long-nosed Bats are the nighttime equivalent of hummingbirds," Angela writes. "They feed on the nectar and pollen of giant agaves, also known as 'century plants' or magueys. These endangered bats are highly migratory, capable of flying long distances in a single night, and are thus highly efficient pollinators for these plants (Photo B). Yet little is known about how much time they spend each night foraging, how far they go in a single night, or what landscape areas they use. "This summer we will be radio-tagging 25 of these bats in Big Bend National Park," Angela continues. "Due to the small size of these animals, we can only use the tiniest of transmitters, and the batteries only have a 10- to 14-day life span. We plan to collect as much information as possible during this time frame, and are looking for volunteers to help. "Between June 23rd and July 11th, the main crew of about 10 people will be hikers, who will carry portable directional antennas and receivers to high areas to record signal direction and strength data minuteby-minute throughout the night. We could also use one or two vehicle-based people to be stationed around the periphery to monitor and potentially chase any tagged bats that leave the park. (Last year one of our tagged bats left the park and was last heard approximately 27 miles away from the roost.) We would prefer to have all volunteers be hiking-capable, so we can interchange harder and easier assignments nightly.

because we need the data to be collected in a consistent manner. We'll be providing all training, food, lodging, and equipment, but if you happen to have your own receivers and antennas, we'd love it if you could bring them! We'll be using the 150, 151, and possibly 149 MHz bands. Even if you can't commit that much time, if you happen to be in west Texas, southern New Mexico, or northern Mexico during that time frame, you would also be welcome to listen for our tagged bats on your own."

What an opportunity for physically fit transmitter hunters! Hiking in Big Bend Park would be a great way to get in shape for the USA ARDF Championships in Cincinnati at the end of July.<sup>4</sup> The "Homing In" Web site will carry the latest details on the status of this project, along with frequencies and contact information for BCI.

#### Personal locator beacons legalized in USA

Another way that transmitter hunters serve the public is by becoming volunteers for organizations that track down activations of aircraft Emergency Locator Transmitters (ELTs) and maritime Emergency Position Indicating Radio Beacons (EPIRBs)(**Photo C**). Beginning in July, big changes are coming to the world of emergency beacon track-

"We are asking for a two- to three-week time commitment from all volunteers, ing, as the FCC permits these beacons to be used by individuals in addition to pilots and boaters.

Aircraft ELTs activate upon severe impact and transmit continuously on 121.5 and 243.0 MHz with a distinctive whoop-whoop tone. Power is only about 100 milliwatts, so ground range is only a few miles at most. However, they can easily be detected by the SARSAT/COSPAS system of satellites.

As I explain in detail in my book,<sup>5</sup> USA's SARSAT and Russia's COSPAS satellites are in low Earth orbit and use the Doppler frequency shift that they observe while passing over the beacon at high speed to determine ground position. Two passes are needed, and data can only be collected when a satellite is above the horizon for both the beacon and a ground station. That means it takes at least two hours for a good fix.

Another problem has been that 121.5/ 243 MHz ELT transmissions are anonymous. The satellite can't tell whose ELT is squawking, or even be sure that it's an actual ELT. Occasionally an ELT alert turns out to be something else, such as word processing equipment.<sup>6</sup>

In 1988, EPIRBs were authorized to use 406.025 MHz in addition to the other two frequencies. The 406 MHz transmission is a short high-power burst of digital data that includes a unique identification. Not only did this help solve the anonymity problem, but satellites could store this data when out of range of a base station for later forwarding. That shortened the alert time cycle considerably. The newest EPIRBs now have built-in Global Positioning System (GPS) receivers and can include GPS coordinates in the data stream.

As of last year, there were 82,000 registered ELTs and EPIRBs in use, plus an estimated 500,000 of the older unregistered units. One source claims that they have enabled rescues of 14,700 persons in the last 20 years. With evidence like this, why wasn't this technology made available to hikers and other individuals who might need rescuing, too?

Other countries, including Canada, Australia, and Russia, have set up programs to permit individuals to carry Personal Locator Beacons (PLBs) and activate them manually when they need rescue. PLBs use the same transmitting frequencies and satellite detection system as ELTs and EPIRBs, but they have somewhat less stringent design and feature requirements, making affordable pocket-size units possible. Despite success elsewhere, FCC steadfastly refused to legalize PLBs in the continental USA through the 1990s. Opponents of PLBs feared that they would become so popular that false alarms and inappropriate activations would clog the system, detracting from its primary maritime and aviation uses. They cited examples from Canada, such as the New York man on a solo two-week canoe trip in the Northwest Territories who missed his connection with the bush plane that was to pick him up. Even though he had plenty of provisions to stay a while longer, he chose to set off his PLB, triggering a rescue with Hercules aircraft and helicopter flights that cost the Royal Canadian Mounted Police about \$100,000. In another case, a man and his son on a kayak trip set off their PLB because they were tired and "it was becoming hard to paddle." A Twin Otter came to bail them out and almost crashed trying to make a landing at their campsite. Arguing that inappropriate use by a few shouldn't be the sole reason to deprive everyone else of a useful rescue tool, proponents kept up the pressure. In 1995, a pilot program began in Alaska to allow PLBs in the wilderness under a cooperative agreement with National Oceanic & Atmospheric Administration (NOAA), U.S. Air Force, Coast Guard, and Alaska State Troopers. In a recent year, there were 54 rescues attributed to these PLBs, many of



**Photo C.** Cathy Livoni KD6CYG enjoys hidden transmitter hunting on the ham bands. She also tracks aircraft ELTs as a volunteer with the Civil Air Patrol. (Photo by Joe Moell KØOV)

them snowmobilers stranded in subzero temperatures.

In January 2000, FCC issued a Notice of Proposed Rulemaking on the subject. Of the comments received, less than 22 percent opposed authorization of PLBs in the rest of the USA. A favorable Report and Order was adopted on September 27, 2002. Beginning July 1, 2003, 406 MHz PLBs may be sold and used in the USA. Each must be preprogrammed with a unique identification code. The purchaser must send in the supplied registration card with the ID code and other pertinent information to NOAA immediately. For PLBs bought by wilderness outfitter businesses to be rented for short periods to hikers, kayakers, and so forth, the new rules require the outfitter to provide a 24-hour contact number to NOAA, for rapid determination of who's sending alarms from rented PLBs. There are strict technical stands for PLBs, so you can't build your own. In addition to 406 MHz digital burst transmissions, they must also beacon continuously on 121.5 MHz, with a special "P" identifier in Morse code to distinguish them from ELTs and EPIRBs. To make PLBs pocket-sized, the 121.5 MHz transmitter can run as little as 25 milliwatts. The battery must be able to power the PLB for 24 hours after activation, following a shelf life of at least five years.

Say You Saw It in 73!

It's expected that street prices of PLBs

Continued on page 61



The tried and true KT34 series antennas have been made better using the latest computer modeling and mechanical design techniques to provide you with the best tribander performer available today. Just take a look!

INCREASED FRONT TO BACK INCREASED GAIN MECHANICALLY SUPERIOR ELECTRICALLY SUPERIOR LOWER WIND LOAD THAN COMPETITORS LESS WEIGHT THAN COMPETITORS RATED AT 100 MPH WIND SURVIVAL AND OF COURSE, NO POP RIVETS

Contact us for our new catalog of ALL the goodies!! Can't wait? Visit our Website @m2inc.com

DESIGNS BY K6MYC

4402 N. Selland, Fresno, CA 93722 559-432-8873 Fax 559-432-3059 E-Mail: wyatt@m2inc.com Website: www.m2inc.com



73 Amateur Radio Today • June 2003 55

## ABOUE & BEYOND

VHF and Above Operation

C.L. Houghton WB6IGP San Diego Microwave Group 6345 Badger Lake Ave. San Diego CA 92119 [clhough@pacbell.net]

## Converting 11 GHz LNB Preamps to 10 GHz

Since the first article in 73 Magazine on converting the beige Channel Master LNB to a 10 GHz preamp, many questions have surfaced. The first and foremost concerns whether LNBs can be used for this same TV satellite service. And the answer is a resounding yes.

Well, yes with some reservations. Those reservations come in the form and factor of considerations of the LNB you acquire. They're all usable — it's just that some in the conversion are harder than others to adapt to coax output tapoff of the final RF amplifier to SMA transition. That's assuming that the input remains waveguide input.

Other questions suggest conversion to SMA input also, and while that is possible, some noise figure questions remain. Let's deal with the basic conversion applications between models, speak in general as to what needs to be done to convert an LNB, and then let you evaluate what needs to be done mechanically with the unit you pick up. Regardless who made the converter you have, they are all made to operate in the same frequency range for satellite converters. That is, in the 11.7 to 12.2 GHz region, with circuitry broadbanded enough to allow operation in the 10 GHz band by removing any RF amplifier OUTPUT filter. We are sticking with the single RF amplifier circuits (an LNB with one RF preamp, not one with two RF preamps, and regardless of the number of RF amp stages, usually 2 to 3 for a single RF amp). The dual RF preamps are usually made for both vertical and horizontal orientation switching from the TV converter for orientation desired and will not be covered here. Let's stick with the single RF amplifier LNB conversion. Surpluswise, I feel that these LNB converters are worth about \$10 to \$15 each, with easy-to-convert units demanding slightly greater dollar value.

and a local oscillator (usually a DRO, dielectric resonator oscillator). That's a big word for an amplifier that is made to feed back RF coupled through a high-Q dielectric ceramic sort-of-aspirin-pilllooking device turning the amplifier into a feedback-controlled oscillator.

This oscillator (LO) is offset about 1.5 GHz from the operating frequency, producing an IF frequency of 1 to 1.5 GHz. Testing is to power up the LNB with a bias "T". A bias "T" is simple to construct: It's just a small box with a feedthrough capacitor and 2 coax connectors, a mica capacitor and a RF choke. The dipped mica capacitor ties between the input and output connector, its value being something near 10 pF. On the input side of the bias "T" (LNB side), a small RF choke connects to the feedthrough capacitor to feed +DC for amplifier LNB power. This voltage can be between +12 and +18 volts DC. It is applied in with the IF signal feeding the DCisolated receiver converter on top of your TV set. (In normal applications, the DC bias is part of the receiver on top of your TV set.) In any case, power and IF signals cohabitate the coax between the LNB and receiver, isolated by the chip capacitor in a bias "T". To test, power the bias "T" with + DC 12 volts. I placed the converter input into my spectrum analyzer set to the IF frequency of 1 to 1.5 GHz. Any LNB can be tested in this way, copying a weak signal loosely coupled through its waveguide input to the spectrum analyzer or other receiver of choice that can copy these 1 GHz signals. As long as your LNB takes + DC voltage, they all can be measured up between each other by reading the gain on the spectrum analyzer or S-meter on your wide-range monitor receiver. All the converters I have from Channel Master are

positive DC power. However, be sure of what you have. There could be some out there that are negative DC. Just check first to be sure what you have. They have been plainly marked as to polarity.

The RF amplifiers that lie within the units can be made to function on 10 GHz with little investment. Most of the units that I have been able to obtain in surplus were of the Channel Master series. The iterations were many, and you could see developmental changes in style and manufacturing techniques differing between models greatly. However, all taken with a grain of salt, the basics are still there. Each unit is powered with a DC source feed up the coax to an "F" connector on the rear of the LNB, feeding anything from +12 to +15 or so volts with

Basic operation can be checked, with the source being a simple Gunn oscillator or signal generator set to a frequency in the original passband of the amplifier, 11.5 to 12.7 GHz. Internal to every LNB is a mixer **56** 73 Amateur Radio Today • June 2003




Fig. 1. Drawing showing construction of bias "T" for use in testing various LNBs. Voltage and polarity of DC voltage depends on LNB model. Most of the Channel Master LNBs that I have seen require anything between +12 to +24 volts DC. I basically keep my voltage in the +14 to +16 volt range for all tests, as there is a +12 or similar voltage regulator internal to all of the LNBs I tested.

internal regulators taking care of the lower voltage used by the internal circuitry. This internal supply feeds the RF preamp, local oscillator, and IF amplifier. All negative voltage for bias for the FETs in the preamp is also generated by the internal power supply for gate bias. Couple the circuitry of a mixer and internal filter, which is usually connected to the output of the RF preamp and mixer input, and you're ready to sail into the conversion process to 10 GHz. The thought here is that if the LNB basic tests show it to be functional, it can't turn out to bad even if it gets smoked, as the investment is minimal and this is the worst scenario.

Disassemble the case rear nut, push out the case of the LNB, and remove appropriate covers protecting the power supply, IF, mixer, and RF preamp circuitry. What you're trying to ascertain is how to shut down the DC to the LO and cut the circuit board with an X-acto knife on the output of the last stage of the RF preamp/RF filter input to remove the filter from the circuit. You want to leave enough of the filter to serve as a pad to allow insertion of a 1 to 2 pF chip capacitor from the stripline feeding the filter (last-stage RF amp output) to a filter element used for a connection PC board pad. The remaining part of the filter is used to support a small section of 0.085 miniature Teflon hardline coax to couple the RF preamplifier out rather than feed the filter output to mixer input. By removing DC power to the IF amplifier and the LO oscillator, DC current will be slightly reduced and the oscillator being disabled will not interfere with the operation of the RF preamplifier circuitry. That's the easy part, not the clever part that makes the conversion easy or harder. Just leave the components in place and cut DC supply lines with an X-acto knife to remove DC power.

The reassembly of the RF preamplifier requires that the metal shield removed to gain access to the circuitry must now be put back into place. Holes or compartment cuts need to be filed or drilled to accommodate the added chip capacitor depth on the circuit board, and passage for the 0.085 hardline coax to allow the cover plate to be reattached with the extended new RF preamp output. The cover plate is important in that it prevents the circuits from "talking" between each other and isolates them in small, "rat race"-looking compartments to prevent crosstalk and unwanted oscillations between compartments so shielded. What I did on the black LNB was to notch with a file the bottom of the compartment cover to allow the SMA connector and its 0.085 coax to extend out of the rear body of the LNB. Solder the coax shield to the ground external rail on the outside of the body of the LNB PC board. Continue to solder this ground to part of the RF filter (now disabled) for coax strength. This part of the solder to the filter has no electrical properties but does add strength to the miniature coax. Make sure the new coupling capacitor has room in height and does not short out when the cover plate is reattached.

electrically as for the large beige LNB unit. Differences are in the connections for power supply and IF input from the mixer connections between the power supply PC board and RF amplifier board.


To locate these two leads, position the board with the power supply towards you with the waveguide to your left. Locate the red lead on left bottom and unsolder it. At right bottom, the white clear lead is IF out of mixer - unsolder this lead also. That allows you to gently lift the power supply board to a near vertical position. This will allow you to unscrew the cover to the DRO LO assembly and remove it. Take the cover off easily. The board is held down by two leads to the RF board topside, DC power in and RF LO out to mixer. These leads can be observed on the RF preamp board top just left of 12 o'clock positions on the board. The LO output goes to a stripline filter element and the DC power lead comes in from the top left and is terminated just below the LO output lead. Unsolder both these leads on the RF amp board.

Extract the DRO LO unit from the center of the housing. Disable the IF amplifier by removing DC voltage from the devices marked "R37". These are the IF preamp's four stages (I left them alone). Then disable DC voltage to the MMIC amp by removing the MMIC or removing the resistor tied between MMIC output and the "F" connector center connection. I just removed this connection for tests. Supply a new DC power lead to the "F" connector power as DC input +12 volts. Reattach the screws holding down the power supply PC board and voltage regulator.


#### Conversion of the Channel Master black LNB, part #6246-01

The black LNB is marked 11.7 to 12.2 GHz, 1.3 dB noise figure. My conversion of the black LNB was essentially the same

Conversion to the RF amplifier board is



**Photo A.** Top view of black LNB with cover plate removed and "rat race" compartment shield in place. RF amplifier stages shown at top of picture. Coax hardline would exit out left center of LNB under shield plate and soldered to PC board ground.



**Photo B.** "Rat race" compartment cover removed and RF amplifier 3-stage amp, bottom of PC board. Waveguide input to left and output circuitry for coupling to 0.085 hardline for amp output to right.

nearly the same as for the large beige unit. Cut on bottom right enough of the filter lines to allow an isolation chip capacitor to be installed on the stage three output to part of the first input line of the bandpass filter. Make sure it will clear the top cover plate used for isolation between stages. This allows a connection point from the capacitor to the 0.085 coax line. The SMA connector on the far end serves for RF out of preamp. Cut/file a hole in the bottom of the RF amplifier isolation plate to allow RF coax to exit housing and provide rigidity. It would be best to use miniature rigid coax like 0.085 hardline. I don't have any quantity to supply, but found a short section of Teflon coax about 2 inches long with an SMA female connector on one end, and prepped the other end for insertion on amp stage 3's output chip cap. Should work. Haven't had time to try it out, but believe should be OK. Test and adjust as necessary.

#### Conversion of the Channel Master large beige LNB, part #NJR2115-FH

The noise figure was 1.1 dB on the unit I selected to convert; it varies a few tenths of a dB between units.

Start by pulling the unit apart. Remove rear "F" connector nut and press LNB assembly out of housing. LNB IF amp and LO assembly resides sandwiched between the RF amp PC board and the power supply PC board. To access and remove the LO and IF assembly, remove all screws from the power supply board. Unsolder the three leads just above the 1 watt resistor and varistor. This frees DC power and bias and the +12 volt DC input to power supply board. (Do not unsolder any of the 6 wires in similar black cable.) Remove all screws holding the RF amplifier PC board shroud and top cover plate, giving access to RF amp board components. Looking at the 6-wire black cable that connects to the power supply board and the waveguide to your left, the three RF amp devices run from (input) bottom left to bottom right (output). Notice that there are 2 wires soldered to the RF amp board, top left side of PC board. One is LO injection to FET mixer, and the other, topmost left, is DC power to the DRO local oscillator. Unsolder both leads from the PC board. This should allow you to gently lift both the power supply and RF amplifier PC boards off the metal housing. Use static prevention measures, as the RF amplifier input gate is now unprotected and with a little static mishandling you could destroy the first RF amp FET. Use a grounded workstation (unetched PC board ground straps and grounded soldering iron station).

With the power supply and RF amplifier board removed, now unscrew the LO board and IF amplifier board from the center of the housing and set aside; it is not required in the conversion. Replace the power supply and RF amp board, and screw down the power supply board first. Position the RF amplifier board and prepare it for stripline modification. As above, with the RF amp positioned so that the black 6-conductor cable is at 6 o'clock, the first-stage waveguide input is to the bottom left. On the bottom right, the output of the stagethree amplifier is a filter presumably set for 11.7 to 12 GHz. Two GHz is not modifiable and needs to be cut off with an X-acto knife. Leave the first element that is capacitively coupled to the stage three output. About 1/8th of an inch from the ground end of this first element, cut a 1/16th-inch open in the path. The ground will have a 0.085 section of hardline coax to ground. The center of the 0.085 coax connects to the open end of the cut, which is the output of stage 3. Leave the capacitive coupling lines for DC isolation.

Exit the 0.085 hardline through the rear of the housing above the "F" connector, and solder the coax to ground. The top cover plate needs to be filed out to accommodate the round coax hardline; I suggest firmly improving rigidity, as the ground surface on the PC board is quite narrow but a good ground. Improves rigidity. When that is done, screw the top housing in place and the top cover plate. Attach to the power supply board a new DC input lead. Attach to rightmost pin of the 3 pins previously unsoldered. You can verify the pin as it wires directly to the power diode under the black varistor on the right side near the varistor. The other side of the diode goes to the voltage regulator, leftmost pin; center pin, ground; right pin, regulated DC output. DC input can be anything from +15 volts to +24 volts DC; I recommend +12 VDC. Check for shorts, and when ready, apply power and test as 10 GHz amplifier. Now it's an LNA and not any longer an LNB.

A consideration for best receiver applications is to position the preamp as close to the antenna as possible. The loss from antenna to preamp input adds up to reduce the system noise figure in any system with a preamp. If your losses are 3 dB and your preamp has a 1 dB noise figure, the system noise figure will be 4 dB or slightly greater in this simple example.

If you have to be SMA input, use a WR-75 SMA transition to waveguide for the interface or do some machine shop modifications to bring out the inner lip of the waveguide. Replace the probe with an SMA connector and 1 pF chip cap for isolation and give it a try. I haven't done this, as I don't have anything more than my vertical mill, a drill press.

I hope this gives you some confidence to try out these many different models of LNB in the surplus market, as they should be in abundance at inexpensive prices. If you can't find any to convert, I will supply either the black or large beige LNB described, tested good, for \$20 each postpaid US. Canadian destinations, please inquire. Best 73, Chuck WB6IGP. For questions about this and other applications, E-mail me at [clhough@pacbell.net].

Now, the last question: Why remove the waveguide input and convert to SMA connection? While it seems to be easier to use an SMA connector for the input, making them more desirable for conversion to existing systems, there remains a point to consider — that is, keeping them in original input circuitry (waveguide) and adapting them to the feedpoint of your dish using a waveguide switch for transmit/receive switching. The RF preamp is at the most desirable point in the system, with minimum loss from the antenna to the preamp input.

## QRP Antenna Showdown continued from page 13

the quietest antenna of the bunch. Eliminating the noise floor allows weak signals to almost jump right out at you, giving the illusion of some sort of gain factor. The super loop is somewhat fragile; a sharp jolt can break the capacitor's rotor away from its stator assembly. I know, it happened to me. Although not very portable, this antenna works well on travel trailers and cabin installations.

As with the Miracle Whip, the ATX/ MFJ 1899 also provides wide frequency coverage. The multiple loading coil taps allow for very fast frequency changes in the field anywhere from 80 meters up through the UHF bands.

The MM-20 was the only antenna that included a built-in mount making it self-supporting. The MM-20 is not much of a shortened antenna, as it is a full 1/4 wavelength vertical on several bands and on others it requires very little use of the loading coil. If needed, the large, 2-inch high-Q coil needs only to be tapped a couple of turns to

58 73 Amateur Radio Today • June 2003

obtain resonance. Three sets of fullsize tuned radials for each band are provided with the antenna.

The Maldol monobander antenna is the simplest, smallest, and least frilled of all the antennas I used. Several have experimented using two of these as a rotatable dipole, with some real success.

#### Now Hear This! continued from page 19

diaphragm touching the nail head. This is easier than you may think. A piece of cork gasket material was cut to fit on the piece of wood with the protruding nail head. Before gluing in place check the clearance with the magnet attached. It may be necessary to file down the nail head a little more to gain clearance. A few finishing touches: (1) Glue a piece of circuit board to the back and solder the #32 wire leads. (2) Fabricate a covering for the diaphragm from wood or aluminum with a 1/2" hole in the middle; make a spacer of thin cardboard (approximate thickness of two index cards) to go between the covering and the diaphragm edges: secure with screws in the four corners. Congratulations! Your home-brew magnetic headphone is complete. Have fun!

#### Yes, I Built Sixteen Log Periodic Antennas! continued from page 27

This one is only suited for the higher bands due to the rear mast height. The vertical DLP will usually have a lower angle of radiation than an equivalent horizontal DLP. It will generally not be too good for short-haul on 20m or 15m, but might be better on longer, multihop circuits. The one tested here worked extremely well on 10m.

Being vertically polarized, it is more subject to man-made QRM. This type is only suggested as a space saver or possibly for mounting on the roof of a building where length may be available but with insufficient width for a four-mast horizontal DLP.

**Fig. 8** illustrates a single band vertical monopole LP using ground radials suited for a 40m or 80m beam.

The advantage of the monopole is that only a single high rear mast is required (which might be the tower for a rotary beam), plus a shorter wood pole for the forward mast. As the vertical radiating elements are only  $1/4\lambda$ , the rear mast can be approximately one half that required for a vertical DLP, Fig. 7, for the same frequency. A rear mast height (for Fig. 8) of 15.24m (50') is required for 40m; 22.87m (75') for 3.8-4.0 MHz; or 24.39m (80') for 3.5-4.0 MHz. The disadvantage is that at least 30% more antenna wire is required for the monopole LP using ground radials, compared with a DLP. A vertical beam of this type should have an open area in the direction of the beam. Aiming toward a hill, heavy wooded area, etc., should be avoided due to its low angle of radiation. From the tests made here, a two- or threestory dwelling in the beam's path seems to give about 5 dB attenuation. No doubt the plumbing, electrical wiring, or air conditioning ducts either resonate or give sufficient screening to cause this attenuation. It is therefore suggested that vertical beams be used only on open terrain having good ground conductivity. Avoid trees or other obstacles in the path of the beam. The ideal location for a vertical beam of this type would be at a coastal area as near the shore line as possible, with the beam aimed seaward toward a DX continent. Those lucky enough to have such a location would no doubt have excellent results with a monopole LP having a 10 dB gain on 40m or 80m. One aimed across a lake might also be good.

A vertical monopole for both 40m and 80m of the "skip band" type is not out of reason, but would require at least 45.73m (150') in length by 42.68m (140') or 6,042.44m<sup>2</sup> (21,000 sq. feet) of open space, which is quite an area unless you are lucky enough to live on a ranch or farm.

Next time, we'll get into the step-bystep procedure for assembling simple, inexpensive 2:1 bandwidth DLPs for 20-15-10m, single band LPs for 40m or 20m, and 40m or 80m vertical monopoles.

#### CALENDAR EVENTS

continued from page 41

Television Society will hold its BRATS Maryland Hamfest and Computer Fest on Sunday, July 27th, at the Timonium Fairgrounds, York Rd. off 1-695, 1-83. Directions: Take I-695 (the Baltimore Beltway) to Exit 24 (I-83 North). From I-83, take Exit 17 (Padonia Rd. East), then turn right at the 3rd traffic light onto York Rd. Continue south on York Rd. to the Fairgrounds entrance. You can also take the MTA Light Rail to the Timonium Park & Ride stop, or park in the Timonium Park & Ride lot on Deereco Rd. Talk-in on the 147.03(+), 145.13(+), 224.96 and 448.325 MHz rptrs. Grounds open for tailgating at 6 a.m. Building opens at 8 a.m. Accessible to the handicapped. Vendors can setup beginning at 2 p.m. on Saturday. Admission is \$6 per adult, children under 12 free. Tailgating spaces are \$10 each, first come, first served. No advance reservations for tailgating spaces. VE exams will be given at 9 a.m. only; checkin is at 8:30. Pre-registration is required. To pre-register call John Creel WB3GXW at 301-572-5124, after 6 p.m. For further info see the Web page at [http://www.bratsatv.org]; E-mail [hamfest@bratsatv.org]; call or fax 410-461-0086; or write BRATS Hamfest, P.O. Box 5915, Baltimore MD 21282-5915.

#### Performance

Although it cannot compete with the best magnetic headphones that exist, it performs well. The strongest local AM stations can easily be heard, and sometimes on a good night more distant ones can be heard, too.

#### Parts sources

Hosfelt Electronics, Inc. 2700 Sunset Blvd. Steubenville, OH 43952 1-800-524-6464

All Electronics Corporation 905 S. Vermont Avenue Los Angeles, CA 90006 1-800-826-5432

Say You Saw It in 73!

73

#### AUG 2

ALFARATA, PA Juniata Valley ARC Hamfest, 6:30 a.m. General admission, 8:00 a.m. Morning and noon food items available.

Continued on page 61 73 Amateur Radio Today • June 2003 **59** 

## PROPAGATION

Jim Gray II 210 E. Chateau Cir. Payson AZ 85541 [akdhc2pilot@yahoo.com]

## MUFs, LUFs, and SIDs

Solar activity will range from quiet to active in June but no major geomagnetic storms are expected. Aside from seasonal limitations, propagation throughout the first half of the month should provide some excellent DX opportunities.

The first five days should be especially good, although coronal hole effects may tend to dim this outlook somewhat. Only three days out of the first two weeks are forecast to be duds. In contrast, generally fair to poor conditions will prevail during the second half of June, although the 19th–20th and 29th–30th have the potential to be the best propagation days of the month. The worst period will be from the 22nd through 28th, with the greatest solar activity occurring on the 24th, 25th, and 26th.

We are now in the summer "doldrums," where strong ionization puts a damper on daytime HF communications, so this is a good time to review the concept of Maximum and Lowest Usable Frequencies (MUFs and LUFs) and how they affect us. The MUF is the highest frequency that can be adequately reflected back to Earth and the LUF is the minimum frequency that can overcome atmospheric attenuation. The MUF for a given distance is basically controlled by the angle of reflection (determined by the condition and height of the "F" layers of the ionosphere), while the LUF is determined by the amount of attenuation caused by the "D" layer. As the frequency is reduced, the losses from the "D" layer increase, and at some point the signal becomes lost in the background "noise." Since "D" layer absorption is at its greatest during the summer, LUFs rise to their highest values of the year. When the LUF is equal to or greater than the MUF, there is a "blackout" and communications become very difficult, if not impossible, to maintain. Sudden Ionospheric Disturbances (SIDs) due to solar flares add significantly to "D" layer absorption and often trigger such blackouts.

GMT:	00	50	04	OB	08	10	12	14	16	18	20	22
Central America	15-20	(15-40)	20 (40)	20 (40)	(20)	(20)	(15) 20	15 (20)	15 (20)	15 (20)	10-20	(12) 20
South America	15-20	(15)	(15) 20	(20-30)	x	(20)	(15-20)	(15)	(15)	(10-15)	10 (20)	(10) 20
Western Europe	20 (40)	20-40	(20-40)	(20-40)	20	(20)	(15-17)	(15)	x	(15-20)	(15) 20	(17) 20
Southern Africa	(40)	(40)	20	20	×	×	x	(12) 15	(15)	(20)	(20)	x
Eastern Europe	20 (30)	20 (40)	(20-30)	×	x	ж	×	х	×	(15-20)	(12) 20	(17) 20
Middle East	20 (40)	20 (40)	(20-30)	×	x	(20)	×	x	(15)	(15-20)	15-20	(15) 20
India/ Pakistan	(15-20)	(20)	x	×	(20)	x	×	×	x	x	×	(15)
Far East/ Japan	x	×	x	×	×	(20)	(20)	×	×	x	x	(15)
Southeast Asia	(15-20)	×	(20)	×	×	(20)	×	×	x	×	×	(15-20)
Australia	15	(15)	15 (20)	20 (30)	(20-40)	(20)	(17) 20	(20)	x	x	x	(15)
Alaska	(15)	(20)	(20)	(20)	(20)	(20)	(20)	x	x	x	(15)	(15)
Hawaii	15 (20)	(15) 20	20 (30)	20 (30)	20 (30)	(20-30)	(20)	x	x	x	(15)	(10-15)
Western USA	(12) 20	(12) 40	(20) 40	(30) 40	(30) 40	(30) 40	(40)	x	(17) 20	(12) 20	(10) 20	(10) 20

#### EASTERN UNITED STATES TO:

How do we work around these problems? The most obvious is to operate during the early and late parts of the day, at night,

			June 200	03		
SUN	MON	TUE	WED	THU	FRI	SAT
1 G	2 G	3 G	4 G	5 F-G	6 F	7 G
8 F-G	9 F-P	10 F-P	11 F-P	12 G	13 G	14 F-G
15 F	16 F	17 F-P	18 F	19 VG	<b>20</b> G	21 F-G
22 F-P	23 F-P	24 P	25 P	26 P	27 F-P	28 F-P
29 G	30 VG					

60 73 Amateur Radio Today • June 2003

#### CENTRAL UNITED STATES TO:

Central	15.00	HELDO	00 4401	00.000	(00)	20-1400	200	1451.00	15 1001	100.000	w 22 ( 22/22)	
America	15-20	(15) 20	20 (40)	20 (40)	(20)	20 (40)	20	(15) 20	15 (20)	(10-20)	10 (20)	(10) 20
South America	10-20	(12) 20	(15-40)	(20-40)	x	(20)	(20)	(15)	×	(10-12)	(10-15)	10 (20)
Western Europe	(17) 20	20 (30)	20 (40)	(40)	x	(20)	(20)	×	×	x	×	(15) 20
Southern Africa	x	×	(30-40)	(20)	x	×	x	(15)	(15)	(20)	(20)	×
Eastern. Europe	20	20 (40)	(20-30)	(20)	x	(20)	(20)	x	×	(15)	(15-20)	(20)
Middle East	(17) 20	20 (40)	(20-30)	×	x	x	(20)	x	x	x	(15)	(15-20)
India/ Pakistan	(15-20)	(15-20)	(20)	(20)	(20)	(20)	(20)	x	×	x	х	x
Far East/ Japan	(15)	(15)	(15)	x	(20)	(20-40)	20 (30)	(17) 20	(20)	×	×	×
Southeast Asia	(15)	(15)	(20)	(20)	(20)	(20)	(20)	(20)	×	x	x	x
Australia	(15)	15	(15-20)	20 (30)	20 (40)	(20-40)	20 (40)	20	×	×	(15)	×
Alaska	(15-17)	15 (17)	(15) 17	(20)	(20-30)	(20-40)	20 (30)	(20)	x	x	(15)	×
Hawaii	(10-20)	15 (20)	(15) 20	20	20 (40)	(20-40)	20 (30)	(20)	x	x	(15)	x
Central	(12) 20	(15) 20	20 (30)	20 (40)	(20-30)	(20-40)	(20-30)	20	(15-20)	(10-17)	(10-17)	(10-20)
America South	12 (20)	(12) 20	(15) 20	(17) 20	(20-40)	(20)	(20-30)	(15-20)	X	x	(10-15)	(10-15)
America Western Europe	(17) 20	20	20	(20)	x	x	x	(20)	(15-17)	(15)	x	(15-17)
Southern Africa	x	х	x	(20)	(20)	x	x	(20)	(17-20)	(15-17)	x	×
Esstern Europe	x	×	20 (30)	(20)	х	ж	x	x	×	x	×	x
Middle East	(20)	(20)	(17) 20	(20)	x	x	x	x	×	(15)	x	x
India/ Pakistan	×	×	(15)	×	x	×	(20)	(20)	(20)	(15-17)	x	x
Far East/ Japan	(15)	×	(20)	(17) 20	20	20 (40)	(20-40)	20 (30)	(17) 20	(15-20)	x	15
Southeast Asia	x	×	(15)	x	(20)	(20-30)	(20-30)	20 (30)	(17) 20	(17-20)	×	x
Australia	(10-15)	(10) 15	(12) 15	(15-20)	20	20 (40)	20-40	(17) 20	(17) 20	x	×	(12-15)
Alaska	(12-15)	(12-15)	(15-20)	(17-20)	20 (30)	(20-30)	(20-40)	20 (30)	(20)	(17)	×	(15)
Hawaii	(10-15)	(10) 15	(12) 15	(15-20)	20-40	(20) 40	(20) 40	20 (30)	(20)	x	х	(15)
Eastern USA	(12) 20	(12) 40	(20) 40	(30) 40	(30) 40	(30) 40	(40)	x	(17) 20	(12) 20	(10) 20	(10) 20

**Table 1.** Band, time, country chart. Plain numerals indicate bands which should be workable on Fair to Good (F-G) and Good (G) days. Numbers in parentheses indicate bands usually workable on Good (G) days only. Dual numbers indicate that the intervening bands should also be usable. When one number appears in parentheses, that end of the range will probably be open on Good (G) days only.

and on the highest frequencies possible. Morning and evening gray-line propagation can be very effective if you are able to reach areas of the world that interest you. If you have the power to increase gain by 10 dB for each 2 MHz reduction in frequency, you can often operate below the LUF. Sporadic-E (touched upon last month) can be another interesting avenue of investigation if you have the time and patience to watch for it. Finally, propagation analysis programs are indispensable tools for determining MUF/LUF values for a particular circuit. "MINIMUF," "MICROMUF," "WINCAP," "VOACAP," and "CAPMAN" are a few of the popularly used titles. NB6Z maintains a Web site with links to many useful on-line propagation tools. See [http: //home.teleport.com/~nb6z/solar.htm].

73 and happy hunting!

#### **Band-by-Band Forecast**

10-12 meters. Openings on ten and twelve are limited, but there should still be regular opportunities into the Caribbean and Latin or South America from mid-afternoon through early evening. Eastern Europe and the Middle East might open up just after sunrise, and Japan, Australia, or the Far East may be open in the early evening. Daytime short-skip can range from 1,000 to about 2,000 miles. 15-17 meters. Some good opportunities can still be found in many areas of the world, but these will diminish as the month progresses. Openings will begin about an hour after sunrise and should last until nearly midnight. Central and South America will be quite reliable for a good part of the day while the western Pacific, from the Aleutians down to Australia, should supply regular openings around mid-evening. Short-skip will average between 1,000 and 2,000 miles. 20 meters. Around-the-clock opportunities will be available on Good (G) days. Decent opportunities will often be found right after sunrise and late in the afternoon, but the evening hours after sunset will be the best time for strong propagation. Suppertime through late evening should support regular pipelines to Europe and the Middle East, but you'll only find "night owls" awake over there at those hours. If you find yourself awake between midnight and sunrise, try working the central or western Pacific, where openings should be regular and strong. Short-skip will fluctuate between 500 and 2,200 miles.

of activity here during the quieter periods. Good opportunities to Europe, the Middle East, and Africa will be available to stations located in the eastern U.S., while Australia, Japan, and the Far East will be open to those in the western states. If you live in the central U.S., then all of these regions should be available to you at some time during the month. As usual, Central and South America and the Caribbean will be open to everyone on most days. Short-skip at night will range from 500 to 2,500 miles but will be well under 1,000 miles during the day.

**80–160 meters.** Propagation on these bands will be spotty due to high QRN levels, but decent opportunities can still be found at night during the quieter periods. Let forty meters be your guide. Eighty and 160-sixty are pretty much nighttime-only bands with short-skip ranging from 1,000 to 2,000 miles, but daytime multiskip is possible into the Caribbean and northern South America. Noise levels are bound to be very high on most days, however, and daytime short-skip will typically fall under 300 miles.

#### CALENDAR EVENTS

continued from page 59

sessions and the Saturday evening banquet will be held at the Everett Holiday Inn and Conference Center, a short drive north of downtown Seattle. Special rates have been arranged with the hotel for conference participants. Rooms are \$69 per night plus tax, a real bargain for the Seattle area! It is suggested that early reservations be made directly with the hotel at 425-337-2900. Be sure to mention "Microwave Update" to get this rate. Reservations must be made by August 21st for this rate.

"White papers" are currently being solicited from potential authors and speakers for publication in the 2003 conference proceedings. Topics specifically of interest to Microwave Update attendees, as well as those on VHF and UHF subjects usually associated with the annual Pacific Northwest VHF Conference are being solicited. Papers will be accepted until July 1st, 2003, to allow enough time for printing. White papers should be sent directly to Jim Christiansen K7ND, via E-mail at [k7nd@att.net]. MS Word format is preferred. Microwave Update 2003 and the Pacific Northwest VHF Society respectively, will be the sole judges of whether presentation requests and white papers are accepted.

If you are interested in making a session presentation at one of the Microwave Update 2003 sessions, please respond to *NU7Z* [*nu7z@aol.com*]. For presentations at the Pacific Northwest VHF Conference sessions, contact *N7CFO* at [*n7cfo@ix.netcom.com*]. LCD projection equipment will be available for those using PowerPoint presentations. Slides and video presentations can be accommodated with advance notice.

**30–40 meters.** Atmospheric noise due to convective storms will play the major role in daily conditions, but there should be lots

200 2011 (1220)

Admission \$2.00 donation, XYL and children free. Tailgating \$5.00 donation, includes admission. Indoor tables, \$10.00 donation per table. Space is limited. Vendors responsible to collect PA sales tax. Electricity, \$2.00 additional. Please bring your own power cords. Directions: The Decatur Fire Co. is located along US Route 522 North, 8 miles east of Lewistown, PA in the town of Alfarata, PA. Look for signs. Talk-in on 146.910 MHz. For more info, contact JVARC, PO Box 73 Yeagertown PA 17099, or contact Cliff Bell WB3IVX, 717 248 2616.

#### SEP 25-28

SEATTLE WA Microwave Update 2003 organizers and the Pacific Northwest VHF Society are joining forces to host a joint conference in the Seattle WA area on September 25-28, 2003. Registrations for the joint conference will be accepted beginning April 1st. Cost of the registration will be \$40 prior to September 12th, and covers all three days. Single day or single event registrations are not available. Late registrations, including at the door, will be \$50. Registration forms can be downloaded at [www.microwaveupdate.org] or send an SASE to John Price N7MWV, 12026 81st Ave. NE, Kirkland WA 98034, and a form will be mailed to you. Completed registration forms and payment should be sent to the same address. Make checks payable to Microwave Update 2003. Joint conference

### THE DIGITAL PORT

continued from page 44

good) check out the 1<sup>st</sup> Page 2000. Very satisfactory for just about any purpose I can imagine. It is available for download from [www.evrsoft.com/].

That's it for this month. I need to stop and get my digital operating "fix." See you out there. 73, Jack KB7NO [KB7NO@att.net].

#### HOMING IN

continued from page 55

will be up to \$1,200 for units with builtin GPS and as low as \$500 for non-GPS units. NOAA knows that more beacons mean more false alarms, but the requirement for 406 MHz digital ID will at least tell them who's transmitting, making it easier and faster to deal with them. NOAA

73 Amateur Radio Today • June 2003 61

is so confident about this that plans are in the works to discontinue satellite tracking of anonymous 121.5 MHz alerts by 2009.

Do these new rules mean more opportunities for search and rescue support by hams? Only time will tell. Meanwhile, I want to hear about your experiences in searches for ELTs, EPIRBs, and PLBs. Send stories and photos via the Internet or the Post Office to the addresses at the beginning of this article.

#### Notes

1. "Homing In: Wildlife Tracking Update — Burrowing Owls Found, Saw-whets Sought," 73 Magazine, October 2001.

2. "Homing In: Squegging — Now It Helps Us Track the Birds," 73 Magazine, January 2003.

3. [www.batcon.org].

4. "Homing In: Two New Tools for T-Hunting," 73 Magazine, April 2003.

5. Moell and Curlee, *Transmitter Hunting* — *Radio Direction Finding Simplified*, published by TAB McGraw-Hill, ISBN 0-8306-2701-4. Chapter 23 has a detailed description of SARSAT/COSPAS technology.

6. "Homing In: T-Hunters to the Rescue," 73 Magazine, April 1994. the Wall Street Journal had a front page article on what they've termed the Coach-Class Syndrome. Some of the airlines are beginning to warn passengers about this problem.

When I arrived in Lisbon, after a couple hours of uncomfortable sleep, jammed into the coach-class seat with almost no leg room, my right leg was to-tally numb, except for a whole lot of pain. The sharp front edge of the seat cushion had cut off the blood circulation to the leg and a blood clot had formed. It took two days of great pain before I was able to hobble around, totally ru-ining my visit to Lisbon.

I was lucky. It took the death of Emma Christofferson, returning to London from Australia, to get the attention of the media. Emma, 28, was an active skier and in perfect health. A blood clot had formed in one leg and gone to her heart. Blotto.

A medical journal on the subject said that over 800,000 airline passengers have had to be hospitalized for this deepvein thrombosis (DVT) after long flights. I really should have opted for a hospital, but I didn't know any better. Some aspirin could have helped thin my blood, returning circulation faster.

Now some of the airlines are warning passengers to get up and move around the cabin every hour, to drink plenty of liquids, and avoid any alcoholic or caffeinated drinks, since they dehydrate you. The very dry air in planes makes dehydration a particular problem. Hey, guys, how about changing your seat design? toxins, if you can find 'em. Since reading Robert Cohen's *Milk, The Deadly Poison*, I've stopped drinking milk. I'm still using butter and yogurt, but you can be sure that I'm only buying the packages with the "organic" label. I want as much of the food I eat as possible not laced with pesticides, growth hormones, estrogen, and antibiotics.

#### The Fiend

When I was a kid anyone who was into photography was a "camera fiend." Hams were "radio fiends." The fiend term dropped out of use, replaced by "nut," as in camera nut or radio nut. So I've graduated from being a fiend to a nut.

The terms were applied to anyone who was seriously into anything — anyone who is different. Golf nuts, sports car nuts, crossword puzzle nuts, health nuts, and so on.

Having been an only child, I was brought up by and with adults, so I never got the hang of this kid peer-pressure thing. Still haven't. When I got to my teens and the other kids were smoking I tried it and said yuuuck. That was before the big health brou-ha-ha over cigarettes. My father smoked, and so did everyone else in my family.

When I dutifully went off to college (I didn't know any better then) and joined a fraternity, beer drinking was the big deal. They had weekend parties where my fraternity brothers would drink beer until they puked, and then drink more. I tried beer. Ugh. Phooey, again. And this despite everyone in my family drinking. Heck, during Prohibition my dad had a bar in the cellar where he entertained his aviator friends - like Amelia Earhart. Everyone in those days smoked and drank. But me. I wasn't righteous about it. I wasn't worried about my health, I just didn't like the taste, case closed. I'm still marching to my own drum, and the hell with peer pressure. And this holds for my essays, too. I'm no more swayed by the general public's CW (Conventional Wisdom) than I am the CW fiends in Newington who have almost killed our beloved hobby. As I've been saying in my editorials for the last 50 years, I do my homework carefully before I write - but, if you have data that I haven't found that has led you to another conclusion, please let me know what I've missed. I've insisted that it be information, not an emotional belief that you want me to share. This attitude has naturally alienated a lot of readers - because I've researched and written about many controversial

#### LETTERS

continued from page 9

complex each week. My wife plays the lessons at the same time each day, and the baby gives her reminder kicks about half an hour before each lesson.

We'd never have done these things without you. My former-vegetarian wife is even eating salmon to increase her DHA levels, thanks to Uncle Wayne. Oh, and the baby gets a literal kick out of Mozart's last four symphonies. Your recommended CD guide is astonishingly good! We can't wait to apply the lessons we're learning from Baby Signs and Joan Beck's book ... and then come the music lessons, foreign language immersion, speed reading. ... I think our kids are going to be enormously grateful to you!

#### NEVER SAY DIE

continued from page 33

#### **Coach-Class Syndrome**

In a past editorial, I wrote about how Continental Airlines almost killed me on a trip to Lisbon. The June 27th issue of **62** 73 Amateur Radio Today • June 2003

#### **Still Another Poison**

Yep, something more to worry about. It's no wonder, according to the AMA, that only 1.6% of Americans are truly healthy. It's plastics (again). That clear plastic wrap we use for foods, it turns out, outgases into the wrapped food, and from there into us. The really bad news is that the toxic chemicals involved look to our bodies like estrogen, and elevated estrogen levels create a whole raft of troubles — like prostate, breast cancers, and uterine fibroid tumors.

No, you don't want to substitute aluminum foil. How about going back to waxed paper?

Unlike our grandparents, we're being bombarded with estrogen in our eggs, milk, cheese, butter, yogurt, meat and poultry. They're all laced with trace amounts as a result of the steroids pumped into young cows and poultry via their feed or injections to fatten them up so they'll be better egg layers, milk or meat producers. Organic meat, dairy, and poultry don't have these

Continued on page 64

## Wise Up!

Here are some of my books which can change your life (if you'll let 'em). If the idea of being healthy, wealthy and wise interests you, start reading. Yes, you can be all that, but only when you know the secrets which I've spent a lifetime uncovering.

.....Wayne

The Secret Guide to Health: Yes, there really is a secret to regaining your health and adding 30 to 60 years of healthy living to your life. The answer is simple, but it means making some serious lifestyle changes. Will you be skiing the slopes of Aspen with me when you're 90 or doddering around a nursing home? Or pushing up daisies? No, I'm not selling any health products, but I can help you cure yourself of cancer, heart trouble, or any other illness. Get this new, 2002 expanded edition (160p). \$10 (#04)

The Secret Guide to Wealth: Just as with health, you'll find that you have been suckered by "the system" into a pattern of life that will keep you from ever making much money and having the freedom to travel and do what you want. I explain how anyone can get a dream job with no college, no résumé, and even without any experience. I explain how you can get someone to happily pay you to learn what you need to know to start your own business. \$5 (#03) The Secret Guide to Wisdom: This is a review of around a hundred books that will boggle your mind and help you change your life. No, I don't sell these books. They're on a wide range of subjects and will help to make you a very interesting person. Wait'll you see some of the gems you've missed reading. You'll have plenty of fascinating stuff to talk about on the air. \$5 (#02) My WWII Submarine Adventures: Yes, I spent from 1943-1945 on a submarine, right in the middle of the war with Japan. We almost got sunk several times, and twice I was in the right place at the right time to save the boat. What's it really like to be depth charged? And what's the daily life aboard a submarine like? How about the Amelia Earhart inside story?If you're near Mobile, please visit the Drum. \$5 (#10) Travel Diaries: You can travel amazingly inexpensively - once you know the ropes. Enjoy Sherry and my budget visits to Europe, Russia, and a bunch of other interesting places. How about a first class flight to Munich, a rented Audi, driving to visit Vienna, Krakow

in Poland (and the famous salt mines), Prague, back to Munich, and the first class flight home for two, all for under \$1,000? Yes, when you know how you can travel inexpensively, and still stay in first class hotels. \$5 (#11) **Writer's Guide:** It's easy, fun, can pad your résumé, and impress the hell out of your friends. \$0 (#78)

Wayne's Caribbean Adventures: My super budget travel stories – where I visit the hams and scuba dive most of the islands of the Caribbean. You'll love the special Liat fare which let me visit 11 countries in 21 days, diving all but one of the islands, Guadeloupe, where the hams kept me too busy with parties. \$5 (#12)

**Cold Fusion Overview:** This is both a brief history of cold fusion, which I predict will be one of the largest industries in the world in the 21st century, plus a simple explanation of how and why it works. This new field is going to generate a whole new bunch of billionaires, just as the personal computer industry did. \$5 (#20)

Improving State Government: Here are 24 ways that state governments can cut expenses enormously, while providing far better service. I explain how any government bureau or department can cut its expenses by at least 50% in three years and do it cooperatively and enthusiastically. I explain how, by applying a new technology, the state can make it possible to provide all needed services without having to levy any taxes at all! Read the book, run for your legislature, and let's get busy making this country work like its founders wanted it to. Don't leave this for "someone else" to do. \$5 (#30) Mankind's Extinction Predictions: If any one of the experts who have written books predicting a soon-to-come catastrophe which will virtually wipe most of us out are right, we're in trouble. In this book I explain about the various disaster scenarios, like that of Nostradamus, who says the poles will soon shift (as they have several times in the past), wiping out 97% of mankind. Okay, so he's made a long string of past lucky guesses. The worst part of these predictions is the accuracy record of some of the experts. Will it be a pole shift, a new ice age, a massive solar flare, a comet or asteroid, a bioterrorist attack? I'm getting ready, how about you? \$5 (#31) Moondoggle: After reading René's book, NASA Mooned America, I read everything I could find on our Moon landings. I watched the NASA videos, looked carefully at the photos, read the astronaut's biographies, and talked with some readers who worked for NASA. This book cites 45 good reasons I believe the whole Apollo program had to have been faked. \$5 (#32)

Classical Music Guide: A list of 100 CDs which will provide you with an outstanding collection of the finest classical music ever written. This is what you need to help you reduce stress. Classical music also raises youngsters' IQs, helps plants grow faster, and will make you healthier. Just wait'll you hear some of Gotschalk's fabulous music! \$5 (#33)

The Radar Coverup: Is police radar dangerous? Ross Adey K6UI, a world authority, confirms the dangers of radio and magnetic fields, including our HTs and cell phones. \$3 (#34)

Three Gatto Talks: A prize-winning teacher explains what's wrong with American schools and why our kids are not being educated. Why are Swedish youngsters, who start school at 7 years of age, leaving our kids in the dust? Our kids are intentionally being dumbed down by our school system the least effective and most expensive in the world. \$5 (#35)

Aspartame: a.k.a. NutraSweet, the stuff in diet drinks, etc., can cause all kinds of serious health problems. Multiple sclerosis, for one. Read all about it, two pamphlets for a buck. (#38)

**\$1 Million Sales Video**: The secret of how you can generate an extra million dollars in sales just by using PR. This will be one of the best investments you or your business will ever make. \$40 (#52) **Reprints of My Editorials from 7 3.** Very few things in this world are as we've been taught, and as they appear. As an iconoclast I blow the whistle on the scams around us, such as the health care, our school system, our money, the drug war, a college education, sugar, the food giants, our unhealthy food, fluorides, EMFs, NutraSweet, etc. Silver Wire: With two 5-in. pieces of heavy pure silver wire + three 9V batteries you can make a thousand dollars worth of silver colloid. What do you do with it? It does what the antibiotics do, but germs can't adapt to it. Use it to get rid of germs on food, for skin fungus, warts, and even to drink, Read some books on the uses of silver colloid, it's like magic. \$15 (#80)

Colloid Reprint. April 97 article on a silver colloid maker, history, and how to use the stuff. \$5 (#98)

Colloid Clips. Three 9V battery clips, 2 alligator clips & instructions. \$5 (#99) AC-powered Colloid Kit:12V power supply, silver wires, reprint, including priority mail shipment. \$37 (#82)

Four Small Booklets Combo: Super Organic Food: a trillion dollar new industry; Schools in 2020: another \$ trillion industry. Anthrax, a simple cure. Dowsing: why and how it works. \$3 (#86) My 1992 We The People Declare War! On Our Lousy Government book—360 pages and packed with ideas that'll get you all excited. Was \$13. While they last \$10. Just a few left, found in the warehouse. Last chance for this classic.(#06)

Stuff I didn't write, but you need: NASA Mooned America: René makes an air-tight case that NASA faked the Moon landings. This book will convince even you. \$30 (#90) Last Skeptic of Science: This is René's book where he debunks a bunch of accepted scientific beliefs such as the ice ages, the Earth being a magnet, the Moon causing the tides, etc. \$30 (#91) Dark Moon: 568 pages of carefully researched proof that the Apollo Moon landings were a hoax-a capping blow for René's skeptics. \$25 (#92) 1982 General Class License Study Guides. Teaches the fundamentals of radio & electricity. Was \$7. I found a few in the warehouse. \$3, while they last. Great book! (#83)

1996 100 Editorial Essays: \$5 (#72) 1997 157 Editorial Essays: \$8 (#74) 1998 192 Editorial Essays: \$10 (#75) 1999 165 Editorial Essays: \$8 (#76) 2000 101 Editorial Essays: \$5 (#77) 2001 104 Editorial Essays: \$5 (#78)

Box	416, Hancock NH 03449
Name	Call
Address	
City-State-Zip	
AND THE REAL PROPERTY AND ADDRESS OF THE PARTY AND ADDRESS	opy page and mark the books you want. Add \$3 s/h per total an, \$10 foreign.
Order total: US\$	Phone (for CC orders)
	Expire
a second s	rs: 603-588-0107 • fax: 603-588-3205 • w2nsd@aol.com
Yes! Put me down for a year of 73	for only \$25 (a steal). Canada US\$32. Foreign US\$44 by sea.
	ess reduction so send me your Adventures In Music CD catalog preign, though we try to get most orders shipped in a day or two
Your e-mail address:	

Radio Bookshop

## Barter 'n' Buy

Turn your old ham and computer gear into cash now. Sure, you can wait for a hamfest to try and dump it, but you know you'll get a far more realistic price if you have it out where 100,000 active ham potential buyers can see it, rather than the few hundred local hams who come by a flea market table. Check your attic, garage, cellar and closet shelves and get cash for your ham and computer gear before it's too old to sell. You know you're not going to use it again, so why leave it for your widow to throw out? That stuff isn't getting any younger!

The 73 Flea Market, Barter 'n' Buy, costs you peanuts (almost) — comes to 35 cents a word for individual (noncommercial!) ads and \$1.00 a word for commercial ads. Don't plan on telling a long story. Use abbreviations, cram it in. But be honest. There are plenty of hams who love to fix things, so if it doesn't work, say so.

Make your list, count the words, including your call, address and phone number. Include a check or your credit card number and expiration. If you're placing a commercial ad, include an additional phone number, separate from your ad.

This is a monthly magazine, not a daily newspaper, so figure a couple months before the action starts; then be prepared. If you get too many calls, you priced it low. If you don't get many calls, too high.

So get busy. Blow the dust off, check everything out, make sure it still works right and maybe you can help make a ham newcomer or retired old timer happy with that rig you're not using now. Or you might get busy on your computer and put together a list of small gear/parts to send to those interested?

Send your ads and payment to: 73 Magazine, Barter 'n' Buy, 70 Hancock Rd., Peterborough NH 03458 and get set for the phone calls. The deadline for the August 2003 classified ad section is June 10, 2003.

220 MHz Award; see W9CYT on WWW.QRZ. COM for information. BNB645

K8CX HAM GALLERY [http://hamgallery.com]. BNB620

TELEGRAPH COLLECTOR'S PRICE GUIDE: 250 pictures/prices. \$12 postpaid. ARTIFAX BOOKS, Box 88, Maynard MA 01754. Telegraph Museum: [http://witp.com]. BNB113 SATELLITE TV — Large selection of items at reasonable prices. We specialize in Big Dish TVRO C & Ku Band equipment. Check us out at [www.daveswebshop.com]. BNB646

HEATHKIT COMPANY is selling photocopies of most Heathkit manuals. Only authorized source for copyright manuals. Phone: (616) 925-5899, 8–4 ET. BNB964

WANTED: USED ROTORS, controls, CD-44, Ham-M, 2, 3,4, T2X, or larger. Call C.A.T.S., 1-800-3ROTORS BNB662 SMART BATTERY CHARGERS and more, [www.a-aengineering.com] BNB653

GET MORE OUT OF HAM RADIO! Books on all topics. Up to 15% off. Quality Technical Books. [http://qtb.com/hamradio/]. BNB665

FOR SALE - DRAKE TR-7/TR-7A/R-7/R-7A Service kit. Includes 13 extender boards and digital jumper card. \$63.85 includes postage. See http://www.atnet.net/~rsrolfne. Bob W7AVK, 2327 Malaga Road NE, Moses Lake, WA 98837, w7avk@arrl.net, 509-765-4721. BNB680

New miniature oscillator modules are now available ... all under \$20 ... plus our great reference book is still for sale. Write to RMT Engineering, 6863 Buffham Road, Seville OH 44273 or see our Web site at [www.ohio.net/~rtormet/ index.html/]. BNB640

RFTRANSISTORS TUBES 2SC2879, 2SC1971, 2SC1972, MRF247, MRF455, MB8719, 2SC1307, 2SC2029, MRF454, 2SC3133, 4CX250B, 12DQ6, 6KG6A, etc. WESTGATE, 1-800-213-4563. BNB6000

METHOD TO LEARN MORSE CODE FAST AND WITHOUT HANGUPS Johan N3RF. Send \$1.00 & SASE. SVANHOLM RESEARCH LABORATO-RIES, P.O. Box 81, Washington DC 20044 USA. BNB421

Cash for Collins: Buy any Collins Equipment. Leo KJ6HI. Tel./FAX (310) 670-6969. [radioleo@ earthlink.net]. BNB425

Browse our Web site and check out the "Monthly Special." TDL Technology, Inc. [www. zianet.com/tdl]. BNB500

MAHLON LOOMIS, INVENTOR OF RADIO, by Thomas Appleby (copyright 1967). Second printing available from JOHAN K.V. SVANHOLM N3RF, SVANHOLM RESEARCH LABORATO-RIES, P.O. Box 81, Washington DC 20044. Please send \$25.00 donation with \$5.00 for S&H.

**BNB420** 

Ham Radio Repair, Quality workmanship. All Brands, Fast Service. Affordable Electronics, 7110 E. Thomas Rd., Scottsdale, AZ 85251. Call 480-970-0963, or E-mail [HAM SERVICE@AOL. COM]. BNB427

64 73 Amateur Radio Today • June 2003

Electricity, Magnetism, Gravity, The Big Bang. New explanation of basic forces of nature in this 91page book covering early scientific theories and exploring latest controversial conclusions on their relationship to a unified field theory. To order, send check or money order for \$16.95 to: American Science Innovations, P.O. Box 155, Clarington OH 43915. Web site for other products [http://www. asi\_2000. com]. BNB100

COLLOIDAL SILVER GENERATOR! Why buy a "box of batteries" for hundreds of dollars? Current regulated, AC powered, fully assembled with #12 AWG silver electrodes, \$74.50. Same, but DC powered, \$54.50. Add \$2.50 shipping. Thomas Miller, 216 East 10th St., Ashland OH 44805. Web address [www.bioelectrifier.com]. BNB342

ANTENNA SCIENCE: Why do antennas radiate electromagnetic waves? Learn for yourself from this enlightening paper by MAX RESEARCH. Gain an understanding of the radiation mechanism of antennas! Written in a clear style for radio hobbyists, inquisitive amateurs and experimenters. \$4.95 ... ppd. Order from MAX RESEARCH, P.O. Box 1306, East Northport NY 11731.

**BNB426** 

WANTED: ANY MODEL Collins, working or not, including speakers, filters, options, 1-piece or collection. Bob, 651-354-5345 days: 651-345-3600 eves. E-Mail: rkemp@mr.net. BNB661

FREE!! HAM Radio and other CD-Roms and Disk catalog. MOM 'N' POP'S SOFTWARE, P.O. Box 15003-TH, Springhill, FL 34604-0111, 1-352-688-9108, visit: http://www.momnpopsware.com BNB660 REPEATERS - VHF & UHF "Hi Pro", Two Year Warranty. Free Catalog. Maggiore Electronic Lab., 600 Westtown Rd., W. Chester, PA, 19382 www.hiprorepeaters.com. BNB681

#### **NEUER SAY DIE** continued from page 62

subjects — subjects where belief systems are deeply indoctrinated.

When I write that things like dowsing, remote viewing, precognition, psychokinesis, past lives, and so on are real, it's much easier to slough me off as a nut than to do some reading to find out if I know what I'm talking about.

I've been writing about NASA faking the Moon landings. We saw and believed what we were seeing and being told. We all wanted so much to believe in America's great achievement that the voices of the few skeptics were drowned out. When René sent me a copy of his NASA Mooned America, which was obviously a self-published book, I laughed at the whole idea. I get a lot of conspiracy-theory books like that - full of speculation and short on reliable references. But René was citing facts and he had clear color NASA photos which, once I looked at them critically, backed up René. 73

# **Alinco's HF Transceivers Deliver Incredible Performance at a Tiny Price**

You're only a few hundred dollars away from a brand new Alinco HF Transceiver. That's right! Just a few hundred dollars gets you on the air with a big 100-watt signal, great audio and an easy-to-operate package that's perfect for base, portable or mobile operations. The Alinco DX-70 and DX-77 make it easy for everyone to enjoy HF with a dependable transceiver that's backed by Alinco's 1 year warranty.

## The world of HF is calling. What are you waiting for?



100 watts SSB, FM & CW, 40 watts AM

- Continuous coverage HF receiver
  - + full 6 meter coverage
- 100 memory channels
- Speech compressor
- Great CW rig, full QSK, semi or automatic break-in

- Standard narrow filter fights QRM on SSB, CW or AM
- Two VFO's and easy "split" operation
- Removable face for remote mounting.
- RIT / TXIT, IF shift
- Multi function control for easy operation

## **Alinco DX-77T Desktop HF Transceiver**

- 100 watts SSB, FM & CW, 40 watts AM
- General coverage receiver

 Enhanced Direct Digital Synthesis (DDS) eliminates



- 150 KHz ~ 30 MHz
- Two VFO's; easy "split" operation
- Standard speech processor
- Front panel speaker provides loud, clear audio
- Built-in electronic keyer 6 ~ 60 wpm
- Full QSK, 7-step semi break-in or auto break-in

need for SSB Narrow Filter

 Front panel connections for mic, key, speaker & phones

## Options

- EDX-2 automatic wire antenna tuner
- EMS-14 desktop microphone
- DM-330 MVT switching power supply
- DM-340 MVT regulated power supply



Optional Trailer Hitch Mount Iron Horse Mobile HF antennas for Alinco and other HF transceivers Order the Iron Horse IHF5S package from your dealer and go mobile fast!

	Representation and a second and a second

You get a package of 5 rugged, easily tuned antennas for 10, 15, 20, 40 & 75 meters from Iron Horse, a name recognized for its strength and dependability. Each has 3/8 x 24 threads and is rated for 500 watts. Order the IHKD3S 5 antenna quick disconnect mounting kit to make changing bands a

quick and easy operation, just push, turn & go!



**Disconnect Kit** 





Distributed in North America by ATOC Amateur Distributing LLC • 23 S. High St., Covington, OH 45318 • (937) 473-2840 Specifications subject to change without notice or obligation.

Products intended for use by properly licensed operators. Permits required for MARS/CAP use. Specifications subject to change without notice or obligation. All trademarks remain the property of their respective owners.

# **Alinco's HF Transceivers Deliver Incredible Performance at a Tiny Price**

You're only a few hundred dollars away from a brand new Alinco HF Transceiver. That's right! Just a few hundred dollars gets you on the air with a big 100-watt signal, great audio and an easy-to-operate package that's perfect for base, portable or mobile operations. The Alinco DX-70 and DX-77 make it easy for everyone to enjoy HF with a dependable transceiver that's backed by Alinco's 1 year warranty.

## The world of HF is calling. What are you waiting for?

- Alinco DX-70TH Base/Mobile/Portable HF + 6 Meter Transceiver
  - 100 watts SSB, FM & CW, 40 watts AM
  - Continuous coverage HF receiver
     + full 6 meter coverage
  - 100 memory channels
  - Speech compressor
  - Great CW rig, full QSK, semi or automatic break-in

- Standard narrow filter fights QRM on SSB, CW or AM
- Two VFO's and easy "split" operation
- Removable face for remote mounting.
- RIT / TXIT, IF shift
- Multi function control for easy operation

## **Alinco DX-77T Desktop HF Transceiver**

- 100 watts SSB, FM & CW, 40 watts AM
- General coverage receiver 150 KHz ~ 30 MHz

 Enhanced Direct Digital Synthesis



0.0.

- Two VFO's; easy "split" operation
- Standard speech processor
- Front panel speaker provides loud, clear audio
- Built-in electronic keyer 6 ~ 60 wpm
- Full QSK, 7-step semi break-in or auto break-in

#### (DDS) eliminates need for SSB Narrow Filter Front panel connections for mic, key, speaker & phones

## Options


- EDX-2 automatic wire antenna tuner
- EMS-14 desktop microphone
- DM-330 MVT switching power supply
- DM-340 MVT regulated power supply



IHF5S Mobile HF Antenn	
IHF5S Mobile HF Antenn	
IHF5S Mobile HF Antenn	
IHF5S Mobile HF Antenn	
IHTH-1	

You get a package of 5 rugged, easily tuned antennas for 10, 15, 20, 40 & 75 meters from Iron Horse, a name recognized for its strength and dependability. Each has 3/8 x 24 threads and is rated for 500 watts. Order the IHKD3S 5 antenna quick disconnect mounting kit to

make changing bands a quick and easy operation, just push, turn & go!



**IHKD3S Quick** 

**Disconnect Kit** 



**Trailer Hitch Mount** 




Distributed in North America by ATOC Amateur Distributing LLC • 23 S. High St., Covington, OH 45318 • (937) 473-2840 Specifications subject to change without notice or obligation.

Products intended for use by properly licensed operators. Permits required for MARS/CAP use. Specifications subject to change without notice or obligation. All trademarks remain the property of their respective owners.

## ULTRA-RUGGED, SUBMERSIBLE TREBAND MAGNESIUM HANDIE

Own the brightest star in the Ham Radio Galaxy! The exciting new YAESU VX-7R sets new standards in ruggedness, water resistance, and versatility, and its memory capacity is unparalleled. Own the VX-7R, and you'll own the best.

TRUE DUAL RECEIVE (V+V/U+U/V+U/HAM+GEN) WIDE-RANGE RECEIVER MAGNESIUM CASE



SHORTWAVE BROADCAST MEMORY BANK

WEATHER BROADCAST MEMORY BANK WITH "SEVERE WEATHER" ALERT

SUBMERSIBLE (3 feet for 30 minutes)

OVER 500 MEMORY CHANNELS

MIXED TONE (CTCSS/DCS) CAPABILITY

## INTERNET KEY FOR ACCESS TO

Wide-Coverage Internet Repeater Enhancement System

MARINE BAND MEMORY BANK

**MULTI-COLOR STROBE LED** 

LOW-POWER 222 MHz TX (U.S. version)

RUBBER CASE PROTECTOR

## 50/144/430 MHz 5W FM Transceiver

Actual Size

For the latest Yaesu news, visit us on the Internet: http://www.vxstdusa.com Specifications subject to change without notice. Some accessories and/or options may be standard in certain areas. Frequency coverage may differ in some countries. Check with your local Yaesu Dealer for specific details. Choice of the World's top DX'ers<sup>th</sup>

Vertex Standard US Headquarters 10900 Walker Street Cypress, CA 90630 (714)827-7600