

The following are excerpts from unsolicited letters and registration cards received from owners of the new TEN-TEC OMNI transceiver.

"I sold a Yaesu to buy this and am very impressed"	-WB5ULA
"My first QSO with OMNI-A was LA1SV on CW and second was EA8SK on SSB."	-N2CC
"Excellent rig, just as advertised."	_WB5TMD
"Very pleased with performance. QSK feature very slick."	-WB0ELM
"This is my 5th TEN-TEC transceiver in less than 2 years. I loved them all and still have 3."	-WBOVCA
"Through the years I have had complete Drake and Collins stations. I tried a 544 Digital and liked it the best so decided to purchase the 546 OMNI-D Digital."	_WA4NFM
"Your OMNI is the best rig I have had in 20 years of haming."	<b>—К4ІНІ</b>
"As a awner of Collins rig, your OMNI-D is the best."	−K9JJL
"I already have an OMNI-A, 544 and a TRITON IV. You may ask why I own so many TEN-TEC rigs. In case there is a great RF famine, I want to be ready!"	-WD4HCS
"You guys really know how to turn on an old timer!"	-K8ELS
"Best operating & most conveniences of any transceiver I've ever used."	-W6LZI
"I like CW. Compared OMNI against IC701 (rcvr) and OMNI won hands down. XYL WD6GSB really enjoys rig on SSB. Finds rig is very stoble and digital readout accurate."	—AC6B
"Have checked it out on both modes fram "top band" (160) all the way to 29 MHz. Terrific!!!!"	. = :
"Works well, parts layout and design much better for any possible servicing than other ham geor. The Japanese hybrid sets can't compare to TEN-TEC for audio. Audio reports excellent without special speech processors, etc., to distort the signal." "I have been using the S-Line over 15 yrs and never thought anything could outperform it. I got the	–AG8K
biggest surprise and THRILLED with this OMNI-D even though I have been a ham since 1936."	_KV4GD

"This must be the greatest. I've spent enough money on final tubes to almost pay for this."	—КА4ВІН
"This transceiver was recommended to me by old time hams (Xtras) whom I have known for 40 yrs. Has excellent break-in."	-N6AVQ
"Best package job I've ever seen! First licensed 6AAV in 1926. Now in operation—a sweetheart!"	_W7LUP
"From a 32V2/SX115 to an OMNI is a big step!"	_K6YD
"Receiver prominent—transmitter likewise— working comfortable—pleasing design."	-OE1FAA
"First new rig for me in 10 years but seems to be very good."	-W5GBY
"The best transceiver I ever used or owned."	-W3TS
"I wouldn't swop my OMNI for anything on the market, regardless of price."	-WD0HTE

**OMNI/SERIES B FEATURES** 

All solid-state; 160-10 meters; Broadband design; Standard 8-Pole 2.4 kHz Crystal Ladder 1-F Filter + Optional 1.8 kHz SSB Filter & 0.5 kHz 8-Pole CW Filter; 3-Bandwidth Active Audio Filter; Choice of readout — OMNI-A (analog dial), OMNI-D (digital): Built-in VOX and PTT, Selectable Break-in, Dual-Range Receiver Offset Tuning, Wide Overload Capabilities, Phone Patch Interface Jacks; Adjustable ALC; Adjustable Sidetone; Exceptional Sensitivity; 200 Watts INPUT; 100% Duty Cycle, Front Panel Microphone and Key Jacks; Zero-Beat Switch; "S"/SWR Meter; Dual Speakers; Plug-In Circuit Boards; Complete Shielding; Easier-to-use size: 5¾"h x 14¼"w x 14"d; Full Options; Model 645 Keyer \$85; Model 243 Remote VFO \$139; Model 252MO matching AC power supply \$139; Model 248 Noise Blanker \$49; Model 217 500 Hz 8-Pole Crystal Ladder SSB Filter \$55.

Model 545 Series B OMNI-A... \$949 Model 546 Series B OMNI-D... \$1119

To add your name to the fast-growing list of OMNI owners, see your TEN-TEC dealer, or write for full details.



# OMNI OWNERS SAY:

# Swan's Success Story:

# 100MX Power House

The Field-Proven Rig the Whole World's Talking About.

235 Watt PEP and CW on ALL Bands Price? You won't believe it! Just ask your dealer.


All solid state quality American construction, with epoxy glass boards to withstand the rugged mobile environment.







# THIS MONTHS



# **HORIZONS**

# Hams And The Rose Parade

One of the TV spectaculars of the year is the annual Tournament of Roses Parade from Pasadena, California. Many of us have watched this New Year's Day event without realizing that fellow hams were there, providing communications wherever needed. 1979 saw an added touch: Amateur Radio television. K6PGX's description of how it was done, and who did it, helps us tell the story of Amateur TV in this first issue of the New Year.

# Television From Your Hamshack

There's been a lot of publicity for slow-scan TV (SSTV) during the last few years, and its world-wide capabilities make it attractive. However, the original, fast-scan, high-quality television signals are still being used every day by hundreds of enthusiasts across the country. The mode is called ATV, for Amateur Television, and WB2IBE gives you a look at what a couple of groups are doing, starting on page 16.

### Survival Hike

It was supposed to be a funfilled hike up a snow-covered mountain, with a stay in a warm cabin. Operating a low-powered rig from the peak was high on the list of activities. A blizzard and an accident changed the program, with the result that a new Amateur's first contact was under less-than-ideal circumstances. A bit of enjoyable fiction from the pen of K1BE.

# Kenwood TS-820/820S Users' Report

The answers have been sorted, tabulated, evaluated, and shuffled, all of which provides a lot of food for thought and information for anyone who wants to buy, sell, trade, or otherwise get involved with a rig. The users weren't shy — some of the persistent troubles were picked on, many good qualities were praised, and some suggestions for improvements, accessories, and features were included.

# Anglo-American Connection

The Lakes recount the experiences of their exchange visit to the U.S., and tell of some interesting impressions gained. You've often heard that "we should see ourselves as others see us." Well, here's a chance to catch a glimpse of just such an image, and it's not all that bad.

# Woman To Woman, On Amateur Radio

There's an old saying of uncertain origin that goes something like: "He drew a circle and shut me out; I drew a larger one and brought him in." Far too often, wives see Amateur Radio as a hobby that shuts them out. It need not be so; it's truly a hobby that works for either sex. Read what WD5HAM has to say about sharing, then start drawing some circles.

# Wide-Range RF Tester

It's a plain box, containing some common circuits, but once you've built and used one, you'll wonder why you waited so long. Check microamperes, millivolts, watts, transmission-line current,

circuit resonance, and more with this handy gadget. See page 42.

# **Hong Kong DXpedition**

Contest operation is contagious, and so is DXing. When a couple of eager hams succumb to both maladies, the only remedy is to become immersed in pile-ups while operating from a rare location on the other side of the world, It's very doubtful that the treatment cured the affliction, but WB6JPZ and W6MJE enjoyed nine days of DX, visiting, sightseeing, and more DX. What's more, they brought home some photographs and a story to share with you. Careful . . . the DX bug can be transmitted through the printed page!

### The Cover

Everyone loves a parade, and a group of public-spirited hams helped to keep a big one running smoothly, even while they watched it. The occasion was the 1979 Tournament of Roses Parade in Pasadena, California, and the hams used ATV as well as hand-held FM units to keep parade officials informed. They'll do it again this year, so stay tuned in. (Photos by K6PGX.)

HAM RADIO HORIZONS January 1980, Volume 4, Number 1. Published monthly by Communications Technology, Inc., Greenville, New Hampshire 03048. Telephone (603) 878-1441. Second Class Postage paid at Greenville, New Hampshire and at additional mailing offices. ISSN 0147-8818.

Subscription price: Domestic, one year, \$12.00; two years, \$20.00; three years, \$27.00. Canada and Worldwide, one year, \$12.00; two years, \$22.00; three years, \$30.00, payable in United States funds.

Subscription inquiries and changes of address should be directed to *Ham Radio Horizons*, Greenville, New Hampshire 03048. Please include address label from most recent issue If possible.

NEW MFJ-410 "Professor Morse" lets you . . .

# COPY CW FASTER AND UPGRADE QUICKER

**NEW MFJ Random Code Generator/Keyer sends unlimited random code** in random groups for practice. Never repeats same sequence. Tailor level to your ability. Vary speed 5 to 50 WPM. Vary spacing between characters. Speed Meter. Full Feature Keyer.

Sends unlimited random code. Never repeats same sequence. Tallor level to your ability. Vary speed 5-50 WPM.

Copy code faster and upgrade quicker. Now you can tailor the level of code practice to your exact needs. Practice copying code anywhere and anytime you have a spare moment. Practice at home, in bed, driving to work, during lunch, etc.

The new MFJ-410 "Professor Morse" is a

computer-like random code generator and keyer that sends an unlimited supply of precision Morse Code in random groups.

It never repeals the same sequence so you can't memorize it like code tapes.

Vary speed 5-50 WPM and read on speed meter. Vary spacing between characters and character groups (for example, copy 5 WPM with 13 WPM characters) to give proper character sound

Select alphabetic only or alphanumeric plus punc-

tuation (period, comma, question, slash, double dash.) Tone control. Room filling volume. Built-in speaker. Ideal for classroom teaching. Earphone

jack (2.5 mm) for private listening.
Uses 110 VAC, or 9-18 VDC, or 4-C cells (for portable use). Optional cable for car cigarette lighter (\$3.00). 6x2x6 inches.

Built-in full feature keyer. Volume, speed, internal tone and weight controls. Weight control adjusts dot-dash space ratio, makes your signal distinctive to penetrate QRM. Speed meter works for keyer, too. Tune switch keys transmitter for

tuning. Reliable solid-state keying: grid block, cathode, solid state rigs. OPTIONAL BENCHER IAMBIC PADDLE.

Dot and dash paddles have fully adjustable ten-

sion and spacing. Heavy base with non-slip rub-

ber feet eliminates "walking", \$39,95.

Order from MFJ and try it — no obligation. If not delighted, return it within 30 days for refund (less shipping). One year unconditional guarantee.

Order today. Call toll free 800-647-1800. Charge VISA, MC or mail check, money order for \$149.95 plus \$3.00 shipping for MFJ-410 and/or \$39.95 plus \$3.00 shipping for Bencher paddle.

CALL TOLL FREE ... 800-647-1800

Call 601-323-5869 for technical information, order/repair status. Also call 601-323-5869 outside continental USA and in Mississippi.

MFJ ENTERPRISES, INC. BOX 494, MISSISSIPPI STATE, MS 39762

# NEW MFJ-624 Deluxe Hybrid Phone Patch

Feature Packed: VU meter for line level and null. Has receiver gain, transmitter gain, null controls, bypass switch. Beautiful hum-free audio. RF filtered. VOX or push-to-talk. Works with any rig. Simple patch-inpatch-out installation. Crisp, clear hum-free audio



is what phone patching is all about and MFJ has it.

This new MFJ-624 Telepatch II hybrid phone patch gives you a combination of performance. features, and quality that you won't find in other phone patches.

PERFORMANCE: Gives you crisp clear, hum-free audio which is what phone patching is all about. Use automatic VOX or push-to-talk. RF pi-filters and PC board construction eliminates RF feedback.

Works with any rig.
FEATURES: VU meter monitors telephone line level to prevent crosstalk between telephone channels. Also lets you adjust null depth for maximum isolation between receiver and trans-

Separate transmitter and receiver gain controls eliminate readjusting rig's controls after patching. Null control for maximum isolation.

Function switch: OFF for normal operation. ON connects your rig to phone line for patching. NULL switches VU meter to let you adjust for maximum null.

Simple 2 cable installation (plus phone line) when rig has patch-in-patch-out jacks. Connects

easily to any rig.

Phono jacks for patch-in-patch-out, speaker.

microphone. Screw terminals for phone lines.

Eggshell white, walnut sides. 8x2x6 inches.

QUALITY: Every single unit is tested for performance and inspected for quality. Solid Ameri-

can construction, quality components.
MFJ-620 TELEPATCH
HYBRID PHONE PATCH. Same as MFJ-624 but less VU meter. 6x2x6



inches. \$49.95 plus \$3.00 shipping and hand-

One year <u>unconditional guarantee.</u> Order from MFJ and try if — no obligation. If not delighted, return it within 30 days for refund (less shipping).


Order today, Call toll free 800-647-1800. Charge VISA, MC or mail check, money order for \$59.95 plus \$3.00 shipping for MFJ-624 and \$49.95 plus \$3.00 shipping for MFJ-620.

# CALL TOLL FREE ... 800-647-1800

For technical information, order/repair status, in Miss., outside continental USA, call 601-323-5869.

# MFJ ENTERPRISES, IN BOX 494, MISSISSIPPI STATE, MS 39762


# WILSON SYSTEMS INC. MULTI-BAND ANTENNAS



A trap loaded antenna that performs like a monobander! That's the characteristic of this six element three band beam. Through the use of wide spacing and interlacing of elements, the following is possible: three active elements on 20, three active elements on 15 and four active elements on 10 meters. No need to run separate coax feed lines for each band, as the bandswitching is automatically made via the High-Q Wilson traps. Designed to handle the maximum legal power, the traps are capped at each end to provide a weather-proof seal against rain and dust. The special High-Q traps are the strongest available in the industry today

SPECIFICATIONS Boom (O.D. x Length) No. of Elements. Longest Element 2" x 24" 2%" Wind Loading @ 80 mph . Maximum wind survival . 14-21-28 215 lbs Legal Limi Maximum power input 28' 2%" Coaxial Balur Up to 9 d8 Gain (dBd) Feed method Turning Radius Maximum mast diameter VSWR @ resonance 18'6" (supplied) Impedance 8 6 sq. ft. Shipping weight (approx) . . 62 lbs Surface area F/R Ratio 20 dB or better BRAND CC COMPARE BRAND THE SY36 HG WITH OTHERS -WILSON→ SYSTEMS Compare the size and strength of the boom Wilson Systems traps offer a larger diameter to element clamps. See who offers the largest trap coil and a larger outside housing, giving excellent Q and power capabilities.

and heaviest duty. Which would you prefer?



Capable of handling the Legal Limit, the "SYSTEM 33" is the finest compact tri-bander available to the amateur. Designed and produced by one of the world's largest antenna manufacturers, the traditional quality of workmanship and materials excells with the "SYSTEM 33". New boom-to-element mount consists of two 1/8" thick formed aluminum plates that will provide more clamping and holding strength to prevent element misalignment. Superior clamping power is obtained with the use of a rugged 1/4" thick aluminum plate for boom to mast mounting. The use of large diameter High-Q traps in the "SYSTEM 33" makes it a high performing tri-bander and at a very economical price. A complete step-by-step illustrated instruction manual guides you to easy assembly and the lightweight antenna makes installation of the "SYSTEM 33" quick and simple.

Band MHZ 14-21-28 Maximum Hower input Legal Limit Gaio (chell Un to 8 dB VSWR at resuma 1 3 1 50 atoms Impedance FIB Ratio 20 dB or better

Boom (O.D. x length) No. of elements 27'4" Longest element 27 ~ Turning radius 15'9" Maximum mast diameter 2" 0,D. Surface area 5.7 sq. ft. Langest element

SPECIFICATIONS .

Wind loading at 80 mph . 100 mph Maximum wind survival



Prices and specifications subject to change without notice

ORDER **FACTORY DIRECT** 1-800-634-6898



# WV-1A

4 BAND TRAP VERTICAL (10 - 40 METERS)

No bandswitching necessary with this vertical. An excellent low cost DX antenna with an electrical quarter wavelength on each band and low angle radiation. Advanced design provides low SWR and exceptionally flat response across the full width of each band.

Featured is the Wilson large diameter High Q traps which will maintain resonant points with varying temperatures and humidity.

Easily assembled, the WV-1A is supplied with a hot dipped galvanized base mount bracket to attach to vent pipe or to a mast driven in the ground.

Note: Radials are required for peak operation. (See GR-1 helow)

# **SPECIFICATIONS**

- 19' total height
- Self supporting no guys required
- Weight 14 lbs.
- Input impedance: 50  $\Omega$
- Powerhandling capability: Legal Limit
- Two High-Q traps with large diameter coils
- Low angle radiation
- Omnidirectional performance
- Taper swaged aluminum tubing
- Automatic bands witching
- Mast bracket furnished
- SWR: 1.1:1 or less on all bands

GR-1



The GR-1 is the complete ground radial kit for the WV-1A. It consists of: 150' of 7/14 stranded copper wire and heavy duty egg insulators, instructions. The GR-1 will increase the efficiency of the GR-1 by providing the correct counterpoise.

# LAM RADIO HORIZONS

January, 1980 Volume 4, Number 1

T.H. Tenney, Jr., W1NLB Publisher James R. Fisk, W1HR Editor-in-Chief

### **Editorial Staff**

Thomas F. McMullen, Jr., W1SL Managing Editor Martin Hanft, WB1CHQ Administrative Editor Robert Schneider, N6MR Joseph J. Schroeder, W9JUV

Assistant Editors
James R. Wates
Art Director

Alfred Wilson, W6NIF

### **Publishing Staff**

J. Craig Clark, Jr., N1ACH Assistant Publisher T.H. Tenney, Jr., W1NLB Advertising Manager

James H. Gray, W1XU Assistant Advertising Manager

Harold P. Kent, WA1WPP
Dorothy A. Sargent, KA1BEB
Advertising Sales

Susan Shorrock Circulation Manager

Cassette tapes of selected articles from Ham-Radio Horizons are available to the blind and physically handicapped from Recorded Periodicals 919 Walnut Street, 8th Floor Philadelphia, Pennsylvania 19107

Microfilm copies are available from University Microfilms, International Ann Arbor, Michigan 48103

Copyright 1979 by Communications
Technology, Inc. Title registered
at U.S. Patent Office

Ham Radio Horizons is published monthly by Communications Technology, Inc Greenville, New Hampshire 03048 Telephone 603-878-1441 ISSN 0147-8818

# CONTENTS

Amateur Televisi Norman L. Chalf		Rose Parade	12
The ATV Story John J. Edwards	, WB2IBE		16
Survival Hike in t Jeffrey J. Duque			22
Kenwood Owners Thomas F. McMi	•		28
The Anglo-Ameri Devere E. Logan David Lake, G3Z	, W1HEO	ection, part 2	34
RF Test Box William Vissers,	K4KI		42
Woman to Woma Bonnie L. Speer,	•	oming a Ham	46
DX From Hong K Alan R. Adler, W	•		52
Activities Calendar Ad Check Ad Scan Advertiser's Index Benchmarks DX Forecaster	76 78 71 78 58 74	Focus and Comment Horizons Locator Newsline Product Showcase Propagation Chart This Month's Horizons	8 72 11 64 75 s 2
Post Box	60	The View From Here	6



How would you like a high-quality *solid-state* wideband linear amplifier for your station at a price comparable to a tube amplifier? Sound great? Well don't plan on it for the immediate future because the FCC has said they won't approve such amplifiers for Radio Amateurs!

The CBers can buy so-called "amateur" solid-state linears from clandestine sources all over the United States, but most perform so poorly and splatter so badly they wouldn't be tolerated for a minute on the Amateur bands. Several of the large manufacturers are interested in building good quality solid-state linears for Radio Amateurs, and at least one has a unit almost ready for the marketplace, but developmental work ceased recently when the FCC's Office of Chief Scientist terminated, without explanation, type acceptance of solid-state broadband amplifiers for the Amateur Service. Are we to be denied the use of modern solid-state technology because of the autocratic decision of an obscure bureaucrat in a supposedly democratic government? In my opinion, this decision is in direct violation of paragraph 97.1(c) of the FCC's own regulations which state that one of the fundamental purposes is to encourage and improve "... the Amateur Radio service through rules which provide for advancing skills in the ... technical phases of the art."

This is just the latest in a series of apparently arbitrary and capricious actions by FCC staffers and seems to reinforce the notion that FCC bureaucrats are neither interested in the needs of Radio Amateurs, nor in promulgating rules and regulations which are beneficial to the Amateur Radio Service. Indeed, many recent FCC decisions are contrary to the needs and desires of the Amateur Radio community — the 10-meter linear amplifier ban; an unpopular and ridiculous callsign system that has made us the laughingstock of overseas hams; equipment type acceptance; the ASCII band; and recommending that the United States delegates to the World Administrative Radio Conference (WARC) propose that CW be an "option" for obtaining an Amateur Radio license, a highly unpopular proposal that was soundly defeated by delegates from other nations.

Until the last couple of years there was a close, almost symbiotic relationship between Radio Amateurs and the FCC; many on the FCC technical staff were hams, as were most of the Field Engineers. Though the Commission has always been much more conservative than some technically progressive hams would have liked, when viewed over the long term, they traditionally acted in the best interests of Amateur Radio. Unfortunately, that all changed with the CB boom of the mid 1970s — undermanned and short on budget, the FCC concentrated their efforts on Citizens Band problems while Amateur Radio was given short shrift. As a direct result, regulations which should have been the subject of long and careful deliberation were often acted upon too hastily, with little or no thought of the long-term consequences to Amateur Radio. Amateurs, long accustomed to dealing with a generally sympathetic FCC, had grown apathetic and were unable to respond quickly to their new adversary.

Being unprepared to operate from an adversary position is no longer an excuse. If every Amateur in the United States — or even one-third of them — brought pressure to bear on the Commission through their congressman, you can bet there would be some changes in attitude. You may not get an immediate response because bureaucratic wheels already in motion have a great deal of inertia, but we deserve a rational answer to the question, "Why are Radio Amateurs denied the use of commercial high-frequency wideband solid-state linear amplifiers?" If we act together, through our respective congressmen, we can get an immediate answer; I can think of no technical reason why such equipment should not be commercially available.

Jim Fisk, W1HR editor-in-chief



Power to the mobile operators! This one is brand new, and it carries a powerhouse punch wherever you're going. ICOM unweils a full 25 watts of mobile power with the introduction of the new IC-255A. When you want increased mobile QSO range, KOM delivers; and nobody does it better.

The microprocessor controlled IC-255A is a deceivingly compact unit which packs more big, multifeature flexibility than any other ICOM mobile to date. This one offers a 5 channel memory, complete with memory scan, adjustable scanning speed, and auto-stop. The 5 channels can easily be written from any inband frequencies; and the scan function can be programmed to scan all 5 or only 2, stopping on any signal.

Like the other new ICOM transceivers, the IC-255A comes with 2 VFO's built-in at no extra cost. The radio is programmed to come up to power operating at 600Khz splits,

but it can be reprograms to any split of your choice. The dual VFO's and single tuning knob provide you with smooth, easy tuning in 15KHz or 5KHz steps.

The use of new low-noise, dynamic range juriction FET's (for the RF amplifier and the first mixer) and helical cavity filters (for the antenna and RF circuits) provides excellent sensitivity and intermodulation distortion characteristics. A pair of high quality monolithic crystal filters and ceramic filters facilitates interference free reception reliability.

The new IC-255A's power is selectable 25W high or 1W low, yet it draws only 5.5 amps when transmitting in the high power mode. A directly amplified VCO output, without the use of multipliers or mixers, and a power module in the PA unit produce a very clean transmitted signal, with low spurious radiation. When you're in an RF trap, the IC-255A can get out the signal. To give your mobile FM operations big features with a power punch, give yourself the IC-255A.

HF/VHF/UHF AMATEUR AND MARINE COMMUNICATION EQUIPMENT



# **ICOM AMERICA, INCORPORATED**

Sales Service Centers located at

2112 116th Avenue NE Bellevue, WA 98004 Phone (206) 454-8155 3331 Towerwood Dr., Suite 307 Dallas, TX 75234 Phone (214) 620-2780

# ICOM INFORMATION SERVICE 2112 116th Ave., N.E.

Bellevue, WA 98004

Z

Please send me: ☐ IC-255A specifications sheet; ☐ full color ICOM Product Line Catalog; ☐ List of Authorized ICOM Dealers.

NAME

ADDRESS

STATE ZIP



Get your ball-point pens and some post cards ready, because I'm about to make an offer you can't refuse.

Starting in one of the next two or three months, Ham Radio Horizons will answer your questions! Yes, here's your chance to clear up some puzzle that has been bothering you. We've found an expert who avows he knows it all, and, what's more, is willing to tell all. Now, how can you beat that kind of offer, or refuse it?

Of course, like most offers of this type, there is a catch or two, but relatively painless ones: your question must be related to Amateur Radio in some direct manner, and it must be of general interest to a lot of Amateurs.

However, before I tell you how to get in on all this, let me spell out what this new offer will not do for you. It is not going to be a person-to-person (one-on-one, as the "in" crowd puts it) technical information service or engineering laboratory. Any question that is answered will be answered in the magazine only.

Now, I'm sure you realize that, in order to prevent this project from driving our oracle out of his cave (and the rest of us up our padded walls), there'll have to be some rules; I'll try to keep them simple and painless.

First, only questions received by mail will be answered. Telephone requests will be short-circuited to the nearest ground receptacle. You may put your questions on a post card or in a letter, and each will be acknowledged by a return post card so you know it

The questions will be analyzed, and the ones that, in our judgment, will be the most useful to the most Amateurs will be answered in our Q & A column.

How can you increase the chances of your question being among those chosen? Easy — keep it simple, write so our oracle can read it in his dimly-lit cave, and make it short. I will add — be realistic; if you ask for the tube-base connections on a 1908 Splitdorf Superwhistler, and your buddy across town wants to know how to tell the difference between NPN and PNP transistors — which do you think will see the printed page? Keep our primary purpose in mind: we'll do our best to answer your question if we feel that a lot of readers would benefit in the process.

Now, here's an angle that will sweeten the pot — both for you who have questions and you who just read the answers. We'll have a prize for the most popular question and answer in each issue, as determined by the number of cards or letters from our readers. We'll also have a grand prize for the most popular question of the year.

How soon will you see your question answered? Well, remember that it takes more time to put a magazine together than it does the Mimeographed club bulletin, what with editing, typesetting, proofreading, page-layout, printing, and so on. You're reading this in the January issue, so let's say you fired off a question right now, and it reached our mailbox before January 10. The question and answer could appear in the May issue, if chosen, but that would be tight scheduling. If the question requires some research before it can be clearly answered, the delay could push it into the June issue. What I'm saying is, when you send a question, don't get bent out of shape when it is not in the very next issue to arrive in your mailbox!

Oh, yes, one more thing — in case of duplicate questions, the one with the earliest date stamp (indicating when it was received here) will be used.

Just to fill in the gap between now and the time when your questions start to arrive, some of our staff members have submitted a list of questions that they feel should be asked. You'll see them, and the answers, in an early issue — perhaps as early as March

So, get out your post cards and put our oracle to work, before his ball-point goose quill freezes up and he decides that it's time to go skiing! Just to be sure your questions get to the right department, address them to: Questions and Answers, c/o Ham Radio Horizons, Greenville, NH 03048.

Thomas McMullen, W1SL Managing Editor

# CALL TOLL FREE

Hy-Gain 3806

2-Meter Hand-Held Amateur Transceiver



\* Separate microphone and speaker elements for enhanced audio Specially gasheled care seals gut water, dirt and concessive salt air . Internally adjustable mic preamp-a Hy-Gain impaci ABS plastic case - ribbed Confras for Instant access

HOLIDAY SPECIAL PRICE \$109.95

Good thru 12/31/79 only

Model No.	Description	Price
360	e and government as an	2.1.
14.53	7 4 5 5 22.1	\$11.95
4.	2 Palvery Cha gre	\$ 246
.10.1	spirette Lighter 4 ages 7 of	4
801	At territa Astaydor China	*** 5
241.	Party of Case of Calmer	W 13
1,11	I see to Cake plangly	4 5
192	Hotelen Dur . Anton ra	5
	Paythal Codelinaries	5

Communications Center 1-800-228-4097 In Nebraska Call (402)466-8402 Lincoln, Nebraska 68504 443 N 48th Street



CALL TOLL FREE

# itenna Sale

1 Trap vertical Trap vertical Trap vertical Trap vertical Trap vertical Trap vertical Trap debugge Trap debugge A beam A beam A beam A beam A beam A beam					HYCAIN	2		
XX Suger Translation         S329 95         SSE9 95         IBMT           (3) Det 10.15.20M ream         22.29         179.99         IBAVTMB           (4) Bell (0.15.20M ream)         128.95         179.99         IAAVCMB           (5) El (10.15.20M ream)         129.95         12.40         IAAVCMB           (5) El "Long John" 18M heam         129.95         159.96         18RAO           (5) El "Long John" 18M heam         129.95         199.95         68.00           (4) PM heam         249.95         199.95         68.00           (5) El (10M heam)         249.95         199.95         109.95           (5) El (10M heam)         24.65         199.95         189.95           (5) El (10M heam)         24.65         199.95         189.95           (6) El (10M heam)         24.65         199.95         189.95           (7) El (10.15.20M heam)         24.65         189.95         189.95           (8) El (10.15.20M heam)         14.65         189.95         14.4           (8) El (10.15.20M heam)         189.95         189.95         14.4           (8) El (10.15.20M heam)         189.95         189.95         14.4           (8) El (10.15.20M heam)         189.95         189.95 <t< th=""><th></th><th></th><th></th><th>Regular</th><th>Special</th><th></th><th></th><th>Regular</th></t<>				Regular	Special			Regular
(3 3et 10-15-20M town 22.2.95 179.95 18AVTWB 3 10.1015-20M town 21.89.95 179.95 18AVCWB 3 10.1015-20M town 21.89.95 179.95 18AVCWB 5 11.0019-01M 20M town 23.99 292.95 18AVCWB 5 11.0019-01M 20M town 129.95 159.99 18AWC 5 11.0019-01M 20M town 129.95 199.95	THEDXX	Super	Thundarbud	\$329 95	\$259 96	18HT	Hy-Tower 80 10M year ca	8359 95
3 of 10 15-20M beam 168 95 138 95 14A-VO/MR 5 of 10-16-50M beam 168 95 139 95 124-VO/MR 5 of 10-16-50M beam 329 95 289 95 124-VO 3 of 10-16-50M beam 189 95 189 95 680 3 of 10-16-50M beam 189 95 199 95 680 3 of 10-16-50M beam 229 95 199 95 680 3 of 10-16-50M beam 229 95 199 95 199 95 680 3 of 10-16-50M beam 229 95 19	TH3MK3	3et	0-15 20M DEJM	222 95	179 35	18AVTWB	80 10M Trup vertical	105 96
2 et 10-15-20M Oued 274 % 219 % 124 VO 5 et 10-15-20M Oued 274 % 219 % 219 % 124 VO 5 et 11-0rg John 20M Institut 199 % 159 % 159 % 580 0 5 et "Long John 10 M Institut 199 % 109 % 280 0 5 et "Long John 10 M Institut 199 % 109 % 280 0 5 et 10 M Institut 199 % 109 % 205 3 et 15	TH3JR	381.	0.15-20M beam	169 95	138.95	14A VOWB		96 99
5 et "Long ohn" 20M tuern 329 95 259.99, 148MO 5 et "Long John" 18M heam 189 95 159 95 58DO 4 et 20M heam 189 95 109 95 268 0 68 5 et 20M heam 189 95 79 95 109 95 203 3 et 16M heam 289 95 79 95 203 3 et 16M heam 289 95 79 95 203 3 et 16M heam 289 95 199 95 203 3 et 40M heam 289 95 199 95 199 95 204 3 et 40M heam 289 95 189 95 199 95 204 3 et 40M heam 289 95 189 95 199 95 204 3 et 10 15 20 heam antennas 15 99 189 95 149 95 144 4 et 10 15 20 heam antennas 15 99 189 95 144 1	Hy Quad	2el. 1	0-15-20M Ouad	274 95	219 95	IZAVQ	20-10M Trap Vertical	42.95
5 et "Long John" 18M hearn 199 95 159 95 58DQ 55 et "Long John" 18M hearn 199 95 199 95 58DQ 55 et "Long John" 19M hearn 199 95 199 95 68D 34 10M hearn 199 95 79 95 208 34 10M hearn 199 95 189 95 79 95 208 34 10M hearn 199 95 189 95 79 95 208 34 10M hearn 199 95 189 95 189 54 144 18 140 15.570M hearn 199 95 189 189 144 14 14 14 14 14 14 14 14 14 14 14 14	205BA	5 al. *	Long ohn" 20M bearn		259.95	14RMO	Roof Mounting but fuerting	MK! 33.95
\$ 6 e* "Long John 10 M heam 129 % 109 39, 28DQ 5 4 e	155BA	5 el .	Long John" 15M hearn	199.95	15.9 95	5800	80-10M Light doublet	109 95
4 et 20M hearn 249 95 199 95 688 55 55 55 contexton kui 99 95 199 95 203 55 203 55 204 55 205	105BA	Set	Lang John 10M brain	129.95	109.95	2BDQ	80 40M Trap doublet	59 95
5 5 for conversion kill 99 95 79 95 203 3 of 15M beam 89 95 79 95 205 3 of 10M beam 74 95 95 189 95 208 2 el. 40M beam 259 95 189 95 214 8 aur for heam antenna 15 95 18 95 TH\$00 C3 2 of 10 15 20 lb 3	204BA	401 7	OM beam	249 95	199 95	668	6e' 6M wam	119 95
3 of 15M bears 89 95 79 95 205 105 205 3 of 10M bears 74 95 79 95 208 3 of 10M bears 239 95 189 95 214 8 min for hears antennas 15 99 15 99 149 95 149 15 90 149 95	204MK5	50 0	DRIVERSION KEI	99 96	79 95	203	3 et 2Nd teeunt	15.95
341 10M beam 74 95 5298 18 2 64 40M beam 279 95 189 5214 18 8 aur for fearm anternas 15 95 15 95 LA-1 6 3 24 10.15.20M beam 149.95 119.99 THEORY OF	1538A	3ei 1	5M beam	89 95	79 96	205	5 e. 2M beam	21.95
2 et. 40fet beam 239.95 189.95 214  Baun for heam antennas 15.99 15.95 LA-1  (3 2 et. 10.15.20fet byans 149.95 119.95 TH\$OP AMONIC FOR	103BA	3 el. 1	On theam	74 95	59 35	208	8 el 2M beann	29.85
Baun for heam antennas   15 95   15 95   (A+1   6   18   19 95   THEORY	402BA	2el. 4	ON beam	239 95	189.95	214	14e 2M thain	34.95
2 et 10-15-20M (sept. 149.95 119.95 Tri50X	BN.86	Ba un	for beam untennes	15 95	15.95	LA-1	Deluxe lightning gregstor	59.95
and leave O	THEMINS	2 6 1	0-15-20M Is-um	149,95	119.95	THSDX		269.9
Tel Dog					MOSI		Repular Special	

Special 5228.05 84.95 57.00 14.95 29.95 49.95 49.95 99.95 99.95 99.95 99.95 99.95 99.95 99.95

49.05

		1				
Classec 33	3# 10 15, 2	10 15, 20 Mir beam	304		3 95	
Classic 36	6e'. 10, 15, 2	10, 15, 20 Mtr. b-am	397.75		249 95	
TA 33	3+ 10, 15 2	20 Mtr. beam	264.0		36 681	
TA:36	6er. 10 15, 2	20 Mtr. beam	392,75		249 95	
TA-33 Jr.	3 et 10, 15, 20 Mtr. beam	O Mtr. beam	197.60	_	45.95	
TA-40KR	40 Mrs. Add Dn	J.u	119 95		89.95	
	ວ	CUSHCRAFT	-			
4 ele 10, 15, 20 Mr. Deam	289 95	219 95	A147 11	118 . 146	11 8 v 146 148 Mhz bear	Sec.
10, 15, 20, 40 Mr. Vertical	89.95	69 95	A147.22	27 ere Potvei Pack	ver Pack	
10, 15, 20, 40, 80 Mir Vertical	109 95	89 95	A144.10T		Z Net Twist 10 sie	
2 Mir. Ringo Ranger	39.95	32.95	A144.20T	2 ME TO	Twest 20 ele	
6 Mar Rings	36 95	32.95	A147.20T	2 Mir beam	4	
220 Mhz. Ringo Banger	30 95	32.95	A430-11	432 Mile.	432 Mile, 11 pin beam	1
4. S. Innz Bingo Ranger	39.95	32 95	A432 20T	430 436 Mhz, Beam	the Beam	
11 etc. 144 146 Mhz twain	36.95	30 95				

10, 15, 20, 40 Mir. Vertical 10, 15, 20, 40, Mir. Vertical 2 Mir. Bingo Ranger AR 6 6 Mtr. Ringo ARX-220 220 Mhz. Ringo Hanger ARX-450 4.35 inhz. Ringo Ranger A144-11 11 etc. 144.146 Mhz. brain AHX-2

W- 1-0-0-0-0-0-0-0

20 95 34 95 52 95 52 95 59 95 59 95 59 95

36 95 109 95 12 95 62 95 62 95 34 95 89 95

11 av 146 148 Mhz beam

HUSTLER

CONSOLIDATED TOWER

SAY

TAYLOR SWAN TEMPO TEN-TEC MIDLAND CDE AUTEK MIRAGE

DENTRON HY.GAIN MOSLEY CUSHCRAFT WILSON

HUSTLER LARSEN BENCHER

ICOM STANDARD PANASONIC AEA

SHURE TELEX ROBOT-SSTV

E.T.O. ALPHA VHF ENGINEERING BERK-TEK CABLE

3 etc. 10, 15, 20 Mrr beam 10-dd Mrr. Vertical 10-dd Mrr Vertical 75 Meter Reconsider 75 Meter State Reconsider 76 Meter State Reconsider 2 Mrr. State Coinces 2 Mrr. Base Coinces 3 TBA 4-8TV 5-8TV RM-75 RM-75S G6-1448 G7-144

189 95 79 95 99 95 14.50 27 50 89 95

259 95 99.95 134.95 16.95 31.95 79.95

Alliance HD 73 \$108.95 All prices do not include shipping Call for prices on rotor cable, Coax, Towers, and Accesson ins. ROTORS

# We carry all major brands of ham radios AT DISCOUNT PRICES

Ten-Tec -- Swan -- Tempo -- Midland -- E.T.O. -- Wilson

Kenwood — Yaesu — Drake — ICOM — Dentron

VISA"

WBØDLH WBØRQZ KAØCRK

John Blaine Bob Jım

WBØYEZ WØGR KA7CDF WAØWRI

Don Denny Bill Joe

8 am to 12 Midnight / 8 am to 6 pm Noon to 8 pm

M.F Saturday Sunday

Our Mail Order Hours (CST)

Call and Talk to

In Nebraska Call (402) 466 8402

VISA.

KENWOOD YAESU DRAKE

for Quality Ham Radio Products at Discount Prices

FRE

# Wilson.

# has your needs well in hand.

Today's Amateur demands rugged, rapid and accurate communications between Hams in the know. That's why they choose the Wilson Mark Series of hand-held radios. With exceptional qualities like these . . . why not choose the most popular radio available for vourself?

## **FEATURES**

Advantages such as solid state circuitry, rugged Lexane case, removable rear panel (enabling easy access to battery compartment) and compact mini-size enhance the Mark Series portable radio's versatility. In addition, Wilson carries a full line of accessories to satisfy almost any of your requirements.

### **SPECIFICATIONS**


The Mark radios offer: • 144-148 MHz range • 6 Channel operation • Individual trimmers on TX and RX xtals • Rugged Lexan® outer case • Current drain: RX; 15 mA, TX; Mark II: 500 mA, Mark IV: 900 mA • A power saving Hi/Lo Switch • 12 KHz ceramic filter and 10.7 monolithic filter included • 10.7 MHz and 455 KHz IF • Spurious and harmonics, more than 50 dB below quieting • Uses special rechargeable Ni-Cad battery pack • LED battery condition indicator • Rubber duck and one pair Xtals 52/52 included • Weight: 19 oz. including batteries • Size: 6" x 1.770" x 2.440".

### **OPTIONS**

Options available, include Touch Tone Pad, CTCSS, Leather Case, Chargers for Desk Top, Travel or Automobile, Speaker Mike and large capacity, small size batteries.

For more details and/or the name of your nearest dealer, contact: Consumer Products Division, Wilson Electronics Incorporated, 4288 So. Polaris Ave., P. O. Box 19000, Las Vegas, Nevada 89119. Phone 702/ 739-1931.





# NEWSLINE

POINT OF SALE CONTROL of Amateur Radio transmitting equipment was rejected again by the Commission at their agenda meeting October 3, when they considered petitions for rule making filed by the San Antonio Repeater Organization (SARO) and two individual Amateurs. One of the petitioners proposed that the Commission require equipment sellers to record details of each owner's license for later FCC inspection, while another wanted equipment registered as well. The SARO petition wanted the FCC to license dealers as well as requiring proof of license.

In It's Rejection of the three petitions, the Commission notes that it has neither staff nor funds to enforce a record-keeping requirement, and licensing dealers would also

be expensive.

Any Amateur License Modification will now require filing of a Form 610 or 610B, the FCC has decided. Previously, a change in mailing address (only) simply required a note to Gettysburg, though a station location change did require a Form 610 or 610B. For most Amateurs, mailing address and station location are the same. However, most Amateurs who have moved have not been submitting 610s, thus requiring a response from Gettysburg before their request for modification could be processed.

Modified Licenses now will be extended for a full 5-year term effective on the modification date. These changes became effective November 12.

ENCOURAGING WARC NEWS for VHF/UHF buffs came from Geneva in mid-November. Efforts to make a 50-MHz Amateur band a possibility in Region 1 were disclosed (only very limited 6-meter operation is now permitted there, in only a few countries). A Working Group Amateur-satellite-band recommendation at 3400-3410 MHz (Regions 2 and 3 only) and at the high end of 10 GHz seemed likely; the fate of the 1240-1280 slot was still undecided. The present 24-GHz band was sustained by the Working Group, and the outlook is good for Amateur interests in the millimeter wave area above 40 GHz.

10 Meters Is The Only Amateur band below 50 MHz that so far has been considered; Committee 6 agreed October 11 to maintain the 28-29.7 slot as is (Amateur-exclusive,

worldwide).

REVISED LAUNCH PLANS HAVE BEEN ANNOUNCED for the AMSAT Phase III-A satellite. The launch now is scheduled for the middle of May, 1980, probably around May 20.

Some Solar Panels For The Phase III Satellite have been completed by AEG Telefunken,

and additional solar panels from Solarex Corporation are expected.

OSCAR 7 Was Five Years Old on November 15. It is the first Amateur satellite to operate for five years continuously. OSCAR 6 came close, ceasing operation after 4½ years.


Launching Of The University Of Surrey/AMSAT UK-UOSAT has been approved by NASA. The launch now is scheduled for mid-1981. Plans call for the inclusion of a synthesized telemetry system and a slow-scan TV camera on board the British OSCAR. The TV system can receive the pictures directly on their equipment.

THE LARGE-SCALE EVACUATION in the wake of the midnight, November 10, Canadian Pacific wreck that released chlorine and burning propane gas in Mississauga, Ontario, brought invaluable communications assistance from area Amateurs. Almost 250,000 people were pulled out of the 60-square-mile-area southwest of Toronto early Sunday, and severe overloads of telephone exchanges by concerned relatives and friends made phones unreliable, despite restrictions to "emergency use only."

With Public Services Channels well-occupied with logistical problems and law enforcewith Public Services Channels well-occupied with logistical problems and law enforcement, local Amateurs provided the only available link for health and welfare traffic. Two-meter stations, in each of the ll emergency shelters hurriedly set up in schools, community centers, and shopping malls, were responsible for reuniting many separated families and reassuring others of the safety of relatives and friends. The recently formed COMSONT net on 40 meters (7195 kHz), and another net on 75 (3770 kHz) handled the longer-haul traffic for the refugees, many of whom were kept away from their homes until later in the week.

At Least 150 Toronto area Amateurs took part, with 2-meter repeaters VE3MHZ (Brampton) VE3SKY (Weston) the principal traffic conduits. VE3DRW (Hamilton) and VE3RSB (Burlingand ton) also were on alert as backups.

THE EARTHQUAKE THAT SHOOK the southern California Imperial Valley area on October 15, injuring nearly 100 and causing extensive property damage, saw widespread use of Amateur Radio to supplement regular communications channels. Emergency nets on 40 and 75 meters began handling health and welfare traffic in and out of the area before the dust had even settled, while the Mt. Laguna 147.75/.15 MHz repeater served as the principal relay for local traffic. It's fortunate that the quake, with a potentially diastrous Richter Scale rating of 6.6, occurred in a sparsely populated area.



# AMATEUR TV COVERS THE ROSE PARADE

Nearly one hundred volunteer Amateur Radio operators from the Los Angeles area will take their places this New Year's Day along the line of march of the celebrated Annual Tournament of Roses Parade in Pasadena, California. As they have over the last six or seven years, these Amateurs will, as a public service, use their own mobile, handheld, and otherwise portable gear to provide emergency and reporting communications for the parade and city officials involved in the planning, assembling, and scheduling of the fivemile-long annual celebration which precedes the Rose Bowl football classic. The Amateur Radio communications are supported by repeaters installed in

tall structures in Pasadena and on nearby mountain tops. The San Gabriel Valley Amateur Radio Club, the Pasadena Amateur Radio Club, and the South Pasadena Amateur Radio Association, along with many individual members of clubs from the area in and around Los Angeles, design and install the complex communications network which aids the efficient operation of the parade.

In 1979, Amateur TV was used for the first time. The 1980 New Year's Day event will have ham TV again. The eyes and ears of ham radio are providing a valuable public service.

The volunteer Amateur Radio communicators have been of such value to the parade officials that, having once experienced their ability to keep things running smoothly, they invite the hams back each year.

Before the Amateur Radio entry into the Rose Parade communications activity, temporary telephones, installed on poles along the parade route, were used to report crowd incidents or float breakdowns. To get to a phone in any emergency situation, an aide had to plow through the crowd at the phone location. with all the attendant opposition and complaints to the point where the call sometimes wasn't made. This slowed down the parade; sometimes it even added to the emergency.

The portable, hand-held, mobile gear, and the repeaters pro-



Part of the preparation for the parade includes putting up antennas and checking out the system. Here Wayne Maynard, WB6BFN, is installing a 2-meter antenna atop a temporary tower to provide better reception of the hand-held units (photo by K6PGX).

vided by the Amateurs for the parade have just about completely solved the problem of reporting parade slowdowns, a float breakdown, or crowd incldent to the parade officials or public-safety authorities.

Amateur Radio communications has eased the load on public safety officials by acting as the prime link between the parade route and the parade command center. For example, there are AAA tow trucks along the parade route at specified locations. Each truck location also has an Amateur Radio communicator who frequently can be reached more easily than the tow-truck operator.

### Locations

During the 1979 Tournament of Roses Parade, Amateur television antennas, transmitters, and cameras were set up at two locations at which the parade made right angle turns. Through the Amateur TV eyes, parade officials were able to observe the progress of the parade and note any problems that may have developed with floats. A particular concern which was monitored by the ham TV cameras was the problem of longer floats making the turn. During the 1979 parade,

as we watched, one float had to make several passes at the turn to negotiate it. The TV cameras were able to view the parade routes from these corners to see both the oncoming floats and those which had passed.

At the corner of Orange Grove Avenue and Colorado Boulevard, the TV cameras were located at the top of the grandstand, with Ernie Williams' ATV station, WB6BAP. At the corner of Colorado Boulevard and Sierra Madre Boulevard, Ken Smith, WA6YJM, set up his TV-equipped van with Doug Brusche, KA6AGE, operating a color-TV camera from the roof. Both locations permitted viewing the parade over the heads of the parade watchers.

The two TV locations were linked together by a 1253-MHz link, a 420-MHz link for video, and a 144-MHz link for sound. The grandstand location picked up the Sierra Madre repeater transmissions on a 420-MHz groundplane antenna, and on a 1253-MHz parabolic dish. Transmissions to the command trailer were from the Orange Grove grandstand on a 420-MHz video link and a 144-MHz audio link. Orange Grove also rebroadcast the Sierra Madre signals to the command trailer. Mike Hasen-



Ernie Williams, WB6BAP, checks out the camera for focus and coverage at the start of the parade. The dish antenna next to him is for a 1265-MHz link to an ATV repeater.



Author K6PGX snaps a photo of Ernie, WB6BAP, in action during their preparations for the big day. In addition to the 1265-MHz antenna, the temporary grandstand also holds antennas for fm communications on lower Amateur bands.

fratz, WA6FXT, also operated a video tape recorder in the trailer. The resulting tape has since been used in the updated version of the ARRL movie, "Moving Up to Amateur Radio."

The Command Trailer was located near the Tournament of Roses headquarters, called "Tournament House." This is the elegently furnished home of the late William Wrigley, Jr., (the chewing-gun magnate). It was given to the city of Pasadena, and became the business office of the Tournament of Roses annual events, the Parade, and the Football Game in the Rose Bowl which follows the parade. The mansion is open to visitors at other times.

In the Command Trailer there were TV receivers for both the Amateur operators and the officials on which to view the images received from the two TV installations on the 420-MHz link. A command console designed and built by Wayne Maynard, WB6BFN, was set up to coordinate the various audio and video inputs received at the trailer, and give the Amateur operator on duty access to any of the repeaters in use or any of the simplex frequencies which were selected and used by the

various units in the field. Wayne was also the network control operator.

Repeaters were located on tall structures in the vicinity of Pasadena, or on some of the mountain tops nearby. There were two 144-MHz installations, and one on 220 MHz. The 2-meter repeaters were installed

by the San Gabriel Valley Amateur Radio Club. They were designed by Earl Pittman, W6VHU. The 220-MHz repeater was installed by the South Pasadena Amateur Association.

For the 1980 parade on New Year's Day, a TV link has been planned for one of the mountaintop locations. This is expected to provide better coverage than was possible in 1979. The 1979 operations were so successful that tournament and city officials want the hams, with their TV, back again.

The TV systems worked so well, in fact, that there were reports of reception (in color) by other Amateurs at distances up to 15 airline miles from the parade site.

An interesting sidelight was the discovery of a battery-operated portable TV set in the parade-watching crowd near the TV van. It was picking up transmission from the van on TV channel 70 (a harmonic of the transmitting frequency). Since the van camera was a color camera, the images on the TV set were also in color!

That the TV transmissions were in color must be considered incidental, because they were the result of using a color camera on the TV van, feeding a four-hour color-TV recorder. The output of the recorder was fed to the Amateur transmitter modulator, and so the transmission included all of the color sync, burst, and phasing signals.

# Care and feeding

Amateur Radio preparation for the Rose Parade goes on over a period of nearly a year prior to the event. Amateur coordinators work out the logistics of deploying Amateurs, and what equipment will be required at the command center and along the parade route. Individual assignments are made at an open house sponsored by the Rose Bowl Committee for the Amateur Radio participants.

During the parade period, the participants must be fed, since some of them work throughout the night before the parade. Some are assigned to the various float-construction locations, from which they report when the floats leave, or are advised to direct the floats to leave, so that the floats will assemble in the appropriate order and on time during the wee small hours of the morning.



Before the parade, dawn's early light catches the Amateur communications van set up and ready. A two-meter yagi and a collinear array for 420-MHz adorn the mast, and a pair of ATV cameras are ready for their crowd- and float-watching duties. The 1978 Tournament of Roses Parade saw over 70 Amateurs, either on foot or mobile along the parade route, ready to advise parade headquarters of problems, and speed help on its way if needed. The 1979 parade had even more hams helping out, and they plan to do it again in 1980 (photo by K6PGX).

Others are assigned to the parade-formation area to direct the various participating bands. equestrian groups, and floats into the line of march according to schedule.

These volunteer communicators must also be transported from the specially designated parking areas to their assigned locations along the five-mile line of march, the float-construction, or parade-assembly area. The transportation buses also require communicators aboard. and they, too, are ham volunteers. If you have ever tried to drive into or out of Pasadena during the Rose Parade period, you are aware of the general problem of getting from place to place. The problem of getting to a specific location on the parade route is monumental. The only lucky ones in this regard are those who are assigned to mobile locations, since they get parade-access passes. Even this has its limits, since they don't allow mobile rigs into the parade-assembly area. Without radio communications, a "stranded" volunteer may never get to where he was assigned. It is in these areas (commissary and transport) where the flow of people connected with parade activities need the ham volunteer communicator. And make no mistake about it, he or she is there!

I was transported to my TVvan location in an AAA tow vehicle, which was part of a caravan that had to travel almost the entire line of march. The AAA vehicles dropped out one by one as they reached their assigned positions.

### Who did it

Some of the participants in the 1979 Amateur Radio volunteer Rose Parade communications operations were:

Coordinators: Bud Boulton. WA6AAD; Fred Edmunds, WB6OJK;

Net Controls (supervised by Bud): Dave Buhler, WA6ZGF; Ken Robbins, WA6PYJ; Al Miller,



WB6BAP runs the frequency-netting bench before the parade starts, as K6PGX (left) gets his 2-meter fm rig ready for its checkout (photo by W6NAA).

WA6GMN: Jack Swank. WB6NQD;

Roving monitors: Mike Hasenfratz, WA6FXT; Doc Norland, WB6MOQ (Mike and Doc also were involved in the TV activity):

Technical support and equipment design: Wayne Maynard, WB6BFN:

ATV: Ernle Williams, WB6BAP; Dan Dresselhaus, WB6NUT; Ken Smith, WA6YJM; Doug Brusche, KA6AGE; Mike Collis, WA6SVT; Bob Fee, WA6LGF;

Amateur transport bus communicators: Jim Albright, WB6ZAQ; Steve Tivy, WD6AND; Bob Vanderwall, WB6YJJ;

Tournament transportation communicators: Smith Russel, WB6IPY; Bob Zeiter, W6NAA; Orlo Brown, K6SVJ; John Germany, W6TQG.

There were fifty-five Amateur Radio operators at various street corners and other spots along the parade route. Their duties included reporting delays in the parade, breakdowns of floats, and, as has happened, serious crowd incidents. They once called for police help to break up a fight. They called for ambulances when either marchers or watchers needed them. In the 1978 parade, a float broke down and had to be moved off the parade route. The Amateur communicators were heard calling for police assistance to control the crowd — who were taking "souvenirs" from the float!

When you watch the Rose Parade on New Year's Day, you might think of the Amateur Radio participation. If it looks as though it went smoothly, remember, in a large measure, the hams helped!

In 1979, for the first time since the parade officials can remember, no float was late at its appointed parade-assembly location. There was one hitch, when one float had a problem on the way to the assembly area. But. thanks to ham radio, a mechanic was dispatched to the ailing float, a fix was made, and it was In place just moments before deadline!

Most of the people who participated in the 1979 parade will be there for the 1980 parade, along with some new hams. All of them love a parade; but that's only part of why they are there!

HRH



BY JOHN EDWARDS, WB2IBE

Imagine this: As you're watching the increasingly grim fare on TV one evening, you rise from your chair in disgust and switch the set's channel selector to your local Amateur Radio repeater frequency. There, your buddy Jack is showing the schematic diagram of a new filter he just built. The repeater visually identifies, and the face of a newcomer flashes on the screen. As a get-acquainted demonstration, he runs a videocassette tour of his home and

shack. He then tops it off by playing some tapes of his last antenna-raising party and an imaginative video montage of his DX QSL collection. As you flop back in your chair you quietly exclaim, "Wow, ham TV sure beats regular TV any night!"

Another description of "Ham Radio of the Future," or the system of a very select group of hams? No, not if you live near any metropolitan area this kind of activity is going on all around you, and you probably don't even know it!

It's not that Amateur television buffs are a secretive lot.

it's just that they have such a great time they rarely get around to telling other hams much about their obsession. After all, how are you going to keep them down on 2 meters after they've seen ATV?

All joking aside, ATV activity is picking up almost daily. What was once the realm of a few technically proficient hams is now coming within reach of many beginners. Today, it's possible to assemble a complete ATV station without touching a single piece of surplus gear, or homebrewing a single thing. What is even more remarkable is that the cost for

an entire station — including a transmitter, receiver, camera, and antenna system — can be considerably less than that of some synthesized two-meter rigs. If you're content to just watch, for under 50 dollars you can adapt a home TV set to pick up ATV, and do it with the same ease as hooking up a video game. But, we're getting ahead of ourselves.

### What is ATV?

Well, it's not the slow-scan television you may have heard or read about. While SSTV is fun and has a large following on the high-frequency bands, you can hardly consider eight separate frames, or "pictures," a minute to be television in the conventional sense. ATV, however, is broadcast-quality TV with the same standards as any commercial station — even down to "living color," in many cases.

With all the advantages of normal motion, better resolution, simple receivers and the like, you may wonder why ATV isn't used on 20 meters. The answer is simple and devastating: Television is a frequency hog. So much so that it consumes a minimum of six megahertz! Needless to say. such a signal would cause incredible damage anywhere except on uhf. For this reason, the FCC has limited ATV signals to 420 MHz and above. But, this rule does have an advantage for many of us. Unlike SSTV, for which you need at least an Advanced-class license to work the highly popular 20-meter band, ATV requires only a Technician-class ticket to take part in this wonderful subhobby. The range of the signal may be limited, but at least you don't have to study so hard to get on the air.

### First steps

The first step in setting up your ATV statlon requires no license at all; even a non-ham can get in on the fun of watching. A number of sources have information on converting the tuner of a TV set to Amateur frequencies, but unless you have a junk set you're willing to sacrifice you'll probably want to buy one of the relatively inexpensive ATV converters currently on the market.

What these units do is to make use of a vacant spot (usually channel 3 or 4), and use that space to inject converted 420 to 450 MHz signals. You use a small tuning dial mounted on the front of the converter to check across the band. If you're old enough, you may remember the uhf converters that hooked up to old vhf-only TVs. Except for the frequency difference, those converters were the same type used by present-day hams for ATV.


Two of the more popular converters are the Science Workshop (P.O. Box 393, Bethpage, New York 11714) ATVC-10, which sells for \$49.95, and the Xtronix (2206 Renfrew Court, San Jose, California 95131), which goes for \$89.95.

Your next step, after hooking up the converter, is to install an ATV antenna system. You may be able to use a regular uhf-TV antenna if you live close to a group of active Amateurs or an ATV repeater, but nothing beats

an antenna specifically tuned for ATV frequencies. In any event, you'll have to get a regular antenna once you start transmitting. The bright side is that at ATV frequencies even a multi-element beam isn't very large and can easily be stacked on your present antenna system, with few weight or wind-loading problems.

Once you're fully equipped for reception and have become acquainted with local activity, your next step will be to get transmitting capability. This involves obtaining two additional components for your station— a transmitter and a camera.

As with receiving converters. ATV transmitters have come a long way from the days of surplus and homebrew gear. Like virtually every other phase of Amateur Radio, the current trend is toward pre-built. factory-manufactured units. Typical of this type of transmitter is the Klitzing ATV Transmitter (Halted Specialties, 729B E. Evelyn, Sunnyvale, California 94086) which lists for \$199, or the \$159 Xtronix TVX-10. Both units are solidstate. 10-watt transmitters that use a plug-in crystal to determine the output frequency. The crystals can be changed so



This card from WR6AZA shows part of the magnificent view from their mountaintop repeater site near San Jose, California. The dishes are part of their control-link system.



Bill Melody, WA6YBD, takes a moment from antenna work to enjoy the view from the WR6AZA ATV repeater site.

that you can use the transmitter on a number of ATV frequencies. You can use any one of a number of conventional 420-MHz power amplifiers to boost power.

Before leaving the subject of transmitters and converters, let's take a look at a form of hybrid ATV unit — the transmitter/converter. As the name implies, this is an ATV transmit-

ter and receiving converter built into one cabinet; a sort of transceiver, if you will. Actually, there's more to it than that. The transmitter/converter also acts as a central control point for the entire ATV station. Most contain an ac power supply, jacks for video and camera inputs, and most importantly, components for transmitting audio.

# Adding sound

This is a facet of ATV that many beginners don't think about at first. Yet, it's quite obvious that television isn't very effective without sound (unless you're a silent-movie fan). However, most converted surplus gear, and even some ready-built ATV transmitters, has no sound capabilities.

In the past, various systems were designed to provide audio. Among the ideas used were separate phone transmissions on a higher frequency, 2meter voice links (still used in some parts of the country), and various methods of adding an audio subcarrier. The system that seems to have won out across most of the nation is use of an fm subcarrier added to the video signal. This allows any standard TV set (with a converter, of course) to pick the sound right out of the i-f system and play it over the set's normal speaker. That sure beats fooling around with 2meter rigs or separate 450-MHz transceivers.

The last element of your ATV system will be the camera. Thanks to the recent boom in home video cassette recorders, low-cost, high-quality TV cameras are available just about everywhere. The price of a new camera should be somewhere in the \$150-\$200 range. If that's a little steep for you, you might try scouting around at the next local ham fleamarket. You can usually find a few sellers hawking used CCTV (closed circuit television) cameras for about \$35 and up, depending on the condition. If you think you might be ready for color (not recommended for beginners), you might want to buy one of the new portable color cameras - like RCA's for about \$900.

So, you now have a complete ATV system. At this point your wife, children, neighbors, and fellow hams are all in the shack demanding to see your fancy TV equipment in action. How do you show them that all the

money you spent was worth it? Well, that's a loaded question — sort of like asking a DXer to prove his country-hunting talents on the spot. Anyway, let's look at a few things ATVers are doing to justify their empty bank accounts.

## **Programming**

Like every other Amateur mode, the most popular ATV activity is ragchewing; perhaps watching each other chew the rag would be more accurate. In any event, the added dimension of sight gives ragchewing more meaning than just mere gabbing. For instance, many ATVers have patched videotape players and film chains (devices that convert motion picture images to video) into their systems. As long as you keep music off the air, you can swap all sorts of — ah — informational programs. One word of warning: keep away from

ATVers who have just returned from vacations. You may end up being a captive audience for hours of family-travel films. Unfortunately, baby-birthday-party films are a hazard at any time.

One way to avoid long, boring QSOs is to QSY to a local ATV repeater (transmission-length timers do have their benefits). The 1978-79 ARRL Repeater Directory lists eight ATV repeaters. However, by the time you read this article, that number may have doubled.

The history of ATV repeaters is closely linked to that of fm machines. Like fmers, ATVers needed to expand their coverage. They also wanted the side benefits of having a common frequency to experiment on, and, by paying dues, to help the development of a local ATV club. Also, like fm repeaters, ATV machines have played an important public service role for their community. A good example is the WR2ADD ATV repeater in Cherryville, New Jersey.

Trustee, Charles Kosman, WB2NQV, explains how his machine helped officials keep watch on a local marathon last year: "With a mobile unit ahead of the runners, we televised pictures of the leaders back to the starting point. Also, with the help of a "minicam" backpack unit, we assisted officials and police in coordinating crowd control."

Of course, WR2ADD isn't unique in the ATV field. WR6AZA in San Jose, California, provides annual television coverage for the Bay Area March of Dimes Walk-a-thon. By placing cameras at strategic points throughout the walk, the repeater is able to beam pictures of lost children back to nervous parents at the finish line.

However, repeater user Werner Vavken, WB6RAW, notes that San Francisco's full-color repeater isn't used for public service alone. He calls attention to the fact that "local activities include playing Pong,



Ed Piller, W2KPQ, checks out the Long Island Mobile Amateur Radio Club ATV repeater at Syosset, New York.

# eliability

### KENWOOD 700SP



\$599.95

\$339.95



**KENWOOD TR-7625** 



\$299.95

**KENWOOD TR-7600** 



100' rotor cable \$14.95

PREPAID SHIPPING **CONTINENTAL 48 ONLY** 



Quantities limited. Michigan residents and 4% sales tax. Please include your area code and telepho number with any correspondence





1207 W. 14 MILE, CLAWSON, MI 48017 (313) 435-5660

31155 PLYMOUTH, LIVONIA, MI 48150 (313) 522-4232

MAIL ORDER TELEPHONE (313) 435-5660

or home-computer games over the air, and even monitoring (for security) the repeater site of WR6AZA.

Back in Cherryville, even more interesting technical features are being used. Besides visually flashing its call sign on viewers' screens for identification, WR2ADD keeps club members informed of the latest Amateur news by running it



This tunable converter allows you to pick up Amateur TV signals on the 420-MHz band and watch them on a standard TV set. It's made by Science Workshop, Box 393, Bethpage, New York 11714.

across the bottom of the screen in true news-bulletin fashion.

All of these video pyrotechnics bring out the point that ATVers are experimenters in the true ham radio sense of the word. While only a Technician-class license is required, Advanced- and Extra-class holders are far more common on ATV. Most of this, of course, is due to the fact that, originally, you had to be pretty smart to get on ATV in the first place. That's all changing now, to the regret of some. But, if anything, most ATVers are now glad that the availability of components is bringing more activity to the mode.

As one West Coast ham summed up the situation, "It seems that we old-timers have just about solved all the problems for the newcomer. About the only thing we haven't been able to fix is the problem of looking presentable on television during a 3 AM QSO."

Knowing ATVers, I'd guess they're probably working on it!

### Information

Any article about ATV can only scratch the surface of

what is Amateur Radio's most fascinating and rewarding mode. For this reason, if you want to obtain more information about ATV and local ATV repeater activity in your area. the following sources are highly recommended:

A5 Magazine, P.O. Box 1347, Bloomington, Indiana 47401. \$5 yearly (six issues).

ATV in A Nutshell, by Henry Ruh, WB9WWM, P.O. Box 1347, Bloomington, Indiana 47401, \$5.

Specialized Communications Techniques for the Radio Amateur, American Radio Relay League, 225 Main Street, Newington. Connecticut 06111, \$4.

ARRL Repeater Directory, American Radio Relay League, 225 Main Street, Newington, Connecticut 06111, Free.

Another source not to be neglected is your local radio club (or some friends with ATV experience). In the words of Henry Wener, WB2ALW, an officer of the Long Island Mobile Amateur Radio Club (LIMARC), which runs ATV repeater WR2ALD, "Newcomers should find someone to help them." This feeling is echoed by John Ruckert, WB6ZPN, president of the Southern California ATV club and repeater WA6EVQ/RPT, "My advice to newcomers is to join the nearest ATV club and attend their meetings for a minimum of one year."

**ATV Clubs** BRATS, P.O. Box 5915, Baltimore, Maryland 21208. Metrovision, P.O. Box 408, Falls Church, Virginia 22046. LIMARC, 80 Birchwood, Syossett, New York 11791. Southern California ATV Club. 953 S. Beacon Street, Los Angeles, Callfornia 90015. Indianapolis ATV Club, P.O. Box 95, Waldron, Indiana 46182.

HRH

# ANTECK, Inc.

Phone (208) 423-4100 BOX 415 — ROUTE 1 HANSEN, IDAHO 83334

# Looking for the Perfect Christmas Gift?

THE MODEL MT-1 MOBILE ANTENNA. TUNES 3.2 to 30 MHz INCLUSIVE, 750 WATTS P.E.P. FOR HAM BANDS, C.A.P. MILITARY, MARS, AND CB. CENTER LOADED FOR HIGH EFFICIEN-CY. ENABLES EXACT RESONANCE TO WANTED FREQUENCY, ALLOWS FULL **OUTPUT FROM NEW SOLID STATE** TRANSCEIVER FINALS, NO WORRY ABOUT REDUCED OUTPUT FROM SHUT DOWN CIRCUITS. ATTRAC-TIVE BLUE AND GRAY FINISH. STURDY, SOLID CONSTRUC-TION, UNAFFECTED BY MOIS-TURE AND THE ELEMENTS. **TUNED FROM THE BASE TO** ELIMINATE BEND OVER OR REMOVAL FROM ANTEN-NA MOUNT FOR FRE-QUENCY CHANGE.

PROVEN PERFORM-ANCE WITH TR-7, TS-180, TS-120 AND ICOM 701, AND ALL POPULAR SOLID STATE FINAL RIGS

Merry Christmas and Happy New Year



# Features:

- **STAINLESS STEEL WHIP**
- **FIBERGLASS LOADING COIL**
- **■** BASE TUNED
- LOGGING SCALE
- RESETTABLE TO EXACT FREQUENCY
- **POSITIVE TUNING LOCK**
- HEAT TREATED BERYLLIUM COPPER CONTACTS
- NO COILS TO CHANGE
- CORRELATION CHART FROM LOGGING SCALE TO FREQUENCY FURNISHED
- MODULAR CONSTRUCTION FOR EASY ROAD HAZARD REPAIR AND SERVICE
- 90 DAY WARRANTY FACTORY SERVICE
- NO TUNERS OR IMPEDANCE
  TRANSFORMERS REQUIRED: 50 OHMS INPUT
- LESS THAN 1.5 TO 1 VSWR —
  ANY FREQUENCY WITHIN THE TUNING RANGE,
  3.2 MHz TO 30 MHz INCLUSIVE

 $\begin{array}{l} {\rm Maximum\ length-116\ inches-at\ 3.2\ MHz} \\ {\rm Minimum\ length-92.5\ inches-at\ 30\ MHz:} \\ {\rm 3/8-24\ Base\ Mount\ (Standard)} \end{array}$ 

Patents applied for.

Not an import, manufactured entirely in the U.S.A.

# Dealer Inquiries Invited PRICE — \$119.95

Effective Jan. 1, 1980 price increases to \$129.95 - order now!

	Contact your local dealer or order below
Name	
City	
State	Zip
	Total
	Parcel Post or UPS Shipping \$7.00
	Idaho Residents Add 3% Sales TaxContinental Lim
	Total Enclosed
Master Charge or	VISA
	Expiration Date



# BY JEFFREY DUQUETTE, K1BE

Kyaiii! The 120-pound, browneyed boy sent the 180-pound man flying through the air and thudding into the mat.

"More hip, and twist," coach Jeff explained, "Catch his arm, and pull hard!"

Glenn smiled and waited for Carl to begin his attack again. With the smile never leaving his face he twisted at the last possible second and screamed as Carl went over and down again.

'Great! Much better. Time is up now, though." The judo

students gathered around their coach.

"Glenn, good technique, but you need some practice with that twist. We'll work on it next week. Did you get your Novice ticket yet?" Jeff asked. Glenn replied that it wasn't in yet but should arrive any day now.


"Too bad, I was hoping to use your new call from the mountain top. Is everybody ready for the hike?"

Greg, with mischievous brown eyes, was the opposite of his brother Glenn, and kept up a constant chatter. "Should I wear my orange or white hat,

which do you think?"

Brian, another judo player, quickly piped up, "The coach has told you ten times it doesn't matter, no one in the woods will care!" The judo students were going up to Mount Mooselauke in New Hampshire to snowshoe into McKinny Cabin for the weekend. With a low-power HW-7 rig, their coach, Jeff, K1BE, hoped to operate from the summit.

"Well, we're all set," replied Jeff. "See you at 6:00 AM in the parking lot. Let's line up and bow out."



They didn't realize what a harrowing adventure this weekend would be.

As the students finished the traditional Japanese bow that begins and ends all judo classes, they didn't realize what an adventure this weekend would bring.

The snow crunched under their snowshoes as the six hikers chugged along the trail. Morgan, the older brother of Glenn and Greg, was in the lead. Brian, Carl, and Jeff were spread out behind Morgan and his brothers. Carl stumbled, tripped, and fell into a snow drift, and a break was called.

"That's the second time your snowshoe came off. Do you want some help tying it on?" asked Greg.

"I'm a big boy," Carl said,
"And you'd probably only push
me deeper into the snow,
anyway!"

The woods were lovely and very quiet. Mount Mooselauke loomed over them, with the wind swirling snow all over the top. "Do you think we'll make the summit, coach?" Morgan wanted to know.

'Well, we have four feet of

snow on the ground now, and it's a good thing snowmobiles have packed down this trail. It's hard work carrying a backpack in 10-degree weather!"

Jeff watched the soot-colored clouds scud across the sky. "They said light snow tonight — I hope we can get some good pictures in the morning." Greg said all he wanted was to get to the cabin so he could take the backpack off.


"You've got the lightest one," commented Carl, "And where'd you get that stupid orange hat?" Greg hit Carl with a snowball, and then began trudging up the trail.

The cabin was another hour's walk, and so covered by drifts that the hikers almost walked by it.


"Patience, patience, I've got to dig the key out from under ten layers of clothes." Jeff rummaged through his jacket while impatient hikers bunched up beside him. The door creaked open, and they fell into the cabin as a group.

"It's beautiful," said Greg,
"I've got the top bunk!"

Everyone hurriedly staked



Carl stumbled, tripped, and fell.



It was an enjoyable walk in the woods.

out his claim, but Jeff was the final arbitrator. "Greg, Glenn, and Brian, up in the loft, we'll take the bunk beds. That is all."

As they were sorting out the tangle of equipment, Brian asked where the bathroom was.

Jeff pointed and said, "Do you see the small building over by the trees? That's called an outhouse."

"Are you sure it isn't for mailing letters?" asked Brian.

As soon as the gear was sorted, the group assembled in front of McKinny Cabin for pictures. Without the heavy packs, they would explore the nearby area and plan the best

way up the next day. Mount Mooselauke is 4,500 feet above sea level, and the McKinny Cabin is on the southeast side at 2,000 feet. They hoped to take the easiest trail up as high as they could go before noon, then return before darkness settled in. It was a good plan, but they didn't know about the three storm cells that had combined and were quickly moving up the East Coast.

It was an enjoyable walk in the woods, made even better because the packs were left behind. At the first small downhill slope, they all had to try sitting on their snowshoes and sliding down on them. Of course everyone took a spill, and they laughed as they brushed the snow off. They returned to the cabin, with Glenn and Greg arguing over who saw the rabbit first. Carl and Brian settled it by pushing them both into a drift and running, as best they could with snowshoes on, for the cabin door.

"When I catch you I'm going to put snow down your neck!" yelled Greg.

Morg and Jeff were doubled over with laughter and tried to cheer the boys up with promises of hot cocoa before supper.

The cabin was snug and

warm once Morgan got the wood burning in the oldfashioned cook stove. He'd neglected to open the flue. however, and everyone's eyes stung from the smoke. All was forgiven when Morg served up the cocoa; to keep the peace. Carl and Brian got served last. Brian started to prepare supper. digging the freeze-dried food out of various packs.

"We've got enough to last a week," said Brian.

"Not with Carl's appetite," Greg quipped, sticking his tongue out at Carl. Amidst chuckles, he began melting snow for water.

"At least when I cook dinner we can get it out of the pan without a jackhammer, Greg!" Greg reddened at the memory of what had happened last summer when he was the group's cook.

"For once, some quiet," commented Brian as he put on the supper.

Jeff and Glenn were patiently uncoiling wires, hooking in batteries, and performing other mysteries. Morgan wanted to know what was going on, so Jeff explained:

"Well, I'd hate to carry this all the way up the mountain tomorrow only to find out it doesn't work. So, we'll test it tonight."

Putting the antenna wire through a crack under the window, he tied the antenna to a tree limb outside. Jeff was talking to Glenn.

"All set, we've tuned it up, plugged in the key, double checked all connections. Now let's see what happens."

They were using the Heathkit HW-7 transceiver, which contains both the transmitter and receiver in one unit. The speaker began to pour out a rush of Morse code. Jeff tapped the key until he heard his own signal and determined that the rig was working.

"Would you like to try it, Glenn?" asked Jeff.

Glenn's reddening face and quiet "no" seemed very

definite. He wouldn't try it.

"Okay, but tomorrow on that mountain you've got no choice." Jeff tapped out a general call on the key:

### CQ CQ CQ DE K1BE K1BE K1BE K

No answer. He tried it again. and after the third try, there it was:

### K1BE K1BE DE WD2XXX WD2XXX K

After a nice signal report and a short chat with New York at 20 words per minute in Morse code. Jeff was satisfied all was in working order. Glenn still wouldn't take the key, so Jeff signed off and clear.

"Glenn, you were my best student in code, so I know you'll do well. I'll just have to keep after you till you get rid of your jitters. Hey, what's all the smoke from?" asked Jeff. The cooks and the rest of the crew had been watching the radio contact and they were surprised to see supper smoking on the stove. Jeff kicked the door open while Morgan quickly threw Carl's gourmet delicacy into the snow, where it noisily sizzled.

"There goes supper," commented Greg. "At least we got to eat some of mine!"

Morgan pointed out what was obvious to everyone when he said, "It's starting to snow really hard." The large flakes floated to earth, limiting the visibility.

They went back into the cabin, and by lantern light, began supper again. This time Greg took charge, and a delicious meal of tuna, noodles, and carrots was soon ready.

"There's a big pot of French onion soup if anyone's still hungry," Greg said. "We'll leave it on the stove and you can help yourself."

Cards were brought out, and Brian turned his transistor radio on. They almost wished he hadn't when they heard that a storm called "Larry" was expected to drop twelve inches

of snow into their area.

"They should have named it Carl if it's that big!" piped up Greg.

Jeff laughed and said, "All right, we might be stuck here for the next twenty-four hours. Try to be nice to each other. I know you'll all hate to miss school Monday!"

When the cheering died down, they intently resumed the card game. Conversation centered around two main topics, the storm howling outside and the Judo National Tournament. All of the students were on the club's competitive team, which stood a good chance of winning.

"We have a lot of hard work ahead of us, but everybody knows where he has to improve."

The coach knew what they were all thinking, which was what an honor it would be to win in the Nationals. He then said, "Let's have a cup of soup and get ready for bed. I'll send a message in the morning to our families to let everyone know we're okav."

"How about a story?" Greg asked, and everybody enthusiastically agreed.

"All right, have I told the one about the skydiving wedding in Orange, Massachusetts?" Jeff asked as he picked up the soup kettle with a pot holder. No one was really sure how it happened, but the soup kettle fell from Jeff's hands, struck the table, and splashed the hot liquid all over his chest and arms. Jeff screamed and dumped the pot of cold water and melting snow on top of himself. He quickly began stripping off his shirts.

"It hurts, it hurts, help me bandage it up."

The group was stricken, and could only watch as blisters formed on Jeff's red, burned chest. Carl jumped up and pulled his dazed friend over to the bed.

"Quick, Morgan, help me wrap him up!" They all began pulling cotton longjohns and

towels out of their packs and passing them to Carl, who quickly wrapped them into a make-shift bandage. As Jeff was being bandaged, he whispered to Carl: "Treat for shock, I'm going into shock . . ." Carl laid his friend down and piled blankets on him. Jeff's face was pale, so with Morgan's help Carl put a sleeping bag under his feet.

"Is he going to die?" asked Greg in a quiet voice.

"He might if we can't get him to a hospital," Carl answered.

Brian wanted to know how that was possible, with the blizzard howling outside.

"We can use the radio to get help," Morgan yelped, "Glenn knows how!"

All eyes turned on Glenn, who looked at the floor and stammered, "But, but, I've never used it, I just know the code. I can't, I don't know how." Morgan replied, "You know what the coach always said, 'Believe and you can do!" Morg led his brother to the operator's seat.

Glenn looked at the faces of his friends. The snowstorm howled and whistled outside. The shallow breathing of his friend and coach came from the bed. All of his doubts fell away and with a new resolve he turned the rig on and tapped out on the key:

SOS SOS SOS DE K1BE K1BE K1BE K

There was no faltering of his hand, no hesitation in the characters. This message had to get through.

Percy Noble, W1BVR, had been standing by on the frequency of the Western Massachusetts Net for several hours, in anticipation of its activation to help the Civil Defense Agencies. He was concentrating on reading the newspaper when he thought he heard it, a weak SOS for sure. Now he's signing, Percy thought. Why, it's Jeff! That's not him at the key, though; it's someone inexperienced. Percy

quickly replied, being careful to send as slowly as the other operator had.

K1BE DE W1BVR W1BVR WHAT'S THE NATURE OF YOUR EMERGENCY? K

"Someone heard us," exclaimed Glenn, as he once again concentrated on his sending:

W1BVR DE K1BE BADLY BURNED HIKER X WE ARE AT MCKINNY CABIN, MOUNT MOOSELAUKE, MOOSELAUKE, IN N H X REQUIRE DOCTOR AND EVACUATION K

Percy yelled to his wife to call Doc Barnett and the state police. He then transmitted to the unknown operator:

R R R WE ARE GETTING HELP X
WHERE ARE THE BURNS? X
WHAT FIRST AID TREATMENT
HAVE YOU USED? X HOW DOES
THE INJURED LOOK? X IS HE
CONSCIOUS? K

Interference from another station calling blocked out the answer. Percy quickly called the blocking station and informed him that an emergency was in progress. The other station moved away, and began to warn other Amateurs to free the frequency. The weak signals were still there. Percy asked for a repeat and received this message:

R R BURNS ON ARMS AND
CHEST X BANDAGED AS BEST
WE COULD X FACE IS PALE,
BREATHING SHALLOW, FACE
FEELS CLAMMY X NOT
CONSCIOUS, WHAT SHOULD WE
DO? K

Percy spoke to the doctor on the phone and quickly apprised him of the situation. The doctor's instructions were then sent:

K1BE DE W1BVR R RAISE FEET X
YOU MUST IMMEDIATELY APPLY
WARMTH TO THE BODY AREA,
BUT NOT JUST THE ARMS AND
LEGS X DO NOT APPLY HOT
THINGS, JUST WARMTH, ABOUT
THE TEMPERATURE OF YOUR
OWN BODY X I REPEAT

Glenn's fingers were cramped as he copied the slow morse code. "He says we've

got to put some warmth next to Jeff," Carl said, reading the message.

"What can we use?" Morgan wanted to know.

"Greg, Brian, gently lie down next to Jeff and keep him warm with your body heat. Try not to touch the burns," Carl commanded. "Morgan, pile the wood into that stove and put some heat into this cabin!"

Carl pulled out the last of the down sleeping bags and covered Jeff with them. He also raised Jeff's legs a little more by placing extra clothes under them.

"Glenn, ask them what else we have to do," Carl said. The message went out:

R R R WE ARE DOING EVERYTHING WE CAN TO KEEP HIM WARM X WHEN WILL HELP ARRIVE? WHEN WILL HELP ARRIVE? K

Percy had been busy on the phone line. The New Hampshire state police and the National Park Service were organizing to help. Other ham operators guarded either side of the emergency frequency so that no interference could blot out the weak signal. As Percy sent out the message, he wondered how they would take the news:

K1BE DE W1BVR R R RESCUE IS BEING ORGANIZED BUT ROADS MUST BE PLOWED TO GET NEAR YOU X SNOWMOBILES WITH DOCTOR SHOULD ARRIVE ABOUT TEN TOMORROW X WHAT IS THE CONDITION OF INJURED? X I REPEAT . . . K

Glenn asked Carl to check on Jeff's condition. As Morgan busily chopped wood for the stove, Brian whispered to Carl, "His heartbeat is stronger. I can hear it. His breathing has become more regular, too."

Carl also noticed that Jeff's color looked better. Glenn sent out the information, and then began the all-night vigil. Everyone thought the morning would never come. The wood stove blazed, heating the cabin as never before. Drowsy with fatigue, heads drooped, trying

to stay awake. The odors of smoke from the stove, onion soup, burned skin, and fear permeated the confined area. Would morning ever arrive?

Glenn jerked awake, startled by a crackle in the earphones. He had stayed at his station all night, in case there were any more messages.

"Listen!" he cried.

then the code crackled again in Glenn's ear:

BK GOOD NEWS X STATE POLICE CAN NOW SEND HELICOPTER X MARK THE LANDING SPOT WITH AN ARROW STAMPED IN THE SNOW X WILL ARRIVE WITHIN THE HOUR X I REPEAT . . . K

Glenn acknowledged the news and told his friends.

congratulated him for doing such a good job under trying conditions.

"The snowmobiles should be here to pick us up within two hours. But your parents won't be able to drive up to get you for another day. You'll have to be the guests of the National Park Service until then," said the officer.



They had only just finished when they heard the whup, whup, whup of an approaching 'copter.

Morgan, dozing in his position at the stove, replied, "I don't hear anything."

"That's right, the blizzard's gone," said Glenn.

He put the earphones on and began calling:

W1BVR DE K1BE BLIZZARD HAS STOPPED HERE X CAN RESCUE EFFORTS BE HURRIED NOW? K

Percy, who had also spent a long vigil during the night, quickly answered:

R R K1BE DE W1BVR WE WILL SEE WHAT IS POSSIBLE X STAND BY

A few minutes passed and

Smiles brightened their faces. Carl and Morgan pushed the door open as the first rays of sunlight came down from a very blue sky. The large arrow they tramped in the snow in a nearby field was only just finished when they heard the whup, whup, whup of an approaching 'copter.

The tall state policeman commented, as they watched the ascending helicopter: "Your friend will be in the hospital In less than 15 minutes. You all did a great job. Which one of you was the radio man?"

Glenn reddened as the officer shook his hand and

"In that case, we'd better all get ready, and clean up the cabin," Carl replied. As the boys followed him back into the cabin, every eye glistened with tears. It must have been the bright sunlight and the fact that they were all suddenly very, very tired.

Postscript: On July 4th, Glenn received the trophy for placing second in the United States at the Judo Nationals. In the cheering crowd, none yelled and clapped so loudly as did Jeff, his judo coach and good friend.

HRH

# KENWOOD Users' Report



### BY THOMAS McMULLEN, W1\$L

Here's the second of the series of user's reports, triggered by the announcement and questionnaire in our July, 1979, issue. This one covers the Kenwood TS-820, and its brother, the TS-820S. For those of you who have not followed these rigs from the beginning, the 820 had an optional digitalreadout accessory which you could purchase and install later. The popularity of this item led the manufacturers to decide that it would save a lot of time and paperwork if it was installed in the first place, and the model with the factoryinstalled digital readout was named the TS-820S. Otherwise, they're both the same radio, covering 1.8 to 29.7 MHz ham bands, with 200 watts input (PEP), 160 watts on CW, and 100 watts for frequency-shift keying (as in RTTY) use.

Being a transceiver, the 820 is an everything-in-one-box type of rig (except for some accessories which you'll read user comments on), making it compact, portable (well, somewhat portable — it weighs 35 pounds or 16 kg), and functional. On to the comments, taken from 253 returns.

### The good features . . .

WA6GGG sums up in a few words what he likes about the

TS-820; "Completeness. It provides all the features I desire!" W8MHG likes the rig too; "(It's) a very good value for your money. A trouble-free, popular rig, that sounds good on the air. If you are changing rigs, this model is very marketable." From W3OSE: "Best feature? Difficult to say, because the engineering design, ruggedness, and quality are outstanding. The audio quality on SSB is frequently reported as excellent."

Writing from the homeland of the TS-820, JA1BA likes "the I-F Shift control. It eliminates unwanted signals by moving them out of the passband of the receiver." VE7EMD agrees: "Passband tuning helps considerably when some clod running 2 kW parks 1 kHz away from your QSO." WB1FAE says: I-F Shift . . . allows receiver to remain on same frequency but enables (you) to drop QRM off the side of the filter slope."

K3MMV tells us: "I am on the air every day, and am an avid DXer and contester, so this rig gets a lot of use. It is extremely dependable, which is of utmost importance in contests. I've never had a failure!" And, from Vermont, AE1T says: "The radio has depth! It's really a pleasure to operate, to go up and down the bands, change modes, and

especially to pull through the weak ones." From WB4GKI: "Everything considered, the TS-820 is the best transceiver I have ever used on CW."

K5VNJ says that there are "so many good features, but the I-F Shift often makes the difference on the weak ones in heavy QRM." And WD6AQJ says: "Haven't found any (worst features) — I was equally pleased with the TS-520, and upgraded to the 820 when the price dropped. These are well constructed and rugged rigs. With a good antenna system, they hold their own in pileups with anything on the market."

Up in Minnesota, WØRIL likes "Stability, ease of operation, and appearance. I have never owned a unit which has been as satisfactory as my TS-820, and I am proud to show it to anyone." From G3NCC/W9 we hear; "A combination of features — I-F Shift, stability, clean signal, dependability — make it an above average performer." W2GJK says: "I like the digital readout . . . I can easily come back to a given spot."

For a listing of the mostoften-mentioned features, both good and bad, see **Table 1**. Sometimes it was hard for the respondents to make up their mind; one person named 18 items as the "Best Feature." along with 11 as "Worst Feature!" Further, several people had words to the effect that the TS-820 is "The greatest everything is a Best Feature!"

Some items named, but less than 3 per cent, include: portable and compact, digital hold. flexibility, speech processor, PLL design, vhf-converter connections, rf attenuator, good receiver, and solid-state construction.

### And the bad ones

According to WD8JPE the rig's worst feature is its instruction book, "poor diagrams, uses very poor English." And WOKC says, "very little human engineering in layout of the front panel. Controls are too close together. When using right hand to adjust the I-F Shift knob, my thumb hits the main tuning dial and knocks it off frequency." WB1HJI states, "(Worst Feature) is getting the rig fixed. I realize that intermittent problems are hard to troubleshoot, but I don't like getting it back with the same problem plus new ones."

And, from W9DCB, "There is no way to switch the CW filter in or out. CW reception is more pleasant during uncrowded conditions without a filter.' WA2SRM says: "There is very little I can find wrong with the radio, except possibly the need to incorporate a more effective noise blanker."

The instruction manual scores again, from a user who asked to remain nameless. "Easily the worst feature is its Japanese-English instruction manual. It reads like the dialog in a Charlie Chan movie. It should be totally revised. written more lucidly, and have more information on how to get the most out of the rig.'

From WA6HEG, "Can't think of any (bad features) except pilot light hits right in the eve. I solved this by using a small piece of tape above the dial calibrations." He comments further, "I have never heard a bad Kenwood on the air, and have had others say the same."

Even the much-favored digital display comes in for a few barbs, "(Worst feature) is erratic operation and poor soldering on pc boards of digital display. Repair parts for this cost 250 per cent above average, and delivery in excess of four weeks from California" — K1TFX.

Table 1. Best and worst features named by respondents. Some returns listed more than one feature.

Best Features	Per Cent
I-F shift	31.2
Digital readout	20.1
Ease of operation	11.0
Transmit signal quality	8.6
Stability	7.5
Incremental tuning (RIT)	5.1
Sensitivity	3.9
"Everything"	3.9
Selectivity	3.2
Dependable, rugged	3.2
Worst Features	
CW filter (one position only)	11.4
Speech processor (ineffective)	7.9
Controls (crowded, position)	7.1
Noise blanker (ineffective)	6.7
Tune-up procedure	5.1
Digital-readout construction	4.3
Owner's manual	3.9
None	22.9

From K9AD, "CW filter cannot be switched in and out when operating on CW. If you have a filter installed, you are committed to using it." However, WB3JEX has a different thought about a worst feature. "DC power supply should be standard, with no additional cost. Otherwise, I feel that



This smiling Kenwood owner is By. W3OSE. A neat station with some photos of neat old cars, too.

there are no bad features." According to WB9LUK, "The Digital Hold button has limited use, as once this button is released to check the frequency you are operating on, the frequency is lost. You would have to write it down anyway."

Among the items listed as worst features, but in numbers too small to list in Table 1, can be found: low output power (mobile, and at low linevoltages), readout numeral size. no MARS coverage, no built-in dc supply, too large, too heavy. internal speaker is inadequate, digital hold is useless, crystal positions useless, poor access to the final tubes, and warranty policy.

## Problems: question 12

A tally of the answers to question 12, "Have you had any problems" comes out with these figures:

> Yes = 49.4 per cent No = 50.5 per cent

Table 2 provides a closer look at the troubles reported. and again, as in the last month's report, I've used the

Table 2. Types of troubles reported by those who answered yes to Question 12.

Item	Times Reported
Digital readout	52
Poor soldering	10
Speech processor	7
Intermittent VOX and audio	7
Receiver output amplifier	6
Blows out pilot lamps	6
RF feedback	4
Blown resistor	4
TVI	3

actual number of instances reported, instead of percentages. Several users named more than one problem.

As popular as the digital readout is, it also seemed to be the source of a lot of complaints as well. Many instances of instability of the reading were reported, and some were cured, others were not. (Some of them, from the description, appear to me to be caused by rf getting into the timing and display logic, but that's only a guess.)

Let's take a look at what some people had to say about the troubles they've seen.

"Faulty digital (readout). starting with newly purchased set, and after 1 year I'm still trying, and paying, to get it to work properly." - WD9UIK. "The digits go out every once in a while." — WD8JPF. "Digital display blinks intermittently, especially in high-humidity weather." — AE8D. "The digital display malfunctioned intermittently. Repaired it myself." — K8RD. (Many of our readers would like to know what you did to it, Ed.) "Digital readout quits occasionally, reads a constant value, regardless of (VFO) setting." — (from a Pacific station). "Digital readout very unstable at times." -WB4HWM. "Digital readout had to be repaired on two different occasions." - WB1EPK.

Some of the respondents offered some information about fixing the digital readout, too. "(It was) necessary to remove the digital readout cards, clean

the contacts, and reinstall. No big problem for me, but I know of some (hams) who sent their set back to the factory for service." — W4ABI. "The digital readout gave erroneous readings. I opened the box, removed the plug and cleaned it with contact cleaner . . . problem solved." — WA7IEJ. "(I found) bad soldering in the display, at three points!" — DL1OV.

Now for a look at comments on some other types of problems. "Main tuning dial action is not uniform. While tuning across any band, the tuning action varies from too loose to tight." — K1JKJ. "Am unhappy with the noise blanker, especially since I have no way or procedure to verify its operating performance." — WB2FOP. "(I had a problem) with main VFO drift and instability. Rig was not three

months old and the dealer did a fine business job of repair . . . . W0KC, "Drifts excessively for 10 minutes after power on. Have to change bands to stop drifting, then it is very stable." AC8H. "Main tuning capacitor became erratic. (Found) loose solder connection at PC board where tuning capacitor is mounted." - (unnamed station), "Blew a resistor in the keving circuit with too much rf from my end-fed antenna. This wasn't the rig's fault, though." — (unnamed station), "220-ohm keying resistor went." -WB2IQV. "RIT control has become noisy, (causing) occasional frequency instability." (unnamed station). "Tuning knob and gears occasionally get out of alignment and require adjustment. Instruction book doesn't discuss this problem." — K5ZT. "Receiver output amplifier, TA7201P, has blown twice." - WA5TXN. "Driver tube shorted, it took out both transmitting mixer FETs. Speech processor does not hold alignment, needs constant readjustment and it's inconvenient to adjust there's no simple access to TC4 control." — AE2J, "Orlalnal CW filter opened up. I replaced it with Sherwood Engineering unit. Digital readout went out of control because of an IC temperature problem. I cooled the ICs, and replaced a



JA1BA uses his TS-820 as the main transceiver, with an earlier TS-510 as a backup. Other parts of his station include some 20 receivers, most of them military surplus!

defective one." - WB1FAE. "TVI - I found the case, both top and bottom, was not grounded very well. I scraped the paint from around the screw holes, used star washers under each screw, and my TVI disappeared." — K3MWV, "No real trouble with the rig, but lightning did get the audio output IC. It ran in on the phone patch when all other wires were disconnected or grounded!" - WA4UPO.

Troubles reported only one or two times are: harmonics of 15 meters, driver tube blew, finals blew, excessive plate current, loose phone jack, low grid drive, drifts, blew fuses, poor ALC on 10 meters, S-meter adjustment tricky, bad antenna coil, lightning strikes, blown diode, marker signal out of adjustment, and one bad antenna change-over relay.

Then comes question 13, "Have you had the rig serviced?" which brought forth the following answers:

> Yes = 29 per cent No = 67 per cent

which leaves 4 per cent who did not answer the question.

Where was the service performed?

Manufacturer = 36.9 per cent Dealer = 47.9 per cent Other (myself) = 30.1 per cent

Yes, I wondered about that total of 114.9 per cent, and, upon checking back through several of the replies, I found that some had the rig serviced by the Manufacturer/Dealer and then dld some additional servicing on it themselves (usually for a different problem, but not always).

Further, of the 29 per cent who had the rig serviced, 67.1 per cent said the service was satisfactory, 21.9 per cent were dissatisfied, and 11 per cent didn't say one way or the other.

### Accessories

Only 12.2 per cent of the users said they did not buy any accessories for their TS-820,

and the remaining 87.8 per cent had a list that was long and varied. The list included several items not made by Kenwood. but the majority of them bore Kenwood designations, as shown in Table 3.

The list of accessories in very small quantity, not shown tal) readout that I have not been able to locate." - N9GK. "The dc converter has low efficiency and costs too much for a case, two transistors, and one power resistor." — DL2QB. "The auxiliary speaker isn't really large enough to provide improvement over the built-in

Table 3. Accessories purchased by owners of the TS-820.

Item	Per Cent
VFO	40.7
Speaker	38.3
CW filter	34.7
MG-50 (or other microphone)	25.2
AT-200 (or other) tuner	13.4
DS-1A dc supply	11.4
SM-220 (or other) monitor scope	11.4
Digital readout	10.2
TL-922A (or other) linear amplifier	2.3
None	12.2

in Table 3, includes such things as fans to cool the finals, phone-patch, spinnertype knob, service manual, TRS-80 interface, electronic keyer, wattmeter, TVI filter, and others.

The remote (or external) VFO took top honors as an accessory, followed by the external speaker, and the CW filter modification. A sizeable number purchased the digital readout for their earlier TS-820, to bring it more in line with the later 820-S.

In answer to question 17, "Have you been satisfied with these accessories?" the count shows:

> Yes = 55.7 per cent No = 6.3 per cent

The remaining 38 per cent didn't answer the question.

Some comments about the accessories: "If I had it to do again, I would not buy the digital readout. I rarely calibrate the dial, and even with band switching, the dial is rarely off more than 300 cps." -WB9IPH. "The VFO-820 seems to warble a bit when tuning." - WA5QVK. "There is an intermittent somewhere in the (digi-

speaker. I use my old HRO speaker instead." - W4JM. "The MC-50 microphone was practically worthless. I swtiched to a Shure 444 for good results." - AF7G. "Only (a) minor dissatisfaction; the center frequency of the Bandscope drifts on warm up." — N2ALQ. "The CW filter (is only) 4-pole, (has) no skirt selectivity." - K8CV. "The AT-200 tuner is pretty expensive for what you get, but it has been entirely satisfactory." -(unnamed).

On the other hand: "Kenwood has done an excellent job in the production of accessories." - WB4HWM, "The TV-506 is super." - WL7ACY. "Had trouble with AT-200 tuner, but the factory service was excellent." - N6AOH. "I am very pleased with my TS-820S. Kenwood quality is fine." — W2BHK.

# Accessories and features wanted

The list of features and accessories wanted is long, but 28.4 per cent of the users indicated that they didn't need or want any additional goodies: "Already have all I need. Leave




Fig. 1. The answers to question 21, the ratings, provide this group of "skyline" profiles for the various categories. They show percentages of the number of respondents who answered each category. The features receiving a predominately good rating have more weight at the upper end of the scale.

it like it is." — KW6HF. "The 820-S has everything." — (unnamed). "They are doing okay." — AL7B. "Has all the features I use . . . in fact, I don't use all of its many features." (unnamed). "Have those (accessories) I want, need no (features) — it fills the bill." — W0ACH.

Here's a sample of some comments about features wanted: "I bought the rig to take with me when I travel . . . the front casting looks as though it's meant to accept a matching protective cover, but nothing is available from Kenwood. I think I've found a 'scope cover which will fit.'' -N7BDV. "Something similar to the new solid-state rigs, possibly as an add-on . . . and a better filter system . . . (this one is) not sharp enough for code work." - KA4BAF. "A switch on the front panel to put CW filter in or out. (The) CW

filter is no good when copying wide-band RTTY." — W6RUX. "I mounted an outboard minitoggle switch on bottom front of 820. It puts the CW filter in or out of the circuit as desired." — WB7TNH.

"(How about) a matching 'little linear.' an outboard speech processor, a variable bandwidth control, and a builtin keyer." — (unnamed). "Builtin audio selectivity." -W3NWA. "Believe it or not, a-m capability." — WB1FAE. "Easy WARC band adaptability." — WL7ACY. "Phone patch . . . (it's the) only lack in the Kenwood line." — WD6AQJ. "A built-in second VFO, and additional filters which could be switched in if wanted." - KB2CR. "Why not a nice carrying case for vacations?" - WB9IPH.

A look at some of the features wanted includes: tunable i-f notch filter (or variable-width selectivity, many times), improved noise blanker, frequency memories, MARS coverage, internal keyer, Oscar adapter, clock, all solid-state, scanner companion, full break in (QSK), easier access for maintenance, full service manual, better finals, QRP capability, separate antenna jack for receiver, built-in dc supply, PTT jack, FM capability, less tuning and simple bandswitching, more power out, and — of course — lower cost!

## The Ratings

The world is full of opinion polls, consumer index ratings, performance ratings, and the like. Just as in last month's issue, we have a rating chart for the Kenwood features, shown as Fig. 1. The ratings are on a scale of 1 to 10, and only those users who answered the question were counted — if someone had never had his rig serviced, or had never bought

and attached any accessories, and left those sections of the rating question blank, that answer was not counted for that particular item. In this way, a group of "no-answers" doesn't adversely unbalance the chart. Again, the answers are shown in percentages.

Here's that important question, number 25, "Would you buy the same rig again?"

Yes = 66 per cent No = 9 per cent Undecided = 25 per cent

That looks like a pretty fair endorsement of the TS-820 line, in spite of the digital readout problems and the newer breed of rigs on the market.

# Where did you buy it?

A look at the answers to this earlier question reveals:

Dealer = 66.2 per cent
Mail Order = 12.2 per cent
800 number = 15.0 per cent
Individual = 4.7 per cent
Flea Market = 1.9 per cent
Other = 0

Would you buy from the same source again?

Yes = 69 per cent No = 6 per cent

(Undecided or

no answer) = 25 per cent

# Final final

That's the word on the Kenwood TS-820/820S, just the way you readers tell it. I'll say thanks to each of you who took the time to fill out the survey form (and especially those who made suggestions on Improving the form), and on rigs to be evaluated in the future. All are duly noted, so keep watching these pages for the results. Thanks also for the encouraging words about the users' survey itself. I'm glad you like the idea so much.

Now, I'll get busy on the pile of comments from Atlas 210/215X users. You'll read about it next month (if my calculator batteries hold out!).

# R-X Noise Bridge

All Palomar Engineers products are made in U.S.A. Since 1965, manufacturers of Amateur Radio equipment only.



- Learn the truth about your antenna.
- Find its resonant frequency.
- Adjust it to your operating frequency quickly and easily.

If there is one place in your station where you cannot risk uncertain results it is in your antenna.

The Palomar Engineers R-X Noise Bridge tells you if your antenna is resonant or not and, if it is not, whether it is too long or too short. All this in one measurement reading. And it works just as well with ham-band-only receivers as with general coverage equipment because it gives perfect null readings even when the antenna is not resonant. It gives resistance and reactance readings on dipoles, inverted Vees, quads, beams multiband trap dipoles and verticals. No station is complete without this up-to-date instrument.


Why work in the dark? Your SWR meter or your resistance noise bridge tells you only half the story. Get the Instrument that really works, the Palomar Engineers R-X Noise Bridge. Use it to check your antennas from 1 to 100 MHz. And use it in your shack to adjust resonant frequencies of both series and parallel tuned circuits. Works better than a dip meter and costs a lot less. Send for our free brochure.

The price is \$55.00 in the U.S. and Canada. Add \$3.00 shipping/handling. California residents add sales tax.

Fully guaranteed by the originator of the R-X Noise Bridge. ORDER YOURS NOW!

# Palomar Engineers

Box 455, Escondido, CA. 92025 • Phone: [714] 747-3343



# BY DEE LOGAN, W1HEO, DAVE LAKE, G3ZCA

Without the assistance of ham radio it is highly unlikely that yours truly, Dave (G3ZCA), my wife, Anne (G8MAY), and the two junior members of the family, Tim (now 15) and Vanessa (now 13), would have spent two of the last six years living, working, and playing in the U.S.A.

We have operated mobile to the four corners of the U.S., and to Four Corners itself, where we happened to meet KH6BF. We have been to the Grand Canyon twice and Disneyland four times. The list could go on and on. Maybe you think we are members of the rich set - not so!

The key factors in this story are:

A. I teach electronics at a college of further education in a small town called Kings Lynn, England, one hundred miles north of London. A British F.E. college is about equivalent to an American community college.

B. In 1968 I became a ham.

C. In 1970 I responded to a CQ call from W1HEO on 21.33 MHz from which developed a long-lasting and deep friendship between the Logan family in Fairfield, Connecticut, and the Lake family in Kings Lynn, England. As I write these notes I am awaiting our 226th sked on 21.33 MHz.


I had become a ham almost

by accident. Soon after I got my job at the college, I was asked by the local ham radio club to teach an evening class for the Radio Amateur's Examination theory test. This is the only theory test required for any U.K. license and is at a reasonably high standard. The candidate must answer eight out of ten essay-type questions in three hours, with a failure rate maintained at approximately 40 per cent of the applicants! After teaching the course for thirty-six evenings, I took the test with the students, and happily, most of us passed. With the theory test under the belt, a Class B (vhf and higher frequencies, phone) license can be obtained for 6.40 pounds sterling per year from the British Home Office (note that


no CW test is required). There are about 7700 U.K. hams in this category. So, as G8BRW, I was away on 2-meter a-m, with a converter working into a high-frequency receiver and a single transmit crystal. Some of you older readers may remember the technique of announcing you were tuning the band for the other bloke's response — three-way nets were fairly difficult!

After something of a struggle with the key, I visited my nearest post office marine-radio station to pass the only CW test required: 12 words per minute transmit and receive, plain language and figure groups, with only a few errors permitted. Now, I could enjoy the full privileges of a Class-A license (there are 16,600 U.K. hams in this category) and I became G3ZCA.

In those days (1969), propagation on the high-frequency bands was fine business, so I bought an HW-100 transceiver and constructed a 2-element quad, using 2 × 2 timber for the boom, and bamboo for



Checking the 45-foot tower in the backyard at W1HEO, Dave Lake, G3ZCA, left, also notes that radio signals may have gone "to the dogs" during his visit to Connecticut.



G3ZCA traces his three main stopping places in the U.S: Greeley, Colorado; Grand Rapids, Michigan; and Fairfield, Connecticut. All points lead back to his QTH in England.

spreaders. Transatlantic signals were soon being sent and received.

DX ham radio can do great things for your knowledge of geography, and your general knowledge and understanding of other countries. I now know that Long Island is not covered with New York City, and some Ws may well remember that Wales is not near London.

For some inexplicable reason, some contacts turn out to be highlights. The QSO flows easily in both directions and you are particularly happy to hear such stations again, to exchange QSL cards and other snippets of writing, photographs, details of family, etc. For me, rag-chew DX contacts are the most attractive aspect of ham radio. The contacts with W1HEO were quite like that, and, as our contacts continued, I developed a considerable interest in actually visiting the U.S. A teacher exchange was the way to do it.

Once the exchange was set up, G3ZCA could often be heard in QSO with W8-land stations, in addition to the regular W1HEO skeds, to well prepare ourselves for the venture. Information on a wide range of topics is essential—the price of petrol, what to wear, American words for such things as American beer, baseball (instead of cricket), football (U.S. style) instead of football (U.K. style), driving (on the wrong side), in fact, the culture in general.

How about a reciprocal call? The FCC obliged at no cost, but with some delay. I was to be G3ZCA/W8 — somewhat different from the U.K. reciprocal arrangement where the Home Office will issue the visitor a G5ABC-type call sign, but will charge 6.40 pounds. Maybe the envelope franked "On Her Majesty's Service" makes the cost worthwhile!

Anyhow, July, 1972, arrived and we were airborne to New York. We were to be welcomed into the W1HEO household for a few days. Suddenly I realized, no doubt W1HEO did also, that although we had been friends "on the air" for a number of years, we would meet as physical strangers. The Logans were brave to take us on. Would there be a difficult period during which the families would become acquainted? There was not! The spirit of



Visiting the shack of W1HEO, Dave and Anne Lake check the station log before sampling the radio conditions and listening for stations from home.

ham radio (helped by the magnificent American hospitality) extended through to our meeting and we were always totally at ease.

We knew we had arrived in the U.S. Our senses told us:

A. Sounds; everybody had American accents!

B. Sights; things really were bigger and brighter - cars, streets, motel and hamburger signs, house lots, and space. We thought America was vertically polarized, but really, it's horizontal with very few people. The population density is many times less than in the U.K.

C. Taste: charbroiled and dill pickle, and ice cream.

All countries have a characteristic aroma, and (meant in the best possible way) America smells American. I don't know why.

In the few days before we moved on to Grand Rapids, we inspected a number of radio shops and discovered CB. We still do not have CB in Britain. I believe we should, to deflect the nuts from abusing our 2meter repeaters. The London

repeater often carries the kind of language I heard on American CB, and it seems to me that CB is an excellent repository for these people. Of course, one is sorry for the

genuine CBers, but let's welcome them to the ham bands.

Having arrived in Grand Rapids, there were so many great non-hams to meet that ham radio did take something of a back seat. I maintained a regular schedule with W1HEO on 40 meters or 80 meters, and it was great fun having eyeballto-eyeball QSOs with a number of the stations I had talked to from England. Two meters was becoming established and repeaters were starting. I discovered that U.S. practice is to channelize — something we were not doing in England. Six vears later the position is reversed. In G-land we are now very much channelized. There are only nine frequencies allocated by the Home Office for repeater operation. Output frequencies start at 145.6 (called R0) and increase by 25 kHz for each subsequent channel. Input frequencies are always 600 kHz below, and a 1750-Hz tone access is standard. There are now about fifteen repeaters, and most of the country is covered, but we do need many more fill-ins.




Autopatch is not allowed in England, but Anne Lake, G8MAY, tried it on the Bridgeport, Connecticut, repeater while visiting the shack of Dee, W1HEO.

There are thirteen frequencies recommended for simplex operation, starting at 145.25 (called S10) and again increasing by 25 kHz per channel. A typical operation might involve a repeater contact on R8 followed by a QSY to S22! CW and SSB are used from 144

using a portable inverted V antenna for 20 and 40 meters, and hence earned our proud claim to have operated from all ten call areas.

Eventually, we made our way back to the East Coast, by this time looking more like Americans than Europeans, under-



During the visit to W1HEO's Connecticut QTH, G3ZCA, left, found that an Englishman's call on the Bridgeport repeater brought instant results.

to 145 MHz, and the whole 2-meter band is from 144 to 146 MHz.

Back at the junior college, I was teaching electronics to freshmen and sophomores (This kind of terminology eventually became familiar) and we met a number of hams around the college and almost managed to revive the college station.

At the end of the school year, we embarked on an eleven-week camper trip and discovered just how big the U.S. is. It really should be compared to Europe rather than to England. The different call areas could rightly be considered separate countries for ham radio purposes. We operated portable on the high frequency bands. Operation was not too easy using valved equipment, but we maintained a weekly sked with W1HEO

standing the language fairly well, and being able to give sensible responses in restaurants. Sadly, the great adventure was over and we bade farewell to Dee and Liz and our home country for the past twelve months.

The years from 1973 were not too good for high frequency communication. We were at a low in the eleven-year sunspot cycle, so vhf activity in Britain boomed - perhaps encouraged by the lack of a code test for vhf operation. I have never been a CW fan, and I believe a more appropriate "filter test" could be devised, particularly for vhf. Maybe the often-criticized Home Office has a point.

By a stroke of good luck, in August, 1976, G3ZCA and family had the opportunity for another year's teaching exchange in the U.S., which was gladly accepted.

A fact of technical education is that any community needs a good supply of craftsmen and technicians, but by no means must they all be university graduates. Consequently, both in the U.K. and the U.S., there had been a rapid growth of vocational technical training schools. We set out to observe the scene, and teach at the community college in Greeley, Colorado, which also functions as the local area vocational school for high school seniors.

Again, W1HEO and family welcomed us to the U.S., and after a re-introduction to cold beer and Big Macs, we were pointed in the direction of the West!

Arriving in Greeley, we at first experienced difficulty in making contact with the local people. It had something to do with the wide-open-spaces and the loner attitude of cowboys, I think. However, there was a solution; a telephone call to KOOJ put us in contact with the greatest bunch of hams with call signs we too rarely work from England.

Our social life in Greeley was very much Amateur-Radio oriented. I joined the local club and repeater group, and, although I had a high-frequency rig with me, I soon had to go on 2-meters to work those wonderful repeater sites high in the Rocky Mountains.

In Kings Lynn we struggle to get aerials 100 feet above sea level; in Colorado up to 10,000 feet is fairly normal. Friday nights were allocated to transmitter hunts. Despite KØOJ "riding shotgun," I always lost but I did have excuses. I was, of course, on the wrong side of the road, and embarrassing problems were caused by stop signs (we don't have them in England). People in Fort Collins were astounded to see an Englishman (complete with necktie) apparently butterfly-catching from a fast-moving Chevrolet. We did make a few small contributions. I established a station at the school (I

hope it is still there), and gave a few talks about ham radio in England. The hams introduced us to lots of other things too: rattlesnake hunting, ice skatwhich is currently giving good service copying GB3PI (our local repeater).

We also met Harl, K6JQD, and his family for picnic lunch.



Talking from the shack of W1HEO, left, Dave Lake, G3ZCA, chats with friends in eastern England as well as the U.S. eastcoast gang on 75 meters. Operating above 3.8 MHz is a luxury not available in G-land.

ing, cowboying and branding, backpacking, muzzle loading, and violin making, to mention a few. They persuaded us to enjoy July 4th whilst we really should have sat in the basement sulking!

The punch line is, if you are ever lost for friends "phone a ham."

In the summer of 1977 we took a long trip to the West Coast. If you've driven I-80 from Chevenne to Reno vou will have discovered that 2meter repeaters are as welcome as are oases in the desert. We talked to many hams along the way. A highlight here was the coffee-stop and eyeball QSO we set up through a repeater in Rock Springs — with Smokey, W0MGW, who was driving one of those enormous lorries equipped for all-band operation. As a parting gift, Smokey gave me an "Ugly Stick" antenna,

He was from Paradise. I never established whether that was his city or whether he just meant California.

I'll just mention Lee. WB7EZI. She talked us into an eyeball QSO for a clam giveaway. The river at Coos Bay, Orgeon, was being dredged out, and in the process large quantities of the biggest clams I had ever seen were being brought ashore. The word had gotten around, and WB7EZI, G3ZCA, and many others lined up to collect a few gallons of free clams. It was quite an experience cleaning them, but a gastronomic delight topped off the whole event. We really enjoyed the Pacific Coast. It was nice to see the ocean again after a year in Colorado remember that in Britain nowhere are you more than 100 miles from the sea. We saw the big trees and the loggers. I also logged many call signs direct

or via the repeaters; I was happy to have a synthesized rig. We were directed to many of the off-the-beaten-track highlights which we would otherwise have missed.

From Washington, it was nice to talk to our "cousins" across in Victoria, British Columbia. We spent an unexpected night there, however. Apparently a Colorado driver's license is not sufficient proof of identity for an Englishman who wants to get back into the U.S. We warmed up the ether with our observations on bureaucracy!

Our stay in the U.S. was rapidly coming to an end, and again we had to make our way back to the East Coast, hamming all the way. During a visit to Frank, WA2YVK, who with his family had just returned from England after a one-year teaching exchange, we were able to draw comparisons between the two countries. Needless to say, we found our way back to our anchorman, W1HEO, at Fairfield, Connecticut, and spent a few days remeeting the locals on those late-night 75-meter skeds that W1HEO enjoys. We made a pilgrimage to Cape Cod to see the Marconi station, now unhappily almost in the Atlantic due to coastal erosion.

It takes just seven hours to get back to London and another readjustment.

In 1977/78, high frequency propagation was improving, and the Norfolk college station, G3XYZ, was often on the air again, particularly Thursday evenings when the local club meets there (or at the pub). We are always delighted to talk to old and new American friends.

The Lakes will, of course, return to the U.S., but in the meantime we shall maintain our contacts via Amateur Radio. Remember, should you find yourself in England clutching your "On Her Majesty's Service" G5 call, "phone a ham" — G3ZCA.

HRH



# fact: the sound of the professionals belongs in amateur radio

Experienced operators recognize that the audio quality of the transmitter is limited by the quality of the input from the microphone. On the air, there's no mistaking the crisp, intelligible messages from Shure microphones.

Shure microphones have been the overwhelming choice of professional communications users all over the world for over 30 years. And, many of the milestone improvements developed for the demanding professionals are found on Shure microphones for amateur radio. Described below are just some of the Shure-developed advances that have eliminated many field maintenance costs common to arnateur radio microphones.

ARMO-DUR® Case: Lightweight, immune to oil, grease, fumes, salt spray, sun, rust, and corrosion. Prevents RF burn!

"Million Cycle" leaf switch: Just one of the crucial wear points Shure-tested to insure reliability and extraordinary durability.

TRIPLE-FLEX® Cable: Provides three or four times longer flex life than previously available cords on hand-held microphones.

CONTROLLED MAGNETIC® or Dynamic Transducer: The exclusive Shure-designed super-rugged transducers that give excellent voice intelligiblity and super reliability.

To improve your on-air intelligibility we suggest the following Shure Microphones for amateur radio applications:

	Mobile Application	Fixed Station Application
SSB	414A* 407A* 577A**	444* 526T Series II
FM	414B* 507B* 577B**	450 526T Series II

\*General recommendation: Consult equipment instruction

manual for correct microphone impedance.

"Noise-canceling.

# Fixed Station Mics. Fixed Station Mics. Controlled Magnetic Fixed Station Microphone (Models 444, 450) Our most popular fixed station microphones. Urmatched performance characteristics. Adjustable stand raises microphone for most comfortable talking position. New Transistorized Fixed Station Microphone (Model 526T Series II)

A new design for maximum versatility in fixed station operation. Modulation level (volume) control for high undistorted output with high- of low-impedance inputs.

#### **SHURE Hand-Held Mobile Mics**



Omnidirectional
Mics (Models 407A,
407B, 507B)
Small, easy-to-handle design, with rugged Dynamic
or CONTROLLED MAGNETIC® transducers for excellent voice intelligibility.
Hum-shielded and insulated against shock. Model
507B Dynamic version features extended low and
high frequency response,
especially suitable for
mobile FM transmitters.
Modular construction
simplifies field service.



Compact Mini Mics (Models 414A, 414B) Ideal for miniaturized or portable communications systems, or where dashboard space is limited. The 414 Series CONTROLLED MAGNETIC<sup>6</sup> microphones are about half the size and weight of conventional microphones—yet they are rugged units, recommended for critical outdoor or indoor applications.



Noise-Canceling Mics (Models 577A, 577B)
These Shure Dynamic microphones shut out background noise, permit clear transmission even where the noise level is so great that the operator cannot hear himself talking! The ARMO-DUR® case is lightweight, feels natural to the touch. The 577A is high impedance; the 577B is low impedance.

## **Intelligibility & Reliability**



Shure Brothers Inc., 222 Hartrey Ave., Evanston, IL 60204. In Canada: A. C. Simmonds & Sons Limited Outside the U.S. or Canada, write to Shure Brothers Inc., Attn: Dept J6 for information on your local distributor. Manufacturers of high fidelity components, microphones, sound systems and related circuitry.

# AMATEUR EQUENENT



A microprocessor controlled, compact unit with a 5 channel memory, memory scan, adjustable scanning speed, auto stop and programmable memory. Dual built-in VFOs, works ± 600 KHz offset repeater operation, tuning in 15 KHz or 5 KHz steps, and 25W high or 1W low, 143.800-148 200 MHz.

359.10 Call today.



Features: 15 channel capacity, MOS FET RF amplifier and 5 tuned circuits in the front end for optimum sensitivity and selectivity, Smeter on front panel, dual power level, 3W Hi for long distance, 0.5W Low for local, 13.8 VDC, uses C batteries or rechargeable battery pak, BC-20.

189.00 Call today.



An all mode 6 meter unit with multipurpose scanning. Either memory scan (monitor 3 different channels) or program scan (scanning between 2 programmed frequencies) Features built-in dual VFO's built-in AC/DC power supplies, digital readout, 10 watts. noise blanker, high quality crystal filter, and scans the 6 meter band. Options include EX-106 (FM board), EX-107 (VOX), and EX-108 (pass band tuning).

489.95 Call today.

#### YAESU

YAESU FT-207R

synthesized Handl-Talkie 144-148 Mhz, 5 KHz steps, output: 2.5W hi/200 mW low, 4 memories plus program-mable offset, prior ch., memory band & auto scan, keyboard encoder freq. entry. 2 tone input from keyboard, keyboard lock, programs odd splits, auto. battery saver for LED, rubber flex antenna & 15 hr. wall charger.

399.00 List. Call for quote.



DRAKE TR/DR7 general coverage digital R/O transceiver

Covers 160 thru 10 meters, reception from 1.5-30 MHz continuous, 0-30 MHz with optional Aux-7 modes: USB, LSB, CW, RTTY, AM equiv., true passband tuning, RIT, built-in RF wattmeter/VSWR bridge, SSB 250W PEP, CW 250W AM equiv. 80W. Power surely restricted to the control of the supply required for AC operation.

1395.00 List. Call for quote.



TEN-TEC Century 21 CW transceiver

Full break-in, 70 watts input, all solid state, built-in speaker, receives CW or SSB but transmits CW only, overload protection offset receiver tuning, adjustable level sidetone, built-in regulated power supply Crystals are provided to cover the 80 thru 10 mater hands. meter bands

349.00 List. Call for quote.



KENWOOD TS-820S HF transceiver

160 thru 10 meters, modes: CW, USB, LSB, FSK, input power SSB: 200W PEP, CW: 160W DC, FSK: 100W DC, requirements: 120/220 VAC 50/60 Hz, noise blanker, speech processor, PLL, CW sidetone, and semi-break-in and digital readout built-in.

1299.00 List. Call for quote.



HF transceiver

No tune up! With digital display, cooling fan, IF shift, protection for the final transistor, VOX, noise blanker, 25 KHz marker, 80-10 meters, WWV, modes: SSB and CW, 200W PEP SSB, power requirements: R.O. 7A 13.8 VDC, T. 18A 13.8 VDC, Size:3½"H x 9½"W x

699.95 List. Call for quote.



**KENWOOD TS-180S** soild state HF transceiver

Solid state Fr transceiver

Covers 160-10 meters, digital frequency
control with 4 memories and manual scanning, 200W PEP/160W DC 160-15 meters
and tunable noise blanker, dual RIT (VFO
and memory/fix) SSB, CW, and FSK, 13.8

VDC operation, and built-in digital displays to
how VFO free, and difference between VFO show VFO freq. and difference between VFO and M-1 memory freq.

1149.95 List. Call for quote.

You can use your Master Charge or VISA when you order.



MAIL ORDERS PO BOX 11347 BIRMING



# CALL TOLL FREE -800-633-3410

IN ALABAMA CALL 1-800-292-8668 9 AM TIL 5:30 PM CST, MONDAY THRU FRIDAY



#### YAESU FT-101Z high performance HF transceiver

Covers 160 thru 10 meters plus WWV, modes: LSB, USB, and CW, built-in power supply, built-in RF speech processor, built-in noise blanker, variable IF bandwidth, analog freq. readout, 6146 final tubes with RF negative feedback, heater switch, VOX.

729.95 List. Call for quote



#### YAESU FT-101ZD HF transceiver

Covers: 160 thru 10 meters plus WWV, modes: LSB, USB, and CW, built-in power supply, digital and analog frequency read-out, 6146B final tubes, RF speech processor, variable IF bandwidth, noise blanker, heater VOX, attenuator 10 dB or 20 dB selectable

895.00 List. Call for quote.



#### CPU-2500RK 2m FM transceiver

With 800 PLL ch., automatic scan overentire 2m band, 4 memories, tone burst, 25W bi/3W lo, 13.6 VDC at 8 amps, freq. coverage 144-148 MHz. Keyboard mic allows remote input of memory or dial freqs., up/down scanning control, aux. repeater split selection to 4 MHz, and 2 tone input for autopatch or control link

585.00 List. Call for quote.



#### Omni D Series B HF transceiver

notally solid state, 200W all bands with 50 ohm load. Covers 160 thru 10 meters. Features/digital readout, VOX and PTT, 4-position CW/SSBswitch 8pole crystal filter, crystal calibrator, notch filter, zero beat switch, SWR bridge, adjustable sidelone, operates on 12 VDC for mobile. Full break-in CW. Totally solid state, 200W all bands with 50

1119.00 List, Call for quote.



#### **NEW KENWOOD** TS-520SE High Quality HF transceiver

200 watts PEP SSB, 160 watts DC CW, 160 thru 10 meters, noise blanker, 3 position amplified-type AGC, RIT, 8 pole crystal filter, built-in 25 KHz calibrator, VOX, PTT, MANUAL operation, speech processor, semi-break-in CW with sidetone, low power tune up 20 dB RF attenuator and built-in sneaker


629.95 List. Call today.



#### **KENWOOD TS-520S** SSB transceiver

Covers 160-10 meters. Modes: CW, USB, & LSB. Noise blanker, 25 KHz calibrator, semibreak-inwithsidetone, built-in speaker, easy phone patch connection with the PC-1. Power requirements: 120/220 VAC, 50/60 Hz. DS-1A DC power converter optional.

849.00 List. Call for quote.



#### **KENWOOD PC-1** phone patch

matching phone patch for Kenwood equipment with NULL control, RX and TX gain control. Must be connected between transceiver and a phoneline.

More details? Ad Check page 78.

59.95 List. Call today.



MHz, operates on MARS, 10 memories, auto. memory scanning for busy or open channel, mode switch for standard repeater ± 600 KHz. offset, simplex and non-standard repeater splits, LCD digital readout, built-in touch tone generator with 16 button keyboard, and 1.5 watts RF output. Includes flex antenna with BNC connector, NiCad battery pack and charger.

395.00 List. Call for quote.





#### KENWOOD

#### TR-7625 25W transceiver

Memory channel with simplex or repeater operation ±600 KHz transmitter offset, mode switch, full 4 MHz coverage on 2m (144.00-147.995), 800 channels, 5 KHz offset switch, MHz selector switch, digital fre, display, unlock indicator for transcelver protection.

425.00 List. Call for quote.

HAM, AL 35202 · STREET ADDRESS 2808 7TH AVENUE SOUTH BIRMINGHAM, ALABAMA 35233



# As handy for measuring rf as an ohmmeter is for resistance

#### BY WILLIAM VISSERS, K4KI

What started out as an experiment to measure the rf current in the parasitic reflector of my 80-meter antenna array resulted in the development of one of the most versatile test instruments that I now own. The simplicity of construction and low cost are such as to allow any Amateur to easily duplicate this unit. In my own case, the parts were a combination of items from the junk box plus a 50microampere meter I bought at a ham convention flea market for two dollars. The circuit diagram is shown in Fig. 1.

#### Circuit description

The circuit is nothing more than a simple diode-bridge rectifier, which feeds a microammeter through a variable resistor. The low-impedance, rfcurrent measuring circuit is a small transformer wound on an Amidon T-50-6 core. The primary consists of two turns of No. 18 (1-mm) insulated wire. The secondary is ten turns of No. 24 (0.5-mm) insulated wire. The high-voltage pick up circuit uses a couple of ordinary 270kilohm, one-watt carbon resistors. Two 0.001-μF, 5-kV fixed capacitors serve to isolate the measuring circuit in case do is present. This feature makes the unit useful in measuring the rf voltage at the plate of a tube, as the capacitors will allow only the rf voltage to pass. A small double-pole. double-throw slide switch on the rear of the unit selects the current or voltage range as

desired. Binding posts allow easy connection for measurement purposes. In addition, a pair of coax connectors mounted on top of the unit allows you to measure current in coaxial lines. I designed the unit to work in either unbalanced circuits where one terminal is grounded, or in balanced circuits where both circuit terminals are above ground.

The maximum ranges that I have used are five amperes and 500 voits, full scale. The voltage scale can easily be raised by using appropriate series resistors connected externally at terminals E and F.

#### Calibration

When I developed the circuit I was concerned about calibration of the unit. In a conventional type of wide-range meter, you generally wind up with several switching circuits, and usually need some laboratorytype equipment to properly calibrate the voltage and current scales. To avoid this complexity, and to keep the circuit as simple as possible, I decided to use a simple technique, which can be easily understood and applied. All you need is a dummy load (which every Amateur should have), and some sort of an rf wattmeter. The technique is very simple; for current calibration you just connect an rf wattmeter as is illustrated in Fig. 2.

Then, at any given power setting on the wattmeter, the current reading on my meter will be:

$$I = \sqrt{\frac{W}{R}}$$

where I is the current in amperes, W is the power read on the wattmeter, and R is the resistance of the dummy load. which is usually 50 ohms. For example, if the power is 200 watts, then the current will be

$$I = \sqrt{\frac{200}{50}} = \sqrt{4} = 2 \text{ amperes.}$$

The sensitivity control (R3)




Fig. 1. The schematic diagram of the rf tester reveals no secret components or complicated circuitry. The transformer, T1, should be mounted close to the coax connectors at the top of the box. Keep the secondary leads to the switch and the diode-bridge circuit reasonably short.

can now be adjusted so that the 50-microampere meter reads full scale, or 2 amperes rf current. Lower values of power can be used to obtain other calibration points.

A similar procedure is used when you calibrate the voltage scales. Fig. 3 shows the circuit used. A coaxial T connector is placed at the dummy load, and the meter is connected between the center conductor and ground. The voltage can be calculated from Ohm's law:

$$E = \sqrt{(W)(R)}$$

If, for example, the wattmeter is again set at 200 watts, the voltage will be

$$E = \sqrt{(200)(50)} = 100 \text{ volts.}$$

Other ranges can be obtained by adjusting the power into the dummy load.

The setting of the sensitivity control should be noted each

time you calibrate the meter. As in all meters used in radiofrequency work, the calibration will vary slightly, depending upon the internal stray capacitances of the meter and wiring. and the frequency of measurement. However, this has not proved troublesome, because the ease of calibration is such that a calibration at a new frequency can be done in a couple of minutes.

If you want to use the meter in a balanced circuit, terminals E and F will be used. However. in this case the GND terminal is not used. Because the meter case is above ground in this balanced condition, take care to keep the meter away from metal objects.

No attempt was made to accurately calibrate the microampere range of the unit, as I did not have any equipment to do this with. However, my own rough measurements showed that the circuit has an internal impedance of about 600 ohms, and a full-scale deflection of approximately 65 microamperes. This means that the meter, at full scale and with the sensitivity control in the most sensitive position, corresponds to about 39 millivolts.

My intended use for the meter was to measure the induced current in the center of




Fig. 2. For initial calibration of the meter, borrow a wattmeter and dummy load if you do not already have them. Set the transmitter power to 200 watts output, then adjust the sensitivity control for a full-scale meter reading; that is 2 amperes. Lower ranges can be calibrated by using the formula given in the text, along with less transmitter power.

the parasitic reflector element used with my 80-meter array. The meter was connected in the center of the reflector using binding posts A and B. When my transmitter was turned on at the desired frequency, I was easily able to note the induced current, using a pair of binoculars to read the meter.

While keeping my transmitter power at the same level, I was able to trim the parasitic element for a maximum current reading, which indicated maximum coupling. By actually measuring current and trimming the element, I was able to obtain much better results than by just calculating the theoretical length by formula, and then hoping that the length was correct for the maximum energy transfer I desired.

In addition to routine rf voltage and current measurements around my shack, I soon found that, by using my Heathkit Model LG-1 rf signal generator with a maximum output of 100 millivolts. I could measure the resonant frequency of an antenna system. All I did was feed the signal generator into the coax cable feeding my antenna, and then connect the microammeter circuit as shown in Fig. 4. When the signal generator frequency was varied so as to pass through the resonant frequency of the antenna system, a sharp dip in current indicated the resonant point.

The same technique was used to measure the frequency at which a piece of transmission line, open at the far end, would be a quarter-wavelength line. As the signal generator reached that frequency, the end of the line connected to the signal generator would appear to be a short circuit, which loaded down the signal generator and made the meter reading dip. In a similar method it is possible to find the velocity factor (V) of coax cable using the equation: (L)  $(F_{MHz})/246$ where L is the length in feet for an electrical quarter wavelength, and F is the frequency of the signal generator in megahertz. I used the same




Fig. 3. To use the meter as an rf voltmeter, connect terminals E and GND across the dummy load. Calibration is done by varying the transmitter output power and using the formula in the text.




Fig. 4. Check the resonance in your antenna system (or the frequency at which it absorbs power) by connecting the meter across the coax feedline.

technique to determine the resonant frequency of a quarterwave vertical antenna.

The ease, simplicity, and accuracy of the measurements were a real advantage to me. Further experiments showed that it was very easy to measure the resonant frequency of a series circuit consisting of inductance and capacitance by connecting the circuit directly across the signalgenerator terminals and connecting the meter in parallel. As the signal-generator frequency passed through the resonant frequency of the series circuit, the loading effect gave a very pronounced and unmistakable dip in the meter reading.

The resonant frequency of a parallel tuned circuit was easily found by using the circuit shown in **Fig. 5**. The impedance of a parallel circuit is very high at resonance, and the decrease in the meter reading was very definite when the frequency of the signal generator passed through resonance. This method of measuring the resonant frequency of a parallel circuit was found to be particularly valuable in testing such things as enclosed antenna traps.

Another use was found in

neutralizing a power amplifier. A couple of turns of wire connected to terminals C and D provided a pick-up circuit with such a high degree of sensitivity that very good neutralization could be readily obtained. The meter was also used as a simple field-strength meter by connecting a short piece of wire to terminal D and connecting GND to a convenient ground.

The last, and perhaps most interesting, use of the meter was as a relative-noise-level meter. When I connected the microammeter terminals C and




Fig. 5. Tuned circuits can be checked with the meter - a sharp dip in the reading will indicate that the circuit is blocking rf energy flow at the circuit's resonant frequency.

D directly across the open-wire feedline of my dipole, with everything else disconnected, I found that the meter read about a quarter of full scale. This reading varied over a period of several days. One day, when a thunderstorm was in the vicinity, a flash of lightning in the distance pegged the meter! It was like discovering Benjamin Franklin's famous kite experiment all over again. I disconnected the meter in a hurry, and grounded my antenna before the storm came closer.

Undoubtedly there are many other interesting uses you will find for this simple, inexpensive, and easily constructed meter that has proved so valuable to me.

HRH

#### When it comes to **AMATEUR** RADIO QSL's ...



## **ONLY BOOK!**

**US or DX Listings** 

# 1980 **NOW READY!**

Here they are! The latest editions. Worldfamous Radio Amateur Callbooks, the most respected and complete listing of radio amateurs. Lists calls, license classes, address information. Loaded with special features such as call changes, prefixes of the world, standard time charts, world-wide QSL bureaus and more. The new 1980 Radio Amateur Callbooks are available now. The U.S. Edition features over 400,000 listings. over 120,000 changes from last year. The Foreign Edition, over 315,000 listings, over 90,000 call changes. Place your order now.

	Each	Shipping	Total
US Callbook	\$16 95	\$1.75	\$18.70
E Foreign Callbook	\$15.95	\$1.75	\$17.70

shipping Older from your favorite electronics dealer or direct from the





SPECIAL LIMITED OFFER! **Amateur Radio** Emblem Patch only \$2.50 postpaid

Pegasus on blue field, red lettering, 3" wide x 3" high. Great on jackets and caps. Sorry, no call letters ORDER TODAY!

RADIO AMATEUR

925 Sherwood Drive Lake Bluff, IL 60044

## MFJ SUPER CW/SSB FILTERS



MFJ-721 SUPER SELECTOR CW/SSB FILTER gives 80 Hz BW, steep SSB skirts, noise limiting.

CW Filter gives 80 Hz BW. No ringing. 8 poles give super steep skirts (60 dB down one octave from center freq. of 750 Hz). No tunable filter can match performance. BW; 80, 110, 150, 180 Hz. Reduces noise up to 15 dB.

SSB Filter improves readability. Reduces splatter, hiss, static, noise, hum. IC active filter has 375 Hz highpass cutoff; 2.5, 2.0, 1.5 KHz (36 dB/octave) lowpass cutoffs.

Works with any rig. AM, SSB, CW. Plugs into phone jack. 2 watts for speaker. Inputs for 2 rigs. Speaker and phone jacks. Phones disable speaker. OFF bypasses filter. 9-18 VDC, 300 ma. 10x2x6 in. Optional AC adapter, \$7.95.

Switchable noise limiter for impulse noise; trough clipper removes background noise.

Simulated stereo for CW lets ears, brain reject ORM. Yet, hear off frequency calls.



THIS NEW MFJ-720 DELUXE SUPER CW FIL-TER gives you 80 Hz BW that is 60 dB down one octave from center frequency. 8 poles give super steep skirts with no ringing for razor sharp selectivity that no tunable filter can match.

Bandwidths: 80, 110, 180 Hz. Center freq.: 750 Hz. Up to 15 dB noise reduction.

Noise limiter. Plugs in phone jack. 2 watts for speaker. 2x4x6 inches. Requires 9-18 VDC, 300 ma. Optional AC adapter, \$7.95.



THE CWF-2BX SUPER CW FILTER AND SBF-2BX SSB FILTER are same as in the MFJ-721, less speaker amplifier, noise limiter. Plus in rig to drive phones or connect between audio stage for speaker operation. 9 V battery. 2x3x4 in.

Try it. If not delighted return within 30 days for refund (less shipping). One year unconditional guarantee. Order today. Call toll-free 800-647-1800, charge VISA, MC. Or mail check, money order. Add \$3.00 shipping.

CALL TOLL FREE ... 800-647-1800

For technical information, order/repair status, in Miss., outside continental USA, call 601-323-5869.

#### MFJ ENTERPRISES, INC.

BOX 494, MISSISSIPPI STATE, MS 39762



# NOMAN TO WOM

#### BY BONNIE SPEER, WD5HAM

"I've been meaning to ask if you would talk to my wife . . ." The young man gazed at me hopefully.

He knew that I held a General-class ticket, thus sharing my husband's interest in Amateur Radio. Like several other hams who had recently approached me with the same request, W5ISO was wondering if I would encourage his wife in getting into the hobby with him.

Most women seem reluctant to become involved in the world of resistors, diodes, and mathematical formulas: those things have always been looked upon as a man's domain. Women are supposed to be more concerned with knitting. crocheting, and creating little

do-dads. Supposedly, they cannot absorb the basic ideas about electricity needed to obtain an Amateur Radio license.

But more and more women are proving these are unrealistic ideas. Women are as capable of mastering the equations and theories of point-to-point communications as men are. Often, it is only their own self-doubts that they have to overcome. Those who do so are finding an interesting and different hobby that takes them far beyond the walls of their homes. In addition, it is helping them gain a fuller understanding of their husband's interest in Amateur Radio, rather than, as so often happens, simply tolerating their husband's ham radio hobby.

My own entry into Amateur Radio grew out of that desire. As a freelance writer, I was fortunate that my husband, Jess, W5SQJ, a retired English and journalism teacher, knew enough about writing to understand my work, and to converse with me about the problems involved.

Yet, it seemed to me, what with my spending long hours in the study and Jess doing the same in the ham shack building his various projects, that our two worlds were widely separated. Therefore, I became determined that, if he could share my major interest, the least I could do was share his, thus bringing our two worlds closer together.

Then, too, if I had a license, I could choose my own conversational partners on the air, instead of just listening to him keep his various schedules.

#### Study begins

At about the time I came to this conclusion, our local chapter of the South Canadian Amateur Radio Society sponsored a Novice class. Jess was on a trip to California. Imagine his surprise — and delight — when he returned to find that I had enrolled in the class.

Our class met one night a week, at our local library, for six weeks, studying beginning theory and code. I was pleased to see that in the class of twenty-three, nine were women. Unfortunately, fully half the class, including all but two of the women, dropped out before the end of the course. One of the remaining women said she and her truck-driving husband were already involved with CB radio. They were interested enough that each wanted to learn more about Amateur Radio. She hoped to learn enough in the class that she would be able to pass her knowledge on to her husband. so that both could obtain licenses.

Of course, I was the other woman who completed the course. I am one of those who never start something without the intention of finishing it. I consider my time too valuable to waste in half-hearted attempts.

I did not find the class a snap. It had been fully 30 years since I had any kind of highschool math course. Even then, I always rated near the bottom. But I psyched myself up: a lot of the mastery of mathematical formulas is simply a matter of memorizing, then applying. Anyone, I reasoned, can memorize. And I was a lot more mature than I had been in high school. My powers of concentration and reasoning had grown considerably since then, through experience. Added to



My husband and I both take part in club and social activities. Here we are at a meeting of the South Canadian Amateur Radio Society at the local Red Cross facilities. The club maintains an emergency station at the Red Cross building.

this, my desire to learn provided the motivation often missing during my high-school math classes.

How pleased I was, at the end of the Novice class when K5KDR gave me my test, that a few weeks later I received my Novice license in the mail. Jess was as proud as if I had sold a novel.

I might have known that Novice license was a trap. This gave me the privilege of getting onto the air right enough, but only with CW — Morse code, that is. I felt limited, because most CW contacts usually consist of an exchange of names, locations, signal reports, and the weather. I wanted to be able to hold some real conversations with people in far-away states and far-away countries.

#### **Branching out**

So, I soon set to work on obtaining my General-class license. This wasn't easy either. First, I concentrated on getting my code speed up. I have always heard that women are more dexterous with their hands than men. Supposedly, this is why they are good at handcrafts and why manufacturers favor using them in

factory assembly lines. This may be true.

My technique of working on the code was a combination of using home-recorded tapes, purchased tapes, and copying W1AW each evening. My ability to memorize came into play again, for you learn code, not by recognizing a system of dots and dashes on paper, but rather by sound, which comes through as a series of "di-ditda-da-dahs."

I found it easier to distinquish between the basic sounds of the alphabet, in the beginning, by recording them on tape at my own speed. This also gave me practice in sending. One of the favored methods of learning these sounds is to take them by code groups, the simpler units first, such as E, T, M, A, N, I (dit, dah, dah-dah, di-dah, dah-dit, didit), then progressing to the longer combinations. Once the basic distinction between the two sounds, "dlt" and "dah," is understood, the letters are easy to pick up. After I had memorized each code group (in sets of six), I began forming simple words using those letters on tape. I added each code group in turn until I had them all.

Then I copied passages from magazines on tape, a different one each day, to give me further practice in sending and receiving.

Once I had the code sounds mastered, I worked at improving my speed. This included the use of both the commercial tapes and listening to W1AW. The experts advise that you spend no more than 15 to 20 minutes a day on practice. Often, I became so interested in what I was doing that I ran far over this time. I don't think it hurt me a bit.

When listening to W1AW, I began at the 5-word-per-minute speed each evening, working up to the required 13 words per minute for my General-class license, then going on to the 15 and 18 words per minute sessions. Of course, I wasn't copying solidly on any of it, but the idea was to become accustomed to listening, and trying to copy, at a faster rate so that when I dropped back to 13 it would seem easier to me. I also spent some time copying from the CW bands on 80 meters each evening, though I was always hesitant about getting on the air and transmitting.

Once I had my code speed worked up, I continued to copy W1AW and 80-meter stations each evening to maintain my speed. Now, it was time to concentrate on theory.

Here, I think most wives entering the Amateur Radio field have it easier than their husbands. A man who is already into the electronics field can pass along experience and knowledge to his wife. On the other hand, men who begin this task without an electronics background do not have this at-home teacher, and must suffer through and dig these things out on their own.

Jess was very patient with me, taking time each evening to answer my questions, and to draw simple analogies and diagrams to explain the various formulas and theories until they sank into my head. I

studied from two books. First I used Tune In The World With Amateur Radio, the American Radio Relay League publication. Then, when some of the theory was still passing me by, on the recommendation of

was going to make it. At the regional testing center in Oklahoma City, I noted several other women among the many men waiting to take their exam. including my Novice classmate, the CB lady.



Jess carefully solders a connection on a PC board, and I now understand his explanation of the circuit and what it is supposed to do.

WB5TZZ, I obtained a copy of AMECO General Class License Manual. Material in this book seemed to be presented in simpler language than in the other. By referring back and forth between the two books. obtaining two presentations of the same information, I began to understand radio theory. Also, about this time, Ham Radio Horizons began coming out. I went through back copies and found their language so simple and clear that I gained even more understanding. The new pocket calculators were a great help, too. (If I had had one of those during my high school days, perhaps I wouldn't have made such a poor showing in my math classes.)

After about two months of study, feeling that I was about ready for my test, I made an appointment for the exam. I tried not to be nervous, determined that, after all my work, I

When the code portion of the test began, I had one moment of fear, for I learned we would be taking the test without earphones and I had been using them during practice. I was afraid this would foul me up, break my concentration. But, again, I decided it was mind over matter. As the test began, I was still a little nervous. I did not copy solid. But, when the instructor graded my paper, I found that I got 100 per cent on the multiple choice exam! All that was required to pass was 75 per cent. About one-fourth of the test group did not make it.

The CB lady was among the lucky ones who did, though. We took the written portion of the exam and returned to our seats. I knew this would be the hardest part of the test for me. It was. I passed my theory test with minimum points, but that was all I needed to obtain my

General license. I never knew if the CB lady obtained her license, for I left the testing center before she did, eager to call Jess and share the good news with him.

Sometimes I feel guilty in calling myself a ham, knowing that my understanding of the theory of radio is superficial. But, I do have a general knowledge about Amateur Radio. When my husband now speaks about the various components of a receiver, or of an antenna, or discusses the problems he is having with his power supply or linear, I have some idea of what he is talking about and the complexities involved.

In addition, through our mutual hobby, I have formed a closer relationship with his ham buddies. I have more interest in attending hamfests. Here, I proudly maintain my own identity by wearing my own call letters, WD5HAM, pinned to my blouse. I attend some of the lectures, adding to my knowledge of the state of the art, instead of being shuffled off to the various "fashion shows" and luncheons that seem par for the course for the ladies at these functions.

By having my ham license, I have also been able to participate with our local ham club in its emergency weather net during the tornado season, which gives me a sense of fulfillment by contributing to a civic need. Also, I participated in Field Day last summer, the only woman in our area to do so.

But best of all, holding my ham license has helped me accomplish the goal I set for myself. It has given my husband and me a little more in common, something to touch base on, thus making for a better marriage. I can see that Jess feels the same way I do about this when he introduces me to a casual acquaintance at a hamfest or at a ham coffee break.

"This is my wife," he says with a proud gleam in his eyes. "She's a ham, too."



Looking for a mobile antenna that goes on easily, looks super . . . and performs like gangbusters! Then you should take a squint at the Larsen Kulrod Antenna. It's the cool one.

Yes, the fact is that Larsen Kulrod Mobile Antennas are built differently for a communications difference you can HEAR. You can easily prove it to yourself with this simple touch test:

Apply 100 watts of power for a full minute or so to a competitive brand antenna A, B or C... any brand with the usual stainless steel whip. Then turn off the power and feel the antenna... carefully. It'll likely be hot, even hot enough to raise a blister.

Now put a Larsen Kulrod to the same test. Surprise! That's right . . . no heat! The power has gone into communicating—not heating. The Larsen isn't called the Kulrod for nothing.

Larsen Antennas fit all styles of mobile mounts and cover Amateur frequencies from 10 meters through the 440 MHz band.



11611 N.E. 50th Ave. P.O. Box 1686 Vancouver, WA 98663 Phone: 206/573-2722 In Canada write to: Unit 101 283 E. 11th Avenue Vancouver, B.C. V5T 2C4 Phone: 604/872-8517

Külrod is a Registered trademark of Larsen Electronics, Inc.



The DS 2000 KSR is the lowest priced RTTY terminal available with these advanced features:



- Integrated keyboard and video generator allows editing of transmit text
- Full 24 line by 72 characters per line display.
- Bright/dim display of characters differentiates between TX and RX display
- Morse receive option may be added at any time
- Separate CW identification key for RTTY operation
- Status line on top of screen shows terminal operating conditions
- Pretype transmit message into 255 character buffer; edit before transmitting
- 2 programmable "Here Is" messages
- Word-wrap-around prevents word splitting at end of display line
- Word mode allows editing of text to be transmitted
- Quick Brown Fox and RYRY test message keys
- Small size metal cabinet gives effective RFI shielding from transmitters
- Loop compatible RTTY connections and plus or minus CW key connections
- 110 and 300 baud ASCII
- 45.50.57.74,100 baud Baudot
- 1-175 wpm Morse transmit
- 1-175 wpm optional Morse receive
- 120/240 v: 50/60 Hz power
- Internal CW side-tone
- UnShift On Space for Baudot
- Keyboard Operated Switch

217-367-7373

- SYNC idle for RTTY
- One year warranty

Write or give us a call. We'll be glad to send you our new RTTY catalog.



HAL COMMUNICATIONS CORP. Urbana, Illinois 61801

For our European Customers Contact: Richten & Co., D3000 Hannover 1 I.E.C. Intereico, 6816 Bissone/Lugano DS2000 KSR \$449.00 ESM-914 Video Monitor \$150.00 MR2000 Morse receive option...\$149.00

BUY NOW AND SAVE

PRICE INCREASE COMING

Effective 2/1/80

# Even WEAKSIGNALS print clearly with a H4L

ST-6000 Demodulator \$595.00

Demodulator.



Pulling in weak or distorted signals with a HAL Demodulator is no problem. Even if the band is crowded.

With high-gain, wide-bandwidth limiters and extremely linear active detector circuits, both the ST-6000 and ST-5000 Demodulators convert RTTY tones into strong, readable signals that display bright and clear.

Tones necessary for transmitting RTTY are conveniently generated and receive filters and transmit tones are accurately set and matched to assure on-the-money transceive operation.

BUY NOW AND SAVE PRICE INCREASE COMING Effective 2/1/80

#### Both the ST-6000 & ST-5000 offer these features:

Internal Loop Supply • Internal AFSK Generator with CW ID Tone • Internal Tuning Indicator • Autostart Motor Control • Line/Local Loop Control • TTY Machine Compatibility • RS-232 type DATA Interface • "High" or "Low" Tones • 120/240, 50/60 Hz Power • Normal/ Reverse Switch • 170 and 850 Shift Active Discriminator
 Metal Cabinets for RF Shielding.

#### Special Features of the ST-6000:

Mark-Hold • Antispace • Automatic Threshold Control (ATC) • Decision Threshold Hysteresis (DTH) • Keyboard Operated Switch (KOS) • MIL-188 and CMOS Data Interface • Optional Oscilloscope Tuning Indicator • Crystal Controlled AFSK Tones • Active Input Bandpass Filter • Pre-Limiter AGC • Three Shifts (170 - 425 - 850)

Write or give us a call. We'll be glad to send you our new RTTY catalog.



HAL COMMUNICATIONS CORP.

Box 365 Urbana, Illinois 61801 217-367-7373

For our European Customers Contact: Richter & Co., D3000 Hannover 1 1.E.C. Interelco, 6816 Bissone/Lugano

# HAMMINGIN HONG KONG

#### BY ALAN ADLER, WB6JPZ

Detailed preparation often decides the success or failure of a DXpedition. The intensive planning for our trip to Hong Kong proved invaluable, since many pitfalls would need to be overcome before Stu and I could feel with certainty that our Hong Kong DXpedition would prove successful. The anticipation of the expedition proved to be almost as exciting as the actual operation.


Following our very hectic and exciting trip to Montserrat under the call VP2MJE in September, 1977, Stu Sokolin (W6MJE) and I (WB6JPZ) vowed that we would attempt another DXpedition within a year. We had never before experienced such excitement In our ham radio careers as we did during our eight days of operation from Montserrat. Now confirmed addicts to the thrills of pile-ups, we eagerly discussed our next trip. Dreams and schemes of operating from Bouvet Island, the interior of Africa, or an exotic island in the South Pacific were brought up, and as quickly thrown out when we realized the expense, time, and trouble necessary for such extravagent expeditions. What we needed was a lowbudget trip which conformed to our vacation schedule and our pocketbooks. To find the perfect blend of availability and desirability in a DX location proved difficult. Many times we felt we had located a perfect spot, only to find that a license was unobtainable or that it would be necessary to haul large amounts of equipment long distances. We were about to postpone the whole affair

until a later date, when a chance contact changed our

Our chance came through a meeting on the air with VS6AK (Jessie Granier), and later with his friend VS6CZ (Chuck Hall). Jessie worked for the U.S. consulate and Chuck for the Canadian government. They both belonged to the Hong Kong Amateur Radio Transmitting Society, HARTS. Jessie and Chuck, together with other members of HARTS, helped solve our dilemma. They offered Stu and me the chance to travel to Hong Kong for two weeks and operate under the club call, VS6HK. This was a terrific opportunity, since a license to operate in Hong Kong is not available on a short-term basis. We immediately started making arrangements, and the long weeks of planning began. Schedules were kept twice a week working out the details of our trip. This preparation was the key to making our

operation a success.

We began to work on the details of our expedition, starting with the basic requirement of locating an operating site. This was a major problem, and many tense weeks passed as we tried to find a suitable base for our expedition. A school offered a clubroom, and we thought all was settled until the school officials, upon finding that we planned around-the-clock operations, reversed their decision. Many hectic days were spent in searching before a tentative place on a nearby island was located, but this, too, proved unworkable. Finally, when Stu and I were afraid we would have to cancel the whole expedition, the HARTS hams found a location at a hospital located on top of Mt. Kellet, one of the highest mountains on Hong Kong, towering 1800 feet over the island. This seemed to be an ideal spot. away from apartments and possible TVI. The great height



Hong Kong and its Aberdeen Harbor as seen from the doorway of our shack.

above the island was an excellent location for our antennas.


Upon being assured of a definite operating site (this time we had written permission from the hospital superintendent), we began the second phase of our plan. Excitement was growing on both sides of the ocean as all of us realized that the expedition would be a reality. Obtaining equipment was the next step, and the Hong Kong hams generously loaned us a Yaesu FT201 transceiver. We converted my Icom 22 for use as a base rig. and used a Motorola HT 220 as our roving two-meter rig. There was no antenna available in Hong Kong, so we shipped over a Cushcraft ATB 34 triband, four-element beam and a Ham III rotor.

With the equipment in readiness, all that was left was for Stu and me to fly over to Hong Kong and get on the air. At this point our anticipation was enormous, and we could hardly wait to experience once more the thrill of working DX pile-ups.

Prior to our departure, we heard news that Hong Kong had been hit by a violent hurricane, with winds of over 100 mph blasting the island. We hoped the hurricane wouldn't be an omen of future events. Our eagerness was dealt a sobering blow by the thought that our DXpedition might be ruined by the fierce typhoons and hurricanes which ravage the South China Sea. Still, the tickets had been bought and the plan was ready. so we decided to go. We departed on Sunday night, September 10, 1978.

Our flight was long and uninteresting; the only breaks in the monotony were brief stopovers in Anchorage, Alaska, and Seoul, Korea. Even these stopovers provided little relief, since we spent our time in holding rooms designed to keep international travelers in isolation. After our stopover in Seoul, we thankfully started on our last leg of the trip to Hong Kong, landing there on Tuesday, September 12. The shift in time zones, and the International Date Line, lost us a whole day which we would not regain

we were confronted by problems unknown in the States. First, we learned that everyone drives on the left side of the road. To compound the problem, there are few street signs,



The essentials, but not much more. A Yaesu FT201 transceiver, FL-2100B linear amplifier, power/SWR meter, antenna rotor control box, and some transformers and fuses for the ac-power system take up the most of our desk top. The fan, of course, is a must-

until our journey back.

After passing through Immigration and Customs we were finally able to enter Hong Kong. Our first impression of Hong Kong was of a scene of overwhelming confusion. The traffic jams were incredible. with thousands of pedestrians running in and out of traffic, dodging cars, buses, and motorcycles. The heat was intense, and coupled with high humidity. After having enjoyed a very dry climate in southern California for many years, the change in humidity and temperature was a shock. The traffic jam around the alrport extended all the way from Kowloon (where the airport is located) to Hong Kong (where our living quarters were located).

Driving in Hong Kong is somewhat akin to a demolition derby; it is always exciting and often dangerous. Although experienced drivers at home,

so we were constantly getting lost. Narrow streets and many construction projects made matters worse. I think that a lot of Hong Kong residents feel better now that we are back in the U.S. and there are two less crazy foreigners to worry about. Every time we took the car out. it was a new adventure. Eventually, though, we had to return our borrowed car, and we commuted in more sensible transportation, such as taxis and buses. Luckily, taxi cabs in Hong Kong are inexpensive. The going rate is 40 cents for the first mile and 20 cents for each additional mile. Trams cost 6 cents, and the Star Ferry running between the mainland and Hong Kong Island is the bargain of the century at only 4 cents.

After settling down in our apartment and learning some of the ropes in traveling around Hong Kong, Stu and I were eager to visit our operating site

and begin our VS6HK operation. Up and up we went, until we were driving to the very top of Hong Kong. Our operating site was located on the top of a bands. Upon calling a tentative CQ on 20 meters, we were immediately beset by hundreds of eager Amateurs. Both Stu and I were a bit rusty in



A hospital on the highest part of the island proved to be an excellent location for our DX efforts. A triband beam and a vertical antenna gave us all-band coverage.

hospital building on one of the highest peaks in Hong Kong. Our view from the station encompassed half the island and its surrounding bays.

To reach the equipment shack, we had to climb a set of iron rungs attached to the side of a wall; after a few days, we got accustomed to climbing up walls. Immediately upon arriving at the shack, Stu and I began setting up and testing the various pieces of equipment and attaching the numerous cords and cables. We had to rework the beam somewhat in order to bring the SWR down to an acceptable level. Unfortunately, we were never able to lower the SWR below 2.5 to 1, and we were lucky that the Yaesu has such a wide tolerance. Later, we found that the beam had a defect in one of the traps, and that other beams of this make were similarly defective.

With high SWR and high hopes, radio station VS6HK began operating on September 13, 1978, and the strongest signal to leave Hong Kong in many years was heard on the

handling such large pile-ups, as it had been a year since our last expedition, but, little by little, the pile-up skills learned on our Montserrat trip came back, and we were moving the QSOs smoothly and quickly. We worked a great number of U.S. stations, especially those on the East Coast. We knew that most of the East Coast hams needed Hong Kong, so we made a special effort to stand by for them. Many European stations were also contacted during our first few hours of operation. We made about 360 contacts during our first 20-meter opening; that turned out to be the most consistent band for good propagation; but the most exciting band turned out to be 10 meters. It didn't have the consistency of 20, or the predictability of 15, but when 10 meters opened up, it exploded!

Our first time on 10 meters created a pile-up so enormous that Stu and I worked stations until the band completely closed. We never ran out of stations calling us. The stations we heard first were

primarily European and African. Later, we were able to find 10-meter openings to North America, and we enjoyed many huge Stateside pile-ups. Obviously, not many European or Stateside hams hear Hong Kong on 10 meters, and we were never able to satisfy the overwhelming demand for our attention.

Fifteen meters also proved to be a popular band. Usually, we could predict the band openings on 15 quite accurately, and we were always greeted with a pile-up. The pile-ups were not as large or intense as those on 10 meters, but still sufficient to fill several log pages in a very short time. We were constantly beseiged by Japanese stations on all bands, but more so on 15 meters. They would call and call, sometimes making it impossible to hear the European or Stateside stations. During the Japanese pile-ups, it was not unusual to work 300 to 400 stations in a very short time. The density of JA stations must be the highest of all nations, since there seemed to be an inexhaustible number of them following us from band to band at all times of the day and night. On the



Our roof-top shack had the privacy needed to allow us to concentrate on working DX, but the access was rather limited. Here W6MJE tries the ladder leading up to it. We both became skilled at climbing ladders while laden with equipment or food for snacks.

# FTC Revolt

You've heard of the tax revolt. It's about time for an FTC revolt. Here's my story and why we've got to stop federal bureaucratic regulation.

By Joseph Sugarman, W9IQO President, JS&A Group, Inc.

I'm pretty lucky. When I started my business in my basement eight years ago, I had little more than an idea and a product.

The product was the pocket calculator. The idea was to sell it through advertisements in national magazines and newspapers.

Those first years in the basement weren't easy. But, we worked hard and through imaginative advertising and a dedicated staff, JS&A grew rapidly to become well recognized as an innovator in electronics and marketing.

#### THREE BLIZZARDS

In January of 1979, three major blizzards struck the Chicago area. The heaviest snowfall hit Northbrook, our village - just 20 miles north of Chicago.

Many of our employees were strandedunable to get to our office where huge drifts made travel impossible. Not only were we unable to reach our office, but our computer totally broke down leaving us in even deeper trouble.

But we fought back. Our staft worked around the clock and on weekends. First, we processed orders manually. We also hired a group of computer specialists, rented outside computer time, employed a computer service bureau, and hired temporary help to feed this new computer network. We never gave up. Our totally dedicated staff and the patience of many of our customers helped us through the worst few months in our history. Although there were many customers who had to wait over 30 days for their parcels, every package was eventually shipped.

#### WE OPENED OUR DOORS

During this period, some of our customers called the FTC (Federal Trade Commission) to complain. We couldn't blame them. Despite our efforts to manually notify our customers of our delays, our computer was not functioning making the task extremely difficult.

The FTC advised JS&A of these complaints. To assure the FTC that we were a responsible company, we invited them to visit us. During their visit we showed them our computerized microfilm system which we use to back up every transaction. We showed them our new dual computer system (our main system and a backup system in case our main system ever failed again). And, we demonstrated how we were able to locate and trace every order. We were very cooperative, allowing them to look at every document they requested.

The FTC left. About one week later, they

My story is only one example of how the FTC is harassing small businesses but I'm not going to sit back and take it.

called and told us that they wanted us to pay a \$100,000 penalty for not shipping our products within their 30-day rule. (The FTC rule states that anyone paying by check is entitled to receive their purchase within 30 days or they must be notified and given the option to cancel.)

#### **NOT BY CONGRESS**

The FTC rule is not a law nor a statute passed by Congress, but rather a rule created by the FTC to strengthen their enforcement powers. I always felt that the rule was intended to be used against companies that purposely took advantage of the consumer. Instead, it appears that the real violators, who often are too difficult to prosecute, get away while JS&A, a visible and highly respected company that pays taxes and has contributed to our free enterprise system, is singled out. I don't think that was the intent of the rule.

And when the FTC goes to court, they have the full resources of the US Government. Small, legitimate businesses haven't got a chance.

We're not perfect. We do make mistakes. But if we do make a mistake, we admit it. accept the responsibility, and then take whatever measures necessary to correct it. That's how we've built our reputation.

#### **BLOW YOUR KNEE CAPS OFF**

Our attorneys advised us to settle. As one attorney said, "It's like a bully pulling out a gun and saying, 'If you don't give me a nickle, I'll blow your knee caps off." They advised us that the government will subpoena thousands of documents to harass us and cause us great inconvenience. They warned us that even if we went to court and won, we would end up spending more in legal fees than if we settled.

To settle would mean to negotiate a fine and sign a consent decree. The FTC would then issue a press release publicizing their victory.

At first we tried to settle. We met with two young FTC attorneys and agreed in principle to pay consumers for any damages caused them. But there were practically no damages. just a temporary computer problem, some late shipments, and some bad weather. The FTC then issued a massive subpoena requesting documents that will take us months to gather and which we feel was designed to harass or force us to accept their original \$100,000 settlement request.

Remember, the FTC publicizes their actions. And the higher the fine, the more the

publicity and the more stature these two attorneys will have at the FTC.

If this all sounds like blackmail-that's just what it appeared to be to us.

We did ship our products late-something we've admitted to them and which we publicly admit here, but we refuse to be blackmailed into paying a huge fine at the expense of our company's reputation-something we've worked hard eight years to build.

We're not a big company and we realize it would be easier to settle now at any cost. But we're not. If this advertisement can attract the attention of Congressmen and Senators who have the power to stop the harassment of Americans by the FTC, then our efforts will be well spent.

#### ALL AMERICANS AFFECTED

Federal regulation and the whims of a few career-building bureaucrats is costing taxpayers millions, destroying our free enterprise system, affecting our productivity as a nation and as a result is lowering everybody's standard of living.

Lurge Congressmen, Senators, businessmen and above all, the consumer to support legislation to take the powers of the FTC from the hands of a few unelected officials and bring them back to Congress and the people.

I will be running this advertisement in hundreds of magazines and newspapers during the coming months. I'm not asking for contributions to support my effort as this is my battle, but I do urge you to send this advertisement to your Congressmen and Senators. That's how

America was built on the free enterprise system. Today, the FTC is undermining this system. Freedom is not something that can be taken for granted and you often must fight for what you believe. I'm prepared to lead that fight. Please help me.

Note: To find out the complete story and for a guide on what action you can take, write me personally for my free booklet, "Blow your knee caps off."



whole, the Japanese stations were very courteous, and their pile-ups were much more orderly than the European ones. Still, the U.S. hams rate the highest in overall operating procedures, and the Stateside pile-ups were the most manageable of all.

Most of our air time was at night since the best propagation occurred from 8:00 PM to 8:00 AM, Hong Kong time. Between turns at the rig we would walk out on the ledge adjoining our shack to enjoy the cool, moist breezes always present at our high altitude. Unfortunately, because of our altitude, these cool breezes would often turn into howling winds blowing more than 50 mph, and we often wondered whether our antenna would still be up in the morning. When the wind was moderate, Stu and I were able to stand out on the ledge and watch the ships wind their way through the harbor, their lights blazing against the dark sea. We could see thousands of brilliant lights turning the island into a glowing picture; it was a magnificent sight.

Back inside our modest radio shack we had a few luxuries, such as a small refrigerator to keep drinks and snacks cold, and a cot to rest on after a long seige at the radio. Not exactly lavish accommodations, but the view and operating location were well worth any inconvenience.

During the daytime, when propagation was at a low point, we traveled back down the mountain road to our apartment in the city. After resting, we would usually set out for lunch and some shopping. I doubt if there is any city in the U.S. as crowded as Hong Kong. New York, Chicago, and Los Angeles are no match for the density and intricacy of Hong Kong. There are literally thousands of shops offering everything imaginable at very low prices, usually half of what would be paid in the U.S. On top of the high density of shops, the pedestrian traffic

was incredible. Several times Stu and I were forced to walk out into the street to get around a sidewalk full of shoppers. Street signs were non-existent, and the streets run at all angles. Getting lost was very easy, and it usually took us a good part of the day to find our way back to the apartment.

Even though we spent the daytime sightseeing, shopping, and sleeping, we knew our main activity and reason for

us, which was early morning for the U.S., and we caught a lot of stations by surprise, since it is not often that a Hong Kong ham will stay up all hours of the evening to work Stateside.

Our efforts finally paid off and, when all was tallied, we ended up with 105 countries and all 50 states. South Dakota was the last state worked, which happened to be the last state worked during our Montserrat expedition. South



W6MJE, left, and WB6JPZ at the VS6HK operating desk.

being in Hong Kong was Amateur Radio. To this end, we put forth a great effort. We wanted to give as many people as possible the chance to contact Hong Kong. At the same time, we set our personal goals of working DXCC and WAS. With this in mind, we worked relentlessly, searching for elusive states and countries. Propagation to Europe was sporadic, and we were constantly chasing openings to Europe and Africa. Openings to the U.S. were more plentiful, and could be more easily predicted. The best openings to the U.S. were late at night for

Dakota gets our award as the rarest state of the U.S.

One of the most exciting facets of our DXpedition came when we were invited to Macao as a guest of CR9AJ (Horacio Torres). Earlier, we had spoken to Torres on 20 meters and he indicated that he was having trouble with his beam. The hams in Hong Kong donated a used TH6DXX beam, which we took along to Macao. Hopping on a jetfoil boat, we arrived at the Macao pier in a short time, where we were met by Torres. His location is atop the highest hill overlooking Macao. The whole of Macao was visible.

# 1980 HANDBOOK

**BRAND NEW! STEP INTO** THE 80'S WITH THE LATEST HANDBOOK FROM THE EDITORS AT ARRL



HANDBOOM 1980


Full of exciting new features for the 80's, NOW is the time to order your copy of the 1980 ARRL "RADIO AMATEUR'S HAND-BOOK." Internationally recognized and universally consulted, every Amateur should have the latest edition. The new HANDBOOK covers virtually all of the state-of-the-art developments in electronics theory and design. Novices will find it to be an indispensable study guide, while the more advanced Amateur will enjoy building the many new projects.

- ☐ Order AR-HB80 Softbound \$10.00
- Order AR-BB80 Hardbound \$15.75

#### HAM RADIO'S **BOOKSTORE**

GREENVILLE, N. H. 03048

(800) 258-5353



and off in the distance one could see China and the Pearl River. The view was spectacular, especially from the top of the lighthouse which towers overhead.

As a special favor, Torres let us operate his station for a day under his call, CR9AJ. We found his shack well equipped with a FT401B transceiver, external VFO, Atlas 210 transceiver, and TH3 beam. We fired up the FT401B and pointed the beam Stateside. The demand for Macao was astounding. The pile-ups we experienced in Hong Kong were no match for the massive number of Stateside hams calling CR9AJ. We worked over five hundred stations in half a day's operating, and reluctantly had to shut down to catch the jetfoil back to Hong Kong. Throughout our visit, Torres and his wife went out of their way to make us feel comfortable. Thanks to them, we experienced the excitement of operating from one of the rarest countries in the world.

Upon our arrival back in Hong Kong, we immediately resumed operations at our mountain QTH. We had only two days left before our departure for Los Angeles. By the end of our operation we had worked more than 3000 stations in less than nine days. This total does not include those worked from Macao. Exhausted, we climbed down the precariously placed ladder for the last time and headed for the airport.


The trip back to Los Angeles was as uninspiring as the outward-bound trip. After recovering from the rigors of the expedition and flight, Stuand I started working on the first onslaught of QSL cards. We expected a great number of cards on our return, and our QSL manager, Sheldon Shallon, W6EL, did not disappoint us. A huge sack of cards waited to be answered, and the second phase of our expedition began.

After looking though hundreds of QSL cards, I have

found that the majority of hams are familiar with proper QSL techniques. Still, there were enough mistakes among the QSLs to warrant a few words on what will help you get that DX card faster, First, a number of cards from Stateside hams came through with no S.A.S.E. (self-addressed, stamped envelope). If you hope to get a speedy reply from a Stateside QSL manager, you must send an S.A.S.E., otherwise, you can wait for a year or more for your card to reach you through the bureau. Second, some hams were not using GMT (Greenwich Mean Time) on their cards. Use of local time on a QSL card will invariably result in the card's being sent back. Remember, the DX operator or manager has all the logs in GMT; he gets hundreds of cards and has no time to convert your local time to GMT. All that effort in the pile-up will be wasted unless your card is marked in GMT, with the correct date, and legible information. Don't lose your chance for a card by making an error. Luckily, most cards we received were properly filled out; we processed them quickly.

The expedition was very successful. Both Stu and I enjoyed the chance to be a sought-after DX station. Being a DX station heightens one's appreciation for the difficult conditions that most DX operators encounter. We both feel that our own operating habits have improved as a direct result of our Hong Kong expedition. An undertaking of this sort is attainable by many hams without spending a great deal of time or money, and the excitement is well worth the expense. I hope that other hams will attempt their own DXpeditions, and enjoy the thrill of travel and adventure. Stu and I will be looking for another interesting spot for a DXpedition next year. Africa is our goal but the excitement will be there, no matter what the location.

HRH



# **BENCHMARKS**

#### **Keyer Paddle**




Fig. 1. The modification of a semi-automatic "bug" is started by removing the connecting strap between the dash post and the dot post. Cable from the electronic keyer is connected as shown.

Do you need a paddle for your new electronic keyer? How about considering a slight modification to an old friend — your "bug"? It will not only make an excellent paddle, but can be restored to its original semiautomatic status in five minutes.

Mine is the Deluxe Vibroplex model. I started the modification by removing the strap from the DOT terminal to the DASH contact post, as indicated in Fig. 1. Then I connected the KEYER cable as shown. Note that the DASHES wire connects directly to the DASH contact post screw, underneath the base.

Now to Fig. 2: Position the weight nearly to the end of the spindle. Back off adjustments A,

B, and D. Move the paddle to the right slowly (so there is no vibration) and hold it against A. Adjust A until the end of the spindle solidly contacts dampener C. Now adjust B and D to give the best feel and keyer response. Adjust DASHES to suit your fist.




Fig. 2. The contacts, springs, and stops must be adjusted to eliminate vibration in the pendulum arm. The bug can be restored to normal mechanical operation in a few minutes.

Now relax and enjoy nearly effortless CW with the comfortable and familiar presence of an old companion!

Spence Collins, N6SC

#### **Rigid Mobile Mount**

I mounted a newly purchased Japanese two-meter fm transceiver under the dash of the car with the one bracket supplied. The unit was not rigid enough and required another bracket from the rear of the unit to the heater duct. The extra bracket

had to be designed so that the rig could be taken out easily. I solved this problem by means of the antenna connector located on the rear of the transceiver (see Fig. 3).

First, I screwed a right-angle connector (Amphenol UG-646) onto the chassis connector. I bent a right-angle bracket, drilled a 5/8-inch hole in it, and mounted the bracket so the right-angle connector fitted through the hole. The connector from the antenna was then screwed down, thus making a rigid mount.




Fig. 3. Bracket at rear of mobile transceiver greatly increases rigidity. Below, layout for the rear mounting bracket.

I have found that the single bracket with which most of the small transceivers are supplied is not adequate for a rigid mobile installation.

Vern Epp, VE7ABK

# Giving Ideas



# **SAVE TIME ELIMINATE**

# HASSLE SHOP BY

# MAIL

#### **ORDER TODAY** Ham Radio's **Bookstore**

Greenville, NH 03048

Please allow 2-3 weeks for delivery

#### SIMPLE LOW-COST WIRE ANTENNAS

Learn how to build simple, economical wire antennas. Even II you don't know a feedline from a feed-through, W6SAI will get you on the air with an effective low-cost wire antenna. And, apartment dwellers take note! Fool your landlord and your neighbors with some of the "invisible" antennas found here. For the old-timer as well as the beginner, it's a clearly written, well diagramed, and even humorous antenna book. 192 pages, © 1972. □RP-WA Softbound \$5.95

#### **BEAM ANTENNA HANOBOOK** by William I. Orr, W6SAI

Here's recommended reading for anyone thinking about putting up a yagi beam this year. It answers a bit of commonly asked questions like: Whal is the best element spacing? Can different yagi antennas be stacked without losing performance? Do monoband beams outperform tribanders? Lots of construction projects, diagrams, and photos make reading a pleasurable and informative experience. 198 pages. ©1977.

☐ RP-BA Softbound \$4.95

#### THE RADIO AMATEUR ANTENNA HANDBOOK by William I. Orr, W6SAI and Stuart Cowan, W2LX

If you're pondering what new antennas to put up, we recommend you read this very popular book. It contains lots of well iffustrated construction projects for vertical, long wire, and HF/VHF beam antennas But, you'll also get information not usually found in antenna books. There is an honest judgment of antenna gain figures, information on the best and worst antenna locations and helphis, a long look at the quad vs. the yagi antenna, information on balluns and how to use them, and some new information on the increasingly popular. Stoper and Delita Loop antennas. caums and now to use ment, and some new information on the increasingly popular Stoper and Della Loop antennas. The text is based on proven data plus practical, on-the-air experience. We don't expect you'll agree with everything Orr and Cowan have to say, but we are convinced that The Radie Amsteur Antenus Handbook will make a valuable and other consisted addition to any Ham's library. 190 pages. @1979

□ RP-AH Softbound \$6.95

#### LATEST RELEASES!

#### PLEASE INCLUDE \$1.75 for CALLBOOK SHIPPING

#### 1980 RADIO AMATEUR CALLBOOK

Don't be one of those who walls until the year is half over to buy a new callbook. Invest in a callbook today and get a full year's use out of your purchase. Crammed full of the latest addresses and GSL information. You'll find a Bodrlatest addresses and QSL information. You'll find a Bold-lace calls, names and addresses for every licensed Ama-teur in the U.S. — It's a list that's more accurate than the FCC's a Slow Scan TV directory. The latest ARRL coun-tress list = international Postal into a QSL Managers from around the world a Standard time charts. A complete census of international Amateur population a PLUS MUCH, MUCH MORE! A super value at an amazingly low price. The 1980 callbook is a perfect Christmas gift for finends or for yourself. Order today to make sure you have the new callbook before the holiday season.

Softbound \$16.95

#### 1980 ARRL HANDBOOK

Full of exciting new features for the 80's, new is the time to order your capy of the 1980 ARRL "RADIO AMATEUR'S HANDBOOK." Internationally recognized and universally consulted, every amateur should have the latest edition. The new HANDBOOK covers virtually all of the state-of-the-art developments in electronics theory and design. Nonces will find if to be an indispensable study guide, while the more advanced Amateur will enjoy building the many new projects

Order AR-HB80 ☐ Order AR-BB80

□CB-US

Softbound \$10.00 Hardbound \$15.75

#### ANTENNA BOOKS

#### 73 VERTICAL, BEAM, AND TRIANGLE ANTENNAS

A collection of 73 different vertical, beam, and triangle antenna designs. It contains construction details for single and multi-element verticals, multi-element horizontal arrays, yagis, quads, and triangles, Here's an antenna cookbook sure to spark your imagination. 160 pages. © 1977.

24021

Softbound \$5.50

#### **BEVERAGE ANTENNA HANDBOOK** by Victor Misek, W1WCR

The Beverage or Travelling Wave antenna is becoming popular as a separate receiving antenna which greatly reduces interference from foreign broadcast and other stations on Internetence from foreign broadcast and other stations on the lower Amateur bands. Because it consists of a single longwire and a terminating unit, the Beverage is easy and economical to construct. The author gives you theory and describes a number of different Travelling Wave and Steer able Wave antennas, all designed to greatly reduce DRM on the 40, 80, and 160 meter bands. 39 pages. © 1977. **□VM-BAH** Softbound \$5.00

#### THE ARRL ANTENNA BOOK

For years this has been the standard manual on Amateur rou years this nas over the standard manual on Amateur aniennas. The popular vertical, wire, beam, VMF/UHF, and Oscar antennas are given full theoretical and practical freatment as well as mobile and restricted space antennas. Wave propagation and antenna measurement are also discussed. Makes a great companion to the ARRL's new "Antenna Anthology." 336 pages. ©1974.

Saftbaund \$5.00

#### THE ARRL ANTENNA ANTHOLOGY by the ARRL staff

This brand new book pulls logether a wide selection of antenna articles from QST. Written for Amateurs of all levels and interests. Included are phased arrays, verticals, Yagi's ... even the VHF Quagi' Detailed instructions and full illustrations make this a reality useful book for any Amateur. 152 pages. @1979.

□AR-AA

Softbound \$4.00

#### THE 1980 FOREIGN CALLBOOK

DXing is a real joy, but it's even better when you get back OSL cards from the countries you've worked. The most important tool in getting those cards is to have a copy of the 1980 Foreign Callbook on your operating table. Stations are listed by country, call, name and address in bold, easy-to-read type. You also get Geneal Circle Beam headings from major U.S. cities, international Postal information, DXCC Countries List, Worldwide OSL bureaus, Standard time charts and more. Get the DX information you want, when you want it. Order loday so you have a copy on hand for the winter DX season.

Softbaund \$15.95

#### SHORTWAVE PROPAGATION **HANDBOOK**

Edited by George Jacobs, W3ASK, and Theodore J. Cohen, N4XX

For many hams, both new and old, radio wave propagation For many hams, both new and old, radio wave propagation is still a mystery. Realizing this, the authors went about the task of preparing a simplified text that could be understood by hams, swif's and engineers allike. Stress has been given to simplified explanations and charts. The authors also detail a simplified explanations and charts. The authors also detail a simplified method of do-it-yourself propagation forecasting. To assist your forecasting efforts, the book contains a complete listing of-the 12 month smoothed sunspot numbers since 1749, John those who know how to predict when the bands will open to specific areas of the D1979. □CO-PH \$7.50

#### **PRACTICAL ANTENNAS**

PRACTICAL ANTENNAS is not quite like any of the other ham antenna books. Written by a knowledgeable DX'er, this new book is chock-full of helpful hints and suggestions on the how-to's of putting up a super antenna system. Chapters include information on design and construction of practical Yagis, quads and wire type antennas inside you'll also find a complete bibliography of antenna afficies from the popular amateur publications. Charts and tables are designed to a lightnate all those tricking register. tables are designed to eliminate all those tricky calcula-tions. And, SCELBI has included a list of computer gener-ated beam headings from major population centers to all the countries of the world. A new format, large easy-to-read lext and durable vinyl cover make PRACTICAL. ANTENNAS a "must" for every amateur library. ©1979 \$9.95

#### ALL ABOUT CUBICAL QUAQ **ANTENNAS**

TRP-CO

The cubical quad antenna is considered by many to be the Ine cubical guad antenna is considered by many to be the best DX antenna because of its simple, lightweight design and high performance, in Bill Orr's latest edition of this well known book, you'll find quad designs for averything from the single element to the multi-element monster quad, plus a new, higher gain expanded quad (X-0) design, There's a wealth of supplementary data on construction, feeding, tuning, and mounting quad antennas. It's the most comprehensive single edition on the cubical quad available, 112 pages. ©1977.


Softhauerd \$4.75

Prices subject to change without notice

Please add \$1 for shipping

**CAN'T WAIT?** CALL TOLL FREE 1-800-258-5353

Softbound \$4.75



#### **Dear Horizons:**

I have just returned to ham operation after a period of 45 years. Many things have changed since then and I find your publication just excellent for building up my confidence and developing my technical skills. All articles are very easy to understand and they have a basic approach that is difficult to find in other ham publications.

An excellent example is your article "Those Mysterious Controls and Switches," in the May, 1979, issue. Years ago we built our own transmitters and knew what was going on, but today the purchased equipment is flooded with lights, snap switches, buttons, digital displays, etc.

This particular article certainly applied to me, as I bought equipment as soon as I passed my examination and I was confronted with confusing controls.

Keep up the good articles and you have a lifetime subscriber. I would rather cancel my other publications before *Ham Radio Horizons*.

George MacDonald, WD9IUR Chicago, Illinois

#### **Dear Horizons:**

You have a pretty good magazine going, and I would like to make a suggestion to make it even better.

I think that you ought to have a quiz or activity column in which there might be a question and answer or a crossword puzzle, or some type of activity based on the theory of radio. It could help people to learn the theory to pass or upgrade in the Amateur licensing system.

Steven Meyer, WA6JHW Sylmar, California

#### **Dear Horizons:**

Last year, in a surge of nostalgia for the good old days of my active ham life (1930s and 40s) I decided to try a subscription to your magazine and see what's going on now. I've been amazed. And I commend you on an excellent publication.

In that connection, I must say that your article in the August issue, "A Public Relations 'How To' Gulde," Is an outstanding piece - one that should be immeasurably helpful to Amateurs and clubs, to the building of better public understanding of Amateur Radio, and to the media. The article was written by someone who is obviously well versed in the procedures of dealing with us in media, especially radio and television. Incidentally, ARRL is to be congratulated on the fine publicservice spots for radio by Lorne Greene, Bob Hope, et al.

N. C. Duncan, Jr., Ex-W4FST
Editorial and
Public-Affairs Director,
WFBC-TC
Greenville, South Carolina

#### Dear Horizons:

Thanks for publishing such a fine and interesting magazine. You really have something for everyone, from beginner to Extra. I especially enjoy the easy to understand theory, and the construction projects.

Keep up the good work.

Al Keenan, WB7QBQ

Anaconda, Montana

#### **Dear Horizons:**

I've only been a ham operator for a short time . . . I got my ticket in June, and enjoy ham radio very much.

I became interested in ham radio about two years ago, when I visited my brother-in-law in North Carolina. Later, I ran across a receiver for \$50, and my brother-in-law found a transmitter for \$40. He helped me set up my station with an inverted-V dipole.

I studied for my ticket with help from your magazine. I started receiving ham radio Horizons last Christmas, as a present from my XYL.

My receiver is a Technical Material Corp. model GPR-90. The transmitter is a Knight T-150. I would like to know if anyone could give me a report on these rigs?

Lagree with WA8MJP in your

October issue about language heard over the air. I stay away from CB because I don't care for the language.

So. Horizons, keep up the good work. I enjoy the articles, and the stories about other ham operators too.

Jim Turner, KA1DIQ Monson, Massachusetts

#### **Dear Horizons:**

Thank you for an excellent magazine. My three-year renewal is enclosed. I was a Novice back in 1958 and made the mistake of letting my license expire in 1959. Now, after many nights of school, have a brand new call - KA6FNW. One point I would like to mention: as a Novice for only three weeks now, I notice a big change in QSOs with new hams. They don't ask for QSL cards. Back then you exchanged QSLs with an OM or YL 10 miles away! Is the cost of postage ruining the fun of exchanging cards with not just DX, but with friends everywhere?

John B. Goldsmith, KA6FNW Mission Viejo, California

#### **Dear Horizons:**

This will, no doubt, be one of many letters to you highly commending the fantastic job done by the Hurricane Watch during the recent hurricanes David and Frederic.

I cannot commend too highly the excellent work done by all those running the net, and most particularly by K4RHL, Ellie, and WA1KKP, Lyn. Many people who benefited from information received by the tireless efforts of these hams will hold them in warm regard. For those of us who sat on the sidelines during the long hours, their patience and fortitude under difficult conditions was more admirable.

The difficult conditions were unfortunately made doubly so by some sick pranksters or malicious fools who persisted in heckling and attempting to block vital transmissions with all manner of QRM. It is hoped that the FCC is in a position to take positive action. I think that every ham who heard the QRM deplored it, and would love to have been in a position to throttle the bastards.

George Benson, 6Y5B Kingston, Jamaica, W.I.

#### MADISON **DOUBLE YOUR WARRANTY POLICY**

Any large piece of gear we sell you (average \$300 or up) we will double your warranty period!

FOR EXAMPLE: A 3 month warranty = 6 months from date of purchase. 1 year = 2 years from date of purchase.

**(OUR RELIABLE SERVICE DEPARTMENT REPAIRS** NON-WARRANTY GEAR, TOO!)

Simply send your rig in a good shipping carton, postage prepaid, with a copy of your receipt showing date of purchase. We will repair promptly and return by best way.

NOTE: Manufacturers do not cover final in most cases, but we will try!

#### Try Our Competitive Prices, Too!

You, the customer, can only benefit from the Madison Double Your Warranty Policy.

Call Don - K5AAD or Mike - W5VVM for specific warranty claim questions.

POLICY SUBJECT TO CHANGE WITHOUT NOTICE



1508 McKinney, Houston, TX 77002, 713/658-0268

## **ANTENNAS**

#### THE RADIO AMATEUR ANTENNA HANDBOOK by William I. Orr, W6SAI and Stuart Cowan, W2LX

If you are pondering what new antennas to put up, we to you are pondering what new antennas to but up, we recommend you read this very popular book. It contains lots of well illustrated construction projects for vertical, long wire, and HF/VHF beam antennas. But, you'll also get information not usually found in antenna books. There is an honest judgment of antenna gain figures, information on the best and worst antenna gain figures, and being the lock at the gued with locations and heights, a long look at the quad vs. the yagi antenna, information on baluns and how to use them, and some new information on the increasingly popular Sloper and Delta Loop antennas. The text is based on proven data plus practical, on-the-air experience. We don't expect you'll agree with everything Orr and Cowan have to say, but we are convinced that The Radio Amateur Antenna Handbook will make a valu-

able and often consulted addition to any Ham's library.

190 pages. @1978. □RP-AH

Softbound \$6.95

#### SIMPLE LOW-COST WIRE ANTENNAS

Learn how to build simple, economical wire antennas. Even if you don't know a feedline from a feed-through, W6SAl will get you on the air with an effective low-cost wire antenna. And, apartment dwellers take note! Fool your landlord and your neighbors with some of the "invisible" antennas found here. For the old-timer as well as the beginner, it's a clearly written, well diagramed, and even humorous antenna book. 192 pages. ©1972.

□RP-WA

Softbound \$5.95

Two exciting antenna books from Ham Radio's Bookstore. Call or write today.

Please add \$1.00 to cover shipping and handling.

#### HAM RADIO'S BOOKSTORE

GREENVILLE, N. H. 03048

CALL TOLL FREE 1 (800) 258-5353

## HI-Q BALUN

- · For dipoles, yagis, inverted vees & doublets
- · Replaces center insulator
- · Puts power in antenna
- Broadbanded 3-40 MHz
- Small, lightweight and weatherproof
- 1:1 impedance ratio
- For full legal power and more
- Helps eliminate TVI
- With SO-239 connector

\$10.95



#### HI-G ANTENNA **CENTER INSULATOR**



Small, rugged, lightweight, weatherproof

Replaces center insulator Handles full legal power and more

\$5.95 With SO-239 connector

#### HI-Q ANTENNA **END INSULATORS**



Rugged, lightweight, injection molded of top quality material, with high dielectric qualities, and excellent weatherability. End insulators are constructed in a spiral unending fashion to permit winding of loading coils or partial winding for luned traps

- May be used for
- Guy wire strain insulators
- · End or center insulators for
- \$4.95 Construction of antenna loading coils or multiband traps

## DIPOLES

MODEL	BANDS	LENGTH	PRICE WITH HI-Q BALUN	CENTER INSULATOR
Dipoles				
D-80	80/75	130	\$28.95	\$24.95
D-40	40/15	66	25.95	21.95
D-20	20	331	24.95	20.95
D-15	15	22'	23.95	19.95
D-10	10	16"	22.95	18.95
Shortene	d dipoles			200
SD-80	80/75	901	31.95	27.95
SD-40	40	45'	28.95	24.95
Parallel d	ipoles		12002	107011174
PD-8010	80,40,20,10/15	130"	39.95	35.95
PD-4010	40,20,10/15	66'	33.95	29.95
PO-8040	80.40/15	130'	35.95	31.95
PD-4020	40.20/15	66'	29.95	25.95
Dipole sh	orteners - only, as	ame as Indica	ted in SD mode	
S-80	80/75			1.95/or.
C 40	40			0.001-

All antennas are complete with HI-Q Balun or HI-Q Antenna Center Insulator, No. 14 antenna wire, ceramic insulators, 100° nylon antenna support rope (SD models only 50°), rated for full legal power. Antennas may be used as an inverted V, and may also be used by MARS or SWLs.

Antenne accessories — available with antenna orders Nylon guy rope, 450# test, 100 feet Ceramic (Dogbone Type) antenna insulators Ceramic (Dogborie 1990) SO-239 coax connectors

All prices are postpaid USA 48 Available at your favorite dealer or order direct from:

Gorden Engineering BOX 21305, S. BUCLID, ONIO 44121


Dealer Inquiries Invited



\$3.49

70/pr.

# the Ultimate 1:1 RAL



- Helps fight TVI—no ferrite core to saturate or reradiate
- · Rated 5 KW peak-accepts substantial mismatch at legal limit
- DC grounded—helps protect against lightning
- · Silver plated hook-up braid; Custom molded case
- Amphenol® connector; Rubber ring to stop water leakage

Model ZA-1

3.5-30 mHz

\$15.95

Model ZA-2

optimized 14-30 mHz includes hardware for

\$17.95

2" boom

Available at selected dealers, add \$2.00 postage and handling in U.S.A. WRITE FOR LITERATURE

Bencher

333 West Lake Street, Dept A Chicago, Illinois 60606 (312) 263-1808

#### UNADILLA

The **WA2ZOT** "INTERFILTER"

2000 WATT LO-PASS

LIFETIME GUARANTEE

The only Lo-Pass you'll





AT YOUR DEALER

- **BALUNS-TRAPS-INSULATORS**
- QUAD PARTS-ANTENNA KITS
- BOOM/MAST MOUNTS WIRE
- . CABLE CONNECTORS

Write or call for full Catalog

CROWAVE UNADILLA/REYCO DIVISION FILTER FOODPANY INC

DEALERS WANTED - OVER 300 WORLD WIDE

#### Start the New Year Right with the 1980 HAM'S ALMANAC



8%" x 11" booklet opens into a 17" x 11" wall calendar. Monthly cartoon and poem on top page, monthly calendar on bottom page has propagation forecast and notes ham radio events with ample space for your own notes. 14 additional pages include contest rules, DX beam headings & zones, puzzles, a guide to amateur radio stamps, and more...2-color printing. \$3.75 at your local dealer. For direct orders, add 50¢ for 3rd class and 80¢ for 1st class mailing. Arizona residents add 5% tax

#### Alkan Products

Box 3494, Scottsdale, AZ 85257

# *1980*

## Radio **Amateur** Callbook



Don't be one of those who waits until the year is half over to buy a new callbook. Invest in a callbook today and get a full year's use out of your purchase. Crammed full of the latest addresses and QSL information.

You'll find:

Boldface calls, names and addresses for every licensed Amateur in the U.S.

CB-US Softbound \$16.95





DXing is a real joy, but it's even better when you get back OSL cards from the countries you've worked. The most important tool in getting those cards is to have a copy of the 1980 Foreign Callbook on your operating table. Stations are listed by country, call, name and address in bold, easy-to-read UCB-F Softbound \$15.95 Please include \$1.75 additional shipping for each Callbook ordered.

#### HAM RADIO'S **BOOKSTORE**

GREENVILLE, N. H. 03048

(800) 258-5353





#### **Practical Antennas for the Radio Amateur**

You've never seen an antenna book quite like this! It tells you how to choose, use and build your antenna system. Here's what you get: O How to build practical beams, guads and wire antennas O Computer-generated beam headings to every known country in the world O Charts and tables to eliminate tricky calculations OPractical ideas for the newcomer OSCAR antennas OComplete bibliography of magazine articles on antennas O Antenna safety ○ Trick antennas for portable work ○ Tips on how to keep your antenna up. Durable vinyl cover. Only \$9.95

#### **Personal Information Management** System

Keep an automatic log. Compare antenna performance. Catalog your parts and equipment. Keep a mailing list for your club. Plain-talk booklet tells how. Includes ready-to-use program for home computer systems. A bargain at just \$9.95.

#### Introduction to Low Resolution **GRAPHICS**

Produce amazing computer graphics aven if you can't draw a straight line. Literally! Learn how to draw lines and shapes, make graphs, draw pictures and even do animation. All the simple secrets are contained in this brand new book. Only \$9.95.

## BASIC

Use a home computer to calculate voltage across a capacitor, find the value of inductance, determine the capacitance of parallel plates, compute the time to charge a capacitor and convert power, voltage and current to decibels. All the

PI Personal la Manageme	MS nformation ont System
	program.
ERAP	RICS
The same of the same of	NEWSTERN PROPERTY.

Calculating with BASIC

## Calculating with

routines needed and more! Just \$7.95.


#### **Brand New Antenna Book!** New format . . . Big diagrams . . . Easy-to-read

By well-known author, Robert Myers, W1XT

In a Hurry? Order Toll Free 1-800-258-5353


Ham Radio's Boo	kstore	Greenville NH 03048
☐ Practical Antennas ☐ Persona☐ Introduction to Low Resolution		
Street		
City	State Z	ip
Please enclose proper amount for bo	ooks plus \$1.00	shipping or credit

## PRODUCT SHOWCASE



For literature on any of the Product Showcase items use our ad-check service on page 78.

#### MFJ-408 Deluxe Electronic Keyer II



The new MFJ-408 Deluxe Electronic Keyer II has a readout and a socket for the Curtis external memory, random code generator, and keyboard.

The MFJ-408 lets you read your sending speed to 50 WPM, and the accessory socket allows you to use Curtis accessories such as external memory, random-code generator, or keyboard.

The MFJ-408 is based on the proven Curtis 8044IC keyer chip. It operates in lambic, automatic, semi-automatic, or manual modes. Dot-dash memory provides self-completing dots and dashes with jam-proof spacing. The keyer provides keying for grid block, cathode, or solid-state transmitters (-300V, 10 mA max; +300V, 100 mA max.).

All controls are on the front panel, and include weight control, tone control, and function switch (on, off, semi-automatic/manual, and tune). A stereo phone jack for the key, and phono jacks for outputs are on

the back of the MFJ-408 keyer.

The MFJ-408 is completely portable; it operates up to one year on four C-cells. It has a 2.5-mm phone jack for external power (6 to 9 Vdc), or order the optional ac adapter for \$7.95.

The cabinet is eggshell white with walnut sides, and the size is  $20 \times 5 \times 15$  cm  $(8 \times 2 \times 6$  inches).

MFJ provides a 30-day, money-back trial period. If you are not satisfied, you may return it within 30 days for a full refund (less shipping). MFJ also provides a one-year unconditional warranty.

The MFJ-408 Deluxe Keyer II is available from MFJ Enterprises, Inc., for \$79.95 plus \$3.00 shipping and handling; accessory cable with plug is \$3.00. To order, call toll-free 1-800-647-1800, or mail order to MFJ Enterprises, P.O. Box 494, Mississippi State, Mississippi 39762.

# Shure 526T Series II microphone

Shure Brothers has announced the new Shure Model 526T Series II Super Punch® microphone with new design features that improve its overall versatility for base-station transmissions and make it compatible with most transmitters and transceivers.

The new 526T Series II can be connected to a wide assortment of transceivers with input impedances of 500 ohms or higher. A new six-wire coiled cord and triple-pole, double-throw switch are arranged for universal compatibility with most transceivers. The new microphone can be used to replace either ceramic or dynamic, low or high impedance mikes.

Important performance features of the new microphone include a dynamic element and a transistorized preamplifier that operates for hundreds of hours on a standard 9-volt battery. Volume control allows adjust-

ment for optimum transmitter modulation and maximum intelligibility. A "million-cycle" transmit/receive switch closes with a self-cleaning wiping action for noise-free switching with momentary or locking operation. This same switch allows for connecting accessories such as speech processors, antenna relays, and on-the-air lights. For information, write Shure Brothers Inc., 222 Hartley Ave., Evanston, Illinois 60204.

#### **Spectrum Chart**



A unique radio chart, called "Worldwide Listeners Guide to the Radio Spectrum," has just been released for distribution by Radio Publication Co., Lake Geneva, Wisconsin. The chart covers the radio spectrum from 10 kHz to 30 GHz with sample listings of stations found on particular frequencies. For example, on 16.7155 MHz (high frequency), the chart lists the Queen Elizabeth II (inter-ship communications). Over five hundred listings across the spectrum appear on the chart.

Laid out as outer and inner circles, this is a quick and easy-reference chart for hams, shortwave listeners, and scanner owners. The chart is printed in full color on high quality paper



#### THE NATIONAL MARKETPLACE FOR OWNERS AND BUYERS OF **USED AMATEUR EQUIPMENT**

1879 POST RO., P.O. BOX 66, SOUTHPORT, CT 06490

and resembles the rainbow spectrum. It measures  $80 \times 63$ cm (35 inches  $\times$  25 inches). This new chart is available from Radio Publication Co., P.O. Box 28, Lake Geneva, Wisconsin 53147. The price is \$4.50 postpaid in a special mailing tube.

#### More Kulduckie Antennas by Larsen



Larsen Electronics, Inc., is rapidly expanding its Kulduckie line to work with more hand-held units. Three new Kulrod antennas have been developed, considerably increasing the number of handhelds that can be mated with Larsen antennas.

The new KD5 and KD6 fit the General Electric PE and PR models respectively. A third Kulduckie, the KD9, fits any radio with a UHF-type antenna connector. The KD5 and KD6 have frequency ranges from 136-174 MHz and 406-512 MHz, KD9 frequency coverage is from 136-174 MHz.

Larsen Kulduckies are ruggedly constructed to take the rough usage common to this type of antenna. Vhf and uhf models are spring wound for flexibility, and then plated with high-conductivity material for Larsen's maximum radiation efficiency.

They are also all-weather protected by a tough, heavy-duty coating of an exclusive design which prevents detuning by shorting, and adds flexibility. They handle a full 25 watts, and are flexible enough to bend 180 degrees in all directions.

For more information write Larsen Electronics, Inc., P.O. Box 1686, Vancouver, Washington 98663.

#### Just Wrap Kit

OK Machine and Tool Corporation has announced its new "Just Wrap Kit." The "Just Wrap" tool wraps No. 30 AWG wire onto standard 0.025 square posts without stripping or slitting the insulation. The tool can "daisy chain" continuously through several points, or can be used "point-to-point". The JWK-6 Kit contains the "Just Wrap" wrapping tool, the JUW-1 unwrapping tool, and four wire-refill cartridges, one each in red, white, blue, and yellow, all packaged in a sturdy, reusable clear plastic box. Priced at \$24.95, the JWK-6 Just Wrap Kit is available from stock at local electronics retailers or directly from OK Machine and Tool Corporation, 3455 Conner Street, Bronx, New York 10475.

#### Anti-Tip Key

Ham Radio Center is introducing a new modified straight key replacing their popular Model HK-3 Ham-Key.

The new model is the HK-3M, and features a new anti-tip bracket that prevents even a pump-handle type of operator from tipping it over.


The beauty of this new feature Is that any HK-3 now in the field can be converted to an HK-3M by merely adding the AT-B bracket, which installs in minutes.

The price on the new HK-3M is \$19.95 and on the AT-B \$2.99. Both are available from select Amateur equipment dealers throughout the country, or direct from Ham Radio Center, P.O. Box 28271, St. Louis, Missouri 63132.

HGM matches Suyers with Dweers of used equipment, Partectly! Register gear you want to soll or buy, nationally, for only \$3.73. At least once a week, HGM compares Buyer specifications to all availables coupment registered by Owers. For each partect match, HGM writes Suyers the participates about the gear. Buyers contact Owners derectly, and all negotations are strictly between Owers and Buyers.

MGM GUARANTEE. Just \$3.73 per registration (a "sell" or a "buy"), and your Registration remains active for 17 unitgue metchings or 17 montes. No Hight cornulssions! We cannot warrant nor guarantee my equipment rennel through HGM stace everything is between Divisors and Beyers. But we do guarantee inlique matchings and 17 matchings or enostis. A labidinis service for the amateur service!

REGISTER NOW. Use this turn or facsumite and enclose the \$3.73 fee for each Registration. OWNERS: Describe unit by Type, Brand, and Model indicate exact sell Price and purchase data. BUYERS have two choices. Choice M1: Type of Gear, Indicate Type and one Price Range, Example, Transculver, \$700-889. Choice #2: Specific Unit, regardless of price. Indicate specific Brand and Model you want. Example: Transculver, Ten-Toc, Contury 21.



#### **MAXI TUNER** SOLVES ANTENNA PROBLEMS




#### THE FINEST ANTENNA TUNER AVAILABLE

- Presents 50-75 Ohm Resistive Load to Your Transmitter Using Virtually Any Antenna
- Improved Ultimate Transmatch Circuit Matches Coax, Random Wire and Balanced Antennas
- Continuous 1.7-30 MHz Coverage
- 229-203 Rotary Inductor (28 μH)
- Rugged Cast Aluminum Turns Counter
- Handles 3 KW PEP Heavy Duty Balun
- Velvet-Smooth 6 to 1 Vernier Tuning
- 0.100 Longing Scale on Capacitors
- Available in Kit Form or Assembled
- One Year Factory Warranty
- Use with your present SWR meter or wattmeter.
- Custom Vacuum Capacitor Designs and Indi-vidual Components Available

Call or Write for Pricing, Spec Sheet, and FREE Amateur Market Antenna Tuner Comparison Chart That Tells It Like It Is!

RF POWER COMPONENTS (715) 532-3971

P. C. Box 11 Ladysmith, WI 54848



WRITE FOR LITERATURE

333 W. Lake Street, Dept. A Chicago, Illinois 60606 • (312) 263-1808

- · Full range of adjustment in tension and contact spacing.
- · Self-adjusting nylon and steel needle bearings.
- · Solid silver contact points.
- · Polished lucite paddles.
- Precision-machined, chrome plated brass frames.
- · Standard model has black, textured finish base; deluxe model is chrome plated.
- · Heavy steel base; non-skid feet.

Available at selected dealers or send \$39,95 (\$49.95 for chrome model) plus \$2.00 shipping and handling. Overseas amateurs invited to request quotation for air parcel post shipment.



PRETUNED - COMPLETELY ASSEMBLED ONLY ONE NEAT SMALL ANTENNA FOR
UP TO 6 BANDSI EXCELLENT FOR CONGESTED HOUSING AREAS - APARTMENTS
LIGHT - STRONG - ALMOST INVISIBLE!

FOR ALL MAKES & MODELS OF AMATEUR FUH ALL MAKES & MODELS OF AMATEUR TRANSCEIVERS - TRANSMITTERS -GUARANTEED FOR 2000 WATTS SSB 1000 WATTS CW, INPUT FOR NOVICE AND ALL CLASS AMATEURS!

COMPLETE AS SHOWN with 90 ft. RG58U-52 ohm feedline, and PL259 connector, insulators, 30 ft. 300 lb. test dacron end supports, center connector with built in lighning arrester and static discharge molded, sealed, weatherproof, resonant traps 1"X6"-you just switch to band desired for excellent worldivide operation - transmitting and recleving! WT. LESS THAN 5 LBS.

160-80-40-20-15-10 bands 2 trap--209 ft. with 90 ft. RG58U - connector - Model 7778U . . . \$64,95 80-40-20-15-10 bands 2 trap --- 102 ft. with 90 ft. RG58U - connector - Model 9988U . . . 559.95 40-20-15-10 bands 2 trap --- 54ft. with 90 ft. RG58U coax - connector - Model 10018U . . . \$58.95 20-15-10 bands 2 trap --- 26 ft. with 90 ft. RG58U coax - connector - Model 10078U . . . \$57.95

SEND FULL PRICE FOR POST PAID INSURED DEL. IN USA. (Canada is \$5.00 extra for postage - clerical - customs - ctc.) or order using VISA Bank Americard - MASTER CHARGE - AMER. EX-PRESS. Give number and ex. date. Ph 1-308-236-5333 9AM - 6PM week days. We ship in 2-3 days. ALL PRICES WILL INCREASE MAR 1-SAVE - ORDER NOW! All antennas guaranteed for 1 year. 10 day Money back trial! Marie in USA. FREE INFO. AVAILABLE ONLY FROM.

WESTERN ELECTRONICS

Dept. AH-1

Kearney, Nebraska, 68847

#### **DSI Pocket-Sized Frequency Counter**

A new series of hand-held digital frequency measurement instruments that provide all the accuracy and high readout-legibility of the full-scale types yet are not much larger than a 120-millimeter cigarette pack has been announced by DSI Instruments, Inc., San Diego, California. Two models, the 500HH that has a frequency range of 50 Hz to 500 MHz, and the 50 Hz to 100 MHz 100HH are offered.

Their large, eight-digit LED display features automatic decimal-point shifting and zero blanking. Total case dimensions (excluding antenna) are only 8.9  $\times$  3.1  $\times$  14.6 cm (3.5  $\times$  1.25  $\times$ 5.75 inches) — about the same as a typical pocket-size calculator.

The counters are accurate to within 1 PPM over a wide temperature range, The Model 500HH has a high sensitivity that is typically 30 mV at 100 Hz to 250 MHz, and 50 mV at 250 MHz to 450 MHz. The typical sensitivity of the 100HH is 30 mV at 100 Hz to 50 MHz. What's more, they have prescale input resolutions of only 10 Hz in just 0.1 second (or 1.0 Hz in 1.0 second).

They have BNC connectors on direct inputs of 1.0 megohm (50 ohms prescaled). Using lowdrain LSI circuitry, they operate from a built-in rechargeable 8.2 to 14.5 Vdc battery pack, or 115 Vac, using an external AC adapter that also trickle-charges the battery pack.

Their single-quantity prices start at a low \$119.95 for the Model 100HH, and \$169.95 for the 500-MHz Model 500HH. Deliveries can be made immediately from local or factory inventories. All the units are factory pre-tested before shipment, and they carry a one-year limited warranty.

For complete technical data, quantity pricing, and local-outlet information, contact DSI Instruments, Inc., at 7914 Ronson Road, San Diego, California 92111.





prompt service on your inquiry. CHANGE **OF ADDRESS** 

label to insure

Moving? Please let us know 4-6 weeks beforehand. Or, if any-

thing is wrong with your current mailing label, please carefully print the updated information below and affix your present label above.

PLEASE HELP US TO SERVE YOU BETTER

Greenville, NH 03048

I IUKIZUNS	
	Call
Name	
Address	
City	
State	Zip

#### **NEW MFJ SOLID STATE**

# 24 HOUR DIGITAL CI

Eliminate converting to GMT. Pleasant BLUE easy-on-eyes display. Bright .6 inch digits. ID timer. Alarm, snooze, lock functions. Power out, alarm on indicators. Assembled.



Pleasant Blue Display is easy-on-eyes. Bright .6 inch digits, Built-in ID timer.

The MFJ-101 is a new all solid state 24 hour digital cleck. Just set it to GMT and forget about converting to GMT

Pleasant blue .6 inch digits (like TS-820S) are easy-on-eyes and bright enough to see clear across your room.

ID timer alerts you every 9 minutes after you tap ID/doze button.

Set alarm to remind you of SKED or simply to wake you up in morning. Has alarm on indicator.

Fast/slow set buttons make setting time and

Lock function prevents missetting time/alarm. Digits flash if power is interrupted. Rugged black plastic case. Brush aluminum front/top panel.

UL approved, 110 VAC, 50/60 HZ switch for SA, Europe, Japan and other countries. Use

220/240 VAC with optional AC adapter, 6x2x3 in. Order from MFJ and try it - no obligation. If not delighted, return it within 30 days for refund (less shipping). One year limited warranty by MFJ.

Order today, Call toll free 800-647-1800, Charge VISA, MC or mail check, money order for \$29.95 plus \$3.00 shipping/handling for MFJ-101

Don't wait any longer to enjoy the convenience of reading GMT time directly.

#### CALL TOLL FREE ... 800-647-1800

Call 601-323-5869 for technical information, order/repair status. Also call 601-323-5869 outside continental USA and in Mississippi.

MFJ ENTERPRISES, INC

BOX 494, MISSISSIPPI STATE, MS 39762



#### July 26 thru August 8, 1980

Our 21st year of successful teaching

Boost your Ham Skills on the Blue Ridge

"A Vacation with a Purpose"

Two weeks saturation learning program in Amateur Radio:

- · Novice to General
- General or Technician to Advanced
- Advanced to Amateur Extra

Expert Instruction starting at your level. Code and Theory in depth along with Friendly Amateurs, Who Care About

C. L. PETERS, K4DNJ, Director Oak Hill Academy Amateur Radio Session Mouth of Wilson, Virginia 24363
NameCali

City/State/Zip

NEWCOMER OR OLD PRO . . .

#### ALPHA POWER IS YOUR KEY TO A BIG SIGNAL

ALPHA/VOMAX boost the "talk power of any rig up to ten times or more. The new SBP-4 split band speech processor uses the only system more effective than rt clipping — AND distortion is extremely



low so your voice sounds natural. Under tough conditions VOMAX can help as much as most linears. Combine VOMAX with a good linear and WOW! It's simple to install and operate with any rig.



ALPHA 374A is a heavy-duty "rock crusher"
... a full kilowatt (2+KW PEP), No Time
Limit, all band, NO TUNE UP desk top linear
amplifier. It's a no-compromise ALPHA with
a TWO YEAR FACTORY WARRANTY.

Other superb ALPHA s include the "Ultimate Other superb ALPHA s include the "Ultimate LINEAR" ALPHA 77Dx and the new ALPHA 78, which combines NO-TUNE-UP maximum legal power, No Time Limit, and high speed (vacuum relay) CW break-in. Call or write your dealer or ETO direct for illustrated literature on all ALPHA products.

EHRHORN TECHNOLOGICAL OPERATIONS, INC. P.O. BOX 708, CANON CITY, CO 81212 (303) 275-1613

#### Microcraft Morse-A-**Word Code Reader**



An eight-character Morsecode reader has been introduced by Microcraft, for SWLs, beginners, and veteran Amateur Radio operators. It accepts audio signals from a communications receiver's headphone iack or loudspeaker, and displays the decoded characters. All text characters — letters. numerals, punctuation marks, special Morse-symbols, and word spaces are shown sequentially on the display in movingcharacter fashion. Code speeds of 5 to 35 WPM can be copied. depending on the setting of the front panel control. The Morse-A-Word also includes a built-in code-practice oscillator and monitor speaker for practice sessions. A complete kit is \$169.95, and a wired and tested version is \$249.95. Write to Microcraft, P.O. Box 513, Thiensville, Wisconsin 53092.


#### Thumb-Wheel Ratchet Wrench

Wherever limited space prevents the use of conventional wrenches, this remarkable new "Thumb-Wheel" ratchet set comes to the rescue. It lets the user reach the tightest places behind an auto dash, under the hood, or in the trunk with good leverage and maneuverability. The Thumb-Wheel is ideal for installing and servicing broadcast radios, Amateur gear, CBs, rigs, for working inside TV sets, or assembling cabinets and electronic gear.

Each Thumb-Wheel ratchet set contains 8 pieces: one reversible Thumb-Wheel ratchet: six 1/4-inch, 6-point standard sockets, 3/16, 1/4, 5/16, 3/8, 7/16, and 1/2-inch; one 2-inch extension, and a durable, self-sealing carrying pouch. The ratchet is 1-1/2 inches in diameter, 7/16 inch thick, has a 1/4-inch drive, and a fully knurled gripping surface.

Thumb-Wheel is made in the U.S. to the highest standards and is warranted for life. A complete eight-piece Thumb-Wheel ratchet set, with pouch, is only \$14.95 plus \$1.00 for postage and handling. Satisfaction is fully guaranteed. Write Howard Products Company, P.O. Box 57246, Dallas, Texas 75207.

#### ISOPOLE Antenna



Advanced Electronic Applications, Inc., has developed the ISOPOLE.\* a new, vertically polarized, omni-directional. gain-type, base-station antenna which provides performance superior to that of any other lowcost antennas now in the marketplace. ISOPOLE's revolutionary double-cone design results in virtual elimination of the major problem plaguing other base-driven vertical antennas: the inadvertent and unwanted coupling of rf currents onto the supporting structure and the shield of the feedline, seriously degrading the radiation patterns of most antennas. On-the-air

\*ISOPOLE is a registered trade mark of AEA, Inc.

tests have shown a substantial signal improvement in favor of the ISOPOLE.

The ISOPOLE's unique new design features a double-decoupled, center-driven, 11/4wavelength antenna to provide the theoretical maximum obtainable gain for a dipole. All rf connections are protected from the weather. The ISOPOLE is pretuned at the factory so that the user can obtain an 8-MHz bandwidth by following the simple assembly instructions. The ISO-POLE is intended for installation atop the swaged end of a standard TV mast (not supplied). The ISOPOLE has an introductory Amateur net price of \$49.95.

For further information contact: Advanced Electronic Applications, Inc., P.O. Box 2160. Lynnwood, Washington 08036: phone (206) 775-7373.

#### Transceiver Protector

Expensive transceivers are prone to damage by unsafe input voltages when the line-operated power-supply regulator fails. "Crowbar" by K2OM is designed to sense the harmful over-voltage and short circuit the dc power-Input lines to around.

When used to protect a transceiver at 13.8 volts, Crowbar will trip, and short circuit, at a preset level of 15.5 volts, and blow the line fuse.

Trip levels can be adjusted from 6 to 30 volts by a control provided on the printed-circuitboard assembly. Two flexible color-coded connection wires tie into the user's equipment. Mounting hardware is supplied. An assembly-installation-operation booklet comes with the unit.

Manufactured by Daltec Systems Incorporated, "Crowbar" is available from stock in kit form (Model CA630K) at \$12.00, and completely assembled and tested (Model CA630A) at \$15.00.

Write Daltec Systems, Inc., P.O. Box 157, Onandaga Branch, Syracuse, New York 13215.

# Ham Radio **HORIZONS**

# **Kenwood User's Report**

It's new! It's exciting! It's like nothing you've ever seen before. It's a fascinating report you can't afford to miss.

Nearly 200 owners and former owners — hams just like yourself — give you a frank, down-toearth report on the Kenwood TS-820 transceiver. This is your first chance to find out what hams really think of the TS-820 — with no punches pulled.

This is the second installment of what is going to be a regular feature in Ham Radio HORIZONS, Each report will critically examine one of the popular Amateur rigs available today. This is the kind of review that's unavailable from a magazine editor or industrysupported lab. Chances are we'll be reviewing your own

radio in the very near future.

There'll be other surprises in HORIZONS too. Bill Orr, **W6SAI** is joining our staff in the March issue. Widely acclaimed, Bill brings to us a wealth of antenna knowledge and expertise. And there'll be a DX column too!

These are brand new features you'll want to see — every month. We're prepared to make sure that you get every super issue delivered right to your door. And at a \$3.00 savings over newsstand prices. Subscribe today and we'll send you the February issue absolutely FREE! 13 super, information packed issues for the price of 12. Make sure you're one of the first to receive all these exciting new HORIZONS features. No need to send any money. We'd be happy to bill you.

The March issue will feature the compact Atlas 210/215. On sale late February at your favorite radio store.

# **H**ORIZONS Tells it like it

**ORDER TOLL FREE** 800-258-5353





Yes — sign me up!


Please send me my free copy of February HORIZONS and enter a one-vear subscription.


Name Call\_\_\_ **Address** City State\_\_\_\_Zip\_

The Ham Radio Publishing Group Greenville, NH 03048

1 Year

# **BELDEN** (9





8448 20¢/ft No of Cond -8 AWG (in mm) -6.22, (7x30), [76], 2-18, (16x30), [1.19]

9405 32¢/ft No of Cond = 8 AWG (in mm) = 2.16. (26x30). [1.52]. 6-18, (16x30). [1 17]

#### **MADISON ELECTRONICS SUPPLY, INC.**

1508 McKINNEY . HOUSTON, TEXAS 77002 713/658-0268

MASTERCHARGE . VISA

#### New! General Combo T.M.



#### **UPGRADE** Yourself!

\$19.95 each add \$1.00 shipping and handling

General Combo is a complete, carefully organized, program with the upgrading amateur in mind. The General-Class Study Guide, SAMS #21617, explains radio circuits in an easy to understand style. It explains the test, amateur regulations, radio-wave propagation, practical radio circuits, modulation characteristics, and transmission lines. The General Cassettes discuss rules, regulations, and radio theory in an interview format. The QSO Tape simulates examlike "on-the-air" code transmissions. It progresses from 71/2 to 15 wpm. Text key and practice exams are included. Books or tapes may be ordered separately-book \$6.50, tapes each \$4.95. Order together at 19.95 and save \$1.40. Catalog/dealer list available upon request.

#### **&KANTRONICS**

The Training Company 1202 East 23rd Street awrence, Kansas 66044 Phone: 913-842 7745 We accept Visa. Master Charge, check and money orders.



#### Model D70 MORSE TUTOR

- Produces random live character groups: all letters, all figures, or mixed.
- · Calibrated variable speed (6% to 37 words per minute) and variable detay (up to 3 seconds) between letters for optimum learning efficiency.
- Internal loudspeaker, plus personal parpiece for private listening. And pecket size.
- · Battery operated therefore always ready for use. Current drain is very low for long battery life.
- · Eleven IC, CMOS circuit for long inter-
- Built-in tone excillator for sending practice (key required.

1 Including Pre Pard
Shipping &
Full Insurance
Desire Inquiries Invited
ler in England = 90 Day Warranty
Visa-Mastercharge Accepted

(Exclusive Importers of DATONG FL-1's)

Technical pedicated to Excellence Corp.

Box 62 Birmingham, Michigan 48010 Telephone 313/644-5698

# THIS IS IT



MODEL 4431 THRULINE®

RF DIRECTIONAL WATTMETER with VARIABLE RF SIGNAL SAMPLER - BUILT IN IN STOCK FOR PROMPT DELIVERY

AUTHORIZED DISTRIBUTOR

associates

115 BELLARMINE ROCHESTER, MI 48063

CALL TOLL FREE 800 - 521-2333

IN MICHIGAN 313 - 375-0420





RATES Regular classified is available at 50¢ per word. Display classified (1 inch. deep x 21/4 inches wide) is \$65, or at the 12x rate is \$50. All Ad Scan payable in advance. No cash discounts or agency commissions allowed

HAMFESTS Sponsored by non-profit organizations receive one free regular classified ad (subject to our editing). Repeat Insertions of hamfest ads pay the standard rate.

COPY No special layout or arrangements available. Material should be typewritten or clearly printed (not all capitals) and must include full name and address. We reserve the right to reject unsuitable copy. HORIZONS cannot check each advertiser and thus cannot be held responsible for claims made. Liability for correctness of material limited to corrected ad in next available issue.

**DEADLINE** 15th of third preceding month.

SEND MATERIAL TO: Ad Scan. Ham Radio Horizons, Greenville, N. H. 03048

ONLY MY FRIEND'S recent physical disability makes this top-grade equipment available; pur-chased new, still in as-new condition, complete with manuals/cables. Bill had literally a store full chased new, still in as-new condition, complete with manuals/cables. Bill had literally a store full of items, \$10 to \$100 range; too costly to advertise the list, so tell me what you need. I want to move them now. Anyone having a difficult time learning code and operating CW? These likenew visual decoders and electronic typewriter keyboard: Pickering 230-D Morse Decoder, \$1500; Pickering KB-1 Electronic Keyboard keyer, \$140; Atronics CR-101 Code Reader, \$65; manuals/instructions. Collins: 5151F, \$2050; 5561, \$325; 301, \$995; 3253A/516F2, \$1775; 5561, \$325; 301, \$995; 3253A/516F2, \$1775; 312B4, \$425; all Round Emblem, Immaculate w/manuals. Two Hy-Gain HT-18, 10-80 meter vertical antennas, \$195 each (phasing harness available); two Murch Ultimate Transmatch UT-2000A, \$125 each; DenTron 3000A antenna tuner, \$230; KLM Multi-2700 144 MHz transceiver, \$575; KLM PA 10-140 BL linear amplifier, \$175; Vista 120 v.a.c./13.8 v.d.c. power supply for above, \$136; excellent condition w/manuals. Ralph E. Thomas, W2UK, 9 Emmons Avenue, Farmingdale, NJ 07727; telephone (201) 938-5623.

QSLs SECOND TO NONE. Same day service. Samples 50 cents. Include your call for free decal. Ray, K7HLR, Box 331, Clearfield, UT

MICHIGAN: Oak Park A.R.C. Annual Swap 'n' Shop, Sunday, January 13th, 8 A.M. until ??? at the Oak Park High School on Oak Park Boulevard. For information, reservations, table space, etc., write Ray Previ, Oak Park A.R.C., 14300 Oak Park Boulevard, Oak Park, Michigan 48237. Talking on 146 52 simpley: information 148 04/64 in on 146.52 simplex; information 146.04/.64.

HAM RADIO REPAIR, alignment. Hassle-free from anywhere via UPS. Expert, prompt, reasonable. Modern lab. "Grid" Gridley, W4GJO, Route 2, Box 138B, Rising Fawn, GA 30738

NOVICES: Improve your skill with eight important operating aids on one 11" × 17" sheel; CW abbreviations, Q-signals, punctuation, U.T.C. conversion and more. \$2. postpaid. WD5KFN, Box 1296, Albany, TX 76430.

QSLs - 24-HOUR SERVICE. Why wait? New, strong designs. Get more action for your money. Send 25¢ for catalog, samples. DX Majic, 2448 Channing, Dept. A, Berkeley, California 94618.

OSLs & RUBBER STAMPS — Top Quality!
OSLs: Glossy Inks and Cardstock. Rubber
Stamps: Report forms, Call Letter, Address,
State outlines — More! Stamp Catalog and Card
Samples 50e. Ebbert Graphics 5H, Box 70,
Westerlife Object 1999 Westerville, Ohio 43081.

MOBILE IGNITION SHIELDING provides more range with no noise. Bonding strap sale less than 50s each. Literature. Estes Engineering, 930 Marine Drive, Port Angeles, Wash. 98362.

QSLs with class! Unbeatable quality, reasonable price. Samples: 50€ refundable. QSLs Unlimited, 1472 SW 13th Street, Boca Raton, FL 33432

CUSTOM Printed and photo QSL's, very economical; free samples, stamp appreciated. Stu. K2RPZ, Box 412, Rocky Point, N. Y. 11778. (518) 744-6260

DX — YOU BET! The DX Bulletin — Best weekly DX info in the world — send for FREE sample copy. The DX Bulletin, 306 Vernon Avenue, Vernon, Connecticut 06066.

STOP LOOKING for a good deal on amateur radio equipment — you've found it here — at your amateur radio headquarters in the heart of your amateur radio headquarters in the heart of the Midwest. Now more than ever where you buy is as important as what you buy! We are factory-authorized dealers for Kenwood, Drake, Yaesu, Collins, Wilson, Ten-Tec, Atlas, ICOM, DenTron, MFJ, Tempo, Regency, Hy-Gain, Mosley, Alpha, Cushcraft, Swan and many more. Write or call us today for our low quote and try our personal and friendly Hoosier service. HOOSIER ELECTRONICS, P.O. Box 2001, Terre Haute, Indiana 47802. (812) 238-1456.

MAKE CODE EASY! Supplement your code program with a self-improvement hypnosis cassette. Tape #3, Learning the Code; Tape #4, Breaking the Speed Barrier. Send \$10.95 each to The John Wolf Self Hypnosis Center, P.O. Box 497, Hayden Lake, Idaho 83835.

## CODE got you stumped?

RELAX and worry not! Learn international Morse Code the EASY, Rus Farnsworth way. No books, no gimmicks, just listen & learn. Using the word method, based on modern psychological techniques, you can zoom past 13 w.p.m. in less than half the time! Available in cassettes @ \$10.95 and LP records at \$9.95 - you get over two hours of instruction!

**EPSILON RECORDS** P.O. Box 626 San Jacinto, CA 92383

## Your Ad should be here — Call 800-258-5353

## HAM RADIO REPAIR

Modern Lab Reasonable Rates **Huge Parts Inventory** 

IEC, inc.

503 Avon Street Mocksville, N. C. 27028 (704) 634-5661



A Self duplicating (carbon) Log System for CONTESTORS! PLUS Summary Sheets, QSO/WAS Mop. Bond · Chart, Check-list, Q-Signals, etc. Available in 42 page BOOKS or PADS

REG. LOG SHEETS Plain or 3 Ring 50 Sheets per pak

Send SASE for catalog, samples, or rules. We ship same day UPS/USPS. GL es 73. State intended contest far misc. info. Send check or VISA no. to:

## нам новви

P.O. Box 757 Socorro, New Mexico 87801



## TO HELP YOU FIND YOUR LOCAL AMATEUR RADIO DEALER

### Arizona

POWER COMMUNICATIONS 6012 N. 27 AVENUE PHOENIX, AZ 85017 602-242-6030 Arizona's #1 "Ham" Store, Kenwood, Yaesu, Drake, ICOM, & more.

## California

C & A ELECTRONIC ENTERPRISES 22010 S. WILMINGTON AVE. SUITE 105 P. O. BOX 5232 CARSON, CA 90745 800-421-2258 213-834-5868 · Calif. Res. Not the biggest, but the best since 1962.

JUN'S ELECTRONICS 11656 W. PICO BLVD. LOS ANGELES, CA 90064 213-477-1824 Trades 714-463-1886 San Diego The Home of the One Year Warranty - Parts at Cost - Full Service.

SHAVER RADIO, INC. 1378 S. BASCOM AVE. SAN JOSE, CA 95128 408-998-1103 Atlas, Kenwood, Yaesu, KDK, Icom, Tempo, Wilson, Ten-Tec, VHF Engineering.

TELE-COM 15460 UNION AVENUE SAN JOSE, CA 95124 408-377-4479

## Connecticut

THOMAS COMMUNICATIONS 95 KITTS LANE NEWINGTON, CT 06111 800-243-7765 203-667-0811 - Conn. Res. Call Us Toll Free -See Our Full Page Ad in this Issue.

## Delaware

DELAWARE AMATEUR SUPPLY 71 MEADOW ROAD NEW CASTLE, DE 19720 302-328-7728 Icom, Ten-Tec, Swan, DenTron, Wilson, Tempo, KDK, and more. One mile off 1.95, no sales tax.

## Florida

AGL ELECTRONICS, INC. 1898 DREW STREET CLEARWATER, FL 33515 813-461-HAMS West Coast's Only Full Service Amateur Radio Store

AMATEUR RADIO CENTER, INC. 2805 N.E. 2ND AVENUE MIAMI, FL 33137 305-573-8383 The Place For Great Dependable Names in Ham Radio

RAY'S AMATEUR RADIO 1590 US HWY. 19 SOUTH CLEARWATER, FL 33516 813-535-1416 Atlas, B&W, Bird, Cushcraft, DenTron, Drake, Hustler, Hy-Gain, Icom, K.D.K., Kenwood, MFJ. Rohn, Swan, Ten-Tec, Wilson.

SUNRISE AMATEUR RADIO 1351 STATE RD. 84 FT. LAUDERDALE, FL 33315 (305) 761-7676 "Best Prices in Country. Try Us - We'll prove it."

## Illinois

AUREUS ELECTRONICS INC. 1415 N. EAGLE STREET NAPERVILLE, IL 60540 312-420-8629 "Amateur Excellence"

ERICKSON COMMUNICATIONS, INC. 5456 NORTH MILWAUKEE AVE. CHICAGO, IL 60630 312-631-5181 Outside Illinois 800-621-5802 Hours 9:30-5:30 Mon., Tues., Wed., Fri.; 9:30-9:00 Thurs.; 9:00-3:00 Sat.

KLAUS RADIO, INC. 8400 NO. PIONEER PARKWAY PEORIA, IL 61614 309-691-4840 Let Us Quote Your Amateur Needs.

SPECTRONICS, INC. 1009 GARFIELD STREET OAK PARK, IL 60304 312-848-6777 One of America's Largest Amateur and SWL Stores

### lowa

BOB SMITH ELECTRONICS RFD #3, HIGHWAY 169 & 7 FORT DODGE, IA 50501 515-576-3886 For an EZ deal 800-247-2476/1793 Iowa: 800-362-2371

## Kansas

ASSOCIATED RADIO COMM 8012 CONSER OVERLAND PARK, KS 66204 913-381-5900 America's No. 1 Real Amateur Radio Store. Trade · Sell · Buy.

## Maryland

THE COMM CENTER INC. 9624 FT. MEADE ROAD LAUREL PLAZA RT. 198 LAUREL, MD 20810 800-638-4486 R. L. Drake, Ten-Tec, ICOM, Swan, Tempo, Wilson, DenTron, Mosley.

### Massachusetts

TEL-COM, INC. 675 GREAT RD., RT. 119 LITTLETON, MA 01460 617-486-3040 The Ham Store of New England You Can Rely On.



## Minnesota

PAL ELECTRONICS INC. 3452 FREMONT AVE. NO. MINNEAPOLIS, MN 55412 612-521-4662 Midwest's Fastest Growing Ham Store, Where Service Counts.

## Nebraska

COMMUNICATIONS CENTER, INC. 443 N. 48 STREET LINCOLN, NE 68504 800-228-4097 Kenwood, Yaesu, Drake and More at Discount Prices.

## New Hampshire

EVANS RADIO, INC. BOX 893, RT. 3A BOW JUNCTION CONCORD, NH 03301 603-224-9961 Icom, DenTron, Yaesu, Drake. We service what we sell.

## New Jersey

ATKINSON & SMITH, INC. 17 LEWIS STREET EATONTOWN, NJ 07724 201-542-2447 Ham supplies since "55".

BARGAIN BROTHERS **ELECTRONICS** 216 SCOTCH ROAD GLEN ROC SHOPPING CTR. WEST TRENTON, NJ 06828 609-883-2050 A million parts — Lowest prices anywhere. Call us!

BARGAIN BROTHERS II **ELECTRONICS** 181 HADDON AVENUE WEST BERLIN, NJ 08091 609-767-5252 Surplus Parts and Equipment Bought — Sold — Traded.

METUCHEN RADIO 216 MAIN STREET METUCHEN, NJ 08840 201-494-8350 New and Used Ham Equipment. WA2AET "T" Bruno

RADIOS UNLIMITED P. O. BOX 347 1760 EASTON AVENUE SOMERSET, NJ 08873 201-469-4599 New Jersey's Fastest Growing Ham Store.

WITTIE ELECTRONICS 384 LAKEVIEW AVE. CLIFTON, NJ 07011 201-772-2222 Same location for 62 years. Full-line authorized Drake dealer.

## New York

HAM-BONE RADIO (Div. Stereo Repair Shop) 3206 ERIE BOULEVARD EAST, SYRACUSE, NY 13214 315-446-2266 We Deal, We Trade, We Discount, We Please! 2-Way Service Shop on Premises!

HARRISON RADIO CORP. 20 SMITH STREET FARMINGDALE, NY 11735 516-293-7990 "Ham Headquarters USA®" since 1925. Call toll free 800-645-9187.

RADIO WORLD ONEIDA COUNTY AIRPORT TERMINAL BLDG. ORISKANY, NY 13424 800-448-7914 315-337-2622 315-337-0203 Res. New & Used Ham Equipment. See Warren K2IXN or Bob WA2MSH

### Ohio

AMATEUR RADIO SALES & SERVICE INC. 2187 E. LIVINGSTON AVE. COLUMBUS, OH 43209 614-236-1625 Antennas and Towers for all services.

UNIVERSAL AMATEUR RADIO, INC. 1280 AIDA DRIVE COLUMBUS (REYNOLDSBURG) OH 43068 614-866-4267 Complete Amateur Radio Sales and Service. All major brands - spacious store · near I-270.

## Pennsylvania

ELECTRONIC EXCHANGE 136 N. MAIN STREET SOUDERTON, PA 18964 215-723-1200 Demonstrations, Sales, Service. New/Used Amateur Radio Equip.

HAMTRONICS, DIV. OF TREVOSE ELECT. 4033 BROWNSVILLE RD. TREVOSE, PA 19047 215-357-1400 Same Location for More Than 30 Years.

LaRUE ELECTRONICS 1112 GRANDVIEW STREET SCRANTON, PENNSYLVANIA 18509 717-343-2124 ICOM, Bird, Cushcraft, CDE, Ham-Keys, VHF Engineering, Antenna Specialists.

### South Dakota

BURGHARDT AMATEUR CENTER, INC. P. O. BOX 73 WATERTOWN, SD 57201 605-886-7314 "America's Most Reliable Amateur Radio Dealer".

### Texas

HARDIN ELECTRONICS 5635 EAST ROSEDALE FORT WORTH, TX 76112 817-461-9761 You Bet Fort Worth Has A Ham Store!

## ANTENNA TUNERS



NEW MFJ-940 VERSA TUNER II matches coax and random wire 1.8 to 30 MHz.

Up to 300 watts RF <u>OUTPUT</u>. SWR. dual range <u>wattmeter</u> (300 and 30 watts full scale).

Six position antenna switch on rear. Select 2 coax lines direct or thru tuner, random wire, and tuner bypass for dummy load.

New efficient airwound inductor (12 positions) gives you less losses than tapped toroid for more watts out, 8x2x6 inches, S0-239 coax connectors, 208 pf, 1000 volt capacitors.

Optional mobile mounting bracket, add \$3.00, Beware of imitators. When you buy MFJ you buy proven MFJ quality . . . and a one year unconditional guarantee.



\$39<sup>95</sup>

MFJ-900 ECONO TUNER matches coax, random wires. Full band coverage 1.8 to 30 MHz. Up to 200 watts RF OUTPUT. Efficient airwound inductor gives more watts out than tapped toroid.

S0-239 coax connectors. 5x2x6 inches. One year unconditional guarantee.

MFJ-901 Versa Tuner available. Same as MFJ-900 but has 4:1 balun for balanced lines, \$49.95.

Beware of imitators. Some are still copying our earlier models, MFJ has made improvements.

For example, a new efficient <u>airwound</u> inductor gives you less losses than a tapped toroid for <u>more watts out</u> and plenty of inductance for <u>full band coverage 1.8 to 30 MHz.</u>

\$29<sup>95</sup>



MFJ-16010 RANDOM WIRE TUNER lets you operate 1.8 to 30 MHz with random wire. Up to 200 watts RF OUTPUT. Small enough to carry in your hip pocket. Ultra compact 2x3x4 inches.

Match low and high Impedances by interchanging input and output. SO-239 coax connectors.

One year unconditional guarantee.

Order from MFJ and try It. If not delighted, return within 30 days for refund (less shipping).


Order yours today. Call tell free 800-647-1800. Charge VISA, MC. Or mail check, money order. Add \$3.00 each for shipping.

## CALL TOLL FREE ... 800-647-1800

For technical information, order/repair status, in Miss., outside continental USA, call 601-323-5869.

## MFJ ENTERPRISES, INC.

BOX 494, MISSISSIPPI STATE, MS 39762



## **DX** FORECASTER

### Last-minute predictions

The month of January looks as if it will be relatively quiet, ionospherically speaking. Look for a minor disturbance around the 8th, another around the 20th, and perhaps a bit stronger one between the 24th and 31st, centering around the 27th or 28th. Full moon occurs on the second, and perigee on the twentieth of the month.

### Band-by-band summary

Ten meters will provide good-to-excellent DX conditions from morning until night on many days of the month. You can expect the strongest signals from Europe, Africa, and points east in the morning; signals from the southern hemisphere after noon; and from the Pacific and points west in the late afternoon and early evening. Excellent short skip between 1700 and 3000 kilometers should be present during daylight hours.

Fifteen meters will open in the early morning, and signals from Europe should peak in the late morning hours. The band will swing toward the south and southwest around noon, and signals from the west, northwest, and Pacific areas will be strongest in the late afternoon and early evening, and openings may last until well after dark. Daytime short skip of about 1200 kilometers will be common.

Twenty meters will remain open to some area of the world or another almost around the clock. The best times for strongest signals will be about an hour or so after sunrise and an hour or so before sunset,

but signals at other times will be almost as good. Short skip of 1500 to 3500 kilometers will be common.

Forty meters will come into its own during the hours of darkness and will provide fine DX opportunities and low atmospheric noise levels on most days. Look for signals from Europe and points east in the iate afternoon and early evening, with the band shifting toward the west and Pacific areas around midnight or so. and peaking in the Far East and South Pacific just before sunrise. Daylight short skip of 1500 kilometers, and nighttime short skip of 1200 to 3500 kilometers, will be a regular feature.

Eighty meters will open up between sunset and midnight for signals from Europe, Africa, and the east. Around midnight, South and Central America will be strong, and signals from the Pacific should start coming through. These will peak around daybreak. Daytime short skip of about 800 kilometers will stretch to 2500 kilometers or so after dark.

One-sixty meters should be titled "DXing After Dark," because that's when all the action occurs. DX and short skip will mix, and you will hear stations up to 2000 or 2500 kilometers away blending with those from overseas. The DX "window" is the first 5 kHz at the low end of your band segment, depending where in the U.S. you live.


An asterisk (\*) in the chart means to look for openings on the next higher frequency band.

HRH

		_		1					1					,	_			_			1	1			_	
EASTERN USA	<b>½</b> /	15	20	20	1	1		1	1	1		1		20	20	50	1	L	1		1		1	15	15	NAGAL
	> ↓	20	20	20	20	1	1	1	1	40	40	40	40	20	20	20	20	20	1	15	15*	15*	15	15	15	OCEANIA AUSTRALIA
	88	1	1					1	ı		1	ı	49	40*	20	20	20	20	1	20*	15*	15*	15	15	15	NEW ZEALAND
	<i>σ</i> <del></del>	I	20	20	20	20		1	1	1		1	1	20	20	20	Ī	1	1	1		15	15	15	1	ADITORATMA
	as 🖊	20	20	40	40	40	40	40	40	40		I	1	20	15	10	10	10	10	10	10	10	15	15	20	S. AMERICA
	w <b>†</b>	20	ı	ı	I	20	20	40*	1	ı	ı	ı	ı		ı	10	10	10	10	10	15	15	20	20	20	S. AFRICA
	Ä,	*08	*08	*08	*08	*08	*08	*08	ī	1	1	1	ı	20	15	10	19	15	15	15	20	20	ī	ı	1	EUROPE
	<b>z</b> 🖛	ı	ī	ı	1	1	ı	ı	ı	ı	ī	ı		20	20	20	1	1	ı	1	1	1	ī	1	ı	AISA T2A3 AAT
	EST	8.	800	90:6	10:00	11:00	12:00	100	5,00	3:00	93	8	8	7.00	800	00:6	10:00	11.00	12:00	1:00	2:00	3:00	8	90.5	90	
									-					0			6			_		خ خ				
	CST	88	7:00	90.6	00:6	10:00	2:00	12:00	1:00	5:00	3:00	8.	9:00	9:00	2.00	90.9	00:6	10:00	1.00	12:00	1:00	2:00	3:00	99	9:00	
	ž /	15	15	15	20	1	1	1	1	1	1	1	1	1	1	20	20	20	1	1	1	-	1	1	15	NAGAL
	≥ ↓	15	15	20	20	20	20	1	1	1	ı	1	1	40	40	40	20	20	20	1	ľ	1	15	10	10	OCEANIA
∢	AS	15	15	15	20	20	1	1	40	40	40	40	8	8	8	50	20	20	1	1	15	15	15	15	15	NEW ZEALAND
USA	<i>σ</i> <del></del>		20	20	20	20	20	20	20	49	40	40	ŀ	1	ſ	20	20	20	ł	1	1	1	15	15	15	ADITORATIVA
MID	S 🔪	15	20	20	20	20	20	40	40	40	ı	1	1	1	20	20	15	15	10	10	10	10	10	10	10	S. AMERICA
	ш 🕇	20	20			1	40	40	40		ı		1	1	I	L		10	10	10	10	15	15	15	20	S. AFRICA
	ă 🖊	1	1	ı		1	1	*08	*08		1	1	1	1	F	20	15	15	15	15	15	15	20	20		EUROPE
	z 🛶	15	15	15	20	ī	1	1	1	1	1	1	1	١	1	20	20	20	١	1	1	1	1	1		ASIA FAR EAST
	MST	9:00	90:9	7:00	8:00	00:4	10:00	1:08	12:00	1.00	5:00	3:00	4.00	2:00	00.9	7:00	8.00	9:00	10:00	11:00	12:00	1:00	800	3:00	4:00	
	Ž. /	10	15	15	) 20	02 (	1	1	1	1	1	1	40	40	40	40	40	40		1		1	1	20	10	NAGAL
	<b>≯</b>	10	15	15	20	20	20	20			Ì		40	40	40	40	40	20	20	20	20	15	15	15	10	OCEANIA
WESTERN USA	AS .	12	15	15	20	20	20		1	20	20	49	40	40	40	40	40	1		15	15	15	15	10	10	NEM SEVEVO
S.	<i>ω</i> —	15	15	20	20	20	20	20	20	40	40	4		1	1	1	70	20	20			+	ı	15	15	ADITORATMA
STE	S /	15	15	20	20	20	20	20	40	40	40	1	1		1	20	15	15	15	10	10	10	10	101	10	S. AMERICA
WE	<b>"</b> †	20	20	20	20	1	1	1	1	1	1	1	1	1	1	1		1	10	10	15	15	15	15	15	S. AFRICA
	Ä	1	1	1	40	40	40	40	40	40	1		1	1	I	20	15	15	15	15	20	50	1	L	1	ENVODE
	z	12	유	15	15	20	1	1	1	1		40	40	40	8	40	40	١	50	20	20		50	2	10	ASIA FAR EAST
	PST	4:00	5:00	9009	7:00	00:0	8:00	10:00	11:00	12:00	1:00	2:00	3.00	4:00	5:00	9:00	7:00	8:00	9:00	10:00	11:00	12:00	1:00	2:00	3:00	
	GMT	0000	0100	0200	0300	0400	0090	0090	0020	0000	0000	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
	9	8	6	格	5	3	8	8	8	8	8	=	=	5	13	=	=======================================	۽	14	18	<u>.</u>	8	2	្ដ	8	

January 1980	SATURDAY	OSt. Exclusings Control — All Martes, All Bunds — WSGN — 5.6	5		12	Nation Coulty Anglaus Radio Chan Samma — Holday Inn. West Madde ser. 24. — K31.4.— 19. — 1	6	RIF Contest D.W. TO UTO Medic Entries		
Jan	FRIDAY		4		Ξ		8	25		
	THURSDAY		3		0	į	2	24		31
NDAR	WEDNESDAY		2		6		9	23		30
	TUESDAY	49(5-XT ESSECOST NET 3850 etc. pet-8 EEST (0.100Z Ventressel) Abstact and Contrope ten 3450 tes-8 pto LOSS (0.100 VENTRESSEL) Westerday Marmell AbsZAT Ventrope ten 38:50 - HE BEA PICS (1.330)Z Averressel) Working	Straght Key Mon	AWSAT Eastcoas Not 3160 NHz gay EGST (01002 Neomoday Varinty) AWSAT We Common ver 3850 Neomodary Maning) Maning Habring) Park Vercust Net 3860 NH; Bay PGST (03002 Neomoday Maning)	8	ANSAT EAKONE No. 1800 bet 9944 EGST 101002 Wednesday Warner Charles No. 1850 Nr. 1904 CSS 107002 Nr. 1904 CSS 107002 ANSAT PRECONST NO. 1850 ANSAT PRECONST NO. 1850 bet BPU PISS 103002 Wednesday No. 1951 No. 1850	15	ANSAT E-SEGAST Net 1890 KHZ APPA EDST (CODA) Windrescap Administry (Connemn Net 3850 AMSAT MIC Connemn Net 3850 Meanarity Morning) Net Sector Net 1850 KHZ BNR DOSC Westerscap Morning)	ANSAF Excessi Ver 3850 ANT - 909 ESS (1002 Vectoreday Mayning) Algorithm (1002 Vectoreday Mayning) ANSAF Medicology Mayning) ANSAF VERSIONS MAYNING) ANSAF VERSIONS MAYNING BON	29
	MONDAY			ELORIDA HANI NEWS — SWAP  KET 64 Ne. Browatt ARC  GLEHHURST RADIO SUCCETY  Tannamis American And News  — 222 66/224 58 Jan. Na.  WRRAPC AND 21 402 May 1459	7	I LORIDA HAW YERS — SWAP  NET BY THE BETTOARD ARC. HE THE THE TO THE BETTOARD ARC. HE THE THE THE THE BETTOARD ARC. HAS THE THE THE BETTOARD HAVE THE BETTOARD HAVE THE BETTOARD HAVE THE BETTOARD HAVE TO BE TO THE BETTOARD HAVE TO BE TO THE BETTOARD HAVE TO BE TO TO THE BETTOARD HAVE TO BE TO THE BETTOARD HAVE TO THE BETTOARD HAVE TO BE TO THE BETTOARD HAVE TO THE	4	F. DRIDA HAY NEWS — SWAP RET BY THE ROWNERS ARE 146. 31 - 31 - 30PM G. EVINE INST PROJE SAGIETY TANNERS ANDER MODE TO SEGVER AS MINE VA WREARS AND NAIV VA	FEURIDA HAM HENS — SWAP HEE BY THE BROWARD ARC HEE BY THE BROWARD ARC HEE HAN BAT SHAP BY SYSPH TARKTHE AMERIC ROOM HEUSE WEZY GAZZA SCHAP HAN SYSPH WEZY TO CHAP TO C	28
HAM CALENDAR	SUNDAY			South Sense Hamflest/Sinab & Snop — New Century Center, South Send IN — NSIAU — 6	9	Actuation Froglish Sen 3/F Community Canter Actimised VA — VMdRL = 13	3	20	VARZION NORMEST/9 — Actingum Regims Referents Adequal Hoghlis. Q — NOVI — 27 GASSE RADO Explorer 2100 UTC 27th to 400 UTC 28th — K6SJ	27

One step beyond . . .



## Just what you'd expect from KLM

We proudly introduce the KLM KT-34 Tribander. The first significant step forward far tribander design in 20 years — **READY** for the challenges of today's high power technology and overcrowded bands.

At last, a tribander that easily handles all the **power** your rig can muster - at a new standard of efficiency, so your signal goes out; not up in smoke.

At last, true broadband performance that brings you phone and CW on 20, 15, and 10 meters with no retuning.

KLM's inspired peek into the future gets you all out performance and engineering excellence . . . TODAY!

## KLM's KT-34

"YOUR PEEK INTO THE FUTURE"

SEE YOUR DEALER OR CONTACT:

electronics, inc. 17025 LAUREL ROAD MORGAN HILL CALIFORNIA 95037



## **AD CHECK**

. . . for literature, in a hurry - we'll rush your name to the companies whose names you check.

Place your check mark in the space between name and number. Example: HRH \( \sqrt{150} \).

AR Tech 687	Larsen 078
A.E.A 677	Long's 468
Alkan 368	MFJ 082
Aluma 589	Madison *
Anteck 733	Microcraft 774
Antenna Inc 686 Antenna Mart 009	Microwave Filter 637
Bencher 629	OK Machine and Tool 622
Comm. Center 534	Oak Hill Academy A.R.S.
DSI 656	Palomar Eng. *
Daltec Sys 813 E.T.O. *	RF Power Comp 542
Hal *	RSE Ham Shack 607
Ham Gear Mart *	Callbook 100
Ham Hobby	Constructor *
Pub 811	Radio Publication 81
HRB 150	Saroc *
Ham Radio Center 491	S-F A. R. S 640
HORIZONS 150 Heath 106	Shure Brothers 771
	Swan 111
Howard Products 815	Tedco 791
lcom *	Ten-Tec *
J.S.A.	Van Gorden 737
Jensen 293	Webster Assoc 423
KLM 073	Western *
Kantronics *	Wilson Elec 123
Kenwood *	Wilson Sys 787

\*Please contact this advertiser directly Limit 15 inquiries per request.

### **JANUARY 1980**

Please use before February 29, 1980

Tear off and mail to HAM RADIO HORIZONS — "Ad Check" Greenville, N. H. 03048

NAME _		 
	CALL_	 
STREET		 
CITY_		 

## **MADISON**




WRITE IN YOUR **BEST QUOTE** FROM THE "800 GANG."

NOW. LIST THE EQUIPMENT YOU WANT IN THE SPACES PROVIDED BELOW, CUT OUT THIS AD, AND SEND IT TO US WITH YOUR NAME. AD-DRESS AND TELEPHONE NUMBER. WE WILL WRITE OR CALL (CHECK ONE) YOU BACK AS SOON AS POS-SIBLE WITH THE MADISON QUOTE.

(HINT: DON'T GO BELOW OUR COST).

WE HAVE AN IN-DEPTH STOCK AND LARGE INVEN-TORY OF MAJOR LINES AND ACCESSORIES.



TERMS: ALL PRICES FOB HOUSTON. PRICES SUBJECT TO CHANGE WITHOUT NOTICE ALL ITEMS GUARANTEED. SOME ITEMS SUBJECT TO PRIOR SALE SEND LETTERHEAD FOR AMATEUR DEALER'S PRICE LIST. TEXAS RESIDENTS ADD 6% TAX PLEASE ADD POSTAGE ESTIMATE.

## D 150 **ELECTRONICS SUPPLY, INC.**

1508-D McKINNEY HOUSTON, TEXAS 77002 713/658-0268 NITES 713/497-5683

## **AD INDEX**

AR Technical Products, Inc. 70 Alkan Products 62 Aluma Tower Co. Anteck, Inc. 21 Antenna Mart 79 Bencher, Inc. 62, 66 Communications Center DSI Instruments 80 Ehrhorn Technological Operations Hal Communications Corp. 50-51 Ham Gear Mart 65 Ham Hobby Publishing 71 Ham Radio's Bookstore 57, 59, 81, 63 Ham Radio HORIZONS 67, 69 Heath Company Cover IV icom 7 J.S.A. 55 Jensen Tools & Allovs 79 KLM Electronics, Inc. Kantronics 70, 79 Trio-Kenwood Communications, Inc. Cover III Larsen Antennas 49 Long's Electronics 40, 41, MFJ Enterprises 3, 45, 67, 74 Madison Electronic Supply 61, 70, 80 Microwave Filter, Inc. 62 Oak Hill Academy Amateur Radio Session 67 Palomar Engineers 33 RF Power Components 65 RSE Ham Shack 20 Radio Amateur Callbook Radio & Electronics Constructor Saroc 71 S-F Amateur Radio Services 66 Shure Brothers, Inc. 39 Swan Electronics 1 Ten-Tec Cover II Van Gorden Engineering 61 Webster Associates 70 Western Electronics 66 Wilson Electronics 10 Wilson Systems, Inc. 4

### **Foreign Subscription Agents** tor Ham Radio HORIZONS

Hem Radio Austria F. Basti Hauptplatz 5 A-2700 Whener Neustada

Ham Radio Belgium Sterechouse Brusselsesteenweg 416 B-9218 Gent

Hem Radio Canada Box 400, Goderich Onterio, Canada N7A 4C7

Ham Radio Europe Sox 444 S 194 04 Upplands Vasby

Ham Radio France Christiane Michel F-89117 Party France

Ham Radio Germany Karon Jebar Postiach 2454 D-7850 Loerrach West Germany

Posibus 88 Nt. 2204 Delh

Ham Radio Switzerland Karin Ueber Postfach 2454 D-7850 Loerrach West Germany

## ★ FREE! ★



## NEW CATALOG OF HARD-TO-FIND PRECISION TOOLS

Jensen's new catalog is jam-packed with more than 2000 quality items. Your single source for hard-to-find precision tools used by electronic technicians, scientists, engineers, instrument mechanics, schools, laboratories and government agencies. This popular catalog also contains Jensen's world-famous line of more than 40 tool kits. Send for your free copy today!

### JENSEN TOOLS INC.

1230 S DRIEST DR TEMPE, AZ 85281

## New! General Theory Tapes and simulated on-the-air QSOs



Cassette yourself! Upgrade! only \$4.95 each

Start upgrading today with Kantronics Super 5 WPM, QSO, Super QSO, QXX or Q-signal code tapes or theory tapes:

New Super 5 WPM Morse Course, message at 5 wpm, characters at 13. Introduces characters in small groups and builds from there.

QSO series, simulated exam type "on-the-air" messages, including simulated exam questions too.

QSO or QSO-2, contain 7½, 10, 13 & 15 wpm QSOs.

QSO-13, contains all 13 wpm QSOs.

New Super QSO-13, contains all 13 wpm QSOs, characters sent at 20 wpm. QXX or QXX-2, contain all 20 wpm QSOs.

Q-Signal Tape, contains common Q signals and short words at 22 and 40 wom.

Novice Study Cassette, rules and regulations, basic theory too.

New General Theory Cassettes, a two tape set, including rules, regs., and general theory. Two tape set is \$8.95.

## **K**KANTRONICS


The Training Company

Phone: 913 842-7745

Lawrence: Kansas 66044 We accept Vlsa. Master Charge, check and money orders

NEW

## 80-METER TRANSCEIVER



ONLY \$79.95

PPD U.S.A. LESS BATTERIES

- CW operation VFO control from 3685 to 3755 kHz.
- Output power approximately ½ watt.
- Adjustable output impedance.
- Operates on 9 self contained 1.5 volt D cells.
- Long life from ordinary carbonzinc cells.
- Low distortion side tone oscillator.
- Direct conversion receiver.
- RF amplifier and sharp passive audio filter.
- Receiver independent tuning.
  Size 9" wide by 5" high by 8"
- deep.
- Instruction manual included.

Accessories required but not included, are 8-ohm stereo phones, telegraph key, a good antenna such as a half-wave dipole, and a dc voltmeter.

MANUAL AVAILABLE SEP. \$2.00 SEND S.A.S.E. FOR SPEC SHEET R.I. RESIDENTS ADD 6% SALES TAX

**TEDCO** 

9 Canonicus Avenue Newport, Rhode Island 02840

## REMOTE CONTROLLED ANTENNA SWITCHING LETS YOUR FEEDLINE WORK HARDER . .

the remote switch location.

five times as hard, in fact.
Antenna Mart's Model 50 remote controlled coax switch allows instant switch selection of up to five antennas with a single feedline and a control cable between the operating position and

control unit with indicator lights

MODEL 50
Remote Antenna Switch
\$15099 + \$3 shipping

. AND CLEANS

CLEANS UP YOUR ACT IN THE SHACK!

Eliminates the tangle of feedlines and manual switches usually associated with multiple antennas.

With 3kW power rating, high-speed low-loss operation, rugged weather-proof construction and LED indication of antenna in use, it adds up to THE solution to your antenna switching problems.

Order factory-direct or write for complete information on our line of available models.







remote switch

515-292-7114

box 1010, i.s.u. station, ames, iowa 50010

## Drake R-7 Synthesized Receiver Spans the Spectrum



## from VLF thru FF!

Full general coverage reception, 0-30 MHz, with no gaps or range crystals required. Continuous tuning all the way from vif thru hf. Superb state-of-the-art performance on a-m, ssb, RTTY, and cw—and it transceives with the Drake TR-7.

### Features of Drake R-7 Model 1240 Digital Readout Receiver

100% solid state broadband design, fully synthesized with a permeability tuned oscillator (PTO) for smooth, continuous tuning. • Covers the complete range 0 to 30 MHz with no gaps in frequency coverage. Both digital and analog frequency readout. . Special front-end circuitry employing a high level double balanced mixer and 48 MHz "up-converted" 1st i-f for superior general coverage, image rejection and strong signal handling performance. • Complete front-end bandpass filters are included that operate from hf thru vlf. External vlf preselectors are not required. • 10 dB pushbutton-controlled broadband preamp can be activated on all ranges above 1.5 MHz. Low noise design. . Various optional selectivity filters for cw, RTTY and a-m are switch-selected from the front panel. Ssb filter standard. • Special new low distortion "synchro-phase" a-m detector provides superior international shortwave broadcast reception. This new technique permits 3 kHz a-m sideband response with the use of a 4 kHz filter for better interference rejection. • Tunable i-f notch filter effectively reduces heterodyne Interference from nearby stations. . The famous Drake full electronic passband tuning system is employed, permitting the passband position to be adjusted for any selectivity filter. This is a great aid in interference rejection. • Three agc time

constants plus "Off" are switch-selected from the front panel. · Complete transceive/separate functions when used with the Drake TR-7 transceiver are included, along with separate R-7 R.I.T. control. • Special multi-function antenna selector/50 ohm splitter is switch-selected from the front panel, and provides simultaneous dual receive with the TR-7. This makes possible the reception of two different frequencies at the same time. Main and alternate antennas and vhf/uhf converters may also be selected with this switching network. . The digital readout of the R-7 may be used as a 150 MHz counter, and is switched from the front panel. Access thru rear panel connector. • The built-in power supply operates from 100, 120, 200, 240 V-ac, 50/60 Hz, or nominal 13.8 V-dc. • The R-7 Includes a built-in speaker, or an external Drake MS-7 speaker may be used. • Built-in 25 kHz calibrator for calibration of analog dial. Low level audio output for tape recorder.
 Up to eight crystal controlled fixed channels can be selected. (With Drake Aux-7 installed.) • Optional Drake NB-7A Noise Blanker available. Provides true impulse type noise blanking performance.

• Size: (excluding feet, knobs and connectors) 13.6"W x 4.6"H x 13.0"D (34.6 x 11.6 x 33.0 cm). • Weight: 18.4 lbs (8.34 kg)

Drake R-7 Model 1240—0-30 MHz General Coverage, Digital Readout . . . . . . . \$1295.00 Drake R-7 Model 1241—Amateur Bands (160-10 meters), Analog Dial . . . . . . . \$1100.00

Specifications and prices subject to change without notice or obligation.

R. L. DRAKE COMPANY



540 Richard St., Miamisburg, Ohio 45342 Phone: (513) 866-2421 • Telex: 288-017

For a FREE Drake Full Line Catalog contact your favorite Drake Dealer.



## ...for the discerning Amateur who demands quality.

## **TS-120S**



Truly a "big little rig," the TS-120S has created a new excitement in HF communications for highly versatile Amateur operation. The compact, all solid-state 80-10 meter transceiver, with up to 200 watts PEP input, requires no tuning and includes a large digital readout, making it ideal for mobile operation. IF shift and other important features make it a high-quality rig for the ham shack as well.



### TS-120S FEATURES:

- All solid-state with wideband amplifier stages. No final dipping or loading, no transmit drive peaking, and no receive preselector tuning.
- Transceives on 80 through all of 10 meters, and receives WWV on 15 MHz.
- 200 W PEP/180 W DC input on 160-15 meters, and 160 W PEP/140 W DC on 10 meters. LSB, USB, and CW.
- Digital frequency display (standard) shows actual frequency Backup analog subdial also included.
- IF shift (passband tuning) to eliminate QRM.
- Advanced PLL circuit, with improved stability and spurious characteristics on transmit and receive.
- · Effective noise blanker
- Built-in cooling Ian, which activates automatically when finalamplifier heatsink temperature rises to 90° C.
- Protection circuit for final transistors.
- · VO

### **OPTIONAL ACCESSORIES:**

- YK-88CW 500-Hz filter
- MB-100 mobile mount



**AT-120** 

AT-120 antenna tuner with mobile mounting bracket included. Features SWR meter and matches 50-ohm input to 20-300 ohms unbalanced output. Handles 150 watts (120 watts on 80 meters).



SP-520

TS-520SE W/DG-5

VF0-520S

## **TS-520SE**

The TS-520SE is an economical version of the TS-520S...the world's most popular 160-10 meter Amateur transceiver. Now, any Amateur can afford a high-quality HF transceiver for his ham shack.

### **TS-520SE FEATURES:**

- . Covers 160-10 meters and receives WWV on 15 MHz
- 200 W PEP input on SSB and 180 W DC on CW
- CW WI0E/NARROW bandwidth switch, for use with the optional CW-520 500-Hz CW filter.
- Digital display with optional DG-5, showing actual frequency.
- Speech processor, effective in DX pileups
- VOX and semi-break-in CW with sidetone.
- Built-in 25-kHz calibrator

The TS-520S is still available, with DC (mobile) operating capability (with the optional DS-1A DC-DC converter) and transverter terminals, which were eliminated from the TS-520SE.

### **OPTIONAL ACCESSORIES:**

- CW-520 500-Hz CW filter
- AT-200 antenna tuner.



TRIO-KENWOOD COMMUNICATIONS INC.
1111 WEST WALNUT/COMPTON CA 90220



# Heathkit<sup>®</sup> service is at the other end

Heathkit Service Techs know their stuff and you can count on them for answers on any Heathkit HAM gear. Most problems can be solved right over the phone. Those that require hands-on service can be brought to one of the 55 Heathkit Electronic Centers throughout the U.S. or sent in to the Heath factory. Either way, you'll find reliable, experienced people who know what they're doing. And that's a very good reason to consider Heath when you're considering amateur radio gear.



## Free catalog

For all the newest in Heathkit Amateur Radio, send for the latest, free Heathkit Catalog. It's loaded with nearly 400 exciting kits for your home, work or pleasure. Send for

yours today or pick one up at your Heathkit Electronic Center.

## Heathkit

Heath Company, Dept. 348-614, Benton Harbor, MI 49022

Heathkit Electronic Centers (Units of Veritechnology Electronics Corporation) are located in major citles throughout the U.S.

See your white pages.