

WANE

CBS AFFILIATE

FORT WAYNE, INDIANA

October 1, 1952

Mr. Norman L Maguire
21 Vista Way
Post Washington
New York

Dear Sir:

This is to verify and confirm reception of our signal in your area April 16, 1952

WANE was on the air that morning as it is every third Wednesday of each month for the purpose of a General Frequency Measurement with Peterkin Laboratories, Detroit Michigan. The time for testing is 2.15-2.30 EST on these Days.

Thank you for your interest in forwarding this information to us, and lots of luck to you in your DX'n.

Yours truly,



Wm Wallace Warren
Chief Engineer

WWW/ba

WAOV

VINCENNES NEWSPAPERS, Inc.
STUDIOS - GRAND HOTEL
VINCENNES, INDIANA

January 14, 1943

Norman L. Maguire
101 Hope Street
Stanford, Connecticut
Dear Sir:

I am enclosing a verification card to verify your reception of WAOV on the morning of January 4, 1943. I hope you'll excuse the card we haven't had any new ones printed since we changed power about a year ago. I'm sorry I haven't answered your letter sooner. The engineering staff has changed considerably of late and I am having quite a time keeping up as I'm still in high school. However I'm always glad to receive reports. Connecticut is pretty good DX for us, especially with the weather as you said it was there. I'm glad you said the modulation was all right because it has been giving us some trouble. I guess turn about is fair play, so here goes a general layout of the station. At the studios we use RCA mikes, amplifier, and monitor. We have two lines that are interchangeable, from the studios to the transmitter. One is TALK while the other is BCST. At the transmitter we have a Western Electric program amplifier and transmitter. We monitor with RCA equipment. Our radiator is a 175' Lingo tower.

In closing I wish to thank you for your report and I hope if you ever happen to pick us up again you'll send us another.

Yours truly

Paul Ford

Paul Ford, Act. Chief Eng.

RADIO STATION

W A S K

WALLACE BUILDING : : LAFAYETTE, INDIANA

December 29, 1943

Mr. Norman L. Maguire
1606 E. Roma
Albuquerque, New Mexico

Dear Mr. Maguire:

Your verification of W A S K's all night DX
spree of recent date is correct.

Thank you for listening.

Yours very truly,

RADIO STATION W A S K

J. G. Spring
by J. G. Spring, Mgr.

JGS:d1r

WBAT

Indiana's Top Station . . . 1600 On Your Dial

June 17, 1947

Mr. Norman L. Maguire
185 Williams St.
Glastonbury, Conn.

Dear Sir:

This is to acknowledge receipt of your letter of June 3, 1947.

On behalf of the staff and myself, I wish to thank you.

It is our desire to keep the operations of this station on the high level with which you have credited us.

We will appreciate hearing from you at any time.

Sincerely,

Radio Station WBAT

By General Manager


J. H. Bone

WBOW

BANKS OF WABASH, INC.
BASIC SUPPLEMENTARY NBC
RED AND BLUE NETWORKS



OFFICES AND STUDIOS
303 SOUTH SIXTH ST.
TERRE HAUTE, INDIANA

MARCH 23, 1943

MR. NORMAN L. MAGUIRE
600 N. UNIVERSITY
ALBUQUERQUE, NEW MEXICO

DEAR SIR:

THIS WILL SERVE TO INFORM YOU THAT THE
REPORT ON THE RECEPTION OF OUR STATION, WED.,
MARCH 10, FROM 1:50 TO 2:00 AM, CWT., WAS COR-
RECT.

WE WISH TO THANK YOU VERY MUCH.

YOURS VERY TRULY,

Donald D. Aldrich

DONALD D. ALDRICH

CHIEF ENGINEER, WBOW

AM


WCSI

FM

1010

93.7

THE MIDWEST'S MOST POWERFUL FM STATION



March 6, 1954

Mr. Norman L. Maguire
1420 Columbia Drive NE
Albuquerque, New Mexico

Dear DX Listener:

This is to verify your DX report of our special DX broadcast of February 23, 1954 from 2:00AM to 2:42AM. If this paragraph is checked it acknowledges verification of the complete program presented. If not checked here, the portions of the program which you listed correctly are checked on the program outline below.

Time	Selection Played	Announcements
2:00		Time, SB, Equipment tests
2:01	Music Hall Varieties Theme	MHV presented transcribed
2:01 1/2	Canadian Capers	SB
2:04	Black and white Rag	SB, DX reports welcomed
✓ 2:06 1/2	Charleston	SB, power, frequency, weather
2:09 1/2	Handicap March, v: Joe W. Howard	SB, DX reports welcomed
✓ 2:13	Whip and Spur	SB
2:15 1/2	Smiles, Frank Probs, piano	SB, DX reports welcomed
✓ 2:17 1/2	The Big Base Viol, v: John Barton	SB, weather
2:20	Pussyfoot	SB, sectional basketball score
✓ 2:22 1/2	Dizzy Fingers	SB, DX reports welcomed
✓ 2:26 1/2	Nola, Frank Probs	SB
✓ 2:29	When the Big Profundo Sang Low G, v: John Barton	SB
2:32	Somebody Stole My Gal	SB, DX reports welcomed
2:35 1/2	Wild Cherries	SB, DX reports welcomed
2:38 1/2	Gallon from Gephelus	DX reports welcomed
2:41 1/2	Closing Theme	(Under theme, special test program from WCSI, Columbus, 1010 KC's, 250 watts, ET, DX reports welcomed.)
2:43		Signed off.

Thank you for your DX report.

RADIO STATION W C S I
Phillip R. Harbut
Phillip R. Harbut
Engineering Director

LAKE HOTEL

Gary, Indiana

Feb 1, 53

Norman L. Maquire
434 Maple St. N.E.
Albuquerque, New Mexico

Dear Mr Maquire -

It's a great pleasure to verify your report of reception of WGRY the morning of Jan 18 — and what a fine report yours was. Don't quite understand what made you go over to the BC band after the ham bands went dead, but I am real glad you took a listen before turning in. Strangely enough out of all the reports there were only two who identified themselves as hams. I myself am old W4BIF, so salute! brother. Thanks again for the complete and nice report. Hope old WGRY poked out through the smoke in your direction again on one of these programs.

73

x sincerely
Geo. Whitney
PMS.

NORTHERN



INDIANA BROADCASTERS, INC., MICHIGAN CITY, INDIANA

413-415 FRANKLIN STREET
Telephone 4980

1000 WATTS

1420 . . . ON YOUR DIAL

September 11, 1947

Mr. Norman L. Maguire
185 Williams Street
Glastonbury, Connecticut

Dear Mr. Maguire:

This letter will verify your reception of our station
on August 6, 1947 from 1:09 to 1:27 AM (CST).


Please accept our thanks for your detailed report on
our signal. It has been most helpful to both management
and engineering. I only regret that I don't have a
pretty QSL card to send you.

Very truly yours,

A handwritten signature in cursive script that reads 'E. R. Herkner'.

E. R. Herkner
Manager, WIMS

EH/RP



Southern Indiana's Goodwill Station

DR. A. C. BAKER
GENERAL MANAGER
BOB SHIPPEE
COMMERCIAL MANAGER

500 WATTS DAYTIME 1390 K.C.

SEYMOUR, INDIANA

January 17, 1957

Dear Norman,

This is to acknowledge that your verification is correct in reference to the early morning broadcast 3:AM Dec. 30, 1956 from wjcd (WJCD) Seymour. All of your notations are correct. We have received many letters and are happy to add yours to our files.

My brother, Dr. Lynn I. Perrigo, history professor at Highlands University at Las Vegas New Mexico would have been happy to have heard my broadcast from here but I didn't think to tell him about the program ahead of time!

The little girl that played the piano on the broadcast was my little daughter Patricia. It was her first try at it. Thank you again for your letter.

Respectfully yours,

Chief Radio Engineer
Station WJCD Seymour, Ind.

WKAM

Warsaw, Indiana

1220 Kc.

Telephone 65

January 27, 1952

Mr. Norman L. Maguire
434 North Maple
Albuquerque, New Mexico

Dear Mr. Maguire:

To begin, please accept my apologies for taking so long to answer your letter of December 21, 1951.

This is your verification of your reception of WKAM on December 12, 1951.


Was quite surprised to get a reception report from out your way. Especially with our compeditor in Mexico City grinding out with 100,000 watts. I believe that is what he is rated at in the Yearbook. Might add that yours was the first from the Southwest that we have received since going on the air which was back in July of 1949. We have ~~known~~ them from all up and down the eastern seaboard but none from out west. So was quite pleased to get yours. However, her I'll brag a little, the following month on our frequency check we received a report from a fellow in New Zealand, which really floored me. And to think we did it all with 250 watts. The skip must have been jumping all over that night.

By the way Peter Leon Jacobson of Minneapolis requested a program some night just for you guys to DX on. So unless my plans are changed by then I'll go on the air the second Wednesday morning of Feb. The 13 th I believe. Will go on at 2:00 AM CST and will stay on for at least 30 minutes longer if possible. That I would relay this on to you so that you might try to tune us in if you want to. If you do would you mind dropping me a line?

WKAM uses Raytheon equipment throughout. Our tower is series fed, 224' high, guyed and is located in what amounts to a swamp. That you might be interested some of the technical data on us.

Hope you hadn't given us up as a bad deal. I do want to thank you for the interest you have taken in us.

Sincerely yours,



L. D. Winegardner
Chief Engineer

Kosciusko Broadcasting Corporation

CHARLES K. BOYAJIAN, M. D., PRES.
LES RYDER, GENERAL MANAGER

R. SPENCER TAYLOR, M. D., VICE-PRES.
N. M. LIVINGSTON, TREAS., ASST. SEC'Y.



KOKOMO BROADCASTING CORPORATION
KOKOMO, -- INDIANA

Dear Sir:

This is to confirm your accurate report
of the reception of WKMO at 2:00 A.M. on APRIL-4-1941

We greatly appreciate your reporting the
reception of WKMO and hope to hear from you again.

Respectfully yours,


W.N. Nungesser, Chief Eng.

CHARLES K. BOYAJIAN, M. D., PRES.
LES RYDER, GENERAL MANAGER

R. SPENDER TAYLOR, M. D., VICE-PRES.
N. M. LIVINGSTON, TREAS., ASST. SEC'Y.



KOKOMO BROADCASTING CORPORATION

KOKOMO, -:- INDIANA

July 26, 1941

Dear Sir:

This is to confirm your accurate report
of the reception of WKMO at 2:10 A.M. CST on April 4, 1941

We greatly appreciate your reporting the
reception of WKMO and hope to hear from you again.

Respectfully yours,

W.N. Nungesser, Chief Eng.



1,000 Watts

WLRP

1570 KC.

P. O. Box 285

1216 SLATE RUN ROAD

NEW ALBANY, INDIANA

"THE VOICE OF SOUTHERN INDIANA"

ROY L. HICKOX

President and General Manager

February 25, 1951

Norman L. Maguire
434 North Maple
Albuquerque, New Mexico

Dear Sir:

Thank you for your reception report of February 10, 1951.

WLRP was on the air at the time you specified, for the purpose of making "Proof of Performance" checks. Your report is accurate, and I hereby verify that report of reception.

We are using a Raytheon RA-1000 transmitter and a 156' shunt-fed antenna. WLRP is daytime only, signing on at 6:30 A.M. Central Standard Time, and signing off at 5:15 P.M. During March our sign-off time will be moved up to 5:45, with our sign-on time remaining the same.

Very truly yours,

E.A. Fischer

E.A. Fischer
Chief Engineer

RADIO STATION

WMRI AM-FM

AM-250 Watts....860 kc.

Serving Indiana Day and Night with 34,000 Watts

106.9 MC...CHANNEL 295

TELEPHONE 5705.....MARION, INDIANA

February 3, 1956

Norman L. Maguire, W5NXF,
1420 Columbia Drive NE,
Albuquerque, New Mexico.

Dear OM:

Tnx vy much fer the vy fb rept. Ur inf@ cks wid
our log, January 24, 1956 between hours of 3 and 5 a. m.

Hpe to work u sometime on the home rig on 10.

Tnx again. 73's es cul.

Sincerely yours,

Lloyd V. Smith W9MTZ

Lloyd V. Smith, Chief Eng.,
WMRI AM & FM

WESTINGHOUSE
BROADCASTING STATIONS



WOWO-WGL
FORT WAYNE, INDIANA

March 4, 1941

Norman L. Maguire
101 Hope Street
Stamford, Connecticut

Dear Mr. Maguire:

We have your card of recent date commenting on our broadcast programs. Your report on reception is correct and you may use this letter as verification.

Trusting that we may continue to please you and that we may hear from you again, we are

Sincerely,

WESTINGHOUSE RADIO STATION
WGL

JHA:rs



WESTINGHOUSE RADIO STATIONS INC • FORT WAYNE 2, INDIANA

October 5, 1945

Mr. Norman L. Maguire
83 Prospect Street
East Hartford 8, Conn.

Dear Mr. Maguire:

Your reported reception of WOWO corresponds with our log for that time.

You may therefore consider this a verification of your reported reception.

Sincerely,


Bruce H. Ratts
Chief Engineer

BHR:ljp



WBNL
Boonville, Ind.
Phone: 980

WPCO

WBTO
Linton, Ind.
Phone: 63

Mt. Vernon Broadcasting Co., Inc.

H. C. SANDERS, President

Phone: PO 3-4484

F. COURTNEY SMITH, Manager

TRIANGLE RADIO NETWORK

MT. VERNON, INDIANA

March 26, 1963

Norman L. Maguire
1420 Columbia Drive NE
Albuquerque, New Mexico

Dear Mr. Maguire:

This is to verify your reception of WPCO Mt. Vernon, Indiana, U. S. A.; during our test broadcast on February 26, 1963. WPCO has received correspondance from all over the world as well as every area of the U. S. A. WPCO uses Gates equipment from turntables to transmitter. Our transmitter is a Gates BC 500 GY and is about seven years old. The antenna is a wind Charger 188' overall height uniform cross section shunt excited steel radiator and the ground system consists of 120 buried copper wire radials 165' in length. WPCO is a daytime station only.

Thank you for your correspondance and write again if we can be of service to you.

Best Regards,

S. Jerry Kissinger
S. Jerry Kissinger *KJB*
Chief Engineer
WPCO Radio
Mt. Vernon, Indiana

SJK:kbb

WPCO

Mt. Vernon, Indiana

500 Watts

1590 Kc.

A daily visitor to
the 450,000 people
in this AREA



WPCO COVERAGE MAP

According to the F.C.C. standards of Engineering WPCO will deliver a strong constant signal as outlined on this map. Double this distance under favorable weather conditions.

1000 WATTS
ALL DIRECTIONS

1250 KILOCYCLES
CLEAR CHANNEL FREQUENCY

WRAY

PRINCETON BROADCASTING CO.
Princeton, Indiana

P. O. Box 28
Telephone 1250

September 20, 1951

Norman L. Maguire
434 North Maple
Albuquerque, New Mexico

Dear Mr. Maguire:

This is to confirm your reception of WRAY. Your listing of program material coincides with our log for the date of your report.

Reports such as these are very helpful to our engineering staff. Thank you very kindly for your nice letter. We hope to hear from you again.

Sincerely,



Bryan Davidson,
General Manager

BD:MW

"The More You Tell - The More You SELL!"

Radio Station

- * MUSIC
- * NEWS
- * SPORTS



W S L M 1220 KC

POPULATION 125,800
10 COUNTY COVERAGE
PHONE 700

"Your Daily Visitor Station"

CEDAR WOOD STUDIOS ON
RADIO RIDGE, SALEM, INDIANA

February 18, 1953

Norman L. Maguire
434 Maple Street NE
Albuquerque, New Mexico

Dear Sir:

This is to verify your DX report of February 13, 1953. Our transmitter is a Gates 250-C-1, using two 810's in push pull in the final amplifier.

Our antenna is a vertical radiator, series fed, with an over all height of 210 feet. Our ground system is strands of buried copper wire, each strand is 200 foot long and spaced every 2 degrees. Our power output is 250 watts.

All of our DX letters were read over the air and the people around here were very pleased to hear the distance their station went out.

Thanks once again for your DX report, it was greatly appreciated.

Very truly yours,

A handwritten signature in cursive script that reads "Darrell E. Dixon".

DARRELL E. DIXON
Chief Engineer

RADIO STATION



WSUA INC.

Bloomington, Indiana

November
Twentythird
1946

WARREN G. DAVIS
PRESIDENT AND GENERAL MANAGER

Mr. Norman L. Maguire
185 Williams Street
Glastonbury, Connecticut

Dear Sir:

This will serve to verify your reception of our signals November 13, 1946 at 2:05 am to 2:15 am CST. The information submitted by you in your report has been checked and found to be correct.

Our radiator is a single 250 ft. steel tower, uniform cross section, guyed; our ground system consists of bare copper wire buried in radial fashion from the antenna base.

Our transmitter has a pair of 833A's in the final, using high level modulation.

Many thanks for your fine report. 73's.

Sincerely,


Jim Rolfe W9GXU
Chief Engineer

JR/mm

"ONE THOUSAND WATTS  AT 1010 ON YOUR DIAL"

☆ **WTHI** ☆

WABASH VALLEY BROADCASTING CORPORATION

· [120 SOUTH 7TH STREET] ·
· [TELEPHONE CRAWFORD 9481] ·

TERRE HAUTE, INDIANA

November 28, 1947

Mr. Norman L. Maguire
413 N. Maple
Albuquerque, N. M.

Dear Mr. Maguire:

We are happy to acknowledge your reception of this station on November 22, 1947.

Your report is correct and reception verified. We do appreciate your telling us how we were received at your listening station.

During the next two or three weeks WTHI will continue equipment tests between 1:00 AM and 6:00 AM CST. We hope you continue to receive us equally well.

Very truly yours,

WABASH VALLEY BROADCASTING CORP.


G. F. Lee
Chief Engineer

fl/la

Curry Building

W T O M

Phones 2-2593, 7871

1490 Kcs.
Third and Washington Streets
BLOOMINGTON, INDIANA

June 18, 1949.

Norman L Maguire
21 Vista Way,
Port, Washington. N.Y.

Dear Norman

In reference to your letter of June 10, in reference to reception of our freq. check.

Your report coincides correctly with our transmitter log for our freq. check with Kansas City on the Morning of June 10, 1949.

WTOM, Bloomington Ind. broadcasts 18 hours daily on a freq. of 1490 kc. with a power of 250 watts. We start our daily broadcast at 6:00 am. and go off the air at midnite, central daylight savings time. We conduct freq. check monthly on the morning of the second Frid. of the month between the hours of 1:00 am and 1:15 am. central standard time.

We use Gates equipment through-out. The transmitter is a 250-C And a 185 ft Wind-charger tower, which is shunt-fed. The transmitter is a mile from town with studios in town.

Weather of June 10, was clear and cool about 60 degrees.

Thanking you again for your report, I remain,
respect fully, yours

Theo. W. May C.E.

Theo. W. May

RADIO STATION

WTBC

TRUTH PUBLISHING COMPANY, Incorporated

250 WATTS 1340 KILOCYCLES

Elkhart,
Indiana Dec. 3, 1941.

Mr. Norman L. Maguire
600 N. University
Albuquerque, New Mexico

Dear Sir:

We are pleased to verify your letter
of November 13, 1941.

Your report on the reception of our
frequency check on November 13 is correct.

Thank you.

Very truly yours,

K. N. Singleton
-w
Chief Engineer

W