Cience and hver in the second

Will the Rocket Replace Artillery? See Page 600 A Billion Dollar Junk Business!

Sky Jobs and Ground Jobs

How to Make: Modernistic Bookshelves — a Sunlamp — Your Own Castings 25 CENTS

NOVE

Win a Share of \$3,250.00 in Fine Tools and Equipment



5

The New Knight Screen Grid Chassis

The circuit of the New Knight 8 Screen Grid is the *heir of years of experience* in radio manufacture. Just as it is rich in years of development, so is it *replete with an amazing array* of *advanced features* representing the peak achievement in all-electric radio.

8 Tubes-Three Screen Grid

Knight 8 excellence is partially explained by its ingenious circuit which employs three powerfulscreen grid tubes with an unequalled sensitivity. Two tremendous "245" tubes in push-pull audio arrangement make possible remarkable tone and volume.

New Filtered Tone

Pronounced clarity of tone is the *outstanding characteristic* of the advanced Knight 8. True life-tone, *vibrant and virid* so that you can identify every instrument and every voice, proves that the 1931 Knight loses noth*ing in reproduction*.



Dynamic Speaker Equipped

The power dynamic reproducer is especially designed to match the impedance of thereceiver perfectly. It reproduces beautiful toneat any volume, unmarred by any trace of hum or distortion.

Send For This Catalog Today

R RADIO

OUR NEW "1931" catalog is just off the press-168 pages full of the latest in radio attractions — over 500 illustrations — showing the newest improvements in radio. Prices are lower than ever before. Hundreds of specials are offered at really astounding prices.

Wholesale Prices

OWE

WHOLE

Everything in this book is offered at the lowest wholesale prices, which means a tremendous saving to you for anything you want to buy—whether in complete sets accessories, parts or kits.

All The New Accessories

New 1931 Screen Grid, Tone Control, A. C. Humless All-Electric Sets, Public Address, Phono-Combinations, Dynamic Speakers, Beautiful Consoles. Also battery operated sets.

Wonderful Values

VALUE-YOUR PRICE

an

\$110

You will be surprised at the remarkable values offered in this book of radio bargains. All the latest features priced to give you remarkable savings.

Tremendous Stocks

The resources of this \$3,000,000 company make it possible for us to buy in large quantities at great savings, and to carry a complete stock of every possible kind of accessory—no matter what you want in radio, we have it.

Use Coupon Below For Free Catalog

Simply sign your name and address to the coupon given below, and mail to us, so as to get this new "1931" book of radio bargains. It is absolutely FREE and we will be glad to send it to you. The prices in it sell themselves.


Slot Machine Sets

Here is the latest machine for bringing in the money automatically for stores, hotels, depots and and other public places. A nickel will play it for six minutes.

Phono-Combinations

Screen Grid Radio receiver operates in conjunction with the finest phonograph equipment. A flip of a switch and the radio broadcasts come in through your radio receiver; another flip and the phonograph records may be reproduced electrically.

Address



ALLED RADIO CORPORATION 711 W. Lake Street Dept. D-2 Chicago Electric Clock Sets Automatic time switch

turns radio on and off. Just set for the time your favorite program comes on the air. The set will do the

\$100 a week "My earnings in Radio

"My earnings in Radio are many times greater than I ever expected they would be when I enrolled. They seldom fall under \$100 a week. If your course cost four or five times more I would still coursider it a cond invest.

consider it a good invest-

E. E. WINBORNE 1414 W. 48th St., Norfolk, Va.

Jumped from \$35 to \$100 a week "Before I entered Radio

I was making \$35 a week. Last week I earned \$110 servicing and selling Radios. I owe my success to N. R. L. You started me off on the right foot."

J. A. VAUGHN

ment.

Science and Invention



If you are earning a penny less than \$50 a week, send for my book of information on the opportunities in Radio. It is free. Clip the coupon NOW. Why be satisfied with \$25, \$30 or \$40 a week for longer than the short time it takes to get ready for Radio.

Radio's growth opening hundreds of \$50, \$75. \$100 a week jobs every year

In about ten years Radio has grown from a \$2,000,000 to a \$1,000,000,000 industry. Over 300,000 jobs have been cre-ated. Hundreds more are being opened every year by its continued growth. Men and young men with the right train-ing—the kind of training I give you—are needed continually.

You have many jobs to choose from

Broadcasting stations use engineers, operators, station managers and pay \$1,800 to \$5.000 a year. Manufacturers continually need testers, inspectors, foremen, engineers, service men, buyers, for jobs paying up to \$15,000 a year. Shipping-companies use hundreds of Radio operators, give them world wide travel at practically no expense and a salary of \$85to \$200 a month. Dealers and jobbers employ service men, salesmen, buyers, managers, and pay \$30 to \$100 a week. There are many other opportunities too. My book tells you about them.

So many opportunities many N. R. I. men make \$5 to \$25 a week while learning

The day you enroll with me I'll show you how to do 10 jobs, common in most every neighborhood, for spare time money. Throughout your course I send you information on servicing popular makes of sets; I give you the plans and ideas that are making \$200 to \$1,000 for hundreds of N. R. 1. students in their spare time while studying.

Talking Movies, Television, Wired Radio included

Radio principles as used in Talking Movies, Television and home Television experiments. Wired Radio, Radio's use in Aviation, are all given. I am so sure that I can train you satisfactorily that I will agree in writing to refund every penny of your tuition if you are not satisfied with my Lessons and Instruction Service upon completing.

3715 S. Kingshighway, St. Louis, Mo.	and Instruction Service upon completing. 64-page book of information FR Get your copy today. It tells you where Radi good jobs are, what they pay, tells you about a course, what others who have taken it are do and making. Find out what Radio offers you, wi out the slightest obligation. ACT NOW.	Radio BIGGER Needs PAY
5500 extra in 6 months "In looking over my records I find I made \$500 from January to May in my spare time. My best week brought me \$107. I have only one regret regarding your course —I should have taken it long ago." HOYT MOORE R. R. 3, Box 919, Indianapolis, Ind.,	Pioneer and Largest Hom dio training devoted entir ing men and for good jobs industry. Our paralleled Ra We occupy th times as muc now as we oc	a Home World's d World's J. E. SMITH. President, organization J. E. SMITH. President, organization National Radio Institute, Dept. OMSSS growth has Dear Mr. Smith: Send me your book. This request does not obligate me. Name
Lifetime Em	bloyment Service to all Gra	Address




(will give You my new 8 OUTFITS of RADIO PARTS for a home Experimental Laboratory

You can build over 100 cir-cuits with these outfits. You build and experiment with the circuits used in Crosley, Atwater - Kent, Eveready, Majestic, Zenith, and other popular sets. You learn how these sets work, why they work, how to mak them work, This makes wing at home easy, fasch.

Back view of 5 tube Screen Grid A. C. tuned Radio frequency setonly one of many cir-cuits you can build with my outfits.



ODAY



am doubling and tripling the salaries of many in one year and ace Find out

577

NOVEMBER 1930 Science and Invention

VOL. XVIII No. 7

TABLE OF CONTENTS

Equipped with New American Motors The German flying boat DO-X ready to fly the Atlantic	580
Editorial	586
Transattantic air travel—By A. Dinsdale Making Modern Suspension Bridges Safe Don Charles predicts bridges twice as long as the new Hudson Bridge	589
On the Shoulders of a Wasp Rests an Entire Industry	591
Landlords-Ha! Ha! There are still places where you can live rent free	592
Bringing the Food to the Man Automatic waiters for cafeterias save you a fight	594
Page Maggie Jiggs! S. R. Winters tells where and why they smash unlimited china	594
	FOF

- New Light on Old Masters..... 595 Picture fakers don't stand a chance now with X-rays

- Will the Rocket Replace Artillery?.... 600 Gawain Edwards speculates on the potential horrors of rockets
- popular series Making Room for Motor Cars in Chicago 602
- How Chicago is solving her traffic problem Footwork. 619
- How feet are turned to good advantage Prize-Winning Home Workshop..... 646 An interesting layout

Aviation

Sky Jobs and Ground Jobs	593
Orville H. Kneen surveys the occupational	
possibilities of aviation	

A Visual Attack on the Fog Problem ... 612 Lieutenant William H. Wenstrom makes some useful suggestions

General	
he Safety Valve Conducted by Joseph H. Kraus	584
By Eugene de Lopatecki Ainiature Golf Gets the Kiddies	598
n the Spotlight of Science Vould You Believe It?	603
Vould Tou Belleve It?	611
orecast. By the Official Forecaster	
cientitic Book Reviews	669
ndex to Advertisers	670
By James R. Lowell	0,1
Radio	(20
Checking up on Receiver Parts By E. K. Owner, High Frequency Laboratorics Vhat's New in Radio	620
Vhat's New in Radio	634
lashes from the Radio Lab.	648
Construction, Amusement, Experiment	
Handy Chest, Easy to Build By Harry Seelyc	615
uminous Paint and Its Preparation	615
Down on the Farm	617
Aake Your Own Modernistic Bookshelves	.618
Down on the Farm. Make Your Own Modernistic Bookshelves. By H. L. Weatherby, Director of Manual Train- ing, Montgomery County Schools, Mont- gomery, Alabama	
or the Motor Workshop	622
Artificial Sunshine from a Home-Built Lamp By Lionel K. Arnold Vrinkles and Recipes	623
Vrinkles and Recipes	624
Aagic.	625
Magic. By Dunningcr xperiments with Toy Motors By Raymond B. Wailes	626
By Raymond B. Walles Prize Puzzles to Polish Your Wits By Sam Lloyd Make Your Own Castings By L. K. Wright	627
Aske Your Own Castings	628
New Ideas for the Owner and Driver	630
How They Make It in Costa Rica	631
By George A. Luces	632
Home Improvement	
Why Not Light Up Those Dark Corners?	614
Why Not Light Up Those Dark Corners? By Mary Anne Sheppard Scientific Aids to Your Comfort	629
By Mary Jacobs Science and Invention's Service to Home Owners	
and Prospective Home Owners	65 8
New Devices and Developments	
Fireplace with Furnace-Like Heat	666
Safety Rubber Plug and Push Socket	666
For Inventors	
Patent Advice	636


25c a copy \$3.00 a year Published Monthly by RADIO-SCIENCE PUBLICATIONS, Inc. 183-10 Jamaica Avenue, Jamaica, N. Y. \$3.50 in Canada \$4.00 in Foreign

Publishers, B. A. MacKinnon and H. K. Fly; Editor, Joseph H. Kraus

Entered as second class matter at the Post Office at Jamaica, N. Y., under the act of March 3, 1879. Title Registered at the U. S. Patent Office. The contents of this magazine must not be reproduced without giving full credit to the publication. Copyright, 1930, by Radio-Science Publications, Inc. Editorial and Executive Offices, 381 Fourth Avenue, New York, N. Y. All Rights Reserved.



Equipped with New American Motors.



Here is a close-up view of the bow and centre section of the giant Dornier DO-X seaplane, as she appeared when taken out on to Lake Constance for the first trials of her new water-cooled American Curtis Condor Conqueror motors. A long series of speed and load tests has shown that the new motors are entirely satisfactory and the huge craft is now being groomed for her proposed flight across the Atlantic to the United States.



ACTUAL PHOTOGRAPH OF STUDENTS WORKING IN SERVICE DEPT. OF COYNE RADIO SHOPS

LEARN RADIO--TELEVISION TALKING PICTURES :- 8 WEEKS By Actual Work --- In the Great Shops of Coyne

Don't spend your life slaving away in some dull, hopeless job! Don't be satisfied to work for a mere \$20 or \$30 a week. Let me show you how to make REAL MONEY in RADIO – THE FASTEST-GROWING, BIGGEST MONEY-MAKING GAME ON EARTH!

THOUSANDS OF JOBS OPEN Paying \$60, \$70 to \$200 a Week

Jobs as Designer, Inspector and Tester, paying \$3,000 to \$10,000 a year—as Radio Salesman and in Service and Installation Work, at \$45 to \$100 a week—as Operator or Manager of a Broadcasting Station, at \$1,800 to \$5,000 a year—as Wireless Operator on a Ship or Airplane, as a Talking Picture or Sound Expert—THOUSANDS OF JOBS PAYING \$60, \$70 and on UP TO \$200 A WEEK.

No Books - No Lessons All Practical Work

Coyne is NOT a Correspondence School. We don't attempt to teach you from books or lessons. We train you on the finest outlay of Radio, Television and Sound equipment in any school—on scores of modern Radio Receivers, huge Broadcasting equipment, the very latest Television apparatus, Talking Picture and Sound Reproduction equipment, Code Practice equipment, etc. You don't need advanced education or previous experience. We give

H. C. Lewis, Pres.

500 S. Paulina Street

Radio Division

COYNE ELECTRICAL SCHOOL

Dept. 80-5B

you-right here in the Coyne Shops-all the actual practice and experience you'll need. And because we cut out all useless theory, you graduate as a Practical Radio Expert in 8 weeks' time.

TELEVISION Is on the Way!

And now Television is on the way! Soon there'll be a demand for THOUSANDS of TELEVISION EXPERTS! The man who learns Television NOW can make a FOR-TUNE in this great new field. Get in on the ground-floor of this amazing new Radio development! Come to COYNE and learn Television on the very latest, newest Television equipment.

Talking Pictures

Founded 1899

Chicago. Illinois

Talking Pictures and Public Address Systems offer thousands of golden opportunities to the Trained Radio Man. Here is a great new field of Radio work that has just started to grow! Prepare NOW for these marvelous opportunities! Learn Radio Sound work at Coyne on actual Talking Picture and Sound Reproduction equipment.

EARN AS YOU LEARN Don't worry about a job! Coyne Training settles the job question for life. We often have more calls for Coyne graduates than we can supply. YOU GET FREE EMPLOYMENT SERVICE FOR LIFE. And don't let lack of money stop you. If you need part-time work while at school to help pay living expenses, we will gladly help you get it. Many of our students pay nearly all of their expenses that way.

COYNE IS 31 YEARS OLD Coyne Training is tested, proven beyond all doubt. You can find out everything absolutely free. How you can get a good Radio job or how you can go into business for yourself and earn from \$3,000 to \$15,000 a year. It costs NOTHING to investigate! Just MAIL THE COUPON for YOUR COPY OF MY BIG FREE BOOK!


H. C. LEWIS, President

Radio Division, Coyne Electrical School 500 S. Paulina St., Dept. 80.5B, Chicago, III. Send me your Big Free Radio Book and all details of your Special Introductory Offer. This does not obligate me in any way.

<u>4</u>	Name
i	Address
	City State

NEW BOOKS at Magazine Prices

Each of the following 50c books is of the large size, $8\frac{1}{2} \times 11\frac{1}{2}$ inches, containing 96 profusely illustrated pages, bound in beautiful colored covers. The contents of any one of them is equivalent to the average 300-page volume, and in ordinary book form would probably cost you from \$2.00 to \$10.00. Get these exceptional bargains TODAY, while we still have them in stock!




NEW RADIO TROUBLE FINDER & SERVICE MANUAL

HOW TO WIN AT BRIDGE

by Wilbur C. Whitehead

The world-famous Bridge author-ity's newest book. His easy picture method shows how to play both Auction and Contract Bridge TO WIN! Complete rules of play and methods of scoring for both Auction and Contract Bridge. Contains 500 hands to bid and play, with complete solutions and analyses in back of book. The biggest S0c worth ever offered to Bridge fans. Printed in 2 colors. Hearts and diamonds shown in red throughout. 96 pages. Large $8\frac{1}{2} \times 11\frac{1}{2}$ -inch size. Beautiful colored cover. Price postpaid, only...



LUCKY BREAKS

Read about the \$315,000 fortune waiting for some Lucky person! Read what Belasco, Cope-land, Untermyer, Taft and others think of Luck. Read about Luck in the movies, in ath-letics, above the clouds! Read about the Luck of the real person who actually did break the bank at Monte Carlo. Read about the Luck of Columbus, Napoleon, Lafayette. The Luck that made Presidents. Read these true stories of amazing Lucky Breaks and be prepared when yours comes along.

NEW SHORT WAVE MANUAL

Experience the thrills of the Short Waves of hearing Europe, Africa or Australia direct as clearly as native stations. This big book, re-plete with illustrations and How-to-Build dia-grams and plans, crowded with 28 chapters by Lieut. Wenstrom, Marshall, Spangenberg and other foremost S-W authorities, represents the last word in authentic S-W data. The most complete up-to-the-minute short wave manual ever published. Brings you more in-formation than books selling at ten times its price. Shipped, pre-paid to your home for only......

ANATOMICAL MANIKINS **MALE & FEMALE**

By Dr. David H. Keller

Book measures 6 x 14 inches. Contains 12 large plates of the human body, male and female, with complete descriptions of every muscle, nerve, gland, hone, organ, etc., in-cluding reproductive organs of male and female. Books of this kind ordinarily cost from \$10 to \$25 when bought through medical supply establishments. SI Price, complete and prepaid, only.

FLYING FOR EVERYBODY

19 Chapters—More than 120 Photographs, Maps and Diagrams. This book is the one complete Aviation Manual which covers every phase of flying from the ground up. Con-densed in its pages is the essence of years of experiences of Aviation's foremost authorities. No air-minded person should be without it. Price, pre-paid, only

RADIO AMATEURS' HANDIBOOK

Sometimes called the Radio Amateurs' Bible. 30 profusely illustrated chapters bring you 10 How-to-Build articles, with complete instructions and diagrams; new radio wrinkles, DX hints, data on the new tubes, answers to AC problems, and helpful, money-saving ideas for the radio service man. 96 illustrated pages. Large 81/2 x 111/2-inch size. Beautiful colored cover. Shipped, prepaid, to your home for only

Also the Following at Only 25c Each

How to Make It (working in wood, metal, cement, paint, etc.) How to Electrify Your Radio Set What Radio Set Shall I Buy How to Build the Famous One Knob Set

101 Radio Hook-Ups The Neutrodyne and All About It Cookoo Nuts (A game in book form for

parties) S'matter Pop (the famous comics in book form)

Buy Them at Your Newsdealer or Mail Coupon AT ONCE!

POPULAR MAGIC AND CARD TRICKS


Mystify your friends; charm the ladies; be the life of any party. Make glass bowls vanish, cards fly, coins disappear. Do hundreds of other magic tricks and games as easily as a professional. Over 200 described and illustrated in this big book **50c**

on magic. Prepaid, only

1001 RADIO QUESTIONS AND ANSWERS

If you own a radio, you need this book. Everything you want to know about radio is in it. from "How to Kill Outside Radio Noises," to a clear description of the newest tubes and how to use them. If you have a question on radio, here is your answer and a thou-sand more. 96 illustrated pages. Large 81/2 x 11¹/₂-inch size. Beautiful colored cover. Shipped, prepaid to **50C** your home for only

MAIL TODAY
EXPERIMENTER PUBLICATIONS, Inc. Dept.2511,381 Fourth Ave., New York, N.Y.
Gentlemen: Please ship me, prepaid, the books whose titles I have listed below. Remittance is enclosed.
·····
Name
Address
City
State



H. C. LEWIS, President

"I Will Train You To Get Into LEC IN THE GREAT COYNE SHOPS In 12 Weeks on Real Electrical Machinery

Don't Waste Your Life in a Dull **Hopeless** Job

Don't spend your life waiting for \$5 raises in a dull, hopeless job. Now... and forever... say good-bye to 25 and 35 dollars a week. Let me show you how to qualify for jobs leading to salarles of \$50, \$60 and up, a week. In Electricity-NOT by correspondence, but by an amazing way to teach, that makes you a practical expert in 90 days! Getting into Electricity is far easier than you imagine! Act now, today!

Lack of Experience Bars No One I don't care if you can't tell the difference between a battery and an air brake. Any number of students enter my achool knowing no more about electricity than an infant. And yet they graduate and go right out in the field and get electrical jobe leading to big pay.

You Don't Have to Have an **Advanced Education**


That's the beauty of my method of teaching. It isn't what you know—it's how you are taught that counts. My method of teaching enables you to catch on instantly even though you have only had a common school educa-tion without the use of dry books. You don't need sdvanced education to understand electricity the way i teach it. Just think—you can learn in 90 days. Don't let lack of advanced education worry you.

I Don't Care If You Are 16 Years **Old or 40**

Electricity gives everybody the same wonderful oppor-tunity. Don't worry about your age. Plenty of men who never succeeded until late in life. This may be just the field you were cut out for. No matter what your age. is, or how long it has been since you studied, my method of teaching will prove fascinating and easy to you.

Earn While You Learn

We maintain a real employment service. If you should need part time work, I'll assist you in getting it, if you will just write and tell me your circumstances. In that way many earn while learning. Many of my students pay all their living expenses through part time jobs secured by Coyne.



Don't Worry About a Job Corne training settles the job question for life. Clyde F. Hart got a position as electrician with the Great Western Railroad at over \$100.00 a week two weeks after graduation. That's not unusual. We can point to Coyne men making up to \$60.00 a month. Coyne men get positions which lead to salarles of \$50.00, \$60.00 and up a week. You can go into radio, battery or automotive electrical business for yourself and make from \$3000 a year up.

No Books - No Lessons '

You work on real live electrical machinery, building real batteries, winding real armatures, operating real motors, dynamos and generators, wiring real houses, etc., etc., here in this world famous parent school, with its hundreds of thousands of dollars worth of new up-to-date elec-trical equipment.

Prepare for Jobs Like These-Corne men have the advantages of getting positions which lead to those that are listed below. Our free em-ployment bureau gives you lifetime employment service. Armature Expert-\$60 a Week and up. Substation Operator-\$60 a Week and up. Auto Electrician-\$60 a Week and up. Service Station Owner-\$60 a Week and up. Radio Expert-\$60 a Week and up.

New \$2,000,000 School

We are now in our new, freproof, modern home wherein is installed thousands of dollars worth of the newest and most modern electrical equipment of all kinds. We now have a larger amount of floor space devoted to the exclusive teaching of practical electricity. Every comfort and convenience has been arranged to make you happy and contented during your training.

Electricity the Greatest of

Electricity inte oreatest or All Industries Electricity is THE FIELD. It is one of the youngest. Every day sees an increase in its use. It holds the greatest future. The young man of today who gets into Electricity lays the cornerstone for lasting success-prosperity. Nearly every large building now needs trained Electrical men for maintenance. Every hotel, theatre, station-in fact Practical men are in demand everywhere-all the time.



My training is so thorough that you will be able to step out and get a job leading to big pay. Hundreds of Coyne graduates testify as to the thoroughness of my course and that if it hadn't been for this thoroughness, they never would have been able to have held their jobs. It's the wonderful, practical, learn-by-doing method which gives Coyne students such a thorough training.

Fascinating Method of Learning

Raybe you don't think this method of Learning in t fascinating. The instructor shows you how to do job No. 1. Then you do it. Then he shows you how to do job No. 2. Then you do it. After while you're building real batteries that generate real juice; you wind real arm-atures that actually work and you do complete house wiring jebs. And all this time you'll find that it's so interesting you won't even realize that you are in school.

Lifetime Employment Service My lifetime employment service not only helps you after you graduate, but from then on, throughout life, you are always welcome to call upon us for further employment service.

Every Possible Kind of Assistance

My organization is so thorough that you get every pos-sible kind of assistance. We secure a clean room for you at the lowest rates. The welfare department looks after your comfort. We help you to get part time employment. We give entertainments for you. We help you to get a job when you graduate. We keep in touch with you, giving you the advantage of our entire staff should you run across knotty problems and need assistance.

My Big Book FREE!

My big book file. Come is your one great chance to get into electricity. Er-ery obstacle is removed. This school is 30 years chi-Coyne training it setsted -proven beyond all doubt-endorsed by many large electrical concerns. You can find out every-thing absolutely free. Simply mail the coupon and let me send you the big, free Coyne book of 150 photographs ... facts ... jobs ... salarles ... opportunities. Tells you how many earn expenses while training and how we assist our graduates in the field. This does not obligate you. So act at once. Just mail coupon.

CHARTER CONTRACTOR My Course Includes Training In Airplane - Electricity *Not* a Correspondence School *but* An Institution To Which You Come for Practical Training on Real Electrical Machinery Not a Correspondence School OYNE Electrical SCHOOL 9080

H. C. LEWIS, Pres., Dept. 80-83 -Established 1899 500 S. Paulina Street, Chicago

Send for Free Book:

Mr. II. C. Lewis, Pres. COYNE ELECTRICAL SCHOOL, Dept. 80–83 500 S. Paulina St., Chicago, Ill.

Dear Mr. Lewis: Without obligation send me your big free catalog and all details of Free Employment Service, Rudio, Aviation Electricity and Automotive Courses that are included and how you will help me "earn

White feart ing.		
Name		
Address		
City	State	

November, 1930



This Department Is for Your Use. Expressions of Opinion or Comments Are Welcomed. Address: Safety Valve Editor

Building a Glider

ENCLOSED you will find a clipping about a glider being constructed by a friend and myself. The glider is being constructed

Local Youths **Construct** Home Made Glider Motorless Ship Will Be Ready For Trials In August A trim, graceful, motorless glider will be soaring over the housetops of St. Johnsbury in the near future if plans of two local airminded youths materialize. After weeks of careful planning during which every specification on the famous Northrup glider was studied out, Russell Wheelock of Lafayette street and Harold Moore of St. Johns street underonstruct. a duplicate of canvass and uurability all weather. The glider is being constructed ished in Science & Invention, A nade in the original pla famous

following the directions given in SCIENCE AND INVENTION with the exception of a few minor details, namely :

We are using the Gottengen 441 airfoil section and the 1/2-in. spar instead of those given in the directions in your publication. Instead of wire in bracing the wings we are using diagonals of spruce.

We have a considerable amount of No. 16 piano wire. Is this suitable for use as flying or landing wires?

When the glider is given its trial spin, we will be glad to inform you as to the results. RUSSELL A. WIEELOCK.

St. Johnsbury, Vt.

(No. 16 piano wire can be used in the building of a glider, but the wire is a little heavier than is actually required. We would appreciate hearing from the readers who are building gliders from these plans, with particular reference to the progress they are making.—EDITOR.)

Makes Furniture

I HAVE been reading your magazine for many years and find it the most complete and up-to-date magazine of a scientific nature in the market.

I like H. L. Weatherby's construction ar-ticles in particular and have made many pieces of furniture from his instructions, which are now doing good service.

BURT KNUTSON, Bismarck, N. D.

The Archimedes of Science and Invention

IN your solution of the different from Problem, your answer is different from your solution of the Decimal-Clock mine, although both were worked in virtually the same

method. You say that 8:20 a. m. is 9/26 of a 24hour day. But 8 \times 60 + 20 = 500 minutes. The 24 hours are 1440 minutes. 500/1440 is 25/72 (not 9/26).



This correct (ed) fraction, applied to your operation, gives the answer: 22 3/9 seconds and 47 minutes past 3 o'clock, decimal time. And this is my answer.

I am enclosing the carbon copy of the solution I sent you, together with the solution of Problem No. 2 (which agrees with your answer: 5% lb.). Poor old Homer used to get all the blame

for nodding. Now it is the Archimedes of SCIENCE AND INVENTION. (By the way, thatasbestos problem was first solved by Archimedes, was it not?)

May I not entertain the feeling that you will check my entries? WILLIAM J. MARTIN

Remillard Brick Co., San Francisco, Calif.

The solution given by Mr. Martin follows:

The regulation clock makes two revolutions of its hour-hand in twenty-four hours and the decimal clock but one. But (it is easy to conceive) the regulation clock can be slowed down one-half, the full day becoming one of twelve hours, and time being expressed by half of the customary divisionsthus: 8:20 is 4:10. The regulation and decimal clocks accordingly make one revolution and the hands move pari passu, oblivious of the different arbitrary divisions of "time."

In the slowed-down regulation clock there are 720 minutes (12×60) per full day and in the decimal clock 1000 minutes. The ratio is 1000:720, or 1:1.38 8/9. 4:10 (slowed-down time)—reduced to minutes (4 4:10 60 + 10) is 250 "regulation" minutes, which, multiplied by 1.38 8/9, is 347.22 2/9 decimal minutes, or 3.47.22 2/9 decimal hours, equal to (Answer): 22 2/9 seconds, 47 minutes,

past 3, decimal time.

(It is not the Pussle Editor who nodded over the time problem.

You worked out your answer from a false start. The clock hands were not shown at 8:20, and it was told that the hands were at equal distance from 6. This made the time exactly 18 and 6/13 minutes past 8 o'clock a. m., which is 9/26 of the 24-hour day. The published solution is correct, as you will discover upon reviewing your work .--- EDITOR.)

Reporter Cards

 $I \stackrel{\rm AM}{}_{\rm magazine}$ with its several interesting and wonderful introductions to science and invention.

I am a junior at Boston University and



would like very much to become an associate reporter for your magazine. I am sure that I may be able to contribute several interesting articles should they arise. GEORGE J. GORNSTEM, Roxbury, Mass.

(We have discontinued the practise of issuing reporter eards. We find that read-ers of SCIENCE AND INVENTION Magazine have a knack for obtaining news and do not require cards of any kind to properly present the subject matter which they desire to report upon. We are always open to suggestions and look over each and every article that is submitted .- EDITOR:)

Prize Winner Nearly Lost Out

THE September issue of SCIENCE AND IN-VENTION contained a big surprise for me. On page 410 I found my name among the



prize winners. It may interest you to know that, after I had the plan drawn. I almost decided not to send it in. thinking I had no chance to win a prize. Finally, at almost the last minute, I decided to

send it in anyway. Needless to say, the results greatly exceeded my expectations. ALLEN CUNNINGHAM.

Coatsburg, Ill.

(We congratulate you in winning one of the five fourth prizes of \$20.00 in the "Basement Plan" contest that was conducted by this magazine .- EDITOR.)

An Outboard Motorboatist

LIKED your article in August SCIENCE AND INVENTION on outboard motors and think you have discussed the subject admirably. It is one of the best of its kind I have read and well worth the price of subscription.

N. T. LERSCH, New York City.

Another Glider Bug

A^M sending you a picture of myself and glider built from plan in the August, 1929, issue.

JACK QUEEN Perry, Okla.

(Good. And how do you like sailing ships of the air?-EDITOR.)




(Continued on page 667)

584

MORE FOR YOUR MONEY

in this amazing NEW



ENCYCLOPAEDI BRITANNICA

than in any similar work ever published

HE greatest encyclopaedia value ever offered the American people that is what you get in this amazing new Britannica.

"Its equal does not exist," says the New York Times. "The finest investment I ever made," is the verdict of 50,000 purchasers who have placed this newest greatest knowledge book in their homes.

And now you too can buy it -at an amazingly low price.

SEND FOR FREE BOOKLET TODAY

"Finest encyclopaedia in English"

HERE is more for your money—"Your money's worth, pressed down and running over," as one critic puts it.

Open it anywhere-and see for yourself. 15,000 new illustrations crowd its pages. 500 maps make it marvelously useful and convenient. Thousands of articles, by 3,500 world-known authorities, cover the whole range of human knowledge. It's all-inclusive, this book-accurate, accessible, fascinating.

What you get-compared with what you pay-is amazing. These 24 volumes give you the actual equivalent of 500 ordinary books. Bought separately, those

"EVERY HOME SHOULD HAVE IT"-the verdict of the critics "The finest encyclopaedia in English, if not in any language" —New York Sun "Your money's worth, pressed down and running over" —Leon Whipple "Money spent on such a work as this Encyclopaedia is an investment in a gilt-edged security" -Philip Snowden

500 books would cost you \$1,200. Yet you get this new Britannica for only a fraction of that amount.

"A library in itself"

"HE contributors to this new Britan-I nica include the most eminent men and women of this age. Einstein writes for you on Space-Time. Freud explains Psychoanalysis, and Shaw, Socialism. Henry Ford, George Eastman, Grantland Rice Cecil B. De Mille-all tell you about their own specialties, in their own words.

"For the whole family"

There is practical help for you and." every member of your family in this new Britannica. Women find it invaluable not only for its wealth of useful everyday information-but for its recognition. of the new place women are taking in the world today. For men it provides a quick accurate summary of sports, business, world affairs-the sort of information you need every day.

Your children will love this book. It helps them, too — in school and at home-tells them the things they really want to know. Even young children are delighted with the pictures. It is a book children grow up withand never outgrow.

Lowest price in 60 years \$5 down

IN sheer dollar-for-dollar value the Britannica has always held unquestioned leadership. And now this new Britannica comes to you at a new low price-a price lower, in fact, than that of any completely new Britannica in 60 years. Buy it on easy payments, if you like. Under our Time Payment plan, an initial investment of only \$5 brings the entire set, complete with its special bookcase table, to your home.

56-PAGE FREE BOOKLET Brought to you by your postman

Act now! Send for our free illustrated booklet. It contains numerous specimen maps, color plates, etc., and gives full information. Before you spend a dollar you can see exactly what you get for your money. No obligation. Just fill out the coupon and

quick mail t	iday.		
1 992	DIA BRITANNICA, Inc. 35.1-G2 dison Avenue, New York City		
WITHOUT	WITHOUT OBLICATION-		
illustrated bo	Please send me, by return mail, your 56-page illustrated booklet with color plates and maps from the new Britannica, together with low price offer, etc.		
Name			
Address			
City	State		

mail today.

NOVEMBER, 1930 NUMBER 7



VOLUME XVIII WHOLE NO. 211

Published by Radio-Science Publications, Inc., 381 Fourth Ave., New York City, N.Y.

B. A. MACKINNON and H. K. FLY, Publishers

JOSEPH H. KRAUS, Editor

A. DINSDALE Managing Editor T. O'CONOR SLOANE, Ph.D. Associate Editor MARY JACOBS Feature Editor

AUGUSTUS POST Aviation Editor

Editorial

Transatlantic Air Travel

THE Atlantic has been flown again, once each way by the British dirigible R-100, and twice from east to west by the German flier Capt. Wolfgang von Gronau and his companions, and by the French ace Capt. Dieudonné Coste and his companion Maurice Bellonte, the German in a flying boat and the Frenchman in a land plane.

In these accomplishments we have examples of long-distance flights by the only three forms of aircraft which have emerged from the experimental stage and proved their ability to cover relatively short distances with a pay load. Whilst we naturally regard these flights as being of considerable importance, and extend our heartiest congratulations to those responsible for them, it is not with the spectacular nature of these feats that we wish to deal here; we want to discuss the higher aim behind them, which is to establish a regular transatlantic air travel service.

Capt. Coste's plane is the fourteenth to cross the North Atlantic, and the fifth to make the highly dangerous east to west flight. The first heavier-than-air machine to cross the Atlantic was the United States Navy flying boat, NC4, which flew across in stages in May 1919. The following month Messrs. Alcock and Brown, British fliers, made a single hop from Newfoundland to Ireland, and the first dirigible flight was made in the same year by the British airship R-34.

To the casual observer, but little progress would appear to have been made in the eleven years which have elapsed since these historic flights. Flying across the Atlantic is still in the nature of a spectacular stunt, especially in a heavier-than-air machine. A regular paying service is still far off in the future. The difficulties which lie in the way may be classified under two heads, not unrelated, (1) meteorological conditions and (2) the provision of sufficient power without undue increase in weight.

We have always been of the opition that aviators did not have the slightest idea of meteorological conditions over the Atlantic; if they had, some of the attempts would never have been made, and the science of aviation would have been the poorer. At any given time meteorologists on land cannot be certain of conditions over the whole route; the record of Capt. Coste's flight proves that. Only sailors know intimately what conditions to expect. They know that, despite forecasts to the contrary, storms of terrific intensity can on occasion arise suddenly without the slightest warning, barometric or otherwise. Under these circumstances it is folly to attempt a flight without the provision of two-way radio communication so that information can be collected from ships en route.

J. PHILLIPS DYKES

Marine Editor

Before a commercial transatlantic air service can be established on a regular schedule, therefore, it would appear to be essential in the first place to tighten up the organization of meteorological services: cross-country flying has already proved that necessity. In the second place, heavier-than-air machines, to be safe from engine failure, should have at least three motors, and to be safe against being taken by surprise by storms they should be capable of a maximum speed of not less than 150 M. P. H.-preferably 200 M. P. H. -so that they can successfully contend with the not infrequent 100 M. P. H. hurricanes. This involves the development of increased power. Flying boats are much more logical machines to employ than land planes, coupled with the development of floating refuelling stations so that the pay load may be increased.

The recent experiences of both the Graf Zeppelin and the R-100 indicate that fabric envelopes should be replaced by metal coverings in order to make airships safe.

But the most important mechanical requirement is the provision of a considerably increased power-weight factor.

A. Dinsdale

HUXLEY.

"Five days to drive the car you buy -then decide!"

THIS is the way the famous Studebaker Pledge protects your purchase. You *drive* the car you buy. If for any reason, it does not measure up to your expectations, you may return it within five days and apply your payment on any car in your Studebaker dealer's stock, new or used!

Besides this five days' driving trial, the Studebaker Pledge provides a 30-day guarantee on all Certified cars and states explicitly that *every* Pledge-backed car must

Studebaker

Builder of Champions

have its lowest price plainly marked.

These assurances were important factors to the buyers of hundreds of thousands of used cars from Studebaker dealers. People who *look* before they buy used cars recognize the Studebaker Pledge as fair, square sales policy. When you buy your used car, see your Studebaker dealer first—

get the full protection of the famous Studebaker Pledge!

Pledge to the Public on Used Car Sales

- 1 Every used car is conspicuously marked with its lowest price in plain figures, and that price, just as the price of our new cars, is rigidly maintained.
- 2 All Studebaker automobiles which are sold as CERTIFIED CARS have been properly reconditioned, and carry a 30-day guarantee for replacement of defective parts and free service on adjustments.
- Bevery purchaser of a used car may drive it for five days, and then, if not satisfied for any reason, turn it back and apply the money paid as a credit on the purchase of any other car in stock—new or used. (It is assumed that the car has not been damaged in the meantime.)

Invest 2c . . . You May Save \$200

3 1928 The Studebaker Corporation of America



Spend 2c now for your copy of this interesting and instructive booklet, "How to Judge a Used Car"—it may save you as much as \$200 on the used car you buy. Mail the coupon now!

THE STUDEBAKER CORPORATION OF AMERICA Div. 1711, South Bend, Indiana	
Please send me copy of "How to Judge a Used Car."	
Name	
Street	
CityState	

New Units, New Features, New Improvements in Complete 1931 "Delta" Woodworking Line.



No more drudgery — no more tedious hand work when you use "Delta" mo-tor-driven tools. Working with wood becomes a real pleasure with the help of these time-saving, effi-cient, practical machines.

"DELTA" DE LUXE WORKSHOP — the last word in motor-driven workshops. Includes a 4-speed Lathe, Band Saw, Circular Saw, and Jointer.

"DELTA" BORING AND ROUTING ATTACHMENT-makes child's play out of difficult borout of difficult bor-ing, routing, and mortising. Conven-ient, easy to operate. Furnished separate-ly if desired.

DELTA"

LINE-SHAFT

"DELTA" COMBINATION JOINTER and CIRCULAR SAW. Can be operated separately or together—no interference. Furnished with or without motor.





SHOP Includes 4-speed Lathe, Band Saw, Jointer and Circular Saw, Operates with either gasoline or electric motor. Very efficient.

Practical Motor-Driven Woodworking Equipment Now Within Reach of All

"DELTA" BAND SAW has many exclusive features. Provided with spe-cial extra-safe guard. Furnished with or without stand.

Again "Delta" blazes the trail toward woodworking efficiency with the announcement of its new 1931 line! Now are available at astonishingly low price levels a complete series of compact, rugged woodworking machines incorporating numerous exclusive constructional features. Each unit embodies the practical, efficient design, the careful workmanship, the dependable quality of materials — for which the "Delta" trademark stands. The new "Delta" Boring and Routing Machine, the "De Luxe" Workshop, the new "Delta" Band Saw, as well as the improved "Handi-Shop" are but a few of the Delta Units that will be of intense interest to all those who work with wood. All units now operate with either electric or gasoline motor power.

Make Things Quickly and Easily With These Modern Motor-Driven Tools

They save time and labor, and produce better work for artisans, farmers and mechanics. Up-to-date craftsmen everywhere are flocking to motordriven woodworking equipment to eliminate tedious hand labor. And for full or spare-time work, "Delta" Units quickly pay for themselves.

	الأنابية إلى عنه بعد عبد عبد عبد عبد عبد عبد عبد الما عن عبد الما عنه عبد عبد الما عنه عبد عبد الله ك
10-Day Trial	Delta Specialty Co., 1661-7 Holton Street Milwaukee, Wis., Dept. C1130
EASY TERMS	Gentlemen: Please send me FREE illustrated literature describing 1931 "Delta" line and details of 10-day Trial Offer and Easy Payment
Send coupon today for free illus- trated literature describing the new 1931 "Delta" line. Also de- tails of 10-Day Trial Offer and	Plan. (Check items of particular interest.) □ "De Luxe" Shop □ Routing Machine □ Handi-Shop □ Jointer □ Band Saw □ Circular Saw □ Line-Shaft Shop □ Moulding Cutter
Easy Payment Plan.	Name
DELTA SPECIALTY COMPANY Division of DELTA MFG. CO.	Address
1661-67 Holton Street Dept.C1130 MILWAUKEE, WISCONSIN	

SCIENCE AND INVENTION

VOLUME XVIII, NUMBER 7

NOVEMBER, 1930

Ŷ

Making Modern Suspension Bridges Safe

> By Don Charles Correspondent and Special Writer

New Methods Make It Possible to Build Suspension Bridges Twice as Long as the New One Being Built Across the Hudson Between New York and New Jersey

SUSPENSION bridges more than two miles long! Bridges swung between heaven and earth that are hurricane proof! Bridges that will outlast our present civilization!

Modern engineering plans have ad-

vanced so rapidly as a result of the planning and construction methods used in the new suspension bridge now being constructed across the Hudson between New York and New Jersey that it is possible that the future will see suspension bridges more than two miles in length, and hurricane proof. Not even a tornado will cause them to swing, nor could a cyclone make them tremble,

Since the first suspension bridge was placed over Niagara the method of construction has undergone many changes and has been modernized by the use of electric compressing machinery for cables, giant weavers that travel back and forth spinning a bridge through the air, and scientifically-designed anchorages that the most terrible carthquake could not destroy.

The new Hudson River bridge is a marvel of engineering. It is suspended on four cables, each made up of 26,474 steel wires .196 of an inch in diameter. Each wire has a strength, accurately tested by new electrically-driven machines, of at least 220,000 pounds to the square inch.

The four main cables are 36 inches in diameter and will weigh 28,450 tons.



View of the new Hudson River Bridge, taken from Riverside Drive.

They will support a weight of 350,000 tons, although they will never be called upon to carry more than approximately one-quarter of this weight.

Travelers across this structure may feel absolutely safe when they know that these great cables, made up of more than 100,000 steel wires, would support four similar structures at the same time. This is the "factor of safety" by which bridge engineers eliminate any chance of collapse. Engineers say that even hurricanes would not make the bridge swing : that a storm would beat against the bridge with about as much effect as a child leaning against the great pyramid !

The cables of the new bridge are anchored at each end in solid rock.

This has been accomplished on the Jersey side by digging into the bedrock of the Palisades, and on the New York side there has been built a great block

of reinforced concrete. now a landmark for tourists coming into New York by way of the Riverside Drive extension. This great "anchor" is 290 feet long, 200 feet broad and roughly 130 feet high. Imbedded in the rock

Imbedded in the rock and cement are numbers of steel beams connected to massive eyebars, which act as the cable terminals.


By such simple basic methods, with exacting tests, the longest bridge in the world is being put in place. It is twice

as long as the second largest, the Delaware River Bridge at Philadelphia, and has a main span length of 3,500 feet as against a span of 1,750 feet for the Delaware bridge, and of only 1,590 feet for the Brooklyn Bridge.

How do engineers know that such a huge structure is safe? How can they tell, when they have never built a bridge more than half the size of the new one? How can they do more than guess? But the engineers who have given years to planning and testing, before actually starting work on the bridge, have considered nothing but cold fact and known conditions. They know exactly what they are doing.

Before the design was decided upon, two methods of suspension were con-

589



Showing the spinning machinery at the New York anchorage side. These gigantic spin-ners travel back and forth, putting the cables in shape and actually making them.

sidered-the parallel wire method and the evebar cable method. The former was chosen, one of the deciding factors being the cost. The parallel wire cable work and some of the steel work for joining the cables to the anchorages, as well as the actual construction work, were done by John A. Roebling Sons Company, who built the famous Niagara and Brooklyn bridges. For more than a year they carried an analysis, experiments with full size and model tests, and other work.

Because of the impossibility of transporting and raising these great cables in one piece from the factory to the bridge, the cables are being built in their final place and position on the bridge itself. The wires are manufactured at the factory and shipped in reels to the bridge site, where they are spun across the river with cable-spinning apparatus which travels back and forth on an aerial tramway.

Before any of the cable-spinning work could be done an initial cable had to be drawn across by a tug-boat and barge and the two ends lifted to the towers and finally stretched in the air. After this other cables were drawn across, and two sets of cables were adjusted for supporting the catwalks which had been built, in order that the cables could be "formed" from the spun wires.

For suspending the catwalks one on each side of the towers, 36 powerful cable ropes nearly three inches in diameter were made and hoisted into position from cable anchorage to cable anchorage over the tower tops. These cable ropes are a mile long. The steel framework sections of the catwalks were fastened to them, starting from the center of the span, by means of a

traveling cage On the catwalks the actual compacting of the smaller sets of cables that go to make up the four 36-inch cables has been going on. The wires are being strung and compacted at the rate of about 200 tons of single wire a day. For the final compacting a circular multiple hydraulic jack was developed. Its job is to squeeze the smaller cables into a large circular area, so that they can be bound with steel wire into permanent shape.

The operation of this newly developed device was tested out on a fullsize section of cable at the factory. The circular jack is placed

around the cable and the twelve hydraulic jacks of which it is composed squeeze the cable into tube shape with a pressure of 720 tons. Steel bands are applied to hold it in form until a spiral lapping of steel wire covering is applied, as well as a final covering of waterproof material.

Such methods make it unnecessary to replace cables as has been necessary at times in the Brooklyn Bridge. cables will last many times the life of the bridge and cannot be weakened. The wire used in the cables is of a material that will safely carry year in and year out, a greater load per unit area than any other structural material. It is

made by the "cold-drawn" process. The steel is made by the open hearth method and cast into ingots about five feet in length and five inches square. After it has been chemically treated and analyzed the ingots are reheated and passed through rollers to reduce them to a square of about two inches. These are cut into billets about thirty feet in length and then rerolled to a diameter of approximately 3/8 of an inch. and are coiled and tempered before being colddrawn into wire,

This drawing process is done in four operations, by pulling the wire through dies with holes of progressively smaller diameter. By this method there is produced 4,000 linear feet of wire for each thirty-foot billet.


The wire is then galvanized-covered with a coating of almost pure zinc to protect it against corrosion. Then it is spliced and wound on six-foot reels, each reel holding about thirty miles of wire and weighing about eight tons. Finally it is shipped on special freight cars to the bridge, where it is spun in position for building the subcables of which the four great cables are to be formed.

There are many kinds of special steels used in modern cables which were unknown in other days-in the great girders of the towers, in the sleepers of the anchorages, in the connecting eyebars, in the beams for the roadways, and in other points of the structure where stresses must be supported with security.

Metallurgists have been able to increase the strength of iron by numerous processes of heat treatment and drawing, as well as adding alloys, so that in reality the cables will support muchgreater stresses than at one time was thought possible, and do this almost indefinitely.

The limiting factor in bridge length is no longer that of material or design, but rather that of profit. The question

is whether a bridge twice as long as the new Hudson structure would pay. Would it be possible to get enough traffic across a larger bridge to warrant the enormous (Continued on page 647)



Right—The main cables in construction, looking south from the New York side to the New Jersey anchorage. These cables become in effect steel bars.

Science and Invention

On the Shoulders of a Wasp Rests an Entire Industry

The wasp which fertilizes the Calimyrna Fig, 27 times natural size. Actually the insect is less than 3/16 inches in wing span.

For a Thousand Years the Smyrna Fig Has Been Matured by Pollen Carried Into It by a Wasp...But the Cali-myrna Fig (American Smyrna Fig) Within the Past Few Years Has


Been Blighted by a Fungus which the Fertilizing Insect Picks Up with the Pollen. . . . The Battle of Scientists to Save the Wasp and Destroy the Fungus is the Theme of This Absorbing Article.

XTERMINATION campaigns against insects, even those which require the importation of mercenary armies of insects to do the fighting, are an old story in this scientific age; but to support science's reputation for having something new every minute, a determined group of scientists and farmers in California is now waging a campaign to bring a few billion billion baby insects into the world as hygienically as human babies in a hospital.

The insect concerned is a tiny wasp known as the Blastophaga psenes, whose wing spread is less than three-sixteenths of an inch, but upon whose fragile shoulders rests the future of America's Calimyrna fig industry.

The Calimyrua fig is the American cousin of the famous Smyrna fig, which for thousands of wears has been known wherever ships and trade could reach. It is accepted as one of the best possible varieties for drying because of its rich, golden color, tender skin and good flavor. But it is also a very primitive variety of the

By George A. Pettitt Associate Editor, California Monthly



The complicated process by which the Calimyrna fig is fertilized is graphically represented in this drawing.



To prevent infection of the Calimyrna, the scientists treat the mamme crop with fungicide just before the wasps migrate to the profichi crop of the Caprifig tree.



scientist sent by the University of California, studying the figs.



In this cluster of Caprifigs, the mature mamme figs are below, the immature profichi figs at the top. Migration of wasps is beginning.

species Ficus carica, or edible fig, and unlike any other variety, it requires

fertilization, or caprification as it is called, by pollen from an entirely different tree, the Caprifig. Without this pollen, while other figs are maturing to a luscious sweetness, the Smyrna figs sulk, shrivel up and drop from the trees. That is where the tiny *Blastophaga pseues* plays its part. The fig wasp is the only insect known that will coopcrate with man by carrying this pollen to the thousands of waiting figs in the Smyrna orchards.


Within the last few years a strange blight has struck the Calimyrna figs. Approximately half of California's 58,000 acres of figs are Calimyrnas according to the best estimates obtain-able; yet from 1923 to 1927 only 16 per cent. of the marketable figs were Calimyrnas. Figs of all varieties suf-fered, but the Calimyrna, living up to its reputation as the pampered darling of the fig industry, suffered worst of all. A large percentage of the crop rotted on the trees, an additional per-centage could not be marketed, and more was fit only for jams, bakery fill-ing, or stock feed. The loss was estimated to be in excess of a million dollars annually. Worst of all, when scientists were called in to study the trouble, they found that the Calimyrna figs had a strange disease of their own, and that that disease was carried by the fig wasp, without which there would be no Calimyrna figs. That is why sci-

ence is trying to raise hygienic wasps. Ever since its first importation of California, fifty years ago, the Calimyrna fig has been a puzzle to orchardists. Several years passed before Californians discovered that the fig wasp was a necessary part of the Calimyrna industry, and ten more years passed before the wasps could be persuaded to adapt themselves to their new home. It was even longer (Continued on page 660)

Landlords—Ha-Ha!

Just Pick Carefully When You Settle Down and No One Will Bother You with a Monthly Bill for Rent

They call the smiling fellow on the left a "Troglodyte," but you'd have to think up a worse name than that to fineigle him into moving to a place where he'd find a monthly rent bill in the mailbox. Right—Houses built into cliffs by French peasants (Department of Seine) require few windows or doors and are warm in winter, cool in summer.




Above—These heavy-browed dwellings are built into the faces of rocks 500 feet high, about 100 feet from the summit, and are located in Cey-Ion.... On the right cbserve an ancient apartment house built in a cliff in a 1,000foot canyon wall in Arizona—a triffle higher than any apartment rent could reach at that time. Above-Peasent Indians long ago

Above—Peasant Indians long ago built this apartment house in the land of the sky, overlooking a somewhat hostile part of New Mexico. Modern Manhattanese say they showed rare judgment.



All photos by Ewing Galleway

Left-Like wasps' nests are the mud humps built by the Troglodyte Tunisians in the Sahara-one door, outside steps, no windows. And their inhabitants are like wasps, too. From such huts as these they have gone forth to sting many a desert-crossing caravan for its roll.... On the right appears an apartment group in Germany, at Neberlingen on the Bodensee, right under the wing of Mother Earth.



Boeing Airplane Co. Mounting the wings on a Boeing biplane.

INE out of ten young men today, it is estimated, are looking for an aviation job. Their first aim is always the pilot's berth—hard work sometimes, but short hours—and pay that, for those at the top, ranges up to \$8.000 or more a year. The pilot of a transport ranks higher than a locomotive engineer. One of the largest of employers told me:

"Our conception of the transport pilot of the future is an individual similar to the captain of an ocean liner.' ' Several thousand hours in the air, and nearly as many dollars, must be invested before one can command a big airliner and a big salary.

But there are scores of other jobs in aviation, aloft and aground, for those who train themselves. The flying mechanic will soon be common. Thus the 112-passenger DO-X, when it flies the Atlantic to this country, will carry several mechanics equipped to make flying repairs.

Then there are the couriers or stewards, who look after the welfare of passengers; navigators; radio operators; flying mail clerks; aerial chefs, and so on. There are even flying stenographers and secretaries, for big business men with flying offices for rapid trips.

Nine-Tenths Are on the Ground

Young as the aviation industry is, it employs directly and indirectly about 100,000 persons. One-tenth are pilots. So for every aerial job there are nearly nine on the ground. In a large aircraft plant near New York City I recently saw former cabinetmakers carefully erecting the cabin of an airliner.

A few weeks of skillful work by ma-chinists, metal workers, fuselage and landing gear experts, welders, fabric coverers, painters, dopers, electricians, motor installers, riggers and assemblers, not to mention engineers, checkers and inspectors, and this great plane will take to the airways, taking 21 persons at 116-miles-an-hour cruising speed.

The employment manager tells me that almost all his men are skilled, with three years or more of experience. Machinists usually get their training in other metalworking plants. Carefulness is essential, for mistakes are costly. Quantity production and low-unit costs are not yet possible in aircraft plants.

Welders are usually specially trained for aircraft work, for the complicated

Science and Invention

Sky Jobs and Ground Jobs


By Orville H. Kneen Author of Everyman's Book of Flying

A Large Proportion of the Younger Generation Today Is Turning to Aviation in Its Search for a Career. . . . To These, the Following Survey of the Occupational Possibilities of the Aviation Industry, by a Man Who Has Made It a Special Study, Will Be Welcome and Useful Reading

joints in fuselage tubing require great skill, and lives and money depend upon good work. Only one plant has as yet adapted electric arc welding to aircraft -the Boeing Airplane Company of Seattle.

In the wood mill and dry kiln are prepared the spruce and other light, strong wood stock. In the wing panel shop, pattern and model shop, veneer wingcovering department, etc., woodworkers are numerous. Women may be seen cutting and sewing cotton fabric for wing covering; others nail wood ribs together in a jig, and do other odd jobs.

The mechanically-inclined today are eagerly seeking openings as helpers or apprentices, leading to such well-paid jobs as sheet metal or cowling expert, coppersmith, tinner, etc. The best cowl-ing men get up to \$1.25 an hour and are scarce. Dural sheet, beginning to be used for wing and fuselage covering. requires expert workmen. Steel workers fabricate, rivet and assemble angle iron shapes, channels, round, flat and square dural tubing, etc.



Welding a fuselage at the Ryan plant.



Fokker trimotor plane flying for the Western Air Express.

Then there are special lines such as upholstering; plumbing: electrical and radio installation; tank fabrication and installation; heat treating of metal-parts; chromium and nickel plating; cable work; hull work on flying boats; radiator fabrication and installation; soundproofing and insulating, etc.

In allied lines are large plants producing carburetors, magnetos and ignition systems, starters, propellers, floats, brakes, wheels and tires, instruments, radio equipment, airport lights and beacons, parachutes, etc.

Such jobs lead to higher positions such as licensed mechanic on airplanes. and engines; group foreman; inspector; shop manager, etc. Shop work is the best of training for the engineer, who may take home-study work when he cannot afford a four-year aeronautics course in college.

In one plant I recently met the foreman of the aileron and tail department. He told me he began his aircraft work some six years ago by making models. He sent one to the plant manager, and a job resulted. This method would hardly get a job today. Nevertheless, it is a good indication of the value of building models and studying aircraft design.

There are many who study aeronautics while they work at the detail jobs, such as designing fittings, landing gear, engine parts, wiring layouts, tools and jigs, etc. In a typical plant in New Jersey the Engineering Depart-ment has the following:

4 project engineers

- 29 draftsmen, one chief and 3 juniors
 5 bill of material clerks, who check irems, compute weights, etc.
- 4 stress analysis clerks, who compute strength of each part
- 4 blueprint operators, who make prints from tracings
- 5 tool and jig designers
- 3 file clerks
- 3 stenographers


Apprentices Get a Chance


Some plants have a complete experimental department, with mechanics, draftsmen and helpers. Mechanics and engineers get the best of training in shops where airplanes are inspected, overhauled and maintained. Apprentices are employed in some plants, at around 45 cents an hour. It is reported that boys (Continued on page 649)

November, 1930

Bringing the Food to the Man

By Richard Graves





PAY fifty cents as you enter, and you can eat as much as you want of everything in a new type of restaurant which has recently been opened in an Idaho city.

The food passes the counter, as may be seen in the photograph, on an endless All food passes in front of each patron on an endless conveyor at a speed allowing him ample time to select the quantity he desires. When he is through eating, he slips his dishes through the trap door under the counter (left); a rubber belt takes them to the kitchen.

conveyor. The conveyors, extending from the kitchen to the dining room, carry trays of food past the patron, who chooses any dish that may take his fancy. The conveyor carrying the trays is enclosed in glass and a glass door directly before each seat may be lowered and any article removed to the counter.

When the patron has finished cating, the used dishes may be slipped through a trap door under the counter. These dishes fall on a rubber belt and are returned to the kitchen, where the belt runs through an automatic dish washing machine in which they are also automatically dried. They then are rolled off the belt into large baskets ready for replacement on the food belt or putting away. The food conveyors, after passing


The food conveyors, after passing through the dining room, are lowered to the next floor where another counter is provided, and more patrons are served as the trays pass before them on the return journey (*Continued on page* 641)

Page Maggie Jiggs! By S. R. Winters

HE quips and cartoons about dinnerware as missiles hurled between wife and husband are proverbial. More than once Maggie (of cartoon fame) has used Jiggs' head as a battering ram, splintering chinaware into smithereens. In real life-in the research laboratory, at least-breaking chinaware, to test its strength, must be done systematically, and without the fickle human equation. Therefore, Uncle Sam has designed a sort of mechanical dummy for breaking dinner ware-and the proverbial bull in the china store is a tame affair compared with the reckless abandon with which this device shatters the dinner dishes.

Exerting the force of a swinging pendulum, a "mechanical man" designed by the Bureau of Standards determines the strength of chinaware by destroying it. This pendulum, simulating the swinging arm of a person, delivers blows of increasing force until the test specimen breaks. The cumulative effect — or striking blows with increasing force—is measured by the weight of the pendulum and the distance through which it falls. The chinaware subjected to such merciless blows undergo two principal tests—its resistance to impact or direct blows and its relative stubbornness to chipping. As a merit of strength, the ware must submit to six tests. The other physical properties inquired into are size, weight, and amount of water absorption.

Curiously enough, the experiments of the Bureau of Standards have failed to disclose any definite relationship between the thickness of chinaware



Here's the "mechanical man" which tests the strength of chinaware by destroying it. Below —The machine in operation.

> and its strength. Similarly, there is an absence of relation between the amount of water that has been absorbed by the ware and its strength. Furthermore, a piece of dinnerware may be subject to ready chipping and yet with-(*Continued on page* 641)



Right—The famous "Benedicité" of Chardin, photographed by white light. Above—A portion of the same picture, under the X-ray, revealing the composition of the colors used by the painter, and the delicacy of his touch. The X-ray unerringly detects any attempt to duplicate the Chardin style.

A RT critics and the most accomplished antiquarians can find in chemical or physical tests most valuable means of verification in determining the authenticity of a picture, even if it carries the signature or mark of a distinguished painter. To satisfy the market provided by amateurs and collectors, how many skillful falsifications have been produced of *"chefs-d'oeuvres"* of the virtuosos of the brush! But today the authorities in the museums are losing confidence and the same applies to amateur collectors. Today, before accepting a picture, they have the colors analyzed by chemists and the technique examined by artists, while physicists examine it for retouching, restorations, or evidence of counterfeiting.

In the course of the year 1928, H. H. Verne, director of the French national nuseums, put into the hands of J. F. Cellerier, director of the testing laboratory, Conservatoire des Arts et Metiers, Paris, the work of establishing in the nuseum of the Louvre a laboratory of scientific research, in which the technique of paintings could be studied, and the identification of pictures and works





Abave—The interior of the scientific research labaratory established in the Museum of the Louvre, showing a part of the equipment.

New Light on Old Masters

By Jacques Boyer Translated by T. O'Conor Sloane, Ph.D.

How the X-Ray and Ultraviolet Ray Are Being Used to Make the Falsification of Ancient Paintings Impossible

of art carried out. M. Cellerier started with a small installation, enabling him to apply all the resources of physics and chemistry to determine the exact composition of substances employed on a picture and to study the special technique of each artist. The eminent scientist and his assistants proceeded step by step to make the most varied tests to carry out their investigation. They utilized X-rays, already employed for a number of years for these experi-

ments by such investigators as Faber, Heilbron and Dr. Cheron. Following Bayle they used ultraviolet rays on account of the phenomena of special luminosity which they produce on certain colored pigments. They also utilize the spectroscope, polarized light, and the analysis of the chemical constitution of the paint and of the support; all of which gives the most valu-

able indications for a report on the picture examined. Thus these methods of scientific examination complement each other. M. Cellerier and his col-

M. Cellerier and his collaborators are actually preparing this "Reference of Artists' Technique" by determining the technique and the characteristic (*Continued on page* 642)



At the right is shown how the X-ray separates the original part of a painting from the restored part. The painting as restored appears at the left. Water colors were used in the restoration of the picture.

This painting of the Bruges School appeared uniformly ancient under the camera as ordinarily operated. The X-ray detected signs of retouching at the base of the neck and on the cheek, as shown at the right.

Man-made Models Enter Advertising Art

By Eugene de Lopatecki

Willy Noell, German Artist, Has Worked Out a Technique for Making Advertising Illustrations by Photographing Ingeniously Constructed Miniatures in Plasteline

HE "Machinery Demon," in his stiff and clanking metal armor, is just a plasteline model, about four inches high, skillfully photographed. And the dainty miss selecting a cigarette is not a human being at all; she is a combination of cardboard, wire, plasteline, and paint, treated in the same manner. The only real thing about the figure is her cigarette case.

The figures accurately proportioned? Lifelike? Yes—for the innovator of this latest development in advertising art—photographing miniature clay models instead of live artists' models—is himself a well-known artist.

Willy Noell recently arrived from Germany. He had been interested in the movies—had seen miniature movie sets. Trees from sponges. Falls of Skeleton, armor, gear teeth, cams, and other auto parts that comprise the "Machinery Demon" of iron? Guess again! They're all of clay, dusted with a combination of graphite and silver powder.






cardboard. Why not camouflaged models for advertising illustrations, following the same plan? They would certainly be more economical than staging elaborate posings of flesh-and-blood models. And how much easier to arrange, work with, and change! How much more distinguished the effects! If Three clay gentlemen, "The Distinguished Set." The balcony is strong cardboard covered with Plasteline. "Three Distinguished Gentlemen" fencing in real life would have made a rather ordinary picture. In clay, the result is really distinctive.

you didn't like a nose, you just remolded it! If you wanted more shadows and highlights, you rubbed the corners with a soft rag.

soft rag. So—Mr. Noell began experimenting with miniature figures of plastic material, wood, wire and cardboard. After completing one, he had it snapped by a good photographer — and there was the illustration, ready for use.

Take the mechanical robot, used for a Whiz Oil advertisement. Various attempts to build this monster of motor parts had proved unsuccessful. For you cannot model figures of steel in exact proportion, with subtle shadings. Since steel is not plastic unless melted (and



then it's too hot to work with), it cannot be cut or molded for art work.

Mr. Noell solved the problem. He fashioned and implanted a skeleton of strong wire in a wooden base, just about the size of the model needed. Upon this foundation he molded a robot of plasteline (regular sculptor's clay). He was able to get the gear teeth and armor details in exact scale. But a steel model, not a clay one, was required. A mixture of graphite and silver powder, dusted on the figure, did the trick. To get highlights and shadows, breaking the monotone, the artist wiped the edges with a soft rag.

Here the photographer helped; the success of a (Continued on page 658)



Her hat is not of felt, her ears are not of cartilage, her wrap is not wool. The only thing that's real about her is the cigarette case. To add to the depth of the relief the background was painted black.

November, 1930

Mechanics, Manual Training Students, Home Handicraftsmen

Get Your Share of \$3250.00 in Fine Tools and Home Workshop Equipment

In Fifteen Minutes You May Win a Complete Workshop of Your Own Selection

IF YOU HAD \$50.00, or \$200.00, or \$400.00 to spend in equipping a home workshop, what tools and equipment would you buy?

SCIENCE AND INVENTION will award \$3,250.00 in fine tools and home workshop equipment to the fifteen people who answer this question most effectively in the judgment of a picked committee.

There are no strings attached. You invest nothing but the price of stamps and stationery, plus the mental effort of selecting and listing the tools and equipment you think are best.

The Three Points

There are three points to consider -QUALITY, COMPLETENESS. AMOUNT OF MONEY ALLOWED.

You want your assortments to be as complete as possible. But completeness must not be gotten at the sacrifice of quality. And the cost of any assortment must not exceed the amount of money allowed.

Your problem, in a nutshell, is to balance QUALITY against COMPLETE-NESS and both of these points against the AMOUNT OF MONEY AL-LOWED..., The fifteen prizes, totaling \$3,250.00 in fine tools and workshop equipment, will go to the fifteen people who tell us how to get the MOST and BEST tools and equipment for the AMOUNTS OF MONEY named in the three price divisions. You may enter lists for any or all the divisions.

Each winner in the contest will receive exactly the tools and equipment he has named in his winning selection. . . . If, however, his winning selection duplicates tools or equipment he already ovens, we shall be glad to substitute any others he may desire in their place, provided the total cost is the same.

Ask Us for Catalogues

We want all the data we can get on the ideal tools and equipment for the home workshop. To help you in making out your lists, we shall be glad to see that you are supplied with a representative group of manufacturers' catalogues. Drop us a line saying you wish to enter the contest. We'll do the rest.

the week like



Presenting the Judges

Robert Henry Smith, M.S., is Profes-Associate sor of Machine Construction at Massachusetts Institute of Technology, For forty years he hes had charge of the Ma-chine Too! Laboratory there.

N. J., since 1908, and is a member of the American Society of Mechanical Engineers. Arthur H. Lynch, Editorial Director of the Radio-Science Publications, will serve

Alfred S. Kinsey has been Profes-

sor in Charge of Shop Practice at

Stevens Institute of

Technology, Castle Point, Hoboken,

as the third member of the judges' committee.

Three Divisions—Fifteen Prizes

Five at \$50.00

In the First Division you select the

The Prist Division you select the ideal tools and equipment you would buy if you had \$50.00 to spend. The prizes in this division will be five sets of tools and home workshop equip-ment, costing \$50.00 each at the manu-facturers' list price. Tools and equipment will be exactly those selected by the winners.

Five at \$200.00 .

In the Second Division you select the ideal tools and equipment you would

Ideal tools and equipment you would buy if you had \$200.00 to spend. The prizes in this division will be five sets of tools and home workshop equipment, costing \$200.00 each at the manufacturers' list price. Tools and equipment will be exactly those selected by the winners.

Five at \$400.00

In the Third Division you select the ideal tools and equipment you would buy if you had \$400.00 to spend. The prizes in this division will be five

sets of tcols and home workshop equip-ment, costing \$400.00 each at the manu-facturers' list price. Tools and equipment will be exactly those selected by the winners.

How to Do It

GET A REPRESENTATIVE GROUP of tool and equipment manufacturers' catalogues. Pick manufacturers who make tools and equipment of established quality, reputation, and dependability.

Write down the names of the tools and equipment units you think would be ideal for the home workshop in any or each of the three price classes named, together with the manufacturers' list prices. Try to make your assortment or assortments as complete as possible within the money limit allowed. Enter lists for any or all of the divisions as you please.

For each list write a letter of from 200 to 500 words, telling plainly why you chose the tools you did. Send in the letter with the list. The letter will be considered by the committee in making the awards. Give reasons that are to the point.

Wanners in the Ideal Home Work-shop Equipment Contest will be announced in the April, 1931, number of SCIENCE AND INVENTION.

Your Hardware Dealer Will Help You

الركينية للمراس

بالأسليب ب

the contract

đ

Thirty-five thousand hardware dealers have been informed about this Ideal Home Workshop Equipment Contest. They will be glad to cooperate with you in selecting the tools and equipment for your Ideal Home Workshop list or lists. Ask your own dealer about it.

Follow These Simple Instructions

A-List your ideal tools and equipment with manufacturers' names and list prices, keeping the total within the amount named in the division the list is intended for. B-Write a letter of from 200 to 500 words ex-plaining why you chose the tools and equipment you did.

Contest Rules

Contest Rules 1. Entries must reach our office, 381 Fourth Avenue, not later than midnight, December 24, 1930. 2. Only one prize will be awarded to any win-ning contestant, but you may enter lists in any or all the divisions. 3. The contest is free and open to everyone. You need not be a reader of SCIENCE AND INVEN-TION to enter. 4. In case of ties, tieing contestants will receive prizes of identical worth according to the division involved. 5. Neatness of lists and pointedness of letters will count in the awards. 6. No employees of this magazine or members of their families are permitted to enter the contest. 7. The decision of the judges will be final. 8. The winning lists will be those in which com-pleteness and quality are best combined, in the judgment of the committee, within the money limits of the divisions involved.

Machine Tools, Motors, and Miscellaneous Working Equipment Will Be Considered in this Contest

Miniature Golf gets the Kiddies

No One, Apparently, Is Safe From the Miniature Golf Bug Nowadays. Even the Neighborhood Kiddies of the Long Island Suburbs Have Been Bitten. Here Are Some Photographs of a Primitive Course They Have Laid Out in a Vacant Lot at the Corner of Metropolitan and Flushing Avenues, Queens. A Strip of Rolled up Linoleum, Bits of Piping, Tree Roots, and What Have You, Serve as Hazards.

Here we have the kiddies lined up for admission, the charge for which is one cent. Anybody who makes a hole in one gets a glass of lemonade.



This is a mean hole. Will the "south paw" make it? Anything in the way of a golf club, crooked walking stick, or hockey stick serves as a putter.

Here we have the game in full swing, and every hole busy. The kiddies are as keen as their elders.

> Above—A general view of the entire course. Right and left—Two of the hazards.

November, 1930

A Billion Dollar Business in Junk

By Leon D. Wilkins

M OST of us are familiar with the fact that old automobiles eventually find their way to the junk man, that scrap iron is melted down and used over again, and that old newspapers, magazines and rags go to make new paper. But how many of us are aware that the junk business is now a highly organized billion dollar industry, the raw material for which is provided by the waste products of a thousand other industries and human activities? The machinery of this industry literally absorbs otherwise worthless junk at one end and delivers dollars and cents at the other.

At least half a million dollars' worth of scrap iron and steel is reclaimed annually, and more than 30,000 tons of such material is consumed each year at furnaces, mills and foundries, according to the United States Bureau of Mines. The value of other common metals reclaimed amounts to more than a quarter of a billion dollars.

According to the definition of the Bureau of Mines, secondary metals are those recovered from scrap metal, sweepings, skimmings and drosses. They are so called to distinguish them from metals derived directly from ores, which are called primary metals. The distinction does not imply that secondary metals are of inferior quality, for metals derived either from ore or waste material vary in purity and adaptability to use in making certain products.

"The collection of waste material is a long-established branch of industry now vital as a source of supply of many products," says J. P. Dunlop in a statistical report recently published by the Bureau of Mines. "The problems connected with the waste trade are no longer viewed academically by the large consumers of metals and other wastes. They are an important factor in the




This picture shows piles of scrap iron waiting to be put into the open hearth furnaces of the Open Hearth Steel Mfg. Co. at Steubenville, Ohio

tries similar to the service rendered by the Copper and Brass Association have been formed. All these associations seek to standardize specifications."

Under present economic conditions only a small percentage of the waste paper, rags and metals discarded at homes now returns to the waste trade: high collection costs preclude rural collection in small quantities.

Jewelry and dental waste furnish the largest supply of secondary gold and silver, and photographic waste also provides a vast quantity of secondary silver. The recovery from waste film is probably 800 ounces to the million feet. The largest plants engaged in recovering silver from films are located in Denver, Los Angeles and San Francisco.

In Nevada, about 15,000 pounds of mercury are being recovered annually from old dumps and slimes at mills which formerly treated gold and silver ores by amalgamation. More than 500,000 short tons of secondary copper are recovered every year in the United States, also 300,000 short tons of secondary lead, which is equal to 40 percent of the total refined primary lead produced. About 70,000 short tons of secondary zinc is recovered, and the recovery of secondary tin is equal to about 41 percent of imported tin and is valued at between \$35,000,000 and \$45,000,000 annually. Most of this tin is obtained by detinning old tin-coated containers. Western copper mines use detinned scrap to precipitate copper from mine waters.



Photos Ewing Galloway

"The junk industry absorbs junk at one end and delivers dollars and cents at the other"

Sixty-four grinders at work at Lake Linda, Mich., on ore formerly regarded as was⁺e

supply of raw material, and their proper use results in reduced cost of many products. The interest shown in problems connected with metal wastes and their recovery and use continues unabated. Old trade associations are enlarging the scope of their activities and new ones are being established. Associations to perform service for the lead and aluminum indus599

Dr. Darwin Oliver Lyon, an American, experimenting on a rocket in his laboratories near Vienna, Austria. This rocket is four feet long and its propelling agent is liquid gas. A gyroscope keeps it from deviating from its course.

Will the Rocket Replace Artillery?

By Gawain Edwards

Author of "The Earth Tube," etc.

It Seems Inevitable That Whenever Science Makes Some New Advance, Somebody Thinks Up a Way of Utilizing the Latest Discovery to Produce Still Another Engine of Frightfulness for Use in Time of War. Much Has Been Heard Recently of the Adaptation of the

Recently of the Adaptation of the Rocket to the Peaceful Arts. Here We Have the Other Side of the Picture—the Potential Horrors of the Rocket as an Alternative to Artillery

So many forecasts of the horrors of future war have been made in recent years that military engineers will probably require a long time to work out all the devices that have been suggested to them by imaginative writers and speakers. But recently an authentic touch of frightfulness was added to these forecasts when it became known that the war departments of several European countries, notably Germany, France and Italy were making special and secret studies of rockets to supplement or replace cannon in bombardment and barrage.

What this may mean in terms of military and civilian slaughter in time of war can hardly be imagined. The big gun has grown from the old-fashioned iron cannon to the Big Bertha that bombarded Paris, but this is about the ultimate range of such weapons. As long as no other type of projectile throwing arm is used there is little danger that New York, for instance, can be blown to pieces by batteries placed at Paris or Berlin. The mechanical difficulties preclude forever the throwing of explosives such distances by cannon.


But in modern rockets we have a new and almost untried weapon that may revolutionize warfare, make possible the accurate bombardment of cities half way around the earth, turn every infantryman into a traveling artilleryman, and carry the battle beyond the front-line trenches into the very homes of non-combatants and civilians in the capitals of the world.

Renewal of experiments to adapt rockets to the uses of war, recalls the fact that these devices have already had an important place in military history. Before 1805 Sir William Congreve, an unusual and versatile British inventor, suggested that rockets might be used to good effect in attacking cities, fortifications, or fleets of ships, and to him we owe much of our modern conception of the uses to which rockets may be put. Previously the rocket had been only a pretty product of the pyrotechnist's art, suitable for displays at celebrations. He perceived in the recoil principle that drove these fiery toys, a force that could be turned to the uses of mankind, and since England was at that time embroiled in wars across the channel, his mind naturally linked rockets with military operations.

Carrying on earlier experiments made by General Desaguliers at the Woolwich Laboratory, Congreve mastered the rudiments of rocket-craft, as it was understood in his day, and set hinself to the task of making a rocket capable of carrying an explosive or incendiary charge and having a range of two miles or more. At length, he obtained permission for the construction of several rockets after his design in the Royal Laboratory. Military authorities were impressed and preparations were made to try out Congreve's scheme in actual battle. When Sir Sidney Smith's expedi-

When Sir Sidney Smith's expedition went against Boulogue in 1805 it included a number of boats equipped with rockets and apparatus for firing them. Congreve himself went along and participated in the subsequent attack against the French flotilla, but rough weather prevented the use of rockets in the battle. The following year however, they were used in another attack against Boulogue and were credited with doing considerable

(Continued on page 652)



This photo shows a slight mishap which occurred when one of Ludvik Ocenasek's rockets exploded at the starting point at Prague, Czechoslovakia.

Science and Invention

How to Form an Outboard Club and Hold a Regatta



Miss Helen Hentschel, an American, passing the finishing post during an outboard race in Berlin in 1928.

THE enthusiasm for outboard racing seems to know no bounds! From all over the world, reports of stirring races come in almost daily. Records tumble at every new report and the motor manufacturers are toiling night and day to keep up with the demand for their products!

The first move in the forming of an Outboard Club is for some one sufficiently interested to sell the idea to fifteen or twenty more enthusiasts.

Then a meeting place must be selected, a vacant office. someone's store, a hall, or even the front porch will do—a temporary Commodore, Vice-Commodore, and Rear Commodore should be chosen, a name for the club suggested, cooperation of the American Outboard Association should be obtained by letter to its Secretary, and you are off to a lot of red-blooded fun and sport! The A. O. A. address is 11 West 42nd St., N. Y. City.

When these things have happened, a line or two to the writer will bring complete details on the constitution, bylaws, and functioning of the club. The duties of officers, committees and subcommittees and whatever additional information may be needed to give the new Outboard Club a proper send-off.

There are many towns on inland waterways, the seacoast or river bank where exciting and profitable regattas could be staged by local talent if the boys were familiar with the routine and detail of working committees for such events. It is to assist these groups that the following is offered.

First we must have a race course. Officially it should measure 2½ miles in circumference. However, with outboards and extreme manoeuverability, smaller courses can be used to great advantage though speeds will of course be reduced due to the sharper and more frequent turns. It is not advisable to make the course smaller than one mile, however, as speeds will be entirely sacrificed and the chance of accident increased many times over by the crowding that will ensue.

Fig. 1 shows the best method of staking the course. Course Fig. 2 is very spectacular due to the sharp turns but reduces speeds. The Fig. 3 course is the least satisfactory, as the distances between buoys is so great that many drivers lose sight of them and run off the course. Another fault in this course lies in the fact that there being no buoys in the center of the course. transient boats, cruising along and not seeing the end markers, often trespass, inviting accident and roughing the water as well as interfering with the spectators' view of the race.

Fig. 4 shows an easy way to con-

By J. Phillips Dykes


Rear Commodore and Secretary American Outboard Association

struct markers. These are simple and a few minutes' work with hammer and saw will suffice for each one.


The ideal arrangement for the judges' stand is flat bottomed scow or barge long enough and with enough beam to carry twenty-five men and necessary equipment. However, a large houseboat or cruiser can be used to advantage. Another excellent arrangement is the end of a convenient dock, especially if it happens to be T-shaped. The dock or barge arrangement is fine where the clock system of starting is used, but the boat can be used equally as well if flying starts as used by the Mississippi Valley Association are adopted.

The clock system is troublesome, cumbersome, and apt to confuse drivers, so is seldom used except at National regattas. For the small club a flying start using the pole boat is to be recommended. No one but the race committee should be allowed on the judges' stand or in the poleboat.

An interesting program should include "A." "B" and "D" class races and a free-for-all. (*Continued on page* 662)



How to lay out different outboard race courses.



The photograph shows Wacker Drive, double-deck improvement of the north boundary of Chicago's business district. Note raised double-deck bridge. In the drawing appears the final link in the Outer Drive.

HE location of Chicago along a lake shore has restricted the number of traffic arteries radiating from the business center. Naturally this has caused an overcrowding of these arteries, which serve a surrounding population of more than 4,000,000 people.

The probable future growth and traffic needs of the metropolitan area formed a major problem in the Chicago Street Traffic Survey, conducted in 1926 for the Chicago Association of Commerce. One of the results of this survey was a plea for the uniform treatment of traffic problems throughout this entire region.

This also has been the viewpoint of the Chicago Regional Planning Association, in its efforts to better traffic conditions, and of the Municipal Plan Commission as well.

The problem of providing adequate approaches to the central "Loop" district has caused Chicago to pioneer in the development of "through streets," and of extensive systems of automatic traffic lights.

It also has stimulated the city to plan a unique system of parks and "outer driveways" along the 22 miles of lake shore within the city limits.

The largest of the parks, extending almost continuously along the lake shore, were made possible by state laws enabling the city park boards to ex-change designated areas of newly filled

WACKER DRIVE

WACKER DRIVE is the designated name for the improvement of the northern boundary of the traffic quad-rangle around Chicago's central business district, formerly one of the most crowded in the city.

The improvement includes two levels, one street above the other. The upper level is 110 feet wide for general traffic, and the lower level is 135 feet wide for the exclusive use of heavy commercial traffic which passes be-tween the boat and freight terminals the industrial district east of and Michigan Avenue and the warehouse, industrial and terminal district on the west side. Vehicles can pass six abreast, three lines in each direction, without

interruption from cross traffic.

Approximately 25 per cent of the population pours in and out of the "Loop" every day, between the hours of 7:00 a. m. and 7:00 p. m. The Loop traffic problem has long been a serious one. One of the first important steps toward its solution was the widening of Michigan Avenue, which extends through the Loop district along the former lake shore. In 1924 the surface street car lines co-operated by re-routing many of their car lines to eliminate left turns and most right turns at busy intersections. This move proved so beneficial that the City Council prohibited all left turns by vehicles in the LOOD.

Another important step came in 1926, (Continued on page 665)

lake shore land for the riparian rights of private owners. Thus the park boards were able to extend the new park areas and the new driveways into the former bed of the lake. This has made possible the planning of a practically continuous new driveway along the entire water front.



Chicagoans can

park their cars in the Grant Park municipal area, within a few minutes' walk of the loop skyscrapers.

Learning to Fly While on the Ground

THE Link Aviation Trainer is the name of a device to teach potential aviators the art of flying. This consists of a single seater monoplane-like structure that is as sensitive as a real plane. If the operator does not properly control the stick, and have the ailerons and rudder in the correct


position, all of the sensations of a side slip, nose dive, or a near loop are experienced. An electric motor supplying air to a bellows, produces the flying effect. A small light on the nose of the plane indicates to the ground pilot when the stick has not been properly controlled, while an indicator tallies every error. The device is the center of attrac-tion at the Mayfair Miniature Golf Course in Los Angeles. Calif., where it was first installed. Such devices would make a valuable adjunct to the multitude of miniature golf courses that now dot the

device which is as sensitive as a real plane to the proper In the control country. Spotlight of Science

FLYING ESSONS

Measuring the Velocity of Winds

 ${
m A}_{
m var}^{
m WIND}$ meter which is said to be capable of recording the velocity of wind at all speeds of from one to eighty miles an hour, and to indicate any varia-



tions in this velocity, has been invented by R. E. Apthrop, of Salem, Mass. A colored liquid in a glass tube moves back and forth in response to the force and fluctuations of the wind. According to the inventor, the device can be built at the surprisingly low cost of \$75.00 per unit, and would prove to be invaluable for ships or planes.

World's Record for Consecutive Airplane Takeoffs and Landings

 $\mathbf{W}^{\mathrm{HAT}}$ is believed to be a world's record for consecutive takeoffs and landings in an airplane has been established at the Akron, Ohio, munici-pal airport by Pilot "Wildbill" Hudson of the Goodyear Tire & Rubber Company, who made 489 separate flights be-tween 5:00 A.M. and 7:45 P.M. in a single day.

The record was not established as a "stunt," but was all a part of the day's work for Hudson, whose job just now is testing a new type of brake for Airwheels recently designed by Goodyear.


Miss Jackie Providence trying

out a new flying instruction

The plane, which was brought to a dead stop with full brake on each landing, made a complete 360-degree turn on each flight. Average duration of flights was 1 minute and 20 seconds. The ship is a standard Challenger Robin, and was used in development and demonstration of Air-wheels. Since that time it has made more than 4500 landings, 3000 of which were with rigid landing gear, without shock absorbers.


Electricity Lowers Life Boats

 ${
m T}^{
m 0}$ assure safety to passengers in time of distress, an electrically operated life boat lowering apparatus has been installed on board the Grace liner Santa Barbara. In the first test of the device in Brooklyn, N. Y., stewardesses of the liner demonstrated the practicability of equipment, and the ease with which it can be handled. Here we see the boat just touching the water after being electrically lowered. It is at all times under complete control.



Lightweight Motor for Launching Gliders


L. V. HUBBARD, of Los Angeles, Calif., has invented a new sixcylinder radial motor, which is intended



L. B. Hubbard demonstrating how a fourpound motor can drive a propeller at 1500 revolutions a minute, and a closeup of the interior of the radial motor

for launching gliders. While the motor weighs only fifteen pounds, it will develop 41/2 h.p. Another smaller motor weighing but four pounds also develops sufficient energy to launch gliders, and it has been claimed that with a sevenpound tank of carbon dioxide gas. this smaller motor will launch a glider twenty-five times and do away with the elastic bands and the numerous helpers that are now needed. Provision has been made for the use of gasoline.

Will the Sea Yield Its Treasure?



E APERIMENTS completed recently at a seaside laboratory installed in a cabin at Las Flores Beach, Santa Monica, Calif., have convinced Herschel C. Parker, consulting mining engineer, and his partner, Konrad Kather, of Berlin, that gold can be obtained from ocean waters in paying quantities. It is a well-known fact that the waters of the ocean contain gold. The cost of extracting this gold has heretofore been so great as to prevent connercial efforts. According to Parker, tests have shown that his new process can earn better than 75 percent gross profit, and can extract gold on a basis of two cents

World's Smallest Gasoline Engine Drives Model Boat

HERE is a vest pocket edition of a heavy duty, one-cylinder marine engine, which Daniel Calkin, a student at the University of Washington, built. It drives a forty-inch model boat. Ten weeks of labor were spent in building the tiny engine, which has a threeguarter inch bore, a one-third cubic inch piston displacement, and develops onesixteenth of a horsepower. It propels the boat at a speed of four miles per hour.




value from between five and ten tons of sea water. Briefly, the process is supposed to operate along these lines. Sea water is piped into a tank, in the bottom of which tank an ochre-oxide of iron has been placed. The gold is **supposedly deposited on the ochre, and is** then put through an ordinary **chlor**ination or cyanide process for extraction. Parker says that the chemicals are reclaimed and the process repeated.

The photo shows Kather, his daughter Bertha, and Parker in their beach plant where the experiments were conducted.

Talking Hen for London

A SEVEN-FOOT hen, speaking English, French and Spanish and laying wooden eggs, has been



built by the Department of Agriculture for exhibition at the London Poultry Congress. Various anatomical functions are performed and illustrated in a realistic manner while a phonograph supplies a lecture. This photograph shows Mrs. Margaret Roller putting the finishing touches to the bird.

News Later Than the Latest

T HAT bright London evening paper, *The Star*, has found a way of achieving such a seemingly impossible feat, which is now being accomplished regularly by its "Stop Press" van. This unique vehicle carries a mobile printing press, by means of which it can "fudge" (print in the Stop-Press column) the very latest news received by phone from the office. The equipment comprises a complete composing frame and type cases, and a suction-fed Bush printing machine, capable of printing anything up to three 30-line fudge boxes at once at a speed up to 10,000 copies an hour. A Petter two-stroke engine provides the power for the printing press.

To still further increase the attraction and usefulness of this van, it has just been equipped with a special Marconiphone amplifier and two Marconiphone public address loud-speakers, through which can be broadcast microphone announcements and phonograph music as desired.

Special Sextant for Use on Airplanes

Capt. John Larson with his airplane sextant.



W HAT is claimed to be a perfect sextant for the use of pilots of airplanes has been developed by John Larson, a former sea captain now living in Chicago, Ill. Captain Larson has designed this device for taking reckonings. particularly on overseas flights. The desired angle is given by a pendulum device. Captain Larson developed this instrument while pacing the bridge during his many voyages about the world.


From Germany to New York by Air

I N a series of hops, Capt. Wolfgang von Gronau, an aviation instructor, and three companions, completed their trip from Germany to the United States by way of Greenland in 47 hours flying time. The flight was started on August 18th at the Isle of Sylt in the North Sea, the northernmost German territory, and ended at the Battery in New York City. The plane is an old Dornier-Wal that once served Capt. Amundsen.

A Beacon Both Day and Night

ON top of the LaSalle-Wacker Building, in Chicago, Ill., there is a new type of beacon which in the daytime reflects the sun rays, and at night reflects the light from neon tubes. The beacon was designed by A. N. Rebori, and differs materially from any now in use. It employs eight mirrors, three feet in width by five feet in height, and of parabolic cross section. Like a fluted octagonal column in shape, this aviation marker at night sends out beams of red light in eight directions. Two neon tubes of the hot cathode type developed in the research laboratory of the General Electric Company, and placed one above the other in the focal line of the eight mirrors, furnish the illumination. From above the beacon appears to be a huge eight-point red compass. The angles between the beams of red light are bisected by 2¾ million candle power beams of eight 24-inch searchlights.

Identification Marks That Don't Erase




N EW-BORN babies at the Delaware County Hospital, Pennsylvania, are now branded to prevent confusion, but the branding is not permanent, nor is it in any way harmful. The babies are exposed to ultra violet rays, a' stencil being put on the back. The ultra violet rays give a sun tan mark, and the branding lasts for two weeks, at the end of which time the child and mother may leave the hospital.

New Airway Radio Station

AN airway radio station that broadcasts weather information and emergency messages to airports and to aircraft in flight has been opened by the United States government at Silver Hall, Md. It operates on a frequency of 314 kilocycles with a power of 2000 watts, in conjunction with airway radio stations at Atlanta. Spartanburg, Greensboro, Richmond and New Brunsgreensboro, Richmond and New Brunswick. Weather information is collected by phone and automatic telegraph typewriters over an area of 400 miles.

Science and Invention


Extracting Steel Fragments from the Eye



A POWERFUL electro-magnet has recently been put into operation in a Vienna, Austria, hospital for the purpose of extracting fragments or dust of iron or steel from the human body. In this photograph, we see the machine in use while extracting a splinter of steel from the eye of a patient. After the electro-magnet has been properly positioned, cur-

Drying Up Zuyder Zee

THE drainage of the Zuyder Zee has reached the stage where the bed is now visible. Two pumping stations were used in the draining, drawing off a total of 4,000,000 tons of water daily from




the historic Dutch Sea, which has been completely dyked in. This is an area of 49,420 acres lying in the Northwest corner just inside the Island of Wieringen, where the former German Crown Prince passed his few years of exile. The area is expected to be dry by October. A little more than seventy-seven square miles of new land, most of it of the same rich heavy clay as the adjacent province of North Holland, will then have been won back from the sea and made into farms. This photograph shows one of the dredging mills. rent is turned on. The piece of metal is removed with lightning rapidity, perhaps even faster than when it entered. This electro-magnet eliminates the necessity of delicate medical operations, and greatly expedites the recovery of the patient. It can be used for extracting any metallic particles of a magnetic nature from any part of the body. Results with, it have been highly satisfactory to patients and practitioners.

Ten Cents a Look


AT first the heading above might sound a little ambiguous. Many a person has paid ten cents for a look at something or other. Here, however, is a new slot machine that has found its way to the top of one of Chicago's

thalest buildings. It has converted the top of this structure to a dime arcade, and in some respects carries out the same old idea.

arries out the same old idea. On the top of the Medinah Athletic Club, one is able to drop a dime in one of the series of binoculars, and the mechanism contained therein releases and opens up an avenue for a peep at Chicago. The binoculars are mounted on turn tables, so that a view of a quarter of the city can be obtained, and are also tiltable. This photograph shows John S. Fee seeing the city.



Mercy Bullets Put Animals to Sleep



UNTERS are now able to cap-H UNTERS are now ame to cap-ture wild animals without injuring the animals, damaging valuable pelts and with absolute safety to themselves if they make use of the new mercy bullets recently invented by Capt. Barnett Harris, a former army captain, and now the head of the Harris Zoological Expedition. In demonstration tests for Chief Veterinarian Raymond Garbutt of the A.S.P.C.A., and Dr. Hatcher, of Cornell Medical School, at the New York Live Stock Exchange, Capt. Harris showed how a sheep can be put to sleep after being hit by one of these mercy bullets. After a while the effect

Capt. Barnett Harris demonstrating his invention of a mercy bullet with a lamb as a subject, and below, a closeup of one of the bullets.




of the narcotic, which is injected by the powder-propelled, hypodermic-syringelike bullet, wears off entirely.

The Paris-to-New York Flight

AT 5:54 A.M., on Monday, September 1st, Capt. Dieudonne Coste. the French ace, piloting the reconditioned

airplane "Question Mark," started from Paris with Morris Bellonte with New York as their destination. This was the second attempt. Last July they were forced back when north of the Azores, because of head winds which reduced the flying speed. The flight had been planned

for three years, and a great amount of care was taken in grooming the plane and in installing a new motor, a 650 h.p. Hispano-Suiza, 50 h.p., more powerful than the old motor with which Capt. Coste made his two world's



records. The "Question Mark" has a heating system for the plane's motor. and carries a radio. In event that the



fliers would have had to make a forced landing at sea, use would have been made of a rubber lifeboat which Coste (center) and Bellonte (right) are shown testing at Versailles Lake. The lifeboat has a tank of compressed gas.

A Captive Glider

GLIDER designed to teach the rudiments of glider flying has been mounted on an extension rod fitting in an air cylinder, and attached directly to the chassis of an auto. When the automobile is at rest, the pressure of air in the cylinder is equal to the weight of the plane and its occupants, but when the auto is put into motion, and the controls regulated,


the glider rises and falls for a dis-

tance of about two feet. A good pilot can maintain good altitude.

Successful Diving Suit of Inner Tubes

LD automobile inner tubes have been used for a variety of purposes. Rubber bands have been cut from them, the rubber has been cut into strips and used for making bags and rugs, gun cases and pouches, as well as fishing rod holders, have been improvised, and the inner tubes themselves have been used instead of door springs and in place of snubbers.

It remained for Kent Kyle, a professional diver, and Edward A. Nelson, both of Chicago, to develop an entirely new use for old tubes. Cutting the tubes apart and cementing them together, so as to form a garment, and then adding a home-made helmet, the experimenters were able to build a diving suit and actually descended in Lake Michigan to a distance of sixty feet with this equipment. Coming up to the surface again, they pronounced the suit an entire success.



Third Claude Tube Ready

 $R_{\rm remember}^{\rm EADERS}$ of this publication will remember how we followed the progress made by Dr. Georges Claude, the French scientist, in attempting to produce electric power from the waters of the Gulf Stream, basing the project upon experimental models which demonstrated that the temperature changes between the surface water and water at a great depth could be made to produce inexpensive steam, which in turn operate turbines and these would operate the generators. Two tubes already built and launched were destroyed in the launching process. A third and new one has been built, and every precaution will be taken to prevent possible accident during its launching in the waters of Matanzas Bay, Cuba. So far, a total of \$1,200,000 has been invested in the three tubes. Reports of the

progress made will be given from time

to time in this magazine.

Diving for Treasure in Sunken Ship


I N 1922. following a collision, the steamship "Egypt" was sunk in 400 feet of water with \$6,000,000 in gold and silver on board. Divers are now engaged in trying to recover this wealth. In order to do so, they had to break through the deck and finally were able to reach the captain's safe.

The divers are using a torch-shaped observation shell. With this, the diver anchors himself to the bottom and places the shell in any position and at any depth that he might desire. Should the anchor chain break accidentally the diver is able to come up to the surface because the shell will float of its own accord. Anchoring the shell to the bottom prevents it being raised and dropped by the action of waves on the surface of the water, 400 feet above. It is likely that large electro-magnets will be used to lift the safe out of the hull and retrieve treasure and papers that might be found therein. The safe will first probably be blasted away from the wall, to which it is attached, and dynamite will likely have to be used to gain access to the purser's room.

Science and Invention

Hitch a Covered Wagon to Your Automobile

A little home on wheels that can be disconnected from your auto or coupled to it and towed in back of your car, is a new development intended for the motor camper and tourist. It is the successor to the English horse-drawn caravan.



ERE is a covered wagon that is rain-proof, dust-proof, insect-proof, animal-proof, and that forms an ideal trailer. It can be coupled to the back of your car, and enables you to carry around with you a little home on wheels. The interior is arranged like a kitchenette apartment. Lowering a floor gives sixteen square feet of kitchen space and ample head room with plenty of space to cook, heat, wash or attend to other

camp duties. A gasoline stove is contained for heating the interior. Five large glass windows are provided, and the bedroom is sufficient to accommodate four adults.

ing boxes and freight. The loading of

these trucks was always effected with difficulty, particularly when heavy pieces had to be transported. In a newly devised apparatus developed by the Gernan engineer, H. Kiessling, a wheel is attached to an iron angle. When the box is lifted with a crowbar, the wheels are slipped in place and the box itself automatically becomes the truck. Due to the shape of the iron angle the wheels do not fall off even when transportation is over bad pavement. A pair of 40-lb, wheels are capable of carrying nearly three tons of weight .-- P. T. A.

German Inventor Develops Wheels That Make Handtrucks of Boxes

WO, three and four wheel trucks L have been used for transport-

Determining Age of Eggs by Temperature

SYSTEM of measurements and A temperature data by means of which science is able to determine the quality of an egg and its relative age in terms of mathematics is described by Paul Francis Sharp and Charles Kelly Pow-ell of the Department of Dairy Industry and Poultry Husbandry, Cornell University, in a report to the American Chemical Society. Candling and similar tests in popular use are unreliable in forming true estimates of the egg's quality. Temperature is found to be a factor which controls deterioration to an extent not yet commercially recognized. In experiments the quality of an nized. In experiments the quality of an egg dropped to 0.30 in about three days at 37° C., in eight days at 25° C., in twenty-three days at 16° C., in sixty-five days at 7° C. and in about one hundred days at 2° C. This indicates clearly the harm that can be done to an egg by subjecting it only a short time to warm temperatures.


Japanese Student Invents Microseismograph

JAPANESE student, Mr. Nami-A eno, has invented a new superseismograph for detecting and reporting the slightest tremor, however weak it may be. The instrument has been accepted by the University of Tokio and the details will be given for the first time at the International Scientific Con-

gress at Stockholm this fall. Reports would have it that the apparatus is 250 times more sensitive than any existing seismograph.

Seismographs are used for the purpose of recording earth treniors and in that way to enable scientists to determine where an earthquake shock is taking place. Often these tre-mors occur beneath the surface of the ocean or in places where it would be impossible to obtain any reports. Seismographic stations can, by а


series of calculations, determine exactly how far off a quake occurs and when reports are obtained from two or more stations, the position of the earthquake can be definitely fixed. It is expected that with supersensitive instruments much will be learned about this earth that is not presently known.



607



Seeking Glass Secrets in Death Valley



Lard and Salt Pork of Little Value in Preventing Blacktongue in Animals

FOR several years the Public Health Service has been conducting studies relating to nutritional diseases with particular reference to pellagra. A report recently made public indicates the blacktongue preventive potency of lard, salt pork, dried green peas, and canned haddock has been studied. The results show that lard and salt pork are poor sources of the blacktongue preventive. Canned haddock contains the blacktongue preventive factor and, when used in relatively large proportion, the clinical manifestations of blacktongue are prevented. Dried green peas contain the blacktongue preventive but in relatively small amount. Fifty per cent or more of the test animals on the lard, salt pork, and haddock diets showed post-mortem evidence of fatty degeneration of the liver.



Paint Your Golf Ball Automatically

AN automatic ma-chine for painting golf balls is a new convenience for the golfer who de-sires to have his equipment always clean looking. The ball is placed in a slot, a dime in another, and in less than ten minutes the ball comes out looking fresh and white, with a new coat of especially prepared lacquer. A window arrangement at the top of the gargantuan golf ball which

encloses the machinery permits the owner of the ball treated to watch its progress.—*R*, *C*, *Colling*.

HE lost art of Vene-THE lost art of , bring tian glass is being sought in Death Valley. Many pieces of glass, bottles, vases are carefully indexed with the formulas composition and exposed to the direct rays of Death Valley's sun at Stove Pipe Wells, This work is being carried on by Professor A. L. Tompkins. Ultraviolet rays of the sun color certain glass compositions a deep purple; others a rich amber. But the process takes from five to twenty years for its completion.

It Flies, It Swims or Moves on the Ground

THE Comet plane with which Wendel Wobido of East Berlin, N. J., hoped to revolutionize the avia-



tion industry is barrel shaped with a kind of conning tower on top. The

plane has no wings but has fins, ailerons and a rudder. An attempt was made to get it off the ground at Florence Lake. N. J., but unfortunately the plane failed to rise. The blame was laid not to the principles of design, but to the motor.

Adapts Bicycle to Railroad Rails

TIRED of walking to work every day and covering a distance of five miles each way, John D. Lemey of Hoonian, Wash, purchased

Hoquian, Wash., purchased four pressed paper wheels. Then with the aid of a few pipe fittings, he converted his bicycle into a foot-propelled locomotive. So now he no longer walks

to work, but rides on smooth rails to the town where he is employed. The wheels on this homemade locomotive are of pressed paper and are very



Carbon Dioxide Gas Kills Bacteria


CARBON dioxide gas rids foodstuffs of bacteria, D. H. Killeffer of the Dry Ice Corporation of America declares in a progress report on bacterial studies to the American Chemical Society. Use of "dry ice," or solid carbon dioxide, is extending, and is effecting economies in the distribution of the nation's perishable food supply, says Mr. Killeffer. Safer and cheaper transportation will result, he asserts. "Dry ice" is now being employed to safeguard shipments by land and sea, and is being extended to commerce with the tropics. John D. Rockefeller, Mr. Killeffer discloses, relies upon it to preserve butter, eggs and poultry shipped from his Tarrytown estate to his winter home in Florida.

"Carbon dioxide gas kills or prevents the growth of many common bacteria on meat, fish and other flesh foods."

"It appears that earbon dioxide is absorbed by the surface of the flesh, and creates an acid condition which is very unfavorable to bacterial growth. It is perfectly possible to keep meat or fish in an atmosphere charged with carbon dioxide formed by the evaporation of 'dry ice' for several days without spoiling in a perfectly edible condition, even at temperatures far above those maintained in refrigeration practice."

Spoilage by bacteria can be prevented for a period as long as a week.

New Type Aircraft Radio Receiver



A NEW and improved type of aircraft radio receiver, the model D, is announced by the Stromberg-Carlson Telephone Company at Rochester, N. Y., which will manufacture it following specifications developed by Aircraft Radio Corporation, Boonton, N. J., pioneers in aircraft radio receiving apparatus. Captain R. L. Meredith (U. S. A. retired), former army flight officer, is shown in the photograph. The outstanding new feature is that it is universal as to frequency band and class of service. The frequency range is from 250 to 15.000 kilocycles obtained through the use of a removable coil assembly. The receiver proper measures $15 \times 7 \frac{1}{2} \times 6 \frac{1}{2}$ inches, and weighs but 18 pounds together with tubes.

Make Records with Your Radio


SMALL portable microphone at-A tached to a radio phonograph combination and recently put on the market by the R.C.A.-Victor organization will enable the owner to make his own recordings of any program received over the radio in the home or of the voices of members of his family. The change from one type of instrument to another is accomplished by turning a small switch to either one of four positions. Recordings are made on discs six inches in diameter and can be played quite a number of times without showing appreciable signs of deterioration.

India Bets on Fish Fights

THE fighting proclivity of the Siam-ese fighting fish form the basis of a sport in India that is comparable to Mexican bull-fights. To place two males into one tank means death to one or both of them. Bets are placed on

which of two males in a tank will first die in the battle. Two females will also fight. These fish are generally found in various colors-red and blue, cornflower, blue and green. Often fortunes are won or lost on the outcome of a fight between two fish.

De-ion Grids



HE ease with which these twelve THE ease with which the walls of this men rest within the walls of this Westinghouse oil circuit breaker demonstrates the size of this equipment. The "De-ion Grids" fastened to the lower end of the condenser bushing type of terminal break high voltage circuits in a fraction of a second, thus protecting overhead transmission line and station equipment from damage.

The De-ion Grid contains a groove, open at one end, in which the arc is drawn and forced into intimate contact with the entrapped oil by a specially designed magnetic field, making the most efficient use of the oil for arc extinction

Science and Invention

Aiding Aviators by Testing Indicators

THE Bureau of Stand-Lards is doing everything possible to aid avia-The latest step along tion. this line is the testing of turn and bank indicators to show the effect that temperature has upon the accuracy of the readings. This photograph shows R. B. Block of the Aeronautic Instruments Section of the Bureau making such a test with two indicators and five inclinometers. The tests are generally made at two temperatures, the first at a high temperature, and the second at a very low temperature. In this illustra-



tion the low temperature test is being taken. A glass enclosed box prevents drafts from disturbing temperature.



Device to Eliminate Noise and Shock at Track Crossings

 ${\rm D}^{\rm ISCS}$ set in the intersection of the rails were installed on a pair of tracks at Southgate, California, for the purpose of eliminating noise and shock when the trains crossed the tracks. The project is the invention of W. H. Whalan, a Los Angeles railroad man. The discs are made to rotate when the train approaches and a groove in each disc lines up

with the rail. According to the reports, the device has been highly successful. It is thought that such systems will ultimately be installed on all railroad crossings and thus make for more silent operation and save the cost of frequent track replacements.

A SMALL receiver, not much larger than a cigar box, has been designed that can be carried around on the person of its owner. One can receive foreign stations while walking, running or riding. The outfit weighs five and a half pounds, uses one stage of audio amplification and has a 45-volt B-bat= tery. When conditions are good it will give loud speaker reception. A .00015

condenser is used and no vernier dial is needed. The outfit will operate on sixteen meters as well as 180 meters and experiments with it have indicated that it will pick up aircraft ignition noises when the airplane is two miles away. According to its builder, the device will operate excellently when electrical disturbances are not too great. Automobile ignition sounds produce interference. The device was designed

Portable Short-Wave Radio Receiver

by John Melicharek of Houston, Tex., who is seen wearing the receiver and has the bat-

tery case and antenna strapped to his back. The pliotographimmediately below shows the complete outfit.



November, 1930

Measuring the Oiliness of Oil

W, C, Wilharm demonstrating to a visitor a device for measuring the oiliness of oil

Solarium That Turns With the Sun

A UNIQUE solarium has recently been erected at Aix-les-Bains in Savoy, France, for the application of heliotherapy for sick people. It contains


several glass-enclosed rooms partitioned off from each other. The patients sleep in these rooms, and whenever they wish they can go up on the roof for a sun bath. The roof is fenced in. The whole house is so constructed that it turns on a giant axis and is turned with the sun, so that the patients can get the full benefit of the direct rays of light.

Portrait Stamps to Prevent Fraud



IN an effort to prevent fraudulent forgery of signatures. Mr. Thomas Smith, of Worcestershire, England, has developed a unique system consisting of an adhesive stamp bearing the portrait of the signatory. Whenever a check is stamped, one of the gummed stamps is affixed, and the signature signed across the face of the portrait. Under special arrangement with the bank, only those checks bearing the portrait are accepted for payment.

 \mathbf{B}^{Y} means of a device consisting of a weighted platform supported by three highly polished steel balls, and resting on an equally highly polished steel plate which is covered by a film of oil, it is possible to measure the oiliness of oil. The angle between the plate and horizontal is increased gradually until the weighted platform supported by the steel balls moves over the distributed film of the lubricant. Naturally, the smaller the angle between the plate and horizontal before the platform begins to slide, the better is the oil for lubrication purposes. The apparatus was developed in the research laboratories of the Westinghouse Electric & Manufacturing Company.



Phonograph Records That Can Be Bent or Hammered

DURIUM is the name of a new chemical substance that was recently discovered by Dr. Hal T. Beans, Professor of Chemistry at Columbia.

This product in its first commercial application, has been found to be ideal for phonograph records in that it is flexible, shatter-proof and practically un-breakable. It is contemplated that disk records made of this substance will be sold from the newsstands, and a new dance hit of the week will be available throughout the country every Friday or Saturday.



Fastest Commercial Plane to Show More Speed

HE fastest commercial airplane in THE tastest connection any still the world is intended to show still more speed when it is entered in the Chicago air races. The craft is the low-wing monoplane Texaco 13, and although he recently established two new transcontinental records in it, Captain Frank M. Hawks arrived at the National Air Races with the ship displaying new racing wings, a smaller and faster propeller, landing gear without brakes but with "pants" of finer streamline. The brakes and navigation lights on the wing tips and tail were removed and other changes, which Captain Hawks has declined to explain, were made to decrease wind resistance, and although he gave no estimate of his speed tests in the altered craft a pace of 300 miles an hour or greater is expected of it.

The Chicago races, and especially the Thompson Trophy free-for-all event on Labor Day in which Captain Hawks will oppose the best speed pilots of the Army and Navy and commercial avia-

tion, will prove the full potentialities of the Texaco 13, a Travel Air special Mystery S. driven by a Wright Whirlwind motor of 400 horsepower. At the races Captain Hawks is scheduled for dem-

onstration flights in his speed plane and in the Texaco Eaglet, the glider in which he was towed from San Diego to New York last spring. What he will do in the Thompson Trophy competition is exciting the greatest interest.

Some idea of the Hawks craft's speed may be had by consideration of its transcontinental flights. It averaged more than 200 miles an hour.



Vincent Lopez, popular New York orchestra leader, is shown applying a flame to a phonograph record made of Durium. The record does not burn, and can be treated in this fashion with perfect safety

Left: Dr. Hal T. Beans, demonstrating the shatterproof qualities and the flexibility of a record made of Durium, a new chemical substance which he invented

Would You Believe It?

Pulling a Locomotive with a Bell Cord


YOU would never believe that three men pulling on an ordinary bell cord would be able to move a monster locomotive weighing 350 tons, or 700,000 pounds. Yet in a demonstration to show that this could be done, one of the steel giants of the road was pulled for a distance of 50 feet, and there was no one at the throttle. The tow line consisted of an ordinary bell cord. The next time you observe one of the giant locomotives as it thunders along the rails, just remember that you yourself could almost push it along without assistance if the brakes were released. Let this thought convey the impression of the re-

Where Drains Run on the Outside of

Houses


the impression of the remarkable engineering involved in eliminating as much friction as possible.

We will pay \$5.00 for each photograph accepted and published on this page. Address, "Would You Believe It?" Editor, c/o SCIENCE & INVENTION, 381 Fourth Avenue, New York, N.Y.



A Plaything of the Wind

W E see here ar unusual tree formation characterized as a wind-harp, but this is different from the wind-harp known to every student of physics as the Aeolian harp. Trees such as this one may be found on the top of high mountains: they are distorted into this shape by the winds. This one is situated on the Continental Divide in the Rocky Mountains.




Lily Pads that Can Support a Child

A T the Berlin Botanical Gardens, the lily, Victoria Regia, was photographed while in bloom. This flower blooms only one day every year. Of South American origin, it possesses leaves that are so strong they can easily support the weight of a four-year-old child. The reason for this strength becomes more apparent when one looks at the undersurface of a leaf shown in a closeup photograph. The peculiar ribbed structure is readily discernible.

The Victoria regia was named in honor of Queen Victoria regia was named in honor of Queen Victoria, of England. It was supposed to have been first observed by Hanke in 1801, but was first described in 1832, by Poeppig who found it on the Amazon river in South America. The leaves attain a diameter of five to six feet. The margin turns up about two inches so that it forms a shallow vessel. The flowers are over a foot in diameter. It has been cultivated in hot houses in botanical gardens here and in Europe.

Famous Kitchen Clock



F CR the first time in history, 150 years after her death, the closely guarded quarters of the Empress Maria Theresa, of Austria, in Castle Schoenbrunn, were open to the public. Much of the furniture has played a part in European history of the eighteenth century, and is considered to be of exceptional artistic value and beauty. One of the points of interest is the famous

One of the points of interest is the famous kitchen clock, which was first presented by Empress Marie Antoinette of France, to Countess Hoyos, who in turn presented it to Maria Theresa. Kitchen utensils in miniature and porcelain flowers and figures decorate this ancient timepiece.

611

November, 1930

A pair of medium selenium-red discs may help the airman to find a port in a fog. A Visual Attack

Been Said of Methods of Combating the Average Airplane Pilot or Motorist. Data and Means Which Anyone

Much Has Been Said About the Fog

Bv Lieutenant

IR transport and water transport bow to a common enemy-fog. A surface vessel can slow down or anchor when the fog blanket descends; an airplane can often return to a clear landing field. But the ship may be rammed in the murk, and a plane forced to come down blind is courting destruction.

Fog danger is much more pressing in the air, where minimum speeds approach a hundred miles an hour. For this reason, perhaps, aviation is more active than shipping in grappling with fog problems. Aside from great improvements in standard airplane instruments, the chief avenues of attack have been radio (dark light) and visible light. The radio beacon, the radio altimeter and other navigation aids have in the hands of experts shown very promising results: but most pilots are from Missouri in emergencies-they naturally want to see a landing field before they try to land on it. On all airways far more power is being put into visible light than into radio signals. In the northeastern United States, in fact, one can hardly get beyond sight of a revolving searchlight on a clear night.


It has long been known that red and yellow light penetrate fog better than blue light; witness the "secret" blue convoy lights in the wartime submarine zone, experiments with yellow automobile headlights, red and yellow filters for military and naval sighting telescopes and range finders, and the pinkish neon aviation beacons of recent years.


Before going very far into a discussion of seeing through fog, one must inquire somewhat into the nature of fog and into the nature of light. The minutest form in which water appears in the lower atmosphere is haze, though in this phenomenon dust particles and air mixing play their parts as well. At any rate, the haze particles are very small—probably on the order of a millionth of a centimeter in diameter. Particle size, as we shall see, is an important factor in light penetration. Haze usually spreads quite uniformly over the


11 2 60

This shot was taken down the Hudson from West Point through haze, with a camera equipped with only the standard clear lens.

A ruby red filter cleared the landscape considerably, as this photograph shows. Visibility is extended to about four miles.







as our experiments have revealed them are these: No filter is a panacea; advantages are slight at best. Mixed filters (blue, green, purple, etc.) are of no value; only "pure" filters (cutting off all wavelengths shorter and all frequencies higher than a certain point in the spectrum) are worth trying. For any given conditions, the deepest filter possible (cutting off at the lowest frequency) should be used. The usable depth of filter will depend on the intensity of light available. Sunlight permits cutting off all colors except red: in ordinary daylight we must pass red and yellow; at night we need red, yellow and green. For beacons and searchlights a yellow filter is helpful when the observer is behind the light or looks in any direction except straight into it; when the observer looks directly into the light no filter should be used. From these principles let us hope that there will develop some practical applications conducive to greater safety of transport on land, on the water and in the air.

Science and Invention

• 1

on Fog Problem

Problem in the Past Few Years, but Little Has It Which Might Be Possible of Application by . . . In This Article Lieutenant Wenstrom Offers Encountering the Fog Problem Should Find Useful

William H. Wenstrom

landscape, and extends upward with little change from a few hundred to a few thousand feet. Fog, on the other hand, may be detached clouds in contact with the ground, generally filling hollows and valleys; or it may be a continuous layer over the whole landscape and a section of ocean. The murk may be bad on the ground, and worse as one climbs several hundred feet. On the other hand, one may be in "pea soup" at the ground or water level while the sun shines a hundred feet overhead—sometimes the masts of a ship project above a fog which enshrouds the ship itself. Fog looks much more dense than haze because its water droplets are larger—on the order of a thousandth of a centimeter in diameter. The upper end of the moisture scale is, of course, rain or snow, of which the particles are perhaps a tenth of a centimeter or more in thickness.

Having in mind a picture of the medium we expect light to penetrate, let us briefly review some of the facts concerning light itself. Light is in general an electromagnetic disturbance similar to radio waves, but of much shorter wavelength. Whereas radio waves are measured in meters, light waves are measured in Angströms, or hundred millionths of a centimeter. When white light is spread out into its constituent colors, the result is called a spectrum; the rainbow is a familiar example. As the diagram shows, the colors of the visible spectrum begin with red at about 7000 Ångströms and progress through yellow, green and blue to end with violet at about 4000 Ångströms. Color sensitivity and general light sensitivity of the human eye is thought to be due to three types of nerve-endings in the retina; one type responds chiefly to red, a second favors green, and a third favors blue. The peak of total light sensitivity falls in the green at about 5350 Ångströms.


Various light sources emit spectra of different types. For example, an incandescent solid such as a tungsten filament emits a continuous spectrum extending smoothly through all the colors it includes; a rarefied gas as in a neon bulb emits a series of sharply defined bright lines with complete darkness between them.

In brief form, accurate enough for present purposes, the law which governs the scattering or penetration of light in haze or




Lieutenant William Holmes Wenstrom was born in Sweden, but came to the United States at the age of three. He graduated from West Point and was commissioned in the regular army in 1918. He is now instructor in English at the U. S. Military Academy; his interests cover radio, electricity, writing, physics and other fields.

fog may be expressed thus: When the particles of the medium are small in relation to the wavelength of the light, clear image penetration (or freedom from scattering) varies as the fourth power of the wavelength. This means that in pure air red is going to come through much better than blue, as shown by the blue sky (blue light scattered) and the red sunset (red light transmitted). In haze, where several of the particles would have to be placed end-to-end to make a wavelength, red still retains a surprising lead over blue. In fog, where the particles are more than a wavelength in diameter, this lead is cut down but not altogether obliterated, as our experiments show. In heavy rain or snow red has no theoretical advantage at all. Granath and Hulburt have found that in medium fogs infra-red waves up to about twenty or thirty thousand Ångströms show little advantage over visible red—that the increase of transmission with wavelength is mostly confined to the visible spectrum. What the infra-red waves above 30.000 Ångströms may do is quite in the future—if anyone can invent (*Continued on page* 650)



Through a medium fog a standard clear lens gives an extremely vague view of the east bank of the Hudson.



The use of a medium selenium-red filter emphasizes the contrast between land, water, and sky.

November, 1930

Why Not Light Up Those Dark Corners?

By Mary Anne Sheppard

Home Lighting Specialist, Westinghouse Lamp Company

E LECTRICITY is still so mysterious that we are apt to think of it only as the means of supplying general illumination in a room. We forget how much beauty and convenience it can add to the house. One's home is not an empty place, but has or should have an atmosphere, and light is a flexible and mobile medium of decoration which may create varying moods. There are many lighting devices which will give individuality to your home, which can easily be assembled in any home workshop.

One of the newest and most convenient additions to home lighting is the porch light which also serves as an illuminated house number. Many of us, late for an engagement, have spent precious minutes looking for our host's house along a dark street. A lighted house

a dark street. A fighted house number shows up at a glance and an entrance is made more distinctive when this is a part of an attractive lighting unit. It may be a bracket type fixture or a lantern type such as the one illustrated. There are many styles, suited to all types of architecture, and they are quite inexpensive.

Inside the house there are countless unusual applications of light, which give charm to the home as well as add to the convenience of living. If the whole family occupies a sleeping porch and there are very young children who retire early, one may wish to have a light there, which provides a light there, which provides a soft illumination without disturbing the sleepers. A lamp in a porcelain socket, or a miniature reading lamp with a clamp device, fastened to the

clamp device, fastened to the under side of the bed, will throw a glow of light over the floor, so that a late comer may see plainly without the

A reading lamp with a clamp device fastened under the bed to light the playroom floor



A door switch controls the closet light, which automatically turns on when the door is opened, and off when it is shut

light shining directly into the other's eyes. This may be particularly useful in a nursery or a sick room.

A dining room with cove lighting is the dream of many home people.

Aside from its beautiful effect it gives a sufficient amount of soft light to illuminate the room properly. It is not as difficult to install nor as expensive as is commonly supposed. If your dining room has a plate rail it can be covered with asbestos, and a string of Christmas tree sockets fastened along its upper sur-

face. Twenty-five watt tubular lamps or the small ten-watt round lamps may be used. These smaller lamps should be placed only six or eight inches apart so that they do not produce a spotty appear-



This lantern-type porch light also serves as an illuminated house number


ance along the wall. If the lamps show, a moulding of wood or painted tin is used to conceal them and reflect the light against the wall and ceiling. Where there is no plate rail, a strip of molding, slightly larger and with lamps attached to it, may be fastened along the wall two feet or so above eye level.

Sometimes one of these tenwatt lamps is used to emphasize a note of decoration in the living

room or library. The accompanying illustration shows a mantlepiece with a clock on it and a picture hanging above this. The tiny lamp, in a porcelain socket is concealed behind the clock and connected to a convenience outlet. This throws its light upon the picture, making it the center of attraction in the room. There are countless places where a bit of light may be used to floodlight or spotlight some such object, picking it out as the focusing point of the decorations. Often one is used inside a lovely transparent vase to bring it to life at night, or behind a graceful ornament to produce a silhouette.

The illuminated bookends shown in an accompanying illustration are an unusual way of providing an


A ten-watt bulb in the base of your bookend will illuminate it



individual note in a room, and can be easily made. First, the bookends proper were purchased, and then copper frames of the desired size and shape were made as a base for each of them. On the top of (*Continued on page* 657)

Science and Invention

Handy Chest, Easy



Picture This Weather-Scarred Pirate's Chest in Your Den or Beside Your Open Fire. . . . It's Attractive, It's Capacious, It Can Be Used to Hold Anything from Clothes to Firewood.... And It Can Be Built for \$3.50

By Harry Seelye

N attractive pirate's chest wood box, designed by A. O. Horning, head of the wood-working department of the John Marshall Junior High School, Pasadena, Calif., is so simply made that anyone with some small experience and the proper tools can produce a first class job. When completed and properly finished it is a distinctive asset to your fireside, holding enough fuel for several evenings, and preventing litter from marring the appearance of the floor or hearth. The hinged lid conceals the contents. And scores of them have been made by Mr. Horning's students at an average cost of \$3.50 each !

Mr. Horning recommends California redwood, or cedar, as a very satisfactory material because of its property of lightness combined with strength. easily worked. Either wood is

First make the ends and sides, built up of fairly wide boards glued together before cutting to size. Side pieces are secured to ends with No. 10 flat-head wood screws 2" long. The bottom is a single piece of 3%" plywood, with 34" "silent glides" at each corner.


In building the top, nail down the center board first. All top boards are $\frac{3}{4}$ " by $3\frac{3}{4}$ ", and beveled on the edges to allow for the curve of the top. Glue edges of the boards and clamp them together while nailing down. Note that the lid is sawed after the box is made up. This insures flush sides all around.

Three-inch butts are used at the back side, and an escutcheon lock is mortised in to the front, with a hinged link to prevent the top from opening back too

far. Much care should be given to the finish, which is an attractive weathered

driftwood effect. Having scraped the glue from the joints and planed the top fairly smooth, dampen the surface and run a stiff wire brush along the grain, pressing down hard. This gives the appearance of wood long exposed to the elements.

A light gray stain is applied next, fol-



Scraping the glue from the joints (lower illus-tration), planing the top fairly smooth and running a stiff wire brush along the grain (upper illustration) will produce a weathered driftwood


effect.

lowed with touches of brown and green

to give a somewhat mottled effect.

Powdered water stain is very satis-

Right—the chest complete. Below-Detailed construction drawings



DESIGN FOR COPPER DECORATION


factory for this purpose. A light coat of varnish can be applied if this finish appeals to you. The inside is done in natural-wood varnish.

For the straps, corner bindings, false hinges, and skull and cross bones use light-gauge sheet copper, which is easily hammered. First put on the broad straps with gimp nails or escutcheon pins. Heating the copper before putting it on discolors it and gives the effect of age. and battering lightly with a hammer or blunt punch further adds to this impression. Corner bindings are nailed on in a similar manner. Note that the hinges are cut in somewhat irregular shape as though corroded by the action of salt water, and along the center for about half their length they should be ridged. This is accom-

plished simply (Continued on page 647)

to Build

615



LUMINOUS PAINT and Its Preparation

By George D. Donaldson

Those Who Like to Experiment with Chemicals Will Find That the Preparation of Luminous Paints in Colors Is Interesting, Educational, and Fascinating



A luminous butterfly, cigar lighter and valentine.

A jointed pasteboard skeleton painted with luminous paints can be made to cut fantastic figures in a darkened room.


TOPS that shine in the dark when they spin, luminous valentine and greeting cards, cigarette lighters that shine at dusk and weird dancing skeletons can all be made by one who likes to experiment with chemical mixtures.

The basis of luminous paint is a sulphide of zinc, calcium, strontium or barium, with certain exciters such as compounds of bismuth, uranium, man-ganese, thallium, etc. The simplest phosphorescent substance is made by heating calcium oxide (pure lime) with one-third its weight of sulphur and then adding a drop of a five percent solution of bismuth nitrate solution to every fifteen grams of the mix. The whole is then mixed, dried and heated to redness in a crucible over a Bunsen burner for half an hour. One may use barium carbonate with sulphur, also strontium carbonate with sulphur, and adding a drop of five percent bismuth nitrate solution, or manganese sulphate solution, with or without the same amount of thorium nitrate solution. The resulting prod-ucts will have different colored phosphorescences, when exposed to a strong light and then viewed in the dark.

If the experimenter makes many mixes and calcinations, then new clean crucibles should be used on each



Hold a leaf against a sheet of paper prepared with luminous paint, then expose to the light; in the dark the outline of the leaf will appear as a luminous area.



The bowl of an old clay pipe makes an excellent crucible and a different bowl is used for each chemical mixture. Clay bubble pipes are cheap; they are destroyed or put aside after any color has been prepared, thus preventing contamination from previous mixtures.

"batch." Clay bubble pipes make good crucibles, and their cost is a tenth that of the chemical porcelain crucibles. Working with clean crucibles, contaminations from previous preparations are avoided.

Another method for making a luminous product is to pass hydrogen sulphide gas into zinc sulphate or zinc chloride solution, and also adding a solution of cadmium chloride during the passage of the gas. The precipitate of zinc sulphide and cadmium sulphide is filtered off, washed, and calcined in a crucible provided with a cover which will shut out practically all the air. Clay works well with a bubble pipe bowl.

Another mix is 40 grams barium oxide, 9 grams of sulphur, 0.7 grams of lithium phosphate and 3cc of a solution of 0.4 grams of copper nitrate dissolved in 100cc of denatured alcohol. The whole is calcined for three-quarters of an hour. It glows red.

One may buy a very good grade of luminous paint from various manufacturers. Collodion, gum arabic, and very thin spar varnish can be used singly as a vehicle for the phosphorescent substances which you may make.

A dancing, jointed, stiff paper skeleton is sold at many novelty and carnivalgoods stores. Such a skeleton about 15" high painted with luminous paint will cause much amusement when operated in an absolutely dark room. Strings tied to the limbs will enable one to make it dance in a very realistic manner.

A card coated with luminous paint can be caused to give a very pretty effect if a leaf, some lace, a paper cut-out or other figure is held over it and the coated side held to a strong light. When the card is viewed in a darkened room, an image of the object now removed, can be clearly seen. Photo negatives produce weird results, and it is possible with a good grade of paint coated very evenly upon the card to recognize the characters of the negative glowing in the dark!

The familiar disc top carried on a



A disc of cardboard painted as indicated produces a top that shines in the dark while it spins.

looped string and spun with the hands can be made to give a fire-effect in the dark if it is painted or streaked with a (Continued on page 649)



A Rope Hog-Oiler

HERE is a simple oiler that operates with old crankcase oil from the bus or the tractor, or the special kind if you wish... A six-by-six timber is set two feet into the ground, and a two-inch auger hole is bored down through it, as far as possible. Then the timber is wrapped with old rope about 1½ inches thick, and small gimlet holes are bored between the turns into the center well. Pour oil into the well, and it seeps out, soaking the rope. The hogs do the rest without any further trouble to you.



Hanging a Lean-to Door

THE lean-to kind of barn or shed needs a full-width door like any other building that ought to be weather-tight.... The door pictured above does the job in a neat and convenient way. There's really two doors, one hinged to the other, the main one being level on the top and hung from a regulation door hanger. The other door follows the roof angle and is hinged to the righthand edge of the sliding section. The rig is light enough so that the track and doors work in a very satisfactory manner.

Down on the Farm

Bill Richards Has a Sharp Eye for Handy and Helpful Ideas-Look at These

Winter-Proof Your Porch

W HEN the cold winds begin to come down from the north, the back porch becomes deserted again and starts to go to waste until spring. But an hour's work will win-




terproof that porch and make it nearly as tight as an inside room. Stretch ordinary muslin over the screened part, and the screened door, and fasten it with tacks. Then dissolve about as much paraffine in high-test benzine as it will take, and paint the cloth with it. Use a wide brush. Make long, fast strokes. The coating left is weather-proof. By Bill Richards



Rock Truck and Granary

T HE rock truck shown below clears the ground by only six inches, making it easy to load. An old manure spreader furnished the body and frame. Front wheels from the same machine were put on behind, and smaller ones in front... You can haul almost anything in it... The granary shown above holds 25 bushels. It's mounted on two iron truck wheels and the front axle and wheels of an old car. Bed pieces are timbers, and the bin is matched lumber, nailed to studding placed outside. The roof is hinged and covered with tarpaper. The outfit is easily moved from pen to pen.




Water for the Grindstone THERE is a simple method of keeping the edging surface of a grindstone wet at all times while something is being sharpened. The only things

necessary to make the rig are an old

Nearly Every Farmer Can Find

Use for One or More of These

Wrinkles—Isn't It So?



tire casing and enough wire to fasten it firmly. Part of the casing is cut away to leave plenty of room for contact between the stone and the axe, or whatever you are sharpening, and the rest of it is wired up so that it surrounds the stone by something more than half. You pour in a quart of water, and the stone turns without splashing.

November, 1930



The finished bookcase looks well in the living-room.

T HE bookshelves shown in the drawings are not bookshelves in the ordinary sense of the word, but are more in the nature of a living room article of furniture with convenient receptacles for the accommodation of books, magazines, vases for flowers, knick-knacks, and a reading lamp, or bowl on top. By filling the shelves with books, a fair-sized library can be accommodated. If desired for bedroom use, the bookcase will be found to be a very useful article as a bedside stand. It can also be used as a place to store one's extra shoes. By placing the usual smoking stand accessories on top of any

Make Your Own Modernistic Bookshelves

By H. L. Weatherby

Director of Manual Training, Montgomery County Schools, Montgomery, Alabama


Most Bookshelves Are Rather Dull and Uninspiring to Look at, But Here's a Modern and Attractive Design for a Useful Bookcase Which the Veriest Novice at Wood Working Can Make for Himself, Out of Any Lumber Which He Has Lying Around


one of these designs the bookcase will become an excellent article of furniture to place in a man's room or study, to be used as a combination bookcase and smoking stand.

The decorations are modernistic and in keeping with the design. The construction is very simple and no trouble should be experienced in the building of it by even a novice at wood working.

Grooves are recommended for fitting the shelves into the sides or uprights. These, however, may be dispensed with, and the shelves fastened in place with dowels or screws. These methods are all illustrated. The finish will probably prove to be the most troublesome feature. There are several different ways of going about this. Either quick drying enamel or lacquer in about three colors that harmonize will probably be the choice of materials. The softer tints of almost any of the colors will harmonize, and one expects a piece of this sort to be gay and bright.

In finishing, all holes should be carefully filled with putty, and then if an open grained wood has been used, the whole surface should be given a primer coat, after which this should be followed by (*Continued on page* 669)





In many countries of the world workmen perform tasks with their feet. In China, feet turn paddle wheels that mix paste for pottery or pump water for irrigation.

In Syria we find foot power used for crushing grapes in the wine-making process. The grapes are dumped into vats, and the workers crush the fruit by trampling it. The grape juice flows through a funnel-like pipe beneath the box into earthen container. into earthen containers.

Ewing Galloway






These mechanics in Algeria use their fingers and toes on a primitive lathe for making chair legs, rungs, and other turned wood. The tool is a sharp knife.



A three-man primitive pump for irrigating-rice fields in South India. Two of the men walk back and forth on the suspended pole, balancing themselves with sticks.

In parts of China where tea raising is the chief trade, tea leaves are rolled with the feet. Notice that the men rest on a support of three sticks, to prevent them from getting tired too quickly.








A Moroccan flower-basket maker weaving a straw basket with both hands and toes.

November, 1930

CHECKING UP ON



Ordinarily the Broadcast Listener and the Radio Experimenter, too, Are Not Afforded the Opportunity to Know What Takes Place in a Radio Manufacturing Plant from the Time a Receiver Is Designed Until It Has Its Final Production Test. He Must Either Take It or Leave It. This Article Gives an Insight Into the Extreme Measures Taken to Safeguard and Insure Against the Use of Inferior or Defective Parts in Radio Receivers by Rigid Repeated Tests and Final Assembly Tests

The engineering and test procedure principles outlined in the test are reflected in the design of the superheterodyne illustrated above

T is recognized by set manufacturers and parts manufacturers alike that the tolerances to be maintained on the component parts of high grade radio sets are becoming more and more nar-The careful design of the cirrow. cuits now most commonly used presupposes an accuracy unheard of a few short years ago. Radio-frequency transformers must now be held within close limits as to effective inductance, coefficient of coupling, etc.; fixed condensers must be of capacity specified by the circuit designer, and not just "about so and so." In particular is this true in dealing with the couplings providing the so-called band-pass effect, where extremely small variations in the percentage of the couplings will upset the designer's intentions as to band width.

The superheterodyne is one example of a combination of various types of couplings, both r.f. and i.f., in which great stress must be placed on parts tests, in order that the overall performance may be held uniform, yet without requiring unduly long periods of adjustment on the completed product. The desired response characteristic of the entire r.f. amplifier is secured by means of a combination comprising a preselector with inductive coupling and an r.f. transformer having both low and high tuned primaries. A careful choice of inductances in the two primaries, together with accurate tuning of the "high" primary, produces a response sufficiently enhanced at the low frequencies to combine geometrically with the opposite type of characteristic produced by the pre-selector. It follows that such an overall curve may *only* be maintained by correct values of both the pre-selector "mutual" and the r.f. transformers high primary tuning condenser. The rapidity with which such a curve alters its slope by slight changes in either or both of the parts named and the degree of change has been most thoroughly studied; the net result can

only be a greater determination to hold these parts within narrow limits. The total dissimilarity of the three





Fig. 1. A push-pull oscillator circuit used in coil measurement work

couplings, with respect to loading, requires that such parts be measured under conditions simulating those in the receiver. Accordingly, antenna load of a predetermined value and tube plate circuit load are used, respectively, in the selection of these coils. The high primary of the third coil must also be shunted, while measured, by its carefully chosen fixed condenser. When the above conditions are fully

met, and an accurately phased variable gang condenser is connected, the nicety with which such an amplifier tunes, and the extreme "flatness" of its gainfrequency characteristic fully justify the labor spent in the checking of its parts.

No expensive equipment is required-



The comparative resonance curves of a simple tuned transformer (2) and the "Hopkins" stage employed in the superheterodyne illustrated above

THIS article illustrates what goes on behind the scenes in a modern radio receiver manufacturing plant. For similar subject matter readers are referred to the current and recent issues of RADIO NEWS, particularly the August and September issues.

only good design. It naturally follows that such work on receiver parts must be done quickly and by ordinary skilled

labor, regardless of the limits set by the engi-neer. To do so requires, more than anything else, a little unusual care and precision in the measuring equipment and its design. A considerable amount of such equipment, rugged and not of particularly expensive construction, is used in the checking of parts employed in one type of superheterodyne now available, and is shown in one of the attached photographs. Note that complete screening is used to avoid interference with other equipment through

Science and Invention

RECEIVER PARTS


By E. K. Oxner

Chief Engineer, High Frequency Laboratories


the creation of beat notes, yet without hampering the operation by cumbersome shielding of the part under test.

A simple type of oscillator is used for both sides of the zero-beat device used for phasing the gang condensers and checking values of small fixed condensers. This is permissible due to the short time interval on such operations resulting in a minimum error due to frequency creeping. Calibration is such that the "difference" scale is one inch in linear length per $\frac{1}{2}$ mmfd, which is of great value for speedy yet accurate phasing to limits of approximately 1 mmfd, in 420.

For coil measurement, however, such simple oscillators have their drawbacks due to "creep." In this work, use is made of push-pull oscillators, whose fundamental diagram is given in Fig. 1. Due consideration was given to the possibility of using crystal controlled oscillators, but it was found that the "creep" of the push-pull type, when correctly designed, was so small as to be negligible. It may, of course, be tuned to any desired frequency by means of the two condensers.



Working inside a screened booth to prevent unwanted pickup of stray interfering signals



A typical laboratory set-up

By means of an ingenious drip-wick system, using several small paint pots, a "dot" of color is used to distinguish all parts tested. Thus, both the assemblers and inspectors may note at a glance, the exact tolerance limit of any part of the receiver requiring close limits. An adequate supply of check standards are supplied by the engineering laboratory and are kept in a lock box in measurement booths. Such standards are checked in the laboratory at intervals at

the discretion of the engineer in charge. Intimate contact between parts check and final receiver test, is essential in order that limits be held sufficiently close. The same careful check is necessary on parts used in the i.f. section of the receiver. A study of the resonance characteristic of the Hopkins stages, which were de-scribed in Radio News for August, will disclose to the reader how little mistuning may be tolerated if the band shape and gain are to be maintained. Figs. 2 and 3 show in fundamental form the comparative resonance curves of the simple tuneil transformer and the Hopkinsstage. Resonance in both is denoted by Fo; in the case of the simple stage, mistuning in either direction could be tolerated to a considerable degree,

say to a point 5 or 6 k.c. removed (at 175 k.c.), without too disastrous loss of amplification; a like amount of mistunning in the Hopkins stage of Fig. 3, if in the one direction, would cause serious side-band asymmetry, in the other, a complete loss of signal. Practical considerations prohibit the tuning of such i.f. stages by means of large variable elements which could be used to correct for wide tolerances in parts. It is therefore increasingly important that all parts be carefully measured for the job which they have to perform. In the case of the i.f. amplifier (Hopkins) pictured here, tuning coils are held to limits of less than 10 units in 1400; fixed tuning condensers to limits of plus or minus I percent; choke coil natural periods to an extremely close tolerance. The latter test is unusual, considering the wide latitude usually allowed the ordinary types of coils used as r.f. chokes.

Repeated checks are made on complete i.f. amplifiers without the r.f. input system, in order to determine the degree of change in characteristics brought about by the daily tolerance limits set for checking. The 165-185 k.c. generator, together with the test i.f. amplifier frame, are shown in the accompanying photograph. No variable frequency-modulating equipment is used for this work, the 30 percent modulation at 400 cycles, supplied by the generator, being sufficient for comparative measurements.

In connection with the push-pull oscillators of the type mentioned for coil checking, it is interesting to note their adaptability to performance test of complete receivers, due to their practical absence of frequency shift. One unit of three such oscillators is now in use for securing, on the test bench, an immediate indication of the degree of rejectivity of the receiver under test.

In the particular case, the standard demanded, as determined by complete signal generator test, is a rejectivity of 1000 to 1 at 10 k.c. from the resonant frequency on either side. The three oscillators, each of the push-pull type, each modu- (*Continued on page* 644)

621

November, 1930

For the Motor Workshop

By Raymond B. Wailes and Frank W. Bentley, Jr.

Do You Want to Improve Your Home Workshop? Here Are Authentic Kinks for Motor Equipment that Will Aid You Materially

Fig.2

F IGURE NO. 1—The workshop motor can be controlled from any point about the workbench if a shaft device is installed over the bench. This can be done by mounting a double pole single throw porcelain base switch overhead and affixing to the fibre handle two dowel sticks which a pass on either side of the switch and are suspended from the ceiling of the shop. Thus two sticks, each three feet long, will present an area six feet long from which the motor switch can be operated. The shaft thus formed can be operated with one hand without televier the sum of form

out taking the eyes up from the work. While dowel sticks are suggested, light strips of square cross-section can be used equally well.

Fig. I



belts must be kept very tight. As idler pulleys do not seem to be on the market for small, inexpensive motor shops, another means of keeping belts tight is needed.

Slotting the holes of the motor bench through which the hold-down bolts of the lathe, saw, planer and other devices pass, affords a ready means of adjusting the play in the driv-

ing belt. The nuts underneath the table




Fig. 3




Fig.4

are supplanted by wing nuts, and the machine itself is actually moved forward or back to tighten the driving belt. Tightening the wing nuts securely locks the device in position.

locks the device in position. Figure No. 5—Wire bottle, or test tube brushes cut in short lengths and fitted in the drill chuck make excellent brushes for interior work. A five-cent hand scrub brush can be cut into a squareshaped brush with a hack saw, mounted upon a bolt and revolved in the chuck for cleaning and polishing.




Fig. 5

Figure No. 6—Quite recently a small bearing was needed for the end of a light shaft. An old auto-mobile engine piston was quickly sawed away and shaped into one as shown. One of the wrist pin bosses was run with a bit of babbitt for the shaft end, and the top of the piston was drilled for screws and fastened down securely.




Fig. 6


Figure No. 2— Centering wooden blanks to be turned

in the lathe is best accomplished by marking two lines across the ends, the lines passing through the opposite diagonal corners. The tool rest makes an ideal straight edge for this purpose.

an ideal straight edge for this purpose. Figure No. 3—A tool rack to be fixed in an upright position on the rear edge of the motor bench will be found very useful. It consists of a wooden panel mounted to the bench top by means of shelf brackets. The panel is useful in holding rag wheels, scratch brushes, emery wheels, lathe wrenches, calipers, pulleys, rule, belting dust brush, etc. Turning tools and a screwdriver can be held in a shelf mounted on the front of the panel. Drills can also be retained here.

Figure 4—The problem of loose driving belts on small motor workshop equipment is, at times, very serious. Due to the small diameter of the pulleys, grippage is at a minimum, and

622



"S UNSHINE at the turn of a switch," is bringing health and happiness to thousands. No longer is it necessary to go to the sun to receive the blessings of its healthgiving rays. The magic ultra-violet rays are being brought into American homes by various makes of therapeutic lamps. Physicians everywhere are prescribing ultra-violet light for various diseases. The ancients recognized in a general manner the value of sunlight, but it remained for modern science to establish it in a definite way and to design equipment for furnishing the beneficial portions of the sunlight to the patients.

We think of sunshine in terms of the light it gives, but strangely enough the invisible rays of the sunshine, the short ultra-violet and the long infra-red rays, are the health-giving rays. They are particularly valuable in such diseases as anemia, rickets, neurasthemia, endrocrine disorders, neuritis, tuberculosis, and delayed sex development.

To obtain the benefits of ultra-violet treatments one need not purchase one of the expensive machines on the market. A simple machine built by the writer at the cost of a few dollars has been used with excellent results in successfully treating a bad case of anemia. This machine is of the carbon arc type which has been found by the Bureau of Standards to be the nearest approach to true sunlight. In order to secure the maximum efficiency, a double arc consisting




Fig. 3

Science and Invention

Artificial Sunshine from a' Home-Built Lamp


By Lionel K. Arnold

Engineering Experiment Station, Iowa State College

This Article Describes the Building of an Arc Light for Providing Ultra-Violet Rays for Therapeutic Purposes. It Is Thoroughly Practical and Easy to Build

of two arcs in series was used. If only one arc is used it would be necessary to add additional resistance to regulate the current to the proper amount and actual power consumption would be practically the same, while the effectiveness would be only one-half as great.

The regulating mechanism of the arc is shown in Figure 1. The parts are as follows: L is made from a piece of strap iron or steel 1/8 inch thick, 1 inch wide, and 17 inches long, bent into shape as shown. The piece B is made from a



sheet brass placed between them and the fiber. The movable carbon holders are made in the same way except that they are $1\frac{5}{8}$ inches long. They are fastened to the fiber pieces M which are $1\frac{1}{2}$ inches by 1 inch by 3/16 inch. M is bolted to the small hinge 1 inch in width. The hinge is bolted to the piece N. N is merely a rectangular piece of 24 gage sheet iron, $2\frac{3}{8}$ inches by 1 inch, bent over at right angles $\frac{1}{2}$ inch from each end. N is bolted to the center of the cross piece B. The piece G is made from sheet iron of the same weight and is shown in Figure 2. It is bolted to M between it and the hinge. Two links H of sheet iron are connected at one end by a pin or bolt to G, and at the other end to the piece O. A piece of wire is coiled around the pin at G to hold the links apart. The hole in piece O is threaded to correspond with the

> Fig. 1 The details for the construction of the carbon

holders are in-


dicated in this

diagram.

similar piece of steel 7 inches long and bent to shape. It is fastened to L with small bolts or rivets. F is a piece of fiber or other suitable insulating ma-terial 3 inches long, 1½ inches wide. and 3/16 inch thick. It is fastened to L by the pieces P which are made from strap iron. F is bolted to P which is bolted to L. The purpose of F is to support the holders for the stationary center carbons. These holders shown at J are made from 3/4 inch brass rod, 34 inch long. A hole 3% inch in depth and 5/16 inch in diameter is drilled into one end. A hole is drilled at right an-gles into this hole and tapped to take a small machine screw (such as 10-24, or (8-32) used for holding the carbon in place. In the opposite flat end, a hole is drilled and tapped to take a small. screw used to fasten the holder to the fiber piece F. The two holders are connected together electrically by a strip of

threads on the rod W. This threaded rod has the ends filed down to a smaller diameter so that they fit in holes drilled in pieces B and P in such a way as to be readily turned. K is a wheel of iron, wood, or any other suitable material. It is held in place on the rod by lock nuts so that when turned the rod

(Continued on page 654)




623

Wrinkles and Recipes

Leader Repaired with Inner Tube

A SHORT section of leader pipe became rusted out, and as I did not have a length of pipe to make a repair, I cut a piece of automobile tire inner tube. The free ends were slipped over the parted ends of the pipe and drawn tight. The elasticity of the tube made the slipping on very easy and resulted in a neat looking joint which held tightly. Rub wet soap on the pipe ends if the tube does not slip on easily.— *Raymond B. Wailes.*




Easy Way to Repair Broken Gear Teeth

WhEN teeth break off, as often happens on pinion and gear wheels, they may be easily repaired by drilling holes, tapping for and screwing bolts in the space where the teeth are broken. By cutting the bolt heads off and filing off the bolts so that they line up with the rest of the teeth and mesh properly a quick and enduring repair can be made.

Place the bolts as close to each other as is possible so that greater strength and surface may be obtained.—Joseph D. Amorose.

Holding Doors Open




HERE is a simple device for holding doors open. Take a piece of spring metal or tin and bend it as in the illustration. One inch is a good width. When you want to close the door press the strip with the foot as shown; this will release the door for closing.— McKee Smith.

First Prize, \$5.00

Dirt-Proof Mask for Working Under a Car


THIS celluloid mask fits over the automobile prevents sand and grit from getting in the eyes.—W. T. Mason.



Paper Pocket Lining

ONE who travels or goes on an outing often carries pieces of gum in his pocket, or cigarettes and candy. This sometimes causes stains in his coat pocket. To remedy, he can take an ordinary paper bag the width of his coat pocket and cut it to about five inches in length. The bag is then inserted into the pocket and no attention need be paid to it. Candy, cigarettes, etc., can then be placed in it with perfect safety. The paper bag can be discarded and a new one replaced whenever necessary.— Frank Schmulowitz.

Tightening the Loose Nuts



S OMETIMES threads of a bolt and nut become so worn that they are practically useless, and when another set is not easily obtainable, the trouble can be remedied by the method shown; by sawing a slot in the bolt with a hacksaw and spreading the threaded part with a chisel.—Joseph D. Amorose.

\$5.00 is paid each month for the best Wrinkle or Recipe accepted and published in these columns. All others used are paid for at regular rates. Address: Editor, Wrinkles and Recipes.


Door or Drawer Handle

A STURDY and attractive handle can be made out of a pair of curtain supporters and a piece of curtain rod. The supporters are provided with screws by means of which they can easily be fastened to a door, the top of a home-made tool-box, or any other place where a handle of this type is suitable. A piece of curtain rod of sufficient length is inserted and fastened in with small nails, as shown. It may be secured by soldering or sweating.— F. S.



Quick Acting Vise

Q UITE often it is necessary to hold a board firmly, especially is this the case when planing. A short piece of $2^{\prime\prime} \times 4^{\prime\prime}$ wood is nailed flush with the edge of a plank the size of which is immaterial. A piece of $2^{\prime\prime} \times 8^{\prime\prime}$ wood about six feet long is very convenient as it can be carried to the job, placed upon a pair of wooden horses or boxes; and will be ready for work. Next cut an inch board into a circle with a diameter of six or eight inches. This piece as illustrated is circular; if you prefer it may be made as a half circle. Fasten.it with a screw and washer to the plank. The screw is placed near the edge of the circle; this allows the circular piece



to move as an eccentric can toward the $2'' \times 4''$ block. The vise is used as follows: insert the board you wish to hold between the block and cam, push in the direction indicated by the dotted arrow and it will automatically be clamped firmly. To release push the board in the opposite direction.—Eugene Keyarts. (Continued on page 664)



Mystic Fish Story

LARGE transparent glass can-A nister filled nearly to its brim with nothing but water is covered by a borrowed handkerchief. After a few moments, the handkerchief is removed, when to the amazement of the spectators a dozen or more goldfish are found to be swimming about in the water. The secret lies in the fact that the cannister is divided by a piece of glass mirror. The reflecting side is toward the audience. The fish are concealed behind the partition. When the handkerchief is removed, the glass is withdrawn and disposed of by being left on the table top while attention is called to the fish.

A Fortune in Eggs

A TRAY of eggs, all unprepared, is passed for inspection. The magician then removes a pencil from his pocket, cracks the egg with it, and then withdraws a twenty dollar bill from the interior of the egg. The trick requires a little preparation. A clutch pencil is fitted with a spring that pushes a rolled bill out of the hollow top. A bayonet catch secured to the piston holds the spring in place until, at the opportune moment, it is released and a rolled bill is forced into the interior of the cracked egg. An unprepared

unninger By

The master mind of modern mystery, who has mystified Ex-Presidents Harding, Taft, Roosevelt, Coolidge, the Prince of Wales and other celebrities



The double bag permits of an ingenious blindfold cigarette test.


pencil similar to the one used for the effect should be available in case examination is requested.


Naming a Cigarette

"HE magician asks the spectators to drop cigarettes into a bag, and he will demonstrate an ingenious blindfold test. The cigarettes are called aloud as they are accumulated, Camels, Chesterfields, Old Golds, Pall Malls, Fatimas. Murads, Melachrinos, and many of the other brands that will be found in a well packed house. The magician is now securely blindfolded, and a spectator is asked to pick out any cigarette from the bag, light it and blow a puff of smoke in the direction of the magician, who may be standing eight or ten feet away. The magician correctly names the brand. The secret lies in the fact that the bag is double. On one side of the partition ten or twelve Old Gold cigarettes are secreted. The spectators drop their cigarettes in the opposite side of the bag, but the one which is chosen comes from the first mentioned side and must, of course, be one of the cigarettes previously placed therein by the performer.

Second Sight

THE magician requests that the spectator take one of his own visiting cards and write a date, number or name upon it, while the magician walks away. This card is then taken from the spec-(Continued on page 663)





November, 1930

Experiments with Toy Motors

By Raymond B. Wailes

The Author of this Article Is a Veritable Mine of Ingenuity in the Experimental and Home Work Shop Field. This Series of Toy Motor Experiments Will Attract Every Electrical Amateur Among Our Readers


PERHAPS one of the first desires of the possessor of a battery motor is that of varying the speed of the motor. This was simply and easily accomplished by means of a rheostat inserted in series with one of the battery leads. Radio

626

The completed reversing switch, made from a few metal strips, several binding posts and a wooden base

rheostats mounted on a wooden base or behind a wooden panel mounted upon a base make a serviceable resistance group by which motor speeds can be controlled.


That of reversing the motor is often a problem to some. Simply reversing the battery leads will not bring this about. However, by mounting the motor on a wooden base and fixing four binding posts upon the base, two posts being connected to the brushes and the remaining two to the field, results in a combination whereby the direction of rotation can be varied at will. In




Producing a musical note by blowing through the holes of a moving paper or phonograph disk.

Left—A series of obsolete radio rheostats arranged on a base. They are to be used to control the speed of a toy motor. Below—Discrement the series of the se

Below—Diagram of the reversing switch and method of connections.




making these connections, the present series field connections of the motor are abolished. In the series-field connection, one end of the field winding of the toy motor is connected to the battery, the other free end of the field winding connects with one of the brushes, and the remaining brush connects with the remaining battery terminal. In the four binding post method, the field to the brush wire should be disconnected. The now free wires should then be connected to two binding posts and the two brushes, connected electrically to nothing else, should be led to the other two binding posts. To operate the motor, run battery wire to one field binding post. the other battery wire to one of the brush binding posts and then connect the free binding posts with a wire. By a simple reversal of either ONE battery wire to the other corresponding connection, or end, and connecting directly the free binding posts, the motor will reverse.




Holes drilled in a phonograph record produce a musical note when a current of air is directed toward them through a soda straw or rubber tube, when revolving.

In this manner, the battery current reverses through either the field or the armature (through the brushes), but never reverses through both the field



and the armature at the same time to cause a different rotation.

A reversing switch can be made from copper strips. Bend and mount strips as shown in the sketch. Strips E and F are somewhat like telegraph keys and in the normal, or up, position make contact with strip G. When either one is depressed, this depressed strip makes (*Continued on page* 645)



Prize Puzzles to Polish Your Wits

By Pau hoys

THE Puzzle King presents the eleventh of a series of problems, the solving of which will show if your mathematical ability is bolstered up by logical reasoning. Prize winners of the August puzzles and solutions will be found on page 656.

TWENTY-FIVE DOLLARS IN PRIZES

A FIRST PRIZE of \$10 will be awarded to the person sending correct answers to the five puzzles accompanied by the best expressed analyses of the Oil and Vinegar Problems:

A SECOND PRIZE of \$5 will be awarded for the next best analyses and correct answers to the five puzzles.


TEN PRIZES of \$1 each will be awarded to the ten persons who send the next best analyses of the Oil and Vinegar Problems together with correct answers to the five puzzles.


. Answers must be received not later than noon, November 15, addressed to "Puzzle Editor," SCIENCE AND INVENTION, 381 Fourth Avenue, New York City.

All contestants must abide by the decisions of Sam Loyd, who will examine all papers and award the prizes.

Papers of identical merit, tying for any one of the prizes, will each receive the full amount of the prize tied for.

 T^{HE} most ancient puzzles of which we actually know the author's name





Speculating in Oil and Vinegar

W HEN Tony Bacciagalupo bought out Angelo Frascatti's stock of oil and vinegar, for an even hundred dollars, the two merchants took inventory and found the quantities of liquids as shown in the sketch. Each barrel is marked with the number of gallons it contained.

Tony believes in quick sales and small gains, so at bargain prices he realized a nice profit by speedily clearing out the entire stock, with exception of one barrel, which barrel remained untapped at the time of our interview. He had a flat gallon price for his oil, which was three times as much as he asked for vinegar, and with six of the barrels sold out, he had taken in like amounts of cash for each of the liquids.

Tony told me many interesting things about oil and vinegar, and also imparted some confidential advice as to what one could do with a barrel of grape juice. However, since this is a puzzle discussion, let us confine our attention to the facts already set forth.

As related, after taking in the same amount of money for each liquid, and charging three times as much per gallon

The Seal of Ahmes

date back to 1500 B.C. These are contained in an Egyptian papyrus reposing

the British Museum. The title of this prized relic is. Directions for Knowing All Dark Things. The author was a priest named Ahmes. His puzzles were not difficult, since they dealt mainly with simple arithmetic.

Here is one of them, which an eighth-grade pupil should solve in a iiffy.

a jiffy. "Find a number which, when added to its seventh part, equals 19."

A feature of the Ahmes document which strikes me as being much more worthy of our attention, is a symmetrical design which appears throughout the work in the nature of a seal, or signature. As shown in our sketch, for oil as for vinegar, Tony had emptied all but one of his barrels, which barrel remained untouched.

Now, here is where the puzzle comes in. I offered Tony four dollars for the contents of that remaining barrel, and he snapped me up, although I got the stuff 20 per cent. cheaper than did the other customers.

Which of the liquids did I stock up on, and what profit did Tony realize on his turning over of the seven barrels.

Another Puzzle from Tony

W HILE investigating the oil and vinegar business, let us consider another problem picked up at Tony's.

It seems that in bottling up a full barrel of vinegar, Tony used three measures in decanting the 31½ gallons. He drew five times as much vinegar with the 3-qt, measure as with the 2-qt, measure, and the only other measure used was the 5-qt, one.

Since he drew only full measures, who can tell how much he drew off with each of the three measures?

this symbol is composed of a group of triangles within a circle.

From this graceful figure we deduce two natural puzzles, as follows:

First: How many different triangles can be counted, that is—the total number of triangles, large and small, that can be found within the circle?

Second: In how few strokes of a continuous line (counting the circle as one) can the figure be drawn; it being permitted to retrace parts of the design?

Thus three problems, gleaned from the musty records of Ahmes. The first, that little arithmetical question, should be solved mentally to lubricate the mental mechanism for digestion of the other two posers.

At the top of answer sheet, state the number of triangles. Also set down the total number of strokes required to draw the symbol.

23

November, 1930

Make Your Own Castings

By L. K. Wright

A Very Large Number of Otherwise Keen "Make It Yourself" Enthusiasts, Who Literally Do Make Everything Themselves, Invariably Balk at the Prospect of Making Their Own Castings. Like Every Other Job, of Course, There Is a Knack in It, and a Few Tricks to Be Learned

A GREAT many "how-to-build-it" articles very easily skip over the casting problem by advising the constructor to "take the pattern to the foundry" so that the required number of pieces may be cast. To the builder familiar with casting practice this is superfluous advice, but to those not cognizant of pattern and founding procedure such a single sentence of instruction on this subject is the bugaboo which deters many from constructing the models they are anxious to build.

628

Patterns form the most expensive part of the production of castings. Once a pattern is made up almost any number of castings may be cast by the use of it. The cost of casting is so reasonable that it does not pay to attempt to provide the metal and apparatus to pour them in the worker's own shop, unless they are of the low melting point metals, such as the tin, lead, bismuth and zinc alloys. The low melting point alloys are suited to small experimental parts and after proving the piece by a test fit the pattern thus checked may then be used for an iron or brass casting.


Iron castings range from five to fifteen cents per pound, brass and bronze from thirty to sixty cents and aluminum from forty to seventy cents per pound. Small intricate castings cost a great deal more than large simple ones, but on the whole the prices are usually very reasonable.

To make small castings about one or two cubic feet of fine moulding-sand will be required, which will be sufficient for most experimenters. This material may be purchased from a foundry supply house, the foundry itself or obtained by a dealer in hardware. If it is possible to obtain the yellow sand it will be found to serve better than the black material generally employed, but the latter will serve, as it does in thousands of foundries.


Should the amateur decide to find his own sand, preference should be given to the finest material, which clings together in a solid cake when a damp mass of it is compressed between the hands. Common river, lake or ocean sand is not suitable as it is too coarse and will not hold its form.

In order to prevent the sand from getting on the floor and being tracked about the place it is best to construct a moulding-table. While an ordinary bench or table will do it will be found that convenience of working at a moulding bench, of the type shown in Fig. 1, will more than offset the labor necessary to build it.

Since the bench is subject to considerable pounding it is best to con-



These sketches give all the detailed information required to make a moulding bench and "flask," or container for the sand mould.



Pouring the molten metal into the mould

struct it of one-inch material, fastened with screws, so that the joints will not open. Two rails should be screwed to the front and back boards inside the trough so that the cross-boards, which in turn support the mould, may be easily shifted. By sliding the mould with the cross-boards the sand below is easily available. Fig. 1 depicts the general form of a suitable moulding bench, and conveys more concrete information than would a page of text.

A few simple tools will be required for handling and preparing the sand. A small shovel or scoop may be used for filling the moulding box or "flask." Whether sand is new or used over and over again it is best to make a sieve of ordinary wire screeen. A piece of wire netting fastened to a box or hoop makes a good sieve.

A rammer, used for pushing and ramming the sand in place, may be easily made by whittling down a small rolling pin: one end being cut to a wedge shape while the opposite end is left full size for ramming. The center portion may be thinned to offer an easy grip for the hand. For small work an old teaspoon may be used for working the sand. The above "tools," together with a bag or knitted stocking filled with coal dust, completes the necessary equipment, with the exception of the "flask." A simple "flask" consists of a rec-

A simple "flask" consists of a rectangular box, cut longitudinally in half and provided with a loose top and bottom. A "flask" suitable for small castings may be made of one inch stock and is best constructed by first making a box about $12'' \times 8'' \times 8''$ high, and then sawing it in half, so as to provide two frames. The upper section is called the "cope" and the lower portion is termed the "drag."

Each section is provided with corners and sand holders, screwed in place, the former members serving to strengthen the "flask" and the latter triangular strips to pro- (*Continued on page* 639)

Science and Invention

629

Scientific Aids to Your Comfort By Mary Jacobs Are You Getting Full Benefit from the Time and Labor Savers on the Market? This Monthly Page


Keep Your Dresses Straight


WHEN you unpack a grip, it's mighty discouraging to find carefully pressed clothes all wrinkled. The Aviatrix suitcase keeps dresses smooth. . . Besides the regular compartments, it is equipped with a banded dress-holder, so arranged that clothes are always in a vertical position. The case accommodates from six to ten garments; you merely raise the holder to get them. Priced from \$10,00 to \$85,00.

Save Your Hands



STEEL wool is excellent for cleaning aluminum pots. Unfortunately, it chaps your hands. To eliminate this, a long metal handle (the Nu-Brite) which fits into the disc holding steel wool, is being manufactured. Price 10c per package containing steel wool, soap and handle. Tested in our laboratory.





Turn the Switch, and Cook

IF you are tired of a hot kitchen, why not install an Electrochei? Double air-space oven insulation and focused radiant reflectors assure cool cooking, according to the manufacturer. Several dishes can be prepared at the same time by using the oven, and table stove of four burners. An adjustable thermostat maintains constant oven temperature. The oven is constructed of Armeo iron, all bare metal finished in rustless chromium, and porcelain enameled. Y OU can buy the latest in electric irons for §8.90. The Proctor iron has a complete temperature range up to 250 degrees Fahrenheit for properly pressing linen, cotton, wool, silk or artificial silk. No constant plugging in to warm the iron and pulling out when it gets too warm. Just set the dial marked for your fabric, and correct temperature will be maintained. Tested in our laboratory.

Features the Latest Devices to Lighten Your Work

Upon turning on the current, a red light

Upon turning on the current, a red light is flashed. It remains until grids are heated

Silent Signal Wafflor

 $T_{\rm eliminates\ guesswork}^{\rm HE} \ {\rm Proctor}\ {\rm Wafflor} \\ {\rm in\ baking\ waffles.} \ {\rm Nine} \\$

in Daking warnes. Type intensities of heat are provided for the grids. Waffles can be baked from a very light yellow color to dark brown, crisp ones. When grids are properly heated the ruby light flashes off; when batter is poured it reappears, and remains until the waffles are perfectly baked. It will stay just right till you take out your waffle. Price \$25.00. Tested in our laboratory.

Warm for you. Price \$12.50. Tested take out your warm for your haboratory. Tested in our laboratory. Tested in our laboratory and addresses of manufacturers gladly supplied upon request

Toast to Order

THIS automatic toaster prepares any slice of bread, thick or thin, on both sides simultaneously. Heat is adjustable: your toast can be done just as you like it—light, medium, or dark. There


is no ticking or popping out; the toaster signals silently by the wink of a light

when each slice is ready, then keeps it

New Ideas for the Owner and Driver

By Arthur George

Every Month New Developments of Interest to the Owner Driver Make Their Appearance, and Are Reported for Your Information and Benefit. The Author of These Notes Is an Authority on Automobiles, and Has a Wide Experience in the Motoring Field




Current Failures

THE absence of charging current THE absence of $\operatorname{Chargens}$ will be shown immediately by the ammeter.

If removal of the cut-out cover shows this unit to be out of contact and the contact points will not stay together even after holding them closed, it is probable the fault is in the generator. This can be taken off the engine by loosening one or two bolts. If the segments in the commutator are uneven, the segments should be trued up with emery cloth or on a lathe. Look for worn brushes, which may be too short. If worn, replace with new brushes. Another cause may be the rubbing of


a brush wire or pigtail against the commutator. A piece of insulating tape will possibly be all the repair required unless the wire is cut. The third cause for failure may be a broken wire from the third brush, where it joins the field coil.

Temporary Terminal and Battery Filler




WHERE the terminal of a battery is corroded the tightening of the bolt may cause it to break. A strip of sheet copper is punched at both ends, bent to the shape shown and attached to the battery wire by a bolt, washer and

nut. A bottle with a convenient vent will facilitate adding water to the battery. If the cork is nicked on one side, it will allow controlling the flow of water to the cells.



The Starter Control on Steering Post

MANY new models of cars are being equipped with starting button controls on the dash or the steering post. The advantage is leaving the foot free for operating the brake or accelerator while starting the engine after stalling



in some awkward position. A good steering post control for starting is pic-tured. This consists of a lever, two small brackets around the steering post and one rod. The lever is a simple straight iron bar, one end to rest against the starting button and the other drilled for the hand rod. Sheet iron forms the brackets, fastened by small bolts. A quarter inch iron rod reaches from the lever to a convenient place under the wheel. A pull on this handle and the engine starts, both feet being free to control the car


A Top for the Rumble Seat

'HE rumble seat is one of the most L undesirable locations from the passenger standpoint, particularly in rainy weather.

The top shown consists of a metal bow which slips into holes in the seatback. Extending forward from this is a single section of pantasote. The turning type or snap-on fasteners are the means for attaching the forward edge to the car top. The rear edge is fastened around the rod. If desired, two metal rods can be added at the sides of the top, the top fabric being stitched over to provide an opening for these.


Cooling of Engine

LEANING the radiator is an imgets in the deposits fill the openings through the radiator and prevent water A good solution to clean out the flow scale is lye. One-quarter pound is dis-



solved in three gallons of water, strained through a cloth and placed in the radiator. The engine is run until thoroughly hot and the solution is drawn off through the lower petcock. The radiator should then be thoroughly flushed out with clear water.

630



This bandsaw in a woodworking shop, San José, runs on a pair of discarded bicycle wheels with leather lined rims.

OSTA RICA is one of those small republics struggling with an overabundance of politicians which might escape notice if it were not for the fact that the people are adept in making useful things from waste and salvage.

The gasoline used in Costa Rica is imported in five-gallon cans. The average person would think that after the gasoline had been emptied the only thing to do with the empty can would be to feed it to the goats, but the ingenious Costa Ricans will not have it so.

Of the many things that are made from gasoline caus, perhaps the most useful is a miniature stove which does excellent duty in many, many homes, especially in the homes of the smaller and poorer families, of which there is an overabundance.


To make one of these stoves the first step is to close and solder two holes which are always punched in the top of the can in order to pour out the gasoline. Next a rectangular piece, a little narrower than the original height of the can and exactly as deep as the can is wide, is cut out of one side. A smaller rectangular piece is cut out of the adjoining side and a half-circular piece just above it.

With the large rec-

Science and Invention


How They Make It in Costa Rica


By Russell Raymond Voorhees Correspondent-on-the-Move



Ordinary kitchen-shelf brackets form the supports for this stair in Cartago.

POLITICS-POOR — that's Costa Rica; but Costa Rica's Common People Have Developed in Their Poverty a Wonderful Talent for Making Useful Things Out of Salvage and Waste... The Globe-Trotting Scribe, R. R. Voorhees, Tells You the Details Here in an Article Genuinely Unique






A pinion and gear from a junked Model T Ford transfer motion from shaft to shaft in this candy agitator at Alejuela.

tangular cut removed uppermost, the upper portion of the can is lined with a clay mixture. A collar is soldered around the edge of the cut. The lining is brought above this collar and leveled off to form a flat surface on which to rest pots and pans in the process of cooking.

The clay lining divides the inside of the can into two horizontal parts, the upper one being the firebox in which is burned charcoal and the lower one the baking oven. A tin door is added, with two pivoted pieces of tin to hold it. These stoves sell at retail for two



Above—Flower stands made of metal binding taken from packing boxes. Left—Wall coverings, cookie display boxes, sprinkling cans, stoves, and candy boxes are some of the things Costa Ricans make from emptied gasoline cans.


colones or pesos, Costa Rican money, which is exactly fifty cents in the U. S. A.

There are literally dozens of other articles and uses for the lowly gasoline can. For instance the cans are flattened out and used for the covering of sides of little shacks in place of sheet tin. (*Continued on page* 659)

631

Suggestions for the Home Machinist


By George A. Luers



The Drill Point and the Special Drill Size


WHEN drilling a hole the point of the drill should be accurately ground (both cutting lips should be of equal length), otherwise the hole may be oversize. A simple sheet metal gauge as shown is a good guide to use in grinding a drill. A machinists' scale can be used to roughly check up on the drill point. It is placed to the side of the drill to measure the cutting face.

The drills shown in the lower view will prove very accurate for drilling special sizes of holes. A piece of drillrod or cold rolled steel, the size of the hole required, is ground down, the end pointed, and the tool is tempered.



Centering the Drilled Hole

THE majority of jobs require drilled holes to be accurately positioned and the work is laid off with a scribed line and prick punch marks to indicate the hole position. When the drill is started and the point cuts off center of the scribed hole, it is possible to draw the drill over by means of a round nose chisel as shown. The chisel is used to nick out metal or make a groove in the direction it is desired to throw the drill. If a small lead hole is drilled through the work, prior to using the large finishing drill, the hole may be cut more rapidly and with less effort. If the hole is drilled slightly off-center, the larger drill can be drawn back to the desired position, as shown by the upper view.




Annular Cutting Tools for Plates and Girders

HERE are two annular cutters for plate and girder work. The upper, a single cutter tool, consists of a bar with a pilot, a cutter and a wedge to hold the cutter. The pilot hole for the tool is first drilled into the plate. A more elaborate tool for cutting without a pilot hole, and having two cutters for rapid work, is the lower one. The pilot point is spring-held against the work. The cutters are made adjustable by wedges driven above the cutters through the slot.

Simple Boring Bar for Large Boring Work


A JOB that frequently has to be undertaken is the boring out of large diameter holes, such as the cylinder of a pump casting. If a single fly cutter is used the hole is apt to be smaller at the center of the casting, due to

This Page of Ideas for the Home Machinist Is a Regular Feature of SCIENCE AND INVENTION . . . Its Author Is a Consulting Engineer by Profession, and Is Supervisor of Ordnance Design at the Naval Gun Factory, Washington, D. C.



WAYS to hold circular work and work where no supporting face is directly under the area to be machined are illus-trated. The upper view of this figure shows the general method of using the "V" block. All circular jobs can be supported by adequate clamps and blocks, arranged either on the machine bed or on an angle plate. In the lower view is shown a piece of work supported by clamping to Usually C an angle plate. clamps are the means used to secure the casting to the plate, blocking out if required to line up the face to be drilled or bored. The angle plate should always be secured to the machine bed.

spring of the boring bar. The best and quickest method to bore out such a job and obtain a bore of uniform size is shown below. A boring bar is selected, one having a diameter as large as possible. A cutter is made from flat tool steel, grinding this cutter so that both ends are of equal length measured from the central notch. A wedge is used to hold the cutter in the slot in the boring bar.



The cutter removes metal at directly opposite sides of the work and this tends to prevent spring or deflection in the bar.

Science and Invention

633

Radio Inspectors \$2000 to \$4500 a Year

Radio Broudcast Mechanics \$1800 to \$1800 a Year

Radio

Operators

\$90 to \$200 a Month

(Board Free)

...and YOU Need Radio!

YOUY

BAD

NKKIDS

Many opportunities for service men, mechanics, radio operators for ship, shore and broadcast stations

ANUFACTURERS and broadcasting stations are seeking trained RCA Institutes men. Millions of sets need servicing... thousands of ships require experienced operators... Never before was there an opportunity like this.

The Only Radio Course Sponsored by Radio Corporation of America

RCA Institutes (A Division of Radio Corporation of America) conducts courses in every branch of Radio and assists graduates in obtaining employment. Why wait another day... See for yourself what Radio will do for you...

Study Radio under the direction of RCA ... the organization that sets the standards for the entire radio industry... Study under the direction of RCA experts... Learn the "why" as well as the "how" of radio problems... by actual experience with the remarkable outlay of apparatus given to every student.

Graduates of RCA Institutes Find It Easier to Get Good Jobs

Students of RCA Institutes get firsthand knowledge, get it quickly and Study Radio at Home in your Spare Time

Increase your earning capacity by learning Radio under the direction of RCA experts. Ask about amazing outfit of special radio equipment supplied to every student of the RCA Home Laboratory Training Course.

See for yourself how you too can tune-in on success by studying Radio in your spare time.

4

Study Radio

by taking Radio Study Course at any of these RCA Institutes resident schools (classroom instructions). . . RCA experts instruct you in every phase of radio . . . The man who trains TODAY will hold down the big-money job of the future.

RCA Institute resident schools that give classroom instructions are located in the following cities:

New York 75 Varick Street Boston, Mass. 899 Boylston Street Philadelphia, Pa. 1211 Chestnut Street Baltimore, Md. 1215 N. Charles Street Newark, N. J. 560 Broad Street Chicago, Jll. 222 North Bank Drive get it complete. Success in Radio depends upon training and that's the training you get with RCA Institutes. That's why every graduate of RCA Institutes who desired a position has been able to get one... usually in from three to ten days after graduation. That's why trained graduates are always in demand!

Send for FREE BOOK

...Or step in at any of our resident schools and see for yourself how you too can quickly place yourself upon the road to success in Radio...how you can speed up your earning capacity... earn more money than you have ever earned before. Come in and get our FREE BOOK or send for it by mail. Everything you want to know about Radio. 40 fascinating pages packed with pictures and descriptions of the many opportunities in this fastest growing industry of today.

Send for Free Book Today!

RCA INSTITUTES, Inc.

Dept, Exp 11, 75 Varick Street, New York




A Division of Radio Corporation of America

Name	
Address	
Ocennatio	1

Gentlemen: Please send me your FREE 40-page book which illustrates the opportunities in Radio and describes your home laboratory methods of instruction.

Dynamotors and Motor-Generators for A.C. Receivers

THE Electric Specialty Company, announces a new line of dynamotors and motor-generators, for operating alternating current radio receivers, or other apparatus, from direct current. They are equipped with standard attachment plugs—providing "plug-in" connection between alternating current apparatus and direct current. A new type filter is provided which in addition to silencing the noises of the machines, smooths out stray noises brought in by the direct current lines. This gives quieter operation than from the alternating current lines. All units have been



made as trouble proof as possible. They are equipped with wool pack bearings, which are long lived, quiet in operation and require a minimum of attention.

Semi-enclosing prevents damage from objects getting into the machines, yet permits ventilation, assuring cool operation. Dynamic balance eliminates vibration. (This is very important in the high speed machines.) Totally enclosed wiring improves appearances and safety. The new line of machines and filters are made in both high and low speed.

Superheterodyne



GRIGSBY GRUNOW Company announces the Majestic model 52, a screen grid superheterodyne. It is designed in a greatly reduced high-boy type, measuring 391/4" high, 181/2" wide and but 123/4" deep.

The superheterodyne circuit employed consists of a stage of radio

frequency amplification, an oscillator, a first detector, an intermediate frequency stage, a second detector and a push-pull output stage. The speaker, volume and voltage controls are all an integral part of the chassis.

Interference Filter


A NEW type interference filter has recently been announced by the Aerovox Wireless Company.

In this interference filter, a plug receptacle is provided on one face of the unit and plug prongs are provided in the opposite face. The prongs plug into any standard wall socket while the plug Science and Invention

What's New in Radio

of the receiver or appliance can be plugged into the receptacle of the interference filter.


The outlet type illustrated here is unique. It comprises a square plate designed to fit just over the mounting holes of the outlet wall plate so that the screw which fastens the wall plate to the outlet box can be used to fasten



the interference filter and outlet plate to the outlet box, thus providing an efficient and convenient ground connection for the filter, instead of requiring the unsightly ground wire connection necessary with most interference filters.

Adaptor and Trouble Finder and Switches

BEST Manufacturing Company is manufacturing an adaptor and trouble finder and three types of selector switches. The former is specially adapted to making all circuit connections to a five prong tube base where no wires are exposed. Plate, grid, cathode, or heater circuits can be opened readily



for connection of meter or test equipment. This device may be used for connecting phonograph pickups or meters to radio sets or amplifiers. In the line of selector switches, knobs

In the line of selector switches, knobs are keyed to shafts to prevent their slipping. All contact members are of spring phosphor bronze. Model W-23, which is illustrated here, is a doublepole, 4 point switch.

- November, 1930

Jackson-Bell Midget

AN outstanding feature of the new model "62" Jackson-Bell Midget which has just been placed on the market by that company, is its tone control. This receiver contains six tubes, four type -22 screen grid, 1 type -24 power tube and one type -80 recti-



fying tube. It has three stages of tuned radio frequency amplification with four tuned circuits and screen grid power detector. It contains only one stage of audio trequency amplification, which is resistance-coupled to the detector.

The radio frequency circuit is known as a "constant gain" circuit, in which the amplification and selectivity over the entire broadcast band remain practically constant. The selectivity of this receiver is not appreciably affected by the length of antenna used.

Tuning is controlled by a single illuminated dial operating a four-gang condenser. Volume control and switch are combined in one unit.

The speaker is electro-dynamic, designed by Jackson-Bell engineers for this receiver.

Power supply is protected by a twoampere fuse. This is arranged so that it may be inserted in one of two positions—one for 110-volt lines, and one for 125-volts. An electrostatic shield is provided between the primary and the various secondaries of the power transformer for the purpose of suppressing the antenna effect of the a.c. line. This is an important factor in the performance of the receiver, and has a great effect upon the selectivity of the set and the ability to obtain zero volume on strong local signals.


Amplifiers

A COMPLETE line of power amplifiers for public address and centralized radio systems, is announced by the Rauland Corporation. In addition to portable form and also panel types for mounting on channel racks, the line includes portable and panel mixers, preamplifiers, and microphone current supply units and other equipment for complete sound system installation.



The portable power amplifier illustrated here, is contained in a strong metal cabinet with carrying handles. It has an eight foot heavy rubber cord and rubber jacketed plug. There are two types—fixed output impedance and variable output impedance.

- 1



WHEN RADIO'S HISTORY IS FINALLY WRITTEN THIS AMAZING SUPER WILL BE SET DOWN AS THE FIRST « « « REALLY GREAT RECEIVER

In the development of all arts and devices, there stand out epochal, basic achievements toward perfection. Motor car men know exactly the feat that marked the turning point to today's unfailing reliability of the automobile. The aviation expert knows what 'plane established the pattern of design and construction to insure safe travel through the air.

And, we know enough of radio now to make this bold claim that this wonder 1931 H. F. L. Mastertone 10 marks entry to an entirely new era in this new art.

The Super's the Thing!

Long known to be the ideal circuit for receiver use, it remained for H.F.L. to adapt the super-heterodyne to practical home reception. True to its name, the super has been the superior set in power, in selectivity, in pure tonal quality. Yet to combine these qualities with the demanded simplicity of control and ease of operation was a task that baffled radio's best engineers for years. cleverness of today's engineering skill and manufacturing ingenuity.

Awe-Inspiring in Action!

This receiver is actually, definitely revolutionary. It sets up entirely new standards of design, building and performance. Operation of silky smoothness that thrills you to new heights of radio enjoyment. Sharpness of selectivity that is truly breath-taking in its surprising precision. A sweet, full tone quality that is inspiring in its sheer naturalness! Power and reach that awes even the hardened, experienced DX explorer!

Why It is Different

H. F. L. exclusively uses the newly perfected Hopkins Band Rejector System, a circuit of which you will hear much from now on in radio. By this method, the width of the band may be adjusted to absolute precision, without impairment of the audio. Tune the entire scale in steps of 10 kilocycles, just as surely as you set the clock! Distant stations reproduced with the same clarity and definiteness as locals!

635

Try It at Home

Surging power that lays the world of broadcast at your finger tips! Tone that lifts you to the realm of illusion with the artists before you—reproduction that elevates you to hitherto unscaled heights of musical enjoyment.

Give H. F. L. the chance to prove all these unusual claims. Test the giant power of the Mastertone in your own home. Experience its uncanny separation of stations. Thrill at its amazing reach into the far corners of the world. Do this all at our risk.

Book Tells All

Details of this history-making receiver and our new policy of distribution, placing this wonder set within the reach of all, are set out in a new Brochure. Send for and get this book without cost or obligation. No salesman will call on you—you will not be importuned to buy. Write now. You owve it to yourself to know all about the H. F. L. Mastertone 10 before purchase of any new set.

best engineers for years. HIGH FREQUENCY LABORATORIES Now we have all these features in a history-making receiver and at a DEPT. E-930, 3900 CLAREMONT AVENUE price that bespeaks the genius and CHICAGO, ILLINOIS AMERICA'S LOWEST PRICED FINE RADIO! HIGH FREQUENCY LABORATORIES, Dept. E-930 3900 Claremont Ave., Chicago. Without cost or obligation, please send me a copy of your 11.1 new Brochure describing the new 1931 H. F. L. Mastertone 10 and your liberal selling policy. COICA VEST PRICED MASTERTONE Name_ FINE Address_ **SUPER 10** City, State



ě:

PATENT ADVICE

CONDUCTED BY JOSEPH H. KRAUS

In this Department we publish such matter as is of interest to inventors and particularly to those who are in doubt as to certain pattent phases. Regular inquiries addressed to "Patent Advice" cannot be answered by mail free of charge. Such inquiries are published here for the benefit of all readers. If the idea is thought to be of importance, we make it a rule not to divulge all details, in order to protect the inventor as far as it is possible to do so.

Flashlight and Vanity-Case Combination

(1236) Mr. E. Schultz of Buffalo, New York, asked whether we know of an article marketed or patented that consists of a combination Vanity Case or Compact and Flashlight, so constructed that when the case is snapped open the light shines on the user's face, enabling her to use the device in the dark, as in a theatre.

A. We have seen devices of this nature on the market, but have not seen any during recent years. It is conceivable that the item if correctly designed and appealingly presented might meet with favor. The venture strikes us as being dependent entirely upon your ability in properly playing up the suggestion.

In view of the fact that the product seems to have been taken off the market, or is rarely seen, it is doubtful that it met with popular appeal. Your own idea along this line might find the similar difficulty.

We advise extreme caution.

Double-Pointed Phonograph Needle

(1237) Gaith Ficker, Asheville, N. C., asked whether we believe he could secure a patent on the design of a double-ended phonograph needle.

We are extremely doubtful if you could patent this suggestion. The idea does not present an article of marketable value and the extra saving in steel is of little consequence, when one considers the difficulties attendant on the manufacture of such a needle or the generally inferior results which it would give.

We would not advise further procedure.

Electromagnetic Brake for Automobiles

(1238) Jerry C. Clark of Oolitic. Indiana, asked whether we would suggest that he apply for patent on an electromagnetic brake for automobiles using the principle of an ordinary disk clutch operable by the electromagnet and a connecting lever.

A. Some five or six years ago at the Inventors' Show in New York an electromagnetic brake was demonstrated. Up to the present time this brake has not been applied to any of the commercial automobiles. We do not believe that any electromagnetic brake can compare with the modern four-wheel brake, nor do we believe that an idea Should advice be desired by mail, a nominal charge of \$1.00 is made for each question. Sketches and descriptions must be clear and explicit. Only one side of sheet should be written on.

NOTE:-Before mailing your letter to this department, see to it that your name and address are upon the letter and envelope as well. Many letters are returned to us because either the name of the inquirer or his address is incorrectly given.

along this line is of any value whatever unless you are in a position to sell it to some manufacturing organization. A patent could undoubtedly be taken out on this item. Your construction seems to indicate enough differences to enable it to be fully protected by patent claims.

Portable Folding Porch Swing

(1239) A. M. Shandor, Lilly, Pa., asked whether we would suggest that he apply for a patent on a portable folding porch swing. A. Your question does not give us

A. Your question does not give us enough information upon which we can base an argument for further procedure.

We shall be glad to comment upon this suggestion if you will furnish the necessary details.

A Moon Plane

(1240) Phil Margulis of the Bronx, New York, has designed an airplane which is not based on the rocket principle, but with which he expects to attain tremendous altitudes. He merely adds a tank of oxygen.

We do not see how the airplane which you have designed can conceivably be made to rise to any greater altitude than those which are now attained by plane.

Every airplane that is made for the purpose of breaking an altitude record is provided with a super-charger which has a tendency to furnish a greater amount of oxygen to the engine. Your system will do nothing more. The idea is worthless and we do not consider it patentable.

Automatic Clock for Parking Lights

(1241) Jacob Schotel, Brooklyn, New York, has designed an automatic clock for turning on the parking lights of an automobile at a predetermined hour and shutting them off again. He asks our opinion.

A. The idea is undoubtedly good. Such a device could be used and could conveniently be placed on some of the modern cars. The question rests not with the idea but with the possibility of selling the idea after it has been patented. We believe that you have no chance whatsoever with a suggestion of this type and if any automobile manufacturers cared to duplicate the stunt they could do so with ease. We do not find that you have any basic ground for a patent claim.

636

Science and Invention

At the right is a view of my drafting and specification offices where a large staff of experienced experts are in my constant employ.

My Offices Just Across Street From U. S. Pat. Office

Protect Your Ideas

Take the First Step Today—Action Counts

If you have a useful, practical, novel idea for any new article or for an improvement on an old one, you should communicate with a competent Registered Patent Attorney AT ONCE. Every year thousands of applications for patents are filed in the U. S. Patent Office. Frequently two or more applications are made for the same or substantially the same idea (even though the inventors may live in different sections of the country and be entirely unknown to one another). In such a case, the burden of proof rests upon the last application filed. Delays of even a few days in filing the application sometimes mean the loss of a patent. So lose no time. Get in touch with me at once by mailing the coupon below.

Prompt, Careful, Efficient Service

This large, experienced organization devotes its entire time and attention to patent and trademark cases. Our offices are directly across the street from the U. S. Patent Office. We understand the technicalities of patent law. We know the rules and requirements of the Patent Office. We can proceed in the quickest, safest and best ways in preparing an application for a patent covering your idea. Our success has been built on the strength of careful, efficient, satisfactory service to inventors and trades mark owners located in every state in the Union.

Strict Secrecy Preserved—Write Me in Confidence

All communications, sketches, drawings, etc., are held in strictest confidence in strong, steel, fireproof files, which are accessible only to authorized members of my staff. Feel free to write me fully and frankly. It is probable that I can help you. Highest references. But FIRST-clip the coupon and get my free book. Do THAT right now.

No Charge for Information On How to Proceed

The booklet shown here contains valuable information relating to patent procedure that every inventor should have. And with it I will send you my "Record of Invention" form, on which you can sketch your idea and establish its date before a witness. Such evidence may later prove valuable to you. Simply mail the coupon and I will send you the booklet, and the "Record of Invention" form, together with detailed information on how to proceed and the costs involved. Do this NOW. No need to lose a minute's time. The coupon will bring you complete information entirely without charge or obligation.

Clarence A. O'Brien

Registered Patent Attorney

Member of Bar of: Supreme Court of the United States; Court of Appeals, District of Columbia; Supreme Court, District of Columbia; United States Court of Claims,

PRACTICE CONFINED EXCLUSIVELY TO PATENTS, TRADEMARKS AND COPYRIGHTS Inventors Write for these Free Books HOW TO OBTA IN RECORD OF INVENTION Mail this Coupon Nov CLARENCE A. O'BRIEN **Registered Patent Attorney** 53-A Security Savings & Commercial Bank Bldg., Washington, D. C. -01 Suite 1106, Dept. D-5, Woolworth Bldg. New York City Please send me your free book, "How to Obtain a Patent," and your "Record of Invention" form without any cost or obligation on my part. Name Address (Important! Write or print plainly, and address office nearest you)

All drawings and specifications are prepared in my offices.

INVENTORS FINANCE CORPORATION

Will assist you to obtain protection when, due to the lack of funds, you cannot file application for patent without long and dangerous delays.

UNION TRUST BUILDING WASHINGTON, D. C.

Chicago representative—N. E. HEWITT Room 1853, 111 West Washington Street

Write us immediately for free information regarding our time payment plan for the benefit of inventors.

-MAIL THIS COUPON NOW-INVENTORS FINANCE CORPORATION Dept. C, Union Trust Bidg., Washington, D. C. Please send me particulars with reference to above plan, and information about the way to proceed.

Name Address

City State

NOTICE TO INVENTORS

A large Eastern Manufacturer with an extensive and exclusive, established selling organization desires contact with an inventor or a firm owning a good household invention that can be sold in every home. The device wanted must be a summer seller that can be retailed at not over \$100. It may be a re-frigerator, dish washer, oil stove, or any good household necessity. A good proposition is in store for the one who has what we want either on a royalty or on a cash consideration. When answering give comconsideration. if issued. Write Box 11, Mackinnon-Fly, Inc., 381 Fourth Ave., New York, N. Y.




Yankee Brains at Work

Notice to Readers:

 A^N appreciable period of time elapses between the filing of a patent and the date upon which the patent is granted. During this interval inventors frequently move. We regret that it is quite impossible for us to supply the correct addresses of persons whose inventions appear on this page, nor can we furnish information about when the product may appear on the market. Attorneys who prosecuted the patent cases can furnish the most reliable data. Copies of patents are available at ten cents each from the U.S. Patent Office, Washington, D.C.

Frames for Metallic Screens


No. 1.772.780, issued to Louis J. Milone HIS invention relates to metallic L screens for windows, doors. etc., and is an improvement on the patents issued to Arthur L. Otto. Practical production methods are described for the




formation of tubular and channellea rails and stiles of aluminum or other similar metal, the construction being light, economical and neat in finish. The screens themselves can be arranged to be a press fit into the channels of the frames, as shown in the accompanying diagram, or they can be a sliding fit in the vertical frames only, so as to roll up out of the way into a receptacle at the top when not required.

Floating Station for Aircraft

No. 1,773,029, issued to Alan J. Cobham THE object of this invention is not $T^{\rm HE}$ object of this invention is not to provide Atlantic aerodromes but floating stations for mooring flying boats and scaplanes. The stations are designed to be anchored in sheltered waters where such aircraft may moor in safety while being refuelled and otherwise serviced. They are comparatively stationary, will not swing round with changes of the wind, and have no obstructions which will be likely to inconvenience any craft moored alongside. The stations consist of conical buoys, moored by means of an anchor cable



passing through a hawse pipe midway between the deck and the apex of the cone. The deck itself is turnable independently of the buoy itself, so that moored aircraft can swing with the wind without causing the entire station to swing. Fuel tanks are provided within the buoy.




 $T^{\rm HE}_{\rm of this in-}$ vention is to provide a simple appliance adapted to discharge a noxious liquid onto the crown of a plant without affecting the soil around it. It is based on the knowledge

that if gasoline or other similar destructive liquid is deposited on the head of a dandelion it will, in a short time, permeate the entire root. The device is simply a tubular reservoir with a spring loaded value at the end. When this value is pressed up on the crown of the dandelion the value is opened and a quantity of gasoline is permitted to flow into the root.

Dandelion Exterminator

Flying Machine

No. 1,772,049, issued to Simon Lake $T^{{\scriptscriptstyle HIS}}$ invention relates to a flying machine of the heavier-than-air Type which is so designed that the propelling forces can be directed to drive



the machine in any desired direction ranging from the horizontal to the vertical. It is possible by means of it to take off either horizontally, after the manner of existing airplanes, vertically after the fashion of a helicopter, or at any intermediate angle. Flight may also be maintained at any angle irrespective

of the position of the usual controlling surfaces. This is achieved by the use of two plane rings, mounted concentrically, which are driven through gearing in such a way that they revolve in opposite directions, as indicated in the lower cut above. The revolving planes are mounted in gimbals so that they can be inclined at an angle at the will of the pilot. The engine and a pusher propeller are mounted in the cab or cockbit.

Make Your Own Castings

(Continued from page 628)

vide a hold or shelf for the sand so that when the two halves are separated the sand will not slide out of the "flask" sections.

Tapered dowels or cleats fastened to the sides of the "flask" sections must be carefully made so that the two halves fit accurately together. Care should be exercised in building the "flask" to assure a rigid form, with sections that accurately match. The construction of such a "flask" is shown in Fig. 2. The cover, called the "moulding-board" is a duplicate of the flat section used as the "bottom board." These boards, of one inch stock, should measure about $13'' \times$ 9", and both are best provided with $1'' \times 2''$ cleats to strengthen them and make it easier to pick up the "flask" from the floor.

The moulding sand should first be screened to remove the lumps, then it should be carefully moistened, sifted and shovelled about so that the moisture is evenly distributed. If, when compressed between the fingers, the sand forms into a cake and shows all the finger marks it has sufficient moisture and is ready for use. If it fails to cake or if it crumbles it is too dry and more water is required. A sprinkling pot of small size will be found useful in bringing the sand to the proper working consistency, as it will spread the water and prevent uneven wetting.

The sand must be of the proper conistency, for if it is too dry it will crumble or being too wet it will "boil" when pouring in the molten metal through the formation of steam. In either event poor castings will result.

To make a mould the operation is as follows: The "drag" or lower section of the "flask" is placed on the "moulding-board" and the pattern, assumed to be a simple affair, such as a face plate for a drill press, is placed flat side down on the "moulding-board," off to one side rather than squarely in the center.

A quantity of sand is then sifted into the "drag" until it is filled level, as shown in Fig. 3. Then the sand is "rammed" down and smoothed off even with the top edges of the "drag," by using the "bottom-board" as a straight edge. The sand must be rammed properly, for if rammed too hard the surface of the sand next to the pattern will disclose cracks. If not rammed enough the sand will fall or run out of the "drag." Several trials should provide sufficient experience to determine how to pound in the sand. Science and Invention



Inghe	st References—r tompt betvice—Reasonable Terms
FREE COUPON	Registered Patent Attorneys: Established 1898 MAIN OFFICES: 715 Ninth St., Washington, D. C.
delphia, Pa.	FFICES: 1007 Woolworth Bldg., New York City; 1640-42 Conway Bldg., ; 514 Empire Bldg., Pittsburgh, Pa.; 828 Fidelity Phila. Trust Bldg., Phila- ; 1010 Hobart Bldg., San Francisco, Calif.
	nen: Please send me FREE OF CHARGE your books as described above.



His Salary Was Raised while others were reduced

"Up to the time I enrolled for a course with the International Correspondence Schools, I had only a grade-school education. Since en-rolling, I have advanced to a much better posi-tion, where my salary is nearly four times as much as I was making previously. I would not be able to hold my present position had I not taken your Course. Recently I received a nice increase in salary, while other men were being reduced."

reduced." Read that last sentence again—"Recently I received a nice increase insalary, while other men were being reduced." There could be no better proof of the value of an I. C. S. course than that. It shows that the trained man is given preference over all others and paid more money, even in slark times, if his work deserves it. It shows that there are always bigger, better jobs open for men who have the foresight to prepare for them in spare time. Why don't you study and get ready too? We'll be glad to help you if you will only make the start. Choose the work you like best in the coupon below; then mark and mall it to the I. C. S. today. This doesn't obligate you in the least, but it will bring you informa-jion that will start you on a successful career. This ja your opportunity.

Mail the Coupon for Free Booklet

	ESPONDENCE SCHOOLS
"The Univers	sal University"
	Scranton, Penna.
about the subject before which	
	DUSTRIAL COURSES
Architect Architectural Draftsman Building Estimating Uwood Millworking Comcrete Builder Contractor and Builder Structural Draftsman Structural Engineer Electric Uring Electric Uring Electric Lighting Welding, Electric and Gas Trelephone Work Mechanical Draftsman Patternmaker Machinist Reading Shop Blueprints Civil Engineer Highway Engineering Burvering and Mapping Gas Engines Toolmaker Drisel Engines	□Bridge Engineer □ Automobile Work □ Plumbing □ Steam Fitting □ Heating □ Ventilation □ Sheet Metal Worker □ Sheet Metal Worker □ Start Brakes □ Train Operation □ R. R. Locomotives □ Air Brakes □ Train Operation □ R. R. Section Foreman □ R. R. Stedge and Building
Business InAa Business Mangement Industrial Management Personuel Management Accountancy Cost Accountant Bookkeeping Secretarial Work Salesmanship Advertising	Business Correspondence Dettering Show Cards Stengtraphy and Typing Compicte Commercial English Citil Service Railway Mail Clerk Mail Cartier Grade School Subjects High School Subjects High School Subjects Lumber Dealer
Name	Age

Street Address..... City Occupation.

If you reside in Canada, send this coupon to the International Correspondence Schools Canodian, Limited, Montreal, Canada



When the pattern has been properly rammed in the "drag," put the "bottom-board" on top and then turn the "drag" other side up. The "moulding-board," now at the top, is removed and the upper half of the mould, the "cope," is placed in position, as depicted in Fig. 4. The surface of the sand held in the "drag" is dusted with coal dust by shak-ing the dust bag over the "flask." The dust which falls on the pattern is re-moved by blowing. The dust prevents the two sections of sand from adhering.

The "cope" is then filled with sand and rammed, and after leveling off, a wire about the size of a knitting needle is pushed down through the sand until it touches the pattern. A number of holes should be provided by means of the wire so that the steam and air may escape when the mould is being poured. Fig. 5 discloses the manner of providing the vents.

A pouring hole is required and this may be cut by means of a "spruecutter" made from a piece of 3/4" iron pipe. If desired a tapered plug may be used to form the "sprue" or pouring hole. After forming the "sprue of pointing the "moulding-board" on top of the "cope" and then the "cope" is lifted from the "drag." This is the most critical stage of the operation. for if the "flask" is not properly made and sticks, or the sand not of correct texture, the mould may be destroyed by the sand falling out. With a little patience and practice the "flask" may be parted without difficulty and a clear mould obtained.

Cutting the "Gate"

With the two halves of the "flask" scparated the next operation is to cut a "gate" in the sand, so that the molten metal may flow from the "sprue" to the form left by the pattern, after it is removed. An old spoon may be used for cutting the channel. When this is accomplished the next step is to remove the pattern from the sand. A sharp rod or "draw pin" is driven into the pattern, which is then tapped in all directions to loosen the sand slightly. It is a good plan to withdraw the pattern slowly, rapping it gently while doing it, so that any sand which has a tendency to adhere will loosen.

The "cope" is then placed back in position upon the "drag," the accurate centering of course depending upon the dowels or cleats. A heavy slab or brick is placed on top of the "flask" above the mould to prevent the pressure of molten metal from separating the sections or lifting the sand. The mould is then ready to pour. Fig. 6 shows the "flask" prepared for the molten metal.

The molten metal should be clean and sufficiently heated to pour well. It should be poured into the mould in a small steady stream, so that steam and air have chance to escape. The metal should not be poured directly into the center of the "sprue" for the metal will otherwise strike the bottom with enough force to loosen the sand, which would result in a dirty casting.

Sand that is too wet will emit a large

volume of steam and will produce imperfect, porous castings.

Most castings are subject to a certain amount of shrinkage and where accuracy is required the pattern is made to provide for this reduction by making it of the proper oversize.

Shrinkage of (Castings		
Copper 3/1	16 inch	per	ioot
Aluminum	1/2 **	4.6	••
Brass 3/	16 "	~~	
Cast Iron		48	24
Tin 1/		66	34
Zinc 5/1		"	50
Lead 5/		"	**

To obtain the weight of a casting, where white pine is used for a pattern. the following will be the approximate weights, where the pattern weighs one pound.

Alumir	IU	11	n						÷		4.8
∫ron .											16.0
Lead											
Copper						Ļ					19.0
Brass											

Where a non-shrinkage alloy is desired, which in turn may be used as patterns, the following formula should be employed:

Tin 58.5% Zinc 22.0 Lead 12.5
Antimony 7.0
Other formulas are:
Magnalium:
Aluminum 85 to 95%
Magnesium 15 to 5%
Y .4110V:
Aluminum
Copper 4.
Nickel 2.
Magnesium 1.
Britannia Metal :
Tin 85.%
Antimony 10.
Copper 5.
Perwler:
Tin
Antimony 7.
Copper 3.
1 L

Low Melting Point Alloys

For the model maker it is best to cast the part in one of the low melting point alloys; then trim and fit the casting to the desired shape. It alterations are required the pattern can be worked over until the builder is certain that castings obtained from the foundry in brass or iron will be exactly suited to his requirements.

The experimental castings, either rejected as not being of the proper design or as being porous, may be melted down and the metal used over again.

Metals and allows of the low melting point variety may be melted in an iron vessel, such as a clean iron or steel pot. The writer has used an enamelled sauce pan heated over an ordinary charcoal fire but either a gasoline torch or a Bunsen burner may be used.

Much ingenuity is sometimes required in making the patterns, so that they will leave the moulds without disturbing the sand.

Page Maggie Jiggs!

(Continued from page 594)

stand the sledge-hammer-like impact blows of the swinging pendulum; or, on the other hand, a specimen of ware may break readily under impact and yet be immune from chipping. This anomaly may partially be attributed to the design of the edge and the angle of inclination of the rim of the piece of ware.

While the findings of this official gov-ernment breaker of dinnerware—the "mechanical man" delivering sledgehammer blows—are consulted primarily by Uncle Sam for specifications in purchasing chinaware for the various government departments, they constitute a standard of quality for commercial manufacturers of dinnerware. At least 24 makers of domestic ware and four importers of foreign ware consult this swinging pendulum in its apparent rôle of destruction. The samples of for-eign products undergoing these tests are made in England, France, Japan and Czecho-Slovakia.

These competitive tests-deadly parallels of comparison between "madein-America" chinaware and that of other countries-are both an incentive and stimulating force to our manufacturers to better the dimerware used by the approximately 122,000,000 per-sons in the United States. The delivery of blows by a swinging pendulum in a research laboratory in Washington means stronger dinnerware on the tables of Oshkosh and thousands of other places in this broad land.

Bringing Food

(Continued from page 594)

to the kitchen for refilling.

Electric heating elements beneath the conveyors maintain the heat where needed, while refrigeration is applied to other trays to keep ice cream, salads and other uncooked foods in perfect condition

A la carte service may also be had and an absolute check may be kept by means of priced dishes. That is, the price of the order is permanently marked on the side of the dish under the glaze. On à la carte compartments a lock is provided on the trap door through which dishes are returned. The à la carte patron selects his food in the same manner as the flat-rate plan, but he cannot dispose of his dishes; an attendant takes care of adding the prices on the dishes and a check is handed the customer. This gives an opportunity for the purchaser of a light lunch as well as the full meal.

The restaurant is pleasing in appearance, simple, efficient, and noiseless in operation. Patrons are able to get all they want of what they want and when they want it without the assistance of attendants. The feature of being able to view and select the food desired as it passes before one creates an unusual appeal.

Science and Invention

Ý





LePage's Waterproof Glue-for all joints Any cabinet-maker will tell you the quality of finished work depends upon the MECHANICS AND MANUFACTUR ALWAYS READY FOR USE 80 IN THE UNITED STATES ARSENALS. THE U.S. PARE RUS. NATIONAL MUSEUM, AND BY THOUSANDS OF WALLARERS AND ARTISANS THROUGHOUT THE WORLD. GRI NERKON PLANOS, ORGANS, R.R. CARS. CARRIAGES AND GRIA IN OUR GROUND, FLAKE & SHEET GLUES IN BARRELS AN

LIQUID, HARD or WATERPROOF

and all LePage's

LePage's Liquid Glue is handiest to use. Always ready for immediate use. No bother of preparation. Easy to work with because it sets slowly enough to give you plenty of time to adjust the joints. Makes lasting joints of tremendous strength.

that must stand up, impervious to moisture indoors or outdoors.

strength and permanency of its joints. LePage's makes all joints stronger even though you also use nails or screws. Each batch is tested to 3000 lb. shearing strain per sq. in.



STUDIER BUILT

តាធិអាអូពា

long to cook.

EDAG

ISTEDGUIE



Autor Bar

Ŀ,

P

H h

Winter Martin

Science and Invention

New Lights on Old Masters

(Continued from page 595)

mannerisms of the masters of the Louvre. This colossal work is carried out by means of installations, optical, photographic and radiographic, ingeniously combined.

After having placed the picture on an easel, M. Cellerier or one of his assistants sits in front of the desk on which there are push buttons controlling the different apparatus. The operator then carries out the experiments necessary to establishing scientifically the character of the painting. As we have noted above, he determines the characteristics of the internal substance of the picture, as well as the more delicate characteristics of the individual technique of each painter. This varies sometimes in the work of the same master, according to the period in which it was painted.

It will be seen from the preceding observations, that the scientific expert investigation carried out as described will give very precise clues. But it will not be enough to depend on this alone in all cases. Science and criticism have to be combined to achieve certainty.

We can illustrate our subject by giving some typical examples, so as to show the importance of the investigations carried out by M. Cellerier.


We have for example a fresco by Cassariau, which used to decorate one of the rooms of the Ancienne Cour des Comptes in Paris, and which was injured in 1871 during the tragic days of the Commune. Wishing to preserve this important work, the directory of the



Photographing a picture with white light through a yellow filter.

Beaux-Arts had it restored as follows: After having stretched and secured a cloth over the surface of the picture, they scraped away the stone up to the mural painting. Then the latter was backed by a second cloth to support it. The first cloth was then taken away. In this way was obtained what is called in technical language the "marouflage," which means a picture more or less damaged by this double operation, on which a good painter can proceed with the necessary retouching. By photographing in the usual way the head of the principal personage of the picture thus restored, no trace of the work will be detected, while the surface changes and injuries will show very clearly with ultraviolet rays. The extent of the injuries is clearly seen because these last were repaired by the use of organic water colors, which permitted X-rays to pass through, while the old treatments on a mineral base were relatively opaque to the X-rays.

Let us consider now the monochrome reproduction of the celebrated "Benedicité" of Chardin, one of the jewels of the La Cozo collection in the Museum of the Louvre. Photographed by a proper screen in full light, this picture shows the mother and her two children, leaving the other details of the scene in obscurity. This exhibit shows the delicacy of the brush of the marvelous artist, while an X-ray of the portion of



Taking an X-ray photograph of an oil painting

the same picture showing the two children indicates the composition of the coloring materials which he used. These characteristics are found also in the other works of Chardin.

Let us now go on to the examination of a portrait of a woman of the Bruges School which is attributed to the second half of the sixteenth century. Photographing it with a white light and a yellow screen, M. Cellerier found nothing anomalous. Taking a second exposure with an electric arc light, whose white light contains a large proportion of violet rays, he found towards the left cheek and near the mouth a discord of tones. This observation induced the learned physicist to vary his optical experiments. He submitted the portrait next to ultraviolet rays giving it an exposure of forty-five minutes, when he observed the disappearance of cheeks. mouth and chin of the noble lady of

Bruges. In place of these facial areas there was visible a perceptible rough effect, undoubted proof of a considerable retouching. Going back to the original so as to get rid of the later touches, one can easily distinguish the indications of the inexperience of the retoucher. Eventually the X-ray photograph of the same work showed light retouching towards the base of the neck and the left check near the lid of the left eye.

On other ancient pictures the members of the laboratory of scientific research of the Museum of the Louvre have made various observations no less interesting. In the portrait of Isabelle of Bavaria, going back to 1435, ultraviolet rays disclose the delicacy of touch on the face. On the other hand, the headdress is treated more crudely; and yet the X-ray photograph of the picture shows no sign of retouching. The application of the colors of the headdress of the Queen of France seems to show a technique quite different from that of the face and bust. M. Cellerier concludes from this that the master painted the face, the bust, and the neck, leaving to one of his students the work of doing the hair of the too-famous wife of Charles VI.

Colored Filters

Again the examination with colored filters of a Madonna of the Umbrian School, painted towards the end of the 15th century, showed recent additions of pink colors on the cheeks of the faces of the Madonna, the Infant and the Angels. Apparently this retouching was done to restore colors deteriorated by time. The examination of this chefd'oeuvre of the primitive Italians also shows a partial replacement of the old wooden panel as well as of the gilding and painting of this portion of the picture, thus restored because of an accident. In the Louvre Museum laboratory many paintings of the principal masters have already been examined by one or the other of the processes to which we have alluded above, and we understand that the Minister of the Beaux-Arts is to appoint a commission to develop new processes. Once in possession of sulficient material and of experienced collaborators, M. Cellerier will be able to bring together a collection of references worthy of the national artistic riches of France. The collection of these technical proofs will be of great service to public galleries, to collectors and to experts, enabling them to determine the authenticity of the pictures of the principal painters, to discover the retouching and repairs undergone by the same, and to unmask the counterfeiting, sometimes so perfect at first sight of the tooskillful forgers of yesterday and today.

Are you in on our \$3,250.00 Ideal Tool Shop Equipment Contest? See page 597 for complete details.

The FULL AUTOMATIC Oil Burner CINITICATION Smashes Fuel Costs Eliminates Smoke, Soot, Grease The spray method of burning oil means trouble and waste and

that means trouble and waste and that means snucke, soot, grease, because surplus air pressure required blows a large part of the oil spray out the chim-ney, wasting heat and oil. Laco does away with all this. The exclusive new patented Laco Mineral Wick converts the oil into Laco mineral wick converts the oil into hydro-carbon gas—the most perfect means of creating intense heat known to man, because ALL OF IT BURNS and WASTE is elimi-nated. It burns all the oil with air in gas form, thus providing intensive

clean heat, free from dirt or grease. Furnace does not have to be bricked in. Simply re-move the grates and put in the human

the burner. FULLY AUTOMATIC, with room thermostat, etc. Quiet. Won't interfere with radio. Complies with all city ordinances

NEW MODEL F For Heavy Oils

Now for the first time-an Now for the first time—an automatic atomizing power oil burner at amazing low cost for communities where the cheaper grade fuel oils are offered and 24 West Coast Diesel Oil. Eliminates oil waste. Scientific combustion

waste. Scientific combustion chamber and new exclusive Laco shuffler do it. Periect atomization—sure ignition. Meters the oil drop by drop as needed—extracts every de-gree of heat from every drop of oil. Burns low pressure, slow, lazy flame that catches every bit of oil and burns it. Not a shoot-ing flame that blows oil and heat out the chimney or burns out the fire brick. FULLY AUTOMATIC. Safety Lock Out System, ignition, thermostat, etc. Send today for SPECIAL INTRODUCTORY OFFER and Sensational Low Price.

INSTALL NOW-PAYMENTS LATER

Write today and tell us the type of heating system you now have, whether or not you have electricity. All Laco and Griswold Burners are sold on easy terms at SENSATIONALLY LOW PRICES, with a Special Offer if you act right now!

WANTED QUICK

Listed as Standard by Underwriters' Laboratories

of the Junior Laco Line-manufactured to LACO SPECIFICATIONS, but built to sell to the MASS MARKET and wage earners—saves you one-third to one-half in fuel bills—in initial price. Patented Crys-tal Wick does it. Changes oil into hydro-carbon gas. ENDS FUEL WASTE. Fits any stove or furnace. For homes, apart-ments, factories. Any type heating system. Money-Back Guarantee

Money-Back Guarantee Laco Jr., the companion burner to the Griswold Models-manual control-electric blower type burner. For Arcolas, Heatrolas, small furnaces and parlor furnaces. Neither Griswold nor Laco Jr. have complicated wir-ing system. No ignitions. Easily installed and operated. Can't flood. Quiet. If your dealer can't supply you, order Laco Jr. direct from this ad at these sensational low prices, or write for FULL INFOR-MATION about the Griswold Models and Laco Jr.

ORDER NOW!

With Complete Equipment Ready to Install Laco Jr.

Model 0.J. 2-4 rooms.... \$70 Model 1.J, 4.6 rooms.... \$75 Model 2.J, 6.8 rooms.... \$80 All prices f. o. b. Griswold, Iowa.

World's Most Complete Line of Low Price Oil Burners

Laco-a complete line-has just the burner for your home, factory, apartment, or wher-ever heat is wanted, whether you have elec-tricity or not. Models range from as low as \$14 up to \$675. Instantly installed into pres-ent heating system or stove. Takes just an hour. Any plumber can do it!

FuelCosts Smashed

WONDERFUL **Invention Burns Oil and Air**

LACO AUTOMATIC OIL BURNER

Imagine! Automatic OIL HEAT at no extra cost over coal . . . at the low-

est prices ever offered! Laco, by an amazing new invention, burns oil with air and eliminates fuel waste. Cuts heating cost to a mere fraction. Think of the convenience-no more fire fixing on cold mornings-no ashes. No dirt. Then think of Laco's BIG MONEY SAVINGS ADVANTAGES.

Science and Invention



Save 1/3 to 1/2 with Griswold

An opportunity of your lifetime. I referably rated men, but also the man who II invest small amount who II invest small amount in demonstrators and then get out and sell. This op-portunity is worth \$10,000 to \$50,000 to right men. SPECIAL OFFER IF YOU ACT NOW. Large territory available for re-liable jobbers. 95% of all Laco dealers are still selling Laco.



NOW-You Can Go to -Home

Make up NOW forthat education you missed and get your High School Certifi-cate. These I5 amazing "Ques-tion and Answer" books will pre-pare you for big-ger pay, business and social suc-cess. This new



and social success. This new method teaches every High School subject you ought to Know: Correct English, American Government, Geography, Ancient and Modern History, Literature, Spelling, Grammar, Modern Life Science Latin, Physics, Plant and Animal Life, Science, Latin, Physics, Physiography, Civics, Economics.

It's Fun to Learn

this easy inexpensive way — now used in 12,000 High Schools. All you do is read the fascinating questions and answers in your spare time at home. A few min-utes and a few cents a day will bring you rich rewards. Increase your earning power; improve your social standing; qualify for your High School Certificate.

Standing; quality for your high school certificate. Standing; duality for your high school certificate. Standing; Batter FREE Examination Put this million dollar high school in your home on FREE trial. Send no money-pay nothing on delivery. Just examine the books 5 days absolutely without cost. Mail them back at our expense if you aren't delighted. Otherwise, send \$1.85 first payment and then only \$3 a month until the amazingly low prices of \$1.95 has been paid. (10% discount for cash in full after examination making total only \$17.85. I sthisoffer too good to be true? Sendy our name and address NOW for FREE examination. No obligation. High School Home-Study Bureau, Inc. Dpt. 3798, 31 Union Square, New York, N.Y



est pre er eve plan in ca TREVAUX PERFUME CO. DEPT. SA77



Even if you can't read a note of music right now, you play a simple melody on the very day you get your Deagan Xylorimba. Free, easy lessons show you how. Soon you are amazing friends and relatives. Then a new life begins—long, happy evenings of joy; parties; popularity; radio engagements—and the same chance to make \$5 to \$25 a night as Ralph Smith, Chicago—"Played 20 minutes at wedding; received \$20." Or the Hallmann family, Reading, Pa.,—"Made \$300 in 5 weeks, spare time." Think, Reading, I.A., — Hade soot moves, spare time, FIVE DAYS' FREE TRIAL—Our big FREE book tells all about this fascinating instrument—the 5-day free trial offer—the free lessons—the easy payment plan. Send in the coupon today—the booklet will be mailed promptly without cost or obligation.

MAIL COUPON TODAY! J. C. Deagan, Inc., Dept. 3568, 1770 Berteau Ave., Chicago Send me, without obligation, full details of Free Trial offer and easy-payment plan on the Deagan Xylorimba.

Name Address

Science and Invention

Checking Up on Receiver Parts

(Continued from page 621)

lated by a single frequency tube modulator, operate from a common a.c. sup-The oscillators are shielded from ply. each other, and all supply lines filtered, and they feed an r.f. transmission line which supplies the receiver with input energy. The oscillators show no great tendency to "lock in" together, when carefully tuned. Some precautions must be taken to prevent the natural 10,000 cycle beat notes from modulating any one of the oscillators, in addition to its own modulating supply. They are tuned to, say, 820-830-840 k.c., with modulat-ing frequencies of 750, 1200, 1500 cycles. A switch is provided to cut off the "B" supply to both "outside" channel oscillators, simultaneously substituting a "bleeder" load of correct size on the power supply so that the output of the "center channel" will not increase. Attenuations are such that the center channel provides approximately 2 microvolts to the receiver, while the two outer * channels each provide about 2000 microvolts. Many of the preliminary test adjustments on receivers may be made on the center channel, an output meter indicating sensitivity at this one The complete suppression frequency. of all signals from both outside channels then indicates normal rejectivity. It must, of course. be understood that such rejectivity alone means nothing; more complete checks by means of the usual signal generator, together with higher percentage modulation, serve to indicate that the shape of the overall characteristic is that for which the receiver was designed, that the fidelity is normal, etc., etc. It may be said in this connection that, in so far as the Hopkins intermediate amplifier is concerned, the peculiar manner in which the desired signal appears and disappears, as the small ad-justing condenser is rotated, is, in itself, sufficient indication of the correct high pass and low pass characteristic of the respective stages. In general, it may be said that the construction of such a three channel oscillator has fully repaid its designers, and additional units are being constructed so that the same sort of observations may be secured at other points in the broadcast spectrum.

The results so far secured through the careful use of carefully designed parts test equipment has fully borne out our belief that "any means to an end are justified, if the results justify the means.'

There were so many basement conversion plans received that really merited detailed consideration, that in order to get the best material for our final summary, we have decided to omit it from this issue (as originally planned), and publish it in our next (December) number. Look for it!



 $T_{\rm think}^{\rm HE \ best \ contest \ ever \ staged!}$ We this is the only adequate way to describe our new workshop tool and equipment contest. Or perhaps you overlooked the preliminary announcement in our October issue? If so, turn to page 597 of this issue and you will find a complete statement of the objects of this fine new contest, what to do, and how to do it. This is the finest opportunity ever offered for the ambitious young (or old, for that matter!) machinist or woodworker to win a complete workshop outfit of his own selection. Start in now, Consult your hardware dealer; we have already advised him of this contest, and he can help you. Write to the reputable manufacturers of tools and equipment for their catalogues. If you don't know of any, write to us, and we will do the rest. December 24 is the closing date, so let's all get together now and make this the biggest, best and most successful contest ever.

HE December issue of SCIENCE AND T HE December issue of SCIENCE AND INVENTION is going to be a record breaker, packed full of interest from cover to cover. Here are just a few of the highlights. In the first place, we've got the dandiest cover drawing we've Seen in a long time. You remember the Flettner Rotor ship which derives its motive force from the action of the wind on revolving towers? What more natural but that somebody should adapt the same system for airplanes, fitting rotors instead of wings. That's the cover drawing, in unusually striking colors, and the leading article in the issue describes the new plane.


OU'VE all seen circus freaks, of YOU'VE all seen circus treaks, or course, and no doubt most of you have wondered what is the scientific explanation of these unnatural beings. Dr. Frederick Damrau will tell you in the December issue of SCIENCE AND the INVENTION.

MR. A. DINSDALE, our new Man-aging Editor, and an authority on television, has a wonderful tale to tell of the tricks which the Heaviside layer plays with broadcast television images, and how the observed effects can be utilized to calculate the height of the layer.

S a result of J. Phillips Dykes' series A of articles on outboard motor boats we have been inundated with requests for constructional details and blueprints giving all the information necessary to build an outboard boat. It has been impossible for us to reply to all these requests individually, so we have done the next best thing, and our December issue will contain an article by Mr. Dykes which will give all the drawings, data, and instructions required for the building of an **exact duplicate** of the boat, built by himself, with which he has won 29 out of 31 races. Blueprints will be available, and further details concerning these will be announced in the article.

"HOSE readers who are enthusiastic T HOSE readers who are changed about gardeners will soon be thinking about planting for next year, and in our next issue Dr. Bade will tell you what to do.

Science and Invention



(Continued from page 626)

contact with lower strip H. Each strip has a binding post mounted on it. Two L screw hooks soldered together make a neat handle lever by which either strip can be depressed and held in that position, by a simple motion of the handle hook to the left or right. If the connections are made as shown in the diagram, then depressing either key strip will cause the motor to turn left or right.


A motor fitted upon a base with four binding posts as described readily lends itself to being operated in alternating current. It will be found that if the field winding or coil is connected in series with an electric lamp and the 110-volt alternating current circuit, that the lamp will light. If a radio rheostat is connected across the brushes or armature circuit, the motor will revolve, if the rheostat is regulated.

A paper or cardboard disc perforated with holes as illustrated in one of the photographs shows how one can make a wind siren. On whirling the disc with the motor and blowing through a rubber tube or soda straw through the rotating holes in one of the concentric perforations, a musical note can be heard. On allowing the air stream to strike another circle of perforations, a different note will be produced.

A miniature alternator can be made by mounting a circular iron (such as a galvanized iron) disc on the motor shaft. The circular disc should be cut at a point every quarter of an inch along the circumference, a quarter of an inch in toward the center. Each alternate segment thus formed should be bent toward the same side of the disc as shown in the photograph. By connecting a battery in series with an electromagnet and placing the magnet so that the pole is very near the revolving segments of the disc, a hum can be heard in the telephone receivers. This is due to the magnetic lines of force of the magnet being cut or altered by the revolving segments, the segments soaking up, as it were, some of the magnetic lines at a time when a segment is in close proximity to the pole of the electromagnet.

\$5.000 FOR PERPETUAL MOTION

MOTION The editors have received thousands of different designs of perpetual motion de-vices, and have received hundreds of cir-cular letters soliciting finances for the building of perpetual motion machines. The editors know that if they receive the solution of the solution machines. The deditors know that if they receive and who fall for the claims made in the numerous prospectuses giving the earning capacities of the various machines. Most of the shares of stock for these perpetual motion machines are being sold at a rate of \$1.00 per share, although some inventors are trying to sell shares of stock at \$100.00 per share. Therefore, the editors of this publica-tion say, "Just come in and show us-merely SHOW us-a working model of a perpetual motion machine and we will give you \$5,000.00. But the machine must not be made to operate by tides, winds, waterpower, natural evaporation or hu-midity. It must be perpetual motion."




Giants out of the earth

An Advertisement of the American Telephone and Telegraph Company

No AGE but ours has seen so swift and complete an application of natural forces to the doing of daily tasks. Man's leaping knowledge . . . embodied in industrial plants and laboratories, airplanes and electric locomotives . . . has won new power and freedom. Machines are the symbols of a new relationship with nature. They are the servants of this civilization . . . helping men to extend the limits of their opportunities, to change the character of their life.

Americans have been pre-eminent in this change, for in whatever they do they seek to utilize nature to the utmost. They have taken the power out of the earth and from the running streams. They have made it turn the wheels of their industry and move their

products by rail and road. They have made color and variety out of chemistry. They



have spun metal in slim wires to carry

their voices anywhere with the speed

Telephone System has furnished a new communication for this new age. Forwarding the growth of the nation, giving better and more complete service in advance of the demand, its function has become the indispensable one of furnishing the means of social and business contacts in crowded cities and scattered villages over the length and breadth of a continent.

The Bell System is constantly improving the scope, speed and accuracy of its service. Its work of contributing to the welfare and

> prosperity of American life goes on with increasing purpose and pace.







Instantly Applies Real Nickel Also Electrically Plates Brass, Copper, Silver, Gold, Etc. With the inexpensive ALADDIN OUTFI

With the inexpensive ALADDIN OUTFIT you can easily nickel plate the nickel on your car and do a good job of it. The ALADDIN OUTFIT is also a home necessity.

Make Big Profits With the Aladdin Whether you are interested in the ALADDIN for yourself or should you wish to go into business putting real nickel on autos or doing metal plating in your neighborhood, or if you would like to act as our agent in your territory, write us immediately for free particulars.




Prize-Winning Home Workshops

As Announced in Our October Issue, the First and Second Prize-Winners in Our Home Workshop Contest Were A. J. Stuhler, of Monticello, Iowa, and Richard Graves of Boise, Idaho. In What Follows We Give Brief Descriptions of Their Workshops

IN describing his prize-winning home workshop, Mr. A. J. Stuhler writes: "My workshop is in two basement rooms of my home, most of the equipment being in the larger of the two rooms. The equipment itself consists of 1,238 individual tools and machines, each machine having its own individual motor. Altogether there are fourteen ¼ H.P., one 1/3 H.P., and one ½ H.P. motors.

"The general layout of the workshop is designed so that not only is the available space utilized to the utmost advantage, but also so that all machines can




A corner of the smaller basement room part of Mr. Stuhler's workshop, showing the circular saw

would dig too deep into my bankroll. But when I got down to brass tacks and priced several of the articles needed, I had a pleasant surprise. Altogether

my workshop cost me \$13.00."

For that amount of money our second prize winner bought a 1/5 H.P. washing machine motor (\$5), a pol-ishing head (\$2) on which can be placed the saw, emery wheel, drill chuck, buffing wheel, and a pulley to operate the lathe. The latter cost \$4, is 30 inches long and has a $6\frac{1}{2}$ inch swing. Accessories and et ceteras made up the bill to \$13.



A view of the larger basement room of Mr. Stuhler's workshop

be conveniently operated.


"As can be seen from the accompanying photographs, almost every kind of machine is included in the workshop. In addition to the woodworking tools there is also a fairly complete miniature chemical laboratory for experimental and electro-plating work. Welding and

lead burning torches help to make up the equipment."

Richard Graves writes: "Many times in the past few years I have longed for an electrified home workshop, but have always had to cast aside the idea because I thought it

Another interesting picture of the First Prize-winning home workshop, showing a lathe and a goodly array of well-arranged tools Articles made by Mr. Graves himself include a sanding disc, saw-table, crosscut guide and ripping guide.

Not the least interesting part of the descriptions of home workshops is the statements of cost. It is surprising to realize how much can be done with a small expenditure, provided the work of installation and purchase of parts is done by the owner in person.



Modern Suspension Bridges

(Continued from page 590)

investment?

In the new Hudson bridge there will be two decks, the upper of which will be in use before the lower one is completed. The upper deck will accommodate eight lines of vehicular traffic. The lower will accommodate four lines of rapid transit. Will future needs be greater than this? Possibly future suspension bridges more than two or three miles in length will have tubes placed on them, with cars driven through them at tremendous speed. The great stability of the suspension bridge makes this possible.

The tremendous amount of material used in the Hudson bridge is indicated by the fact that the wire used in the cables would reach a distance of 106,000 miles, equal to over four times the distance around the earth at the equator, or nearly half the distance to the moon. The total wire used in the seven next largest suspension bridges together would not be sufficient for the four cables of the Hudson River Bridge.


It takes about twenty minutes to climb the catwalk from the anchor to the top of the first tower and about one hour to walk across the main span catwalk. There are between 300 and 400 men at work on the bridge at all times.

Handy Chest Easy to Build

(Continued from page 615)

by hammering with a blunt tool over a soft board.

The skull and cross bones invite your artistic talents. Cut them from sheet copper as per the diagram, and give the skull a convex or embossed shape by means of a hammer and round-nosed punch on a piece of soft wood. The eye sockets and nose should be depressed and outlines of teeth, etc., made with a chisel or screwdriver. Shadows in the eye sockets and elsewhere are done in dark stains, preferably an ultramarine or dark greenish tint. A wide choice of handles will be offered by your hardware dealer. These should be well secured with small bolts, as screws may not stand a heavy load.



The finished chest

Science and Invention



Weakness is a Crime


Here's something that ought to make you sit up and take notice if you are lacking in energy, pep and staying powers. "Physical Weakness is a Crime"-

"Physical Weakness is a Cime"--many states any so when they require certain physical quali-ties in applicants for marriage licenses. "Physical Weakness is a crime" -- the United States Army and Navy say so when they put you through a rigid physical examination before enlistment. Big corporations say so, too, by insisting on higher physical standards in their employees.

Their employees. A standards in There Is No Place For You II You Are a Weaking! If you are a nervous, timid, fidgeting: shambling fellow, you aront wanted anywhere. You don't attract men or women-you repel them. You can't indulge in the ordinary pleasures of life. You can't enter sporting contests-you lack the energy and stamina of the athlete. You can't hold down a good job-you are too languid and pepless. Your out-look on life is marred by fits of the blues.

Man Builder

STRONGFORTISM STRUNGTON GTUNTISHI Will Do Wonders for You STRONGFORTISM isn't an experiment. There's no guesswork about it. It was through the methods I used in developing my own body until I won the world's record as the finest specimen of muscular development that I constructed the science of STRONGFORTISM. It is through it that I reclaim wrecked and weak men, make them into new beings and give them a body and arms of which they can boast.





Span the World with this Set! A new radio thrill for you! Listen in DIRECT to London, Paris, Berlin, Buenos Aires and other broadcasting stations throughout the world via short waves. Enjoy unique foreign programs from strange lands. Your ordinary receiver cannot tune in these low wave sta-tions. WORLD-WIDE RECEIVER gets 14 to 550 meter stations with surprising clarity. SEND NO MONEY! Just write your name and address on a postcard and ask us to send you this wonderful guaranteed short wave set. Pay postman \$6.45 plus a small delivery charge. All orders West of Rockies must be accompanied by \$1.00 deposit. Foreign coun-tries must remit in full. Write today! CHAS. HOODWIN CO. 4240 Lincoln Ave., Dept. L-30, CHICAGO






Flashes from the Radio Lab

Constant Impedance Controls

IN controlling the volume of indi-vidual loud-speakers operating off an amplifier common to all of them, it is necessary to maintain the impedance of all circuits constant, so as not to introduce distortion due to unbalanced impedances or loads. For such purpose, constant impedance controls are neces-

The accompanying diagram presents two simple clarostat constant impedance




controls, one of the dual type and the other of the triple type. It will be noted that the resistance units are so arranged that as the single knob is turned, the multiple resistances are varied in such manner as to keep the impedance constant.

Test Apparatus

 $A_{\rm tion\ and\ use\ of\ three\ types\ ot\ sim}^{\rm SUGGESTION\ for\ the\ construc$ ple and inexpensive test apparatus for servicemen comes from John Bernard of Queens, Long Island, who writes: "I experimented with the three types

of simple testers shown in the diagram indicated at A, B and C. All three use a simple series circuit, the piece of apparatus under test being connected in series with the battery and some kind of indicating device. In the case of "A," it is a visual indicator as represented by the lamp. In "B" we also have a visual indicator, a deflection of the needle of the meter manifesting circuit con-



tinuity. In "C" we have the aural type of indicator where a pair of headphones is connected in series as the indicator of circuit continuity. Any will find ready use in the serviceman's laboratory

and in the case of "A," a 50-watt lamp may be used with the regular 110-volt house current or a 6-volt automobile flashlight bulb may be used with the storage battery. The system represented at "B" makes use of a 50 or 100-volt voltmeter used in conjunction with one or two 45-volt B batteries. At "A" the circuit may be supplied by any dry battery from 41/2 volts to 45 volts. By touching the terminal leads or posts of the piece of apparatus under test with the exploring leads of any one of these three systems, circuit continuity, and in the case of "B," circuit response may be roughly indicated."


Vernier Dialing Device

WHILE there are many forms of wernier dialing devices in use, many times, especially in laboratory work, there is not sufficient space or convenience in operation to use them.

A practical device for this work is described as follows:

Take a flat strip of hard brass, drilled at an angle of 3 degrees or more, with a shaft hole of the required size, reaming slightly for loose fit, if necessary. This brass piece is then drilled for bolts to fasten same to an insulating handle of convenient length. Vernier ratio is proportional to the length of the device measured from the center of the shaft hole to the point of contact and pressure applied by the hand to rotate.

In using, no dial is used on the instrument shaft, but instead, a pointer is affixed thereto, which indicates position on an engraved or otherwise marked scale, on the panel (Paper scale of the protractor type may be used glued on panel). Vernier dialing device is placed on the shaft, light inward pressure exerted, causing device to grip shaft, then rotate to left or right. Precise adjusting is comparable with using large di-



ameter plain dial, with the advantage of much less space required, also when released device returns to vertical position again, regardless of shaft pointer position.

C. W. GALLINGER, Ogdensburg, N. Y.

Sky Jobs

(Continued from page 593) often move or change jobs before mastering their work. One factory prefers to draw its helpers from the most promising high school graduates near= by. The best aircraft mechanics must be able to use decimals, read blueprints, handle accurate tools and keep mistakes at a minimum.

Airport management offers an excellent future. Engineering firms are specializing in airport and hangar construction, keeping their engineering forces always busy. Floodlighting, site selection, grading and surfacing, radio and beacon installation, are among the problems to be solved. Experience as "grease monkey" and general handyman is always valuable to the future airport engineer and manager, who must find ways and means of making the airport pay its way.

The manager of an aviation employment bureau, the only one of its kind in this country, told me that metal workers, radio experts and licensed mechanics are being placed at the rate of around eighty a month. Only men with experience are listed, he said, largely between 18 and 30 years of age. He recommends that a young man select the line for which he seems most suitable, whether flying, mechanical engineering. stockroom clerking or what not, and then stick with it, getting as much training and experience as possible. He expects the industry to leap ahead after the next few months, as it did between 1927 and 1929.

Luminous Paint and Its Preparation

(Continued from page 616) luminous paint. Wind-up tops of the "push the peg" variety can also have the phosphorescent paint applied to them to give a luminous effect in the dark.

Quite a novelty can be made by painting the salutation on valentine, greeting, birthday and other cards in luminous paint, adding in small script, "Look at me in the dark." Paper cutouts such as skulls, butterflies, table lamps, and other items all show up nicely when prepared with luminous The constellations can be done paint. in tiny paper stars made luminous with the paint. Quite a novelty would be a luminous dipper on the ceiling of the hedroom!

\$21,000.00 for Spirits

For more than six years this publication has offered prizes totaling \$21,000.00 for genuine demonstrations and proofs of spirit manifestations which we cannot duplicate by scientific and well-known means.

Up to the present time not one manifestation has been presented which by even the greatest stretch of the imagination could be considered genuine.

How many more years must this prize be offered? Spiritualists, please answer!









Science and Invention

Train NOW for One At Home! Through hard times - adversity - sickness

-bad luck - big bills - what can equal a

hMU

Copy me and get Ivorine Rale Free.—Jack

HERE



4006 So. Figueroa, Los Angeles. Calif.


Dept. 86.

A Visual Attack on the Fog Problem

(Continued from page 613)

a practical method of "seeing" these long waves we may yet have aircraft beacons consisting simply of a tank of hot water !

In order to determine just what can be done visually with certain filters favoring the longer wavelengths such as red and yellow, the writer has been conducting some experiments during the past few months in many kinds of fog and haze, mostly along the Hudson River and in the adjacent mountains. The filters used in most of these experiments, particularly the photographic ones, were made up by the Corning Glass Company for the Department of Natural and Experimental Philosophy, U. S. Military Academy. We therefore use the Corning terminology for the various colors. For convenience of theoretical discussion we treat the various filters on a transmission or "penetra-tion" basis. Actually, however, a filter cannot increase the intensity of the transmitted waves, though the eye pupil may approximate this effect by opening wider. The filter's main action is to cut out the shorter waves which, because they come from the object by more crooked paths and from everywhere else to a certain extent by scattering and diffuse reflection, tend to make less clear in our eyes the image of the object.



Diagrams illustrating the sensitivity of the human eye to various colors as compared with the various filters used in fog fighting.

The deepest red visible to the eye is given by "dark ruby," which cuts off all wavelengths shorter than about 6200 Angströms and transmits only strictly red light. Theoretically, of course, this filter has the greatest advantage about 2.3:1. That is, the mean of the filtered waves is 6600 and the mean of all visible waves is 5350, and the fourth power of their ratio is about 2.3. But when we try to look through fog with this filter we find that it cuts down the light very greatly—to about 1/20 of its former intensity—and the result is, unless the sun is shining brightly

(as it practically never is in true fog) that this filter gives no aid to vision despite its theoretical superiority. But in sunlight haze this filter clears things up very strikingly, as the two photographs taken south (down the Hud-son), from West Point well show. With the camera lens alone even nearby objects look monotonously gray, and visibility is very poor beyond half a mile. The dark ruby filter extends the visibility to about four miles; the southern hills at this distance are clearly outlined. In addition, the filter clears up all the skylines in the middle range. and greatly increases the contrast between light and dark objects. For an aviator flying down the river under these conditions, then, the filter should offer some advantages. For these photographs and the others as well, the camera was a 4×5 Graflex and the plates were Wratten and Wainright panchromatic.

The next filter on the scale is known as "medium selenium-red," though it actually passes both red and yellow in the spectrum. It cuts off at about 5900 Ångströms. Numerous experiments of ours in all sorts of weather have shown it to be the best all-around filter for visual use in ordinary daylight. It cuts down the total light to about onefifth, but the pupil of the eye compensates in a few seconds by opening wider. The theoretical advantage is about 2.1:1. Of course no visual filter will enable one to see clearly through thick fog. The more nearly fog partakes of haze (the smaller the particles) the more effective are filters; the thicker it becomes, the less advantage they show. But in average fogs medium red glasses do seem to clear things up somewhat. There is better seeing of the penetrating rays, less interference from the scattered rays, an approach towards monochromatism or one color seeing, and better contrast between differently lighted objects such as a hillside and the sky. The two photographs, taken east across the Hudson River in a medium fog, show about what can be expected of this filter. With the plain lens the ridge on the left is very indistinct. The filter brings out this ridge line more clearly, as well as the main ridge; and it shows in addition just above the river a cliff that the plain lens misses entirely. These are small differences; but at the threshold of vision when a pilot can barely see ahead, this slight advantage might mean the difference between seeing a mountain and not seeing it, or it might permit a ship look-out to see another ship sooner by the small fraction of time that would mean safety instead of disaster.

In poor light or in artificial light at night both the red filters take out too much light to be of any use. We have tried the various filters while driving a car through thick fog at night. The red filters made it a game of blind man's buff, but a filter known as "high trans-

mission yellow" helped very slightly. This tint cuts off at about 5200 Ångströms passing the spectral colors red, yellow and green with a theoretical advantage of about 1.7:1. The filter is slightly more effective over the car headlights than over the eye; in both cases it tends to eliminate the backglare of scattered white light. Some years ago there was a vogue of blue auto headlights; why, it is hard to say, for they must infallibly decrease fog visibility. It is true that blue shows some slight advantage in laboratory tests, but in actual field experiments this color proves inferior to white.

In a car, of course, the eye is behind the light source. In any case where the eye looks with the initial light rays, or along their direction of travel, selective scattering of the shorter wavelengths such as blue and violet is likely to cause back-glare. A red or yellow filter which cuts out these shorter wavelengths, at the eye or preferably at the source, always has advantages here. While the filter does nothing to increase the total light penetration (since it can add nothing to the intensity of the longer waves and may even diminish them slightly), it does help the over-all vision by removing some of the back-glare.

Against the Initial Light Rays


On the other hand; where the eye looks against the initial light rays, as in the case of an aviator looking directly at a beacon searchlight, conditions are quite different. Here no artificial filter is needed to cut out the shorter waves, because the fog will do it anyway. Thus auto lights or beacon lights seen at a distance through fog always have a yellowish or reddish tinge. Recently we have heard much of the neon beacon and its supposed tog-penetrating power. A year or two ago the Leviathan carried such a beacon, mounted high above the smoke stacks, on several trips across the Atlantic. Neon gives a bright line spectrum as shown in the diagram, having among others many lines in the red, one exceedingly bright line in the yellow, and two faint lines in the green. The precise spectrum will of course vary with chemical purity and the dispersion of the spectroscope. For beacon use there seems to be no good reason why such a light should be superior in fog penetration to one giving a continuous spectrum over the same wavelengths: for example, a tungsten searchlight equipped with a medium red filter. And, as the fog naturally filters out what fails to get through it, a powerful white light would seem to be as good as anything.

Blueprints on the

Scout Secondary Glider

Are in Course of Preparation and Will Be Available Very Shortly

Get Your Order in Now





Learn to Mount

CARTER PRODUCTS CORPORATION 986 Front Street, Cleveland, Ohio




Will the Rocket Replace Artillery?

(Continued from page 600)

damage. In campaigns in 1807, 1808 and 1809, they were used on land and afloat at the siege of Copenhagen, in Lord Gambier's fight on the Basque Roads and in the Walcheren expedition.

So successful were they in competition with the undeveloped artillery of the day that Congreve predicted that in a few years rockets of an improved design would supersede cannon entirely. Unfortunately for this prediction, they were too costly and uncertain, as then constructed. Congreve's rockets used fuel not unlike that which propels ordinary modern skyrockets. They had a long stock to guide them as have the pyrotechnical pieces of today, The science of chemistry had not progressed to the stage where better explosive fuels could be adopted and little was understood about rocket trajectories and the mathematical calculations necessary to produce accurate aim. Too much fuel was required to carry the rocket itself into the enemy's lines; too little weight could be allotted to the "pay-load", the explosive or incendiary material that constituted the rocket's raison d'être,

Nevertheless, rockets constituted an important adjunct to artillery for the greater part of the nineteenth century. A field rocket brigade was formed in the British army in 1812 which joined the Allies before Leipsic in 1813, and contemporary accounts have it that the rockets fired on this occasion were markedly effective, causing great damage and inducing confusion and terror among the enemy.



Here is a representative group of Ludvik Ocenasek's rockets. Note the wide stabilizing fins. The remnants of which return to earth after the rockets explode.

The rocket brigade later distinguished itself in the battle of Waterloo. but already the use of rockets had begun to decline. Congreve's rocket was superseded by an improved, stickless type invented by Hale, but the development of artillery had already outstripped military pyrotechnics. With the invention of the rifled bore, of breechloading, of independent recoil and of smokeless powder, the advantages claimed for war rockets were discounted in favor of artillery.

The new development of the rockei has come through the study of it as a means of propulsion. The pioneer work in this direction was done by Dr. Robert H. Goddard, of Clark University, who has been working at the problem since 1909 and is now, with the aid of generous funds, supplied by Daniel Guggenheim, preparing to build a rocket capable of soaring through the mantle of atmosphere surrounding the earth and sampling the conditions of outer space.

But the engineers and scientists of Europe have not been far behind him. Since the war a great impetus has been given to the study of rockets in Austria, France and Germany, principally as sources of power for automobiles, airplanes and rocket-cars intended to travel at great altitudes. The late Max Valier, who was killed while experimenting with a liquid-fuel rocket motor invented by himself, and Dr. Paul Heylandt in Germany are generally credited with having made an actual flight in a rocket-driven plane in secret tests. His development of liquid fuel for rocket-craft has been hailed as a revolutionary contribution. Other Germans, including Dr. Her-

Other Germans, including Dr. Hermann Oberth and Fritz von Opel, have also made great strides, perfecting fuels of much power as to make Congreve's two-nile rocket seem like the toy of a child. The most important development in connection with these new fuels is that such rockets are controllable. Unlike the dry powder in a common skyrocket, liquid fuels are subject to throttling, so that a rocket propelled by them can be speeded up. slowed down, guided or brought to a stop at the will of the operator.

No longer are these powerful rockets guided by a stick. In the simplest form they are equipped with large blades or vanes that direct them through the air in trajectories calculated in advance to compensate for distance and wind interference. Experiments have shown that swift, scientifically designed rockets of this sort can be landed accurately on a relatively small target at distances of a mile or more, restriction to deviations of fifty feet or less being possible. This accuracy approaches or surpasses that possible for artillery.

For long range bombardment metalcased rockets using the multiple-rocket principle, in which two or three rockets are built together in such a way that as soon as one is burnt out another is set off, may be devised. Such rockets would travel at incredibly great speeds, describing a great arc more than fifty miles in altitude at its highest point and moving from Europe to America in less than two hours. Max Valier announced a short time before his death that he had already perfected plans for a rocket airplane that would be capable of a trip

ALC: NO.



Blueprints for Our Scout Secondary Glider Are Being Prepared. They Cover Drawings Which Appeared in the July, August, September, and October Installments. Send in Your Order Now!



ANY one can easily learn music by this re-markable new method. And the cost is only a fraction of the old slow way. You don't need a private teacher. You study entirely at home. Aimost before you realize if you are playing real times and melodies, both popular and classic, to please your friends, amuse yourself and make money. This wonderful new methed of reading and playing music is as simple as reading a book. No private teacher could make if any clearer. The lessons come to you by mail at regular intervals-complete printed instructions, diagrams, all the music you need. You can select your own time to study or practice. And the cost averages only a few cents a day, including the music. If you play, you are always in de-mand. Many invitations come to you. And you meet the kind of people you have a laways wanted to know.

you have all wanted to know, LEARN TO PLAY BY NOTE Free Book Tells All Mandolin Saxophone Piano 'Cello Our free booklet. "'Mu-sic Lessons in Your Own Home' — contains an offer that makes the course available at a yery low price. Also a Free Demonstration Les-son which shows how delightfully quick and Ukulele Cornet Trombone

Organ Violin

Banjo

or any other instrument

easy this wonderfully simple method is. Instruments supplied when needed, cash or credit. If you really want to become a good player on your favorite instru-ment, mail the coupon now-today.

U. S. SCHOOL OF MUSIC 3011 Brunswick Bldg. New York City

U. S. SCHOOL OF MUSIC 3011 Brunswick Bldg., New York City SUIT Brunswick Bldg., New York City Please send me your free booklet, "Music Lessons in Your Own Home" with introduction by Dr. Frank Crane Free Demonstration Lesson, and particulars of your easy payment plan. I am interested in the fol-lowing course: Name(Please write plainly) Address

from Berlin to New York in a little over 100 minutes traveling time.

What such an engine, turned to wartime uses by a hostile European nation. might do to the city of New York need hardly be described. It would not be difficult for a designer of modern rockets to provide for guidance by radio so that the presence of human pilots would be unnecessary. Loads of poison gas or explosives could be sent thousands of miles in such machines and released accurately in the heart of an enemv's city.

War rockets for general battle use may, in outward appearance, resemble those of Ludvik Ocenasek, of Vienna, who has been experimenting for several years on rockets designed to carry mail from city to city at incredible speeds. In recent months the Austrian government has moved to give him financial aid for the continuance of his experiments, perhaps, with an eye to their possible future use not only as carriers of mail but also as bearers of wholesale destruction in time of war.

With such rockets available the possibilities of these engines as military aids can hardly be overestimated. army skyrockets of the future will not be loaded with colored stars and pretty sparks like Fourth of July pieces. They will be packed with chemical gases, liquid fire, shrapnel or smoke-producing chemicals. Perhaps they will be carried and fired by advancing infantrymen. who will be able to aim and discharge them without loss of time. Infantry will thus be enabled to provide its own barrage, eliminating the expense of artillery and avoiding the risk of walking into the falling shells of a friendly barrage inaccurately fired.

As Military Aids

Whatever the ultimate type or design, it appears likely that Congreve's early evaluation of rockets as military aids may be borne out. General staffs have become increasingly aware of the disadvantages of heavy artillery. Guns are too heavy and unwieldy. They are too easily damaged, too costly to furnish in large quantities, too weighty to transport swiftly and secretly, and wear out too quickly. Rockets need no can-non for firing. They can be started from the ground or placed in a simple, easily-constructed frame for proper aiming and elevating, and in the hands of trained men they can be fired with virtually the same general accuracy as the shells of a big gun.

Relatively less expensive than heavy artillery, great numbers of them can be used. It may well be that in future wars embattled troops, looking out of their trenches across the scarred contested territory, will behold the sky literally filled with barrage and counter-barrage of flaming rockets-innumerable screaming demons of fiery death, while residents of cities thousands of miles away from the battle zone will fearfully scan the heavens for the telltale comet tail of an approaching rocketengine from the enemy, bearing gas or explosive to rain upon the defenseless citizens.




Home-Study **Business Training**

Your opportunity will never be bigger than your preparation. Prepare now and reap the rewards of early success. Free 64-Page Books Tell How. Write NOW for book you want, or mail coupon with your name, present position and address in margin today.

- name, present position and address in margin today. Higher Accountancy Business Corres. Mod. Salesmanship Traffic Management Correspondence Rail. Station Mgm't Commercial Law Expert Bookkeeping Industrial Mgm't C. P. A. Coaching Banking and Finance Business English Telegraphy Commercial Spanial Business Mgm't Effective Speaking Railway Accounting Stenotypy-Stenog'y Paper Salesman's Training LaSalle Extension University, Dept .1194-R, Chicago

"Dependable 'B' Battery Power" For long and short wave receivers. Prices reasonable. Also "B" batteries operating from 32 to 110 voit D. C. farm lighting systems.



Write for our free interesting booklet. See Jay Battery Co., 911 Brook Ave., N. Y. C.



Artificial Sunshine from a Home-Built Lamp

(Continued from page 623)

turns. Turning the rod causes the piece O to move along it, thus moving H, G, and E. If the upper and lower linkages are identical, turning the wheel K will move the carbon holders E equally. The frame L is fastened to the block of iron D by the pieces of strap iron C, shown in Figure 1. D is drilled to take a 1/2 inch steel rod and is provided with a tightening screw.

The balancing resistance is shown in Figure 3. This shows the resistance made of 5 coils of No. 22 michrome wire connected in parallel. Instead of this arrangement a single coil of larger wire could be used. The No. 22 wire was used since this can be readily secured, being sold by the mail order houses and others for repairing the heating elements in electric toasters and similar heating devices. Since the lamp requires a current of 15 to 20 amperes for efficient operation, more than one coil in parallel of the No. 22 michrome wire is necessary to give carrying capacity. The wire is ordinarily sold in spools having a total length of fifty feet, but coiled in one-fourth inch coils to a much shorter length. One-third of a spool is used for each coil. The coils of wire are fastened at the ends to the disks of sheet brass or copper 2 inches in diameter which are bolted or riveted to the fiber disks. The fiber disks are held rigidly 13 inches apart on the threaded rod by means of jam nuts. Another method of attaching the copper or brass disks is to clamp them between two pieces of fiber or asbestos board held by two nuts on the threaded rod. The resistance wire is fastened to the disk by hooking the end of the wire through holes punched in the disk. The sheet iron disks which form the top and bottom of the resistance housing are attached to the rod by means of jam nuts on both sides. These top and bottom disks are made with four tabs about 3/4 of an inch wide and one inch long, extending outward from the periphery.

The Tabs

Each tab has a hole large enough to take a 1/8 or 3/16 inch bolt. The tabs are bent at right angles to the disk; the ones on the top disk being bent down and on the bottom disk up. Two pieces and on the bottom disk up. of sheet metal one inch wide and 14 inches long are drilled with holes to match the holes in the tabs on the two disks when bent to a circular shape. They are bent to shape and bolted to the tabs forming the extreme upper and lower portions of the cylindrical hous-The ends of each of these sheet ing. metal strips are bolted together on both sides of the $\frac{1}{2}$ inch steel rod to the top of which the regulating mechanism is attached. The sides of the housing are covered with 1/4 inch mesh wire screen which is fastened between tabs of the top and bottom disks and the sheet metal strips referred to above. A switch is mounted on the top of the resistance housing and a porcelain re-

ceptacle to the bottom of the housing. The method of assembling the parts is shown in the photograph. The carbon adjusting mechanism is mounted on a $\frac{1}{2}$ inch steel rod 48 inches long which fits into the base of a music stand. The regular rod with the music rack is removed from the stand and the steel rod inserted. This allows adjustment for height. A reflector is bolted to the framework of the adjusting mechanism.

The Reflector

A reflector may be purchased or one may be made from a tin pail. The latter will not be quite as good appearing as a regulation reflector, but will give very satisfactory results. A ten quart pail of light tin plate may be used. An opening 2 inches wide should be cut from the middle of the bottom to allow the carbons and the regulating mechanism to slip in. A sector of tin plate having a width of 2 inches across its widest part should be attached to the bottom side of the reflector just inside the large opening. This is to catch any sparks falling from the carbons. The resistance is bolted to the upright rod just below the regulating mechanism. The wiring is simple. A piece of lamp cord connects one of the movable carbons to one side of the switch on the resistance. The other switch terminal is connected to one end of the resistance. The opposite end of the resistance is connected to one terminal of the receptacle on the bottom of the resistance housing. The other ter-minal of the receptacle is connected to a long piece of lamp cord leading to a The other wire of the lamp cord plug. is connected to one of the movable carbons. A twenty ampere fuse is screwed into the receptacle. The heavy appli-ance cord is preferable to lamp cord for connections, since the lamp requires a current of 15 to 20 amperes. The outside of the reflector and the resistance housing may be given a coat or two of black stove enamel.

Special therapeutic carbons should be used in the arc. Several types of these are put out by one of the large carbon companies and can be secured from dealers in electrical and medical sup-plies. The "Sunshine" carbon produces light which approaches close to that of sunlight. The "B" carbon gives less light than the "Sunshine" carbon, but produces more ultra-violet rays. The eyes should be well protected when using this carbon. Carbon "C" gives still more ultra-violet than "B." Carbon "D" is the ordinary type of carbon and is not, in most cases, desirable for therapeutic work. The "E" carbon produces small amounts of ultra-violet but is strong in infra-red rays. It is of value where it is desired to apply pene-trating heat. The "F," "G," "H," and "K" carbons are of special applications, and will not ordinarily be used.

When using the arc the eyes of both operator and patient should be pro-

Science and Invention

655










I Positively Guarantee I i ovsitivity Guarantee to increase your arms one-half inch in size, chest one full inch, strength 25%, health, 100% in one week's time, by following my instructions and using ny exer-riser 10 minutes mornings and at uight. Send \$1 for complete course and exercisers. Satisfaction guaranteed or \$1 refunded. Prof. J. A. DRYER Box 1850-L Chicago, Ill.



What is prostate gland disorder? Why does to two-thirds of all men past middle age? Why cause loss of health, sciatica, aching feet, back and legs? Amazing book, writfeet, back and legs? Amazing bool ten by well known American sci answers these questions and tells 100,000 men have found relief wil drugs, aurgery, lessons. Simply send and address for roop, to obligation. dress THE ELECTRO THERMAL. (355 Morris Avenue, Stouberville, Ol







tected by smoked glasses or goggles. Instead of wearing goggles the patient's eyes may be bandaged to keep out the ultra-violet rays. The arc should be plugged into an outlet designed for electrical appliances, requiring a heavy current. Do not plug into a light socket. Be sure the circuit is fused for at least 20 amperes. To start the light turn on the switch and by means of the hand wheel bring the ends of the carbons together. Immediately begin to slowly separate them until the maximum arc is obtained. Once adjusted the arc should burn steadily 15 or 20 minutes or even longer without further adjustment.

The patient being treated should be about three feet from the lamp. The first treatments should not be over about five minutes in length on each side of the patient. After being treated on one side, the patient should turn the other half of his body to the lamp for the same length of time. The amount of exposure will depend on the kind of carbons and the characteristics of the individual. Excessive reddening of the skin during the treatment is usually a sign that the treatment should be stopped on that side. It is not necessary to tan the patient to secure beneficial results. The tan acts as a protective means to the skin and lowers the efficiency of the treatment. As much of the body should be exposed to the rays as possible during the treatment since the effectiveness of the treatment is a function of the surface radiated.

Science and Invention is suspending temporarily the Financial Section. Until further notice, readers are requested not to contribute material for this department.

Reclaiming Zinc from Dry Cells

 V_{a}^{ERY} often the experimenter has a use for zinc and that of a dry cell would be satisfactory if it were not for the difficulty in cleaning out the container

A method that is wholly satisfactory is to connect the plus and minus terminals of the cell to two wires coming from a transformer having an output of about 10 amperes at 10 volts. In a minute the cell will become warm and the gases formed will cause the insides of the cell to be forced out, leaving the zinc container relatively clean.

When using this method, the cell should be in a horizontal position as the contents are usually expelled with considerable force.-Laurence E. Lechleitner.

Iodine Remover

O a little tincture of iodine in a test-L tube, add a solution of sodium thiosulphate (hypo) and it will turn white. The solution can be used for removing iodine stains from clothing or hands.-Benjamin Heller.



Learn at Home -by Mail! Quickly! Easily!

New! Different! Dr. Harlan Tarbell, Famous Magic Wizard, teaches you Big Tricks, Illusions, Stage Stunts, "Patter" and the Principles of Magic. You learn easily and quickly at home by mail. Earn big money with magic. Write today for big details.

Astonish Your Friends

Gain that magnetic popularity that makes you the center of any crowd. Business and social success is assured the man who can perform mystifying tricks. You can earn big money either on the side or as a professional, as well as being the most popular person in your crowd. Why envy others' skill? You can learn Magic yourself, quickly, easily—at home—by mail—during your spare time.

Earn Big Money


Dr. Harlan Tarbell, one of the really Great Magicians, has finally opened up the secrets of his profession in a completely illustrated course offered at a merely nominal cost. The apparently superhuman doings of the accomplished magician becomes as simple as ABC when you just know how.

Write! Mail coupon now for the free Magic litera-ture telling all about the great Tarbell Course in Magic. Get Our Low Prices and Easy Payment Plan.

Tarbell System, Inc., Studio 14-28 1926 Sunnyside Avenue, Chicago, Ill.

Tarbell System, Inc., Studio 14-28 1926 Sunnyside Avenue, Chicago, 111. Gentlemen: Without any obligation send me your free literature and information all about your won-derfol "Tarbell Course in Magic." Also tell me about your Low Prices and Easy Payment Plan.

Name	 _	 	-					• •	 	 			 	 	 	-	_	-	-	-							 	-
Address	 	 _		_	_	_	_	_	-		_	-		 			_			_	_	_	_	_	_	~		_





Illustrated with 40 drip-ping scenes from the good old days, by the famous Bob Dean.

THE HOME **BARTENDER'S** GUIDE & SONG BOOK"



NONTAINS 200 au-A thentic recipes which will make you smack your lips and long to live over again the days of your youth. You will

your youth. You will wish you could try them all immediately, just as the authors once did. If the good old days ever do come back, we recommend that you pause awhile after each and before the next.

Precise Recipes

are given explaining exactly how bartenders of old concocted practically every drink known to mankind. Many forgotten gems of purest translucent color are here restored to the human race. Perhaps they may yet spread their sunshine on these dark days when the mixing of a good drink is almost a lost art. And what drinks they are!! Here are just a few:

Kiddie Kar Kocktail Manhattan Tom Collins Golden Fizz Bacardi Rickey

Hello, Montreal Harvard Cocktail Careless Love Widow's Kiss Horse's Neck

The "HOME BARTENDER'S GUIDE"

also contains dozens of famous old songs that you will want to get right up and sing loud and long— especially loud and long if you have tried a few of the recipes. Here you will find "Father, Dear will find "Father, Dear Father, Come Home with Me Now," the original "Frankie and Johnnie"

Buy It at Your Newsdealer's or **Rush this Coupon** Back AT **ONCE**! PT-TA-

song, and many others.

Only **50**° While They Last

(And They Won't Last Long)

Dedicated to the sacred memories of bygone days,

when mixing drinks was an exact science and

a man could drown his troubles at any corner.

And What **Illustrations!**

Profusely-lavishly they crowd the pages. "Everybody Works But Father" --- "Don't Hit Your Mother, It's Mean" —"Down Where

The Authors

the Wurzburger Flows," and scores of others. Truly these rare portrayals of scenes from bygone days are the work of a genius. So vividly will they stir your memories, they will bring tears to your eyes. They alone are worth a hundred times the modest price of this complete "HOME BARTENDER'S GUIDE."

Order your copy NOW-AND HIDE IT! Even your best friends will steal it! Although its publication has been kept in strictest secrecy, news has leaked out and already terrible crimes have been perpe-trated to obtain advance

trated to obtain advance copies. Never has a book been in such demand! GET YOUR COPY WHILE YOU CAN-WRITE TODAY!

Experimenter Publications, Inc., Dept. 2511 381 Fourth Avenue, New York. N. Y. Gentlemen: Ship me immediately copies of "THE HOME BARTENDER'S GUIDE & SONG BOOK." I enclose 50c for each copy ordered.

Name

Address

City and State

Answers and Prize Awards in August Puzzle Contest

First Prize, of \$10, is awarded to:

Robert P. MacFate, 321 So. Central Ave., Chicago, Ill.

Second Prize, of \$5, is awarded to:

S. D. Berlowitz, 1475 Shakespeare Ave., Bronx, N. Y. City

The ten prizes, of one dollar each, are awarded to the following :

Theodore Savage, 4249 Blackburn Ave., Ashland, Ky.

Howard Shomate, 1103 Truxtun Ave., Bakersfield, Cal.

Carlton Poppenberg, 200 Depew Ave., Buffalo, N. Y.

Charles J. Jacobs, 72 Mt. Vernon St., Boston, Mass.

Norman W. Cote, 4 Grove St., Waterbury, Conn.

Jean Dentraygues, 4075 So. Broadway, Los Angeles, Cal.

Fred. W. Norris, 324 14th St. N. E., Washington, D. C.

Charles Lang, Aibonito, Porto Rico.

P. W. Boggess, 450 Fairmount Ave., Sunbury, Pa.

Helen Hahn, 901 Parriott Ave., Mounds-ville, W. Va.

Solution to "American Fan Tan"

My Chinese friend's opening play removed all five of the quarters, the only play that would surely win for him.

The remaining groups of two, four and six coins, insured him of being able to leave me with further groupings of 1, 4, 5; 1, 2, 3; 1, 1, 1; or reducing the groups to two-4, 4; 3, 3; 2, 2; all of which are losing stages for the player who must deal with them.

Solution to "Science on the Farm"

Tom Brown's statement to the effect that placing his poles three feet apart around his square piece of land would find a shortage of 400 poles, whereas, placing them nine fect apart would leave 800 poles uncalled for, reveals that between the two methods there was a difference of 1200 poles.

By the more extravagant method, a distance of 9 feet would call for three poles, while by the other method that distance, 9 feet, would require but one pole, a sav-ing of two poles. If in a distance of nine feet, he could save two poles by the more economical plan, then how many feet must there have been in the fence line to ac-count for the actual saving of 1200 poles? count for the actual saving of 1200 poles.¹ The question is answered by dividing 1200 by 2 and multiplying by 9. Thus we es-tablish the perimeter of the square as 5400 feet. One side being 1350 feet, the area of the land must have been 1,822,500 square fect. or 41.83 plus, acres.

Why Not Light Up Those Dark Corners?

(Continued from page 614)

these frames was fitted a piece of white frosted glass. Two small ten-watt lamps were fastened inside each frame, connected in series, and received their power from a convenience outlet. The light from these lamps is diffused through the frosted glass, illuminating the figure above. In the open sides of the frames mica or heavy parchment may be used. The light filtering through this gives a warm cozy glow to a somber corner.

Another unusual application of light is shown in the mirror lights illustrated. These fixtures are also guite simple to make. They consist of two long boxes, four inches wide, four inches deep and twenty-eight inches long. The front and back are made of wood and painted black. The two sides are of white frosted glass. In the center is a partition of wood which is thick enough to carry a socket both on the upper and lower side, holding 40-watt tubular lamps. A small tumbler switch is used to control these lights, and is also painted black so that it is not conspicuous. In making these lights, the dimensions allow for the length of two of these tubular lamps in their sockets. It must be four inches square to diffuse the light, for if it is smaller a bright streak will be visible from the filament. The fixtures are hung from the molding as a picture would be, and the wires carrying the current are run along the supporting wires to the molding, and from it to a convenience outlet.


Bookcases frequently offer opportunities for effective lighting. The one illustrated is in the same modern style as the mirror lights. The top, bottom and sides of the sections containing the ornaments are made of frosted glass.



25-watt tubular bulbs account for this lighted bookcase

Twenty-five-watt tubular lights are placed in the partitions back of these glass panels and shed a glow of light on the ornaments. A small 10-watt lamp in the center at the top silhouettes the vase. The frame of the bookcase is painted black and the edges outlined in silver, but the background in the lighted sections and behind the vase may be of a bright color for contrast. The sectional drawing shows how the lamps and connections are arranged.

Light may be used for convenience as well as beauty. Many closets are so placed that almost no light enters them from a central fixture in the room. A lamp in a porcelain socket placed just over the door inside the closet will prevent groping around in the dark for a lost article. In fruit closets and dark pantries they are indispensable. These closet lights are often controlled by a door switch which turns the light on when the door is open and turns it off again when it is closed. A pull chain lamp socket with a luminous pendant is sometimes used.



Two wooden boxes, painted black, with sides of white frosted glass—and you have an illuminated mirror!

A lighted refrigerator is now on the market, which makes use of this same principle. Each time the door is opened a light in one of the corners comes on, showing everything on the shelves. Many refrigerators are placed away from the windows and one always stands directly in front of them cutting off their own light, so that such an arrangement is extremely useful.

A new and convenient device recently developed is a small pilot light on the switch plate. These are lighted only when the switch is on and the electricity they use is almost negligible. There are countless places where they may be used in the home to save the electricity a larger lamp would consume if neglected. They may indicate when the attic, basement or garage light has been left burning or when an iron is forgotten. The latter use is most important, as one never knows whether an iron is heated or not.

Lamps have their novel uses in the garage and conservatory as well. An extension cord, with a rough service bulb, is a necessity when you are repairing your car at night. A newer use is to leave it burning under the hood on a cold night to prevent the radiator from freezing. A lamp can also be left burning near plants to prevent their freezing if they are on an unheated sunporch during the winter.

The experimenter in home lighting



Don't tell me you never had a chance!

"Four years ago you and I worked at the same bench. I realized that to get ahead I needed special training, and decided to let the International Correspondence Schools help me. I wanted you to do the same, but you said, 'Aw, forget it!' You had the same chance I had, but you turned it down. No, Jim, you can't expect more money until you've trained yourself to handle bigger work."

There are lots of "Jims" in the world—in stores, factories, offices, everywhere. Are you one of them? Wake up! Every time you see an I. C. S. coupon your chance is staring you in the face. Don't turn it down. Right now over 180.000 men and women are preparing

Diesel Encines Fruit Growing Radio Ariation Encines Poultry Farming Business Management Business Correspondence Industrial Management Business Correspondence Cost Accountant Complete Commercial Cost Accountant Constance Bookkeeping Mail Carrier Spanish French Adventising Hitsh School Subjects City Grade School Subjects Street Address Cartooning City Mane Street Address Canada City Condact or School Subjects Street Address School Subjects City Condact or School Subjects Montreal, Canada School Subjects Montreal, Canada Manufacture, Montreal, Canada Machinery MoDDELS MAADE Machinery	thereselves for bigger jubs a courses. You can juch them Mark and mail this coupon, 'INTERNATIONAL CORE 'The Univer Box 6235-F, Without cost or obligatic your booklet, ''Who Wins a about the subject before who	RESPONDENCE SCHOOLS sal University" Scranton, Penna, m, please send me a copy of m why." and full narticulars
BUSINESS TRAINING COURSES Busine-s Management Busine-s Management Personnel Management Busine-s Show Cards Traffic Management Stenography and Typing Cost Accountant Chill Strice Bookkeeping Mail Carrier Satesmanship Cardo School Subjects Advertising Lumber Dealer Name Advertising Occupation Hyou reside in Canada, send this coupon to the Internetional Corread, Canada Hyou reside in Canada, send this coupon to the Internetional Corread, Canada Specialize complete Canada Manufacture, Tools, Dies, 'Special Machinery	Diesel Engines	Fruit Growing Radio
Industrial Management Lettering Show Cards Pressonel Management Stenography and Typing Complete Commercial Complete Commercial Accountancey English Cost Accountant Cards School Subjects Bookkeeping Mail Carrier Seretarial Work Grade School Subjects Streek Address Hilstrating City Correspondence Schools Canadian, Limited, Montreal, Canada Bookice complete Schools Schools Canada, Schools Carada Montreal, Canada Schools Subjects Streek Address Mail Carrier Streek Address Canada, send this coupon to the Internetional Correspondence Schools Canadain, Limited, Montreal, Canada Specialize complete Tools, Dies, Special Machinery		INING COURSES
Streek Address City Occupation <i>H</i> you reside in Canada, send this coupon to the Internetional Correspondence Schools Canadian, Limited, <i>Montreal, Canada</i> Specialize complete Manufacture, Tools, Dies, 'Special Machinery	□ Industrial Management □ Personel Management □ Traffic Management □ Accountancy □ Cost Accountant □ Cost Accountant □ Boolkkeeping □ Secretarial Work □ Snanish □ Prench □ Salesmanship	□ Lettering Show Cards Stenography and Typing □ Complete Commercial □ English □ Signs □ Civil Service ■ Railway Mail Clerk □ Mail Carrier □ Grade School Subjects □ Hilustrating □ Cartooning
City Occupation If you reside in Canada, send this coupon to the Internetional Correspondence Schools Canadian, Limited, Montreal, Canada Specialize complete Manufacture, Tools, Dies, Special Machinery	Name	Age
Occupation H you reside in Canada, send this coupon to the International Correspondence Schools Canadian, Limited, Montreal, Canada Specialize complete Manufacture, Machinery		
Manufacture, Machinery	Occupation	, send this coupon to the Schools Canadian, Limited,
Manufacture, Machinery		
ATLAS INDICATOR WORKS	Manufacture, MODEL	Machinery S MADE

ATLAS INDICATOR WORKS 817 W. Washington Blvd. CHICAGO, ILL. Telephone: Haymarket 1854-2107 BUILD THINGS!

EARN - LEARN - HAVE GREAT SPORT We furnish plans for the construction of this Airsleid, also for Airslöuchs, etc. Finest of materials for model airplanes. Airsleid Circulacte set catalogs 25c. INTERNATIONAL ENGINEERING CORPORATION Westory Bidg. Washington, D. C.

will find these suggestions an interesting beginning. They will lead him farther to more fascinating applications of light as an expressive means of twentieth century decoration.



A tiny lamp in a porcelain socket is placed behind the clock. It is then connected to the convenience outlet nearby. . . . A light is flashed upon the picture above on the mantlepiece.

November, 1930

Man-Made Models

(Continued from page 596)

figure, Mr. Nocll explains, depends largely upon intelligent handling of lights and shadows, the camera angle, and other knacks of the cameraman's art.

The lower of "The Distinguished Set" photos, prepared by Van Dyke Cigars, illustrates this point very well. While the same general process was employed in its construction-figures being molded of plasteline upon wire framework, and backgrounds and settings of cardboard overlaid with clay-expert photography was required to help turn inanimate plasteline into human, swaying fencers, their graceful shadows lending vividness to their movements.

The lady with the cigarette case was treated a little differently. To add to the depth of the relief, the background was painted black. As the plastic material contains fat, it was necessary to mix the paint with soap before applying, in order to have it adhere to the plasteline.

SCIENCE AND INVENTION'S Service to Home Owners and Prospective Home Owners

NOTE TO READERS AND MANUFACTURERS Whether your interest lies in materials and equipment for building a new home, for modernizing your present one, or getting new utensils for it, you will find the following list of subjects very helpful; for each subject we have several booklets. These are not just catalogues. Many contain full data on installing and using the products described. SCIENCE AND INVENTION provides them as a service to readers and will add to them from month to month as new booklets are received. To obtain booklets on any subject or subjects listed below, simply use the coupon at the foot of the list, and order by number of subject.

So as to make this list as complete as possible, SCIENCE AND INVENTION invites manufacturers to submit copies of their booklets or other literature. No obligation is involved. Simply address the materials to Science and Invention, 381 Fourth Avenue, New York City, with a brief note authorizing inclusion of your booklets in future lists.

- **1 INSULATION**
- 2 INCINERATORS 3 ROOFING AND SHINGLES
- FURNITURE 5 SURFACE MATERIALS AND
- FINISHES
- **6 HARDWARE**
- PLUMBING 8 BATHROOMS
- AND BATH. ROOM ACCESSORIES 9 LUMBER
- 10 HEATING AND VENTILAT-ING
- 11 WINDOWS, SCREENS, DOORS 12 HOME BUILDING MATE-
- RIALS 13 ELECTRIC WIRING, UTEN-SILS AND APPLIANCES

(Because of the demand for booklets covering this field, we have classified them as follows:)

Cooking Utensils Fixtures and Outlets Vacuum Cleaners and Floor Waxers Dishwashers Refrigerators

Portable Light and Power Plants Clothes Washers, including Portables

Ironing and Drying Equipment Fans

Telephone Accessories Aids to Health Soldering Irons

If you are interested in any of these articles under item number 13, write us, designating which ones, and we shall see that you are supplied with literature on the subject.


SCIENCE AND INVENTION 381 Fourth Avenue New York, N. Y.
Gentlemen: Please send me booklets
No
Name
Address

NEW YORK **ELECTRICAL SCHOOL**

Master Electricity by Actual Practice! "Learn by Doing".

Become an expert in every branch of Electrical Trade practice. No books used, no previous training necessary. Enroll any time. Day and evening classes open all year. Write for Free Catalog.

New York Electrical School 29 West 17th Street, New York City Established 1902







tep by step. You can train at home dur-Degree of LL. B. conferred. Success-every section of U. S. We furnist urteen-yolume Law Library. Low cost 64-page 'Law Guide' and 'Evidence' 64-pag terms.

He Extension University, Dept. 1194-L. Chicago The World's Largest Business Training Institution



MODEL BLUEPRINTS

Correct—Easy to Follow

1-2	Horizontal Steam Engine detailsset	\$1.00
	Boiler construction for aboveset	1.00
	880-Ton Bark	.50
6-7	Twin Cylinder Steam Engine and	
	Boilerset	1.00
8-9	Gasoline Fired Locomotive set	2.00
10-11	U. S. S. Constitution, "Old Iron-	
	sides"set	1.00
12		.50
13-14		.50
15-16		1.00
17	Roman Ballista	.50
18-19		.50
20-21	How to Build a Reflecting Telescope.	1.00
22	"Santa Maria," complete	.50
23-24	Model U. S. S. Portsmouth set	1.00
25	Building a Model Tughoat	.50
26	Twin Cylinder Marine Engine	.50
27-31	U. S. S. Truxton	2.00
32	Sopwith Biplane	.50
33	Speed Boat	.50
34	Airplane Engine	.50
35-36	Motor Winch	.75
37-38	Vertical Steam Engine	1.00
39		.50
40	Steam Roller	.50
41	Prairie Schooner	.50
	Lincoln Sport Biplane (man-carry-	
	ing)	6.75
	Gerber Monoplane (man-carrying)	1.00

Anyone who can read blueprints and is at all handy with tools, will find no difficulty in following the simple explanatory diagrams. Many sport planes and monoplanes built from our plans are fixing daily, thus attestion to the accuracy of the blueprint details. Satisfaction guaranteed.

> Send Orders to BLUEPRINT DEPARTMENT SCIENCE AND INVENTION 381 FOURTH AVENUE

> > NEW YORK CITY

Science and Invention

How They Make It

(Continued from page 631)

In addition they are used in many instances as roofing tin in place of the purposely made sheets. I saw a gate made of them, the framework of the gate being made of wood with the flattened out cans used as a covering for the wooden skeleton. And I saw an automobile in San Jose one day which had a new running-board of a flattened gasoline can.

But these are not all of the uses. Cocoanut graters, cake pans, milk measures, biscuit pans and almost anything and everything that one might expect to see in a kitchen are made from gasoline cans. A chocolate candy manufacturer in San Jose who makes tin boxes out of the same old cans, frequently not even taking the trouble to remove the gasoline label.

Just where this use of empty gasoline cans will stop is more than I can say. Just before I left the country I talked to a coffee man in Cartago, a Costa Rican, who was planning to ship ground coffee in empty gasoline cans to the large hotels in the States.

While gasoline cans are the most useful useless thing that one finds in Costa Rica, they do not form the whole refuse pile that is converted into usable commodities. The lowly metal case binding that is so much in use on cases for export is carefully pressed flat where it has been twisted in removing it from the cases, and all sorts of fancy flower baskets are fashioned from it, some even going to the extreme of being combination flower baskets and tabourettes.

Uses for Other Cast-Offs

Other odds and ends are used profitably for various purposes. A candy manufacturer in Alejuela uses a candymixing machine, the gears on the turning arrangement of which are made of an old driving pinion and ring gear from a discarded Ford.

A woodworking shop in San Jose has a bandsaw that was made by the owner of the shop, the principal parts of which are two discarded bicycles wheels, with the inside of the rims lined with leather strip.

Discarded railroad track is frequently used for electric light wire poles in Costa Rica, and in San Jose pieces of dicarded railroad track have been used to lend strength to a new sidewalk.

A fence around a part of the railroad shops in San Jose is built of discarded metal railway ties and railroad track, around which concrete has been poured.

An undertaker in Cartago, Costa Rica, wishing to run a pair of stairs to an upper floor for his assistants to use as a sleeping room solved the problem by using ordinary wall brackets for supports for the treads of his stairs. Since the undertaker has his own woodworking shop where he makes his own coffins he made the entire stairs himself with only limited expense.



ರ್ಷ ಕ್ರೀ



Boy! It's the greatest fun in the world. You can "crash" any gate; make extra money-easy; and maybe become famous and rich like Rudy Vallee when you learn to play a

BUESCHER True Tone Saxophone

EASY TO PLAY. Master scales in one bour; easy tunes first week; join a band in 2 to 3 months. 3 free lessons give quick, easy start. Fun from the very beginning. Your success assured with a Buescher. **EASY TO PAY.** Take 6 days' free trial on any Buescher instrument. See what you can do. Easy terms. Play as you pay. Send coupon today for beau-tiful catalog. No obligation. Do it right now.

BUESCHER BAND INSTRUMENT CO. 1112 Buescher Block, Elkhart, Ind. B18 Without obligating me, please send catalog of [] Saxophones [] Trumpets [] Trombones Mention any other My age is Name Street Address	and the second se
TownState	

VFREE BOOKS Of **BUSINESS HELPS**

We publish over 200 Home Study Books, each a complete treatise of its subject. We have one or more for you.

🗆 Commercial Art	Decoration
Lettering	🗌 Automobiles
Advertising	🗌 Battery Work
🗌 Sign Making	Electricity
Radio	Carpentry
Aviation	Building
Painting	Contracting
Silk Screen Process	🗌 Sheet Metal Work
and many other subjects.	All fully described in our
FREE CATALOG. Check th	e subjects in which you are
interested and write today.	

FREDERICK J. DRAKE & CO., Publishers Room 510-179 No. Michigan Blvd., Chicago Drake books are for sale in all book stores



RADIO BARGAINS

CHAS. HOODWIN CO., 4240 Lincoln Ave. Dept. L-3, Chicago



On the Shoulders of the Wasp

(Continued from page 591)

than that before all the orchardists were convinced that a silly bug was necessary for the culture of this particular variety of fig when other varieties all over the state were being grown without it.

When growers first became seriously alarmed by molds, smut, souring, and other troubles in their figs, they tried to explain them as being caused by faulty irrigation, atmospheric humidity, cool nights followed by hot days, and scores of other environmental conditions which were not fundamentally involved. Then the California Peach and Fig Growers Association called for aid. A young specialist in subtropical horticulture, I. J. Condit, was drafted from the University of California to make an investigation. He brought with him two young women, Edith Phillips, research associate, and Elizabeth Smith, assistant pathologist, and set them to work studying fig smut.

24,000,000 Pounds of Figs Annually

They soon found that they had been given no sinecure. The sun-baked orchards of the San Joaquin Valley were their laboratories, fruit boxes were their desks, and study material piled up around them, literally in tons. But the future America's dried fig trade depended upon solving the problem, for California produces practically all of the dried figs in the United States, 24,000,000 pounds annually. Month after month they opened blighted figs, studied them under the microscope, made notes, and raised strange fuzzy colonies in test tubes, from the oozing or desiccated remains of fruit. They found that none of the factors conjured by growers were primarily to blame. The figs were not suffering from poor environment-they were sick. This trio of investigators demonstrated that specific kinds of fungi, bacteria and yeasts lay at the bottom of the various forms of rotting, molding and souring, and uncovered evidence that these diseases were carried by insects. More important still, their report indicated that smut was not the most deadly of the diseases-that there was another, more serious malady attacking the Smyrna figs

This latter lead was further investigated by Panos D. Caldis, a candidate for the Ph.D. degree at the university. He went through the same procedure as his predecessors, splitting open countless Smyrna figs, and making exhaustive tests. His studies demonstrated that there was a disease peculiar to the Calimyrna fig, a fungus growth to which he gave the same endoscpsis. Furthermore, to the horror of the growers, he found that the indispensable fig wasp was to blame. In leaving the Caprifigs, the female wasps picked up the spores of the fungus on their wings and infected the Calimyrna figs as they spread pollen.

It is doubtful if any industry has ever been faced by a situation more compli-

cated. Some means had to be found of stopping a disease carried by a scarcely visible insect without which the industry could not live. Two more scientists were drafted from the University of California College of Agriculture, Dr. R. E. Smith, professor of plant pathology, and H. N. Hansen, another grad-uate student. They made a careful survey of the situation. The Caprifig tree produces, typically, three crops a year, the mamme, the profichi, and the mammoni. The wasps grow within these Caprifigs. As each crop matures, the female wasps emerge in hordes from the orifice which is found on the broad end of each fig, enter the orifice of each young fig of the next corp, and lay their eggs in the tiny blossoms which line its interior. The male wasps never leave the Caprifig in which they are born, but each generation of females migrates to the young figs which develop just as the previous crop reaches full maturity. It is this migration of which Smyrna or Calimyrna fig growers take advantage. When the profichi crop, the only one that produces pollen, is ready to disgorge its legions of female wasps, the growers pick the Caprifigs and transfer them to the Calimyrna trees. The female wasp leaves the prifichi fig as usual, covering itself with pollen from the blossom stamens, for the fig is really a closed tree flower. Not knowing that it has been moved, the wasp enters the orifice of a Calimyrna fig to lay its eggs. But there the plot is discovered, for the style of the Calimyrna flower is too narrow and deep for the ovipositor or egg-depos-The distracted wasp organ. iting stumbles and buzzes around the interior of the fig. fails to lay its eggs, and finally gives up, but not before it has dusted the precious pollen in every cranny of the expectant fruit.



A typical orchard of Calimyrna figs.

The problem that faced Professor Smith and Hansen was to keep the wasps from transferring the spores of the dangerous fungus during these migrations. They decided to concentrate on one migration, that from the mamme crop to the profichi, so that this latter pollen-bearing crop would be clean when the wasps forced their way out and took up the task of fertilizing the Smyrna figs.



A REAL PROPERTY AND A REAL

Hansen thought of many ways of attacking this problem, but finally decided that the mamme crop would have to be treated with a fungicide just before the wasps came out. For his experiment he selected a few isolated orchards in the San Joaquin Valley, and to make the task less complicated, he stripped the trees of every mamme fig not needed for the implantation of the all-important profichi. There are thousands of figs hiding in unexpected places on each tree, and before he was done he wished that he had started to clean the Augean Stables. Then he took up the delicate work of sterilizing the remaining figs without killing the larvæ of the wasps. Patiently, fig by fig, he injected a fungicide solution, using a small hypodermic syringe.

After the stage had thus been set, it was necessary to wait for results until the profichi crop was implanted, and then until the Calimyrna figs were fertilized, months later. To the delight of the experimenters, the experiment was successful. The wasps were not killed, and the condition of the test orchards was improved. But it was demonstrated that the fungicide only temporarily discouraged the fungus, and that unless the wasps came out within a few days after the treatment, they picked up fungus spores just as before. Also, it was realized that to expect growers to go about injecting each Caprifig with a hypodermic needle was to suppose that they had the patience of Job.

Sterilization of Mamme Figs

Further experiments showed that the sterilization of the mamme figs could best be done by picking them from the trees, splitting them, and dipping them in tanks of fungicide. Even by this method, it was difficult, but so great was the crisis that the growers asked that the method be tried, and tried on a stupendous scale. In 1928, under the direction of the University of California, an attempt was made to destroy all unneeded mamme figs in the State. The rest were sent to a central treating plant, where, by means of an incubator, the wasps were hatched while the fungus on the exposed surfaces of the figs was dead. Thousands of test tubes were placed over auger holes in the sides of the incubator, and the wasps. attracted by light, entered them. These tubes were sealed and shipped back to the orchards as needed.

The ensuing crop was the smallest in years, but in spite of the fact that stripping the trees was almost beyond human capacity in the time available, that it was impossible to handle the dipping and incubating fast enough, and that some of the growers were too sceptical or too lazy to clean their orchards, the theory of the plan was proved correct. In districts where the program was carried out religiously a remarkable improvement in the quality of the figs was noted.

The chief benefit of this gigantic experiment was educational. It convinced recalcitrant growers who, like those early pioneers scoffing at the idea that the silly bug carried disease.





Men-Women-18 UP STEADY WORK Paid Vacations Common education usually sufficient Mail Coupon Today-SURE

How to Form an Outboard Club

(Continued from page 601)

Or "C" class can be substituted for "B" as there is very little difference. Most "B" motors are able to run with the "C" class with no trouble, and by combining the classes more entries and far more exciting races are the rule.


A family boat event is also desirable as it gives every one owning a boat and motor the chance to compete and as most of the so-called "family boats" have a turn of speed often up to 30 M. P. H. they make very attractive spectacles, with their varigated colors and designs flashing over the water in unison.

The National Outboard Association has classified drivers into divisions of amateurs, near-professional and professional groups. This is alright where a hundred boats are competing, but in a local regatta it cuts competition to the point where many times only three or four boats will appear for a given heat.

Outboard racing must consider the spectator in order to grow in popularity, and the spectator loves excite-ment! Three or four boats don't make many shivers run up and down the human spine, but fifteen or twenty boats in a race provide real thrills! And I urge the smaller meets to do away with division and let everybody run in his proper class as there is very little, if any difference in the relative speeds of the so-called "hopped up" motors and those of the simon-pure stock variety.

Sometimes in a small regatta, by let-ting the first three boats to finish a heat, compete in the next higher class, many extra entries and thrills are the result.


Three judges, a starter and three timers can handle most any race. The judges should be equipped with binoculars. They watch the progress of the race, cutting buoys, fouling and other troubles. The timers should have stopwatches or a central chronometer and should time their boats independently of other. A small cannon or shot gun should announce start and finish. It is also good policy to fire a gun five minutes in advance of each event. A one minute gun can be used to good advantage and a checkered flag should be used to wave down contestants at the finish.



Arrangement of judge's float.

The pole boat is preferably a runabout capable of about 25 M. P. H. The starter should have three flags. Yellow, red and white. The yellow should be displayed as he makes a large circle inside the course giving all contestants time to line up alongside and as nearly abreast as is possible.

When the boats are in the proper position and headed for the starting line the white flag should be raised to signal drivers that the race is on. If the boats do not align properly, red should be dis-played indicating a false start. The same procedure prevails if the boats are forced to run by the dock or barge



How to make marker buoys.

in order to start. A gun should be fired the instant the boats cross the starting line and when the first boat finishes.

Several fairly fast boats should be used to patrol the outside of the course and keep spectators away from contest-These should be marked by ing boats. a distinguishing flag or other marking showing the authority invested.

Turns should be made to the left, on the right hand side of the markers, and any contestant cutting a buoy or marker should be disqualified unless he remakes the turn in a proper manner. Protests should be made immediately following the finish of a heat or event.

Where there are not many boats available, events run off in three heats for a class will lengthen the program. But as this method involves complicated scoring, it is advisable in small regattas to run the event as a race. So many times around the course until the total mileage is run off. Five or six miles is plenty, except for the free-for-all event which should be ten or fifteen miles to give every boat a chance to display endurance, as well as driving and mechanical ability.

Loving cups are generally given as prizes, but a few merchandise trophies donated by enterprising merchants of the town provide an added attraction and give contestants something useful as well as ornamental.

The grand prize should be for the free-for-all event. Other classes should



\$2 each for names of new customers who wear an artificial eye. Send names of any you know and earn commission. Nothing to buy or sell.

DENVER OPTIC CO. 795 Quincy, Denver, Col.



74

Science and Invention

be awarded equal prizes in each position first, second and third. Another mighty popular attraction is a souvenir medal or badge to each boat competing. This serves as a stimulator in future events and somewhat gratifies the "also rans."

Of course Saturday afternoon, Sundays or Holidays will turn out the largest crowds and it is vital that the race committee have a publicity committee working well in advance of the meet to stimulate public interest.

Out-of-town competition is always to be encouraged as it makes rivalry keener and will often make the home town boys turn out for the express idea of beating so-and-so from the other town and will lay the foundation for a race meet in the other fellow's locality so he may redeem in his own back yard any lost laurels.

Facilities for docking, repair work to motors and hulls and a good supply of fuel and lubricant should be provided by the race committee close to the starting line and the local sporting goods or garage man can do a favor by having some one at hand with a supply of spark plugs, shear pins, cotter pins, starting ropes, and an extra propeller or two.

So, with a course, some boats, adequate prizes obtained by the prize committee, a publicity committee and a race committee, you are "All Set" for the big day. More power to you and may your regattas be many and successful.

In the next issue, Mr. Dykes will give full plans for building an outboard boat. It will be an exact replica of his own boat, which he constructed, and with which he has won 29 out of 31 races.

ARTICLES of this type can cover only in a general way a subject that in many cases calls for detailed treatment. If Mr. Dykes can help you solve any problem regarding hulls, motors, parts, fuels, racing rules, the formation of clubs, or the managing of regattas, let him know. He'll be glad to give you all the information at his command. Write on one side of the paper and enclose a stamped envelope for his reply.

Be brief and specific. Questions likely to interest many outboarders will be answered in these columns. Otherwise your problem will be treated in a personal letter from Mr. Dykes or from some other authority on the subject involved.

Magic

(Continued from page 625)

tator, and held with the writing toward the floor. It is then pushed into an envelope, the envelope sealed, and then held to the forehead of the magician, who correctly divines its contents. The envelope is torn open and the card returned to the spectators. The effect is carried out by slitting the envelope with a razor blade and in the act of pushing the card into it, permiting the card to pass out through the slit, as the envelope is held to the forehead, the message is read. Tearing the envelope to get at the card destroys the evidence.










Free Catalog H.GERSTNER&SONS 683 Columbia St. Dayton, Ohio



Wrinkles and Recipes

(Continued from page 624)

Parchmentizing Paper

Science and Invention


 \mathbf{I}^{N} this day of lampshade making there is a constant demand for lamp coverings that will look antique. Common drawing paper of the white variety may be treated so as to resemble old parchment very realistically. A bar of paraffin is melted in an old pan. Then, the paper to be treated is placed on a large sheet of clean new wrapping paper which has been placed on a smooth, flat surface. Do not use paper with print on it as the ink comes off the paper to be waxed. A clean rag is dipped into the melted paraffin and rubbed, with a circular motion, on the drawing paper. This is done until the entire surface of the paper is covered with a thin coating of wax.



Now, a second piece of wrapping paper is spread over the waxed drawing paper. This piece is indicated in the left hand diagram above. A hot iron is applied to the entire upper surface of the second piece of wrapping paper. When a transparent spot corresponding to the shape of the waxed sheet appears on this paper the process is finished. The result is an artistic looking piece of parchment.—*Clyde McClary, Jr.*


Drawing Spikes

TO overcome the danger of breaking the handle of a carpenter's hammer while pulling spikes, bring into use a piece of old gas pipe 20" long and proceed as shown in cut.—E. Peterson.



Easy Method of Making Gaskets


G ASKETS of any shape or size may be easily made by obtaining cardboard, heavy wrapping paper or gasket paper, free from cracks or flaws and placing it over the work on which it is to be used. Then take a hammer and tap lightly around the edges of the parts which must be cut out. Hold the hammer at a slight angle and each blow will cut through. The ball peen of the hammer will also cut the holes though a punch may be used.—Joseph D. Amorose.



Locating Cotter Pin Hole

 \mathbf{B}^{Y} filing a small line across the end of the bolt exactly where the cotter pin hole is drilled and doing this before the cotter pin is extracted it will be a simple matter to line up the nut when replacing the cotter pin.—Joseph D. Amorose.

Window Screen Markers



INSTEAD of purchasing two sets of numbering tacks to identify window screens so that they can be fitted into their matched window frames, one may use brass headed tacks if they are placed in such positions that identification is possible.

For one screen and its window casing, drive a tack in the center of the screen and also in the center of the casing. For another window, drive a tack on the left hand side of the screen; and the left hand side of the casing, and for another drive a tack on the right hand side of the screen and one on the left hand side of the casing. Two tacks can be driven into the left hand side of the screen and two more driven into the window sill opposite marks this particular screen for this particular win-dow casing. The number of combinations are unlimited. and of course, if the tacks are spaced far enough apart, no difficulty will be had in selecting the particular screen for the window .-- R. Wailes.



AMERICAN SCHOOL OF PHOTOGRAPHY Dept. 1428 3601 Michigan Ave. Chicago, U.S.A.

Science and Invention

Making Room for Motor Cars

(Continued from page 602)

through the establishment of a comprehensive traffic signal system. Still another step was the abolition, in 1928, of parking in the Loop. Results seem to show that this measure has been a help.

It has speeded up all kinds of Loop traffic and has apparently lessened accidents to pedestrians and motorists alike. And it seems not to have affected business adversely; in fact there are those who assert that it has been decidedly beneficial, through making the shopping district more accessible to the average purchaser. Additional advantages are reductions in the cost of street cleaning, and time saving in deliveries by cartage companies.

Following the 1926 survey, a new city traffic code placed Chicago among the foremost American cities in scientific supervision of traffic. This system includes a City Traffic Engineering Burcau, with a supervising traffic engineer empowered to investigate and make improvements. It includes also a City Traffic Court and Traffic Violation Burcau.

Accomplishments for the improvement of Loop traffic conditions during recent years include the widening and double-decking of Wacker Drive. which follows the outer contour of the Loop on the north and partially on the west side. This includes a double-deck traffic bridge across the Chicago River at Michigan Avenue, the widening of Canal Street; and the completion of Roosevelt Road, just outside the Loop. to give much needed street outlets over the railway tracks to the south. A further important project still under way is the straightening of the Chicago River south of the Loop, which will enable the extension of streets.


Still another important feature of traffic relief is the municipal automobile parking area in Grant Park, within a few minutes' walk of Loop skyscrapers. This parking area will accommodate several thousand cars and has possibilities for indefinite expansion.

It was estimated, as a part of the 1926 traffic investigation, that there was a loss to Chicago for the year 1925 of \$17.000,000, as the result of personal injuries and property damages from automobile accidents; and this amount did not consider economic losses from delayed traffic. It was assumed, at that time, that the city traffic and city safety problems were closely related. This assumption seemingly has been confirmed by the fact that Chicago was one of the few American cities to show a substantial reduction in automobile accident fatalities in 1929.

Read the final summary of our Basement Conversion Plans in the December Issue of Science and Invention. It will give you ideas for improving your own basement.



"How to Make It"



For the Man Who Likes to Build Things Himself

 ${f S}^{
m O}$ often a little knowledge will do the trick-and here's the book that will tell you how to do it.

"How to Make It" is a veritable treasurehouse of information for the man who has the urge to learn to do things for himself. In it you will find full instructions for making over a hundred helpful and unusual things. For example, it includes full details for making all kinds of furniture, fireplaces and lamps. Also the making of a telescope; for building a model tug-boat, a deaf-phone that is of real benefit, a small lathe, a telegraphone, an enlarging ma-chine, and numerous other articles that bring joy to many families.

A copy of "How to Make It" costs only a quarter. Simply clip and mail the coupon below with 25c in stamps or coin to the Radio-Science Publications, Inc., 381 Fourth Avenue, New York, N. Y.

Clip and Mail Coupon

RADIO-SCIENCE PUBLICATIONS, INC. Dept. 2511, 381 Fourth Avenue, New York Gentlemen : I enclose 25c, for which please send me your book, "How to Make It."

Name....

Address....

The Most Interesting Evening I Ever Spent

U P TILL 9 o'clock the party was had taught him every trick he had showed us. walked in. Tom's a live wire, if there ever was one. And it was a fact! Tom had simply

He said he'd heard about a one-man show anyone could perform with the help of a book he knew about. He had sent for that book, and said he was going to put on the show.

We thought he was joking and laughed at him, but he sat us all down in the living room, got out a pack of old playing cards, and started to do things that made our eyes pop out of our heads.

For over 2 hours he made those playing cards almost talk. What he could do with those cards just didn't seem human. After it was all over, the gang all crowded around, shaking his hand, and patting him on the back. The girls all said, "Oh, Tom! You're wonderful!" It was by far the most interesting evening I had ever spent.

I asked him how he learned it all. For answer he pulled out a shiny new quarter, and said that one just like it

And it was a fact! Tom had simply enclosed a quarter with the coupon be-low and gotten Walter Gibson's Famous Book of Popular Card Tricks by return mail. You, too, can entertain yourself and your friends with the 101 card tricks it teaches. No sleight of hand is necessary—no hard work to learn. Simply read the book carefully and you can do every trick in it.

And it costs only 25c! Send for it today.

Radio-Science Publications, Inc.

Dept. 2511, 381 Fourth Ave., New York

I enclose 25c (in stamps or coin) in full payment for Walter Gibson's Book of Popular Card Tricks, which, it is understood, will be sent me by return mail.

Name

Street and No.

City

Fireplace Charm with Furnace-Like Heat

HE Heatilator, representing the THE Heatilator, representing latest in fireplace equipment, has recently been put on the market by the Heatilator Company. It combines the advantages of a fireplace with those of a hot air furnace. It consists of a double metal shell, which constitutes a complete fireplace except for the bricking-in and ornametal covering, which you may have any style you desire.




This sketch explains the course of the cold air through the heater.

Heatilator Company

Openings into the hollow space within the double shell are provided. In the finished job these are connected to small registers set in the walls near the fire-When a fire is started, air is place. drawn in from the room through one register, circulates within the hollow walls of the shell where it is heated, and then passes out into the room through a register set higher up. Thus the room is heated both by the direct radiation from the fire and by the constantly circulating air, warmed within the metal walls.

Safety Rubber Plug and Push-Socket

IF you are troubled with fuses burn-ing out, the new Protex rubber sockets will, undoubtedly, interest you. Broken plugs or short circuits (caused by small wires coming into contact with the opposite binding post) can be largely eliminated by the rubber plugs and sockets. The terminals in the rubber plugs are separated from each other in such a way that contact between wires is impossible. There are no exposed surfaces. The shells, instead of being made of hard material, are made of soft rubber which can be stepped on or thrown down without breaking. They come in various sizes for household or industrial use. You may purchase either a push or keyless type socket.



Blueprints on the Scout Secon-dary Glider Will Be Available Shortly. Put Your Order in Now.

مستتكا

The Safety Valve

(Continued from page 584)

Here's a Real Ordinance

 $\mathbf{W}^{\mathrm{E}}_{\mathrm{frame}}$ an ordinance, or law, that will put the mediums out of business, by preventing their advertising in any manner.

We believe we have one now that will get around the "religious defense."

The same is enclosed herewith, and we would like your opinion on it.

J. HERBERT PRATT, Kosmon Printing & Publishing Co., 403-5 S. Tejon St., Colorado Springs, Colo.

We, the undersigned, resi-dents of Colorado Springs, hereby urgently request the City Council to forthwith pass accompanying ordinance against pernicious practices which should

never have been tolerated in this community. The necessity and expedience of this ordinance must be apparent to every member of the Council.

Ordinance No. -

Be it ordained by the City Council of the city of Colorado Springs:

Section 1. No person, association or corporation, foreign or domestic, nor any agent, employee or officer thereof shall within this city, or by using any mail address therein, practise, exercise or teach the vocation, calling, profession or pretended science of clairvoyancy, palmistry, astrology, seership, mediumism. seances, reading, sittings, circles, demonstrations, advice, messages, crystal gazing, fortune telling by any method, fake healing systems, or exhibitions of like character; or any other like crafty, nefarious or superstitious science, vocation, calling, profession, carried on under the guise of religion, philosophy or science or otherwise,

by whatsoever name called. Sec. 2. It shall be unlawful for any person, association or corporation, foreign or domestic, or any agent, employee or officer thereof, to advertise within this city in any newspaper, periodical, circular, handbill, sign or signboard. billboard, by radio, mov-ing picture show, by personal solicitation, or in any other manner, that he, she or it is carrying on, conducting or teaching any of the said crafty and netarious callings, vocations, professions or sciences named in the foregoing section.

And it shall be unlawful for any owner, officer or person in charge of any newspaper, periodical, sign or signboard, billboard, printing shop, advertising agency, publicity bureau, radio station, or picture show, to broadcast, publish or distribute anything in this city which directly or indirectly adver-tises any of the above-named prohibited callings, vocations or professions, whether located in this city or elsewhere.

Sec. 3. No person in this city shall use the prefix of "Doctor" or "Professor" to their name without proper credentials recog-

nized by law. Sec. 4. Any person violating any of the provisions of this ordinance shall be fined not to exceed three hundred dollars (\$300), or imprisoned in the City Jail for not more than thirty days, or shall be punished by both such fine and imprisonment.

Sec. 5. All ordinances or parts of ordi-nances in conflict with this ordinance are hereby repealed. Sec. 6. That this ordinance shall be in

force and effect from and after its passage and publication as provided by the charter.

(Well, well, we hope that you put this ordinance across. While fortune-telling is against the law in some states, there are many ways of getting around the rules. Laws sometimes are passed rather promiscuously, but no attempt is made to enforce them. Such laws are of little value. The District Attorney's office is generally too busy to take care of violations of mediocre ordinances. What we need now is more sane legislation, far less foolish legislation, and enforcement. While we consider such a law of value in ridding communities of vultures who prey on the minds of the credulous innocent, we doubt if any serious attempt would ever be made to enforce the ruling when it has once been made a part of the law.-EDITOR.)

An Interesting Etching Hint

 $I\!\!I^N$ the August issue I read the article on "Etching" and, after starting to do it, I cut the work in half. I took a piece of cellu-



loid and clamped it over the picture, then soaked the celluloid with acetic acid to soften it so a needle will cut deeply in the celluloid. Then I inked the etched celluloid with printer's ink, as you

would the brass, and the results will be the When the acetic acid evaporates, the same. celluloid is almost as hard as brass.

WILLIAM L. HARKER, Indianapolis, Ind.

Rates of Payment

d de to to to

How much do you pay to the contributors of "Wrinkles and Recipes," "How-to-Make-It" articles, etc.?

SHELDON BROWN Los Angeles, Calif.

(SCIENCE AND INVENTION Magazine pays from 1c to 2c a word for all material ac-cepted and published. Special rates are paid for good photographs and well illus-trated articles. "Wrinkles and Recipes" are paid for at a rate of \$1.00 each, except if long. Finished drawings are made by our own staff of artists, but good drawings should accompany "How-to-Make-It" and "Constructor" articles.—Editor.)


A Boost for Patent Advice

the deside the day

HAVE just returned from Washington. I HAVE just returned from Washington. D. C., where these ideas (four of them) have been recorded by my attorneys there. I talked so much to them of the wonderful service accorded inventors through your magazine, and they suggested I have your opinion on them before proceeding further. A strange suggestion, you no doubt consider it, but then I am related to these attorneys.

CHAS. H. REED,

Reed Publications, Houtzdale, Pa.



Build Muscles and Strength With This Iron Shoe

With This Iron Shoe The Germans invented the Iron Shoe because they realized it enabled them to achieve physical perfection. We have brough it to America and improved it. It is offered you at a ridiculously low price. Every strong man uses one to build back muscles, tremendous cheat and powerful ginant-like arms. We show you how to develop abdomen and legs so that you will be a top-notcher in 30 dayse. We don't just ship the apparatus and let you work out your muscle build-ing problems for yourself. We include with our

Free Special Offer



Free Special Control of the IRON MAN'S FAMOUS 60-DAY ILLUSTRATED PICTURE COURSE instruction, SPECIAL SPECIAL COURSE INSTRUCTION, SPECIAL COURSE IN THE PLAN AND COURSE INTO ILLUSTRATED PICTURE COURSE of exercise instruction. SPECIAL STRENGTH RECORDER and STRENGTH RECORDER and Gfer presented to you in a lifetime. It is the greatest muscle-building appara-tus you ever saw. Write for particulars today and start getting strong at once. Follow the choice of charmious and get that grip of steel. Ring in now an our special offer and learn all about the low-est priced and biggest result getting exerciser under the cun.

THE AMERICAN ATHLETIC APPLIANCE CO. 4341 Frankford Ave., Dept. SC-11, Philadelphia, Pa. Without any ohligation send me free illustrated information on the Iron Shoe Strength Builder and Special Offer. Name.....

Address.





BEAN'S CAMP BLANKET Made of pure virgin wool paper mill blanketing with whipped edces. This blanket is the greatest value we ever offered. With reasonable use we will guarantee it 20 years. Size 66" x 78", weight 5½ to 6½ pounds, \$4.45 postpaid. Large quantity purchases and slight imperfections enable us to make this low price. The most warmth and least bulk of any blanket made. Write for samples and new fall catalog

L. L. BEAN, 176 Main St., Freeport, Me.

Advertisements in this section fifteen cents a word for each insertion. Name and address must be included at this rate. Cash should accompany all advertisements unless placed by an accredited advertising agency. Not less than 10 words accepted. Objectionable or misleading advertisements not accepted. Advertisements for these columns should reach us not later than 1st of 2nd month preceding issue. Classified Advertising Manager-Experimenter Publications, Inc., 381 Fourth Avenue, New York City

Advertising

ه دي: سر تسقيد

7载:

Get into Advertising. Learn quickly at home. Experience unnecessary. New, casy plan. No text-books used. Practical work. Old established school. Send name and ad-dress for interesting free booklet. Page-Davis School of Advertising. Dept. 533-A, 3601 Michigan, Chicago.

Agents Wanted

MAKE BIG MONEY with fast selling ne of food products. Prize motor and line of food products. Frize motor and tractor oils—paints. Sure repeat orders. Write for FREE SAMPLE CASE. LOV-ERIN & BROWNE, 1622-D So. State. Chicago

Chicago. SUCCEED WITH YOUR OWN PROD-UCTS. Make them yourself. Formulax, Processes, Trade-Secrets. Expert Analytical Service. Catalog, circulars free. D. Thax-ly Co., Washington, D. C.

Agents-extra money-sell personal pro-fessional stationery - envelopes highest quality-commission \$1.00 per order up. Sample Demonstration Outfit FREE Write Merchants Industries, Inc., Box 1028, Dayton, Ohio.

1028, Dayton. Ohio. Make your own products. Employ agents yourself. Toilet articles, soap, extracts, Wo furnish everything. Valuable book Free. National Scientific Laboratories, 1932W Broad, Richmond, Va. Big money and fast sales. Every owner buys gold initials for his auto. You charge \$1.50; make \$1.35. Ten orders daily easy. Mrite for particulars and free samples, American Monogram Co., Dept. 71, East Orange, N. J. \$10 daily silvering mirrors slatter.

510 daily silvering mirrors, plating and refnishing lamps, reflectors, autos, beds, chandeliers by new method. Outfits fur-nished. Write Gunmetal Co., Ave. D, Decatur, Ill.

Big Profit putting our gold sign letters store windows, without on store windows, without experience. Samples. CONSOLIDATED, 69-R West Van Buren, Chicago.

Sampies. CONSIGLATED, 69-R West Yan Buren, Chicago.

 AMAZING PROFITS WITH "NO- FIOST." Keeps auto windshields, show- windows, etc., absolutely clear of fradt, mist, steam, rain, sleet and snow. Makes wonderful demonstration. Pocket package. Tremendous seller. Bic profits. Invecti- gate sure. ALBERT MILLS, 5387 Mon- mouth, Cincinnati, O.

 YOU ARE WAAVED TO RESILVER Mirrors at home. Profitable business plat- ing auto parts, tableware, etc. Write Sprinkle. Plater, 955, Marion, Indiana.

 §60-\$200 a week. Genuine Gold Letters samples. Liberal offer to general agents. Metallecture, 041 B., North Clark, Chicago.

Samples, Libert offer to general agents, Chicago.
 BIG MONEY applying Gold Initials on Automobiles, Easiest thing today. No ex- perience needed, \$1.45 profit every \$1.50 job. Free Samples. "RALCO," R-1043 Washington, Boston, Mass.
 BIG MONEY DAILY SELLING Shirts, Tise, Underwear, Sox, Raincoals, Lumber- jacks, Sweaters, Leather Coats, Macki- aws, Coveralls, Pants, Children's Play- suits, Outfit FIEE, Experience un- necessary, NIRROD CO., Dept. 148, 4922-28 Lincoln Ave., Chicago.

 AGENTS-Build your own business- from pocket samples for outstanding line made to measure shirts, neckwear and underwear for men. \$50 woekly to workers. Get details now. Superior Textile Mills, Dept. S, 18 East 12th Street, New York. Don't sell for others-Employ agents yourself. Make your own products. Thilet articles, household specialities, etc. 500% profit. Valuable book free. National Sci- entific Laboratories, 1932W Broad, Rich- mond, Virginia.

Free Booklet describes 67 Plans for making \$20-\$200 weekly in home, or office, Rusiness of your own. Elite Co., \$4-B, Elizabeth St., N. Y.

Airplanes—Aviation Biggest, Best Catalog Model Airplanes, Parts, Supplies; 5c postpaid. Ideal Com-pany, 23 West 18th Street. New York.

Business Opportunities

Business Opportunities A SPLENDID SIDE LINE—We sell pass books, check covers, coin bags, etc., rated and do business quickly. Little time is lost. Our samples are light, compact, easily carried. Sales run into money, items repeat well, commission is liberal, and all paid immediately. We also have ne excellent line of advertising novelties for smerchants. Our quality is good, the variety extensive, the styles interesting. Line is big enough to devote your whole time if you wish. We are manufacturers, own our buildings, been in business six-teny tens, ship to cvery State. Eichteen thousand banks have bought from us. You could work wherever you happen to be. Correspondence invited. Continental Bank Supply Co., Mexico, Mo. CHEMICAL DIGEST, thoroughly American in ideas, chuck full of money-making opportunities through formulas, chemical talks. Headed by Dr. Lucien Royer, recognized authority. Particulars regarding subscription, membership, free. Copy Jice. Box 2016; St. Petersburg, Florida.

Copy Florida

Florida. RAISE CASH CAPITAL QUICKLY for any legitimate business. Be suc-cessful and prosperous. Write immedi-ately for free details. Miller, 909 S. Joliet St., Joliet, Illinois.

AND STREET

ໍ 2.

Protected Ideas for Sale. Unusual op-portunities for investment. For particu-lars write W. T. Greene, 826 Barrister Bldg., Washington, D. C. Sell by Mail. Books, Novelties, Bar-gains! Large Profits. Particulars FREE. E. Ellco, 525 S. Dearborn. Chicago.

Chalk Talks

ALC: N

Laugh-Producing Program. \$1.00 Catalog 10c. Balda Art Service, Dept. 4, Osh-kosh, Wis.

Chemicals

"Handbook for Chemical Experimenters." Hundreds of experiments: illustrated 50c. Booklet of experiments, 15c. Chemical price list, 5c. General Chemical Company, Box 397, Reading, Penna.

Correspondence Courses

Used correspondence school courses sold on repurchase basis. Also rented and ex-changed. Money-back guarantee. Catalog free. (Courses bought). Lee Mountain, Pisgah. Alabama.

CORRESPONDENCE COURSES—Sold, Bourht, Exchanged, Rented, Bargain Catalogue Free, Hanfling, B-799 Broad-way, New York,

Detectives

DETECTIVES. Work home or travel. Experience unnecessary. Particulars free. George Wagoner, 2199-X Broadway, N. Y. For Inventors

INVENTOR'S UNIVERSAL EDUCA-TOR: Contains 900 mechanical morements; 50 Perpetual Motions; instruction on pro-curing and selling patents and selecting an attorney, etc. Nugrests new ideas. Price \$1.00 postpaid in U. S. A. Address Die-terich Co., publishers, 602G, Ouray Bldg., Washington, D. C.

Washington, D. C. Inventions Commercialized. Patented or unpatented. Write, Adam Fisher Mfg. Co., 205 Enright, St. Louis, Mo.

zuo Enright, St. Louis, Mo. Unpatented Ideas Can Be Sold. I tell you how and help you make the sole. Free particulars. (Copyrighted.) Write W. T. Greene, 908 Barrister Bidg., Washington, D. C.

Formulas

Crepe-Rubber Soles, Plastique Wood, Transferine, Automobile Preparations Re-finisher, Cosmetics, complete line; Clean-ers, all kinds; Candies, Foods, 50e each. Practically any formula, 50e. Just send name, 50e and name it. Catalogue free, Industrial Institute, Department 401, 64 W. Randolph, Chicago, III.

Help Wanted-Instruction

Help Wanted—Instruction
 O. S. GOVERNMENT STEADY JOES.
 \$1260-\$3000 year. Men-Women, 16-50, No "layoffs," Pleasant work. Paid vacation. Short hours. Common education without and list positions FREE. Write today sure. Franklin Institute, Dept. R-4. Rochester. N. Y.
 POSITIONS on ocean liners; experience unnecessary; good pay. List of pusitions free 292-X. Mount Vernon, N. Y.
 Detectives Farn Ring Money. Experience

Tree 202-X, Mount Vernon, N, Y. Detectives Earn Big Money, Experience unnecessary, Wite, American Detective System, 219-K, Broadway, N, Y. WANTED IMMEDIATELY, Men-Women 18-55, qualify for permanent Gov-ernment Positions, \$105-\$250 month; ex-perience not required; Vacation with pay; common education: many needed soon, Write, Instruction Bureau, 293, St. Louis, Mo. quickly.

MEN 18-35. **FAILWAY POSTAL** CLERKS, \$155.00-\$225.00 month. Steady work traveling. Common education suff-cient. 25 coached free. Write immedi-ately. Franklin Institute, Dept. R-15. Rochester, N. Y.

Inventors

Inventors: Send us sketch or crude model of your idea. Crestent craftsmen will develop it into a practical working model. 30 years successful experience and thousands of satisfied clients. Confidential service guaranteed. Bank references furnished. Free illustrated book: 'Making Inventions Pay.'' Crescent Tool Co., Dept. U-11, Cincinnati, Ohio.

Inventions Wanted

Inventions. Patented or Unpatented, marketeril promptly through organized co-operation. Booklet free. Write today. Chartered Institute of American Inven-tors. 635 P. Street, Washington, D. C. Will pay well for clippings or informa-tion about death ray or similar devices. Dr. Evans. Grand Hotel, Santiago, Chile, So. America.

 America.
 Inventions Commercialized. Patented or unpatented. Write, Adam Fisher Mfg. Co., 205 Enright, St. Louis, Mo. Inventions Wanted---patented. unpatented. If you have an idea for sale write, Hart-ley, Box 928, Bangor, Maine.

Magic AMAZE! MYSTIFY! With magical ctures. Sample 10c. Set of five, 25c. leishman, 3333 Wilson Ave., Bronx, pictures. S Fleishman, New York,

 Magic Catalog, 20c. Lynn, 105 Beach, Dept. 6. Jersey City, N. J.

 Card tricks. Coin tricks. Hypnotism. Ventriloquism, 4 instruction, 64-page books, 10c each. G. Fenner, 2401 Jeffer-son, Louisville, Ky.

Male Help

Mate Herp Fireman, Brakemen, Baggagemen; colored Train or Sleeping Car Porters, \$150-\$250 monthly. Experience not necessary. 997 Railway Instruction Bu-reau, East St. Louis, III. SHOE SHINERS: Make more money shining shoes scientifically the right way. The Scientific Shoe Shine. Particulars Free. Scientific American Cleaners. 432 Tenth, New Kensington, Pa.

Miscellaneous

INTISCELLANEOUS HAVE YOU A CAMERA? Write for free sample of our big magazine showing how to make better pictures and earn money. Ametican Photography. 3105 CASH'S WOVEN NAMES. For mark-ing Men's, Women's, Children's clothing. Sample free. Ouimette's Mail-Order House, 81 Holly, Dept. 15, New Bedford, Mass.

Wood Turners, Make Meridian Tops. Ils for fifteen to thirty-five dollars. Ten Ints for photo and particulars. L. F. Illins, 1831 North 53rd Street, Scattle, Sells

Washington. GUARANTÉED HIGH-CLASS OPERA GLASSES. Special, 79c. Neil Tasker, Shamokin, Penna.

Model Airplanes

CITY OF CHICAGO "WORLD'S DUR-ATION PLANE, 30" Plan, 20c. Model Aviator, Dept. E. G., 601 Washington, Chicago.

Patents

Co.

Inventions Commercialized. Patented or unpatented, Write Adam Fisher Mfg. Co., 205 Enright, St. Louis, Mo. Inventions and patents sold. Outright or royalty. Free examination. Leading firm in country. H. G. Green Company, 189 West Washington St., Chicago.

Patent Attorneys

Patent Attorneys PATENTS-Write for Free Booklet, HOW TO OBTAIN A PATENT and RECORD OF INVENTION – or send Drawing or Model for Examination. Mil-ler & Miller. Patent Attorneys (former Fatent Orlice Examination, 25 M 16 Gill Building, Washington, D. C. PATENTS, TRADE MARKS-All cases submitted given personal attention by a member of the firm. Information and booklet free. Lancaster, Allwing & Ronmel, 242 Ouray Building, Washing-ton, D. C. Patents Produced: Trade. Marks Bed.

ton. D. C. Patents Procured; Trade-Marks Reg-istered—Prolininary advice furnished with-out charge. Booklet and form for dis-closing idea free. Irving L. McCathran, 703 International Building, Washington, D. C.

Patents. Time counts in applying for patents. Don't risk delay in protecting your ideas. Send sketch or model for in-structions or write for Free book, "How to Obtain a Patent" and "Record of Inven-tion" form. No charge for information on how to proceed. Communications strictly confidential. Prompt. careful. efficient service. Clarence A, O'Brien, Registered Patent Attorney. Security Bank Building (directly across street from Patent Obice). Washington, D. C. See page 637.
 "Inventors' Adviser," Valuable Patent-book sent free. Labiner, 15 Park Row, New York.
 Unpatented Ideas Con Po Scitation

New York. Unpatented Ideas Can Be Sold. I tell you how and help you make the sale. Free particulars. (Copyrighted.) Write W. T. Greene, 909 Barrister Bidg., Washington, D. C.

Greene, 909 Barrister Bidg., Washington, D. C. — "inventors' Guide" free on request: gives valuable information and advice for all who have original kiess or improvements. Frank Lederman, Registered Attorney and En-glineer. 233 Broadway, New York City. — PATENTS—As one of the oldest patent frms in America we give inventors at lowest consistent charge, a service noted for results, evidenced by many well-known patents of extraordinary value. Book, "Patent-Sense" free. Jarcey & Lacey, 635 F. Street, N. Dept. 15, Wash-ington, D. C. Established 1869.

Patents or Inventions

Inventions Commercialized. Patented or unpatented. Write. Adam Fisher Mfg. Co., 205 Enright, St. Louis, Mo.

Personal

Tobacquit—used by merely rinsing the mouth eliminates the taste for tobacco entirely in any form; two dollars if suc-cessful, otherwise money refunded. Hy-drous, 2066 Fifth Avenue, New York.

Photoplays Wanted

\$\$\$ Photoplay Ideas for Both Silent and Talking Pictures. Accepted any form for revision, criticism and submission to studios. Estab. 1917. Booklet free. Uni-versal Scenario Co., 223 Western & Santa Monica Bidg., Hollywood, Calif.

Plays, Entertainments, Etc.

PLAYS, Operatias, Musical Comedies and Minstrels, comedy and talking songs, blackface skits, vaudeville acts, monologs, dialogs, recitations, juvenile plays and songs, musical readings, entertainments, make-up goods, Catalog free. T. S. Deni-son & Co., 623 So. Wabash, Dept. 99, Chicago. Chicago.

Postage Stamps

STAMP Bulletin. Published monthly. Fine stamp offerings. Ilustrated. Au-thoritative information. Free to advanced collectors. Reimers Co., 30 N. La Salle, Chicago.

Printing

Quality Printing! Low Prices! Circu-lars, Folders, Catalogs our specialty. Samples FREE! Fantus, 525 South Dear-born Street, Chirago.

Printing Outfits and Supplies Print your own cards, stationery, cir-culars, advertising, etc. Junior Press, \$5.99; Job Presses, \$11 up, Power, \$149. Print for others, big profit. Easy rules furnished. Write for free catalog and full information. Kelsey Co., R-6, Meri-den, Conn.

Real Estate

TUNG OIL varnish tree groves. Sub-urban Orchards Co., Bilovi, Mississippi.

Salesmen

Salesmen PUNCHBOARD Salesmen-Most gigan-the line ever featured. Vending machines, all kinds. Make high as \$28.00 on single order. Repeat commissions. Beautiful colored catalog free, LION MFG. CO., Dent. 11. 308 W. Eric. Chicaga. PUNCHBOARD SALESMEN. NEW PLAN SELLS EVERY MERCHANT. Hetter terms, bigger commissions. Sur-perience nunceostary; outfit free! A. J. NOVELTY CO., 161 W. Washington, Chicaga. Make 33 1/3% on fastest selling sales

 Automatical Stream
 Automatical Stream

 Make 33 1/3% on fastest selling sales plan on market—90% renears—sells every-where all the time. Plan indorsed by biggest merchandisers in country. Adapt-able for every class of business. Every merchant prospect. Sells on sight. Sales-men making up to \$1000.00 month. Want. money quick. Get action. Write today, WASHINGTON SALES, 157 W. Wash-inston. Chicago.

inston, Chicago, BUSINESS STATIONERY-LARGEST DINE-HIGHENT Quality-Quickest De-livery - Biggest Commissions - Liberal Bonuses-Pree copyrighted Cuts, every basiness - Experience unneressary - In-structions and Outfit free, DAVID LIONEL (TRESS, 312 S. Hamilton, Dept, 17S. Chicago.

LIONED FIGESS, 512 S. Hammon, Dep. 178. Chileago.
 Sell Merchants \$10 value for only \$3.95 and pocket \$1.50 rash. Big repeat com-missions. Free Kit. Sales Stimulators, Dept. 4-1, 333 W. Madison, Chicago.
 PUNCHBOARD-Hurrah! New Pro-tection Plan opens "closed" territory yreating tremendous demand. Dealers jubilant, Business Booming. Commissions enormous. Outfit free. Puritan Co., 1417 Jackson Bird, Chicago.
 SALESMEN, WONDERFUL SIDE-LINE. 40% COMMISSION paid daily. Nells all merchants. Pocket outfit free. WILLENS CO., Dept. 324, 2130 Gladys Ave., Chicago.

Ave. Chicago.

Songwriters

Lyric Writers-1 compose better music cheaper. Ernest Deininger, 2827 Papin St. St. Louis, Mo. SONG POEM WRITERS - "REAL" proposition. Ilibiler, D-101, 2104 Key-stone, Chicago, III.

Stone, Chicago, III, SONGWRITERS, POEMS, MELODIES —Opportunity, Tommie Malie, SINY 4215 North Ave., Chicago, III.

Stamps

CAYMAN ISLANDS—Astounding packet from Cayman Islands, Thirty other Unique, Interesting, Beautiful Distant Land Stamps (Richly Colored, Unusual De-signs), Hurry! Rush! Get yours now. Free for 5c postage, Empire Stamp, Toronto, Canada.

Typewriters for Sale

TYPEWRITERS, all standard makes, \$10 up. Fully guaranteed. Catalog free. Northwestern Typewriter Exchange, 121 N. Francisco Ave., Chicago.

Wireless

Learn Wireless (Radio) and Morsa telegraphy. School, oldest and largest; endorsed by Telegraph, Radio, Raihway and Government Officials. Expenses low-can earn part. Catalog free. Dodges In-stitute, Stone St., Valparaiso, Ind.

الاجلية

Scientific Book Reviews

WAVE-MECHANICS, by Arnold Sommerfeld, Published by E. P. Dutton & Company, New York City. VII; 304; price \$6.25.

This is what may be termed a decidedly deep mathematical treatise on the constitution of matter. The book fairly bristles with mathematics. Many people do not know what a differential equation is. Here they can revel in any number of triple integrations. It is impossible really to review this book. If any investigator will turn to the last pages and go through the four page index it will give some clue to the range of the topics treated, as there is considerable text touching on the quantum theory and Bohr receives a due amount of attention, while Schroedinger is cited some fourteen times in the index. It is interesting to note that the word "proton" does not appear in the index, which in a way indicates a good conception of the subject. The word "electron" may be given as an example of the title assigned in the index to a number of pages in the book. A glance through the volume indicates that an appalling amount of work was expended by the German author.

AN INTRODUCTION TO THE STUDY OF WAVE MECHANICS by Louis De Broglie. Published by the E. P. Dutton & Co., Inc., New York City. VII; 249 pages; price \$4.25

We have just reviewed a book by Arnold Sommerfeld on Wave Mechanics. Here a distinguished visitor of France has produced a treatise on the same subject. We can say much the same about it that we have said above on the other book on Wave Mechanics. It is very advanced in its treatment, the subject being one which will not lend itself to any satisfactory treatment except by the aid of the calculas. It would be futile for anybody to attack these books who is not a good highgrade mathematician.

FIRST YEAR PRACTICAL CHEMISTRY, by Dennis Brook Α Briggs. Published by J. M. Dent & Sons, London and Toronto, Ltd. V; 77; price \$.50.

This little manual falls into a series on modern science topics published by the well known house of Dent. The book is definitely a treatise on experimental chemistry; from beginning to end it is experimental, even simple chemical formulas do not appear. After each section, there are some questions with which to test the work of the students in the laboratory. The experiments are of a type which runs into physics in some cases, but they are absolutely a part of a chemist's education. The outline drawings used as illustrations may be referred to as entirely practical, as they are far more explanatory than finished half-tone work would The work is of a type to excite a be. student's curiosity and it was curios-

ity which led the old chemists in their To the chemical wonderful work. graduate it may seem very primitive and too simple but the older one gets the more he appreciates the value of books which start at the very foundations of the science they treat of.

MANUAL OF FLIGHT, by Captain Ienar E. Elm, Air Corps Reserve, U. S. A. (Retired). Published by David McKay Company, Philadel-McKay Company, Philadelphia; 157; price \$3.00.

It is conceivable that some day you will fly. You really should know what to do in case of an emergency. Undoubtedly you are interested in flying in general, and a plane is more or less of a puzzle to you, perhaps.

Captain Ienar E. Elm has undertaken to write a book that "contains the fundamental knowledge of flying that should be part of the equipment of every man or woman who intends to fly either for pleasure or profit." The requirements to become a competent pilot are explained, the elementary and advanced maneuvers are similarly treated. The hazards of flight are dis-cussed, from varying ground levels to a stall due to excessive climb. The operation of a Russell Lobe parachute, and an Irving parachute, are described. The various parts of a plane are explained, in language which the layman can comprehend. While the reviewer does not think one should attempt to fly after reading this book, he does feel that flying will be a good deal easier.

Particularly good is the dictionary of terms in back of the book. It contains a definition of the words connected with the flying industry.


Modernistic Bookshelves

(Continued from page 618)

about two finish coats of the body color, let us say a lettuce green.

Painting the Design

THE next step would be to lay out L either a full-sized paper pattern of the design or, better still, lav it out with a soft pencil directly on the article itself. In case the first method is used the spots of one color should be cut out and the paper used as a stencil, followed by other stencils, for other colors. If the pattern has been laid out on the wood, the design may be painted in, if care is taken, with small brushes.



Dealers, Servicemen and Amateurs The **Radio Construction** Library

Latest data on radio receivers for





e money a n factory time. Sold u. Junior Pr Dower only from factory only. Junior Press 55.90, Job Press, 311, Power 8149, Do popular raised printing like en-graving with any of our presses, Pays for itself in a short time. Easy rules sent. Write for free catalog of outfits and all details, The Kelsey Co., H-47, Meriden, Conn. ob Press, \$11,

Be a Traffic Manager Big Pay-Big Opportunity

Big business needs trained traffic men. At least three

Detroit manufacturers pay their traffic managers better than \$20,000 a year. Train in your spare time for this highly profitable profession. Low cost: easy terms, Write now for valuable 64-page book-FREE.

La Salle Extension University, Dept. 11384-T, Chicago

STEADY MONEY FOR



Now is the time to safeguard your future. There are many good profitable trades not subject to hard times or slack seasons—trades meet-

ID LARGE Stack seasons—trades meet-ing constant, everyday hu-man needs. A helpful Booklet on this subject is ready for distribution without cost. It explains in detail how to enter such work without ex-perience and how age or circumstance need not stop you. Your copy is waiting. Simply ask for Bulletin 59, "Choosing a Trade." PODEE INSTITUTE 1755 Readware N Y BODEE INSTITUTE, 1755 Broadway, N.Y. 1305 N. Broad St., Philadelphia; 85 Court St., Brooklyn



pretty face was swollen and distorted. Marks on the slender throat showed that she had been brutally choked to death. Who had committed this ghastly crime? No one had seen the girl and her assailant enter the cottage, no one had seen the murderer depart. How could he be brought to justice?

Crimes like this have been solved-are being solved every day by Finger Print Experts. Every day we read in the papers of their exploits, hear of the mys-teries they solve, the criminal they identify, the rewards they win. Finger Print Experts are always in the thick of the excitement, the heroes of the hour.

Not Experienced Detectives-Just Ordinary Men

Within the past few years, scores of men-men with no police, experience, men with just ordi-nary-grade school educations — have become finger print experts. You can become a finger print expert, too. Can you imagine a more fas-cinating line of work than this? More trained men are needed. Here's your real opportunity.

Learn the Secrets of Identification

More and more the detection of crime resolves itself into a problem of identification. You can learn the methods of the famous identifica-tion experts. You can learn the science of Finger Print Identification-right at home in your spare time.

FREE-The Confidential Reports No. 38 Made to His Chief!

IF YOU ACT QUICK—We will send you free, a copy of the gripping, fascinating, confiden-tial report Secret Service Operator No. 38 made to His Chief. Write quickly for fully illustrated free book on Finger Prints which explains this wonderful training in detail.

Institute of Applied Science Dept.14-28 1920 Sunnyside Av., Chicago

Institute of Applied Science, Dept.14-28 1920 Sunnyside Ave., Chicago, Ill.

Gentlemen: Without any obligation whatever, send a me your new, fully illustrated, FREE book on Finger Prints and the free Copy of the Confidential Reports of Operator No. 38 made to His Chief. Literature will NOT be sent to boys under 17 years of age.

Name	
Address	
City & State _	

INDEX TO ADVERTISERS

Α Allied Radio Inside Front Cove в

b		
Bastian Bros. Co.	661	
Batenburg, P. J. F., Co.		
Bean, L. L.		
Beauty Aids, Inc.		
Bernard & Heller	636	
Bliss Electrical School		
Bodee Institute	669	
Bogue, Benjamin N.		
Boice, W. B. & J. E.	649	
Brooks Appliance Co.	655	
Buescher Band Instrument Co.		

Carter Prod. Corp.	652
Centre Publishing Co.	663
Chicago Gear Works	671
Chicago Salvage Stock Store	672
Classified Advertising	574
Coleman, Watson E.	638
Conn, C. G., Ltd.	
Coyne Electrical School	-583

Ð

Dayton School of Aviation	650
Deagan, J. C., Inc.	644
Delta Specialty Company	647
Denver Optic Co.	
Detroit School of Lettering	665
Dobe, Engineer	
Drake, Frederick J., & Co.	
Dryer, Prof. J. A.	655

Electro Thermal Co.	655
Encyclopedia Britannica	585
Evans, Victor J., & Co.	639
Excello Prod. Corp.	663
F	
First Hawaiian Conservatory of Music.	663
Franklin Institute	662
G	

Gerstnar,	Н.,	&	Sons		÷									664
Greene, V	V. 1	. .				x	 			•	ć	•		636

н

Heston & Anderson 64 High School Home Study Bureau 64 Home Mfg. Co. 66 Honigman, A. 66

I Ideal Aeroplane & Supply Co. 66. Institute of Applied Science 67 Instruction Bureau 66 International Eng. Corp. 657 International Oil Heating Co. 654 International Typewriter Exchange 662 Inventors Finance Corp. 622 K

	L	
	Laboratory Materials Co.	665
2	Lacey & Lacey	
	Lachryite Co.	
5	Laco Oil Burner Co.	
5	Lancaster, Allwine & Rommel	
7 5 5 9	Landon School, The	
8	LaSalle Extension University 1282654-658-	669
8	Leonard, A. O.	661
5	Le Page's Glue	641
	Loftis Bros., & Co.	648
	Lynch, John J.	638
1	М	
5	М. Е. Л. Corp.	665
	McCarrie School of Mechanical Dentistry	658
	McGraw-Hill Book Co., Inc.	669
i	Marvel Mfg. Co.	648
	Mead Gliders	643
	Merriam, G. & C. Co.	661
5	Metal Arts Co.	664
5	Metal Cast Products	658
o	Midland Tire & Rubber Co	659
	Miller & Miller	
- 1	Minature Ship Models, Inc.	662
2	Muscle Power Company	664
3	N	001
1	National Academy of Music	650
2	National Company, Inc.	645
3	National Electrical School	650
2	National Radio Institute	577
3	Newcomer Associates	
	New Method Mfg. Co	
	New York Electrical School New York Institute of Photography	658
0	Northwestern School of Taxidermy	652
4	O	052
7	O'Brien, Clarence A.	637
3	Р	
5	Pan-American Band Instrument and Case Co.	659
o	Paramount Mfg. Co.	
5	Polachek, Z. H.	
	Primset Labs.	661
	R	
5	R. C. A. Institute, Inc.	663
5	Radex Press	667
9	Radio and Television Institute	579
3	Randolph & Co. Roll-O Specialty Co.	600
	Russia Cement Co.	641
3	S	
2	Sanitube Co.	647
	Schiereke, H. C.	664
	See Jay Battery Co.	654
4	Smith Typewriter Sales Corp.	659
6	Spors Importing Co.	647
	Stahl's Outdoor Enterprise Co.	
~	Stay-Prest Co.	660
0	Steiner Fulton Prod. Corp.	
5 4	Strongfort Institute Studebaker Corp. of America, The	648 587
9	Superior Match Pauts	655
4	Sweeney, H. C. Mfg. Co.	646
5	Т	
5	Tamblyn, F. W.	665
0	Tarbell System, Inc.	655
	Teleplex Co.	663
,	Thaxley, D., Co.	638
2 0	Trevaux Perfume Co.	644
3	U	
1	U. S. School of Music	053

Vari-Tone Lab. 665 W

 Waco Tool Works, Inc.
 653

 Wagner, George Steve
 655

 Whirlwind Mfg. Co.
 Back Cover

 Wilcox P. H.
 661

(While every precaution is taken to insure accuracy, we cannot guarantee against the possibility of an occasional change or omission in the preparation of this index.)

Science and Invention

Consumers Prefer Blue By James R. Lowell

MERICAN business has suddenly become color conscious; and today we find color a predominating note in advertising. Merchantry is offering the public its choice of blue, green, red, and their various shades and combinations, in automobiles, shoes, frying pans, plumbing fixtures, bed sheets, and what not

In view of the increasingly important rôle color is plaving in modern merchandising, it is interesting to observe the results of experiments in color preference conducted over the past four years by William E. Walton, Instructor in Psychology at the University of Ne-braska. Mr. Walton has developed a machine which he calls the "chromopathometer" and with which he is working at present to determine the affective values of colors and their combinations on human beings. It is to demonstrate the method of impression and paired comparisons, to determine the reaction and perceptibility of the visual system to various colored lights, as well as other more or less scientific facts. More than 800 students have been used in the psychology instructor's experiments at the State Universities of Nebraska and Kansas.


One of the most important uses of the chromopathometer is its capacity for measuring the affective values of colored lights such as are used in electric advertising. This idea, original with Mr, Walton, readily shows to which colors the human mind reacts the quickest. For example, in a test given to determine the perceptibility of colored lights, it was found that the red light exposed through a pin-point hole for one two-hundredth of a second was recognized readily as being that color. All other colors were more or less misnamed, while blue could not be perceived at all. Thus blue would be a poor color to use in a flasher sign or traffic stop light, while red, now generally used, is the best.

On the other hand, in regard to outdoor advertising, it is desirable that a color be used which will not attract attention because of its disagreeableness, but will focus the attention of the observer upon what is advertised. From a test given to a large group of university students, it was found that blue was the color most preferred, with green ranking next. Where women alone are considered, however, it is found that green is preferred, with red second.

When the intensity of all the colors was made equal, through resistance coils in the chromopathometer, it was discovered that both men and women preferred red and the conclusion was arrived at that the intensity of the color is a large factor in influencing the preference. Thus an ideal sign would be one of a red color, with an intensity that would attract attention and yet not prove disagreeable, as many red signs are prone to do.

For color combinations it was found that red and blue appealed to most men. while women favored white and green. In general, red and blue are liked by both sexes and make a good combination to be used in signs advertising gen-eral commodities, Mr. Walton has discovered. The machine also reveals that man is more consistent in his choices than is woman and that the male prefers saturated colors in combination with each other, while the woman as a rule prefers a saturated color in combination with an unsaturated one. For instance, red and blue for men, white and green for women.

Manufacturers conducting sales campaigns in foreign countries may take a tip from the psychology of color preference, viz., colors endeared to a people through patriotic association, or colors corresponding with the outdoor colors peculiar to nature in a given location, are certain to prove popular.



- 14 Socket rack
- 2 Reflector
- 15 Projector rack
- 4 Switch

An accurate diagram of the chromopathometer

16 Light socket 32" scale




Last night I came home with great news"

"T'D TELEPHONED Ruth that I had a surprise for her and she could hardly wait for me to get home. You should have seen her face when I told her the Boss had given me a \$25 increase in salary. " 'It's wonderful,' she said, 'just wonderful. Now we can pay those bills and even start saving. " 'Remember the night' we saw that coupon in a magazine and you decided to take up an I. C. S. course? It made a new man of you, Bob, and I knew it wouldn't be long before the firm would notice the difference in your work. We certainly owe a lot to the International Correspondence Schools." How about you? Are you always going to work for a small satary? Or are you going to get ahead? It all depends on what you do with your spare time. Don't let another precious hour pass before you find out what he I. C. S. can do for you. It doesn't cost you a penny or obligate you in any way, but it may be the means of changing your entire life. Do it now! Mail Coupon for Free Booklet

Mail Coupon for Free Booklet

INTERNATIONAL CORRESPONDENCE SCHOOLS "The Universal University" Box 6237-F, Scranton, Penna. Without cost or obligation, please send me a copy of your booklet, "Who Wins and Why," and full particulars about the subject before which I have marked X:

about the subject before which	
TECHNICAL AND IN	DUSTRIAL COURSES
TECHNICAL AND IN Architect Architect Building Estimating Wood Millworking Concrete Builder Contractor and Builder Structural Draftsman Structural Draftsman Electrical Engineer Electrical Engineer Electrical Engineer Wedding, Electric and Gas Telegraph Engineer Mechanical Draftsman Patternmaker Machinist Reading Shop Bueprints Civil Engineer Ilighway Engineering	DUSTRIAL COURSES Bridge Engineer Uttomobile Work Uttomobile Work Uttomobile Work Uttomobile Work Uttomobile Work Uttomobile Work Steam Engineer Steam Engineer Harine Engineer R. R. Locomotives Air Brakes Train Operation R. R. Section Foreman R. R. Bridge and Building Foreman Chamistry D Pharmaey Coal Mining Engineer Navigation Arciculture Textilo Voerseer or Supt.
Surveying and Mapping	Cotton Manufacturing
🗌 Gas Engines 🔲 Toolmaker	Woolen Manufacturing
□ Diesel Engines □ Aviation Engines	Fruit Growing Radio Poultry Farming
	INING COURSES
Business Management	Rusiness Correspondence
Industrial Management Personnol Management Traffie Management Cost Arcountant Cost Arcountant Bookkeeping Scoretarial Work Snanish Prench Nalesnanship Advertising	Lettering Show Cards Stenography and Typing Complete Commercial English Signs Civil Service Mail Carrier Grade School Subjects High School Subjects Lumber Dealer
Nama	A ma
Name	Age
Street Address	
Just out. Lig out sparks or fi wherever gas is MYSTER Packed on individual	10c or rush \$9.00 per
Gears. arried also mu inquires inquires CHIC	ck—immediate delivery speed reducers, sprockets, bearings, flexible couplings, etc. A complete line is in our Chirago stock. Can ote on special gears of any send us your blue-prints and



Screen Grid Sets D C Battery Sets Phono-Combinations Dynamic Speakers New Mantel Sets Slot Machine Sets Electric Clock Sets Super-Heterodynes New Accessories Tubes—Parts

HERE'S our new catalog chock-full of all the latest radio features at lowest wholesale prices. Because we are the world's largest radio store, we are able to buy and sell in such large quantities that we can make marvelous savings for you.

You will find in this book the new, Humless, Screen Grid A. C. all-electric and battery-operated sets; a wide range of beautiful consoles, from the small mantel model types to the most ornate and artistic of radio furniture; dynamic speakers of tremendous volume and richest tone; accessories, parts and kits in wide variety—in fact, everything that is standard, as well as everything that is new, in Radio. Get this book today.

We have everything in radio. Our immense stock is complete with practically everything new in radio. Quick deliveries and genuine cooperation are assured on all orders. Send for your copy of this new catalog and find out the remarkable savings that we are passing on to you.

for Catalog to day

CHICAGO SALVAGE STOCK STORE World's Largest Radio Store 509 So. State St., Dept. 516, Chicago, Ill. FREE CATALOG COUPON

Chicago Salvagé Stock Store 509 So. State St., Dept. 516 Chicago, Illinois

Kindly send me, free of charge, your new radio catalog.

Name	Name
------	------





Over the Mountains R **559** Miles GAS GAS 133 138 8 8-644 7000 4 000 559 4-TRIP 0 Gallons of GAS

Think of it! FIVE HUNDRED FIFTY-NINE MILES over rough mountainous country burning only ELEVEN GALLONS OF GASOLINE. Imagine more than FIFTY MILES to the GALLON. This is what the WHIRLWIND CARBURETING DEVICE does for D. R. Gilbert, enough of a saving on just one trip to more than pay the cost of the Whirlwind.

THE WHIRLWIND SAVES MOTORISTS MILLIONS OF DOLLARS YEARLY

Whirlwind users, reporting the results of their tests, are amazed at the results they are getting. Letters keep streaming into the office telling of mileages all the way from 22 to 59 miles on a gallon, resulting in a saving of from 25 to 50% in gas bills alone. Mark H. Estes writes: "I was making 17 miles to the gallon on my Pontiac Coupe. Today, with the Whirlwind, I am making 35 5/10 miles to the gallon. Am I glad I put it on? I'll say so!"

P. P. Goerzen writes: "I made an actual test both with and without a Whirlwind, getting $131_2'$ miles without and 34 6/10 miles with the Whirlwind, or a gain of 21 miles to the gallon. The longer the Whirlwind is in use on the machine, the better the engine runs, has more pep and quicker starting. It makes a new engine out of an old one, and starts at the touch of the starter button."

R. J. Tulp: "The Whirlwind increased the mileage on our Ford truck from 12 to 26 miles to gallon and 25% in speed. We placed another on a Willy's Knight, and increased from 12 to 17 miles per gallon.

Arthur Grant: "I have an Oakland touring car that has been giving me 15 miles to the gallon average, but I can see a great difference with the Whirlwind, as it climbs the big hills on high and gives me better than 23 miles to the gallon of gas, which is better than 50% saving in gas." W. A. Scott: "I had my Whirlwind for three years. Winter and summer it gives the same perfect service, instant starting, smoother running, and what I saved in gasoline these last few years has brought other luxuries which I could not have afforded previously."

Car owners all over the world are saving money every day with the Whirlwind, besides having better operating motors. Think what this means on your own car. Figure up your savings—enough for a radio—a,bank account—added pleasures. Why let the Oil Companies profit by your waste. Find out about this amazing little device that will pay for itself every few weeks in gas saving alone.

FITS ALL CARS

In just a few minutes the Whirlwind can be installed on any make of car, truck, or tractor. It's actually less work than changing your oil, or putting water in the battery. No drilling, tapping or changes of any kind necessary. It is guaranteed to work perfectly on any make of car, truck or tractor, large or small, new model or old model. The more you drive the more you will save.

SALESMEN AND DISTRIBUTORS WANTED

To Make Up to \$100.00 a Week and More

Whirlwind men are making big profits supplying this fast-selling device that car owners cannot afford to be without. Good territory is still open. Free sample offer to workers. Full particulars sent on request. Just check the coupon.

WHIRLWIND MANUFACTURING CO. 999-364-A Third Street Milwaukee. Wisc.

GUARANTEE

No matter what kind of a car you have--no matter how big a gas eater it is--the Whirlwind will save you money. We absolutely guarantee that the Whirlwind will more than save its cost in gasoline alone within thirty days, or the trial will cost you nothing. We invite you to test it at our risk and expense. You are to be the sole judge.

FREE OFFER COUPON
WHIRLWIND MANUFACTURING CO. 999-364-A Third Street, Milwaukee, Wise. Gentlemen: You may send me full particulars of your Whirl wind Carbureting device and tell me how I can get one free. This does not obligate me in any way whatever.
Name
Address
City
County State Check here if you are interested in full or part time salesmen position.