

ELECTRONIC DESIGN

annual index of articles

Careers & Management

About those crowded campusesEDIT p19 Jul 19
 Compare your salary with the averagesC&M p179 Mar 15
 Confusion raised to the Nth powerEDIT p19 Aug 2
 Design Engineers should think internationalC&M p47 May 24
 Engineering integrityEDIT p20 Mar 1
 Engineering jobs ..C&M p80 Sept 13
 Engineering obsolescence: its diagnosis and cureART p70 Feb 15

Subject listing

Careers & Management
 Circuits, Mathematical Analysis
 Communications, Navigation, Guidance & Interference
 Components (See Microwaves, Semiconductors)
 Computers, Data Processing and Auxiliary Devices
 Consumer Electronics
 Controls, Automatic
 Human Factors
 Materials
 Measurements, Instruments and Test Equipment
 Microelectronics
 Microwaves
 Missiles and Space
 Packaging
 Power Sources
 Production, Processes and Cooling
 Reliability
 Research and Development
 Semiconductors,
 Solid-State Devices

First aid for ailing speakersC&M p62 Oct 11
 If you can't beat 'em, join 'emEDIT p19 Sept 27
 It's your turn at the rostrum—can you deliver a technical paper?C&M p54 Mar 15
 More doors open for post-grad updatingC&M p186 Mar 15
 NSPE: the engineer's AMA?EDIT p31 Sept 13
 Professional groups and personal libertiesEDIT p19 Jul 5
 Profiles of successful engineersC&M p182 Mar 15
 Shortening the engineering-to-market time spanC&M p46 Apr 12
 The advent of the 'political' scientistC&M p188 Mar 15
 The articulate engineerC&M p38 Aug 2
 'The trouble with you is...'C&M p76 Sept 13
 To err is human ... or is it?EDIT p19 Aug 30
 What it takes to be a supervisor ..C&M p112 Jan 18

Circuits, Mathematical Analysis

A blanket approach to a linear thermistor networkART (Part I) p20 Mar 29
 A blanket approach to a linear thermistor networkART (Part II) p36 Apr 12
 A Darlington improves monostable multi performance IFD p36 June 21
 A logical approach to comparator designART p50 Nov 11
 A new tool for easier network synthesisART p20 Feb 1
 Adder differentiator measures thyristor response time IFD p160 Aug 16
 All-pass filters accurately split the phaseART p38 Jan 18
 Analog circuit impedance follows signalIFD p31 Mar 1
 Analog long-time integrator employs transistor reset ...IFD p56 May 24
 Astable blocking oscillators—they can be practical-Part I ART p21 Mar 1
 Astable blocking oscillators—they can be practical-Part II ART p42 Mar 15
 Balanced modulator transformer increase carrier suppression

.....IFD p46 Jan 18
 Beam deflection tube oscillates at two frequenciesIFD p48 Jul 5
 Bootstrapping boosts pre-amp input impedanceART p22 May 10
 Boxcar circuit provides pulse amplifier ageIFD p83 Sept 13
 Capacitor replaces transformer in low voltage power supplyIFD p57 Apr 12
 Cascaded UJT oscillators form stable frequency divider ..IFD p52 Nov 8
 Complementary diode feedback produces nonlinear gain IFD p42 June 7
 Complementary dual follower increases input impedance p58 Nov 8
 Complementary transistors replace meter relayIFD p53 Apr 12
 Conformal Invariants PT p79 Jan 4
 Constant-current regulator range determined by reference transistorIFD p44 Apr 26
 Curing interference in relay systems: Look at the source then suppressART p37 Nov 29
 Cylindrical Fields ...PT p31 June 21
 Dc feedback symmetry control creates wideband doubler IFD p154 Aug 16
 Dc load-voltage method simplifies gain calculationIFD p156 Aug 16
 Delay-line sync separator improves video resolutionIFD p60 Nov 22
 Design of dc-coupled bistable circuitsART p26 Aug 2
 Differential amplifier offers efficient dual outputsIFD p37 Jul 19
 Differential amplifier provides improved common-mode rejectionIFD p44 May 10
 Differential comparator extends accuracyART p50 Oct 25
 Differentiator-divider network analyzes power-line transientsIFD p52 Dec 6
 Diode divider circuit provides ac gain controlIFD p46 Apr 26
 Double-coil relay simplifies AND circuitIFD p72 Nov 29
 Dual emitter transistor clears integrator circuitIFD p41 June 7
 Emitter-follower circuit protects against overloads ..IFD p61 Mar 15
 Error-rate feedback generation in servomotor handled by toroidIFD p50 Apr 12

ANNUAL INDEX

AN	Application Note
ART	Article
C & M	Careers and Management
DD	Design Decision
EDIT	Editorial
ENG DATA	Engineering Data
IFD	Ideas for Design
MAT	Materials
ME	Microelectronics
PF	Product Feature
PT	Practical Theorist
SR	Special Report

Feedback circuit converts pulse trains to staircaseIFD p69 Oct 11
 FET can be used to multiply two signalsIFD p34 Mar 29
 FET enhances parallel-T notch filter performanceIFD p36 Jul 19
 FET limits and resets operational amplifiersIFD p54 Nov 8
 Filter amplifier maintains gain over wide bankART p58 Oct 11
 Filter out 60-cycle pickup in dc amplifiersART p34 Dec 20
 Find comb-filter frequencies fastART p44 Dec 6
 Flip-flop operation enhanced by resistor-diode inputIFD p35 June 21
 Flow graphs pinpoint frequency responseART p36 Nov 22
 Four components make dc regulatorART p64 Feb 15
 Four layer diode produces fast, high voltage pulsesIFD p55 May 24
 Four layer diode provides time delay with instant reset IFD p33 Mar 29
 Gain-control circuit avoids dc shiftIFD p28 Feb. 1
 Gain-phase slide rule aids amplifier designART p64 Sept 13
 Graphical design for non-saturating Schmitt triggers ART p58 Feb 15
 Graphics yield fast, low-cost printed circuit breadboardp.56 Nov 8
 Graph speeds calculation of skin effectART p51 Nov 8
 Harmonic Generators: Is the step-recovery diode best? ART p28 Jan 18
 High ratio pulse counter utilizes UJT switchIFD p58 Mar 13
 Holding-coil switches form matrix monitorIFD p48 Dec 20
 Hysteresis of bistable circuit is displayed on CRTIFD p50 Jan 18
 If limiter—diode circuit is stable with temperatureIFD p158 Aug 16
 Improved squaring circuit is less temperature sensitiveIFD p40 Jul 19
 Inexpensive oscillator is temperature stableIFD p70 Oct 11
 Inexpensive regulator uses transistors as breakdown diodeIFD p33 June 21
 Inexpensive relay drive from low-level signalsIFD p44 Jul 5

Infinite Z out source for long linear sweepsART p28 Jul 19
 Locking monostable circuit immune to false triggeringIFD p54 Dec 6
 Low cost multilayer boards with feed-through jumpers IFD p155 Aug 16
 Low cost 2 stage circuit forms versatile AM oscillator IFD p42 May 10
 Low frequency FET amplifier has narrow bandpassIFD p72 Jan 4
 Magnetic amplifier overcomes push-pull unbalanceIFD p68 Oct 25
 Mapping into a circle PT p33 Feb 1
 Matched transistors passe for FET squarersART p36 Nov 8
 Microelectronics at \$18 operational amp gives long time delayIFD p48 May 10
 Microvolt dc relay makes inexpensive thermocouple tripIFD p81 Nov 29
 Modified astable multivibrator produces very long time delayIFD p48 May 10
 Modified multi forms phantastron oscillatorIFD p46 Jul 5
 Modified multi forms voltage-controlled oscillatorIFD p68 Oct 11
 Modified multivibrator has elongated pulse outputIFD p59 Mar 15
 Monitor circuits measure transient phenomena and soundsIFD p38 Jul 19
 More on Schwarz-ChristoffelPT p35 Mar 29
 MOS transistor provides sharp differential relay switchingIFD p32 Mar 29
 Multiple-reed relay acts as 2-frequency decoderIFD p71 Nov 29
 Multiply phasors the easy wayART p34 Aug 2
 Nand gates and UJT form stable hybrid monostable multiIFD p45 Apr 26
 Neon-tube circuit forms one-shot pulse generatorIFD p38 June 7
 New circuitry withstands deep-sea pressuresNEWS p6 Feb 1
 Nixie driver flip-flop also stores informationIFD p82 Sept 13
 No standby power needed for one-shot circuitIFD p30 Feb 1
 Nomograph: Rapid solution to bistable circuit designENG DATA p38 Apr 26
 NOR circuits easily convert to multipliersIFD p76 Feb 15
 Operational amplifier has flat bandwidth to 12 McIFD p47 Aug 30
 Operational amplifier theory can give answersART p20 Apr 26
 Out of lock detector for automatic phase controlIFD p53 Nov 8
 Out-of-lock detector performs digital frequency discriminationIFD p55 Dec 6
 Phase lock harmonically unrelated signalsART p146 Aug 16
 Plotting produces total astable designART p60 Sept 13
 "Pseudo" first stage makes self-clearing ring counterIFD p40 Aug 2
 Pseudo-Schmitt approach to trigger logicART p30 Nov 22
 Pulse compression via active devices

.....ART p134 Aug 16
 Pulse generator delivers a constant currentIFD p63 Mar 15
 Pulse height detector operates independently of dc input levelIFD p32 Mar 29
 Pulsed relay generates low-level step functionsIFD p81 Nov 29
 Pulse-sorter network detects, amplifies bi-polar signalsIFD p48 Aug 30
 Pulse-width discriminator uses mismatched delay line IFD p60 Mar 15
 Raysistors find application in voltage multiplying, dividingIFD p58 Mar 15
 Reference amplifier is versatile and temperature stable IFD p44 Aug 30
 Relay provides simple reversal of dc motorIFD p78 Nov 29
 Remote switching technique reduces systemIFD p78 Feb 15
 Reset circuit independent of amplitude, polarityIFD p70 Oct 25
 Resistor stabilizes frequency of transistorized oscillator IFD p53 May 24
 Resonant reed controls timed latching relayIFD p80 Nov 29
 Resonant reed-relay produces pulsed toneIFD p74 Nov 29
 Resonant reed stabilizes audio oscillator frequencyIFD p76 Nov 29
 Ripple suppression circuit solves space-limit problem IFD p35 Mar 1
 Rule of thumb simplifies maximum power calculations IFD p74 Feb 15
 Saturable core detects small current differenceIFD p44 July 5
 SCR and UJT form time-delay switchIFD p82 Sept 13
 Self-starting voltage regulator is short-circuit regulatedIFD p79 Feb 15
 Sensitive static relay detects resistance limitsIFD p75 Nov 29
 Series-parallel connection produces high-level pulsesIFD p52 Dec 6
 Shaft-position generator provides zero referencesIFD p64 Mar 15
 Simple circuit improves stepping switch performance IFD p47 Jan 18
 Simple circuit measures tube transconductanceIFD p62 Mar 15
 Simple circuit starts tubes automaticallyIFD p44 Jan 18
 Simple techniques to measure high-power pulsesART p46 Oct 11
 Signal rejection accomplished by optical isolatorNEWS p18 Jul 19
 Solid-state current-limiter functions as circuit breaker IFD p59 Mar 15
 Start-up circuit insures initial state of flip-flopIFD p31 Feb 1
 Static switching circuit transfers power automaticallyIFD p74 Feb 15
 Strain gage output amplifier produces modulated pulse signalIFD p52 May 24
 Streamlined capacitor charge circuitsART p40 Mar 15
 Sub-audio sinusoids by integrator feedback loopIFD p38 June 7
 Symmetry amplifier compensated by FET current-sources IFD p70 Oct 25
 Tabular technique solves harmonic problemsART p36 Aug 2

Tabular technique solves harmonic problemsART p150 Aug 16
 Telephone dial controls rotary stepping switchIFD p75 Nov 29
 Temperature varies bandwidth to improve trigger sensitivityIFD p77 Jan 4
 The Backward Monostable: A time delay switchART p58 Jan 4
 Thermal relay forms simple stepped voltage regulator ..IFD p80 Nov 29
 The Schwarz-Christoffel mappingPT p33 Mar 1
 Three relays form low-speed, inexpensive power divider IFD p42 June 7
 Time-delay relay protects against in-rush currentsIFD p80 Nov 29
 Time-delay words with bi-polar voltageIFD p30 Feb 1
 Time-delay relays sequentially switch motor starting systemIFD p71 Nov 29
 Transformer delivers 5 Kw pulses for 10 nsecDD p48 Mar 15
 Transistor, diode form bidirectional synchronous clamp IFD p84 Sept 13
 Transistorized switch provides AC signal gateIFD p49 Jan 18
 Triac time-delay circuit switches 1.2 kw of ac powerIFD p44 Jul 5
 Tunnel diode circuit offers non-distorted delayed pulse IFD p46 May 10
 Tunnel diode and UJT produce ultra-fast trigger output ..IFD p40 Jan 7
 Tunnel diode level detector is ultra-sensitiveIFD p73 Jan 4
 Two-dimensional mappingPT p45 May 24
 Two phase-locked oscillators improve linearityDD p24 June 21
 Two R-L network limits surge to low-starting loaded SCRIFD p52 Apr 12
 Two relays form bistable trigger circuitIFD p71 Nov 29
 Two-stage circuit improves hf signal generator's output IFD p71 Oct 11
 Two-stage transistor replaces precision operational inverterIFD p54 Apr 12
 UJT oscillator makes simple FM modulatorIFD p47 May 10
 UJT oscillator provides negative voltage pulsesIFD p55 May 24
 Ultrasensitive relay forms precise temperature controllerIFD p76 Nov 29
 VCO frequency control via balanced-bridge mixerART p48 Nov 22
 Voltage detector uses solidstate relaysIFD p30 Mar 1
 Voltage regulator circuits permit decentralized operation PF p94 Jan 4
 Why not an avalanche diode as an RF noise source?ART p32 Apr 12
 Widerange multivibrator varies frequency from 8Kc to 3McIFD p50 Apr 12
 Zener diode aids chopper in demodulator applicationIFD p56 Apr 12
 Zener diodes provide high-level limitingIFD p77 Feb 15
 Zig-Zag nomograph to equivalent resistance ..ENG DATA p30 Aug 30

Communications, Navigation

Balanced modulator transformer increases carrier suppressionIFD p46 Jan 18

Direction finder for re-entry works in S-bandNEWS p17 June 7
 Frequency control techniques seen meeting ssb need NEWS p10 May 24
 Mobile air control permits tactical emergency landingsNEWS p10 Oct 11
 Navy communications look toward the '70'sNEWS p12 Jul 5
 Simple techniques to measure high-power pulsesART p42 Nov 8
 Spawning salmon counted by sonarNEWS p19 Oct 11
 Tradeoffs in choosing radar frequencyART p54 Oct 25

Components

AC or dc excitation: which is best for transducers?ART p26 June 7
 An outside look at inside coil temperatureART p54 Oct 11
 Avoiding shorted-coil failuresSR ART p54 Feb 15
 Batch fabrication: new roads to system designNEWS p6 Apr 12
 Bounceless switch unit acts as relay/chopperPF p88 Sept 13
 Ceramic capacitors maintain $\pm 2\%$ temperature stabilityPF p74 Apr 12
 Ceramic capacitors nearing glass-dielectric stabilityPF p72 Dec 20
 Coax ribbon transmits highspeed dataPF p62 Jul 5
 Commutated relay spearheads new switching technique ART p18 Nov 29
 Comparing the three most popular temperature sensorsART p62 Jan 4
 Conductor specification dataSR ART p36 Feb 15
 CRT data display to aid liquor industryNEWS p24 Oct 11
 Curing interference in relay systems: Look to the source, then suppressART p37 Nov 29
 Designing with relays is more subtle than you think ...ART p30 Nov 29
 Determining effect of loading on a potentiometer's linearityART p68 Feb 15
 Don't dismiss the relay for data processing systems ART p24 Nov 29
 Double-coil relay simplified AND circuitIFD p72 Nov 29
 Electromechanical relays spar with solid stateNEWS p6 June 7
 Five Gc coaxial cable drops 10 db per 100 ftPF p100 Feb 15
 Four factors influence cable harness designSR ART p42 Feb 15
 Functional specification speeds coaxial-cable selectionART p48 Feb 15
 Guidelines for invading foreign marketsEDIT p31 May 24
 Have semiconductors relegated relays to a second-class status?ART p14 Nov 29
 How much delay from a delay line?ART p48 Sept 27
 Inexpensive relay drive from low-level signalsIFD p44 Jul 5
 Integrated circuit protected by reed relay-diode combinationIFD p78 Nov 29
 International Exhibition of Electronic

Components ...NEWS p22 May 24
 Is db passe for component noise?ART p32 Apr 26
 Make sure switch you order is switch you wantSR ART p44 Sept 13
 Methodical approach leads to right coax switch ..SR ART p38 Sept 13
 Microvolt dc relay makes inexpensive thermocouple trip IFD p81 Nov 29
 Mil-spec coax crimp connectors assemble in half a minuteME PF p72 May 24
 Modular power supplies are narrow, efficientPF p42 Mar 1
 Modular switch saves wiring time by disassemblingPF p60 Nov 8
 Modular VCO design "Customizes" from stockPF p62 Oct 25
 Multi-Pin connector approaches cable diameterPF p102 Feb 15
 Multiple-reed relay acts as 2-frequency decoderIFD p71 Nov 29
 OR circuits simplified with double-coil relaysIFD p77 Nov 29
 Passive miniature circulator operates at vhfPF p52 Aug 30
 Pin coaxial-cable specs to your needsART p56 Sept 27
 Pinpoint your relay needs by writing complete specificationsART p52 Nov 29
 Pulsed relay generates low-level step functionsIFD p81 Nov 29
 Relay provides simple reversal of dc motorIFD p78 Nov 29
 Resonant reed controls timed latching relayIFD p80 Nov 29
 Resonant reed-relay produces pulsed toneIFD p74 Nov 29
 Resonant reed stabilizes audio oscillator frequencyIFD p76 Nov 29
 Ribbon cables show their versatilitySR ART p32 Feb 15
 Save \$ in specifying TC wirewoundsART p36 Aug 30
 Selecting and specifying trimming potentiometersART p34 Jan 18
 Selecting the right insulation for hook-up wireSR ART p46 Feb 15
 Self-coiling metal tape permits compact designART p56 Oct 11
 Self-regulating ovens cap TO-5 and DO-7 cansPF p48 Aug 2
 Sensitive static relay detects resistance limitsIFD p75 Nov 29
 Shunt diodes protect polarized capacitorsIFD p64 Nov 22
 Simple circuit improves stepping switch performance IFD p47 Jan 18
 Six points to simplify rotary wafer selectionSR ART p48 Sept 13
 Sliding disks simplify switchingDD p66 Jan 4
 Special Report on Switchesp33 Sept 13
 Standardized relay terminology simplifies selection and aids usageART p45 Nov 29
 Stepping relay establishes matrix selector controlIFD p70 Nov 29
 Switching needs dictate contact material, geometrySR p34 Sept 13
 Table speeds RC network design for relay contact protectionIFD p77 Nov 29
 Tantalum capacitor "price war" levels offNEWS p12 Mar 29

ANNUAL INDEX

Telephone dial controls rotary stepping switchIFD p75 Nov 29
Thermal relay forms simple stepped voltage regulator ...IFD p80 Nov 29
Thin-film thermistor fits on silicon chipPF p96 Mar 15
Three relays form low-speed, inexpensive power divider IFD p42 June 7
Time delay relay protects against inrush currentsIFD p80 Nov 29
Time delay relays sequentially switch motor starting systemIFD p71 Nov 29
Transformer core selection—quick as a winkART p46 Dec 20
Transformer delivers 5Kw pulses for 10nsecDD p48 Mar 15
Transistor switching regulates power suppliesPF p42 Mar 1
Two relays form bistable trigger circuitIFD p71 Nov 29
Ultrasensitive relay forms precise temperature controllerIFD p76 Nov 29
Voltage detector uses solid state relaysIFD p30 Mar 1
Which relay is right for you? Here's help in deciding ...ART p57 Nov 29
Wire and CableSR p31 Feb 15

Computers, Data Processing and Auxiliary Devices

AF wind tunnel has computer that handles Mw inputs NEWS p10 Aug 2
A logical approach to comparator designART p50 Oct 11
Analog circuit impedance follows input signalIFD p31 Mar 1
Batch-fabricated memory reported at NAECON meet ..NEWS p8 June 7
Case history: diode design boosts DTL speed ...ME ART p36 Feb 1
Computer design of microelectronic circuitsART p26 Jan 4
Computer-driven real-time display projects 4 colors NEWS p18 Oct 25
Computer picks semiconductorsNEWS p17 May 10
Computer produces realistic musical instrument sound NEWS p18 Nov 22
Computer service offered for design and circuit analysisNEWS p25 Oct 11
Computer speeds design reviewsNEWS p12 Feb 15
Computer system to position Mohole ocean-drilling platformNEWS p16 Feb 15
Control Data to add two super computersNEWS p16 Jan 18
Design at Wescon Part 3 p20 Aug 30
Differential amplifier provides improved common-mode rejectionIFD p44 May 10
Don't dismiss the relay for data-processing systems ART p24 Nov 29
Eight-Mc IC computer serves as learning toolNEWS p6 Aug 2
Electronic gearing drives tapeDD p28 Mar 1

Electronics invades the accounting departmentNEWS p12 Dec 20
Good rocket computers come in tough packagesDD p68 Jan 4
Flip-flop operation enhanced by resistor-diode input ...IFD p35 June 21
FJCC: Faster cores vie with TF memoriesNEWS p6 Dec 20
Hybrid-IC memory can be produced for 7-14¢ per bit ..NEWS p11 Aug 30
Industrial control by digital computersART p54 Jan 4
Low-cost time-share computer debutsNEWS p23 Oct 11
Magnetics advanced by computer needsNEWS p6 May 24
Moderately priced amplifier gives 100-volt syingPF p58 June 21
Modular design adds flexibility to IC computer ...ME NEWS p40 Feb 1
Module line offered to do-it-yourselfersNEWS p11 May 24
NAND gates and UJT form stable hybrid monostable multiIFD p45 Apr 2
New data terminal for top computersNEWS p18 Jul 5
NOR gates generate non-clocked output pulseIFD p50 Dec 20
Operational amplifier response—shape countsART p36 Jul 5
Operational amplifier response—stage by stageART p24 Jul 19
Operational amplifier theory can give answersART p20 Apr 26
OR circuits simplified with double-coil relaysIFD p77 Nov 29
Out-of-lock detector performs digital frequency discriminationIFD p55 Dec 6
Passive computer systems increase efficiencyIFD p74 Jan 4
Pen and tablet input to computer made for sale ...NEWS p22 Jan 18
Pick off multiphase signals from a diskART p20 Jul 19
Remote terminal works off computer 6000 miles away ..NEWS p22 Jan 4
Sample-and-hold circuit for A/D converterIFD p44 Aug 2
Self-correcting memoryART p28 Aug 30
Seamless belt stabilizes tape motion in transportNEWS p10 Nov 8
Sonar computers ..NEWS p10 Aug 16
Tables speed design of sampled-data systems ..Part I ART p28 May 10
Tables speed design of sampled-dataPart II ART p40 May 24
Table speeds RC network design for relay contact protectionIFD p77 Nov 29
Temperature programmers follow analog functionsPF p86 Nov 22
Three easy ways to evaluate digital circuitsME NEWS p50 Jul 5
Threshold logic provides complete complementary outputIFD p50 May 24
Tunnel diodes simplify shift-register constructionIFD p29 Feb 1
Univac 1230 unit named for real-time Apollo data analysisNEWS p21 Aug 16
Western Union greatly expands data facilitiesNEWS p18 Jan 4

Consumer Electronics

Audio engineers spotlight innovationsNEWS p12 May 24
Silicon and germanium battle at hi-fi showNEWS p6 Oct 25
TV, stereo sound systems find new airline market ..NEWS p12 Feb 1

Human Factors

Can you put your ideas across?....C&M p46 Dec 6
Eighteen ways to save timeC&M p48 Nov 8
Gremlin-proofing: answers to nature's tricksART p42 Nov 22

Industrial Electronics

A special report on Industrial DesignSR p21 Nov 8
Ac or dc excitation: which is best for transducers?ART p26 June 7
Analog fields simplify designDD p29 June 21
Automated traffic systems picking up speedNEWS p6 Jan 18
Auto safety programs turn to electronicsNEWS p6 Jul 7
Blackout sheds light on system faultsNEWS p6 Dec 6
Chemical instruments seek more electronicsNEWS p6 July 7
Complexity limits adaptive systems' usesNEWS p12 Oct 25
Electromechanical relays spar with solid stateNEWS p6 June 7
Electronic gearing drives tapeDD p28 Mar 1
Error-rate feedback generation in servometer handled by toroidIFD p50 Apr 12
FETs, power types join economy trendNEWS p12 Aug 30
Industrial control by digital computersART p54 Jan 4
Industrial conversion: new hope, new wrinklesNEWS p6 Feb 15
Industrial Design Awards ... Wescon USApW124 Aug 16
Industrial users switch relays for solid stateNEWS p6 Aug 16
Magnetics advanced by computer needsNEWS p6 May 24
ME linear circuit modules meet many servo and control needsPF p46 Mar 29
Operational amplifier response—shape countsART p36 Jul 5
Operational amplifier response—stage-by-stageART p24 Jul 19
Out-of-lock detector for automatic phase controlIFD p53 Nov 8
Pentagon speeds shift to uhf telemetryNEWS p6 Jul 19
Photo-emitter-sensor controls feedback systemART p32 Aug 30
Servo unit converts metric to digital readoutPF p62 Apr 26
Solid-state integrator combines low duty cycle with low rippleDD p42 Apr 12
Switch-selector arrangement controls motor's revolutions IFD p40 Aug 2
Tables speed design of sampled-data systems Part I ..ART p28 May 10
Tables speed design of sampled-data systems Part II ..ART p40 May 24

Triac optimizes static control of ac powerART p32 May 24
Viscous effect simulated by servo damping systemIFD p43 Aug 2

Materials

AdhesivesMAT pM14 Jul 19
Composite design materials-basic conceptsMAT p64 Jan 18
Design advantages of gas dielectricsMAT p152 Aug 16
Epoxy bond can be severed without cuttingIFD p78 Jan 4
High strength conductor alloysMAT ART p210 Mar 15
Improve reliability via physics of failureMAT p70 Sept 13
InsulationMAT pM40 Jul 19
Laser materialsMAT pM29 Jul 19
Magnetic materials MAT pM48 Jul 19
Material for power sourcesMAT pM4 Jul 19
Materials problems in contact designMAT p60 May 10
New techniques in radiation studiesMAT p52 June 7
PlasticsMAT pM22 Jul 19
Special purpose wire and cableMAT pM52 Jul 19
Solvent dissolves epoxy encapsulationNEWS p11 Nov 8
Wear—basic materials problemMAT p66 Apr 12

Measurements, Instruments and Test Equipment

A guide to the selection of multimetersART p6 May 3
Analog fields simplify designDD p29 June 21
Chemical instruments seek more electronicsNEWS p6 Jul 5
Complementary transistors replace meter relayIFD p53 Apr 12
Design at Wescon Part 3ART p20 Aug 30
Differential comparator extends accuracyART p50 Oct 25
Diode improves voltmeter's linearity and stabilityIFD p65 Nov 22
DVM accuracy—the factors that influence itART p40 May 3
DVM merges dual modes; maintains accuracy and speedPF p100 Mar 15
Efficient wave analyzer gets around IFART p22 Feb 1
Electroluminescent meters operationalNEWS p24 Nov 22
Electronic counter accuracy—three factors that influence itART p106 May 3
Europe challenges U.S. instrument designersNEWS p6 Oct 11
FET used for unity gain, high impedance scope probeIFD p46 Aug 30
Field strength meter can double in brassART p136 May 3
Inductance measurement of low-frequency coilsART p26 Feb 1
Inexpensive pattern generator simulates teletype code IFD p66 Oct 11
Infinite Z_{out} source for long linear sweepsART p28 Jul 19
IR scanner displays thermal "map" in just 2.5 seconds NEWS p24 Apr 12
Miniature timing devices indicate up to 10,000 hours ME PF p72 May 24

Monitor circuits measure transient phenomena and soundsIFD p38 Jul 19
N-decade count-rate meterART p34 Mar 15
Nothing replaces the slotted lineART p144 May 3
Oscilloscope Progress—A tool with many facesART p20 May 3
Oscilloscope sweep displays microcircuit transfer curve IFD p36 Jul 19
Phase lock harmonically unrelated signalsART p146 Aug 16
Plug-in and go: instant counting to 8Gc plusPF p58 Dec 20
Polarity selector follows pulsed or dc commandsIFD p34 June 21
Precise frequency tripler uses 400 cps standard sourceIFD p61 Nov 22
Programmable generators speed complex operationsPF p60 June 7
Pulse compression via active devicesART p134 Aug 16
Pulse generator is controlled by pinboardsPF p100 Jan 4
Purpose dictates choice of phase meterART p128 May 3
RF "stethoscope" locates latent circuit faultsNEWS p23 Oct 25
Scope method measures broad RF phase shiftsIFD p42 Aug 2
Separate frequencies with a spectrum analyzerART p64 May 3
Servo unit converts metric to digital readoutPF p62 Apr 26
Shaft-position generator provides zero referenceIFD p64 Mar 15
Simple CRO set-up finds FET's zero temperature coefficientIFD p48 Apr 26
Simple route to multi-purpose pattern generatorART p32 June 7
Simple techniques to measure high-power pulsesART p43 Oct 11
Six digit DVM offers absolute accuracyPF p46 Feb 1
Strip-chart recorder uses single servo systemPF p70 Jan 18
Test pattern checks step-and-repeat accuracyART p54 Sept 27
The modern VSWR amplifierART p152 May 3
The three main types of VTM's: How they differART p74 May 3
Thermoelectric probe performs in-circuit components test PF p98 Mar 15
Tunnel-diode curve tracing lowers oscillation tendencyIFD p31 Mar 1
Unbalanced bridge simplifies phase measurementsDD p52 Mar 15
Universal bridge measures from one femtofaradPF p78 Nov 8
VLF to VHF noise generator delivers 0.05 db stabilityPF p46 Feb 1
Volt-ohmmeter achieves one Meg/v sensitivityPF p98 Mar 15
Voltmeter spans 1 Kc to 1 Gc using random samplingPF p58 Dec 6
Wavemeters—The high frequency toolsART p88 May 3

Microelectronics

Adapt your curve tracer for MOS displayART ME p50 May 10
Aging/breadboarding aided by test socketsART ME p52 June 21
Answering some "unanswered questions"ART ME p62 May 24
Bright future predicted for TTL logic

circuitsNEWS p86 Feb 15
Build a differential amplifier from logic gatesART ME p50 Apr 26
Can logic arrays be kept flexible?ART ME p58 May 24
Carriers help microcircuit handlingNEWS ME p90 Jan 4
Case history: diode design boosts DTL speedART ME p36 Feb 1
Complementary logic boasts 5-nsec speedPF p38 Mar 1
Computer design of microelectronic circuitsART p26 Jan 4
Computer picks semiconductorsNEWS p17 May 10
Costs spur renewed interest in screened-film techniquesNEWS ME p48 June 7
Design at Wescon-Part 3ART p20 Aug 30
Design with integrated circuits at 60 McME Part 1 p32 Jul 19
Design with integrated circuits at 60 McME Part 2 p30 Aug 2
3 easy ways to evaluate digital circuitsNEWS ME p50 Jul 5
Eighteen dollar operational amp gives 70 db gain to 100 kcPF p70 Nov 8
Embedded packages can be repairableSR ART p30 Jul 5
8 flat packs get EIA nodNEWS ME p50 June 21
Functional packaging for tomorrow's NavySR ART p44 June 7
Graph speeds film-resistor layoutART ME p44 June 7
Hybrid IC memory can be produced for 7-14¢ per bitNEWS p11 Aug 30
Integrated amplifiers are flexible at high frequenciesPF p64 Apr 12
Integrated circuit protected by reed relay-diode combinationIFD p78 Nov 29
Integrated circuits spawn problems for systems suppliersNEWS ME p56 Apr 26
Integrated devices—What will be in your black box?ART p34 Oct 25
IR testing of microelectronics surgesNEWS p6 Apr 26
Low-power efficiency with tunnel-diode limiters NEWS ME p46 June 21
Machine-tool makers eye integrated circuitsNEWS p12 Jul 19
ME designers explore GaAs, new insulatorsNEWS p12 June 21
ME linear circuit modules meet many servo and control needsPF p46 Mar 29
Microcircuit offers inexpensive crystal-controlled oscillator IFD p30 Mar 1
Microcircuits used in driver/decoder modulesPF p92 Mar 15
Microelectronics '65ART p82 Jan 4
Microelectronics at WesconNEWS ME pW48 Aug 16
Microelectronics comes down to earthSR p33 Oct 25
Modular design adds flexibility to IC computerNEWS ME p40 Feb 1
Molecular circuits used in lightweight radar transponderNEWS p16 May 10
Monolithic chips—should you roll your own?ART p48 Oct 25
Monolithic vs. hybrids: battle or wedding?NEWS p44 Mar 29
MOS complements pierce microwave micropower logic NEWS p10 Apr 26

Free reprints of E/D index

A single copy of this index of articles can be obtained by circling number 399 on the Reader-Service card.

One dozen ways to cut cost in film circuitsART ME p36 Mar 1
One wafer—one logic arrayART ME p66 Mar 15
Optical scanner draws integrated circuit maskNEWS ME p56 Jul 5
Oscilloscope sweep displays microcircuit transfer curve IFD p36 Jul 19
Packaging—how do you juggle the tradeoffs?ART p44 Oct 25
Prototyping—how closely can you approach reality?ART p40 Oct 25
Semiconductor directory
.....SPECIAL INSERT May 10
Simple technique speeds J-K counter designART p52 Sept 13
Skirting thin film design problemsART p38 Aug 30
Tantalum films, new phase foundNEWS p11 Aug 16
Test pattern checks step-and-repeat accuracyART p54 Sept 27
The integrated operational amplifier: six usesART p40 June 21
Thermal plots check circuitsNEWS ME p58 Jan 18
Thick films—how and when to use themART ME p58 Apr 12
Thin-film kit is desk-top labPF ME p60 Jan 18
Thin-films may boost integrated's performanceNEWS ME p70 Mar 15
Thin-film monolithic circuits—how and when to use them? Part 2ART ME p52 Jan 18
Time-savers for breadboarding integrated circuits ART ME p38 Mar 29
Unanswered questions on integrated circuitsART p82 Feb 15
Using feedback pairs in integrated circuitsART p36 Dec 20
Variable threshold integrated logic immune to noise NEWS p10 Mar 29
Voltage regulator circuits permit decentralized operation PF p94 Jan 4

Microwaves

Airborne laser to give better tracking dataNEWS p14 Jan 4
A quick way to find radar rangeART p41 Jul 5
Argon cw laser yields 10-second hologram exposure NEWS p16 Sept 13
C-scan landings sought by carriersNEWS p20 May 10
Dual frequency maser emission achieved at IBM NEWS p9 Sept. 27
Electron beam focusingNEWS p24 Aug 16

Special Reports 1965

Focus '65p25, Jan 4
Computer design of microelectronic circuitsp26
Optoelectronics—key to isolationp30
Transistors invade microwave designp36
New horizons in applied superconductivityp42
Semiconductors: ready for 1 Kw at 1 Gcp48
Industrial control by digital computersp54
Wire and Cablep31, Feb 15
Ribbon cables show their versatilityp32
Conductor specification datap36
Four factors influence cable-harness designp42
Selecting the right insulation for hook-up wirep46
Functional specifications speed coaxial-cable selectionp48
Avoiding shorted-coil failuresp54
Semiconductor Directory—Special insert, May 10
Packagingp20, July 5
Functional packaging for tomorrow's Navyp22
Low-cost mock-ups make good sensep26
Embedded packages can be repairablep30
Give your modules that 'finished' lookp34
Materialsinsert, July 19
Materials for power sourcespM4
AdhesivespM14
PlasticspM22
Laser materialspM29
InsulationpM40
Magnetic materialspM48
Special purpose wire and cablepM52
Switchesp33, Sept 13
Switching needs dictate contact material, geometryp34
Methodical approach leads to right coax switchp38
Make sure switch you order is switch you wantp44
Six points to simplify rotary-wafer selectionp48
Solid-state sources—Their place in the microwave spectrum p21, Sept 27
From many varieties—Which microwave source is for you?p22
Reflex klystron or solid-state—When to use which source?p28
Semiconductor sources—What are the main design features?p36
Solid-state sources—How should you approach their design?p42
Electronics expands vision of sky spiesp26, Oct 11
Microelectronics comes down to earthp33, Oct 25
Integrated devices—What will be in your black box?p34
Prototyping—How closely can you approach reality?p40
Packaging—How do you juggle the tradeoffs?p44
Monolithic chips—Should you roll your own?p48
Industrial designp21, Nov 8
Industrial design ... for the home or industryp22
Industrial design ... for the lab technician/engineerp28
Industrial design ... for a broad market/low productionp32

Five Gc coaxial cable drops 10 db per 100 ftPF p100 Feb 15
High-power laser produces long, spikeless pulsesNEWS p16 Mar 1
High-power radar works on two bandsART p20 June 21
High-power subharmonic varactor frequency dividerIFD p64 Sept 27
Ionized argon laser produces 18 wattsNEWS p17 June 7
Laser materialsMAT pM29 Jul 19
Laser polarimeter to detect twists in ship's hullNEWS p18 Aug 2
Laser sensor needs no opticsNEWS p25 Feb 15
Laser transmission made practical by light detectorNEWS p15 Nov 8

Lasers converted to single-line modeNEWS p15 May 24
Metal-plasma laser will yield 100 wattsNEWS p24 Oct 11
Microwave oven cheaper, simplerNEWS p17 Sept 13
MOS complements pierce microwave micropower logic NEWS p10 Apr 26
Optoelectronics—key to isolationART p30 Jan 4
Passive miniature circulator operates at vhfPF p52 Aug 30
PIN-type diode modulates gigacycle carrier by injectionNEWS p22 Oct 25
Plasma arc pump increases output of common lasersNEWS p10 Oct 25

Plug-in and go: instant counting to 8Gc plusPF p58 Dec 20
 S-band, L-band transmitters fill 12 cubic inchesNEWS p10 Sept 13
 Simple techniques to measure high-power pulsesART p42 Nov 8
 Sizing up antennas ART p58 Nov 22
 Slotted antenna arrays can be smallerART p34 May 10
 Solid-state devices challenge microwave tubesNEWS p12 Nov 22
 Solid-state laser operates at cw with external cavity NEWS p18 Aug 30
 Solid-state microwave design surges aheadNEWS p6 Mar 15
 Solid-state source reaches 2 mw at 60 GcPF p72 Sept 27
 Solid-state sourcesSR p21 Sept 27
 Solid-state—the designers probe the problemsNEWS p12 Mar 15
 Super cooled tin 'sandwich' emits 9 Gc microwavesNEWS p18 Sept 27
 Tiny antennas have built-in systemsART p30 Dec 20
 Transistors invade microwave designART p36 Jan 4
 Waveguide performs well as dispersive deviceIFD p42 Apr 26
 X-band delay amp promises low-cost, simple systemsNEWS p14 Jul 19
 YIG resonators yielding practical low-noise devicesNEWS p16 Dec 20

Missiles and Space

Apollo: system 'go' countdown continuingNEWS p12 Oct 11
 Electronics expands vision of sky spiesSR p26 Oct 11
 First Surveyor launch slips into early 1966NEWS p6 Nov 8
 Military electronics step-up evident at WesconNEWS p6 Sept 13
 Latest flight of Stratoscope II fails to deckNEWS p12 Aug 16
 NASA designing radio-astronomy satelliteNEWS p12 Sept 27
 NASA library file stores documents on magnetic tape NEWS p16 Apr 12
 Phased-orbit system vies for Comsat jobNEWS p6 Mar 1
 Space needs stimulate environmental testingNEWS p16 May 24
 Suitcase receiver seeks satellitesNEWS p18 Oct 11

Packaging

Aging/breadboarding aided by test socketsNEWS ME p52 June 21
 8 flat packs get EIA nodNEWS ME p50 June 21
 Give your modules that 'finished' lookSR ART p34 Jul 5
 Functional packaging for tomorrow's NavySR ART p22 Jul 5
 Low-cost mock-ups make good senseSR ART p26 Jul 5
 Low-power efficiency with tunnel diode limitersART ME p46 June 21

Power Sources

Capacitor replaces transformer in low voltage power supply IFD p57 Apr 12
 Dc to dc converter does not use tapped transformerIFD p43 June 7

Fuel-cell power advances to 5-kw levelNEWS p6 June 21
 High temperatures restore solar cells after radiationNEWS p22 Nov 22
 Material for power sourcesMAT pM4 Jul 19
 NiCd battery filters, regulates suppliesNEWS p14 May 24
 R & D grows in rechargeable batteriesNEWS p12 Sept 13
 Success of fuel cells speeds non-space usesNEWS p6 Sept 27
 Tunnel diode detects battery voltage levelsIFD p44 Aug 30

Production, Processes and Cooling

Aging/breadboarding aided by test socketsART ME p52 June 21
 Answering some "unanswered questions"ART ME p62 May 24
 Avoiding shorted-coil failuresSR ART p54 Feb 15
 Carriers help microcircuit handlingNEWS ME p90 Jan 4
 Circuit cards speed system prototypingART p52 Sept 27
 Conductor specification dataSR ART p36 Feb 15
 8 flat packs get EIA nodNEWS ME p58 June 21
 Four factors influence cable harness designSR ART p42 Feb 15
 Functional specifications speed coaxial-cable selectionSR ART p48 Feb 15
 Good rocket computers come in tough packagesDD p68 Jan 4
 Graph speeds film-resistor layoutART ME p44 June 7
 Industrial control by digital computersART p54 Jan 4
 Low-power efficiency with tunnel-diode limiters NEWS ME p46 June 21
 Machine-tool makers eye integrated circuitsNEWS p12 Jul 19
 Monolithic vs hybrids: battle or wedding?NEWS p44 Mar 29
 Ribbon cables show their versatilitySR ART p32 Feb 15
 Selecting the right insulation for hook-up wireSR ART p46 Feb 15
 Sliding disks simplify switchingDD p66 Jan 4
 Time-savers for breadboarding integrated circuits ART ME p38 Mar 29
 Wire and cableSR ART p31 Feb 15

Reliability

di/dt failures in SCR circuitsART p140 Aug 16
 Improved reliability via physics of failureMAT p70 Sept 13
 Reliability specifications essential for power suppliesIFD p65 Sept 27

Research and Development

Biomedical Institute: a little closerEDIT p31 Aug 16
 Deep sea technology gains sharply in Thresher's wake NEWS p12 Jan 18
 Eight-kw cryo supply uses armature at room temperature NEWS p14 May 10
 First 'natural' neutrinos detected in 2-mile-deep mineNEWS p17 Oct 11
 Flying standards set world's clocks

.....NEWS p12 Apr 26
 Fun under the seaEDIT p19 June 7
 Ionosphere study aided by 'phase interaction' radio NEWS p18 Sept 13
 New circuitry withstands deep-sea pressuresNEWS p6 Feb 1
 New horizons in applied superconductivityART p42 Jan 4
 New tools to gather data from the oceansNEWS p6 May 10
 Pavlov experiments now go electronic, and with cats, too NEWS p22 Oct 11
 Shockley calls for more respect for basic scienceNEWS p23 Mar 15
 VLF upsurge boosted by new military needsNEWS p6 Mar 29

Semiconductors, Solid-State Devices

Semiconductors, Solid-State Devices
 A blanket approach to a linear thermistor networkART p20 Mar 29
 Achieve optimum noise performance for FETsART p40 Oct 11
 Acoustic amplifier uses CdS wafer at room temperature NEWS p16 Oct 11
 Aging/breadboarding aided by test socketsNEWS ME p52 June 21
 Bootstrapping boosts pre-amp input impedanceART p22 May 10
 Box car circuit provides pulse amplifier ageIFD p83 Sept 13
 Cascaded UJT oscillators form stable frequency dividerIFD p52 Nov 8
 Charge-depletion technique yields low-frequency carriersIFD p49 Dec 20
 Complementary dual follower increases input impedanceIFD p58 Nov 8
 Design of dc-coupled bistable circuitsART p26 Aug 2
 di/dt failures in SCR circuitsART p140 Aug 18
 Economy SCRs are plastic encapsulatedPF p44 Jul 19
 8 flat packs get EIA nodNEWS ME p50 June 21
 Fall-time calculations of clamped transistor switchesENG DATA p38 May 24
 FET as voltage-variable resistorART p66 Sept 13
 FET can be used to multiply two signalsIFD p34 Mar 29
 FET gives linear, uniform gain, zero or 180 deg phase shift IFD p31 Mar 3
 FET limits and resets operational amplifiersIFD p54 Nov 8
 FET used for unity gain high impedance scope probeIFD p46 Aug 30
 FETs improve line on voltage amplifiersART p24 Dec 20
 FETs, power types gain economy trendNEWS p12 Aug 30
 Field-effect devices enjoy wider markets, new uses NEWS p16 Aug 16
 Field-effect diodes provide current referencePF p68 May 10
 Four components make dc regulatorART p64 Feb 15
 Four layer diode ground switch controls core memory IFD p67 Sept 27
 Four-layer diode produces fast, high-voltage pulsesIFD p55 May 24
 Four-layer diode provides time delay with instant resetIFD p33 Mar 29
 From many varieties-which microwave source is for you

.....SR p22 Sept 27
 Graphical design for non-saturating Schmitt triggers ..ART p58 Feb 15
 Graphics yield fast, low-cost printed-circuit breadboard ..IFD p56 Nov 8
 Hall-effect multiplier simplifies polar displayDD p24 Mar 29
 Harmonic generators: is the step-recovery diode best? ..ART p28 Jan 18
 Have semiconductors relegated relays to a second-class status?ART p14 Nov 29
 High-power subharmonic varactor frequency dividerIFD p64 Sept 27
 High-ratio pulse counter utilizes UJT switchIFD p58 Mar 15
 How to choose the right Hall crystalENG DATA p30 Mar 29
 Industrial users switch relays for solid-stateNEWS p6 Aug 16
 Instability plagues thin-film transistorsNEWS p12 May 10
 Low-frequency FET amplifier has narrow bandpass ...IFD p72 Jan 4
 Low-power efficiency with tunnel diode limiters NEWS ME p46 June 21
 Matched transistors passe for FET squarersART p36 Nov 8
 MOS transistor provides sharp differential relay switching IFD p32 Mar 29
 MOS FET "quiet" at uhf; 12 db gain with 4 db noisePF p68 Dec 6
 Nixie driver flip-flop also stores informationIFD p82 Sept 13
 Occurrence generator uses Shockley diodeIFD p64 Nov 22
 100 Mc logic tunnel-diode ready to goNEWS p12 Mar 1
 One wafer—one logic arrayART ME p66 Mar 15
 Oxide barrier boosts dual-transistor performancePF p76 Oct 10
 Pin-type diode modulates gigacycle carrier by injection NEWS p22 Oct 25
 Planar-passivated FETs yield low noisePF p46 Jul 19
 Power transistor delivers 1 w at 1 Gc fundamentalPF p94 Mar 15
 Radioactive source energizes 10 watt silicon solar cells NEWS p18 Dec 20
 Reflex klystron or solid-state—when to use which source SR p28 Sept 27
 SCR gives dc motor synchronous capabilityART p20 Dec 6
 SCR pulse-follower circuit alternates latching relayIFD p51 Dec 20
 SCR-UJT circuit monitors transients, indicates faults ...IFD p37 June 21
 SCR relay circuit makes flip-flop or interval timerIFD p39 June 7
 SCR and UJT form time-delay switchIFD p82 Sept 13
 Self-regulating ovens cap TO-5 and DO-7 cansPF p48 Aug 2
 Semiconductor coding is not a sacred cowEDIT p33 Mar 15
 Semiconductor DirectorySPECIAL INSERT May 10
 Semiconductor sources—what are the main design features?SR p36 Sept 27
 Semiconductors: Ready for 1 kw at 1 GcART p48 Jan 4
 Semiconductors—si-junction rectifiers reach 6-kv wvdcPF p92 Oct 25
 Shortcut to design of diode-resistor networkART p58 Oct 25
 "Should we improve the method of cod-

ing transistors" "yes"ART p46 Mar 15
 Silicon and germanium battle at hi-fi showNEWS p6 Oct 25
 Simple circuit starts beam tubes automaticallyIFD p44 Jan 18
 Solid-state sources—how should you duty cycle with low rippleDD p42 Apr 12
 Solid-state sources—how should you approach their design?SR p42 Sept 27
 Solid-state source reaches 2 mw at 60 GcPF p72 Sept 27
 Solid-state—the designers probe the problemsNEWS p12 Mar 15
 Solid-state microwave design surges aheadNEWS p6 Mar 15
 Step-recovery diode efficiency soarsNEWS p12 June 7
 Step recovery diodes show marked efficiency gainsPF p94 Mar 15
 Tetrode FET hits 8000 mho at 1.4 pf max reverse capacitancePF p74 Nov 22
 The wonderful world of the thyristorNEWS p12 Dec 6
 Thin-films may boost integrated's performance ...NEW ME p70 Mar 15
 Transistor, diode form bidirectional synchronous clamp IFD p84 Sept 13
 Transistorized switch provides ac signal gateIFD p49 Jan 18
 Transistors invade microwave designART p36 Jan 4
 Transistor switching regulates power suppliesPF p42 Mar 1
 Triac optimizes static control of ac powerART p32 May 24
 Triac suppresses motor switching noiseIFD p154 Aug 16
 Tunnel diode and UJT produce ultrafast trigger output IFD p40 June 7
 Tunnel diode circuit offers non-distorted delayed pulseIFD p46 May 10
 Tunnel-diode-curve tracing lowers oscillation tendency ..IFD p31 Mar 1
 Tunnel diode detects battery voltage levelsIFD p44 Aug 30
 Tunnel-diode level detector is ultra-sensitiveIFD p73 Jan 4
 Tunnel diode provides fast current-overload detection IFD p62 Nov 22
 Tunnel diodes simplify shift-register constructionIFD p29 Feb 1
 Turn to the tetrode FET for hf designART p20 June 7
 Two R-L network limits surge to low-starting loaded SCRIFD p52 Apr 12
 UJT and multivibrator form brushless dc motorIFD p67 Oct 11

UJT oscillator forms simple digital phase-locked loop IFD p33 June 21
 UJT oscillator makes simple FM modulatorIFD p47 May 10
 Why not the avalanche diode as an RF noise source?ART p32 Apr 12
 Zener diode aids chopper in demodulator applicationIFD p56 Apr 12
 Zener diodes provide high level limitingIFD p77 Feb 15

Editorials

A new face for ED banishes your pet peeveEDIT p18 Dec 6
 A vote for bull sessionsEDIT p19 June 21
 About those crowded campusesEDIT p19 Jul 19
 An intelligent machines programEDIT p21 May 10
 Applied brainpower EDIT p27 Jan 18
 Biomedical institute: a little closerEDIT p31 Aug 16
 Confusion raised to the Nth powerEDIT p19 Aug 2
 Engineering integrity EDIT p20 Mar 1
 Fun under the sea EDIT p19 June 7
 Guidelines for invading foreign marketsEDIT p31 May 24
 Have a look at our editorial plans for 1965EDIT p24 Jan 4
 How not to teach engineeringEDIT p28 Feb 15
 If you can't beat 'em, join 'emEDIT p19 Sept 27
 Legalized murder on the highwaysEDIT p23 Dec 20
 Let's not put our best foot forwardEDIT p29 Nov 22
 Needed: A medical technology instituteEDIT p19 Apr 26
 'Never have so few given so little to so many'EDIT p31 Oct 25
 NSPE: The engineer's AMA?EDIT p31 Sept 13
 Professional groups and personal libertiesEDIT p19 Jul 5
 Semiconductor coding is not a sacred cowEDIT p33 Mar 15
 The engineering license—is it worth it?EDIT p18 Nov 8
 The right trackEDIT p19 Feb 1
 The urban-engineering challengeEDIT p39 Oct 11
 To err is human—or is it?EDIT p19 Aug 30
 It's New York's turnEDIT p19 Mar 29
 Will engineers be on the spot?EDIT p31 Apr 12

Special Reference Issues 1965

Test Equipment Reference Issue.

Compilation of 12 technical articles pertaining to test equipment plus a master cross-index of manufacturers and categories. Test equipment covered in this issue includes: Multipliers, Oscilloscopes, Digital Voltmeters, Spectrum Analyzers, VTVMs, Frequency Meters, Waveguide Frequency Meters, Frequency Counters, Phase Meters, Field Strength Meters, Slotted Lines and SWR Meters.

Relay Applications Reference Issue.

Contains eight technical articles, relay data chart showing manufacturers and their product lines plus a listing of MIL and NASA specifications. Included in this special issue is a compilation of useful relay-circuit ideas.

Both special issues are available at \$5.00 per copy or \$1.00 per copy in quantities exceeding 50.