

SAVE WITH CONCORD'S QUALITY SYSTEMS

	Reg. Adv. Price
PILOT - AA-903B	\$ 79.95
GARRARD RC-121	41.65
GE RELUCT. CTRDG	8.37
DIAMSAPH. STYLUS	13.75
UNIV. UXC-122	33.00

REG. PRICE \$176.72

Stock # COMBO-10-C7

CONCORD'S PRICE Shipping Wt. 60 Lbs.

\$135.53



Stock # COMBO 10 C7

PILOT - AA-903R 14 WATT AMPLIFIER AND PRE-AMPLIFIER

SAVE \$41.19 GARRARD RC-121 4 SPD CHANGER

GE VARIABLE

RELUCTANCE CARTRIDGE WITH DIAMOND-SAPPHIRE STYLUS



UNIVERSITY UXC-122 2 WAY DIFFAXIAL SPEAKER

Reg. Adv. Price

SAVE \$39.03



GROMMES 20 PG-20 WATT HI-FI AMPLIFIER



HI-FI CHANGER

Stock #12 COMBO CT

GE VARIABLE RELUCTANCE CARTRIDGE WITH DIAMOND-SAPPHIRE STYLUS



Stock # COMBO 11 C7

UXC-123 12" - 3 WAY SPEAKER

GROMMES 20 PG. \$ 89.50 GARRARD RC-121..... GE RELUCTANCE CTROGE. 8.37 DIAM-SAPH.... 13.75 UNIV. UXC-123..... 52.00

REG. PRICE \$205.27

CONCORD'S PRICE Shipping Wt. 60 Lbs. **\$166.24**

Reg. A	dv. Price
HARMON KARDON - A-120	99.95
HARMON KARDON - T-120	99.95
GARRARD RC-121	41.65
GE RELUCTANCE CTRDGE	8.37
UNIV. UXC-123	64.00

REG. PRICE \$327.67

Stock # COMBO-12-C7 CONCORD'S PRICE Shipping Wt. 60 Lbs.

\$246.40



GARRARD

RC-121 - A SPD

GE VARIABLE RELUCTANCE CARTRIDGE

WITH DIAMOND SAPPHIRE STYLUS HARMON KARDON A-120 20 WATT MI-FI AMPLIFIER



Shipping Wt. 75 Lbs.

UXC-123 12" - 3 WAY SPEAKER

HARMON KARDON T-120 - HI-FL FM/AM TUNER



Stock # 13 COMBO C7

SAVE \$58.29



GE VARIABLE RELUCTANCE CARTRIDGE WITH DIAMOND. SAPPHIRE STYLUS

UNIVERSITY 12" CO-AXIAL SPEAKER

Reg. Adv. Price PILOT HF-30 \$169.50 GARRARD RC-88 54.50 45 RPM SPINDLE. 3.50 GE RELUCT. CTRDG. 8.37 DIAM .- SAPH. STYLUS. 13.75 UNIV. UXC-123.....

REG. PRICE \$313.62

CONCORD'S PRICE

THE MIRACORD XA-100

WITH THE EXCLUSIVE "MAGIC WAND" SPINDLE

Shipping complete and ready for operation, with all plugs attached.



To critical listeners everywhere, the amazingly versatile Miracord XA-100 symbolizes fully automatic operation in both a changer and player. Every requisite for perfect performance has been incorporated into this beautifully designed, precision instrument. EXCLUSIVE: 5 Buttons control all operations automatically—from beginning to end. No need ever to touch tone arm. EXCLUSIVE: Magic Wand spindle intermixes 10" and 12" records in any sequence. Prolongs record life by eliminating pusher arm and stabilizing plates, isolated 4-pole induction motor provides constant pitch for all 3 speeds.

Audiophile Net \$67.50

Audiophile Net \$67.50

with GE RPX-050A (dual sapphire) Cartridge, Net \$74.50 with GED RPX-052A (LP diamond and sapphire) Cartridge, Net \$89.50

SALE ON MIRATWIN CARTRIDGES! FITS ALL TONE ARMS

Designed for professional results, you will add to the range of your present system by using the MIRATWIN cartridge instead of your present cartridge.

RESPONSE: 30 cps to over 18,500 cps. (33-1/3 rpm)
 30 cps to over 22,500 cps. (78 rpm)

• OUTPUT: at 1000, 55 mv for 33-1/3, 45 mv for 78 rpm · MAGNETIC PULL: Too small to measure with magnetic/

non magn, turntables. DESCRIPTION REG. NET PRICE CONCORD'S CUT PRICE MST-1S Single Sapphire Cartridge \$12.50 \$10.00 MST-1D Single Diamond Cartridge 34.50 26.50 MST-2A Dual Sapphire Cartridge 22.50 15.00 MST-2D Dual Diamond Cartridge 45.00 31.50 DM-2 Replacement Diamond

22.50









MANUFACTURER'S

FAMOUS MAKE **ONLY 180 UNITS TO GIVE** AC-DC-BATTERY

FEATURES

- Built-in Antenna.
- Sturdy Modern Plastic Case.
- Slide-Rule Dial. SHIPPING WGT. - 6 LBS.

4 Tubes plus Rectifier. 1U4, Powerful Circuits Enable Long Distance Reception.

• Fine Alnico Magnet PM Speaker.

· Lightweight. Weight 4 Lbs. (Less Batteries).

· Latest Superhet. Circuit. STOCK #PR10-C6

Complete Set of Batteries for above \$3.25



LIMIT 2 TO



CONCORD'S SUPER POWER 6 TRANSISTOR PORTABLE RADIO



BATTERY FOR ABOVE \$116

CONCORD'S PRICE

LESS BATTERY Reg. \$5995

This unit employs 6 transistors and performance in a super-het portable. 3 tuned reception. Powerful high grain supersensitive which drives a heavy duty 4 alnico speaker. Created of printed circuits throughout, this radio created or printed circuits inroughout. this rad is actually indestructible and non-microphonic. Encased in a beautiful scuff-proof texon case in desert tan. A ferrite loop antenna and Avc assures good tone quality at any signal level.

Weight 4 LBS.

Battery Steck #EV276-N6

Stock #TR 600-C6

REG. PRICE \$32.50

CONCORD'S LOW PRICE

WORTH \$1495

No batteries required.
Ideal portable radio for sportsmen, etc.
Size: Only 34" x 2" x 3"
1/2 the size of cigarette pack!
Fully guaranteed for one year.

A miracle of the age, this pocket sized radio operates from any light source including sunlight, artificial light, etc. Complete with miniature earphone, loopstick antenna, transistor circultry. Covers the entire AM broadcast band.

FAMOUS DE WALD BATTERY \$1.30 RANSISTOR Eveready #246 ARLE RADIO

CONCORD'S LOW PRICE

Earphone for above \$4.95 Additional Speaker for above \$5.95

Complete with CABINET and plug.

- Full 5 transistor circuitry.

 Becomes a hearing aid with the flip of a switch.

 Easily used as a communicator by adding remote speaker.

 Use for private listening with earphone (not included in

Use as amplifier by plugging in additional speaker.
Texon carrying case is scuff-proof.
Single battery lasts almost 6 months.
Shipping Wgt.

STOCK #5IN ONE-B7 Shipping Wgt. 2 Lbs.



ST #SOL-RAD-B7

FEATURES

IMPROVED SUPERHETERODYNE CIRCUIT Incorporates Emerson's most advanced electronic features

POWER SUPPLY

115 Volts, 60 Cycles AC SEALED DYNAMIC SPEAKER WITH ALNICO PERMANENT MAGNET

For greater power without distortion - full reproduction of voice and instruments balanced tone quality

ENCLOSED FERRILOOP ANTENNA Amazing new Ferrite bar loop antenna for

response

STOCK #EMERSON-C7 Ship. Wgt. . . 6 Lbs.

Amazing new refrite validous alternation and less distortion a concord "Scoop" makes it possible for us to offer you a famous "Emerson" table radio for a fraction of its original NET price. A built in Direction of the original NET price. A built in Direction of the original NET price. tion Indicator makes this an ideal companion for the BRACH "Sky Chief rotatur. This combination will rotate your TV antenna to deliver top DX TV reception.



CONCORD'S PR.

PRICED BEYOND COMPETITIONS

BACK GUARANTEE ON ALL ITEMS PLUS CONCORD'S MONEY

BRITAIN'S Finest 1958 MONARCH - CLASSICAI AUTOMATIC RECORD CHANGER each

WITH HI-FI FLIP OVER CARTRIDGES

LESS CARTRIDGE

CHANGER WITH CRYSTAL CARTRIDGE Concord's Price

Stock #UA6-C6 Shipping Wgt. 15 Lbs.

DELUXE

Deluxe model with Goldring 500 variable reluctance cartinge. For use with preridge. Fo

• Intermixes 7-10-12"

records.
Finest dual sapphire stylli gives faithful response to 10,500

 Defuxe 4 pole motor eliminates vibration, "wow" and hum pickup.

MARKEL

RECORD

Concord's Price

Weighted turntable with rubber mat to protect records. Ball bearing race for

smoother operation. Spring mounting for vibration free opera-

Shuts off after last speed turntable

Model

CHANGER

45 RPM Spindle for above \$2.25 Stock #46-UA6-45 Wt. 8 ozs..

MONARCH MOUNTING BASE \$450

Size: 14 x 12 x 3½. Stock #UA6/B Shipping Wgt. 5 Lbs.



3 SPEED AUTOMATIC RECORD CHANGER

WITH FAMOUS HI-FI CARTRIDGE

LOTS OF 3 STOCK #1593-B6

SINGLY \$2289

NEW EXCLUSIVE VM 3 SPEED RECORD CHANGER. P ays 33, 45 and 78. Has new patented constant speed turntable drive. constant speed turntable of ive.

Rumble-free performance, gives twice the
life, half the wear. YM Tri-o-matic spindle
gently lowers precious records on air cushion to turntable. Will play for hours without
staterunish Shipping Wgt. 14 lbs.



45 rpm spindle

\$231

STOCK #A45-86

Shipping Wgt. 2 lbs.

C CHANGER CONCORD'S PRICE

Lots of 3

\$4450

SINGLY

Plays all four speeds, 163, 331, 45, 78 rpm records.

Shuts off automatically after last record. Balanced tone arm.

Heavy duty motor.

· Finest crystal with 2 precious tip Stylii. TOCK #WEB-4-C6 Shipping Wgt. 14 Lbs.

45 spindle for above — \$2.79 each

less cartridge

with plug-in shell

Almost 70% Off



Reg. \$12550

Plays BOTH sides of 78 RPM Records automati-78 RPM Necords automati-cally, in sequence. Separate Hi-Fidelity arm for 33 RPM records. Finest dual-stylli obtainable. Weighted turntable. Motor is finest of its type. Push button selection.

PRICE CUT!

The Markel Model 72 Record Changer is the only changer at this price which plays 80TH sides of a 78 RPM record in sequence. Since records are not dropped or turned over, your records are well insured from breakage or cracking. Manual or one side operation is available through push button selection. Manual playing of 33 RPM records is achieved through the use of a second High-Fidelity Arm. Each changer is individually packed and a full operating manual plus template is included.

NEW 1958

COLLARO RC-456 4 Speed AUTOMATIC MANUAL CHANGER

COLLARO PRESENTS THE LATEST DESIGN IN THEIR QUALITY 4 SPEED CHANGER

complete with flip-over cartridge and 2 stylii each

FOUR SPEEDS, 1624, 3345, 45, 78 RPM.

RUGGED RUMBLE-FREE 4 POLE MOTOR.

WEIGHTED, BALANCED TURNTABLE.

SWITCHES OFF AUTOMATICALLY, REJECTS INSTANTANEOUSLY.

FULL MANUAL OR AUTOMATIC OPERATION.

INTERMIXES ALL SIZE RECORDS.

AUTOMATIC IDLER DISENGAGEMENT.

SIZE: 12" x 1342", REQUIRES 546" ABOVE AND 236" CLEARANCE
BELOW.

STOCK #RC-456-B7 Shipping Wgt. 18 Lbs.

45 RPM SPINDLE

CONCORD'S PRICE

CONCORD'S

PRICE

WOODBASE CUT TO FIT RC-456, IN MANOG. OR BLOND STOCK = RC-456-WB

MOUNTING BOARD FOR RC-456, UNFINISHED STOCK. # RC-456-MB

CHANGER

ACCESSORIES FOR RC-456 STOCK = COL-SPIN

\$195

BASES

\$325

\$395



CONCORD'S LOW PRICE



V M maintains the high standards in their latest 4 speed automatic changer. Such features as: patented constant speed turntable drive, rumble free performance, fine crystal cartridge plus two precious tip stylli, balanced tone arm, are just a few reasons for selecting the V M changer for your Hi Fi

PLAYS ALL $16\frac{2}{3}$, $33\frac{1}{3}$, 45, 78 RPM RECORDS. Intermixes 7", 10", 12" Records of Same Speed

STOCK #VM-4 SPEED \$2.79 Ship. Wgt. 14 Lbs.

each

45 SPINDLE FOR ABOVE STOCK #A45-86 Shpg. Wgt. 2 Lbs.

RECORD CHANGER MOUNTING BOARDS

Reg. \$5 00

Clarkstan Needle Pressure Gauge



Protect your precious records. Check weight and balance of pickup from 1 gr. to 4 ozs.

Two scales, plus calib. dial with 4:1 scale stock #A6-CNPG multiplier. Wt. 1 lb.

Shpg. wt., 2 ths Stock #A6-BSM-(mahog.)

.Net \$489 Stock #A6-BSB-(blonde)

These wooden bases will dress up any changer or player, fit almost any one you mention: Garrard changer, Webcor, V-M, Garrard player, Collaro, Gl. Good looking furniture in either dark Mahogany or in Blonde finishes. Specify finish and model changer when ordering.



RECORD

\$990

Shipping Wgt. 4 Lbs.

CONCORD RADIO . 45 Warren Street

New York 7, N.Y. • DIgby 9-1132

Concord Has 1958 GROMMES "GOLDEN-TONE" Hi-Fi



GROMMES 10 WATTS OF HILE

> AT A 5 WATT PRICE! CONCORD'S PRICE

Reg. \$66.00

"music lovers" AMPLIFIER

Powerful push-pull output uses (2) 6V6's.

· High value ten watt amplifier in lew priced field.

Power output is 10 watts; 18 watts peak.

· Freq. response of 1db, 20 to 20,000 cps at room level.

Built-in pre-amp for magnetic pickup.

 4 Inputs: Tape, Tuner, Crystal Pickup, Magnetic Pickup.
 4 Controls: Selector Switch, Volume Control, Separate Bass and Troble Controls.

Output: 4, 8, and 16 ohms.

• Tubes: (2) 12AX7, (2) 6V6GT, 5Y3Gt.

· Complete with easy to read instructions and pictorials.



20 WATT HI-FI **AMPLIFIER** model 20 PG

A detake amplifier with new styling and exceptional performance, yet the best buy in the medium priced field. The new 20 PG has greater flexibility of controls and the most advanced circuitry built around the highest quality components. It features feedback throughout, separate turnover and roll-off record compensators, new loudness control, wide range bass and treble controls, rumble and scratch filters and six inputs including tape head.

SPECIFICATIONS:

- . POWER OUTPUT: 20 watts with 30
- watts peak.
 FREQ. RESPONSE: ±0.5 DB 20-30,000
- cps, at 1 watt.

 DISTORTION: 1% harmonic and 2% intermedulation at 20 watts.
- · CONTROLS:
 - 1. Input selector for AUX; Tuner; Tape;
- 2. Turnover for tape head; RIAA 500, LP 500; 300.

 3. Roll off for tape head; 6; RIAA
- 13.7; LP16.

Stock #20PG-C7

4. Loudness.

- 5. Bass calibrated -20 db to +20
- db at 50 cps.
 6. Treble calibrated —15 db te +15 db at 10,000 cps.
 SLIDE SWITCHES FOR: Rumble filter, Scratch filter, Loudness off-on, Power
- OUTPUTS: 4, 8 and 16 ohms, plus hi impedance for tape recorder.

 TUBE COMPLEMENT: 3—12AX7's, 2
- -616GB's, 5U4GB.
 OTHER FEATURES: 2 convenience AC outlets, for 110-120 volts AC.

Shipping Wgt. . . . 21 Lbs.

model 61 PGK CONCORD'S PRICE . . .

20 WATT HI-FI

AMPLIFIER KIT



A complete single unit amplifier with built in pre-amplifier and all controls. Fully enclosed Complete with punched chassis, hook up wire, solder, hordware and step by step instructions. Can be assembled with only a screwdriver, long nose pilers, wire cutter and soldering iron. CONTROLS

SPECIFICATIONS:

- POWER OUTPUT: 20 watts, 30 watts
- DISTORTION: 2% harmonic or less at
- FREQ. RESPONSE: ±0.5 DB, -20,000 cps.
- OUTPUTS: 4, 8, 16 ohms; high impedance jack for feeding tape recorder. HUM AND NOISE: 80 DB, below 20
- watts output (radio channel).
- OTHER FEATURES: REMOVABLE FRONT PANEL, 2 AC outlets. FINISHED IN Charcoal Gray and Brass. SIZE: 12" x 10" x 4¾". FOR USE WITH 110-120 volts
- 60 cycles AC.

(1) Selector for tape; radie; phone turn-over 800, 500 R1 AA, 500 LP and 400 AES. (CPS). (2) Roll off for 0, 6, 10.5 London, 12 old AES, 13.7 RIAA and 16 LP (DB. attenuation at 10,000 CPS.). (3) Loudness for automatic frequency balance at low level listening. (4) Level combined with power off-on to be used as volume control when loudness control is not desired. (5) Bass calibrated from -15 DB, to +15 DB. at 50 CPS. (6) Treble calibrated from -15 DB. to +15 DB. at 10,000 CPS. (7) Rumble filter switch located on top of chassis.

Stock #61PGK-C7 Shipping Wgt. . . . 20 Lbs.

15 WATT HI-FI **AMPLIFIER** model 15 PG8 CONCORD'S PRICE. \$69.50

Here is advanced styling with a full set of controls providing exceptional flexibility in a moderately priced amplifier. A simple efficient flat compact design features modern feedback circuitry, record compensator, loudness control, wide range bass and treble controls, rumble and scratch filters and six inputs including one for tape head.

SPECIFICATIONS:

- . POWER OUTPUT: 15 watts with 20
- watts peak.
 FREQ. RESPONSE: ±0.5 db—
- 20-20,000 cps at 1 watt.
 DISTORTION: 2.0% harmonic and 3% intermodul. at 15 watts.
- CONTROLS:
- 1. Input selector for aux.; tuner; tape; phono
 2. Record compensator for 500-Flat; R1AA; Early LP; Tape head

Stock #15PG8-C7

- 3. Loudness
- 4. Bass calibrated -20 DB. to +20 DB. at 50 CPS.
- DB. at 50 CPS.

 5. Troble calibrated —15 DB. to +15 DB. at 10,000 CPS.

 OUTPUTS: 4, 8 and 16 ohms plus high impedance for tape recorder.

 TUBE COMPLEMENT: 3—12AX7's, 2—
- 6973's, 68W4.

 OTHER FEATURES: Finished in charcoal gray and brass. 2 AC outlets, for use with 110-120 volts 60 cycle AC.

 • SIZE: 13" x 41/2" x 87/6".

Shipping Wgt. . . . 17 Lbs.



HI-FI FM/AM TUNER model GRT-100 CONCORD'S PRICE . . \$99.50

A new low cost matching FM/AM Tuner for Grommes amplifiers, Tuning is simplified by flywheel drive, Tuning Meter and AFC on FM. Custom circuitry includes grounded grid RF stage on FM, Dual Limiters, wide band IF coils with high sensitivity and Foster Seely discriminator. Handsome decor in charcaal gray and brass finish.

SIZE: 13" x 41/2" x 67/6".

SPECIFICATIONS:

- . SENSITIVITY: FM: 3 mv. for 20 db.
- quieting.
 FREQ. RESPONSE: FM: ±0.5 DB;
- FREQ. RESPONSE: PM: ±0.3 bm, 20-20,000 cps. DISTORTION: 1% or less. HUM & NOISE: FM: 65 db. below 100% modul. ANTENNA: FM: 300 ehm, AM: Built-
- Spg. Wgt. 12 Lbs.
- in Ferrite. Loopstick, conn. for ext.
- CONTROLS: Tuning and Selector switch for; 1. power off, 2. AM, 3. FM with AFC, 4. FM-AFC off.
- TUBE COMPLEMENT: 68Q7a, 12AT7, 6BE6, 2-6AU6, 6AL5, 6X4.
- FOR OPERATION ON: 110-120 volts. 50/60 cycles.

Stock #GRT-100-C7

DE-LUXE HI-FI **FM/AM TUNER** model GRT-3 CONCORD'S PRICE



A custom quality FM/AM Tuner for Grommes amplifiers and pre-amplifiers. Features flywheel tuning, funing meter, AFC. Circuit includes: funed RF stage on both FM/AM, dual limiters, wide band IF coils with high sensitivity, Foster-Seety discriminator and cothode follower audio output. Styled in charcoal gray and bross finish. Size: 13" x 4½" x 8%".

SPECIFICATIONS:

- FREQ. RESPONSE: FM: ± 0.5 DB 20-20,000 cps. SENSITIVITY: FM: 1.5 mv for 20
- DB quieting. SELECTIVITY: FM: 200 KC bandwidth @-6DB (discriminator 385 KC) AM: 10 KC bandwidth @ 6 DB. DISTORTION: 1% or less.

 HUM AND NOISE: FM: 65 DB below

Stock #GRT-3

- AUDIO SECTION: 1 V. average output from carhode follower. AM section includes infinite imp. detector and 10 KC whistle filter.
 CONTROLS: Tuning and Selector switch for: 1. power off, 2. AM, 3. FM with AFC, 4. FM-AFC off.
 TUBE COMPLEMENT: 68Q7A, 6AB4, 12AU7, 3-68A6, 2-6AU6, 6AL5, 12AU7, 6X4.
 FOR OPERATION ON: 110-120 Value.
- FOR OPERATION ON: 110-120 Volts, 50/60 cycles.

Ship, Wat, 14 Lbs.

10 WATT HI-FI **AMPLIFIER** model 10 PG8

CONCORD'S PRICE \$ 55.00



Shpg. Wgt. . . . 13 Lbs. Modern concept in a hi-fi 10 watt amplifier. Features built-in pre-amplifier, record compensator on phono channel, 5 inputs, bass, treble and loudness controls, plus rumble and scratch filters. Charcoal gray and brass finish. ${\rm SIZE:}\ 13^{\prime\prime} \times\ 4V_2^{\prime\prime} \times\ 676^{\prime\prime}.$

SPECIFICATIONS.

- POWER OUTPUT: 10 watts; 15 watts
- DISTORTION: 2.0% harmonic and 3%
- intermed. at 10 watts.
 FREQ. RESPONSE: ±1 DB. 20-20,000
- cps at 1 watt.
 CONTROLS: Selector for aux; tuner;
 phono flat; RIAA; Early LP.—Vol.
 control, Bass control, Troble control,
 Rumble Filter, Scratch Filter, Loud-
- ness off/on, Power off/on.
 INPUTS: Tuner, Tape, Aux. Phone #1,
 (for magn. cart.), Phone #2 for crystal or ceramic cartridges. OUTPUT: 4, 8, 16 ohms.
- . HUM AND NOISE: 80 DB. below output (tuner channel).
 TUBE COMPLEMENT: 2—12AX7, 2—

 - OTHER FEATURES: 2—AC outlets. For use with 110-120 volts, 60 cycle AC.

CONCORD'S BEST TELEVISION BUYS!



CONCORD'S Custom 17"

IN SHIELDED CONCORD'S PRICE METAL CABINET Reg. Pr\$14995

Stock #717 MT500-C7 Shipping Wgt. . . . 60 lbs.

Made for use in areas where good shielding is a must. Will deliver good pictures even in fringe or rural areas. Features include: Full size 17" Aluminized picture tube, optic Filter glass, latest 4! Mc. Tuner, Recessed well for operating controls, Built-In Antenna, 2! Tube performance using dual purpose tubes. Fine HI-FI sounc incorporates latest type of intercarrier sound circuitry. Metal cabinet is wood grained with gold finish front bezel which is easily removed for cleaning of glass. Concord's tremendous buying power makes this fine TV set available for everyone.

CONCORD "CUSTOM DELUXE" 21"TV.HI-FI RADIO and 4 SPEED PHONO

SAVE \$. . . OFF REG. PRICE! Custom styled grained wood cabinet, Has 14" tapered wood legs with gold finished brass tips. Attractive gold finished front bezel. Easy lift IId provides easy access to radio and record changer

- EASY REACH TOP TUNING, NO STOOPING.
 TOP CIRCUITRY INCLUDES 3 STAGE I.F.
- CUSTOM DELUXE CHASSIS, SUPER POWERED FOR LONG DISTANCE VIEWING.
- 21" ALUMINIZED SHORT NECK, WIDE ANGLE PICTURE TUBE. 23 TUBF PERFORMANCE USING LATEST DUAL PURPOSE TUBES.

RADIO FEATURES:

 Powerful 6 tube performance Super-Het radio. Variable tone control. Tunes complete broadcast range.

• 3 SPEAKERS. 2 MATCHED 6" SPEAKERS AND 1-3" TWEETER. THIS COMBINATION OF WOOFERS AND TWEETER GIVE YOU FULL BASS AND TREBLE REPRODUCTION.

• 4 SPEED. NEW BSR, MADE IN ENGLAND. PLAYS ALL 164, 331/3 \$399.95 45, 78 RPM RECORDS. RUMBLE FREE PERFORMANCE. HAS RUBBER MAT CUSHIONING. DUAL NEEDLE FLIP OVER CARTRIDGE

SIZE: 39" W x 34 1/4" H x 22" D.

STOCK #721LP700M — Mahog. 721LP700B — Blond 721LP700W — Walnut

Shipping Wgt. 130 lbs.

CONCORD'S FAMOUS PRICE PLEASE SPECIFY

MAHOG \$ 229.50

BLOND \$ 239.50

WALNUT \$ 239.50

Mahogany

Blond

Walnut

REG. PRICE

\$ 239,96

DeLuxe 21" TV Radio and 4-Speed **Automatic Phono Combination Model**

FAMOUS

VIDEO FEATURES
SUPER DELUXE CASCODE CHASSIS.

SUPER DELUKE CASCODE CNASSIS.
New exits powerful circuluis and
multi-function tubes gives finest
picture quality. Clearest, sharpest pictures, even in firinge or
weak signal areas
New GIANT 27D SQUARE INCH ALUMINIMIZED PICTURE TUBE. Mirrorbacked aluminimized picture surface reflects fost light, giving
nearly two ethe brightness
FAMOUS "STANDARD" SUPER CASCOOD 12 CMANNEL UNF-VMF
TUMER.
NEW 3-POSITION AREA SELECTOR

TUNEN.

NEW 3-POSITION AREA SELELION.

SWITCH.

AS 14 TUBES. 2 RECTIFIERS. 3

SEMI-CONDUCTOR DIODES AND 1

PICTURE TUBE. Three tubes are
dual purpose, giving 21 tube
performance. Exceptional stability and picture clarity.

CONCORD'S LOW PRICE

Stock # 721R400

RADIO

POWERFUL FULL TONE SUPERMETER
ODYNE RADIO, Gives 6 tube performance Has 4 tubes plus
rectifier; 2 tubes are dual

CABINET

Reg.\$399.96

EAUTIFULY GRAINED WOOD CABIMET, Hand rubbed veneers in a modern furniture design. Has
14" tapered matching wood legs with gold finish brass tips. Automatic changer pulls out for easy
loading. Compact size, only
41½" w, 34" h, 21" d.
SHIPP ING. WEIGHT. APPROXIMATELY.

AUTOMATIC RECORD CHANGER

NEW B.S.R. 4-SPEED RECORD CHANGER. Plays 16, 33, 45 and 78 R.P.M. records. Rumble-free performance gives twice the life and half the wear of ordinary record changers. Turntable has rubber mat cushioning. Protects records as they are lowered to the turntable. DUAL NEEDLE FLIP-OVER CARTRIDGE. Latest type sapphire needles, one for 16, 33 and 45 R.P.M. and the other for 78 R.P.M. records.

CONCORD'S 17" PORTA

SUPER DE LUXE "NEUTRODE" CHASSIS combines new extra powerful circuits and multi-function tubes to produce clearest, sharpest pictures and rich pure-tone sound. Finest performance even in fringe or weak signal areas.

BIG 17" ALUMINIZED PICTURE TUBE has expanded screen size for nearly 160 square inch viewing area. Mirror backed aluminized surface reflects lost light, giving nearly twice the brightness

brightness
FAMOUS "STANDARD" NEUTRODE 41

PRINCE STANDARD" NEUTRODE 41

MEGACYCLE 12 CHANNEL TUNÉR

OPERATING CONTROLS COMVENIENTLY LOCATED

ON SIDE OF CABINET. Easiest tuning—only two
knobs for adjusting picture and sound. Additional
controls for "Picture Contrast," "Vertical Hold,"
21 TUBE PERFORMANCE. Uses lastest type dual
purpose tubes and semi-conductor diodes with
latest developments in television circuitry.
FULL RANGE HIGH FIDELITY SOUND CIRCUIT.
ELatest lock-in type oscillator F/M detector. Latest
advanced type of intercarrier sound circuitry.
High fidelity sound reproduction. Buzz-free performance and brilliant static-free tone.
ULTRA COMPACT STURDY METAL CABINET. Smooth
picture frame front combined with sleek modern
overall design. Giant picture, yet small in size
and light in weight. Easily carried anywhere.
Measures 15¾ w, 13¼ h, 14¾ d'd.
WEIGHT approximately 40 bs.
EURRENT SUPPLY. Uperates on 110-120 Volts
60 cycles AC only,
UNDERWRITERS LABORATORIES LISTED.

EXTRA "DE LUXE
PORTABLE" FEATURES
Foldaway Telescoping Antenna
Full 360 degree Rotation
Retractable Carry-about Handle
Big 17" Aluminized Picture Tube
Anti-Glare Optic Filber Glass
Choice of Two-Tone Color Styling
CONCORD'S PRICE
Stock #
PER-TY-C5
Shgg, Wgt.
43 lbs.

Big 17" Aluminized Picture Tube Anti-Glare Optic Filter Glass Choice of Two-Tone Color Styling

FAMOUS MAKE 21" SUPER POWER TABLE MODEL

TV SET CONCORD'S FEATURE PRICE

манос \$149.50 \$159.50

> REG. \$220.00

Again Concord Funted for a TV set specially and neared for this suberban or weak signal arra viewer. This five instrument designed for bith, aga, and ver, appeal will give you may year if our. Check end compare the line features we offer best of all link at any proof liben hurry your older all gi

SPECIFICATIONS.

SUPER NEUTRODE CHASSIS FOR MAXIMUM SIGNAL PARAUP

23 TOUR PERFORMANCE USING LATEST DUAL PURPOSE TORES

LATEST SOMER MECH 221 ACHIEVATE TO MAXIMUM SIGNAL PARAUP

23 TOUR PERFORMANCE USING LATEST DUAL PURPOSE TORES

LATEST SOMER MECH 221 ACHIEVATE TO THE TORES

LATEST SOMER MECH 221 ACHIEVATE TO THE TORES

FAMOUS STANDARD SUPER NEUTRODE TUNER

FAMOUS STANDARD SUPER NEUTRODE TUNER

EASY REACH TOP TUNING, NO STOOPING OR SOUATH NG

SELF COMPENSATING AREA SELECTOR SLIDE SWITCH SELECTS BEST SIGNAL
FOR MEAROP OR REMOTE VIEWING AREA

BRILLIAMT IN FIDELITY SOUND CIRCUIT DELIVERS TOPS IN SOUND TO

MAICH SMARP PICTURE.

801LTIM AMPERIA

80

FAMOUS MAKE *21" De Luxe TELEVISION CONSOLE

21 TUBE PERFORMANCE. Uses latest type dual purpose tubes. DE LUXE CHASSIS. Combines new extra powerful circuits to pro duce clearest, sharpest pictures and rich pure tone sound.

21 ALUMINIZED PICTURE TUBE. Mirror backed aluminized picture surface reflects lost light, giving nearly twice the bright ness. New short neck tube gives cabinet slim line look. NEW ADVANCED TYPE TUNER. 41 Megacycle tuner has separate fine tuning control for precision tuning.

EASY REACH TOP FRONT TUNING. Simplified tuning, only two

knobs for adjusting picture and sound BUILT-IN ANTENNA. FULL RANGE HI-FIDELITY SOUND CIRCUIT, Latest lock-in type oscillator F.M. detector. Latest advanced type of intercarrier sound circuitry. Hi-Fidelity sound reproduction.

OPTIC FILTER GLASS. Easily removed for cleaning of glass or

picture tube.

BEAUTIFULLY STYLED WOOD GRAINED CABINET. Pleasing pro

portions of fresh contemporary design, enhanced by mahogany or blond finishes. Has 7" tapered matching legs with gold linished brass tips. Measures 23" wide, 3432" high and 213s" deep. SHIPPING WEIGHT APPROXIMATELY 100 LBS.

CURRENT SUPPLY. Operates on 110-125 voit AC, 60 cycles only

ORDER BY MODEL NUMBER. 721-K-611M Mahagany 721-K-611B Blend 721-K-611W Walnut







IN ELLE EL

GARRARD ACCESSORIES FOR PHONO. EQUIPMENT

EBONY WOOD BASE FOR #301 Features level indicator, adjustable legs. Shipping Wgt. 28 lbs.

96 RZ 914. Net...

BASE FOR MODEL "T"

Brown. Shipping Wgt. 6 lbs. 96 RX 631. Het

WOOD MOUNTING BOARDS Unfinished. For cabinet installation. Shipping Wgt. 3 lbs.

\$221 95 RX 666. For RC-88, RC-98.... \$221 95 RX 667. For RC-121. Net..... \$735

96 RX 913, For 301, Net...

96 RX 632. For Model "T". Net \$245

CUSTOM WOOD BASES

CUSTOM WOOD BASES FOR RC-88 - RC-98
Sturdy, highly attractive bases for table-top or cabinet use. Shipping Wgt. 6 lbs.
95 RX 658. Mahogany.
95 RX 659. Blonde.
95 RX 660. Ebony.

95 RX 657, Dark Brown, Net. \$436

SAME AS ABOVE BUT FOR RC-121 Choice of Mahogany or Blonde. 95 RX 662. Mahogany. 95 RX 663. Blonde.

95 RX 661, Dark Brown, Net. \$407

45 RPM SPINDLES

For automatic, changer-action, when using 45 rpm large-hole records, was special revolving collar for preventing cial revolving collar for plugs into turntable. Shipping wgt. 10 oz. Shipping wgt. 10 oz. 95 R 664. For RC-88, RC-98. 95 R 665. For RC-121. 45 RPM SPINDLES

GARRARD RC-121 RENOWN Changer 4 SPEED, 162/3 33/3, 45, 78 RPM.

ALL THE FINE FEATURES-OF THE GARRARD ARE INCORPORATED IN THIS THE FINE FEATURES INCLUDING

SIMPLIFICATION TO SIMPLIFICATION WILL THE FEATURES INCLUDING

ALL THE FINE FEATURES INCLUDING

SIMPLIFICATION TO SIMPLIFICATION WILL THE FEATURES INCLUDING

SIMPLIFICATION TO SIMPLIFICATION WILL THE STREET TO SIMPLIFICATION TO SIMPLIFICATION WILL THE STREET TO SIMPLIFICATION WILL THE STREET TO SIMPLIFICATION TO SIMPLIFICATI

Stock #GAR-121.050-87 Same as above, includes GE Price ... \$48.29

Stock #GAR-121.0524 Same as above, includes GE Price ... \$59.29

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$3.43

Stock #GAR-121.0524 Same as above, includes GE Price ... \$ CUSTOM FINAL FINAL TO BE TO THE STATE OF THE PROPERTY OF THE P High Fidelity Tone Arm

3 WIRE TONE ARM LEAD 4 CARTRIDGE

Budget priced but with every custom feature possible this fine tone arm is features of the cartidge.

Budget priced but with every custom feature possible this fine cartidge. 3.25, 4.7, leads eliminate custom feature possible this fine cartidge. 4.7, leads eliminate custom feature possible this fine cartidge. 3.25, 4.7, leads eliminate custom feature possible this fine tone arm is features of the cartidge. 4.7, leads eliminate custom features from the counterweights. 1.5, tone full contents of the custom features from features possible this fine tone arm is features for the custom features possible this fine tone arm is features for the custom features possible this fine tone arm is features for the custom features possible this fine tone arm is features for the custom features possible this fine tone arm is features for the custom features possible this fine tone arm is features for the custom features possible this fine tone arm is features for the custom features possible this fine tone arm is features for the custom features possible this fine tone arm is features for the custom features possible this fine tone arm is features for the custom features possible this fine tone arm is features for the custom features possible this fine tone arm is features for the custom features features features for the custom features feat

CONCORD'S LOW PRICE

3 CARTRIDGE PLUG-IN CLIPS

GARRARD MODEL "PROFESSIONAL" TURNTABLE

FINEST 3 SPEED HI-FIDELITY UNIT!

Plays 331/4, 45, 78 RPM Records
12" Cast Aluminum Turntable with Heavy Rubber Record Mat
Less than 0.2% "WOW"
Vibration Proof Mounting
Heavy Duty 4 Pole, Shaded Pole Motor

SIZE: 16"x13"4", REQUIRES 21/2" ABOVE, 31/2" BELOW MOUNTING BOARD FOR 100-130V 200-230V

(50 cycle pulley available). STOCK #GAR-301-B7

CONCORD'S PRICE \$8722

SHIPPING WGT. 20 LBS.

GARRARD "CREST" MODEL T MANUAL PLAYER ECONOMY IN A FINE 3 SPEED PLAYER

- Plays 331/5, 45, 78 RPM Records Motor starts when pickup is lifted 4 Pole, Shaded pole motor include Plug-in heads Stylus pressure is adjustable R-C Network

SIZE: 1344" x 1244", REQUIRES 314" ABOVE, 31/2" BELOW MOUNTING BOARD

SAME AS ABOVE BUT WITH MOUNTED GE RPX-050A CARTRIDGE (.001 & .003 DUAL SAPPHIRE STYLII) CONCORD'S PRICE \$3848 (.001 & .003 DUAL SAPPHIRE STYLII)

SAME AS ABOVE BUT WITH MOUNTED GE RPX-052A CARTRIDGE.
.001 DIAMOND & .003 SAPPHIRE STYLII) CONCORDES BRIDE

CONCORD'S PRICE \$4949

STOCK #GAR-CREST-052A

GARRARD CROWN II 4 SPEED SUPER-AUTO-MANUAL RECORD CHANGER Here's the ultimate in Garrard Fine Changers! Note the custom features 100/130. 200/250 voits. 60 crcles

E Changers! Note the custom feature 100/130, 200/250 youts, 60 cycles variable speed for matching musical Full automatic amount of the control of the control of the custom and the control of the custom and the custom

Dimensions: 15½ x 13¼ x 53¼ clearance above, and 3½ clearance below mounting board. Stock #GAR-98-C6 COMCORD'S PRICE 6615

Stock #GAR-98050A-C6
GE 050A cartridge Concord's Price \$72.76
GE 652A Cartridge with diamond LP and Concord's Price 83.79

GARRARD RC88 TRIUMPH II 4 SPEED changer



CONCORD'S PRICE \$ 5341

100/130, 200/250 volts, 6C cycles A C.

Stock #RC88-C6 Stock #RC88-050A-C8 Stock #RC88-052A-C6

Stock #GAR-45SP-C6 Shipping Weight - 16 Lbs. 162/3 331/3, 45. 78 RPM.
4 speeds delute auto-manual changer.
• Shaded 4 pole induction-sure metter for low "wow" and vibration.
• Free wheeling, painearing turntable mount.

Free wheeling, naisoearing turntaure mount.

True-turnet drive for all speeds.

Shielded condenser-resistor network with automatic muting switch.

precision steel turntable covered with live rubber mat.
Finely engineered with sensitive trip mechanism, automatic stop & shu-ton brake.

Completely damped and isolated floating motor.

Complete with line cord, mounting hardware, 45 rpm adapter

Dimensions: 15½ x 13½ x 53/6 clearance above and 3½ " clearance balow mounting board.

Changer less cartridge — Concord's Price \$53.41
Complete with GE RPX-050A cartridge 60.02
Complete with GE RPX-052 cartridge 60.02
(Uramond LP & Sapphire 78 Stylii) 71.05
automatic spindle 33.43

Concord FOR GIVEAWAY PRICES!

CONCORD DOES IT AGAIN

Concord !

FEATURING 4 SPEED GARRARD CHANGER CUSTOM MADE FOR CONCORD RADIO

FEATURES

Deluxe 4-speed GARRARD
automatic record changer with JAMPROOF meer with JAMPROOF mefor finest performance.
for finest performance.
for finest performance.
Three speaker system
two woofers and one
two true high
network for true high
network for cycles.
The proof of the proof
fidelity
amplifier, with negative
amplifier, with negative
pimensions:

Dimensions:

N. 18.4% X. 1.13.4%

Dimensions: 1944" x 1848" x 1134" Shipping Wet. 40 lbs.

feedback circuit, reproduces 20 to 20,000 cycles at 5 watts. cycles at 5 watts.
Separate bass and treble controls.
Trouble free PRINTED CIRCUIT chassis.
CAUTOMATIC amplifier and Automatic amplifier after changer shut-off changer shut-off last record is played. I sat record spindle supplied at no extra cost. plied at no extra cost. plied at no extra cost. Custom selected hard-custom selected hold mahogany or limed oak.

REG. PRICE Stock #50H-580-B7 \$199⁵⁰

CONCORD'S PRICE IN RICH MAHOGANY

249

LORENZ HI-FI FM/AM 3 WAY PORTABLE RADIO



FEATURES

REG. PRICE \$109.50

COVERS FULL FM/AM BANDS

. CIRCUIT USES 7 TUBES, 2 DIODES

AC/DC BATTERY OPERATION

DOUBLE I.F. MEANS TOP SELECTIVITY

• 200 HOUR BATTERY LIFE

LARGE FULL RANGE HI-FI SPEAKER

. BUILT-IN ANTENNA FOR AM/FM

CONCORD'S COSEOUT PRICE

LESS BATTERIES

Concord's DE LUXE 5 TUBE BATTERY



Shipping Wet. 7 7

STEREOSONIC SOUND Concord MODEL 300X

HI-FI FLIP CARTRIDGE. 2 PRECIOUS NEEDLES

Dasi Speakers 95 EACH

Reg. \$7 PRINTED CIRCUIT PHONOGRAPH

33½,
3-speed record player 10 or 12.
45 or 78 RPM or 7,
50 or 78 RPM or 7,
50 or 12.
50 or 78 RPM or 7,
50 or 12.
65 or 78 RPM or 7,
65 or 78 RPM or 12.

speakers to designed special acoustically designed SONIC SOUND CIrcuit.
Dimensions—11" x 12" x 41/8".

CONCORD'S PRICE

Concord

RPM

Reg.

\$39⁹⁵

STOCK #SON-45X

Stock #300X-CS Weight SV2 lbs.

HI-FI

AUTOMATI

Vinyl covering.
Radio—5-tube superheterodyne receiver features iron tore type loop antenna full band coverage 540 kc to 1620 kc direct plants on the superheterodyne receiver features iron core i.f. plantsions: 17" x 14" x 9" free PRINTED CIRCUIT chassis. Shipping Weight: 201/2 lbs.

\$89.95

IN LIMED OAK

\$**99**50

AUTOMATIC PLAYER - RADIO

Deluxe 4-speed WEBCOR LIXE A SPEED WEBCOR CHANGER

Mi-Fi ceramic dual sapphire needle cartridge for finest performance.

CHANGER Heavy duty Ainico V speaker.

Sturdy wood cabinet with handsome leather-grained platinum grey automatic volumes.

CONCORD'S FAMOUS SALE! AMRON HI-FIDELITY LONG BROADCAST & SHORT WAVE RADIO



each 50% OFF

J. Tubes plus Selenium Rectifier. Push-puil Output. Magic Feye Tuning. Covers 16-49 Meter Bands. Long Wave Band Full Histening and Regular American Band. Full Basspread on Regular American Band Full Histening and Control for Station Separation. Heavy Duty P.M. Speaker, Built in Pre-Amp. for Phono Walnut Finish Cabinet. Tubes: 6BE6, 6BA6, 2-6AV6, EYE. Size: 25" L x 942", W x 1442" H. Stock Number: R1-C8

FEATURES

Automatic changer for 45 rpm records with JAMPROOF mechanism.
PROOF mechanism.
Wil-Fi cartridge with speaker.
Hi-Fi cartridge haloo v speaker.
Full range tone and vost packet.
Full range PRINTED CIRCUIT chassis.
Full range vone printed with durable leather-grained speaker vinyl covering.
Spread vinyl covering.
Spread vinyl covering.
Dimensions: 12" x 11" x 7" 'A DELIGHT TO THE EAR'

Dimensions: 12" x 11" x 7"

Shipping Weight: 111/4 lbs.

automatic Concord's Famous Concord's 4 SPEED

The AMAZING NEW 1958 Automatic Phono. FEATURING THE WE MAGI - MATIC CHAN

2 MATCHED SPEAKERS FOR BI FIDELITY

45 SPINDLE \$279

- CHANGES SPEED AUTOMATICALLY TO MATC RECORD
- FULL HIGH FIDELITY CIRCUITRY WITH RESPONSE BETTER THAN 20-20,000 CPS.
- . TWO MATCHED SPEAKERS FOR BRILLIANT RESPONSE
- . HIGH FIDELITY CARTRIDGE WITH TWIN STYLII
- . MODERN PRINTED CIRCUIT CHASSIS
- . FULL RANGE TONE CONTROL
- AUTOMATIC SHUTOFF FOR AMPLIFIER WHEN LAST RECORD IS COMPLETED
- IMPROVED JAMPROOF MECHANISM . HANDSOME LUGGAGE CARINETS

SIZE: 17 x 14 x 9"

CONCORD'S LOW. LOW PRICE EACH

A GIVEAWAY!

HI-FI AUTOMATIC
WITH WEBCOR REG. PRICE
SR 250 CONCORD'S PRICE \$4995 Twin Speakers \$9995 FOR ABOVE \$279 IMPROVED JAMPROOF MECHANISM. IMPROVED JAMPROOF MECHANISM.
MEEDLES.
CARTRIDGE WITH TWIN NEEULES.

TROUBLE-FREE PRINTED CIRCUIT CHASSIS.

Asolicico Delivede Calvuleia Deponding * TROUBLE-FREE PRINTED CIRCUIT CHASSIS.

AMPLIFIER DELIVERS FAITHFUL REPRODUCTION 20-20,000 CPS. FULL RANGE TONE CONTROL HANDSOME CABINETS.

FULL RANGE TONE CONTROL.
AUTOMATIC SHUTOFF FOR AMPLIFIER WHEN LAST RECORD IS Forest green or two tone. Dimensions: 17 x 14 x 9* STOCK #460-C6

CONCORD

SPECIAL

Reg.

\$69.95

Stock #WP3-C-7

ONLY THE FINEST!

Ship. Wgt. 28 lbs.

STOCK #\$0N-560-C7 Ship. Wgt. 28 lbs.



TWIN SPEAKER HI FIDELITY 3 SPEED PHONO.

FAMOUS MANUFACTURER -"WEBCOR CHANGER PORTABLE"

FEATURES:

Webcor Deluxe 3 Speed Changer Full HI-FI Response 50-12,000 Cps. Dual Stylii

Dual Stylii
Matched Twin Hi-Fidelity Speakers
Intermixes 10" & 12" Records
Jamproof Feature
Hi-Fidelity Crystal Cartridge
Automatic Bass Compensation
Last Record Shuts Off Changer & Amplifier
Custom Cabinets

Here's Hi-Fidelity in a compact automatic record changer and amplifier loaded with features including twin speakers, true Hi-Fidelity amplifier and the latest Webcor 3 speed changer you will find both ear and eye appeal. Wgt.: 22 lbs. Size: 18½" x 14¼" x 9"

45 spindle for above - \$2,79 each

RUSH YOUR ORDER FOR XMAS!

CONCORD PLAY-PAL 3 SPEED EACH TWIN NEEDLE REG. PHONOGRAPH

All Speeds, 331/3, 45, 78 RPM.
Balanced Tone Arm With Fine Flip-Over
Two Stylii of Precious Metal.
Full Response Tone Control.
Built In 45 RPM Adaptor.
High Grade Amplitier.
Handsome Carrying Case.
Dimensions: 10 x 12 x 5.
Shipping Wgt. 6 Lbs.

Stock #PLAYMATE-CS Shipping Wet. 8 Lbs.

"PLAYMA SPEED PHONOGRAPH "Shatter Proof" SINGLY Reg. \$1555 \$2950

Plays all three speeds, 331/3, 45, 78 rpm.
Trouble-free printed circuit chassis.
High fidelity "climatized" pick-up.
High fidelity "climatized" with Ainico V magnet.
Full range P. M. speaker with Ainico V magnet.
Famous "shatterproof" case, available in rich
Famous grey or attractive pastel blue.
platinum grey or attractive pastel blue.
Dimensions: 91/8 x 113/4 x 41/8".

at Concord



R660 DELUXE FM-AM TUNER



CONCORD'S PRICE

R660 with ACM

Outstanding new tuner with AFC Defeat, Tuning Meter for simple tuning with a minimum of noise and distortion. AVC on FM and AM, illuminated dial pointers and pilot light. Sensitivity: (FM) 2.5 µ to 73 0 db quieting. Frequency Responses (FM) 1.5 5.000 cps. \$\frac{1}{2}\text{db}\$. Detector: Foster-Seeley Discriminator and double limiter. Controlist Tuning: Power On-Off; AM: FM; AFC Out. Antenna: Built-in FM line antenna, ferrite loop for AM or external 300 ohm or 70 ohm antenna. Tubes: 11 line antenna, ferrite loop for AM or external 300 ohm. Chassis Size: 11\% x 10\% x 00tputs: Main Amplifier, 1.5 volts; Tape, 1.5 volts. Chassis Size: 11\% x 10\% x 10\%

Bogon No. ACB (Blonde) or ACM (Mahogany) Cabinets, Net Each.....



PR100A AUDIO CONTROL PREAMPLFIER



CONCORD'S PRICE

PR100A with BCM PRIODA AUDIO CONTROL-PREAMPLIFIER

Bogen Model BCB (Blonde) or BCM (Mahogany) Cabinets, Net Each..

DB20 & DB20DF 20 WATT

AMPLIFIER

CONCORD'S PRICE

Bosen Model DB20 Amplifier
-Chassis only, Net Each \$99.00

Model DB20 offers a combination of important features: A 5-position Loudness Contour Selector; 7-position record equalizer; Baxandall-type bass and treble controls; DC operated preamplifier filaments to minimize hum; 5 feedback loops; output for extremely low distortion; a rumble filter is incorporated. Model DB20DF provides ultimate in bass response by permitting precise adjustment of the amplifier to the speaker system. Damping factor variable from +2 through infinity to −1. Tunes out resonant peaks and reduces worst non-linear characteristics of the speaker system. Frequency Response: 20-20,000 cps ⇒ 0.7 db. Hum and Noises: 75 db below 20 watts. Distortion: 0.3% at 20 watts. Inputs: (5) Magnetic phono, Crystal phono, Radlouber TV. Tape recorder. Power: 20 watts, tone burst peak, 30 watts. Damping Factor: 13. Controls: Volume; Bass; Treble; Five-position Contour Selector; Function Selector (Radlo, TV, Tape, LP, AES, NAB, Ortho, RIAA, AM78, EUTS, POP); Power On-Off. Chassis Size (Either model): 15° x 10° x 3°. Shipping Weight. 25 ibs.

Bogen Model DB20G Amplifier—Complete with cage. Net Each. 106.50
Bogen Model DB20DF Amplifier—Chassis only. Net Each. 108.00
Bogen Model DB20DFG Amplifier—Complete with cage. Net Each. 116.50



FM50 & AM90 TUNERS

CONCORD'S PRICE



\$87.50 FM 50

FMS0 with ACM, AM90 with ACM FM50 FM TUNER

This new, improved, economy-priced FM Tuner offers many outstanding features, such as AFC circuitry that provides tighter oscillator control and thus insures continuous distortioniess output. Sensitivity: 2.5 µv for 30 db quieting. Frequency Response: 15-15,000 cps. *\frac{1}{2} db. Detector: Foster-Seeley Discriminator preceded by limiter. Controls: Tuning; AFC Defeat; Power On-Off. Antenna: Bull-in line cord antenna or external 70 ohms unbalanced and 300 ohms balanced. Tubes: \$. Tuner has illuminated dial pointer. Chassis Size: 11\(\frac{1}{2}\)" x 10\(\frac{1}{2}\)" x 4\(\frac{1}{2}\)"; Shipping Weight, 11\(\frac{1}{2}\) (bs. Bogen Model ACB (Blonde) or ACM (Mahogany) Cabinets. Net Each..... 7.00

R620 ECONOMICAL FM-AM TUNERS



CONCORD'S PRICE

R620 with ACM R620 ECONOMICAL FM-AM TUNER

For use with amplifiers or preamp: with tone and volume controls. AFC: built-in AM and FM antennas; illuminated dial pointer: AVC: ratio detector. Sensitivity: FM, 10 µy for 30 db quieting: AM, 5 µy for 20 db quieting. Centrols: Tuning: Selector (AM, FM, AFC Defeat, Power Off). Antennas: Built-in AM and FM antennas. Tubes: 8. Power: 30 watts, 117 volts AC. Chassis Size: 11% x 10% x 4%. Shipping Weight: 11 lbs.

Bogen Model ACB (Blonde) or ACM (Mahogany) Cabinets-Net Each ...

DO70 70 WATT HIGH POWER AMPLFIER

CONCORD'S PRICE

A full 70 waits of power sustained with peaks to 300 waits to give flawless sound reproduction for the audiophile. A companion piece to PR100A Audio Control or R775 or R710 Tuners, Frequency Rsponse: 0.5 db, 5-100,000 cps. Distortion 1 % at 80 waits, 0.5% at 70 waits and 0.12% at 10 waits. Hum and Neise: 107db below rated power. Damping Factor: 0.20 through infinity to -15. Output Impedance: 4, 8 and 16 ohms. Centrols: Panel, Speaker Selector (A. AB, Bj.): chassis, controls for adjusting input level, voltage regulator and power monitor. Tubes: 8, including two 6CA7/EL34 output tubes. Size: 15° x 8½° x 4½° x 4½° or legs). Shipping Begen Model D070 Power Amplifier—Choice of B Blonde or M Mahogany Cabinet.

B20 DELUXE 4 SPEED RECORD

CONCORD'S PRICE Bogen Model B20-LC-

With plug-in head, less cartridge. Net Each

With plug-in nead, less cartridge. Net Esch. This manual record payer will play all four standard speeds and all discs to 12°. Each of the speeds (16%, 33%, 45 and 78 rpm) may be varied within a range of \$5%. Four-pole motor. Wow, hum and rumble, less than 0.7%. Turntable is covered with serrated rubber pad to protect records. The entire assembly is shock isolated. Automatic shur-off. Supplied with universal plug-in head that accommodates all popular cartridges. Mounting Space: 13° x 10° x 2½° above and 2½° below motor board. 115 voits, 60 cycles. Shipping Weight, 12 lbs.

Bogen Model E20X—With GE magnetic cartridge, reversible styli. Net.....\$38.95

Bogen Model E20XD—B20X except diamond LP, sapphire 78 Fpm styli. Segon Model E20X—With plezoelectric cartridge, dual sapphire styli. Net....\$31.55

Bogen Model E20—Wood base for above, 13%° x 10%° x 2½°. Net Esch.........\$30.000

RR501C FM-AM RECEIVER



CONCORD'S PRICE

RR501C with BCM

Splendid performance, budget price and space-saving design make the RR501C an extremely popular model. Combined FM-AM tuner, preamplifier and 10-watt amplifier on one chassis. Sensitivity: FM, 8µv for 30 db quieting; AM, 5µv for 20 db signal-to-noise. Frequency Response: FM, 30-18,000 cps \$\pm\$1 db. Controls: Power Off-On; Volume: Bass; Treble: Function Selector (AM, FM, Phono, Aux): Equalizer (PoP, US78, LP [RIAA]): High Filter (Flat, 6 kc); Low Filter (Flat, 10 cps); Speaker Selector (A, AB, B); Loudness Control. Antenna: Bullt-in antenna for FM and AM, provision for external 300 ohm or 72 ohm antenna. Inputs: Magnetic phono, Hi-Fi crystat and ceramic phono, Auxiliary. Power: 10 watts at less than 1% distortion. Tubes: 12, including two 6A Q5 output tubes. Chassis Size: 14\frac{\pi}{2} \times 10\frac{\pi}{2} \times 2 \frac{\pi}{2} \times 10\frac{\pi}{2} \times 2 \frac{\pi}{2} \times 10 \frac{\pi}{2} \frac{\pi

Bogen Model BCB (Blonde) or BCM (Mahogany) Cabinets. Net Each.

7.50



DB110 12 WATT AMPLIFIER CONCORD'S PRICE

A 12-wait amplifier rated by experts as the best buy for the price. Controlled Positive Feedback circultry; built-in preamp with inputs for all types of phono cartridges, tuner for the price of the preamp with inputs for all types of phono cartridges, tuner for control and an auxiliary source. Separate, Baxandall-type bass and treble Flum and Noise 83 6b below rated output. Distortion: 0.5% at rated output. Distortion: 0.5% at rated output. Inputs: (6) High and Low magnetic phono. Microphone. Tuner, Auxiliary, Power: 12 watts, tone burst peak, 16 watts. Controls: On-Off-Volume: Bass; Treble; Selector-Equalizer (MIC. 33-45 [RIAA], 78, POP, Radio, Auxiliary). Control for hum adjustment on classis. Tubes: 6, including two 6V6GT output tubes. Chassis Size: 11° x 7½° x 5½°, with eage 11½° x 7½° x 5½°, Shipping Weight, 15 lbs.

Bogen Model DB110G Ampilfler—In black cage. Net Each.....

R775 DELUXE FM-AM TUNER-AMPLIFIER



R775 with CCM

CONCORD'S PRICE

R775 with CCM

A magnineent self-contained radio tuner and audio control center that features the new Bogen Auto-Lock, a tuning device that automatically provides precision tuning after the station has been located on dial. AFC automatically cuts out while tuning after the station has been located on dial. AFC automatically cuts out while tuning squeich circuit eliminates noise between stations on FM. Sensitivity: FM, 2 µv for 30 db quifting; AM, 5 µv for 30 db signal-to-noise. Frequency Response: FM, 20,000 cps = ½ db. Detector: Armstrong discriminator and double limiter. Controls: Off-On; Volume: Loudness Contour (0, -5, -10, -30): Bass; Treble; Tuning; Tuning Meter: Function Selector (AM Norm., AM Hi-FI, Phono, FM, Aux): Equalizer (EU-78, US-78, AES, RIAA, COL LP, NAB, POP); Variable AFC-Squeich, High Filter (Flat, 8 kc, 4 kc). Antenne: Built-in antenna for FM and AM, provision for 300 ohm and 72 ohm external antenna. Inputs: High and Low magnetic phono, Hi-Fi crystal, Auxiliary. Outputs: Main, Tape. Hum, Noise: Fundamental 95 below crystal, Auxiliary. Outputs: Main, Tape. Hum, Noise: Fundamental 95 below below controls at 2 volts. Tubes: 17. Chassis Size: 444° x 11° x 44°. Shipping Weight, 17 lbs.

Bosen Medsi CCE (Bionde) or CCM (Mahogany) Cabinets. Net Each...



HI-FI TRANSCRIPTION **PLAYERS**

CONCORD'S PRICE

Bogen Model B58-16LC

With plug-in head, less cartridge.

A manual record player for 16%, 33%, 45 and 78 rpm records. Speed is constantly variable from 29 to 86 rpm. Universal plug-in heads will fit most cartridges. "Feather-Drop" action of pickup arm prevents damage to either stylus or record. Heavy-duty 4-pole motor varies test shan 1.5%. Heavy weighted 12° turntable, covered with moided rubber pad. Adjustable stylus pressure. Mounting Space: 15° x 11%': 22%' above and 1%' below mounting board 95-125 voits, 60 cps. Shipping Weight. 17 lbs.

Bogan model B50-16—With piezoelectric cartridge, dual sapphire styli. Net \$42.00 Bogen Model B50-16%—With GE cartridge, reyersible styli. Net Each... \$48.95 Bogan Model PB-5—Wood base for above player, 16" x 13" x 2". Net Ea... 4.80



DB115

15 WATT **AMPLIFIER**

CONCORD'S PRICE

DB115 with ACM

A versatile 15-watt amplifier with low distortion and complete flexibility of control, Built-in preamp has jours for all types of phono cartridges as well as a tape head (no additional preamp is needed for tape playback). Bogen Controlled Positive Feedback Damping Factor control for best speaker performance with standard Variable 3-position Loudness Contour Selector. Frequency Response: 15-30,000 cps. \$\frac{1}{2}\$ distortion: 0.4% at rated output and Noise: 90 db below rated output. Distortion: 0.4% at rated output watts, tone burst peak, 20 watts. Controls: e head, Tuner, Auxiliary, Power: 16 Selector (10, -20 db); Bass; Treble; Selector (7 hape, 33-45 RIAA), 78, Old Inolsy Speaker Selector (A, AB, B). Controls for damping and hum adjustment peaks, 20 watts. Controls for damping and hum adjustment of those; 6, including two EL84 output tubes. Chassis Size: 11½ "x 10½" 144".

Bogen Model ACB (Blonde) or ACM (Mahogany) Cabinets—Net Each... 7.00 Bogen Model ACB (Blonde) or ACM (Mahogany) Cabinets—Net Each...



DB130

35 WATT AMPLIFIER



CONCORD'S PRICE

DB130 with BCM

CONCORD RADIO BEATS THEM ALL!

A superbly designed amplifier with many exclusive features. Controlled Positive Feedback circuitry for excellent transient response, exceptionally low distortion: Variable Damping Factor control for ultimate damping: separate, 3-position high and selector. Frequency fliters; Baxandall-type tone controls; five-position Loudness Contour Selector, Frequency fliters; Baxandall-type tone controls; five-position Loudness Contour phono, Hi-Fi crystal, for 3.5% at 3.5 watts, apparent; (8) High and Los db below watts, tone-burst peaks 100 watts. Controls: Power 1.6. Aux. 2. Tape monitor, page 100 watts. Controls: Power 0.007; Volume; Loudness Contour (0, -5, -10, 00) Bass; Treble: Selector (Phono, Tape Radio, Aux. 1, Controls for damping, hum, output stage balance and voltage regulation adjustments are on chassis. Tables: 9, including two 6AVGGA/GT output tubes. Chassis Size:

Bogen Model BCB (Blonde) or BCM (Mahogany) Cabinets—Net Each.

7.50

RR550 DELUXE FM-AM RECEIVER



CONCORD'S PRICE

RR550 with CCM

Space-saving design and superb engineering are combined in the RR550 to give you the best in one-chassis high fidelity. It has a high-powered combination of tuner, preampliner and 25-watt ampliner, AVC on FM and AM. Sensitivity: FM, 2.5 µ for 30 db quieting; AM, 5 µ for 20 db signal-to-noise, Frequency Response: FM, 15-15,000 cps. +¼ db. Detector: Foster-Seeley discriminator and double limiter. Controls: Power Off-On: Volume; Loudness Contour (0, -10, -20); Function Selector: (AM, FM, AFC Off, Aux, Phono); Equalizer (POP, NAB, LP, COL, RIAA, Eur 78); Bass: Treble; Tuning: Tuning Meter; Speaker Selector (A, AB, B); High Filter (Flat, 6 kc); Low Filter (Flat, 100 cps). Antenna: Bullt-in antenna for FM and AM, provision for 300 ohm or 72 ohm external antenna. Distortion: Less than 0.3% at 25 watts. Inputs: High and Low magnetic phono, Hi-Fi crystal, Auxiliary. Power: 25 watts, tone burst peak, 90 watts. Tubes: 18, including two 6AU5GT output tubes. Chassis Size: 14½° x 11½° x 4½°. Shipping Weight, 25 lbs.

Bogen Model CCB (Blonde) or CCM (Mahogany) Cabinets. Net Each..

8.00



MODEL A-1040 "TREND 2"

40 WATT HI-FI AMPLIFIER

OTHER TOP FEATURES:

- Full 40 Watts Output.
- Freq. Response: ± 1 db 20-20,000 cps at 40 Watts.
- Hum: Auxiliary and Tuner Inputs: -70 db at 40 Watts.
- Controls: Contour, Loudness, Bass, Treble, Function (LP, RIAA, EUR. Tuner, Aux. 1, Aux. 2, Tape 15, 7.5, 3.75 ips), Rumble Filter, Speaker Selector).

 10 Tubes Used Include: 2—12AX7's, 1—12AV6, 1—12AT7, 4—12AB5's (output), 2—EZ-81's. Finished in Brushed Copper and Matt Black. SIZE: 35%" x 133%" x 91/4".

speaker system.


Here's "Concert Hall" performance in a compact 40 watt high fidelity amplifier. Ideal for use in large homes, halls, outdoor use, etc. Printed circuits for top performance. The ideal companion for the "Theme 2" FM/AM tuner. Built-in Pre-Amp features input for all phono cartridges. Tape input with 3 position equalization for various recording speeds. 6 position Loudness/Contour selection.

CONCORD'S

PRICE

STOCK #HK-A1040-C7 Shipping Wgt. 25 Lbs.

FM/AM TUNER



MODEL T-1040

YOU'LL BE PROUD TO OWN THIS!!!

CONCORD'S PRICE

Cathode-follower outputs for Ampl. and Tape

Cathode-follower outputs for Ampl. and Tape Recorder.
Sensitivity FM-2 Microvolts.
Tuning Meter for "Pinpoint" Tuning.
Freq. Response: 20-20,000 cps FM.
Distortion: FM-Less than 1% Harmonic.
Uses a total of 11 tubes (1-ECC85, 1-6BK7A, 2-6BA6, 3-6AU6, 1-6BE6, 1-6AL5, 2-12AU7, Sel. Rect.).
Top styling in Brushed Copper and Matt Black.
SIZE: 3%" x 13%" x 10%".


A custom FM/AM tuner intended for "Audiophile" use. When used with the "Trend 2" 40 watt amplifier, you will have a comprehensive 40 watt High Fidelity system. Custom circuitry includes Armstrong circuit with dual double tuned Limiters and Foster Seeley Discriminator. Variable Automatic Freq. Control. Low Noise Front End with Triode Grounded Grid amplifier and Triode Mixer. Variable Automatic Noise Gate.

STOCK #HK-T1040-C7

Shipping Wgt. 14 Lbs.

FM/AM TUNER-40 WATT AMPLIFIER - PRE - AMP

CONCORD'S 00 PRICE FACH



double tuned limiters. Famous Foster-Seeley discrim-

inator. Sensitivity: FM (for 30db quieting) 2 microvolts.

AM: 30 microvolts per meter

with built-in loop.
Selectivity: FM. 200 kc. bandwith: 6 db down.

FM: drift ±5 kc. max. Freq. response: FM. 20-20,000

Audio response: 15-40,000 cps. Hum level: 65 db below 100% modulation.

modulation.
Built-in tuning meter.
Controls: (2) function (off, AM, FM-AFC-ANG, FM, AFC, FM) and tuning. Bottom plate: output level, AFC, ANG, rumble filter,

"FESTIVAL 2"



CONCORD'S PRICE

STOCK #HK-TA-12-C7

Shipping Wgt. 20 Lbs.

50

EACH

MODEL TA-1040

loudness, treble, bass. 6 position for record equalization, tape

input. Built-in hi-fi amplifier delivers

Built-in hi-fi amplifier derivers a full 40 watts.
21 tubes featuring P.P. EZ-81 hi-fi output tubes.
Matches: 8 and 16 ohm speakers. 70 voit output tap.
Finished in brushed copper and

matte black. Size: 13%" x 3%" x 11" deep. For use with 110-120 V. For use with 50 cyc e AC.
Shipping Wgt. 40 Lbs.

STOCK # HK-1040-C7

warranty on

HE CONCERT H

parts and labor (90 Days on tubes)



MODEL A-120 "MELODY 2" 20 WATT HI-FI-AMPLIFIER

CONCORD'S PRICE 95

The A-120 20 watt High Fidelity amplifler offers deluxe features to please the critical "Audiophile". Printed circuitry assures you of years of trouble-free service. Look at these highlights!

FEATURES:

- Full 20 watts output with less than 1% distortion
- High-Fi Response: 15-40,000 cps. (at 10 watts)
- 6 step loudness control .
- 5 Inputs: Magnetic Phono, Tuner, Tape, 2 Aux
- Controls: Contour, loudness, bass, treble, function selector, (LP, RIAA, EUR, Tuner, Aux 1, Aux 2, Tape 15, 7.5, 3.75 ips). Built-in rumble filter

- 3 position record compensator for proper playback 8 Tube Circuitry: 2—12AX7, 1—12AV6, 1—12AT7, 2—6X4's, P.P. 12AB5's output. Compact Styling: Size only 121/4 x 31/4 x 71/4".

Finished in brushed copper and matt black.

STOCK #HK-A120-C7

Shipping Wgt. 15 Lbs.

CONCORD'S PRICE

MODEL T-120 "RONDO" FM/AM TUNER



The Rondo represents top engineering in an FM/AM tuner. Every Deluxe feature has been added to bring you outstanding High Fidelity performance. When used with the A-120 Melody 2, you have a compact comprehensive FM/AM tuner-amplifier suitable for all compact installations, (Combination size: 7" H x 12½" W.) Håndsome styling in brushed copper and matt black.

CONCORD SMASH HIT!

EACH

CONCORD'S PRICE

FEATURES:

- Armstrong FM circuit with limiter
 Foster-Seeley discriminator
 Grounded Grid Amplifier and Triode Mixer
 Sensitivity: 3 Microvolts for 20db quieting
- Frequency Response: 20-20,000 cps (FM)
- Built-in Rumble Filter and AFC Defeat
- Built-in Sensitive Ferrite Loopstick
- Other fine features include flywheel tuning, 10 Kc. whistle filter, etc.
- Uses a total of 8 tubes including the new ECC-85's.
- Size: 121/4 x 31/4 x 83/4".

STOCK #HK-T120-C7

Ship. Wgt. 12 Lbs.

MODEL TA-120 "RECITAL 11" 20 WATT AM/FM TUNER

PRE-AMP HI-FI AMPLIFIER

Armstrong circuit with limiter.

Famous Foster-Seeley discriminator circuit.

Automatic frequency control.

Sensitivity: FM-5 microvolts for 30 db quieting.
Audio Output: 20 watts at 2% IM. Peak output 30 watts.
Audio Response: Better than 20-20,000 cps at 20 watts.

- 20-40,000 cps at 10 watts.
- Push-pull output, full 14 tube circuitry, plus sel. rect.
- Output Impedance: 8 & 16 ohms, 70 volt
- Built-in rumble filter.
- Controls include: tuning, loudness, bass, treble, function, (AM, FM-AFC, AUX, EUR, LP, RIAA, Tape) rumble filter.
 Styled in brushed copper and matte black.
- For 110-120 V. 60 cycle AC SIZE: 121/2" x 3-9/16" x 1134".

Here's your complete high fidelity system in one compact unit. Styled and engineered for tomorrow. Every fine feature has been added to bring out the utmost in brilliant response. Ideal as the complete system for your house or apartment.

STOCK #HK-TA-120-C7



MODEL FM-100 "COUNTERPOINT 11"

CONCORD'S

GREAT

BUY!

FM TUNER

FEATURES:

Armstrong FM circuit with dual limiters GIVEAWAY PRICE Tuning meter for "pinpoint tuning" replaces less efficient "eve or see bulk-"

ficient "eye or neon bulbs". Sensitivity FM (for 30db of quieting) 3 Microvolts Freq. Response: $\pm \frac{1}{2}$ db 20-20,000 cps.

Variable automatic noise gate

Variable AFC control

Built-in rumble filter

- Two outputs cathode follower and high impedance ANOTHER
- Distortion: Less than 1% harmonic


Controls: Less than 1% narmonic Controls: Tuning, concentric ANG, AFC & power, 3 rear panel, meter balance, output level, rumble filter.

Tubes: Total of 8, include: 1–6C4, 3–6AU6, 1–6AL5, 1–12AU7, 2–ECC85, Sel. Rect. 1–1N34 crystal diode.

Handsomely styled in brushed copper and matt black

SIZE: 121/4 x 31/4 x 71/4".

A top engineered basic FM tuner. An ideal mate for the A-120 amplifier. Harmon Kardon has Incorporated custom features found only in much higher priced units. STOCK #HK-FM100-C7 Shipping Wgt. 12 Lbs.



DE WALD "IMPERIAL" HI-FI FM/AM TUNER

CONCORD'S PRICE

Reg. Sold for

\$79.95

ADVANCED ENGINEERING CIRCUITRY: FM unit has three stages of i.F. plus discriminator. AM unit has two stages of i.F. plus separate osc.-mixer tube. FM R.F. input stage is peaked to equalize R.F. gain.

AUTOMATIC FREQUENCY CONTROL: Will act upon nearing station and automatically lock in that particular station thereby eliminating all drift. Also contains an automatic volume control circuit which prevents overloading on FM or AM under strong signals. Minimum R.F. radiation on FM or AM.

ANTENNA: The FM circuit includes a built-in line cord antenna and a ferrite rod antenna for A.M. reception. Balanced discriminator and limiter circuit for realism and freedom from static.

POWER OUTPUT: Convenient 117 volt A.C. power outlet for external audio amplifier on chassis rear is controlled by front power switch. Escutcheon front plate is removable permitting panel mounting.

rear is continued by from points are not possible to the first state of the first state of the first system.

POWER INPUT: Approximately 30 Watts at 117 volt A.C., 60 cycle. Output jack will match any type of Hi-Fi amplifier system.

TUNING: Flywheel weighted mechanism provides effortless tuning with instrument type illuminated

TUNING: Flywheel weighted mechanism process
side dial.

SENSITIVITY: Extremely sensitive with exceptional signal to noise ratio on both FM and AM.

TUBES: (7) TYPES: 6U8 F.M. R.F. Amplifier and Mixer, 6BE6 A.M. converter, 6AU6 F.M. limiter, 12AT7
F.M. OSC. — A.F.C., 6BA6 1st F.M.-A.M. I.F. amplifier, 6AU6 2nd F.M. I.F. amplifier and A.M. detector,
6AL5 F.M. discriminator, Selenium rectifier.
CABINET: Handsomely finished baked enamel two-tone steel cabinet of attractive modern design.

SIZE: 13"W, 41%"H. 9"D.

STOCK #IMPERIAL-C7

Shpg. Wgt. 12 Lbs.

DE WALD "TROUBADOUR" 12 WATT AMPLIFIER

PRE-AMP EQUALIZER

Reg. Sold For \$49.50



CONCORD'S PRICE

Full 12 watt output

Harmonic distortion: 11/2 % at 10 watts

Controls: Selector (Aux, or Crystal, LP, 78, POP), loudness, treble, bass

Inputs for radio, phono, tape recorder.
Equalizers: LP, 78, POP.
Tubes: 2-12AX7's, 2-EL84's, 1-EZ81, rect.
Cabinet: Handsomely finished in two tone.


Compact Size: Only 13" x 41/8" x 63/8".

De Wald's proven quality for over a quarter century is reflected in the "Troubadour". Priced so low, anyone can afford the Juxury of HI Fidelity. When used with "Imperial" FM/AM tuner, you will have a complete HI-FI ensemble.

STOCK # DW-L5000-C7 Shipping Wgt. 15 Lbs.



Proach to HIGH FIDELITY



PILOT MODEL FA-550 TUNER With Pre/Amp & Controls

SPECIFICATIONS:

- SPECIFICATIONS:
 Dual Cascade Limiter Discriminator on FM.
 Audio Freq. Response: 20-20,000 cps.
 Audio Distortion: Less than 0.2% at 1 V. Output.
 Detector Output Imp. 500 Ohms Cathode Follower.
 Equalizers: LP, NAB, AES, RIAA, Tape.
 Beacon Tuning for "Pinpoint" Station Selection.
 Tube Complement: (12) 2-6BA6, 1-6U8, 1-6AL5,
 2-6AU6, 2-12AT7, 1-12AU7, 1-12AX7, 1-5Y3GT,
 1-EM81.
- For Operation: 110-120V. 50/60 Cycle AC.

e For Operation: 110-120V. 50/60 Cycle AC. Modern, top engineered FM/AM tuner. The built-in preamp features a full set of controls making the FA-550 an ideal companion for the AA-410A or AA-906 basic amplifiers. Tuned RF stage and dual cascade limiterins and the stage and dual cascade in the stage and the stage and the stage and the stage in the stage and the stage and the stage in the stage and the stage

Measures: 43/4"h x 141/2"w x 101/4"d. STOCK #PIL-FA-550-C7 Shipping Wgt. 20 Lbs.

PILOTONE MODEL AA-906

60 WATT WILLIAMSON TYPE AMPLIFIER

Pilot offers the discriminating "Audiophile" the utmost in a 60 watt basic amplifier. Compact in size, the AA-906 is "loaded" with custom features. Can be used with any Hi-Fidelity preamplifier or tunter equipped with a pre-amplifier, as the FA-550.

POWER OUTPUT: 60 watt (100 watt maximum) HARMONIC DISTORTION: 1% at 60 watts output over the frequency range 20-20,000 cps.

INTERMOD. DIST .:

NEGATIVE FEEDBACK: HUM & NOISE: QUTPUT IMPEDANCE: SPEAKER TERMINALS: INPUT IMPEDANCE: SENSITIVITY:

POWER CONSUMPTION:

TUBE COMPLEMENT:

OVERALL DIMENSIONS: 7"

STOCK #PIL-AA-906-C7 Shipping Weight 38 lbs

=1 db 20/20,000 cps at 60 watt output 19 db 96 db below 60 watts .8 ohm at the 8 ohm terminat 0, 8, 16 ohm and 70.7 volts 470,000 ohms 1.4 volts for 60 watts output 105-120 volts, 60 cycle AC, 215 watts 2—6SN7's, 2—6550's, 2—003's, 1—5U4GA. 7" D x 14" L x 9" H

CONCORD'S PRICE

PILOTONE MODEL AA-410A BASIC 20 WATT WILLIAMSON TYPE

POWER OUTPUT: 20 Watts maximum.

FREQUENCY RESPONSE: ± 0.5 db 20 cps. to 20,000 cps. at rated output (20 Watts).

TOTAL HARMONIC DISTORTION: Less than 1% at 20 Watts from 30 cps. to 15,000 cps. Less than 0.1% at 5 Watts from 30 cps. to 15,000 cps.

INTERMODULATION DISTORTION: Less than 2% at rated output. (50 and 7,000 cps.: 4/1).

SENSITIVITY: 1.0 volt for rated output (20 Watts) (Input resistance 470,000 chms).

HUM AND NOISE LEVEL: 90 db. below rated output.

SPEAKER OUTPUT IMPEDANCES: 4, 8, and 16 Ohms.

TUBE COMPLEMENT: 1-6C4, 1-12AU7, 2-6L6GB's, 1-5Y3GT, Rect.

SIZE: 4" x 123%" x 6".

FEATURES
Heavy gauge steel chassis finished in brushed gold.

FEATURES
Heavy gauge steel chassis finished in brushed gold.
Output and power transformers potted for long life, impervious to atmospheric conditions, finished in gleaming black ename!.
Compact chassis size for easy mounting in minimum

space. Supplied with removable feet and chassis mounting

Supplied with removable feet and chassis mounting screws and washers.

For use with 110-120 volts, 50-60 cycle AC. A modern 20 watt Williamson-type High Fidelity basic amplifier. Pilot's engineering "went way out" in adding features to the AA-410A. Makes an ideal mate for the FA-550 Tuner. Since this unit is remotely controlled through your tuner, it can be placed in any convenient spot of your choice.

050 STOCK #PIL-AA-410A-C7 CONCORD'S PRICE Shipping Wet, 16 lbs.

PILOT MODEL FA-540 FM/AM TUNER

Distinguished for maximum performance, at the Jowest price possible for a luxurious high fidelity tuner, the new FA-540 incorporates many superb features hitherto unheard of at its moderate price. Flywheel uning, audio amplifier with cathode follower output, beacon tuning for "pinpoint station selection". 10 KC whistie filter, 3 ganged tuning condenser, high gain ferrite loopstick antenna. AFC control, I.F. wave trap for rejection of unwanted signals within the I.F. passband. Handsomely styled in attractive brass and burgundy.

SPECIFICATIONS
AUDIO FREQUENCY RESPONSE: ± 0.5 db 20 cps to 20,000 cps.
POWER CONSUMPTION: 50 watts, 117 volts, 60 cycles.
SENSITIVITY: FM-3.5 microvolts for 20 db of quieting.
TUNING RANGE:
FM-88 to 108MC.
AM-540 to 1700KC.
HUM LEVEL: 70 db below 1.0 volt.
MAXIMUM AUDIO OUTPUT: 5 volts.
AUDIO DISTORTION: 0.2% at 1 volt output.
TUBE COMPLEMENT: 6BA6-RF Amplifier. 6U8-Oscillator, mixer. 6BA6-1st IF Amplifier. 64M6-2nd IF Amplifier, AM Detector. 6AL5-FM Ratio Detector. 12AU7-Audio Amplifier, cathode foilower. 6AB4-Automatic Frequency Control. 6X4-Power Rectifier. EM-81 "Beacon Indicator.

Indicator. DIMENSIONS: 434" High x 13-1/6" Wide x 8-21/32" Deep.

STOCK #PIL-FA-540-C7 Shipping Weight: 14 lbs. CONCORD'S PRICE

MODEL AA 920 PILOTONE LLIAMSONTYPE

and

A completely new 20 watt Hi-Fi, Williamson Type Amplifier-complete with preamplifier and tone controls that reflects the ultimate in engineering skill by PILOT.

AA-920 CONTROL AMPLIFIER Rated output at less than 1% distortion: 20 watts (40 watts peak); frequency response: 20 to 20,000 cycles, ±1db. Preamp-Audio-Control section - hum-free DC on tube heaters; tape head and phono inputs with separate equalization; loudness-contour and volume controls; continuously variable phono input impedance; 3-position rumble and scratch filters; bass and treble controls; tape recorder output unaffected by controls; 4, 8 and 16-ohm speaker terminals. Housed in handsome enclosure finished in brushed brass and burgundy. Measures: 43/4"h x 131/4"w x 9"d.

For operation on 110-120V.-50/60 cycle AC. TUBE COMPLEMENT: 2-12AX7's, 1-6C4, 1-12AX7 2-6L6GB's, 1-5Y3GT Rect. CONCORD'S PRICE \$9950

STOCK #PIL-AA-920-C7

Snipping Wgt. 22 lbs.

PILOTONE MODEL AA-903B

CONCORD'S PRICE TYPE AMPLIFIER

Master level setting control and loudness control with Fletcher Munson characteristics.

master level setting control and loudness control with Fletcher Munson characteristics.

Selector switch to choose signal from any one of 5 playback equalizers.

Tape output jack ir-ependent of volume, loudness and tone controls.

Individual full range bass and treble controls with "flat" positions at center setting of control knobs. Williamson type circuit for true High Fidelity. Detachable front panel plate for convenient custom installation on panel up to 3/6" thick. Convenience Outlet, controlled by On-Off Switch. Tape Head Input and Equalizer for Tape Playback. Front Panel Switch for Rumble and Scratch Filters. Fully enclosed in Brushed Brass Case.

SENSITIVITY: For full output; Phono, Tape Head 3 MY; Radio, Aux, Tape Amp. 150 MY.

MUM LEVEL: 80 db below full output.

POWER OUTPUT: 14 watts.

TOTAL HARMONIC DISTORTION: Less than 1% at 14 watts — I.M. 1.5% at 14 watts.

TOTAL HARMONIC DISTORTION: Less than 1% at 14 watts - I.M. 1.5% at 14 watts.
NEGATIVE FEEDBACK: 21 db.
SPEAKER OUTPUT IMPEDANCES: 4, 8, and 16 ohms.
POWER CONSUMPTION: 70 watts, 117 volts, 60 cycles AC.
EQUALIZERS: LP, NARTB, AES, RIAA, TAPE HEAD.
TUBE COMPLEMENT: 3—12AX7's, 2—EL84's,
1—EZ-81RECT.
OVERALL DIMENSIONS: 4¾4" High x 13¼4" Wide x 9% Deep.

STOCK #PIL-AA903B-C7 Shipping Wgt. 17 lbs.

Concord UNITS AT offers

PILOT HF-42 with "BEACON" TUNING

A completely new, compact, matched 'all-in-one' chassis with FM-AM Tuner, Preamplifier-Equalizer and 20 Watt Williamson Type Amplifier in one bandsome enclosure.



. FM-AM Tuner - tuned FM-AM Tuner — tuned RF stage and dual cascade limiter-discriminator for extreme FM sensitivity: 20db quieting with 2.5uv at 30% modulation and with 1.0uv at 100% modulation; AM sensitivity: 3.0uv for 1 volt DC at detector; BEACON tuning; AFC with disabling switch; temperature-compensated oscillator; 10 KC filter for AM; flywheel tuning; built-in FM and AM antennas; and terminals for external antennas. Preamp-Audio-Control — hum-free DC on tube heaters; tape head and phono inputs with separate equalization; continuously variable phono input impedance; bass and treble controls; loudness-contour and volume controls; and tape recorder output, unaffected by controls.

by controls.

by controls,

Power Amplifier — Williamson-type with rated output
of 20 watts (40 watts peak) at less than 1% distortion; specially wound output transformers; frequency response: 20 to 20,000 cycles, ±1db; builtin rumble filter; 4, 8 and 16-ohm speaker terminals.

Enclosure — finished in brushed brass and burgundy.

Measures: 4%"h x 14%"w x 12½"d. For operation
on 110-120V., 50/60 cycle A.C.


TUBE COMPLEMENT: 2-68A6's, 1-6U8, 1-12AT7, 2-6AU6's, 1-6AL5, 1-12AX7, 1-604, 1-12AU7, 2-6L6GB's, 1-EM81, 1-6X4, 1-5Y3GT.

STOCK #PIL-HF-42-C7

Ship. Wgt. 27 Lbs.

PILOTONE AA-900 AMPLIFIER

A completely new 10 watt Hi-Fi, Williamson Type Amplifier — complete with preamplifier and tone con-trols that reflects the ulti-



SPECIFICATIONS
Frequency Response: + 1 db 20 to 20,000 cps.
Sensitivity: For full output; Phono, 8 MV; Radio, Tape
150 MV.
Hum Level: 70 db below full output.

Hum Level: 70 db below full output.

Power Output: 10 watts.

Total Harmonic Distortion: Less than 1% at 10 watts.

— I.M. 1.5% at 10 watts.

Speaker Output Impedances: 8 ohms.

Equalizers: LP, AES, RIAA, NARTB

Tube Complement: 3—12AX7's, 2—EL-84's (Output)

EZ81 Rect.

Overall Dimensions: 5½" High x 13¼" Wide x 7¼"

Deep.

SPECIAL FEATURES

Frequency response unaffected by volume control setting.

Selector switch to choose signal from any one of 4 playback equalizers.

Output transformer is made with interleaved Winding for improved high frequency response.

Individual full range bass and treble controls with "flat" positions at center setting of control knob.

Detachable front panel plate for convenient custom installation on panel up to %? thick.

Convenience Outlet, controlled by On-Off Switch.

Hum balance control.

Control panel switch for operating either of two speakers or both.

STOCK #PIL-AA-900-C7 Ship. Wgt. 16 Lbs. PILOT FM-530 BASIC FM TUNER With "Beacon Tuning"



CONCORD'S

SPECIAL FEATURES

Automatic Frequency Control (AFC) for ease in tuning. One position of selector switch provides for turning off the AFC to allow tuning to a weak station ad-

jacent to a strong station.

Tuned RF Amplifier stage for improved sensitivity
and selectivity.

Temperature compensated oscillator for negligible

Fully shielded against oscillator radiation to conform with FCC radiation specifications.

Convenience Outlet, controlled by On-Off Switch.

SPECIFICATIONS

Power Consumption: 50 watts, 117 volts, 60 cycles

Sensitivity: 3.5 microvolts for 20 db of quieting Tuning Range: 88 to 108MC

Hum Level: 70 db below 1.0 voit.

1.0 Vott.
Maximum Audio Output:
5 volts
Audio Distortion: 0.2% at
1 volt output
Audio Frequency Response:
+ 0.5 db 20 cps to
20,000 cps

Audio Output Impedance: 500 ohms, cathode fol-

Shipping Weight: 12-pounds

Selectivity: 6 db down at 200KC. Radio detector peak to peak separa-tion 320KC. Radio de-tector response is lin-ear for 190KC


Antenna Input: Balanced 300 ohms, or built-in line cord antenna.

Tube Complement: 2-6BA6's, 1-6U8, 1-6AU6, 1-6AB4, 1-12AU7, 1-6AL5, 1-6X4, 1-EM-81

Overall Dimensions: 434" High x 13-1/16" Wide x 8-21/32" Deep

STOCK #PIL-FM-530-C7

PILOT HF-30 with BEACON" TUNING



CONCORD'S PRICE COMPLETE 12 WATT FM-AM HI-FI SYSTEM

"Beacon Tuning" means Pinpoint Station Selection! The Pilot HF-30 is a new, compact, medium powered all-in-one High Fidelity FM-AM Tuner, Preamplifier-Equalizer and 12-watt Williamson Type Amplifier: Completely enclosed in a rich, brushed brass finish metal case, the HF-30 is a handsome unit that blends with all wood finishes and furniture styling for table top or book shelf and is easily adaptable for custom installations. installations.

SPECIAL FEATURES
Speaker selector switch for simultaneous or separate operation of two speaker systems.
Loudness contour switch for compensation of Fletcher-Munson effect.
Tuned RF stage for improved selectivity and sensitivity.

sensitivity.

Output jack for tape recording independent of

controls. Variable phono load control matches all magnetic

variable phono load control matches all magnetic cartridge types.

Equalization RIAA built-in, LP, NARTB, AES at calibrated points on tone controls.

Separate bass and treble tone controls.

Automatic Frequency Control (AFC) has disabling cuited.

switch. switch.
Built-in antennas for AM and FM reception.
Smooth flywheel tuning.
10KC AM whistle filter pre-adjusted at factory.
Output impedance for 8 and 16 ohms.
Conforms to FCC standards on oscillator radiation.
Convenience outlet for record changer.
For operation on 50/60 cycle 110-120V. A.C.

STOCK #PIL-HF-30-C7

Ship. Wgt.

Lbs.

PILOT MODEL 1025 "ENCORE"

HI_FIDELITY HONOGRAPH

The "Encore" is a luxurious tabletop high fidelity phonograph, housed in a cabinet of selected hardwood veneers, handrubbed to a lustrous warm finish. Available in cordovan mahogany, blonde, mahogany, or cherry. Optional equipment includes a Table Stand Leg Kit which converts the Encore into a convenient Chairside unit.

STOCK #PIL-1025

Ship. Wgt. 50 Lbs.

FEATURES:
Full 8 watt output (P.P. 6V6's.)
Freq. Response: 50-20,000 cps.
Garrard RC121 4 Speed Automatic Changer.
Two Speakers:
8" Heavy Duty Woofer.
6" Tweeter in Acoustically Vented Enclosure.
Wide Range Tone Plus Treble Controls.
Aux. Input for AM/FM Tuner or Tape Recorder.
Phono Equalizers: LP, RIAA, FOR.
External Speaker Switch permits use of Internal or External Speakers or Both.
For operation on 110-120V., 60 cycle AC

CORDOVAN MAHOG.

CONCORD'S PRICE

TABLE STAND LEG KIT \$ 0 50

STOCK #PIL-LEGKIT-C7 Ship. Wgt. 5 Lbs.

BLONDE MAHOG. CHERRY

Concord Sugarth Challenger Amplifiers Bogen Styling and Economy

20 watt universal mobile amplifier

Operates on 117 volts AC, 12 or 6 volts DC. Wide-range response, individual controls for microphone, treble, bass and phono. Separate boost/cut bass and treble controls; advanced design push-pull output circuit with negative feedback; built-inverter provides 117 volts AC, 60 cps power to built-in or external phono for battery operation; rugged construction; plug-in connectors for speaker line; 70-volt line decorator styling. Power Output: 20 watts. Response: \$\geq 2\$ db, 30 to 15,000 cps. Inputs: One microphone, one phono. Gain: Microphone, 120 db; Phono, 76 db Hum and Molse; Fundamental \$-75\$ db below rated output. Microphone \$-55\$ db and Phono \$-75\$ db below rated output. Tone Controls: Bass, \$+12\$ db to \$-12\$ db at 60 cps; for 120 volts Dc. 20 db; Phono, 76 db of 00 cps. Output Impedances: 4, 8, 16 and 245 ohms; 70-volt line. Tubes: (6) 2-64 v6GT; 1-6A X 5GT; 2-12A X 7. Power: 117 volts; 88 watts with phono at 6 or 12 volts DC. Dower Consumption: (at full signal), 80 watts at 117 volts; 88 watts with phono at 6 or 12 volts DC. Dimensions: CHA620, 15 \(\frac{1}{2} \) wide. 10° deep, 8\(\frac{1}{2} \) high; CHA620 X, 30 lbs. AC and DC cable supplied.

Bogen Model CHA620 Amplifier—With tubes and cage.

Bosen Model CHA620Y Amplifier With Phone Top-With tubes, cage, AC and DC cable, built-in three-speed phono top, Ronette turnover cartridge



Reg. Less Phono

Reg. With 3 Spd. Phone

\$158.00 Dual use with mobile 6 or 12 volt systems and with 110 volt lines

\$180.25

- Built-in power inverter for phono operation
- Full 20 watts output
- Rugged construction
- Cage included in price

CD6 AND CD12 6 WATT AMPLIFIERS **6 AND 12 VOLT OPERATION**



CONCORD'S PRICE

Specify Voltage

- · Fulfills today's need for P.A. application where battery operation and space design are a must!
- · Output 6 watts
- Complete with tubes and cage

CD6 AND CD12 6-WATT AMPLIFIERS, 6 AND 12 VOLT OPERATION
CD6 operates from a six-voit battery, CD12 from a 12-voit battery. Universal mounting permits four alternate mounting positions. Remote control of "standby" reduces
current drain. Vibrator epiaceable from front without dismounting amplifier or
removing cage. Cable built-in. Primary power circuit physically, isolated from high
Fused Control to removing the control of the control of

REG. \$6750

CHA

33 WATT AMPLIFIERS CONCORD'S PRICE

Full 33 watts

• 2 Microphone Inputs

· Decorator Styling

• Includes tubes and cage

• Response: 30-15,000 cps. \$6150 Less Phono

With Phono

Reg. Less Phono Reg. With 3 Spd. Phono \$132.50 \$102.50

Features wide-range response, two microphone inputs, individual controls for each microphone, and for treble, bass and phono. Separate boost/cut bass and treble tone controls; advanced design push-pull output circuit with negative feedback, rugged construction; plug-in connectors for speaker line; 70-volt line; decorator styling. Power Output: 33 watts. Response: ±2 db, 30-15.000 cps. Inputs: Two microphone, one phono. Gain: Microphone, 120 db; Phono, 82 db. Mum and Noise: Fundamental, -75 db below rated output; Microphone -55 db and Phono -75 db below rated output. Tone Controls: Bass +12 db to -12 db at 60 cps; Treble +5 db to -17 db at 10.000 cps. Output Impedances: 4, 8, 16 and 148 ohms; 70-volt line. Tubes: (7) 2-61.6GB; 2-573GT; 2-12AXT; 1-6AV6. Power: 117 volts; 60 cps. Power Consumption: 135 watts at full signal. Dimensions: CHA33, 14% wide, 84% deep. 61% high: CHA33Y, 30 lbs.

Bogen Model CHA33Y Phone-Top Amplifier—With built-in three-speed phono top, Ronette turnover cartridge, tubes and cage.



LOW COST INTERCOMS **CHALLENGER MODEL 200**

This complete 2 station system is equipped with the outstanding new "Dual-Duty" volume control. Can be set to eliminate use of Press-To-Talk switch at Remote station. Perfect for use in sickroom and nursery. Permits Remote station to continue to communicate any sounds in its area. The "Dual-Duty" volume control can be turned to silence Remote station. Also can be adjusted so that Remote station can call Master by pressing Talk Bar. To call, simply operate Press-To-Talk bar on Master. System consists of Master station, Remote station and 50 ft. of cable. Easy to connect — just plug in interconnecting cables and attach to 110-120 volt AC-DC line. Both units housed in smartly styled cablnets. Shpg. Wt. 10 lbs.



Extra 45' extension cable with plugs Net \$ 2.31





20 WATI **AMPLIFIERS**

- 20 watts output
- Wide range response: 30-15,000 cps.
- · Advanced design P.P. output
- Decorator styling
- Cage included in price

CONCORD'S \$50 .10 \$6810

REG. PRICE

Wide-range response, individual controls for microphone, treble, bass and phono. Separate boost cut bass and treble controls; advanced design push-pull output circuit with negative feedback; rugged construction; plug-in connectors for speaker line; 70 voit line; decorator styling. Power Output: 20 watts. Response: 2 db. 30 to 15.000 cps. Inputs: One microphone, one phono. Gain: Microphone, 120 db. Phono. -55 db and Phono. -75 db below rated output. Output impedances: 4, 8, 16 db. 245 olms; 70-voit line. Tone Controls: Bass, +12 db. 12 db ac 10.000 cps. Tubes: (5) 2-dv8GT; 1-6-X5GT; 2-12AX7. Power: 117 voits AC. Power Consumption: 80 watts at full signal. Dimensions: CHA20, 14¼° wide. 8¼° deep, 8½° high; CHA20X; 14¾° vide, 8½° deep, 10½° high; CHA20X; 14¾° vide, 8½° deep, 10½° high: CHA20X; 14¾° vide, 8½° deep, 10½° high: CHA20X; 123 bbs. Begen Model CHA20X Amplifier With Phono Top—With tubes, cage, built-in three-speed phono top, Ronette turnover cartridge.

CHA10 10 WATT AMPLIFIERS



F-1207S Model 1207S

· 10 Watt Power Output

Ideal for use in stores, churches, etc.

Latest 1958 Circu try

Response: 30-15,000 cps.

CONCORD'S PRICE

\$5750 Cage for above

REG.

CONCORD'S PRICE

\$3.90

A champion for low-power applications, Wide-range response; SELECTONE for quick, easy tonal adjustment; individual controls for microphone, phono and tone. Advanced negative feedback circuit. Rugged construction, plug-in connectors, decorator styling or Output: 10 watts. Response: *2 db, 30 to 15,000 cps. Huputs: Other microphone, one phono. Galia: Microphone, 115 db: Phono, 76 db and Phono, -70 db below rated output. Microphone, -55 db and Phono, -70 db below rated output, Output Impedances: 4, 8 and 16 ohns. Tone Control: Selectione—Deep Bass, Mellow, Citisp, Brilliant, Tubes: (4) 1-6L6GB; 1-6AU6; 1-6AV6; 1-6BW4; Power: 117 volts, 60 cps. Power Consumption: 70 watts at full signal. Dimensions: 11" wide, 74.5" deep, 54.5" high; with cage, 64.5" high. Shipping Weight: 10 lbs.; with case, 124 lbs.

Bogen Model CAG10—Cage for CHA10 Amplifier.

Reg. Price 6-50

ONLY THE

FINEST!

CHALLENGER MODEL 600

The complete intercom system. Uses a single Master The complete intercom system. Uses a single Master and up to 5 Remote stations or in an all Master system of 6 stations. Master has bar type Press-To-Talk switch, volume control and 7 position selector switch. First 2 positions for "Mute" and "All". In single Master systems "Mute" silences background noise at Remote stations. In "Mute" position Remote can still initiate a call to Master "All" permits Master to operate as a paging system. Remote unit has call bar. 3 tubes, AC-DC.

F-600 Model 600 Master Station,Net	\$2	23.43
F-60R Model 60R Remote Station, Net	\$	7.76
F-1203S Model 1203S Cable for system 1, 100'	\$	4.14

Cable for Master System — 100' \$ 7.50







6 WATT MOBILE AMPLIFIER FOR 6 VOLT (or) 12 VOLT OPERATION

1-CD6 amplifier with tubes, cage and cable, 1-University IB8 trumpet and 1-Bogen-EV 927 crystal microphone with stand, 10' cable and MC1F connector.

SPECIFY: MODEL CD-6U FOR 6 VOLT OPERATION MODEL CD-12U FOR 12 VOLT OPERATION

CONCORD'S PRICE Reg. 117.95









-1800' LP HI-FI TAPES AY tape Record

TURING! TRANSISTOR PRE-AMPLIFIER!

E COUNSELLOR" model 732

SOLD EVERYWHERE FOR \$129.95

Here's modern engineering plus top styling in a 2 speed tape recorder. Featuring the famous push-button keyboard plus transistorized preamplifier. Check these fine features!

FEATURES:

Tape speeds: 3.75, $7\frac{1}{2}$ ips. Speaker: wide response 4"

Miller

MARIE

Includes fine humi-seal crystal micro-

phone.
Record level indicator show "normal" or "distort."

Separate volume and tone controls.
Positive automatic erase feature.

watt hi-fi amplifier doubles as public address system.

address system.
Freq. response: 85 to 8500 cps.
Record monitor switch: enables speaker
to be switched on in record position.

Stereo-head kit available. Size: 14" x 12" x 8".

For: 117 volts 60 cycle AC.

SAVE OVER \$47.00

NORMAL PRICE-"THE COUNSELLOR" \$129.95 3 1800' LP TAPES @ 4.95 \$144.80 TOTAL

CONCORD'S LOW PRICE

Shipping Wt.26 Lbs.



FREE! 3 1800' LP HI FI TAPES!

FEATURING TRANSISTOR PRE-AMPLIFIER!

"PRESIDENT"

model 772 CONCORD'S PRICE

Built for the discriminating audiophile the "President" includes many 195

Automatic shut-off switch

Tape speeds: 3.75, 71/2 ips.

PP amplifier delivers 8 watts un-distorted output,

Visual tape index.

Two record level indicators, Nor-

and distort.

Push pull recording and playback.

Storage compartment for spare tapes and accessories.

Roving speaker for sound distri-

bution. Low wow and flutter: 3% @ 71/2 ips.

NORMALLY SOLD FOR "THE PRESIDENT"
3 1800' LP TAPES @ 4.95 \$229.95 \$244.80

REG. TOTAL

SAVE OVER \$72.00

Sixe: 151/4" x 141162" x 91/2".

Includes humi-seal hi fi crystal e Built-in amplifier doubles as P A microphone with push to talk.

Two speakers: 5" x 7" and hi freq. tweeter.
Record monitor switch: permits speaker to be used while record

Stereo head available.

. HI FI RESPONSE: 65 to 10,000 cps • 5 x 7 WIDE RANGE SPEAKER SAVE OVER

FULL TRANSISTORIZED PRE-AMPLIFIER

"THE SENATOR"

model 752

• Size: 13%" x 1411/32" x 8%". • For 117 Voit AC/60 Cycle.

Sold nationally for \$169.95 **CONCORD'S PRICE**

Normally sold for "The Senator" \$169.95 3 1800' LP Tapes @ 4.95 Reg. Total Price \$184.80

\$57.00

STOCK # SENATOR C-7 SHIP. WGT. 32 LBS.

• 5 x / WIDE RANGE SPEAKER
Designed for simplicity of operation, top performance in a moderate priced unit. Wilcox Gay engineers have added a host of features including—Automatic stop, Radio-Phono-TV Input Jack, Full Range Volume and Tone Controls, Record Lock, Visual Tape Index, TWO Record Level Indicators for "Normal" and "Distort" indication, External Speaker Jack, Storage Compartment for additional tapes and accessories, Record Monitor Switch which permits you to monitor while recording. Fast Rerapes and accessories, Record Monitor Switch which permits you to monitor while recording, Fast Rewind and Fast Forward, Safety catch on reel pan spindle. Wow and Flutter kept to .35% © 7½ sps. Included with your Senator is a fine Crystal Microphone, empty 3" and 7" reels, plus 3 1800" bi-fi tapes. Steree-Head and Roving Speaker are available at extra cast able at extra cost,

FREE! 3 1800' LP TAPES

For 117 volts 60 cycle AC. Illino Stock # PRESIDENT-C7 Ship. Wgt. 40 Lbs. Hind all III



CUSTOM LEADER OF THE WILCOX GAY LINE

the "ROYAL" model 782

CONCORD'S PRICE

SAVE OVER \$82.00

Complete

Separate full range tone and volume controls, Push-Pull Record and Playback, Two Record Level Indicators show "Normal" and "Distort," Storage Compartment for extra reels and accessories, Automatic Shutoff, low wow and flutter, Record Monitor Switch lets you use built-in speaker for monitoring recordings. Fast Rewind and Fast Forward. Free fine crystal microphane, Record Lock, Radio-Phono-TV Input Jack. Unique design allows unit to be used as PA System, while recording music or speech. A Stereo Head Kit is available at extra cost.

3 SPEAKERS, P.P.

Response: 65-15,000 cps. OUTPUT, REMOTE CONTROL Transistor pre-amplifier

Size: 163/4" x 161/2" x 111/4".

Visual tape index
8 watt hi fi amplifier
Speed selector: 3.75 and 7½ ips.
For use with 117 v. 60 cycle AC. NORMALLY SOLD FOR-THE ROYAL \$269,95

Free remote control Free roving speaker @ 4.95

Stock # ROYAL-C7

14.85 REG. TOTAL \$284.80 Ship. Wgt. 50 Lbs.



"EXECUTIVE model 762 **REG. PRICE \$199.95**

the

CONCORD'S PRICE COMPLETE

SAVE OVER \$64.00!


NATIONALLY SOLD FOR "THE EXECUTIVE" \$199.95 3 1800' LP TAPES


@ 4.95 REG. TOTAL \$214.80

FEATURING PUSH-PULL 8 WATT HI-FI AMPLIFIER!

"ROLL A WAY" COVER. FREQ. RESPONSE: 65 to 12,500 cps.

FREQ. RESPONSE: 65 to 12,500 cps. "ROLL A WAY" COVER. An outstanding example of Wilcox-Gay engineering, the "Executive" lists an amazing number of features. Transistor Pre-Amplifier, two tape speeds, 3.75, 7½ ips, TWO speakers, 5 x 7 plus a high frequency tweeter, visual tape index, record monitor switch, push-pull recording and playback. A storage compartment for spare reels of tape and accessories, PP 6AQ5's, full range volume and tone controls, Hifi crystal microphone, Automatic shut-off switch, amplifier doubles as public address system. Two record level indicators for distort and normal readings, fast rewind and fast forward low wow and flutter. Includes 5" reel tape, 7" empty reel, line cord, "patch cord" for use with radio, TV or phono. Accessories available for stereo, remote control kit, and roving speaker.











Shipping Wgt. 39 Lbs. Stock # Executive-C7








TAPE COMPONENT SYSTEMS

The fully flexible way to select any combination of Pentron tape transport mechanism and tape preamplifiers to custom install in your home. This is well-engineered equipment for recording, playback, monaural and stereophonic sound. Designed for use with hi-fi systems, Pentron compo-

nents exploit the full sound potential of tape at low cost. All mechanisms mount horizontally, vertically, or at any angle. All CA series units are intermatched, with gold front panel and black perforated cage. All components carry a full 90 day guarantee on parts and labor.

MAY BE MOUNTED VERTICALLY

TAPE MECHANISMS



TAPE MECHANISMS



PREAMPLIFIER CA-13

PLAYBACK PREAMPLIFIER AND RECORD AMPLI-FIER. Controls: Record/Play switch; Gain control; power switch; safety interlock record button; hum adjusting control, Indicator: Illuminated professional VU meter. Frequency response: 40-14,000cps. Signal to Noise Ratio: 50 to 55 db, Bias: 110 volts at 32 KC erase; push-pull oscillator. Output level: 1 volt rms. Output impedance: 10,000 ohms. Output: 1 power amplifier; phono jack. Inputs: 1 mike phono jack; 1 radio phono jack. Input level: Mike: .001 volts high impedance (60 db below 1 volt) Radio or phono: 0.5 volt high impedance. NARTB modified equalization, Cutout: 11-5/16" x 5" x 8" deep. Power: 115 v, 60 cycle AC only: 15 watts playback; 20 watts record. Shipping weight: 6 lbs. CONCORD'S

MODEL CA-13 PRICE \$79.95.

Model TM-1 FOR MONAURAL.RECORDING AND PLAYBACK. Holf-track combination record/ play/erase head, Track width: .093". Gap width: 1/4 mil, Single rotary control for Drive, Fast Forward, Fast Rewind. Quik-Flip speed change lever for 71/2" or 31/4" tape speed located at front of deck, Flutter: Under 0.4% at 71/2 ips, Capstan Drive: Idler driven, Motor: heavy duty 4 pole induction type, Braking: Automatic self-energizing differential, Outputs: 4 standard pin jack outputs. Two auxiliary AC outlets controlled by mechanism power switch. Supplied with removable mounting brackets with shock mounts plus cutout template drawing. Cutout: 10-3/32" x 13" x 7". Power: 115 v, 60 cycle AC only: 55 watts, Shpg, wt.: 14 lbs.

MODEL TM-1

CONCORD'S

LOW PRICE

Model TM-3 FOR STEREOPHONIC (staggered system) RECORDING AND PLAYBACK PLUS MON-

AURAL RECORDING AND PLAYBACK. Two half-track combination record/play/erase heads. Track width: .093". Gap width: 1/4 mil. Single rotary control for Drive, Fast Forward, Fast Rewind. Quik-Flip speed change lever for 71/2" and 33/4" tape speeds located at front of deck. Flutter: Under 0.4% at 71/2 ips. Capstan Drive: Idler Driven, Motor: heavy duty 4 pole induction type. Braking: Automatic self-energizing differential. Outputs: 4 standard pin jack outputs, Two auxiliary AC outlets controlled by mechanism power switch. Supplied with removable mounting brackets with shock mounts plus cutout template drawing. Cutout: 10-3/32" x 13" x 7". Power: 115 v, 60 cycle AC only: 55 watts. Shpg. wt.: 14 lbs.

MODEL TM-3 CONCORD'S \$95.00

Model TM-4 FOR STEREOPHONIC RECORDING AND PLAYBACK (STACKED, INLINE OR STAGGERED SYSTEMS) PLUS MONAURAL RECORDING AND PLAYBACK. One half-track combination record/erase/play head and one stacked stereo head. For recording either type of stereo, use fresh or bulk erased tape. Track width: .093". Gap width: 1/4 mil. Single rotary control for Drive, Fast Forward, Fast Rewind. Quik-Flip speed change lever for 71/2" and 3¾" tape speeds located at front of deck, Flutter: Under 0.4% at 7½ ips. Capstan Drive: Idler driven. Motor: heavy duty 4 pole induction type, Braking: Automatic self-energizing differential. Outputs: 4 standard pin jack outputs. Two auxiliary AC outlets controlled by mechanism power switch. Supplied with removable mounting brackets with shock mounts plus cutout template drawing. Cutuout: 10-3/32" x 13" x 7". Power: 115 v, 60 cycle AC only: 55 watts. Shipping weight: 14 lbs. CONCORD'S \$ 3.95 PRICE

MODEL TM-4

CONCORD'S PRICE

PREAMPLIFIER CA-11

TAPE PLAYBACK PREAMP. Controls: 1 gain control with on-off switch; 1 hum adjusting control. Frequency response: 40-14,000 cps. Signal to Noise ratio: 50 to 55 db. NARTB modified equalization. Output level: 1 volt rms Phono jack, Output impedance: 10,000 ohms. Input: molded phono plug; shielded cable. On-off pilot light indica-tor. Cutout: 11-5/16" x 5" x 8" deep. Power: 115 volts, 60 cycle AC only: 15 watts. Shipping weight: 5 lbs.

MODEL CA-11 9NLY \$39.95

Concord Price

PREAMPLIFIER CA-15

STEREO DUAL CHANNEL PLAYBACK PREAMP.

Controls: 1 volume and equalization control for each channel; 1 Master Gain Control; 1 hum adjusting control. Frequency response: 20-20,000 cps. Signal to Noise ratio: 55 to 60 db. NARTB equalized. Outputs: two phono jacks. Output level: 1 volt rms. On-off pilot light. Cutout: 11-5/16" x 5" x 8" deep. Power: 115 volts 60 cycle AC only: 20 watts. Shipping weight: 6 lbs.

MODEL CA-15 ONLY \$79.95

4 CHANNELS MICROPHONE MIXER CA-14

ELECTRONIC MICROPHONE and PHONO MIXER. Four channels. Six high impedance inputs. 4 mike; 2 phono, Response: 20-20,000 cps, Gain: mike: 8 db. Phono inputs at rear of unit. Mike inputs at front of unit. Standard phono jacks, MODEL CA-14

Output connector has plug and screw type coupling. Standard AC plug with 6 ft. cord. Cutout: 11-5/16" x 5" x 8" deep. Power: 115 volt AC 60 cycle only. Draw 5 watts. Shipping weight: 4 lbs.

CONCORD'S LOW-LOW



0

R

IDEAL FOR MULTI-RECORDING

DIGITAL COUNTER KIT FOR ACCURATE EDITING

To add high quality digital, manually resettable automatic index counter. For timing recording length, enabling you to pick out any recordings you wish to hear on the tape. DIGITAL COUNTER KIT 1295

Convert Your Old Pentron To Stereo

STEREO CONVERSION KIT for current Pentron recorders. For stacked (in-line) system. Includes head

CONCORD'S PRICE assembly and preamplifier.

STEREO CONVERSION KIT for older Pentron recorders. For stacked (in-line) system, Includes CONCORD'S head assembly and preamplifier.

PRICE MODEL SA-2 \$3750

it speaks for itself



With 7.ft. Cord. Individually Boxed

LONGER RECORDING AUDIOTAPE

On 1-mill polyester film. Provides 50% more recording time per reet. Base material has exceptional strength and durability, plus longer

			Reg.	1-4	5-9	More
261	225 ft.	3" Plastic in Self- Mailer Pkg.	1.00	0.67	0.67	0.60
961	900 ft.	5" Plastic	3.75	2.50	2.50	2.25
1861	1800 ft.	7" Plastic	6.50	4.33	4.33	3.90
941	900 ft.	5" Plastic	3.50	2.34	2.34	2.10
1841	1800 ft.	7" Plastic	5.50	3.67	3.67	3.30
671	600 ft.	5" Plastic	4.25	2.83	2.83	2.55
1271	1200 ft.	7" Plastic	7.00	4.67	4.67	4.20



SUPER-THIN AUDIOTAPE

On 42-mil polyester. Gives twice as much recording time per reel as standard plastic-base tape. Sultable for extended play applications where tape tension is not excessive.

Reg. 1-4 5-9 More 1231 1200 tt. 5" Plastic 5.00 3.33 3.33 3.00	2431	2400 ft.	7" Plastic	9.25	6.17	6.17	5.55
Reg. 1-4 5-9 More							
				_			More



IOSELF TIMINGLEADER TAI White have taken of white with a strong with speed of intervals. 1.4 5.9 A strong with speed intervals. 1.4 5.9 A material mine of leader intervals. 37 31 Tale timing of leader intervals. 39 31 Tale timing of leader i 3L 100 ft., 1/4" wide, individually Boxed clear. Provide simple Thought of the state of the sta 10 01 More .36 40 50 7" Plastic Reel in Box Ka" center hole *Fiberglass reel

10 or More

.ASTIC

Finest, professional-quality recording tape obtainable. Maximum fidelity, uniformity, frequency response, freedom from noise and distortion. On 1½-mil acetate. 10 nr

		Reg.	1-4	5-9	Mure	
151 150 ft.	3" Plastic	\$0.70	\$0.47	\$0.47	\$0.42	
351 300 ft.	4" Plastic	1.35	.90	.90	.81	
651 600 ft.	5" Plastic	2.25	1.50	1.50	1.35	
1251 1200 ft.	7" Plastic	3.50	2.34	2.34	2.10	

COLORED AUDIOTAPE

Same high quality as conventional plastic-base Audiotape (left), but on blue or green base. Provides instan visual identification of recorded selections spliced into a single reel

5-9 \$0.47 10 or More \$0.47 \$0.42 4" Plastic 1.35 5" Plastic 2.25 351G 651G 300 ft. 600 ft. 351B .90 .81 1.35 1200 ft. 1251G

REG. U.S. PAT. OFF. BRAND

TYPE IIIA STANDARD RECORDING TAPE. plostic reels, 1/4" plostic base "A" type, INTERNA-TIONAL STANDARD OF THE RECORDING IN-DUSTRY.

Stock =	Footage	Reel	List	Eoch 1-11	Ea. Lots of 12
111A-1.5	150	3"	\$.85	\$.56	\$.50
111A-3	300	4"	1.50	.98	.86
111A-6	600	5"	2.25	1.47	1.32
111A-12	1200	7"	3.50	2.29	2.06
111A-24H	2400' (NARTE Hub)	101/1"	8,50	5.56*	5.00t
111A-24R	2400 (NARTB 101/, "Reef)	101/2"	10.90	7.13*	6.411

TYPE 120A HIGH OUTPUT TAPE. Output is 8 to 12 4b. higher than usual tapes. "HIGH OUTPUT" 12 db. higher than usual tapes. "HIGH OUTPUT" coating for high fidelity audio recordings and other special applications. Permits both greater dynamic range and freedom from distortion on signal peaks.

*1-5 Reels

Most signal output at low frequencies. Reel List Each Ea. Lots 1-11 \$1.15 Size 4" 5" Stock # of 12 \$1.03 Footage Price 120A-3 300 ft. \$1.75 120A-6 3.50 2.29 2.06 1204-12 1200 ft 3.23 120A-24H 2400 ft. 101/2" 6.54 10.00 5.881 INARTE

101/2" 12.85 120A-24R 2400 ft. 8.40* 7.561 INARTE 101/1 Reel)

*1-5 Reels to or more reels

SCOTCH	SPLICING TAPE		
		List	Concord's
Stock #	Footage	Price	Price
41-1/15	V2" x 150"	\$.39	\$.35
41-3/45	1/3 x 150°	.49	.45
SCOTCH	WRITE-ON TAPE		
		List	Concord's
Stock #	Feetage	Price	Price
48- 1/4 5	% " m 150"	\$.25	\$.23

TYPE 111AM PE TAPE. An unusually strong, new kind of 1/4" tope which has a polyester "Mylor" backing Excellent frequency response and extremely uniform output. Standard oxide for every recording

need. Coated on extra-strong polyester base.
Reel List Each Each 1-11 Footage Price Size 6 Price 5" \$5.25 7" 9.75 of 12 111AM-6 \$3.43 6.37 \$3.09 600 ft. 111AM 12 1200 ft. 2400 ft. 101/2" 111AM-24H 16.95 11.07* 9.971 INARTE

HUB 2400 ft. 101/2" 19.80 12.94* 11.64† 111AM-248 101/2" Reell

TYPE 120AM PE TAPE. Super-sensitive "High Outoxide is coated on high impact strength

to or more reels

polyester backing. List Ea. Lots Size Price 1-11 5" \$5.75 \$3.76 7" 10.75 7.03 of 12 \$3.38 Footage 600 ft. 1200 ft. 120AM-6 120AM-12 10.75 7.03 6.32 12.39 11.151 101/2 120AM-24H 2400 ft HUB) 2400 ft. 10 1/2" 21.80 14.25* 12.82† 120AM-24R

10 1/2" Reel) +1-5 Reels \$6 or more reels

(NARTS




TYPE 190A EXTRA-PLAY RECORDING TAPE. Gives 50% more footage on standard size reels. 1/4" ccetate plastic base with red oxide cceting. Best high frequency output and pulse resolution.

	Reel	List	Each	Ec. Lets
polage	Size	Price	1-11	of 12
900 ft.	5″	\$3.50	\$2.29	\$2.06
1800 ft.	7"	5.50	3.60	3.23
3600 ft.	10%	10.00	6.54*	5.881
(NARTS				
HUB)				
3600 H.	10%"	12.85	8 40*	7.561
(NARTS				7.301
10% " Re	el)			
7200 ft.	14"	20.00	13.06*	11.761
INARTE				
	14"	26.00	14 080	15.291
		20.00		13.271
			*4	
	1800 ft. 3600 ft. (NARTB HUB) 3600 ft. (NARTB 10 1/5 " Ro 7200 ft.	beloge Site 700 H. 5" 1800 H. 5" 1800 H. 7" 3600 H. 10 ½" (NARTS HUB) 3600 H. 10 ½" (NARTS HUB) 7200 H. 14" (NARTS HUB) 7200 H. 14" (NARTS HUB) 7200 H. 14" (NARTS	setoge Size Price 700 H. 5" \$3.50 1800 H. 7" \$.50 3600 H. 10 ½" 10.00 (NARTS HUB) 3600 H. 10 ½" 12.85 (NARTS HUB) 7200 H. 14" 20.00 (NARTS HUB) 7200 H. 14" 26.00 (NARTS HUB) 7200 H. 14"	oetoge Size Price 1-11 900 H. 5" \$3.50 \$2.29 1800 H. 7" 3.50 3.60 3600 H. 10 1/3" 10.00 6.54° (NARTS HUB) 3600 H. 10 1/3" 12.85 8.40° (NARTB I 19 1/3" Reil) 7200 H. 14" 20.00 13.06° (NARTB HUB) 7200 H. 14" 26.00 16.98° (NARTB

TYPE "PE" POLYESTER BASE NO. 150 MAGNETIC TAPE. "EXTRA PLAY" coating on "WEATHER BALANCED", super-strong polyester backing offers 50% more recording time, best high frequency put-put and pulse resolution.

put and pe	itse resoluti	on.			
		Reel	List	Each	Ea. Lets
Stock #	Feetage	Size	Price	1-11	of 12
150-9	900 fr.	5"	\$4.40	\$2.87	\$2.59
150-18	1800 ft.	7"	7.95	5.19	4.67
150-36H	3600 H.	101/5"	16.00	10.46*	9.411
	(NARTS HUB)				
150-36R	3600 ft.	10%"	17.95	11.93*	10.551
	10 1/2 Res	n-I)			
150-72H	7200 ft.	14"	30.00	19.60*	17.64†
	HUB)				
150-72R	7200 ft. (NARTE 14" Reel)	14"	36.00	23.52*	21,17†
*1-5 Rools				th or m	ore reels



CONCOCIO THE PERFECT COMPANION THE PERFECT COMPANION THE PERFECT COMPANION R TAPE RECORDER

Concord's CODEMASTER"


Complete CODE INSTRUCTION BARGAIN COURSE

Recorded on High Quality Plastic Base Recording Tape at 3 1/4 IPS SWL'S, Would Be Amateurs & Radio Operators, Attention!

If you own any type of Tape Recorders, here is your chance to master the morse code in a few weeks. Through our scientific method you will receive practice material at speeds up to 16 wpm. Provision is also made for learning to Semd without the need for an additional oscillator! Don't pass up this opportunity to learn the code necessary for obtaining all radio operator licenses. For 3% IPS Shipping Wgt. 1 LB.

COST PRACTICE KEY FOR 34 C

Steck #137-C6 Shipping Wgt: 1 Lb.



manufactured for Concord Radio by one of America's most highly respected Recording Tape Manufacturers. Frequency response at 71/2 IPS is 40 to 15,000 cycles with extremely low distortion and maximum signal-to-noise ratio. Wound facing in. Output will not vary more than 1/4 db within any given reel, and not more than 1/2 db within any 2 reels. No risk is involved. If you are not completely satisfied, all of your money will be refunded, no questions asked! Shpg. wt. 14 oz. ea. 1200 ft.

Stock #TE-1-C6.....single 600 feet reel, \$1.24 Stock #TE-2-C6......single 1200 feet reel, \$1.69 Stock #TE-3-C6.....single 1800 feet reel, \$2.21

1200-ft. 13 for \$20.25 3 for \$4.95

1/2 MORE

TAPE TIME

1800 FT.

13 for

3 for \$645

600-ft. 13 for \$14.50

3 for \$3.50

CORD SCOOP

- For Crystal Phono or Microphone Input. Excellent Microphone Amplifier. Lightweight Portable P.A. System. Converts Easily to 2 Way Intercom. Makes Fine Amplifier for Tape Recorder, Record Changer, FM Tuner.

Combines a fine 3 tube amplifier feeding a wide range heavy duty Alnico V PM speaker. Separate volume and tone controls insure brilliance and clarity in reproduction. Cabinet is made of handsome Mahogany bakelite.

SIZE: 101/2" x 61/2" x 61/2".

\$34.00 Stock #EAM-3-C7

Ship. Wgt. 9 Lbs.

CONCORD'S

CLOSEOUT

CONCORD'S

PRICE



\$1.20

Gives that irreplaceable tape permanent protection and shielding against elements and accidental erasure. Each can is ribbed for extra rigidity and strength. Opens and closes easily, no fumbling with covers out-of-line. Finished in a good-looking grey enamel, Will fit comfortable in the steel storage chests shown on this page. Shop, wt. 8 ozs. Stock #65-7R

42¢ SINGLY

HOW TO SERVICE TAPE RECORDERS

RECORDERS
By C. A. Tuthill
Everything you need to know about what is inside a tape recorder—eperation of the recording head, types of electronic circuits, kinds of drive mechanisms used, trouble shooting—and how to service the many types of tape recorders, with practical examples. Also discusses requirements for a tape recorder repair shop, 176 pages. 5½" x 8½". Soft cover, Illus, Cat. Ne, 167. Only \$2.90 8 1/2", Soft con Cat. No. 167.

Only \$2.90

FAMOUS WILCOX-GAY TAPE USED RECORDER AND RECORD PLAYER

PRICE



Built-In 5 Watt AC Amplifier

Wide Range Tone Control Fine 78 RPM Player Incorporated, With Custom Tone Arm

Input For External Speaker Wide Response Crystal Microphone

· Custom Luggage Case

· Record/Playback on its own tape

Stock # Wil-Gay-U

Shipping Wgt. 31 Lbs

RE WIRE ORDING **CLOSE-OUT**



Record - Playback - Erase - #812 Regular \$15.00 Concord's Price

Singly \$ 1.95 Fach

Lots of Five \$1.85 EACH

Mounted in hum-shielded case. Uniform Output. Excellent Frequency Response. Prong Contact.

Call Lots of 5 Phone



Reg. \$695

SINGLY

this is a small size pickup coil for recording telephone conversations for legal, business, or personal files. Gets every word clearly, distinctly. Hooks up to tape, or any kind of recorder. No electrical connection needed to the telephone. Fits any kind of telephone... cradle or old types. Anyone can use it. Shpg. wt. 1½ lbs. Stock #CG-VMS38.

STORAGE FOR 7" 5"REELS

Your Cost 54 Only

This is a standard-type all-steel case, with carrying handle, for storing and carrying 7" and 5" reels of precious tape safely. Tape is guarded against dampness and accidental erasure. Attractive Ley finish, Twin snap-locks for protection, Handle folds down. Has metal's separators inside box to hold each reel upright. Lomes with index cards for identification. Shop. Wt. 5 lbs.

Stock #A6-75 Reg. \$4.50 Net \$2.99



TAPE SPLICER

SPECIAL PRICE



A Must Accessory For Your Tape Recorder. Important As A Film Splicer To The Camera Owner. End Tedious Hand Splicing With This New Modern Unit. STOCK #SUP-SPL-C6 SHIPPING WGT. 8 OZS.

music TOP NAME SVS



4 SPEED WEBCOR CHANGER WITH "POWER PO!

		DOWER POINT
	14.1	DUAL STYLL
DESCRIPTION OF THE PARTY OF THE	INCLUDES:	DUAL STYLII
the latest	Gramma	REG ADV
	hi-si 10 watt mi	REG. ADVERTISED
5364	Grommes 10 watt mu hi-fi amplifier	Isic lovers PRICE
981	hi-fi amplifier Webcor 4 speed autom	255 DO
1981	a PUWEY BOLLA	ridite change Toolull
1981		
	coavial Concord 12" L	46.50
V		
BFL4	coaxial speaker Base for Webcor chang Custom hi-fidelity conso	29.50
	Custo Webcor cha-	20.00
	Custom hi-fidelity conso speaker enclosure	
9760M	speaker enclosure	
MANUEL AND		34.50
	REC TO	- 1.00
Marie Parker Brit	REG. TOTAL PR	ICE \$101 00
	COMO	\$181.00
	CONCORD	\$
4	STOCK #COMP	ICE SOAFO
Webcor	STOCK #COMBO-3	" YMAƏII M
	SAME AS ABOVE DUE	SICE \$9450
-	SAME 40 "W. 50	Ib. I.IIMDI e
	12" HI-FIDELITY SPEAT	# FAMOUS
	TI-FIDELITY CDE-	#9/60M
Heg	. Pr. \$54 OF	KER
	754.33 - Reg T-	1 0 000
	Pr. \$54.95 — Reg. To	i. Pr. \$73595
- C1	CONCORDIO	20000

Concord's 10

Norelco 8"

Monarch

Famous brands include Bogen, Norelco, British BSR Monarch record changer. Concord goes all out in combining the finest units for their hi-fidelity combination sysunits for their in-fluency combination systems. No finer 10 watt music system available at any price! NATIONAL ADVERTISED PRICES

STOCK #COMBO-#2-87

\$44.50 Bogen hi-fidelity amplifle" Imported British Monarch 46.50 puriou bilitish munatur BSR 4 speed changer With flip-over cartridge.... 16.50 Famous Norelco 8" twin cone hi-fi speaker \$107.50

REG. TOTAL CONCORD'S AMAZING PRICE FAMOUS BRAND COMPLETE

SAVE \$37.55

Shipping Wgt. 30 Lbs.

BOGEN - GARRARD - G.E. - NORELCO

CONCORD'S

Shog. wt., 60 lbs. COMPLETE \$

ALL FAMOUS BRANDS — BRAND NEW IN MFG. CARTONS

Complete Hi-Fi System - Nothing Else to Buy! FM/AM, AUTO. PHONO, SPEAKER SYSTEM WITH ENCLOSURE

SAVE ALMOST \$100.00!



save \$41.95 off Nat'l Adv. Prices Concord's HI-FI Comb.#1 HI-FI FROM 40-20,000 CPS SAVE ALMOST \$4700 A COMPLETE 12 WATT FM/AM 9760M

HARMON KARDON - NORELCO



MUSIC SYSTEM

INCLUDES: Harmon-Kardon TA-12 FM/AM tuner amplifier \$139.50 Famous Philips "Norelco" 9760M 12" hi-fi speaker 54.95 REG. TOTAL PRICE..... \$194.95



CONCORD'S LOW LOW PRICE

\$14750

STOCK #COMPL-HIFI-B7 shipping Wgt. 68 lbs.


CONCORD MERICA'S SUPERMARKET!

at SUPERMARKET PRICES

BOGEN - GARRARD - G.E. UNIVERSITY Top Brands Concord's De Luxe

System Music SAVE ALMOST \$50.00

WITH CONCORD'S BARGAIN DEAL!



- Minimistration -

00-00

BOGEN 15 INCLUDES THE FOLLOWING: Mational 10 watt hi-fi amplifier with built-in pre-amp. \$79.95 42.50 Garrard RC-121 auto./manual changer... 4.50 Base for Garrard changer 8.37 G.E. type RPX-050A cartridge

G.E. type Diamond-sapphire dual 31.00 University UXC-122 12" 2 way diffaxial speaker 29.75 \$34.50 CONCORD HI-FI CONSOLETTE SPEAKER ENCLOSURE

\$ 230.47 TOTAL REG. ADV. PRICE STOCK #DELUXE-B7 CONCORD'S

Shipping Wet. 65 Lbs. BARGAIN

ADD FM/AM TO ABOVE SYSTEM, SAVE MORE \$\$\$ Reg. \$69.95

AM-FM "IMPERIAL" SAVE OVER \$62.00 CONCORD'S SLASHED PRICE \$238.20

Shipping Wgt. 80 Lbs.

STOCK #DELUXE-T-B7

save \$74.95 on Concord's 10

Featuring BOGEN RR 501C



9762 BRAND NEW CONCORD'S FACTORY SEALED CARTONS! CUT PRICE

STOCK #501SYS-B7

Shipping Wgt. 25 Lbs.

CONCORD RADIO

15 Warren Street, New York 7, N.Y.

Concord's 2 SPEAKER HI - FIDELITY SYSTEM A BUDGET SYSTEM FOR EVERYONE

AT LESS THAN \$5600

FULL 10 WATT OUTPUT 3 SPEED CHANGER IN FACTORY SEALED

CARIONS

This combination will make all our competitors grown. We have selected the famous Concord 10 watt hi-fidellity amplifier speed automatic changer with PP 6v6 output, the renowned VM 3 for the cand two needles, a file-over 12", woofer PLUS a Utah tweeter with words price of \$112.50 by one!

Don't hesitate on this

FANTASTIC PRICE

COMPLETE

COMBINED

VALUE OVER \$11250

\$59.95

42.50

8.37

31.00

4.50

99.95

STOCK #8UDJ-COMBO-B7 Shipping Wgt. 35 Lbs.

HARMON - KARDON ALL FAMOUS BRANDS — BRAND NEW IN CARTONS

Concord Audiophile System Hi-Fi for the Tasteful Buyer

SAVE \$116.00 OFF REG. PRICES YOU EVEN SAVE \$40.00 OFF CONCORD'S PRICES



9762

INCLUDES THE FOLLOWING: Harmon-Kardon A-12 10 watt REG. ADVERTISED PRICE Garrard RC-121 4 speed auto/ manual changer

G.E. type RPX-050A cartridge G.E. type diamond-sapphire dual stylii

Base for Garrard changer Famous Philips "Norelco" 12" hi-fi twin cone speaker, model #9726M Concord hi-fi consolette enclosure, plastic sprayed

TOTAL REG. ADV. PRICES......\$275.82 34.50

CONCORD'S LOW PRICE \$280.77 ADD FM/AM TO ABOVE SYSTEM, SAVE \$\$\$

Harmon-Kardon 7-12 FM/AM tuner... \$ 84.50 TOTAL FM/AM PHONO SYSTEM

COMPLETE STOCK #AUDIO-T-B7 Shpg. Wgt. 75 Lbs.

isten ... University ONCORD BRINGS

FOLDED HORN ENCLOSURE Kwikits for 12" or 15"

SPEAKERS AND SYSTEMS

Only University with years of High Fidelity Knowhow can offer a budget priced HIGH FIDELITY enclosure with features found only in higher priced units. Best of all, it takes no mechanical skill in putting these units together. All pieces are pre-cut and pre-drilled. You get all hardware, plastic wood, glue . . . even sandpaper. Finest Tufflex Insulation for top performance.



KEN-12 for 12" SPEAKERS

Dimensions: 15½ D x 21½ W x 29½ H

CONCORD'S \$43.86

LIST PRICE \$74.60

Stock #KEN-12-C7

Shpg. Wt. . . 60 Lbs.

KEN-15 for 15" SPEAKERS & SYSTEMS

Dimensions: 181/2 D x 29 W x 351/4 H.

CONCORD'S \$58 31 REG. \$99.17

Stock #KEN-15-C7

REG.

\$2.50

Adapter for mounting CONCORD'S PRICE

Ship Wgt. . . 96 Lbs.

\$147 12" speaker in KEN-15

ADJUSTABLE L-C DIVIDING NETWORKS



N-2A ADJUSTABLE CROSSOVER
6 db/oct, 2-way L/C network, May be used in pairs
as 12 db/oct, network or singly as 12 db/oct, low or
high-pass filter, Crossover—350 or 700 cps. at either
8 or 16 ohms; 700 cps. at 4 ohms. Concord's \$ 1764



N-2B ADJUSTABLE CROSSOVER
6 db/oct. 2-way L/C network. May be used in pairs
as 12 db/oct. network or singly as 12 db/oct. low or
high-pass filter. Crossover—1250, 2500 or 5000 cps.
at 8 ohms; 2500 or 5000 cps. at 16 ohms; 2500 at at 8 comms; 2300 cr 55 PRICE\$1372 REG. \$23.33

N-2A and N-2B can be used in combination for 3-way speaker systems 3\%" x 3\%" x 3\%" x 3\% is.

MODEL COBREFLEX HORN

Unsurpassed as a mid-range horn in 3-way systems when used with T-30 compression driver unit . . . 27" exponentially-flared air column permits crossover as low as 350 cps. Exclusive twin-flare design for uniform wide-angle dispersion, 120° horizontal and 60° vertical. Two identical one-piece die-castings of extra heavy aluminum. 13½"—18 throat; 10¼" x 18½" x 9¼".



REG. \$38.35

CONCORD'S \$2255 PRICE

Shpg. wt. 101/4 lbs.



NEW T-30 MID-RANGE & HIGH FREQUENCY DRIVER

CONCORD'S \$1940

REG. \$50.00

Redesigned throughout; new mechanism and housing. For mid-range in 3 and 4-way systems, or as tweeter in 2-way system. Use with H-600 or Cobreflex horns. N-2A network recommended. Response 200 to 15,000 cps.; 8 ohms; 136"—18 throat; 376" dia., 334" deep. Shgg. wt. 234 lbs.

TINY MITE" ENCLOSURE

REG.

\$ 72.50

\$ 77.50

\$ 80.83

\$ 62.92

MODEL TM-812 ROOM-BALANCED PERFORMANCE

Where the cost of the enclosure, loudspeaker and amplifier must be kept to a minimum but not at the expense of achieving high fidelity reproduction, the TM-812 TINY-MITE enclosure operating with one of the University high efficiency 8" or 12" extended range speakers is the solution. Sturdy 34" wood is used throughout. Versatile enclosure is supplied with baffle board cut out for 12" speakers; adapter available for 8" speaker with ample space for tweeter. Baffle board removable from front for easy installation. Beautifully finished, including rear of cabinet. True "cornerless-corner" design permits use in corner, against wall or upside down! TM-812 is available in mahogany, walnut, blond and unfinished. 21" H. x 15½" W. x 12½" D.

. BUDGET PRICED, TOP QUALITY

DECORATOR STYLING
 CORNERLESS CORNER DESIGN

· FOR USE IN CORNER, AGAINST WALL OR UPSIDE DOWN

STOCK #TM-812-C7 Shpg. Wgt. . . 25 Lbs.

SPEAKER SYSTEM MODEL S-3TM

Incorporates the "Tiny Mite" enclosure listed above, plus a model 308 3 way 8" Diffaxial Speaker. Completely wired, ready to use. A budget priced combination of exceptional performance.

CONCORD'S PRICE

BLOND

UNFIN.

REG.

BLOND \$86.24 \$146.67

CONCORD'S PRICE

\$45.60

MAHOG \$42.63

WALNUT \$47.53

MAHOG. \$83.30 \$141.67

WALNUT \$87.71 \$149.17 HI-FI RESPONSE TO 15,000 CPS.


HANDLES UP TO 25 WATTS

IDEAL FOR USE IN APARTMENTS OR LIM-ITED SPACE AREAS

PLACE ANYWHERE IN ROOM

STOCK #S-3TM-C7 Shipping Wgt . . 30 Lbs.

3 way Speaker System "The MASTER" MODEL S-6



Provides the full response and dynamic range of music ... at an attractive price for such quality. Integrates the C-15W 15" woofer, the H-600 horn with T-30 driver for mid-range, with the HF-206 Hypersonic Tweeter for natural highs. The N-3 Acoustic Baton completes this quality team of components. Includes "Presence" and "Brilliance" controls. Performance competes with speaker systems considerably larger in size and higher in cost. Handles up to 50 watts. All are installed in a new folded horn "cornerless-corner" enclosure which permits use either in a corner or flat against wall. Size: 37" H. x 28" W. x 194" D. Available in mahogany, walnut and blond. CONCORD'S PRICE

REG. BRILLIANT RESPONSE 30 cps. to INAUDIBILITY

BLOND \$ 313.60 \$516.67 SYSTEM COMPLETE WITH PRESENCE AND *BRILLIANT RESPONSE 30 cps. INAUDIBILITY SYSTEM COMPLETE WITH *PRESENCE AND *BRILLIANCE CONTROLS OF CONTROLS OF CORNER STYLING CORNER STYLING CONTROLS UP TO 50 WATTS

Shpg. Wt. . . 130 Lbs. __STOCK #56-C7

ENCLOSURE ONLY MODEL EN-15

CONCORD'S PRICE

REG.

\$232.50

MAHOG. \$122.50 \$208.33 BLOND \$127 40

Available in mahogany, walnut, blond and unfinished. Shpg. wt. 96 lbs. \$225.00 \$170.00

ONLY THE FINEST!

For use with any University 12" or 15"

extended range speaker or multiple speaker combination using 12" or 15" woofer; 8" speaker or H-600/T-30 for mid-range; 4401,

UXT-5, HF-206 or H-600/T-50 as tweeter.

UNFIN. \$ 99.96

WALNUT \$12740

sounds better



8 ew 195

UNFINISHED UTILITY

SYSTEM ENCLOSURE MODEL EN-CB

- · Undoubtedly the finest Hi-Fidelity **Enclosure**
- True Front-Loaded folded horn design
- Selected WHITE BIRCH VENEER
- for the finest of furniture finishes Massive 3/4" stock for non-resonanse and top acoustical reproduction

CONCORD'S PRICE 60

REG. PRICE \$200.00 A true, self-contained front-loaded folded horn, operating with highest quality wherever placed, independently of walls or floors. Complete in itself with all acoustically correct elements always in place, EN-CB is identical in design to the enclosure used in the famous "Classic" system. Ideal for the do-it-yourself home decorator... the many ways to finish the EN-CB is limited only by the imagination. Can be used horizontally or vertically. Fully assembled, constructed of select 34" white birch veneer plywood with lock and mitre joints and braced with heavy glue blocks. Supplied unfinished, less base and frame, but with necessary hardware for mounting speakers. Recommended components are Model C-15W Woofer, Model HF-206 Hypersonic Tweeter, Cobreftex Mid-range Horn with T-30 Driver. Model N-3 Crossover Network. 40"x 30"x24" 30"x24"

STOCK #EN-CB

Shpg. Wgt. . . 142 Lbs.

DELUXE CONSOLE HI-FIDELITY SPEAKER SYSTEM MODEL S-8

The CLASSIC embodies University's many engineering advances. Components comprise the incomparable C-15W 15" woofer. Cobreflex wide-angle dual exponential horn with T-30 driver for rich, full-bodied middles; the new HF-206 Hypersonic Tweeter and N-3 Acoustic Baton network with "Brilliance and Presence" Response: 30l cps. to inaudibility. 50 watt* power handling capacity; 8 ohms. Available in mahogany, walnut and blonde. Size: 34½" x 40½" x 24¾".

Top reproduction system for professional or audiophile
Hi-Fi response from 30 cps to inaudibility
Custom enclosure styling for every decor
Handles 50 watts with ease
Can be used as Hiboy or Lowboy

STOCK #58-C7 Ship Wgt. . . 225 Lbs.

Reg. Concord's Price

WALNUT \$485.10 \$825.00

> \$465.50 \$791.67

MAHOG.

BLOND \$ 8 2 5, 00

UNFINISHED UTILITY "CLASSIC" SPEAKER SYSTEM MODEL S-9

Model S-9 Includes the recommended speakers as listed in the S-8 CLASSIC system. Unit is completely installed and wired. A real convenience for those who wish to buy the whole system, yet who wish to finish the cabinet to suit a particular decor. No charge for in-

CONCORD'S PRICE

Shipping Wgt. . . 185 Lbs.

STOCK #5-9-C7

REG. PRICE \$53300



MODEL

BELL DIAMETER

HORN LENGTH

for directional sound projection

Pioneered by University, the most efficient modern method of sound distribution.

Economical-More sound output for less amplifier power.

Ruggedly constructed-weatherproof . . . install it and forget it.

Four trumpet sizes to cover varied response and coverage requirements.

LH GH PH SMH 85 cps. 65° LOW FREQUENCY CUTOFF 120 cps. 150 cps. 200 cps. SOUND DISTRIBUTION 85° 95° 75 6½ ft. 30%" 2½ ft. 16¼" 31/2 ft. AIR COLUMN LENGTH 41/2 ft. 25 19" 201/4" 1534" 277/8" 12" Reg. Price \$65.00 \$44.50 \$31.00 \$26.00

CONCORD'S PRICE \$38.22 \$26.17 \$18.23 \$15.29

"THE SENIOR" SPEAKER SYSTEM

MODEL S-5



Fulfills the need for a top quality per former whenever space and budge are limited. Using the basic C-12v woo fer (minus response limiter) H-600/1-30 mid-range combination the UXT-5 "reciprocating-flare" wide angle Super Tweeter and Acousting Baton network. This outstandin team of components performs with excellent efficiency to beyond audibility, handling up to 30 watts. In stalled into University's NEWES folded horn enclosure. The results smooth, natural reproduction omusic and speech. Made by maste craftsmen with same quality of material, workmanship and finish as the finest furniture. Available in mahog any, walnut and blond. Size: 30° H.

PRECISION MECHANICAL

DESIGN



Reg. Concord's Pric

Hi-Fi response: 50 cps to inaudibility WALNUT \$348.33 \$200 91

A top quality 3 Speaker System

Cornerless corner enclosure design MAHOG. \$333.33 \$196.00

· Ideal for use in limited space

STOCK #S5-C7

Shpg. Wgt. . . 95 Lbs.

each

\$200.90 BLOND \$341.67

each

ONLY MODEL EN-12 **ICLOSURE**

Concord's Price MAHOG \$126.67 \$73.50

BLOND \$132.50 \$76 .94

WALNUT \$139.17 \$76 .95

UNFIN. \$109.17 \$63.31

For use with any University 12" extended range speaker or multiple speaker system with 12" woofer H-600 with T-30 driver for mid-range or with T-50 for full range; 4401, UXT-5 or HF-206 as tweeter. Available in mahogany, walnut, biond and unfinished.

STOCK #EN-12-C7 Ship, Wgt. . . 60 Lbs.

RELIABLE RUGGED.DRIVER UNITS

with these exclusive built-in features

- W-shaped Alnico 5 magnet results in maximum efficiency by reducing reluctance losses and surface leakage.
- Built-in transformers provide installation flexibility to meet any impedance and constant voltage system requirement.
- Bi-sectional mechanism with fool-proof automatic "rim-centered" dia-phragm voice coil assembly assures immunity to shock

and vibration.

٧







MODEL	PA-30	SA-30	SA-HF	MA-25
Continuous Power	30 watts	30 watts	25 watts	25 watts
requency Response	80-10,000 cps.	90-10,000 cps.	90-10,000 cps.	90-6000 cps
/oice Coll impedance	16 ohms	16 ohms	16 ohms	16 ohms

Constant vol. sys. pr	Nr 30-20-10-5-2	1/2 w. 30-20-10-5-24	∕a watts —	***
Diameter, Overall	6¾"	5"	41/2"	41/8"
Length, Overall	63/4"	6%"	5"	3¾"
Reg. Price	\$50.00	\$47.50	\$36.00	\$27.50

CONCORD'S \$27,93 \$29,40 \$21.17 \$16.17 PRICE

isten... ınds better



SUPER 15" 3 WAY DIFFAXIAL SPEAKER \$26416

CONCORD'S PRICE



The new, improved 315-C embodles all latest and exclusive developments. Big theatre woofer with high excursion, dual spider piston and special anti-breakup low resonance diaphragm production never before attained. Patented multi-element diffusicone mid-range section crosses over at 1000 cps. Treble range now covered by new heavy duty T-50 Hypersonic driver and new true-axially mounted wide-angle horn. Re-designed crossover network includes exclusive "emotional" balance adjustment which alters the overall tonal personality of the speaker to best match room acoustics, baffle contribution, associated electronic equipment characteristics and personal tastes or hearing aculty. Adjustment of tweeter output also provided. Contains 6 1bs. 7½-20.2 Alnico 5 Gold bot magnet (including tweeter). Adjustment of tweeter output also provided. Contains 6 lbs. 7½ oz. Ainico 5 Gold Dot magnet (including tweeter). Response: 25 cps. to inaudibility 50 watts* power capacity; 8-16 ohms. 12" deep; Shpg. wt., 34½ lbs. \$264.16 List.

High Compliance WOOFERS

Univers

CONCORD'S FAMOUS PRICE

48.51 REG. \$8250 MODEL

OPLY THE FINEST!

A new high compliance ultra-linear 12" woofer capable of outstanding performance in matched level systems utilizing operating input power of 25 to 60 watts. Recommend installation in a baffle volume or enclosure of approximately 1.8 cu. ft. with a duct 10" in length, and 3" dia. at rear of enclosure. Response to 2500 cycles permits use in speaker system with addition of only a tweeter. Magnetic assembly employs the NEW Hiflux UNIFERROX-7 magnet material. Cone resonance 18 cps. Dual impedance voice coil; 4, 8, and 10-20 ohms, 61/2" deep, Ship, Wgt, 81/2 lbs.



MODEL C-15HC 15" CONCORD'S PRICE

Now, for the first time, a high compliance, low resonance 15" woofer which yields astounding bass depth without compromising power handling ability and clean output. Specifically designed for ultralinear response throughout the complete low frequency range. Magnetic assembly employs the NEW Hiflux UNIFERROX-7 magnet material in specially designed suspension assembly insuring positive transient control during maximum excursions. Recommend installation in a baffle volume or enclosure of approximately 3.4 cu. ft. with a duct 4" in length, and 3" in dia. at rear of enclosure. Overall response to 800 cycles. Resonance 15 cps. Dual impedance voice coil. Operating input power to complete speaker system 20 to 70 watts. 9½" deep; Shpg. wt 24¾ lbs. List Price: \$149.17 \$149.17

SPEAKERS DIFFAXIAL

Model 308 8"3-way

del UXC-123 12"3- way

REG \$10670 CONCORD'S

REG. \$6625 CONCORD'S PRICE Features University's exclusive true-axial construction with compression tweeter projected through center of woofer. Iweeter employs University's "Reciprocating Flare" principle crossing over electrically at 5000 cps. ...mid-range is reproduced from patented deluxe multi-sectional biffusione element through a 1000 cycle mechanical crossover. Woofer has extra large voice coil for enhanced bass response. 11/4 lbs. of all-inico 5 Gold Dot magnet. Response: 50 to 15,000 cps. Handles 25 watta*; 8-16 ohms; 61/4" deep; Shpg. wt., 5 lbs.

Model 6303 15"3-way REG. \$13850 CONCORD'S PRICE Medium power version of the Model 315. Sonorous bass with full-bodled mid-range provided by patented deluxe multi-sectional Diffusicone element crossing over mechanically at 1000 cps. Complete high efficiency tweeter, with "Reciprocating Flare" horn, is projected true-axially through the center of the woofer. Built-in L/C network crossing over at 5000 cps. "Brillance" control; 2 ibs. of all-Alnico 5 Gold Dot magnet. Response from 30 cps. to inaudibility; Handles 30 watts*; 8-16 ohms; 10" deep. Shpg. wt., 15 Jbs.

HF-206 TWEETER



CONCORD'S PRICE

Magnificently engineered for reproducing high frequencies. Frequency response uniform at frequencies from 3500 cps to inaudibility. Can handle up to 50 watts. Impedance of V.C. is 8 ohms. Dispersion: 120° horizontal, 50° vertical.

Size: 8" x 3¼" x 6-9/18".

STOCK #HF-206-B7

Shipping Wgt. 3 Lbs.

4401



CONCORD'S PRICE

Here's your budget priced Tweeter loaded with University's fine features, Frequency response better than 2000-15,000 cps. Handles up to 25 watts. Add a 12" or 15" woofer and your speaker system is complete. V.C. imp. 12 ohms.
Size: 41/9" x 25/4" x 5-7/64".

STOCK # HF-4401-B7

Shipping Wgt. 2 Lbs.

ing Flare" horn mounted through the center axis of woofer assembly. Highest efficiency, lowest distortion, and true uniform wide-angle dispersion. Supersensitive all-Alnico 5 magnet. Crosses over mechanically at 1000 cps., and electrically at 5000 cps., Response from 45 to 17,500 cps.; 25 watts*; 8-16 ohms; 8¼4" deep; Shog. wt., 6½ DIFFAXIAL SPEAKER MODEL UXC-122

CONCORD'S PRICE

New 12" Diffaxial speaker employing exclusive standard uni-sectional diffusicone element with 1000 Cps. mechanical crossover. Coaxial dual horn loading at the apex of the cone extends mild and high frequency response. Uniform wide-angle dispersion by means of radial projector plus aperture diffraction for full fidelity at all listening points off speaker axis. Extra-large voice coil and one-piece molded woofer cone of special pulp content provide long, trouble-free life and high power capacity. Contains super-sensitive all-Ainico 5 magnet. Response from 45 to 13,000 cps.; 25 watts"; 8-16 ohms; 4" deep; Shpg. wt.: 5½ lbs.

REG. \$5500



MODEL 6201 DUAL RANGE CO'AXIAL SPEAKER

A true dual range coaxial system. The tweeter, with compression driver and "reciprocating flare" horn is mounted through the center-axis of the woofer cone. High efficiency, wide-angle, uniform treble reproduction. Contains super-sensitive all-Alnico 5 Gold Dot magnet. Built-in L/C network with "Brillance" control. Response from 45 to 15,000 cps.; 25 watts*; 8-16 ohms; 8¼" deep; Shpg. wt.: 7 lbs.

Integrated Program

CONCORD'S PRICE

\$8667

MODEL N-1 **ADJUSTABLE** FILTER



Adjustable high pass filter with built-in "Brilliance" Control. Crossover and impedance combinations: 2500, 5000, 10,000 cps. at 8 ohms; 1250, 2500, 5000 cps. at 16 ohms; 5000, 10,000 cps. at 4 ohms. Can be used with N-2A L/C network in 3-way system. Fits panels up to 1" thick. 35%" x 31/4" x 3". Shpg. wt. 3 lbs.

3013978 CONCORD'S u (180 AT BARGAIN PRICES!

Concord's Hi-Fi Consolette EAKER ENCLOSUR or 15" SPEAKERS



This unit is an extremely compact low cost High Fidelity Speaker Enclosure. Ideal for limited space applications and limited budgets. Resonant cavity imited budgets. Resonant cavity expended processful to the provides remarkable bass performance and unusual extended range response. Designed for and unusual extended range response. Designed for unusual extended range response. Designed for any use with any 12" or 15" single cone, coaxial or triaxial speaker. Smartly designed in a contemporary triaxial speaker. Smartly designed in plastic spray, work with 4" pedestal legs. Finished in plastic spray, work with 4" pedestal legs. Finished in plastic spray, work of the provided provid

(State Color Preferred)

SOLD NATIONALLY FOR \$3450

BLOND Shipping Wgt. 28 Lbs. STOCK # BFL4-B7-PL

Concord SAVES YOU MORE \$\$ Consolette plus Famous Brand SPEAKER at additional Savings

CONCORD CONSOLETTE PLUS NORELCO 12" TWIN CONE SPEAKER MODEL 9760 M SAVE ALMOST \$60.00 Reg. Adv. Pr. For Both \$8945

PLUS NORELCO 12" CUSTOM TWIN MODEL 9762 M HI FI SPEAKER SAVE ALMOST \$75.00 Reg. Adv. Pr. For Both \$13445

Concord's Sensational \$5995 Price For Both

STOCK #CON-NOR-2 Shipping Wgt. 36 Lbs.

STOCK #CON-NOR-1

FAMOUS"Phillips" of Holland orelco MEANS FULL RESONANCE

HI-FI SPEAKERS

TWIN CONE MODEL 9762M SOLD EVERYWHERE FOR Ticonal magnet gives 2X power

\$9995 CONCORD'S UNBEATABLE PRICE

Ticonal magnet gives 2X power of alnico magnet.
Response: Better than 3518,000 cps.
Voice coil impedance 6-8 ohms.
Voice coil even distribution of highs and lows.
Handles 26 watts with ease.
Large air gap, extra heavy magnet.

Manues ar gap, extra heavy Large air gap, extra heavy magnet. Massive construction for long years of use. years of use.

For the fastidious music lover, this is the speaker with uncomprising quality. It provides the ultimate in listening pleasure, at a relatively shapping wgt. 6 Lbs.

Shipping wgt. 6 Lbs.

STOCK #NOR-9762-B7

CONE

TWIN

full resonance

SPEAKERS

ConcordPRESENTS the **NEW 1958** 15"COAXIAL SPEAKER

CONCORD'S MONEY SAVING

Worth

\$4500 • Don't Lose the Beauty of Low
Response • Our Price is Less Than You Would
Our Price Bolded Cone
One Piece Molded Cone

STOCK # CXS-15A SHIPPING WGT. 12 LBS.

Norelco

"Phillips" OF Holland TICONAL MEANS 2X POWER OF ALNICO MAGNET 8" Twin Cone Model 9770 M SPEAKER HI-FIDELITY

SOLD EVERYWHERE FOR \$1650

SOLD EVERYWHERE FOR \$1600

Ticonal magnet gives 2X power of ainico magnet!
AT CONCORD

Response: better than 75-19,000 cps.
Poice coil impedance 4-6 ohms.
Voice coil impedance 4-6 ohms.
Voice coil impedance 4-6 ohms.
Voice watts accumulative.
Handles
Handles
Heavy duty magnet.
Heavy duty magnet.
Heavy duty magnet.
Heavy duty magnet.
Heavy duty hi-fidelity installations in included for use with hi-fidelity installations in Ideal for use with hi-fidelity installations in apartments or where space is limited. Norelco offers a quality speaker which delivers full response beyond audibility.

STOCK #NOR-9770-B7 TWIN CONE MODEL 9760 M Shipping Wgt. 4 Lbs. SPEAKER

BUDGET SOLD EVERYWHERE HI-FIDELITY FOR \$5495

Ticonal magnet gives 2X power
of alnico magnet!
of alnico magnet!
Response: 35-18,000 cps.
voice coil impedance 6-8 ohms.
Handles 20 watts continuous.
Heavy construction. STOCK #NOR-9760-B7

Similar to the 9762 speaker, Norelco has engineered this low priced hi-fidelity speaker retaining many functions. Fine for use as second speaker, for budget hities. Fine for use as second speaker, for budget hities. Fine for use as second speaker, for budget hities. Fine for use as second speaker, for budget hities.

FAMOUS MAKE 12" P.M. SPEAKER

FEATURES:

THE FINEST!

voice coil impedance Massive Construction. 8 to 10 Watts Audio Output. Heavy Duty Magnet delivers Full Range Response. run names nesponse. Ideal for use as Basic Woofer for your Hi-Fi Ensemble.

REG. \$9.95

Lots of 10 EACH Lots of 5

\$4.20 EACH Singly \$4.45



Stock # S-FAM 12-C6 Shipping Wgt. 6 lbs



 Use any 12" or 15" speaker
 Over 6 cubic feet of acoustic REG. SOLD FOR

\$7950

CONCORD'S SENSIBLE PRICE .

EACH

Shipping Wgt. 45 Lbs. STOCK #BFL 21-B7

area. bass response with no

Full bass response with no compromising. Massive construction prevents any self resonance. Spun glass sound absorbing lining. Hand rubbed finish on genuine blond korina or ribbon stripped mahogany.

mahogany,
Tuned bass port eliminates
that booming bass of cheaper

copies.
Ample space provided for the addition of tweeter.
Size: H. 33", W. 21", D. 18".



Impedance 8 ohms

ESPEAKERS 8"CO-AXIAL 12" HI-FI SPEAKER NEW 1958

SPECIFICATIONS

Built-In Crossover Network Response Uniform 50-13,000 cps One Piece Molded Cones in Both

REG. PRICE Almost 5:1b. of Alnico V Magnet.

Extended range dual Speaker System! For FM Or AM Radio. Television, Sound and Wide Range Record Phonographs.

Stock # CXS-12-C6



The ideal speaker for smaller critical uses with the benefits of a larger unit. Separate 8 inch woofer and 3 inch tweeter.

Almost 1/2 lb. of Alnico V Magnet. 8 ohm voice coil impediately and the second of the second o ance. Built in crossover network. Can handle up to 15 watts Frequency range is 70 to 13,000 cps.

DYNAMIC SPEAKER

SPEAKER

LOTS OF 3

convert your TV to HI.FI

1 Piece Molded Cone Heavy Duty Field Coll Sturdy Construction 12" Color Coded Leads Mount for Output Transformer Fine for lise in Paging

Fine for Use in Paging Systems, Console Radios Etc.

Shipping Wgt. - 4 Lbs. \$1.49

8" UTAH

DYNAMIC SPEAKER

3.2 DNM Voice Coil

Here's a famous UTAH dynamic Lots OI 29

Here's a famous of replacement speaker fine replacement ridiculous for console radios of pag. SINGLY INE systems.

8" OXFORD WORTH \$650 Shipping Wgt. 5 lbs.

1000 OHM FIELD COIL

CONCORD'S

CLOSEOUT PRICE

EA. Of Ten

SINGLY Stock #OX-DYN-S

Shipping Wes. - 3 Lbs.

You Get More Hi-Fi Response from the

New G. E. A1-400 12" Coaxial Speaker



CONCORD'S PRICE

STOCK #GEA1400-C6

Exceptional Wide Angle Dispersion Uses New Alnico V Ring Magnets

Aluminum Base Voice Coils In Woofer And Tweeter

Handles 25 Watts With Ease

Response Better Than: 40-15,000cps.

V.C. Impedance 8 Ohms

BUILT IN CROSSOVER NETWORK

CONCORD SUGGESTS THE BEST FOR HI-FI REPRODUCTION GE1203 A G.E. 12" HI-FI PM SPEAKER



CONCORD'S FAMOUS PRICE

\$14²² each

STOCK #GE-12-C6 Shipping Wgt. 7 Lbs. Handles full 25 Watts.
Response better than 50-13,000 cps.
g oz. Ainico magnet.

g oz. Ainico magnet.
 Aluminum base voice coil is weather resistant.
 8 Ohm V.C. for easy matching.

Why take anything but the best? G.E. known throughout the world as a leader in electronics has incorporated the finest features to bring you a sound reproducer which is guaranteed to outperform many higher price units.

AN OUTSTANDING VALUE IN QUALITY SPEAKERS! G.E. 8" EXTENDED RANGE SPEAKER GE 850



STOCK #GE-8-C6 Shipping Wgt. 5 Lbs.

Here's true value in a low cost speaker backed by G.E.'s reputation. Just the right unit for starting your Hi-Fi system, or adding an extra speaker to your present music system.

Freq. response — 50-12,000 cps.

Heavy duty Alnico V magnet

Aluminum base voice coil Can handle a full 15 Watts

FAMOUS BRAND Self Powered High Fi PRE-AMP.



 $\mathbf{S}\mathbf{\Omega}92$

Sensational pre-amplifier value offered for the very first time at this low, low price, Completely self-contained and self powered, Will serve as ideal pre-amplifier for many types of magnetic cartridges including the GE RPX-050. Has long output lead and plug for connecting to amplifier or receiver. Has approx, 35 th gain, Uses a 65C7 tube, 115 V. 60 cycle AC. Sizes 344 x 334 x 334". Shpg. wt. 2 lbs.

"RJ" THE TYPE

CONCORD'S PRICE

Wet 12 lbs PLEASE

SPECIFYFINISH

This enclosure was patterned after the famous RJ enclosure principle that permits bass reflex response from a unit ¼4 the size.

• Designed for 8" woofer and 5" tweeter.

• Uses the "distributed port" for optimum frequency resoonse.

Uses the "distributed purply response.
Sturdily constructed, will not resonate of its

Sturdily constructed, will not resonate of its own accord.

May be used with wide range 8" speaker by sealing tweeter opening.

Acoustically lined with fiber glass.

Ideal for the small apartment or as auxiliary speaker for bi-naural effect.

Finished in mar-proof mahogany or blond plastic spray, or straight grained unfinished wood for your own reproducing.

Dimensions: W. 23½", H. 11", D. 11".

STOCK #BFL19-B7





Stock No. 99-K-P11C

Reg. \$1500

REG.

PRICED AT

\$3500

Concord's BARGAIN PRICED

5" ALNICO V HEAVY DUTY SLUG. P.M. 3.2 OHM VOICE COIL* Lots of 10

Singly

Use it as a hi-fi tweeter. Re-placement in radios, TV sets, intercoms, extension speakers.

Reg. \$2.99 Shipping Wet. 3 lbs.

4" ALNICO V - 1 oz. P.M. 3.2 OHM VOICE COIL* Lots of 10

EACH

Singly

Perfect for replacing speakers in portable radios, intercoms, extension speakers, etc.

Reg. Cost \$3.00 M. SPEAKER

Lots of 3

\$245 ...

Stock # \$4-AV-C6 Shipping Wt. 2 lbs.

CONCORD'S PRICE

\$259 ea.

4x6 ALNICO V HEAVY DUTY MAGNET P.M. 3.2 OHM VOICE COIL*

75 Lots of 10 1 Lots of Five

Reg. Price \$5.95

HEAVY DUTY ALNICO Y MAGNET
 1 PC. MOLDED CONE
 FAITHFUL FULL RANGE RESPONSE

Most popular replacement P.M. speaker. Used in fine table model T.V. sets. Hi-Fl table radios.

Each \$1.85 EA. Rugged construction makes it for auto radio replacement. Wibration will not afreg. \$4.95 fect it.

Stock # S-4x6-C6 Shipping Wgt. 3 lbs.

SINGLY

3.2 ohm V.C

Stock #56-AV-C6 Shipping Wgt, 3 lbs.

CONCORD'S

LOW LOW PRICE

O

LOTS OF 3

Each

"Snap - Em 8" 10 "P.M.-get.



STOCK NUMBER S-6x9-C6

WITH 6V6 or 6K6 OUTPUT TRANSFORMER HEAVY DUTY

YOUR CHOICE

CONCORD'S CLOSE OUT PRICE

Magnet. 3.2 Ohm Voice Coil. Cadmium Plated Frame. Heavy Rim Gasket makes it

FEATURES:

SINGLY\$275 ideal for Rear Deck Speaker. Handles 5 Watts.

STOCK No. PHI-8ST-87 0"_\$320 ea 8"_\$275 6x9 P.M. SPEAKER STOCK No. PHI-10ST-B7

ALNICO V MAGNET - 3.2 VC

Shipping Wgt. Lbs.

\$2 60 Lots of 3

Heavy Duty-1.47 oz. Alnico V

Reg. \$3.98

Made by famous manufacturer, we bought a carload to sell at this price. Heavy duty Alnico v magnet, sturdy frame 3.2 Ohm Voice Coil. Will handle 5 Watts with ease Shipping Wgt. 3 Lbs. ts-8PM-87 STOCK #S-8PM-B7 LAST MINUTE EXTRA Special CONCORD

Tape Recorder CONCORD'S Value! SPECIAL PRICE

TWO SPEEDS, 3.75, 742 IPS.
FAST FORWARD, FAST REWIND SPEEDS.
DELAYED ACTION INTERLOCK CONTROL.

RECORD LEVEL INDICATOR.

WIDE RANGE 6" SPEAKER. UP TO 2 HOURS RECORDING TIME.

LIGHTWEIGHT, ONLY 15 LBS.
LIGHTWEIGHT, ONLY 15 LBS.
SIZE: ONLY 734" x 11" x 1155".

FOR USE WITH 110 V. 60 CY. AC.

REG. PRICE 512995

(FAIR TRADE LAW PREVENTS MENTIONING MANUFACTURER.)



We promised the manufacturer we would not mention his name. At Concord's low anyone can afford to have the pleasure in recording music, family gatherings, etc. from TV, Radio, Phono, Etc. At Concord's low price, SHPG. WGT. 17 LBS

STOCK NO. REC. TEL.

5 x 7 ALNICO V HEAVY DUTY MAGNET P.M. 3.2 OHM VOICE COIL Lots of 10 SINGLY

EA. \$199 Rugged construction makes it reg.

perfect for auto radio replace-ment. Vibration will not af. \$4.95 Stock # 5-5x7-A7

Shipping Wgt. 3 lbs.

TO MENTION THE MANUFACTURER'S NAME. 3.2 OHM VOICE COIL

EA Heavy Alnico V Magnet.

\$299 Audio Power To Set or Console

Radio to Ni-Fi Lots of 5 \$270 Singly... HORMALLY SOLD AT \$8.95 each

Stock # S-10PM-BE Shipping Wgt. 5 lbs.

SOPHON ELECTROSTATIC CONVERT YOUR TV **TWEETERS** TO HI-FIDELITY

Features: 3D Effect.

Stock #STHB7

Lots of 3

Full Range Reproduction 7000 to 20,000 cps. Compact Space Saving Design.

Remarkable Brilliance of Sound

REG. SOLD FOR \$6.30

emarkable Brilliance of Sound T EACH EACH Schematic included | The Isophon electrostatic tweeters present a plant frequency from the older less efficient plant frequency speakers. Bullet less efficient pound and reproducts. Bullet less efficient from 3 T H 5 T 16 T ectangular handle at ST H 8 T round—Diam. 2.76" Wgt. 2 oz. Shipping Wgt. 1 lb. CONCORD RADIO BEATS THEM ALL! Shipping Wgt. 1 lb. Stock #STHB516

LABORATORY PRECISION INSTRUMENTS & KITS
























MODEL 460 DC WIDE BAND 5" OSCILLOSCOPE





MODEL 428 8" PUSH-PULL OSCILLOSCOPE

Push-pull amplifiers. Sensitivity: 0.05-0.1 rms v/in. Response: 5 cps-500 kc; useful to 2.5 mc. Sweep: 15 cps-75 kc. Z-axis intensity modulated. Direct connections to CRT plates. 5° CRT. Medel 425 5° Oscillescope—Wired, ready to use. 87986 Net Each. Medel 425-K 5° Oscillescope—KR—Net Each. 844-85

MODEL 498 OSCILLOSCOPE VOLTAGE CALIBRATOR

MODEL 377 SINE AND SQUARE WAVE AUDIO GENERATOR

MODEL 360 TV/FM SWEEP GENERATOR

Covers all VHF TV/FM Channels and IF frequencies: 500 kc to 228 me on fundamentals. Continuous sweep width control, 0-30 mc. Crystal marker oscillator. Variable phasing of 60 eps output. Provision for external marker lightcotton. Crystals not incl. \$4,085 Medel 369. TV/FM Sweep Generater—Wired, Net.... 4085 Medel 369. TV/FM Sweep Generater Mr. Net Each \$34.85 Me or 4.5 Me Crystals—Specify. Net Each..... 3.85

MODEL 540 UTILITY TESTER

MODEL 536 MULTIMETER

MODEL 530 MULTIMETER

1,000 ohms/volt. AC/DC Volts: 0-1, 5, 10, 50, 100, 500, 500, AC/BC Current: 0-1, 10 ms; 0.1, 1.0 amp. Ohms: 0-5,000, 100K, 1 met. DE: Six ranges, -20 to +59, 3' 400 µa meter. High impact bakelite case and the second control of the second cont



Medel 322-K Signel Generator Kit—Net Each......\$23.65

McDell 324 R F Signal Generator Kit—Net Each......\$23.65

IF-RF alignment, signal tracing and trouble-anothing of TV, FM, and AM sets on all fundamentals; marker generator. 400 cps sine wave audio testing. Also for lab and experimental work. Extended Frequency Ranger Six fundamental bands: 180-400 kg. 400-1,200 kg. 1,2-3.5 mg. 3,5-11 mg. 11-37 mg. 27-145 mg. harmonic bandot, 11 mc-435 mg. 2-5.11 mg. 11-37 mg. 27-145 mg. harmonic bandot, directly plate-modulated by cathode follower. Variable depth of internal modulation, 0-50% by 400 cps Colpitts agellator, Variable gain external modulation amplifier; 3 v. needed for 30% modulation. Fine and coarse (3-step) RF attenuators: 50-ohm output impediance.

Medel 324 KR Signal Generator—Wired. Net Each... 326-55

Model 324 K RF Signal Generator Kit—Net Each... 326-55

Model 324-K RF Signal Generator Kit—Net Each...\$28-85
MODEL 313 DELUXE RF SIGNAL GENERATOR
1% accuracy on all seven stages. Frequency: Fundamentals 75 ke
to 50 me in five ranges. Calibrated harmonics 13 me to 150 me in
two ranges. RF Output: Over 100,000 µv. Audis Mediables Frequency: 400 cps. VR tube regulated power supply. Internal 400
cps sine wave audio generator with attenuator RF mediation and
external audio testing. Provision for external modulation. 35 0 95
fided 315 Deluxe RF Signal Generator—W.red. Net. 3
fided 315-K Deluxe RF Signal Generator—W.red. Net. 339-85



425





526, 536




232



CONCORD. FOR ALL

















MODEL 352 BAR GENERATOR

MODEL 368 TV-FM SWEEP AND MARKER GENERATOR

MODEL 368 TV-FM SWEEP AND MARKER GENERATOR

Electronic sweep circuit; linear on both sides of center frequency;
new AGC circuit that automatically adjusts oscillator for maximum output on each band with minimum amplitude variations.

Sweep Generater Ranges 3-216 mc, five overlapping bands.

Sweep Width: Continuously variable, 0-30 mc. Marker Generater Bands: Fundamental—2-6, 6-20 and 20-75 mc; calibrated harmonic—60-225 mc. Variable marker generator calibrated with bullt-in crystal (4.5 crystal included). Provision for inserting external marker generator. Double pi isolation line filter. 0-100 logging scale.


Wieded 382 Sweep-Marker Generater—Wired. Net. \$1985.

Medel 383-K Sweep-Marker Generater Kit—Net Ea. \$69.95



MODEL HVP-2 HIGH VOLTAGE PROBE
For safe measurement up to 30,000 VDC with any VTVM or 20,000 ohms/volt VOM. Includes choice of high quality multiplier resistor to match most popular instruments.

3495
Model HVP-2 High Voltage Probe—Wired. Net Each...
Model HVP-1 High Voltage Probe—Similar uses as HVP-2: supplied with matching resistor for your instrument. Net...\$6.95



250 mc.
Model PSD Probe—Wired, ready to use. Net Each.....
Model PSD-K Probe Kit—Net Each......

MODEL 625 TUBE TESTER

Tests all conventional and TV tubes. Tests new 600 ma filament series string tubes. 10 individual lever-type element switches. 4½" meter: 3-color scale; roil-chart. Line adjust control; protective overload buib. Two grid caps; blank socket for future tubes; pilot light test socket.

Model \$25 Tube Tester Kircd, ready to use. Net...

\$34.95
Model \$25-K Tube Tester Kirch.Nct Each\$34.95
Model \$25-C — Wird. In counter display case. Net Each 59.95
Model \$25-C K—Kit. In counter display case. Net Each 44.95
Model \$25-C K—Kit. In counter display case. Net Each 44.95
Model \$25-C K—Kit. In counter display case. Net Each 44.95

MODEL 666 TUBE AND TRANSISTOR TESTER

Tests all translators; reads both reverse collector current and current amplification factor (Bera), using internal power supply. Tests all receiving tubes, including 9-pin miniatures, subminiatures, color and monochrome CRT's. 10 six-position lever switches: 10 push-button switches. Large meter scale; roll chart; detachable sited cover.

Model 666 Tube and Translator Tester—Wired, Net Model 666-K Tube and Translator Tester Kit—Net Ea. \$69.95

MODEL 1120 RETMA CAPACITANCE BOX

For rapid substitution of RETMA capacitance values, 0.0001 to 0.22 µld, in operating circults: ±10% accurate. Uses silver mica and moided plastic capacitors, conservatively rated at 600 v. Flve-way jacktop binding posts.

Model 1126 Capacitance Substitution Box—Wired. Net. Model 1128-K Capacitance Substitution Box Wit—Net..\$5.95

MODEL 1100 RETMA RESISTANCE BOX

MODEL 565 MULTIMETER

20,000 ohms/volt. 31 full-scale ranges. DC/AC Velts: 0-2.5, 10, 50,
250, 1,000, 5,000. DC Current: 0-100 μa; 10, 100, 500 ma; 10 amps. Ohms: 0-2,000; 200K, 20 meg. DB: Five ranges, -12 to
+55. 4 1/2 50 µa meter. Bakelite case. \$29.5 Medel 585 Multimeter—Wired. Net Each. \$29.5
Medel 565 Multimeter—Wired, Net Each
Model 565-K Multimeter Kit-Net Each
Medel 555-K Multimeter Rit-1% redstors. Net 29.95

MODEL 566 MULTIMETER (MOT ILLUS.)

1,000 ohms/voit. 38 full-scale ranges. AC/DC Voits, DC Current and DB ranges: Similar to Model 536. Ohms: 0-500, 100 K.
1 mar 410 AO mater Debalita and
1 meg. 414" 400 μs meter. Bakelite case. Model 566 Multimeter—Wired. Net Each. Model 565 K Multimeter—Wired. Net Fach.
Model 555 Multimeter—Wired, Net Each
Model 556-K Multimeter Kit—Net Each
Medel 556 Multimeter—1% resistors. Wired. Net 23.50
Medel 556-K Multimeter Kit—1% resistors, Net Each 16.80

MODEL 944 FLYBACK TRANSFORMER AND YOKE TESTER

Positive check of all flybacks and yokes, in or out of set. Uses sensitive grid-dip principle to show up even one shorted strand. Separate calibration for air- and iron-core flybacks. Checks any inductance of not too low Z as well as continuity. 44' 50 µs meter; 3 separate colored scale.

Model 944-K Flyback and Yoke Tester—Wired. Net Each.

Model 944-K Flyback and Yoke Tester Kit—Net Each. 23.86

MODEL 630 CATHODE RAY TUBE CHECKER

MODEL 803 GEIGER COUNTER

MODEL 950B R.C. BRIDGE AND R-C-L COMPARATOR

Bridge-type instrument reading directly: Realstances: 0.5 ohm to 500 megs, 4 ranges: Capacitances: 10 µµid to 5,000 µid, 4 ranges; power factor. (Kit includes precision calibrating resistor). Unique comparator range for R. C and L comparison measurement against external standard. Leakage texting of all capacitors at rated DCW with internal 0-500 VDC source. Electron ray tube as both bridge baiance and capacitor leakage indicator. \$2055 Model \$3508 Bridge-Comparater—Wired. Net Each...\$19.85

MODEL 1050 BATTERY ELIMINATOR AND CHARGER

All the electrical power needed for professional 6 v. and 12 v. battery charging and auto radio servicing. Two DC ranges: 0-8 v. (10 amps continuous, 20 amps intermittent); 0-16 v. (6 amps continuous, 12 amps intermittent). Variac-type transformer; separate voltmeter and ammeter; selenium rectifier. Fused primary; automatic reset circuit breaker opens secondary.

Model 1050 Sattery Charger and Eliminater—

Wired. Net Each. 3385

\$3895 Wired. Net Each. Seattery Charger and Eliminator Kit.—
Net Each. Seattery Charger and Eliminator Kit.—
S29-95

MODEL 1171 RESISTANCE DECADE

Wide range, versatile instrument covering 0-99,999 ohms in one ohm steps with five decades and ½ % precision. \$2,495 Medel 1171 Resistance Decade—Wired. Net Fach. ...\$19.95

MODEL 1180 CAPACITANCE DECADE

Precision silver-mica condensers (*1% accuracy, 500 VDC rated) arranged in three decades—100 µµId to 0.111 µId, in steps of 100 µµId. Positive detent ceramic wafer switches with silver-plated contacts.

Weedel 1188 Capacitance Decade—Wired. Net Each... 314.85
Weedel 1288 Capacitance Decade Kit—Net Each... 314.85


Allows you to observe two patterns on one scope simultaneously: Compare voltage and current, amplitudes, waveforms, frequency and phase relationships. Continuously variable switching rates from less than 10 cps to over 2 kc. Use as square wave generator same range.

MODEL 584 BATTERY TESTER

Provides true dynamic test of A and B portable radio type, hearing aid, lantern, radiation counter and electronic equipment batteries—in or out of equipment. Spare, position adapts for other types. Medel 584 Battery Tester—Wired.

Net Each.
Medel 584-K Battery Tester Kit—Net Each.

\$9.95



630











${f QUIPMENT}$

OLANDEBOYCE FAMOUS MAKE TV PICTURE TUBE TESTER AND REACTIVATOR

SPECIAL CONCORD BOUGHT OUT AN ENTIRE FACTORY

Made to sell nationally for \$54.90

> Stock =88701-06 3. Shipping Wgl. 6 lbs.

With Famous Simpson 41/2" 0.100 Microampere Meter

EACH SLASHED erating con-

Completely tests the operating conditions of the defects.

tube, for quick and easy location of troubles the tube.

Provides large clear meter indication of whether the tube.

Solo or BAD, as well old as accurate quantitative readings.

It is clear each test of the test of test of the test of test

OSCILLOSCOPE PRE-AMPLIFIER INCREASE VOLTAGE GAIN BY 100 MANUFACTURERS CLOSEOUT! Reg. Net Price

Increase the voltage gain on any oscilloscope. Newel 'scopes have their usable voltage range extended, older ones are brought up to gain their usable voltage range extended, older ones are brought up to determine their usable voltage range extended, older ones are brought up to controlled from zero to 100.

This extra gain permits tow level signal viewing amplification with panel of the control with a VTVM or AC woltage measurements in the rope of the control of with a VTVM or AC woltage measurements for panel of the control of with a VTVM of the control of the control of with a VTVM of the control of the control of with a VTVM of the control of the control

of heavy-gause steel finished in grey crackle; front panel of polishing and stock washing the stock with the stock washing the stock washi

NATIONAL UNION CATHODE RAY TUBE CHECKER

EACH

Checks tube either in set or carton. REG. \$29.50 Test tubes with duodecal or diheptal sockets. Bridge measurement of peak beam current. Neon lamp used as balance indicator. Neon lamp used as palance indicator.

Detects open and shorted elements.

Andy size - 814" W. x 6" H. x 3" Deep. Complete

with all necessary cables and Ideal for use in the serviceman's caddy.

Shipping Wgt. 5 lbs.

Stock No. NU-CRTC

UNIVERSAL VOLTAGE PROBE HIGH Stock #PROBE-D6 \$675\$875

Up to 0 to 50 KV on any meter with no extras to buy. High accuracy with safety for experimental and development work, industrial high voltage supplies, black INSTRUCTIONS OF USE WITH METERS OF ALL TYPES SIMPLY SHOWN PER VOLT OR MORE). CLEARLY PRESIDENT OF MORE ON THE INSTRUCTIONS OF ALL TYPES If you can alter your meter, you can alter your without additional parts or resistors to buy. Shipping Wgt. 3 fbs. EACH

PRICE—Complete with four universally matched precision High structions and full in-

VERSATILE BIAS VOLTAGE SUPPLY

CLOSEOUT PRICE

Stock #Blas-V N-6 Shipping Wgt. 2 lbs.

ANY BIAS VOLTAGE FROM 0 TO 30 VOLTS
FROM A PERMANENT SOURCE.
OUT, CAN'T BE ADJUSTED & WHICH WEAR
AGE IS NOT CONSTANT? & WHOSE VOLT.

AGE IS NOT BE RATINGS OUTPUT AC

as follows: Chassis (clips): 0-30 V. Pos. Output Lead: 0-30C. Negative "Voltage Set" adjusted to any value insted to any value up to 30 volts as Pointer on Panel

Complete with built in prods

Complete with built in prods. Checks continuity. Checks polarity of DC voltage. Determines whether line voltage is 110 or 220. Indicates whether voltage is AC or

Indicates DC voltage

CONCORD'S PRICE

A REG. \$249 SELLER

STOCK #MINI-TEST-B7 Wgt. 4 075.

LATEST PORTABLE TUBE CHECKER



MADE BY SENCO!

This unit will be the handiest piece of gear in the TV serviceman's cardinates and the TV tubes. Will, and miniaturaments, including the doubles as voltage tester. Also checks pieture convenience outlet. For use on 110 V. 60 cycle

STOCK SENCO-TC-C6

SHIPPING WGT: 2 Lbs.



LEAKAGE CHECKER

CONCORD'S Reg. \$2995

Stock #AS-LC2K KIT ... Shpg. Wt. 3 lbs... Net \$19.95 Stock #AS-LC2 Wired & Tested ... Net \$24.95

CONCORD'S test equipment wired and tested. priced far below reg.kit prices!

Concord's I MULTI-METER

MEASURES UP TO 10 MEGOHMS! SENSITIVE 160 UA. 3" METER.

Your Complete Lab. Pocket Sized. STOCK #TEST-C30-B7 CONCORD'S PRICE

Shipping Wgt. 4 Lbs.

R A N G E S Inductance: 0-1000 Henries AC Volts: 10, 50, 250, 500, 1000 (@ 2000 opv) DC Volts: 10, 50, 250, 1000, 5000 (@ 4000 opv) DC Current: 250 UA, 2.5 Ma, 25 Ma,

1/2 amp.

Resistance: 0-10,000, 100,000, 1
Megohm, 10 Megohm.

BB: -20 to +36 DB.

Capacity: 250 MMFD. to .2 MFD.

Size: 3%e" x 5¾4" x 2¼4".



Unmatched performance in a factory wired multimeter, Loaded with features found only in instruments costing many dollars more. Measures resistance up to 10 megohms with internal 22.5 V. battery. Enclosed in durable plastic case. Complete with testprods and battery

FOR: shops, students, home repairmen, experimenters. All units complete with batteries and test leads

2000 OHM PER VOLT SENSITIVITY SENSITIVE 3" 140 UA. METER SILVER CONTACT SELECTOR SWITCH

FREE TEST LEADS BATTERY

Reg. Price CONCORD'S PRICE

\$15.95 RANGES

AC Volts: 6, 12, 60, 300, 1200. DC Volts: 6, 12, 60, 300, 1200. DC Current: 300 UA, 3 MA, 300

Resistance: 0-10,000 Ohms, 0-1 Megohm.

Decibels: -20 to +17 DB. Inductance: 0-1000 Henries.

Capacity: 250 MMFD. to .2 MFD. Size: 31/8" x 51/2" x 13/4".

SERVICEMEN'S SPECIAL

STOCK #TEST-CP6-B7 Shipping Wgt. 4 Lbs

Concord's "DEPENDABLE"

GHLY SENSITIVE 160 UA. METER — 3" FACE FULL FACTORY WIRED AND TESTED!

> CONCORD'S FREE TEST LEADS LOW PRICE & BATTERY

SENSITIVITY: 2000 OPV-AC

4000 OPV-DC

RANGES

ACH RANGES

AC Volts: 10, 50, 750, 500, 1000.
2000 OPV.

DC Volts: 10, 50, 250, 500, 1000,
5000. 4000 OPV.

DC Current: 250 UA, 2.5 MA, 25
MA, 250 MA.
Resistance: 0-10,000 Ohms, 0-100,
000 Ohms, 0-1 Megohm, 0-10
Megohms (with external 22.5 V.
Battery).
Decibels: -20 to +36 DB.
Inductance: 0-1000 Henries.
Capacity: 250 MMFD. to .2 MFD.
SIZE: 3%" x 5¾" x 2½4"

8-B7

Shinning Wet A. Lb.

STOCK #TEST-C18-B7 Shipping Wgt. 4 Lbs

"POCKET" V.O.M.

FREE TEST LEADS & BATTERY

Reg. Price

\$14.95



THE TESTER FOR EVERYONE

FITS IN YOUR SHIRT POCKET! WORLD'S SMALLEST MIDGET TESTER!! FOR APPLIANCE REPAIR, RADIO, TV SERVICE.

AC & DC: 10V, 50V, 250V, 500V, 1000V (1000V/Ω)

DC current: 1mA, 100mA, 250mA

OHMS: 0~100kΩ (By 1.5V internal Battery)

Dimension: 2½" x 3¾" x 1½"



Ship, Wgt. 1 Lb.

Model MT-9 '-OHM- MICRO

FREE TEST LEADS & BATTERY

Reg. Price

\$15.50

- AC Volts: 6, 12, 60, 300, 1200V DC Volts:
- 6, 12, 60, 300, 1200V DC MILLIAMPERES,
- $300\mu\text{A}$, 3mA, 300mAOHMS: $0\sim1\text{Meg}\Omega$ $0\sim10\text{k}\Omega$ By 3V internal Battery

Decibels: $-20 \sim +36 db$ (Odb. 0.775V, 600Ω)







Ship, Wgt. 1 Lb.



Designed for radio testing. 3300 ohms per volt AC & DC

CONCORD RADIO • 45 Warren Street New York 7, N.Y. • DIgby 9-1132

ode



BATTERY

FREE TEST LEADS

CONCORD'S PRICE

REG. \$25.50

· AC VOLTS: 10V, 50V, 250V, 500V, 1000V, 5000V • DC VOLTS: 10V, 50V, 250V, 500V, 1000V, 5000V DC current: 1mA, 500mA

0~1kΩ, 0~10kΩ, 0~100kΩ, 0~1MΩ Decibels: -20~+5db • (0db. 0.775V, 600Ω) Dimension: 43/8" x 7" x 31/4"

Ship. Wgt. 3 Lbs. STOCK #L-7F-B7

Save Hours of Precious Time!

ANTENNA Line Tester



Locate at once line breaks in non continuity antennas as: Conicals, Yagis, Double V's, etc.

Check from inside the house for breaks in either leg of antenna line.

Locate under-insulation breaks in seconds.

Determine whether TV set or antenna line is at

Complete with all test cables and easy to read instruction manual.

Housed in handsome gray cabinet.

No more ladder climbing — no more time consuming searching for a break in the antenna line. You do it all from the TV set in minutes. No lost time guessing and trying . . . You determine immediately whether TV set or antenna line is at fault . . . If it is the antenna line you proceed to spot exact location of the break — even under the insulation, without leaving the house.

SOLD NATIONALLY FOR \$1995

STOCK #ALT-1-C7

FACH

Shipping Wgt. . . 4 Lbs.

SPEAKER SUBSTITUTER

3 Testers in one! SPEAKER SUBSTITUTER SIGNAL TRACER-VOLTAGE CHECKER

SOLD NATIONALLY FOR

CONCORD'S CLOSEOUT PRICE

SUBSTITUTE ANY SPEAKER IN USE TODAY.
SIGNAL TRACE ALL AUDIO AND VIDEO CIRCUITS
CHECK FOR VERTICAL AND HORIZONTAL SWEEP VOLTAGES
CHECK AND MEASURE B + VOLTAGES
SUBSTITUTE POWER SUPPLY BLEEDER RESISTANCES
COMPLETE WITH INSTRUCTION MANUAL
COMPLETE WITH SIGNAL TRACING PROBE, ADAPTER PLUGS FOR
RCA, DUMONT AND ADMIRAL SPEAKERS, PLUS CLIP LEADS FOR
ALL OTHER TYPE SPEAKERS

Here's a handy tester which you will want for all home calls. Housed in an attractive gray cabinet. Not a kit but a factory calibrated and wired instrument. Hurry while our limited supply lasts.

Shipping Wgt. . . 4 Lbs

SERVICEMENS SPECIAL CRT TESTER-REJUVENATOR



SOLD NATIONALLY FOR \$1995

CONCORD'S CLOSEOUT PRICE

Checks cathode emission

· Indicates shorts and leakage

Estimates the probable useful life of the tube

Test for open elements

· Houses in handsome rugged gray metal case

Factory wired and calibrated
 Complete with CRT Test Cable and Instruction Manual

A must for all TV servicemen. This fine unit clears inter-element shorts and leakage, removes cathode surface contamination. Will rejuvenate weak tubes. Completely self contained, built-in power supply furnishes all necessary voltages for the test and repair of ALL picture tubes in set or carton. Includes CRT test cable which can be removed for portability.

STOCK #CRT-1-C7 Shipping Wgt. . . 4 Lbs.

SAVE 50% off net prices EMC Instruments



MUTUAL CONDUCTANCE TUBE TESTER — EMC Model 206 P

One of the finest pieces of tube testing equipment at a price comparing favorably with emission-type testers. This completely flexible model using lever-type switches offers extremely accurate results with ease of operation. \$83.50 (hand rubbed carrying case)

Shipping Wt. 7 Lbs.

VOLT-OHM-CAPACITY METER — EMC Model 107

Directly measures capacity, resistance and complex waveforms peak to pea. Some of the high quality features at no extra cost are: expanded scale cannot burn out ... measures 50 mmfd to 5000 mfd ... inductance from 1.4 henries to 140,000 henries in 4 ranges ... 1% multipliers for voltage capacity and resistance measurements. \$48,90 wired & tested \$34,50 kit form





EMC Model 210

New economical transistor checker contains these high quality features;

• Checks all PNP and NPN transistors

• Measures gain in three ranges

• Measures leakage on two color

"Poor — Good" Scale

• Housed in a molded bakelite case

TRANSISTOR CHECKER

- Supplied complete with batteries \$10,95 wired and tested \$ 7.95 kit form

Shipping Wt. 2 Lbs.

New White Dot-Cross Hatch -**Bar Generator** EMC Model 800

Lowest priced, quality color and mono-chrome generator available . . easily adjusts color convergency, width, lin-earity, lon trap and yoke, etc. \$39,90 wired and tested

\$22,50 kit form

Shipping Wt. 4 Lbs.



Wide Band Oscilloscope For Color

And Monochrome TV EMC Model 601



EMC Model 601 oscilloscope gives you the highest quality features ever found in this price field. Exclusive features: full 5 mc bandwidth for color TV servicing — push-pull vertical amplifier, .02 volt per inch sensitivity — 5 UPI — 5" scope tube — 60 cycle phasing control — DC positioning controls eliminates overshooting and bounge — built-in peak to peak calibration reference — 2-step compensated attenuator input — multi-vibrator sweep, from 15 cycles to over 75 kilocycles.
\$117 90 wired and tested

Shipping Wt. 20 Lbs

CONCORD FIRST! ...

WIRED & TESTED

TRANSISTOR **AUDIO OSCILLATOR**

WORTH \$8.95


CONCORD'S FAMOUS PRICE

MINIATURE EARPHONE FOR ABOVE

ONLY \$1.95

- Vest Pocket Size, 3" x 2" x 1/2".
- An excellent code practice escillator.
- Can be used as CW menitor. The experimenter's signal tracer.
- Complete with transister and batteries.

Stock #TRAN-OSC-C7



1960 DESIGN!!



2 RANGES 0-8 0-16 VOLTS

CONTINUOUSLY VARIABLE

Special choke input filter circuit gives better regulation

110-120 volt 50/60 cycle AC input, 250 watts with

FAMOUS MAKE 6 AND 12

VOLT VIBRATORS

Lots of 100

CONCORD'S

CLOSEOUT PRICES

Lots of 100, any assortment....

Lots of 25, any assortment.....

Up to 100% intermittent overload

AC ripple less than 2% at 6 amperes

Heavy-duty transformer and choke

10 ampere 12 volt DC load

Size 12" x 17" x 8 1/2 CONCORD'S PRICE

REG. PRICE

\$6500

LOOK AND SAVE

4 heavy duty bridge-type selenium rectifiers

• 18-ga. steel cabinet, blue hammerloid finish

EACH

MODEL

D-612T

sound

VIBRATOR TRANSFORMERS LOTS OF 5

CASH IN!

EACH SINGLY \$149 each

Reg. Price \$3.50

OUTPUT: 200V. DC @ 55 Ma. 5 to 6 tube transformer standard mounting. INPUT: 6 VOLTS

Stock #VIB-TR

Shipping Wgt. 4 lbs.

REAR DECK DUAL SPEAKER SWITCH



PER KIT

3-position switch connects either speaker or both. Non-rusting construction, easy 2 screw mounting. Supplied with 20 feet of connecting cable. Only 3 connections to speaker in existing equipment. Switch utilizes finest silver plated contacts. Packed complete with all parts in box.

Stock #2-SPK-SW-C6

Shipping Wgt. 1 lb.

CUSTOM REAR DECK AUTO SPEAKER SET

6 X 9 SPEAKER KIT Lots of 3

Singly

5 X 7 SPEAKER KIT Lots of 3

\$499

Singly \$435 STOCK #RDSK-57-C6 STOCK #RDSK-69-C6

SHIPPING WGT. 5 LBS.

REAR DECK SPEAKER GRILLS

FOR 6X9 SPEAKER

SINGLY \$105

Stock #

SP-GR-C6-69-

LOTS OF 3

-Shipping Wgt, 1 lb.

LOTS OF 3 \$265 SINGLY

\$100 Stock #

-Shipping Wgt. 1 lb SP-GR-57-C6

Lots of 10, any assortment..... Singly..... THREE TYPES FOR MOST REQUIREMENTS

4 Prong Universal Replaces most Mallory, Radiart, etc. units. Size

Stock #VIB-4-6V-C6 Shipping Wgt. 1 lb.

STOCK #0-612 T-87

Shpg. Wgt. 18 Lbs.

Replacement for ATR 1340, Mallory G859, new most units in the radins V. automobile

Stock #Vrs.12V-4-C6 Shipping Wgt. 1 lb.

12 VOLT 3 Prong Replaces such units as Delco 8550, Mallory 318", etc. Size 11/2" x

.95

.99

Stock #VIB-12V-3-C6 Shipping Wgt. 1 lb.

LIGHT



EACH

each

FLASH \$.69

EACH Portable multi purpose portable light. Powered by two regular flashlight batteries, incorporates such fine features as: full focussuch tine teatures as: full Tocus-ing control, red and green lenses plus reg. 300 foot white beam, push button signalling device, belt hanger. invaluable to motor-lets, in the home, for hunters, hikers, etc. Worth over \$1.95.



SHAVER CONVERTER CONCORD'S PRICE USE YOUR ELECTRIC

SHAVER IN YOUR CAR .

Reg. For use with any 110V. Electric Shaver

\$10. 95 Simply plug into cigar lighter EACH No installation required! Specify whether — 6 or 12 volt STOCK #AUTO-SHAVE Snipping Wgt. 2 lbs.

AMPERE CHARGING Black-finished all-metal

CONDITION

METER REG. \$195



Black-finished all-metal 2½/4" diameter 15 Ampere range meter with pere range meter with glass-covered white and glass-covered white and red face. Solder lug wiring connections on terminal strip. Originally built for showing ally built for showing charging condition, it's usable as a standard usable as a standard usable as a standard usable as for mountineter. Size of mounting hole 2"; depth behind panel 1½" including terminal strip botts. Wt. ½ ib.





NOW WHILE THEY LASTI

8 Tube DELCO PUSH BUTTON FOR 12 VOLT OPERATION

AUTO RADIO

Reg. \$125 FREE! Complete with owners' installation manual, all necessary hardware AN 75-D brockets and knobs.

Size 9 H. x 10" L. x 71/2" Max. Depth.

Control Head is 4/18
high x 2" Max. Depth. Control Shaft
Centers are 6-11/16" apart and require 1/2" dlam. holes.

LESS THAN COST. N. X 10" L. X 77/2" Max. Depth.
Control Head is 47/6" long x 17/6" Antenna
high x 2" Max. Depth. Control Shaft

Push-Pull 12V6's

8 Tube Circuit Push Button and Extended Range 6" x 9" PM Speaker Manual Tuning TOO! STOCK #

Covers Full B'cast Range Volume, Tone and Sensitivity Controls SHIPPING WEY.

ALSO AVAILABLE \$2995 STOCK # C7 PETP WELL 20 Lbs.

REMOTE CONTROL GARAGEDOOR OPENER ELECTRONICALLY POWERED! Specify 6 or 12 V


Complete system including motor mechanism, radio transmitter and receiver, antennas, receiver, antennas, and list pr. mounting hardware, wiring, wall switch etc. \$219.00

Motor mechanism only 140.00

Remote Control Radio (Transmitter and Receiver) Stock No. G314-C6 80.00

Extra transmitter Stock No. G315-C6 35.00

Key Switch Stock No G511-C6 6.00



ONLY AT CONCORD RADIO!

FIRE EXTINGUISHER

A pressurized spray for instant action when you need it. Just take off the cap, push the top down, and fine pressurized soray hits the fiame. Shipping Wgt. 1 M.

Lots of Ten Light in weight, easy to hold, and per-fectly safe — for grease oil or elec-trical from trical fires.

singly - \$109

EACH



CONCORD'S LEADER A RADIO FOR TRUCK DRIVERS AND BOAT OWNERS

ONLY AT CONCORD

REG. PRICE \$59.95

At last Concord has come up with an economical radio specifically designed for Iruck or boat use. This rugged unit will operate off either boat use. Note and connect one wire and the installation can minutes.

12 or 6 volts Features

atures.

G-tube superhet circuit with 8 tube performance.

3 Section super magna wave tune.

22 Stainless Steel whip antenna in spring mount.

Rubber wosher and lockaut assembly provides waterproof mounting on either rand or buikhead.

Ball and swivel joint in antenna shock mount of cab or cabin.

PLEASE SPECIFY Stock #TR1277-C8 & Voit

6 VOLT

VOLT MATIC SELECTO -9 TUBES

· Ideal for Cars, Boats, Trucks, Tractors, Farms, Summer Camps

. Push-Pull 6V6 Output!

Overall Size: D7, H4, W61/2

Finished in natural tan baked enamel.

Shipping Wgt. 10 lbs.

. 9 Tube Circuit

Extended Range 6" x 9"

PM Speaker . Covers Full B'cast Range

· Volume, Tone and Sensitivity

. Signal Seeker Tuning and · Manual Tuning Too!

WORTH

FOR 12 VOLT OPERATION USE CONCORD VOL-TA-DROP

COMPLETE

Shpg. wt., 20 lbs.

Tubes include: 2-68A6; 2-6A96; 2-6V6GT; 1-6BE6; 1-12AU7; 1-6V6 output 1-0Z4 Rect. Large 6 x 9" Oval speaker and puh-pull 6V6 output 1-0Z4 Rect. Large 6 x 9" oval speaker and puh-pull value. Size: 0.2 x 1.2 x 8" Max. Depth. Control Head 6V9" L. x 24" L. x 24" x 10" L. x 8" Max. Depth. Control of 2 x 1.2 x

NOTE: USE YOUR & VOLT RADIO WITH NEW 12 V. SYSTEMS WITH VOL-TA-ORDP PRICE . . . \$385 GENERATOR

LEECE-NEVILLE A.

This AC generating system is one of the biggest, toughest mobile power supplies you've ever seen. Battleship construction, heavy mounting ship construction, on all 3 parts brackets and plates on all 3 parts of the unit make it simple to mount. brackets and plates on all 3 parts of the unit make it simple to mount. Wiring diagram included. Your battery takes it easy, you have all the power you want. Air-cooled generpower you want. Air-cooled gener-power you want. Air-cooled gener-ator, heavy-duty rectifier, complete-ator, heavy-duty show the solution of the ly-cased regulator. Shpg. wt. 52 lbs. Net \$49.95 Stock # A6-LCHYL

Reg. \$119.50

alternator,

20 amps with engine idling 60 AMP charge

APAY TV VIEWING



8 position push-button beam selector, fri-sec-tion dipoles and duel phasing element. These combine to give a va-riety of circuit arrange-ments enabling selec-tion of best reception for the channel being

Special

Lots of 3 SINGLY

\$12 95

STOCK = XY-TV-C6

3 D

WHY PAY MORE?

Shipping Wgt. 5 Lb:

ectronic

Lots of 3

Reg. \$9.95

Shpg. wt. 3 lbs STOCK = XX-TV-CB

Newest indoor antennal Fea-tures the famous Snyder Direc-tranic 6-position Seam Selector Switch! Gives the clearest pic Switchi Gives the cleapest picture on every channel channels from 2 to 831 New crisscross phasing element gives high variety of circuit arrangements. Alds in impedance matching, ghost of elimination ond orientation. Two 3-section gold tease brass shafts. Brass plated phosing bar, Sheps, wt. 2½ lbs.

MAGNIFICENT Embassy INDOOR TV ANTENNA



CONCORD'S PRICE

List Price \$19.95 ea.

WORLD'S MOST POWERFUL INDOOR ANTENNA

FULLY GUARANTEED

10 TIMES AS POWERFUL AS ANY OTHER INDOOR ANTENNA
SPECIAL CIRCUITRY DEVOTED FOR GHOST

ELIMINATION

Built for top signal pickup, the Embassy offers such features as 12 Position Dual Control Switch, Concealed 4 section telescoping arms, fine styling includes handsome plastic housing to fit any decor. Available in Mahogany, Ivory, Ebony, and Maple Walnut. Stock #EMB-TV-C7

Embassy De Luxe Indoor TV ANTENNA with built-in ELECTRIC CLOCK

CONCORD'S

PRICE

Embassy

PRICE \$24.95

\$14.95

Offers all the fine features listed above, plus the convenience of a fine electric clock. Filtered to prevent interference. Your choice of Mahogany, Ivory, Ebony, and Maple Walnut. Stock #EMB-TVCL-C7 Ship. Wgt. 5 Lbs.

1958 MODEL INDOOR REG. SOLD FOR \$16.95

ANTENNA

ONLY INDOOR TV ANTENNA WITH 96" TELE-SCOPING ARMS FOR PERFECT RESONANCE AND MAXIMUM SIGNAL STRENGTH ON ALL TV CHANNELS.
ONLY INDOOR TV ANTENNA EMPLOYING ADJUSTABLE CROSSED RADAR LOOP PRINCIPLES FOR ELECTRONIC

CRUSSED RADAR LOST THROUGH THE CONTENTATION.
ONLY INDOOR TV ANTENNA WITH 12 POSITION DUAL CONTROL SWITCH THAT REJECTS GHOSTS AND ELECTRONICALLY ORIENTS ANTENNA TO DIRECTION OF STRONGEST SIGNAL

ONLY INDOOR TO ANTENNA SOLD WITH A 10 DAY FREE HOME TRIAL AND MONEY BACK GUARANTEE. UP TO 100% MORE POWERFUL THAN PREVIOUS MODEL AND ALL OTHERS TESTED.

New! Improved! INDOOR TV ANTENNA BUAL CONTROL SWITCH EACH CONCORD'S

PRICE OF each

Stock #REM-ANT-C7 LOTS OF 3 Shie, Wet. 4 Lbs.

STOR-A-WAY THE DISAPPEARING TV ANTENNA

CONCORD'S LIST PRICE PRICE \$8.95



Suitable for use with personal or table TV sets. Features 4 section dipoles, disappears completely from view behind set when not in use. Rugged, durable plastic case. Complete with lead-in wire. Installs rapidly.

Stock #SAW-ANT-C7 Shipping Wgt. 3 Lbs.

CONCORD'S HANDY RABBITEAR

INDOOR REG. \$5.00 each TV ANTENNA

Lots of 12

Fine Brass 3 section tele-scopic dipoles give you best match for all chan-nels. Scratch proof base is finely molded of high grade plastic. With handy 300 ohm leads.

STOCK #TV-ANT-CE SHIPPING WT. 3 LBS.



300 CHM STANDARD GAUGE TWIN LEAD - 55 Mil.

#K-TW-55 11/2 e per ft. \$1,29 per 100'

\$5.98 per 500' \$10.99 per 1000'

300 OHM HEAVY DUTY TWIN LEAD - 100 MIL.

#K-TW-100 31/2¢ per ft.

\$2.98 per 100 feet \$13.45 per 500 feet \$24.50 per 1000 feet



INDOOR

REPLACES OUTDOOR AND ROOF ANTENNAS

- Finest in TV Reception
 3 Section Telescoping Dipoles in
 Polished Brass
 6 Position Switch for Alt Channels
- For Black and White or Color
- Reception
 Felt Covered Base, protects
 Furniture
- Adjustable Tuner for Sharpest Pictures

Stock #WW-ANT-B7A

Extra Heavy Base and Dipoles Bases Available in Black or Brown (Please Specify)

TV ANTENNA

Sold Everyhere for \$1595

CONCORD'S SLASHED PRICE

\$695 Shipping Wgt. . . . 5 Lbs.



ALUE!

08 (LE WHIP ANTENNA

our price

AN-75-D

- 5 section 82" fully extended 14" collapsed solid brass construction

Reg. \$12.50

one of the most sensational Whip Antennas ever offered. Can be adapted to a hundred different uses. Designed originally for Bumper mounting with a removable base clamp. Can be used on 2.6, 10 or 11 meters. Removable mast makes it possible to base load this antenna for 20, 40 and 75 meters. Simplified construction makes it possible to use 6 of the whips as 2 low priced beam antenna or 4 as a ground plane.



FOR THE VERY FINEST TV

ANTENNA ROTATOR

FULL 1 YEAR GUARANTEE Reg. \$2650

WITH STANDARD **CONTROL UNIT**

WITH DIRECTION METER CONTROL UNIT

> \$1730 COMPLETE



An outstanding Rotator Value! Packed with features that make it the finest rotator value ever offered. Housing is weather sealed all aluminum construction. Has direct gear driver for high torque and full 370° right or left rotation. Lifetime oillite bronze side thrust bearings and rugged instant braking motor give pinpoint accuracy for black, white and color Flagpole type base makes installation easy, Antenna sits 3" into drive unit for maximum mast support. Housing has guy wire supports. Handsome compact mahogany styrene has featherweight fingertip action and is only 314 x 34x x 34x". Uses economical 3 conductor cable, 110 Volt AC. All parts rustproof. Shop wt 814 blos

Tork # © 66 RSSSM With moter-less control unit. Rev \$22 20 Net \$13.30 Stock #£6 R55N . With motor-less control unit . . . Reg. \$22 20, Net \$13.30

3 CONDUCTOR CABLE for above. Parallel conductor antenna rotator type, conductor tinned for circuit identification. 22 gauge stranded. Shpg. wt. 5 % lbs. per 100 ft.

Stock No. C6-K-3217......3c per ft.......100 ft. for \$2.50

ROTOR QUEEN (as above) with Direction Meter Control Unit illustrated.
Stock # G6R55M ... Shpg. Wt. 84/2 lbs....... Regularly \$28.85, Net \$17.30
4-conductor cable for "Rotor Queen" with Directional Meter Cont. Unit.
Stock # C6.3188 Shpg. Wt. per 100 ft. 54/2 lbs..... Net 3c ft., 100 ft. \$2.89

VEE-D-X 8-element "long john" yagi

5795 For Channels 8, 9, 10, SPECIFY CHANNEL Reg. \$18.50

High front-to-back ratio provides high gain for fringe areas. Full 6 mc, band width, Rugged boom bracing for extra strength, Chan, 8, 9, 10; Specify Cham. Wt. 6 lbs. Stock # Cs-T DLJ.



6V. D.C. MOTOR

CONCORD'S MOTOR SCOOP!!

CONCORD'S CLOSEOUT PRICE

LOTS OF 5

\$7.50

Only CONCORD can offer a fine 6 yolt DC motor at a real low price. Fully enclosed, delivering 500 RPM, shaft is ¼ dia ¾ long. The ideal motor for use with remote controlled units, displays, portable gear. Labs., shops, experimenters, don't let this one get away!

REG. PRICE \$6.50

Shipping Wgt. 2 Lbs.

Stock #8VMOT-C7

FOLDED DIPOLE


FOR 10 TO 80 METERS

Each kit complete with flat-top twin lead cut to desired frequency band, 75 ft. of lead in wire, plus folded dipole connector block. Handles up to 300 watts with ease.

Model No.	Meters	CONCORD'S
FD-10	10	\$3.50
FD-20	15 20	3.95
FD-40	40	4.95
FD-80	80	6.75

RUSH ORDER FOR XMAS

Concord's RMS MK-545 Reg. \$2295 STACKED CONICAL ANTENNA



One MO-54S Monitor Conical Antenna (stacked) Two CR-5 Antenna Masts, 5' One UL-5 Universal Light-

COMPLETE one B-I All-Angle Base Mount

Three W-35 31/2" Wood Screw Eye Stand-offs Two SN-350 Snap-on Mast Stand-offs 75 ft, 300 ohm Lead-in

Stock #MK-54S

Ship. Wgt 12 Lbs.

"CONCORD'S DO IT YOURSELF TV ANTENNA KITS!"

RMS BK-100 ALL CHANNEL ANTENNA PLUS ALL **ACCESSORIES**



Stock #BK-100-C7

\$22.29 CONTENTS:

One BIG-100 Big Shot AllChannel Yogi Antenna
One CR-5 Antenna Mast, 5'
One UL-5 Universal Lightning Arrestor (UL Approved)
One B-1 All-Angle Base Mount

CONCORD'S CUT PRICE

Ship. Wgt. 17 Lbs.

ANTENNA

Single (top half of illus.) Lots of 3 **EACH**

Singly **5319**

LOTS OF 3 Stacked (illus.)

REG

Singly

One of the fastest selling antennas on the market. Broadband principle for all-channel coverage with maximum signal strength. Hifreq. stubs boost those hard to get channels freq. stubs boost those hard to get channels in the higher frequencies. It's a "snap" to assemble. U bott clamp holds it firm on any mast up to 1½" O.D. This is the signal getter you've been looking for. Order now! Stock No. H-67

Shipg, Wt. Stacked 6 ibs., single 3 ibs.

CONCORD RADIO 45 Warren Street, New York 7, N.Y. Digby 9-1132

ANTENNA INSTALLATION

${f Z}$ tower

OFFER

All Prices F.O.B. Factory

· EASY ERECTION, GOOD ENGINEERING

MAKE THESE THE FINEST TOWERS AVAILABLE FOR ALL AMATEUR BEAMS

. FOR BX TV RECEPTION "KRANK-UP" TELESCOPIC TOWERS

Crank up to required height with simple "Krank." Crank down for adjustments, storms, etc. Made of high grade steel tubing throughout. Takes little effort to erect. Particularly interesting for use with ham beams due to Krank feature.

Complete with Hardware and Base

CONCORD'S PRICE \$18.37 27 FOOT MAST

STOCK # JONTZ-KR-27-C6 SHIPPING WET. 30 Lbs.

CONCORD'S PRICE \$26.21

STOCK # JONTZ-KR-47-C6 SHIPPING WET. 44 Lbs.

"SUPER KWICK-CLIMB"

Fifty toot self supporting tower constructed of finest 14 gauge steel, 1" diameter tubing. Can be erected in one piece or in sections. Additional 10' sections can be added to get 150' maximum height. Furnished complete with foundation mountings. Can be moved if necessary—due to one piece construction. Complete with hardware and base.

50 Feet Super Kwick Climb.

\$80.85 CONCORD'S PRICE

SHIPPING WEIGHT: 200 Lbs. STOCK # JONTZ-SKC-50-C8

40 Foot Super Kwick Climb CONCORD'S PRICE SHIPPING WEIGHT: 150 LBS. \$54.83

STOCK # JONTZ-SKC-40-C6

Ste

Unsurnassed RECEPTION

"KWICK-UP" TELESCOPIC TOWERS

Used by thousands, the Kwick-Up offers economy along with easy erection, durability, good engineering.

Made of hot dipped galvanized 16 gauge tubing. Complete with all hard ware. Four sizes for all requirements.

	WEI	TOOK	IUWEK	UP	DURING	#000	MENIUEN	MONINS:	
ck	#			He	ight		Weight	Net	

20-JON-KW-C6 20 FEET 22 LBS. \$ 8.27 9.99 38-JON-KW-C6 30 FEET 33 LBS. 40 FEET 46 LBS. AB-HON-KW-CS 14.06 EG-JON-KW-CS 50 FFFT 19.40

ALLIANCE TRICEPTOR ALL CHANNEL ANTENNA

Reg. Price \$1695

MODEL TC-1

Covers Channels 2 - 13

CONCORD'S CLOSEOUT PRICE

LOTS OF 3

SINGLY \$545

A Real DX Antenna
All Aluminum Construction
Designed for Minimum Wind Resistance
Can Be Stacked for Additional Signal Pickup
Elements Snap Into Position in One Motion
Antenna is Packed in Meavy Carlon To Prevent Damage
Full Instruction Sheet is included with Each Unit

SPECIAL Reg. \$2650

You've never seen an antenna value as sensational as this Delco Ultra Sensitive Broadband Yagi. Will receive Channels 2 to 6 with Razor Sharp clarity at distances of 125 miles or more. Excellent front-to-back ratio helps to prevent "ghosting." Extremely simple to assemble. Complete with mounting hardware and instructions. Shog. wt. 12 lbs Steck No. 99-K-8056

Lots of 3

Singly

ELEMENT

IN MINUTES! "Just Snap Open"

ALL CHANNE

ALL ALUMINUM

NO LOST HARDWARE CONCORD TOP QUALITY

Reg. Value \$10.50 LOW PRICE

42

TV servicemen save hours with the new "snap open" feature. Elements and dowel reinforced. Includes 2 10 element Conical Bays with "Q" bars and hi-freq. stubs "Home mechanics" you can get professional results, and one men installation. A must for all suburban TV viewers, Less mast.

Ship, Wgt. 8 Lbs.

ALL CHANNEL"RIV



CONCORD'S


L Gain over a tuned dipole

Concord's Price

Receives ALL CHANNELS 2-83 from AL DIRECTIONS without a Roter
All aluminum snap-out assembly
MOTORLESS all-direction reception for

The unity antenna that instantly beams the tell vision set directly to the signal without a roti. This antenna brings strong signals from all rections to weak signal areas instantly. In a flick of the nine position switch located neither than the set of the nine position switch located neither than the set of the nine position switch located neither than the set of the nine position switch located neither than the set of the nine position switch located neither than the set of the set of the nine than the nine than the set of the nine than the set of the nine than

girection! Model CB 2-8 Consists of 2 stacked eight e ment antenna arrays, a 9 position switch, co pletely pre-assembled and wired stack harness and automatic impedance matchi coupler. Complete with instructions, Shipg is



Latest version of America's most powerful UNF-OW antennas. Will reperfect pictures up to 200 miles from VMF Stations. Ideal for receiving sharp pictures in the ultra-fringe areas. Stations can be received from the rent directions with the flich of a switch. Antenna is electronically direct signal without actually moving antenna. Switch selects the proper combined of antenna elements for channel desired. High signal to noise ratio eliminost cases of "snow". Utilizes 16 elements made of ½" eluminum twith dowel inserts. Each element is 60" long. 45" selid aluminum stabars provide maximum rigidity as well as necessary electrical contact. Strength insulators are used to support extra-heavy elements. 8 position tronic switch is completely pre-assembled of low loss materials. Complete

FIELD PROVEN R FINCO

BROAD BA

Pat. No. 2726390 Other Pats. Pending

Highest front-to-back ratio and highest gain — ever achieved on BOTH low and Eliminate high band in the superfringe area.

(BLACK-WHITE VENETIAN BLINDS

MODEL



PERFORMANCE BAY

2 1. Tremendous forward gain

Amazing Front-to-Back Ratio efficiency **Exclusive Fidelity Phasing (eliminating** tangled, complicated, matching harness) CONSTRUCTION

1. Shorter, Heavier Square Boom

'Lock-Tite' No-tilt Saddle Brackets 3. New Triple Strength Elements

Model B-A5-C

specifically designed for areas where Higher gain is necessary for Channels 2-6

MODEL B-66-A MODEL B-66-C CONCORD'S PRICE CONCORD'S PRICE

A GIVEAWAY! \$4095 List \$39.80

Shipping Wgt. 14 lbs. MODEL B-6 List CONCORD'S PRICE SINGLE BAY \$18.90 \$

Stacking Kit to stack 2 Model 8-6 Model A....List \$2.00....Net \$1.18 Shipping Wt. 7 Lbs.

CONCORD'S PRICE

B-8 ONLY THE FINEST!

The first_broad-band antenna ever to obtain absolute maximum Front-to-Back ratio for the elimination of venetian blinds, back ghosts, etc. with no sacrifice of gain on either low-band or high-band. This exceptional advance in antenna engineering is accomplished by three new famous Finco firsts: (1) twin-driving of TWO FIDELITY PHASED elements; (2) "QUAD-TRI-QUAD" drive - true quadrature twin-drive on low-band and tri-quadrature twin-drive on high-band, and (3) "INTER-LEAVED ELEMENTS" -- parasitic elements interleaved in the space-wave pattern between two driven elements.

Stacking Kit to stack 2 Model B-8 Model A.....List \$2.00.....Net \$1.18 Shipping Wgt. 10 lbs.

Model

CONCORD'S PRICE

NOW HEAR THIS!

TERRIFIC SERVICE VALUE!

The B-7 features two 3-element co-linear directors on highband and an inductance-tune low-band director. This produces extremely high directivity in pattern and intensity of gain approaching maximum possibilities. This powerful broadband antenna with high gain and tremendous front-to-back ratio protection against adjacent and co-channel interference is surpassed only by the fabulous Model B-8.

List \$24.90 Net \$14.64 Stacking Kit to stack 2 Model B-7 Model A....List \$2.00....Net \$1.18

Shipping Wgt. 10 lbs.

Model F-4



CONCORD'S PRICE

\$46.00

HOW CAN YOU MISS?

WORLD'S MOST POWERFUL CO-LINEAR ANTENNA. Spectacular performance on both Low and High Band in the Super Fringe area! The FINCO Model F-4 with Fringe area! The FINCO Model F-4 with exclusive FIDELITY PHASING incorporates a new antenna engineering discovery producing superb combined performance on both LOW and HIGH band VHF at distance up to 200 miles and more from the station, FINCO's discovery, FIDELITY PHASING, produces for the first time in-phase co-linear currents and elimtime in-phase co-linear currents and eliminates complicated, energy-wasting, phase-reversing harnesses. The elimination of complicated and delicate harnesses makes installation amazingly simple, speedy, and weather-proof. Completely pre-assembled for onlocation installation. Great resistance to high wind crice load damage!

MODEL B-5 REG. \$32.50

This fine example of FINCO GEO-MATIC Antennas makes possible reception and picture clarity in the MAXIMUM FRINGE AREA OF UP TO 200 MILES OR MORE, heretofore considered impossible to obtain. Includes multiple low-band reflectors and directors, as well as combination elements combined with "Fi-delity Phasing" to produce, for the first time, across the full VHF band (channels 2 to 13), the ultra-high gain, sensitivity, and directivity previously found only in 12-element Yagis cut to single channel

Stacking Kit to stack 2 Model 8-5 Model A....List \$2.00....Net \$1.18 Shipping Wgt. 10 lbs.

CONCORD'S PRICE Model FANTASTIC

For Deep Fringe Area Of 150 Miles or More

Where extra high gain and sharp directivity are a necessity. Includes low-band reflector, 3element high - band reflector, low-band full 1/2-wave director, and two 3-element co-linear high-band directors (CH. 2-13). List \$17.50 Net \$10.29

Stacking Kit to stack 2 Model B-4 Model A....List \$2.00....Net \$1.18 Shipping Wgt. 10 lbs.

Model \$= B-3 CONCORD'S PRICE CASH IN!

Suburban To Fringe Area Of 75 Miles or More A TRULY HOT ANTENNA! In-

cludes low-band reflector, 3element co-linear high-band reflector and inductance — tuned combination director for both low-band and high-band, (CH. 2-13). When stacked, few antennas can outperform this popular priced unit!

List \$13.50 Net \$7.94 Stacking Kit to stack 2 Model B-3 Model A....List \$2.00....Net \$1.18 Shipping Wgt. 8 lbs.




Shipping Wgt. 13 lbs.

CONCORD'S PRICE SPECIA

Model FM 4 This design is based on: FIN-

CO ultra high geomatic T V antenna principles, using a specially engineered twin drive element having impedance control "T" match stubs. This FINCO F M First enables maximum gain to be realized over the full 88 to 108 MC bana. Wgt. 7 lbs.



FM ANTENNA CONCORD'S PRICE

The two folded dipoles are matched with a special quarter wave phasing stub for optimum gain and approximate circular, all-direction radiation pick-up pattern. Supplied with 50 ft. of 300 ohm twin line 5 ft. mast, mounting base, two mast stand off insulators, three wood screw eye stand off insulators. SHE WET SLBS.

ACCESSORIES AT SUPERMARKET PRICES

CONCORD'S BARGAIN BARREL IN I.F. TRANSFORMERS

FINE UNITS FOR SERVICEMAN OR EXPERIMENTER. CHOOSE THE TYPES YOU NEED AT THESE LOW-LOW PRICES!

Lots of Ten 265 Kc. Universal I.F. Transformer High-Q iron core. Famous make. Aluminum can. Size: 34" square x 2" high. Keep a supply on hand.

Singly 42¢ ea.

STOCK #1F-455-C8 Shipping Wgt. 4 ozs.

456 Kc. Universal J.F. Transformer With high-Q Iron core. Internally mounted silver mica condensers. Aluminum can. Size: 34" x 34" x 2".

Shipping Wgt. 4 ezs. STOCK #IF-265-C8

SINGLY .52





Easy trimmer adjustment.

455 Kc. Universal I.F. Transformer

Famous make. Easy trimmer adjustment on can. Used in over 95% of table radios. Size: 11/4" x 11/4" x 21/2" Aluminum shield. STOCK #1F-456-C6

Shipping Wgt. 4 ozs.

Concord's Wholesale Prices

Selenium Rectifiers



	DC Ma.	Net	DC Ma	Net
yo.	200		65	59 c
Chidology of	250		7 5	71 c
No Story	350 400	1.49	100	82 c
4107	500		150	93c

Terrific Replacement TV Focalizer CONCORD'S PRICE



9 tots of 3 1.99

Universtl type for tubes up to 24". Features centering unit, $4\frac{1}{2}$ " nylon plastic focusing control. Overall size: $5\frac{1}{2}$ " w x 31/2" x 2" d.

A MUST FOR SERVICEMEN

STOCK #FOC-SE SHIPPING WET: 2 LBS.

EM PM Focus Coils

Reg- \$2,95

Heavy Alnico magnet. Uses less power. Found in GE, etc. TV sets. Unbeatable value unbeatable quality. Comes in 1000 ohm,

1200 ohm and 1500 ohm. Please specify ohmage. STOCK #EMPM-C6 Wt. 2 lbs.

Popular replacement in vari-ous TV sets. Adjustable screw controls iron core. Easy mounting type. Resistance is

ea. CONCORD'S PRICE 459 LOTS OF 4 \$1.00 STOCK # WC-C8 Shipping Wgt. 4 ezs.

90° YOKE with PLUG



Reg. \$8.50

90° for use

90° for use with many 24" and 27" tube TV sets. Complete with color coded heavy plastic-covered leads ending in glant keyed plug and lockwasher twoe lug. Wt. 2 ibs. Steck #C6 YR80Net \$2.89

EM FOCUS COIL



REG.

\$2.95

Singly 98¢

One of the most popular E.M. focus coils for re-placement in older-model One of the most popular E.M. focus coils for replacement in older-model sets using 472-ohm coils.

EMFC Wt. 1½ lbs. Net 98¢ insulator and high voltage lead. Stock #A6-EMFC Wt. 11/2 lbs. Net 88¢

DOORKNOB CERAMICS



30 KV 500 mmf CERAMICS

Threaded studs, Repairement for all sets using 30 KV.

CLOSEOUT PRICE

Lete of 10

Stock # C6-BLHVC 20

CONCORD'S 500 mmf TV

20 KV Lots of 5 CB-BLHVC 20 49¢ ea. 56¢ ea. Lots of 5 Singly

BLHYC 15 34¢ ea. 39¢ ea

CUSTOM TUBE AND TOOL CADDY COMBINATION OFFER!



Here's a fine tube and tool caddy which will allow you to keep your service shop with you or your calls. Well built, compartments are provided for carrying almost 100 tubes, sections for tools, and instruments. 16½" x 14" x 8" Covered with scuff proof material, a heavy duty carry-

ing handle, heavy plated hardware, all serve to give you years of service in this fine unit. Wgt. 10 lbs. STOCK #CAD-CS



Stock # DIT-C6 Wet .: 8 025

DOUBLE SECTION ION TRAP.

LOTS OF 4 \$1.75

each HEAVY

CONCORD'S . . .

71/2 OHM FUSED RESISTOR



CONCORD'S PRICE

This unit is used in the majority of TV sets. UL approved. Servicemen: buy these units now, while we can offer this low

STOCK #FUS-RES-C6 SHIPPING WGT: 4 OZS.

ANODE CONNECTOR/

Lets of 4 98¢ 99-A HAAC. TV ION TRAP



Ainico 5 single magnet type. A real value at this amazingly low price! Quantity Limited.

Steck No 98-K BL-IT-100.

REPLACEMENT VOL. CONTROLS



Stock # VC- C6 Shpg. Wgt. (10-12 lbs.) Singly 6 ozs.

REG. 97 ¢ Lots of 10 \$3,50

1/2 MEG. W. SWITCH 1 MEG. W. SWITCH EA W. LONG SHAFTS

CONCORD RADIO

45 Warren Street

New York 7, N.Y. Digby 9-1132

V SERVICEMEN!! ATTENTION!



WITH TUBES. 6J6 & 6BC5)

SINGLY \$750

SARKES Tarzian turned these out by the thousands for almost every type of TV set now in use. Replaces many models. Covers all 13 VHF channels. With tubes, ready to install... Stock ## A7-ST-41 Shops we set Stock # A7-ST-41 Shpg. Wgt. 5 Lbs

Standard PENTODE TUNER SERIES TYPE 21 MC COMPLETE WITH TUBES

Until we could get these for you at a bargain price we passed them by. Here is the opportunity to buy BRAND NEW famous standard series type Pentode Tuners at a real Concord price. Complete with tubes, cover channels 2-13. Don't miss this chance to stock up while our supply lasts. For 21 mc. input.

CONCORD'S LOW PRICE 195

LOTS OF 3

SUPER SPECIAL! PRICED ELSEWHERE STOCK #STAN-SER-B7

\$1950

SHIPPING WGT. - 4 LBS.

Strombera Carison

List \$39.50 COMPLETE WITH TUBES FIRST SERVED

LOTS OF 3

Uses 4 tubes - 1-6CB6 1-6AG5

 2-6J6 ZINETA

Stock #STROM-C6 Shipping Wgt. 4 Lbs.

30MC band-Permeability tuned. Separate antenna connection. For high and low. Used in Stromberg Carlson Series TS-15, TS-16, TS-125.

SYLVANIA or WESTINGHOUSE 41 mc. UHF TUNER

Lots of 5

\$2.50

UHF stations are opening up all over the country, more every month. Use this single 616 tuner to convert existing vhf sets to the new channels. Size: 5" h. x 2½" w. x 4½" d. Tuner pulley extends 1". Has 7" co-ax output leads; terminal strip for input leads. Complete with Tube — Shpg. wt. 3 lbs. Stock #A6-SUHT'C6).



Singly

Reg. \$25,50

NER FIRST COME

SPECIAL

Tuners use: 1 - 6J6 and 2 - 6BC5

Factory aligned GI TUNERS at a price unheard of. These tuners offer you extra profits in converting old worn out tuners, as these tuners will fit most TV sets on the market today. Tuners have 25.75 pix IF and 21.25 mc sound. Long shafts on all. Wgt. 2 Lbs.

WESTINGHOUSE UHF TUNER \$24.95

Complete with Tubes and Schematic . .

These Westing, louse tuners are designed to operate in conjunction with your present vhf tuner to extend your tuning range to complete all-channel coverage. Tunes from 450 mc. to 870 mc. with 43 mc. output. Input from usual 300-ohm line. An ideal basic element for construction or experimentation in UHF. Size: 5° x 2½° x 5° With 6AF4 and germanium diode and easy schematic.

Stock #C6-V11390 - Shpg. Wt. 3 lbs. - Net \$1.95

Complete

MALLORY INDUCTUNERS

lots of 3

Complete with 3 tubes, 2-6AB4's: 1-6CB6. Can bused as regular replacement. Makes a good fundation to a UHF Converter. Long shaft can be trimmed to required size. Frequency covered 470 mc to 890 mc. Tubes almost cost more.

UHF RECEPTOR

with 6AF4, crystal diode, schematic, and instructions

Reg. \$14.95 Lets of 10

SINGLY


Miniaturization has brought the size of this U H F receptor to a size to fit any space, in any present set. Complete with tube, dlode, output plug, and mounting plate, at less than tube cost. Schematic and installation dope included. Cash in on the trend to U H F.

CONCORD'S SPECIALS ON

STANDAR TUNERS

WORLD'S FINEST TUNERS COMPLETE WITH TUBES, 616 and 68Q7.A

LOTS OF 10 rom costi



re is the latest Standard Coll Cascode Tuner at a clear \$10.00 saving to you, are than 8 million TV receivers have Standard Tuners. . . representing the tout of some 75 nationally known set manufacturers. The Standard Coll Cascode ner will give up to 50% Improvement in gain, provide stronger, sharper picres. A well engineered unit, uses a dual triode cascode RF amplifier and dual ode mixer-oscillator. Can be used in sets with 21.25 mc and 25.75 IF. Derhed for channels 2-13 and can be easily converted to UHF with addition interangeable Standard Coil UHF strips. Has 300 ohm input and easily accessible lividual channel oscillator adjustment screw. Size: 45%" x 61/4".

Shipping Wgt. 4 Lbs.

STOCK #21ST-TUN-C6

SAME AS ABOVE BUT FOR 41 MC. 6807A OF 616

\$teck # St 4 1 B7 or 6BZ7 and 6U8

\$11.00

STOCK #998-C6

Horizontal high-voltage output trans former. Provides enough sweep and voltage to drive a 12" to 16" wide angle tube with single filament.

lacement Flyback Transformers



Reg. \$11.50

Ram. Equiv.: X-109 Merit Equiv.: H-210 For all picture tubes 10" to 21".
Delivers: 12 to 13.5 KV. For 66 to 70 degree deflection systems. Used with conventional tube line up (6BG6, 1X2, 6W4). HVO-10 Mounting centers: 2-9/16" Height: 4-11/16"

TERRIFIC VALUE!




SAVE MONEY \$\$\$\$\$ AT CONCORD!

5AT8 or 5BR8

With 4BZ7A Singly

STROMBERG CARLSON **FLYBACK TRANSFORMER**



LOTS OF 3

Singly

REG - \$12.20

MERIT EQUIVALENT HVO-48

GOOD FOR ALL PICTURE TUBES-16" to 24"

. EXACT REPLACEMENT FOR STROMBERG CARLSON CHASSIS

• 21TM, 21TQ, 22TM, 22TQ-MAGNAVOX 320055-1 320055G1, 320061-1

STOCK #161048-C7

SHIPPING WGT-2 lbs.

STANDARD SHAFT COMPLETE WITH TUBES It took unlimited buying power plus a lucky "deal" to get these tuners for you at our famous price. Used in millions of receivers you will find these units are no "dust collectors." Complete with tubes they cover channels 2 - 13. For 300 ohm input. Buy a good supply while these quantities last.

STOCK 41 SC-C7 TUN-C6

VERTICAL OUTPUT

TX 4 WIRE Singly 1.19

Shipping Weight: 4 Lbs.

PRICED TO DEFY COMPETITION!

41 MC. STANDARD PENTODE TUNER

CONCORD'S FAMOUS PRICES

LOTS OF 3



MODEL 161048

211T1 Flyback



For 50° - 57° Deflection Ideal for RF Power Supplies STOCK #211-T1-C6 Shipping Wgt. 3 Lbs.

Lots of Ton 95¢ ea. R.C.A. PT.# 971391-3; RATIO 10:1 MOUNTING CENTERS 3-3/16".

PT.#.68J489; RATIO 12:1 MOUNTING CENTERS 3-1/8".

MALLORY 3 GANG **UHF INDUCTUNERS**



Frequency coverage is 470 mc. to 890 mc. For use with 42 mc. 1.F. used for verters, tuners and experimental use.

tock # M-101-B6 Shipping Wgt. 2 lbs.
Same as above except for use in circuits requiring 82 mc. I.F.
Your choice, Please specify. Stock # M-101-B6

Stock # M-102-C6

Shipping Wgt. 2 lu.

FLYBACK TRANSFORMERS

TUNER



Used

REG.

factory aligned GI TUNERS at a price unheard of. These tuners offer you extra prefits in converting old worn out tuners, as these tuners will fit most TV sets on the market today. Tuners have 25.75 plx IF and 21.25 mc sound. Long shafts on all. STOCK # GIT-2CE



Less Tubes

TUNERS use:

6AK5, Shipping	Wgt. 2 Lbs.
1 - 6J6 and	69 ea.
1 - 6CB6	- 88 ea.
3 - 6J6 or	- 69 ea.
2 - 6BC5 or	89 ea.
1 - 6J6 and	69 ea.

NEVER BEFORE SUCH LOW PRICES!

G.E.PHILCO RCA ETC. VERTICAL OUTPUT TRANSFORMER

3 WIRE



little of Ton

REEL MICH \$3.50

SINGLY .99

Shipping. Wt. 1 Lb.

STANDARDCOIL 41 MC.

REG.



Channels 2 thru 83

Reg. \$34.95 TUBES:

6827
6U8
6AF4 or 6T4
Genuine Standard coil UHF-VHF front encapillation factory built one-piece tuner. Popular 41 mc type as employed in all recent models of TV sets. Our low price includes 3

tubes. UVHFT-C6 Shipping Wgt. 7 Lbs

SARKES TARZIAN 41 MC TUNER



LOTS OF 3

Singly

Complete with Tubes

6BZ7 6X8 & 6BC5 Top replacement tuner value in this latest model Sarkes-Tarzian 2 tube Tuner for LESS THAN MANUFACT-URERS COST For all 13 VHF channels. Unusually high sensitivity low co channel interference. Tough con-struction to last a lifetime Excellent for use in FRINGI areas. All are in excellent operating condition for imareas. All ar

Stock # A7-ST 41

👪 Sylvania Flybac (15 KY)

LOTS OF 3

SINGLY

SYLVANIA replacement part for 16" sets. Mfg. Centers: 1-9/16" #70141. Size: 21/2" x21/2" x41/2"

Stock #A8-SFB.

Wt. 1 lb.

Standard Mountings Mrg, PT # 83J284-3 RATIO RAM MER IT 4:1 EQUIV. # EQUIV 7:1 V-307 A-282 32-8686 10:1 51X159 10:1 V-310 V-303 138172-1 10:1 161266 10:1 V-313 C971628-5-9 10:1

Shipping Wgt. 2 lbs. ST. # FL 12E-27097

Stock # FL-048-A7 Shipping Wgt. 4 Lbs.

CONCORD'S PRICE

\$12.00 LOTS OF 3

SINGLY

Delivers 12.5 to 13.5 KV
Deflection angle of 66 to 70 degrees.
Used with conventional tubes (258Q6, 1X28, 25AX4) Mounting centers: 2 inches Height: 3% inches

Brand new replacement stock model FLY-80, Ram equiv. X-126. Exact replacement for Bel-mont Raytheon 12E-23939, 12E-24612, Bent 265106-1, Airline, Coronado, Firestone and X-840-0-1

Delivers 14 to 15 KV Deflection angle of 66 to 70 degrees. Used with tubes: 25CU6, 1X28, 25AX4 Mounting centers: 2-7/16 inches Height: 3¾ inches

Please specify type

CONTRACTOR OF THE PARTY OF THE	
TV ACCESSORIE	SbyJAVEX
IV ACCESSORIE	
SINGLE OUTLET TV WALL PLAT	TE UNIVERSAL MINI-SOCKET
For 300 ohm twin-line. Fits any wall box. Use with XP-2 P	
Complete with mounting screws. Solderless. Unline or Sterra tern, Ivary or Brown. Please Specify. Reg. \$1	Pat- tiple connections. For surface mounting. Hi impact polystyrene, Size
Stock #WP-1 Concord's Price \$	
DUAL OUTLET TV WALL PLATE	TENNA-TUBE THRU WALL ENTRANCE
Same as above, but for use with two TV sets, TV and FM, etc. Av able in Uniline or Sierra Pottern, Ivory or Brown. Please spe-	
Reg. \$	All cold
Stock #WP-2 Concord's Price \$. !	3000
9 WIRE MULTI-USE WALL PLAT	WITH A WIPE DIATE
A compact method for handling any rotator plus a 300 chm line. Complete with hardware. Fits any wall box or surface mo ing. Use with XP-9 plug. Uniline pattern, Ivory or Brown.	
Reg. \$2	2.15 Reg. \$2.95
Stock #WP-9 Concord's Price \$1.	
COMBINATION TY-ROTOR WALL PLATE	TENNA-TUBE, THRU WALL WITH 4 WIRE PLATE
For use with TV or FM and antenna rotators, Has a 2 wire an wire socket. For surface or wall box mounting, Use with XP-2 XP-4 plugs. Specify Ivory or Brown, Uniline pattern. Solderl	and 4 Same as above, complete with 4 wire Mini-plate and plug. For use and with 2 300 ohm systems or for 3 or 4 wire rotator systems. Com-
Complete with screws.	1.97 Reg. \$3.25
Stock #WP-2-4 Concord's Price	TE TENNA SHINGLE, THRU ROOF OR
Supplied in two styles. For 2-2 wire sockets or 1-2 wire and 1-4 w	SIDIAL FAITD ANGE
simple ring installation, use with XP-2 and XP-4 plugs. Complexity steps. Solderless. Specify Unifine or Sierra, Ivory or Brow	Low cost weatherhead for use on any roof or house side. Constructed of durable lucite. Easy Installation, Use with any JAVEX plate,
Stock #DUX-2-4 (1 300	73 Keg. \$1.59
G COMPLETE AC-TV WALL PLATE	
These units fulfill the need for a combined AC socket plus a 300 or receptacle. Use with XP-2 or XP-4 plugs. Use with double or sin	Made of double within Artist Arm to the state
wall boxes. Complete with mounting screws. Specify Uniline Sierra Pattern. Ivory or Brown. Stock #AC-TV-2-4 (1 2 wire and 1 4 Reg. \$2.69	rubber cover plate. or Stock #EXT (no Concord's Price \$1.59
Stock #AC-TV-2-2 (12 wire and 1 4 Reg. \$2.95]	59 Stock #EXT-2 (with Concord's Price \$2.37
04 POSITION, 2 POLE SWITCHING PLA	TE 0 2 WIRE PLUG - ROUND
4 position 300 ohm switching plate used as TV line distributor TV, FM and PA systems. For use with up to 4 TV sets, Fits all sin	of A new Universal plug used with all JAYEX 2 wire components. Made gle of sparkling molded acrylic resin.
wall boxes. Specify Uniline or Sierra pattern, Ivory or Brown. Reg. \$3	3.29 Reg. \$ 30
Stock #WPS Concord's Price \$1.7	Slock #XP-2 Concord's Price \$.17
COMBINATION SWITCH & TV	4 WIRE PLUG - ROUND
The only 300 ohm combination 4 position, 2 pole selector swind TV outlet plate available. For use with Coaxial or flat ribb Will handle up to 4 300 ohm tines. Use with XP-2 plue. Compl	itch bon. Universal type for all 4 wire needs. Same Specs as XP-2 listed above.
with mounting screws, For use with any flat surface. Unitine partern. Specify Ivory or Brown.	49
Slock #WPS-1 Concord's Price	9 WIRE PLUG-ROUND-WITH CAP
Modern design using printed circuit. Fully enclosed polystyrene glass base. May be used indoors or outdoors. For areas up to 25-	un e
miles. Complete with mounting screws. Solderless connection livery only.	styrene cap. Use with WP-9 plate.
Stock #MC-2 Concord's Price \$1.2	
2 WIRE MINI-PLATE	D LINE SPLICERS - 2 and 4 WIRE
A 300 ohm 2 wire plate molded of high impact polystyrene in popular wall plate design. Adaptable to all TV Installations. Co	om- accommodate 2 IV twin lead lines. Reg. \$.15
plete with mounting screws. Use with XP-2 plugs. Solderless. Iv. only. Reg. \$1.	ory stock #5-2 (2 wires) Concord's Price \$.09
Slock #MWP-2 Concord's Price \$.5	
4 WIRE MINI-PLATE	© © CRYSTAL HOLDERS
Same as above but for 2 300 ohm lines or for 4 wire antenna rol line. For surface mounting. Will accept 1 XP-2 or 1 XP-4 ple Solderless.	feature triple plated sure-lock floating confects, ceramic steative. Adjust readily to both .486 and .500 centers. Two types for .030 and .050 pins. Single center screw mount.
Reg. \$1.	39 Stock #CH-30 (For .030 pins)
Stock #MWP-4 Concord's Price \$.7	5 Stock #CH-93 (polystýrene for .093 plns)Concord's Price \$.20
CONCOL	RD RADIO
45 Warren Stree	t, New York 7, N.Y.
	y 9-1132
Digu	

BARGAINS GALORE!




Fig. K 300 0hm Television Lead-in. Stranded 20 gauge; conductors, heavy web (.100" thickness). High tensile strength polyethylene or alathon dielec. Overall width .385". Shpg. wt. 10 ft.: 1½ lbs. Specify A-PP1376. NET per ft. 3½¢ 100" \$2.89 1000" \$24.95

Fig. S Oval-shaped 300 Ohm Television All-Weather Lead-In. Unique design permits open ends to be heat-sealed by use of match and pliers for uniform electrical \$ Oval-shaped 300 Ohm Television All-Weather

Fig. MI. Kilowatt 300 0hm All-Weather TV Twin-Lead-In. Heavy duty low signal loss twin line. Stranded 18 gauge conductors. High tensile strength heavy web (.185" thickness) of polyethylene. For fringe areas, iong drops; resists salt air, snow, ice, abrasion. Shpg. wt' per 100 ft.: 5 lbs.
F-P93444 NET Per Ft....61/2¢ 100 ...\$5.85

Fig., 18 Micrephene Cable, 2 Conductor. Same as above, but .225" O.D., 32 mmf per ft. Shpg. wt. 100', 4 lbs. F-PP3246 NET Per Ft.....8¢ 100'.....\$6.29

Fig. A: E-Z Strip Lamp Card—Type POSJ. 2 parallel conductors for radios, lamps. U/L approved. #18 stranded wire, bare copper, color coded cotton wrap, tough rubber jacket overall. Pull apart for easy separation. Shops. wt. 100° 3 lbs.

F-PP1986 NET Per Ft.....2½g 100°...\$2.39

Fig. N 300 Ohm Shielded TV & FM Twin-Lead-In. Reduces interference. 22 gauge solid copperweld conductors. Virgin poly insulation, copper braid shield, overall polyvinyl jacket. Shpg. wt. 100 ft.: 8½ lbs.
F-PP2656 NEY Per Ft.....12¢ 100'....\$11.65

Fig. © Twisted Rotator and Intercom wire. Also recommended for control and annunciator work. Each conductor 22 gauge stranded (except 12 condsolid) and tinned. Individually color coded and insulated. Excellent electrical and physical characteristics. Flexible polyvinyl outer jacket.

		100 ft.	per ft.	100 ft
Stock No. F-VC13	3 cond.	2	2½c	\$2.25
Stock No. F-VC14	4 cond.	21/4	3½c	2.79
Stock No. F-VC15	5 cond.	21/2	4c	3.38
Stock No. F-VC16	6 cond.	4	6½c	5.52
Stock No. F-VC17	7 cond.	41/2	7c	6.03
Stock No. F-VC18	8 cond.	41/2	8c	6.55
Stock No. F-VC19	9 cond.	5	8½c	7.13
Stock No. F-VC112	12 cond.	43/4	8c	6.76

Heavy Duty Service Cord—Type \$J. (Not Illustrated.)
Same as above, but #18 conductors. U/L Approved.
O.D. .310". Current carrying capacity 5 amps., 300
volts. Wt. 100", 5½ lbs
F-PP1952 NET Per Ft. . . .4½¢° 100" . . .\$4.05

Heavy Duty Service Cord-Type SJ. 2 twisted #16 conductors for amplifiers, other rough usage.

U/L Approved. Stranded bare copper wires, cotton separator, color coded rubber covered, cushioned with jute fillers, tough rubber jacket overall. O.D. .340"
Rating 7 amps., 300 volts. Wt 100', 5½ lbs

A-PP1953 NET Per Ft....6½g 100'...\$5.85

Stock No. F-PP-0P2....300 ohms....100 ft. \$4.40

Fig. U Roll of Plastoid Heek-Up Wire. Shpg. wt. 4 ozs. F-PP9KS-1 ... #20 solid wire....25 ft. reli, NET 32¢ F-PP9KST-1... #20 stranded wire...25 ft. reli, NET 38¢

Fig. V Micrephone Cable, Single Conductor. Good for phono pickup. Tinned, stranded wire covered with yarn braid, poly insulation, tinned copper shield, overall jacket. 0.D. 130", 40 mmf per ft.: Wt. 100", 3 lbs. F-PP3245 NET Per Ft....4¢ 100"....\$3.49

Fig. AB Parallel Conductor Types Flat Antenna Reter Cables. Each lead 22 gauge stranded wire. One conduc-tor trained for circuit identification. Flexible black polyvinyl plastic insulation has slow ageing properties. Shpg. wt. 100 ft. 51/2 lbs.

F-PP3217 3 conductor...NET Per Ft. 3¢, 100' \$2.50 F-PP3188 4 conductor...NEX Per Ft. 31/24, 180' \$3.80 4-PP3218 5 conductor...NET Per Ft. 4/24. 100' \$3.80



This zinc-plated unit may be mounted on flat, sloping or vertical surfaces. Masts 34" - 156". Stock No. F-TVC-7 Shpg. Wgt. | Lbs. ... Net 32¢

Fig. 3 MAST GUY ANCHOR

Secure anchor for guy wires. Weather-resistant. Fits masts from 34" to 136" 0.0. Wt. 12 oz.

Steck Ne. F-TVC-1.Shpg. Wgt. 12 bs... Net 29¢

FIE. 4 LOW-COST CHIMNEY MOUNT

Rigid support for attaching masts to chimneys and posts up to $12^{\prime\prime}$ dia. Holds masts from $34^{\prime\prime}$ to $112^{\prime\prime}$ O.D. Includes 2 brackets, strap and hdwe. 31/2 lbs. Steck No. F-CM1, Shipping Wt. 3 Lbs. ... Net \$1.49

FIG. 5 ANTENNA MAST EXTENSIONS

Galvanized steel. Swaged to fit masts of similar dia. 5 ft. lengths. Rust resistant, hvy. duty.

Steck No. F-AMX, 1" O.D. Net 94¢, F 11/4" O.D. \$1.03 FIE. 6 UNDER EAVE WALL BRACKETS

Adjusts to provide cornice clearance of 6" - 15". Heavy duty steel brackets hold masts 7/6" to 11/4" dia. With brackets, U bolts, hdwe.

Steck No. F-UEB Shipping Wt. 4 Lbs. ... Net \$4.41 RASEMOUNT Fig. 7

Holds 144" - 2" dia, masts, Incl. all hdwe. Wt. 4 lbs. Steck No. F-PBM-2 Shipping Wt. 3 Lbs. ... Net \$2.21

Fig. 14 MAST CLAMP

Retaining clamp, serrat deto hold 2 masts together firmly. Sturdy galvanized steet.

Fig. 15 CHIMNEY MOUNTS

Fig. 15 CHIMNEY MOUNTS
Designed to hold TV and FM antennas with greatest rigidity and strength. Mounting brackets hold the masts at the corner of the chimney for utmost reliability. Consists of 2 brackets with clamps that adjust to fit masts from 34° to 156° 0.D. Will clear cornices up to 31½°. Brackets are attached securely to edge of chimney with steel straps and eyebolts. Complete with straps, eyebolts, and all hardware. Shop. Wt. 21½ 10s.

Stock No. F-TVB-107 clears 51/2" cornice. . Net \$2.50

FIG. 16 WALL BRACKETS

Stock No. F-TVB-112, 12" clearance.....Net \$2.91

Stock No. F-TVB-118, 18" clearance..... Net \$3.50

NEW UNIVERSAL LIGHTNING ARRESTOR FOR UHF-VHF

Reg. \$2.95

Shipping Wt. 1/2 Lb.

- Will

fit all types of line for UHF and VHF. Can be fastened to wall, mast or pipe. Screws and strap furnished for easy installation. #K-3725 89¢ ea...... 5 for \$3:49



WHEELER SOUND POWERED PHONES



Maintains constant line voltage to receiver and thus prevents burning out of expensive tubes. Also provides clear, steady picture in areas where line voltages fluctuate. Constant output. Just plug in. Stock No. D-TVA. 300 watts max. Net \$1.59 Stock No. D-TVB..370 watts max......Net \$189



Fig. 17 WALL MOUNTS

JIDO

Ideal for holding masts on corners of building or on posts. Has 5½° cornice clearance. Holds masts from ¾4° to 1½° O.D. Two brackets provide greatest strength. Heavily plated ½6° steel. With brackets and hardware.

18

Two separate brackets support mast on center of chimney or on wall with 3" clearance. Strongly made of heavily plated steel, 1/2" x 11/2". Will fit masts from 34" to 154" 0.D. Comes complete with 2 brackets and all hardware.

Stock No. F-TVB-3.....Net \$1.18

Fig. 18 VENT PIPE MOUNT

For mounting masts on vent pipes or poles 4" or 6" diameter. Holds any size mast. 2 separate brackets provide greatest rigidity. Made of heavy-gauge zinc-plated steel. With brackets and hdwe.

Stock No. F-TVB-109-4, for 4" pipe

Stock No. F-TVB-109-6, for 6" pipe...... Net \$2.32

Fig. 19-SCREW EYE TV STAND-OFF with universal all-Size Each Lots of 10

wire grommet Stock No. F-WST-3 F-WST-5 F-WST-7

Fig. 20-TV MAST STAND-OFF insulators, for all most diameters.

#F-MST-3-31/2"-10¢ ea. 10 lets.....

TV CLARIFIER

\$450



Designed to remove annoying signals that cause TV distortion. Two adjustable knobs tune out or reduce ghosts, tears and other types of interference. Easily installed in antenna line. Attractively styled cabinet in only 3½" sq. by 1¾". Shpg. Wt. 1½ lbs.

Stock No. D-C1-1.....

CONCORD SELLS T.V.

ECONOMY 2-SET COUPLER



LOTS OF 3 SINGLY

STOCK # C1-B7 \$195

Shipping Wt. 1 Lb.

Now you can operate two TV receivers from one antenna. Simple to attach, screw terminals are provided for easy hookup. Complete with instructions.

REAR DECK DUAL SPEAKER SWITCH CAN ALSO BE USED IN BOAT, TV SET OR RADIO.



CONCORD'S PRICE

SERVICEMEN'S SPECIAL

REG. \$795 STOCK # SAI-B7 A GIVEAWAY!

Shipping Wgt. 1 LR.

3-position switch connects either speaker or both. • Non-rusting construction, easy 2 screw mounting. Supplied with 20 feet of connecting cable. Only 3 connections to speaker in existing equipment. Switches utilizes finest silver plated contacts. Packed complete with all parts in box.

Concord Clears Your Picture.

CLARI-PIX ANTENNA BALANCE SWITCH CONCORD'S PRICE



LOTS OF 3 SINGLY

TERRIFIC SERVICE VALUE! REG.

REG.
\$460 A
SERVICEMAN'S
MUST
STOCK # CP4-B7
Shipping Wgt. | Lb.
\$4-Positions for balancing or unbalancing the antenna or transmission line.
Suitable for use with either 72 ohm or 300 ohm transmission lines.
Reduces the effect of poor line terminations.
Switch used for minimum signal attenuation.
May be used for UHF or VHF.

ELIMINATES SHRINKING PICTURES!

••••••••

CONCORD'S PRICE

LOTS OF 3

SINGLY

The line-up line voltage booster

OCK # LU10-B7 Ship. Wgt. 5 Lbs.

SERVICEMEN'S DELIGHT!

is designed to boost the AC line voltage up 10 volts in areas where high current consumption causes the 115 volt line to drop. REG. \$995

ANTENNA MATCHING TRANSFORMER

Prevent Ghosts in Your Picture

LOTS OF 3 SERVICEMEN'S

Matches 72 ohm line to 300 Matches 72 onm line to sup-ohm termination or reverse. Insertion loss minimized over the entire TV range. High pass filter action in-creases signal to noise ratio. High efficiency transformer

STOCK # MT1-B7

REG. \$360

Shipping Wgt. | Lb.

n e TELE MATO CONCORD RADIO SAVES YOUR PICTURE TUBE!

ELIMINATE GUESSWORK CHECK YOUR PICTURE TUBE!

TV SERVICEMEN: SAVE TIME ON YOUR CALLS

CONCORD'S LOTS OF 3

SINGLY

Simultaneously cnecks: Filament Filament Voltage, First anode vol-tage, Bias voltage, and Video sig-nal at picture tube socket. Compact-pocket size.

Simple operation—just plug into picture tube socket.

Shipping Wgt. I Lb. . Low cost, great time saver.

BLAB-OFF

STOP THOSE ANNOYING TV COMMERCIALS FROM YOUR EASY CHAIR



REG. 395

CONCORD'S PRICE

temote control TV Sound iwitch. Complete with 3-min-ite attach-it-yourself instruc-Shp. wt. | Lb.

STOCK #BO-C6

TUBE REJUVENATOR

CONCORD DOES IT AGAIN



CONCORD'S PRICE

SINGLY

Restores brilliance to fading picture. No need any longer to suffer STOCK # K1-B7 eye strain or discard old picture tube. To attach just plug in. No soldering mess. Can be used from 10" to 30" tube. pre \$295 REG. \$295

The All Purpose PICTURE TUBE BRIGHTENER



\$825

CONCORD'S PRICE

A unit that

STOCK # 4 IN

Shipping Wgt. 1 Lb.

takes the place of all series or parallel 5 or 6 wire brighteners. Renews brilliance and contrast of picture:

\$182

SINGLY

For use on all standard picture tubes - 10 to 30" - Electronic or magnetic focus.

REG. HIGH EFFICIENCY \$495 2-SET COUPLER FOR FRINGE AREA OPERATION

CONCORD'S PRICE

LOTS OF 3 SINGLY

Reduces effects of local oscillator radiation from one TV set to an-

Filter action reduces interference at IF frequencies For either 300 or 72 ohm leads Uses high efficiency bifillar trans-

Baked hammertone finish



STOCK # C3-B7 Shipping Wgt. Lb.

DELUXE TV SIGNAL ATTENUATOR

HOW CAN \$550 YOU MISS?

CONCORD'S PRICE LOTS OF 3



STOCK # A2-B7 Shipping Wgt. | Lb.

PICTURES?

Eliminates overloading due

to strong signals Reduces buzz in intercarrier sets

 ■ .1000 to 1 change in signal reaching antenna posts Vernier adjustment for all signal areas

SERVICEMEN'S MUST! CONCORD HEAVY DUTY INTERLOCK TV CORD



Standard Connection For All Sets. UL Approved. 6 Foot Length.

BUY A DOZEN AT OUR LOW PRICES! CONCORD'S PRICE

wgt. 1 Lb. Stock #LC-TV-C6



CONCORD'S SERVICEMEN SPECIALS

AUTO TRANSFORMER

Experimenters Delight Vertical Mounting - FULLY Shielded

REG. \$8.98

MTG. CTRS.: 27/8"

CONCORD'S 21/4" H. x 21/4" W. x 21/4" D. PRICE PRI. 117V - 60 CYCLES

2.45 TAP • 80V

EACH

USES: Power supplies using selenium rectifiers. As in miniature equipment where

Stock # T-656

Shipping Weight - 2 lbs

HEAVY DUTY AUTO TRANSFORMERS

@ 6.3 V. 8 Amps. SHIELDED 1" CORE STRAP MOUNTING

> CONCORD'S PRICE

EACH

REG. \$6.95 EACH

254" H. x 4" W. x 21/4" D

MTG. CENTERS. 39/16" 25%" H. x 4" W. x 21/2" D.

Stock #3642-1

PRI. 115 V. - 60 CYCLES 6.3 V. @ 8 Amps

Shipping Weight - 3 lbs.

IDEAL REPLACEMENT TV POWER TRANSFORMER

HORIZONTAL MOUNTING - FULLY SHIELDED

FIL #

MTG, CTRS: 41/6" x 33/16" 41/4" H, x 41/2" W. x 33/4" D.

REG. \$14.95 PRI. 115 V - 60 CYCLES



CONCORD'S PRICE

Volts 8.7 6.3 SEC. 580V C.T. @ 240 MA

Stock #971792-2

Shipping Weight 10 lbs.

IDEAL REPLACEMENT TV POWER TRANSFORMER

HORIZONTAL MOUNTING - FULLY SHIELDED

MTG. CTRS .: 41/4" x 33/16 41/8" H. x 41/2" W. x 31/8" D.

REG. \$17.50

Volts

6.3

5

Amps

PRI. 115V - 60 CYCLES FIL # CONCORD'S PRICE

\$4.99

SEC. 620V. C.T. @ 285 MA

Stock #972102-2 Shipping Weight - 11 lbs

IDEAL REPLACEMENT TV POWER TRANSFORMER

HORIZONTAL MOUNTING - FULLY SHIELDED

MTG. CTRS.: 314" x 3" 5" H. x 41/2" W. x 31/4" D.

REG. \$16.95 PRI. 115V. - 60 CYCLES

Stock #971778-1

PRICE ONLY

Amps 11.5 5 SEC. 580V. C.T. @ 315 MA

Shipping Weight - 12 lbs

PRI. 115V - 60 CYCLES

REPLACEMENT POWER TRANSFORMER

HORIZONTAL MOUNTING - FULLY SHIELDED

MTG, CTRS, 3" x 34" PRI. 115V. - 60 CYCLES 4/4" H. x 4/2" W. x 34" D. FIL # CONCORD'S SEC. 700 V. CT @ 195 Me. PRICE

Volts Amps 6.3 2.5 6.3 5.0 3.0

REG. \$11.95

FIL #

3

EACH

Stock #730022

MTG. CTRS. 31/2" x 234"

41/4" H. x 41/8" W. x 31/6" D.

Shipping Weight - 10 lbs.

Shipping Weight 10 lbs

HEAVY DUTY REPLACEMENT

POWER TRANSFORMER

3 Filaments

HORIZONTAL MOUNTING - FULLY SHIELDED

CONCORD'S

PRICE

REG. \$14.95

6.3

6.3

SEC. 700 V. C.T.

@ 190 Ma.

Stock #2978

Amps

3.0

8.0

1.0

REPLACEMENT POWER REG. TRANSFORMER \$11.95

12.6 Volt Secondary HORIZONTAL MOUNTING - FULLY SHIELDED

MTG. CTRS. 37/16" x 23/4" 4/2" H. x 4/4" W. x 3%" D.

MTG. CENTERS. 218/16" x 21/2"

5%" H. x 3%" W: x 3%" D.

IDEAL FOR POWERING SURPLUS OR MODEL EQUIPMENTI

Shipping Weight - 10 lbs. Stock #730043

PRI. 115 V. - 60 CYCLES Volts FIL # Amps 12.6 C.T. 4.5 CONCORD'S 3.0 5.0 PRICE SAC. 470 V. C.1.

MULTI FILAMENT TRANSFORMER

CONCORD'S

PRICE

2.9

20 VOLTS - 5 VOLTS - 6.3 VOLT - SECONDARY

VERTICAL MOUNTING - HERMETICALLY SEALED

CERAMIC INSULATORS

FIL #

3

● 240 Ma.

Amps

.01

.01

3.0

2.0

HEAVY DUTY - 3 FILAMENTS VERTICAL MOUNTING - HERMETICALLY SEALED

POWER TRANSFORMER SCOOP!

MTG. CTRS. 31/2" x 21/2" REG. \$11.95



FIL # Volts Amps 6.4 4.4 6.4 0.6 3.0 CONCORD'S SEC. 790V. C.T. . 60 Mg PRICE

Shipping Weight - 6 lbs.

6 & 12 VOLT HEAVY DUTY FILAMENT TRANSFORMER - 10Amp VERTICAL MOUNTING - FULLY SHIELDED

MTG. CENTERS. 2" x 2" 3" H, x 21/2" W, x 3" D.

REG. \$8.95 EACH



PRI. 115V - 60 CYCLES FIL # Volts 6.3 1 6.3 2

Stock #TTR-174D

1.0 9.0

CONCORD'S PRICE

Shipping Weight - 5 lbs.

DUAL HEAVY DUTY 6 & 12 VOLT FILAMENT TRANSFORMERS

VERTICAL MOUNTING - HERMETICALLY SEALED CERAMIC BUSHING

DUAL HEAVY DUTY

FILAMENT TRANSFORMERS

MTG. CENTERS 31/5" x 3%" 41/4" H. x 41/2" W. x 41/4" D.



SINGLY CONCORD'S

\$4.75

PRI. 115 V. - 60 CYCLES FIL # Volte Amps 6.7 C.T. 12 6.7 C.T. 12

EACH IN LOTS Stock #KS-8570

Shipping Weight - 10 fbs

IDEAL REPLACEMENT TV POWER TRANSFORMER

HORIZONTAL MOUNTING - FULLY SHIELDED

MTG, CTRS: 3/4" x 21/2" 4" H. x 31/4" W. x 31/4" D.

Stock #9.206A

Stock #U-8358

REG. \$13.95

REG. \$12.95

PRI. 115 V. - 60 CYCLES

Volts

5 C.T.

6.3

Shipping Weight - 6 lbs.

20

20

PRI. 115V - 60 CYCLES Volts Amp 6.3

CONCORD'S SEC. 700V. C.T. @ 225MA PRICE

IDEAL REPLACEMENT POWER TRANSFORMER

HORIZONTAL MOUNTING - FULLY SHIELDED

MTG. CENTERS 37/16" x 3" 434" H. x 31/4" W. x 41/4" D.

REG. \$12.95 FIL # Volts 6.3 CONCORD'S

PRICE

PRI. 115 V. - 60 cycles Amp: 1.5 12.8 C.T. 4.4 SEC. 532 V. C.1. @ 300 MA

EACH IN LOTS

HORIZONTAL MOUNTING - FULLY SHIELDED REG. \$12.95 MTG. CENTER 31/4" x 21/2"

31/6" H. x 31/4" W. x 31/6" D. PRI. 115V - 60 CYCLES FIL # Volte Amps 6.3 9.5

5.0

\$4.50 SINGLY

2.0

OF 3 Shipping Weight - 7 lbs

Shipping Weight 8 lbs Stock #821184

Shipping Weight 11 lbs. Stock #730015

EVERY ITEM REFLECTS OUR LOW PRICES!

REPLACEMENT POWER TRANSFORMER

VERTICAL MOUNTING - POTTED

MTG. CENTERS. 318/16" x 31/2" 41/4" H. x 4" W. x 31/2" D.



SHIGLY \$3,45

REG. PRICED AT \$10.95

CONCORD'S PRI. 115 V - 60 CYCLES Volts FIL # 6.3V 5.0 ACH IN LOTS

SEC. 400 V. CT @ 40 Mg.

Amps

2.2

3.0

Stock #CNA30930

Shipping Weight - 8 lbs.

HANDY POWER TRANSFORMER

HORIZONTAL MOUNTING - FULLY SHIELDED



Stock #34183 EACH

MTG. CTRS. 31/4" x 23/4" 5%" H. x 3¾" W. x 3%" D.

REG. \$12.95

PRI. 110/125/150/210/240V - 50/60 CYCLES.

FIL # Volts CONCORD'S 6.3 PRICE 5.0 2 3.0

45 SEC. 680 V. C.T. @ 110 Ma

Shipping Weight - 8 lbs

REPLACEMENT POWER TRANSFORMER

HORIZONTAL MOUNTING - FULLY SHIELDED

MTG. CTRS. 41/16" x 23/4" REG. \$14.95 FIL = Volts

PRI. 117 V. - 60 CYCLES Amps 6.7 7.8 5.0 6.0 24.0 2.0 SEC. 700 V. C.T. @ 190 Ma.

CONCORD'S PRICE

Stock #35027

Shipping Weight - 10 lbs.

RCA boxed

Replacement **PHONO MOTORS**

Limited Quantity Available Single Speed 78 RPM Rim Drive - Brand New

CONCORD'S PRICE

REG. \$495

REPLACEMENT POWER TRANSFORMER

4¾" H. x 3 16" W. x 3" D. MOUNTING CENTERS 2½" x 2" VERTICAL MOUNTING - FULLY SHIELDED

REG. \$11.95



PRI. 115V - 60 CYCLES CONCORD'S FIL # Volts PRICE Amps \$3.99 1 12.6 C.T. 1.2 2 5.0 3.0 ACH IN LOTS 3 6.3 0.6

\$4.35 EACH

SEC. 700 V. C 7 @ 79 Ma. Shipping Weight 8 lbs. Stock #7G142

Grab These Quick! FINE SCOPE OR PHOTO-FLASH TRANSFORMER

STRAP MOUNTING . I" CORE MTG. CENTERS - 3916"

REG. \$24.95 EACH

29/16" H. x 4" W. x 21/4" D.

PRI. 115 V. - 60 cycles CONCORD'S FIL. 2.5 V. @ 1.75 Amps PRICE

Sec. 1800 V. 3 MA

RMS 5000 V. Insul.

Shipping Weight - 4 lbs.

RHEOSTATS



IRC-OHMITE-WARD

Fine rheostats useful for model control, industrial uses, in the darkroom, replacement, etc. Values include: — (Values in ohms) 60, 70. SELLS

CONCORD'S CLOSEOUT PRICE

STOCK #WW-RH-B7

LOTS OF 5 EVERYWHERE

€ \$9 each -RH-

\$295

Shipping Wgt. 8 ozs.

FOR

CHOKE SERVICEMEN -

1.5 HENRY DC RES. 20 OHMS 200 MA.



STOCK #1104310-1

CONCORD'S LOW PRICE

Stock #70001

Ideal for replacement

purposes in TV receivers REG. 5 for

\$795

Shipping Wgt. 2 Lbs.

OUTPUT TRANSFORMERS



Single 6K6. Brand new, unused by manufacturer, with input leads $2\frac{1}{2}$ feet long. Mounting centers $1\frac{3}{4}$ ". Overall size $1\frac{3}{16}$ " high x $1\frac{3}{8}$ " wide (plus mtg. feet) x $1\frac{1}{16}$ " deep 49 stock #T-A-5-B6 Wt. ½ lb. Net 49

Push-pull 6K6. Output 4 watts peak. Universal mounting. Mounting centers 2-1/16". Overall size 1%" high x 1-11/16" wide (plus mtg. feet) x 114" deep. Replacement Value \$1.50. Wt. 1/2 lb.

Stock # TA-7-B6

Lots of 3, ea. 65¢



CHOKE For that ham power supply. Heavy duty 8 Henry 200 Ma, filter chcke, DC, Res.

150 ohms.

CONCORD'S CLOSEOUT PRICE

LOTS OF 5

WORTH \$850 \$900 Shipping Wgt. 4 Lbs.

STOCK #K119J17-1

FOR TV-FOR GENERAL

2.8 HENRY 300 Ma. FILTER CHOKE



CONCORD'S

EQUIVALENT TO STANCOR C-2334

LOTS OF 3 DC Resistance 70 Ohms

Mtg. Centers, 31/8" STOCK #B16A-21214 Shipping Wgt. 3 Lbs.

CONCORD RADIO 45 Warren Street, New York 7, N.Y. DIgby 9-1132

VARIABLE PRIMARY POWER TRANSFORMER

supplies 310 volts at 110 milliamperes with a 40 mfd condenser-input filter system, under continuous 110 mil. load, with a full-wave recti-fier. Filament windings are rated 6.3 volts at 3 amperes; 5 volts at 2 amperes. Full shell, can be mounted in any position. All leads color-coded (code supplied with each unit); run from the bottom of the shell input voltages clearly visinte in window on switch cap. Overall size 53%" high x ½" wide x 3½%" deep.

ary 117 Volta. special locking switch provid-line voltages of \$13, 125, 135, 180, 210, 230, 299 80 cycles.

SPECIAL

Reg. Price \$29.50



ATTENTION ... SERVICEMEN, DEALERS, **EXPORTERS, FACTORIES!!**

EHOUSE CLEARANCE S

TUBES-TUBES

MEMJAN & OTHERS, RCA SYLVANIA, GE, ETC.

90% ORIGINAL BOXES!

RECEIVING TUBES

SPECIAL PURPOSE TUBES

	KECEIVING	I OBE2		SPEC	IAL FUN	OSE 100	
TYPE	LIST PRICE	PRICE EACH IN 10 LOTS	PRICE EACH IN 1000 LOTS	TYPE	LIST PRICE	PRICE EACH IN 10 LOTS	PRICE EACH IN 100 LOTS
VR-105	\$1.55	\$.60	\$.49	OB2	\$ 1.32	\$.69	\$.59
VR-150	1.55	.59	.46	2C26	2.20	.12	.10
1A5	2.30	.42	.39	2C46	27.50	6.35	5.95
1H5	2.15	.46	.42	2E36	3.95	1.95	1.85
1L4	2.15	.41	.36	2K25	38.00	21.50	19.95
1LC5	2.90	.55	.44	2K33A	433.00	59.95	50.50
2A3G	4.55	.59	.52	2X2	2.20	.42	.39
6A3	4.10	.79	.69	3B24	10.50	2.40	1.95
6AB7	3.55	.59	.54	4B22	24.00	5.95	3.95
6AC7	3.25	.72	.65	5C22	65.00	27.50	24.00
6AK5	4.20	.69	.65	5D21	39.50	17.50	17.00
6AK6	2.30	.69	.64	5R4WGY	7.25	3.95	3.75
6C8G	3.85	.49	.39	15R	1.95	.20	.15
6F5	2.40	.39	.35	RK60	3.95	1.85	1.65
6F8G	3.85	.49	.39	RK65/5D23	42.50	17.00	15.00
6J6W	2.35	.51	.44	RK72	12.95	.80	.72
6K7G	2.40	.48	.39	100TH	18.25	6.35	5.95
6SH7	2.75	.39	.33	F123A	27.50	6.35	5.50
6C4	1.65	.39	.35	VT127/BR 80	2.90	.60	.45
7H7	2.75	.29	.24	FG172A	94.50	19.00	17.00
12A6	3.60	.44	.39	FG190	39.50	19.50	17.00
12C8	3.95	.49	.42	262B	17.50	5.50	4.35
12SC7	2.50	.49	.41	304TL	60.00	10.00	9.50
12SF7	2.75	.49	.43	307A	21.50	1.75	1.65
30	2.35	.55	.49	350B	4.95	1.75	1.50
41	2.30	.33	.29	703A	17.50	3.75	3.55
77	2.15	.29	.24	707B	21.50	2.75	2.25
78	2.40	.39	.35	705A	1.95	.80	.59
46	3.05	.59	.50	717A	3.75	.60	.49;
9002	1.75	.55	.49	721A	18.50	1.30	1.10
9006	1.75	.15	.12	725A	75.00	6.00	5.25
			SELECTION OF THE SELECT	805	15.90	4.00	3.50
	FAMOUS	MAKE		807	2.90	1.15	1.10
				814	18.70	2.45	2.25
SU	PER-SUPE	R SPEC	HALS.	872A	8.50	1.25	1.20

INO MIXING! 10¢@ LOTS OF 100 81/2¢@ LOTS OF 1000 TYPES INCLUDE: 1A4P, 1C7G, 1AB5, 1C6, 1D7, 1E7, 1F7

45 Warren Street CONCORD RADIO •

.15

.45

1.65

.10

.40

1.55

1.85

3.35

12,45

New York 7, N.Y. • DIgby 9-1132

1626

1632

5933/807W

CARNIVAI.

							List	CONCOUR.2			COMCORO'S			CONCORDS		List	control(2,			
Туре	Price	Price	Type	List' Price	Price	Туре	Price	Price	Type	Price	P.rice	Туче	Lisc Price	Price	Type	Price	Price	Type	List Price	Price
0A2 0A3 0A4G 0B2 0B3 0C3 0D3 0Y4 0Z4 0Z4	h75 1.80 2.70 1.90 2.45 1.80 4.80 1.40	1.26 1.27 1.48 1.35 1.65 1.27 1.27 2.90 .72	2A3 2A4G 2A5 2A6 2A7 2AF4A 2B7 2BN4 2E5 2G5	4.55 5.00 2.35 2.85 2.85 3.50 3.55 2.15 2.75 2.40	1.45 1.28 1.15 .88 .88 1.49 .88 .89 1.10	SAFSC SAG5 SAG7 SAH4GT SAH6 SAH7GT SAJ4 SAK5 SAK5 SAK6 SAL5	3.85 2.10 3.75 2.45 3.45 2.45 4.45 4.20 2.30 1.55	1.26 .86 1.48 1.01 1:88 1.05 1.78 1.70 .94	6CN7 6CR6 6CS6 6CS7 6CU5 6CU5 6D6 6D7 6D8G 6DC6GA		.96 .96 .88 1.11 .90 1.66 .99 1.42 1.40 2.40	6507 6507GT 6587 6587GT 6557- 6557GT 6517 5547 6548GT 614	2.00 1.90 2.20 1.80 2.75 1.80 2.80 3.35 2.00 3.45	.76 .76 .82 .72 1.10 .72 1.12 1.34 .88 1.38	12AD6 12AE6 12AL5 12AQ5 12AQ5 12AX6 12AY6 12AY7 12AU6 12AU7 12AV6	1.80 1.45 1.65 1.95 2.15 1.50 2.65 1.85 2.20 1.45	.74 .62 .66 .78 .82 .60 1.06 .78 .92	14F8 14H7 14J7 14N7 14Q7 14Q7 14R7 14X7 14X7 14X7	3.45 2.75 3.65 2.75 2.75 3.50 3.45 3.50 2.75 2.45	1,38 1,00 1,46 1,10 1,14 1,40 1,38 1,40 1,10
1A3 1A4P 1A4EY 1A4E 1A5 1A5CT 1A7ET 1AB5 1ACS 1AD5	2.50 4.25 1.85 2.20 3.60 2.30 2.65 5.70 3.00 3.50	.88 1.70 .74 .88 1.44 .89 .98 1.19 1.20	2V2 2V3G 2W3 2X2/87G 2X2A 3A2 3A3 3A4 3A5 3A8GT	4.60 5.25 2.00 3.90 4.95 2.90 2.90 2.50 1.75 5.00	1.14 2.10 .80 .90 2.15 1.16 1.21 .98 .89 2.00	BALTGT BAM4 BAM8 BAM4 BAM5 BAM8 BAQ5 BAQ6 BAQ7GT BAR5	4.10 4.45 2.75 4.40 9.13 2.95 1.95 1.70 3.05 2.10	1.59 1.75 1.16 1.76 3.65 1.24 .78 .68 1.39	6DC8 6DE6 6DG6GT 6DQ6 6DQ8A 6DT6 6E5 6E8 6E7 6F5	2.30 2.05 1.85 3.75 3.75 1.80 2.35 2.90 3.55 2.40	1.16 .91 .88 1.50 1.55 .89 .94 1.16 1.42	615 617G 618 604GT 605/665 606GT 607G 608 6V3	3.55 3.50 2.90 2.65 2.45 2.45 2.40 2.90 3.90 3.95	1.42 1.40 1.16 1.10 .86 .98 .96 1.19 1.56	J2AV7 12AW6 12AX4GT 12AX7 12AY7 12AZ7 12B4 12B4A 12B7 12B8GT	3.05 2.45 2.45 2.30 6.00 2.60 2.40 2.30 2.25 5.00	1.22 1.01 .99 .92 2.40 1.04 .96 .96	15 18 19 19BGGC 19C8 19J6 1978 20 22 24A	3.20 2.90 3.50 6.05 3.35 2.50 2.90 4.80 3.35 2.75	.39 .39 .39 2,42 1,31 1,00 1,18 .49 .48
1A64 1AM4 1AJ5 1AX2 1B1 1B3GT 1B4P 1B7GT 1C5GT	2.85 2.90 2.90 2.60 1.65 2.60 4.05 3.50 2.60 3.35	1.14 1.16 1.18 1.04 .85 1.04 .¥9 .99 1.04 1.34	3AL5 3AU6 3AV6 3B26 3B5GT 3B7 3BC5 3BE6 3BN6 3BY6	1.60 1.90 1.55 4.45 2.40 5.75 2.10 1.90 2.75 2.05	.69 .91 .59 1.88 .96 .99 .1.08 .88 1.20	BASS BASTGA BASS BATG BATG BAU4GT BAU5GT BAU6 BAU7	2.00 3.45 6.75 3.00 1.50 2.80 3.00 3.45 1.85 2.20	.80 1.58 3.15, 1.20 .60 1.15 1.76 1.38 .82	6756T 678 676C 676CT 677 676C 665/6U! 866C 644GT 6H6	2.40 2.85 2.25 4.25 3.85 3.25 3.05 2.90 2.00	.72 1.15 .86 .88 1.15 1.56 .91 1.22' 1.16	6V5G 6V5GT 6V6 6V6G 6V6GT 6V7 6V7G 6V3 6W4GT 6W5G	3.90 3.65 2.00 1.95 3.55 2.00 3.75 1.95 2.90	1.56 1.56 1.46 .80 .78 1.42 .80 1.39 .86	128A6 128A7 128D6 128E6 128E6 128E6 128H6 128H7 128J6 128K5 128K5	1.80 2.95 1.90 1.90 2.00 2.55 1.95 2.75 1.50	.78 1.44 .82 .84 .76 .81 1.02 .69 1.16	25A6 25A6G 25A6GT 25A7G 25A7GT 25AC5G 25AC5G 25AV5GJ 25AX4G 25BX5	3.50	1,42 1,16 1,22 ,84 2,40 1,92 1,22 1,49 1,09 1,12
106 1076 108 101 1056 1056P 1056T 1076 1086T 1646	3.50 3.50 2.40 1.65 2.00 4.25 2.00 3.60 4.55 2.00	.99 .99 .96 .66 .60 1.70 .50 .86 1.82 .35	3876 3C6/XX8 3C86 3CF6 3CF6 3D8 3D76 3E6 3LF4 3Q4	2.00 3.80 2.00 2.20 2.05 4.80 2.10 2.65 3.25 2.20	.88 1.50 .89 .99 .92 .49 .98 1.06 1.24	GAUS GAVSGT GAVS GAWS GAX4CT GAXSGT GAZS GAZS GAZS	3.05 3.50 1.55 3.00 3.20 2.40 2.25 3.55 3.35 4.55	1.32 1.36 .50 1.31 1.41 .98 .89 1.56 1.44	6H6G 6H6GT 6J5 6J5G 6J5GT 6J7 6J7G 6J7G 6J7G 6J7G 6J7G	1.65 2.30 1.95 1.50 1.90 2.35 2.75 2.75 2.80 3.85	.86 .92 78 .60 .76 .94 1.06 .89 1.12	6W6GT 6W7G 6X4 6X5 6X5GT 6X8 6Y3G 6Y5 6Y6G 6Y6GT	2.50 2.85 1.40 2.65 1.70 2.80 3.90 4.80 2.60 2.60	1.10 1.14 .56 1.06 .68 1.15 1.56 1.92 1.04	128N6 128Q6GT/ 128R7 128T6 128U8 128U7 128V7 128Y7 128Y7 128Y7A 128Z7	2.90 8, 3.80 2.40 1.50 1.50 2.20 2.55 2.65 2.65 2.55	1.16 1.62 1.06 021 1.02 1.02 1.13 1.17	258966° 25C5 25C86° 25C86° 25C86° 25C86° 25B67° 25L6° 25L667° 25K189° 25W467°	2.05 3.00 1 4.95 3.80 4.80 4.30 1.95 3.60	1.6 .82 J.20 2.15 1.49 1.92 1.28 .86 1.40
1E5G 1E5GP 1E5GT 1E7G 1E7GT 1E8 1F1 1F4 1F5G 1F6	4.80 4.05 4.80 4.05 4.25 3.85 1.65 2.85 2.85 4.25	.56 .52 .52 .40 .40 1.20 .66 .66	3Q5GT 3S4 3Y4 4BC8 4BQ7A 4BZ7 5AS8 5AM8 5AM8 5AQ5	2.80 2.15 2,15 3.90 3.25 3.45 2.85 2.80 3.00 1.95	1.12 .86 ,85 1.69 1.44 1.46 1.08 1.22 1.24	SBS SBG SBGC SBS SBBC SBBCT SBAG SBAG SBAG SBAG SBAG SBAG SBAG SBAG	3.65 2.00 2.45 3.50 3.50 3.65 2.00 1.85 2.95 3.15	1.46 .80 .98 1.40 1.40 1.48 .80 .72 1.04 1.05	SK5G GK5GT SK6G GK6GT GK7G GK7GT GK8G GK8G GK8GT	1.70 2.65 2.40 1.90 2.60 2.40 2.55 3.35 3.50 2.75	.68 1.15 .96 .86 .99 .96 .99 1.34 1.16	6Y7G 6Z4/84 6Z5 6Z7G 7A4/XXL 7A5 7A6 7A7 7A8 7A8	2.45 1.85 3.55 4.05 2.35 2.75 2.30 2.25 2.80 3.20	.98 .74 1.42 1.70 .82 1.04 .96 .88 .78	12C5 12C8 12CA5 12CR6 12CU5 12CU6 12CU6 12DQ6A 12FSQ7 12F8 12H5	1.95 3.95 2.05 2.05 1.95 3.80 3.80 2.40 2.30 1.80	.76 1.16 .82 .97 1.49 1.49 1.49 .96	25W6GT 25Y5 25Z5 25Z6 25Z6G 25Z6GT 26 27 28D7 30	2.70 3.10 2.25 2.20 1.50 2.25 2.30 2.15 3.60 2.35	1.10 1.24 .90 .88 .60 .89 .49 1.40
1F78 1G1 1G4G 1G4G 1G5G 1G6C 1G6C 1H4G 1H5GT 1H6CT	4.25 1.65 2.60 2.60 3.30 2.45 3.00 2.30 2.15 3.50	.88 .86 .80 .40 .40 .40 .40 .40	SAS4 SAT8 SAU4 SAV8 SAW4 SAW4 SBK7A SBK7A SBR8 SJ8 SR4GY	1.75 2.80 3.19 3.00 2.95 2.05 2.95 2.95 2.35 2.65	.76 1.30 1.38 1.30 1.21 1.41 1.25 1:18 1.04 1.50	6BC5 6BC7 6BC8 6BD4A 6BE6 6BE6 6BF5 6BF6 6BG6G 6BH4	2.05 3.20 3.40 14.25 1.80 1.90 2.25 1.60 5.30 3.05	.80 1.38 1.48 5.69 .72 .76 .82 .64 2.08 1.35	SLSG GLS GLGG SLGGA GLGGB GL7 GL7G GNSG GNSG GNAGT	2.85 4.70 3.65 3.65 3.60 3.15 3.40 3.15 3.90 3.20	1.10 1.88 1.48 1.46 1.59 1.16 1.36 1.26 1.56	7AD7 7AF7 7AG7 7AH7 7AJ7 7AU7 7B4 7B5 7B6 7B7	4.70 2.75 2.75 2.75 1.80 2.25 2.20 2.15 2.35 2.25	1.14 .99 1.12 .98 .72 .90 .80 .81 .92	12H6 12H7 12J5 12J5GT 12J7G 12J7GT 12K7G 12K7GT 12K8 12K8GT	2.20 2.40 1.95 1.95 2.00 2.80 2.00 2.55 3.30 2.95	.88 .96 .76 .74 .80 1.12 .80 1.02 1.32 1.18	31 32 32L76T 33 34 35/51 35A5 35B5 35B5 35B5 35B5	2.90 3.85 3.35 3.50 3.65 2.40 2.55 2.10 1.95 1.95	.49 .49 1.34 .49 .49 .49 .96 .96
1H66 1L4 1L56 1L6 1L84 1L84 1LC5 1LC5 1LC8	3.50 2.20 3.20 2.90 3.10 2.90 3.25 2.90 2.90 2.90	.40 .84 1.28 1.26 1.23 1.15 1.23 .99 1.15	574 578 5046 5046 5046 5746 5746 5746 5746 5746 5746 573	5.00 2.95 1.80 1.80 2.90 2.55 1.95 1.70 1.80 2.20	1.39 1.26 .76 .89 1.26 1.06 .82 .72 .72 .72	68H6 68J7 68K4 68K5 68K6 68K7A 68L7 68L7GT	2.30 2.05 2.35 6.15 2.75 1.50 2.90 2.90 3.45 2.70	.92 .82 1.20 2.55 1.20 .64 1.16 1.18 1.38	8N7 6N7G 6N7GT 8P5G 6P5GT 6P7G 6Q5G 8Q6 6Q6G 3Q7	3.25 2.45 3.10 2.00 2.45 3.55 3.70 2.90 2.50 2.65	1.30 .98 1.24 .80 .98 1.42 1.48 1.16 1.16	788 7C4 7C5 7C6 7C7 7C8 7E5 7E6 7E7 7F7	2.60 3.65 2.30 2.35 2.20 2.65 2.95 3.00 3.35 2.75	1.18 1.20 1.34	12L6GT 12Q7G 12Q7G 12Q7GT 12SAGT 12SA7 12SA7GT 12SC7 12SF5 12SF5GT	2.50 2.15	.80 .80 .80 .84 1.10 .98 .88 1.00	35W4 35Y4 35Z3 35Z4GT 35Z5G 35Z5GT 35Z6G 36 37 38	1.25 2.00 2.00 1.55 2.00 1.45 2.65 2.90 1.85 2.35	.66 .78 .76 .62 .80 .56 1.06 .49 .49
11E3 1165 11H4 11H5 11H5 11H5 1P5GT 1P5GT 1Q5GT 1Q6	2.90 2.90 2.90 2.75 2.90 2.60 2.90 3.05 2.20 2.85	1.15 .89 1.15 1.10 1.15 .89 .89 .88	5X4G 5X8 5Y3G 5Y3GT 5Y4G 5Y4GT 5Z3 5Z4 5Z4GT 6A3	2.05 2.90 1.45 1.45 1.85 1.85 2.35 3.60 2.00 4.10	.82 1,25 .59 .66 .74 .74 .96 1,32 .86	EBQEGTE EBQAGTE EBQAG EBRS EBUS EBUS EBUS EBUS EBUS EBUS EBUS EBU		1.69 1.69 1.49 1.11 1.35 2.20 1.34 1.32	6076 60767 6866 687 68767 68767 684 684 687 6876	2.25 2.30 4.80 2.80 1.65 2.80 1.75 1.80 3.25 3.50	.86 .84 1.92 1.12 .66 1.10 .70 .72 1.32 1.40	797	3.45 2 3.00 3.90 2.75 3.65 3.25 3.10 2.50 2.75 3.50	1.28 1.20 .99 1.04	12\$F7 12\$F7GT 12\$G7 12\$H7 12\$H7GT 12\$J7 12\$J7GT 12\$J7GT 12\$K7 12\$K7GT 12\$L7GT	2.60 2.75 2.00 2.25 2.15 2.25 2.15	1.10 .80 1.04 1.10 .80 .86 .65 .89 .78	39/44 40 40Z5 41 42 43 44/39 45 45A	2.85 2.45 1.65 2.30 2.15 2.30 2.85 2.15 1.10	.39 .98 .06 .49 .84 .80 .39 .44
185 154 185 186 1866T 1886GT 1716 174 175GT	2.25 2.55 1.90 2.65 2.40 2.40 1.65 2.15 2.80 3.50	.89 .39 .76 1.06 .96 .96 .86 .89	6A5G 6A6 6A7 6A8 6A8G 6A8GT 6AB4 6AB5/6N 6AB7 6AC5GT	3.55	1,66 1,16 1,22 1,24 1,10 1,16 ,88 1,22 ,99 1,24	6BZ6 6BZ7 6BZ8/15: 6C4 6C5 6C5G 6C5GT 6C6 6C7 6C8G	2.00 3.45 5 4.25 1.50 2.20 1.65 2.15 2.20 3.55 3.85	.88 1.38 1.98 .60 .80 .86 .36 1.12 1.42 1.56	6SF5 6SF5GT	2.75 2.45 2.30 3.45 2.55 2.00 3.35 2.05 2.05 2.75	.80 1.34 .82 .80	717 7V7 7W7 7X6 7X7/XXFM 7Y4 7Z4 10	3.50 2.75 3.50 3.50 2.35 3.35 2.00 2.00 3.90 4.10	1.38 1.10 1.40 1.40 .91 1.32 .80 .80	12SN76T 12SQ7 12SQ76T 12SR7 12SR76T 12V66T	2.30 2.00 1.80 2.25	.90 .86 .89 .86 .82 .79 .89 .59 1.08	4523 4525@7 46 47 48 49 50 50A5 50B5 50C5	1.80 1.80 3.05 5.30 4.80 2.85 5.40 2.55 2.10 1.95	.72 .72 1.22 1.44 .46 /48 2.16 .90 .80
1 U4 1 U5 1 V 1 V2 1 V5 1 V6 1 W4 1 W5 1 X2A 1 X2B	2.10 1.85 2.55 1.60 2.20 3.70 2.65 2.20 2.60 2.60	.89 .81 .89 .88 1.48 1.06 .88 1.09	SACT SADSG SADTG SAESGT SAESG SAESG SAETGT SAF4 SAF4A SAF5G	3.25 2.40 4.25 2.05 2.45 2.05 2.00 3.40 3.45 3.90	1.24 .96 1.70 .82 .98 .82 .80 1.56 1.58	6CA5 6CB5 6CB6 8CD6G 6CF6 6CG7 6CG8 6CL6 6CM6	2.20 5.95 2.05 5.05 2.15 2.20 2.80 3.20 2.30 2.40	2.08 .85 .88 1.14 1.34	55H7GT 4SJ7 5SJ7GT 6SK7 6SK7GT 6SL7GT	2.65 2.75 2.55 2.25 2.25 2.25 2.15 2.80 2.15 2.30	1.10 1.02 .86 1.14 .86 .88 1.32	12A6 12A7 12A8G 12A8G 12A85 12AN7GT 12AL5 12AQ5	3.55 3.60 3.90 2.00 2.90 1.85 3.05 1.65 1.95		14A5 14A7 14AF7/XX 14B8 14B8 14C5 14C7 14E0 14E7 14F7	4.10 2.25 39 2.75 2.35 2.25 3.00 2.50 3.00 3.35 2.75	1.64 .90 .98 1.16 .90 1.20 .98 1.29 1.34 1.02	50C6C 50L6CT 50XE 50Y6C 50Y6CT 50Y7CT 50Z7C 52 53	3.35 1.95 2.30 1.95 2.30 2.25 2.00 4.80 2.65 2.35	1.32 .86 .98 .78 .98 .90 .90 .95 1.06



CATHODE RAY TUBES



shipment!

BRAND FULL YEAR GUARANTEE

LESS THAN WHOLESALE

All Numbers Ending In "A" Are Black Face *Aluminized pix tube - additional charge of 3.90 ALL DUDS MUST BE SHIPPED PREPAID -Free of cracks, nicks, chips, scratches -Loose fitting sockets are O.K.

WE BOUGHT A BIG DEAL in TV Picture Tubes! BRAND NEW DUMONT licensed and RCA-licensed Picture Tubes with a FULL YEAR GUARANTEE at LESS THAN WHOLE-SALE COST. These tubes are among the finest manufactured today and come to you in sealed cartons with the manufacturers full year guarantee backed up by Concord's Guarantee. This is a buy that you really can't afford to miss. COST

SERVICEMAN'S TUBE

CONCORD'S PRICE Contains 1 each of the 27 Most Popular REPLACEMENT TUBES STANDARD BRANDS FULLY GUARANTEED Individually Boxed

"Portable" KIT #1

\$325

1R5, 3S4, 1T4, 1S5

Stock # V-1- C6

"Portable" KIT #2

1R5, 1U4, 1U5, 3S4

Stock #V-2 C6

\$325

Clearly Marked

TUBI

STANDARD

YINO

Stock #W (-TV27T

LIST PRICE \$69.10

Œ

6BQ6GT 3.80 6BQ7A 3.30 6CB66 5.05 6J5GT 1.90 6J6 2.35 6K6GT 1.90 6SN7GT 2.15 6T8 2.90 6V6GT 1.95 6W4GT 1.95 6W4GT 1.95 7N7 2.50 12AU7 2.20 1AX2 1B3GT 1X2A 5U4G 5V4G 6AC7 1.80 2.55 3.25 6AG5 6AG5 6AU6 6AV6 6AX4GT 6BC5 6BG6G 1.85 1.55 2.40 2.05 5.30 2.90

≥ 0 Z

UP

S

0

125A7, 125K7, 125Q7, 35Z5, 50L6-\$395 Stock #V-3 C6

"Miniature" KIT 12AT6, 12BAB, 35W4, 50B5-\$345 12AT6, 12BA6, 12BE6.

"All-American"

TUBE KIT

Stock #V-4 C6

Concord has the OCK

RECEIVING TUBES CONT'D.

Туре	List Price	Price	Туре	List Price	Price		List Price	Price
56	1.90	.76	78	2.40	.49	11717	6.95	2.78
57	2.15	.86	79	2.85	.49	117L7GT	6.95	2.54
58	2.15	.86	80	1.70	.86	117M7G1	6.95	2.78
59	3.85	1.54	81	4.80	1.92	117N7GT		2.24
70A7CT	3.55	1.42	82	2,85	1.35	117P7GT		2.24
70L7GT	6.95	2.78	83	2.60	1.04	11723	1.85	.74
71A	2.40	.94	83V	3.40	1.38	11724GT		1.22
75	2.40	.98	84/624	1.85	.74	-117Z6GT	3.15	1.26
76	1.70	.68	85	2.35	.94	FM1000	3.20	1.32
77	2.15	.49	89	2.35	94		J,20	.,

Picture Tube Kit

CONCORD'S PRICE TUBE TYPE W/DUD \$20.20 23.88 TOTAL PRICE \$70.28

SALES PRICE \$6325

CONCORD RADIO 45 Warren Street, New York 7, N.Y. DIgby 9-1132

	W/O DUD	WITH	
10BP4	11.50		
108P4A	11.50	1	
12JP4	13.60		
12LP4	14.35	13.60	
12LP4A	14.35	13.60	
12QP4	14.35	13.60	
12QP4A	14.35	13.60	
12UP4	19.00	17.50	
12VP4	16.75	16.00	
14BP4A	16.75	15.25	
14CP4A	16.75	15.25	
14HP4A	17.50	16.00	
15A/C/DP4	16.75		
16AP4	25.08	20.20	
16EP4	21.70	20.20	
16FP4	19.75	18.25	
16GP4	25.83	20.20	
16D/HP4	21.63	18.25	
16D/HP4A	21.63	18.25	
19AP4A	28.68	23.88	ı
19B/D/FP4*	24.25	21.25	l
198/D/FP4A*	24.25	21.25	l
19EP4*	24.25	21.25	ĺ
19EP4A*	24.25	21.25	l
19QP4*	25.75	22.75	l
19QP4A*	25.75	22.75	l
20C/DP4A*	24.25	19.75 21.25	ŀ
20F/H/J/MP4A*	23.73	21.23	l
21AP4A	31.83	26.20	l
21DP4A	32.88	27.25	l
21EP4*	25.00	20.13	ł
21F/KP4*	26.50	21.63	l
21MP4A	32.88	27.25	۱
21WP4A*	26.13	20.13	l
21XP4A*	27.63	21.63	1
21YP4A*	26.88	21.63	-
21ZP4A*	25.38	20.13	1
21ACP4A*	26.13	20.13	1
DEDAID	5 00	0/ 1	_

	RADIO Serviceman's						
1	CONCORD						
	BY						
	GUARANTEED						
	FU	LLY					
	ALL	TUBI	ES				
	21AYP4A*	27.63	21.63				
1	21AVP4A	27.63	21.63				
	21AUP4	27.63	21.53				
1	21ATP4*	27.63	21.63				
	21ALP4A*	27.63	21.63				
1	21AFP4A* 21ALP4A*	27.63	21.63				
	21AWP4A*	26.13	20.13				
1	21AQP4A*	26.13	20.13				
	21AMP4A*	26.13	20.13				
	17VP4*	20.88	16.75				
1	17RP4*	20.88	16.75				
1	17Q/YP4*	20.88	16.75				
1	17AVP4°	23.13	19.00				
	17AWP4	20.88	16.75				
	17LP4*	22.38	18.50				
	17HF4A*	22.38	18.50				
	17FP4A*	22.38	18.50				
	17G/TP4A	22.38	18.50				
	17 A P4 A	25.53 28.53	21.40				
1	17CP4A	27.03	21.40				
	17BP4A*	20.87	16.95				
1	16W/YP4	21.63	18.25				
1	16AEP4A	21.55	17.43				

TUBE

TYPE

16JP4

16JP4A

16CP4A

16L/C/ZP4

16K/R/TP4A* | 19.75

W/O WITH

DUD 900

20.88

20.88

21.63

21.63

18.25

18.25

18.25

18 25

16.00

REPAIRS 90% OF ALL TV SETS

Serviceman's Tube Kit #3

CONCORD'S PRICE LIST -65N7 -5U4G \$2.15 3.60 2.35 1-616 1-6AU6 1-1B3 1-12AT7 1.85 2.60 2.68

Stock #N6-KTU7T

CONCORD'S PRICE

\$1435

Tube Kit #2

CONCORD'S PRICE

TOTAL LIST PRICE \$45.35

3-1B3GT 4-5U4GT 2-6AU6 1-6BG6G 2-6CB6 \$7,80 7.20 3.70 5.30 4.10 2.35 10.75 1.95 2.20 -12AU7

Stock #NS-K-TV20T

Serviceman's Tube Kit #4

12 Tube Kit

TUBES

WORTH

***15.20**

-3CB6 -6CS6 -1B3GT -5AT8 -6AN8

2.00 2.80 2.95 3.20 1.80 5.30 3.45

TOTAL LIST PRICE \$.35.80



RAYTHEON















TRANSMITTING AND **Brand**

INTER SPECIAL!



Lots of 10

- 750v. Plate -100 Ma. Gives 75 Watts.

Reg. Price \$2.90

Concord's Price

OTS OF 3 **7**00

RECTIFIER. H.W. base. Requires 2.5v. at Amps. for filaments. Max. inverse peak voltage 5,000. Peak Plate Current 1000 Ma.

Reg. Price \$9.00

250

SPECIAL PURCHASE!!



304TH

CONCORD'S SMASH Eimac's answer to the modern KW rig tube requirement. All new, cartoned. Packed individually for fragile shipping.

Reg. Price \$60.50

Reg. Price \$60.50

CONCORD'S WAREHOUSE SALE

All new, cartoned. Made by Eimac for use in modern KW transmitters. Specially packed for fragile shipping.

CONCORD'S SPECIAL PRICE

EACH



ONCE IN A LIFETIME!

LOTS OF 10

⁵500

SINGLY

69¢

TWIN TRIODE 7.5v. Fil., Plate Voltage 1000 — Current 140 Ma. delivers 90 watts output. The perfect tube for freqs. to 250 Mc.

Concord's Price

Z EACH

Reg. Price \$12.35

PENTODE. Fil. Req. are 6.3 or 12.6v. Plate voltage of 500 at 150 Ma. delivers 56 watts at freqs. up to 125 Mc.

> Lots of 10 **7 (**150

CONCORD'S BARGAINS

IN TRANSMITTING TUBES

802 REG. \$7.55 **\$295**

\$195 REG. \$3.60

927 \$165 REG. \$3.55

-\$145

Lots of 10 **\$40**00 dy 4.50

5BP1

LOTS OF 6 - \$300:

\$2.55

2C39A--312°5

723AB — \$**895**

Singly \$ 2.95

Singly

Lots of 10

\$2500

Lots of 10

\$6350

SINGLY \$5.99

Reg. Price \$22.50 LOTS OF 3

\$1500

6.3v. Fil., 2000v. plate. Replaces earlier, less efficient Cathode Ray tubes.

SINGLY \$2.99 2.5v Fil., 1500v. plate. Fine for replacement

Reg. Price

\$15.00

in oscilloscopes, panoramic adaptors, experimental radar units.

2C46 \$7.95

Lots of 3

00

SINGLY \$295

Reg. Price \$15.00 LOTS OF 3

5BP4

Reg. Price \$22.50 LOTS OF 3 **\$2**00

SINGLY \$2.95

6.3v. Fil., 2000v. plate. Used in oscilloscopes. radar experiments, other circuits where a bright perseverance tube is required.

RK65/5D23 Reg. \$42.50

Lots of 10 SINGLY \$18.50

Lots of 10 \$275

Singly \$2.99

CONCORD'S PRICE Reg. **2**95 \$23,50

WINTER **SPECIALS**

CONCORD'S

Concord's Price

Lots of 10

EACH Reg. \$1950 \$39.50

5933-807 W Reg. \$12.45

\$60.00


SINGLY Lots of 10 \$195 \$1.65

Reg. \$3.95

-SINGLY Lots of 10 \$1.95

6.3v Fil., 1500v. plate. Fine definition makes this an ideal replacement unit for oscilloscopes, panoramic adaptors. Widely used in commercial 3" scopes as well as in "Kits".

SPECIAL PURPOSE TUBES



SPECIAL PRICES	FOR QUANT	ITY USERS
801A CONCORD'S PRICE 20 For \$5.00	10Y CONCORD'S PRICE 100 For \$20.00	1625 Lots of 5 PRICE LOTS of 5
9006 18 For \$15.00	HY-65 CONCORD'S PRICE 10 Lots of 5 For \$130 For \$12.00	1626 CONCORD'S PRICE LOTS 50 For \$1.85
814 CONCORD'S PRICE 10 For \$250 sech \$21.00	5CP1 CONCORD'S PRICE 10 For \$2.50 \$25.00	2162 CONCORD'S PRICE Lots of 10 \$7.00 \$7.00
813 CONCORD'S PRICE Lots of 10 \$10,45	5CP1A CONCORD'S PRICE 10 For \$550 \$50.00	2J61 CONCORD'S PRICE Lots of 10 Lots of 10 \$17.00
810 CONCORD'S PRICE Lets of 10 \$12.95 Reg. \$19.50	5CP11Aconcord's PRICE Lots of 10 Reg. \$32.30 \$1850 \$17.50	276A CONCORD'S PRICE Lots of 10 Sec. \$24.00 \$9.50 \$8.50
705A CONCORD'S PRICE 10 For left of \$ \$7.00	5C22 concorp's PRICE Lots of 10 \$26.50 Reg. \$38.50 \$2795	872 A Latt of 5 PRICE 10 For Reg. \$8.50 \$135 \$12.50
262B CONCORD'S PRICE 10 For Seg. \$17.50 \$600 \$55.00	Reg. \$38.00 \$20.00 \$19.50	5R4WGY tets of 3 10 For Reg. \$7.25

Special Values in... PROJECTORS

BELL AND HOWELL MONTEREY

Reg. Price

\$99.50

THE MONTEREY. Enjoy brilliant, needle-sharp movie projection for exceptionally low cost. Simplest projector to use, the Monterey features rugged, die-cast aluminum construction, convenient built-in carrying case. Complete,



- · 400-foot capacity . . . half-hour shows
- 500-watt lamp . . . f/1.6 coated projection lens
- Simple swing-out lens mount makes threading easy
- Permanently lubricated . . . never needs oiling

DeJUR MODEL 750

CONCORD SMASH HIT!

\$159.50

750 watt lamp capacity: CONCORD'S PRICE 400-foot reel, 30 minutes of projection; Reverse oction; Still picture clutch; Exclusive swing-out gate; Automatic, high-speed rewind; MagnaVision (extreme wide angle) Projection Lens; Deluxe Fleetwood Carrying Case.

AND HOWELL REGENT



Reg. Price \$189.50 CONCORD'S

PRICE

CONCORD PREFERRED The star of the Bell and Howell 8mm movie projector line it is all gear driven with a 500 watt pre-alligned projection lamp. The lens is a sharp 1" f/1.6. It's power rewind lets you change "shows" in a hurry. 400 ft. reel capacity, single frame, and reverse operation are some of its other features. Complete with snap on "ROYALITE" case.



DeJUR MODEL 500

SENSATIONAL OFFER! tralized control of mo-CONCORD'S PRICE

Reg. Price

\$76.50

America's finest lowpriced 8mm movie projector; one-switch centor, rewind and room lamp; 500 watt lamp capacity; swing-out gate for easy threading; oversize blower for extracool projection; Magna-Vision (extreme wide angle) Projection Lens.

BELL AND HOWELL STATESMAN

\$199.00 Reg. Price

16 mm silent projector

CONCORD'S PRICE

- CONCENTRATED FILAMENT 750 WATT LAMP.
 - . SIMPLIFIED THREADING
 - . 400 FOOT FILM GAPACITY
 - · NEEDLE-SHARP, COATED F/1.6 LENS
 - SAFE-LOCK SPROCKETS FOR COMPLETE FILM PROTECTION
 - · INCLUDES CARRYING CASE

HOW CAN YOU MISS?

BELL & HOWELL DIPLOMAT Maximum Light

16 mm silent

CONCORD'S PRICE



- Output from 1000 Watt Lamp Easy Threading —Even in the
- Dark 2-Inch F/1,6 Super Proval Coated Lens Smooth All-Gear
- Smooth All-Geo Drive No Belts 400 Foot Film Capacity Reverse and Still Picture
- Projection Includes Carrying Case

DEJUR MODEL 1000

CONCORD'S PRICE

1000 watt lamp capacity, Precision engineered, Brilliant, flicker-free projection; MagnaVision (extreme wide engle) Projection Lens; Automatic Reel Cord; Centralized controls; Plus all features of Model "750"

\$189.00



KEYSTONE K100



8 mm

magna-scope projector SELECTRO-MATIC CONTROL

Nothing could be simpler or easier to operate. Just one knob is all you need for complete control. And the BIG image lens gives you 8mm home movies 78% bigger than with ordinary projectors. All metal . . fully enclosed.

CONCORD'S PRICE

Reg. Price 99.50

1752-A

1754-A



KEYSTONE K109D

8 mm

magna-scope projector SELECTRO-MATIC CONTROL

Keystone Regal 8mm 750 watt Projector . . . complete home-movie workshop! Built-in splicer lite-O-matic switch, other exclusive Keystone features. With case.

YOU'LL BE PROUD TO OWN THIS!!! CONCORD'S PRICE

Reg. Price \$159.50

Hollywood MOVIE

100 ft. - 8mm silent

200 R. - Smm silent

Reg. Price 2.75 CONCORD'S PRICE

1756-A Reg. Price 5.25 CONCORD'S PRICE 4.391757-A

Mickey Mouse Title

Pluto & the Rabbits Mickey the Hunter Mickey's Giant Rabbit

Mickey Gets Dunked

Pluto's Fish Story

Mickey's Grocery

All Star Comedies

No. Title 810 Toppers Night Out 811 Double Trouble 812 Mistaken Identity

Gene Autry

No. Title 7040-A Shoot Straight 7043-A Indian Uprising 646-C Loaded Guns

Roy Rogers

Title Ma Ride in the 500 Death Wagon The Long Chance 503 Loaded Guns 504 The Knockout

Zane Grey Westerns

No. Title 102 Forlorn River 104 Hell Town Wagon Wheels

108 109 Born to the West

111 Knights of the Range 191 Ar zona Raiders

rd came


LOCA CONCORD'S FABULOUS

FREE CASE!!

- Famous German Import Flash synch. Matched ctd. f3.5 lenses Prontor S shutter (1 to
- Prontor S Shatter 1/300) Double exp. prev. Built-in self timer Standard 35mm B&W or color film

CONCORD'S PRICE

REG. PRICE \$109.95



SAVE!! ERA O

NORMAL \$7995 PRICE

CONCORD'S LOW PRICE

WITH FAST F2.8 LENS

Complete

Shpg. Wgt. 4 Lbs. STOCK #BALD-35

This popular priced camera has everything you want. Check the fine features. Made in West Germany by camera experts. Hurry, while our limited quantity lasts!

- F2.8 Color Corrected Lens
 Speeds from 1 Sec. to 1/300 Sec. Rapid Advance, Single Stroke Lever.
 MX Synch. for All Flashbulbs and Strobes All Metal Body, Weighs Only 18 ozs.
 Cpld RF Combined with Single Window B/C Flashbun
 Viewfinder

 Built-In Self-Timer
 Rapid Advance, Single Stroke Lever.
 All Metal Body, Weighs Only 18 ozs.
 B/C Flashbun
 Genuine Leather Eveready Case

COMPLETE WITH CASE & FLASH.

LA BELLE Automatic SLIDE **PROJECTOR**



CONCORD'S \$39

- 300 Watt Capacity • Fine 5" F.4 Coated Lens
 • Blower Cooled
 • Automatic Feed
 • With 2 Magazines

Only Concord can make this sensational offer. Check the features - found only in the finest projectors - then check our price - beats all!

STOCK #LABELLE-Sp

Shpg. Wgt. 10 Lbs.

BOLSEY EXPLORER

REG. PRICE CONCORD'S PRICE \$34.95 \$47.95



Up to 36 exposures; 45-mm Steinheil Cassar f/2.8 lens; Gauthier Vero shutter, 1/25 to 1/200 sec and 8; built-in synchronization for X-delay lamps; focusing scale; eye-level viewfinder; all metal; aluminum body; rapid-wind lever transports film, counts exposures, and cocks shutter in one motion; body release.



Brand New, with coated 13.5 Agfa Apotar Lens . REG. 54.50

CONCORD'S PRICE \$3950 Filter Set.... 7.95

CONCORD'S

PRICE \$6995

Latest 35mm. Improved Light Value System. Synchro-Compur shutter, speeds 1 to 1/500 sec. Synchronized for flash and strobe. Coupled rangefinder/viewfinder. Self-timer.

Brond New, with coated f3.5
Solinar Lens ...Reg. Price 89.50

Reg. Price CONCORD'S PRICE Flosh Unit.... 7.95
\$6.95

Ansco Super Regent LVS

35mm ANSCO REGENT

Takes standard 35 mm film. Prontor-SV shutter, speeds 1 to 1/300 sec., & B. Built-in flash synchronization. Eye-level view-finder. Self-timer. Double ex-posure prevention.

Concord's Price \$6.95

6.95

\$6.95

\$5.75

\$6.95

Filter Set 7.95 Eveready Carrying Case 9.75 \$8.95

Reg. Price

Eveready Carryina Case

Flash Unit.... 7.95 Reg. Price

BOLSEY CAMERA-CASE

& FLASHGUN BRAND NEW

Revolutionary SET-O-MATIC thinks for you ... actually calculates and sets. Truly an amazing invention, giving

your camera a built-in brain!

THIS IS VALUE



- Automatic diaphragm setting . Automatic film transport release
- · Automatic shutter cocking
- PLUS many other exciting new features
- Crystal-bright, split image, coupled rangefinder High-resolution Bolsey-Steinheil coated f/2.8 lens

CONCORD'S FEATURE PRICE

\$ 5 95

BOLSEY ACCESSORY KIT . 3 SERIES V OPTICALLY CORRECTED FILTERS INCLUDES: . ADAPTER - SATIN FINISH ALUMINUM

REG. PRICE \$9.95

- AND LEATHER CARRYING CASE
- . FINE ALUMINUM SUNSHADE
- . FLEXIBLE CABLE RELEASE

ALL HOUSED IN NEAT CARTON.

PHOTO SUPERMARKET!

ATTENTION! ARGUS C-3 OWNERS SALIGOR 135mm F4.5 TELEPHOTO LENS



\$4995 VALUE

FOR ARGUS C-3

- · A triumph in engineering Edge to edge sharpness
- Coated Complete with finder
 - Shipping Wgt. 1 Lb.

 Coupled to Rangefinder STOCK #SAL-TL135

Index clamp lock and handle, non-rattling

\$325 VALUE

Concord 2×2 All Metal



For 150 Glass -Slides or 300 Ready Mounts

2 FOR \$339

LABELLE PAK VIEWER

Reg. Price 5_95



Takes 9-2x2 slides. Magnifies 4 diameters. Restacks slides.

CONCORD'S BARGAINS


CONCORD S BARGAIN BARREL

SPECIAL! Alpex SLIDE VIEWER

REG. \$595

CONCORD'S PRICE

Telescoping plastic viewer. Self-enclosed batteries illuminate upon insertion of



HELPS IMPROVE YOUR PHOTO TECHNIQUES!

The MODERN Camera Guides

Really want to Improve your ability with specific equipment? . . . then purchase a modern guide. They're invaluable—to every amateur photo fan. Yes . . . each book is a 128 page, slick paper, well illustrated in both black and white and color. Please mention

CURRENT GUIDES

Animal Argus Available Light
Beginner's Guide to Color
Photography
Bell and Howell Movie Beseler Enlarger Bolex Movie Bolsey Canon Exakta Exposure Meter Graphic 35 Ikoflex Keystone Movie Kodak (Miniature) Leica Medical & Dental

Photographing Your Flowers Photographing Women Polaroid Land Retouching Negatives and Prints Prints
Revere Movie
Revere "33" Stereo
Rolleiflex
Solar Enlarger
Speed Graphic
Stereo-Realist
35mm Reference
Twin Lens Reflex Underwater Photography Voigtlander Winning Photo Contests Zelss Ikon

CONCORD'S PRICE

POLAROID

Reg. \$1.95 each

TDC SEMIMATIC SLIDE CHANGER



Nature

Omega Enlarger

Photo Darkroom

Removes slides with stroke of a bar. Se-lects the next slide.

REG. PRICE 12.95 CONCORD'S SPECIAL PRICE

A GIVEAWAY!

FAMOUS GERMAN IMPORT BILORA" BOX CAMERA \$10.95 WITH DE LUXE FLASH Price

PLUS HANDY GADGET BAG \$599
STOCK #BILORA-K Shipping Wgt. 3 Lbs.

Cannon View Finder For 85MM - 100MM Tele. Lens

(Specify lens size) NATIONAL PRICE CONCORD'S

\$850

World Famous KINOPLEX 35MM DEVELOPING TANK

With compensating funne REG. CONCORD'S PRICE Rugged construction \$395

Uses small amount of developer

120 FAMOUS DURA #5 FLASH LAMPS CONCORD BOUGHT A CARLOAD STOCK UP NOW! TO SAVE YOU MONEY CLOSEOUT PRICE

ALL METAL

\$1440

.49

Fine Imported Neck-Chain



CONCORD'S \$325 PRICE

Safety lock, attractive chrome tinish. Fits all cameras.

ENLARGING EASELS

White enamel base, sturdy construction. Steel masking bands. Get several while our supply lasts.

8 x 10 Reg. \$5.75 Concord's closeout pr. \$398 11 x 14 Reg. \$8.50 Concord's closeout pr. \$495

DAYLIGHT FILM LOADER

For loading 35mm spools from bulk film



- Holds 100 foot capacity · Regular value
- Economical
- Dustproof

Reg. \$7.50

SAVE SSS METAL REELS & CANS

CONCORD'S PRICE

8mm	200 400	Fţ.	sets	for	\$2.99 3.49
	300	4.4		for	2.95
16mm	400	6.6	" 3	for	2.85

EDITING EQUIPMENT

ALL ITEMS SOLD AT REDUCED PRICES!

EDITORS INCLUDE SPLICER Concord's BASEBOARD AND REWIND Price Craig 8mm or 16mm Portable,
Includes Case
Kalart 8mm Action Editor
Mansfield 8mm Action Editor
Mansfield Deluxe 8mm Portable, \$53.50 \$79.50 \$23.95 25.75

ONLY AT CONCORD SOLD NATIONALLY FOR

For all Compur, Argus, Kodak, Prontor, Leica, Rolleis, etc. Also used with other standard cable release sockets.

PHOTOGRAPHIC BUY



FREE LATEST MODEL WESTON MASTER III

CARRY The latest achievements in photographic exposure control are combined

CASE in the new, ruggedized Master III. Ideally suited for still and movie
work. Easy to read exposure control dial instantly and simultaneously
provides correct exposure settings for all cameras, including Polaroid,
and cameras with the new Light Value System. Calibrated for ASA
specifications with ratings up to 3200. Fully cushioned movement and

REG. PRICE spring-back jewels to absorb shock.

CONCORD'S PRICE



WESTON DR-853

Photo-electric model for direct readings. Can be used with still and movie cameras, including Polar-oid. Rotary film speed plate.

Brand New, Complete with Leather Carrying Case REG. 16.95

CONCORD'S PRICE \$12.97

NORWOOD DIRECTOR COLOR-MATIC

An outstanding model featuring the new "Color-Matic" control. Simply set the camera at 1/50th — point the Photosphere — and the needle indicates the proper "f" stop for perfect color exposures. Calibrated in ASA. Indicates settings from 120 to 1/1200 second. Reads from f1.4 to f45.

CONCORD'S PRICE \$2 595

2.98

REG. PRICE 32.95 FREE CASE G.E. TYPE PR-1 REG. 3250

For use with still and movie cameras. Measures both in-cident and reflected light. ASA calibrated from .2 to 1600; 120 to 1/3000 sec.

CONCORD'S PRICE

With Carrying Case



Super-Imposed, double-image type-calibrated from 2 feet to infinity; available also calibrated from .6 meters to infinity; adjusting scre mits rangefinder to be re-set.



LIST \$79.50

ARGUS MODEL 1-3

Reads stills, f1.4 to f22; 120 to 1/1000 sec; and movie speeds 8 to 64 frames. Brand New, with Case

REG. PRICE 16.95

CONCORD'S PRICE \$14.95



DeJUR PROFESSIONAL

For stills and movies. Measures incident and reflected light. ASA calibrated from .8 to 800. Reads from f1 to f45; from 120 to 1/800.

CONCORD'S PRICE \$16.95

2995

Carrying Case EXTRA 2.25

8mm or 16mm

"Your table-top is your

CRAIG HOME MOVIE THEATRE"

It's the deluxe editor of them all—show movies to friends right on your table-top without darkening the room lights! Sets up in a minute or less. Movies show in brillant action on large 3¼4 x 4¼″ screen. 75 watt lamp is air cooled. You can't overheat film—even when viewing single frames. Built-in Frame Maker, Splicer and Film Cement makes it easy to edit films—arrange scenes in sequence—splice in titles. Unit folds compactly into trim Carrying Case for easy storage and portability. 110V AC or DC. CONCORDIS \$53.50

PRAZISA

Reg. Price 5.95

LOOK AT THIS PRICE!

CONCORD'S PRICE

Split-image type; calibrated from two feet to infinity; also available scaled in meters; durable composi-tion, black finish. Price, incl. leather pouch,

Reg. Price

STROBONAR 61-A

CONCORD'S PRICE

\$4995



Portable, weighs about 4 lb; a-c and dry-battery operation; minimum input 40 watt-sec; operates at 450 volts; nominal output 1,000 bcps; for use with X shutters; 25,000 flashes per tube; color temp 6500 K; 1/2000-sec flash duration; interval between flashes 15-20 sec on dry battery, 10-15 sec on a-c; 4-in diffused reflector; Kodachrome guide number of 28; capacitor forms handle for head unit; ready light.

Shutter cords, brackets, and clamps availcords, brackets, and clamps avail-able as accessories.

CONCORD'S PRICE

Same as above but capacitor is in power pack and head has universal shoe mount; I/y-in.-dia. battery-case-type handle may be attached to head.

Rea. Price STROBONAR 71-A 129.95 CONCORD'S PRICE

Portable, weighs 3½ lb; a-c and dry-battery operation; minimum input 80 watt-sec; nominal output 2,160 bcps; operates at 450 volts; 3 flashtubes can be connected to powerpack; for use with X shutters; 25,000 flashes per tube; color temp 6500 K; flash duration 1/750 sec; interval between flashes 5-7 sec; 4-in. diffused reflector; ready light; safety disconnect plug. Universal shoe mount on head. Price, incl. head assembly, power pack, and battery.

P-950 PORTABLE VIEWER



45% OFF REG. COST

For 8-mm; aluminum; manual opera-tion; in combination with splicer; 2 rewinds; viewer has 30-watt lamp. Arms on baseboard fold in toward viewer for storing purposes; comes in store-away carton. Price, with cement.

39.50

REG.

EDITOR VIEWER 8 Model EV-8

CONCORD'S PRICE

KALART

Film enlarged 12 times

Takes reels up to 400 feet capacity.

Built-in focusing adjustment.

Sturdy steel frame, beautiful bakelite

finish, on wood base, 101/2 x 131/4 inches. Complete with stainless steel splicer and bottl of Craig Film Cement, Packed in handy case.

Reg. Price 169.55

STROBOFLASH IV

CONCORD'S PRICE



Similar to Stroboflash I but weighs 9½ lb; 4-way switch provides full-range intensity control with max, input settings of 50, 100, 150, and 200 watt-sec.

CONCORD DOES IT AGAIN

CAMERA MUSTS!!

MOVIE LENSES

We bought a "CARLOAD" to get these prices.

HIGH PRECISION COATED LENSES

IMPORTED



Ī	11/2" f 2.5 Telephoto Foc	12.85
	1" f 1 Standard Foc	
	6.5mm f:1.9 Wide Angle, Foc.	
	1/2" f:1.9 Standard, Foc	12.85
	142" f:1.1 Telephoto, Foc	59.85
	15mm f:1.5 Wide Angle, Foc.	
	11/2" f:1.9 Telephoto, Foc	17.85
	3" f:2.5 Telephoto, Foc	23.85
	1" f:0.95 Standard, Foc	129.85
	7.5mm f:1.4 Wide Angle, Foc	39.85
	17mm f:2.7 Wide Angle, Foc.	
	7mm f:2.5 Wide Angle F.F	
	11/2" f:1.5 Telephoto, Foc	24.85

8MM CAMERAS SPECIFY MAKE

EVERY LENS GUARANTEED

Those long awaited for TELEPHOTO or WIDE ANGLE LENSES

TO FIT ALL CAMERAS

e Color Corrected e Hard Surface Coated e All Brand New e All One Price

Aires 35 ili Ansco Speedex Argus C-2, 3, .4, 44 Argus A-4, 21 Aires Bell & Howell Bell & Howell Bolex Baidinette Bolsey S, 8-2 Baur SS, 868 Baidina Ciro 35 Clarus Cirofiex Contafiex I, II

MARIO SUFFACE

ANI ON PICE

FOR THE FOLLOWING CAMERAS:

Contessa

Contessa

Contessa

Contessa

Contina

Contin

CONCORD'S 2 SECTION Reg \$9.95

Rugged all aluminum construction, complete with fine panhead. Folds to a small 18" This outfit is ideal for use with 35mm cameras. Guaranteed for life.

Shipping Wgt. 2 Lbs. CANDID TRIPOD

SAVE \$\$\$ \$395 STOCK #2-TRIPOD

BUY 3 GET 1 FREE !! SCREW-IN FILTER



So compact that case can be closed without removing the filter

WALZ SCREW IN FILTERS TO FIT CAMERAS LISTED BELOW (Also Available for Many Cameras Not Listed)	WALZ INDIVIDUAL FILTERS	WALZ FILTER KITS	CLOSE-UP LENSES	WALZ CLOSE-UP LENS KIT	LENS HOODS
#101 ARGUS C-X, Argus C & C2, Elmar f:3.5	1,95	5.75	2,50	6,95	1,95
#103 RETINA 1A f:3.5, Super Baldinette f:2.8 Retina Curtar 35mm f:5.6		8,75	3,50	9,95	2,95
#104 RETINAS f:2 & f:2.8, All models. Ansco Karat & Karomat f:2 & f:2.8	2,95	8,75	3,50	9,95	2,95
#105 CONTAFLEX, Contessa, Contina, Ikonta 35, Iemar f:2.8	2,95	8,75	3,50	9,95	2,95
f108 LEICA SUMMAR f:2, Elmar 90mm f:4, Hektor 135mm f:4.5, Minolta A f:3.5, Lordomat, Richo 500 f:2.8	3,95	11,75	4,95	13,50	3,95
#107 CONTAX SONNAR f:2 & f:1.5, Exa Exacta, Praktica, Tessar Pre-set f:3.5 & f:2.8, Nilion f:2	3,95	11,75	4,95	13,50	3,95
#108 LEICA SUMMITAR f:2, Steinheil Culminar 135mm f:4.5 & 85mm f:2.8	3,95	11,75	4,95	13,50	3,95
#109 LEICA SUMMICRON f:2, All Leica M-3 Bayonet Mount Lennes,	3,95	11,78	4,95	13,50	3,95
#110 EXACTA BIOTAR f:2 Pre-set, Auto- matic Biotar f:2	6,95	20,75	7,95	23,50	6,95
fill KODAK SIGNET f:3.5, Kodak Ban- tam R. F. T:3.9, Cine Kodak Royal	2.95	8.75	3.50	9.95	2.95
#114 NHKON f:1.4, Nikkor 35mm f:2.5 & 3.5, 135mm f:3.5	3,95	11,78	4,96	13,50	3,95
#118 CANON f:1.8, 50mm f:1.5, 135mm f:4	3,95	11,75	4,95	13,50	3,95
#121 IKOFLEX, Konica II A f:2.8, Konica III C f:2	3,95	11,75	4,95	13,50	3,95
/123 QRAPHIC 35, 1:3.5 & 1:2.8	2,95	8,75	3,50	9,95	2,95
#124 ARGUS C-4, Realist 35 & 45, Iloca Quick A & B & Stereo II, Vito JII f:2	2,95	8,75	3,50	9,95	2,95
#125 LEICA SUMMARIT [:1.5, Westanar & Westagon 50mm f:2.8 & 2 Auto- matic, Switar 50mm f:1.4	3,95	11,75	4,95	13,50	3,95
7301 ROLLEI f:3.5 F. Bayonet, Rolleiflex F & Rolleicord, Tessar & Xenar f:3.5,	3,95	11,78	X	14,96	3,95
f302 ROLLEI f:3.5 G Bayonet, New model Rolleiflex G, Planar or Xenatar f:3.5	B, 45	15,95	X	17,96	5,45
/303 ROLL El f:2.8 D & E Bayonet Xenotar f.2.8, Planar f:2.8	0.96	20.75	X	22.96	6.96
/304 VITESSA, Bayonet	3,95	11,75	4,95	13,50	3,95
WALZ COATED SERIES SIZE FILTERS					
SERIES 1 (21.5 mm)	1,50	X	X	X	X
SERIES 4	1,75	4,95	2,50	3,95	X
SERIES 5	2,25	6,50	2,95	3,75	X
SERIES 6	2,75	7,95	3.95	11,75	X
SERIES 7	8,50	16,50	6,95		
WALZ COATED SCREW-IN MOVIE FIL		4 76	in Type A & S	mm) & Movie F.	iters avails
7501 BELL & HOWELL 220 & 252	1,95	5,75	***		A.i. Te
#502 REVERE 8mm, Keystone 8mm Pre- 1956 Models	1,95	5,75	& Skylight Filt	Filter Kits of	Carry Ca
#503 DE JUR, all models Keystone Capri f:2.5	1,95	5,75	Movie Turret		
7504 BROWNIE MOVIE 1/2.7 & 1/2.3	1,95	5.75 SK	with three Filt	ers for three Le	

CUSTOM-FITTING - NO **ADAPTERS**

Concord's FAMOUS MAKE

Concord's

NATIONAL Bargain PRICE Price

\$2200

STOCK #4-LITE-K

Size 28" wide, folds to 14", exposure table on back of unit, finished in rich 2-tone hammer tone, on & off switches, easy grip handle. Sturdy steel baked finish with full-length piano hinge. A complete studio in one hand. Complete with 4 lamps and sturdy case sturdy case.



Imported Exposure Meters **REAL CONCORD VALUE!**


CALIBRATED FOR ALL CAMERAS

SOLD ELSEWHERE FOR \$995

CONCORD'S \$595

WOLLENSAK WIDE ANGLE TELEPHOTO LENSES

Telephoto lens brings subject up close



Wollenick Cine Ropter Lenes. Fit 8mm cameras with standard "D" screw mount; 16mm cameras with standard "C" screw mount as indicated. Pbd. (Wt. ea. 1 lb.) 11/2-in. t:2.5 Telephoto Focusing Lens—8mm Cameras\$42.50 38mm f:1.5 Telephoto Focusing Lens—8mm cameras \$60.95 17mm f:2.7 Wide Angle Focusing Lens—16mm cameras \$28.09

of the scene 6.5 mm f:2.5 fixed focus wide angle lens

 38mm f:2.8 focusing telephoto lens
 \$16.50

 6.5mm f:2.5 Wide Angle
 \$24.95

 Fixed Focus Lens—8mm cameras
 \$24.95

 6.5mm f:1.9 Wide Angle

 Fixed Focus Lens-8mm cameras\$26.95

FAMOUS MAKE Genuine Leather

GADGET BAG



No. 10 - 7" x 9" x 41/2"	5.95
Regularly 6.95	
No. 11 - 81/2" x 101/2" x 4"	6.95
Regularly 8.95	0.33
No. 12 - 10" x 12" x 5"	1
Regularly 11.95	8.95

Elgeet AUTO-EX

Reg. the amazing movie lens with automatic exposure control. \$36-95

Wide anale

tens in-

studes more



Concord's Price The Auto-Ex analyzes the light consitions and translight consitions and transmits information to a floating needle. By simply lining up the floating needle with an arrow, take perfect movies is set automatically.

Over-exposure or undergrand the state of the state exposure because of wrong lens opening can be prevented with the Elgeet Auto-Ex. Yes — anyone and everyone can take movies automatially.

CONCORD goes Spartus

THE NEW SPARTACORD REFLEX

17 piece camera outfit

K115 OUTFIT REG. PRICE \$34.95

CONCORD'S PRICE

MIII CAMERA AND GUN

CONCORD'S PRICE \$18 99

SPARTACORD'S HIGH QUALITY FEATURES-Hard-coated F7.7 color-corrected Achromat Lens. Double Exposure Control. Automatic Dual Focusing—4 ft. to infinity. Easy-To-Use Exposure Selector: "Bright", "Hazy", "Cloudy", "Dull". Automatic Flash Synchronization adaptable for regular or M-2 Bulbs. Push-Button Shutter Release. Sturdy All-Metal Construction with Satin Chrome Finish and Leather-Grain Trim. Takes 12 Big Pictures on 620 Film.

THE SPARTACORD 17 PIECE OUTFIT

- Spartacord Camera Chrome Ejector Flash Gun Deluxe Gadget Bag Eight G. E. Bulbs

Two Rolls Eastman Film Two Eveready Batteries Two Photo Booklets

NEW SPARTUS FULL-VUE 17 piece camera outfit



K45 OUTFIT REG. PRICE \$19.95

CONCORD'S PRICE

FULL-VUE OFFERS YOU THESE FINE FEATURES Pre-MAT CAMERA AND Focused Precision Lens. Big, Brilliant View-Finder.

GUN ONLY

Plug-In Flash Gun. Takes 12 big pictures on 120 Film. IFlash Gun takes regular or M-2 Bulbs. Positive Shutter CONCORD'S PRICE |Action.

THE FULL-VUE 17 PIECE CAMERA OUTFIT

Full-Vue Camera Eastman 120 Film

- Chrome Ejector-Type Flash Gun
 Eight G. E. Bulbs
- I Two Everendy Batteries Tan Gadget Bag
 REG. PRICE \$13.50 Two Flash Phato Booklets Full Length Shoulder Strap

THE SPARTAFOLD 17 piece camera outfit

K95 OUTFIT REG. PRICE \$27.95

CONCORD'S PRICE



SPARTAFOLD HIGH QUALITY FEATURES-Easy-To-Use Exposure Selector, "Bright", "Hazy", "Cloudy", and "Duli". Sturdy All-Metal Construction. Takes 8 Large Album-Size Pictures on 120 Film. Precision Lens. Handsone Chrome and Black Leather Trim.

SPARTAFOLD 17 PIECE CAMERA OUTFIT

- All-Purpose Travel Case Two Photography Booklets

- Plug-in Flash Gun
 Two Eveready Batteries
 Two Rolls Eastman Film

THE SPARTUS "120"

12 piece camera outfit



K85 OUTFIT REG. PRICE \$9.95

CONCORD'S PRICE

SPARTUS "120" FEATURES—Takes & Big Pictures on 120 Film. Synchronized Flash with Ejector Type Flash Gun. Durable Construction with Beautiful Mahogany Finish. Optical Viewfinder.

THE SPARTUS "120" 12 PIECE CAMERA OUTFIT

- Spartus "120" Camera
 Handy Gadget Bag
 Four G. E. Bulbs

- Eastman 120 Film
- Ejector Flash Gun
 Two Flash Photo Books
 Two Burgess Batteries

THE SPARTUS "620

K65 OUTFIT REG. PRICE \$14.95

CONCORD'S PRICE



SPARTUS "620" REFLEX CAMERA FEATURES-Durable Construction with Silver-Gray Finish. Takes 12 Big Pictures on 620 Film. Precision Fixed-Focus Lens. Large Brilliant Viewfinder. Plug-In Flash Gun for Regular or M2 Bulbs.

THE SPARTUS "620" 13 PIECE CAMERA OUTFIT

- 620 Camera *
- Matching Ejector Flash Gun Eastman 620 Film Two Books on Photography
- Four G. E. Bulbs
 All Purpose Travel Case
 Two Eveready Batteries
 Shoulder Strap

THE SPARTUS PRESS FLASH



PRESS FLASH TOP-NOTCH FEATURES-Built-In Flash Unit. Automatic Flash Bulb Ejector. Takes & Album-Size CONCORD'S PRIC Pictures on 120 Film. Handy Attached Carrying Strap. Telescopic Eye-Level Viewfinder. Pre-Focused Lens.

THE PRESS FLASH 16 PIECE CAMERA OUTFIT

- Press Flash Camera
 All-Purpose Travel Case
 Eight G. E. Bulbs

 Two Rolls of Eastman 120 Film
 Two Photography Booklets
 Two Burgess Batteries

FLEX ACTIONIS

YASHICA A

CONCORD SMASH HIT!

- f:3.5 coated 80 mm taking lens, f:3.5 viewing lens.
- Copal shutter, speeds: B. 1/25, 1/50, 1/100, 1/300 sec.
- X-synchronization.
- · Ground glass magnifier.
- Eye level sports finder.

LIST PRICE\$39.95 with Leather E. R. Case

COMPLETE OUTFIT CONCORD'S PRICE

YASHICA L



- · Built-in exposure meter
- f:3.5 coated 80 mm taking lens, f:3.5 viewing lens
- · Bayonet lens mounts
- Copal shutter, speeds: 8. 1, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100, 1/300 sec.
- M.X Synchronization.
- Self-timer
- Ground glass field lens with magnifier.
- Eye-level sports finder.
- Semi-automatic film wind (no window)

REG. PR. \$ 69.95

CONCORD'S PRICE \$52.99



YASHICAMAT ONLY THE FINEST!

Fully automatic film wind and shutter setting combined

Lock prevents accidental open-ing of camera when loaded.

f:3.5 coated 75 mm 4 element taking lens. f:3.2 view lens.

REGULAR PRICE \$84.50 CONCORD'S PRICE ... \$65.45 COMPLETE WITH CASE

Copal shutter, speeds: 1/25, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100, 1/250, 1/400 sec. M.X synchronization. Self-timer, Ground, alacs field lone Ground-glass field lens with

NOW HEAR THIS!

- Semi-automatic film wind (no window)
- f:3.5 coated 80 mm taking lens, f:3.5 viewing lens.
- Bayonet lens mounts.
- Copal shutter, speeds: B. 1, 1/2, 1/5, /10, 1/25, 1/50, 1/100, 1/300 sec.

- M.X synchronization
- Self-timer
- Ground glass field lens with magnifier
- Eye level sports finder

with Leather E.R. Case REG. PRICE \$56.50

CONCORD'S PRICE CONCORD'S PRICE \$4

DEJUR REFLEX

ONLY AT CONCORD

REG. PRICE \$99.50 CONCORD'S

PRICE

120 roll film; 12 exposures, 21/4x21/4; twin-lens reflex; DeJur anastigment 85-mm f/3.5 coated lens; depth of field scale; DeJur Wollensak shutter, field scale; DeJur Wollenser since the field scale; DeJur Wollenser Since the field lens with waist-level finders; field lens with glear center;



KALLOFLEX **AUTOMAT K-2**

Takes 12-21/x21/4 exposures on 120 roll-film. Seikosha Rapid shutter, speeds 1 to 1/500 sec. Fully flash synchronized. Convenient arrangement of automatic film advance and focusing knob. Double exposure prevention and release.

REG. PRICE 119.50	Reg. Pr.	Cencord's P
Eveready Carrying Case Lens Hoods with Leather Cas Flash Unit Filters, Each	7.95	\$8.40 3.16 6.36 3.16

with Coated 13.5 Prominar Lens

CONCORD'S PRICE

AUTOMATIC MINOLTA AUTOCORD'L'

Now, for the first time, you can have a fully automatic $2\frac{1}{4} \times 2\frac{1}{4}$ twin-lens reflex camera with built-in exposure meter and light-value calibration. With the revolutionary new light-value system, you set the pointer on the light value scale and it automatically sets up an 'f' stop combination for perfect exposure. Features Seikosha shutter, speeds from 1 to 1/500 second and bulb. Synchronized for flash and strobe. Helical focusing. Built-in self-timer. Eyelevel, waist-level viewfinder. Automatic film advance, shutter cocking and exposure counter. Image is visible at moment of exposure on the groundglass.

	Reg. Pr.		cord's P
Close-Up Lens in Leather Case Lens Hood in Leather Case	\$19.95	\$	15.96
Flashgun	4.45		3.56
Carrying Case	\$10.95		6.36 \$8.76
Filters, each	3.45	*******	2.76

CONCORD'S

PRICE

SLASHED!



\$9960 REG. coated Lens



Twin-Lens SUPER RICOHFLEX

Takes 12-21/4x21/4 exposures on 120 roll-film. Shutter speeds from 1/10 to 1/200 second and bulb. Syachronized for flash and strobe. Single-action hood assembly. Eye-Level Viewfinder, Focusing magnifier. Depth-of-Field Scale. Takes 35mm film.

	Reg. Pr.	C " " "
Eveready Carrying Case		Concord's Pr.
Flash Unit	キン・フラ	\$4.76
Filter Set	1.72	6.36
Pro-10 e W =	4.15	3.32
Ricohflex Self-Timer	2.95	2.36
Ricahflex 35mm Color Back	9.95	7,96

Brand New, with coated f3.5 Lens REG. PRICE 37.95

CONCORD'S PRICE \$796



Reflex Camera Outfit

CASE CONCORDS FAMOUS MAKE

NATIONALLY SOLD FOR

F3.5 Lens

CLOSEOUT PRICE

SOLD FOR
\$4575
Includes sturdy reflex camera with speeds of time, bulb, 1/25, 1/50, 1/100, 1/200 sec. Body Is made of lightweight metal sec. Body Is made of lightweight metal

CAMERA BARGAINS GALORE!!

Famous Make EXTENDING ALUMINUM TRIPOD

Reg. \$22.95 CONCORD'S PRICE

> Precision-made of die-cost aluminum. leg locks. Three sections, Rises to 74 inches Nylen gear height. 59 inches w Weight only 4 lbs.

Concord's Folding BC Flashgun

SPECIAL VALUE!

Adjustable reflector, flash tester & ejector, interchangeable cord, double-tip PC.

BC BATT. \$199

WINTER SPECIAL SAVE SSSS BRAND NEW

COMPLETE 8MM MOVIE OUTFIT

ONLY WITH CONCORD'S BUYING PO-TREMENDOUS WER COULD WE GET FOR COMBINATION LOW PRICE ...

INCLUDES FAMOUS DE JUR MOVIE CAMERA **EQUIPPED WITH 2.5 LENS** PLUS **DE JUR** 500 WATT PROJECTOR WITH CARRYING CASE






CONCORD'S PRICE

Wgt. 15 Lbs.

STOCK #DeJUR-COM

The Mansfield HOLIDAY

8mm MOVIE PROJECTOR



De Luxe FEATURES

- all aluminum die cast construction
- 400 ft. reel capacity
- coated 1 inch f/1.6 lens
- 500 watt lamp
- Marex film system
- high intensity blower for uniform cooling
- exclusive cushioning features provide new noise-free operation
- lifetime lubrication with oilite bearings on all moving parts

CONCORD'S PRICE

REG. PRICE

Case for above

NEW - FRESH 1958 DATED Color Film-Kodachrome WITH PROCESSING INCLUDED

35mm - 16mm - 8mm - 120 - 620

plus all other popular sizes-still or movie

- No extra charges
 Free return postage
 Eastman Kodak Developing
 Eastman Kodak film
- Unlimited quantities

LOOK At these rines	
35mm 20 Ex. (slide mounted)	\$2.79
35mm 36 Ex. (slide mounted)	\$3.99
8mm Roll (on reel)	.\$3.27
8mm Mag. (on reel)	\$3.99
16mm Roll (on reel)	\$9.07
16mm Mag. (on reel)	\$6.56
120 Kodacolor (negatives)	\$1.99
620 Kodacolor (negatives)	\$1.99
plus postage	,

TITLING OUTFIT FOR MOVIES AND SLIDES

CONCORD OFFERS THIS FINE OUTFIT FOR LESS

- Centering Chart 400 Plastic Letters (In Three Colors) Various Backgrounds

- Full Instructions Size: 13" x 18" Packed in Sturdy
- Container

STOCK #TITLING

CONCORD'S LOW PRICE CONCORD'S

NATIONAL PRICE \$550

Shipping Wgt. 2 Lbs.

List SALE

ENLARGER SALE!

New 1957 Models Greatest Values is **Enlarger History!**

FOTOLARGER

- # For all negs from 35mm to 21/4x31,4
- . Exclusive distortion
- Cool sluminum lamphouse
- Rotating glassless neg. carrier
 380° Tilt for horizontal projection &
 distortion control
- forward extension for extreme crop-

MODEL "E" DIFFUSION

Withou	t Lens		 	\$34.95	\$24.45
w/51n	ın f4.5		 	51.95	36.45
	_	_	1.		

Accessories for Above Fotolargers

41 g" Dile condensers, 21 4 x 31 4 ... \$6.39
52 nun Dile condensers for 35 nm film. 3.89
31 g" Dile condenser, 24 x 24 4 4.40
Copy Back (Converts enlarger for copying)
Neg. carriers 21 1 x 21 4, 21 4 x 31 4
or 35 nm ... each 2.89

DeLuxe FOTOLARGER JR. Model #2

- # For all negs, from 35mm to 21/4x31/4



DESK ELECTRIC VIEWER

REG. PRICE '7.95 35mm & 2% x 2%

Optically-ground and polished lens, takes 2" x 2" and 21/4" x 21/4" slides, magnifies 3 diameters.



HOTO



.ASHBULBS

#5 or #25 Case of 120

ONLY 8.95

CLOSEOUT!!

WORLD'S FINEST 35 mm VIEWER

NO BETTER VIEWER AT DOUBLE THE PRICE

GLOSEOUTH \$5.88

100% AUTOMATIC . AT AREA MAGNIFICA TION . DOUBLE BATTERIES ILLUMINATE MAG-MIFTED TRANSPARENCY WITH BRILLIANT DEEP DIMENSION IMAGE



120-620

CAMERA SPOOL & CAN 8mm Sets......10 for 1.98 16mm Sets.......10 for 2.25

35mm x 100' GUARANTEED SAFETY FILM

Plue-X Super-XX ea. 1.75
Background-X Microfile ea. 1.75
Ansee Supreme any 3-4.95
in metal daylite loading cans.

KAGRA

Remote Control EXTENSION 10.95



30 feet of fubing and bulb. Ideal for nature studies, child photography, candid shots, etc. Fits most all still and movie cameras.

Black	è	W	ite	Movie	Film	Processing	Service
8mm	X	25'	Dble				.55 eq.
16mm	×	100					1.00 ea.
16mm	×	20.					.65 ea.

New Low Prices! ANSCO Daylight Color

Perfect Results Guaranteed

35mm x 35mm x 35mm x 27 46' 50' 100' 475 795 1350

8 x 10 ENL. PAPER Fresh, perfect Mfrs. Seconds SW, Glossy, #1-2-3-4 and SW, SM, F2-3. 3 95 100 sheets... Box of 500, #2-3... \$17.50

1000 Sheets....

SPECIAL "BUYS" IN DOUBLE WEIGHT PAPER!

Glossy, 1-2-3 Semi-Mette, 1-3-4-\$495 White Lustre, 1-2-\$495

250s-\$1195 500s-\$2325

35mm TRI-X FILM*

The fastest black-and-white film! 200ASA

36 EXP. CTDS.

3 for \$1.75

FACTORY

FRESH FROM EASTMAN KODAK
DIRECT POSITIVE 35 MM FILM
FOR MAKING DIRECT B & W
TRANSPARENCIES FOR PROJECTION. 36 EXP. 3 FOR \$2.25 6 FOR 3.98

KODAK DP DEVELOPING KIT ENOUGH FOR 8 ROLLS, CONTAINS ALL NECESSARY CHEMICALS.\$3.15 SHIPPED RAILWAY EXPRESS ONLY.

3" 11.9 MOVIE LENS Phr off 16mm sheeler and the second in measitre lies asserted in , steps SEAND NET

Lauther case 75"

35mm FILM

35mm X 100 ft. Kedak 1.49

35mm	ж	100	ft.	Ansco Supreme 1.75
35 mm	×	100	ft.	Microfile 2.00
35mm	×	100	ft.	Positive Duol'tm 1.46
35 mm	×	100	ft.	Infra Red 2.26
35mm	×	100	98.	Ansco Ultra
				Speed
35 mm	×	100	ft.	Dupont Sup
35 mm	×	200	M.	1, 2, 3, 1.35 Kodak-Plus X. 3.25

35mm BL. & WH. FILM

RELOADS. Fresh, 86-EXP. Safety Pan-X, Plus-X or Su-per-XX. 24-50- or 100 Wes-ton,

100' ROLLS* 25-50-100ASA 100' ROLLS, Fresh Safety Super-XX, Plus-X, Background-

Any 3 rolls-7.10

TRI-X°† 36-EXP. Fast 200ASA Freshest date! 6 for 3.00

INFRA-RED RELOADS 36-EXP.

6 ... I.95 1.49

2 .. 4.75

3 ₁₀, 1.75

3 ... l.49

SAVE \$1250

Reg. \$14.95



LOADER Watson-Daylite

35mm

BULK FILM

worsam-Dayline
With Automatte Frame
Counter, It's the Original Slashes your
35mm Film Costs.
-, Reloads Sim carridges with Bulk
shot. Any 35mm Baw or Color, Spooled or
papooled Bulk Film (No Scratching). Base
n, Ansco, DuPont, Lelca, Contax, Exacta cassettee,
No darkroom necessary. on money been Concord's \$995 etc. No darkroom necessary. on GUARANTEE. Use Bulk Film and Savel

of 8-16-35mm film NEW in 12 pal. of solution,

Processing Machines Develops up to 100 feet

MORSE G-3

MOVIE FILM

8mmx25' dbl 3/3.95 16mmx50' mag. 3/6.50 16mmx100' roll 3/8.50 Processing Included

LOWER THAN EVER COLOR LOADS
35mm x 20 exposure cartridges

ANSCO COLOR

Daylight or Tung-sten (Specify). S for 4.45 35¢ post & ins

Concord's Price

Airequipt magazines List \$2.25 (Min. order 3) Special \$1.59 ea. Save on Dozen Lots
List \$27.00
Special \$17.95 doz.

12 Airequipt Magazines in Metal Case Reg. \$36.95. Special \$21.95.

BRAND NEW BAIA



ACTION EDITOR!

Solf Threading Film From
 Short Gear Driven Rewlinds . \$3250
 Automatic Spilose
 Lawa Reight Viewing Screen

Frage Marking Serm. Reg. \$44.95

Stereo Royal



STOCK #STEREO-VIEW

Viewer CONCORD'S

CUT PRICE

FOR DELIGHTFUL VIEWING

A compact combination 3-D group-viewer, slide-holder and case, making a valuable kit for sales conferences, showroom or the home. Matched 50mm f.3.5 color-corrected, coated anastigmat lenses. Light weight, 8½ lbs. net. Shipping Wgt. 10 lbs

World Famous DE JUR 35mm Camera Outfit



NATIONALLY \$5940

SOLD FOR

STOCK #DFI-35

Shipping Wgt. 3 Lbs.

CONCORD'S MONEY SAVING PRICE

Concord Camera offers you all three fine units, camera with color corrected f:2.8 lens, carrying case, flash gun. You can inter-change lenses with mount. Multi-speed precision shutter, rugged alloy case, leather covered, versatile viewfinder, top engineering are only a few reasons for making the Dejur 35mm YOUR camera!

SOLIGOR "45" 35mm Camera



\$3190 OUTFIT

Camera \$12.75 Case 4.50 Flash 5.50

TOTAL



Shutter speeds from 1/25, 1/50, 1/100, and B, built-in flash synchronization, optical view finder, standard accessory clipColor corrected, coated 40mm f.4.5 Soligor lens in focusing mount rapid-selector color-coded system.

\$22.25

Stock # SOLIGOR-45

Wgt. 2 Lbs.



As modern as space exploration, the Space K-4 will pierce the heavens and reveal the secret of the universe. You will see the distant galaxies, glant nebulae, double stars, star clusters, Rings of Saturn, the moon craters, see bursting stars, meteor showers. Watch the earth satellites circle the earth. Make Astronomy YOUR fascinating hobby.

STOCK # SPACE K-4-C7

SHIP. WGT ..

SPACE K-3 3" REFLECTING TELESCOPE

Includes many fine features listed above. Single eyepiece included is 60 Power. FREE tripod, coated optics, equatorial mounting. 3" mirror and diagonal mirror are aluminized and coated, guaranteed accurate to 1/4 wave diagonal mirror are aluminos or better. Stock # SPACE K-3-C7 CONCORD'S LOW PRICE \$3950 EACH Ship. Wgt 10 Lbs.

WORTH \$79.95

Concord PRES

the ESCO 4" ALL AMERICAN MADE REFLECTOR TELESCOPE

FREE! "Discover The Stars" 136 Page Book

48" TUBE-5" TUBE DIAMETER

IDEAL FOR AMATEURS PROFESSIONALS CLUBS OR SCHOOLS



COMPLETE WITH EYEPIECE & FINDER SCOPE METAL TRIPOD,

COMPARE THESE FEATURES:

- Precision 4" Aluminized mirror with a protective overcoat. 1/4 wave correction within the needed

- limit.
 Standard mount eyepiece is 72X.
 Eyepieces are STANDARD 11/4" O.D.
 Spring suspension cell.
 Easy adjustment.
 Protects mirror from knocks and falls.
 Your choice of one of 3 powers, 48X, 72X 96X
- · Fine focusing rack and pinion eyepiece combina-
- Fine focusing rack and pinion eyepiece combina-tion with finder, Built-in 7 power finder, corrected objective, large 1" (see picture, an amazing device in Itself). 4" thick main tube with beautiful embossed lac-quer finish, durable will not chip or break. Mountings have setting circles and angle settings raised numbers for easy reading. All alumnum castings machined parts waterproof embossed lacquer finish tube.

Concord Radio, realizing the tremendous Interest in the Space Satellite has selected the 4" Esco Reflector Telescope for your viewing delight. You can see the Rings around Saturn, Satellites of Jupiter, Double Stars, Star Clusters and Nebulae. The Esco is a fine precision instrument which you will treasure for years as you study the wonders of the heavens PLUS man's attempt at Space Travel. Stock #ESCO-TEL-C7

Ship. Wgt......18 Lbs.

IN BINOCULARS.... Concord GE1 THE FINEST at



PRICES

SLASHED

6 x 30 FIELD OF VISION 420 FT. at 1000 YARDS

Perfect ALL AROUND binoculars. Feature coated lenses, light weight alloy bodies. Center focus.

Shipping Wgt. 3 lbs. Stock No. B1 C6



Specify Type **7N**90

2945 x 35 Wide Angle

7 x 35 FIELD OF VISION 300 FT. at 1000 YARDS WIDE ANGLE FIELD OF VISION

499 FT. at 1000 YARDS Use these binoculars for HUNTING BIRD STUDY, SPORTS The wide angle BIRD STUDY, SPORTS The wide angle 372 FT, at 1000 YARDS glasses are wonderful Shpg Wgt. 3 lbs. the most wanted binocular, will give Center Focusing.

Shipping Wgt. 31/2 lbs Reg. Price 39.00

Specify Typ

Individual Focus

7 x 50 FIELD OF VISION Stock No. 84-86

Stock No. B3- C6 good service in SPORTS VIEWING.

List Price \$19.50 BARGAIN PRICE

Shipping Wgt. 2 lbs. 4 x 40 1/16" to 12" by 64ths

Here's a handy size field glass for use in viewing sporting affairs, at the theatre or opera, for nature study, and general use. Comes complete with leather case and

strans.

*ADD 10% FED. TAX TO ABOVE PRICES *ADD 10% FED. TAX TO ABOVE PRICES *ADD 10% FED. TAX TO ABOVE PRICES *ADD 10% FED. TAX TO ABOVE PRICES



SENSATIONAL OFFER! SPECIAL

Reg. 32,30

Field of Vision 300 ft. at 1000 yds.

Here's the right glasses for use at RACE TRACK, for ALL SPORT USE, and at the OPERA or THEATRE.Individual Focus.

Shipping Wgt. 2 lbs. Stock No. B9 C6



16 x 50 FIELD OF VISION 183 FT. at 1000 YARDS

A high power binocular for LONG DISTANCE VIEWING, as PLANE SPOTT ING. MARINE USE, MOUNTAIN VIEWING Shipping Wgt. 31/2 lbs. Stock No. 86-86



Individual Focus enter Focus

FIELD OF VISION 393 FT. at 1000 YARDS ROE 39.50

An ideal glass for GAME SPOTTING, BIRD WATCHING, SPORTS

Shipping Wgt. 31/2 lbs.

Specify Type Stock No. #88-87



Reg. 59.50 CONCORD'S PRICE INDIVIDUAL FOCUS

Center Focus

20x50

PRISMATIC BINOCULARS

Suitable for high magnification needs as Marine or Airplane Spotting, Photography FIELD OF VISION AT 1000 YARDS IS 183 FT. Specify Type

Stock #4150-Bin-C7

Shpg. Wt. 5 Lbs.

*ADD 10% FED. TAX TO ABOVE PRICES ADD 10% FED. TAX TO ABOVE PRICES ADD 10% FED. TAX TO ABOVE PRICES ADD 10% FED. TAX TO ABOVE PRICES

EVERYONE SAVES AT STUDENTS, LABS SCHOOLS, SHOPS

HIGH POWER SPOTTING SCOPE 15 to 60 POWER, 60 Mm. MODERN, 1958

INCLUDES

1 1 1 1 1 1 1

IDEAL FOR MARINE, AIRCRAFT SPOTTING, OR HUNTERS

LARGE 60 mm OBJECTIVE LENS

A new 60 m/m PRISMATIC Spitting Scope of compact size, ideal for long range observation and sightseeing, with fully hard coated optics, achromatic; color corrected lenses, highest quality, gives outstanding sharp definition. Greatest illumination is assured on account of the large 60 mm objective lens.

Sunshade around objective lens can be extended up to 2" to eliminate sunglare. Overall length (without objective lens) 13 inches, wgt. 29 ozs. Shipping wgt. . . 4 Lbs,

5 EYEPIECES

CONCORD'S PRICE

STOCK

Field of View at Power 1000 Yards 15x 20x 122 Ft. 122 60 40x

SCOP-4405-C7

CONCORD'S PRICE

CASE FOR SCOPE \$850 TRIPOD FOR ABOVE \$950

Reg. \$219.00

CONCORD'S PRICE

TELESCOPE

THIS IS THE YEAR OF THE

STOCK #4385-Black #43887-White

COMCORD'S LOW PRICE

Shpg. Wgt. . . 25 Lbs.

Earth Satellite" HI-POWER ASTRONOMICAL

3 POWER 40X, 64X, 89X

Available in Black Crackle or White Enamel Finish,

Please Specify

Your outfit features all of the following:

3 Section Sturdy Tripod 4X Cross Hair View Finder THREE Eyepieces, 20mm, 12.5mm, 115.00 Erecting Prism for Terrestrial

viewing Diagonal Prism for right-angle

viewing Objective lens: 60mm Dlameter, fully

corrected, achromatic, coated. Strong Wooden carrying case.

A protessional instrument for student of astronomy, or for observation of any long distance points Precision made of high optical performance. Lens are optically coated

e optically coated
132X SUPER POWER EYEPIECE FOR ABOVE, FOR ASTRONOMICAL USE, 6mm \$8.95 Shog. Wgt. . . 1 Lb.

> Reg. \$2995

DESIGNED!



No. 1241—20-POWER TELESCOPE 2 sections, including one polished chromed draw tube. Main tube finished in black satin lacquer. Coated Lenses. 914 inches long, closed. 1434 inches long, extended. Reg. Price \$12.50

BOAT RACES. MARKSMANSHIP. MARKSMANDHIF, STARGAZING, ETC. Shroping We 1 ER

30 X 40MM TELESCOPE DE

30 x 40 Model (30x magnification x 40mm, objective lens). 24" long tube lacquefed in black wrinkle finish. Single draw tube chrome-plated. COATED LENS. Folding metal tripod, 8" high, black frosted with floating swivel clemp.

CONCORD'S PRICE 0 50

Stack # 1243

BRAND NEW!! 1958 MODEL

Bi-Ocular Microscope 600 POWER

CONCORD'S *

LOW PRICE.

EATURES:
Twin lens bi-ocular turret—10x & 15x multiplication factor.
Various powers include: 80x - 120x - 200x - 300x - 400x - 600x.
Rack and pinlon adjustable with double focusing wheel.
Adjustable reflecting mirror.
Complete with wooden case plus 6 prepared slides. stides.
Sturdy construction, finished in black and

chrome.
Triple objective turret has 8x - 20x - 40x objective lenses. Shipping Wgt *

5 Lbs STOCK #MIC-600x-B7 SOLD EVERYWHERE FOR \$1850 7 POWER ILLUMINATED

MAGNIFIER STOCK # FEATURES: with built-in illumination for increasing visibility and proper inspection.

Battery model. An opening in the housing fa-olitates the use of the in-struments.

Lens diameter 1.3/16".
Supplied with linen-tester-plate for thread counting, which fits into the bottom of the housing.

Ship. Wgt. - 2 Lbs.

FLASH MAGNIFIER 5 POWER BATTERY MODEL

Illuminated magnifier with fixed focus. magnifies five times. Magnifier with tixed focus, magnifies five times. Magnifying area 2 inches, easy accessible through cut-out. Supplied with thread-counter disc, graduated in 1/16" and 1 m/m, which can be screwed off easily.



Shpg: Wt. - 2 Lbs. STOCK #MAG-755

IMPORTED MICROSCOPES

Three Lenses Color Corrected

Three Lenses Color Corrected
100X - 200X - 300X Magnification
Turret Type For Easy Power Selection
Rack and Pinion Focusing
Heavy Base and Stand
finclines Through 90°
Adjustable Sub Stage Mirror
Includes Fitted Wooden Cabinet

LOW LOW PRICE **EACH**

CONCORD'S

Just the right unit for use in experimental labs, student use, or nature study. Do not confuse these units with cheaper toy like gadgets, you will wonder at the fine definition obtainable with these scientific instruments.

STOCK # MIC-C6 SHIPPING WGT: 5 LB

NOW FOR THE FIRST TIME WE OFFER THE SAME FINE MICROSCOPE LISTED ABOVE COMPLETE WITH SELF POWERED LIGHT SOURCE

CONCORD'S

REG. \$14.95

LOW PRICE Incorporating the fine features listed above, this unit incorporates a battery powered light source, adjustable for any requirements. Taking the place of the mirror reflector. It utilizes two cheap batteries. Should you desire to use room light—or another source of light, a concave mirror is conveniently mounted on the underside of the light source. Fine for use in field work or wherever the light source is poor.

SHIPPING WET: 5 LBS. STOCK #MIC-CB-L

600 POWER MICROSCOPE

A 50

CONCORD'S PRICE

. 3 OBJECTIVE LENSES

2 OCULAR LENSES

EACH

Reg. Price \$45.50

Precision high grade Microscope suitable for a large range of laboratory work, for botany, etc., of utmost efficiency, solid metal construction, triple revolving nose piece with 3 objective lenses and 2 ocular lenses of 10X and 15X giving a magnification of 100-150-200-300-400 and 600X, square stage, inclinable up to 90°. Spiral rack and plnion motion coarse adjustment. Fixed square stage with rotating diagram (5 holes). Plane and concave mirror, complete with wooden carrying case.

STOCK #MIC-6012-C7

900 POWER MICROSCOPE

- 3 achromatic objectives: 5x 10x 60x
- 2 duygenian eyepieces: 10x and 15x

Complete with wood carrying cabinet

VALUE \$8950 CONCORD'S LOW PRICE

Concord's finest microscope, precision built. Ideal for use by Doctors, Laboratories, Chemists, etc. Triple turret revolving nosepiece magnifies 50x - 900x. Fixed tube 160mm. Rack and plnion motion coarse adjustment. Fixed square stage and rotation diaphragm with 5 holes. Plane and concave mirror. Height 101/2".

STOCK #MIC-6013-C7

Shipping Wgt. 3 Lbs.



CONCORD'S FINEST IMPORTED SETS SAVES YOU \$555

11 PIECE IMPORTED EUROPEAN DRAFTING SET

HERE IS A FANTASTIC BUY, LIMITED QUANTITY, BUY THEM WHILE THEY LAST



\$595

THEY LAST

All instruments are heavy brass, nickel plated, set in a velvet lined pocket book concords. Scase. This precision set consists of the following: 4½" compass with divider, percil and pen parts, 4½" divider, 3½" spring bow divider with side screw adjustment, 3½" spring bow pencil with side screw adjustment, 3½" spring bow pen with side screw adjustment, 4½" ruling pen, extra handle for pen and pencil parts of compass, capsule with extra leads.

STOCK # 0609-07 Shipping Wgt. 2 lbs.

DELUXE SCHOLASTIC DRAFTING SET

11 PIECE - WITH CENTER WHEEL BOWS PRECISION INSTRUMENTS IMPORTED FROM EUROPE

A truly fine set of drafting instruments for the advanced student and professional. All instruments are heavy brass nickel plated set in a velvet lined pocket book case.

Contains the following:

CONCORD'S SALE PRICE **\$<u>4</u>84**

Complete

Compass 514" with pen, pencil parts and lengthening bar. Divider 514"

Spring bow divider 3¾", center wheel adjustment. Spring bow pencil 3¾", center wheel adjustment. Spring bow pen 3¾", center wheel adjustment. Ruling pen 4¾"

Extra handle for pen and pencil parts of compass
Capsule with extra leads. Steck #D811-C6
LIMITED QUANTITY

Shipping Wgt. 2 lbs. Sold only in quality stores at \$19.95

"IDEAL" DRAFTING SET REG. PRICE \$2495

A comprehensive Drafting Set for use by Students or Engineers. Contains 16 items plus a durable velvet lined case. Instruments are made of, brass, heavily nickle plated.

neavity nickie plated.

Compass 536", one leg knuckle joint, with straightening device, divider, pen and pencif parts and lengthening bar.

Divider 536" with straightening device.

Spring Bow Divider 334", side screw adjustment.

Spring Bow Pen 334", side screw adjustment.


Two Ruling Pens 536".

Mechanical Refillable Drafting Pencil Holder.

Pocket Pencil Sharpener.

Combination handle to be used with pen and

Combination handle to be used with pen and pencil parts of compass and compartment with



CONCORD'S SALE PRICE

PROFESSIONAL TYPE DRAFTING SET

Ideal for use by advanced amateurs, students, engineers. Instruments are square type, heavy nickel plated over brass base. Include a fine velvet lined case. INSTRUMENTS INCLUDE:

Compass, 6", double joint, straightening device, with pencil, pen parts, extra needle and lengthening bar. Hairspring Divider 5%4" with straightening

device.

Steel Spring Divider 33/4", center screw adjustment. Steel Spring Pencil 344", center screw

adjustment. Steel Spring Pen 334", center screw adjustment.

Ruling Pen 51/4", hexagonal shape.
Ruling Pen, 43/6", hexagonal shape.
Box with leads. Capsule with spare parts. Screw driver. STOCK #2100-C7

Shipping Wgt. . . 2 Lbs.

CONCORD'S SALE PRICE

PLASTIC 10

SLIDE RULES \$298 CONCORD IS PRACTICALLY GIVING THEM AWAY

NO. SR-400 STUDENT MANNHEIM. Fully-cured white all-plastre construction machined to utmost precision. Ideal for the beginner and especially designed for high school use. Scales S, K, A, B, CJ, C, D, L and T on face of rule are ENGRAVED in permanently-accurate calibration. Plastic end-brackets hold rule firm and in fine register. Furnished complete with crystal-clear lucite cursor, and instruction book. Body of rule 1s 1/2" in thickness. ENGRAVED calibrations assure permanent and clear readability. STOCK #58R400-67 Shipping Wgt. 1 lb.

10" BAMBOO SLIDE RULESAME AS ABOVE BUT BAMBOO

19.1

\$2.45

SAME SPECIFICATIONS AS ABOVE, MADE OF DURABLE BAMBOO. Reg. \$10.95 \$398 CONCORD'S STOCK #315-C7

ELECTRONIC TEMPLATE

All diagramatic elements of the electronic and cathode ray tubes are provided for, plus tube bases of the 4, 7 and 8 prong type, in addition to all symbol cut-outs are beveled. Size 44/4 x 54/2 THICKNESS. 44.95 All diagramatic ele-



CONCORD'S PRICE \$3.45

642" THICKNESS. 37.72 .040 STOCK #TEMP-31-C7 Shpg. Wgt. 8 ozs.

POCKET ELECTRONIC SYMBOL TEMPLATE

CASE INCLUDED STOCK #TEMP-128-C7

simple combination of concords and television. Size

\$2.45

Simple combination of the various contours, all symbols in the field of electronics can be easily constructed. For radio, electronics and television. Size

\$2.45

Thickness

**Thickness THICKNESS .0304 Shpg, Wgt. . . 8 czs.

FAMOUS IMPORTED PRECISION BAROMETERS

the"DUKE"

CONCORD'S

BAROMETER-THERMOMETER-\$3495 **HYGROMETER**

FULL 7 INCH DIAL

THE DUKE—Finest Barometer-Thermometer-Hygrometer Combination. Classic design, superb workmanship, made of solid hand-pollshed mahogany finish. Saily, made or solid nano-polished managany rinish. Barometer-thermometer and hygrometer dials are of antique silver finish with chromium bezels. Contains a high grade open face barometer movement. Overall 22" long, 7" wide. Barometer dial 51/2". Thermometer 61/4" x 11/4". Hygrometer 21/2" diameter.

REG. PRICE \$54.96



STOCK #5356-C7 AT A FRACTION OF REG. PRICE! Shpg. Wt. . . 8 Lbs.

"THE BEVERLY": ONCE IN A

LIFETIME!

\$1495

Concord's Discount Price Size: 201/2" high, 51/2" wide, 13/8" deep REG. \$39.95

This beautiful precision unit is a pendant barometer-thermometer. Designed in traditional style this instrument is a pleasant addition on any wall. A handsome highly polished walnut or mahogany wood frame enclose an open face movement. Spindle and bezels of polished brass. The barometer is open center exposing the fine mechanism. The dial is a genuine ivory-enameled metal, 100mm in diameter. Thermometer is 7" x 1%". A masterpiece of workmanship.

Shop Wt. 6 lbs.

STOCK #B 5359-C7 Shog, Wt. 6 lbs. STOCK #B 5359-C7



Suitable for Use In Boats or for Home Wall Mounting. Accurate Movement Will Give Years of

Available in 3" or 4" Sizes.

No. •5299—Marine Barometer in attractive brass casing also for home use with 4" mounting flanges, 3" silvered 4".....dial graduated in millibars and inches.
No. 5309—same as above but with 4" STOCK dial.

Shipping Wgt. . . 3 Lbs.

\$495

\$625

10.50 Reg \$10.50 \$14.95 STOCK #5299 ... 3" Keg. #5309 ... 4" Reg.

STEERING WHEEL MODEL Reg. \$12.95

Nautical in design and appearance. Can be used as a wall barometer or for desk use. Supplied with a separate wire easel. Fitted with 8 highly polished brass spokes. 5½" diameter Wood Frame finished in gleaming mahogany or blonde. Overall diameter about 7¼". Genuine ivory-enameled metal scale 3¾-inch diameter with open center exposing movement. Bevelled flat glass with indicator hand set in polished brass bezel.

Stock No. M-1648—8londe or Mahogany

Only at Concord

Reg. \$10.50

ONCE IN A LIFETIME!

STANDARD WALL MODEL

CONCORD'S PRICE \$**4**95 As attractive as it is accurate! Highly sensitive. Polished mahogany-finished wood frame 5-3/16 inches diameter. 33% diameter enameled metal scale having open center and exposing movement. Bevelled glass with polished bears filting. brass fittings.

Shor. Wt. 2 Mg.

CONCORD'S

PRICE

98€

STOCK NO. M-1641-Blonde or Mahogany

BINOCULAR CLAMP

CONCORD'S A MUST FOR PRICE STEADY VIEWING

\$3.45 Will hold any size or make of binocular rigidly on tripod. Has standard camera thread, fits any make of tripod. Especially adapted for holding high power glasses used for target spotting or distant spots.

. 1 Lb. STOCK #IN-3999-C7

"DISCOVER THE STARS" 136 PAGE BOOK, 47 ILLUSTRATIONS

The science of astronomy simplified for all. You will recognize the stars, planets and constellations, tell time by the stars, make a simple sundial. sundial.

A book for all serious Shipping Wgt. . . 8 DZS. STOCK #STARS-C7

PLASTIC READER

An attractive im- 5% MAGNIFICATION 31/8" x 2", 6 rame and handle made of plastic and molded in one piece, offset handle to permit convenient unob-CONCORD'S structed use. Available in black and \$208

able in black and \$2.98 in Japan. #MAG-2648-C7

Shpg. Wgt.

"HUNTING WITH A MICROSCOPE"

132 Page Book, Various Illustrations

A must for the micro-world enthusiast. Tells how to prepare slides, how to explore the world of minure plants and animals. As important as, your microscope.

STOCK #BOOK-6001-C7

98€

CONCORD'S

Ship. Wgt. . 8 ozs.



NOBODY BEATS CONCORD'S PRICES!

CONCORD HAS SMASHED THE MARKET ON **EXTENSION LITES AND ACCESSORIES**

25 feet long — Stock #L334 C6 Reg. \$3.95 — Concord's Dealer Price. PKG. OF 3 FOR \$5.25

DEALERS PRICE

50 feet long — Stock #L335 C6 Reg. \$4.95 — Concord's Dealer Price

PKG. OF 3 FOR \$7.00

100 feet long — Stock #L336 C6
Reg. \$6.95 — Concord Can Sell Them
PKG. OF 3 FOR \$11.00

New type snap open bulb protector guard. Double outlet heavy rubber handle push thru safety switch 660 watt UL approved. Heavy duty handle grip spring action rubber male plug UL approved.

PKG. OF 3 FOR \$7.00

POWER CABLE EXTENSION SETS

POWER TOOLS . . . LAWN MOWERS . . . HOUSE TRAILERS **CONTRACTORS EQUIPMENT**



16 GA. "SJ" TYPE .325 O.D. CORD

Stock #

L541-C6 25 ft. \$2.45 \$6.85 :#1213 C6 L542-C6 50 ft. \$3.75 \$10.45

L543-C6 100 ft. \$6.45 \$18.65 #L214 C6 100 FT

Lots of 3

#L212 C6

50 FT.

14 gauge neoprene jacket that is resistant to abrasion, moisture, acid, oil and severe weather conditions . . . can even be buried for underground installations. Heavy UL approved armored grip male and female connectors.

25 FT.

14 GA.

\$7.45 \$ 2 146

Singly

Lots of 3

\$2.95**\$8**45

The Little GIANT WORKSHOP

4 TOOLS

CONCORD'S

Reg. \$19.95

Shears metal up to 16 gauge, 1" wide.
Will rivet stock up to 1" from edge,
maximum thickness 34". Uses any type
of solid or hollow rivet.
Bends up to 90 degrees using stock up
to 1" wide, 16 gauge thickness.
Punches clean, sharp, burr-free holes in
metals up to 16 gauge to 1" from edge
of stock.
Five round punch sizes included 14"

Five round punch sizes included, 1/8". 5/32", 3/16", 7/32" & 1/4".

Stock # rivet.

THREADING DIE — to thread rod stock to accommodate 1/8", 5/32" and 3/16" standard nuts — \$1.00 post-

FXTRA PUNCHES - 60¢ each Hex Shapes: 3/16", 1/8" and 1/4". Square: 1/8" and 3/16". Rectangular: 1/a" x 3/16" - 1/a" x 5/16". Oval: 1/8" x 3/16" - 1/8" x 1/4".



HANDLES UP TO 16 GA. HANDLES UP TO 18" WIDTH STOCK.

\$29.50

TERRIFIC VALUE!

PUNCHES

SHEARS

FORMS

RIVETS

Terrific Value!

1/4" electric

HOBBYMASTER DRILL KIT - Contains 39 pieces including drill with Jacobs Chuck and key, set of bits and plastic holder, screw driver bit, stand, rubber wheel, sanding discs, lambs wool bonnet and many other useful accessories. Set packed in Unbreakable polystyrene Plastichest. Shpg wt. 7½ lbs. Stock No. K-1500JK Reg\$39.95 .. Yours for only \$15.78

BENCH SAW tilt arbor

Precision built for fast, accurate versatile performance, this big, new 8" TILT-ARBOR SAW is a mechanical marve!! Blade tilts to 45° cutting angle — you can mitre, bevel, or saw any length wood at any angle, yet table and work are always level! Does everything power saws costing up to three times as much can do. Zips thru 2 x 6's in 2½ seconds. Cuts joints, and slots. Cuts dadoes and moidings. Will take any bench saw attachments: Overall table size 23 x 14" with optional extensions. ½ horsepower motor recommended. Complete less extensions and Precision built for fast, acplete less extensions and

SPECIAL

Stock #K-101

1/3 Horsepower AC/DC Motor for Above with V belt and pulley Stock #C6-101MB Net \$18.85

Cast Iron Extension for Above Stock #K-101E C6 \$5.85



Lamp Dazor

Complete with

2 LUMILINE BULBS

LOTS OF 3

CONCORD'S CLOSEOUT PRICE

> REG. VALUE \$1495 EACH

Never again at this price! Here is a fully adjustable Desk or Work Bench Lamp for Hams, Servicemen, Students, Shops, etc. Complete with 2 40 watt Incandescent Luminline 12" Lights. Will swing in any direction, features bat toggle switch, heavy duty AC plug. Finished in crackle gray.

SIZE: shade—14" x 5" x 4", Height 16".

STOCK #DAZOR-C7

Ship. Wgt. 7 Lbs.



PORTABLE HANDY

no serviceman should be without one. Photographers can use them too. 4½ inch bright finish aluminum bell shaped reflector. 6 ft. heavy duty SJ type line cord attached. This handy little light is ideal for getting light into those dark corners that usually drive the serviceman crayy. Comes completely equipped with heavy spring steel clamp on bracket that is rubber covered to protect any surface. The double ball and socket swivel joint permits any angle of Ight. Complete with push thru switch. No serviceman should be without one. Photographers can

SPECIAL 3 FOR \$4.75

Stock No. L1525 C6



PRICES SLASHED!

FAMOUS MAKE

WASHING MACHINES

IF NAME WERE USED PRICE WOULD BE **50% MORE**

SAVE OVER 50% **CONCORD'S**

"FAMILY FRIEND"

FULL 5 LB. CAPACITY WASHING MACHINE

only once at this price!

RUSH YOUR ORDER FOR XMAS



- MODERN STREAMLINED DESIGN
- HANDLES FULL FAMILY WASH
- TRI-LEVEL AGITATOR
- QUICK-STORING ON SMOOTH CASTERS

Economy priced full 5 lb. capacity washer. Mirror finish fri-level agitator. Washes everything from overalls to delicate lace curtains — safely — thoroughly. Insulated lifetime porcelein tub. Duble wall. Water and soap saver features. Quick empty gravity drain hose, Easy rolloway casters. Complete with cover. Fully approved and guaranteed with 10 year motor and gear warranty. Size: 27" high x 16" square.

Stock #WASH-FM-C7 Shipping Wgt. 33 Lbs.

CONCORD'S UNBEATABLE PRICE

NATIONALLY SOLD FOR **\$89**95

ELECTRIC WRINGER FOR-ABOVE. FEATURES ACCIDENT-PROOF DESIGN. CONCORD'S PRICE \$18.95

LIST PRICE \$32.50

EXTRA! EXTRA! Concord SELLS WASHING MACHINES at WHOLESALE PRICES!



CONCORD'S HZAMZ PRICE

PERSONAL WASHING MACHINE

REG. SOLD FOR

FEATURES:

FLEXIBLE AGITATOR GREATER CAPACITY, HANDLES UP TO 10 DIAPERS, 20 PAIRS OF SOCKS, 10 T SHIRTS, ETC. PATENTED PLUNGER ACTION FOR GREATER CLEANING ACTION.
FOOLPROOF; FULLY APPROVED AND GUARANTEED.

A compact, easy to use portable washer for personal laundry. Ideal for small families, as the Ideal gift for newly-weds, etc. Compact size I4" high, 13" diameter. Finished in double-coated porcelain. For 110-120 Voits 60 cycle AC.

Stock #WASN-80L-C7

Shipping Wgt. 15 Lbs.

FREE! FREE! FREE!

CONCORD Gives Away

1 lb. Rosin core solder FREE with every gun

SOLDERING GUNS AND KITS

4 Models for Professional Users HEAVY-DUTY MODELS

Model 5-500—Single heat, 250 watts. LOTS OF 3 \$877 SINGLY \$9.75 Req. \$13.50 EA.

Model D-550—Dual Lets of 3 \$1053 Singly hear —200 walts on first Lets of 3 \$10.25 \$11.71

trigger position and 275 Reg. \$16.25 \$1 watts on second position.

LIGHT-DUTY MODELS

Model 5-400-Single heat, 135 watts.

LOTS OF 3 \$789

Model D-440-Dual heat -100 watts on first trigger position and 150 watts on second position.

SINSLY \$8.77 Reg. \$12.15 Shipping Wt. 3 Lbs.

WELLERTIPS FOR ALL MODELS

For Gun Models 8100, S-400 and D-440

Soldering tip No. 7135, pkg. of 2. 25 ¢ Smoothing tip

No., 6120, with nuts ... Cutting tip

No. 6110, with nuts 35€ For Gun Models 8250A, \$500 and D-550

Soldering tip No. 7250, pkg. of 2... Smoothing tip

No. 6140, with nuts 35€ **Cutting tip**

No. 6130, with nuts 35€

COMPLETE SOLDERING SET



HEAVY-DUTY SOLDERING KITS

Shipping Wt. 3 Lbs.

Model 8250AK Kit includes 250-watt Soldering Gur 8250A; famous Kester Solder-Soldering Tip and special **Cutting Tip and Smoothing** Tip; in all-metal carrying case. Tip Interchange Wrench and Two instruction Booklets \$977 Lots of 3

SINGLY \$10.99

Sturdy Metal Case Shipping Wt. 3 Lbs. Reg. \$14.95



... MORE SELECTIONS .. VALUES!!!



Reg. 29.95 Grinder only

Complete kit illustrated above consists of Model 950 Bench Grinder, 5-piece arbor assembly, 4½° cotton buff, tube of polishing rouge, 6 sheets asorted sanding discs, ¼° capacity drill chuck, ¼°~3/16~-¼° twist drills, 4½° wire brush \$18.95\$ Stock #A6-950K — Shog. Wt. 11 lbs Reg. \$27.95...\$18.95

GUN **TACKER** ARROW

Fast stapler for tacking cable, lead-ins, signs, etc. Chromeplated steel. Pocket size. Stack No. F-T32.

Staple - clips. 5000 staples. 5/16" Stack No. F-5000......Net \$1.88



MINIATURE HYDRAULIC PUMP OILER

Stock #P101-C7 Ship. Wgt. 1 Lb.

CONCORD'S PRICE

\$1.95 \$.95

LOTS OF 12

• FINGER TIP PLUNGER • HOLDS UP TO 4 OZS. OF LUBRICATING OIL • REMOVABLE BASE FOR EASY FILLING • GIVES FINE STREAM FOR REACHING HARD-TO-GET-AT PARTS • SEAMLESS CONSTRUCTION OF DURABLE, TENTE PLASTIC.

RUB - R - IZ

NATURAL RUBBER INSULATING LIQUID

PAINT IT ON . SPRAY IT ON . DIP IT

A handy method for insulating and waterproofing electrical and electronic materials.

	MEG.	CONCORD®S PRICE
2 02. JAN	.79	.54
PT. CAN	1.69	1.15
1 PT, CAN	2,69	1.03
1 OT. CAN	3.89	2.70

Ship. Wgt. 8 Ozs.

Stock #RUBRIZE-C7

"MAGNAGLASS" 6 power MAGNIFYING GLASS

WITH BUILT-IN MAGNET

REG. SOLD FOR\$ 1.95

CONCORD'S PRICE SINGLY .990

LOTS OF 6 \$.89

Magnaglass is a 6 power magnifying glass, mounted in a transparent housing and fitted with magnets that cling to any magnetic metal. A must for machinists, tool makers, engineers, experi-

ELECTRIC DRILL

With **JACOBS CHUCK** and KFYII

Heavy duty gearing gives efficient, vibration-free operation. High efficiency AC-DC 1600 rpm motor features air-blast cooling. Rugged diecast aluminum housing with pistol grip and trigger on-off switch: Overall length 8"—Weight 3 lbs. Complete with famous safety first JACOBS CHUCK and \$13.65

key. Stock No. H-1500J...Reg. \$22.00...

Model 1500 Drill with standard hand-tightening chuck instea of Jacobs, Steck Ne. H-1500.....Reg. \$18.50..... \$11.25

4" PORTABLE SAW AND BELT SANDER 4". PORTABLE SAW AND BELT SANDER Quickly and easily attaches to above drill gun to make one of the most practical hand power saw available. Saw attachment detaches to accommodate the high powered belt sander attachment. Complete saw and sander attachment as described, shpg. wt. 5 lbs.

Stock No. K-4PSS

Reg. \$18.50



Reg. \$22.00

LOTS OF 3

EACH

Reg. \$10.95

Sprays paints, lacquers enamels, varnishes, chemlacquers. insecticides, oils, rants, etc. Perfect deodorants, etc. Perfect for home or shop. No Compressor required. Uses

COIL

Compressor required. Uses heavy duty vibrator type motor housed right in the handle. 2 fully adjustable spray nozzles. One for forward spray and one for spraying up, down or sideways. Replaceable Glass Mason Jar holds full 16½ oz. Notor dealers 60-80 lbs. nozzle pressure. All parts are velops 60-80 ibs. nozzle pressure. All parts are either Brass or Stainless Steel. Complete with Jar, 8 ft. Line cord, Two Nozzle tips. 110-120 V 60 cyc. AC. Shpg. wt. 5 ibs. Steck No. JIF-1 C6



Stock No. JIF-1 C6

WINDER

Reg. \$8.50



Easy-to-use set winds honey comb, spiderweb, or solenoid coils of various widths and dlameters — equal in appearance to factory job. Indicator counts turns. With accessories for winding all types. Instructions.

Stock No. WINDER-C6

Wt. 6 lbs.

JACOB'S-TYPE This accessory fits any 1/4" Electric Drill GEARED CHUCK Wt. 1 lb. Stock #TL-1-C6

HANDY DRILL PRESS



FEATURES:

%" Hardened Jaw Chuck Drills To Center of 8" Circle Maximum Distance Chuck to Table 71/2" Diameter of Steel Pulleys 21/2" Height 24" Weight 13 Lbs. Height 24" Weight 13 Lbs. Base Size: 5" x 10"

You will use this Drill Press for hundreds of jobs in the home, garage, small shop and radio shop. Includes V belt, pulleys. (Motor not included). Motor size should be 1/4 H.P.

BRAND NEW SUPER POWERED DUAL BLOWERS



Heavy duty AC motor, 3000 RPM, 3000 F.P.M., Dual multi blade fans. Dual outlet blowers. Quiet,

Ship, Wgt. 11 Lbs.

Stock:#Dublow-C7

continuous duty. For 110 V. 60 cycle operation, Black

\$17.95

CONCORD'S CLOSEOUT PRICE



SAVE TIME USE QUALITY TOOL

VACO RADIO and TV KITS

Reg.

\$4.60

Reg.

\$5.55

Reg.

ZBX 51 Screw Driver Kit

\$3.45

A fine, all-purpose kit of interchangeable regular and Phillips blades that fit same handle. 6" extension makes 10 combinations possible. In durable leatherette bag.

ZSX 61

The Driver Kit A most versatile and complete hexagon **Nut Driver Kit** wrench kit for radio, television or any other work requiring speedy nut setting. All sockets are super hard for maximum utility and long life. 6" extension makes 10 blade lengths possible. In handy leatherette tool

ZA 70

\$3.38 ... llen Driver Kit

This useful kit consists of 6 hexagon drivers, handle and bag. Will service hexagon recessed opening screws Nos. 4, 5, 6, 8, 10, 1/4", 5/16" and 3/8". Each bit is extra long and may ground back as wear occurs.



ZA 70

Iniversal Driver Kit \$3.45 ·d. Here is a kit that is universal in its applications since it will serve all three types of the most popular screws in use today-regular slotted, Phillips, and clutch head. All popular size blades are included-3/16" and 1/4" for regular slotted screws; No. 1 and No. 2 Phillips; 5/32" x 3/16" clutch head.

27-Piece



Reg. ZU 75 \$4.60

V and Radio Kit \$17.48 ... NO. TV 27 KIT-Contains practically every hand tool necessary for television and radio work, plus extra pockets for pliers and other personal tools according to individual preferences. Contains one each of the following: ZH 1 medium duty handle; ZH 2 heavy duty handle; ZX 56 extension; A 132 1/4" stub; 1/4", 3/16", 1/8" regular bits; No. 1 Phillips and No. 2 Phillips bits; 3/16",

1/4", 5/16", 11/32", 3/8", 7/16" and 1/2" hex. wrenches; AT 45 metal tip aligner; A 116-2 3/32" pocket clip; P 01 #0 Phillips thin blade; OK 24 1/8" screw holding; VR 261 1/8" insulated blade; OK 38 3/16" screw holding; VR 381 3/16" insulated blade; VB 210 1/8" x 10" non-magnetic adjuster; AT 510 5/32" fiber aligner; VO 2 medium offset; VO 1 small offset.



14-Piece TV and Radio Kit \$7.88 ••

NO. RT 14 KIT-Here's a handy, convenient kit for radio and TV service men. Contains nut drivers, Phillips and regular drivers, plus ZH 2 heavy duty handle and famous Vaco 6" extension which doubles the usefulness of each driver. In durable leatherette tool roll.

RT 14 Reg. \$10.50

Screw Holding **Screw Drivers**



lade Diam. & Length 1/8"x3"	Stock Number OK 23	Price	
1/8"x4"	OK 24	.65	
1/8"x6"	OK 26	.71	
1/8"x8"	OK 28	.74	
3/16"x4"	OK 34	.87	
3/16"x6"	OK 36	.90	
3/16"x8"	OK 38	.93	

7 PIECE NUT DRIVERS SELF-STANDING KIT



Reg. \$9.00

CONCORD'S PRICE

nut drivers lengths) each in own holder marked for size and color.

DUPLEX "REVERSIBLE" DRIVERS



Stock

DU 2 No. 1 Phillips, One End 3/16" Regular, Other End


Our Price \$.96 Reg. \$1.28 No. 2 Phillips, One End DUH 4 1/4" Regular, Other End

Our Price \$1.16 Reg. \$1.54 DUP 12 No. 1 Phillips, One End No. 2 Phillips, Other End

Reg. \$1.72

\$1.29

PHILIPS SCREW DRIVERS



OFFSET SCREW DRIVERS

P 12 (Pocket Clip) 1 1/8"x2-1/2" •



Concord's Stock No. Type Blade Price 5/32"x3" .33 VO 1 Regular 1/4"x4"

VO 2 Regular #1 point one end, .51 P 120 Phillips #2 point other end .45

P 111 Phillips #1 point both ends .35 P 222 Phillips #2 point both ends .39

STUBBY SCREW DRIVERS



Concord's PRICE

1/4"x1-1/4" -57 5/16"x1-3/4" .72 A 132 A 135

ROUND BLADE SCREW DRIVERS

Blade Diameter and Length

Concord's


Stock

A 516-10

Duplex "Re	versible" Drivers	Price
A 216-4	1/8"x4"	.47
A 216-6	1/8"x6"	.48
A 216-8	1/8"x8"	.51
A 216-10	1/8"x10"	.57
3/16" Cabine	t Style—Round Bl	ades
A 316-4	3/16"x4"	.61
A 316-5	3/16"x5"	.65
A 316-6	3/16"x6"	.68
A 316-8	3/16"x8"	.71
A 316-10	3/16"x10"	.78
1/4" General	Service—Round B	lades
A 416-4	1/4"x4"	.74
A 416-5	1/4"x5"	.75
A 416-6	1/4"x6"	.78
A 416-8	1/4"x8"	.82
A 416-10	1/4"x10"	.90
5/16" Heavy	Duty-Round Black	des
A 516-6	5/16"x6"	
A 516-8	5/16"x8"	1.05

HOLLOW SHAFT (Standard Line) NUT DRIVER-No Insulation

5/16"x10" 1.17



Hex Size	Overall Length	Concord's Price
1/2"	63/4"	,63
%°	63/4"	.63
	63/4"	.63
	63/4"	.63
	63/4"	.63
% ₄ "	63/4"	.63
11/52"	63/4"	.63
3/0"	634"	.63
36"	61/8"	.83
1/2"	67.0"	.83
%."	8"	1.35
3/6"	8"	1.35
Stubby	Sizes	
		.54
		.54
3/4"	31/4"	.54
	Size %2" %3" %4" %4" %4" %4" %4" %4" %4" %4" %5" %4" %5" %4" %4" %5" %4" %4" %4" %4" %4" %4" %4" %4" %4" %4	Size Length \$\frac{\partial_{2}}{\partial_{3}} \text{6}\forall^{\alpha}{\partial_{4}} \text{8}\forall^{\alpha}{\partial_{4}} \text{8}\forall^{\alpha}{\partial_{4}} \text{8}\forall^{\alpha}{\partial_{4}} \text{8}\forall^{\alpha}{\partial_{4}} \text{3}\forall^{\alpha}{\partial_{4}} \text{3}\for

COLOR CODED INSULATED NUT **DRIVERS**

Standard (3") Lengths

Stock No.	Hex Size	Overall Length	Color	Lifed
N 6-3	34."	63%"	Black	.83
N 8-3	1/4"	63/8"	Red	.83
N 10-3	*K4"	65%"	Yellow	.83
N 11-3	11/4,"	63/4"	Green	.83
N 12-3	3/6"	65%"	Blue	.83
N 14-3	36"	7"	Brown	.92
N 16-3	1/4"	7"	Orange	.92

Concord's

QUALITY TOOLS



CONCORD'S PRICE

3 PC PLIER SET

3 Forged pliers in a Heat Sealed Pouch

- 6" Long nose plier
- 6" Diagonal cutters
 - 6" Combination pliers

REG. \$4.95

\$7 25 Shpg. wt., 3 lbs.

WRENCH SETS



PRICES SLASHED!

Precision finished with highly polished heads. Includes 1—6"
1—8" and 1—10" wrench. All sets are safe, rugged, designed for any job. Shpg. Wt. 2½ lbs.

Steck No. M-275 CE

Shipping Wt. 3 Lbs.

CONCORD'S PRICE

REG. \$595

Reg. CONCORD'S

\$2.95

\$5.50

\$8.95

\$9.95

\$3.95

M TON THE YEAR

PRICE

\$1.39

\$3.95

\$5.95

SPEED CHROME VANADIUM TWIST DRILLS

Superior grade of Semi-High Speed Twist Drills. For Steel, Aluminum, Plastic, Wood. Precision ground.

FANTASTIC VALUE!





CONCORD'S PRICE

REG. \$4.50

with a pressure of up to 1 ton. Automatic release unlocks wrench instantly.

Stock #C57-410

PAPER ROLLS

NO. OF DRILLS SET NO. Stock #C57-513 13 1/16 to 1/4 by 64ths Stock #C57-514 15 1/16 to 1/2 by 32nds Stock #C57-515 29 1/16 to 1/2 by 64ths Stock #C57-516 29 1/16 to 1/2 by 64ths with 1/4" shanks

WITH METAL INDEX CONTAINERS SET NO. DRILLS Stock #C57-M113 13 RILLS RANGE 13 1/16 to 1/4 by 64ths Stock #C57-M115

Stock #C57-M129 Stock #C57-M129TD 29

\$1.95 15 1/16 to 1/2 by 32nds \$ 6.95 \$4.75 29 1/16 to 1/2 by 64ths \$9.95 \$6.95 1/16 to 1/2 by 64ths \$10.95 with 1/4" shanks \$7.95

1/2" CHUCK ADAPTER CONCORD'S



Reg. Price \$2.95

Stock #541-C7

This attachment enables electric drills with 1/4" chucks to handle Bits up to 12" diameter. Stock #C57-1210 Shipping Wt. 2

Stock #112-C7 Shipping Wt. 1 Lb **EXPANSIVE BITS**

Reg. \$3.50 to \$4.95 For Braces — Adjustable, Each

size covers large range. Extra cutter supplied shipping wt. 1 Lb.

Stock #207-C7 Size- 1/2" to 11/2"

Stock #208-C7 Size-%" to 3"

\$749

\$195

Reg. Price \$3.60 **LINE LEVEL**

FOR HOME

10 IN 1 WRENCH

Designed to fit standard American nuts and bolts in the following sizes: 1/4" Sq.; 1/4" Hex.; 5/16" Hex.; 19/16" Hex.; 13/32" Hex.; 7/16" Hex.; 19/16" Hex.; 19/32" Hex.; 19/3

DROP FORGED

OPEN END WRENCH SET

PRICE

AND

Shipping Wt. 1 Lb.

Stock #C57-279

Stock #1245-C7

Plastic Kits.

REPAIRMEN'S

TAPER REAMER

For Enlarging Holes in Metals and

\$2.45

SWISS PATTERN FILES

\$2.20

other materials. T-Handle can

be removed so Reamer can

be used in Electric REG.

Swedish Steel, Deep

Cut First Quality, in

CONCORD'S

PRICE

\$145

Stock #106-C7

12 Pc. Set

6 Pc. Set (ill.)

Shipping Wt. 1 Lb. Reg. Price

(not ill.) \$1.95

SHOP

CONCORD'S PRICE

SPECIAL

INDUSTRY

89¢

CONCORD'S \$145

REG. Wrenches . . . Ten most pop-

\$2.95 vilar sizes 5/16, 13/32, 3/8, \$2.95 7/16, 1/2, 9/16, 19/32, 11/16, 5/8, 3/4. wt. 2 Lbs.

1/8" to 1/2"

Bright plated . . . Rugged forged steel Open End

Shipping Wt. 1 Lb.

51/2" long

CONCORD'S

PRICE

\$115

CONCORD'S PRICE REG.

\$1.29

Aluminum case. Easy to read. Perfect for leveling turntables.

Stock #883-C7 Shipping Wt. 1 Lb.

MIDGET PRECISION JEWELER'S PLIERS

CONCORD'S PRICE

REG. \$6.95

Stock #5300-C7



Five Useful Midget Pliers for fine delicate work. Packed in plastic Shipping Wt. 2 Lbs.

ADJUSTABLE CRESCENT



Stock #C57-902-C7 Shipping Wt. 3 Lbs

7 PC. PLIER & WRENCH SET 7 useful tools

in one package
CARRY -ALL POUCH
5 Open End Wrenches

- 7" Slip Joint Pliers
- 6" Adjustable Wrench

REG. CONCORD'S \$225 \$4.95 PRICE Shipping Wt. 3 Lbs.



Stock #906-C7

VISE WRENCH WITH AUTOMATIC RELEASE



\$705

Hulds any item, flat or round

Shipping Wt. 2 Lbs.

8 PC. COMBINATION KIT

Contains Aluminum Chuck Handle with 4 most popular blades-

- 7" Slipjoint Pliers
- 10 in 1 Wrench
- 6" Adjustable Wrench
- CARRY-ALL POUCH

Stock #2101-C7

PRICE

CONCORD'S \$295

REG. \$4.85 Shipping Wt. 2 Lbs Precision Jeweler's



Six precision SWISS-made fine screwdrivers, sizes 3, 4, 5, 6, 7, and 8". Perfect for hobbylsts, camera, model trains and assembly work. Body finely machined and plated, swivel top. Compact plastic case. Reg. \$3.50

Stack No. M-1468....\$1.39

Screwdriver SET \$395

Shipping Wt. 1 Lb.

Reg. \$2.95

CONCORD'S PRICE **\$1**15

NEST OF SAWS

Shipping |

Wt. 3 Lbs Five interchangeable blades and a Hardwood Handle, Features a Metal Cutting Blade. Stock #528-C7

Steel Guides keep jaws Aligned. Clamp.

SWIVEL VISE

21/2" JAWS

CONCORD'S PRICE

Shipping Wt. 5 Lbs.

\$795




6 FT. WHITE FACE REG. \$2.45 CONCORD'S

Sharp, Clear Black PRICE Numbers on a white 5.89 flexible tape.

Shipping Wt. 1 Lb. Stock #836-C7





7:

CONCORD PRESENTS National receivers for NA

CONCORD'S FAMOUS PACKAGE DEAL!

BUY THE FAMOUS SW-54 RECEIVER





\$59.95

SW-54 An excellent choice for the beginning amateur or shortwave listener. Besides tuning the broadcast band it receives shortwave, amateur, police, marine and aircraft frequencies. Use it for Conellad, general coverage tuning, WWV time signals, atc.

- . Tunes from 540 kc to 30 mc in 4 bands
- Police, marine, amateur, foreign shortwave stations clearly marked
- · Receives voice or code. Built-in speaker
- · Headphone jack
- · Logging scale provided

Other Specifications:

- . Antenna input: 50-300 ohms, balanced or unbal anced
- · Size: 11" wide x 7" high x 7" deep
- Finish: Hammertone Gray Enamel
- . Shipping Weight: 13 lbs.

Philmore Omega Double HEADPHONES

This ruggedly built, lightweight headset is practically indestructible. Double, high flux magnet, highly polished bakelite shell and cap. Supplied with adjustable headband. High impedance provides very sensitive performance. Equipped with 5-ft. tinsel braided cord.



Philmore AERIAL KIT A complete kit of parts for assembly of a professional antenna:

- . 50 ft. stranded aerial wire
- · 25 ft. lead-in wire
- 2 porcelain insulators
- · ground clamp · lead-in strip
- · 2 nail-it knobs instruction sheet

BRAND NEW! Communicator "3" SPECIAL

FOR 6 & 12 & 110

VOLT OPERATION

for 2 or 6 meters.

These modern successors to the highly regarded Communicator family combine, in a single unit, all the features found previously only in several different models. Communicator III offers you these advantages as well as many more important, wholly new features for improved performance and operating convenience.



Now ... for even better performance

for every model in every frequency range . . . the following:

- m inside and out, Finished in attractive Alpine ename! with knobs in Gun Metal Blue, Cobinet appreximately the same.
- 6V DC and 12V DC and 115V AC. All three, One vibra-ter. Simple inside strapping changes veltages.
- press-te-talk operation. (Actuated by button on aphone) Transmit-receive switch on panel can be
- iver: New lewinoise X155 RF tube in sensitive icede with AVC to evoid blocking tendency from strong/lecals. Special gang-tuned circuits provide high order of image rejection. Improved 1.F trivity. Genset noise limiter. Adjustable squalch, hone previsions.
- Full-vision slide-rule-type tuning diel,
- Squelch for silent standby, Control on panel STOCK #GON-3-C7
- Transmitter: All tunable circuits new have penel bnobs.
 New gangituned circuits reduce sourious responses to negligible values.
 New 616GB medulator tube gives heavier modulation.

Gonset

CONCORD'S PRICE

- Panel meter replaces "Green eye." Meter switches to exciter on RFB output or to receiver for indication of relative signal level.
- Provision for & crystals with panel selector switch. (Also operation with external VFO.)
- Silicon diodes eliminate rectifier tubes.

LESS MIKE & CRYSTALS -DELIVERIES START IN SEPT. .

SHPG. WGT.

16 LBS



NC-66 Portable World's most versatile receiver! ... a ham receiver, a 3-way portable, a marine receiver and a shortwave listener's receiver. For home and away - Indoors and out. Housed in a ruggedly handsome metal cabinet with carrying handle, you'll find the NC-66 is packed with features galorel

- Continuous coverage of DF beacons, AM broadcast, amateur and shortwave bands. 150-400 kc, .5 to 23 mc
- Operates on 115 volt AC or DC or self-contained batteries, or 220 volt AC with accessory adaptor
- Marine DF provision
- Two antennas, whip and ferrite stick
- Has CW oscillator and phone jack
- "Full-Vue" slide rule dial. Electrical bandspread and logging scale
- Shortwave, amateur and CD frequencies marked
- Antenna Input: 50-300 ohms, unbalanced
- · Size: 12-5/16" wide x 9-11/16" high x 10" deep · Finish: two-tone gray 16 lbs. less batteries

RDF-66 Direction Finder Accessory Used with NC-66 as a direction finder for pleasure craft. The RDF-66 functions on both marine marker and broadcast bands. Has visual null indicator, flat ferrite antenna, compass rose. Attractive matching cabinet in two-tone gray \$39.95



\$399.00

NC-300 Thousands in use! Designed and built exclusively for radio amateurs. The NC-300's superb sensitivity, stability, selectivity and calibration accuracy make it the finest-dollar value of any Ham receiver available!

- Ten dial scales for coverage of 160 to 114 meters with exclusive new converter provision
- Separate product detector for SSB allows AVC "on" . Sens. under 1.0 uv for 10 db sig/noise Separate antenna coil for each band
- Variable I.F. selectivity, 0.5 kc 3.5 kc 8.0 kc at 6 db . Stability: Total drift less than .01%
- Crystal filter provides notching
- Double conversion all bands
- Slide rule dial over one foot long
- Muting provision for break-in operation
- Calibration reset control on front panel
- Smooth inertia tuning, 40 to 1 ratio
- 13 tubes including rectifier and regulators Antenna Input: 50-300 ohms unbalanced
- Size: 19½ "wide x 11¼" high x 15" deep (19" rack out of cabinet)
- Shog. Wt. Finish: Two-tone gray enamel Optional Accessories:
 - 41.95 NC-300 C6 for 6-meter band Converters: NC-300 C2 for 2-meter band 43.95
 - NC-300 C1 for 11/4 meter band NC-300 CC Converter Cabinet 18,05
 - 21.94 XCU-300 Plug-in Crystal Calibrator
- NC-300 TS Speaker

BRAND NEW 1958 MODEL



\$199.95

NC-109 Finest amateur receiver in its price class! The NC-109 is packed with features demanded by discriminating hams everywhere, including provision for SSB reception. Brilliant new design guarantees top performance!

Features-

- Complete coverage 540 kc-40 mc. Bandspread, 80 through 10 meter bands
- Has exclusive "MICROTOME" crystal filter for razor sharp selectivity
- Separate product detector for SSB reception
- Excellent sensitivity, 1-2 uv for 10 db sig/ noise
- Drift .01% or less. Ceramic oscillator coil forms
- · Series type noise limiter
- Separate antenna trimmer and tone controls
- · 11 tubes including rectifier and voltage regulator

Other Specifications-

- Antenna Input: 50-300 ohms, balanced or unbal-
- Size: 16-13/16" wide x 10" high x 10%" deep Finish: Handsome two-tone gray wrinkle finish
- Shipping Weight: Approximately 35 lbs.



\$159.95

NC-188 The accent is on value! National's NC-188 is a smartly styled, general coverage receiver of moderate cost. Engineered for amateur and shortwave listeners alike. The NC-188 covers AM broadcast and all popular shortwave and amateur bands

- Continuous coverage, 540 kc to 40 mc in 4 bands
- Calibrated bandspread for 10, 11, 15, 20, 40 and 80 meter bands
- Large, 12" stide rule dia
- Sensitivity, under 2.5 us for 10 db sig/noise
- Selectivity, 5.2 kc at 6 db
- Separate H.F. oscillator for excellent stability
- · Antenna trimmer and "S" meter
- 9 tubes including rectifier

Other Specifications:

- · Antenna Input: 50-300 ohms, balanced or unbal anced
- Size 16-13/16" wide x 10" high x 10%" deep
- Finish: Handsome two-tone gray wrinkle finish NTS-1, Matching speaker available
- Shipping Weight: Approximately 35 lbs.

ERTOO!



799

\$14.66 Reg. Price \$19.95

MODEL 404

Shipping Wt. 3 Lbs.

WEN POWER SAW

MODEL 505

Wen No. 50-A-34—One each 7, 84°C 10 and 18 teeth/inch blades, Net 84°C

7" PORTABLE

UNQUESTIONABLY THE FINEST portable sander on the market today! Revolutionary Hi-Power Motor has plenty of strength to drive the big 20-sq.-in. sanding pad without stalling. Cool, smooth straight-line action. Metal case, 15 sheets sandpaper, 2 polishing cloths included. 14400 strokesper-minute, 110-120 v. AC only.

CONCORD'S LOW PRICE

\$1995 EA

LOTS OF 3

Lots of 3 Singly \$10.25

MODEL 202

Reg. Price \$13.95

ECONOMY SANDER has many expensive features: super-power motor (14400 strokes-per-minute), straight-line whip-free action, full 1334 sq. in. working surface, selftightening clamp. Weighs only 21/2 lbs. Streamlined functional design. Ideal for sanding drywall, woodwork, etc. Complete with 6 sheets of sandpaper, and one polishing cloth. 110-120 v. AC only.

Shipping Wt. 3 Lbs.

Lots of 3 \$ 864 ea.

\$1102 EA.

\$12.46

WEN SAW

Completes the cycle of uses for the Wen Model 505 Power, Saw listed above. The 505 snaps and locks right into place on this table. Then you can saw at any angle; rip down the grain; cut a perfect circle; square with perfect accoracy; use as a scroll-saw for any effect; use as a T-square or protractor; make dovetail and other cuts. The table can be bolted to a work-table or used on its own legs. Table supplied complete with the following material: Protractor and fence; circle-cutting attachment; lopiten narrow blade for joints; 14-pitch narrow blade for wood-cutting; 32-pitch blade of high-blade for cutting dardboard, rubber, leather, etc. (all blades are straight shank). Table is heavy gauge steel, measures 15' x 15' x 7'½'. Shipping Weight, 12 ibs. (not including saw).

—Table only, with legs and blades, but not

-Table only, with legs and Diades, but not including saw.



\$16.95 MODEL 303 SUPER-POWER -SANDER has unbelievable strength! Like all WEN sanders, will not bounce, hump, or whip. Positive straight-line action. Hi-speed 14400 strokes-per-minute motor runs quiet and cool. Full 13% sq. in. sanding surface, selftightening clamp. Made to last indefinitely. Red finish. 110-120 v. AC. Comes in metal kit box as shown. Complete with 15 sheets sandpaper, 2 polishing cloths.

Shipping Wt. 3 Lbs.

SOLDERING GUNS

MODEL 250 - 250 WATTS

The standard by which other soldering guns are judged! This heavy-duty model withstands hundreds of hours of continuous use. Heats in 3 seconds under normal use tip remains tinned indefinitely. Built-in spotlight illuminates even the hardest-to-reach places. Streamlined design is easy to handle. Black high impact shatter, proof housing. 250 watts, 120 v. AC

Singly

\$9.52 Shipping Wt. 3 Lbs.

Lots of 3

\$6.53 ea

MODEL 288

Famous lightweight "Quick-Hot" sol dering gun heats in only 21/2 seconds! Weighs only 1½ lbs., yet will handle practically any home soldering jab. Handsome red finish. 110-120 v. AC Rege. \$9.95 only. Shipping Wt. 3 Lbs.



Reg. \$7.95

MODEL 199 OVER 100 WATTS

"BIG-HEAT" Electronic Soldering Gun with more than 200 watts of power. Unusually-designed tip reaches spots previously inaccessible. Highly efficient transformer delivers tremendous capacity, yet unit weight remendous capacity, yet unit weigns only 2½ lbs. Silver-plated tip heats in less than 5 seconds. Built-in spot-light, Length without tip 4½", with 159 9½". Built to last a lifetime. Special tip design also handles light-duty work. Lustraus ebony finite. High impact shatter proof case. 110
120 v. AC only
Shipping Wt. 3 Lbs.

\$5.84

.35

.42

.42

Extra Tips for 199 Gun

No. 19-B-4 Soldering tip No. 19-C-1 Plastic Tile cutting tip

.42 No. 19-F-33 Flat Iron Tip (Dent removing) tip,42 Extra Tips for 288 Gun

No. 28-B-4 Soldering tip

No. 28-C-1 Plastic tile cutting tip

No. 28-F-33Flat Iron Tip (Dent removing) tip ,42

Extra Tips for 250 Gun

No. 25-A-4 Soldering tip No. 25-X-20 "Feraloy" long-life soldering tip .35


No. 25-C-1 Plastic tile cutting tip .35

No. 25-F-33 Flat Iron tip (Dent removing)

ELECTRICAL SAW EXTRA BLADES

MODEL 1055

Concord's Price



Reg. \$39.95

Three position handle and rear mounted controls. Cuts 2-1/32" at 45°-2-5/16" at 90° 1/2" rd. arbor. Blade visible both sides. Auto matic swing guard and 6" ripping guide.

SPECIFICATIONS

BLADE_7"-Saw length-11" MOTOR-11/2 HP AC/DC 50-60 Cycle, 115 volt AMPERAGE-8.0 WEIGHT-10 pounds

Concord's Price

MODEL 1055CC Reg. \$9.95 Metal carrying case for above available

0-T-71-14-pitch blade. Pack of 3. Pack, Net. \$0.70 0-T-72-10-pitch blade. Pack of 3. Pack, Net. .70 0-T-73-8-pitch blade. Pack of 3. Pack, Net. . .70 50-T-75-32-pitch blade. Pack of 3. Pack, Net. 1.26 0-T-74-Knife blade. Pack of 3. Pack, Net70 0-T-70-One each of above. Pack of 5. Net ... 1.26

HOME UTILITY KIT



SAVE AT CONCORD'S PRICE

\$7 45

MODEL 199K

Complete HOME UTILITY KIT includes 199 Gun with long-nosed tip; tile-cutting and putty-removing tip; flat tip for removing dents from furniture and sealing waxed-paper bags; solder; and heavy-gauge metal box. A perfect gift-ideal Shipping Wt. 3 Lbs.

3/8" ELECTRIC DRILL



Singly

—Because this drill is geared down to 1000 RPM, it has power to spare. Ideal for those tough drilling jobs in Ideal for those tough drilling jobs in Steel and Masonry, Full 3", capacity in steel ond up to 34" in hard wood. Equipped with latest Geared Jacobs Chuck with Key and Helical gears. Universal 110 Volt AC-DC, A utility drill in the true sense of the word.

THE DRILL WITH Shipping Wt. 3 Lbs.

SUPER-USEABLE POWER

HERE THEYARE! THE NEW BURGESS POWER TOOLS **EVERYONE'S TALKING ABOUT!**



lev te

portable



ELECTRIC BAND SAW

CONCORD'S PRICE

EACH

REG. \$3495

CONCORD SMASH HIT!

Saws straight or curved cuts to center of pieces 24" Saws straight or curved cuts to center of pieces 24"
wide, any length—in wood, plastic, tile, ste—almost tile, any length—in wood, plastic, trotary motor. 2
wide, any Portable. Built-in dual-coil rotary cast alumanything! for wood or metal cutting Rugged; cast alumspeeds, for wood or metal cutting. Rugged; cast alumspeeds, for wood or metal cutting. Rugged; chain speeds, inum and steel. Big 100 sq. in. work table. Positive chain and steel. Big 100 sq. in. work table. Acc.

B-240

BELT SANDER



ONLY AT CONCORD

> REG. \$2495

CONCORD EXCLUSIVE!

attachments in steel storage

box.

An excellent sander at a low price! Sturdy cast aluminum. Sands right into corners. 2-way switch, for constant or momentary contact. Automatic belt tension. Easy-grip handles. 115v, 60 cycles, AC, rotary motor. Complete with two 2" x 17%" belts—1 coarse, 1 medium.

Shipping weight 8 lbs.

IBRO-TOOL Complete with 10 all-purpose

CONCORD'S

PRICE

MODEL V-760

LOOK WHAT YOU CAN DO!

As easily as writing with a pencil, you can engrave jewpenun you can engiare jenuelry; mark tools & instrueiry; mark tools & instru-ments; decorate metal & ments; etch copper & steel; glass; etch copper & steel; cut leather, stencils, pat-terns; mark bottles, slides; terns; glass; decorate juory frost glass; terns; mark bottles, snues; frost glass; decorate livory, plastics, bone, horn. Illus-plastics, instructions included.

REG. \$1495

NO. VG-350 VIBRO-GRAVER. Complete with hard tantalum carbide point for marking and engraving.

YOU'LL BE PROUD TO OWN THIS!!!

SENSATIONAL 2 SPEED

POWER TAKE-OFF A 3000 RPM TAKE-OFF B 1000 RPM

CONCORD'S PRICE

\$29.95

MODEL 808

Everything Needed in An Electric Drill with this One Tool, rull % canacity — Garred Church Facy to change speed No good Everything Needed in An Electric Urill with this One 1001. rull 78 capacity — Genuine Geared Chuck. Easy to change speed. No gear shifting, just shift from power take-off A to Power take-off B as shown in small illustration. The 1000 RPM speed is used for drilling holes from 100 and 100 RPM speed in small illustration. The 1000 RPM speed is used for poliching operations. The 2000 RFM speed in diameter up and for poliching operations. in small illustration. The 1000 RPM speed is used for drilling holes from 3%" in diameter up, and for polishing operations. The 3000 RPM speed is highly efficient for drilling holes less than 5/16" in diameter and for is highly efficient for drilling holes less than 5/16" in diameter and for rotary sawing, sanding and wire brushing operations. Design includes rotary sawing, sanding and wire brushing operations. AC-DC. The ONE ball thrust bearings and high torque motor. 110v. AC-DC. drill with just the right speed for all jobs.

SABER JET JIG SAW

FAMOUS MAKE

OUR PRICE

Handy, light duty, portable. Cuts wood to ½" thick, to center of x 63/4". Rubber cushioned to 19/2" thick, to center of x 63/4". Rubber cushioned with 19/2" circle. Steel housing, table 9" x 63/4". Rubber cushioned with circle. Steel housing, table 9" x 63/4". Rubber cushioned with 19/2" circle. Steel housing, table 9" x 53/4". Rubber cushioned with 19/2" thick, to center of the year of the year of the 19/2" thick, to center of the year of the year of the 19/2" thick, to center of the year of

COMBINATION JIG SAW & SABER SAW

CONCORD'S

PRICE



Saws wood, plastics, metal, to center of 24" circle. Swing-away arm con-Saws wood, plastics, metal, to center of 24" circle. Swing-away arm converts instantly to saber saw or can be removed to cut extra large pieces verts instantly to saber saw or can be removed to cut extra large pieces. Sverts instantly to saber saw or can be removed to cut extra large pieces and support of the same power of the same power and power and power accessories. Sturdy cast aluminum. Portable takeoff accepts 1/4" drill accessories. Sturdy cast aluminum. Portable takeoff accepts 1/4" drill accessories. Sturdy cast aluminum. Portable takeoff accepts 1/4" drill accessories. Sturdy cast aluminum. Portable takeoff accepts 1/4" drill accessories and fine jig saw blades, accessory accessory and fine jig saw blades, accessory chuck.

1-98

chuck.

LET RIDER BOOKS TEACH YOU ELECTRONICS KNOW-HOW!

INTRODUCTION TO COLOR TV
(2nd Edition)
by Kaufman & Thomas
A revised, up-te-date edition of a best
soller in books on TV, New edition
contains full information on the lates
and larger series picture tubes, simplified receiver circuitry, etc. Mest upte-date introduction to color talevision
available, 8oft Cover, 160 pages, 5½"
x 8½", Illus, Cat. No. 186.
Only \$2.70

Only \$2.70

COLOR TELEVISION
RECEIVER PRACTICES
by Mezelfine Corp. Lab. Staff
Propared by experts, this book evers
every major aspect of solor TV resolvers, including the latest 21" sloture tube and its required circulary.
For anyons whe wishes a solid grounding in solor talovision, this volume is
ideal. Destined to become a standard
reference work on the sublect. Soft
Cover, 208 pages, 5½" x 8½", illes,
Oct. No. 162.
Only \$4.50
Oct. No. 162-H, Cloth Bound.
Only \$6.00

HI-FI LOUDSPEAKERS

& ENCLOSURES

by Abraham B. Cohen
A long-needed book, destined to become
a classic volume in hi-fi literature.
Completely evers the subject. Asswers
and enelegures, design, eross-ever artworks, construction of own networks,
bto. Leather Finish MARCO Cover,
5½" x 8½", Illus. No. 176.
Cat. Me. 176-H. Cloth Bound.

Cat. No. 176-H, Cloth Bound. Only \$5.50

Only \$5.50

TV REPAIR QUESTIONS
& ANSWERS
by Sidney Picit
A very gractical series of guestions and
asswer books on the repair of TV reselvers. Each evers a separate section
of the resciver, and the series follows
the same sequence that the signal itself travels. Soft Cevers, 5½" x ½",
Illus.
Cat. No. 173, FRONT ENDS. 128
pages.
Only \$2.10
Cat. No. 173-2, VIDEO CIRCUITS.
128 pages.
Only \$2.10
Cat. No. 173-3, SYNC & SWEEP
CIRCUITS. 128 pages.
Only \$2.10
Cat. No. 173-5, SOUND & L-V CIRCUITS. 120 pages.
Only \$2.10
Cat. No. 173-5, SOUND & L-V CIRCUITS. 120 pages.
Only \$2.10

Cat. No. 173-5, 80UND & L-V CIR-CUITS. 120 pages. Only \$2.10

Cet. No. 173-5, SOUND & L-V CIR.
CUITS. 120 pages. Only \$2.70

PICTURE BOOK OF TV TROUBLES
by Rider Lab. Storf
Labre of beeks, each covering a
lifferst part of the TV receiver, and
been and estuces. All material is from
even trouble-shooting for you! Soft
zevers. 5½ "x 8½", "lilus.
FOL. 11 HORIZONTAL AFC-OSCILLATOR CIRCUITS. Cat. No. 168.
80 pages.
Only \$1.35

FLECTION CIRCUITS. Cat. No. 168.
188-3, 96 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-3, 96 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-3, 96 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-3, 96 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-3, 96 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-3, 96 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-3, 96 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-3, 96 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-3, 96 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-3, 96 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-3, 96 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-3, 97 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-6, 120 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. No.
188-7, 80 pages. Only \$1.80

FLETER CIRCUITS. Cat. N

HOW TO SERVICE TAPE RECORDERS

RECORDERS
By C. A. Tuthill
Everything you need to know about that is inside a tape recorder—eperation of the tecording head, types of dectronic circuits, kinds of drive mechanisms used, trouble shooting—and ow to service the many types of tape seorders, with practical examples, 11s issuesses requirements for a tape recorder repair shop. 178 pages, 5½ "x Soft cover, Illius, Cat. No. 167.
Only \$2.90

COLOR TV DICTIONARY

By J. R. Johnson

By J. R. Johnson
irst complete explanation of new color
V terms with their definitions that
eryone—convice technicisms, students,
gincers, mateurs—interested in
der television must be familiar with,
his is mere than a dictionary! Over
1 illustrations. 72 (5½" x 3½")
ges. Seft cover. Cat. No. 164,
Only \$1.25

TY TROUBLESHOOTING AND REPAIR GUIDE BOOK VOL. 1 By Robert G. Middleton

How to spet TV receiver troubles and correct tham. Hundreds of hints and short cuts for trouble-shooting TV eircuits. Down-to-earth servicing data that can be put to grofitable daily usol 204 pages, 8½" x 11". Soft cover. Cat. No. 140-1. Only \$3.90

VOL. 2—More service data on video IF and amplifiers, sound IF and de-tector, audio amplifiers, etc. Everything practical—from beginning to end. (50 pages. Cat. No. 140-2. Only \$3.30

HOW TO TROUBLESHOOT A

By J. Richard Johnson

Written for the newcomer and service technician to aid in the systematic procedure in troubleshooting all TV receivers — explains the mental and physical approach to TV servicing. Step-by-step guide tells where to start and how to centinue, also discovery and interpretation of symptoms. Test patterns, tubes, tools, atc. 128 pages. Soft cover. Hitus. Cat. No. 152.

Only \$1.80

HOW TO USE TEST PROBES By A. A. Ghirardi and R. G. Middleton

The only book of its kind! Written by two of the country's leading electronics experts, this book covers all types of test probes used with VOM's, VYOM's, and scopes. The one book that tells you what probe to use, where to use it, how to use it! Complete, stop-by-stop explanations, with practical examples of results and effects. 5½" x 8½" Soft cover. Cat. No. 165. Only \$2.90

BASIC VACUUM TUBES and Their Uses By John F. Rider and Henry Jacobowitz

Henry Jocobowitz

This book centains all the basic infermation relating to vacuum tubes. It is presented with a minimum of mathematics. You'll lay a solid foundation for understanding elementary electron behavior on which you may build your knowledge for the more advanced and specialized types of vacuum tubes. Thoroughly covers rectification, amplification, oscillation, electron theory diede and triode characteristics, bearing mover and variable-mu tubes. Must reading for students, technicians, engineers. 208 pages, 5½ x 8½". Illus. Cat. No. 171-H, Cloth Bound.

Cat. No. 171-H, Cloth Beund. Only \$4.50

HOW TO INSTALL AND SERVICE AUTO RADIOS

By Jack Darr

An expert gives practical, detailed instructions on how to install and service all types of automobile radies. Not a schematic book. Shows where to run lead-ins, how to install antennas, eliminate noise and gives methods for vibrator testing, 128 (5½, "X 8½,") pages. Illus. Soft cover, Cat. No. 159, 150. Only \$1.80

HANDBOOK OF 630-TYPE
TV RECEIVERS
by. Millier & Bierman
Deals with all versions of the famous
630-type receivers made up to 1955.
Explains modifications and circuit improvements made by various manufacturers, and includes 28 pages of troubleshooting charts. A book every technician cas use to major advantage!
Seft Cover, 200 pp., 5½ x 8½ x Hilus. Cat. No. 174.

Only \$3.50 Only \$3.50

TV PICTURE PROJECTION & **ENLARGEMENT**

by Allen Lytel

This is the story behind TV picture enlargement by means of viewing lenses and projection systems. Explains the WHY and HOW for adjusting these receivers. A time-saving, money-making book! Cleth Beund, 190 pp., 5½ × 8½", illus. Cat. Ne. 128. Only \$3.30

FUNDAMENTALS OF TRANSISTORS

By Leonard Krugman

By Leonard Krugman
The transistor is now evolved to a point
where it is suitable for many applications, both as a direct replacement and
as a supplement to electron tubes. An
expert has consolidated in practical
form for the repair man, the engineer,
the hobbyist and the engineering studeat the explanation and application of
the transistor. Basic transistor operation, characteristics, performance and
application are explained. 144 (5½
x 8½°) pages. Soft cover. Illustrated.
Cat. Me. 180. Only \$2.70

GUIDE TO AUDIO By David Fidelman

Covers design, construction, assembly and testing of sound reproduction systems and components. Discusses picture, four speakers and enclosures. Explains circultry of pre-amps and amplifiers. Plus circults for home construction of these units. 250 pages, 5½ "x x 8½", illustrated, Soft cover. Cat. No. 148.

HOW TO INSTALL TY

By Samuel L. Marshall

By Samuel L. Marshall
An illustrated "Antenna Bible" yeu'll
refer to every time an installation job
comes int Tells you everything you
need to know about installing TV antennas: safety precautions; putting up
masts and towers; getting the best reception in fringe areas; wind and icing
problems; typas of antennas, and when
to use them; rigging, roofing, and
masonry work. How to do the job
RIGHT, Easily, quickly, safely, eonomically! 5½ x 8½, 86ft cover.
Illus. Cat. No. 172. Only \$2.50

RADIO TROUBLESHOOTING GUIDEBOOK, VOL. 1 By John F. Rider & J. R. Johnson

Discusses all types of AM and FM radies, with full trouble-shooting details. Completely practical—for technicans—for student! Over 140 pages, 5½ x 8½ with illustrations. Soft cover. VOL. I—Cat. No. 149.

Only \$2.40

TV AND ELECTRONICS AS A CAREER

By Kamen and Dorf

Your guidebook to a profitable career in the electronics industry. Authorities tell career possibilities offered by the basic branches of the industry. How to pressar yourself for a successful future; 326 pages, 5½," x 8½,", 30 illus., cloth bound. Cat. No. 137.

Only \$2.50

TY SWEEP ALIGNMENT TECHNIQUES

By Art Liebscher

Here are all your savers to aligning TV receivers, front-end-, video, i-F or sound i-F systems—explained by an authority on the subject. Accurate, time-saving methods, Sweep curves from ac'usl jobs. Valuable for servicing in UHF areas. 128 pages, 5½" x 8½".

Soft cover. Cat. No. 145. Only \$2.10

BROADCAST OPERATOR'S HANDBOOK

By Harold E. Ennes

By MGCoid E. E-mes Operating in the controls room and studio, remote control, the master control, operations outside the studio and of the transmitter. Ideal for students and vcteran operators. 2nd edition, 448 pages. Soft cover, Cat. No. 138. Only \$5.40

UHF TELEVISION ANTENNAS AND CONVERTERS

By Allan Lytel

by Align Lyrel
Latest on UHF TV antennas, lines,
converters and tuners. Valuable for
UHF installation and maintenance. 120
pages, 5½" x 8½". Soft cover, illus,
Cat. No. 153.

Only \$1.80

HIGHLIGHTS OF COLOR TELEVISION By John R. Locke, Jr.

Discusses solor talevision for those who are familiar with black and white. Emphasizes nature of the added circuits necessary to color. Based on recommendations of N.T.S.C. 48 pages, 5½" x 8½", Soft cover. Illus, Cat. No. 157. Only 99c

HOW TO SELECT AND USE YOUR TAPE RECORDER by David Mark

Written for the USER: music lowers, businessmen, lawyers, engineers, teachers, etc. Step-by-step instructions on set-up and using procedures for all applications in the home, office, and professional activities. Also a buyer guide in selecting a machine to suit individual requirements, Soft cover, 148 pages, 5½" x 8½", Illus, Cat. No. 179.

Only \$2.95

HOW TO LOCATE AND ELIMINATE RADIO AND TY INTERPERENCE

By Fred D. Rowe

An expert from the Northern California Electrical Bureau tells how he located sources of radio and TV interference—and what he did to eliminate them. This is not a theory or a "perhaps" book, its contents are direct to the point, and tell what to do. 128 (5½" x 8½") pages, illustrated, Soft cover. Cat. No. 158.

HIGH FIDELITY SIMPLIFIED By Harold D. Weiler

Tells how to achieve concert hall reception in your home. The complete hi-fi-story. Answers all questions about Hi-Fi tuners, changers, amplifiers, tape recorders, speakers, record players, etc. No other book like it! 224 pages, 5½ " x 8½". Soft cover. Illus. Cat. No. 142.

Only \$2.50

ELECTRONICS TECHNOLOGY SERIES

edited by Alex. Schure, Ph.D., Ed.D.

An economically priced series. Each thoroughly and elearly explains the basic conseques of an individual space of electronics technology principles. Review questions at end of each chapter. Soft covers, $5\sqrt[4]{x}$ x $8\sqrt[4]{x}$, Illus.

RC & RL TIME CONSTANT Cat. No. 186. Onl Only \$.90 F-M LIMITERS & DETECTORS Cat. No. 166-2. Only \$.90

FREQUENCY MODULATION Cat. No. 166-3. Only \$.90 CRYSTAL OSCILLATORS Cat. No. 166-4. Only \$1.25

Only \$1.25

LIMITERS & CLIPPERS Cat. No. 168-6. Only \$1.25 MULTIVIBRATORS Cat. No. 166-7.

Only \$.90 R-F TRANSMISSION LINES Cat. No. 168-8. Only \$1.25

AMPLITUDE MODULATION
Cat. No. 166-9. Only \$1.25

BLOCKING OSCILLATORS Cat. No. 166-10. Only \$1.25 WAVE PROPAGATION Cat, No. 166-11

Only \$1.25 SUPERHETERODYNE CON-VERTERS & I-F AMPLIFIERS Cat. No. 166-12 Only \$.90

L-C OSCILLATORS Cat. No. 166-13 Only \$1.25

Only \$1.50

INVERSE FEEDBACK Cat, No. 166-15 Only \$.90

RESONANT CIRCUITS Cat. No. 166-16 Only \$1.25

HOW TO INSTALL & SERVICE INTERCOMMUNICATION SYSTEMS by Jack Darr

by Jack Darr

This book covers the entire field of commercial intercommunication equipment
... installation and maintenance. It deals with basic amplifiers, special speakors, switching arrangements, A-C and A-C/DC systems, wireless systems, cabling networks, all-call systems, paging systems, remote and master systems, one and two way intercom systems, installation for home and industrial use, outdoor wiring, and system requirements for particular applications. The text on servicing techniques covers amplifiers, power supplies, boosters, components, tubes, intermittents, switching, cabling, speakers, and microphones. Also, test equipment and tools needed for trouble sheeting. Numerous illustrations showing tests stups are included. Soft Cover, 152 pp., 5½ x 8½", ilius. Cat. Ne. 188.
Only \$3.00

LET RIDER BOOKS TEACH YOU ELECTRONICS KNOW-HOW!

BASIC ELECTRONICS

Fabelous ILLUSTRATED ing Courses new used by the U. S. Navyi

the U. S. Nevyl
Over 25,000 Nevy trainess have already learned Basic Electroity and Basic Electronics this easy, "Picture Book" way! Now, for the first time, YOU can master the basice of Electricity and Electronics with this same "Learn-by-Pictures" training coursel over 1,700 simple, easy-to-understand drawings explain every section—these "teaching" pictures actually make up more than half the ENTIRE course! No other Basic Electricity or Basic Electronics course in America uses this revolutionary litustrative technique! You learn faster and easier than you'd dream possible! An idea on each page!

There's at least one big illustration There's at least one big illustration on that same page to explain it! What's more, an imaginary instructor stands at your elbow, going "demonstrations" that make it even easier for you to understand. Then, at the end of every section, you'll find review pages that highlight the important topics you've just covered. You build a thorough, step-by-step knowledge at your own pace—as fast as you yourself want to go!

Spensored by the Navy to turn out trained technicians in record time, this modern course presents Basic Electricity and Basic Electronics in a simple way that everyone can graep—regardless of previous education!

This course is so different, so com-plets—there's no need for the usual letter writing, question and answer-cerrespondence! Learn at home— at your own pace!

BASIC ELECTRICITY

Volumes 1 and 2 of "Basic Electricity" cover DC components and circuits; Volumes 3 and 4 cover AC components and circuits; Volume 5 covers AC and DC motors and machinery.

Cat. No. 169 5 Vols. Only \$10.00 Cet. No. 169-H, Cloth Sound, all 8 volumes in a single binding Only \$11.50

BASIC ELECTRONICS

Volume 1 of "Basic Electronics" covers Diodes & Power Supplies; Vols. 2 and 3 cover Amplifiers & Oseillatoes; Vols. 4 and 5 cover Transmitters & Receivers.

Cat. No. 170 5 Vols. Only \$10.00 Cat. No. 170-H, Cloth Bound, all 8 volumes in a single binding Only \$11.50

UNDERSTANDING VECTORS & PHASE by Rider & Uslan

A beek which makes for quick and any understanding of radio theory, written for anyone in radio and electronics who has not had the advantage of technical training. Soft Cover, 160 pages, 5½" x 7½", lites, Cat. No. 103.

Only 99¢

HOW TO USE METERS

By John F. Rider

By John P. Ritter

Written to explain everything about using meters of all kinds—ganel-type, YOM, VTVM for servicing radio and TV resolvers, amplifiers, power supplies, we and repair of amature transmitters. Shows what to use—where to use—mot because—with schematic illustration of the arrest to which they are applied, 180 pages, 5½ " x 8½", "Hus.rated, Seft cover. Out. No. 144.

Only \$2.40

BASIC SYNCHROS & SERVOMECHANISMS by Van Valkenburgh, Nooger & Neville, Inc.

There are hundreds of thousands of synchros and servos in operation today! In addition to wide use in today: In addition to wide use in the military, aeronautical, and maritime fields, synchros and servos perform an ever-increasing variety of tasks for industry . . . faster and more accurately than is possible manually.

They produce and control rotary motion from a distant point . . . direct the flow of liquids into preselected channels . . . operate re-motely located valves for mixing purposes . . . control temperature . . . and play a vital part in the growth of Automation!

in all, synchros and servos have oreated a tremendous interest — both in the jobs they now do, and in the many new tasks they will be called upon to perform as industry swings further and further into automatic controls and production. Untold thousands will be affected by this change-over, and the need for a truly basic text to explain synchros and servos has never been greater. Nothing explains these vitally important devices like "Basic Synchros and Servomechanisms."

These fabulous picture-text books teach synchros and servomechan-isms faster and easier! The principies and practice of synchros and servomechanisms are here pre-sented in a manner which permits a rapid grasp of the fundamentals of these vitally important subjects. Over 300 specially prepared Illustrations present, explain and make every topic discussed picture clear. 270 pages, 6" x 9", illus. Soft Covers. Cat. No. 180.

Only \$5.50 Cat. No. 180-H, Cloth Bound, both volumes in a single binding. Only \$6.95

FM TRANSMISSION AND RECEPTION By John F. Rider

By John F. Rider
2nd Editien. Discusses FM roceiver
amtennas, r-f converter, i-f stages, etc.
Covers transmitting and receiving
antennas, plus various receivers, including television, their functioning
and servicing, Ali alignment methods
and servicing problems, 450 pages.
Cleth bound. Illus. Cat. Ne. 102.
Only \$4.95

UHF PRACTICES AND PRINCIPLES By Allan Lytel

By AHOR Lyre:

Complete discussion of theory and application of uitra high frequencies.

Economic and technical effect of UHF en sorvice and breadcast personnel. TV devices, UHF test equipment, circuit components, tubes, 390 pages, Cioth beund, 5½" x 8½". Illus, Cat. No. 141.

TECHNICIAN'S GUIDE TO TY PICTURE TUBES

By Ira Remer

By Ira Remer

A pisture tube servicing guide for the television installation repair man. Cevers the care, methods of handling, replacement, maintenance and repair of the pisture tube. It is written for the technician who decires basic and specific information on the pisture tube and its accessories (including conversion) without wading through reams of technical data and complicated circuit explanations, 160 pages, 5½" x 8½".

Seft cover, illustrated. Cat. No. 163.

Only \$2.40 Only \$2,40

BASIC TELEVISION

by Alex. Schure, Ph.D., Ed.D.

by Alex. Schure, Ph.D., Ed.D.
This new 5-volume addition to the famous "picture book" courses is the most understandable presentation of black and white television receiver theory at the basic level ever published. This complete 5-volume course employs the famous Rider "picture book" method e avalain the basic theory of black and white television. The text is superted by mere than 450 large, carefully prepared, interesting and informative drawings that make the explanation of each important idea crystal-clear. There is one idea . . one thought in both text and picture . . . on each page.
This 5-volume course is basic . . . yet

en each page.
This 5-volume course is basic . . . yet
eavers every precept of black and white
television. It is perfect for home study
or classroom. It is easy to read
you get right to the heart of the subject . . . maximum fact, minimum

ject . . maximum fact, minimum wordage.

Each volume covers a specific number of sections in the receiver. In effect, the presentation is like a spiral . . . first an overall volv of the whele, and then the detailed explanation of each part. This is the most perfect mederal reaching technique . . the result: maximum understanding. This course is valuable to both the professional technician and to the beginner because it is se comprehensive, so accurate, and so easy to read and understand. However, it is specifically directed toward these technicians who are in the early stages of their career—and toward beginners. It is ideal for apprentice training in every service erganization that is conducting an on-the-jeb training program. It is perfect to keep handy in the shop for reference. The entire story of black and white television receiver theory will be at your fingertips with this new Rider 5-volume course. There is no television course like it anywhere in the free world!

Individual volumes Only \$2.25. Cat. No. 1988 86ff Cover: 5 volumes each.

Individual volumes Only \$2.25. Cat. No. 198. Soft Cover: 5 volumes, about 590 pp., 6 x 9".

Only \$10.00 per set. Cat. No. 198-H, Cleth Bound: all 5 volumes in a single binding.
Only \$11.50

ADVANCED TELEVISION SERVICING TECHNIQUES

Written by the RETMA (Radio Electronic Television Manufactur-ers' Association) Pilot Training School Teaching Staff.

A completely NEW approach to books for TV service technicians. Written by experts who are teaching every day. The contects have been tried and preven to be the finest ever written. Completely practical. A step-by-step approach to how to service every isection of a TV receiver with every kind of est equipment—by resistance measurement, by voltage measurement, by voltage measurement, by voltage measurement, by voltage measurement, by contage measurement, by contage measurement, by voltage measurement, by some the scope. It explains the uses of test equipment of all kinds in cennection with TV receiver servicing, such as sweep generators—signal generators — vacuum tube voltmeiers — scopes, ohmmeters!
This is not a theory book! It is a book which every technician can use on the bench—and every student is a TV school can use, because it tells whatfords and how-to-do-it.

192 (8½ " x II") pages. Soft cover.
Cat, No. 181. Only \$3.60

LABORATORY WORKBOOK

Bacifically propared to be used in con-junction with the main book. Familiar-izes the student with all varieties of test equipment through a series of "jobs" which encompass the servicing of the entire TV receiver, 32 pages, 8½"x11", Soft cover, Cat. No. 161-2. Only 95c

ATTENTION TEACHERS! A TEACH-ER'S GUIDE is available in addition to the main book and lab, manual Write for details.

OBTAINING AND INTERPRETING
TEST SCOPE TRACES
By John F. Rider
Over 500 photos explaining cause for abnormal patterns in TV-AM-FM receivers, audie systems, and test equipment est-ups with each application. 144 pages, 5½" x 8½". Illustrated, 8eft eever, Cat. No. 146.

RECEIVING TUBE SUBSTITUTION GUIDEBOOK By H. A. Middleton

By H. A. Middleton
2500 radie, TV and electronic substitutions in numerical order for quick
reference. Eatings and necessary
changes, Bass, olarrams, char, chart224 pages, 8½° x 11°, Seff ever
Cat. No. 135. Only \$3.00

Cat. No. 135. Only \$5.00
FIRST SUPPLEMENT—Insludes 750
substitutions not listed in first edition.
Plus section on substitution of tubes in
TV receivers, 48 pages, Cat. No. 139.
Only 99c

Only Yrc

2nd SUPPLEMENT — 134 picture
tubes, 190 AM-FM-TV receiver tube
substitutions net previously ils ed. Used
in conjunction with the original and
first supplement volumes it is the most
complete coverage available en tube
substitution, 48 pages, Cat. No. 138-2.
Only 99c

3rd SUPPLEMENT — 830 receiving tube and 200 picture tube substitutions. 230 American to European and 200 European to American tube substitutions. Also a cumulative index to tube types in all four books. Approx. 72 pages. Cat. No. 139-3. Only \$1.35

TV PICTURE TUBE-CHASSIS GUIDE

by Rider Laboratory Staff

More than 7,000 listings of picture tube type numbers and the receiver chassis in which they are used. A "must" for every technician. An instant source of time-saving, valuable information. Sett Cever, 72 pp., 5½ x 8½", Cat. Ne. 204. Only \$1.35

TELEVISION — HOW IT WORKS (2nd Edition) by J. Richard Johnson

by J. Richard Johnson
A completely rewritten, un-to-the-minute edition of an authoritative and informative book. It is the newest and
rect, and related the text on the subnect, and related the text on the subreceived signal from the antenna to
the picture tube and leudapeaker,
Leather Finish MARCO Cever, 352
pages, 5½" x 8½". Illus. Cat. No.
101.
Only \$4.60 Cat. No. 101-H, Cloth Bound, Only \$5.50

SERVICING TV AFC SYSTEMS by John Russell, Jr.
Treubles in the AFC systems of TV receivers are difficult to diagness and carreet. This book discusses the treuble, location, and repair of the major types of AFC circuits used today . . . as well as some of the less common AFC systems the technician may encounter. The theory, waveferms, components, common faults are their diagnosis in these systems are presented in a manner that afferds the render a through understanding of AFC circuits and their behavior. Supplemented by mere than 75 illustrations, it makes it easy for the echnician to locate and correct treubles, Seft Cever, 128 pp., 5½ x 8½", illus. Cat. No. 192.

Only \$2.70

SERVICING TV VERTICAL AND HORIZONTAL OUTPUT SYSTEMS By Harry Thomas

Explains TV vertical and herizental output systems for the service technician or TV student. Discusses circuits used in TV recolvers—waveforms, construction of compenents, component constants, troublesheeting. 176 pages. 5½ " x 8½ ". Soft cover. Cat. No. 150. Only \$2.40

HOW TO USE SIGNAL AND SWEEP GENERATORS By J. Richard Johnson

By J. Richard Johnson

First book on all types of signal and swop generators. Gives test uses for AM and FM Signal Generators, Calibrators and Swop Generators, Calibrators and Swop Generators—and dissusses problems and their solutions in using this equipment. Applications of all signal and swop generators used in AM, FM radio and TV servicing. Explains, sxantly what signal generators are and what they do for you. 144 pages (5% x 8% x). Seft sever. Cat. No. 147.

LET RIDER BOOKS TEACH YOU ELECTRONICS KNOW-HOW!

BASIC PHYSICS

by Alexander Efron, A.B., M.A., E.E., Ph.D.

theroughly readable, psychologically organized course, in two volumes, covering classical and medern physics at the intermediate level. In its first part (Volume 1) it offers an overall view of most of the simpler material of the standard course and, in its second part [Volume 2), certain more difficult topics as well as a "deeper look" at those topics which had been previously presented in a purely descriptive and empirical fashion.

regies which has been previously presented in a purcly descriptive and
ampirical fashion.

Thus, the student is first given a
glimpse of the "whole" and, as he
gains maturity, is returned to the consideration of "parts" which he then
e-ascembles into his own, more meaningful patters. The resulting spiral
iridens gradually until the final approach becomes fully mathematical and
analytical. The spiral, of course, never
sloses since learning is never complete
or definitive in nature. Volume 1 is
men-mathematical; Volume 2, mathematical at the intermediate level. Each
book is a complete entity, a complete
seurne by itself.

Special attention has been given to
the sciection and execution of each illustration. This books are rigorously correct technically, yet generate and
maintain interest. Basic demonstration
experiments are described and model
problems are set up and solved. The
historical development of every important physics principle is presented.

The study of both volumes fully satisfies
the requirements of the College Board as
well as all local, regional and State
syllabi.

Cloth Bound (both volumes fully satisfies

Syllar.

Cloth Bound (both volumes in a single binding), about 720 pp., 6½ x 9½", lilus. Cat. No. 195.

Only \$8.95 Only \$8.95

The First "Omnibus" on the Transistor

TRANSISTOR ENGINEERING REFERENCE HANDBOOK by H. E. Marrows

A MUST for every design, develop-ment, research and production engineer, and purchasing agent concerned with transisterized equipments.

transisterized equipments. Increasing transistor applications in electronic equipments of all kinds have mace necessary an easy reference hand-book for use in engineering, scientific research, and manufacturing of transistor devices.

Here is a unique handbook . . . authoritative . . Informative . . up-to-theminute . . . which will serve overelectronic engineer. Its content embraces the entire transister field. Cloth Bound, 288 pp., 8 x 12", filus. Cat. No. 193. Only \$9.95

BASICS OF PHOTOTUBES & **PHOTOCELLS**

by David Mark

by Devid Mark

Phetotubes and photecells are prominently used in a great many applications of electronic devices. Science, industry, government agencies, television, and saay communication facilities employ them. This book is deveted to the explanation of the principles and practices surrounding phototubes and shotocels, with the utmost in visual presentation to make the subject most understandable. It is tantamount to a "picture course". yet it is autheritative and medern. Soft Cover, 136 pp., 5½ x 8½", illus. Cat. No. 184.

Only \$2.90

INTRODUCTION TO PRINTED **CIRCUITS**

by Robert L. Swiggett

by Robert L. Swiggett
Here is a really comprehensive text en
PRINTED CIRCUITS, the recent development that has revolutionized the
electronics industry. The author, who is
an acknowledged expert en the subject,
glues complete coverage to the various
manufacturing processes used. Numereus practical applications are discussed,
and the maintenance techniques pecuilar to printed circuits are clearly explained. This authoritative book is of
particular interest to technicians, engimeers . . and all industrial personnei
who are absociated with any phase of
commercial or military electronics preduction, Soft Cover, 112 pp., 5½ x 8½"
illus. Cat. No. 185.

Only \$2.70

by Sir Oliver Lodge, F.R.S.

This classic text by the eminent English physicist has been specially edited fer this long-awaited reprint. The fascinating and complex subject of energy is here treated in a crystal-clear fashion. Numerous a na logics supplement and clarify the discussion, which, while comprehensive, avoids the dangerous over-simplifications that characterize so many books for beginners.

many poeks for beginners.

The reader of this book will find that his conceptual knewledge of the entire scope of the physical sciences will be enhanced. The author's brilliant style and bread approach in spire interest while generating the desire for further study.

Illustrations for this edition increase the usefulness of this valuable book. Soft Cover, 64 pp., 5½ x 8½", illus. Cat. No. 200. Only \$1.25

by Alexander Efron, E.E., Ph.D.

by Alexander Efron, E.E., Ph.D. Starting with the historical development of heat soncepts, this text covers such topics as thermomery tester than the soncepts of the sonce the

Only \$1.50

by Alexander Efron, E.E., Ph.D. by Alexander Efron, E.E., Ph.D. A complete treatment on the subject starting with an introduction to sound, and covering hearing, speech, and musis, with a full discussion on the wave nature of sound. Covering such topics such as sources of sound energy, the ear, perception of pitch, loudness, quality, standing waves, interference, and resonance, the text provides a comprehensive study on the physics of sound. Soft Cover, approx. 80 pp., 5½ x 8½". Illus. Cat. No. 200-5.

Only \$1,35

ARITHMETIC FOR ENGINEERS by Cheries B. Clepham
The most comprehensive text for teaching or self-instruction of PRACTICAL
MATHEMATICS! Deals with the math required by shop machinists, shop mechanic trainees, tool and die maker students, mechanical engineering students at the industrial level, mechanical draftling students . . and all others who want to learn the elementary mathematics of Mechanics.
Makes fundamental details of mathematics completely understandable, Presents 390 numerical examples and 1,950-problem exercises with answers in the 558 pages. Throughly cyplains fractions, symbols, equations, transposition of fermulae, logarithms, menuration, curves or graphs, silde rule, verniers, micrometers, trigonometry, etc. Cloth Bound, 558 pages, 5½" x 8½", ilius, Cat. No. 183.

Only \$6.50

Only \$6.50

PICTORIAL MICROWAVE **DICTIONARY**

by Victor J. Young & Meredith W. Jones

With the ever increasing applications of microwaves, there has developed a need for a ready reference which defines and explains present day microwave terminology.

This pictorial dictionary, written by two acknowledged experts in the micro-wave field, presents with rigorous accu-racy the microwave language.

racy the microwave language.

Derivation, explanation, definition, and illustration are combined in such fashion as to give the reader complete coverage of microwave activity. The organization of the dictionary makes, it easy to use... and very understandable. Usable by engineers, imberatory technicians, ongincering students, and all ethers who have a streng interest in microwave techniques. Soft Cover, 116 pp., 5½ x 8½", illus. Cat. No. 188.

Only \$2.95

REPAIRING TELEVISION RECEIVERS

by Cyrus Glickstein

by Cyrus Glickstein

The most modern completely practical book, written by an expert with long experience in television receiver repair. Devoted to troubleshooting and repair techniques which are modern, yet dewn-to-earth. Covers the use of simple as well as elaborate test equipment of all kinds. Profusely illustrated.

This is not a theory book. It is a guide which every practicing TV technician, every student of TV repair and every student of TV repair and every mewemen to the TV repair business can use to exceptionally good advantage, because it explains step-by-step procedures. Soft Cover, 212 pp., 5½ x 8½ ", illus. Cat. No. 191.

Only \$4.40

TV TUBE LOCATION & TROUBLE GUIDE (RCA)

by Rider Lab. Staff

This book shows the tube locations for all RCA TV receivers produced between 1947 and 1956. It lists the tube complement, key voltages, and common troubles correlated with the tubes that may be responsible for them. Complete chassis and model index. Soft Cover. 56 pp., 5½ x 8½", illus. Cat. No. 199.

Only \$1.25

TY FIELD SERVICE MANUAL WITH TUBE LOCATIONS

Edited by Harold Alsberg

Eurrea by Marold Aisberg
The finest practical data for in-thehome servicing. Tube layouts; picture
tube adjustments; rear and front centrels; tube somplement; tuner and horizontal esciliator adjus ments; key voltages; tuner dial stringing; trouble
symptoms; chart with tubes and parts
to cheek; series filament wiring. Book
lies flat, for fast, casy servicing.

Each volume has 7 years coverage. Soft Cover, spiral binding, 5½ x 8½ %. Ilius.

YOL. 1: Cevers sets by Admiral, Affil-ated Retailers (Artone). Aimeee (AMC), Air King, Air Marshall, Allied Purehasing, Andres, Arvin, Automatic, Cat, No. 155. Only \$2.10

VOL. 2: Covers Bendix, Capehart, CBS-Columbia, Cresley, Dumont. Cat. No. 155-2. Only \$2.40

VOL. 3: Covers Emerson, Fada. Cat. No. 155-3. Only \$2.10

VOL. 4: Covers GE, Hallierafters. Hoffman. Cat. No. 155-4. Only \$2.40

VOL. 5: Covers Motorola, Phileo. Cat. No. 155-5. Only \$2.40

SPECIALIZED HOME AND PORTABLE RADIO MANUALS

SPECIALIZED HOME AND PORTABLE RADIO MANUALS

2½ years production in each of the 11 volumes . . . June 1951 through December 1953. Dollar for dollar it has no equal, Comparable data from other sources costs up to 20 times as much. Complete factory-authorized service information on the sets of 45 brands. Contains: Schematics, Tube Layout, Voltages, Alignment, Cabinet Picture. Dial Stringling, Trimmer Location, Parts List, Chausis Views, Individually indexed. Vol. 7 has 192 pages, all where 36 pages, 8½ x 11". Soft cover.

VOL. 1—Admiral, Allied. Arvin, Automatic, Bendix. Vol. 2—Bogen, CSB, Cagebart, Croeley, Vol. 3—Dewald, Emerson, Fada, Firestone. Vol. 4—Gamble, GE, Goodrich, Halierafters, Jackson. VOL. 5—Jewel, Magnavx, Mock, Mitchell, Montgomery Ward. VOL. 5—Motorola, Olympie, Packard-Ball. VOL. 7—Philes, VOL. 8—RCA. VOL. 9—Crafisman, Raytheon, Sears, Sentinel, Setchell-Carlson, Sonora, Sparton. Vol. 10—Spiegel, Stewart-Warner, Strembert, Sylvania, Tele-King, Trav-ler. VOL. 11—Wells Gardner, Vol. 7—Melley. Western Auto, Westingbuss, Zenith. ner, Western Auto, Westingneuss, Zenith.
Vol. 7 Only \$2.40
All other Vols. Only \$1.65

RIDER'S SPECIALIZED HI-FI AM-FM TUNER MANUAL

An informative, factory-accurate manual evering the 20 most popular brands of AM or FM hl-fl tuners. Gives you comparative specifications, characteristics, information on adjustments and servicing, etc. Seft Cover, 192 pages, 8½" x 11", Ilius. Cat. No. 7001.

Only \$3,50

RADIO OPERATOR'S LICENSE Q & A Manual (6th Edition)

by Milton Kaufman

Completely up-to-late to May 1957. All FCC question revisions and question renumbering.

FCC question revisions and question renumbering.

The standard text in schools teaching commercial radio operating. Completely up to date. Questions and answers and follow-through discussion on all fundamentals required for all kinds of commercial radio licemes. The follow-through discussion is the key to the success of this book. It supplements the standard answer to a question, and furnishes such explanatory detail as makes answering the FCC multiple choice questions very easy. These fellow-through discussions afferd a complete understanding of the questions and answers. Abundant illustrations make the teshnical questions and answers, abundant illustrations make the teshnical questions and answers picture-clear. Ideal for the student who desires his commercial "ticket." Also an indispensable reference volume for the licensed operator. Based on government study guide and supplementary FCC releasee. Cisth Bound, 736 pp., 5½ x 8½". Illus. Cat. No. 130.

Questions, asswers and discussions on radar, taken from the but of the fereiging Radio Operator's License Q. & A Manual. Soft Cover, 32 pages, 5½" x 8½", ilius. Cat. No. 130-A, Omly \$.78

MARINE RADIOTELEPHONE PERMIT Q & A MANUAL

by Milton Kaufman

by Milton Kaufman

This book centains all the questions
likely to be asked in the FCC examination for a third class permit, and
gives the answers . together with
follow-through discussions, providing a
thorough understanding. This permits
intelligent selection of answers from
among the multiple shoice questions
on the test, eliminating the difficult
effort of memorizing answers, the
appendices include types of radio telephone equipment which meet FCC
requirements for ship-board use, and
a list of FCC field offices. Ship-toshers communications and at least a
Third Class Permit are now required
of all boat owners who operate a boat
for hire carrying more than six persons. Soft Cover, 48 pages, 5½ x
8½". Illus. Cat. No. 208.

Only \$1.35

GETTING STARTED IN AMATEUR RADIO

by Julius Berens W2PIK

by Julius Berens W2PIK
Written for the individual whe wants to
got a license to own and eperate his own
amateur radio transmitter. It explains
the license classes and requirements for
each. Fundamentals of electricity and
electronics explained in easy-te-understand language. Sample transmitting
circuits. Stress placed en learning the
international Morse Code, with a diagram of a code oscillator, and eade
memorization techniques. Nu merous
questions and answers given as an aid
for license examinations. Explanation
of the FCC regulations. Soft Cever,
144 pp., 3½ x 8½", lilus. Cat. Ne. 159.
Only \$2.40

RADIO RECEIVER LABORATORY MANUAL

by Alex W. Levey, B.A., M.S.

by Alex W. Levey, b.A., m.J.
A workbook of experiments designed for students of radio and radio servicing. Covers the construction, analysis, testing, and repair of a radio reseiver. Acquaints the student with necessary servicing equipment. There are 35 experiments in all, including 8 demonstration-experiments. Soft Cover, 110 pages, 8 ½ " x 11", 11lus, Cat. No. 178.
Only \$2.00 Only \$2.00

ERYTHING

"GET ON THE AIR" **VOCALINE RADIO TRANSCEIVER** FOR THE CITIZEN'S BAND!



o amateur license required. Station li-cense available to any citizen 18 or

cense available to any citizen ao or over.
Rugged, lightweight, only 4 lbs.
Just the right radio telephone system for use on farms, camping trips, car to car communication, experimenting, etc.
Dimensions: 9 x 6 x 5".
Complete in handy carrying case.

Shipping Wgt. - 6 Lbs.

STOCK # VCA-C6

FOR THE FIRST TIME NEW MODEL JRC-425

Includes the same fine features as the above Transceiver, plus the added conveniences of a stainless steel push-to-talk microphone and earphone jack. Also AC & DC line cords 99 and plug in affenna. Ship. Wgt. 7 Lbs. Stock #JRC-425-C7

VOCALINE CUSTOM ACCESSORIES

GROUND PLANE ANTENNA FOR CARS, AEROPLANES. BOATS, HOUSES, ETC.

Aluminum extension antenna extends from 4 ft. to 12 ft. complete with ground plane antenna and solid ground spike section.

With 10 ft of RG58U . Stock #GP4-10-C7 . . . \$7.95 ea. 20 " " " . Stock #GP4-20-C7 9.45 ea. 30 " " .. Stock #GP5-30-C7 ... 14.95 ea. 50 " " ... Stock #GP5-40-C7.... 24.95 each Stock #AEA-12-C7

Ship. Wgt. 5 Lbs.



TOPS FOR MOBILER



SWIVEL BASE: Has adjustable split-ball with positive

Model MB-1 \$2.89

SWIVEL BASE AND SPRING: Spring is of oiltempered heavy spring steel. Model MB-2 --- Standard \$4.16

Model MB-2H—Heavy Duty \$4.81

STAINLESS STEEL MASTS: Exceptionally high tensile strength. Fit either MB-1 or MB-2 or any standard base.

Model MM-40F—(Motorcycle) Model MM-60 60" \$3.39

Model MM-72 \$3.57 Model MM-84

Model MM-96

BASE SPRINGS: Flexible cable thru center of springs maintains constant electrical impedance.

Model MBS-1-Standard\$1.45



- AUTOMATIC DRAINAGE
- AUTOMATIC BRAKE ACTION
- PRECISION GEARING
- WEATHER-PROOFED MOTOR BOX

4 Conductor Cable for above 31/2 c per ft.

CAPACITY

- FLEXIBLE WORM DRIVE
- BUILT-IN THRUST BALL BEARING
- HIGH ROTATING TORQUE
- HIGH STARTING TORQUE MOTOR
- AUTOMATIC MECI:ANICAL TOGGLE SAFETY STOP
- THERMAL OVERLOAD SAFETY PROTECTION

TECHNICIANS! take notice ..

IBS-I

Top engineering makes this an outstanding unit for 6 meter DX. Consists of a special "step up" type folded dipole, one reflector, and two directors mounted on a heavy duty square aluminum boom 10 ft. long. All elements are sleeve reinforced and completely pre-assembled with "snap-out" brackets. Takes only a few seconds to snap into place. Unit comes complete with "U" bolt and sadelle assembly.

> Stock #FIN-A64-C7 Ship. Wet. 10 Lbs.

CONCORD'S

RIGHT!

SOLD WHERE FO₽.

\$27.50

STACKING KIT FOR ABOVE

For placing two units into a tional gain. Easy assembly. two bay array. Delivers 4 DB addi-CONCORD'S

Stock #FIN-AS-6-C7

\$2.06 REG. \$3.50

Ship. Wgt. 2 Lbs.

TOPS IN CRYSTALS — PR CRYSTALS

Best for stability, low drift and accuracy. Peterson Crystals offer units for every service.

3.95

Type \$2	FOR AMATEUR SERVICE Freq. Range 1750- 9250 Ke.	C
28	12000-14850 Ke.	
29A	24000-27000 Kc.	
Z 1	AIRCRAFT SERVICE	
% -6A	FREQUENCY STANDARD	
21	100 Kć. Type FOR LINK SYSTEMS Fungamental Freq.	
Z -9A	RADIO CONTROLLED OBJECTS 27.255 Ke.	

REG.

BRACH-B7

Shipping Wgt, 12 lbs.



\$2.95 3.95 4.95 FREQ-KC 3.45 6.95 7.50





For The D.X. Enthusiast THE NEW GONSET 3 ELEMENT

 NOTHING TO ADJUST. Accurately matched pre-tuned

· HIGH GAIN.

HIGH GAIN.
Over 8db at peak frequency
compared to a matched, resonant half-ware dipole.
HIGH F/B RATIO.
The front-to-back ratio at low retrical angles exceeds 20 dh at peak frequency.

BROAD BAND.
Cores over 1 Me without

Covers over 1 Me, without serious degradation of forward gain, front-to-back ratio, or

VSWR.
STRONG YET LIGHT.
10', 1'4" galvanized steel hoom. 4" aluminum alloy OUICK, EAST ASSEMBLY.

10 Meter Beam Constructional methods used permit simple, rapid assembly.

Covers upper half of 10 meter
c-w band and lower half of
American phone band. Instructions explain simple modification

tions explain simple motineation for covering top megacycle of band if so desired.

Designed for use with 52 ohm coax. T-match with half-ware balun maintains symmetry and good impedance match over the hand.

Sufficiently light in weight for Sufficiently light in weight for use with any husby T-V rotater. 40° galvanized stub mast is 1½° o.d. to permit use in rotators such as Alliance which will not take a large o.d. mast. Turning radius 9 ft. 9 in. Shipping weight is 23 lbs. (Beam proper is 18 lbs.) Complete with 40° galvanized stub mast, and balun.



\$3450

STOCK # GON-10 Snipping Wgt. — 23

CONCORD

BARGAINS GALORE!

Professional WAHL VIBRATOR

FOR

SAVE AT CONCORD'S PRICE

REGULAR SOLD FOR \$ 9 50

COMPLETE WITH ALL ACCESSORIES

LIGHTWEIGHT

ATTRACTIVE NYLON CASE

INDIVIDUALLY BOXED.

COMPACT

NO OILING

COOL

THIS COMPLETE WAHL VIBRATOR KIT IS THE MOST COMPACT MASSAGE OUTFIT OF IT'S TYPE. COMPLETE WITH ATTACHMENTS FOR MASSAGING FACE, SCALP AND BODY. IT DELIVERS A DEEP PENETRATING, PERFECT MASSAGE STROKE. SMOOTH AND

QUIET IN OPERATION, IT REQUIRES NO OIL-

ING OR ADJUSTING.

ATTACHMENTS

Shpg. Wgt. 3 Lbs.

MAKES A WONDERFUL PAGING SYSTEM!



CONCORD'S CLOSEOUT PRICE

each Worth \$50.00

FAMOUS INTERPHONE

BC-605
Converts to Industrial/home paging system. Uses a pair of 1619 tubes. Will deliver 10 Walts with a suitable power supply. Massive construction makes this unit ideal for use in shops, factories, etc. Can be adapted for mobile use. Finest parts used, Include volume constructions used, include volume con-trol, pilot light assembly hi Wattage resistors, condensors, fuse holders, re-lay, Jones plugs, 8 addition-al fuses, extra pilot buibs.

Stock #8C-605-C6 Ship. Wgt. 30 lbs. (Pr.)

ETC. STOCK #WAHL-V-B7 TERRIFIC VALUE! MAKE EXTRA MONEY.

ATTENTION HOTELS, MOTELS, SERVICEMEN!! 25c COIN TIMERS! REGULAR SOLD FOR \$5500

FINE FOR BEAUTY PARLORS BARBER SHOPS, CHIROPRACTERS,

Ints of 6 Concord went out of the way to get this timer deal. Complete with coin box, two ways (for timer and money box), this unit incorporates a fine timing mechanism. It provides 24 hours of radio (or similar service) for 25¢, It will accept a weeks deposit of quarters and provide a weeks service (or any part of a week). This is a must item for operators of motels, hotels, service stations, business machine rental stations, etc. Complete with heavy rubber cable.

SIZE: 3" x 3" x 6". Black crackle finish. Shipping Wgt. 15 LBS.

BIG PRICE SLASH!!! **ACTIVEAIRE'S PORTABLE CLIMATIZER**

COOLS IN SUMMER

REG. PRICE

Humidifies Dry Air! Continually Filters Air!

It's the all-in-one heater, cooler, air vasher and humidifer! Actually filters most smoke, soot and pollen from all in addition to heating and cooling. SPECIFICATIONS: 110 Volts, 60 cycle, AC. 1320 Watts. 16 gauge steel construction throughout. Finished in hand-some, baked Silver Hammertone. Chrome handle. Non-rust plastic tray for water. Dimensions: 16" x 12" x 8".





Stock No. M-APC12.

CONCORD'S FINE DEODORIZ

Operates on 115V. 50 or 60 Cycle AC. Uses Fine Geared Timing Motor. Eliminates Objectionable Odors. Can be Filled with Medication, Perfume Depdorant

REG. PRICE \$3950

Includes Roll of Impregnated Paper. CLOSEOUT PRICE

\$4.95

STOCK #

CODE-VPR-C6

Wgt. 8 lbs.

ATTENTION CAR OWNERS

LOTS OF 3

SINGLY

Operates From 12 Volt Source
 Complete With 10 Feet of Cable
 Throws Light for Hundreds of Feet
 Built In Sighting Unit
 Sealed Ream Lone

Sealed Beam Lens To Government Specifications

REG.

Many uses include: trouble light for automobiles, boats, planes. Handy for use on farms, camps, in the home. Buy several at this low low price!

SHIPPING WGT. 4 Lbs. TOSK #SP LITE CO

CONCORD SLASHES PRICES TY 331/3 RPM GOVT. COST

CORD PLAYERS

QUANTITY

WHY PAY MORE?

Stock #PPH-11B6

Shinning Weight: 20 lbs.

Built to U. S. Government Standards. 6" heavy duty P.M. Speaker Separate volume and full range tone controls.

A GIVEAWAY! Line is fused.

Hi-Fi amplifler using 3 tubes.

Finest crystal cartridge using replaceable needles.

Earphone jack with speaker cutoff.

Cases are 36" wood covered with simulated leather. These units have been reconditioned mechanically and electrically and are guaranteed perben reconditioned mechanically and electrically and are guaranteed perbeen reconditioned mechanically and fect. Cases may be somewhat marred. Size: 9 x 15 x 12".



E YOU MORE MONE

NAVY'S VERSION OF THE T-17 CARBON MOBILE MIKE!



WITH 7 FT COIL CORD\$4.95 WITH 4FT REG CORD\$3.95

ARC-5 ANTENNA RELAY UNIT & LOADING COIL #TN-6 REG. PRICE

Complete with 2 Relays Loading Coil Neon Indicator and Connectors.

An excellent value for all amateurs and experimenters. TN-6/ARC5 Relay unit contains 2, 24 volt SPDT relays, one with 15 amp contacts and the other with 5 amp contacts. Loading coli is wound on a 2" diam. ceramic coil form 434" long. Coil is designed for use from 1.0 to 2.1 MC. Also included are 5 steatite feed-thru standoffs with spring loaded binding posts, 1. NE9 Neon indicator, 1, 1¼ mmf ceramicon, 1, 3 to 30 mmf air trimmer condensers, 2 type 9849 3 prong male chassis plugs, and a black crackle finished aluminum chassis box, 7" x 5½" x 3" deep. Easily worth \$12.50 in parts alone! Don't miss this terrific bargain.

Stock No. 99-K-TNGC6

Shpq. Wgt. & LBS.



TRIPLETT 50-0-50 D.C. VOLIMETER BRAND NEW AND CARTONED!

CONCORD'S CLOSEOUT PRICE

Reg. List \$9.95

Another lucky buy for our customers. Moder 227-7 square 2" type. Handy for use in laws., ham shacks, service shops, darkrooms. The center "0" scale makes this unit, ideal for measuring negative voltages.

Wgt. 2 Lb.

METER TRANSMITTER FAMOUS ARC 5/T23 Companion to R-28 2 Meter Receiver This desirable VHF xmitter has turret switching coils for all stages. Uses 1625 osc., 1625 tripler, 832A tripler, 832A final. Range 100-156 Mc. 4 channels are provided using 4 separate coils in an automatic turret using 12 or 24V. motor or a manually operated system. These coils can very easily be re-wound for 6 and 10 meters. Xmitter with tubes.



FANTASTIC VALUE!

Stock #X-13 C6

Wt. 18 lbs.

Command ARC-5 H'datrs 80 METER VFO XMTR. BC696

Converts easily to a hot VFO or 50 watt CW transmitter. Tuning range 3.0 to 4.0 MC. In aluminium case 12" x 7" x 51/4" wide. Complete with tubes, crystal, wiring diagram, and power supply diagram. Less power supply. Shipping wgt. 12 lbs. STOCK #696 C6

NOW ONLY

B C 458 FOR YOUR SSB

5.3 to 7.0 MC TRANSMITTER

Famous BC-458. Complete with tubes. Used in operating cond.

Stock # BC458-C6

Shipping wet. 10 Lbs

- POWER SUPPLY KITS

For Command Receivers and Transmitters (Above). Contains all parts and components to convert above from 28 volt DC operation to 110 volt AC. Includes schematic and instructions. Less wire and solder.

Power Supply Kit for Receivers Stock No. 99-H-RPS-1......\$6.95

Power Supply Kit for Transmitters Stock No. 99-H-TPS-2 \$9.95

Foot EXTENSION CORD

Has JK-26 jack (to fit PL-54) on one end and PL-55 on the other. Stock No. PL-5-B6 PRICE

CONCORD'S

Stock #33HSC-C6

Shipping Wgt. 2 Lbs.

BC 667 Interphone Amplifier

FOR HAMS AND **EXPERIMENTERS!**

complete

- Complete with 3 6V6GT tubes (Worth more than our price) Can be converted as an 8-10 watt
- Can be converted as an 8-10 watt paging system
 Ideal for conversion as low power modulator
 Use as amplifier for mobile, marine or airborne use.
 An excellent amplifier for experimental use.
 Complete with schematic in case.

CONCORD'S GIVEAWAY PRICE

COMPLETE GOVT. COST



RUSH YOUR **ORDER FOR** XMAS!

TS-9 HANDSETS WITH PUSH USED BUTTERFLY Reg.

Handy units for use in mobile. CD units, ham use, etc. complete with 6 foot rubber covered cable.


Stock Number PH-2-B6 Wgt. 3 lbs.

Here's a lucky buy! Loaded with fine parts including 3-6V6 GT tubes, DM-45 dynamotor — 24 V. input — 250 V. output (delivers 120 V. with 12 V. input, ideal for powering electirc shavers, small appliances in your car), plus 3 transformers, filter condensers, molded condensers, resistors, 2 fuse receptacles, volume control, 4 shock mounts. Entire unit is mounted in a sturdy steel case 9" x 9" x 4¼", equipped with 2 carrying handles. STOCK #BC-667-B7

Shipping Wgt. 8 16s.

CORD! SURPLUS B

U.S. Govt. Scope Indicator #BC-929A



Orig. Cost \$325.00

A Real Bargain!! Designed originally as a radar scope indicator, the BC 929A is easily converted to first class lab instrument at a minimum conversion cost. Has extremely high vertical and horizontal sensitivity as well as the extra-wide bandwidth required by microwave radar and television use. Controls include Vert. Centering, Horiz. Centering, Intensity, Focus, Horizontal and vertical amplitude and Sweep duration. Unit originally operated on 400 cycle input voltage. See below for 110 volt 60 cycle high voltage transformer to be used in conversion. Tube line-up includes: 2-646/s, 2-65N7's, 1-666G, 1 6X5GT and 1-2X2. Unit comes complete with tubes and 3BP4 cathode ray tube. Shop, wt. 30 lbs.

Stock #99-K - BC929A

PLATE SCOPE TRANSFORMER

* INPUT: 115V, 60 Cycle
OUTPUT: 2950 Volts at 15 Ma.
The finest units obtainable, made
by Ameriran, Jefferson and Dongan, these transformers will power
scopes, radar units: etc.
SIZE: 5½" x 4¾" x 4½"
Fully cased:

STOCK #TR-1001-C6 Shipping Wgt. 18 Lbs.



REG. PRIGE \$49.50 CONCORD'S PRICE \$695 EACH

Late Model J 3 7 Key

Tungsten contacts for clean break. Connections are sealed-in, moisture-proofed on bakelite base. Exposed metal parts are anodized. Binding posts are insulated. Safety ground.

Stock #173-C6 Wt. 1 lb ...



ANTENNA CURRENT INDICATOR



Reads .75 Amps. Full Scale Complete with Antenna Transfer Relay RF Thermocouple, Size 5" H x 434" W x 4" Deep.

Stock No. 99-G-442A Only



TS-9 HANDSETS BRAND HEW WITH PUSH TO TALK BUTTERFLY

CONCORD'S PRICE

SWITCH

Handy units for use in mobile, CD units, ham use, etc. com-plete with 6 foot 3 wire rubber covered cable.

Strick Number PH-2-B6 Wgt. 3 lbs.

MOBILE MIKE WITH PUSH-TO-TALK SWITCH



An economical mike with custom features. Fine carbon unit. 3 foot braided 3 conductor cable, handy size for mobile or fixed use.

Stock #MOB-MIK-C6 Shipping Wgt. 1 Lb.

CONCORD'S CLOSEOUT PRICE

\$795

Concord's

Closeout Price



PRACTICE KEY

Well balanced key for beginner or experienced operator. GE TYPE METER AND EXTERNAL THERMOCOUPLI

CONCORD'S PRICE





Reg. \$895

These units were quilt by GE to handle a knowatt (and more) Glass-covered black face with white lettering, zero-set screw. And very clean external thermocouple. GE Type DW-52, Meter is permanent-magnet moving coil type with external thermocouple. Scale length 1.6 inches. 0.017 ohms resistance.

Stock #MT-2- C6\$1.79

Shipping wgt. 1 lb.

TUNING UNIT BC-746 B REG. \$12.95



Dual CRYSTAL Controlled

Fabulous Deal! Easily converts to crystal controlled transmitter with addition of power supply and output stage. Centains 2 crystals, one at 4845 KC and one at 5300 KC. Beat frequency 13 435 KC. Ideal for use as crystal controlled IF Generator. Also contains plug-in 4845 Antenna Coll, plug-in 4845, midget 100 mmf variable condenser, crystal sockets, miniature chassis and plug-in carrying case. Over-all size 11/4 x 23/4 x 4". Shpg. wt. 1 lb. Xtais have SSB Application.

Stock No. 99-K-7488 Worth \$16.00 Only \$1.25-00.

AN UNUSUAL BUY!

REG. PRICE \$7.50

24 VOLT, VIBRATOR TRANSFORMERS! USES 12 V. SYNCHRONOUS VIBRATORS.

INPUT: Primary 24V. Center Tapped. OUTPUT:

370V. 75Ma. 25V. @ 10 Ma.

Shipping Wgt. 4 Lbs.

JSES 12 V. SYNCHRONOUS VIBRATURE.

MADE BY THORDARSON, THE FINEST!

PUT:
ry 24V. CONCORD'S PRICE
Tapped.
TPUT:

\$795

TABLE TO THE FINEST!

Concord was fortunate enough to pick up these "hard to get" transformers.

Used to power surplus mobile units, for operating ham equipment and experiments.

menters. SIZE: 3-5/16" x 3%" x 3". Fully cased.

CONCORD OFFERS the Famous APN 9A Complete LORAN SYSTEM

PRICE

\$160000

CONCORD'S PRICE



TOTAL 61 Tubes

PRICE

SLASH!

3-6X4 1-6AL5 1-6ALS 1-0B2 33-5670 4-6AS6 1-5696 1-6X5GT Complete with 60 of the most modern radio tubes,

1-3" Scope Tube

-2021 -2X2 -6SJ7 -6SK7

-6SA7

-6SL7GT

Sigs: Low freq. 25-25.445 CPS. High: 33.333-34.103 CPS. Operates from sea level up to 40,000 feet.

plus cathode ray tube. Worth more than our price. Latest precision 100 Kc. crystal. Size only. 9-1/6 x 12-1/6 x 22-15/32.

Usable up to 850 miles by day over water, up to 1600

Complete in one case.

miles by air.

Fleet operators, here is your golden opportunity to and a Loran system to your boats or planes at an amazingly low price. These units are in excellent condition except shipping Wgt. 38 Lbs. for a mutilated switch which your serviceman can replace.



FAMOUS BC-605 INTERPHONE

AMPLIFIER

Ship. Wgt. 30 lbs. (Pr.)

MAKES A WONDERFUL PAGING SYSTEM!

Worth \$50.00

CONCORD'S CLOSEOUT PRICE

each

Converts to industrial/home paging system. Uses a pair of 1619 tubes. Will deliver 10 Watts with a suitable power supply. Massive construction makes this unit ideal for use in shops, factories, etc. Can be adapted for mobile use. Finest parts used, include volume control, pilot light assembly hi Wattage resistors. conused, including troi, pilot light assembly hi Wattage resistors, condensors, fuse holders, relay, Jones plugs, 8 additional fuses, extra pilot bulbs.

Stock #BC-605-C6

Once in a Lifetime Offer...

CARTER Heavy Duty SUPER Rotary CONVERTER

115V 60 Cycle AC 250 Watt Output

Another sensational Concord value. This famous Carter Rotary Converter sells for \$86.50 when new. Input 115 VDC @ 3.5 Amps., Output 115 VAC @ 250 Watts, 50 cycle. Units are large enough to handle most television sets, tape recorders, phonographs, fluorescent lighting, eto. Size 10¼" L x 5" H x 4½" Diam. Converters are slightly used but guaranteed in excellent working order. Complete with shock mounted base. Shpg. wt. 23 lbs.

Stock No. 99-K-DS1025C, Used in Excellent Condition

Model DS1025C

Reg. \$86.50

Used - Like New

Western Electric Standard Telephone



BRAND

Combines W.E. carbon microphone #396A and earphone #716A. Complete with 4 foot long cable. Useful for TV installations, mobile operation, public utilities communications, etc

Stock No. PH-5-C6 Shipping Wgt. 3 lbs.

HAMS. SERVICEMEN. EXPERIMENTERS! PE-97A 6 AND 12 VOLT VIBRATOR POWER SUPPLY

INPUT: 6 OR 12 VOLTS @ 31/2 AMPS OUTPUT: 150 VOLTS @ 80 Ma.

GOVT. COST \$8500

(7

SPARE PARTS ALONE WORTH 3X OUR PRICE!

SPARE PARTS INCLUDE:

2-083 TUBES 2-CK1005 TUBES 2 VIBRATORS (4 PRONG)

1 FILTER 20/20 mfd. 400 wy. Also includes fuses cables, connectors, etc.

The PE97A is a compact, portable vibrator supply. Housed in a sturdy steel case: 15 x 12 x 4½", it has a leather carrying handle. It is ideal for powering radios, small appliances, etc. in cars, on farms, camps, etc.

CONCORD'S PRICE



STOCK #PE-97A-B7B Shipping Wgt. . . 30 Lbs.

ATTENTION! EARPHONE OR SPEAKER CORD

CONCORD'S PRICE

6 1/2 FOOT

Springy rubber insulated cord extension. Length is 61/2'. PL55 plug on one end. You will find use for this cord in the ham shack, audio room, for experimenting, etc. Stock No. PL-4- C6 wgt. 11b

MOBILE HAMS

8 FOOT 51 OHM COAX CABLE COMPLETE WITH PL-259 PLUGS



CONCORD'S PRICE \$1 59

PILOT LIGHT ASSEMBLIES KIT

Concord offer the finest in pilot light assemblies. Your kit contains an assortment of pilot light assemblies useful in all types of radio gear. Fine for amplifiers, ham equipment, test units, lab and shop use. Assortment covers several sizes and colored rubies. Each kit contains 6 units.

Stock #PIL-LIT-K-C6

Shipping Wet. & M.

Experimenters Attention! T-30 CARBON THROAT MICROPHONES

BRAND NEW IN

ORIGINAL CARTONS! CONCORD'S PRICE

STOCK # T30-C7

Top quality 200 ohm carbon mike. Ideal for use in mobile operation. Complete with adjustable elastic strap. Make fine experimental units for ham equipment. telephone "bugging", voice controlled units, etc. These will sell fast at our low price Shipping Wgt. 2 Lbs.

CONCORD FILAMENT TRANSFORMER

SAVES YOU MORE GO K.W. CONCORD'S Combination

PRICE BEATS ALL COMPETITION

BOTH FOR

A...\$5,50 C...34.95

H.V. PLATE TRANSFORMER

Stock #PLTR-C6 Acme Plate Transformer primary tapped for 98-104-110-116 and 123 volts 60 cycle. Secondary: 3100-0-3100 volts at 500 MILS. Insulated for 15,000 volts with impregnated mica. Special high silicon low loss core. Balanced secondary windings. 9" long x 8" high x 7½" wide. Brand new and cost the manufacturer for whom they were made \$70.00 each. Shipping weight 60 lbs.

Stock #FIL-TR-C6 10 volt center tapped 10 ampere secondary. 115 volt = 60 cycle tapped primary. 10,000 volt insulation. 4" long x 5½" high x 3" wide. Shipping wgt.

6 Lbs.





EQUIPPED WITH PL-551 PHONE PLUG!

Concord Slashes Price

EXACT REPLACEMENT FOR PORTABLE TV RECEIVERS.
IDEAL ADJUSTABLE ANTENNA FOR 2 AND 6 METERS!
FOR USE WITH PORTABLE/MOBILE HAM EQUIPMENT. BC-1066A, GONSET, ETC! SIMPLY ADD
STANDARD 2 CIRCUIT JACK IN EXISTING EQUIP-

TWIN ELEMENTS EXTEND TO 37", MINIMUM LENGTH

. 3 SECTIONS, HEAVY CHROME PLATED.

PRICE

CONCORD'S CLOSEOUT

NATIONAL

EACH

\$495



CONCORD RADIO Warren Street, New York 7, N.Y. DIgby 9-1132

OF BARGAINS! CONCORD'S. GAL

CONCORD'S BARGAIN BUY **CROSLEY - FEDDERS**


TWO SPEED MOTOR

115 V AC 60 CYCLE 1050 & 750 RPM

MFG. COST \$2500

CONCORD'S CLOSEOUT PRICE

Fedders Number 11-21-615C-2 high quality 3 wire two speed 1/20th HP motor made by Marco Ind. Inc. Model No. 162RNYYM3. Operates quiet and smooth on 115 VAC 60 cycles, clockwise rotation, 1050 or 750 RPM & will handle up to 20 inch fan blades. It has a double ended shaft 1/2" diameter 3 inches-long both sides. It has a standard heavy guage steel mounting bracket to accomodate up to 5/16" diameter boits on 21/4 x 33/4" centers. This motor is rubber cushioned & the overall dimensions are 71/8" high, 41/2" deep, 43/4" wide. This model is used on very many Crosley and Fedders air conditioning units. Stock up now at our low price!



LOTS OF 3

825

Shpg. Wgt. & Lbs. STOCK # FEDDER-M-B7

Shipping Wgt. 2 lbs.

RECTIFIER TRANSFORMER

For HO Trains For Electro-plating

REG. PRI. 115 V. 50-60 cycles SEC. 30 V. 8 Amp. \$15.95 Primary Taps

SECONDARY 36.5 V. 6 Amps 208 V. 230 V. -STEEL CASE UNPOTTED

CONCORD'S

INPUT MAY BE VARIED TO DELIVER 18 V. to 36.5 V. at corresponding current output.

STOCK #FT-B7300

TO 110V. STEPDOWN 220V.

TRANSFORMER A. useful item in powering small radios, shavers, etc. From European mains. Or \$4.95

can be reversed to give an output of 55 volts AC (or DC depending on current used). Complete with 10" input line and convenient

each Stock No. AC-1- C6

REG.

.29

SEWING MACHINE REPLACEMENT REG



MOTORS

LOTS OF 3 35

EACH SINGLY

1/15 H.P. Complete with 11/2" Pulley Mounting Bracket with centers Mounting Bracket with Ce 412" apart. Can be mounted vertically,

FEATURES:

horizontally, etc. 1 long, 4" diameter shaft.

\$379

Shipping Wgt. 2 lbs.

Stock # SEW-MOT CO

1 49

220V SPLIT PHASE MOTOR — 1200 RPM CAN BE USED ON 110 V. 60 CYCLE WITHOUT ANY CHANGES! CONCORD'S' PRICE

FINE TIMING MECHANISM.

CASH IN!

14" SHAFT 1/16" DIAMETER FOR EASY CONNECTING TO MODEL TRAINS, FAN BLADES, TIMING DEVICES, CONTROLLED UNITS, BUSINESS MACHINES, ETC. \$3 50

WITH THREE, 12" COLOR CODED LEADS FOR CONVENIENT

Lots of 10- \$1'29 EACH

STOCK #SPMOT-C-6 Shipping Wgt. 1 Lb.

LIMITED QUANTITY 110 V.-25 Cycle 1 RPM TIMING MOTORS

Maydon Model 1600A—Designed primarily for applications requiring a constant speed at a given frequency. Turns at 1 rpm. Operates on 110 V 25,cycla AC. Ideal for advertising displays, timing devices, recording instruments, traffic controls, communications equipment, clocks, signed systems and a thousand other applications. Size 2" x 1½". Shaft ¾" x 7/84". Shpg. wt. 1 lb. Buy Now and Save! Stock No. C6 H180-25

Also LIMITED QUANTITY 24 WEST 66 cycle AC 1 rpm REG.\$3.95 synchronous motors Stock No. C& -G-H106-08

ATTENTION All Amateurs

VOLT FILAMENT TRANSFORMER 24 25%" x 244" x 242"



TR-24V-CE

TRANSMITTERS. ETC. **DELIVERS:**

24v. 1½ amps INPUT: 115v. 60 cycle AC

COMPLETE WITH MOUNTING PLATE MOUNTING CENTERS 3" x 3"

for use in powerful filament circuits of surplus receivers, transmitters, for H-O gauge train systems, plating units, instruments, oil burners, etc. Shipping Wgt. 3 Lbs.

THINNEST TIMER MADE Only 1/2" Thick!!

Designed primarily for applications reuiring a constant speed at a given frequency. Turns at 1 rpm. Operates on 110 V 60 cycle AC. — Ideal for 1 rpm. Operates on 110 V 60 cycle Ac. — idea in advertising displays, timing devices, recording instruments, traffic controls, communications equipment, clocks, signal systems and a thousand other applications. Size 2 x 11/6". Shaft 3/6" x 7/64". Shaps, wt. 1 lb. Page C7 50 Value Buy Now and Save!

Reg. \$7.50 Value Stock No. C6 -GTM-1

Quantity Limited

only **RPM TIMING MOTORS** 110 V - 60 Cy.

ZOR MORE ON OFF OPERATIONS PER DAY

Reg. For accurate dependable daily control of lights, signs, air condicioners, stokers, motors, etc. Provides two or more on-off operations per day.

1 95 Rugged synchronous clock type motor will provide many years of good wgt. 3 Lbs Heavy duty coin silver switch contacts handle up to 30 amps. Heavy gauge drawn steel case and cover. Supplied with 3 sets of STOCK #AUT-TIM-B7 adjustable die cast trippers. For 110-120 volts 50-60 cycles.

PHILCO Reversible Motor



(Remote Control)

While they last: CONCORD'S PRICE

139 \$ Lots of 4 Net each

With schematic

REG \$4.95

Philico Remote-Control Reversible, 24-30V., 60 cycle AC.
Exact replacement for Philico Antenna Rotator motor Part
#35-1465. Reversible in either direction. Has pulley for
driving dial cable, or figure out your own application.
Use for remote control in radios, TV, model railroads,
what-have-you. Size 134" square. 4 pole motor with
oilite bearings. Shaft of very hard tungsten steel 14"
diameter. Pulley 14" dia. with 34" fiange. They'll go
fast, so buy 4 for 55; and save a haif-dollar.
Stock # 'P35-1465Shpg. wt. 2 lbs... Net \$1.39
Lots of 4List \$15.50 each Net \$5.00

TELECHRON SYNCHRONOUS 4 R P M MOTOR

Reg. \$8.95

Concord's Price

\$1.62



Easy mounting, easy connecting synchronous motor for 4 RPM on 110 volts, 60 cycles AC, drawing 4 watts. The motor itself runs at 1800 RPM, speed is reduced with a gear train built into the round case. Ok for mounting in any position. For remote tuning, switching, model railroad control, whathave-you. Heavy core, solder lugs on field winding. 1-13/16" mounting centers on bushings tapped for 10/32 boits. ½" shaft flatted ¾" long. Overall size 2¾" high x 2¾" wide x 1¾" deep, plus shaft. Wt. 1½ lbs. 1 144 lbs. Stock #M-2-86\$1.62

TUBE COOLING MOTOR **REG.\$4 95** Stock #MF-600 C6 each 110V. A.C. 60 CYCLE

Repulsion induction motor. Full load RPM 2029. Provides air circulation for power tubes as 304th, 813, 4-65A, etc. Unit is easily mounted with three threaded bolts. Overall Size 3x2x3" Fan Blade is 134" Shipping Wgt. 2 lbs.

CONCORD FOR THE VERY FINES

LIGHTNING BUG"



STANDARD MODEL CONCORD'S PRICE

DELUXE MODEL

(All Chrome)

Stock # BUG 2 C6

CONCORD'S PRICE



Lowest priced vibroplex, it offers the operator many fine features. Single lever with two pairs of contact points. Black crackle base, chrome plated top parts. Without circuit closer or wedge.

STOCK #CHAMP-C6

Ship. Wgt. 4 Lbs.

NOW AVAILABLE . .

CONCORD'S PRICE

STANDARD MODEL **519**95

DELUXE MODEL

(All Chrome) Shipping Wgt. 5 Lbs.



Used by countless operators throughout the world. Built for rough use and long life. Adjustable to any speed. With circuit closer. Price includes cord and wedge.

Stock # BUG1-C6

AUTOMATIC TIME

Concord's Price 2 or MOREOn-off operations

\$650 SOLD EVERYWHERE FOR \$1195

For accurate dependable daily control of lights, signs, air conditioners, stokers, motors, etc. Provides two or more on-off operations per day. Rugged synchronous clock type motor will provide many years of good service. Heavy duty coin silver switch contacts handle up to 30 amps. Heavy gauge drawn steel case and cover. Supplied with 3 sets of adjustable die cast trippers. For 110-120 volts 50-60 cycles.

EASY, **FAST HOME STUDY**

AMECO CODE & with 78 R.P.M. Phonograph Records THEORY COURSES



No. 1 — NOVICE CODE COURSE. You get and keep 10 recordings (alphabet through 8 W.P.M.). Includes typical FCC type code exams. Free instruction book on learning how to send and receive code the simplest, fastest way; plus charts to check your receiving accuracy; plus an album; all for the low price of only. Stock #100-01 Shipping Wt. 3 Lbs. Concord's Price \$7.95

No. 2 — SENIOR CODE COURSE. You get and keep everything given in the Novice Course except that you get 22 recordings (alphabet through 18 W.P.M.), plus typical FCC type code exams for General class and 2nd class commercial telegraph licenses. All this for only. Concord's Price \$12.95

Shipping Wt. 3 Lbs.



RON SWITCH

\$15.95

WITH SLEEP SWITCH



WITHOUT SLEEP SWITCH

Replaces defective units in most Clock Radios, or you can make your own Clock Radio. Also used in setting up electrical appliances for automatic operation. BRAND NEW "TELECHRON" units. With square face. Will turn on Radio or any 15 amp, 115 V. appliance at any time you set, up to 12 hours from setting. Available in two models, the regular unit which performs functions listed above plus the DELUXE model which has a built-in Siepp Switch which shuts off appliance or radio, in a time period you select. Requires a 3½" hole for mounting. Complete with

Stock #TEL-CL-C7 #TEL-CLS-C7 (with sleep switch)

Ship. Wgt. 2 Lbs.

INTERMATIC CLOCK TIMERS



CONCORD'S CUT PRICE

Reg. \$1195

M-401

ideal for controlling electric fans and heaters, washing machines, television, lamps, heating pads. Specifications: Spruce green Plaskon. 6-ft. heavy duty cord. Timing Range: minimum "on" time, 15 minutes; maximum "on" time, 5½ hours. Capacity: 15 amperes, 1650 watts. Operates-on A. C. only, Guaranteed. Dimensions: 4% " x 4½" x 2½". Shpg. Wt. 2 ibs. Steck No. M-401 Stock No. M-401





Any "on" or "off" period as short as 1 hour or as long as 23 hours Holes can be provided for mounting on wall or table. Available in smart Plaston case. Comes with 6-foot cord. Manual control enables you to turn appliances on or off ahead of schedule too. Dimensions. 5" wide x 4" high x 2½" deep. Shpg. Wt. 2 lbs. 1107 60 cycle AC. Stock No. M-A221 (shown) Standard Model, 7 amperes. 875 watts.

The DeLuxe edition of the M-A221, this unit can handle heavier ap-pliances up to 15 Amps. 1650 watts. Fine for light incustrial use, as well as use in radio Ham-Shach, home shop use, etc. Stock No. M-A211-Deluxe Model, 15 amperes, 1650 watts.

Concord Radio Corporation Digby 45 WARREN STREET. NEW YORK 7, N. Y.

D-O-O-K AT THESE PRICES!!!

RIOTALL AMATEURS ATTENTION IC CONDENSOR CORNELL DUBILIER - PYRAMID - SPRAGUE, ETC

20 x 20 mfd .. • • .45 each @ 150 volts @ 150 volts Lots of Lots of 5 - \$2.10 5 -- \$2.50 Stock #C28-B6 Stock # C22-B6 80 x 40 x 20 mfd59 each 80 x 50 mfd ----- .57 each @ 150 volts @ 150 volts Lots of Lots of

5-\$2.70 5 - \$2.55Stock #C30-B6 Stock #C23-B6 80 x 30 mfd @ 150 69 each 50 x 50 mfd ••••• 50 each

300@15 volts Lots of @ 150 volts Lets of 10 -- \$6.00 5 - \$2.20 Stock # C90-86 Stock #C25-B6

150 x 150 mfd @ 150 • • • . . 79 each @ 150 volts 15 x 15 mfd @ 350 volts Lots of Lots of 10 - \$7.00 5 - \$2.40 Stock # C93-B6 Stock # C26-B6

@ 400 volts @ 150 volts Lots of Lats of 5 - \$2.50 5-\$1.70 Stock # C96-B6 Stock # C85-86

Description Stock # Ea. Stock # Description 25 mfd @ 100 volts .20 .22 C45-B6 1 mfd @ 50 volts \$.18 \$.21 .43 C57-B6 C65-B6 40 mfd @ 400 volts C58-B6 1 mfd @ 200 volts .17 .20 50 mfd @ 25 volts .16 C76-B6 .14 .28 C34-B6 2 mfd 25 volts .12 C47-B6 50 mfd @ 150 volts .40 .41 C35-86 4 mfd @ 70 volts .15 .17 C49-B6 60 mfd @ 250 volts .31 .23 .24 .24 .28 .42 C59-B6 4 mfd @ 450 volts C62-B6 80 mfd @ 300 volts .20 .31 C61-B6 10 mfd @ 35 volts 100 mfd @ 6 volts C63-B6 .24 .22 C40-B6 10 mfd • 150 volts .22 100 mfd @ 25 volts C50-B6 .34 12 mfd • 150 volts C42-B6 .21 150 mfd @ 150 volts .30 C52-B6 20 mfd @ 25 volts .21 .19 .26 C43-B6 C54-B6 500 mfd @ 6 volts 20 mfd @ 400 volts C36-B6 .41 .45 C55-B6 500 mfd @ 10 volts .26 .29 24 mfd @ 300 volts .38 C64-B6 .35 500 mfd @ 25 volts .38 .41 C56-B6 C44-86 25 mfd @ 50 volts C70-B6 1500 mfd @ 10 volts .38

50 x 30 mfd @ 150 volts 16 mfd @ 450 volts Reg. Cost \$1.50 Reg. Cost \$1.50 Lets of 5 Lots of 5 Stock # C98-B6 Stock # C97-B6

__\$2.20 Your 51 ¢

90 x 60 @ 150 volts Lets of 10 - \$6.00

Stock #C80-B6 Stock # C79-B6

10 x 10 x 10 @ 450 volts

Lots of Stock # C75-B6 10 - \$5.50

Your 60 @

2000 @ 6 volts Lots of 10 -- \$1.35

Stock # C84-B6

USED

Dial scale 0-360 degrees. Has manual compensation adjustment. Here is an compensation adjustment. Here is an ideal unit for use as an amateur beam direction indicator. Can be used with selsyn motors, etc. Has a 3" face with white numerals and pointer. Overall depth 3½". Also fine for use with marine equipment as direction finder indicator. Buy these fast while our limited quantity lasts.

CONCORD'S CLOSEOUT PRICE

SOLD **ELSEWHERE** FOR

\$950



STOCK #1-81A-B7 Shipping Wgt. 2 Lbs.

1-82 RADIO COMPASS INDICATOR SAME AS ABOVE BUT WITH 5" FACE

CONCORD'S CLOSEOUT PRICE

STOCK #1-82 A-B7

\$495 EACH

Shipping Wgt. 2 Lbs.

150 VOLT AC/DC UNIVERSAL METER CONCORD'S METER RIOT!! LIMITED QUANTITY!



Worth \$495

STOCK #150VMTR-C7

CONCORD'S LOW PRICE

We found these meters on a back shelf, we're practically going to give them away! They accurately measure AC and DC voltages to 150. Mount in 1%" hole. Panel mounting centers are 2\%". Handsome square face, full steel con-struction.

Shipping Wgt. 8 Ozs.

HS-30 DOUBLE INSERT TYPE HEADSET

Government issue low impedance. Insert type for use in noisy areas, outdoors, etc. Ideal for use in labs., ham shacks, repair shops. A must for all private plane or boat

STOCK #HS-30-B7 SHIPPING WGT: 1 LB CONCORD



T-17 CARBON



Complete with Transmit-Receive Switch, Cable and PL-88 Plug. Used in new con-

CONCORD'S \$ 595 PRICE

They Last While

Stock # 1-17-86

Shipping Wt. 3 Lbs.

CONCORD'S FINE EARPHONE UNIT



Concord's Price EACH

Reg.

STOCK # H531-C6 Shipping Wgt. 3 Lbs.

Real value in a low impedance earphone. Complete with braided cord and PL/55 plug. A handy unit for the serviceman, amateur or experimenter.



24 x 20 mfd @ 75 volts

AC only

TWIST - PRONG ALL FRESH AND STANDARD BRANDS SUCH AS: C. D., SPRAGUE, PYRAMID, AEROVOX, AND MICAMOLD

DIAM. CAN

DESCRIPTION 10/10 MFD @ 450V; 20 MFD @ 350V 10/10 MFD @ 475V; 47 D @ 350V 15/10 MFD @ 400V; 20 MFD @ 25V 15/10 MFD @ 350V; 20 MFD @ 25V	HGT. 3½" 2½" 2½" 2"	PRICE PER/10 .35 ea. .37 ea. .33 ea. .28 ea.	PRICE PER 100 33.00 34.00 29.00 26.00
10/10 MFD @ 350V	2-3/16"	-28 ea-	25.00

PLUG-IN COND. 1 3/8" DIAM. CAN OCTAL

Stock # 181058

Stock # 925166 850046 850018

E38217

35 x 35

350

Lots-of 10 PER/100 \$3.50


\$24.00

STOCK UP NOW-Limited quantities

MANUFACTURED BY MUTER AND ZIPOHM


GBATED

WIRE WOUND



	<u></u>			1	20K
7	WATT SAND RESISTOR	7¢	ea. Lots of 100	1	Ohms 80 250 470 1000 15K

5 WATT SAND RESISTOR	5¢ ea. Lots of 100 10 for 55¢	Ohms 5.6 18 65 160 220 1000 1200	Ohms 2200 2500 2700 3600 5600 6800 8000
----------------------	-------------------------------------	----------------------------------	--



WIRE WOUND RECISIONS

MANUFACTURED BY: I.R.C., SPRAGUE, Ward, Leonard, Clarostat & Muter





5	W	ATT		Ohms w/Lugs	Ohms w/Pigtoils
	7¢		of 100 85¢	12 15 90 100 150 400	18 100 150 4000 3000 4700 8000
10	W	ATT	w/	Ohms Pigrails	Ohms w/Lugs
			50 110		1.5 86

	10 WATT		grails		Lugs
	11¢ •a. Lots of 100	50 110 390 1000 2200	5500 7500 15K 18K	1.5 5.78 18.5 23.1 24.5 26.6 50	86 100 450 4000 10K 16K
١	00 144 1				_

20 WATT	Ohms w/lugs	Ohms w/Pigtail
22¢ ea. Lots of 100	2 700 75 600 124 11h 150* 20h	0 150* 5500

POWER RESISTOR SPECIALS

OHMITE - 50 WATT ADJUSTABLE					
2 0	hms \$.89	ea			
I.R.C.	H.A.	- 100 WATT			
7500	Ohms	@1 22			
10K	Ohms	\$1.32			
Manual I.		44 44 4 44			

Ward-Leonard—200 Watt—Adjustable 7500 Ohm

\$1.49 ..

WARD-LEG	ONARD — 166 WATT
2.5 Ohm 3.1 Ohm	\$1.29
8 Ohm 20 Ohm 31 Ohm 100 Ohm	\$.99
2500 Ohm 25K Ohm 63K Ohm	\$.84

HRE HOLED WITHOUT SWITCHES

MALLORY, CLAROSTAT, C. T. S., STACKPOLE AND CENTRALAS

SPECIAL

1/2 MEG CONTROL

4	W	SC	RE	WD	RIV	FR	SHAFT
	• •			***		- 11	OllAil

Stock #	Ohms	Bushing	Shaft	1
4116 19915	20K 70K	3/8 " 1/2 "	13/16"	6
	\$.49 EACH		41 EA.	
	AW DOLLA	D CHAI	TTC	

STOCK #	Onms
MIMP	1K
4109	20K
FA20MP	20K
1-1668-10	40K
	\$.49 EACH
YOUR COST	U-40 EACH

S.41 EACH LOTS OF 100 ONLY

1/2 MEG VOLUME CONTROL WITH 3 POLE DOUBLE THROW SWITCH. BUSHING %" LONG SHAFT 11/4

Lots of 10 only


Lots of 100 only

VOLUME CONTROLS WITHOUT SWITCH

MALLORY, CLAROSTAT, C.T.S., STACKPOLE AND CENTRALAB

WITH SPLIT KNURLED SHAFTS

\$.22 EACH LOTS OF 10 ONLY Stock # 145158 632780 22464-13 63-2126 22-464-11 63-2779 63-2127 100K






WITH KNURLED SHAFTS

5.22 EACH \$.20 EACH LOTS OF 10 ONLY LOTS OF 100 ONLY

Stock #	Ohms	Lgth. of Bushing	Lgm. of Shaft		
390133	50K	1/4"	3/16"		
25A855	50K	1/4"	1/4"		
A1000-8	100K	1/4"	3/4 "		
220076G38	1.5 meg	3/16"	5/16"		
971382	2.2 meg	3/16"	1/4"		

CROSLEY TRANSISTOR BOOK RADIO



CONCORD'S BEST BUY "THE PERFECT GIFT" OF THE YEAR!

PRICE SLASHED!

LIMIT 2 TO A CUSTOMER

REG. PRICE \$5450

- . HANDSOME GENUINE LEATHER BINDINGS.
- . LATEST TYPE TRANSISTORS FOR HIGH GAIN.
- . MODERN PRINTED CIRCUITRY FOR PRECISION WIRING.
- SPECIAL ALNICO V SPEAKER GIVES FINE RESPONSE.
- LONG LIFE BATTERIES FOR ECONOMICAL OPERATION. . BUILT-IN FERRI LOOPSTICK ANTENNA.
- . INCLUDES 23 KT. TRANSFER KIT FOR INSCRIBING NAME OF PURCHASER.
- USES 2 TRANSISTORS, 3 SUB-MINIATURE TUBES.

BATTERIES FOR ABOVE

145V..... 14V. "A" Mercury....

ONLY 600 \$175 TO GIVE AWAY \$168 AT THIS PRICE!

23 KT. GOLD **TRANSFER** KIT!

Ship, Wgt. 3 lbs.

Stock #Buk-Radio-C7

INDEX

Aligning Tools
Amplifier Audio 5, 10, 11, 12, 13, 14,
High Fidelity 5, 10, 11, 12, 13, 14, 15, 18
Amplifier Audio . 5, 10, 11, 12, 13, 14, 15, 18, 91 High Fidelity . 5, 10, 11, 12, 13, 14, 15, 18 Interphone . 81, 82, 84 Kits . 18 Mobile . 16, 17 Phono . 16, 17 Portable . 5, 10, 11, 12, 16 Preamplifier . 5, 10, 11, 12, 13, 14, 15, 18, 30 Public Address . 16, 17 Analyzers . 32, 33 Antenna
Antenna AM
Coupler 48 Line Tester 36 Ham 40, 80, 84 Matching X/mr 48 TV 39, 40, 42, 84 Arrestors 32, 36 Audio Oscillators 32, 36 Audio Accessories 38 Audio AC generator 38
Base Reflex29
Analyzers 32, 33 Antenna 92 Coupler 48 Line Yester 36 Ham 40, 80, 84 Arrestors 48 Arrestors 34, 42, 84 Arrestors 34 Audio Osciliators 32, 36 Audio Accessories 38 Baffles 6 Blase Reflex 29 Kits 29 Kits 29 Kits 29 Systems 30
Cabinets Hardware
Cobinets Pardware 73 Repair Kit 73 Touch Up Kit 73 Touch Up Kit 73 Touch Up Kit 73 73 Carbon Mike 82, 83, 87, 93 Call Systems 16, 81 Cartridges 92, 96, 97, 98 Crt Tube Checker 33, 34 Cheater Cord 39, 48 Changers, Record 4, 7 Chucks 70, 72 Climatizer 81 Cleaning Fluid 73 Clips 73 Colis 74 Colis 74 Colis 75 Colis 75
Coils 43
Focus 43 F Kit 95 Clocks, Timer 86 FF 43 Oscillator Transistor 92 TY Kit 94 Coil Winder 70
Concord Amplifiers
Cd
Ceramicon Kits 95
Crystal 94 Kits 90, 91 Socket 46 Transmitting 80

Dials	
Cord	- 1
Transmitting 42	•
Diode Kit	
Drafting Sets	
Drills 72	
Drill, Power 67, 70, 75, 76 Driver Units Spkr 26, 27	
Dynamic Microphones 90	
Cord 73 Transmitting 42 Vernier 92 Diode Kit 94 Drafting Sets 67 Drill Press 70 Drills 72 Drill, Power 67, 70, 75, 76 Driver Units Spkr. 26, 27 Dynamic Microphones 90 Diamond-Stylus 97, 98	
Earphones	
Crystal 92	1
Magnetic 92 Dynamic 92	
Extension Cord 67, 82, 84	
Extension Light 67 Enclosure, Speaker 27, 29, 30	
F	
Fire Extinguisher 38 Filter	Ī
Condensers 43	1
Chokes 50 Condensers 43 Flashlight 37 Focus Coil 43	1
Flybacks	l
Flybacks Transformer	
Files	
FM Receivers 11, 12, 13 Forming Brake 67	1
Forming Brake	1
Garage Door Opener 38	
Generators	
Bar 33, 36 Marker 33 Signal 32, 33 Sweep 32, 33 Grinder 70 Geiger Counters 33, 101	
Signal 32, 33 Sweep 32, 33	
Sweep	1
Grinder	1
Ham Gear 74, 80, 82, 92 86, 87, 92	
Hardware Kit 94	
Head Sets	
Hardware Kit	1
High Fidelity Amplifiers 5, 10, 12, 13, 14, 15, 48 Ensembles. 2, 15, 24, 23, 102 Equalizers 5, 10, 11, 12, 13, 14, 15, 18 Phono Cartridges 2, 98 Phono, Portable 8, 9, 15 Speakers 18, 27, 28, 28, 30, 31 Tuners 5, 10, 11, 12, 13, 14, 15	
Amplifiers 5, 10, 12, 13, 14, 15, 48	
Ensembles. 2, 15, 24, 25, 102	
Equalizers 5, 10, 11, 12,	
Phono Cartridges 2, 98	
Phono, Portable 8, 9, 15	-
Tuners 5, 10, 11, 12, 13,	
1 14, 15	
Inducturers 43, 46	
Inductuners	
lacks	ı
Jacks	1
Amplifier 3, 18	Ì
Radio 93	- 1
Transistor	-1
Keys, Xmitting 83	- 1
Kits	- 1
Lapel Mike 92	- 1
•	
Desk 67	
Portable 67	- 1
5001	
Leakage Checker	
Leakage Checker	
Leakage Checker	
Spot Sala Sala	
Leakage Checker 34 Lubricant 73 73 73	

Micasailing tape, ottor	72 66
Microphones	
Microscopes Microscopes Microscopes Microscopes Accessories 21, Stand 90, Motors 40, 85, Muttl-Plates 32, 33, N	92 90 91 86 46
Multi-testers 32, 33,	35
0	73 73
Oller	70 35
Oscillators	98
Code Practice	98 91
Phono	83
Oiler Ohmmeters 32, 33, Oscillators	34 46
Phone P	73
Plugs	73
Phonographs 2 4 7 73	
Phonographs	7
Cartridges 2, 92, 96, 97,	98
Changers 50.	91
Needles 2, 97,	98
Pickup 91, 96,	98 104
Player 7, 8, 9, 10,	81
Tone Equalizer	10 84
Pliers	72
Plugs	92 73
Pocket Meters 32, 33,	35
Portable	
Amplifier 16,	17
Amplifier	17 9 104
Power Supply	
DC Filtered Kit Vibrator Probes, Hi-Volt 33, Probes, RF 33, 34,	37 82
	84
Probes, Hi-Volt 33, Probes, RF 33, 34,	34 73
Public Address	
Amplifiers	16 18
Amplifiers	10
Radio Compass	87
Audio	38
Clock	104
FM	. 98
Kits	104
Short Wave	. 8
Audio Communications Clock 103, FM Kits 93, Portables 3, 8, 98, 103, Short Wave Table 3, 8, 103, Receptacles-TV	. 46
B	
Code Course	. 86 8, 9 4, 7
	4 9
Changer Bases	9, _/
Changer Bases	. 73 . 73
Changer Bases Cleaner Static Chaser Rectifiers, Selenium	. 73 . 73 . 43
Cleaner Static Chaser Rectifiers, Selenium Reluctance Mike	. 73 . 73 . 73 . 43
Changer Bases Cleaner Static Chaser Rectifiers, Selenium Reluctance Mike Resistors Decade Box	. 33
Changers Changer Bases Cleaner Static Chaser Rectifiers, Selenium Reluctance Mike Resistors Decade Box Carbon	. 33
Decade Box	. 33 . 88 43 4, 95
Decade Box Carbon Fused Kits Service Service	. 33 . 88 43 4, 95
Decade Box Carbon Fused Kits Service Service	. 33 . 88 43 4, 95
Decade Box Carbon Fused Kits Service Service	. 33 . 88 43 4, 95
Decade Box Carbon Fused Kits Service Service	. 33 . 88 43 4, 95
Decade Box Carbon Fused Kits Service Service	. 33 . 88 43 4, 95
Decade Box Carbon Fused Kits Precision Kit Sand Coated Variable Wired Wound Wired Wound Kits Rheo Stats Rubber, Liquid Rotators	. 33 . 88 . 43 4, 95 . 85 . 88 . 88 . 95 . 50
Decade Box Carbon Fused Kits Precision Kit Sand Coated Variable Wired Wound Wired Wound Kits Rheo Stats Rubber, Liquid Rotators	. 33 . 88 . 43 4, 95 . 85 . 88 . 88 . 95 . 50
Decade Box Carbon Fused Kits Precision Kit Sand Coated Variable Wired Wound Wired Wound Kits	. 33 . 88 . 43 4, 95 . 88 . 88 . 95 . 50 . 80

	_
Slide Rules 57 Short Wave Rec. 8, 93 Signal Generator 32, 33 Signal Tracers 32, 33	1
Minni	
Soldering Guns	
Mobile 16, 17	1
Sound Powered Phones 47 Speaker Substituter 36 Speaker	
Stationary 18, 17	
Electrostatic	
High Fidelity 18, 26, 27, 28, 29, 30, 31 Industrial Paging 26, 27	
Projector	
Tweeters	
PM 29, 30, 31 Spintite Type 71, 37 Spot Light 81	
Sprayers 70, 73 Stand, Mike 91 Standoff Insuators 47	
Staple 70 Splicers 46 Stylus Pressing Gauge 4	
Sweep Generator 32, 33 Suppressors, Ignition 73 Switches	
Antenna Balance	
Switches 48 Antenna Balance 48 Dual Speakers 48 Electronic 33 Rotary Kit 95 Ass*t Kit 94 Selector 37 Switch Plates 46 Tape Recorders 19, 20, 21, Tope Recording 23, 31, 102	
Tape Recorders 19, 20, 21, 20, 21, 23, 31, 102	
Code Course	
Tope Recording 23, 31, 102	
Pre Recorded 20 Stereo Adapter 21 Tape Deck 21 High Fidelity 22	
High Fidelity 22 Television Antennas 39, 40, 41, 42, 84	
Boosters	
Television	3
Towers 4	1
Tuners 44, 4 Telescopes 65, 6	6
Test Equipment32, 33, 34	6
Test Prods	

ransformer
ransformer Auto
Fiament 49, 54, 85
Output Kits 95
Photoflash50
Plate 49, 50, 83, 84
Speaker 50
Stepdown
Vibrator
Vertical
Audio Oscillator 38 Checker 33, 36 Kits 93 Portable Radio Kits 3, 103, 104 Portable Radio's 3, 98, 104 Transmitter Keys 82 Tubes Caddy 43 Caddy 48 Caddy 48
Checker
Kits 93
Portable Radio Kits 3, 103, 104
Transmitter Keys 82
Tubes
Caddy43
Crt. Rejuvenator 34, 36
Cathode Ray 54, 55
Cooling Fan
Receiving 52, 53
Special Purpose 51, 54, 55
Television 51, 54, 55
Voltage Regulator 54, 55
Tuner, FM, AM 5, 10, 11, 12,
Tubes Caddy
i i
UHF Receptal
Útility Checker 33
Vaporizer 81
VTVM 32, 33, 35
Vibrators
Video Checker 32, 33, 34
Voltage Boosters 47, 48
Volt Ohmmeter 32, 33, 34,
Volt Ohmmeter 32, 33, 34, 35, 36
Vaporizer V 81 VTVM 32, 33, 35 Vibrators 37 Vibro-tool 76 Video Checker 32, 33, 34 Vise 72 Voltage Boosters 47, 48 Volt Ohmmeter 32, 33, 34, Volume Control Kits 94
W
W
W
W Washing Machines 69 Whips, Mobile 80 Wire Recording Head 23 Transmitter 74
W Washing Machines 69 Whips, Mobile 80 Wire Recording Head 23 Transmitter 74
W Washing Machines 69 Whips, Mobile 80 Wire Recording Head 23 Transmitter 74
W Washing Machines 69 Whips, Mobile 80 Wire Recording Head 23 Transmitter 74
W Washing Machines 69 Whips, Mobile 80 Wire Recording Head 23 Transmitter 74
W Washing Machines 69 Whips, Mobile 80 Wire Recording Head 23 Transmitter 74
W Washing Machines 69 Whips, Mobile 80 Wire Recording Head 23 Transmitter 74
W Washing Machines 69 Whips, Mobile 80 Wire Recording Head 23 Transmitter 74
W Washing Machines 69 Whips, Mobile 80 Wire Recording Head 23 Transmitter 74
Washing Machines 89
Washing Machines 89
Washing Machines 69 Whips, Mobile 80 Wire Recording Head 23 Transmitter 74 Wire Cable 47 Coaxial 47 Hook Up 47 Lamp Cord 47 Lead In 47 Pushback 47 Rubber Covered 47 Shield 47 Transmission 47 Twin Lead 39, 47 Wire Stripper 73 Wenches 72, 73
Washing Machines
Washing Machines
Washing Machines 69 Whips, Mobile 80 Wire Recording Head 23 Transmitter 74 Wire Cable 47 Castial 47 Hook Up 47 Lamp Cord 47 Lead In 47 Pushback 47 Rubber Covered 47 Shield 47 Transmission 47 Transmission 47 Twin Lead 39, 47 Wire Stripper 72 Wenches 72, 73 Photography index Pages 56 to 64 Accessories 58, 59, 60, 63, 64
Washing Machines


\$555 Less Than Elsewhere

SLIM CRYSTAL MICROPHONE

BRAND NEW 1958 MODEL

CONCORD'S LOW PRICE

WORTH \$1500



- RESPONSE BETTER THAN 60-10,000 cps.
- BUILT-IN ON-OFF SWITCH.
 MULTI-PURPOSE MOUNTING, FOR USE AS HAND MIKE, STAND MOUNTING OR HUNG ON LAVALIER CORD!
 HANDSOMELY FINISHED IN SATIN CHROME.
 COMPLETE WITH 4 FOOT SHIELDED CABLE. (DETACHABLE)

- A MUST FOR HAMS, HOME RECORDING, PAGING SYSTEMS, ETC.

SIZE: 5" L. x 1" W.

STOCK #CAL-1DOC

Shipping Wgt. 2 Lbs.

Concord's "SLIM JIM"

Dynamic

Microphone

Outfit

HI-IMPEDANCE

50.000 Ohms

COMPARE WITH

\$50.00 UNITS

FAMOUS MAKE

CONCORD'S LOW PRICE

- Response: 50-11,000 cps.
 High impedance 50,000 ohms.
 Complete with sturdy stand and connectors.
 On-off switch for special
- service.
- foot heavy shielded
- Handsomely finished in satin black and chrome. Individually boxed.

Here's professional quality at a price so low you can make your present microphone become your "extra". Notice the fine features. Buy one while our supply lasts.

STOCK #CAL-DM-10

Shipping Wgt. 4 lbs.

Req. \$29.95



CONCORD'S LOW PRICE

WORTH \$950

485

- Equipped with press to talk switch. Hi-impedance for top fidelity.
- Output: -52db.
- Freq. Response: 50-7500 cps.
 Complete with 4½ foot shielded

cable.

Size: 2" W. x 3" L.

An excellent mike for mobile use, paging systems, police and other de-NOW AVAILABLE partments.

STOCK #CAL-500

Shipping Wgt. 1 Lb.

PROFESSIONAL TYPE DOUBLE CRYSTAL MICROPHONE



CONCORD'S LOW PRICE 3 for

SINGLY

REG. \$14.95 STOCK #5-M102-C7

- Double matched crystals for un-
- paralleled performance. Full 360 degree directional pick-
- up. Swivel mounted for easy "pickup steering".
 All chrome plated case.
- Fits all standard stands.
 Complete with 4 foot shielded cable.
- For ham use, studios, home re-cording, police and other sys-
- Size: 7" H. x 3" W.

Shipping Wgt. 4 Lbs.

VERSATILE SEMI-DIRECTIONAL CRYSTAL MICROPHONE



CONCORD'S LOW PRICE

WHY PAY MORE?

Lots of 3 \$ 700

High impedance 55 db at 1000 cycles. Swivel tilt head for directional results. Handsome finish in enamel and chrome: Frequency response: 40-10,000 cps. Complete with 5 feet of shielded cable. Fits standard mike stands. Fine for hams, paging systems, home recording.

STOCK # SM-1005

Shipping Wgt. 3 Lbs.

Concord's DEBONAL

DYNAMIC MICROPHONE

CONCORD'S FAMOUS PRICE

.95 EACH

Lots of 3

SINGLY

SOLD ELSEWHERE FOR

- High Impedance, 50,000 ohms.
- Built-in On-Off Switch
- Freq. Response: 45-12,000 cps.
- Removable Swivel Bracket for Universal Mounting.
- Plug-In Cable.

Broadcast quality in a budget priced microphone. Engineered for mounting on floor or table stand, Omni-directional pickup, modern finish in hammertone gray and polished chrome, these are only a few reasons for making the "Debonair" a must for your microphone needs.

Shipping Wgt. 2 Lbs.

HI-FI HIGH OUTPUT A GIVEAWAY! MICROPHONE

COMPARE WITH UNITS CONCORD'S COSTING UP TO \$50.00 LOW PRICE



EACH

REG. \$19.50

No one — but no one can beat us on this fine microphone. For all Hi-Fi requirements as Orchestrations, Recording, etc. impedance 50,000 ohms. Response is better than 50-10,000 finished in Chrome and Hammertone Gray. Includes adapter, for mounting on standard stands. Dual Directional with built-in swivel. Size: 1½" W x 3" L. Complete with 4½ foot shielded cable.

STOCK #CAL-600D

Shipping Wgt. 2 Lbs.

BONE CONDUCTION PILLOW SPEAKER



EACH

Impedance 3.2-4 ohms. Ideal for invalids, private listening, etc.

tening, etc.

A kinely engineered speaker, it conducts sound directly to the inner ear by bone conduction. Top reproduction of music or speech. Supplied with plug and jack assembly, complete instructions. Connects directly to voice coil of output transformer.

STOCK #S-282-C7

Shpg. Wgt. 8 ozs.

EVERY ITEM PRICED LO

Presenting The 1958

Concord HI-FI Amplifier

STOCK #CAN-AMP-C6 Wet 10 lbs

\$39.50

CONCORD'S PRICE

RELUCTANCE CARTRIDGES

CONCORD'S PRICE

EACH

PRICE

terminal plug.

Stock #MS-L-B6

\$650

2. MODEL 102-C6-THE CHAMPION

MICROPHONE

CONCORD'S STAN

Lots of 6

FULL 10 WATT OUTPUT WITH P.P. 6v6GT's

"THE CHAMPION"

Reg. \$895

SINGLY

Amount 102-to-line chammion
Handy durable plastic case in tan finish. Design allows mike to be used as table or hand held unit.
Complete with 5 feet of shielded cable. It's small size makes it ideal for use with recorders, portable equipment, mobile gear, or in the ham shack. Response is 60-8500 CPS. Outout level 45 db. Shipping Wgt. 1 lb.

Model F

Model F. Attractively finshed in grey crackle

and chrome tube. Comes equipped with three

CONCORD'S

DE LUXE FLIP OVER MODEL

Lots of 3 \$4.25 THAN 50-7000 CPS SPRING

STOCK

each YA-703-C6

UNIVERSAL

SPRING COUNTER BAL ANCED ARM 3 VOLTS OUTPUT RESPONSE BETTER THAN 50 5500

CPS USES LOW PRESSUR

CARTRIDGE LESS NEEDLE

Shpg. Wgt.

RE

Heavy chromed chassis. • Output transformer for 4 or 8 ohm speakers. Built-in pre-amp reluctance (magnetic) cartridges
Three inputs for reluctance cartridges, crystal cartridges (mike)
& tuner or tape recorders • Response is better than 30-13,000 cps.
Bass boost or cut control. • Treble boost or cut control.

WITH 2 PRECIOUS METAL STYLII USES 3 MIL AND 1 MIL NEEDLES OUTPUT IS 3 VOLTS RESPONSE IS BETTER

COUNTER BALANCED ARM PLACES EARLIER MODELS

Shipping Wgt. 8 Ozs

CONCORD'S PRICE

Tubes used are 2-6SL7's, 2-6V6GT's, 1-7Z4 (rectifier). Chassis size is 1242'' W x 54/2'' D x 54/2'' High. Input is 117v. AC, 60 cycle, (Fused).

EACH ENSEMBLE CONSISTS OF Famous Make 4 Speed Rim Drive Motor, With Balanced Turntaule Famous Make Phono Arm with Quality Crystal Cartridge and Precious Metal Stylit for 33, 45, 78 RPM Records Quality 5" PM Speaker with Famous Alinico V Magnet Fine 3 Tube Amplifier Completely Wired, with Three Tubes **Tubes Used** "35W4" No knowledge of wiring a necessary to assemble these quality units. Only tools necessary are, scr pliers and soldering iron, ou will save many dollars when you buy Concord's Record Player Ensemble.

STOCK # RPK-C6 SHIPPING WGT.

WORTH \$25.00 if purchased separately

CONCORD'S MIKE BARGAINS

FAMOUS BRAND!

ASSEMBLE YOUR OWN RECORD PLAYERS WITH CONCORD'S FINE UNITS & SAVE \$\$\$

CONCORD'S FAMOUS PRICE

"THE LEADER"

CONCORD'S PRICE Lots of 3

EACH

Die cast case, baked on gray enamel finish. For use with floor stand, table stand, or can be hand held. Complete with 6 foot shielded cable, stand adaptor. For use with paging systems, recording, ham shacks, etc. Response is better than 60-7000 CPS. Output level 49 db.

1. MODEL 101-C6



......

Reluctance Microphone

CONCORD'S **SAVE 70%**



USED DIRECTLY

IN TIMEX

RECORDERS

Shipping Wgt. 2 Lbs

STOCK #CR-80H-A7

REG. \$1500

• Extremely rugged construction, an metal.

Clearest reproduction. Low impedance for us

Clearest reproduction.
Low impedance for use in paging
systems, mobile gear, inter-communication systems, etc.
Complete with heavy duty 6 foot
cord and plug.
Response: Better than 100-7000

cps. Excellent as hand-held unit, or

desk-use. Output rated at 84 db below 1 volt per microbar.

IMPUT TRANSFORMER FOR USE WITH CR-DON (above). Use as input transformer with the Shure microphone shown above; the low impedance output of this miles requires matching to the high input impedance of the 1st stage grid. Stock #A6-99-K-OPT Ship. Wt. 1 lb. Net \$1.49

Shipping Wgt. 2 lbs.

B UZS. \$645

CONCORD'S PRICE lots of ten

LESS TUBES \$2.59 SERVICEMEN'S SPECIAL

Amplifier uses 3 tubes, 2-watt output, Separate tone & volume controls, 110 V, AC, 60 cyc., or DC, With line cord & plug. Wt. 2 lbs.

Stock #A6.PA3

Complete set of Tubes for above, 12AT6 35W4 50B5 \$215

PHONO MOTOR



concord is first with this latest addition. The new 16-2/3 speed effers the listener the finestpleasure—Talking Books, Ideal for the invalid, children students, and blind people, every type of reading by listening is available. For aperation on 110-120 V. 60 Cycle A.C.


LOTS OF 3 \$6.65

SINGLY

ea. Lots of 3 REG: \$14.95

STOCK #4SP-PM-C6 Shipping wgt, 6 146

PHONO OSCILLATOR



Complete with tubes **Concord Feature**

CONCORD'S PRICE \$4.99

Compact well-designed unit for use with all types of phonographs. Comes tuned to broadcast band, completely wired, and ready to use. Includes RCA type of phono jack. Tube complement 12SA7 and 35Z5. With hank antenna, and 6-foot power cord. For AC-DC 110 v. operation. Wt. 2 lbs Stock #A6-P02.

UNIVERSAL REPLACEMENT AUDIO OUTPUT TRANSFORMER

LOTS OF 10 52¢ Ea

SINGLY 59 ¢ used in 99%

of all radios and T.V.

3 watt 4-wires. Mounting centers 2-%" Overaft size 1-9/16" high x 1-15/16" wide (plus mtg. feet) x 1-7/16". All new, all clean manufacturer's oversteck. Shpg. wt. 1 lb. Stock #T-A-106 ... Stancor List \$315.. Each ... 59





CONCORD'S PRICE

5 45 EA. Reg. \$1275 STOCK #3-PHMI-Co Shipping wgt. 6 Lbs.

Lots of 3



CONCORD'S SUPERMARKET SPECIALS

CONCORD'S 2000 OHM DOUBLE HEADSET



CONCORD'S LOW PRICE

REG. VALUE

\$450

COMPLETELY ADJUSTABLE!

Budget priced, these fine units are complete with head-band, 3½ foot braided cord and standard phone tips. Excellent for hams, private listening, etc. Individually STOCK #S-PHG-C7 Shipping Wgt. 2 Lbs.

CRYSTAL LAPEL CROPHONE E EACH



STOCK #S-M93-C7

CONCORD'S PRICE

CONCOKE 5 FREE

High impedance
Output 50 db.
Response: 50-5000 cps.
Complete with 5 feet of

Complete with 5 feet of shielded cable. Handy clip for mounting on clothes, etc. Finished in dull chrome. Fine for use with paging systems, PA systems, mobile commanications, etc. Can also be used as earphone for dual use.



REG.

HAND CARBON MICROPHONE

CONCORD'S \$485

IDEAL MOBILE MIKE!

Low impedance 100 ohms Complete with push-to-talk

switch.
Heavy duty 41/2 foot shielded

cable. Size: 2" W. x 3" L.

A must for mobile use. Ideal for Hams, Police and Fire Depts. At Concord's low price you must HURRY to get these while supply lasts.

STOCK #CAL-M63L

Shipping Wgt. 1 Lb.



VERNIER Concord's DIAL

WORTH

\$400 INDIVIDUALLY BOXED

5 to 1 ratio. Fits 1/4" shaft. Ideal for use with VFO's, Test Instruments, Receivers. Finely engineered, bakelite and silver alloy construction. Complete with calibrat-

STOCK #CAL-2-Dial Shipping Wgt. 8 Ozs.

VERNIER DIAL INDIVIDUALLY BOXED

Shipping Wgt. 1 Lb.

CONCORD'S LOW PRICE

WORTH **EACH**

5 to 1 ratio. Fits ¼" shaft. Fine for VFO's, Test Instruments, Receivers. Fitted with 1½" knob, calibrating dial.

STOCK #CAL-3-Dial Shipping Wgt. 8 Ozs.

CRYSTAL MICROPHONE (CONCORD'S CARTRIDGE

LOW PRICE LOTS OF 3

VALUE \$400

Replacement cartridge for such microphones as Turner, Shure, Astatic, etc. Response approx. 50-8500 cps. Output —52db. Specify Type SOMPAE STOCK #S-M99-C7 Shipping Wgt. 8 Ozs.

\$450



Highly sensitive and selective, with "Q" of over 375. This coil is tapped for transistor circuits. Can also be used with tube receivers. Will match a 400 to 420 Mmfd. tuning condenser.

STOCK #R841-T

CONCORD'S

LOW PRICE

LOTS OF 3

CRYSTAL HEARING AID EARPHONE WEIGHS DNLY 1/2 02



\$1.39 ... \$495

W22 TYPE CRYSTAL CARTRIDGE

CONCORD'S PRICE 75 EACH

Direct replacement for Shure Type

W22 cartridge

Full 1 volt output

Complete with two precious tip

CONCORD **EXCLUSIVE!**

EACH Concord Radio offers you a fine replacement cartridge for RCA 45 (or similar) players at a tremendous savings. Full 2.2 volt output. Will also work with 33-1/3 rpm players.

SINGLY

REPLACEMENT CARTRIDGE

FOR RCA 45 RPM PLAYERS

STOCK #CX-309-C7

6

ree needle guard Stock #CAL-W22-C7 Individually boxed Shpg. Wgt. 4 02S. STOCK #CRYS-P8 -CAL Shipping Wgt. 8 ozs. DYNAMIC MINIATURE EARPHONE FOR TRANSISTOR AND SUBMINIATURE RADIOS

Geared for modern miniature needs, this fine earphone builds up the weakest signal. 2000 ohm DC resistance. LOW PRICE Flesh colored. Complete with 3 foot plastic cord, 2 standard phone tips.

STOCK #DYN-EAR-CAL

CONCORD'S \$195 WORTH each \$450

SHIPPING WGT. 8 OZS.

Same as above but 15 ohm DC resistance. For connecting across speaker voice coil. For TV silent listening, Hi-FI monitoring.

STOCK #DYN-EAR-L-CAL

SHIPPING WGT. 8 OZS.

\$195 each

Water Type Variable TUNING CONDENSER SINGLE GANG

This tuning condenser is a marvel of compactness. Requires only 9/16" behind panel. each Overall 1½" square, with standard ¼" knob shaft, ¾" long, interleaved insulation prevents shorting between plates. Capacity 1946G 400 Mmfd

TRANSISTOR

Concord's Price **C** each

Price \$1.40

CONCORD'S TRANSISTOR OSCILLATOR COIL CONCORD'S FAMOUS PRICE went for existing units or for home tire broadcast band (540-1650 Kc.) when used with 365 mmfd variable capacitators. Padder cap. 401-700-07 %" H. x 1/4" Dla. Individually boxed.

HIGH OUTPUT CONCORD'S CARTRIDGE TURNOVER TYPE



\$450

Full 3 volt output WORTH

Fine crystal cartridge
 Two precious tip styli
 Direct replacement for Ronette

cartridges
Complete with 2 solder clips

A fine replacement unit for cartridges used in Collaro, VM, Webster and other changers. Save half the cost, retain all the fine features

TRANSISTOR TRANSFORMERS

Here's your opportunity to get the finest translator transformers at unbelievable low prices. Size: $\frac{3}{4}$ W. x $\frac{5}{6}$ H. x $\frac{5}{6}$ D. Color coded leads, sturdy construction.

STOCK No. TYPE PRI. IMP. CAL-ST-11 INPUT 20,000 Ohms CAL-ST-21 DRIVER 10,000 Ohms

SEC. IMP. 1,000 Ohms 2,000 Ohms C.T. 3.2.0hms

\$1.49

CONCORD'S PRICE \$1.49 \$1.49



listed above

SHIPPING WGT. 4 02S.

ONLY AT CONCORD RADIO!

500 Ohms C.T.

SHIPPING WGT. 8 OZS.

HARMONICA CONTACT MICROPHONE



CONCORD'S LOW PRICE

WORTH

\$500

EACH

Now for the first time, a contact microphone made especially for the Harmonica player. Will reproduce each note with remarkable clarity. Easy mounting, simply slip bracket under screw on bass end of harmonica. Complete with 6½' shielded cable. For use with amplifiers, or can be adapted for use with radios, phonographs, or the audio end of your TV set.

STOCK #CAL-HARM-C7

Shipping Wgt. 8 Ozs.

MUSICAL INSTRUMENT "CONTACT" MICROPHONE



SAVE OVER 50%

CAL-ST-31 OUTPUT

CONCORD'S LOW PRICE

Concord's unique musical instrument microphone will turn your present instrument into a professional unit. For use with all string instruments, piano, organ, etc. Can be hooked into tape recorder, amplifier, etc. Complete with 25 feet of shielded cable and plug.

STOCK #S-M107-C7

SHIPPING WGT. 2 LBS.

SUB-MINIATURE SHIELDED PHONE PLUG & JACK SET

CONCORD'S LOW PRICE

Includes a 2 circuit phone plug, size: 1½° L. overall, plus a closed circuit Jack which requires only ¾6° panel space. Plug is fully shielded. Fine for adding silent listening to portable radios, TV sets, HI-Fi units:

STOCK #CAL-PLNK-C7

SHIPPING WGT. 8 OZS.



Concord Kits

Assemble by Numbers"

HEW! 1957"SPACE MASTER" TRANSISTOR

RADIO KIT

CONCORD'S PRICE

MODULAR PRINTED CIRCUIT

Complete with: plastic case, antenna wire, transistor, germanium diode, headphone, electronic components, etc.



Model No. 140

ELECTRONIC KIT



Specially designed for those interested in starting in Electronics and Radio Field.

Builds these seven circuits Standard One Tube Radio Code
Practice Key Signal Trace Code Blinker Light • A Wireless Home Broadcaster • Sine Wave Generator • Wireless Code Practice Key.

Kit includes Instruction Book Radio Transformer, Selenium Rectifier, Mounting Hardware, Resistors, Con-denser, Earphone, and Complete In-

structions. Concord's \$10.66 Model No. 102. Price structions.

CONCORD'S PRICE

RADIO KIT

 Modular Construction eliminates use of individual resistors, capacitors and wiring.

The module is the building block of electronics. It is fabricated to contain the various electronic components.

Modular Kit No. 210.

HAM SPECIAL!

CONCORD'S PRICE

41N1 TRANSISTOR RADIO KIT Kit No. 130



The Newest four way kit. Builds four individual electronic items, including a germanium diode radio set and a Transistor Radio soldering required. Complete with

earphones and High Q Coil. **NEW! PERSONAL**

PORTABLE

RADIO KIT

Concord's Price



Complete with Plastic carrying case with handle, headphone with headband, Ferrite rod antenna coil, dual purpose vacuum tube, pre-soldered assembly, hardware, knobs, elec-

RADIO LAB KIT WITH NEW SUN



Be the FIRST to use the SUN BATTERY

Just think of it! As long as the sun shines, and even on cloudy days you can build a radio that will operate from SOLAR POWER. Truly the radio of tomorrow

Kit Includes Sun Battery, German-ium Diode Genuine Transistor, Diode Headphone Iron Core, Antenna Coil, Full Illustrated Instructions, Illustrated Mounting Board, Mounting Hardware

Concord's \$8.66 Set No. 208

2 IN 1 RADIO BROADCAST KIT



COMPLETE. Includes parts and easy to follow instructions and pictorial diagrams and explanations as to how radio works.

RADIO ENGINEERED. Enjoy clear, lifelike standard broadcast reception on a one tube twin triode vacuum.

BROADCAST THRU ANY AM RADIO. Can be connected to a phono player to play records thru any radio in your home. Concord's \$ 6.66 Kit No. 110

SKY CHIEF RADIO KIT



Completely housed in a piano-type mahogany finished cabinet, built in PM magnetic speaker.

An easy to assemble kit with top performance. Uses 2 tubes with three tube efficiency. Model No. 150.

SHORT WAVE CONVERTER

Converts any AC-DC or Battery operated superhetrodyne radio to double Superhetrodyne Short Wave Receiver.

Magnetic pick-up device for coupling radio and converter supplied with kit; can be used with any radio with loop back antenna or ferrite antenna rod.

Receives broadcasts from megacycles thru 18 megacycles.

STATIONS UP PICK ROUND THE WORLD.
HEAR AMATEURS, POLICE CALLS, BOATS, ETC.
THE WORLD AT YOUR FINGERTIPS!

Kit No. 212



CONCORD'S PRICE

In a portable plastic case the Transistor operated built-in Loudspeaker Radio Kit. Tremendous efficiency achieved with two high efficiency transistors and germanium diode. Excellent loudspeaker reception over

WHY PAY MORE?

Set No. 180.

the complete AM band. All parts pre-wired — no soldering. tronic components, etc.

UALIT Concord's

20 COIL



CONCORD'S PRICE

Contains horizontal oscillator coils, horiz, linearity coils, video peaking coils, double tuned 40 MC video IF's, 25 MC video IF, 1st, 2nd, 3rd and 4th video IF's and many other useful coils. Also included are 4.5 mc IF's and 1st IF from the 630TS. How Can You Miss? — You Can't.

Stock #K-22-C6

Shop, wt. 3 lbs

KIT OF

1000 RESISTORS

500 RESISTORS

100 RESISTORS

Take a good look at the prices of these packages. Each resistor costs you less than 8/10 of a cent in the 1000 package, less than 1c each in the 500 lot, and 1c aplece if you buy only 100. Schools, Clubs, experimenters need resistors at these ridiculous prices. Fill your rack drawers with them, before they're sold. Unuşed, with long pigtails, values from 3.3 ohms to 20 megs, mixed ½2, 1, 2, 5 watts. Some 5% tolerance.

Specify Which package.

Stock #K-14- C6

35 ASSORTED **ELECTROLYTIC** CONDENSERS

CONCORD'S PRICE

Reg. \$6500

TERRIFIC VALUE!

STANDARD BRANDS

50 "FP ' CONDENSERS. Popular sizes. Contains 50 asst'd single, double and triple section condensers ranging from 10 to 80 Mfd. and 25 to 450 volts. A real value.

FRESH STOCK GUARANTEED

Stock #K-4 C6

Shpg. Wgt. 10 lbs.

50 ALL TV KNOB

FASILY WORTH \$9.95

CONCORD'S PRICE



Popular TV knobs for general replacement purposes. This is a must for every TV serviceman.

STOCK #K-TVK-B7

5 VARIABLE CONDENSER ASSORTMENT

An assortment of Five Variable Condensers con-sisting of 2 and 3 Gang Superhet and T.R.F. All are the standard size but have various shafts and

A GIVEAWAY!

Shipping wgt. 4 Lbs. Stock #R-3-CS

SWITCH KIT ASST. SWITCHES

Reg. \$750

SWITCHES. A fine assortment of toggle, bat handle, push button, micro switches. S.P.S.T., -D.P.D.T. etc. You will be surprised and delighted. Packed in utility box

Stock #K-25-C6 Shpg. wgt. 21/2 lbs

DIODE Lots of 10

An assortment of 10 of the most modern and widely used german ium diodes. Complete with their specifications and interchangeability chart. Included are such currently used TV numbers as 1834A, and 1837A, 1854A, 1856A, 1838A the latest GoldBond diodes TS6, TS3, and TS1.

Shipping wgt. 1 Lb Stock #K-19-C6

HARDWARE KIT CLEAR PLASTIC CASE



CONCORD'S .98 *FRFF!*

PLASTIC CASE

Here is the most ideal, useful & economical hardware assortment ever packaged for quick pleasing sales. Contains a wide variety of the most popular and needed small hardwareitems most needed in the workshop and laboratory, such as screws, washers, nuts, lugs grommets, eyelets, rivets and many others

50 SAND-COATED WIRE WOUND



This kit consists of 3, 4, 5, 7, 10 watt resistors. Grab them while they last. We may never be able to offer you a buy like this again. 50 sand-coat resistors of the this again, 50 sand-coat resistors of the most popular sizes used in Radio and Tele-Shpg. wt. 1 lb

Stock #K-28-C6

VOLUME **CONTROLS**



10 VOLUME CONTROLS. Popular single con trois' with and without switches Regular price would be around \$8.50 if bought separately. Shog, wgt. 2 lbs.



YSTAL KIT

CONCORD'S SPECIAL PRICE



Stock #XTL-10 C6

Shipping wgt. 1 Lu
Outstanding value for hams, labs,
radio shops. Contains an assortment of ten crystals in the 5,
6, 7, 8, and 21 Mc. bands. We
cannot guarantee specific frequencies at this price.
Limit Of One Kit Per Customer.

'CRL" PRINTED CIRCUIT KIT



LOTS OF 3

8 different Centralab, "PC" numbers, include 2 vertical integrators all clearly marked.

Reg. \$495 Stock No. AK-

20 ASSORTED TUBE SOCKETS



\$195

20 TUBE SOCKETS. Always popular-always in demand. 20 most used sockets including MIP's, miniature, wafer, loctal, etc. Worth \$3.00. Order yours today.

Stock #K-17-C6

Shpg. Wgt. 2 lbs.

KITS or Every Need

25 MOLDED **BY - PASS** CONDENSERS

Worth

Here is a handy assortment to have on any servicemen's workbench. Famous makes. Al popular sizes. 200-400-500W\ New stock, no clipped leads Your greatest bargain in today's market.



FULLY GUARANTEED - RME STAND.

Stock #K-MBP-C6

Shpg. wt., 1 lb.

20 WIREWOUND RESISTORS

CONCORD'S PRICE

Reg. \$1950





WIRE WOUND RESISTORS. Assorted wire WIRE WOUND RESISTORS. Assorted wire wound resistors in a wide range of ohmages; ratings 10 to 50 watts. Some fixed; some adjustable. All new and guaranteed perfect. Just think of it—less than 11¢ each! Worth eachi at least\$19.50 Orden 2 or 3 tilts today. Shpg. Wgt. 2 lb

50 CERAMICON CONDENSERS

Reg. \$6.95

densers at an unbelievable low cost. You couldn't duplicate this kit at twice the price. Every one popular—every one in demand.

while they last.

Stock #K-8-C6

Contains 10 assorted output transformers of the latest miniature variety. Contains single ended and pushpull transformers varying from 616, 6V6, 6K6 to 5016. Output impedances included 3.2 and 8 ohms. In some cases 16 and 250 or 500 ohms. Any one of the 10 transformers included would cost the price of the kit if purchased separately.

Stock #K-23-06 Shinning Water

Super DISC CERAMICON KIT Reg. \$795



DISC CERAMICONS . -Here Is a fine as-sortment of 50 Erie

sortment of 50 Erie

type Including single
and dual capacitation
tance types. 10 assorted printed circ
cuit type capacitors for AM and TV Shipping Wgt. 2 Lbs.
Shipping Wgt. 2 Lbs.

PRECISION

20 Popular Value PRECISION RESISTORS

Reg. \$1500



Contains a well balanced assortment of American precision resistors. In most cases just one of these resistors would cost you more than we are charging for the whole kit. All are either 1% or 2% wire wound precision resistors of the WW3, WW4, or WW5 type. Most are 1 watt, You can't lose on this terrific kit value. Buy several for a good stock and assortment.

Stock #K-13-06


Shipping Wgt. 1 Lb:

TV 1.F COIL

\$595

CONCORD'S PRICE

(19.75 to 42 mc.)



Stock #AG-IFK CG

SOLDER LUG STRIP ASSORTMENT



An excellent assortment of soider lug terminal strips required for any set or equipment construction. Kit includes 10 each of 1 through 6 tug terminal strips.

Shipping Wgt. 1 Lb.

Stock #K-21-C6 CONCORD'S PRICE Reg. \$4.95

ALL-AMERICAN resistor kit contains 100 packaged RMA color-coded resistors in most-used values. Made by America's famous names. 72–1/2 wt., 18-1 wt., 10–2 wt.

KIT OF 50 RADIO KNOBS

CONCORD'S LOW PRICE

WORTH \$750



ASSORTMENT FOR GENERAL REPLACEMENT USE.

Shipping Wgt. 3 Lbs.

STOCK #K-RADKNOB-B7

ROTARY **SWITCHES**



A highly useful and versatile assortment of multi-position multi-pole switches designed specifically to augment the switch supply of the experimenter or laboratory. Switches range from single pole 11 position to six pole-two position and include single, double, triple and quadruple section units. All switches are famous make and brand new. Shorting type switches included in assortment.

Reg. \$595

Shipping Wgt. 4 Lbs.

PAPER

\$1595

DC. Shpg. wt. 4 lbs. Stock #K-10-C6

PAPER TUBULARS—One or the finest condenser values ever offered. 50 of the most popular and widely used paper tub-ulars. All the standard buffers and by-pass tripes are included. All are impregnated and have full length tinned leads. Ranging from 001 to .1 mfd and from 600 to 1600 volts

50 RECEIVING

MICAS. Ever popular receiving type mica condensers 600 to 1,000 volt test in a variety of useful sizes. Silver micas included. Worth many times our low price.

Most Popular Shog. wgt. 11/2 lbs **Assortment**

WEBSTER REPLACEMEN CARTRIDGES "The best friend a record ever had"



CONCORD'S PRICE

LOOK AT REG THIS PRICE! \$850

Inter-speed prystal cartinge for sub-matic record changers Complete with turn me-chanism, std. 42 side ear or front shaft



Model AX

CONCORD & PRICE

08

FANTASTIC REG \$695

Model A160

Three speed crystal cartridge for tow level applications Special Ronette replacement Model A260 for high output applications



Model CX

CONCORD'S PRICE

EACH

\$495 A GIVEAWAYI

A single freedle cartridge for either 78 or 3 speed application. High output delivers 4.5 volts for small one tube amplifier use May be flange clip, stud or bracket



CONCORD'S PRICE

EACH

REG. \$850

FAMOUS MAKE

Model FX

Three-speed crystal cartridge High output dual voltage, twist cartridge for std. ½" and special rear mounting used in Astatic and Webster pickups.



CONCORD'S PRICE

EACH

\$850 TERRIFIC VALUES

Model F25

Three-speed crystal cartridge with a step-down shaft; exact replacement for Astatic 6615 (661MS). Snap-off front shaft mounting makes it an exact replacement for Astatic LCD-J and 621, Webster F14 and F14-1.

Model F22-1

Three-speed crystal ridge with Webster standard front shaft mounting Replaces Webster F22 1, F24 1 Series



CONCORD'S PRICE

NOW REG. \$545

Model GX

Miniature ceramic single needle cartridge for all micro groove changers and players. Includes special direct RCA mountings. Available in Models G4M and G6M for 3 speeds and 78 rpm



CONCORD'S PRICE

EAC-

REG. \$495



Special Retract-C-Matic high output crystal cartridge with built in needle protection Used with Webster S Series pickups.

Model P2-1

CONCORD'S PRICE

Write for Bulletin Y-F9 for complete replacement data on Webster cartridges.

CONCORD'S HI-FI TONE ARMS

DE LUXE FLIP OVER MODEL

CONCORD'S PRICE Lots of 3 SINGLY

\$ 4.25 each

UNIVERSAL TYPE

Reg. 897

WITH 2 PRECIOUS METAL STYLH USES 3 MIL AND ! MIL NEEDLES OLTPUT IS 3 VOLTS RESPONSE IS BETTER THAN 50-7000 CBS SPRING COUNTER BALANCED ARM

Shipping Wgt, 8 Ozs. RE PLACES FARITER MODELS STOCK TA 703-C6

REG \$1295



SPRING COUNTEM AL ANCED ARM 3 VOLTS OUTPUT RESPONSE BETTER THAN 50-5500 CPS USES LOW PRESSURE Shipping Wgt. 8 Ozs. CARTRIDGE LESS NEEDLE STOCK # TA-101-C6



CRYSTAL and CERAMIC PICKUP CARTRIDGES













Fig. E

Fig. G

Fig. F





Fig. L

Fig. N







Fig. K

Fig. P

FINE GROOVE CARTRIDGES FOR 331/3, 45 RPM RECORDS

MODEL NO.	ILLUSTRA- TION	Concord's Price	LIST PRICE	OUTPUT LEVEL	TYPE	RESPONSE TO
W31AR	Fig. A	\$3.90	6.50	2.1V	Crystal	7,500 c.p.s
WC31AR	Fig. A	3.90	6.50	.87V	Ceramic	7,500 c.p.s
W53MG	Fig. F	5.10	8.50	1.3V	Crystal	8,500 cp.s
WC20:	Fig. C	5.70	9.50	.58V	Ceramic	12,000 c.p.s.

TURNOVER CARTRIDGES FOR 331/3, 45, AND 78 RPM RECORDS

tic	MODEL NO.	ILLUSTRA- TION	Concord's Price	LIST PRICE		FPUT VEL	TYPE	RESPONSE TO
FIC VALUE!					MG	STD.	1	
EIC VALUE.	WC10§	Fig. H	\$5.70	\$9.50	.78V	1.0٧	Ceramic	12,000 c.p.s.
	WC10D§	Fig. H	20:40	34.00	.78V	1.0V	Ceramic	12,000 cp.s.
step-down shaft;	W22A	Fig. D	6.30	10.50	1.2V	1.4V	Crystal	10,000 c.p.s.
MS). Snap-off	W22AB	Fig. D	5.70	9 50	1.2V	1.4V	Crystal	10,000 c.p.s.
ract replacement F14 and F14-1.	W22A8-T	Fig. E	6.00	10 00	1.2V	1.4V	Crystal	10,000 cps.
ndard	WC24	Fig. F	5.25	\$8.75	067	0 6 V	Ceramic	7,000 cp.s
F22 1,	WC24-T	Fig. G	5.55	9.25	0.67	0.6V	Ceramic	7,000 cps.
	W9b	Fig. J	5.70	9.50	3.5V	5V	Crystal	10 000 ср.
	WC25	Fig. K	5.70	9.50	.65V	.7٧	Ceromic	7.000 cps.
EAR THE	W72†§	Fig. L	5.10	8.50	3 V	4V	Crystal	5,000 cps
HEAR THIS!	SINGLE	NEEDLE	CARTRID	GES F	OR 3	31/3, 4	5, 78 R	PM RECOR
micro groove mountings and 78 rom	MODEL NO.	ILLUSTRA- TION	Concord's Price	LIST	Ou'	TPUT	TYPE	RESPONSE

MODEL NO.	ILLUSTRA- TION	Concord's Price	LIST PRICE					RESPONSE TO
				MG	STD.			
W26A	Fig. B	\$5.10	\$8 50	.87V	1.0V	Crystal	8,000 cps.	
W26B	Fig. B	4.50	7.50	.87V	1.0٧	Crystal	8,000 cp.s.	
W36B	Fig. A	3.90	6.50	2.3V	2.5V	Crystal	7,000 cps.	
WC38	Fig. A	3.90	6.50	.9٧	.92V	Ceramic	10 000 cp.s.	
W66B	Fig. O	4.20	7.00	2 0V	2 3 V	Crystal	4,500 cps.	
W70	Fig. P	2.97	4.95	3.0V	3.8V	Crystal	5,000 cps.	

STANDARD CARTRIDGES FOR 78 RPM RECORDS

MODEL NO.	TION	Concord's Price	LIST	OUTPUT	TYPE	RESPONSE
W23B	Fig. B	\$4.65	\$7.75	1.1V	Crystal	8,000 c.p.s.
WC33B	Fig. A	3.90	6.50	.92٧	Ceramic	7,000 c.p.s.
W68†	Fig. O	4.50	7.50	1.6٧	Crystal	4,500 c.p.s.
W78‡	Fig. M	3.33	5.55	4.0V or 2.0V	Crystal	6,000 c.p.s.
W56N**	Fig. N	5.10	8.50	4.3V	Crystal	10,000 cps.
W58HS***	Fig. M	3.93	6.55	1.6V	Humi-Seal Crystal	6,000 cps
W60H5***	Fig. O	5.10	8.50	1.8٧	Humi-Seal Crystal	4,500 cp.s

Concord's diamond needles are FULLY GUARANTEED with WARRANTY CERTIFICATE.



AMAZING BARGAINS . FINEST QUALITY DIAMOND AND SAPPHIRE REPLACEMENT NEEDLES!

NEVER BEFORE SUCH A WIDE SELECTION AT SUCH LOW PRICES!

DIAMOND		ILLUSTRA	TION and APPLICATION
(Per. List 527 50 Net \$16 17) LP SAPPHIRE Sth. No. GE-LP-S C6	9.65 EACH 1.29	GE Single type	Exact replacements for RPJ-001, RPJ-003, RPJ- 004, RPJ-005. For use in older model GE single-stylus cartridges, such as: RPX-040, RPX-041, RPX-061, RPX-063, RPX-046. Can NOT be used in new "A" type clip-in car- tridges.
	9.65 EACH 1.39 Lets of 3 Ety \$1.49	GE "A" clip in type	Exact replacements for RPJ-01S, RPJ-01D, RPJ- 03S, RPJ-03D. For use in all new "A" type clip-in cartridges: RPX-040A, 041A, 061A, 063A, 050A, 05ZA, 053A, 145, 146. 147 Can also be used in older "triple-play" cartridges after original stylus has been replaced with a new clip-in type tandem needle, such as Stk, No. GE-3
LP DIAMOND SIA. No. ASQ-LP-D C6 (Reg. List SZ5.00 Net \$15.00) LP SAPPHIRE SIA. No. ASQ-LP-SC6	9.50 EACH 94¢ Lets of 5 Singly 99¢	Astatic "Q" type	Exact replacements for Astatic Q & Q-33 (M or J). For use in all Astatic single-needle and turnover cartridges designed to take the "Q" type needle, such as: LQQ, CQ, QT, CAC.
Stk. No. ASA-LP-0 C6 (Reg. List \$25.00 Net \$15.00) LP SAPPHIRE Stk. No. ASA-LP-5 C6	9.50 EACH 94¢ Lots of 5 Singly 99¢	Astatic "A" type	Exact replacements for Astatic A-1 & A-3 (M or J). For use in all Astatic single-needle and turnover cartridges designed to take the "A" type needle, such as AC series, ACD series.
LP-BLANDIND Sth. No. SH-LP-D C6 (Reg. List \$25.00 Net \$15.00) LP SAPPHIRE Sth. No. SH-LP-S C6	\$ 9.50 EACH 94 ¢ Lati at 5 Singly 99¢	Shure type	For use in any Shure single-needle or turnover cartridge designed to take this type of needle. (Held in place by a small, round, knurled nut). Such as: P30, 37, 57, 70, 71, 72, 73, 76, 77, 79, 85, 88, 89, 94. WZZ, 23, 26, 60, 61, 65, 66, PC41, WC22, certain Admiral cartridges.
LP DIAMOND Sth. No. ROW-LP-D C6 (Reg. Lest \$25,00 Net \$15.00) LP SAPPHIRE Sth. No. ROW-LP-S C6	\$ 9.50 EACH 94¢ Lats at 3 ingly 99¢	Ronette type	For use in all Ronette and Ronette-type single- needle and turnover cartridges. Also used in Collaro "Studio" cartridges.

Sth. No. RCA LP S C6 BCA IVIN Lets of 5 Singly 99c VARIABLE RELUCTANCE

\$ 9.50

EACH

94¢

GE-TYPE CARTRIDGE

LOTS OF 3 C 🟲 95

Reg

\$837

Stock #A6 RPX-050

LP DIAMOND

LP SAPPHIRE

Sth. No. RCA-LP-D C6

(Reg. List \$25.00 Net \$15.00)

TRIPLE-PLAY version of GE's Variable Reluctance Cartridges. All standard, and microgroove records played with just one cart-ridge. Equal in perform-ance to single units. Wide range performance to 15, 000 cycles only 6 to 8 grams pressure. With ,001 and .003" replaceable Sapphire stylli. Uses pre-

CONCORD PRESENTS THE FAMOUS Sonotone Flip-Over CERAMIC CARTRIDGE

small hex nut).

Universal medium-length shank replaces all long, short or medium-length shank RCA type needles, with or without plastic damper, in all RCA single-needle and turnover cartridges. (Needle held in place by



Complete with 2 sapphire styli, 1 mil and 3 mil.
 Ceramic cartridge does not deteriorate from climate
 Universal type, replaces atmost 90% of existing units.
 Standard ½" mounting type.
 Used in VM, Webcor, Crescent and Columbia changers.

Stock #SONO-C-CE Shpg. Wgt. 8 ozs.

Shipping Wgt. 8 ozs

Concord Universal 3 Speed Needle



Precious tip, offset shank. If manufacturers name were listed these units would cost \$1,50 each. Individually mounted on cards.

Stk. #WEED-CO

Shp. wt. 2 ozs.

Concord's Low Low Prices

LOTS OF 10 \$2.85

.39 SINGLY

FAMOUS MAKE UNIVERSAL IONO CARTRIDGE



FINEST CRYSTAL ELEMENT

FULL 3 VOLT OUTPUT

FEATURES PRECISION NEEDLE CHUCK
STANDARD 47" MOUNTING

WGT. 17 GRAMS

FINEST REPLACEMENT FOR 90% OF UNIVERSAL TYPE

495

CARTRIDGES

Again Concord has scoured the market to get this fine serviceman's item at prices below dealer's cost. This unit can be used with most 3 speed universal needles. REPLACEMENT FOR THE FOLLOWING CARTRIDGES. REPLACEMENT AND ALL SIMILAR UNITS!

Shure P-35, P-87, P-90, P-92, P-93 series, most W series. Webster E-4, F-1, F-1P, 2-P, 3-P-4-P, FP, N-1 thru 9 series. Astatic 1-10, L-12, L-22A-L-24A, and most of the L series.

CONCORD'S LOW. LOW PRICE

Singl	e .			\$1.69	
Lots	of	25		\$1.49	
Lots	of	50	***************************************	\$1.29	
Lots	of	100		\$1.09	

Shipping Wgt, 3 ezs. Stock #AL-CART-C6

CUT Ronette OV-type cartridge

CONCORD'S LOW PRICE



New Ronette Hi-Fidelity cartridge has a Diamond for LP, Sapphire for standard. Fits most quality changers. Wt. 8 ozs.

Stock : C6 OVD Net \$13.95



ELECTRO VOICE HI-FI FLIP CARTRIDGE

Shipping Wt. 1/2 lbs.

Reg \$8.50

CONCORD'S Lots of 5 \$749

Has duel precious metal stylii. - Has 331/3 - 45 rpm needle and 78 rpm needle. - Used only in high quality phonographs.— Will give response 50 to 12,000 cycles.— Complete with ½" centers mounting bracket and turnover mechanism. We used this item on a check and were so surprised

Singly - \$2.75 A ridiculous low price for these. Stock #EV-FLIP-Co

FAMOUS WEBSTER TURN-OVER PHONO CARTRIDGE WITH TWO PRECIOUS METAL STYLII



CONCORN'S LOW LOW, PRICE

\$2.99 EA. Lots of ten

Singly 53.49 each

Shipping Wt 1/2 Lb.

Exact replacement for F14-2 Cartridge Replaces many "flat" turn-over types 3 VOLT

A good replacement for earlier less efficient units Mounts into any standard tone arm

STOCK # A7 F14-OUTPUT High gain crystal cartridge

PRICE CUT GOLDRING FLIP-OVER CARTRIDGE!




WITH 2 SAPPHIRE NEEDLES -500 C6 Shipping Wgt. 6 ozs. Price \$595 Stock #

WITH DIAMOND LP & SAPPHIRE 3 MIL NEEDLES \$17.95 Stock #

"POWER POINT"* REG. \$5.95 LOTS OF 3

• Finest ceramic \$900 cartridge SINGLY \$315 · Dual sapphire





REPLACEMENT STYLII FOR GE CARTRIDGE

DIAMOND-SAPPHIRE Sth. No. GE-13-DS.C6 (Reg. List \$31.00 Net \$18.23)

GHOMAIG-JAME Sth No GE-13-00 CE (Reg. List \$50.00 Net \$29.37)

DUAL SAPPHIRE Sth. No. GE-13-SSC6

\$2.25ea Lats of 5 Singly \$2.45

\$10.65

\$15.95

Exact replacements for RPJ-010, RPJ-0_0A, RPJ-012, RPJ-012A, RPJ-013, RPJ-013A.

For use in any GE "triple-play" cartridges, such as: RPX-050, RPX-050A, RPX-052, RPX-052A, RPX-053. RPX-053A, RPX-047, RPX-147.

REPLACEMENT STYLII FOR SONOTONE CARTRIDGES



GE Tandem (New "A" type Clip-in model)

DIAMOND SAPPHIRE Sth. No SON-DS C6-(Reg Lest \$30 00 Net \$18 00) **UUAL SAPPHIRE**

SINGLY - 1.89

\$10.75

\$1.85

Used in the 9980 and 2T Sonotone cartridges. (Will NOT fit the new Sonotone 3T cartridge)

REG. VALUE \$59.50

FAMOUS RONETTE PHONO CARTRIDGES

Lots of 3

HI-FI FLIP OVER NEEDLE 1 mil and 3 mil stylus, operate independently! Only Ronette, Molland's finest Hi-Fir manufacturer could engineer this unit. Two sapphires handle 33-1/3, 45 and 78 RPM records. Standard 42 mountings. Extended response from 50-13,500 cps.



SINGLY

Output 1.5 Voit Stock #RON-CAR Shipping Wgt. 6 ezs

CUSTOM TYPE

Output 1 Volt

for use with pre-amp Replaces GE
Pickering, Goldring, Clarkston,
Steck #RON-CAR-CUST
Shipping Wgt. 8 ezs.

PLEASE SPECIFY

AMECO DELUXE CODE PRACTICE OSCILLATOR

BUILT-IN SPEAKER TONE AND VOLUME CONTROLS

A fine unit for use in learning the code. Then can be used as C. W. monitor. Operates on 110 V. AC DC.

STOCK # CPS-KL-C7 KIT form, less tubes STOCK # CPS-WL-C7 Completely wired and tested, less tubes

Set of tubes (35W4, 50C5). Shipping Wt. 3 Lbs.

AMECO

\$1175

\$1295

\$150

Famous Make Universal 3 Speed Phono Cartridge



CONCORD'S UNBEATABLE PRICES:

Singl	e .	~~~~~		\$1.95	
Lots	of	50	each	\$1.75	
Lots	of	100	each	\$1.75 \$1.69	

Stock #UNIV-CARY-CE Shipping Wgt. 3 ozs.

Concord's Price

169 ea. LOTS OF 100

LOTS OF 10 1.85

Each

HOW HEAR THIS!

With precious tip universal stylus.
For 33-1/3, 45, 78 RPM records.
3 volt output.
For standard ½" mounting.
Replaces earlier, less efficient cartridges.
Frequence response 50-8500 cps.

With Needle FINEST CRYSTAL ELEMENT!

REPLACEMENT FOR THE FOLLOWING CARTRIDGES:
Shure P-35, P87, P-90, P92 series, P-93 series, most
W series — Webster F-4, F-1, F-1P-2P, JP, 4P, FP, N-1
thru 9 series — Astatic L-10, L-12, L-22A, L-24A, and
most of the L series
Also replaces most similar cartridges in above makes

A QUALITY MAGNETIC PICKUP FOR THE PRICE OF A REPLACEMENT NEEDLE!

A never to be repeated sale! Concord offers you a fine quality magnetic tone arm, complete with stylus at a ridiculous low price! All steel construction, complete with mounting bracket. Brown enamel finish. Long lead included. 10½" LONG.

LOTS OF 3

CONCORD'S LOW PRICE \$.75 EACH

Stock #Magarm-C7



REG. VALUE \$5.95

Shipping Wgt. 1 Lb.


TRANSISTORS PLUS GERMANIUM

WORLD'S SMALLEST AND DIODE - LIGHTEST TRANSISTOR SUPERHETERODYNE RADIO!

CONCORD'S PRICE


- . MEASURES ONLY 11/4" x 23/4" x 41/2".
- USES & LATEST TYPE TRANSISTORS PLUS GERMANIUM DIODE.
- . FINE TONE DYNAMIC SPEAKER
- . BUILT-IN FERRITE BAR ANTENNA
- . COVERS ENTIRE BROADCAST BAND.
- ECONOMICAL BATTERY OPERATION, REQUIRES ONLY ONE BATTERY.
- . BUILT-IN EARPHONE JACK FOR PRIVATE LISTENING.
- . JEWEL-LIKE PLASTIC CASE.
- . WEIGHS ONLY 10 ozs.

Earphone for above \$1.95





Stock #TR-63-C7



CONCORD RADIO CORP. • 45 Warren St., New York 7, N. Y.

RDERED	ВҮ		PRINT CL	EARLY IN INK - TO AV	OID ERROR	MINIMU	JM ORDER	\$5.00
AME								
REET AD	DRESS			RFD	P.O. BOX	J n		
OWN OR C	YTI		PO	STAL ZONE	STATE	DO NOT		
HIP TO HIP	□ PAR	CEL POS		REIGHT BEST	ARCEL POST			
f von ha	ve moved si r, show old	nce rec	elving you	IF YOU MOVE relast catalog or since		DATE		
ost Offic		Louce	ном			1	EACH T	
NOT S	STOCK NO.	PAGE NO.	MANY	DESCR	IPTION		EACH PRICE	TOTAL
-							+-	
-								
+								
	- 4							_
							-	
		-						
-		-						
-		+						
		-						
-		-	-					
-								
PLEASE		TERMS:	Our Ter	ms are Cash. 20%	AMOUNT FOR MDSE.			
FILL IN	ties	Orders.	All ship	ed with all C. O. D. ments F. O. B. our	PARCEL POST AND INSURANCE			
Merchand ordered from	3610	Plant.	ANT: be	sure to include suf-	DUE CONCORD From Previous Or	der		
Catalog No.		ficient Postal	postage v	vith order. Refer to and tables of Postage	SALES TAX New York Custon			
		Dates	AR FRANCE	e side to estimate				7

RUSH ORDER BLANK, C-7

CONCORD RADIO CORP. • 45 Warren St., New York 7, N. Y.

ORDERED BY		PRINT C	LEARLY IN INK - TO A	VOID ERROR	MINIA	NUM ORDE	R \$5.0
AME							
TREET ADDRES	S		RFD	P.O. BOX	USE		
OWN OR CITY		P	OSTAL ZONE	STATE	DO NOT		
	☐ PARCEL PO		AIR EXPRESS AIR	PARCEL POST			
			IF YOU MOVE				
ast order, sh OLD ADDRES	ow old addre	eiving you ss below:	ir last catalog or since	sending your			
Town or Post Office					DATE		
NOT STOCK	NO. PAGE NO.	HOW	DESC	RIPTION	A	EACH PRICE	TOTAL
				0-3			-
							-
							++
							++
							+
	_						++
-							
						-	+-+
PLEASE FILL IN	Deposit	is requir	ms are Cash. 20% ed with all C. O. D.	AMOUNT FOR MOSE.			-
Merchandise	Orders. All shipments F. O. B. our Plant.			PARCEL POST AND INSURANCE			11
ordered from			sure to include suf-	DUE CONCORD From Previous Or			
No.	Postal 2	one Map	vith order. Refer to any tables of Postage e side to estimate	SALES TAX New York Custom	ners Only	100	
		charges.		TOTAL AMOUNT			11

HOW TO ORDER

For your convenience our Order Blank is provided. (Upon request more will be forwarded. Use ink, write legibly, and not more than ONE item to a line. Be certain of the exact stock number and price of your item. Check the preferred square and how shipment should be made; Parcel Post; Express, etc. Your instructions will be adhered to, but be assured that any change made is to your advantage. Remarks and correspondence relating to the order should be on a separate sheet of paper. Because overpayments are promptly refunded, do not hesitate to include sufficient postage. (If overpayment is under 10c, we will credit it to your account. (Note: Showing of shipping weights in tabulated lists of goods is impractical. In these instances it is simple to estimate the weight of items.

DOMESTIC ORDERS

Our policy of doing a cash business, whether buying or selling through the years has proved itself in our ability to sell for less. If C.O.D. shipments are desired, a 20% deposit with your order will suffice. C.O.D. orders can only be shipped within the 48 states. Remittance of the full amount on small orders will save collection costs.

FOREIGN ORDERS

Payment in the U.S. is required by an irrevocable and confirmed letter of credit against documents. Quotations are F.O.B. our warehouse with slight additional charge for export packing. Orders up to \$25.00 must include postage, are payable in full, in advance. Remittances must be payable in U.S. currency.

Returning Merchandise

If at any time it becomes necessary to return any merchandise for adjustments, write us in advance, giving the following information; reason returned; when and where purchased; number of sales slip if purchased over the counter. In the case of receipt of damaged shipment obtain a receipt from the postmaster or express agent, and mail it to us. All adjustment matters must be sent to us on a separate sheet of paper; do not add claim to an order. Do not include money in the package you return. Pack the returning merchandise carefully, insure, and write your name and address on all packages and letters before returning to us.

Sending Money

To assure yourself of the easiest and best way of sending money we recommend you follow these instructions. Use Amrican Express, Post Office, or Telegraph Money Order; Bank Drafts; Firm checks; stamps. Do not send cash. If the necessity arises that you must remit cash, send it by Registered Mail only. Be assured that over-payments are promptly refunded. Be sure to include sufficient postage.

Postpaid Items

Postage is not required for anything marked "Shipped Postpaid." Postpaid items refer only to shipments within the 48 states of the U. S. (Does not include U. S. Possessions.)

Final Prices

All prices shown in our catalog are Net; and except where marked POSTPAID, please include postage. Consideration has already been given to all deductions, including the 2% discount for cash. Prices are subject to change without notice; but the customer gets the benefit of any reduction in price after the catalog is published.

PARCEL POST INSURANCE RATES

Amt. Ins.	Ins. Fee	Amt. Ins.	Ins. Fee
	5 cents	25.01 to 50.00 .	
	10 cents	50.01 to 100.00	30 cents
10.01 to 25.00	15 cente	100 01 to 200 00	35 conte

EXPRESS INSURANCE RATES are: for shipments under \$50.00, no extra insurance charge; for shipments valued from \$50 to \$150 dollars the charge is 19 cents. For each additional \$100 value or portion thereof, charge is 19 cents.

EXPRESS OR FREIGHT SHIPMENTS

Transportation charge must be sent collect in the case of Express or Freight shipments. If your station lacks the agent remit sufficient money to cover shipping. Charges are the same either way. Overpayments are refunded promptly.

C. O. D. SHIPMENTS

There are additional charges on parcels sent C.O.D. Not those sent prepaid. Including insurance, the following are the charges.

ø	KC2.					-	
	Insuran	ce Desi	red C.O.C). Fee	Insurance Desired		
	10.0 2	5.00	30	cents	25.01 50.00		
			40		50.01 100.00		
					100.01 150.00		
	10.01	25.00	60	cents	150.01 200.00	1.00	

NOTE

In case any equipment has been built or ordered to meet the customer's individual specifications, this equipment is not subject to exchange, credit or refund. Any order, for special merchandise, that is built to specific customer requirements must be accompanied by a deposit.

THE PRICES IN THIS CATALOG SUPERSEDE ALL PAST PRICES.

ALL UNUSED MONIES (FOR POSTAGE, ETC.) WILL BE IMMEDIATELY REFUNDED

MINIMUM ORDER \$5.00

HOW TO ORDER

For your convenience our Order Blank is provided. (Upon request more will be forwarded. Use ink, write legibly, and not more than ONE item to a line. Be certain of the exact stock number and price of your item. Check the preferred square and how shipment should be made; Parcel Post; Express, etc. Your instructions will be adhered to, but be assured that any change made is to your advantage. Remarks and correspondence relating to the order should be on a separate sheet of paper. Because overpayments are promptly refunded, do not hesitate to include sufficient postage. (If overpayment is under 10c, we will credit it to your account. (Note: Showing of shipping weights in tabulated lists of goods is impractical. In these instances It is simple to estimate the weight of items.

DOMESTIC ORDERS

Our policy of doing a cash business, whether buying or selling through the years has proved itself in our ability to sell for less. If C.O.D. shipments are desired, a 20% deposit with your order will suffice. C.O.D. orders can only be shipped within the 48 states. Remittance of the full amount on small orders will save collection costs.

FOREIGN ORDERS

Payment in the U.S. is required by an irrevocable and confirmed letter of credit against documents. Quotations are F.O.B. our warehouse with slight additional charge for export packing. Orders up to \$25.00 must include postage, are payable in full, in advance. Remittances must be payable in U.S. currency.

Returning Merchandise

If at any time it becomes necessary to return any merchandise for adjustments, write us in advance, giving the following information; reason returned; when and where purchased; number of sales slip if purchased over the counter. In the case of receipt of damaged shipment obtain a receipt from the postmaster or express agent, and mail it to us. All adjustment matters must be sent to us on a separate sheet of paper; do not add claim to an order. Do not include money in the package you return. Pack the returning merchandise carefully, insure, and write your name and address on all packages and letters before returning to us.

Sending Money

To assure yourself of the easiest and best way of sending money we recommend you follow these instructions. Use Amrican Express, Post Office, or Telegraph Money Order: Bank Drafts; Firm checks; stamps. Do not send cash. If the necessity arises that you must remit cash, send it by Registered Mail only. Be assured that over-payments are promptly refunded. Be sure to include sufficient postage.

Postpaid Items

Postage is not required for anything marked "Shipped Postpaid." Postpaid items refer only to shipments within the 48 states of the U. S. (Does not include U. S. Possessions.)

Final Prices

All prices shown in our catalog are Net; and except where marked POSTPAID, please include postage. Consideration has already been given to all deductions, including the 2% discount for cash. Prices are subject to change without notice; but the customer gets the benefit of any reduction in price after the catalog is published.

PARCEL POST INSURANCE RATES

Amt. ins.	Ins. Fee	Amt, Ins.	ins. Fee
\$ 0.01 to 5.00	5 cents	25.01 to 50.00	
5.01 to 10.00		50.01 to 100.00	30 cents
10.01 to 25.00	15 cents	100.01 to 200.00	35 cents

EXPRESS INSURANCE RATES are: for shipments under \$50.00, no extra insurance charge; for shipments valued from \$50 to \$150 dollars the charge is 19 cents. For each additional \$100 yalue or portion thereof, charge is 19 cents.

EXPRESS OR FREIGHT SHIPMENTS

Transportation charge must be sent collect in the case of Express or Freight shipments. If your station lacks the agent remit sufficient money to cover shipping. Charges are the same either way. Overpayments are refunded promptly.

C. O. D. SHIPMENTS

There are additional charges on parties sent C.O.D. Not those sent prepaid. Including insurance, the following are the charges.

Insuranc	e Desir	red C.O.D. Fee	Insurance Desired C	.O.D. Fee
\$ 0.01	5.00	30 cents	25.01 50.00	70 cents
5.01	10.00	40 cents	50.01 100.00 100.01 150.00	80 cents
10.01	25.00	60 cents	150.01 200.00	.00

NOTE

In case any equipment has been built or ordered to meet the customer's individual specifications, this equipment is not subject to exchange, credit or refund. Any order, for special merchandise, that is built to specific customer requirements must be accompanied by a deposit.

THE PRICES IN THIS CATALOG SUPERSEDE ALL PAST PRICES.

ALL UNUSED MONIES (FOR POSTAGE, ETC.) WILL BE IMMEDIATELY REFUNDED

MINIMUM ORDER \$5.00

9

CONCORD OFFERS

GEIGER COUNTERS AT GREAT SAVINGS



WF-10A 3 COUNTING RANGES 0-100; 0-1,000; 0-10,000 CPM



- 3-way indication-meter, neon flasher, and headphone
- Supplied complete—ready for prospecting
- · Handy zero-reset button
- · Easy-to-decontaminate case

Reg. \$119.50 CONCORD'S PRICE

Batteries for above 2 #467 @ \$2.45 \$4.90 3 #950 @ 13€ 394

The WF-10A is a lightweight, compact portable instrument, suited for the amateur prospector. It's as simple to operate as a portable radio. The WF-10A has three counting ranges: 0-1,00; 0-1,000; and 0-10,000 counts per minute (CPM). Measures $7^{1}/4^{11} \times 8^{1}/2^{11} \times 3^{1}/2^{11}$ and weighs only 5 pounds, including batteries. The WF-10A indicates the presence of radioactivity in three ways: by meter which registers relative intensity in CPM; by neon light; and by headphone. The WF-10A is housed in a weather-proof aluminum case which can be decontaminated simply by wiping with a damp cloth. The WF-10A is supplied complete with all tubes, headphone and carrying strap.

WF-16A USES 10 EXTRA-SENSITIVE BISMUTH-TYPE GEIGER-COUNTER TUBES — useful for aerial and car-borne surveys

- Battery condition checker
- Can be used with derial and deep-well probes \$149.50 Can be used with
- · Top-grain cowhide carrying case

Reg. \$750.00 CONCORD'S PRICE

The WF-16A is the most sensitive portable instrument in RCA's line of Geiger counters. Measures up to 200,000 counts per minute (CPM) in three ranges: 0-2,000; 0-20,000; and 0-200,000 CPM. Its high sensitivity makes the unit an indispensable tool for the professional prospector. The WF-16A has many features, such as the control to compensate for background radiation, a rapid-zero-reset button, and the built-in battery-voltage checker which shows condition of "A" and "B" batteries directly on the meter. Two-step switch permits choice of "fast" or "slow" meter indication. The WF-16A measures 11" x 4½" x 7½" and weighs approximately 8 pounds with batteries. It is supplied complete with all tubes, headphone, and topgram leacher case.



Batteries for above 2 #467 @ \$2.45 \$4.90 3 #950 @ 13€ 39€

WF-14A USES EXTRA-SENSITIVE BISMUTH-TYPE GEIGER-COUNTER TUBE IN EXTERNAL PROBE

Reg. \$186.00

Provided with detachable CONCORD'S PRICE External probe

less batt.

• 3 counting ranges: 0-200; 2 #467 @ \$2.45 \$4.90 0-2000; 0-20,000 CPM

Extension cable up to six

feet may be added

3 #950 € 13€ 39€

Batteries for above



The WF-14A combines the sensitivity of the bismuth-type Gelger-counter tube the versatility of an external probe to provide an outstanding tool for both amateur and professional prospectors. It is easy to decontaminate and includes a handy zero-reset button. The unit weighs 5 pounds complete with batteries, measures 7" x $8\frac{1}{2}$ " x $4\frac{1}{2}$ ". The WF-14A indicates the presence of radioactivity in three ways: by meter which registers relative intensity in CPM; by neon light; and by headphone. The WF-14A is supplied complete with external probe, all tubes, headphone, carrying strap.

WF-15A USES 10 GEIGER-COUNTER TUBES FOR INCREASED SENSITIVITY



Batteries for above

2 #467 @ \$2.45

\$4.90 3 #950 € 13¢

39€

Reg. \$475.00 CONCORD'S PRICE

less batt.

· Meter-response control for "fast" or "slow" readings · Control to compensate for background radiation for

greater ease of operation · Connector for addition of external probe and cable

for aerial and car-borne SULVEAS

The WF-15A contains a bank of ten Geiger-counter tubes which give the unit increased sensitivity. The portable instrument has three counting ranges: 0-1,000; 0-10,000; and 0-100,000 counts per minute. Special features include background control to compensate for radiation and a built-in battery checker to show condition of "A" and "B" batteries, and a rapid-zero-reset button. Two-step switch permits choice of "fast" or "slow" meter indication. Connector provided on the counter for addition of external probe. The WF-15A measures 11" x 4%" x 7½", weighs approximately 8 pounds with batteries . . . supplied complete with all tubes, headphone, and leather carrying case.

WF-11A USES EXTRA-SENSITIVE BISMUTH-TYPE GEIGER-COUNTER TUBE



Batteries

2 #467 @ \$2.45 \$4.90 3 #950 @ 13€ 394

Reg. \$154.50 CONCORD'S PRICE

- · Compact, portable ompletely self-contained
- · Three counting ranges: 0-200; 0-2,000; 0-20,000 CPM

The WF-11A is a compact, dependable, portable unit which employs an extrasensitive bismuth-type Geiger-counter tube, and is as simple to operate as a portable radio. The entire unit is housed in a weather-proof case which is easy to decontaminate and is built to withstand the rugged outdoor use required of a prospecting instrument. The WF-11A is equipped with a handy zero-reset button. It indicates the presence of radioactivity in three ways: by meter which registers relative intensity in CPM; by neon light; and by headphone. The RCA WF-11A is supplied complete with all tubes, headphone, and carrying strap. It measures 73/4" x 81/2" x 31/2" and weighs only 5 pounds, including batteries.

WF-12A HAS GEIGER-COUNTER TUBE IN EXTERNAL PROBE FOR EXPLOR-ING FISSURES AND TEST BORES

 External probe clamps to case for routine surveying—detaches quickly for special

measurements Sturdy, lightweight design for use under

rugged field conditions

Reg. \$149.50

CONCORD'S PRICE

\$34.95 in


This model is supplied with a Geiger-counter tube in an external probe for convenience in probing in fissures and in test bores. It has three counting ranges: 0-100; 0-1,000; and 0-10,000 counts per minute (CPM). Includes handy zero-reset button. The WF-12A indicates the presence of radioactivity in three ways: by meter which registers relative intensity in CPM; by neon light; and by headphone. The unit is housed in a weather-proof aluminum case which is easy to decontaminate with a damp cloth. The unit weights 5 pounds complete with batteries, measures 8½" x 7" x 4½". The unit is supplied complete with external probe, tubes, carrying strap, headphone.



Batteries for above 2 #467 @ \$2.45 \$4.90 3 #950 € 13¢

10

BREATH TAKING! Not JUST HI-FI; Concord's STEREOPHONIC SYSTEM gives you a seat in the Concert Hall!



Two matched pilot AA-410A 20 Watt "Williamson" type amplifiers.





Two matched Norelco 9760M 12" "Twin Cone" HI-FI speakers, freq. response: 35 - 18,000 cps. handle 20 Watts with ease.

Pentron TM-4 Stereophonic Recording and playback (stackedin-line, or staggered systems) plus monaural recordings and playback!



"STEREOPHONIC-DUAL AMPLIFIER & SPEAKER SYSTEM"

20 WATT MATCHED

AMPLIFIERS REPRODUCE FAITHFUL-LY EACH MUSICAL INSTRUMENT

REG. T	RICE
TM-4\$109.	.95
CA-15	95
NA-410A ₱ 59.50	00
0 9760M 5 54.95 109.	90
, 54.95 IU	77.

REG. TOTAL \$418.80

CONCORD'S SPECIAL \$29805

SAVE \$120.75

COMPLETE

Pentron CA-15 stereophonic channel playback pre-amplifier.

Stock #STEREO-COMB-C7 Ship. Wgt. 86 Lbs.

CONCORD TV TABL custom styling, budget priced!

All units include the following features:

- Rigid construction of tubular steel.
- 360 degree swivel action.
- · Fully adjustable arms.
- Smart and lasting finishes in jet black, brass or bronze.
- Ball bearing casters where desired.





Designed for all makes and sizes of portable sets. Overall width 12", height 241/3, fully adjustable. Also doubles as snack server. Folds completely, individually cartoned.

Model No Concord's Price 30B Black without casters 30BC Black with casters 30BR Brass without casters 30BRC Braisis with casters

SERIES 15-21 featuring swivel top

Simple and practical TV tables. Size 201/4" H x 17 2 casters for rolloway feature. Individually cartoned Model

wide Available with

15 Black throughout

Concord's Price \$4.35

16 Black with shelf

\$4.95

19 Brass finished

\$5.25

21 Brass with shelf

\$5.85

SERIES 25 featuring swivel top

Smartly designed with tapered tubular legs for any table model. Overall width 17", height 201/4". Fully adjustable. Brass shelf for phonograph or records. Individually CL:--: 14/ 1 10 11

Model No. Shipping Wgt. 18 Lbs.	
25 Black Swivel Top	\$6.75
25B Brown Swivel Top	\$6.75
25BR Brass Swivel Top	\$7.50
40 Black with Brass Arms and Casters	\$3.23
41 Black with Brass Arms, Shelf and Casters	\$4.13

CALENDAR CLOCK RADIO

Latest super-het circuit, includes 4 tubes and rectifler. Gives 6 tube performance.

- · Rectangular slide rule dial.
- Tunes entire broadcast range.
- Famous Telechron calendar clock timer. Shows hours and minutes, also shows day of week and month date in dial face opening. Convenience outlet for
- Attractive modern design plastic cabinet. Available in mahagany, bland and ivory.
- For operation on 105-125 V. 60 cycles AC.

REG. VALUE \$42.00

CONCORD'S

CUT PRICE



MAHOG.

BLOND

STOCK #RAD56C45-M (Mahog.) STOCK #RAD56C45-B (Blond) Ship. Wgt. 10 Lbs.

fine TABLE RADIO

FOR 110 V. AC/DC **REG. VALUE \$22.00**

CONCORD'S CUT PRICE

Budget priced, big performer! This neat superhetrodyne radio incorporates 3 tubes plus rectifier. Covers entire broadcast band. Features include extra large dial, AVC circult, built-in ferrite antenna, handsome plastic cabinet in choice of mahagany, blond or ivory finish.

Stock #RAD-46-37-C7

Ship. Wgt. 7 Lbs.

CONCORD'S "SPORTSMAN" PORTABLE RADIO

- Full 4 tube superhet circuit.
- 31/2" PM dynamic speaker for fine response.
- Tunes complete broadcast band 535-1650 Kc.
- Handsome rugged ivory plastic
- Provision for private listening.
- Handy carrying handle. Size: 8¼ x 5-1/16 x 2¼". Weighs only 2 lbs. 11 ozs.

with batteries.

(less hatteries)

22.00 EACH

Batteries for above—	REG
1-D Cell	\$.10
1—67½ V. B Battery, K45 Burgess or similar	\$2.07
Earphone & Plug for above	\$1.85
Stock #SPORTS-D6	

Concord's Low-Low Price

Shipping Wgt .- 2 lbs.

CONCORD'S SUPER-POWERED!

SUPER-HET POCKET RADIO

NEW 1958 DESIGN!


EARPHONE!

CONCORD'S CUT PRICE

REG. VALUE \$29.50

Not just a portable, but a real "POCK-ET" superhetrodyne radio. You will get good reception in parks, ballfield, camping, for the sickroom, etc. Three tubes give 5 tube results. Earphone fits comfortably in ear. Covers entire comfortably in ear. Covers entire broadcast band. Case is gleaming plastic.

Stock # MO-857-C7



BATTERIES FOR ABOVE

Eveready 935 13¢

Ship. Wgt. 2 Lbs.

SUPER-HET

CONCORD'S TABLE RADIO 6 TUBE FOR 110 V. AC/DC

REG. VALUE \$32.00 CONCORD'S CUT PRICE

\$22.00 SINGLY

Our buyer made a lucky purchase! We offer a set which is a top performer as well as a handsome addition for any room. Features include a stage of TRF for added sensitivity, circuit includes 5 tubes and rectifier. AVC circuit prevents blasting. Large PM speaker, built-in ferrite loopstick antenna. Tunes entire Broadcast range, Large semi-circular dial, Mahogany plastic cabinet with ivory grille.

Stock #RAD66-38-C7

Ship, Wet, 8 Lbs.

CONCORD'S DE-LUXE CLOCK RADIO

FEATURING SLEEP SWITCH

REG. SOLD FOR \$42.50 CONCORD'S LOW PRICE



\$28.50

• Latest type Super-Het circuit uses 4 tubes plus rectifier, gives 6 tube performance. • Easy to read expanded Vernier Dial for easier tuning. • Tunes complete Broadcast Range. • Built-in Precision Loop Antenna. • Famous Telectron self-starting Electric Clock, operates independently of radio, with alarm buzzer, automatic on/eff switch, sleep switch, luminous hands, appliance outlet. • Cabinet is satin smooth plastic. Finished in two tone Parquet Tan and Patio. Measures: 5½"x12½"x6". For operation on 105-125 V. 60 cycles.

Stock #56C220-C7

Ship. Wgt. 10 Lbs.

CONCORD'S OUTSTANDING SALE!

FAMOUS BRAND

REG. VALUE \$29.95 AC/DC BATTERY **RADIO** BATTERIES Eveready 717.\$.
Eveready 477.\$2.

EACH (LESS BATTERIES)

Here's typical CONCORD value. Latest 1958 styling and engineering includes such features as:
4 tubes plus rectifier delivers 6 tube results, extra heavy Alnico V PM speaker for improved tone, modern non-breakable "IMPAC" case, AVC circuit prevents blasting. Recessed knobs and dialt; tunes entire broadcast range. Size: 71/9"x 93/6"x27/6". Available in Sand, Maroon, Grey or Green. Please specify.

Stock = PR5220-C7

Ship. Wgt. 6 Lbs.

PORTABLE TRANSISTOR RADIO KIT

(Less Batteries)

SINGLY

295 Battery for above— Eveready #226......\$.77

Can be built by anyone WITHOUT PREVIOUS WIRING KNOWLEDGE!

Uses 2 modern transistors, plus one Germanium Diode. Uses only ONE 9 volt miniature battery for economical

uses only UNE 9 voit miniature pattery for economical operation.

Full 4" Ainico PM loudspeaker.


Handsame durable cabinet size: 7½" x 5" x 2½".

Extender range, 550 Kc. to 2500 Kc. covers marine, police and SW bands.

· Step by step instructions.

Stock #PHIL-D6

Shipping Wgt. 2 Lbs.



IMPORTED HI-FI CHANGER FROM ENGLAND

Famous-Name Automatic

4 Speed Portable

FEATURES

Speeds 1625, 78, 45, 3345 R.P.M. Flip Over Dual Stylii Intermixes 10" & 12" Records 4 Pole Motor Extended Range Weighted Turntable

CONCORD presents a compact, 4 speed changer and amplifier with features found only in the finest record play-ers, plus a powerful amplifier and fine 5" P.M. speaker, enable the listener to get the utmost in musical en-tertalnment. Shipping Wgt. Stock #67-ASR 18 Lbs.



45 R.P.M. Spindle



\$2.25

Shipping Wgt. 8 ozs.

TRANSISTOR "POCKET" RADIO NOT A KIT FACTORY WIRED & TESTED

STOCK #

LUXE

SIZE: ONLY 2" x 3" x 34"
COMPLETE IN HANDSOME PLASTIC CASE
USES 1 TRANSISTOR PLUS GERMANIUM
DIODE
INCLUDES FREE BATTERY
BUILT-IN JACK FOR STANDARD
MINIATURE EARPHONE
FITS INTO POCKET, PURSE

REG. Shipping Wgt. 8 ozs.

\$1095 CONCORD'S **FANTASTIC**

PRICE SUPER POWERED DYNAMIC

Additional Batteries 10 €

EARPHONE FOR ABOVE \$2.95

for above

tree

2 **BATTERIES!!**

TRANSISTOR POCKET RADIO KIT REG. 14.95



- Super powered using 2 modern transistors plus germanium diode.
 Covers entire broadcast band.

- Covers such band.
 Uses two low cost penlife batteries.
 Works fine with any minlature earphone.
 Includes miniature plaslic case.
- Size: only 3" x 2" x 3/4". Includes full building in-

EARPHONE AND PLUG FOR ABOVE \$1.95 CONCORD'S LOW PRICE

each (less earphone) Stock #VAL2-C7

Concord made a good buy and passes along the savings to you. Here's an ideal unit for use at the park, ballfield, in the sickroom, office. Simply clip antenna lead to handy ground on telephone, electrical outlet, efc.

Shipping Wgt. 8 ozs.

CONCORD'S BARGAIN CLOCK RADIO

REG. VALUE \$37.00

CONCORD'S PRICE

MAHOG.

\$20.95 IVORY



Incorporates the latest type Superhetrodyne radio, licensed under RCA and Mazeltine patents, plus a famous Telechron De-Luxe automatic clock timer. Has luminous dial pointers and 60 minute sleep switch. Radio uses 4 tubes plus rectifier. Has fine PM speaker, built-in loop antenna, has easy to read tuning dial. Cabinet made of satin smooth plastic. Available in Mahogany or Ivory. Operates on 105-125 V. 60 Cycles AC.

Stock #RAD

SHIPPING WET: 6 LBS.

CONCORD'S ECONOMY TRANSISTOR RADIO

BATTERY FOR ABOVE \$100 #EV226

Q 7 LESS BATTERY

Loaded with features you can expect to find in high priced transistor radios, only Concord with its tremendous buying power could bring this set to you at this low — low — price.

- 1 diode plus 4 triode transistors.
 Full broadcast coverage 540-1620 KC.
 3 tuned I.F. stages.
 Fully-automatic volume control.
 Ferrite loop antenna.
 Powerful Alnico speaker.
 Fool proof printed circuit.
 Scuff-proof Texon case in simulated cowhide.
 61/4" x 5" x 21/4".
 Weight with hattery less than 3 lbs.
- Weight with battery less than 3 lbs.

WET. 5 LBS. Stock #TR-40 0-C7



Concord Radio Corporation 45 WARREN STREET. NEW YORK 7, N. Y.

Return Postage Guaranteed

Bulk Rate U. S. POSTAGE

New York, N. Y. Permit No. 14919

L P KENNELLY LANESBORO MINN