

DEPARTMENT OF COMMERCE

RADIO SERVICE BULLETIN

ISSUED MONTHLY BY BUREAU OF NAVIGATION

Washington, November 30, 1926—No. 116

CONTENTS

	Page		Page
Abbreviations.....	1	Miscellaneous—Continued.	
New stations.....	2	Transmission of time signals and weather bulletins from radiotelephone stations in Great Britain and northern Ireland.....	12
Alterations and corrections.....	5	New wave lengths used by broadcasting stations in Great Britain and northern Ireland.....	14
Miscellaneous:		Constant frequency stations.....	14
Changes in radiobeacon stations.....	8	Standard frequency stations.....	15
U. S. Army stations may be used as radiobeacons.....	9	References to current radio literature.....	16
Vessels equipped with radiocompass.....	9		
Changes in foreign stations.....	9		
New systems adopted for international radio time signals and rhythmic time signals by French stations.....	10		

ABBREVIATIONS

The necessary corrections to the List of Radio Stations of the United States and to the International List of Radiotelegraph Stations, appearing in this bulletin under the heading "Alterations and corrections," are published after the stations affected in the following order:

Name	= Name of station. *
Loc.	= Geographical location. O=west longitude. N=north latitude. S=south latitude.
Call	= Call letters assigned.
System	= Radio system used and sparks per second.
Range	= Normal range in nautical miles.
W. l.	= Wave lengths assigned: Normal wave lengths in italics.
Service	= Nature of service maintained. FX = Point-to-point (fixed service). PG = General public. FR = Limited public. RC = Radiocompass station. AB = Aviation beacon. B = Beacon. P = Private. O = Government business exclusively.
Hours	= Hours of operation: N = Continuous service. X = No regular hours.
F. T. Co.	= Federal Telegraph Co.
I. R. T. Co.	= Inter-city Radio Telegraph Co.
I. W. T. Co.	= Independent Wireless Telegraph Co.
K. & C.	= Kilbourne & Clark Manufacturing Co.
R. C. A.	= Radio Corporation of America.
U. R. Corp.	= Universal Radio Corp.
W. S. A. Co.	= Wireless Specialty Apparatus Co.
C. w.	= Continuous wave.
I. c. w.	= Interrupted continuous wave.
Kc.	= Kilocycles.
Fy.	= Frequency.
A. c.	= Alternating current.

RADIO SERVICE BULLETIN

NEW STATIONS

Commercial land stations, alphabetically by names of stations

[Additions to the List of Radio Stations of the United States, edition of June 30, 1925, and to the International List of Radiotelegraph Stations published by the Berns bureau]

Station	Call signal	Wave lengths	Service	Hours	Station controlled by—
Bartlesville, Okla. ¹	KJM	1,775	PX	X	Phillips Petroleum Co.
Borger, Tex. (near) ²	KJS	1,775	PX	X	Do.
Chicago, Ill. ³	WCFL	1,860	PX		Chicago Federation of Labor.
Houston, Tex. ⁴	KOQ	44	PX	X	Humble Pipe Line Co.
Pampa, Tex. ⁵	KOS	43.5	PX	X	Do.

¹ Loc. O 95° 55' 45", N 36° 41' 45"; system, composite v. t. telegraph.

² Loc. (approximately) O 104° 19' 00", N 38° 47' 00"; system, composite v. t. telegraph.

³ Loc. (approximately) O 87° 37' 00", N 41° 52' 00"; system, composite v. t. telegraph; hours 8 a. m. to 8 p. m.

⁴ Loc. O 95° 23' 24", N 29° 46' 18"; range, 500; system, composite v. t. telegraph.

⁵ Loc. O 100° 57' 20", N 35° 32' 05"; range, 500; system, composite v. t. telegraph.

Commercial ship stations, alphabetically by names of vessels

[Additions to the List of Radio Stations of the United States, edition of June 30, 1925, and to the International List of Radiotelegraph Stations published by the Berns bureau]

Name of vessel	Call signal	Range	Service	Hours	Owner of vessel	Station controlled by—
Atsarko.....	KGGG	8	PG	X	U. S. Shipping Board	
Algonquin.....	KGDL	8	PG	N	Cherokee-Seminole Steamship Co.	
Antilla ¹	KWD	8	PG	X	New York & Cuba Mail Steamship Co.	I. W. T. Co.
City of Dahart.....	KDNP	8	PG	X	U. S. Shipping Board	
City of Leedsburg ²	KUTE	8	PG	X	Coastwise Steamship & Dredge Co.	Owner of vessel.
City of Rayville.....	KDGB	8	PG	X	U. S. Shipping Board	
Davenport ³	KUDR	8	PG	X	do	I. W. T. Co.
Eastern Shore.....	WKIO	8	PG	X	do	
Edgemoor.....	KEVF	8	PG	X	do	Do.
Englewood.....	WGAA	8	PG	X	do	
Ervin V ⁴	KGDF		P	X	William E. Antony	Owner of vessel.
Frank D. Stout.....	KGDN				California & Oregon Lumber Co.	
Lake Ethel.....	KOKZ	8	PG	X	U. S. Shipping Board	
Landing.....	WTC	8	PG	X	California Sea Products Co.	F. T. Co.
Merco ⁵	KEPF	8	PG	X	U. S. Shipping Board	I. W. T. Co.
Munitions ⁶	KMZ	8	PG	N	Munson Steamship Line	Do.
Nashoba.....	KDEM	8	PG	X	U. S. Shipping Board	S. O. R. S.
Nemaha.....	KURR	8	PG	X	do	
Plow City ⁷	KUCC	8	PG	X	Charles Nelson Co.	I. W. T. Co.
Saccharappa.....	WGOL	8	PG	X	U. S. Shipping Board	
Sawokla.....	KDBW	8	PG	X	do	
Seminole.....	KUGP	8	PG	X	do	
Sinista.....	KDAC	8	PG	X	do	Do.
Tampa.....	KOVX	8	PG	X	do	R. C. A.
Unicoi.....	KUQP	8	PG	X	do	
West Amargosa ⁸	KEJS	8	PG	X	do	I. W. T. Co.
West Apamun ⁹	KJUJ	8	PG	X	do	Do.
Westchester.....	KGDR	8	PG	X	do	
West Cobalt.....	KEKD	8	PG	X	do	
West Crosby.....	WGOU	8	PG	X	do	
West Cusseta.....	KDIK	8	PG	X	do	
West Elcastro.....	WJOA	8	PG	X	do	
Western Light ¹⁰	KQOI	8	PG	X	do	Do.
Western Queen.....	KDDE	8	PG	X	do	
West Orma.....	WGIA	8	PG	X	do	
West Harts.....	KEFZ	8	PG	X	do	
West Hartland.....	KEGB	8	PG	X	do	
West Honaker ¹¹	KDFX	8	PG	X	do	Do.
West Kyska ¹²	WJOU	8	PG	X	do	Do.
West Logansack.....	WJOI	8	PG	X	do	
Westmen ¹³	WDIO	8	PG	X	do	
Westmount.....	KDJG	8	PG	X	do	
Westward Ho.....	WRX	8	PG	X	do	Do.
West Zeda ¹⁴	WRUU	8	PG	X	do	R. C. A.
Wilcox.....	WPAO	8	PG	X	do	
Yapalaga ¹⁵	KDBK	8	PG	X	do	
Yonahchichl.....	WPAI	8	PG	X	do	

¹ Range, 300; system, Navy-Morse, 1,000; w. l., 600, 700, 800.

² Range, 300; system, Navy-Lowenstein, 1,000; w. l., 600, 700, 800.

³ Range, 25; system, composite v. t. telegraph; w. l., 110.

⁴ Range, 500; system, Telefunken, 1,000; w. l., 600, 700, 800.

⁵ Range, 300; system, Navy, 1,000; w. l., 600, 700, 800.

RADIO SERVICE BULLETIN

Commercial land and ship stations, alphabetically, by call signals
 [b, Ship station; c, land station]

Call signal	Name of station	Call signal	Name of station
KDAC	Stnasta.....b	KOQ	Houston, Tex.....c
KDBW	Sawokis.....b	KOS	Pampa, Tex.....c
KDFX	West Honaker.....b	KOVX	Tampa.....b
KDGS	City of Rayville.....b	KQOI	Western Light.....b
KDHK	Yapalaga.....b	KUCC	Plow City.....b
KDIK	West Cussetta.....b	RUDR	Davenport.....b
KDIG	Westmount.....b	KUGP	Seminole.....b
KDNP	City of Dalhart.....b	KUQP	Unleot.....b
KDSM	Nashaha.....b	KUSR	Nemaha.....b
KEPZ	West Harta.....b	KUTK	City of Lordsburg.....b
KEGS	West Hartland.....b	KWD	Antilla.....b
KEJS	West Amargosa.....b	WCFL	Chicago, Ill.....c
KEED	West Cobalt.....b	WDIO	Westmead.....b
KEPF	Mercer.....b	WGAA	Englewood.....b
KEVF	Edgemour.....b	WGIA	West Grama.....b
KGDF	Ervina V.....b	WGOI	Sacramento.....b
KGDG	Absaroka.....b	WGOU	West Cresay.....b
KGDH	Westchester.....b	WJOA	West Elcason.....b
KGDJ	Western Queen.....b	WJOI	West Loquassuck.....b
KGDL	Algonquin.....b	WJOU	West Kynka.....b
KGDN	Frank D. Stout.....c	WKIO	Eastern Shorn.....b
KJM	Hartlesville, Okla.....b	WKUU	West Zeda.....b
KJS	Borger, Tex.....c	WKX	Westward Ho.....b
KJUU	West Apoum.....b	WPAI	Yomachichi.....b
KMZ	Munbertens.....b	WPAO	Wilson.....b
KOKZ	Lake Pithian.....b	WTC	Lansing.....b

Broadcasting stations, alphabetically, by names of States and cities
 [Additions to the List of Radio Stations of the United States, edition of June 30, 1926]

State and city	Call signal	State and city	Call signal
California: Stockton.....	KGDM	New York-Continued.	
Connecticut: Bridgeport.....	WICC	Ithaca.....	WLCI
Illinois: Chicago Heights.....	WJHZ	Syracuse.....	WBFR
Indiana:		Oregon: Portland.....	KXL
Huntington.....	WHOG	Pennsylvania: Kingston.....	WABF
Muncie.....	WIBC	South Dakota: Sioux Falls.....	KSOC
Iowa: Cresco.....	KODJ	Tennessee: Nashville.....	WLAC
Louisiana: Shreveport.....	KRAC	Texas: Dallas.....	KGDO
Massachusetts: Gloucester.....	WEPS	Washington:	
Michigan:		Seattle.....	KGDI
Detroit.....	WWPR	Do.....	KGEA
Ludington.....	WKBZ	Do.....	KVOB
Missouri: Kansas City.....	WLBF	Tacoma.....	KVI
New Jersey: Newark.....	WDWM	Wisconsin:	
New York:		Manitowoc.....	WOMT
Brooklyn.....	WARS	Marshfield.....	WGBR
Do.....	WBKN		
Do.....	WLBE		

*Broadcasting stations, alphabetically, by call signals**

Call signal	Location of station (address)	Owner of station
KGDI	Seattle, Wash., 614 Terminal Sales Building.....	Northwest Radio Service Co.
KGDJ	Cresco, Iowa, 316 Fifth Avenue.....	R. Rathert.
KGDM	Stockton, Calif., 332 East Channel Street.....	Victor G. Koping.
KODO	Dallas, Tex., 2012 Main Street.....	O. H. and Henry Garrett.
KGEA	Seattle, Wash., 5611 Fifth Avenue NE.....	Puget Sound Radio Broadcasting Co.
KRAC	Shreveport, La., Fair Grounds.....	Caddo Radio Club.
KSOC	Sioux Falls, S. Dak., 609 Minnehaha Building.....	Sioux Falls Broadcast Association.
KVI	Tacoma, Wash., Ninth and A Streets.....	Puget Sound Radio Broadcasting Co. (H. W. Wainaligham).
KVOB	Seattle, Wash., 1206 Tenth Avenue.....	L. L. Jackson and L. Kessler.
KXL	Portland, Oreg., 501 Pantages Building.....	KXL Broadcasters (Love Electric Co.).
WABF	Kingston, Pa.....	Markle Broadcasting Corporation.
WABS	Brooklyn, N. Y. (77 Cortlandt Street, New	Amateur Radio Specialty Co.

RADIO SERVICE BULLETIN

Broadcasting stations, alphabetically, by call stations—Continued.

Call signal	Location of station (address)	Owner of station
WBKN	Brooklyn, N. Y., 1515 Eastern Parkway.....	Arthur Facke.
WDWM	Newark, N. J., 20 Central Avenue.....	Radio Industries Broadcast Co.
WEPS	Glocester, Mass., 282 Washington Street.....	Ralph G. Matheson.
WGBR	Marshfield, Wis., 467 South Central Avenue....	George S. Ives.
WHOG	Huntington, Ind., 409 North Jefferson Street....	Huntington Broadcasters Association.
WICO	Bridgeport, Conn., 1188 Main Street.....	Bridgeport Broadcasting Station (Harold D. Feuer and Charles W. Selen).
WJBE	Chicago Heights, Ill., 141 East Sixteenth Street.	Roland O. Pamler and A. Coppolelli.
WKBZ	Ludington, Mich., First National Bank Building.	Karl L. Ashbacher.
WLAC	Nashville, Tenn.....	Life & Casualty Insurance Co.
WLBC	Muncie, Ind., 2221 South Jefferson Street.....	D. A. Burton.
WLBE	Brooklyn, N. Y., 3029 Sixty-fifth Street.....	J. Henri Frutman.
WLBZ	Kansas City, Mo., 300a East Thirty-third Street.	Everett L. Dillard.
WLGI	Ithaca, N. Y.....	Lutheran Association of Ithaca, N. Y.
WOMT	Manitowoc, Wis.....	Mikadow Theatre (Francis M. Endow).
WBYR	Syracuse, N. Y., Hotel Syracuse.....	Clive B. Meredith.
WVPH	Detroit, Mich.....	Detroit Police Department.

Government land stations, alphabetically, by names of stations

Additions to the List of Radio Stations of the United States, edition of June 30, 1926, and to the International List of Radiotelegraph Stations published by the Bureau

Station	Call signal	Wave length	Service	Hours	Station controlled by—
Copper Center, Alaska ¹	WUD	440	FX	N	U. S. Army.
Grundler, Alaska ²	WZA	460	FX	N	Do.
Little Squaw Mines, Alaska ³	WUE		FX	N	Do.

¹ Loc. (approximately) O 145° 19' 13", N 61° 55' 42"; range, 100; system, U. S. Army v. t. telegraph.
² Loc. (approximately) O 145° 51' 25", N 64° 09' 02"; range, 100; system, U. S. Army v. t. telegraph.
³ Loc. (approximately) O 145° 05' 00", N 67° 32' 35"; range, 100; system, U. S. Army v. t. telegraph.

Government land and ship stations, alphabetically, by call signals

[b, Ship station; c, land station]

Call signal	Name of station	Call signal	Name of station
WUD	Copper Center, Alaska.....c	WZA	Grundler, Alaska.....b
WUE	Little Squaw Mines, Alaska.....c		

Special land stations, alphabetically, by names of stations

[Additions to the List of Radio Stations of the United States, edition of June 30, 1926]

Station	Call signal	Station controlled by—
Oakland, Calif.....	6YE	Western Radio Institute, Hotel Oakland.
Pullman, Wash.....	7YE	State College of Washington.

Special land stations, grouped by districts

Call signal	District and station	Call signal	District and station
6YE	Sixth district: Oakland, Calif.	7YE	Seventh district: Pullman, Wash.

RADIO SERVICE BULLETIN

5

ALTERATIONS AND CORRECTIONS

COMMERCIAL LAND STATIONS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1926, and to the International List of Radiotelegraph Stations, published by the Berné bureau]

BECHAROF, ALASKA.—Service, P.
 CHICAGO, ILL. (WGO).—W. I., add 1,800, 2,100, 2,400.
 DETROIT, MICH. (KDPH).—Service, FX.
 HIALEAH, FLA.—W. I., 3,725.
 NEW BRUNSWICK, N. J. (WIK).—*Changed to Rocky Point, N. Y.; loc. O 72° 56' 15", N. 40° 55' 20"*.
 NEW YORK, N. Y. (WHI).—System, composite v. t. telegraph and telephone.
 Strike out all particulars of the following-named stations: Laguna Bell Substation, Calif.; Northville, Mich.; Raleigh, N. C.; Seattle, Wash. (KPA).

COMMERCIAL SHIP STATIONS, ALPHABETICALLY, BY NAMES OF VESSELS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1926, and to the International List of Radiotelegraph Stations, published by the Berné bureau]

ALOHA.—W. I., 600, 706, 800.
 AMOLCO.—Station controlled by R. C. A.
 ANN ARBOR No. 3.—System, R. C. A. v. t. telegraph; w. I., 715, 875.
 ANN ARBOR No. 4.—System, R. C. A. v. t. telegraph; w. I., 715, 875.
 ANN ARBOR No. 6.—System, R. C. A. v. t. telegraph; w. I., 715, 875.
 ATHERO II.—Range, 300; system, R. C. A. v. t. telegraph; w. I., 600, 706, 800, 900, 1,800, 1,900, 2,000, 2,100, 2,400.
 BREMERTON.—W. I., 600, 706, 800; station controlled by I. W. T. Co. (U. S. L.).
 BULKO.—Owner of vessel, U. S. Tank Ship Corporation.
 CADDOPEAK.—Station controlled by owner of vessel.
 CASIANA.—System, R. C. A. v. t. telegraph; w. I., 600, 706, 750, 800, 900.
 C. A. SNIDER.—Station controlled by owner of vessel.
 CASTANA.—Range, 300; system, Navy-Liberty, 1,000; w. I., 600, 706, 800.
 CATALINA.—System, R. C. A. v. t. telegraph and telephone; w. I., 600, 706, 870; service, PG; hours, X; rates, 8 cents per word.
 CECIL COUNTY.—Station controlled by R. C. A.
 CITY OF ALTON.—Station controlled by R. C. A.
 CITY OF CLEVELAND III.—W. I., add 1,578.
 CITY OF DETROIT III.—W. I., add 1,578.
 CITY OF HOLLAND.—W. I., 715; owner of vessel, Goodrich Transit Co.
 CITY OF SAUGATUCK.—W. I., 715; owner of vessel, Goodrich Transit Co.
 COAHOMA COUNTY.—W. I., 600, 706, 800.
 COASTWISE.—Station controlled by R. C. A.
 COAXET.—W. I., 600, 706, 800.
 CROFTON HALL.—W. I., 600, 706, 800.
 EASTERLING.—Station controlled by R. C. A.
 EASTERN GLADE.—W. I., 600, 706, 800, 1,800, 2,100, 2,400.
 EDENTON.—System, Navy-Marconi, 1,000; station controlled by I. W. T. Co.
 EGLANTINE.—W. I., 600, 706, 800.
 EGREMONT.—System, Navy-Lowenstein, 1,000.
 ELDENA.—W. I., 600, 706, 800.
 ELMSPORT.—Station controlled by I. W. T. Co.
 EL MUNDO.—System, Marconi, 1,000; w. I., 600, 706, 800.
 EL ORIENTE.—System, Marconi, 1,000; w. I., 600, 706, 800.
 EOCENE.—Range, 300; system, R. C. A. v. t. telegraph; w. I., 600, 706, 750, 800, 900.
 ESTRADA PALMA.—System, R. C. A. v. t. telegraph.
 FISHERMAN.—Station controlled by R. C. A.
 FRANK H. GOODYEAR.—W. I., 715, 800, 875.
 FREDERIC EWING.—System, R. C. A. v. t. telegraph; w. I., 600, 706, 750, 800, 900.
 FREEPORT SULPHUR No. 6.—W. I., add 750.
 FRIEDA.—Station controlled by owner of vessel.
 GREATER BUFFALO.—W. I., add 1,578.
 GREATER DETROIT.—W. I., add 1,578.
 HALF MOON.—Owner of vessel, Export Steamship Corporation.
 HAMPTON ROADS (KESR).—Station controlled by R. C. A.
 HANOVER.—W. I., 600, 706, 800.

RADIO SERVICE BULLETIN

- HENRY FORD II.—W. I., 715, 800, 875, 1,875.
 HERMAN FRASCH.—Station controlled by owner of vessel.
 HIGH.—Station controlled by R. C. A.
 HOVEN.—Station controlled by R. C. A.
 INDIANA (KGBL).—System, R. C. A. v. t. telegraph and telephone; w. l., 600, 706, 800, 870; service, PG; rates, 8 cents per word.
 INVADER.—System, R. C. A. v. t. telegraph; w. l., 600, 706, 750, 800, 875.
 JAMES B. DUKE.—W. I., 600, 706, 800, 1,800, 2,100, 2,400.
 JEANETTE SKINNER.—System, Navy-Liberty, 1,000; w. l., 600, 706, 800; station controlled by R. C. A.
 JOHN D. ARCHBOLD.—System, R. C. A. v. t. telegraph only; w. l., 600, 706, 750, 800, 900, 1,800, 1,900, 2,000, 2,100, 2,400.
 J. R. GORDON.—Station controlled by owner of vessel.
 JUVIONY.—Owner of vessel, Juvigny S. S. Co.; station controlled by I. W. T. Co.
 LAKE FRANCES.—System, Navy-Marconi, 1,000.
 MADISON.—Owner of vessel, Gulf & Southern Steamship Co.
 MALIKO.—Station controlled by F. T. Co.
 MATINICOCK.—W. I., 600, 706, 800, 1,800, 1,900, 2,000, 2,100, 2,400.
 MONTEBELLO.—W. I., add 800.
 MUNLEON.—Range, 200; system, I. W. T. Co., 1,000; w. l., 600, 706, 800.
 MUNLOYAL.—Station controlled by I. W. T. Co.
 NATIHAR.—System, F. T. Co. arc and Navy spark, 1,000; w. l., 600, 706, 800, 1,800, 1,900, 2,000, 2,100, 2,400.
 NEBRASKAN.—Station controlled by R. C. A.
 NEWTON.—W. I., 600, 706, 800.
 OAKLEY L. ALEXANDER.—Correct orthography, *Oakey* L. Alexander; station controlled by R. C. A.
 OAKMAN.—Range, 300; system, Marconi, 1,000; w. l., 600, 706, 800.
 OLEN.—Station controlled by R. C. A.
 OLEUM.—System, K. & C., 1,000; w. l., 600, 706, 800.
 OPHIS.—Station controlled by R. C. A.
 PERE MARQUETTE 15.—System, R. C. A. v. t. telegraph; w. l., 715, 875.
 PERE MARQUETTE 17.—System, R. C. A. v. t. telegraph; w. l., 715, 875.
 PERE MARQUETTE 18.—System, R. C. A. v. t. telegraph; w. l., 715, 875.
 PERE MARQUETTE 19.—System, R. C. A. v. t. telegraph; w. l., 715, 875.
 PERE MARQUETTE 20.—System, R. C. A. v. t. telegraph; w. l., 715, 875.
 PERE MARQUETTE 21.—System, R. C. A. v. t. telegraph; w. l., 715, 875.
 PERE MARQUETTE 22.—System, R. C. A. v. t. telegraph; w. l., 715, 875.
 PETER H. CROWELL.—W. I., 600, 706, 800.
 POINT BONITA.—Station controlled by F. T. Co.
 POINT JUDITH.—System, Marconi, 1,000.
 POLYBIUS.—W. I., 600, 706, 800.
 PRESIDENT HAYES.—W. I., 600, 706, 800.
 ROCKAWAY PARK.—Station controlled by I. W. T. Co. (U. S. L.).
 ROMAGNE.—Owner of vessel, Edward P. Farley & Co.
 SAN JUAN (WWM).—Station controlled by owner of vessel.
 SAVARONA.—Range, 200; system, R. C. A. v. t. telegraph; w. l., 600, 706, 750, 800, 1,800, 1,900, 2,000, 2,100, 2,400.
 SEVERANCE.—Station controlled by owner of vessel.
 STEEL AGE.—W. I., 600, 706, 800.
 STEEL CHEMIST.—Range, 300; system, R. C. A. v. t. telegraph; w. l., 600, 706, 750, 800, 900.
 SUBOLCO.—W. I., 600, 706, 800.
 SUJAMECO.—W. I., 600, 706, 800.
 TOPA TOPA.—W. I., 600, 706, 800.
 TRADER.—Station controlled by I. W. T. Co.
 TRANSPORTATION.—System, R. C. A. v. t. telegraph; w. l., 600, 706, 750, 800, 900.
 TUSCALOOSA CITY.—W. I., 600, 706, 800.
 VIKING.—System, Marconi, 240; w. l., 600, 706, 800.
 WEST ELCAJON.—Station controlled by I. W. T. Co. (U. S. L.).
 WEST HARDAWAY.—W. I., 600, 706, 800.
 WEST HEMATITE.—W. I., 600, 706, 800.
 WEST HOBOMAC.—W. I., 600, 706, 800.
 WEST IVIS.—W. I., 600, 706, 800.
 WEST JAFFREY.—Station controlled by I. W. T. Co.
 WEST KADER.—W. I., 600, 706, 800, 875.

RADIO SERVICE BULLETIN

7

- WESTLAND.—Station controlled by I. W. T. Co.
 WEST MAXIMUS.—Station controlled by I. W. T. Co. (U. S. L.).
 WEST MUNAHM.—W. l., 600, 706, 800.
 WESTPORT.—System, Navy-Marconi, 1,000; w. l., 600, 706, 800; station controlled by I. W. T. Co.
 WEST SAGINAW.—W. l., 600, 706, 800; station controlled by I. W. T. Co.
 WILLETT.—System, R. C. A. v. t. telegraph; w. l., 600, 706, 750, 800, 900, 1,800, 1,900, 2,000, 2,100, 2,400.
 WILLFARO.—W. l., 600, 706, 800.
 WINSTON-SALEM.—Station controlled by I. W. T. Co. (U. S. L.).
 ZAREMBO.—Station controlled by I. W. T. Co. (U. S. L.).
 Strike out all particulars of the following-named vessels: *Argus*, *Haleakala* (KORL), *Regulus*.

COMMERCIAL LAND AND SHIP STATIONS, ALPHABETICALLY BY CALL SIGNALS

- WFF, read Oakey L. Alexander; WIK, read Rocky Point, N. Y.; strike out all particulars following the call signals: KDEP, KGCZ, KGDB, KORL, KPA, KYG, WLAC.

BROADCASTING STATIONS, BY CALL SIGNALS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1925]

- KDYL (Salt Lake City, Utah).—Owner of station, Intermountain Broadcasting Corporation, Ezra Thompson Building.
 KFDD (Boise, Idaho).—Owner of station, St. Michaels Episcopalian Church (Paul Roberts).
 KFON (Long Beach, Calif.).—Owner of station, Nichols & Warriner (Inc.).
 KFRC (San Francisco, Calif.).—Owner of station, Don Lee (Inc.).
 KFVR (Denver, Colo.—near).—Owner of station, The Olinger Corporation Broadcasting, 1075 Penn Street, Denver, Colo.
 KFWH (Chico, Calif.).—Changed to Eureka, Calif., Hotel Vance.
 KFWV (Portland, Oreg.).—Owner of station KFWV Broadcast Studios (Inc.).
 KGBX (St. Joseph, Mo.).—Owner of station, Foster-Hall Tire Co.
 KGTT (San Francisco, Calif.).—Owner of station, Glad Tidings Temple and Bible Institute.
 KNRC (Los Angeles, Calif.).—Owner of station, Clarence B. Juneau (Kierulff & Ravenscroft Co.).
 KRE (Berkeley, Calif.).—Owner of station, Berkeley Daily Gazette (C. E. Dunscomb).
 KVOO (Bristow, Okla.).—Owner of station, Southwestern Sales Corporation.
 WCAO (Baltimore, Md.).—Owner of station Monumental Radio (Inc.), 848 North Howard Street.
 WCLS (Joliet, Ill.).—Owner of station, WCLS (Inc.), 301 East Jefferson Street.
 WDAG (Amarillo, Tex.).—Call signal changed to KGRS.
 WDBE (Atlanta, Ga.).—Owner of station Gilham Electric Co.
 WEAJ (New York, N. Y.).—Owner of station, National Broadcasting Co.
 WFBE (Seymour, Ind.).—Changed to Cincinnati, Ohio; owner of station, Garfield Place Hotel Co. (Robert A. Casey).
 WFBL (Syracuse, N. Y.).—Owner of station, The Onondaga Co.
 WFRL (Brooklyn, N. Y.).—Owner of station, Robert M. Lacey.
 WHFC (Chicago, Ill.).—Owner of station, Triangle Broadcasters (Hotel Flanders).
 WKBW (Buffalo, N. Y.).—Owner of station Churchill Evangelistic Association.
 WOAW (Omaha, Nebr.).—Call signal changed to WOW.
 WPAK (Agricultural College, N. Dak.).—Should read Fargo, N. Dak.
 WQAM (Miami, Fla.).—Owner of station, Electrical Equipment Co. of Florida.
 Strike out all particulars of the following-named stations: KFJC (Junction City, Kans.); KGBW (Joplin, Mo.); WCAP (Washington, D. C.); WEBZ (Savannah, Ga.); WJBX (Osterville, Mass.); WSAU (Chesham, H. H.).

GOVERNMENT LAND STATIONS, ALPHABETICALLY BY NAMES OF STATIONS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1925, and to the International List of Radiotelegraph Stations, published by the Berns Bureau]

- BOSTON, MASS. (NAD).—W. l., 2,939.
 CAPE BLANCO LIGHT STATION, OREGON.—Loc. O 124° 33' 46", N 42° 50' 15".
 CAVITE, P. I.—W. l. 600. 952. 2,100. 2,667. 3,950. 5,260 15:530: service. O.

COLUMBIA RIVER LIGHTSHIP, OREG.—Loc. O 124° 11' 04", N 46° 11' 01".
 FIVE FATHOM BANK LIGHTSHIP, N. J.—Loc. O 74° 34' 33", N 38° 47' 16".
 FORT BLISS, TEX.—Loc. (approximately) O 106° 26' 00", N 31° 48' 00"; range, 600; w. l., add 1874; hours, 6 a. m. to 5 p. m.
 FORT SILL, OKLA.—Loc. (approximately) O 98° 23' 00", N 34° 40' 00"; range, 400; w. l., 1,499; hours, 7.30 a. m. to 4.30 p. m.
 GREAT LAKES, ILL.—W. l., 2,271.
 JUNEAU, ALASKA.—Loc. 134° 25' 02", N 58° 18' 13"; w. l., 800, 2,250.
 KETCHIKAN, ALASKA.—Loc. O 131° 40' 58", N 55° 21' 06"; w. l., add 800.
 MARSHFIELD, OREG.—Strike out all particulars.
 NORTH HEAD, WASH.—W. l., strike out 4997.
 PHILADELPHIA, PA.—W. l., 600, 2,828.
 ST. PAUL, ALASKA (traffic station).—W. l., 600, 2,541, 5,766.
 SEWARD, ALASKA.—Loc. O 140° 24' 42", N 60° 07' 27"; system, U. S. Navy, 1,000; w. l., 600, 800, 1,500; service, PG; hours, N; rates, 6 cents per word.
 VALDEZ, ALASKA.—Loc. (approximately) O 146° 17' 00", N 61° 07' 00"; system, U. S. Army v. t. telegraph; w. l., 450; hours, N.

GOVERNMENT SHIP STATIONS, ALPHABETICALLY BY NAMES OF STATIONS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1926, and to the International List of Radiotelegraph Stations, published by the Bureau]

Strike out all particulars of the following-named vessels: *John F. Klien*, *S. C. 214*, *S. C. 285*, *Zumbrola*.

GOVERNMENT LAND AND SHIP STATIONS, ALPHABETICALLY BY CALL SIGNALS

Strike out all particulars following the call signals; NELD, NONS, NOSN, NPF, WYCV.

SPECIAL LAND STATIONS, BY NAMES OF STATIONS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1926]

CHICO, CALIF. (6XAK).—Changed to Eureka, Calif.
 DETROIT, MICH. (SXR).—Changed to Fordson, Mich.
 PULLMAN, WASH. (7XW).—Strike out all particulars.

MISCELLANEOUS

CHANGES IN RADIOBEACON STATIONS

Thunder Bay Island Light Station, Mich.—A new beacon station has been established at this light station. Characteristic to sound every 120 seconds; groups of 2 dashes for 60 seconds, silent 60 seconds, thus:

— — — — — etc.	Silent
60 seconds	60 seconds

The signal will be sounded during thick or foggy weather on a wave length of 1,000 meters, and will be available for vessels equipped with a radiocompass. The signal will also be sounded daily in clear weather from 1 to 1.30 and from 7 to 7.30 a. m., and from 1 to 1.30 and 7 to 7.30 p. m., ninetieth meridian time. Location, O 83° 11' 38", N. 45° 02' 15". The station will not maintain radio communication service.

Point Sur Light Station, Calif.—The operating interval has been changed to sound every 180 seconds; groups of 1 dot, 2 dashes, and 1 dot for 60 seconds, silent 120 seconds, thus:

— . — — — — etc.	Silent
60 seconds	120 seconds

Will also operate during clear weather for the first 15 minutes of every even hour from 8 p. m. to 6.15 a. m., one hundred and twentieth meridian time.

San Francisco Light Station, Calif.—The operating interval has been changed to sound every 180 seconds; groups of 2 dashes for 60 seconds, silent 120 seconds, thus:

— — — — — etc.	Silent
----------------	--------

RADIO SERVICE BULLETIN

9

U. S. ARMY STATIONS MAY BE USED AS RADIOBEACONS

The Army stations at Juneau, Seward, and Ketchikan, Alaska, will transmit their call signal as a beacon on 500 meters upon request from ships.

VESSELS EQUIPPED WITH RADIOCOMPASS

The following-named vessels have been equipped with a radiocompass: *C. A. Canfield, Charles G. Black, F. H. Wickett, J. M. Danziger, Sasarona, William A. Atwater, Yukon*. In addition to these vessels the Interlake Steamship Co. vessels named hereafter, although not equipped for radio communication, have been equipped with a radiocompass: *Adriatic, Calumet, Canopus, Coreus, Crete, Cygnus, Elba, Harry R. Jones, Hemlock, James H. Reed, Jupiter, Neptune, Odanah, Pegasus, Perseus, Saturn, Taurus, Vega, Venus, Verona, Victory, and William B. Davock*.

CHANGES IN FOREIGN STATIONS

The Skaw, Skagens Rev Light Vessel, Norway.—This vessel has been replaced by another light vessel with a radio beacon. The signal consists of the letters SKR of the Morse code, sent twice and then followed by nine dots, period 2 minutes. The submarine fog signal consists of three strokes (the letter S of the Morse code) every 30 seconds. The radio fog signal and the submarine fog signal are transmitted in such a manner that the first stroke of every fourth submarine signal occurs at the same time as the last dot of the last R of the radio fog signal. The radio fog signal is sent on a 950-meter wave and the range is about 50 miles. Location, latitude 57° 46' 22" N., longitude 10° 43' 43" E. (*Efterretninger for Sjøfarende 42, 1902, København, 1926*.)

Utsire, Norway.—A radiocompass station has been established on Utsire in latitude 59° 18' 10.84" N., longitude 4° 54' 47.09" E. For the present the service is only experimental. The call signal for the station is LGK, wave length 600 meters, service continuous. For the present no charge is made for bearings. A vessel requiring a bearing calls the station in the usual manner, and, when answered, sends "QTE (what is my true bearing from you?)." After receiving "K" the vessel proceeds to transmit her own call signal and the letter V (. . . —), alternately, for one minute. The signals should be made slowly and the dashes prolonged. The radiocompass station then replies: "QTE (the true bearing of your vessel from — is — degrees)," followed by a three-figure group (000° = north, 270° = west), giving the true bearing of the vessel from the station. If the observation does not give a sharp result owing to indefinite minima, the bearing will be indicated as "approximate." Masters of vessels, when certain of their positions are invited to forward requests for bearings in order that both the station and vessels may obtain the best possible information as to reliability of the bearing supplied; also when convenient to forward a report on the results obtained to the Director of Telegraphs, Radio Division, Oslo, Norway. The authorities accept no responsibility for the accuracy of the bearings furnished by the radiocompass station. (*Efterretninger for Sjøfarende 8 (371) Oslo, August 31, 1926*.)

Kallegat, Sweden.—A new light vessel has been established about 5¼ miles southward of Nidlingen Island in the position of the existing Fladen Light Vessel which it will replace. Location (approximately), latitude 57° 13' N., longitude 11° 51' E. Characteristics: Light-group flashing white every 30 seconds, thus: Flash 7.5 seconds, eclipse 3 seconds, flash 1.5 seconds, eclipse 18 seconds. Fog signals: (1) An air transmitter giving four blasts every minute, thus: Blast 3 seconds, silent 1.5 seconds, blast 3 seconds, silent 1.5 seconds, blast 3 seconds, silent 1.5 seconds, blast 3 seconds, silent 43.5 seconds. If the transmitter is disabled, a siren of lower tone will sound the same fog signal as above described. A third alternative will be a bell sounding four peals in quick succession every minute. (2) A submarine siren sounding four blasts in quick succession every 30 seconds. (3) An automatic radio signal will be made simultaneously with the submarine siren as follows: The Morse letter A (. —) sent twice, followed by 15 dots (with intervals of 1.3 seconds between each dot) every minute, thus:

.....

These signals will enable vessels equipped with a radiocompass to obtain a bearing of the light vessel.

The submarine siren will commence simultaneously at the end of the dash of the second letter A (. —). When heard in the receivers on board, the number

RADIO SERVICE BULLETIN

11

Rhythmic time signals.—The new international rhythmic radio time signals are transmitted four times daily, in each case immediately after the new international radio time signals, as follows:

	h.	m.	s.	to	h.	m.	s.	
(1) From	8	01	00	to	8	06	00	on 32 meters.
(2) From	9	31	00	to	9	36	00	on 2,650 meters.
(3) From	20	01	00	to	20	06	00	on 32 meters.
(4) From	22	31	00	to	22	36	00	on 2,650 meters.

The new series consists of the automatic transmission from the standard clock, Paris Observatory, of 306 mean time signals in 300 seconds.

The transmission of each series of signals is similar in every respect, the procedure as regards (1) being:

G. M. T.			Signal
h.	m.	s.	
8	01	00	1st dash (—) followed by 60 dots (. etc.).
	02	00	62d dash (—) followed by 60 dots (. etc.).
	03	00	123d dash (—) followed by 60 dots (. etc.).
	04	00	184th dash (—) followed by 60 dots (. etc.).
	05	00	245th dash (—) followed by 60 dots (. etc.).
8	06	00	306th dash (—).

8 06 05 Transmission in G. M. T. of the extrapolated time of signals Nos. 1 and 306 of the previous day. This will be sent slowly, and repeated three times, as follows:

If the signal concerned has been sent 0.14 second slow, the correction is transmitted as a three-figure group, thus: 014.

If, on the other hand, the signal has been sent 0.09 fast, the complement of the correction is transmitted as a three-figure group, thus: 991.

If one or other of the signals has failed, the word "Néant" (nothing) is sent.

8 08 00 End of transmission (. — . — .) followed by B. I. H. (—)

Each dash (—) = 0.4 second; each dot (.) = 0.2 second; interval between each dot = $\frac{1}{25}$ second, nearly.

The beginning of each dash represents the G. M. T. of the even minute; the end of the final dash (No. 306) = 8^h 06^m 00.4^s G. M. T., subject to any of the above-mentioned corrections.

II.—Bordeaux—La Fayette radio station

Position.—Latitude 44° 42' N., longitude 0° 48' W. (approximately).

Call signal.—LY.

Wave length.—15,000 meters (C. W.).

Details.—(a) *International time signals.*—Time signals in accordance with the new international system of radio time signals are broadcast twice daily, viz, from 7^h 56^m 00^s to 8^h 00^m 00^s, and from 19^h 56^m 00^s to 20^h 00^m 00^s G. M. T. The signals are transmitted automatically by the standard clock at Paris Observatory. For procedure see Eiffel Tower new international system of radio time signals.

(b) *Rhythmic time signals.*—Rhythmic time signals in accordance with the new international scheme are broadcast twice daily from 8^h 01^m 00^s to 8^h 06^m 00^s, and from 20^h 01^m 00^s to 20^h 06^m 00^s G. M. T. The signals are transmitted automatically by the standard clock at Paris Observatory. For procedure see Eiffel tower new international rhythmic radio time signals.

FRENCH INDO-CHINA

Saigon Radio Station

Position.—Latitude 10° 47' N., longitude 106° 42' E. (approximately).

Call signal.—HZA.

Wave length.—25 (C. W.) and 15,800 (A. C. W.) meters. The latter is sometimes replaced by 20,800 meters wave.

Details.—*Rhythmic time signals.*—Rhythmic time signals in accordance with the new international scheme are broadcast simultaneously on 25 meters and 15,800 meters between 10^h 00^m 00^s and 10^h 05^m 00^s G. M. T. For procedure

TRANSMISSION OF TIME SIGNALS AND WEATHER BULLETINS FROM RADIO TELEPHONE STATIONS IN GREAT BRITAIN AND NORTHERN IRELAND

The time signals from all stations of the British Broadcasting Co., excluding Daventry, are relayed from London and will be transmitted as circumstances permit; but a continuous service is not undertaken, and they will never be superimposed upon program items, nor will they be transmitted on Sundays.

Daventry

Call signal.—5XX.

Wave length.—1,600 meters.

Power.—25.0 kw.

Time signal.—1030, 1600, 2200, G. M. T. Automatically transmitted from Greenwich Observatory.

The time signals consist of the automatic transmission by the standard clock at Greenwich Observatory of six dots (.) representing successive seconds, thus:

Seconds: 55th 56th 57th 58th 59th 60th

Dots:

The final dot (which is made at 1030, 1600 and 2200) is the time signal.

The amount of lag is less than 0.01 second.

The time signals from Daventry at 1600 and 2200 will, when necessary, be superimposed on program, but the time signal will be loud enough to be easily discernible.

Weather bulletin.—1030, 1900, 2200, G. M. T. (Sundays at 2100 only.) Weather forecast for the British Islands from the Meteorological Office, Air Ministry.

London

Call signal.—2LO.

Wave length.—361.5 meters.

Power.—3.0 kw.

Time signal.—1600, 2200, G. M. T. (Not on Sundays.) See under Daventry for details.

Weather bulletin.—1900, 2200, G. M. T. (Sundays at 2100 only.) Weather forecast for the British Islands from the Meteorological Office, Air Ministry.

Aberdeen

Call signal.—2BD.

Wave length.—497.5 meters.

Power.—1.5 kw.

Time signal.—2,200 G. M. T.

Weather bulletin.—1,900, 2,200 G. M. T.

Birmingham

Call signal.—5IT.

Wave length.—478 meters.

Power.—1.5 kw.

Time signal.—2,200 G. M. T.

Weather bulletin.—1,900, 2,200 G. M. T.

Bournemouth

Call signal.—6BM.

Wave length.—385.5 meters.

Power.—1.5 kw.

Time signal.—2,200 G. M. T.

Weather bulletin.—1,900, 2,200 G. M. T.

Cardiff

Call signal.—5WA.

Wave length.—353.3 meters.

Power.—1.5 kw.

Time signal.—2,200 G. M. T.

RADIO SERVICE BULLETIN

13

Dundee

Call signal.—2DE.
Wave length.—314 meters.
Power.—0.2 kw.
Time signal.—2,200 G. M. T.
Weather bulletin.—1,900, 2,200 G. M. T.

Edinburgh

Call signal.—2EH.
Wave length.—328.2 meters.
Power.—0.2 kw.
Time signal.—2,200 G. M. T.
Weather bulletin.—1,900, 2,200 G. M. T.

Glasgow

Call signal.—5SC.
Wave length.—421.6 meters.
Power.—1.5 kw.
Time signal.—2,200 G. M. T.
Weather bulletin.—1,900, 2,200 G. M. T.

Hull

Call signal.—6KH.
Wave length.—333.5 meters.
Power.—0.2 kw.
Time signal.—2,200 G. M. T.
Weather bulletin.—1,900, 2,200 G. M. T.

Leeds—Bradford

Call signal.—2LS.
Wave length.—320.5 and 310.5 meters.
Power.—0.2 kw.
Time signal.—2,200 G. M. T.
Weather bulletin.—1,900, 2,200 G. M. T.

Liverpool

Call signal.—6LV.
Wave length.—330.6 meters.
Power.—0.2 kw.
Time signal.—2,200 G. M. T.
Weather bulletin.—1,900, 2,200 G. M. T.

Manchester

Call signal.—2ZY.
Wave length.—378.5 meters.
Power.—1.5 kw.
Time signal.—2,200 G. M. T.
Weather bulletin.—1,900, 2,200 G. M. T.

Newcastle

Call signal.—5NO.
Wave length.—407.1 meters.
Power.—1.5 kw.
Time signal.—2,200 G. M. T.
Weather bulletin.—1,900, 2,200 G. M. T.

Nottingham

Call signal.—5NG.
Wave length.—325 meters.
Power.—0.2 kw.
Time signal.—2,200 G. M. T.
Weather bulletin.—1,900, 2,200 G. M. T.

Plymouth

Call signal.—5PY.
Wave length.—337.5 meters.

Sheffield

Call signal.—6FL.
Wave length.—307 meters.
Power.—0.2 kw.
Time signal.—2,200 G. M. T.
Weather bulletin.—1,900, 2,200 G. M. T.

Stoke-on-Trent

Call signal.—6ST.
Wave length.—301 meters.
Power.—0.2 kw.
Time signal.—2,200 G. M. T.
Weather bulletin.—1,900, 2,200 G. M. T.

Swansea

Call signal.—5SX.
Wave length.—486 meters.
Power.—0.2 kw.
Time signal.—2,200 G. M. T.
Weather bulletin.—1,900, 2,200 G. M. T.

Belfast

Call signal.—2BE.
Wave length.—443 meters.
Power.—1.5 kw.
Time signal.—2,200 G. M. T.
Weather bulletin.—1,900, 2,200 G. M. T.—Admiralty notice No. 1797 of 1926, London.

NEW WAVE LENGTHS USED BY BROADCASTING STATIONS IN GREAT BRITAIN AND NORTHERN IRELAND

[Admiralty Notice No. 1788 of 1926, London]

Station and call signal	New wave length (meters)	Station and call signal	New wave length (meters)
London (2LO).....	361.4	Bradford (2LS).....	294.1
Aberdeen (2BD).....	491.8	Liverpool (6LV).....	288.5
Birmingham (5IT).....	491.8	Manchester (2ZY).....	354.6
Bournemouth (6BM).....	305.1	Newcastle (3NO).....	312.5
Cardiff (5WA).....	353.0	Nottingham (5NC).....	288.5
Daventry (5XX).....	1,400.0	Plymouth (5PY).....	288.5
Dundee (2DE).....	288.5	Sheffield (6FL).....	288.5
Edinburgh (2EH).....	288.5	Stoke-on-Trent (6ST).....	288.5
Glasgow (5GC).....	405.4	Swansea (5SX).....	288.5
Hull (6KH).....	288.5	Belfast (2BE).....	326.1
Leeds (2LS).....	297.0		

† No alteration.

CONSTANT FREQUENCY STATIONS

The list of "constant frequency stations" given below supplements the list of "standard frequency stations." The transmitted waves from the station in either list should be of value to the public as frequency standards because of their constancy and close adherence to the licensed values. The Bureau of Standards makes regular measurements of the transmitted frequencies of the standard frequency stations only. The constant frequency stations in the following supplementary list do not carry the same assurance of reliability as if the transmitted waves were regularly measured by the Bureau of Standards, but it is probable that if measurement data were available many of them would show the same constancy as the standard frequency stations.

The fundamental requirement of a broadcasting station for inclusion in the following list is the employment of a special device for controlling or checking the frequency, the calibration of such a device being in agreement with the

RADIO SERVICE BULLETIN

15

included in this list nor in the list of standard frequency stations, which use one of the special devices for frequency regulation, are invited to communicate with the Bureau of Standards requesting a copy of Letter Circular 214, "Requirements of constant frequency stations."

Station	Owner	Location	Frequency (kilocycles)	Wave length (meters)	Apparatus for frequency regulation
WHO	Bankers Life Co.....	Des Moines, Iowa.....	570	528	Piezo oscillator.
KFRU	Stephens College.....	Columbia, Mo.....	600	492.7	Frequency indicator.
WOC	Palmer School of Chiropractic.....	Davenport, Iowa.....	620	483.6	Piezo oscillator.
WTIC	Travelers' Insurance Co.....	Hartford, Conn.....	630	475.9	Do.
WMAQ	Chicago Daily News.....	Chicago, Ill.....	670	447.5	Frequency indicator, type B.
XLDS	Reorganized Church of Jesus Christ of Latter Day Saints.....	Independence, Mo.....	690	440.9	Frequency indicator.
KPO	Hale Bros. and The Chronicle.....	San Francisco, Calif.....	700	428.3	Do.
WLW	Crosley Radio Corporation.....	Harrison, Ohio.....	710	422.3	Frequency indicator and piezo oscillator.
WCCO	Washburn-Crosby Co.....	St. Paul-Minneapolis, Minn.....	720	416.4	Piezo oscillator.
WTAM	Willard Storage Battery Co.....	Cleveland, Ohio.....	770	389.4	Do.
WEAR		Hot Springs, Ark.....	800	374.8	Frequency indicator, type B.
KTHS	New Arlington Hotel Co.....	Hot Springs, Ark.....	800	374.8	Frequency indicator, type B.
WJJD	Loyal Order of Moose.....	Mooseheart, Ill.....	810	370.2	Piezo oscillator.
KGO	General Electric Co.....	Oakland, Calif.....	830	361.2	Do.
WJAD	Frank P. Jackson.....	Waco, Texas.....	850	352.7	Frequency indicator.
WWJ	Detroit News.....	Detroit, Mich.....	850	352.7	Do.
WLS	Hears, Roesbuck & Co.....	Crete, Ill.....	870	344.6	Piezo oscillator.
KFAB	Nebraska Bulek Auto Co.....	Lincoln, Nebr.....	880	340.7	Frequency indicator, type B.
WKAQ	Radio Corporation of Porto Rico.....	San Juan, P. R.....	880	340.7	Do.
KOA	General Electric Co.....	Denver, Colo.....	930	322.4	Piezo oscillator.
WEAO	Ohio State University.....	Columbus, Ohio.....	1,020	293.9	Frequency indicator, type B.
WFDG	Wm. F. Gable Co.....	Altoona, Pa.....	1,080	277.6	Frequency indicator.
KFKA	Colorado State Teachers College.....	Greeley, Colo.....	1,100	272.6	Piezo oscillator.
WBAA	Purdue University.....	West Lafayette, Ind.....	1,100	272.6	Do.
WOI	Iowa State College.....	Ames, Iowa.....	1,110	270.1	Automatic piezo control (checked with type B frequency indicator).
KFH	Hotel Lassen.....	Wichita, Kans.....	1,120	267.7	Frequency indicator, type B.
WENR	All-American Radio Corporation.....	Chicago, Ill.....	1,130	265.8	Piezo oscillator.
WCAD	St. Lawrence University.....	Canton, N. Y.....	1,140	263	Frequency indicator.
WAAM	I. R. Nelson.....	Newark, N. J.....	1,140	263	Piezo oscillator.
WOVO	Main Auto Supply Co.....	Fort Wayne, Ind.....	1,200	252.1	Do.
WBHM	Atlas Investment Co.....	Chicago, Ill.....	1,330	223.4	Do.
WEBQ	Tate Radio Co.....	Harrisburg, Ill.....	1,330	223.4	Piezo oscillator, type N.
KFVS	Hirsch Battery & Radio Co.....	Cape Girardeau, Mo.....	1,340	221.7	Frequency indicator, type B.
WOK	Neutrowound Radio Manufacturing Co.....	Homewood, Ill.....	1,380	217.3	Piezo oscillator.
WPDQ	Hiram L. Turner.....	Buffalo, N. Y.....	1,460	206.4	Frequency indicator, type B.

STANDARD FREQUENCY STATIONS

As a result of measurements by the Bureau of Standards upon the transmitted waves of a limited number of radio transmitting stations, data are given in each month's RADIO SERVICE BULLETIN on such of these stations as have been found to maintain a sufficiently constant frequency to be useful as standards.

As shown by the list of "constant frequency stations," there may be many other stations not measured in the bureau's laboratory which maintain their frequencies just as constant as the stations listed below. There is, of course, no actual guarantee that these stations will maintain the constancy shown, but the

for calibrating frequency meters and other apparatus by the procedure given in Bureau of Standards Letter Circular No. 171, which may be obtained by a person having actual use for it upon application to the Bureau of Standards, Department of Commerce, Washington, D. C.

Station	Owner	Location	Frequency (kilo-cycles)	Period covered by measurements (months)	Number of times measured	Deviations from assigned frequencies noted in measurements	
						Average	Greatest since Oct. 25, 1926
NBS	United States Navy...	Annapolis, Md.....	17.50	6	30	Per cent	Per cent
WCI	Radio Corporation of America.	Tuckerton, N. J.....	17.95	21	96	0.2	0.1
WSS	do.....	Rocky Point, N. Y.....	18.60	2	6	.1	.1
WQG	do.....	Tuckerton No. 1, N. J.....	18.85	39	271	.2	.2
WHI	do.....	New Brunswick, N. J.....	21.80	19	126	.1	(5)
WVA	United States Army...	Annapolis, Md.....	100	20	163	.2	.2
NAA	United States Navy...	Arlington, Va.....	112	13	69	.2	.2
WEAF	National Broadcasting Co.	New York, N. Y.....	610	23	143	.0	.0
WRC	Radio Corporation of America.	Washington, D. C....	640	35	160	.1	.0
WJZ	do.....	Bound Brook, N. J.....	660	6	22	.2	.3
NAA	United States Navy...	Arlington, Va.....	680	6	51	.0	.1
WGY	General Electric Co.	Schenectady, N. Y.....	790	41	385	.1	.0
WBZ	Westinghouse Electric & Manufacturing Co.	Springfield, Mass.....	900	79	83	.1	.3
KDKA	do.....	East Pittsburgh, Pa....	970	6	31	.1	.2
EDKA	do.....	do.....	4,711	6	30	.1	.1

¹ Not measured since Oct. 25.

² High-frequency telephone transmitting set.

REFERENCES TO CURRENT RADIO LITERATURE

This is a monthly list of references prepared by the radio laboratory of the Bureau of Standards and is intended to cover the more important papers of interest to professional radio engineers which have recently appeared in periodicals, books, etc. The number at the left of each reference classifies the reference by subject, in accordance with the scheme presented in A Decimal Classification of Radio Subjects—An Extension of the Dewey System, Bureau of Standards Circular No. 138, a copy of which may be obtained for 10 cents from the Superintendent of Documents, Government Printing Office, Washington, D. C. The various articles listed below are not obtainable from the Bureau of Standards. The various periodicals can be consulted at large public libraries.

R000.—Radio communication

- R020 Meullin, E. B. Radio frequency measurements (book). Published by J. B. Lippincott Co., Philadelphia, Pa. 1925. Price, \$10.
 R020 Winters, S. R. An expert's 3-foot shelf of radio books (Dr. Dellinger of Bureau of Standards makes selection for radio man). Radio section of New York Sun, pp. 1 and 3, Nov. 6, 1926.

R100.—Radio principles

- R113.5 Free, E. E. The effect of temperature on signal strength. Popular Radio, 10, pp. 763-765, December, 1926.
 R113.5 Lefay, P. Les perturbations orageuses du champ électrique et leur propagation à grande distance (une application de l'électromètre amplificateur). L'Onde Électrique, 5, pp. 493-531, October 1926.
 R113.5 Maurain, C. Sur la recherche d'une correspondance entre les perturbations magnétiques et les perturbations dans la propagation des ondes électro-magnétiques. L'Onde Électrique, 5, pp. 453-457, September, 1926.
 R113.5 Vincent, P. La lune influence-t-elle les transmissions radioélectriques. L'Onde Électrique, 5, pp. 544-547, October, 1926.
 R113.7 Prescott, M. L. General Electric short wave test results. QST, 10, pp. 9-13; November, 1926.
 R113.7 Hollywood, J. M. Horizontal wave experiments at 2AER. QST, 10, pp. 33-33; November, 1926.
 R113.7 Klebitz, F. Die Ausbreitung der elektrischen Wellen insbesondere die gerichtete Ausbreitung. Elektr.-Nachrichten-Technik, 3, pp. 376-382; October, 1926.
 R113.7 Mesny, R. Propagation des ondes courtes. L'Onde Électrique, 5, pp. 434-463; September, 1926.

RADIO SERVICE BULLETIN

17

- R125.1 Gouinnet, M. Note sur le calcul de la courbe de deviation d'un radiogoniometre de bord sur les navires de commerce. *L'Onde Electrique*, 5, pp. 553-555; October, 1926.
- R125.5 Bellini, E. La possibilita di la telegrafia sans fili dirigea a grand concentration. *L'Onde Electrique*, 5, pp. 475-483; September, 1926.
- R125.6 Wireless beam (description of the "Canadian" and "South African" short wave transmitter at Bodmin, Cornwall). *Wireless World and Radio Review*, 19, pp. 613-617; November 3, 1926.
- R134.75 Jones, J. R. A versatile superheterodyne. *Radio News*, 8, pp. 662-663; December, 1926.
- R134.8 Latour, M. Signaling system (reflex). United States Patent No. 1607466, issued November 16, 1926.
- R148 Veyre, G. Un procede simple de modulation. *L'Onde Electrique*, 5, pp. 547-553; October, 1926.

R200.—Radio measurements and standardization

- R200 Schmitt, J. Die Schaltelemente und ihre Normung (standardization of tubes, etc.). *Der Radio Handler*, 22, pp. 622-623; October 26, 1926.
- R213 Jolliffe, C. B., and Hazen, Grace. Establishing radio standards of frequency (Bureau of Standards utilizes a harmonic amplifier). *Radio News*, 8, pp. 665-667; December, 1926.
- R214 Strook, M. S. The salt on the tail of the broadcast frequency (piezo crystals, etc.). *Popular Radio*, 10, pp. 773-776; December, 1926.
- R214 Dow, J. B. The operation and construction of quartz crystals. *Radio (San Francisco)*, 9, pp. 27-28; November, 1926.
- R251 Medlam, W. B., and Oeschwald, U. A. The thermionic voltmeter. *Experimental Wireless (London)*, 3, pp. 664-673; November, 1926.
- R275 Schelleng, J. C. Modulation indicator. United States Patent No. 1604610, issued October 26, 1926.
- R289 Hoch, E. T. Electrode effect in the measurement of power factor and dielectric constant of sheet insulating materials. *Bell System Technical Journal*, 4, pp. 565-572; October, 1926.

R300.—Radio apparatus and equipment

- R330 Latour, M. High power thermionic valve. United States Patent No. 1607467, issued November 16, 1926.
- R342 Willis, F. C., and Melhuish, L. E. Load carrying capacity of amplifiers. *Bell System Technical Journal*, 6, pp. 573-592; October, 1926.
- R342.6 Bouck, Z. A short wave radio-frequency amplifier. *QST*, 10, pp. 26-27; November, 1926.
- R342.6 Lyford, E. B. Radio frequency amplification. *QST*, 10, pp. 14-18; November, 1926.
- R343 Bouck, Z. A single tube receiver that won't radiate. *Radio Broadcast*, 10, pp. 169-173; December, 1926.
- R344.3 Exeter, G. A. Transmitting on 45 meters. *Wireless World and Radio Review*, 19, pp. 577-579; October 27, 1926.
- R344.3 Hammond, J. H., jr. Method and system for the transmission of radiant energy. United States Patent No. 1607456, issued November 16, 1926.
- R344.3 Weichart, F., and Krueger, R. Tonende Röhrensender. *Elektrot-Nachrichten-Technik*, 3, pp. 395-398; October, 1926.
- R344.3 Clayton, J. M. A shielded crystal controlled unit. *QST*, 10, pp. 22-25; November, 1926.
- R344.3 Wright, O. The flying loop (transmission). *QST*, 10, pp. 36-40; November, 1926.
- R345 Schnell, F. H., and Hoffman, W. H. A sensitive vacuum tube relay. *QST*, 10, pp. 20-21; November, 1926.
- R376.3 Muhleman, M. L. Loud speakers and their characteristics. *Radio News*, 8, pp. 642-645; December, 1926.
- R381 Roof, R. B. The uses of a calibrated variable condenser. *QST*, 10, pp. 28-31; November, 1926.
- R382 Oldroyd, C. A. Home-made coils for the Browning-Drake and similar circuits. *Radio News*, 8, pp. 650-651; December, 1926.
- R384.1 Stirling, W. H. A multipurpose oscillator wavemeter. *Radio (San Francisco)*, 9, pp. 29-30; November, 1926.
- R385 Plehanski, J. Les antennes filtres. *L'Onde Electrique*, 5, pp. 532-44; October, 1926.
- R387.1 Bishop, H. M. Shielding (considerations in its use and practical suggestions). *Radio (San Francisco)*, 9, pp. 31-32; November, 1926.

R400.—Radio-communication systems

- R402 The relative values of long and short waves in wireless communication (discussion before the Radio Society of Great Britain). *Experimental Wireless (London)*, 3, pp. 662-668; November, 1926.
- R413 Heising, R. A. Production of modulated waves. United States Patent No. 1606783 issued November 16, 1926.
- R420 Anderson, S. E. Radio signaling system for the New York Police Department. *Bell System Technical Journal*, 5, pp. 529-535; October, 1926.
- R435 Schmidt, H. Wireless secret telephony. United States Patent No. 1607485 issued November 16, 1926.
- R435 Hammond, J. H., jr. System for the transmission of and reception of radiant energy. United States Patent No. 1607168 issued November 16, 1926.
- R460 Hammond, J. H., jr. Multiplex method and system for the transmission of radiant energy. United States Patent No. 1607157 issued November 16, 1926.
- R470 Hitchcock, H. W. Carrier current communication on submarine cables—Los Angeles—Catalina Island telephone circuits. *Bell System Technical Journal*, 4, pp. 636-651; October, 1926.
- R470 Carson, J. R. Wave propagation in overhead wires with ground return. *Bell System Technical Journal*, 5, pp. 639-654; October, 1926.

R500.—Applications of radio

- R515 Unterwasser-Telephonie mit kurzen Schallwellen jenseits der Hörgrenze. *Elektrot-Nachrichten-Technik*, 3, pp. 398-399; October, 1926.
- R521.1 Murphy, W. H., and Wolfe, L. M. Stationary and rotating equisignal beacon (radio direction finding in aviation). *Society Automotive Engineers Journal*, 19, pp. 209-220; September, 1926.
- R531 Press, weather, and time signals—times and wave length of stations in all parts of the world transmitting above signals. *Radio Broadcast*, 10, p. 202; December, 1926.
- R570 Castellain, A. P. The radioship Telesarchil (detailed description of a wireless-controlled boat). *Wireless World and Radio Review*, 19, pp. 569-572; October 27, 1926.

RADIO SERVICE BULLETIN

R800.—Nonradio subjects

- 221.327.4 Hewitt, P. C. Electric device (mercury arc). United States Patent No. 1607276 issued November 16, 1926.
- 221.327.4 Hewitt, P. C. Method of and apparatus for producing alternating current (mercury arc tube). United States Patent No. 1607277 issued November 16, 1926.
- 221.327.4 Hewitt, P. C. System of electrical distribution. United States Patent No. 1607278 issued November 16, 1926.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.

AT

5 CENTS PER COPY

SUBSCRIPTION PRICE, 25 CENTS PER YEAR



[Return to Radio Service Bulletins Index](#)