#### COMPUTERS - VIDEO - STEREO - TECHNOLOGY - SERVICE

### Computer over \$4500 Π

8

303092

DRK

6450M091 14 A DEC86

Ô

**H**IN

CUPERTINO

CAR

95014

10+17

۲

48783

A GERNSBACK PUBLICATION

SPECIAL

YOUR OWN COMPUTER

\$1.95 OCT. 1983 U.K. 85p

DGS 1

LAYER

pard, LED's

#### PLUS:

★ Videogames ★ Hobby Corner ★ New Idea ★ Equipment Reports

# The choice is Weller®

Soldering, desoldering, fixed or portable, look for Weller!

LDERING STATION

Weller" DSS

The DS500 power vacuum desoldering station works with external air system. The DS100 provides identical desoldering performance linked with temperature controlled soldering capability. The new portable DS600 offers you a compact self-contained vacuum/air pump desoldering unit. Which one is for you?

Use cnly genuine soldering tips from Weller.

Weller

DS600 PORTABLE DESOLDERING STATION

The Cooper Group

for D

The Cooper Group PO Box 728 Apex NC 27502 USA Tel (919) 362-7510 Telex 579497 BOKER CRESCENT LUFKIN NICHOLSON PLUMB WELLER WISS XCELITE



**CIRCLE 21 ON FREE INFORMATION CARD** 



### Free Timex Computer, Software and Free Timex Watch

#### Just in time for back to school...

Timex technology and the buying power of Communications Electronics will put you in the challenging, fascinating arena of home  $\mathbb{Z}$  electronics for much less than you thought possible. As you grow in your computer expertise and needs, you can be secure knowing your TIMEX SINCLAIR 1000 Computer is expandable with a complete line of accessories. You won't outgrow your T/S 1000 Computer - it grows with you!

In addition to the accessories, Timex offers a full range of software for the T/S 1000 Computer. Cassette programs designed especially for your computer open the magical microprocessor doors to home management, business applications, educational aids and computer games. If your computer is used in business, it may be fully tax deductable.

Of course, as you become more skillful in using the T/S 1000 Computer, you'll find that you can create your own programs - tailored, as you wish, to your own specific requirements. The extensively detailed instruction manual that comes with the T/S1000 Computer gives complete information on how to do your own programming.

Behind you and your TIMEX SINCLAIR 1000 Computer is proven Timex technology and reliability. It doesn't end with the unique design of this sensational computer. Timex wants you to enjoy and grow with it. When something isn't clear or if you're having trouble operating your computer, just dial 800-24-TIMEX - you'll be in touch with the Timex Technical Support Group. They're ready to answer all your questions.

#### Join the home computer technology generation at an amazingly low cost.

Receive your TIMEX T/S 1000 personal home computer and your TIMEX guartz watch absolutely free when you purchase the following:

- □ The Timex T/S 1016 16K Ram Pack
- □ The Timex T/S 2040 Printer
- □ And your choice of six of the following software cassettes: 10. Coupon Manager
  - 1. College Cost Analyzer
  - 2. Home Improvement Planner
  - 3. Organizer
  - 4. Money Analyzer 1
  - 5. Algebra 1
  - 6. Mixed Game Bag II 7. Fortress of Zorlac
  - 8. Gambler
  - 9. Supermaze
- 12. Stock Option Analyzer 13. Geometry 1 14. Statistics
- 15. Power Pack 1

11. IRA Planner

- 16. Grimm's Fairy Trails
- 17. Presidents
- 18. Cube Game

When you order, you will receive this complete package: T/S 1000 Computer, Ram Pack, Printer, choice of six Timex software cassettes, and as an extra bonus, a coupon for a free Timex quartz watch. But wait, there's more. If you order before October 31, 1983 from CE, Timex will also give you a coupon that's good for an additional six free software cassettes from a choice of over seventy titles (Frogger<sup>™</sup> excluded). The additional value of this bonus software is worth up to \$116.70. Therefore, if you act now, you can get this complete package worth up to \$461.20 for only \$199.00 plus \$10.00 for U.P.S. shipping and handling in the continental U.S.A.

#### Order at no risk.

All Timex products carry CE's 31 day money back guarantee. If for any reason you are not completely satisfied with this special offer, return everything within 31 days and we will give you a full refund (less shipping and handling charges). All Timex computer products come with a ninety day warranty. Should anything go wrong with your Timex products, simply mail it to Timex and they will promptly repair or replace it. Dealer and educational inquiries welcome.

Mail orders to: Communications Electronics," Box 1002-Dept. CE-10, Ann Arbor, Michigan 48106 U.S.A. If you have a Visa or Master Card, you may call and place a credit card order. Order toll-free in the U.S. Dial 800-521-4414. In Canada, order toll-free by calling 800-265-4828. Telex anytime 810-223-2422. If you are outside the U.S.A. or in Michigan dial 313-973-8888. Michigan residents add tax. The demand will be great for this fantastic limited time offer, so be sure to order today.

#### Order Toll-Free 800-521-4414 T/S1000 is a registered trademark of Timex Corp Copyright® 1983 Communications Electronics®



& Software Cassettes YES, Please send my free Timex computer, software and watch with the purchase of a Ram Pack, Printer and choice of six cassettes for only \$199.00 . (plus \$10.00 for shipping/handling in the continental U.S.A. For Canada, Puerto Rico, Hawail, Alaska, or APO/FPO delivery, shipping is \$25.00). Mail To: Communications Electronics' Box 1002-Dept. CE-10 Ann Arbor, Michigan 48106 U.S.A. List selection of cassettes by number: 1 \_\_\_\_ 2 \_\_\_\_ 3 \_\_\_\_ 4 \_\_\_\_ 5 \_\_\_\_ 6 \_\_\_\_Exp. \_\_ Credit Card # • • Name\_ Address \_\_\_ • \_\_\_\_\_State\_\_\_\_ City\_ Zip Telephone \_ • Note: For additional product information call 800-24-TIMEX. • • To order call 800-521-4414 or 313-973-8888 CE-10 • . . . . . . . . . . . . . . .



#### THE MAGAZINE FOR NEW **IDEAS IN ELECTRONICS**

**Electronics publishers since 1908** 

SPECIAL FEATURE 75 YOUR OWN COMPUTER A round-up of the computer systems currently available, organized in price categories from under \$500 to over \$4500. Marc Stern 79 **UNDER \$500** \$500 TO \$1000 95 111 \$1000 TO \$1500 118 MANUFACTURER LIST 119 \$1500 TO \$2000 129 \$2000 TO \$2500 135 \$2500 TO \$3000 147 \$3000 TO \$3500 155 \$3500 TO \$4000 \$4000 TO \$4500 162 167 OVER \$4500 **BUILD THIS** 63 MINI PLAYER-PIANO Part 2. Winding up the theory and beginning construction. **Robert Grossblatt TECHNOLOGY VIDEO ELECTRONICS** 4 Tomorrow's news and technology in this quickly changing industry. David Lachenbruch 10 SATELLITE/TELETEXT NEWS The latest happenings in communications technology. Gary H. Arlen 12 VIDEOGAMES Some different ways of distributing games. Danny Goodman. **CIRCUITS AND** 56 NEW IDEA COMPONENTS An award-winning project from one of our readers 58 HOBBY CORNER A new contest. Earl "Doc" Savage, K4SDS EQUIPMENT 24 BK Dynascan Model 1653 and 1655 Variable Voltage Supply REPORTS 30 Finger Print Control Module For Epson Printers 32 Global Specialties Model 6000 Frequency Counter

40 Tektronix Model 213 DMM Oscilloscope

DEPARTMENTS	8	Advertising and Sales Offices	20	Letters
	208	Advertising Index	177	Market Center
	8	Editorial	44	New Products
	209	Free Information Card	6	What's News

OCTOBER 1983 Vol. 54 No. 10

#### ON THE COVER

There's little doubt that personal computers have become the fastest growing segment of the consumerelectronics market. In the past year many new companies have been founded, and scores of new machines have been introduced. In addition, most of the "established" manufacturers (in this industry that's anyone that's been around longer than two years) have either unveiled new systems, or beefed-up their existing ones, to remain competitive. The result has been greatly increased selection, generally lower prices, and just about utter confusion for the consumer. That's where this special section comes in-it's designed to help you make sense out of the jumble of systems by summarizing what's available. To help make comparisons easier, everything is organized by list price. The section begins on page 75.

#### TO OUR READERS

Due to our large computer-hardware section, several articles that were originally scheduled for this issue could not appear, due to space limitations. Those articles will be published in coming months.

#### COMING NEXT MONTH On Sale October 20

- Test Equipment. A look at what's new and unusual.
- Audio Tape. Audio-cassette tapes and how they differ.
- How To Design Analog Circuits. All about filters.
- And lots more!

Radio-Electronics, (ISSN 0033-7862) Published monthly by Gernsback Publications, Inc., 200 Park Avenue South, New York, NY 10003. Second-Class Postage Pard at New York, NY, and additional mailing offices. One-year subscrip-tion rate: U.S.A. and U.S. possessions. \$14.97, Canada, \$17.97. Other countries, \$22.47 (cash orders only, payable in U.S.A. currency.) Single copies \$1.50. © 1983 by Gerns-back Publications, Inc. All rights reserved. Printed in U.S.A.


Subscription Service: Mail all subscription orders, changes, correspondence and Postmaster Notices of un-delivered copies (Form 3579) to Radio-Electronics Sub-scription Service, Box 2520, Boulder, CO 80322.

A stamped self-addressed envelope must accompany all submitted manuscripts and/or artwork or photographs if their return is desired should they be rejected. We disclaim any responsible why for the loss or damage of manuscripts and/or artwork or photographs while in our possession or otherwise.

As a service to readers, Radio-Electronics publishes available plans or information relating to newsworthy products, techniques and scientific and technological developments Because of possible variances in the quality and condition of materials and workmanship used by readers, Radio-Electronics disclaims any responsibility for the safe and proper functioning of reader-built projects based upon or from plans or information published in this magazine.

### **VIDEO ELECTRONICS**

#### **DAVID LACHENBRUCH** CONTRIBUTING EDITOR



#### ANTENNA SWITCHING

A noteworthy trend in new sets is the increased use of multiple antenna connections to help solve the problem posed by two or more RF video attachments on a single set. In most cases, the antenna terminals may be switched via remote control. Magnavox, NEC, Panasonic, Quasar, Sanyo, Sony, and Zenith all have sets that permit the viewer to switch from one 75-ohm input to another, eliminating the complicated traffic jam at the antenna terminals.

Sony is fielding a 13-inch model, designed especially for use with videogames or other RF attachments; it has its second antenna terminal at the front. That terminal is controlled by a HIT (Home Interface Terminal) Button that switches the set to the game or other device.

Zenith offers a system for switching among four RF inputs by remote control on many of its sets. It requires the addition of a special switching splitter (carrying a suggested list price of \$30) at the back of the set (see photo); the remote-control unit has a sequential four-position antenna control. Zenith also introduced the "Redi-Plug," a video-audio in-out eight-pin DIN connector built into some of its sets and easily installed on most others made since November 1981. It will accommodate a Zenith teletext decoder and (in the future) an adaptor for multichannel (stereo and bilingual) sound. GE and Magnavox sets, as well as most of the other "true components." also are claimed to be easily adaptable to multichannel sound.

HI-FI VHS

With Beta Hi-Fi now launched on the market and providing excellent audio, Matsushita Electric (parent of Panasonic and Quasar) has introduced the VHS answer in Japan, and it should arrive on these shores by the end of this year or early next. Like Beta Hi-Fi, the Hi-Fi VHS system uses the high head-to-tape speed of the helical track to provide an auxiliary high-quality stereo audio track. Beta Hi-Fi superimposes FM audio on the video track, but Hi-Fi VHS uses a somewhat different approach. It adds two audio heads to the video head drum and records the audio with a different geometric head angle (azimuth) to avoid interference with the video information. As in Beta Hi-Fi, the standard longitudinal audio track is retained to maintain compatibility of older tapes with Hi-Fi VHS machines. The specs of Hi-Fi VHS are similar to those of Beta Hi-Fi-a dynamic range of more than 80 dB, a frequency response of 20-20,000 Hz, distortion 0.3% or less, wow and flutter less than 0.005%.

#### **RANDOM-**ACCESS CED

They said it couldn't be done-which gives RCA all the more satisfaction with its introduction of a random-access CED videodisc palyer. The new model, which was still unpriced at presstime, uses a wireless remote control to let the user choose any "page" (single groove) or "band" (selection) of the disc, or the choice may be made by dialing up the minute and second desired. These may be programmed to play in any sequence, repeat, etc. An added feature of the new machine is on-screen prompting: Alphanumerical reminders and queries appear on the screen—such as "please load disc," "audio track A or B?" "Band \_\_\_\_\_\_to Band\_\_\_\_," and so forth. Special discs with individual frames repeated three times (the CED disc has four frames per groove) will be available for programs using stop-motion. The random-access disc player may be programmed with its own remote-control unit or with a Digital Command Center, a 51-button remote control that comes with many of RCA's new-model TV sets and monitors and is designed to operate TV set, VCR and videodisc player. R-E

### **THE POMONA PROMISE** We provide the design engineer with the best Grabber\* made in this country. Or anywhere.



that level is one thing. Doing it may be something else.

But doing it is what ITT Pomona Electronics is all about. And has been ever since we opened shop better than thirty years ago.

That's why we promised that no matter what it took, we were going to produce the best line of plunger action test clips going.

It's clearly a promise we made good on.

And every year we add new versions and new applications. Now our Grabber line is one of the

Saying you can perform at most versatile assortment of testing tools we offer.

> At ITT Pomona Electronics, we know there is no such thing as standing pat. We also know that your needs change and your expectations become greater as the demands become more severe. To this end we will continue to create a better way. A better product.

> > That's a promise.

All of our products are described and illustrated in our General Catalog, and it's free. Just call (714) 623-3463 or 623-6751. TWX 910-581-3822. Write to us at ITT Pomona Electronics, a Divi-

CIRCLE 97 ON FREE INFORMATION CARD

sion of International Telephone and Telegraph Corporation, 1500 E. Ninth St., Pomona, CA 91766.

In Europe: ITT CANNON BELGIUM S.A./N.V. Rue Colonel Bourg Str. 105 Space A (B.3) 1140 Brussels, Belgium. Phone: 02-735-6094.

Our products are available through your favorite electronics parts distributor.

\* GRABBER is the trademark for a Pomona Electronics test clip.



### WHAT'S NEWS

#### Postage stamps honor four U.S. inventors

The United States Postal Service has unveiled the design of a block of 20-cent stamps honoring four American inventors in the field of electricity and electronics. The stamps were issued September 21, 1983, at the U.S. Patent and Trademark Office in Arlington, VA.

The four inventors selected as most worthy of honor are Charles Proteus Steinmetz, Edwin H. Armstrong, Nikola Tesla, and Philo T. Farnsworth.

Charles Steinmetz-born in Breslau, Germany, in 1865-came to the United States in 1899, and became the leading engineer and scientist of General Electric Co. in Schenectady, NY. Among the more important of his many studies and inventions were researches on the theories of alternating current and high-voltage power.

Edwin Armstrong-born in New York City in 1890-is credited with the invention of the superheterodyne radio, the type used almost universally today. His most important achievement was the development of wide-band frequency modulation, known to the average listener as FM radio.

Nikola Tesla was born in 1857, in Smiljan Lika, Croatia, in what is now Yugoslavia. The more important of his more than 700 inventions included pioneering developments in radio, high-frequency electrical currents, glowlamps, and polyphase alternating current theory and practice.

Philo T. Farnsworth was born in Utah in 1906. His more than 300 inventions were practically all in television and related subjects. He is most famous for his first allelectronic television transmission, made in San Francisco, CA, on September 7, 1927.

#### Videogames to become computer terminals?

A new service, Gameline, by Control Video Corp of Vienna, VA, promises as a start to allow any owner of an Atari 2600 video computer system (and a few other brands) to tap into a vast central computerized library of popular videogames.

Eventually, says CVC, the game-system owner will be able to make use of a variety of other features, such as sports reports, stock quotations, news, electronic banking, and other services now available only to personal-computer owners who subscribe to services like CompuServe or The Source.

In addition to giving access to an enormous variety of games, Gameline gives the player a chance to preview new games just coming on the market, and to sample games before purchase. Contests, from regional to worldwide, with prizes ranging from T-shirts to four-year college scholarships, are also offered.



FOUR AMERICAN INVENTORS ARE HONORED on US postage stamps. Charles Steinmetz, upper left, for pioneering in electrical theories; Edwin Armstrong, upper right, for frequency modulation; Nikola Tesla, lower left, for alternating current theory and practice, and Philo Farnsworth, lower right, for television pioneering and invention.



MASTER MODULE PLUGGED INTO AN ATARI VCS 2600 and connected to the telephone brings the avid player a plethora of the latest video games.

The "brain" that turns an Atari 2600 into a computer terminal is the CVC Master Module, which plugs into the console where the game cartridge would normally go. It consists of a sophisticated modem, two memory devices, and an automatic telephone dialer. One memory unit stores a videogame or up to six pages of typewritten text. The other stores the players' names, ID's, the module's serial number, contest scores, and telephone numbers to access the system.

The user simply turns on the TV and the game system, and selects the desired game from a list that flashes on the TV screen. He makes his selection with the joystick and "fire" button, and the module dials its memory-stored local number to connect with the central computer. The game's software is then fed into the Master Module. The whole telephone call lasts usually less than one minute.

Costs of the service are claimed to be moderate. The Master Module is being offered at an introductory rate of \$49.50 (plus \$5 for shipping and handling). Game sessions (multiple plays of a game) cost \$1, or about 10 to 15 cents a play, depending on the player's skill. A \$15 membership fee (waived during the introductory period) is charged each member, and if the player wants to enter contests, a fee of 50 cents for registering a high score in the central computer. Games are charged against credit cards. (Credit limits can be set.)

The Gameline Master Module is

compatible with the Atari 2600 VCS and Sears Video Arcade. It can also be used with ColecoVision units equipped with Expansion Module #1, or with the ColecoVision Gemini system.

#### New color display uses liquid crystals

A display system that uses a monochrome cathode-ray tube and a liquid crystal "color switch" to produce a high-resolution, fieldsequential color display was demonstrated recently by Tektronix at the Philadelphia meeting of the Society for Information Display.

The success of the new system was due to the development of a new, proprietary, fast liquid-crystal optical switch. Combined with the monochrome CRT, it produces a high-resolution field-sequential color display.

Because there are no shadow masks or penetration phosphors, the resolution can be as high as that of any monochrome CRT. Other advantages are inherent convergence (there is only one electron beam) excellent contrast in high ambient light, and ruggedness. (The fragile shadow mask and complex color gun are eliminated.)

The new technology is expected to find applications in instrument displays, where its high resolution will make it useful. It will also be useful in small process-control displays, where the color can be used for warnings or for highlighting special situations.

### Now 60 MHz or 100 MHz Tek quality is just a free phone call away!

Tek has expanded its best-selling 2200 scope line up to 100 MHz. And brought it all as close as your

-800-426-2200

**phone.** Tek's revolutionary, reduced-component architecture brings unprecedented quality, reliability and affordability to the 60 MHz 2213 and 2215, and now, the 100 MHz 2235.

All three of these lightweight (13.5 lb.) scopes feature 2 mV/ div vertical sensitivity and 5 ns/div sweep speeds, plus a complete trigger system for stable triggering on digital, analog or video waveforms.

Scopes with a comprehensive 3-year warranty\*... probes...and expert advice. One free call gets it all! You can order, or obtain literature, through the Tek National

	2213	2215	2235
Bandwidth	60 MHz	60 MHz	100 MHz
No. of Channels	2	2	2 + Trigger View
Alternate Sweep	_	Yes	Yes
Vert/Trig B/W Limit	_	_	Yes-20 MHz
Single Sweep	_	_	Yes
Accuracy: Vert/Horz	3%	3%	2%
Delay Jitter	1:5,000	1:10,000	1:20,000
Trigger'g Sensitivity	0.4 div at 2 MHz	0.4 div at 2 MHz	0.3 div at 10 MHz
Input R-C 1MΩ -30pf		1MΩ - 30pf	1MΩ - 20pf
Variable Holdoff	4:1	4:1	10:1
Price	\$1200 #	\$1450†	\$1950†

Marketing Center. Technical personnel, expert in scope applications, will answer your questions and expedite delivery. Direct orders include operating and service manuals, two 10X probes, 15-day return policy, and worldwide service back-up.

#### Call toll-free: 1-800-426-2200, Extension 76.

In Oregon, call collect: (503) 627-9000, Ext. 76.

PPrice FO B. Beaverton, OR
 '3-year warranty includes CRT and applies to 2000
 family oscilloscopes purchased after 1/1/83
 Scopes are UL Listed, CSA and VDE approved.



### **EDITORIAL**

#### Yes! Another Buyers Guide For Computers

Our research tells us that most of our readers either own a computer or are considering purchasing a computer. Even among those of you who do own a computer, many are considering either upgrading their systems or outrightly purchasing a new system. In today's marketplace, that's not an envious position to be in. It seems as if everyone, and I mean everyone, is jumping into the computer marketplace with a new computer. And to make matters even more confusing, there's a flood of workalikes and lookalikes. These are computers that are designed to look like or be "compatible" with other computers such as the IBM PC. TRS-80, Apple, or others.

With prices, features, and capability varying widely from computer to computer, your decison won't come easy-and it shouldn't. With such a wide array of computers available, you must weigh your decision carefully. Even with the drastic price reductions of late, computers aren't cheap. Even after you've made a decision, reconsider it before you make your final decision. Get your hands on the computer and play with it. Make sure it runs the software that you ultimately intend to use and that it will interface with the peripherals you wish to connect to it. Try your darndest to ensure that the computer won't become obsolete within a few months.

This month's Your Own Computer special section is intended to be a guide to help you narrow down your choices. It is not meant to be used to make a final decision. And above all, unless you pay carefull attention to compatibility, or buy peripherals from the same manufacturer, don't expect to take your computer home, plug it in and have it work. For example, all RS-232 I/O ports are created equal. Right? Wrong! The RS-232 standard is sometimes adhered to and sometimes it isn't. So, if you buy a printer with an RS-232 port and connect it to a computer with an RS-232 port, it may work. Then again, it may not. Remember-Caveat Emptor!

Art Aleiman

**ART KLEIMAN** Editor

### Radio-Electronics

Hugo Gernsback (1884-1967) founder M. Harvey Gernsback, editor-in-chief Larry Steckler, CET, publisher Arthur Kleiman, editor Carl Laron, WB2SLR, associate editor Brian C. Fenton, assistant editor Jack Darr, CET, service editor Robert F. Scott, semiconductor editor Herb Friedman, communications editor Garv H. Arlen, contributing editor David Lachenbruch, contributing editor Earl "Doc" Savage, K4SDS, hobby editor Danny Goodman, contributing editor Dan Rosenbloom, production manager

Robert A. W. Lowndes, production associate

Joan Roman, circulation director

Arline R. Fishman,

advertising coordinator

Cover photo by Robert Lewis

Radio-Electronics is indexed in Applied Science & Technology Index and Readers Guide to Periodical Literature.

Gernsback Publications, Inc. 200 Park Ave. South New York, NY 10003 President: M. Harvey Gernsback Vice President; Larry Steckler

ADVERTISING SALES 212-777-6400

Larry Steckler Publisher

#### EAST/SOUTHEAST

Stanley Levitan Radio-Electronics 200 Park Ave. South New York, NY 10003 212-777-6400

MIDWEST/Texas/Arkansas/Ok a.

Ralph Bergen **Radio-Electronics** 540 Frontage Road—Suite 325 Northfield, Illinois 60093 312-446-1444

#### PACIFIC COAST **Mountain States**

Marvin Green **Radio-Electronics** 413 So. La Brea Ave. Los Angeles, Ca 90036 213-938-0166






### The 100 MHz scope that won the largest scope contract ever awarded...

### Now just \$1,950.

For sales and technical information: call toll free 800-421-5334 (in Calif., Alaska, Hawaii 213-515-6432) Kikusui International Corp. 17819 Figueroa Street, Gardena, Calif. 90248 TWX 910-346-7648 In Canada call: Interfax Systems, Inc. 514-336-0392 Subsidiary of Kikusui Electronics Corp., 3-1175 Shinmaruko-Higashi, Nakaharu-Ku, Kawasaki City, Japan (044)-411-0111 © Kikusui International 1983

### KIKUSUI



SATELL	<b>ITE/TELETEXT NEWS</b>
, i	GARY ARLEN CONTRIBUTING EDITOR
SYSTEM	Geostar Satellite System has proposed an all-digital nationwide service which would offer paging, emergency monitoring, and other special services via three new satellites. The newly formed company, based in Princeton, NJ, envisions three operational geostationary satellites (at 70°, 100° and 130° west longitude) plus an earth station with massive computer power. The system would operate in the 2.48, 1.6 and 5.1 GHz spectrums and, if Geostar gets FCC approval, the service could be up and running by 1987. Geostar customers would be equipped with a \$200 transceiver to transmit their coordinates to any other transceiver. The units would have a 36-character message readout (probably liquid crystal) or possibly a hard-copy printer. Geostar will automatically track the location of all transceiver; the transceiver automatically will relay a signal 100 times per second to each transceiver; the transceiver automatically will relay a signal with an identifying code through all three satellites. Using eight 32-bit sequences, GSS will be able to address 268 million individual users. The system will include suppression circuits in the transceivers to limit the number of times they would respond to the interrogation if the user does not need instant access. GSS foresees airplanes and autos equipped with the devices to help signal an emergency call for help. Travelers could also send or receive brief messages or reports via the GSS system.
NBC ESCALATES TRANSMISSION	NBC-TV is now feeding its entire New York-originated schedule via satellite, with most of the programming traveling via Comstar D-3, transponder 1V (at 87° west longitude); some afternoon programming goes out via Satcom IV, transponder 24 (at 83°). Almost all of the network's programs—with the exception of sports broadcasts—are sent to affiliates via satellite, including special closed-circuit news reports transmitted daily at 4:30 p.m. (eastern time).
RCA LAUNCHES ADVANCED SATCOM	RCA Satcom 1R—the replacement satellite for RCA's original communications satellite which has been in service for nearly eight years—is now in place at 139° west longitude. Meanwhile the original Satcom 1 is still in service at 136°. The new bird is the first completely solid-state domestic communications satellite, with 24 transponders of 8.5 watts each. The new antennas provide stronger signal coverage to all 50 states.
AROUND THE SATELLITE CIRCUIT	Oak Industries has dropped its plans to build and operate a direct-broadcasting satellite system. The company had intended to launch its own DBS bird by 1986 for direct-to-home pay-TV programming, but now Oak has retrenched on its plans, although it still intends to make equipment and programming for DBS and other pay TV services. The FCC is eyeing a plan to restructure spectrum allocations to put DBS service in the 12-GHZ band, shared with other microwave services. United Satellite Communications, which plans to begin DBS service this fall, is negotiat ing with local telephone companies to install and service receiver facilities. USC will have five channels of programming, and the company is also talking to existing cable-programming services such as ESPN and Cable News Network about carrying their feeds as part of the DBS service. USC plans to offer its package of programming for about \$17.50 per month in addition to the cost of buying reception facilities, now estimated at about \$500.
VIDEOTEX/ TELETEXT BRIEF BITS	service will be tested via public TV stations in New York, Chicago, and Miami.



### For \$35.<sup>50</sup> Here's your best VOM value.



It's compact, drop-proof (3 feet) and provides 21 color-coded ranges—volts, milliamps, ohms, temperature scale and decibels. True quality instrument for your portable applications. Tough, accurate, taut-band meter, fuse-protected. Sensitivity 20,000 ohms/volt DC. High-impact case, colored bright orange. Snap action, dual-detent range switch. Range limits: 1000V DC and AC, 250 mA DC, one megohm, +200°C. Battery Test provision. Meter OFF position. Temperature scale (special probe optional).

WV-547D. Same instrument in impact-resistant carrying case. Handle converts to tilt stand. \$39.95

Want full technical details and a demonstration? Call toll-free, 1-800-523-3696, for the VIZ distributor near you.



Look to VIZ for value, quality, availability. Over 70 instruments in the line-PLUS full accessories. VIZ Mfg. Co., 335 E. Price St., Philadelphia, PA 19144

CIRCLE 91 ON FREE INFORMATION CARD

### VIDEOGAMES

Alternate means of distribution **DANNY GOODMAN**, CONTRIBUTING EDITOR

THE TIME MAY COME WHEN, HAVING CONquered or become bored with a cartridge, we no longer put it on the shelf and go out to buy another. Recently, a couple of ideas have surfaced to offer different ways of providing us with games to play without investing in \$20 to \$40 cartridges or waiting for a cable-TV company to offer a game service.

One system getting underway now is called GameLine by Control Video Corporation (8620 Westwood Center Drive, Vienna, VA 22180). GameLine's idea is to have games downloaded to your 2600 via the telephone. Here's how it works.

First, you need to buy CVC's Game-Line *Master Module* for \$50-60 at a local videogame store. That gizmo, shown in Fig. 1, looks like an oversized cartridge and plugs into the cartridge slot of the 2600 (or a 2600-compatible machine) It also comes with a cord that has modular telephone plugs on either end and a "Y" adapter. All you have to do is plug the adapter into the back of your telephone, and the cord from the adapter to the *Master Module*.



FIG. 1

A \$15 registration fee sets up your account with CVC. All charges are billed to a credit card, and parents have the option of limiting the dollar amount playable per week. Each time you download a game, you are charged \$1.00. For that dollar, you get about 10 complete games—then the game disappears from the console's memory.

To download a game, you must first look at the listings of games offered by GameLine in their monthly newsletter (free for the first year). Responding to prompts on the screen with your joystick, you select the number of the game you want. Then the *Master Module* automatically calls GameLine (either a tollfree or local call), tells the main computer who is calling, and asks for the game you want to play. The entire transfer process takes about a minute.

As of this writing, however, CVC has not lined up too many suppliers of games. Imagic is about the biggest of them all. The balance of the listings are of smaller-and a few defunct-producers, including Telesys, U.S. Games, Data Age, and so on. If CVC can attract the big guns-Atari, Activision, Parker, Coleco-only then will GameLine be something to consider. And even then, only if the companies release titles to GameLine at the same time they're released to the stores. Then it'll really be a great way to try out a potential blockbuster cartridge. Unfortunately, I don't believe CVC will get too big a following of the big-name game producers-they would rather sell cartridges outright.

The system does, however, hold promise as a telecommunications network for the 2600 as people graduate to the computer keyboard. The GameLine Master Module (technologically a fine product at an attractive price) and main computer could become a low-cost electronic mail system for the masses.


#### Another approach

Taking a different approach to game distribution is a company called Romox (501 Vandell Way, Campbell, CA 95008). Although the firm is focusing its attention on computer cartridge-type software now, there is nothing that would prevent its concept from being carried over to videogames.


Romox produces cartridges that can be reprogrammed by a dealer equipped with a special computer-like terminal. The system is based on periodic telephone transfers of software from a central computer to the in-store terminal where it is stored on a hard disk. The first cartridge you buy costs about the same as a regular game cartridge: \$25-35. Later, if you find you don't use that program anymore, you can take it back to the dealer, look at the list of hundreds of programs on hand and have the cartridge reprogrammed with a new game for about \$10. The process takes only a minute or two, and you leave the store with a new program at one-third the regular cost.

Romox has signed up several major computer-software houses, including Sierra On-Line, to participate in this new distribution method. What I like about this system over GameLine is that you get a cartridge that you can play as many times as you want. With GameLine, the meter is running every time you lose a life. That's too much like the quartereating arcades. I thought the home videogame was supposed to let us get away from constantly reaching into our pockets for one more chance.

#### CommaVid's Cake Walk for Atari 2600



CIRCLE 101 ON FREE INFORMATION CARD



THERE IS NO LACK OF "CUTESY" videogame cartridges available for the 2600, yet more keep coming. CommaVid Inc. (1470 N.Farnsworth, Suite 203, Aurora, IL 60505) has published another one of those games that seems aimed at the younger or more sensitive games player. This one is called *Cakewalk*, a simplistic hand-eye coordination activity.

continued on page 14



**Communications** Electronics the world's largest distributor of radio scanners, introduces new models with special savings on all radio scanners. Chances are the police, fire and weather emergencies you'll read about in tomorrow's paper are coming through on a scanner today.

We give you excellent service because CE distributes more scanners worldwide than anyone else. Our warehouse facilities are equipped to process thousands of scanner orders every week. We also export scanners to over 300 countries and military installations. Almost all items are in stock for quick shipment, so if you're a person who prefers fact to fantasy and who needs to know what's really happening around you, order your radio today from CE.

#### Regency M100 6-Band, 10 Channel • No crystal scanner Search • Lockout • AC/DC Bands: 30-50, 144-174, 440-512 MHz

The Regency Touch M100 provides the ease of computer controlled, touch-entry programming in a compact-sized scanner for use at home or on the road. Enter your favorite public service frequencies by simply touching the numbered pressure pads. You'll even hear a "beep" tone that lets you know you've made contact.

In addition to scanning the programmed channels, the M100 has the ability to search through as much as an entire band for an active frequency. When a call is received, the frequency will appear in the digital display. You can either continue searching or store the new frequency in one of the 10 scan channels.

#### NEW! Regency® HX650 List price \$119.95/CE price \$84.00

Bands: 30-50, 146-174, 450-512 MHz Now you can tune in any emergency around town, from wherever you are, the second it happens. Advanced circuitry gives you the

world's smallest scanner. Our low CE price in-cludes battery charger/A.C. adapter.

#### **NEW!** Regency<sup>®</sup> MX7000 Allow 120-240 days for delivery after receipt of

order due to high demand for this product. List price \$599.95/CE price \$449.00 10-Band, 20 Channel • Crystalless • AC/DC Frequency range: 26-27, 30-108, 108-136 AM, 144-174, 440-512, 806-881 MHz, 1.0 GHz, 1.1 GHz In addition to normal scanner listening, the MX70CU offers CB, VHF, and UHF TV audio, FM Broadcast, all aircraft bands (civil and military), 800 MHz communications, cellular telephone, and when connected to a printer or CRT, satellite weather pictures.

The Regency Touch MX7000 provides the ease of computer controlled, touch-entry programming in a compact-sized scanner for use at home or on the road. Enter your favorite frequencies by simply touching the numbered pressure pads. You'll even hear a "beep" tone that lets you know you've made contact.

In addition to scanning the programmed channels, the MX7000 has the ability to search through as much as an entire band for an active frequency. When a call is received, the frequency will appear on the digital display

**NEW!** JIL SX-200 CE price \$279.00/NEW LOW PRICE 8-Band, 16 Channel 
Norcrystal scanner Quartz Clock 
AM/FM 
AC/DC Bands: 26-88, 108-180, 380-514 MHz Tune Military, F.B.I., Space Satellites, Police & Fire, D.E.A., Defense Department, Aeronautical AM band, Aero Navigation Band, Fish & Game, Immigration, Paramedics, Amateur Radio, Justice Department, State Department, plus thousands of other restricted radio frequencies no other scanner is programmed to pick up.

The JIL SX-200 features unrestricted federal frequency coverage - all 8 bands, selectable AM/FM receiver circuits - 60db plus selectivity, tri-switch squelch settings - signal, audio and signal & audio, outboard AC power supply - DC at 12 volts built-in, quartz clock-bright vacuum fluorescent blue readouts & dimmer, dual level search speeds - tri-level scan delay switches, 16 memory channels in two channel banks, receive fine tune (RIT) ± 2 KHz, speaker, recorder, and recorder control jacks, dual level RF gain settings-20 db pad, AGC test points for optional signal strength meters and many more features. Order your JIL SX-200 scanner today.

### **NEW!** JIL SX-100 CE price \$149.00/NEW LOW PRICE **6-Band, 16 Channel • Crystalless • AC/DC** Frequency range: 30-54, 140-174, 410-514 MHz. The JIII SX-100

The JIL SX-100 scanner is a mobile keyboard programmab e scanner that puts you in the seat of the action at home or in your car. Compact and good looking, the SX-100 even gives you the time and date. It's small size will easily fit in most domestic or foreign cars and it's AC/DC adaptable for home use.

Regency® R106 List price \$149.95/CE price \$99.00 5-Band, 10 Channel • Crystal scamer • AC/DC Frequency range: 30-50, 146-174, 450-512 MHz. A versatile scanner, The Regency R-106 is built to provide maximum reception at home or on the road. Rugged cabinet protects the advanced design circuitry allowing you years of dependable listening.

You'll hear calls on all the public service bands, also extended UHF and amateur. What you will really appreciate, though, is that the R-106 will provide the kind of first rate performance you have come to expect from Regency. Order crystal certificates for each channel.

**NEW!** Regency<sup>®</sup> D810 List price \$399.95/CE price \$259.00 B-Band, 50 Channel • Crystelless • AC only Bands: 30-50, 88-108, 118-136, 144-174, 440-512 MHz This segment offers Public segmice hands plus This scanner offers Public service bands, plus Aircraft and FM broadcast stations. You can listen to Bach or a Boeing 747, the Rolling Stones or the riot squad, or any of 50 channels. Plus special direct access keys let you listen to police, fire, emergency, or any of your favorite channels just by pushing a button

#### Regency® R1040

List price \$199.95/CE price \$129.00 6-Band, 10 Channel • Crystalless • AC only Frequency range: 30-50, 144-174, 440-512 MHz. Now you can enjoy computerized scanner versatility at a price that's less than some crystal units. The Regency R1040 lets you in on all the action of police, fire, weather, and emergency calls. You'll even hear mobile telephones.

Programming the R1040 is easy. Merely touch the keyboard and enter any of over 15,000 frequencies on your choice of 10 channels.

#### Fanon Slimline 6-HLU List price \$169.95/CE price \$99.00

Low cost 6-channel, 4-band scanner! The Fanon Slimline 6-HLU gives you six channels of crystal controlled excitement. Unique Automatic Peak Tuning Circuit adjusts the receiver front end for maximum sensitivity across the entire UHF band. Individual channel lockout switches. Frequency range 30-50, 146-175 and 450-512 MHz. Size 2% x6% x 1." Includes rubber ducky antenna. Made in Japan. Order crystal certificates for each channel.

#### **TEST ANY SCANNER**

Test any scanner purchased from Communications Electronics" for 31 days before you decide to keep it. If for any reason you are not completely satisfied, return it in original condition with all parts in 31 days, for a prompt refund (less shipping/handling charges and rebate credits). **CIRCLE 22 ON FREE INFORMATION CARD** 

#### OTHER RADIOS & ACCESSORIES

OTMER RADIOS & ACCESSUR	
Regency* C403 Scanner	
Panasonic RF-9 Shortwave receiver	
Panasonic RF-799 Shortwave receiver	
Panasonic RF-2600 Shortwave receiver	
Panasonic RF-2900 Shortwave receiver	
Panasonic RF-3100 Shortwave receiver	
Panasonic RF-6300 Shortwave receiver	
NEWI Bearcat <sup>e</sup> † 151 Scanner	
NEWI Bearcat <sup>e</sup> Five-Six Scanner	
Bearcat <sup>e</sup> 300 Scanner	
Bearcat <sup>e</sup> 250 Scanner	
Bearcat <sup>a</sup> 200 Scanner	
Bearcate 210XL Scanner	
Bearcat® 20/20 Scanner	
Bearcat <sup>e</sup> 100 Scanner	
Bearcat <sup>e</sup> Weather Alert	\$49.00
CHB-6 Fanon AC Adapter/Battery Charger	\$15.00
CAT-6 Fanon carrying case with belt clip	\$15.00
SP55Carrying case for Bearcat Five-Six	\$15.00
MA-506 Carring case for Regency HX650	\$15.00
SCMA 6 Fanon Moble Charger/Audio Amplifier.	\$49.00
AUC-3 Fanon auto lighter adapter/Battery Charger	\$15.00
FB-E Frequency Directory for Eastern U.S.A	
FB-W Frequency Directory for Western U.S.A	
TSG "Top Secret" Registry of U.S. Government Freq	
RRF Railroad Frequency Directory	
ESD Energy Services Directory	\$10.00
ASD Frequency Directory for Aircraft Band	\$10.00
SRF Survival Radio Frequency Directory	
TIC Techniques for Intercepting Comm. Manual	
CIE Covert Intelligence, Elect. Eavesdropping Man	\$12.00
B-4 1.2 V AAA Ni-Cad batteries (set of four)	\$9.00
B-6 1.2 V AA Ni-Cad batteries (set of four)	
A-135c Crystal certificate	\$3.00
Add \$3.00 shipping for all accessories ordered at the	same time.

Add \$12.00 per shortwave receiver for U.P.S. shipping.

INCREASED PERFORMANCE ANTENNAS If you want the utmost in performance from your scanner, it is essential that you use an external antenna. We have a base and a mobile antenna specifically designed for receiving all bands. Order # A60 is a magnet mount mobile antenna and order #A70 is an all band base station antenna. Price is \$35.00 each plus \$3.00 for UPS shipping in the continental United States.

#### **BUY WITH CONFIDENCE**

To get the fastest delivery from CE of any scanner, send or phone your order directly to our Scanner Distribution Center. Be sure to calculate your price using the CE prices in this ad. Michigan residents please add 4% sales tax or supply your tax I.D. number. Written purchase orders are accepted from approved government agencies and most well rated firms at a 30% surcharge for net 30 billing. All sales are subject to availability, acceptance and verification. All sales on accessories are final. Prices, terms and specifications are subject to change without notice. All prices are in U.S. dollars. Out of stock items will be placed on back-order automatically unless CE is instructed differently. Minimum prepaid order \$35.00. Minimum purchase order \$200.00. Most products that we sell have a manufacturer's warranty. Free copies of warranties on these products are available prior to purchase by writing to CE. International orders are invited with a \$20.00 surcharge for special handling in addition to shipping charges. All shipments are F.O.B. Ann Arbor, Michigan. No COD's please. Non-

 Certified and foreign checks require bank clearance.
 Mail orders to: Communications Electronics," Box 1002, Ann Arbor, Michigan 48106
 U.S.A. Add \$7,00 per scanner for U.P.S. ground shipping and handling in the continental U.S.A. If you have a Visa or Master Card, you may call and place a credit card order. Order toll-free in the U.S. Dial 800-521-4414. In Canada, order toll-free by calling 800-265-4828. Telex anytime 810-223-2422. If you are outside the U.S. or in Michigan dial 313-973-8888. Order today.

Scanner Distribution Center" and CE logos are trade-marks of Communications Electronics." † Bearcat is a federally registered trademark of Electra Company, a Division of Masco Corporation of Indiana.

t Regency is a federally registered trademark of Regency AD #072583 Electronics Inc. Copyright °1983 Communications Electronics



#### ommunications g ELECTRONICS" TOBER

#### **Consumer Products Division**

818 Phoenix D Box 1002 D Ann Arbor, Michigan 48106 U.S.A. Call toll-free 800-521-4414 or outside U.S.A. 313-973-8888

### VIDEOGAMES

#### continued from page 12

An introductory screen depicts a large face of a mustached baker, complete with chef's hat, and pairs of cakes streaking along the bottom of the screen. When you turn on the game, the name of the cartridge and the CommaVid company logo appears at the upper left corner of the screen. That introductory screen comes back at the end of each game, displaying the final score.

The actual game begins with a press of the RESET button. Six rows of conveyor belts dominate the screen action. At the end of each conveyor is a small gap; on the other side of the gap is a shelf. The object of the game is to move the baker up and down the screen to each belt, where he transfers the cake or other pastry coming off the conveyor over to the shelf. If he fails to get to a pastry in time, it falls to the floor, and a cleanup man comes out and sweeps the mess away. To keep things interesting, pastries come at random, either singly or in groups of two and three, and at different speeds on each belt.


In defense of the oncoming cakes, you can stop one conveyor by positioning the baker at the end of that belt and pressing the action button on the controller. The belt turns red and stops for a few seconds, allowing you some time to catch up with the other cakes.

The cartridge contains 16 variations of this one-player game. Differences between versions lie for the most part in the speed of the cakes and the response speed of the baker to your joystick action. A few variations at the top-end feature tricky gingerbread men who move along the belts erratically.


What disappointed me most about about this game is what I call the twodimensionality of the game play. I'm not talking about graphics—which, I'm sorry to say, are nothing special either—but about how the game plays. All the action is on the screen at once, and the action or thought demanded of the player is minimal. In other words, there is essentially no depth to the game.

Perhaps this level of game is what the very young and/or inexperienced go for. But there are so many other similarplaying games in the store racks with much better graphics and sound (sound that does more than chime a dull tone at the acquisition of each point) that you probably already own enough games of this type to take care of the occasional players in your household. And I am concerned that between each game, when the title screen reappears, the cartridge does not cycle through the colors to avoid burn-in on a color TV. There is also another potential problem: the cartridge may not work on the *Colecovision 2600*cartridge adapter—the sample we had did not.

#### Atari's Space Dungeon for Atari 5200



CIRCLE 102 ON FREE INFORMATION CARD



FOR THE POOR 5200 OWNERS WHO HAVE had to get by with only a handful of cartridges, let it be known that relief is on the way; the recent crop of Atari (1265 Borregas Ave., Sunnyvale, CA 94086) 5200 cartridges have been outstanding additions to the fledgling library. And I don't think I've come across a more challenging and purely addictive actionvideogame cartridge on any system to date than Space Dungeon,

One of the most unusual features of this game is that the player must use both joysticks to control the action. The cartridge is packaged with a special plastic brace that tries to hold both controllers steady while you concentrate your physical action on the joystick. Without going into the somewhat inane instruction manual explanation of what your screen character is doing, suffice it to say that you must move your character into as many of the 36 chambers on each level as possible.

Treasures are picked up by running over them. But you have to avoid or destroy all the enemies who can do you in on a second's notice. There are many kinds to watch out for.


The only time you gain the bonus point for picked-up treasure is when you fight your way into the chamber with the bonus square. Then, not only do you collect bonus, but you proceed to the next, more intensive level of 36 chambers. And so on—for more levels than I could reach. At levels two and up, a Thief is also in the game. The Thief's objective is to try to take away treasures while you try to collect them.

Controller action takes quite a while to get used to. One joystick controls the movement of your character within the chamber and through openings to adjacent chambers. The other joystick controls the firing direction of a powerful laser-type cannon. Unfortunately, you have only eight firing directions, so to aim at a rapidly oncoming enemy, you need to juggle the firing direction and movement of your character. That's not an easy task by any means because each joystick needs to go in opposite directions: moving away from the enemy, while firing toward the enemy.

Your progress through a level is monitored in a map of the level that depicts which chambers you've been in. That map also shows which chambers still have enemies lurking within; which one has the bonus portal to the next level, and where you dropped the treasure the last time an enemy hit you.

The physical challenge of maneuvering two joysticks is trouble enough. When you add the very fast action on screen, you have one harried time keeping on top of the situation. *Space Dungeon* is an excellent example of the computer-quality games that the Atari 5200 is capable of. Let's hope Atarimaintains the same level of quality in future 5200 offerings. **R-E** 

### Where's Your ELECTRONICS Career Headed?



#### The Move You Make Today Can Shape Your Future

Yes it's your move. Whether on a chess board or in your career, you should plan each move carefully. In **electronics**, you can *move ahead* faster and further with a

### **B. S. DEGREE**

Put professional knowledge and a COLLEGE DEGREE in your electronics career. Earn your degree through independent study at home, with Grantham College of Engineering. No commuting to class. Study at your own pace, while continuing your present job.

The accredited Grantham non-traditional degree program is intended for mature, fully employed workers who want to upgrade their careers . . . and who can successfully study electronics and supporting subjects through

#### INDEPENDENT STUDY, AT HOME

Free Details Available from:

Grantham College of Engineering 2500 South La Cienega Blvd. P. O. Box 35499 Los Angeles, CA 90035

#### Independent Home Study Can Prepare You

Study materials, carefully written by the Grantham staff for independent study at home, are supplied by the College, and your technical questions related to those materials and the lesson tests are promptly answered by the Grantham teaching staff.

#### **Recognition and Quality Assurance**

Grantham College of Engineering is accredited by the Accrediting Commission of the National Home Study Council.

We are located at 2500 S. LaCienega Blvd., Los Angeles, California, but for faster response please use our mailing address: P. O. Box 35499, Los Angeles, CA 90035.

	lege of Engineering 99, Los Angeles, CA	
	ur free catalog which exp endent-study program.	lains your
Name	A	ze
Address		
City	State	<b>Z</b> ip

DCTOBER 1983

### Everybody's making money selling microcomputers. Somebody's going to make money servicing them.

Now NRI Trains You At Home To Make Money Servicing, Repairing, and Programming Personal and Small Business Computers



#### Learn At Home to Service Any Computer

NRI can train you for this exciting, rewarding field. Train you at home to service not only microcomputers, but word processors and data terminals, too. Train you at your convenience, with clearly written "bitesize" lessons that you do evenings or weekends, without going to classes or quitting your present job. Your training is built around the latest model of the world's most popular computer. It's the amazing

TRS-80<sup>™</sup> Model 4, now with disk drive and the capabilities and features to perform a host of personal and business functions. No other small computer has so much software available for it, no other is used and relied on by so many people. And it's yours to keep for personal and business use. You get plenty of practical expe-

rience. Under NRI's carefully planned training, you even install a *disk drive* 

as an alternative to the Model 4. The same technique for getting inside is enhanced by using the new NRIdeveloped Computer Access Card. Only NRI offers you a choice to fit your specific training needs.

#### **Become the Complete Computer Person**

In addition to training in BASIC and advanced machine language, you gain hands-on experience in the operation and application of the latest computers for both business and personal jobs. You're trained to become the fully rounded, new breed of technician who can interface with the operational, programming, and service facets of all of today's computers. You're ready to take your place in the new electronic age.

#### **Other Opportunities**

NRI has been giving ambitious people new electronic skills since 1914. Today's offerings also include TV/Audio/ Video Systems servicing with training on our exclusive Heath/Zenith computer-programmable 25" diagonal color TV...Industrial Electronics, Design



verifying its operation at each step. Using the NRI Discovery Lab<sup>®</sup> that also comes as part of your course, you build and study circuits ranging from the simplest to the most advanced. You analyze and troubleshoot using the professional 4-function LCD digital multimeter you keep to use later in your work. Then you use the lab and meter to actually access the interior of your computer...build special circuits and write programs to control them. You "see" your computer at work and demonstrate its power.

#### Same Training Available With Color Computer

NRI offers you the opportunity to train with the TRS-80 Color Computer

#### The Catalog is Free. The Training is Priceless.

Send the postage-paid card for our 104-page catalog showing all courses with equipment and complete lesson plans. There's no obligation other than to vourself. See how NRI can help you take advantage of the exciting job and earnings opportunities in the exploding field of microcomputers. If card has been removed, please write to us.



McGraw-Hill Continuing **Education Center** 3939 Wisconsin Ave. Washington, DC 20016

We'll give you tomorrow.

#### perimenting and developing their own programs. **Growing Demand for**

household functions including bud-

geting, environmental systems con-

of hobbyists are already owners, ex-

trol, indexing recipes. And thousands

Training now includes either the TRS-80 Model 4

Color Computer with Computer Access Card; pro-

fessional LCD multimeter; the NRI Discovery Lab; and hundreds of demonstrations and experiments.

around, somebody comes along with

a new computer for home or business use. And what's made it all possible is the amazing microprocessor, the tiny little chip that's a computer in itself. Using this new technology, the industry is offering compact, affordable computers that handle things like payrolls, billing, inventory, and other jobs for business of every size ... perform

Seems like every time you turn

Microcomputer with Disk Drive or the TRS-80

**Computer** Technicians This is only one of the growth factors influencing the increasing opportunities for qualified computer technicians. The U.S. Department of Labor projects over a 600% increase in job openings for the decade; most of them *new* jobs created by the expanding world of the computer.

(TRS-80 is a trademark of the Radio Shack division of Tandy Corp.)

### LETTERS

#### Address your comments to: Letters, Radio-Electronics, 200 Park Avenue South, New York, NY 10003

#### **RECEIVE-BOARD PROBLEM**

Heathkit has found a problem with HERO's sonar receive board. It acts erratically within a few hours of operation. That is caused by noise-pickup from the logic supply

Although they will upgrade HERO's under warranty, you can also do it yourself. Just replace the receive transducer wiring with a shielded cable. Be sure, however, to connect the shield to the uninsulated pin on the transducer. Finally, lift the P1101 plug above the circuit board.

MICHAEL A. TYBORSKI Application Engineer Greendale, Wi

#### SPEAKER PROBLEMS

Having restored many old radios myself, I thoroughly enjoyed the article "How To Repair Antique Radios" in the March 1983 issue of Radio-Electronics.

We are a major reconing center with over 30 years' experience behind us. We would gladly help any of your readers with any speaker problems that they might have. FRANK PETRONELLA **Phoenix Electronics** 1100 FM 1960 W. Houston, TX 77090

#### **ON CHOOSING A PRINTER**

I really must take exception to a number of items in Les Spindle's comments on choosing a printer ("Computer Corner," Radio-Electronics, March 1983). First of all, dividing printers into dot-matrix and impact is like dividing IC's into NAND gates and CMOS-not only do the categories overlap, they don't cover the entire topic.

"Impact" refers to the method of producing the image on the paper. In impact printing, an inked surface (normally a ribbon) and the paper are forced together at high speed, transferring the ink to the paper. All of the printers that Mr. Spindle talks about are impact printers.

There are also a number of non-impact printing technologies, the most common of which are thermal (using a specially treated paper that changes color when heated), Xerographic (the laser printers, which are very popular on large mainframe computers), and electrostatic (similar to Xerographic, but using specially treated paper and much simpler mechanism).

The main advantages of impact technologies are low cost and the ability to produce carbon copies. The disadvantages are lots of noise, lots of moving parts to wear out, and fairly low speed. The main advantages of non-impact technologies are high speed and low noise levels: the disadvantages are high cost and inability to make carbons.

Dot-matrix refers to the method of forming

CHNICIAN

Earn up to \$600 a week and more!



### Here's why we're Number One.

When it comes to logic probes, more people purchase Global Specialties! Because you can spend twice as much and not get the speed, precision, flexibility and accuracy offered by our four logically-priced probes—including our remarkable new 150 MHz ECL Probe. Not to mention the versatility, reliability and durability we've become famous for.

But we don't stop there. When it comes to logic testing, Global Specialties does the complete job. With our DP-1 auto-sensing digital signal injector—for fast, easy stimulus-response testing at an economical \$83.00°. Plus a line of multi-channel Logic Monitors that provide an inside picture of circuit activity at up to 40 nodes simultaneously. And each product has an idea-filled applications manual—as well as an unmatched line of highly-functional accessories, to extend its versatility still more.

With Global Specialties, there's no need to compromise on performance. Or *value*. Discover for yourself why we're the number-one logical choice!



Easy-to-use Memory and Pulse functions

Full readout indications—HI, LOW PULSE

Overload and AC-lineprotected highimpedance input Linear input impedance eliminates errors due to non-uniform loading

Complete line of interchangeable probe tips and grounding wires, including easy clip, banana plug, alligator clip jumpers and variety of power cords True multi-family performance: DTL, TTL, CMOS. Or ECL<sup>†</sup>!


> Interchangeable thinprofile power cords (instead of awkward, heavy or coiled cords)

Unsurpassed reliabilityperformance proven

All specs conservative and guaranteed

(Or better) performance

Circuit-powered with reverse-voltage protection



Standard LP-1, on y \$50.00°, with latching memory—captures pulses as fast as 50 nsec, to 10MHz, guaranteed Economy LP-2, \$22.00°, guaranteed to 50 nsec, 1.5 MHz High-speed LP-3 with memory, only \$77.00°, guaranteed to 10 nsec (6 nsec, typical) and 50 MHz!

**New ECL LP-4<sup>†</sup>**, **\$150.00**<sup>\*</sup> the new industry standard—with memory, guaranteed to 4 nsec (2 nsec, typical) at 150 MHz! <sup>†</sup>LP-4 probe exclusively for use with ECL. For DTL, TTL or CMOS, select LP-1, -2 or -3.



Call toll-free for details **1-800-243-6077** During business hours

Compact, high-impact, human-engineered case

P 70 Fulton Terr., New Haven, CT 06509 (203) 624-3103, TWX 710-465-1227 0THER OFFICES: San Francisco (415) 648-0611, TWX 910-372-7992 Europe: Phone Saffron-Walden 0799-21682, TLX 817477 Canada: Len Finkler Ltd., Downsvlew, Ontario

\*Suggested U.S. resale Prices, specifications subject to change without notice. © Copyright 1981 Global Specialties Corporation. CIRCLE 10 ON FREE INFORMATION CARD

#### Three New Simpson 31/2 Digit DMMs! FOR THE MAN ON THE JOB.

Professional-grade instruments have: continuity beeper, diode test, transient protection and double fusing. UL Recognized test leads and a full line of optional accessories.

The **470<sub>TM</sub>** is our new low-cost, full-function, hand-held DMM with 25 ranges, 0.15% basic accuracy, thumbwheel knobs, and a 2-way foldout stand. The **467E** hand-portable DMM has 0.1% basic accuracy, peak hold, true RMS and 26 ranges. The **360 Series 3** digital VOM (with world famous 260<sup>®</sup> styling) has 0.1 basic accuracy, 28 ranges, bright LED display, rechargeable batteries.

These 3 new DMMs will join the family of 29 other UL Listed Simpson Instruments...available at leading electrical/electronics distributors worldwide.



SIMPSON ELECTRIC COMPANY A Katy Industries, Inc. Subsidiary 853 Dundee Avenue, Elgin, IL 60120 (312) 697-2260 Telex 72-2416 Cable SIMELCO





characters. Dot-matrix printers form characters from an array of dots (usually 5 dots wide by 7 dots high, or 9 dots wide by 11 dots high). Formed-character printers (what Mr. Spindle calls "impact printers") have the complete set of characters fully formed (as you find on a typewriter). There are a few other methods of forming characters, but they are very rare. The main trade-offs between dot-matrix and formed-character printers are speed, print quality, and functionality. (Contrary to Mr. Spindle's assertion, noise level is a function of image technology, rather than of character technology.)

Dot-matrix printers are generally faster than formed-character printers. The print quality of formed-character printers is usually much higher, but some of the newer dotmatrix printers use overlapping dots, which results in a print quality that is nearly as good as that of formed-character printers.

An area that Mr. Spindle completely ignores is that of functionality. A formedcharacter printer can produce only characters which are in its formed set; a dot-matrix printer, however, has the capacity to produce any character which *can* be formed from its matrix—including complete pictures. (Those capabilities, programmable character sets and graphics capabilities, are usually offered as options.)

LAWRENCE J. JONES Cincinnati, OH

#### RADAR DETECTORS

Richard Kolasinski presented quite a few important pieces of information in his letter on radar detectors in the March 1983 **Radio-Electronics,** but it seems that he forgot to take all of his information to its logical conclusion.

If the "vast majority of drivers" are exceeding the speed limit "when they think they can get away with it," then obviously, the speed limit is too low. What isn't quite so obvious is that police officers, who are required to enforce artificially low speed limits, have their hands full, and end up ignoring the bad drivers — in effect, condoning their bad driving.

Want to put the radar-detector industry out of business, Mr. Kolasinski? Then help us get the speed limits back to reasonable levels. Maybe then we can all stop watching our speedometers and watch the road instead. DAVID BARNES *Cincinnati, OH* 

#### THE PROGRAMMA III


I thought I would let you know how much I enjoyed building the Programma *III*, and best of all the application and use of it. I was able to build it in 12 hours' time.

When I fired it up, I found one wiring error and one bad IC. The LM380N went up in smoke. The reason for that was that it went into oscillation (448 kHz) out of pin-8 output and couldn't handle the power dissipation. I cured the problem of oscillation by referring to the *National Linear Data Book*, page 10-42, note 4. If oscillation exists under some load conditions, add 2.7 ohm in series with pin 8. Thought I would let you know about that, in case someone else has the same problem.

All in all, it was a fine project and I loved it. I have learned more about IC's these past two weeks, using your Programma *III*, than in the previous 10 years. I have even fixed a way with the plugs to test op-amps. GEORGE STEINER

Sacramento, CA

22



#### Now you can choose from the big, wide wonderful world of ZENITH VIDEO/AUDIO ACCESSORIES for the new sounds, new sights, and fun you may be missing

Today, with more of us tapping into our TVs for more than the news, sports, and the typical TV "shows" we are so familiar with, Zenith introduces a whole host of video accessories designed to access just about anything in the television spectrum.

First among these super-convenient TV accessories is the push-button Zenith Video Organizer that lets you switch from one program source to another — even lets you record — without the nuisance of changing connections manually.

Individually packaged and clearly labeled for cash-and-carry convenience at your Zenith dealer's are such 'IV accessories as dust covers, video tape ID kits, cassette storage modules, signal splitters, attenuators, terminators, A-B switches, "F," mini and other types of plugs and jacks in virtually any combination... plus cables in a variety of lengths, each with gold electroplated connectors.


Also included in this, the biggest, broadest-ever Zenith line of video, audio and telephone accessories, are indoor and outdoor antennas...super lightweight stereophones...and 2- and 3-prong Zenith Spike Suppressors to protect the TVs, home appliances, and solid-state electronics in your home from damaging high-voltage surges the year-around.

Make the most of TV's new potential. With video/audio accessories bearing TV's best known name for reliability. They're at your Zenith dealer's now. Go see!



The quality goes in before the name goes on®

Zenith Radio Corporation Service, Parts & Accessories Division 11000 Seymour Avenue Franklin Park, Illinois 60131



### EQUIPMENT REPORTS

B&K-Dynascan Models 1653 and 1655 Variable Voltage Supplies



CIRCLE 103 ON FREE INFORMATION CARD

WE'VE FELT FOR A LONG TIME THAT ONE of the most useful pieces of test equipment for servicing TV sets is the variable-

0.000										
OVERALL PRICE								61		
EASE OF USE	5									
INSTRUCTION MANUAL				2	1					
PRICE/VALUE		-								
	1	2	3	4	5	6	7	8	9	10
Poor	/	Fai	/	~	300	2	*	10	Mar	3

voltage transformer (Variac). Now, B&K-Dynascan (6460 West Cortland Street, Chicago, IL 60635) has come up with a couple of units that are even better. Those are their model 1653 and 1655 (shown) isolated variable-voltage supplies. The advantage that those have over a standard Variac is that they also isolate hot-chassis sets. That's essential considering that so many modern TV sets use full-wave bridges right across the AC line. A chassis like that is hot to everything, (including your test instrument!) so an isolation transformer is necessary for safe servicing.

The difference between the two models lies in their current ratings, and the inclusion of some extras on the 1655. The 1653 has a 2-amp current rating, ample for practically all TV sets. The 1655 has a 4-amp rating, and also has a variable voltage soldering-iron outlet on the back. With that, you can keep the iron hot enough to work, yet cool enough to save tips.




#### One source for thousands of VCR parts.

RCA VCR parts are available from more than 600 authorized RCA parts distributors. See your local RCA distributor for RCA's new VCR parts kits they're easy to use and reuse. Each package has a handy slide top — and features detailed cross-references to other manufacturers' model numbers and stock numbers.

One more thing. Kit prices are lower than the total cost of the individual parts. So see your RCA distributor today. Also ask for a copy of the VCR Parts Cross Reference of more than 8000 VCR parts (Form 1F6627) and VCR Tool Catalog (Form 1F6857). Or write: RCA Distributor and Special Products Division, 2000 Clements Bridge Road, Deptford, NJ 08096.





#### What if there were a faster way to build and test circuits?

There is, Circuit-Strip from AP **PRODUCTS** makes circuit building a snap, giving you more time to experiment, to create. With a Circuit-Strip solderless breadboard, all you have to do is plug in components and interconnect them with ordinary #22 AWG solid hook-up wire. If you want to make a circuit change, just unplug the components involved and start over. It's just that easy. Circuit-Strips feature 610 plug-in tie-points and have a capacity of up to 6 14-pin DIPs. Four separate distribution buses of 35 tie-points each give you access for power, ground or signal.

#### What if it were easier to identify tie-point locations in a circuit?

It is. Circuit-Strip has a moldedin alpha-numeric grid for instant identification of every tiepoint. Schematics can be labeled with each tie-point location to make circuit building faster and troubleshcoting easier Circuit-Strip is ideal for electronic training programs as well as laboratory use.

#### What if Circuit-Strip had a new low price?

It does. Circuit-Strip now carries a suggested resale price of only \$12. That means that the best tool for the job now has the best price ever.

#### What if you need more information?

That's easy, too. Just call toll free 800-321-9668 for the name of the distributor near you. (In Ohio, call collect (216) 354-2101.)




A P PRODUCTS INCORPORATED 9450 Pineneedle Dr. • Box 540 Mentor, Ohio 44061-0540 [216] 354-2101 TWX: 810-425-2250 In Europe, contact A P PRODUCTS GmbH Baeumlesweg 21 D-7031 Weil 1 • West Germany Phone: [07157] 62424 TLX: 841 07 23384

CIRCLE 5: ON FREE INFORMATION CARD

Both units have a front-panel meter that measures voltage and current. The meter's function is selected by pushbutton switches. On the 1653, the meter measures voltages when the button is in, current when it is out. The 1655 has separate pushbuttons for voltage, two current ranges (0-2 and 0-4 amps), and a special leakage test for checking the isolation of any exposed metal parts to either the ground side of the line or to the hot side. The test probe for that last function is permanently connected; all you have to do is pick up the probe, push the button and you're ready. Leakage is read on the meter in microamps. Incidently, if you read more than 500 microamps, something is definitely wrong in the set! That is the standard maximum value specified by OSHA, UL and CSA. Some makers specify even a lower limit for greater safety.

As we mentioned earlier, you need an isolation transformer when working with hot-chassis sets. Both of the B&K units have very high isolation (leakage less than 0.1 mA). There is one isolated outlet on the 1653, and two on the 1655. However, the manufacturer warns against plugging two hot-chassis sets into the 1655 at the same time. There is always a chance that the two will be hot to one another, and cause damage to something.

The load current can be accurately read with either unit. That is useful for such



#### . . . AND IT'S YOURS!

Consolidated Electronics has a catalog that's sure to please you. We've slashed **80%** of our prices in this catalog. We at CEI are so sure that you'll find our quality parts dependable that we've put a **TWO YEAR WARRANTY** on everything. Not only that, CEI is offering **FREE** shipping and handling. Just call us **TOLL FREE** for details.

CALL TOLL FREE TODAY! 1-800-543-3568 1-800-7 NATIONAL WATS 0HI

1-800-762-3412 OHIO WATS

705 WATERVLIET AVE., DAYTON, OHIO - 45420 IN DAYTON • (513) 252-5662

**TELEX NO. 288-229** 

things as checking for nuisance tripping of circuit breakers. To do that, check the rating of the breaker in the service data, then plug it in and bring up the current slowly to see if the breaker is tripping too fast. That isn't at all uncommon, and it can lead you to unnecessary testing to find out if the set has too much leakage, etc. If, for instance, the breaker is rated 1.9 amps, but trips at only 1.5 amps, it's obviously bad.

Sets with problems that show up only with high or low line-voltage can be checked instantly. (Those are the ones that work fine in the shop, but act up as soon as they are taken home.) High linevoltage should be suspected if the set has a history of blowing out output transistors, etc. To assure yourself that the set will work fine at low (105-volts AC) or high (125-volts AC) line-voltages, simply use either device to check operation at the extremes.

The standard use for devices such as those is to raise the line voltage slowly enough to allow you to perform some tests on the set before blowing out the output transistor, etc. Be sure to watch the line current while doing that. The normal load current is provided on the schematic (or should be!)

The units' meter is very accurate; we checked readings against a very accurate DVM and found them to be right on the button. They claim an accuracy of  $\pm 5\%$  full scale, but our tests showed it to be even better than that.

In all, then, those are versatile, useful instruments that make servicing safer for the set and yourself. They are also well made. As evidence of that, one of the ones sent for review had been badly mishandled by the shipping company—the front panel, as well as the shaft of the Variac control, had been bent. For curiosity's sake we tried it out before sending it back for adjustment. It worked perfectly.

The model 1653 carries a suggested list price of \$165; the model 1655 carries a suggested list price of \$350. R-E

continued on page 30



"If you think that's bad, you should try turning it on when it's plugged in?"

CIRCLE 18 ON FREE INFORMATION CARD

### REPLACEMENT OF THE EDEC



for use in conjunction with RCA SK Series Devices

#### The newest book in the MRO Series! Over 3000 RCA devices replace 9500 JEDEC and commercial types.

RCA's galaxy of MRO devices makes your world an easier place to work. Our new Industrial/MRO Guide is your one sclid state replacement source for everything you'll need on maintenance and repair jobs. And it's bigger and better than ever.

We've added 32 extra pages, and a combined Index/Cross Reference section with four separate columns: product type, device ID code, device to use, and page number for abbreviated device specs. You need look in only one place in the Guide to


determine which RCA device will best fulfill your MRO requirements. There is even a special section on High Reliability Devices.

The RCA Industrial/MRO Guide, #1K7304. One source for all your JEDEC and commercial replacements. For your copy, see your local RCA Industrial/MRO distributor. Or write: Sales Promotion Services, RCA Distributor and Special Products Division, 2000 Clements Bridge Road, Deptford, NJ 08096. And may the source be with you! 'Joint Electron Device Engineering Council



OCTOBER 1983





TECHNICIANS, Get serious about
your procentified
Now you can order the "Study Guide for
the Associate—Level CET
Test" from the International
Society of Certified Electronics
Technicians. It includes material
covering the most often missed
questions on the Associate CET
Exam. 8 <sup>1</sup> / <sub>2</sub> " x 11", paperback,
<sup>80 pages.</sup>
GET CERTIFIED!
Send check to ISCET, 2708 W.
Berry St., Ft. Worth, TX 76109.
Name
Address
City
State Zip
copies @ \$5.00 ea

Send material about ISCET and becoming certified.

#### **EQUIPMENT REPORTS**

continued from page 26

#### Finger Print Control Module for Epson Printers

SOME OF THE MORE POPULAR PRINTERS, such as the the Epson MX-80/MX-100 printers and their clones—such as the printer for the IBM PC—have extended software-programmable "fonts" (print styles). They include 10 (standard) pitch, 16.5 (compressed) pitch, expanded size, italics, double strike, enhanced printing, or almost any possible combination of type styles. For example, it's possible to have the Epson print enhanced, expanded, italics in either pitch.


Unfortunately, the printers' features are software driven by control codes from within the program or by a direct statement (command) from BASIC, such as "LPRINT CHR\$(27)'P'." While some software, such as word-processing software, makes provision for a few printer codes, other software doesn't. Even the few non word-processors that permit initial printer-setup codes rarely allow the user to change the setup once the printing is under way.

That's where Finger Print from Dresselhaus Computer Products (PO Box 929,





**CIRCLE 104 ON FREE INFORMATION CARD** 



Azuza, CA 91702) comes in. It is a userinstalled retrofit device for the Epson (and similar) printers that allows many of the most commonly used print functions to be pre-programmed by simply touching the printer's control buttons—the three buttons located on the top of the printer which normally place the printer on/off line, formfeed (FF) the paper, and linefeed (LF) the paper.

With *Finger Print*, the user can select the setup function(s) before printing starts, and even change the setup during the run. If the software can't be programmed to stop the printer for a change in setup (type style), the printer can be stopped with its own on/off line switch, the new setup can be programmed in, and the printer restarted.

Finger Print provides either nine or ten functions, depending on whether the Epson printer has Graftrax or Graftrax-Plus. If the printer has Graftrax Plus the functions are: 1: RESET (clears all setuprestores printer to normal power-up state, and flushes the printer's own buffer); 2: COMPRESSED PRINT (16.5 characters-perinch); 3: DOUBLE WIDE (does not automatically cancel at the end of the print line); 4: EMPHASIZED (creates bold print); 5: DOUBLE STRIKE creates super-bold printing when used with EMPHASIZED command or it can be combined with COMPRESSED PRINT for enhanced "micro type"); 6: PERFORATION SKIPOVER (when printing near the bottom of the page the printing automatically skips over the perforations of tractor-fed paper); 7: INDENT (indents left margin six spaces so printouts can be punched and put into binders

CIRCLE 82 ON FREE INFORMATION CARD



1983

OCTOBER

without obscuring part of the copy); 8: EIGHT LINES-PER-INCH (normal is 6 linesper-inch); 9: ITALICS; 10: FINE PRINT (about 5-point size-sets superscript mode and 12 lines-per-inch). Function 10 isn't implemented on Graftrax models.

#### Using the module

The Finger Print functions are entered through the three control buttons on the top of the printer, which retain their normal functions of on/off line, formfeed, and linefeed. If the ON LINE button is held down for about a second, the printer's "bell" beeps to tell the user that the printer is now in the "Finger Print" mode. The beep counts as one entry, or RESET, which clears the printer and flushes its buffer. To indent the left margin, which is function 7, the user presses the ONLINE button for six more beeps (for a total of 7). Pressing the printer's FF button programs the command into the printer. Additional functions such as double-wide, enhanced italics, the perforation skipover can be "stacked." When the *Finger Print* functions are programmed, pressing the LF (linefeed) button resets the printer controls back into normal operation.

Any part of the setup can be changed whenever the printer is stopped. A function is eliminated by simply "beeping" the appropriate number of times. For example, if you entered three beeps to turn on the double-wide printing, entering three more beeps will turn it off. Similarly, if the indent was turned on with 7 beeps, 7 beeps will turn it off.

Finger Print is completely hardware driven. It consists of a small printedcircuit module that is user-installed within the Epson printer as a substitute for the IC normally located in socket 1B. The retrofit requires no soldering or cutting of existing printed-circuit foils. First, the cover is removed, then the IC is removed from the 1B socket and installed in a matching socket on the Finger Print module. Next, the module is plugged into the printer's 1B socket. A small clip terminal is slipped on an IC lead that has been bent outward, and a miniclip is slipped over the terminal of another IC within the printer. The whole installation from beginning to end takes about 10 minutes, 15 if you're extra careful.

It's a simple task for someone with just a minimum of electronic assembly experience, but if you're not used to closequarter assembly have someone else do it. Actually, a Radio-Electronics reader should have no problems because the documentation-the assembly and use manual-is outstanding; possibly the best in the entire computer industry. It is typeset, printed on coated stock with photographic reproductions and line artwork exceeding the quality you would expect to find in a professional photographic magazine. And all this is topped off with superbly written installation instructions that leaves nothing to chance or any danger of misinterpretation.


An equally well-prepared selfadhering metallic label that lists the Finger Print function "beep" commands is supplied for the front panel of the printer.

As far as gadgets for personal computers are concerned, Finger Print is one of the best and most reliable accessory devices we have used, installed, or serviced. The printed-circuit module doesn't look like much, but it does one heck of a job.

Finger Print is available by direct mail from Dresselhaus Computer Products for \$59.95. It is also sold by some local computer dealers. A call to Dresselhaus will get you the name of the nearest store.R-E


#### **Global Specialties Model** 6000 Frequency Counter

FOR MANY YEARS, A FREQUENCY COUNter was considered a luxury. However, because counters are so versatile-even for the hobbyist or radio amateur-and because their prices have fallen to reasonable levels, the frequency counter has become more of a necessity than a luxury. One instrument we examined recently was the model 6000 from Global Specialties Corporation (70 Fulton Terrace, New Haven CT 06509). That counter, with a frequency-measurement range



Hurry, hurry, step right up! It's RCA's Carnival of Awards. And what a lineup of acts. First, the headliners: RCA receiving tubes, very popular with TV technicians for their top performance and dependability.

Plus, a stupendous carnival of valuable awards. Shown here are just a few of the 27 great gifts waiting for you. To earn them, just purchase RCA receiving tubes in required quantities from your participating RCA distributor. Each purchase helps qualify you for the award of your choice. See your participating RCA distributor for details. And come one, come all to RCA's Carnival of Awards!



from 5 Hz to 650 MHz, is housed in a neat, compact plastic case. It has a large (0.43 inch) 8-digit LED display across the top of the panel. The display is easy to read, even in high ambient light, due to its contrast-enhancement filter.

While there is no need for a range switch, there are two BNC input jacks on the panel. The A INPUT jack is used for frequency inputs from 5 Hz up to 100 MHz; the B INPUT jack is used for inputs from 40 MHz up to 650 MHz.

The 8-digit display reads out the frequency in kHz. For example, a frequency *continued on page 38* 



#### with your purchase of RCA Receiving Tubes!



## **NTS Electronics**

Learn Robotics, Microcomputers, Microprocessors, Digital Video, Test Equipment and more with NTS INTRONC" home training. Courses include state-of-the-art equipment, lessons and texts to make your hands-on programs exciting and down-toearth practical.

NTS Intronic Training is a carefully developed and tested learning system providing a thorough intergration of advanced electronic hardware with modern lesson texts. The relationship between theory and practical applications is made clear through the hands-on experience of building and assembling kits of state-of-the-art equipment. Courses include a wide variety of test instruments, both digital and analog, as well as other units not shown here. And, depending on the NTS program you select, you can earn up to 30 CEU credits for successful completion. Our fullcolor catalog has complete details. NTS has taught industrial skills for over 78 years—a record that has no equal.

HERO 1 is included in two courses, one basic and one advanced. You'll cover principles of industrial electronics, microprocessor troubleshooting, fundamentals of mechanics, and robotic applications in industry. You'll learn analog and digital skills, radio control, fluidic, pneumatic and servo-mechanisms. as well as computer interfacing and robotic programming. HERO 1, complete with arm, gripper and speech synthesis board, is a fully self-contained electro-mechanical robot-the featured unit in the most exciting training programs ever offered in home study.

### Training... **FIRST WITH TOMORROW'S** TECHNOLOGY Simulated TV Reception

1.

1. Advanced "Z Chassis" NTS/HEATH "Smart Set" with computer space command remote control and space phone. Originate or receive telephone calls through this set and the number appears on the screen-store your police and other emergency numbers into memory which may be recalled and auto-dialed at any time. Traditional and incomparable picture quality. Unit has Quartz Controlled Tuning, 178 channel capacity, remote antenna switch accessory for reception of VCR, VDR, Broadcast, Cable, Video Games, and Personal Computer Input (no cable change) plus computer- controlled color. Featured 2 in all-new Video Technology Course.

2. NTS/HEATH HN89A Microcom-

puter is included in two programs. This famous and reliable unit features Floppy Disc Drive, 48K Memory on Board, CRT Terminal with its own Z-80 Processor, and standard

keyboard as well as Numerical Input Keyboard. The growing importance of computer knowledge and skills have made these programs increasingly significant. The experience gained in assembling these kits is invaluable in the understanding of computer troubleshooting skills.

NTS Microprocessor Trainer is included in our Industrial and Microprocessor Technology Course. It is a portable unit, contained in

a convenient high-impact carrying case. Hardware/ Firmware includes Monitor Operating System-Expandable User Memory-User Experimental On-Board Section-Breakpoint Editor-Single Step Trace-Cassette I/O.

**NO OBLIGATION** 

NO SALESMAN WILL CALL



**TECHNICAL TRADE TRAINING SINCE 1905 Resident and Home-Study Schools** 4000 So. Figueroa St., Los Angeles, CA 90037 Use the mall-in card or fill out and mail the coupon. Indicate the field of your choice. (One, only please.) FREE full color catalog will be seni to you by return mail. \_\_\_\_\_

3.

NATIONAL TECHNICAL SCHOOLS	Dept. 206-103
4000 South Figueroa Street, Los Angeles, CA	90037
Please send FREE color catalog on course che	ecked below:

Robotics
Digital Electronics
Auto Mechanics

Address \_

Apt

State

Computer Electronics □ Video Technology □ Home Appliances Air Conditioning/Solar Heating

12:01:36 714-555-1212

ICS ISTINIS

	 Age	
City		
	Zıp	
	e.p	

Check if interested in G.I. information.

Check if interested ONLY in classroom training in Los Angeles

#### TIMEX-SINCLAIR SOFTWARE Hardware / Books

**CALL or WRITE for** 

**FREE CATALOG** 

**ORDER TOLL-FREE** 

800-833-8400

In New York 716-874-5510

GLADSTONE Electronics Inc.

1585 Kenmore Ave, Buffalo, New York 14217

**CIRCLE 71 ON FREE INFORMATION CARD** 

In Canada: Gladstone Electronics,

Toronto 800-268-3640.

**RE10** 



Gladstone **Electronics!** This exciting new 34 page color catalog lists arcade, fantasy, and family games. business and educational programs: books for beginners as well as experienced users; hardware add-ons and other peripherals for use with your TS1000/TS1500/ TS2000/ 7X81

Home Computer!

New from

#### continued from page 33

of 624 MHz would be shown as 624000.00 kHz. (Decimal point placement is automatic.) Two red LED's at the left of the display indicate GATE OPEN and OVERFLOW.

EOUIPMENT REPORTS

#### Controls

There are four "push-push" controls across the bottom of the panel, more or less under the display. First is the power switch, which is marked STANDBY/ON. (No pilot light is necessary because when the 6000 is on, the display is lighted.) The STANDBY position is used in the similar model 6500. That model has a crystal oven that is kept running even when the rest of the circuitry is off. The standard model 6000 has a temperaturecompensated crystal oscillator (often called TCXO), with a 3.579545 MHz crystal. The TCXO uses special components to minimize the effect of temperature on the crystal frequency. It has a rating of ±1 ppm at 40°C ambient, and ages less than 4 ppm/year. The model 6500 has a temperature-controlled crystal oven that keeps the crystal at a constant temperature and gives the oscillator a rating of 0.1 ppm from 10-40°C, and an aging rate of less than I ppm/year.

Radio-Electro         Build Your Own Satellite TV Receiver         \$ 200         Belall Satellite TV Antenna         Statellite TV Antenna         Statellite TV Antenna         Build Your Own Robot         TV Descrambler (January, February 1981)         Statio-Electronics back issues (1983)         Statio-Electronics back issues (1983)         Write in issues desired         Radio-Electronics back issues (1982)         Statio-Electronics back issues (1982)         Statio-Electronics back issues (1982)         Statio-Electronics back issues (1982)         Statio-Electronics back issues (1981)         Write in issues desired         Write in issues desired         Write in issues desired         Statio-Electronics back issues (1983)         Statio-Electronics back issues (1981)         Statio-Electronics back issues (1981)         Statio-Electronics back issues (1982)         Write in issues desired         Etch your own PC Boards	DNDICES         BEPRINT BOOKSSTORE           Special Projects (Spring 1981)         \$4.00           Special Projects #4 (Summer 1982)         \$4.00           Special Projects #4 (Summer 1982)         \$4.00           Special Projects #5 (Winter 1983)         \$3.30           Special Projects #6 (Spring 1983)         \$3.30           Radio-Electronics Annual 1983         \$2.50           How to Make PC Boards         \$2.00           All About Kits         \$2.00           Moderne Electrics (Vol. 1. #1
To order any of the items indicated above, check off the ones you want Complete the order form below, include your pay- ment, check or money order (D0 NOT SEND CASH), and mail to Radio-Electronics, Reprint Oepartment, 200 Park Ave. South, New York, NY 10003 Please allow 4-6 weeks for delivery. If you need a copy of an article that is in an issue we indicate is unavailable you can order it directly from us We charge 50¢ per page. Indicate the issue (month & year), pages and article desired. Include payment in full, plus shipping and handling charge.	ARTICLE MONTH YEAR PAGES TOTAL PAGES TOTAL PRICE
Total price of order Sales Tax (New York State Residents only) Shipping & Handling (U S & Canada only) (Includes FIRST C All other (\$2 00 per item, sea mail) (\$4 00 per item, air mail) Total Enclosed Name	10-83         All payments must be in U.S. funds         \$
Address	

The GATE/SECONDS control will set gate times of 0.1, 1.0, and 10.0 seconds; a red LED lights to show which one is in use. Next to the gate control is the INPUT SELECT button, which chooses between the two inputs. Again, LED's show which is in use.

For low-frequency readings (only on the A input), a lowpass filter can be switched into the input circuit simply by pressing the LOWPASS FILTER button. That filter makes it easier to make lowfrequency readings in noisy (high-RF) environments. The filter response is flat up to 30 kHz. Above that, the input sensitivity is reduced by 3-dB-peroctave. That control also has a red LED indicator to show that it is in use.

The A input has a high input impedance (1 megohm) and an input capacitance of 25 pF. The sensitivity of that input is 10 millivolts RMS at the low-frequency end, rising to 40 mV at 50 MHz. The B input has a load impedance of 50 ohms, to match common transmission lines. Its sensitivity is 50 mV RMS at 40 MHz, rising to 150V RMS at 600 MHz. The maximum allowable input voltage is 5.0 V peak.

The instruction book that came with the counter is quite complete. It has full instructions on use, setup tests, plus a good explanation of the counter's circuitry. Calibration procedures are given; the calibration trimmer is accessible from the bottom of the case. A signal generator at least 5 times as accurate and stable as the instrument being calibrated is needed for calibration. (Incidentally, for quick checks, you can read the frequency of the 3.579545 MHz oscillator in any TV Set on a network picture!)

The model 6000 is priced at \$399.95; the Model 6500 with the crystal oven is \$449.95. Those are good prices for such instruments, and well below average. So if you require accurate frequency measurement of anything from the frequency of an ultrasonic remote control unit up to a UHF radio transmitter, keep the 6000/6500 in mind. R-E


continued on page 40



RADIO-ELECTRONICS



# Their imitation.



If you need any one of nine microwave oven rectifiers now, only Philips ECG is ready to deliver today.

You can tell where your new markets are by checking out what's new from Philips ECG. When microwave ovens became popular, Philips ECG was ready first with Sylvania microwave oven components. When the computer boom hit, we were first again. In fact, on average, we introduce roughly 300 new replacement semiconductors every vear—far more than anyone else in

the business. Maybe that's why even our competition looks to us first for new ideas. But although they copy us, they never quite equal either our superior performance specs or our cross-reference accuracy. So for the best insurance against premature failures and call backs, demand parts from Philips ECG. We're the only source you'll ever need for replacement semiconductors that fit and work.

But just because the imitators can't keep up with us doesn't mean it's hard for you to keep up-to-date. To stay posted on all our latest advances in profit-generating replacement parts, stop by your Philips ECG distributor's and pick up your copy of our new, expanded Master Guide (ECG212L) and our *ECG Counterpoints* new product update. For the name and number of your nearest distributor, call 1-800-225-8326 toll free (in MA, dial 1-617-890-6107). Or just send \$3.25 for your Master Guide to Philips ECG, Inc., Dept. RE, 70 Empire Drive, West Seneca, NY 14224.




If it's ECG, it fits. And it works.



CIRCLE 70 ON FREE INFORMATION CARD

## INTRODUCING



# THE PROTECTOR 6000<sup>™</sup>

TOTAL PROTECTION FOR YOUR SENSITIVE ELECTRONIC EQUIPMENT. Something that you can't even see may be slowly but surely killing your expensive electronic equipment. It's transient voltage, and it can be fatal to computers, medical equipment, electronic games, videotape recorders, electronic test equipment, electronic cash registers — almost any of today's sophisticated solid state equipment.

THE TRANSIENT VOLTAGE PROBLEM. Most of this modern electronic equipment uses LSI and MOS semiconductor devices which are extremely sensitive to voltage transient surges or "glitches." In fact, a large percentage of equipment failures can be directly linked to the damaging effects of over-voltage line transients to unprotected, highly fragile components.

THE PROTECTOR 60001" SOLUTION. Not to be confused with other transient voltage protection units available today, THE PROTECTOR 6000 uses state-of-the-art solid state components and exclusive circuitry to provide you with complete and total protection from transient voltage surges of up to 6,000 volts. THE PROTECTOR 6000 uses silicon PN junction devices - proven to provide the fastest response to surges! They have a statistical life expectancy of over 20 years. THE PROTECTOR 6000 has a maximum clamping voltage of only 335 volts, well below the voltage rating of other transient protection devices which commonly use much less effective MOV's or gas discharge tubes. It also provides full protection from electro-magnetic and radio frequency interference. The unit operates in both common and differential modes, and is outfitted with a circuit breaker to guard against severe current overloads over 15 amps.


Why take chances with your expensive electronic equipment? For full details contact your local NTE distributor or write:



New -TONE ELECTRONICS, INC. 44 Farrand St., Bloomfield, NJ 07003 THE PEOPLE WHO BRING YOU THE TCG LINE OF SEMICONDUCTORS. © 1983 New-Tone Electronics, Inc.



CIRCLE 106 ON FREE INFORMATION CARD



IF YOU WERE TO ASK A FIELD TECHNICIAN to design a "fantasy" instrument, one



that he would desperately want if it really existed, what you might wind up with is the Tektronix (PO Box 500, Beaverton, OR 97077) model 213 DMM oscilloscope. That's right-a DMM and a single-channel oscilloscope all wrapped up into one package. And to make things even nicer, that package measures just 5.35-inches wide, by 2.95-inches high, by 9.05-inches long-smaller than some portable DMM's alone-and weighs 3.7 pounds. Finally, the whole thing is battery operated, has its own built-in recharger, and comes with the primary testleads permanently attached. (Some additional test leads are needed for some DMM functions-more on that later.)

#### Oscilloscope

All of the oscilloscope's functions are selected using a row of pushbuttons on the front of the unit. Also on the front panel are two rotary switches used to select the vertical (volts/mA-per-division) and the horizontal (seconds-per-division) deflection; settings on those switches are laid out in the familiar 1-2-5 sequence.

The rest of the controls are located along the side of the unit. Slide switches are used to select how the signal is coupled to the input amplifier (AC, DC, or ground), to chose the triggering mode (external DC, normal internal AC, and automatic internal AC), and to turn the unit on and off.

Looking a little closer at the triggering modes for just a second, in the normal internal AC mode, no trace appears when the input signal is not sufficient to cause triggering. In the automatic internal AC mode, the sweep runs free to provide a reference trace when the signal is insufficient to cause triggering.

Moving on, six continuously variable controls are used to set the triggering level, the beam intensity, the horizontal and vertical position of the trace, and magnification in the horizontal and vertical directions. The last two controls may vary from what you might be used to. On many scopes, the level of magnification is switch-selected, which limits you to just a few discrete settings (and sometimes just one). Here, the magnification is continuously variable and can be set for between 1 and 2.5 times the calibrated vertical (volts/mA-per-division) setting and 1 and 5 times the calibrated horizontal setting. Note, however, that the magnified displays are not calibrated. Magnification is turned off by turning the vertical control fully clockwise, and the horizontal control fully counterclockwise.

The remaining controls are only occasionally used and are screwdriveradjustable. Those are the DC balance, focus, vertical gain, sweep calibrate, and trace rotate.

Turning to the scope's specifications, the bandwidth varies with the selected vertical deflection. For settings of  $5-\mu A$ -


# For more proficient color TV servicing, in-home and on the bench . . .



## Field Service Guide and Service Literature Digest

Up-to-date service information compiled from regular RCA color TV service literature ... in convenient, easy-to-use  $17'' \times 11''$ volumes that each cover two years of RCA color TV models ... designed especially for in-home servicing but equally useful as handy bench references ... featuring:

- Complete chassis and tuning system schematics
- Chassis circuit board illustrations
- Disassembly/reassembly instructions
- Comprehensive parts lists
- Tables of common trouble symptoms and typical causes
- Quick-Find Indexes and cross references



## **VOLUME 9 NOW AVAILABLE!**

This latest addition to RCA's popular series of service literature digests covers model years 1981-1982 and RCA color TV chassis CTC91, 92, 96, 97, 99, 101, 107, 108, 109, 110, 111, 115 . . . 520 pages, 17" × 11", saddlestitched . . . ONLY \$14.95

#### **VOLUME 8 STILL AVAILABLE**

Covers model years 1979-1980 and RCA color TV chassis CTC 85, 86, 87, 88, 89, 90, 91, 92, 93, 96, 97, 99, 101 . . . 424 pages, 17" × 11", saddlestitched . . . ONLY **\$12.95** 


## SPECIAL LIMITED-TIME TWO-VOLUME OFFER!

**Save \$5.40**... Volume 8 and 9 together cover four years of RCA color TV models ... Order now and receive both volumes for only \$22.50.

#### RCA Field Service Guide Order Form

Check appropriate boxes, indicate quantities & prices, enclose check payable to "RCA Consumer Electronics"

MAIL TO: RCA TECHNICAL PUBLICATIONS 1-450 P.O. Box 1976 Indianapolis, IN 46206			RСЛ
FIELD SERVICE GUIDES	PRICE	QUANTITY	PRICE TOTAL
VOLUME 9	\$14.95 ea.		
VOLUME 8	\$12.95 ea.		
TWO-VOLUME SPECIAL OFFER (VOLS. 8 & 9)	\$22.50 ea.		
(PLEASE PRINT)			
NAME	TOTAL (AMOUNT	OF YOUR CHECK) _	
STREET ADDRESS			
CITY	STATE	ZIP	



mented, diminished, 6th, 7th or 9th chords including inversions. The Chord Computer can also display complete scales for all keys, or even transpose them at the touch of a button.

Serious about music? The Chord Computer could be the best investment you'll ever make. only \$59.95 (plus \$2.50 postage/handling) Order yours today

CHARGE TO VISA OR MC TOLL-FREE 1-800-654-8657 9AM to 5PM CST MON FRI

Ask for your free PAIA catalog. Direct mail orders and inquiries to: Dept.toR **Paia** Electronics, Inc. 1020 W. Wilshire , Oklahoma City, OK 73116 (405)843 9626

**CIRCLE 52 ON FREE INFORMATION CARD** 

to  $10-\mu$ A-per-division, the bandwidth is DC to at least 200 kHz; for settings of 20- $\mu$ A- to 200-mA-per division and 5mV- to 10-mV-per-division, the bandwidth is DC to at least 400 kHz, and for settings of 20-mV- to 100-volts-perdivision, the bandwidth is DC to at least 1 MHz. Accuracy is claimed to be 3% or better. The maximum safe input voltage is rated at 500 (DC + AC peak) DC coupled, and 800 (DC + AC peak) AC coupled; the maximum safe current is rated at 2-amps RMS or 3-amps peak. The sweep rate can be varied between 500-ms- and 2- $\mu$ s-per-division; accuracy is claimed to be within 5%.

#### DMM

Now we get to what this reviewer considers the most interesting part of the unit-the built-in 31/2-digit DMM. Using that DMM, measurements from 0.1 to 1000 volts, 0.1 to 1000 mA, 1 kilohm to 10 megohms can be made. All AC measurements are made in true RMS. Overrange inputs of up to 200% full scale can be accommodated on all ranges except 1000 volts. Range selection, including resistance, is done using the vertical deflection (volts/mA-per-division) switch. The voltage and current settings are made using the same scale that's used by the oscilloscope; a separate ohms scale, in blue, is used for resistance.

Turning to the test leads, the built-in



ND	McIntosh Laboratory Inc. East Side Station P.O. Box 96 Binghamton, N.Y. 13904-0096	τ <mark>ε  </mark>
	NAME	1
	ADDRESS	i
	CITYSTATE ZIP	[

If you are in a hurry for your catalog please send the coupon to McIntosh. For non rush service send the Reader Service Card to the magazine.

ones are used for voltage measurements. For current and resistance, separate leads (not provided) must be connected to the banana jacks on the side of the unit.

Looking at the readout, rather than the small LCD or LED unit you might have expected, the display is generated by the  $1.2 \times 2$ -inch CRT itself. Among its features are an automatic polarity indicator and an overrange indicator. The positioning of the decimal point is determined by the range setting.

Two manuals were provided with the unit we received for evaluation; both were excellent. The small operators' manual provides all the information one needs to successfully use the instrument. It includes such things as a rundown on the controls and functions, the unit's electrical specifications, and suggested applications for the device. The second one is a very complete service manual. It covers just about anything you might ever need to know about the unit. Included are complete electrical and mechanical diagrams including schematics and partsplacement diagrams, a parts list including both Tektronix' and the manufacturer's part numbers (where applicable), theory of operation, and full maintenance, calibration, and service data.

There is one thing about the instrument that we found a little disturbing. It was designed with the input-common reference floating above ground. Because of that, the probe-common clip, the common input-jack, the mA-ohm input jack, the external-trigger jack, and power-plug prongs may be at a dangerous potential. Specifically, when the unit is batteryoperated, a voltage applied to the common inputs could cause some current to flow through the power-line circuitry creating a potential shock hazard on the prongs. The danger of that is clearly spelled out in the manual. To prevent shocks, it is strongly recommended that the power-cord plug be stored in the special compartment in the rear of the instrument.

Despite the above hazard, we feel that this unit has a lot going for it, especially for the field technician. If the thought of replacing your scope and DMM with a unit that's barely larger than your DMM appeals to you, give this unit a look. It's suggested retail price is \$2410. R-E



"Now tell me how smart you are?"



# Model 3500 has manual ranging or easy to use auto ranging . . .



ONLY \$140

A custom CMOS integrated circuit provides additional state-of-the-art features such as:

Readings to 2999 in all manual ranges and functions. Fashing "1" in illustrat on

sign fles a "2" for a 2234 reading. This provides an additional digit of resolution. Flashing "1" with three zeros ir dicates an over range.



- 2. Relative reference off set, measurement up to 99 counts on all DMM functions, displays subsequent readings as a  $\pm$  deviation from stored input.
- 3. Autoranging voltage and resistance ranges with simple switching to manual ranging mode and 12 LCD display annunciators, mV, V, mA, A,  $\Omega$ , K $\Omega$ , LP $\Omega$ , AUTO, BATT, ADJ, AC and negative (-).

#### Note these additional features:

- basic dc accuracy 0.25%,
- selectable audible continuity tone on all ohms ranges,
- 104 range,
- overload protection to 1000 VDC, 750 VAC and 600 V on ohms and current ranges with .3A/250V and 2A/600V fuses arrangement,
- on y two jacks make all measurements,
- flv > ⊢i Power and four Low Power ohms ranges,
- easy access to 2 AA batteries and fuses,
- temperature probe accessory available.

For a demonstration, contact your Triplett Distributor, Mod Center or Representat ve.

Triplett Corporation, One Triplett Drive, Bluffton, OH 45817. (41£) 358-5015, TWX (810) 490-2400.



Triplett performance . . . a tough act to follow

ACTUAL SIZE



# The "OUT FRONT" DMM

nakol

HICKOK'S

with exclusive Vari-Pitch

... combines the best of DMM's, analog meters, logic probes, tracers and continuity testers in o one compact unit. The LX-306 offers 0.25% accuracy and all functions and ranges featured by other leading DMMs; PLUS, VARI-PITCH, the audible DMM tone system that obsoletes all others. VARI-PITCH changes tone pro-portionate to the signal input. Its usage is limited only by your imagination. Imagine:

- Traubleshooting by character or "signature" sound. Detecting ripple or noise on the
- power supply line. Quickly locating intermittents. Locating and testing capacitors in a circuit.
- Making analog-type peaking and nulling adjustments.
- Reducing troubleshooting time by 25% or more.

The LX-306 is the ideal DMM for tough jobs and busy schedules. Built to fit your land and your budget! LIST PRICE \$155.00

LIMITED TIME OFFER \$139.00

See your Hickok distributor, or contact:



# **NEW PRODUCTS**

### For more details use the free information card inside the back cover

DIGITAL MULTIMETER, model LX-306, features the same Vari-Pitch audible tone that was introduced in Hickok's model MX-33,. It has 31/2-digit capability and is accurate to within 0,25%. It includes full AC/DC voltage ranges up to 1000 volts DC, 750 volts AC (usable to 5 kHz), 10-ampere AC/DC current ranges, resistance ranges from 200 ohms to 20 megohms, diode-test function, and 10megohim impedance.



#### **CIRCLE 111 ON FREE INFORMATION CARD**

The unit's miniaturized hand-held case design allows ease of handling, conveniently fits into a tool kit, and the case is sturdy enough to pass a 4-foot drop test. The Vari-Pitch audible tone varies in frequency proportionally to the signal input, and is usable on all ranges and functions. Response is instantaneous. Using Vari-Pitch, troubleshooting by characteristic or "signature" sound, saves time and effort in detecting ripple or noise on power-supply lines, locating intermittent problems, locating and testing capacitors. The user can make analog-type peaking and nulling adjustments.

The model LX-306 is priced at \$139.00.-Hickok Electrical Instrument Company, 10514 Dupont Ave., Cleveland, OH 44108.

FUNCTION GENERATOR, model 528D, has a frequency range of 0.001 Hz to 20 MHz and produces sine, square, triangle, positive square, and negative square waveforms from the main generator. An auxiliary ramp is also available through the main output amplifiers, and is used to sweep the main generator in the sweep mode. A built-in frequency/period counter reads out the frequency/period of the main generator, the frequency/period of the ramp (sweep) generator, and also serves as a frequency/period counter for external signals from 1 Hz to 100 MHz and 1 microsecond to 1000 seconds.



CIRCLE 112 ON FREE INFORMATION CARD

In the sweep mode, the ramp generator is used to internally sweep the main generator either up or down linearly (up to 1000:1) or logarithmically (up to 100,000:1). The start and stop frequencies are independently settable and either may be easily set and measured using the RUN/HOLD and TRIGGER/HOLD positions of the RAMP-MODE switch and the built-in frequency counter. The main generator frequency can be manually swept linearly up to 3 decades, or logarithmically up to 5 decades, using the START FREQUENCY dials. A VCF input allows the external control of frequency over a 5-decade range in the log mode and a 3-decade range in the linear mode. The frequency controls are dual (coarse and fine), providing excellent resolution

As a pulse generator, the model 528D uses the ramp generator to trigger the main generator. Square pulses of either polarity, or single pulses of sinewave, triangle, haversine, or havertriangle waveforms can be selected.

The model 528D is priced at \$1495 .-Exact Electronics, 2000 Arrowhead Dr., PO Box 1925, Carson City, NV 89701.

SATELLITE-TV RECEIVER, model SC-7032, has a wide range of features to cover the requirements of the home satellite-TV reception system. Included are channel scan for convenient and quick review of available channels on each satellite; polarity-reverse



**CIRCLE 113 ON FREE INFORMATION CARD** 

button; signal-strength meter for easy video fine-tuning control; audio tune; channel select, with LED readout; built-in satelliteselector control, with LED readout for optional actuator, and built-in polarotor that automatically changes polarization. In addition, an optional channel-select remote con-

**CIRCLE 85 ON FREE INFORMATION CARD** 

# Amazing new solid-state oscilloscope... fits in the palm of your hand

## **CRT** oscilloscopes just became

**Obsolete!** The revolutionary new solid-state digital LED Pocket-O-Scope does it all, in a 4-ounce package you can put in your pocket.

Easy to use. Ideal for the hobbyist or the technician. The Pocket-O-Scope is 100% solid-state, focus and brightness on the 210 point, high-intensity illuminated screen are electronically self-controlled. The trace is always in sharp focus. Zero and sweep positions are maintained automatically. Zero-reference, or cross-over line is always centered for full trace minimum on the screen. Automatic internal circuitry always assures a properly positioned wave form. 4 solid-state controls do it all. The only knobs on the Pocket-O-Scope are for positive and negative sensitivity and for coarse and fine synchronization of the frequency of the incoming signal. The easiest to use, full capability scope available!

Years in development. The Pocket-O-Scope is the culmination of years of development in high technology, microelectronic components and digital design. Features: All solid-state, digital design • Hand-held or

bench operation • High resolution 210 point, 1.5" square display • Battery or A/C operation with adapter • Factory calibrated - never requires recalibration • Full function, single trace capability plus 1/2 channel dual trace and signal



inverter • Full overload protection to prevent damage to scope Automatic zero voltage centering • Automatic free run or locked image • Automatic full horizontal sweep circuit • External input/output for add-on capability Specifications: 5 Megahertz bandwidth • Sensitivity – vertical, 10MV • Accuracy ± 3% on wave forms sweep linearity ± 5% • Time base 1 microseconds to .5 seconds

• Vertical gain – 0 to 120 volts • Continous free run to locked image response • Power supply 9VDC-dual polarity Controls: Single or dual trace • On-off, battery-A/C • Sensitivity; separate pos. & neg. controls • Sync C & Sync F controls

#### Limited, 90-day warranty

No risk introductory offer. The revolutionary Pocket-O-Scope is a development of Calvert Instruments, Inc., for 25 years a manufacturer of electrical equipment. As an introductory offer for a limited time only, you can buy the Pocket-O-Scope including a carrying case, A/C adapter, 3 standard "grabber" probes and 2 high voltage probes for only \$249.95, a \$321 value. If you act now, you will also receive FREE Calvert's 200-page Comprehensive Oscilloscope Training Manual, a \$15.95 value!

Put your Pocket-O-Scope to the test for

two weeks. And if you decide, for any reason, that the Pocket-O-Scope is not for you, return it within the 14-day trial period for a prompt refund. The training manual will still be yours to keep.

Mail this coupon today, or call toll-free\* while the introductory offer is still in effect.

<b>Gel O Baivert</b>	
Instrument	Is. Inc.
9851 Ingersoll Dr., Cleve	eland OH 44116 • 216-356-2155
Please send me:	
number) voltage probes, and FREE t	ng carrying case, A/C adapter, standard and high raining manual. (Batteries not included) all for and insurance. Ohio residents add 6.5% sales tax
— Pocket-O-Scope only with s Ohio Residents add 6.5% sa	itandard probes: \$179.95 plus \$5 postage. ales tax.
My check is enclosed.	
Please charge the credit card according to the one credit card you way to the one credit t	ount checked below. (Fill in all account number wish to use.) RF-1083
MasterCard Visa	
Expiration	Interbank
Date	No
	(Mastere and only)
Full signature	
Name	( leave print)
Address	Apt
City	
State	Zip

further information or to inquire about becoming a distributor. In Kansas, call 800-362-2421 Ext. 118. Allow 6-8 weeks for delivery.

**CIRCLE 7 ON FREE INFORMATION CARD** 

10

# Digital Features.



Now you can get all the measurement capability you've been looking for in a digital multimeter for the price of an analog.

Priced as low as \$59.95, the Circuitmate™ Series DMMs from Beckman offer a superior combination of standard features including:

- DC + AC Volts
- DC + AC Amps
- Resistance
- Diode Test
- 0.8% or 0.5% DC Accuracy (depending on model)
- Single Rotary Selection
   Switch

Depending on the model you choose—you can enjoy the added capability and convenience of 10 Amps AC + DC, audible continuity checking, hFE testing, capacitance and conductance capability.

Get your hands on a Circuitmate™ DMM today. For the dealer nearest you, write or call Beckman Instruments, Inc., Instrumentation Products, 2500 Harbor Blvd., Fullerton, CA 92634, (714) 993-8803.



CIRCLE 41 ON FREE INFORMATION CARD

trol with fine-tune button and up/down transponder switch is available.

Input frequency of the model *SC-7082* is 70MHz at 72 ohms impedance. The video output level is 1 volt peak-to-peak nominal at 27MHz with 20Hz to 4.2MHz frequency response. Audio output is variable 5.5 to 8.0 MHz, selectable from the front panel. Frequency response is 50Hz to 15kHz. Harmonic distortion is less than 2% maximum THD. Power is 115 volts AC, 50/60Hz.

A single-conversion downconverter with IF output of 70MHz mounts at the antenna, with 72-ohm output for coaxial cable to the receiver. A channel ¼ crystal-controled modulator is built into the receiver.

The model *SC-7032* is priced at \$965.00— **Winegard Company**, 3000 Kirkwood Street, Burlington, IO 52601.

**STEREO PHASER**, model *VC-1*, easily connects most TV sets, and all video recorders to your stereo unit. It improves ordinary TV sound in three ways.



**CIRCLE 114 ON FREE INFORMATION CARD** 

1: Dynamic range expansion: the model VC-1's dynamic range-expansion process restores and delivers the depth, and clarity of the original production sound.



**CIRCLE 94 ON FREE INFORMATION CARD** 

2: Synthesized stereo sound: The model *VC-1* takes the video mono signal, processes it, and creates a stereo effect.

3: Noise/hiss elimination: A simple fourstep control dial on the model *VC-1* effectively blocks out garbage noise and hiss, and allows you to adjust the noise reduction for any video source: TV program, cable, videotape deck, or videogame.

The model VC-1 is priced at \$199.00.—**RG Dynamics, Inc.**, 6440 North Ridgeway Ave., Lincolnwood, IL 60645.


**LOW-DISTORTION OSCILLATOR**, model 4500 ranges from 1Hz to 100kHz. It generates a sinewave with less than .001% (-100dB) distortion, and squarewaves with



**CIRCLE 115 ON FREE INFORMATION CARD** 

aberrations of less than 5% peak-to-peak amplitude. Five pushbuttons of decade multiplication with an infinite-resolution, singleturn dial calibrated in Hz from 1 to 10 provides continuous frequency coverage. Also, a vernier dial that covers  $\pm$  5% of the frequency range is provided for intricate adjustments.

The model 4500 delivers up to 7 volts RMS open circuit to MAIN and INVERTED outputs of



**CIRCLE 28 ON FREE INFORMATION CARD** 

RADIO-ELECTRONICS



EPHONES

CORDLESS TELEPHONE- CLOCK RADIO

Mute button for privar

•

95 9

For inside or outside your house (up to 100 ft.
Automatically redials last telephone number called

AM-FM ELECTRONIC DIGITAL CLOCK RADIO FEATURE: • Large LED tim: display

ea. MODEL RP-740S



**B8**<sup>00</sup>

MODEL CP-110S





ea

· Mute button on handset allows you to talk to

someone in room without party on line listening

conversation. Remote Rechargeability 
 Works -p to









**CIRCLE 31 ON FREE INFORMATION CARD** 

600-ohm impedance. A MAIN output of 50ohm impedance is also provided. Exceptionally flat response. (.05dB) virtually eliminates the need to constantly monitor output voltage levels. A four-position pushbutton attenuator, calibrated in 20-dB steps, together with a 30dB vernier, provides a total dynamic range of 90dB. Amplitude and freguency stability varies less than .001% with a 10% change in line voltage.

A rear-panel switch selects chassis or floating ground. The oscillator uses only 6 watts and operates on switch-selectable line voltages of 90-132 or 180-264 volts, 50-60Hz. An optional 19-inch Rack Mount Kit is available. The model 4500 is priced at \$675.00. - Krohn-Hite Corporation, Avon Industrial Park, Avon, MA 02322.

**DIGITAL THERMOMETERS**, model 865, model 866, model 868 (shown), and model 869 (shown) have thermistor or RTD (Resistance Temperature Detector) sensors and offer increased accuracy over thermocouple



**CIRCLE 116 ON FREE INFORMATION CARD** 



meters; they have 0.1° sensitivity.


Model 865 (°F) and model 866 (°C) are thermistor thermometers, designed for applications in electronics, life sciences, food processing, and heating and ventilating.

Model 868 (°F) and model 869 (°C), with platinum RTD sensors, offer accuracy equivalent to thermistors over a wide range. The RTD models are designed to meet the accuracy and long-term stability requirements of critical laboratory applications.

The thermometers are priced as follows: Model 865 and model 866 are \$139.00 each; model 868 and model 869 are \$249.00 each. Keithley Instruments, Inc., 28775 Aurora Road, Cleveland, OH 44139.

HEATING TOOL, the Glo-Ring Infra-Red Heat Tool, is a hand model with half-inchdiameter elements designed specifically for shrinking heat-shrinkable tubing on small work pieces in the electrical and electronics industry. It uses guartz-glass heating elements that open and close like a thumb and forefinger to encircle the work piece with instant radiant heat at a temperature of 1000°F.

Glo-Rings provide an alternative to using the traditional heat gun. Cost savings are realized by reducing production time and electrical power consumed. Safety hazards are eliminated because no uncontrollable blowing hot air is generated.



**CIRCLE 117 ON FREE INFORMATION CARD** 

The prime application for the device is for shrinking heat-shrink sleeving in the electrical and electronics industries. However, it is also useful for sweating solder sleeving, bending PVC pipes, and drying out compressed-air lines. In addition to half-inch elements, plug-in two-inch, three-inch, and fourinch elements are available.

The Glo-Ring Infra-Red Heat Tool is priced at \$197.00 - The Eraser Company, PO Box 4961/Oliva Drive, Syracuse, NY 13221.

**TELEVISION SYSTEM, the VideoScope** model RVP-460, is a rear-screen projection system; the 46-inch screen provides three times the viewing area of an average 26-inch console, yet requires no additional floor space. That is due to an exclusive optics system, which folds the projected image path to fit into a substantially smaller cabinet than those used in conventional systems.

48

RADIO-ELECTRONICS





#### **BP** STABILIZER/IMAGE ENHANCER/ **RF CONVERTER/VIDEO FADER/2-WAY** DISTRIBUTION AMPLIFIER **19**<sup>95</sup> Ş-

OUR PRICE

Contains five units in one; stabilizer (video guard remover); image enhancer; video to RF converter, video fader; and dual output distribution amplifier Stabilizer Will correct entire range of copy guard distortion such as litter, vertical roll or black bar travelling through picture.

Enhancer Attain best picture for your preference RF Converter Allows your TV set to receive video and audio signals from your image enhancer. guard stabilizer, video camera, computer, VCR, etc. The direct video signal from any video component can be fed into the V-1880 and converted to a usable RF signal that can go to your TV antenna terminals. Video Fader Used to produce fade ins and outs



#### **BP** TV TO STEREO AUDIO ADAPTOR/ ENHANCER S 95

OUR PRICE Easily connects to any TV and Stereo Amplifier or simulated stereo sound. Makes taping TV Audio simple - TV can be located any distance from stereo. Delivers wo channels of simulated stereo. With noise eliminator and special putput level controls. Frequency esponse: 50 Hz - 15,00 KHz.

NEW BP VIDEO COLOR PROCESSOR/RF CONVERTER/ STABILIZER/3-WAY DISTRIBUTION AMPLIFIER

OUR PRICE \$**189**<sup>95</sup> Corrects video signal

directly into tape not just on playback. Luminance meter monitors brightness levels for quality

**MODEL V-1890** 

recordings. Can also

be used between viceo cameras and VCR, VCR and VCR and from VCR to TV during playback mode. Corrects off-color tapes. Center detent, luminance, chroma, phase and audio controls. Stabilizer for removing copyguard.

**RF** CONVERTER

**BP** VIDEO GUARD STABILIZER MODEL V-1875



OUR PRICE Has self contained A&B and bypass switch. Many movies, concerts and special programs for sale or rental are copy guarded. This removes copy guard and allows you to make copies. Many TV sets will not play prerecorded tapes because copy guard causes picture to roll and jitter, turn to snow or disappear. Video Guard Stabilizer removes copy guard from signal

#### **BP** RF CONVERTER/MODULATOR **MODEL V-1885** \$**39**95 OUR PRICE

Allows your TV to receive video and audio signals rom image er hancer, guard stabilizer, video

camera, computer, VCR, etc The outputs of many video

components cannot be directly hooked up to the VHF antenna terminals on your TV set. This problem is solved by using the Model V-1885 RF Converter. Converts video signal from any video component to adjustable RF signal at antenna terminals. Allows your VCR output to feed two TV sets at the same time, with virtually no signal loss.

260 Motor Parkway, Hauppauge, N.Y. 11788

#### **BP** VIDEO SELECTOR CENTER OUR PRICE \$4995 MODEL V-4803

A switcher that can accept 6 inputs and direct them to 3 outputs. Utilizes switch similar to one used on home VCR's. You avoid signal loss incurred by using splitters



OUR PRICE 60 Channel

selection. Infra ed transmitter system for impedance free operation. On/iOff,



change channels, fine tune. Program-mable 12 hour clock with Auto and PM indication. Channel memory and recall

**BP UHF CABLE CONVERTER** WITH FINE TUNING/46 CHANNEL MODEL V-5746 <sup>\$2495</sup> OUR PRICE

ADD FOR SHIPPING AND \$250.00 \$251.00 to 500.00 501.00 to 750.00 751.00 to 1000.00 over 1000.00.

Fully shielded oscillator eliminates herring bone distortion. For Beta/VHS recording. Record & use TV's remote control. Complete programming of VTR

Master Charg VISA COD Money Order Check

COO's extra (required 25% deposit)

W.Y State residents add appropriate sales tax.



MODEL V-1877

**BP VIDEO GUARD STABILIZER/** 

OUR PRICE \$6995

Same as 7-1875 but with a built-in RF Converter that gives the model V-1877 an RF output which can be fed directly to the anienna terminals of a TV set. This enables you to remove the copy guard from a pre-recorded tape and view it on a TV using only a VC3

Lise as an RF Converter only. Used in conjunc-tion with your TV, you can feed direct audio and video signals from any video device such as video camera, computer, portable VCR, etc

#### **BP** IMAGE ENHANCER MODEL J-1860

Cramatically improve: performar ce of video cameras and VCR's (off-the-a) ar second ceneratio 1 recordings). \$59<sup>95</sup> try compensag for deteriora-OUR PRICE tion of de ail and sharpnes :. Includes video distribution amplifier with two udeo outputs.

in N.Y. State call 800-832-1446



## Vital protection for PC Boards





Be safe Desolder PC components with Endeco irons Get proper HEAT TO MELT and strong VACUUM ACTION TO LIFT solder and cool both PC board and component without damage

These PC components replaced fast with Endeco desoldering or soldering tools



Endeco professional features include safety light that denotes *high. low* and off on switch models. SS construction for long life. light weight and balance for easy use

Contact your distributor for Endeco desoldering and soldering irons, kits and equipment—or write us today

Enterprise Development Corp. 5127 East 65th Street Indianapolis. IN 46220 Phone: (317) 251-1231

**CIRCLE 15 ON FREE INFORMATION CARD** 



The convertible screen directs the brightest optical path to the viewer's eye level, and can be adjusted easily for either seated or standing positions. It is cylindrically curved to reduce room light reflections, and uses a special dye to minimize the effects of ambient light.



#### **CIRCLE 118 ON FREE INFORMATION CARD**

The model *RVP-460's* high-resolution, high-contrast picture makes the set especially useful as a computer data-display unit. That application is further enhanced by an RGB input circuit that provides a display of 80-characters (color) by 25 lines. Use of a comb filter improves picture quality even further. The resolution is more than 500 lines (RGB), 450 lines (video), and 340 lines (RF).



power source. Optional 10-turn voltage & current controls: \$25 each. Add \$3,00 for UPS shipping in Continental U.S. Check, Money Order or C.O.D. accepted. Illinois residents add 6% sales tax.

4201 W. IRVING PK., CHICAGO, IL 60641 312/736-0999

**CIRCLE 26 ON FREE INFORMATION CARD** 

The model *RVP-460* is priced at \$4400.00 --- Sony Corporation of America, 9 West 57th Street, New York, NY 10019.

**PHONE-RINGER KIT**, model *GT-1218*, is designed to replace the sometimes unpleasant ring of a conventional telephone bell; in its place, it will play one of four tunes or tones that the user can select or change at any time.

The pre-programmed integrated circuit in this one-evening kit is a true polyphonic synthesizer and alerts the owner of phone calls in one of four ways: a beeping signal, an upbeat four-note chime, ten seconds of Beethoven's "Fur Elise," or 20 seconds of "Romance" by Rubenstein.

A pushbutton switch lets the user choose either the standard telephone bell, or one of the pleasant signals from the Phone Ringer, which are selected by jumping a small wire to separate sockets on the internal circuit board.



CIRCLE 119 ON FREE INFORMATION CARD

Housed in a beige snap-together case (5  $\frac{7}{4} \times 4 \frac{3}{4} \times 1 \frac{1}{4}$  inches) with an internal speaker, the phone ringer includes two connector leads for remote speakers, a variable volume control, modular phone plug with six feet of cable, and keyhole slots in the caseback to facilitate wall mounting. It installs between any modular telephone unit and a modular telephone set (except wall-mount set). It is powered up to a year by two 'C' cell alkaline batteries, and is approved by the FCC for direct-line connection.

The *Pleasant Phone Ringer*, model *GT*-1218, is priced at \$29.95. — Heath Company, Benton Harbor, MI 49022.

MOTION DETECTOR, the Micro Motion Sensor, is designed for automotive security applications, and is easy to mount anywhere under the hood or fender. It is made of glassfilled virgin nylon, and is completely sealed to



CIRCLE 120 ON FREE INFORMATION CARD

eliminate the false alarms common to older type motion detectors during damp or rainy weather. The *Micro Motion Sensor* is  $3 \times 1\%$  $\times$  1 inches and can be used in any system that employs motion detection. It is priced at \$9.95 — **Thug Bug Corporation**, 1999 Johns Drive, Glenview, IL 60025. **R-E** 

## Two facts you'll find hard to believe . . . 1. This phone, with engineering for the year 2001, is yours right now. 2. Your cost is only \$99.95.

Some of the brightest electronic engineers in the world decided to build a telephone that makes all others obsolete

This phone would have a big memory to remember (and dial with one or two buttons) a lot of phone numbers. It would handle one or two lines, with a "hold" button, for big-phone

performance and convenience. It would work with rotary pulse or Touchtone®, so you can use it to talk to a computer or to use MCI, Sprint, or any of the tone-code long distance services.

It would display the number being dialed in LED-illuminated figures, to prevent errors even in the dark.

Most of all -

It would be beautiful, a magnificent sleek instrument to enhance any room. Ladies and gentlemen, we give you...

#### The Electronic Secretary-Phone

Every other state-of-the-art phone we've seen handles either just one line or (bulkily) five lines.

The ÉLECTRONIC SECRETARY-PHONE is about half the size of most phones, but its innards are crammed with advanced electronic technology. What a timesaver! It "remembers"

up to 32 numbers! Enter them just once then call any of them by pushing one or two buttons.

#### Two-In-One, with "Hold" Button You control two separate phone

lines, which means you can have a true multi-line conference call without involving the phone company. Talk on Line 1; or put the call on

Line 1 on hold while you talk on Line 2; or tie both lines together by depressing both buttons!

Best of all, you can touch one key and you'll have a hands-free speakerphone whose sound fidelity is surprising. Your phone has a volume control, of course.

Before we tell you how little it costs, here a few more timesavers and conveniences built into your Electronic Secretary-Phone:

#### Elegant, Expensive-Looking, Easyl

We've seen phones you need an engineer's degree to operate. A child will have no trouble putting this wonderphone through its paces.


You won't dial a wrong number because an LED display shows you, digitally, the number you're calling. You can call MCI, Sprint, your

computer, or anywhere you need the touchtone signal. A touch of your finger switches back and forth from pulse to touchtone.

Automatic redialling of the last number? Of course. No jangling ringerbell; the ringer is a pleasant electronic tone

But we think what you'll like most about the Electronic Secretary-Phone is its beauty. If ever a phone could win an award for design, this is it. You'll be proud to have this phone in your home or office.






LED Display Shows No. Be ng Dialed.

#### Get It Far Below Market Place

We originally planned to sell this phone for \$169.95, and it would be a bargain at that price. When we decided to feature it in our catalog, we lowered the price to \$129.95.

Now we've been able to contract for enough of them that you can own an Electronic Secretary-Phone for only \$99.95! At that price, while we have them, you should order two.

Our absolute guarantee means you'll have a month to use this phone and see for yourself that our claims about it are true. Enjoy it!



**NEWHORIZONS** 

Handles TWO Phone Lines Use the "Hold" button to switch back and forth, Or use them together for conference calls!

#### Conference Call Feature

Just push both buttons and both lines are open. They're interactive, so you can tie two calls together!

#### Speaker Phone

If you have a roomful of people, or if you just don't want to hold the instrument, your Speakerphone has wonderful sound fidelity plus volume adjustment!

#### • 32 Memories

Your phone "remembers" up to 32 numbers. Enter them just once, then dial by pushing one or two buttons. Even remembers long strings of numbers like MCI!

\$99.95 complete SAVE \$20.00! Two for \$179.90 (+ \$2.50 per total order for shipping)

Order TOLL-FREE For fast delivery on credit card orders call toll-free 24 hours a day, 7 days a week:

## 800-443-0100

Ask for Ext. 111

Or send check or money order. Please add indicated shipping cost.

Dept. R10 5-31 50th Avenue Long Island City, N.Y. 11101 OCTOBER 1983 51

# At CIE, you get electronics career training from specialists.



If you're interested in learning how to fix air conditioning, service cars or install heating systems— talk to some other school. But if you're serious about electronics... even earning an Associate Degree... come to CIE — The Electronics Specialists.

#### Why trust your education and career future to anything less than a specialist?

You shouldn't. And you certainly don't have to.

If you talked to some of our graduates, chances are you'd find a lot of them shopped around for their training. They pretty much knew what was available. And they picked CIE as number one.

Be sure to shop around. Because, frankly, CIE isn't for everyone.

There are other options for the hobbyist. If you're the ambitious type—with serious career goals in electronics—take a close look at what we've planned for you at CIE. What you should look for first.

Part of what makes electronics so interesting is it's based on scientific discoveries—on ideas! So the first thing to look for is a program that starts with ideas and builds on them!

That's what happens with CIE's Auto-Programmed<sup>®</sup>Lessons. Each lesson takes one or two principles and helps you master them —before you start using them! How practical is the training?

This is the next big important question. After all, your career will be built on what you can do and on how well you do it.

Here are ways some of CIE's career courses help you get your "hands-on" training...

#### With CIE's Personal Training Laboratory...

you learn and review the basics perform dozens of experiments. Plus, you use a 3-in-1 precision Multimeter to learn testing, checking, analyzing!

#### When you get your own 5MHz, solid-state

oscilloscope, you take some real professional steps. You use it as a doctor uses an X-ray machine—to "read" waveform patterns...lock them in...study, understand and interpret them! When you get your Digital Learning Laboratory, you'll be into digital theory-essential training today for anyone who wants to keep pace with the state of the art of electronics. With CIE's Digital Lab, you'll be applying in dozens of fascinating ways the theory you've learned. For example, you'll compare analog and digital devices. You'll learn to make binary to decimal conversions and to work with semiconductor devices and circuits. You'll see how digital equipment is vital to today's exciting, growing fields such as security... where digital theory provides the brains for space-age alarm and protective devices.

#### You'll build your Microprocessor Training Laboratory,

a working microcomputer—from "scratch." You'll also learn how to program and interface it with displays, memories, switches, and more.

## Earn An Associate Degree from CIE.

One of the best credentials you can have in electronics —or any other career field —is a college degree. That's why CIE gives you the opportunity to earn an Associate in Applied Science in Electronics Engineering Technology. Any CIE career course can offer you credit toward the degree...more than half of the number needed in some cases.

You can also prepare for the government-administered FCC (Federal Communications Commission) Radiotelephone License, General Class. It can be a real mark in your favor... government-certified proof of your specific knowledge and skills.

#### Shop around...but send for CIE's free school catalog first!

Mail the card. If it's gone, cut out and mail the coupon. If you prefer to write, mention the name and date of this magazine. We'll send you a copy of CIE's FREE school catalog—plus a complete package of independent home study information! For your convenience, we'll try to have a representative contact you to

answer your questions. Mail the card or coupon or write: CIE, 1776 East 17th St., Cleveland,

OH 44114.

<b>Cleveland Institute of Electronics, Inc.</b>
1776 East 17th Street, Cleveland, Ohio 44114
Accredited Member National Home Study Council

YES... I'm shopping around for the right kind of career training in electronics – and CIE sounds well worth looking into. Please send me my FREE CIE school catalog—including details about the Associate Degree program—plus my FREE package of home study information!

	Apt
State	Zip
one No	
on: 🗆 Veteran	□ Active Duty
	one No.

#### MAIL TODAY!

CIE

OCTOBER 1983

# **NEW IDEAS**

#### Remote telephone ringer

HAVE YOU EVER MISSED AN IMPORTANT telephone call because you were in your basement or garage and didn't hear the phone ring? Or perhaps you heard it ring, but you heard it too late and, although you rushed as fast as you could, you couldn't get to the phone in time. And, even if the call is not important, missing it by a few seconds can be, to say the least, annoying.

Of course one solution to the problem is to stay near the phone when you are expecting a call. (Unfortunately, that doesn't work if you get an important call when you're not expecting it.) Yet there is another solution—the remote telephone ringer that we'll discuss here.

The ringer that we'll describe solves the problem of incompatibility between telephone equipment and a conventional AC alarm bell or 110-volt electric light outlet.


wire it into the phone itself. If you decide to do that, all you have to wire it in parallel with the phone's bell. The circuit is centered around the two neon bulbs, NE1 and NE2. Those bulbs will light when more than 100 volts is across the ringing circuit. The bulbs also provide line isolation between the unit and the telephone line. Finally, they act as a voltage divider for the bridge rectifier made up of D1-D4. That creates a positive voltage that is then applied through D5, is filtered by R2, R3 and C2, and causes Q1 and Q2 to conduct. When that happens, triac TR1 is fired through the optical coupler IC1. Using the optical coupler assures that the load is isolated from the telephone linesan important consideration.

None of the parts used in the circuit are very critical and any wiring method can be used. And many of them, including the triac, optical coupler, neon bulbs, and



This column is devoted to new ideas, circuits, device applications, construction techniques, helpful hints, etc.

All published entries, upon publication, will earn \$25. In addition, Panavise will donate their model 333—The Rapid Assembly Circuit Board Holder, having a retail price of \$39.95. It features an eight-position rotating adjustment, indexing at 45-degree increments, and six positive lock positions in the vertical plane, giving you a full ten-inch height adjustment for comfortable working.



I agree to the above terms, and grant Radio-Electronics Magazine the right to publish my idea and to subsequently republish my idea in collections or compilations of reprints of similar articles. I declare that the attached idea is my own original material and that its publication does not violate any other copyright. I also declare that this material has not been previously published.

Title of Idea		
Signature		
Print Name		Date
Street		
City	State	Ziç
to: New Idea	a along with this c Is Radio-Electron 00 Park Ave. Sou	ics,

TO PHONE LINES RED IC2 VP R4 NE-2 VIJOLAIOA D5 12V. 1W ZENER 2400 2N3904 24F/16V YELLOW WIRE ICI MOC 3010 4704 22/200V VAC 114002

FIG. 1

Why do I mention the electric light outlet? Well, for the hearing impaired, a light is an excellent way to signal a telephone call. It might also be a good idea, say, in a workshop. It's easier to see a light than to hear a bell when you're running a power tool.

To hook up the circuit (its schematic is shown in Fig. 1), you can wire it to an existing junction box. An alternative is to VR1 transient protector can be found at Radio Shack. The voltage of the transformer's secondary can be anywhere between 10 and 26 volts.

Before we go, we should make one final note: It is advisable to check with your local telephone company to make sure that you follow the area's rules and regulations regarding the use of such an extension ringer.—*Craig K. Sellen* 



# MAKE YOUR STEREO SOUND SUPER FOR ONLY \$4.50 THE SOUND RIVALS THE MOST EXPENSIVE SPEAKERS

## IT'S A GREAT DEAL BUT THERE'S A CATCH

Only \$4.50? It's true. Sound that rivals the most expensive speakers? That's also true. But there is a catch to this deal. Not number 22. Actually, our first. Read on.

We're a new company. We need customers. So we're offering this special deal, on a very special product. The headphones are very new on the market. You'll see similar models just beginning to appear in hif stores bearing respected names like Sony and Toshiba.

Actually they're miniature versions of the famous new technology headphones that wrap around your head with a steel band. The mylar diaphragms are exactly the same. So the tight crisp response is unbelievable, over the entire PHONE 20-20,000 Hz frequency range. And as you probably know mylar domes simply don't work with normal speaker magnets. So the miniatures have the same powerful rare earth Samarium magnets as the ones you've seen

But here's where the similarities end. There is no steel band to fit around your head and press against your ears. They simply slip into your ears. That makes them more comfortable, but what's more important something really amazing happens to the sound. You're closer to the music, it almost seems to envelope you. The sound truly is all encompassing. If you ever try the older style headphones again, you'll think you're missing half the sound you've come to expect. You get these remarkable little speakers with a standard phone plug adaptor plus an extra set of foam covers.

Now you're saying you never bought a Walkman. Glad you thought of that. Because we also have this neat little radio. Take seven normal filter cigarettes. Line 'em up in a row. That's the size of it. Really, it's that small. Plus it comes with its own headphone set, and it's powered for up to 24 hours straight by two normal AAA batteries. Get the FM stereo version for \$22.50 or the slightly larger AM.FM model for \$27.50. Both include headphones exactly like the ones we've described.

RED

00

Now if you like that idea, you don't mind the catch. Painless and easy, here it is: Try the radio and we'll throw in the extra headphones, adaptor and foam covers for only \$4.50 more.

So why do we do it? We're losing our shirts on the earphone, but we need to build our sales, and find people who like neat deals on neat electronics. We're a brand new division of a very large electronics company. And we want to show those guys at headquarters what we can do. The best way is very special deals like this. So you benefit.

To try this deal with your credit card call the RCD toll free hotline or send your check plus \$2.00 postage and handling. Specify group 1900 on FM or AM/FM on the radio. If you arer't 100% satisfied return it in the original carton within 25 days for a courteous refund. No hassles, no problems.

Be prepared to get an explosion of sound, at home or anywhere you go.

806 Custer Avenue P.O. Box 1494 Norfelk, Nebraska 68701 Cali TOLL FREE 800-228-8108

# **HOBBY CORNER**

#### A new contest EARL "DOC" SAVAGE, HOBBY EDITOR

FOR SOME REASON THERE HAS BEEN AN increase in the number of inquiries about an unusual clock readout that was described here several years ago (March, 1980). Since that time, all kinds of new IC's have appeared and there are more modern ways to achieve the same result. Let's see who can come up with the best new circuit. To be fair to those of you who may not have been around back then and/ or who do not have ready access to back issues, I'll run through the description.

Bob Hankinson (PA) built a readout that consisted of a single vertical column of LED's. They were turned on and off in such a way that you could read the digits by "sweeping" your eyes across the col-umn. (Think of a "Times Square" billboard-except your eyes, not the numbers, scroll.) If you looked at it straight on, it looked just like a line of LED's. Here are a few hints that should help you to understand the problem better.

Imagine a block as shown in Fig. 1 consisting of just 15 LED's. (The filled-in circles are lighted.) By lighting selected LED's, you can show any digit. (For example, in Fig. 1, the numeral 4 is shown.) With four blocks, you could show the time in hours and minutes. That's how many early digital clocks were made.


For clarity, I'll confine the discussion to one digit/block. Looking again at Fig.

#### **AN INVITATION**

To better meet your needs, "Hobby Corner" has undergone a change in direction. It has been changed to a question-and-answer form. You are invited to send us questions about general electronics and its applications. We'll do what we can to come up with an answer or, at least, suggest where you might find one.

If you need a basic circuit for some purpose, or want to know how or why one works, let us know. We'll print those of greatest interest here in "Hobby Corner." Please keep in mind that we cannot become a circuitdesign service for esoteric applications; circuits must be as general and as simple as possible. Please address your correspondence to:

> Hobby Corner **Radio-Electronics** 200 Park Ave, South New York, NY 10003



l, you will see that the "4" (in this case) is made of 3 vertical columns. Of course, in the normal readout all three columns are lighted properly at the same time.

Now take just one column of 5 LED's and light it sequentially according to the pattern of column a and then b and then c. If you get a match between the sequential rate and the speed of your eyes sweeping horizontally across the column, you can actually see the digit 4. It's really quite fascinating.

Of course, once you get it working for one digit, all you have to do is add three more into the pattern and add blank spaces between digits. Then drive the whole thing with a clock IC and your family and guests will go bananas until they get the hang of reading it.


Now for the contest: See what you can build and send me the circuit. (Show the entire clock circuit or at least back to the commonly available signal lines.) Keep it as simple and as inexpensive as possible (and make the diagram legible, of course).

You have until the end of the October. That should give you plenty of time. Meanwhile, I'll see what I can do about finding some kind of prize for the best circuit.

#### An old puzzle

Some of you missed the point of the 3-house/3-utility problem back in March. Recall that I said I had "whiled away many pleasant hours" on it back in junior high school. That, of course, was before I had learned enough math to prove that the problem has no solution-it just can't be done.

I do hope those who have been working



on it and requesting a solution have had as much fun with it as I once did! If not, perhaps you have learned to read more carefully.

If you would like another, similar puzzle, try this one: Figure 2 shows a design. Place your pencil anywhere inside or outside that design. The idea is to cross every line-segment with your pencil without crossing any segment more than once. (This one brings back memories of junior high, too.) Good Luck!

#### Homebrew transceiver

Darrell Hohensee (KS) has asked for schematic for a 4-band ham transceiver with internal VFO. Well, the best I can do is to refer you to the publications of an organization of radio amateurs, the ARRL or American Radio Relay League (225 Main Street, Newington, CT 06111). I have built and learned from their Radio Amateur's Handbook for many years. That and several of their other publications contain the kind of information you seek.

Darrell, you are right: you can learn a great deal by building (or "homebrewing") your own equipment. From your letter, however, I gather that you have not done much construction. The transceiver you ask about is a big project to undertake, especialy on limited experience. There's an old saying about learning to walk before you run that applies equally well to building electronic projects. If you get involved in a big one before you have worked your way up to it with smaller projects, you can easily get jammed up. You can end up with something that is partially built and it's easier for someone else to start from scratch than to correct your mistakes. So start small, Darrell, and work your way up. Those ARRL books have plenty of less-complex ham gear to build, too.

#### More on the solar collector

Marvin Roesch (AZ) wants that solar follower from the June Hobby Corner to return to the east direction under its own steam. Apparently, he plans to put a collector in a remote location.

The first consideration is a motor to turn the mechanism "backwards." That can be a second motor or a the original motor can be one that will reverse. The easiest way to point the collector east is to

### Now electronics technicians can get into VCR Servicing quickly and easily

# Learn professional VCR servicing at home or in your shop with exclusive videotaped demonstrations

Today, there are more than 10 million VCRs in use, with people standing in line to have them serviced. You can bring this profitable business into your shop with NRI professional training in VCR servicing. This top-level training supports the industry's claim that the best technicians today are those who service VCRs.

#### Integrated Three-Way Self-Teaching Program

In one integrated program, NRI gives you a study guide, 9 instructional units, 2 hours of video training tapes accompanied by a 32-page workbook that pulls it all together. At home or in your shop, you'll cover all the basic concepts of video recording, mechanical and electronic systems analyses, and the latest troubleshooting techniques. Your workbook and instructional units also contain an abundance of diagrams, data, and supplementary material that makes them valuable additions to your servicing library.

#### The "How-To" Videotape

Your NRI Action Videocassette uses every modern communications technique to make learning fast and easy. You'll enjoy expert lectures and see animation and video graphics that make every point crystal-clear. You'll follow the camera eye into the heart of the VCR as step-by-step servicing techniques are shown. Both electronic and mechanical troubleshooting are covered

. . . including everything from complete replacement and adjustment of the recording heads to diagnosing microprocessor control faults.

#### Plus Training On All The New Video Systems

Although your course concentrates on VCRs covering Beta, VHS, and ¾" U-Matic commercial VCRs, NRI also brings you up to speed in other key areas. You'll get training in capacitance and optical video disc players, projection TV, and video cameras. All are included to make you the complete video technician. There's even an optional final examination for NRI's VCR Professional Certificate.



#### The Best Professional Training

This exclusive self-study course has been developed by the professionals at NRI. NRI has trained more television technicians than any other electronics school! In fact, NRI has consistently led the way in developing troubleshooting techniques for servicing virtually every piece of home entertainment equipment as it appears in the marketplace.

#### Satisfaction Guaranteed ...15-Day No-Risk Examination

Send today for the new NRI Self-Study Course in VCR Servicing for

YES! Get me started in profitable VCR servicing. Rush me my NRI self-study course in VCR Servicing for Professionals. I understand I may return it for a full refund within 15 days if not completely satisfied.

PLEASE SPECIFY TAPE FORMAT DESIRED 🗌 VHS 🛛 🗌 BETA

Name (please print)\_\_\_\_\_ Company\_\_\_\_\_\_

Street\_\_\_\_\_

City/State/Zip\_

Enclosed is	•			order for \$179.95 (D.C. residents add 6% tax) Make check payable to NRI	
Charge to		VISA	MasterCard		
-				Interbank Number	

Card Number

1

\_\_\_\_ Expiration Date\_\_\_\_

Signature\_

(required for credit card sales)

Professionals. Examine it for 15 full days, look over the lessons, sample the videotape. If you're not fully satisfied that this is the kind of training you and your people need to get into the profitable VCR servicing business, return it for a prompt and full refund, including postage. Act now, and start adding new business to your business.

#### **Special Introductory Offer**

This complete VCR training course with two hour videotape is being offered for a limited time only, on orders received from this ad, at our low introductory price of \$179.95. Save \$20 by acting now!

NRI Training For Professionals McGraw-Hill Continuing Education Center 3939 Wisconsin Avenue Washington, DC 20016



 NRI Training For Professionals
 McGraw-Hill Continuing Education Center
 3939 Wisconsin Avenue
 Washington, DC 20016



control the second motor or reverse switch with a clock/timer. Every night at midnight it can swing the reflector back to be ready for the rising sun. It can also be done in fancier ways, Marvin, but the solution you should always look for is the simplest and most straightforward one the one that causes the fewest troubles in construction and operation.

#### Resistance, reactance, impedance

A series of basic questions was sent in by Anwar Khanb (NY). Space will not permit giving detailed answers, but perhaps the following will help him and others who may be a bit confused.

From his letter, I deduce that Anwar's fundamental difficulty is in having a clear picture of the difference between resistance, reactance, and impedance. Here are some pointers toward the right direction: Resistance is the opposition to the flow of electrical current that results in heat in the conducting material. Resistance is symbolized in equations by the letter R. It is measured in *ohms*, which are symbolized by the capital Greek letter omega ( $\Omega$ ).

Reactance is the opposition to the flow of AC current. It's symbol is the letter X. Reactance is also measured in ohms.

Impedance is the combination of the opposition to the flow of AC current due to resistance and reactance. It is measured in ohms and is symbolized by the letter Z.

Though the units of measurement for each of them is called the ohm, they are quite obviously different. Thus, you cannot substitute or switch one for the other.

There is no formula that relates the DC resistance of a coil directly to the (AC) impedance or reactance of that coil. That's because the resistance is determined by the type and length of the wire used. The reactance is determined by how the wire is wound and the frequency of the signal that is fed through it.


Consider this example: the resistance of a ten-foot piece of wire is a certain number of ohms. That value remains unchanged regardless of the form into which you put the wire—anything from a straight line to a tightly wound ball. On the other hand, its inductance, and thus its reactance, changes depending on the shape(s) into which the wire is placed. The reactance is also related to the frequency, f, of the signal that is fed through it (X =  $2\pi fL$ ).

So, Anwar, knowing only the DC resistance of a coil will not enable you to determine its reactance or impedance. The other factors must be considered.

#### Your input

Your input makes a valuable contribution to this column. Your suggestions are encouraged. Don't hesitate to ask a question--there are probably hundreds of other readers who would like to know the same thing. And don't forget—I'll be on the lookout for your contest entries. **R-E** 







**CIRCLE 46 ON FREE INFORMATION CARD** 

60

# ANNUAL INVENTORY REDUCTION ... TEST INSTRIMENT SALE!

ILGI ING				166.
WWWWWWWWWWW	un	M	CHARCON ASS IS MILL CAARS	<u>1157</u> <b>SALE</b> \$919. <b>\$ 827.</b>
NOT SECONDS, NOT REBUILTS, NOT	REJECTS	4	SIMPSON 452 15 MHz SCOPE	
S ALL ARE BRAND NEW-IN FACTORY	CARTON	5! 🗧	SIMPSON 454 IS MHZ SCOPE	\$ 730. <b>\$ 657.</b> \$ 119. <b>\$ 103.</b>
HAVE NOT BEEN USED FOR DE		Ŧ	SIMPSON 260-7 MM	
The many many many many many many many many		SALE	SIMPSON 260-7M MM	\$127. \$ 114.
HITACHI V-099 WAVE FORM MONITOR	<u>1151</u> \$1350.	SOLD OUT	SIMPSON 269-3 MM	\$218. <b>\$ 196.</b>
HITACHI V-089 VECTOR SCOPE		SOLD OUT	SIMPSON 360-2 DMM	\$ 375. <b>\$ 337.</b>
HITACHI V-152F 15MHz SCOPE		\$ 468.	SIMPSON 463 PMM	5210. \$ 174. \$204. \$ 174.
HITACHI V-1050F 100 MHZ SCOPE		\$1589.	SIMPSON 461-2 DMM	4
HITACHI V-151F 15MH2 SCOPE	, -	\$ 388.	SIMPSON 461-ZR DMM	\$246. <b>\$ 2.19.</b> \$304: <b>\$ 273.</b>
HITACHI V-202F 20MHz SCOPE		\$ 546.	SIMPSON 464A-3 PMM	1
HITACHI V-650F GOMHZ SCOPE		SOLD OUT	SIMPSON 464D-3 PMM SIMPSON 460-5 DMM	\$365. \$ <b>319.</b> \$397. <b>\$ 357.</b>
HITACHI V-302F 30MHz SCOPE		<del>\$</del> 665.	SIMPSON 467-E DMM	\$225. <b>\$ 202.</b>
BECKMAN TECH300 DMM		\$ 108.	BBC MA3E MM	#179. \$ 161.
BECKMAN HD-100 DMM	\$ 169.	\$ 152.	BEC MAIH MM	<i>• 49.</i> <b>\$ 44.</b>
BECKMAN TECH 310 DMM	\$ 145.	\$ 130.	BBC MAZH MM	\$ 79. <b>\$ 71.</b>
BECKMAN TECH 330 DMM	\$219.	\$197.	BBC M2011 DMM	\$119. \$ 107.
BECKMAN TECH 350 DMM	\$229.	\$ 206.	BBC M2012 DMM	<i>+139. \$ 125.</i>
BECKMAN TECH 360 DMM	\$289.	\$ 260.	BBC MASD DMM	4595. <b>\$ 535</b> .
LEADER LBO-514A SCOPE	\$ 695.	\$589.	BBC M2030 DMM	\$199. \$179.
LEADER LFG-13005, FUNCTION GEN.	\$495	5 419.	BBC M203I DMM	+219. \$ 197.
LEADER LSG-17, SIGNAL GEN.	\$ 190.	\$ 160.	BBC M2032 DMM	\$ 25A. \$ 233.
LEADER LAG. 27 SINE/SQ. WAVE GEN.		\$ 184.	A.W. SPERRY 315P, ISMHZ SCOPE	4 900. \$ 720.
LEADER LDC-8235 FREQ.COUNTER	\$450.	\$ 405.	A.W. SPERRY 620C, 20MHz SCOPE	\$ 785. \$ 706.
LEADER LDC-822 FREQ. COUNTER		\$ 288.	A.W. SPERRY EZ-GIO DMM	\$ 168. \$ <b>89.88</b>
LEADER LB0-524, 35 MHZ SCOPE		\$ 848.	A.W. SPERRY SP-10 MINI-METER	\$17.75 \$ <b>15.88</b>
VIZ WP-704A POWER SUPPLY		\$ 115.	A.W. SPERRY SP-15 MINI-METER	\$19.95 \$ 17.88
VIZ WP-702A POWER SUPPLY		\$ 165.	A.W. SPERRY SJ-25 MINI-PROBER	\$32.95 <b>\$29.88</b>
VIZ WP-708 POWER SUPPLY		\$ 399.	>>>> when when when he had	A.M. A.A.A
VIZ WE-130A SOUND LEVEL METER		\$ 133,	ALL ITEMS CARRY FULL MANUFA	ATTURERS 3
VIZ WA-504B/44D AUDIO GENERATO		\$ 127.	WARKANTY PLUS ELECTRONICS WA	
SIMPSON TOIG COUNTER TIMER		SOLD OUT	FULL 45 DAY MONEY BACK GUAN	
SIMPSON 7020 SCALER		SOLD OUT	7141MMMMMM MMMMMMMMMMMMMMMMMMMMMMMMMMMMM	MMMMM
SIMPSON 420A FUNCTION GEN,	\$204.	\$ 183.	TM	
SALE	Ŭ , Ŭ		KUNRS VISA laster	
EVTENDED		RE		
Halle Bri		ox 624	Old Lyme, CT 06371	
TERMS US fund	s, Visa, Amex, MC	, Money Order, C	heck (allow 2 weeks to clear), CT residents	
to change without	notice Write for Ir	ne catalog. C.O.D	y. Prices and availability of product subject orders cash or certified check add \$1 60. under \$100, add \$7 for orders over \$100.	
(air freight extra)				







6460 W. Cortland Street - Chicago, IL 60635 - 312/889-9087 International Sales, 6460 W. Cortland St., Chicago, IL 60635 Ganadian Sales, Atlas Electronics, Ontario South and Central American Sales, Empire Exporters, Plainview, NY 11803

CIRCLE 77 ON FREE INFORMATION CARD

#### THE MONSE WE'LL SEE HOW DO BUILD ianomatic But before we begin, less finish up out look a ove the circuit operates

## Note generator

The note generator has the job of creating the notes played by the Plasomatic As we've seen, it consists of two parts an oscillator romed by IC 5, evaluations of the frequency of an oscillator formed by IC 5, evaluations and the frequency of an formula = 1/2 RC. With the public sured for P35 and C = 1/2 .RC. 1 values used for R35 and C22, formula formula: = 1/2 RC. With the values used for R35 and C22, we get a frequency of about 300 kHz. That is ted to the clock input of 17, a special of that cases the neodelary division to provide concentrates of the scale. It is internally designed so that a chost input of about 200 kHz will produce the top octave on the press. By using a clock input of 300 kHz we bring the notes down to noughly the mindle of the prano keyboard. The openation of the prano keyboard.

uid the Pianomatic an

ROBERINGROSSBLATT

and the state of the

de.




FIG. 5—TWO OF THE FIVE boards used in this project are double-sided. The foil side of one of those boards, Board 1, is shown here half-size.




FIG. 6—THE COMPONENT SIDE OF BOARD 1. Note the pads for the male header at the bottom of the pattern. Once again this board is shown half-size.




FIG. 7—THE FOIL PATTERN for Board 2. The foil side of that double-sided board is shown here half-size.

inputs of IC8, the note selector. That oneof-sixteen analog switch will output the input chosen by the binary word on the output-data bus. When the inhibit pin of the IC, pin 15, is connected to + V, it will disable the output. If we're reading a tune back from memory, we obviously want the output of IC8 turned on all the time, but if we leave it on when we're writing a tune into memory we'll run into a prob-

lem similar to the one we ran into earlier when we wanted to play the Pianomatic without writing into memory.

The problem before was caused by the fact that there was always data on the input-data bus. The problem this time is similar. There is always some data on the output-data bus, and it's not always the data we want. When we're writing a tune into memory, pressing a key will cause that note to be written into memory. Remember that before we pressed the key, there was always something stored at that location in the memory. Consequently, until we program the note we want, we'll hear whatever note was already at that memory address. Even when the memory is first put in the circuit, some sort of random data will be stored in it. If we're writing a tune on a page we've previously used, the old tune will be stored there. The way around this problem is to use the inhibit pin (pin 15) of IC8 when we're writing into memory.

Once again we use the "any-key-pressed" signal from the keyboard encoder to enable the note selector. Since we need a high to turn off IC8, we have to use the inverted version of the "any-keypressed" signal available at the output of IC15-c. Switch S2-b connects the inhibit pin of IC8 to ground when we are reading from memory and to the inverted "anykey-pressed" signal when we are writing into memory. That means that IC8 is always enabled during a READ but, during a WRITE operation, it's only enabled when a key is pressed. Now, it's true that since this same inverted signal is also used to generate a write pulse for the memory, there will be a period of time when IC8 is enabled and the new note hasn't yet been written into memory. But let's be realistic. The write time of the memory is something like 300 nanoseconds so the old data will be present for only-to be generous-a brief period of time.

#### Amplifier

The output of IC8, available at pin 1, is fed to the input of IC10 through C18. That is a 1/2-watt integrated amplifier that can directly drive an 8-ohm speaker. The noteworthy thing here is that the gain of the amplifier is varied by the output of the tremolo clock, IC14-a. That is a low frequency oscillator running at about 6 Hz or so. The output is integrated by R31 and C21 to produce something vaguely resembling a sinewave. We're not after perfection here, but we do have to smooth it out somewhat. The reason for that is that the Pianomatic uses CMOS logic; one of the characteristics of that logic family is that oscillators using it can swing nearly the full range of the supply voltage. For the output here, the low point is pretty near ground and the high point is within shouting distance of the positive supply rail. If we connected the tremolo clock directly to the gain control pin of the amplifier, pin 8, it would turn the amplifier off every time the oscillator reached the bottom of the curve. It would be like trying to sing while someone was hitting you on the back (although there are certain kinds of music where that would be a definite plus).

Because we're using the gain-control pin of the amplifier to add tremolo, the volume of the Pianomatic is determined by the size of the capacitor, C19, that connects the output of IC10 to the speaker. The value chosen provides a comfortable level but you can change it. Raising the value will increase the volume and vice versa. Keep in mind though, IC10 is only a ½-watt amplifier and the speaker is a miniature one. If you have visions of using the Pianomatic at a rock concert, you're going to have to come up with some other output stage—you might try converting it to run off diesel power.

#### **Memory retention**

The Pianomatic will remember programmed tunes even after it's been turned off. That nonvolatility of the memory is a nice feature and understanding how it's done means that you can use the same technique in other designs. Basically we're using a backup battery to retain the memory and although the same method can probably be used with any other memory device, there are several memories that are specifically designed with that feature in mind. Those particular memories are the so-called "low-power" devices. They are generally CMOS and provide guaranteed data retention with as little as two volts applied. The rules for using them are simple since they usually have a control pin to switch the memory over to the LOW POWER mode. The Pianomatic uses three 20-milliamp-hour (mAh) nickel-cadmium button cells to provide a memory-retention voltage of 3.6. The draw is so low that 1-mAh nickel-cadmium cells could have been used if they could have been found.

Diodes D14 and D15 are used to steer the power for the memory. When the Pianomatic is turned on, D15 isolates the + V pin of the memory, D14 protects the batteries, and R16 allows the batteries to trickle charge at a rate we can figure from Ohm's law.

The operating voltage of the Pianomatic is 7.3 volts and, since D15 is a silicon diode, the drop across it will be about .65 volts. That makes the voltage at the batteries, B9-B11, 6.65 volts. Nickelcadmium button cells should be recharged at no more than 10 percent of their rated capacity—the so-called C10 rate. In the case of our batteries that would be a recommended charging current of 20 mA/10, or 2 mA. The batteries also have a nominal voltage of 3.6 volts (1.2 volts per cell). Now that we've worked all that out, our charging resistor can be figured easily.

11 10
V = IR
R = V/I
V = V <sub>system</sub> - V <sub>batteries</sub>
V = 6.65 - 3.6 = 3.05 volts
I = 2mA = .002 amps
R = 3.05/.002
R = 1525 ohms
t's why our charging resistor

That's why our charging resistor, R16, is 1.5K ohms. If you use different batteries in your Pianomatic, be sure to recalculate the value of R16. Nickel-cadmium batteries have a nasty habit of blowing up




FIG. 8—FOR SIMPLICITY IN MAKING THE BOARDS, neither of the double-sided boards uses platedthrough holes. The foil pattern for the component side of the second double-sided board, Board 2, is shown here. Once again, that board is shown here half-size.





FIG. 9—MOST OF THE control switches are mounted on this small board, Board 3. Note that this foll pattern is shown full-size.



if they're charged too fast and/or without the proper controls. When the Pianomatic is turned on, the batteries charge, and when the power is turned off, the batteries forward-bias D14 and provide standby power to the memory. Capacitor C15 is there to catch any glitches that may occur if the battery switch-over isn't quite as noise-free as we'd like it to be. Pin 17 of memory IC4 is the input that controls the low-power mode. When it's high the memory operates normally and when it's brought low the memory is in its low power, data-retention mode. We have to make sure that this pin is brought low before we switch over to the standby battery supply. That is easily done by making sure that our ON/OFF switch, S8, is a SPDT type. When we switch the power off, we connect the +V line to ground. Since pin 17 of the memory is on the +Vbus, our problem is solved.

If you monitor the voltage on the batteries you'll make an interesting discovery. Although the nominal voltage is 3.6 volts, the unloaded voltage of the charged cells is a bit higher-about 4.2 volts. When the batteries are put under load, that is, used to power something, you would ordinarily expect to see the voltage drop to the nominal voltage-3.6 volts. When you turn the Pianomatic off, the memory draws whatever power it needs to retain the data, but the battery voltage won't fall below 4 volts. What that is telling you is that the draw from the batteries is really low-on the order of about about 10 microamps!

#### Note counter

The note counter (IC11, IC12, and DISP1-DISP3) is a standard counterdecoder/driver combination. IC12 is a three-digit counter in one package, is extremely convenient to use, and has an internal multiplexer for a three digit display. The clock, reset, and blanking control lines are handled automatically by the circuitry and switching of the rest of the Pianomatic. Resistors R37 and R38 bring the clock-voltage and rise-time requirements in line with those of IC3. That is necessary since they are both being incremented by the same clock.

#### Power supply

The power supply is standard. Diode D16 prevents an accidental reversal of polarity from damaging anything and the voltage regulator, 1C13, is set to provide the Pianomatic with 7.3 volts. Potentiometer R41 and transistor Q1 monitor the unregulated voltage. When it falls below a preset level, Q1 conducts and causes SCR1 to fire and light the three decimal points in the display. That is a low-battery warning; the trip point of the circuit can be set by adjusting R41.

If you look closely at the schematic and follow the output of SCR1, you'll notice that there are two resistors (R30 and R40) on the line in series. The reason for that is

All resistors 1/4 watt, 5%, unless otherwise noted R1, R7, R10, R17-8200 ohms R2-6800 ohms R3, R8, R29-1 megohm R4, R38—10,000 ohms R5----3000 ohms R6. R12, R30-1000 ohms R9-150,000 ohms R11, R15-100.000 ohms R13-470 ohms R14, R19-R28, R36, R40-160 ohms R16-1500 ohms R18-82,000 ohms R31-22,000 ohms R32, R33-560,000 ohms R34-390 ohms, 1/2 watt R35-15,000 ohms R37, R39-2200 ohms R41-500,000 ohms, multi-turn potentiometer, PC mount Capacitors C1, C4, C6, C8, C9, C13, C15, C18, C20, C23, C28-0.47 µF, 35 volts, tantalum C2-0.5 µF, ceramic disc C3, C22-100 pF, ceramic disc C5, C16–0.22  $\mu$ F, 35 volts, tantalum C7, C19–2.2  $\mu$ F, 35 volts, tantalum C10, C11, C14, C25, C26, C29-0.01 µF, ceramic disc C12-47 pF, ceramic disc C17-001 µF, ceramic disc C21-10 µF, 16 volts, electrolytic C24—500  $\mu$ F, 25 volts, electrolytic C27—100  $\mu$ F, 16 volts, electrolytic Semiconductors IC1-4514 1-of-16 data selector IC2-4520 dual binary counter IC3-4040 12-stage binary ripple counter IC4-5101L-1 256 × 4 static RAM IC5-4066 quad analog switch IC6-4515 1-of-16 data selector IC7-50240 top-octave generator (AMI, Mostek) IC8-4067 1-of-16 analog switch IC9-4082 dual 4-input AND gate IC10-386 1/2-watt audio amplifier

IC11-4511 BCD-to-7-segment-display

decoder/driver

PARTS LIST

IC13-7805 five-volt positive regulator IC14-4093 quad 2-input NAND Schmitt trigger IC15-4049 hex inverter SCR1-ECG 5400 or equivalent Q1-2N2222A or equivalent NPN silicon transistor D1-D3, D5-D7, D9, D11, D13, D17, D18—1N34A germanium diode D4, D8, D10, D12-1N914 silicon diode D14, D15-1N4001 silicon diode D16-1N4003 silicon diode DISP1-DISP3-FND 359, common cathode 7-segment displays with decimal point LED1-LED13-miniature red LED LED14-LED16-miniature green LED S1-S3, S7—DPDT miniature switch S4-S6-SPST normally open momentary switch S8—SPDT miniature switch S9-S24-SPDT miniature lever-type switch, Radio Shack 275-016, or equivalent J1-miniature N.C. chassis-mount phone jack, Radio-Shack 274-253 or equivalent SO1, SO2-female header strips, AP Products 929974 or equivalent PL1-PL5-male header strips, rightangle, AP Products 929835 or equivalent PL6-male header-strip, AP Products 929834 or equivalent B1-B8-1.5-volt alkaline "AA" cell B9-B11-nickle-cadmium "button" cell, 20 mAh, or larger Miscellaneous: PC boards, IC sockets, female header-strips (AP Products 929974 or equivalent) for interconnections (see text), solder, wire, case, etc. A set of the five PC boards, etched and

IC12-4553 3-digit counter

A set of the five PC boards, etched and drilled, but not plated through, is available from Hal-Tronix, PO Box 1101, Southgate, MI 48195. The price is \$39.95. Please add \$2.00 for shipping and handling. MI residents add 4% tax.

#### TABLE 2—BOARD 2/BOARD 3 CONNECTIONS

Pin number	Switch number and position	Conn	ectio	n	
1	S2-b, WRITE	From	Boar	d 2.	pin 17 (IC15, pin 6)
2	S2-a, center	"	"	"	" 4 (IC3, pin 11)
3	S2-b, center	11	"	"	" 5 (IC8, pin 15)
4	S3-b, MANUAL	"	4	"	" 15 (IC6, pin 1)
5	S3-a, center	"	"	"	" 2 (D3, D6 junction)
6	S3-b, center	"	"	"	" 1 (Blanking)
7	S3-a, AUTOMATIC	"	"	"	" 14 (IC15, pin 3)
8	Various	"	"	"	" 6 (Ground)
9	S7-b, play	"	"	"	" 16 (IC15, pin 7)
10	S7-a, center	"	"	"	" 15 (IC6, pin 1)
11	S7-b, center	н	"	"	" 7 (IC5, pins 5, 6, 12, 13)
12	Various	"	"	"	" 13 (+V)
13	S1-a, center	"	"	"	" 12 (IC3, pin 4)
14	S1-a, 2 TUNES	"	"	"	" 10 (IC4,pin 7)
15	S1-b, 2 TUNES	"		"	" 9 (IC2, pin 12)
16	S1-b, center	"	"	"	" 11 (R-12)
17	S1-b, 4 TUNES	"	"	"	" 8 (IC2, pin 13)
18	S1-a, 4 TUNES	"	"	"	" 3 (D18)




FIG. 12—PARTS-PLACEMENT DIAGRAM for Board 1. Note that female header, PL6, mounts on the foil side of the board.




FIG. 13—AS SHOWN HERE, the cathode connections for LED1-LED16 are located on the foil side of Board 2.




FIG. 14—THIS TINY, single-sided, board can be mounted anywhere that is convenient. In the prototype it was mounted in a "piano bench."

that they are on two separate boards. Resistor R40 is on the display board because locating it there allows us to test the board all by itself.

#### **Keyboard display**

The last part of the Pianomatic that we'll look at is the keyboard display, controlled by IC6, a one-of-sixteen data selector similar to the keyboard selector, IC1. The output-data bus is monitored by IC6; that IC puts a low at the pin selected by the word on the bus. Those outputs are used to turn on small LED's buried in the piano keys. The inhibit input is connected to the center pole of switch S7-b, half of the PLAY/MEMORY switch. That means that the LED's will be turned on only when the memory is enabled. Since only one LED will be on at a time, we only need a single current-limiting resistor, R36.

#### Construction

Now that we understand how the Pianomatic works, we can put it together. You could use perfboard and wire wrap the whole thing—after all, the pyramids were built thousands of years ago with primitive tools and they've lasted—but the use of printed-circuit boards is strongly suggested. The PC-board patterns for the device are shown in Figs. 5–11; the partsplacement diagrams are shown in Figs. 12–16. If those are used, the project becomes neater and cleaner.

There's nothing particularly complicated about the construction of the Pianomatic. The circuit has been designed to fit on five separate boards. The interconnection diagram for the boards is shown in Fig. 17 (which appears next month). The interconnection between boards 2 and 3 is a little complicated, so to simplify things it's been listed in Table 2.

There is one small complication with the boards: two of them—boards 1 and 2—are, unfortunately, double sided. Don't forget to solder small pieces of wire to both sides of the double-sided boards as feedthroughs. All feedthroughs are indicated by asterisks on the appropriate parts-placement diagrams. Where possible, the feedthroughs were done on the legs of the components, but there are some that had to stand by themselves.

A few important points: First, note that the pads for the LED's are on the front of board 2 in between the pads for keyboard switches S9-S24 (see Fig. 13). Notice that the cathode pads are on the component side of the board and the anode pads are on the foil side. Also, the cathode of LED16 is used as a feedthrough between the two sides of the board; be sure to solder it on both sides of the board. Finally, watch the polarity of electrolytics and IC's and above all, use IC sockets.

There are several options available to you in building the Pianomatic and one really tricky thing to watch out for. You can change the speed of the tremolo by




FIG. 15-THE DISPLAY BOARD mounts directly on Board 1 using a right-angled male header, PL4.




FIG. 16—MOST OF THE POWER-SUPPLY COMPONENTS mount on Board 5. Batteries B1–B8 and jack J1 can be mounted anywhere that is convenient. In the prototype they were mounted in the wood base.

adjusting the value of R32. Raising the value will slow it down and lowering the value will, logically enough, speed it up. The pitch of the Pianomatic can be changed by adjusting the parameters of the oscillator made from IC15-e and IC15-f. Just plug the values of R35 and C22 into the formula f = 1/2.2RC and you'll be OK. Remember, though, IC7 does a good deal of division internally. The lowest note available from IC7 is the input frequency divided by 478, so bear that in mind when you start substituting values.

The tricky part of the Pianomatic is the tempo clock. Getting it to work in the manual mode is straightforward and shouldn't present any problems—getting it to work in automatic is something else. The problem comes about because you're operating at the upper and lower trip points of the Schmitt trigger. Although things seem clear cut when they're on paper, and formulas and graphs indicate all sorts of precision, dealing with the real world is quite another matter.

The important parameters in the tempo clock are R2, R3, and R4. Resistor R3

serves the same purpose as R31 does in the tremolo clock. It sets the frequency of the clock. Either R3 or C8 can be altered to change the tempo. The relationship is complicated but is of the form f = (1/RC) $\dot{K}$ , where K is a constant. The voltage divider made up of R2 and R4 is what sets things up for automatic playback. In manual playback, the voltage at pin 12 of IC14-d should be at ground when the clock is disabled and about one third below the supply rail when the clock is enabled (when the start switch, S4, is kept closed). In automatic, the voltage of pin 12 should be half the supply voltage when the clock is disabled. Now, mind you, that is in theory. What we're trying to do is keep the voltage in the middle of the dead-band area of the Schmitt trigger. That way it only takes a little push in either direction to enable or disable the clock.

When you put your Pianomatic in automatic, one of three things will happen-it will work perfectly, it won't start, or it won't stop. Assuming the pin-12 voltage is correct, the problem facing you is that there are variations in the dead band from IC to IC. You'll find that some Schmitt triggers have a dead-band area that tends to favor the upper end of the supply, while others favor the lower end. That is normal and the solution is to vary R2 and R4 until the circuit works. Now, nothing would make us happier (well, a few things would) than to give you numbers, but that is impossible. We've taken our Pianomatic, which works perfectly, and substituted different 4093's for IC14. Some would work and some wouldn't, even though no other changes were made in the circuit. Even IC's from the same production run will have different trip points. Be comforted by knowing that any of those IC's could be made to work by fooling around with the values of R2 and R4. The best way to find the correct values for your circuit is to realize that varying R2 is going to have a much greater effect than playing around with R4. We've seen that R4 has a function when the Pianomatic is in manual as well as automatic playback-it pulls pin 12 low to stop the clock. On the other hand, R2 has no purpose in life other than keeping pin 12 in the middle of the dead-band area when the Pianomatic is set to automatic playback.

Raising the value of R2 will lower the voltage on pin 12 and lowering the value will raise the voltage. If your Pianomatic won't start playing in automatic, the voltage on pin 12 is too low—if it won't stop playing, the voltage is too high. Don't make heroic changes in the value of R2, however, because, as you'll discover, a handful of ohms will go a long way. In fact, going up or down about 2K should solve the problem.

Next month the final installment on the Pianomatic will discuss the voltageregulator circuit, operation, troubleshooting, and calibration. **R-E** 



CIRCLE 38 ON FREE INFORMATION CARD

# Contempose with McGRAW-HILL'S Contemposed of the second se

Now you can meet the challenges of today's incredibly rapid changes in electronics quickly and easily. This professional level electronics learning series is as innovative as the circuitry it explains and as fascinating as the experiments you build and explore!

From digital logic to the latest 16-bit microprocessor, you master one subject at a time with McGraw-Hill <u>Concept Modules</u> sent to you one at a time, once a month, to make up the complete CONTEMPORARY ELECTRONICS SERIES. Each module of the fifteen in the Series is a unique blend of "hands-on" experience, interactive audio cassettes, and vividly illustrated printed support materials. Together they will prepare you for tomorrow's better jobs or advancement in your present position by staying current with today's electronics revolution.

#### Understand Digital Logic... Microprocessors...Optoelectronics

Here's an extraordinary opportunity to update your understanding of today's most important technological changes in electronics. You can start from scratch or use the Series to update yourself. You cover the latest integrated circuits, including TTL, CMOS, and ECL digital circuits; op-amps: phase-locked loops; microprocessors; and opto devices such as LEDs and LCDs.

#### **Perform Electronic Experiments**

With your first module you'll use the latest digital integrated circuits to build an oscillator circuit that demonstrates digital signals — verified visually by the flash of light emitting diodes (LEDs) and audibly by tones produced through the mini-speaker that is provided.

You'll learn concepts applicable to all electronic circuits. With the first module, you will be able to identify the major passive components, like resistors, capacitors, inductors, diodes and transformers, and active

# 

components such as transistors and integrated circuits.

Each Concept Module goes right to the heart of the matter. You waste no time on extraneous material or outdated history. It's a fast, efficient, and lively learning experience, a nontraditional approach to the most modern of subject matter.

#### **Construct and Use a Prototyping Design Laboratory**

You will construct a professional Prototyping Design Laboratory which will be a valuable learning tool throughout your studies. Because of its versa-

tility, you will use it again and again, even after you have completed your Contemporary Electronics Series.

Expand To Rival Professional Instruments After you have completed the Series and constructed your Prototyping Design Lab, an optional Expansion Kit is available which when added to your completed lab will make it a rival of professional instruments that are widely used in industrial laboratories for electronic design and development as well as testing and measuring.

#### **Unique Interactive Instruction** Makes Learning Easy

With each new module you'll receive a McGraw-Hill Action-Audio Cassette, a proven successful method of interactive instruction. Each tape creates a dynamic dialogue that not only quickly communicates the facts, but makes you feel that you're participating, as you respond to questions and listen to problems being solved.

Your ability to rapidly make this knowledge your own is further aided by a strikingly original technique for using diagrams, illustrations and schematics to



ments, Finally, having completed the Series, you can

be awarded a Certificate of Achievement from McGraw-Hill upon passing an optional final examination.

#### YOU COVER EVERY SUBJECT IN CONTEMPORARY **ELECTRONICS**

- Digital locic
- Digital gates (TTL, CMOS, ECL, NMOS)
- Flip flops
- Counters and Registers
- Op-amps and Applications
- Combinational logic circuits (ROMs, PLAs, decoders. etc.)
- Circuit analysis. LCR networks
- Transistors (bipolar and FETs), diodes and thyristors
- Integrated circuits (linear and digital)
- Oscillators
- Optoelectronics
- Microprocessors
- Voltage Regulation
- Advanced Digital
- Concepts


#### **Update Your Knowledge** of the New Electronics

This program is for you whether you're a scientist who can use electronics to improve or speed up your investigations...a teacher who'd benefit from a refresher in contemporary components, circuits and applications...a manager or supervisor in an electronics related business or industry...an engineer in another field who finds electronics playing an ever more important role in your work...

someone looking to find new direction in this wide open field...or the kind of person who wants to understand what's going on in the world around you.

McGraw-Hill's Contemporary Electronics Series offers you the quickest and probably least expensive learning method available today, and the only one with "hands-on" experience. The only equipment you will need to complete the experiments in the Series is a multimeter, which is not included.

The First Module Includes a Solderless Breadhoarding System It enables you to connect components and build electronic circuits easily and quickly. You'll use it throughout the Series to build and test your own contemporary circuits. Each module inchides an essential hands-on experiment with real electronic components to give you a clear understanding of contemporary electronics.



### **15-Day Trial**

To order your first module under our 15-day trial examination, simply complete the card and send today! If card is missing, write us for ordering information: McGraw-Hill CEC, 3939 Wisconsin Ave.. Washington, DC 20016.

# Compare Radio Shack's TRS-80° Model 4 With IBM° and Apple°



# Model 4 Wins! And You Save Up to \$1014

Description	Radio Shack Model 4	IBM PC	Apple IIe
Two-Drive Unit	\$1999	\$1864	\$1995
Formatted Disk Capacity	174Kb each (TRSDOS)	180Kb (DOS 2.0) 160Kb (DOS 1.0)	124Kb (DOS 3.3)
80-Column	Included	Included	Included
Monitor	Included	\$345	Included
Monitor Adapter	Not Required	\$335	Not Required
First Drive	Included	Included	Included
Second Drive	Included	\$289	\$395
Parallel Printer Interface	Included	Included	\$165
Serial Interface	Included	\$120	\$195
Reference Books	Included	Included	\$50
Numeric Pad	Included	Included	\$159.95
Diskette Operating System	Included	\$60	Included
Total	\$1999*	\$3013	\$2959.95



A DIVISION OF TANDY CORPORATION

\*Price applies at participating Radio Shack stores and dealers. IBM is a registered trademark of International Business Machines Corp. Apple is a registered trademark of Apple Computers. CP/M is a registered trademark of Digital Research. Inc. Prices based on manufacturer's literature.

□ Send me a free TRS-80 Model 4 brochure today!			
Mail To: Radio Shack, Dept. 84-A-836 300 One Tandy Center, Fort Worth, Texas 76102			
NAME			
COMPANY			
ADDRESS			
CITY	STATE ZIP		
TELEPHONE _			

TRS-80 Model 4 Is the Logical Choice. For performance and price, our Model 4 desktop computer is the professional approach to improving your productivity. It has features built-in that cost extra in other computers—features that will make your job a lot easier.

Designed to Make Hard Work Easy. The easy-to-read 80-character by 24-line display and 64,000-character memory make Model 4 perfect for complex spreadsheet analysis. To speed operations, our "MemDisk" emulates a super-fast disk drive in memory for keystroke-quick responses instead of time-consuming disk access. A built-in print spooler lets you work on one job while printing another.

Versatile and Powerful. We designed Model 4 to be completely compatible with our existing line of word processing, time management, electronic filing—in fact, *ali* TRS-80 Model III software. And soon you'll be able to choose from thousands of CP/M<sup>®</sup>-based programs.

See It Today. Get a demonstration of the TRS-80 Model 4 (Cat. No. 26-1069) at your nearest Radio Shack Computer Center, participating store or dealer. Be sure to ask about our leasing, training and service plans, too.

CIRCLE 61 ON FREE INFORMATION CARD

**OCTOBER 1983** 

I has been ONLY A YEAR SINCE THE last Your Own Computer hardware buying guide was published, but what a year it has been! Almost overnight, the shape of the microcomputer world has been changed. A generation of new microcomputers has appeared, bringing low-cost computing power to price levels unimagined at the time.

HII

The primary change that brought this about has to do with economics more than anything else As recently as five or six years ago, the small piece of silicon that carries the number-erunching circuitry the CPU (Central Frocessor Unit)—cost as much as \$50 or more in small quantities. Yes, they were used in many items and as they became more common their cost began to crop. Soon they were selling for \$20, and shortly thereafter for \$10. The economies resulting from mass production techniques were making themselves felt.

At the same time, the price of mass memory fell dramat cally. No longer was the price of this key ingredient in the makeup of a personal computer pro-

# COMPREHENSIVE BUYERS GUIDE TO COMPUTER SYSTEMS

MARC STERN

YDUR OWN

**Under \$500** \$500 - \$1000 \$1000 - \$1500 \$1500 - \$2000 \$2000 - \$2500 \$2500 - \$3000 \$3000 - \$3500 \$3500 - \$4000 \$4000 - \$4500 Over \$4500

Copyright Gernsback Publications, Inc., 1983





A NEW GENERATION OF COMPUTERS, the lap computer, makes its appearance this year.

hibitive. Instead, like the price of CPU's, the price of the memory IC's used to store information for use by the microcomputer fell to low levels, with the result that there are now home computers that have as much on-board memory as some of last year's higher-priced models. This development in the home-computer market is perhaps more dramatic than any other that has occurred in the last few years.

#### 8-bit/16-bit CPU's

The face of the microcomputer industry is changing. No longer is the industry standardized around an 8-bit CPU (the length of a digital "word"). Instead, the standard word size found in many of today's moderate and higher-priced home-microcomputer systems is 16-bits. A 16-bit CPU can address more memory space. Where the 8-bit machine is limited in its memoryaddressing capability to 64K bytes (actually 65,536 bytes) of memory to perform its tasks, the 16-bit CPU can address more than 1 megabyte. Thus, the 16-bit CPU can handle tasks that are far too complex for the 8-bit machine to handle and it can handle those tasks faster.

It should be noted, though, that 8-bit CPU's are still more than powerful enough for the average, single home user, so it isn't necessary to spend the extra money for a 16-bit system, unless you need its extra computing power.

The inevitable move to 16-bits has been spurred by the entry of IBM into the microcomputer market. Long dominant in the mainframe world, this computer giant jumped into the micro world nearly two years ago and, since that time, it has become a major force. Of course, Apple, Radio Shack, Heath, and Commodore Business Machine microcomputers are still abundant; but it has been estimated that nearly 20 percent of the microcomputer market is held by IBM and, with such representation in the market, it naturally calls the tune.

Thus, more and more microcomputer systems are becoming IBM-workalikes, IBM-lookalikes or IBM-compatibles. They also run similar operating systems to IBM's PC-DOS. In the non-IBM world, this disk operating system is known as MS-DOS and you will see many references to it in the "Operating System" category of the pricing charts included in this buying guide. Such is the success and dominance of this microcomputer system that other computer manufacturers are going out of their way to make their machines compatible.

In a sense, this is a good move because it provides a measure of standardization in an otherwise nonstandard, incompatible market. Just as IBM's 8-inch floppy-disk format became a standard, so to has its operating system become a standard for the micro world. However, it should be realized that though a machine may be capable of running MS-DOS, it may still be incompatible with others on the market because of incompatible storage formats. That is one facet of the microcomputer market that has yet to be worked out.

This trend has its parallel in the 8-bit world. The CP/M (Control Program/Microcomputers) operating system became the de facto 8-bit standard operating system because of its early headstart and subsequent dominance in this sphere. Yes, there is a 16-bit version of CP/M (CP/M-86), but it hasn't achieved the dominance of MS-DOS.

#### Portable computers

Another trend over the last year has affected the so-called portable market. Just a year ago, this type of computer was the rage of the microcomputer world. It had the following attributes: a small CRT screen (5 to 9 inches) built-in; two disk drives for storage; or comprehensive software applications packages included, and weighed up to 30 pounds. At this weight, these machines were certainly transportable, but were they portable? Obviously, the microcomputer industry didn't believe they were because it has come out with a new generation of lap computers (also called notebook or briefcase computers) which weigh between 9 and 11 pounds. This new generation has also split the "portable" market into the transportable computer market, as the heavier machines are called, and the lap-machine market, as the new notebook-sized machines are called.

Last year's portables are as different from these machines as day is from night. Where last year's portable had the two power-hungry drives and the CRT, this year's crop of lap computers is capable of running off battery power. And, where last year's group of machines included software packages that were stored on minifloppy diskettes that had to be inserted into the drives before they could be used, this year's breed of lap computers includes software that is part of the machine itself. This software is stored in ROM (Read-Only Memory) and is accessed with the push of a button. Typically, this software includes some variety of text editor, electronic mail system, appointments calendar and more. The lap computer usually includes at least 16K of user memory (RAM) with the upper limit being either 32K or a full 64K.

Like last year's portables, the majority of today's lap machines are driven by 8-bit CPU's, although some contain 16-bit CPU's. These microcomputers, though, aren't powerhungry. Instead, they are CMOS 8- or 16-bit microcomputers, which mean these machines can rely on battery power.

Unlike last year's portables, though, these compacts rely on liquid crystal displays, rather than cathode-ray tubes. Using this remarkable technology, the industry has been able to develop 8-line by 40-character displays for the new generation of lap computers. This means these devices are free of the need for large power-supplies and AC outlets.

Generally, these machines—like last year's models—feature full-travel, typewriter-style keyboards, which is a remarkable feature, when you consider that microcomputers of the same size class last year featured membrane or rubber overlay keyboards.

Like their larger counterparts, though, the new portables also feature some sort of storage medium. Some feature cassette interfaces for mass storage, while others—the Epson QX-10, for instance—have integral minicassette data storage. Still other portables use the more traditional minifloppy disks for storage, although they are capable of storing some information that may have been generated in the field in RAM.

An interesting use of RAM has been made by Athena Computer and Electronic Systems in its *Athena I*. Instead of using two disk-drives for mass storage, it uses RAM configured as a storage device. This allows a user to load applications software and files and use this memory space for work. The key advantage to using RAM in this configuration is a manyfold increase in speed because the necessary program files are available in memory for instant use. There is no need to wait for a disk access that slows program speed. It must be noted that although RAM drives, as these are termed, are very quick and speed things up greatly, they are also volatile. In other words, the contents of these drives disappear as soon as the power is turned off. So, unless you want to keep the computer on all the time, you must eventually empty the contents of the RAM drive to some sort of storage device, which the *Athena I* does. It provides one standard drive for storage.

#### About this supplement

In this year's **Your Own Computer** supplement, we will take a look at small computer systems in order of increasing price, from below \$100 to over \$4500. A series of charts will help you understand how small-computer systems become more powerful as their prices increase. They will also show you the trends that we have just mentioned.

In a departure from last year's supplement, we have omitted printers because of the wide variety available for a wide range of prices. This means that instead of having to rely on a manufacturer's suggested printer, the small-computer buyer can find one of his own, within his price range. And, since most printers interface with small computers in only one of two manners, serial or parallel, there should be little trouble interfacing the printer with the computer. Thus, because of the disparity in printer prices and varieties, we leave it up to the individual buyer to make his own choice.

As for the system prices you will find they might differ somewhat from what you may see advertised. The reason is quite simple, we are using the *manufacturer's suggested retail price* as the basis for our pricing considerations. Using this type of guideline provides a more objective standard by which to judge the many systems on the market.

Many, but not all, computers can be purchased ready to plug in and run. They will usually have a minimal amount of standard memory and provisions for a video display. Further, they will also usually have some provision for storing programs and data, either on cassette tape or floppy disks. Most of our systems assume that—after the lowest price level—you will be buying one of the display devices offered by the manufacturer. The prices reflect this, although it should be noted that you can also buy a monitor yourself and save money with it.

Regardless of whether a particular device is included with our listings, the computer can usually be purchased without it and, in many cases, you will want to do that and then add the peripherals that best meet your needs.

For your own shopping, though, one of the items that must be carefully considered is the amount of memory available for a system. Memory is the most vital consideration in any smallcomputer system. The reason is that without it, the system is little more than an inert box, capable of little or nothing. Memory is vital because it provides an area in which to store and manipulate data.

Most small computers come with a minimal amount of user memory, usually ranging from 4K to 16K. While this level is adequate for game-playing and simple home applications, a computer used for more serious purposes will generally require at least 48K or memory and most of the systems mentioned in our supplement can be expanded beyond this point. And, with the new generation of memory-intensive 16-bit programs coming onto the market, 48K is not enough, with a minimum of 64K preferred, although 128K is better.

Some of the computers you will find listed here are "micromainframes." These systems are little more than boxes housing the CPU, disk drive storage devices and motherboard—the board that carries the bus signals. Usually found on high-end systems, these machines have several input/output ports and you will also find that these systems must have terminals or workstations attached to them before they can become useful. Typically, these systems are usually found in multiuser environments, although a single user can functions with one, too.

Every small-computer system comes with some means of mass data storage. The device can be a cassette interface or floppy-disk drives and controller. These devices allow data to be



stored for future use. Our tables show the typical configuration for the price range in question. In nearly every case, there are other alternatives open to the user, but it should be kept in mind that these are more expensive. For instance, the typical dualdrive 5¼-inch configuration may add \$300 to \$500 to the cost of a typical one-drive system, while an 8-inch drive may add \$1500 or more. Also keep in mind, though, that higher-density storage options increase the usefulness of the system, but at a cost. For instance, a double-sided, double-density 8-inch floppy disk storage system is capable of storing 2 megabytes of information or about 16 million bits of information (8 bits to a byte).

Some of our completed systems mention "hard" or Winchester disk storage. These fixed medium storage devices are capable of huge amounts of storage, 5 megabytes and up to 20 for the typical 51/4-inch hard disk system. However, they add considerably to the cost of the unit—from \$1500 to \$3000 on average—and they should only be considered for serious computer work.

For the typical small-system user, we recommend a two-drive floppy-disk system. Not only will this give you greater storage, but you will also find it faster to copy files from one disk to another. More important, if you can afford this type of system, is the fact that if the storage capacity of the disk is small, it may not be possible to hold both the DOS (*Disk Operating System* and the data you require. In the two-drive configuration, one drive is used to hold the application program and DOS, while the second drive holds the data.

Most systems require the use of a keyboard for input and some type of video display device for output. The most inexpensive computers usually rely on a home television set and interface with the video unit through an RF modulator. You will find the definition and clarity of this type of display device is poorer than a dedicated monitor. The RF modulator will usually be built into the unit or might be an extra-cost add-on and it pays to check.

Some computers, the Heath H89 or Radio Shack TRS-80 Model III, come with built-in yideo display devices, while others, primarily the micromainframe category, require auxiliary terminals—a combination keyboard and display unit. If you opt for this type of unit, it should be noted that terminal prices start about \$600.

We have tried to give you as complete an indication as possible as to what the display situation is with a particular system. However, it should be kept in mind there might be several possible choices for any system.

The tables included with each price-category section show which computers, features and accessories you can expect to find in a typical system within that price range. If a system has been upgraded from the previous table, the new information appears in blue print in the comments line to the right of the table. The tables will give you an idea of what you can get for a given price; a local computer store will be able to answer your questions and tailor a system to your specific requirements. **R-E** 



# \$**139**.00\*

- 170K DISK DRIVE \$179.00 \*
- TRACTION FRICTION PRINTER \$119.00 \* SERVICE

#### ( \* with software savings applied)

#### **COMMODORE 64 COMPUTER \$139.00**

You pay only \$239.00 when you order the power-ful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE COUPON we pack with your computer that allows you to SAVE OVER \$100 off software sale prices!! With only \$100 of savings applied, your net computer cost is \$139.00!! LESS a \$49.50 BONUS PACK of 30 programs on tape or disk we give you absolutely FREE!!!

#### 170K DISK DRIVE \$179.00

You pay only \$279.00 when you order the 170K Disk Drive! LESS the value of the SPECIAL SOFTWARE COUPON we pack with your disk drive that allows you to SAVE OVER \$100 off software sale prices!! With only \$100 of savings applied, your net disk drive cost is \$179.00. LESS a \$49.50 BONUS PACK of 30 disk programs we give you absolutely FREE!!!

#### **TRACTION FRICTION PRINTER \$119.00**

You pay only \$219.00 when you order the Com-star T/F deluxe line printer that prints 8  $1/2 \times 11$ full size, single sheet, roll or fan fold paper, ibbeis etc. 40, 66, 80, 132 columns. Impact dot matrix, bi-directional, 80 CPS. LESS the value of the SPECIAL SOFTWARE COUPON we pack with your printer that allows you to SAVE OVER \$100 off software sale prices!! With only \$100 of savings applied your net printer cost is only \$119.00.

#### 80 COLUMN BOARD \$149.00

You pay only \$149.00 for this 80 Column Board when it is purchased with a COMMODORE 64 Computer or a Disk Drive or a Printer or a Monitor. If purchased alone the sale price is \$169.00. Included with this board is word processor pack, electronic spread sheet and ma. merge data base on two tapes. List \$249.00. (Disk add \$10,00).

#### EXECUTIVE

WORD PROCESSING PACKAGE SCRIPT 64 EXECUTIVE WORD PROCESSOR is the finest available for the COMMODORE 64 Computer! THE ULTIMATE for PROFESSIONAL wordprocessing application. Featuring simple operation, powerful text editing with a custom-ized word dictionary, complete cursor and insert/delete key controls, line and paragraph in-sertion, automatic deletion, centering, margin settings and output to all printers. Included is a powerful MAIL MERGE When used with THE COMPLETE DATA BASE PACKAGE. List \$99.00. Sale \$79.00, Coupon Price \$52.00, (Disk only).

#### SPECIAL SOFTWARE COUPON

SALE

WE

HAVE THE

LOWEST

PRICES

WE

HAVE

BEST

THE

We pack a SPECIAL SOFTWARE COUPON with every COMMODORE 64 COMPUTER-DISK DRIVE-PRINTER-MONITOR we sell! This coupon allows you to SAVE OVER \$100 OFF SALE PRICES! \$200-\$300 savings are possible!! (example)

PROFESSIONAL SOFTWARE					
COMMODORE 64					
Name	List	Coupon			
Executive Word Processor	\$99.00	\$52.00			
Complete Data Base	\$89.00	\$46.00			
Electronic Spreadsheet	\$89.00	\$46.00			
Accounting Pack	\$69.00	\$32.00			
Total 5.2 Word Processor—Plus					
Таре	\$69.00	\$37.00			
Disk	\$79.95	\$42.00			
Total Text 2.6 Word Processor—					
Таре	\$44.95	\$26.00			
Disk	\$49.95	\$26.00			
Total Label 2.6	\$24.95	\$12.00			
Disk	\$29.95	\$15.00			
Quick Brown Fox Word					
Processor	\$69.00	\$40.00			
Programmers Reference					
Guide	\$20.05	\$12.50			
Programmers Helper	\$69.00	\$40.00			
Basic Tutor	\$29.95	\$15.00			
Typing Tutor	\$29.95	\$15.00			
Sprite Designer	\$16.95	\$10.00			
Medicinemen	\$19.95	\$12.00			
Weather War II	\$19.95	\$12.00			
Music-Maker	\$19.95	\$12,00			
EDU-Pack	\$24.95	\$13.00			
3D Maze Craze	\$24.95	\$13.00			
Professional Joy Stick	\$24.95	\$12.00			
Light Pen	\$39.95	\$20.00			
Deluxe Dust Cover	\$ 8.95	\$ 4.60			
(and many other items)					
Write or call for					
Sample SPECIAL SOFTWARE COUPON!					
A CONTRACTOR OF		-			

#### **PROFESSIONAL BUSINESS SOFTWARE EXECUTIVE QUALITY BY TIME WORKS!**

#### The Cadillac of business programs for Commodore 64 Computers

Item	List	*SALE
Inventory Management	\$89.00	\$69.00
Accounts Receivable	\$89.00	\$69.00
Accounts Payable	\$89.00	\$69.00
Payroll Management	\$89.00	\$69.00
Cash Flow Management	\$89.00	\$69.00
Sales Analysis	\$89.00	\$69.00
General Ledger	\$89.00	\$69.00
(*COUPON PRICE \$59.00)		

#### **VIC-2** at the price of a tov) (a real com

# \$**77**\_00\*

- 40-80 COLUMN BOARD \$99.00 \*
- VOICE SYNTHESIZER \$69.00 \*

( \* with Cassette and Gortek purchase)

#### VIC-20 COMPUTER \$77.00

You get the Commodore VIC-20 Computer for only \$77.00 when you buy at sale prices: The Commodore Data Cassette for only \$69.00 and the Gortek Introduction to Basic program for on-ly \$19.95. TOTAL LIST PRICE \$302.95. SPECIAL PACKAGE SALE PRICE \$165.25.

#### 40-80 COLUMN BOARD \$89.00

A fantastic price breakthrough for VIC-20 owners on this most wanted accessory!! "Now you can get 40 or 80 Columns on your T.V. or Monitor Screen," Plus we add a word processor with mail merge, electronic spread sheet, time manager and terminal emulator!! These PLUS programs require 8K or 16K RAM memory. (Disk add \$10.00).

#### VOICE SYNTHESIZER \$59.00

Votrax Based. Make your VIC-20 COMPUTER TALK! Has features equivalent to other models costing over \$370.00. You can program an unlimited number of words and sentences and even adjust volume and pitch. You can make adventure games that talk! A must for enhancing your programming creativity and pleasure.

#### **60K MEMORY EXPANDER \$59.00**

Sixslot — Switch selectable — Reset button — Ribbon cable. A must to get the most out of your VIC-20 Computer. Includes FREE \$29.95 adventure dame.

#### **8K RAM CARTRIDGE \$39.95**

Increases programming power 2 1/2 times. Expands total memory to 33K (33,000 bytes). Memory block switches are on outside of cover! Includes FREE \$16.95 game.

#### 16K RAM CARTRIDGE \$69.00

Increases programming power 4 times. Expands total memory to 41K (41,000 bytes). Memory block switches are an outside cover! Includes FREE \$29.95 adventure game!!

#### 12" GREEN SCREEN MONITOR \$109.00


Excellent quality GREEN PHOSPHOROUS VIDEO MONITOR with antiglare, 1920 characters (80 characters x 24 rows). Save your TV! a must for 80 column word processors. PLUS \$9.95 for VIC 20 or Commodore 64 Cable.

#### 12" AMBER SCREEN MONITOR \$149.00 Premium quality AMBER VIDEO MONITOR With antiglare, (80 characters x 24 rows), exceptional-ly clear screen, faster scanning, 1000 lines. PLUS \$9.95 for VIC 20 or Commodore 64 Cable.

#### • LOWEST PRICES • 15 DAY FREE TRIAL • 90 DAY FREE REPLACEMENT WARRANTY BEST SERVICE IN U.S.A. ONE DAY EXPRESS MAIL OVER 500 PROGRAMS FREE CATALOGS

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII orders. WE DO NOT EXPORT TO OTHER COUNTRIES. Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. VISA - MASTER CARD ACCEPTED







It's amazing how much computer power can be bought for less than \$500. Let's take a look.

# **Under \$500**

MARC STERN

PERHAPS THE MOST VOLATILE SEGMENT OF THE PERSONALcomputer marketplace is the segment under \$500. Since last year's supplement was published, seven new names have joined the ranks of the manufacturers producing machines here. Those manufacturers include some of the leading names in consumer electronics, notably Mattel and Panasonic, while the others include new companies whose products are now just hitting the market.

#### Timex

Still leading this price segment is the Timex-Sinclair 1000 (formerly the Sinclair ZX81). A tiny machine, about the size of a book, it features 2K of user memory—expandable to 16K—and a cassette interface. Essentially, it is a computer learning machine with which one can begin to understand the basics of microcomputing. Supplied with the 1000 is a BASIC learning guide with which you can learn how to program in this highlevel language.

The BASIC programming language is resident in 3K ROM (Read-Only Memory). The 1000's unique multi-function, single-key entry system permits the user to enter BASIC commands and instructions with a single push of the tiny microcomputer's membrane keyboard.

This type of keyboard, which has been used on other machines on the market, is fine for hunt-and-peck typists, but it is lacking for touch typists. In fact, the size of the unit makes speedy text entry nearly impossible.

Capable of interfacing with a home television set as an output device, the 1000 has a limited 32-character by 24-line display. This is less than half the industry-standard 80 by 24 display and this is limiting because the display isn't entirely flicker-free.

Moving up a notch from the 1000, we come to the recently introduced 1500. Driven by a Z80A microprocessor, the same CPU that drives the 1000, the 1500 has an improved keyboard,

with small-sized calculator-type keys, much like those found on pocket calculatorrs. And, while this type of keyboard is better from a tactile standpoint, the experienced typist will be hindered by the non-standard keys.

This mini-microcomputer, which weighs in with a mini-price of \$79.95, has 16K of user memory standard. This feature means it can handle far more complex tasks than the 1000. It also makes the 1500 the first computer in the under-\$100 market that has 16K of resident user memory.

Mass storage for the 1500 is provided with a standard cassette interface. User-generated data can be stored for future use via this interface.

Unlike the more limited 1000, the 1500 can have its memory expanded to 32K, providing more than enough user memory for games and limited home-computing applications.

But like the 1000, video output is handled via a built-in RF modulator that interfaces with a home television set. Both units are also capable of generating black-and-white graphics and include the plot and unplot graphics commands provided in the high-level Extended BASIC language provided in the ROM.

Another computer from Timex is the top-of-the-line 2000 series, that consists of two models, one priced at \$149.95 with 40K of user memory and the other priced at \$199.95 with 72K of user memory. Both provide color graphics and feature sophistication not normally found in low-cost home computers.

Physically much larger than its stablemates, the 2000 features a standard "QWERTY"-type keyboard with large calculatortype keys. The keys appear large enough so that an experienced typist should almost feel comfortable using it.


Actually developed by Sinclair Research Ltd. during Great Britain's Prestel videotext terminal competition, the 2000 is a sophisticated machine with a nearly normal screen display of 64-characters by 24-lines, or twice the capability of its stablemates. TABLE 1-under \$500

Manufacturer	Model	Price	CPU	Word length	Operating System	Languages
Timex Computer	1000	\$49.95	Z80A	8-bit	N/A	BASIC
Radio Shack	TRS-80 Pocket Computer PC-4	\$69.95	Custom CMOS	Not announced	N/A	BASIC
imex Computer	1500	\$79.95	Z80A	8-bit	N/A	BASIC
Radio Shack	TRS-80 Pocket Computer PC-4	\$89.95	Custom CMOS	Not announced	N/A	BASIC
ideo Technology Inc.	VZ200	\$99.95	Z80A	8-bit	N/A	BASIC
etronics Research	Elf II	\$99.95	1802	8-bit	N/A	machine
harp Electronics	PC-1250	\$110	Custom CMOS	8-bit	N/A	BASIC
adio Shack	TRS-80 MC-10	\$120	6803	8-bit	N/A	BASIC
/ideo Technology Inc.	VZ200	\$125	Z80A	8-bit	N/A	BASIC
letronics Research	Explorer/85	\$130	8085	8-bit	N/A	machine
Radio Shack	TRS-80 Pocket Computer PC-4	\$140	Custom CMOS	Not announced	N/A	BASIC
Timex Computer	2000	\$150	Z80A	8-bit	N/A	BASIC
Netronics Research	Elf II	\$150	1802	8-bit	N/A	machine
Mattel Electronics	Aquarius	\$150	Z80A	8-bit	N/A	BASIC, LOGO
/ideo Technology Inc.	VZ200	\$174.95	Z80A	8-bit	N/A	BASIC
Sharp Electronics	PC-1250	\$185	Custom CMOS	8-bit	N/A	BASIC
Atari Products	600XL	\$199	6502C	8-bit	N/A	BASIC
Sord Computer	M5	\$199	Z80A	8-bit	N/A	BASIC
Iultitech Electronics	MPF-IP	\$199	Z80	8-bit	N/A	BASIC, FORTH
imex Computer	2000	\$199.95	Z80A	8-bit	N/A	BASIC
Radio Shack	TRS-80 Pocket Computer PC-2	\$199.95	Custom CMOS	8-bit	N/A	BASIC
Commodore Business	VIC-20	\$199.95	6502	8-bit	N/A	BASIC
lachines lattel Electronics	Aquarius	\$205	Z80A	8-bit	N/A	BASIC, LOGO
harp Electronics	PC-1500	\$220	Custom CMOS	8-bit	N/A	BASIC
etronics Research	Elf II	\$224.45	1802	8-bit	N/A	machine
ideo Technology Inc.	VZ200	\$224.45	Z80A	8-bit	N/A	BASIC
exas Instruments	TI-99/4A	\$225	TMS9900	16-bit	N/A	BASIC
exas Instruments	CC-40	\$250	7C20	8-bit	N/A	BASIC
lattel Electronics	Aquarius	\$265	Z80A	8-bit	N/A	BASIC, LOGO
adio Shack	TRS-80 Pocket Computer PC-2	\$269.90	Custom CMOS	8-bit	N/A	BASIC
commodore Business lachines	VIC-20	\$274.95	6502	8-bit	N/A	BASIC
anasonic Co.	JR-200	\$279.95	Not announced	Not announced	Not announced	BASIC
harp Electronics	PC-1500	\$295	custom CMOS	8-bit	N/A	BASIC
ladio Shack	TRS-80 Color	\$299	6809É	8-bit	N/A	BASIC

	Memory/Storage	Keyboard	I/O	Display	Comments
	2K/cassette interface	membrane keyboard/	peripheral interface	TV output/32 × 24 ca-	basic system
-	544 steps	multifuntion keys 53 calculator keys, 10-	12-pin interface con-	1 line 12-character liquid	handheld computer, basic
		key keypad	nector	crystal display	model
	16 K/cassette interface	40 keys/multifunction/ rubber overlay	peripheral interface	TV output/32 × 24 ca- pability	memory expands to 16K
	1568 steps	53 calculator keys, 10-	12-pin interface con-		memory expands
_	4K/cassette interface/soft-	key keypad 45 keys, 16 predefined	nector	crystal display built-in modulator/32 × 16	basic configuration
	ware cartridges	function		text mode/128 × 64 color	kit
-	256 bytes/	hex keypad	N/A	cap.	
	cassette				
	1.7K	54 keys, reservable		24-character × 1 line liq-	low-cost, handheld micro-
	4K cassette interface	keys, keypad 48 multifunction keys	1 serial port		computer entry level color computer
_			A	text mode/RF modulator	11.1 S.A
	4K/cassette interface/soft- ware cartridges	45 keys, 16 predefined function	1 parallel	built-in modulator/ $32 \times 16$ text mode/ $128 \times 64$ color capability.	parallel printer port
-	256 bytes/cassette inter-	N/A	N/A	N/A	basic Explorer/85 building
	face				block system
	1568 steps/cassette inter- face	53 calculator keys, 10- key keypad	12-pin interface con- nector	1 line 12-character liquid crystal display	cassette interface
-	40K/cassette interface/	42 keys/multi-	peripheral interface	color output/256 × 192 ca-	basic system
	software cartrige slot	function/rubber overlay keyboard		pability/64 $\times$ 24 text mode	
	256 bytes/cassette inter- face	hex keypad	N/A		assembled
_	4K cassette interface	49 keys	1 serial, peripheral inter- face	320 × 192 graphics/40 × 24 text/user option	basic system
	4K/cassette recorder/soft-	45 keys, 16 predefined	1 parallel	built-in modulator/32 × 16	cassette recorder
	ware cartridges	function		text mode/128 $\times$ 64 color capability.	
	5.7K	54 keys, reservable keys, keypad		24-character × 1 line liq- uid crystal display	memory increases 4K
-	16K/cartridge slot	62 keys, help key, 4	1 serial, 2 controller, ex-	built-in video output sup-	basic system
		special function	pansion connector	ports 256 colors, $40 \times 24$ text	
	20K cassette	54 keys	Not announced	Home television	
	4K/cassette interface	49-key	peripheral connector	20-digit, 1-line alpha- numeric display	basic system
	72K/cassette interface/ software cartridges	42 keys/multifunction/ rubber overlay keyboard	peripheral interface	color output/256 × 192 ca- pability/64 × 24 text mode	
-	2640 bytes	65 calculator keys, 19-	60-pin bus connector	1 line 7 × 156 dot matrix	pocket computer
_	EK/appartie interfece	key pad, 18 definable		liquid crystal display color capability	basic system
	5K/cassette interface	66 keys, 4 user- programmable		color capability	Dasic system
	4K/cassette recorder	49 keys	1 serial, peripheral inter- face	320 × 192 graphics/40 × 24 text	cassette recorder
-	2.6K	65 keys, 10-key keypad,		26-character × 1 line liq-	basic system
_	256 bytes/cassette inter-	function keys hex key pad	1 serial, 2 parallel	uid crystal display home TV	expansion board with ports
_	face	- 45 keys, 16 predefined	1 parallel	built-in modulator/32 $\times$ 16	BF modulator 1 memory expansion modu
	20K/cassette recorder/soft- ware cartridges	function	i parallel	text mode/128 $\times$ 64 color capacity	brings RAM to 20K
	16K/cassette interface	standard		16 colors	basic system
	6K/software cartridges	standard layout		31-character × 1 line liquid crystal display	hand-held computer
	4K/cassette recorder	49 keys	system expander with cartridge/memory ports/1 serial	320 × 192 graphics/40 × 24 text	system expander, 2K men added
	4K	65 calculator keys, 19- key keypad, 18 defina- ble	60 pin bus connector	1 line 7 × 156 dot matrix liquid crystal display	memory expanded to 4K
	5K/cassette recorder	66 keys, 4 user- programmable		color capability	digital cassette recorder
	32K/cassette interface	60 keys, multifunction	1 parallel	RGB/composite video out- put/CRT is user option	basic system
	6.6K	65 keys, 10-key keypad, function keys		26-character × 1 line liq- uid crystal display	user memory expanded 4K
	16K/cassette interface	53 keys	1 serial	CRT is user opt/32 × 16 color text mode/256 × 192 graphics capability	basic system

TABLE 1under \$500 (contir Manufacturer	Model	Price	CPU	Word Length	Operating System	
Spectravideo	SV-318	\$299	Z80A	Word Length 8-bit	Operating System	Languages BASIC
opentariaeo	00010	φ233	2004	0-Dit	NA	BASIC
Atari Products	600XL	\$299	6502C	8-bit	N/A	BASIC
Spectravideo	SV-318	\$299	Z80A	8-bit	N/A	BASIC
Commodore Business Machines	VIC-20	\$324.90	6502	8-bit	N/A	BASIC
Netronics Research	Elf II	\$339.40	1802	8-bit	N/A	machine
Panasonic Co.	JR-200	\$340	Not announced	Not announced	Not announced	BASIC
NEC Home Electronics	PC-6000	\$349.95	Z80A-compatible	8-bit	N/A	BASIC
Sharp Electronics	PC-1500	\$370	Custom CMOS	8-bit	N/A	BASIC
Panasonic Co.	H1400	\$380	6502	8-bit	SNAP (version of FORTH)	BASIC
Radio Shack	TRS-80 Color Computer	\$399	6809E	8-bit	N/A	BASIC
Multitech Electronics	MPF-II	\$399	6502	8-bit	N/A	BASIC
Netronics Research	Explorer/88-PC	\$399.95	8088	16-bit	N/A	
Texas Instruments	CC-40	\$400	7C20	8-bit	N/A N/A	machine BASIC
Unitronics	Sonic	\$400 (est.)	6502	8-bit	N/A	BASIC
Unitronics	Sonic	\$400 (est.)	6502	8-bit	N/A	BASIC
Commodore Business Machines	VIC-20	\$404.85	6502	8-bit	N/A	ASIC
Sord Computer	M5	\$421	Z80A	8-bit	N/A	BASIC
Video Technology Inc.	VZ200	\$424.95	Z80A	8-bit	N/A	BASIC
Texas Instruments	TI-99/4A	\$425	TMS9900	16-bit	N/A	BASIC
Panasonic Co.	JR-200	\$430	Not announced	Not announced	Not announced	BASIC
NEC Home Electronics	PC-6000	\$450	Z80A-compatible	8-bit	N/A	BASIC
Netronics Research	Elf II	\$454.40	1802	8-bit	N/A	machine
Radio Shack	TRS-80 Pocket Computer PC-2	\$480	Custom CMOS	8-bit	N/A	BASIC
Panasonic Co.	H1800	\$480	6502	8-bit	SNAP (version of FORTH)	BASIC
Spectravideo	SV-318	\$490	Z80A	8-bit	N/A	BASIC
Atari Products	1200XL	\$499	6502	8-bit	N/A	BASIC
Netronics Research	Explorer/85	\$499.75	8085	8-bit	N/A	machine
Panasonic Co.	JR-800	\$499.95	Not announced	Not announced		BASIC

Memory/Storage	Keyboard	1/0	Display	Comments
16K/cassette interface	71 keys, 10 program- mable, built-in joystick		256 × 192 resolution, 16 colors, television used as display	basic system
16K/cassette recorder/car- tridge slot	62 keys, help key, 4 special function	1 serial, 2 controller, ex- pansion connector	built-in video output supports 256 colors, $40 \times 24$ text	cassette recorder
16K/cassette recorder/car- tridge slot	standard layout, function keys		256 × 192/16 colors	
13K cassette recorder	66 keys, 4 user- programmable		color capability	user memory expanded 8K
4K/cassette interface	hex keypad	1 serial, 2 parallel	home TV	user memory expanded to 4K
32K/cassette interface	60 keys, multifunction	1 parallel, 1 serial	RGB/composite video output/CRT is user option	serial port
16K/cassette interface	71 keys, 5 multifunction	1 parallel, 2 game con- troller ports	256 × 192 capability, 32 × 16 text, composite video output avail.	basic system
10.6K	65 keys, 10-key keypad, function keys		26-character × 1 line liq- uid crystal display	user memory expanded by 8K
4K	65 calculator keys in typewriter arrangement, redefinable		1-line × 26-character liq- uid crystał display	basic hand-held computer
16K cassette interface	53 keys	1 serial	CRT is user opt/32 × 16 color text mode/256 × 192 graphics capability	extended BASIC
64K/cassette interface	52 keys	1 parallel, 1 game con- troller	supports 40 × 24 text/6 colors/180 × 192 res./ user option	basic system
64K/cassette interface	N/A	1 serial	N/A	starter kit
22K/software cartridges	standard layout		31-character × 1 line liquid crystal display	user memory upgraded to 22K
80K/148K wafertape	70 keys, 10 function	expansion ports, game controller	16 colors, 40 column ca- pability	basic Sonic home comput system, includes stringy-fl py mass storage
112K/148K waftertape	70 keys, 10 function	expansion ports, game controller	16 colors, 40 column ca- pability	32K memory added
29K/cassette recorder	66 keys, 4 user- programmable		color capability	user memory expanded to 29K
20K/cassette/cartridges	54 keys	Not announced	Home television built-in modulator/32 $\times$ 16	BASIC home finance soft- ware, joysticks, games add 44K memory added
64K/cassette recorder/soft- ware cartridges	45 keys, 16 predefined function	1 parallel	text mode/128 × 64 color capacity	
16K/wafertape	standard	HEX-BUS expansion unit	16 colors	Wafertape drive used in place of cassette
32K cassette recorder	60 keys, multifunction	1 parallel, 1 serial	RGB/composite video out- put/CRT is user option	cassette recorder
16K/cassette recorder	71 keys, 5 multifunction	1 parallel, 2 game con- troller ports	256 × 192 capability, 32 × 16 text, composite video output available	cassette recorder
16K/cassette interface	hex keypad	1 serial, 2 parallel	home TV	user memory expanded to 16K
16K	65 calculator keys, 19- key keypad, 18 defina- ble	60 pin bus connector	1 line 7 × 156 dot matrix liquid crystal display	memory expanded to 16K
8К	65 calculator keys in typewriter arrangement, redefinable		1-line × 26-character liq- uid crystal display	basic system
4648K/cassette recorder	71 keys, 10 program- mable, built-in joystick		256 × 192 resolution, 16 colors, television used as display	cassette recorder added fo storage, user memory up- graded to 48K
64K/cassette recorder	standard typewriter/16 special function	1 printer, 2 controller, ex- pansion connector	built-in video output supports 256 colors, $40 \times 24$ text	basic 1200 system/no std. CRT
256 bytes/cassette inter- face	56 keys	N/A	12-inch monochrome CRT	expansion board, keyboar CRT
16K/cassette interface	47 keys, 20-key keypad, 10 programmable	parallel	8-line × 32-character LCD	notebook computer with ROM-based software



THE TIMEX SINCLAIR 2048 provides 8 colors.

Another feature not normally found on home computers in this price category is included: memory bank-switching. Using this technique, the microcomputer is fooled into thinking it can address more memory than it normally can. In reality, the Z80A can still only directly address 64K, but bank-switching allows it to address much more.

The 2000-series can display a range of eight colors and allows separate control of foreground, background, and border areas. Resolution is fairly high with 256- by 192-dots (horizontal by vertical). All pixels (picture elements) are individually addressable by the user, which means the video output is memory mapped, with specific memory addresses provided for each pixel.

Like other members of the Timex Sinclair family, mass storage is via cassette interface to a cassette recorder.

#### **Radio Shack**

Competing heavily in the under-100 market is Radio Shack with its 69.95 Pocket Computer *PC-4*, one of this manufacturer's series of handheld pocket computers that is driven by a custom CMOS VLSI microprocessor.

The miniscule PC-4 reaches its fullest configuration in this pricing category with maximum memory expansion and all peripheral accessories. It features a 544-step user memory that can be expanded to 1568 steps with the plug-in memory expansion module.

Featuring a one-line, 12-character LCD readout, this tiny microcomputer is programmable in BASIC and can handle strings of up to 30 characters in length.

Using a "QWERTY" keyboard layout, you can use the 53 keys for text or program input. In fact, 15 BASIC programming functions can be entered with two keystrokes. While the keyboard does have the traditional layout, it should be noted that the keys are actually calculator-type keys and the close placement really won't allow touch typing. A separate keypad allows numeric entry. Total system expansion is achieved in this price range. This includes the 1K RAM module and cassette-recorder interface and tiny thermal printer with a total price of \$140.

Radio Shack has many other entries in the under-\$500 category. These microcomputers include a variety of handheld and small keyboard-computers.

While Radio Shack's bottom-of-the-line handheld microcomputer is the PC-4, its bigger brother is the recently introduced PC-3 that sports a 1.4K nonexpandable memory. The \$99.95 unit, like its stablemates, features a one-line LCD readout and it features a standard keyboard layout. Like its stablemates, it uses tiny calculator-type keys that aren't suited for speedy text entry.

The PC-4, driven by a CMOS 8-bit microprocessor, reaches its full configuration in this price category with the addition of a printer/cassette interface. This boosts the price to roughly \$220.

While the PC-1 has been discontinued since last year, the PC-2, manufactured for Radio Shack by Sharp, is still available and represents Radio Shacks's top-of-the-line handheld. Offered at a base price of \$199.95, it reaches its fullest configuration in the \$500 to \$1000 price category.

A versatile unit, its basic user memory is 2.6K. This memory, however, is expandable to a maximum of 16K, with the addition of the proper memory modules. It will also accept ROM modules, but the limit is still 16K. This expandability makes this unit a powerful, flexible handheld microcomputer.

Programmable in Extended BASIC, the PC-2 features 42 statements and 34 built-in functions. It allows a user to have two-dimensional arrays, variable-length character strings with extensive string handling, formatted printing, and other features.

The display is a 26-character by 1-line dot matrix LCD with user-addressable graphics over its complete range. The keyboard is a full "QWERTY" type, with 65 keys and a separate number pad. There are also six user-definable keys.

Like the others in the Radio Shack handheld line, the PC-2 uses tiny calculator-type keys that are better suited to singlefinger use, rather than two-handed touch typing. Another feature that might prove somewhat confusing is the placement of the space bar next to the function entry key. The layout, though, is about as clean as one could hope for in a small unit.

Driven by an 8-bit, low-power CMOS microprocessor, the *PC-2* is powered by 4 "AA" batteries. A 60-pin expansion port allows interfacing with a variety of peripherals, including a color-printer/dual-cassette interface (valuable for speedier program storage and retrieval) and an RS-232C interface for tying into such data networks as The Source or CompuServe via a phone line.

Altogether, the PC-2 is a powerful handheld unit. However, this isn't the only Radio Shack offering in this pricing category. Radio Shack also offers two Color Computers, the new MC-10 Micro Color Computer and the more traditional TRS-80 Color Computer.

The MC-10 is a tiny unit, about the size of the Timex 1000. However, instead of using a membrane keyboard, Radio Shack has opted for a more standard set of small calculator-type keys in a standard keyboard format. The multi-function keys allow quick two-key entry of program commands. A learning machine, the MC-10 comes with a tutorial manual that describes how to produce 8-color graphics and teaches a user BASIC programming.

The 4K memory of the MC-10 is expandable to 20K through an expansion connector on the tiny box. Unlike other low-cost microcomputers, the MC-10 has a built-in serial interface that allows the user to connect either a modem or printer to the unit. With either of these peripherals attached, the user gains flexibility in output format. In fact, with a modem the user will gain access to such services as The Source or CompuServe.

This year, only the 16K-version of the more-powerful \$299.95 TRS-80 Color Computer is available rather than the 4K-version that was available last year.

Driven by an 8-bit 6809E microprocessor, the Color Computer interfaces directly with a color-television set as a display device through a built-in RF modulator.

An even more powerful version, capable of programming in Extended BASIC, is available for \$399.95. This version of the *Color Computer* allows multi-character variable names and string arrays of up to 255 characters; full-featured editing, floating point 9-digit accuracy, trigonometric functions, user definable keys, specific error messages and PEEK, POKE and USR commands to call machine-language routines.

This machine is a good basic home system, capable of personal computer power or videogame entertainment. It is a flexible unit. There is a wide variety of prepackaged programs available for it on cassette and it includes a standard serial interface port for using a modem to tie into one of the many information services available.

# "I built this 16-bit computer and saved money. Learned a lot, too."

#### Save now by building the Heathkit H-100 yourself. Save later because your computer investment won't become obsolete for many years to come.

Save by building it yourself. You can save hundreds of dollars over assembled prices when you choose the new H-100 16-Bit/8-Bit Computer Kit – money you can use to buy the peripherals and software of your choice.

#### H-100 SERIES COMPUTER SPECIFICATIONS:

USER MEMORY: 192K-768K bytes\* MICROPROCESSORS: 16-bit: 8088 8-bit: 8085 DISK STORAGE: 5.25" disk drive, 8" disk drive Winchester drive

KEYBOARD: Typewriter style,95 keys, 13 function keys, 18-key numeric pad

GRAPHICS: Always in graphics mode. 640h/225v resolution; up to eight colors are available\*\*

COMMUNICATIONS: Two RS-232C Serial Interface Ports and one parallel port DIAGNOSTICS: Memory self-test on power-up

AVAILABLE SOFTWARE Z-DOS (MS-DOS) CP/M® Z-BASIC Language Microsoft BASIC Multiplan SuperCalc WordStar

\*192K bytes standard. \*Optional. CP/M is a registered trademark of Digital Research. MailMerge Data Base Manager File Manager General Ledger Accounts Receivable Inventory Control Sales Invoicing Lotus 1, 2, 3 PeachText 5000 Fortran-86 Cobol-86 Pascal Basic Compiler Most standard 8-bit CP/M Software

HEFE PHEFE

The H-100 is easy to build – the step-by-step Heathkit manual shows you how. And every step of the way, you have our pledge – "We won't let you fail." Help is as close as your phone, or the nearest Heathkit Electronic Center.\*

And what better way to learn state-of-the-art computing techniques than to build the world's only 16-bit/8-bit computer kit? To run today's higher-speed, higher-performance 16-bit software, you need an H-100. It makes a big difference by processing more data faster.

Dual microprocessors for power and compatibility. The H-100 handles both high-performance 16-bit software and most current Heath/Zenith 8-bit software.

Want room to grow? The H-100's standard 192K byte Random Access Memory complement can be expanded to 768K bytes – compared to a 64K standard for many desktop computers.

And the industry-standard S-100 card slots support memory expansion and additional peripheral devices, allowing your investment to grow.

High-capacity disk storage, too. The H-100's 5.25" floppy disk drive can store 320K bytes on a single disk. The computer also supports an optional second 5.25" and external 8" floppy disk drives. For maximum storage, an optional internal Winchester disk drive is also available.

For more information, circle the reader service number below. Better yet, visit your Heathkit Electronic Center for a demonstration!

> The H-100 gives me the most for my computer dollar!

Heathkit

company

A subsidiary of Zenith Radio Corporation

Heathkit Electronic Centers are units of Veritechnology Electronics Corporation.



The Color Computer can have its user memory expanded to 32K, with the addition of a RAM expansion kit. An already expanded version is available for \$549.95 and it features the same functions already described.

For the user who would like the ultimate in flexibility and speedy mass storage, there is an optional external disk drive available. The *Color Computer* can support up to four of these drives and this gives the user far more flexibility in this system than in other low-end systems. However, the buyer should note that even one drive will significantly raise the cost of the system.

The Color Computer's expansion possibilities are outlined in subsequent sections and you will find it becomes a full-blown system in the \$1500 price range.

Handheld microcomputers continue to abound in the low-end price range, with offerings from Sharp, Hewlett-Packard, and Panasonic.

#### Sharp

For instance, Sharp offers two handhelds, the PC-1250 and the PC-1500. The PC-1500 is identical to Radio Shack's PC-2, so its description will suffice for the 1500, except to say that it is more expensive than the Radio Shack unit, with a base price of \$220. Both of these handhelds become fully configured in higher price categories.

The basic model, the PC-1250, is available for \$185. It is driven by a CMOS 8-bit microprocessor, which means that it can be run by battery power because the current drain is low.

Programmable in BASIC, its 54-key small calculator-type keys are arranged in a "QWERTY" layout. However, since the unit is handheld, it isn't suited to fast touch-typing. The *PC*-1250 has a one-line by 24-character LCD readout.

#### Panasonic

Another of the entrants in the handheld computer field is Panasonic, whose H1400/H1800-series builds into a portable briefcase system. In reality, this series uses the same handheld case, but each pricing level reflects more user memory. For instance, the \$380 H1400 features 4K of user memory, while the \$480 H1800 features 8K of user memory.

If you look closely at the accompanying table, you will see an operating system is noted. Unlike other handheld computers, which operate with machine language instruction sets, the H1400/1800 series uses the SNAP operating system, a derivative of FORTH. Under this operating system, BASIC is the programming language.

Again, like other handheld computers, the keyboard is laid out in a standard "QWERTY" fashion, however, with 65 small calculator-type keys and narrow spacing on the keyboard, it



PANASONIC'S JR-800 displays eight 32-character lines.



would seem that this type of layout wouldn't lend itself to touch-typing. Instead, it seems more oriented toward one-finger entry. To give these units their due, though, they are larger than other handheld units on the market.

Notice that they are on the upper end of the pricing scale. Although they are less expensive than they were last year, all it takes is a bit of added memory—expansion RAM modules are available—to push them into the next price class, where you will again see them mentioned.

These aren't the only Panasonic units available in the under-\$500 category. Another is the recently introduced \$279.95 JR-200. It is a complete keyboard-computer and features a built-in AC power supply, a built-in RF modulator, built-in cassette interface port, and game-controller connections. Unlike other low-priced units, this one includes a standard printer interface port. Other systems in this price range usually make additional ports for communications or printers extra-cost addons.

With 32K of RAM, this unit is capable of handling some fairly sophisticated programs. Its programming language is BASIC, whose commands and other textual matter are inserted through the 60 multifunction small calculator-type keys. One of the nicer features of this keyboard is its standard key spacing that should make quick data entry easy.

The JR-200 is also a color home computer that can interface not only with a home television set, but also with a monitor with either composite video or RGB inputs. It is capable of generating eight colors simultaneously and—for music composition or sound effects—three simultaneous tones in five octaves. Mass storage is through the cassette interface and Panasonic has an interesting option, a 2400-baud data cassette recorder that allows faster data storage and retrieval via cassette.

Rounding out Panasonic's entries in this field is one of the new breed of lap computers now making their way to the market. The JR-800, that weighs a mere 1% pounds and which fits easily into a briefcase, is priced at \$499.95. For that price, the user receives a powerful piece of equipment.

Initially equipped with 16K of user memory, or enough to perform complex tasks and to store a good deal of information, the memory is expandable to 24 or 32K, or as much RAM as some much larger machines had only a few years ago. No pricing was provided on this expandable feature.

Featuring a full travel standard layout typewriter keyboard, the JR-800 also has 20 programmable function keys and an independent numeric keypad. The programmable keys can be programmed to carry out often-used commands to help simplify and speed up the computing process.

Like other lap computers, the JR-800 has taken advantage of advances in liquid-crystal-display technology and sports a 32character by 8-line LCD. The display can be scrolled through 255 columns and contrast control is provided so the display can be adjusted for easy viewing in a variety of lighting conditions. Memory protection is provided so that any data or programming material that has been stored in RAM will be saved even if the power is turned off.

The BASIC programming language this unit uses is located in ROM for quick loading and 51 BASIC commands are provided on the keyboard, as well as 64 graphic symbols and 32 userdefinable keys.

#### **Texas Instruments**

Since last year's supplement was published, there has been a tremendous price war going on in the low-cost home-computer field and the semiconductor giant, Texas Instruments, has been among those companies battling it out with its TI-99/4A, the only low-cost home computer to use a true 16-bit micro-processor, TMS-9900. In fact, TI was the first manufacturer on the market with a 16-bit CPU when the model was introduced three years ago. Although you might find the manufacturer's suggested retail list price somewhat shocking, in view of the heavy price discounting and rebate programs that have gone on, it is \$225.

However, the user gets a machine with a typewriter-style keyboard and immediate availability to TI's wide library of prepackaged software. This software is immediately usable thanks to the TI-99/4A's 16K user memory.

Programmable in BASIC, a user can use a built-in cassette interface for data storage. Disk drives are available, but they push its cost up to other pricing categories.

The *TI-99/4A* is capable of generating up to 16 colors and interfaces with a television set through a built-in RF modulator. It can also use a color monitor, as will be shown in other pricing categories.

This isn't the only TI entrant in this pricing category. The company is also marketing its *Compact Computer 40*, a handheld unit with a base price of \$249.95. It interfaces with a wide variety of peripherals.

Driven by a low-power CMOS 8-bit microprocessor, the CC-40 comes equipped with 6K of user memory. Its standard keyboard layout allows entry of BASIC commands and text, although its display is only a 1-line by 32-character LCD. Mass storage is via TI's proprietary Wafertape drive system. In other circles, this type of tape system might be called a "stringy" floppy drive.

Wafertape is actually a continuous-loop cassette tape system that allows quick data entry and retrieval. This is similar to the endless tape loops used in telephone answering machines.

If you look closely at the accompanying table, you will find this system mentioned twice because it starts its upgrading within this price segment with the addition of a serial input/ output port.


The TI-99/4A also begins upgrading and its price rises to \$425 with the addition of the Wafertape drive, in place of a standard cassette recorder.

#### Video Technology

A newcomer to the home-computer wars, Video Technology is offering a keyboard-computer, the VZ200, whose pricing starts at \$99.95. For this price, a user gets a Z80A 8-bit microprocessor, one of the 8-bit world's standards, but only 4K of user memory, which is enough for simple tasks and home



COMMODORE'S VIC-20 is a BASIC-programmable machine.



THE ELF II from Netronics is one of the oldest computer kits available.

games, but isn't really enough for complicated tasks. In fact, if you watch how the system upgrades, you will notice the first expansion is to increase the amount of user memory, which is accomplished before it reaches the \$500 to \$1000 pricing category.

Fully programmable in BASIC, the VZ200 features a standard keyboard layout with small calculator-type keys. These multi-function keys allow one-key entry of BASIC commands and speed up programming.

The VZ200 features a built-in cassette interface for data storage. In the next pricing level the manufacturer's proprietary data cassette recorder is added to the system configuration. (You will notice the same thing happening with many of the homecomputer systems listed. In a departure from last year, we have included the proprietary cassette recorder in the pricing equation.)

The unit is also capable of a video output of 32-characters by 16-lines in its 9-color text mode. Low-resolution graphics of 64by 32-dots are available in 9 colors, although a higher resolution of 128- by 64-dots is available in eight colors.

An interesting feature of the VZ200 is its dedicated video RAM. The manufacturers have set aside 2K of user memory, roughly two pages of text, for video memory. This assures that display input won't be overwritten should the user-memory area become full. The unit is also capable of interfacing with a home television set (through an RF modulator) or a dedicated monitor.

In this pricing category, according to the manufacturer's released prices, the VZ200 gains a printer port, memory expansion and peripheral expansion bus, and this just about exhausts the list of possibilities because other planned peripheral prices weren't available at press time.

#### **Mattel Electronics**

Making its first formal foray into the home-computer field, Mattel Electronics has introduced the \$150 Aquarius system. (It has an add-on computer module for its Intellivision game controller, but this is its first formal home computer.)

Driven by an 8-bit Z80A microprocessor, the Aquarius comes with only 4K of user memory. Eventually, the company plans total user memory capability of 52K.

Another of the keyboard-computers available, the Aquarius has a 49-key small calculator-type of keyboard. Its basic measurements are 13 by 6 inches and its is capable of 256 graphics characters, as well as 16 colors.

Capable of interfacing with a cassette recorder for mass storage, software is available not only on tape, but also in the form of plug-in cartridges. Programming languages include BASIC and the educationally-oriented LOGO.

In its two expansions in this pricing category, one will find the cassette recorder and the expansion bus have been added.

## INTRODUCING the world's first, affordable teaching robot...

tion, the most sophisticated microprocessorcontrolled device since the microcomputer.

HERO 1 is a completely self-containec, electromechanical robot capable of interacting with its environment. Controlled by an cn-board, programmable computer, it has electronic

sensors to detect light, sound, motion and obstruction in its path. Capable of seven axes of motion, the robot can be programmed to pick up small objects with its arm. It will also speak in complete sentences, using its voice synthesizer. Remarkable though the robot is,

its companion Robotics Education Course is an even more significant "first." It provides a thorough understanding of robot technologies, including robotics programming. Course features self-test unit reviews, experiments and final exam.

Designed to be used with HERO 1, this 1200 page course is the most complete introduction to robotics available today.

Heathkit

**Educational Systems** 

Heathkit/Zenith

HERO 1 is a computer on wheels. HERO 1 uses a 6808 microprocessor that controls 13 functions and sense boards. Its on-board processor can take it through complex maneuvers. The programming process is straightforward with provision for step-by-step debugging, enhancement and other corrections.

HERO 1 senses include: sound detection (frequency range 200-5000 Hz); light detection; ultrasonic ranging; ultrasonic motion detection; speech synthesis; and real time, four year calendar clock.

A completely mobile platform robot, HERO 1's motion abilities permit head rotation and arm rotation of 350,° shoulder rotation of 150,° arm extension of 5 inches, wrist pivot of 180° and wrist rotation of 350.° Gripper will open to a maximum of 31/2 inches and rotate 90° at extreme extension. Payload capacity of arm is 8 gz. at maximum extension and 16 gz. at normal.

The remarkable HERO1 robot is in production now, ready for you. Buy assembled or build it from a klt. Kit price is \$1500 and the assembled robot is \$2500, FOB Benton Harbor, or through your nearest Heathkit Electronic Center.

For full information on HERO 1 call 800-253-0570 toll-free. (In Alaska, Hawail and Michigan, call 616-982-3411.) We'll give you the address of the nearest Heathkit Electronic Center and send you a booklet that gives details about the rabot, the content of this course, and other information.

Please send details on the HERO 1 robot and robotics course.	
Mail to: Heath Company, Dept. 020-108 Eventon Harbor, MI 49022	

Name	
Address	

Cltv \_\_\_\_

 State
 Zip

 Heathkit/Zenith Educational Systems is a division of Heath Company.
 Benton Harbor, Michigan 49022.
 R0-100AR1

Heathkit Electronic Centers are units of Veritechnology Electronics Corporation. Heath Company is a subsidiary of Zenith Radio Corporation. CIRCLE 1 ON FREE INFORMATION CARD

# The Complete Bange

Fifteen months ago Memotech developed the first 64K Memopak, designed to maximise the capabilities of the Sinclair ZX81. Since then, using the ZX81 as a starting point, we've gone on to produce a comprehensive range of Memopaks, adding 16K and 32K memory expansions, utilities packages comprising a Word Processor, Z80 Assembler and Spreadsheet Analysis, plus Communication Interfaces, High Resolution Graphics and a professional quality Keyboard. To complete our range of Timex add-ons, we are now introducing the MEMOPAK RS232 Serial Interface.

#### **RS232 Interface**

The RS232 is an all-purpose interface which allows the Timex not only to output to suitable serial printers, but can link up with numerous types of peripheral or even other processors The Interface has two main modes of operation BASIC mode allows you to use the range of functions supplied in the RS232 EPROM within an ordinary BASIC program, and TERMINAL mode allows you to use your Timex as a terminal to another processor. The EPROM functions offered permit the user to send, receive and convert bytes between Z80 code and ASCII, as well as check the status of numerous control flags. Received or transmitted data can appear simultaneously on the screen, and received data may be printed simultaneously

\$99.95 cable \$19.95

#### Memopak Centronics I/F

The BASIC commands LPRINT, LLIST and COPY are used to print on any CENTRONICS type printer. All ASCII characters are generated and translation takes place automatically within the pack. Reverse capitals give lower case Additional facilities allow high resolution printing.

#### \$74.95 cable \$19.95

#### Memopak HRG

This pack breaks down the constraints imposed by operating at the Z80 character level and allows high definition displays to be generated. All 248 x 192 individual pixels can be controlled using simple commands, and the built in software enables the user to work interactively at the dot, line, character, block and page levels.

#### \$99.95

#### Memocalc

The screen display behaves as a 'window' on a large sheet of paper on which a table of numbers is laid out The maximum size of the table is determined by the memory capacity, and with a Memopak 64K a table of up to 7000 numbers with up to 250 rows or 99 columns can be specified

#### \$49.95

#### Memotext

Text is first arranged in 32 character lines for the screen with comprehensive editing facilities. On output the user simply chooses the line length required for printing and the system does the rest. Used with the Memopak Centronics Interface, the Word Processor makes available printout with 80 character lines, upper and lower case and single and double size characters.

\$49.95

#### Memopak Memory Extensions

For those just setting out on the road to real computing, these packs transform the Timex from a toy to a powerful computer. Data storage, extended programming and complex displays all become feasible. Further details available on request. 16K Memopak \$49.95 32K Memopak \$49.95 64K Memopak \$49.95

#### Z80 Assembler

The Assembler allows you first to code and edit a source program in the Z80 language, and then assemble it into machine code. You can now write flexible and economic programs. The Editor mode allows you to code directly in the right format, manipulate inidividual lines and control the exact placing of source and machine code. Routines may be merged or listed (even to a commercial printer using our Centronics Interface). The assembler mode handles all standard Z80 mnemonics, numbers in hex or decimal. comments and user selected lables \$49.95

#### Memotech Keyboard The Memotech plug-in Keyboard plus buffer pack takes


ALL DE CONTRACTOR

The Memotech plug-in Keyboard plus butter pack takes the effort out of data entry for Timex users. The Keyboard has a light professional touch and is housed in an elegant aluminum case. The simple plug-in system means that you are not obliged to open up your Timex, use a soldering iron or invalidate your Timex warranty.

#### Keyboard Buffer Pak

The Buffer Pak performs a "housekeeping" function for the Keyboard, interfacing directly with the port of your Timex.

#### \$99.95 — (keyboard & buffer included)



Note! All Memotech products carry a 6 mo, warranty. 80column dot matrix printer packages available at a substantial savings from Memotech.

Order at no risk (10 day money-back guarantee): Call 1-800-662-0949 (Colorado 1-303-986-1516). Or send your name, address, phone number and a check/money order/Visa or MasterCard number with expiration date to: Memotech Direct Sales Division, 7550 W. Yale Avenue, Denver, Colorado 80227. Shipping/Handling \$4.95; Colorado Residents add applicable sales tax.



#### VIDEO TECHNOLOGY'S VZ200 has calculator-type keys.

#### **Commodore Business Machines**

Commodore Business Machines, one of the longtime microcomputer manufacturers, also has a keyboard-computer entry in this price category, the VIC-20. CBM, as the manufacturer is also known, has been one of the firms engaged in a hotly contested drive for domination of the under-\$500 marketplace and even though the VIC-20 carries a \$199.95 manufacturer's suggested retail price tag, you should be able to find it for much less.

Driven by a 6502, 8-bit microprocessor, the VIC-20 features a full-travel keyboard. Some of its keys, such as the quotation marks, are in nonstandard locations, so this could slow an accomplished touch typist. However, once the user is familiar with the keyboard, it should be easy to use. Four function keys are provided.

In the accompanying table, you will find the VIC-20 listed three times in this price class. At each level something has increased and if you note, the first addition is the data recorder. At the second level, user memory is expanded. At the third level, memory is expanded farther.

The VIC-20 system is fully programmable in BASIC. It features color-display capability with graphics resolution of 176- by 184-dots and it is capable of generating a 22-character by 23-line display. It is also capable of generating sounds over a five-octave range.

In this portion of the price range, the VIC-20 is limited to either cassette tape or plug-in cartridge software. However, its versatility grows as more system expansion takes place, as you will see later.

#### Atari

Atari Home Computers has three entries in this price category, the \$199 model 600XL, the \$299 (give or take a few dollars) 800XL and the \$499 model 1200XL. The reason the price of the 800XL isn't detailed is because specific pricing for the new models offered by Atari was not available at press time. Atari has a total of five models in the home-computer market.

The low-cost 600XL is equipped with 16K of user memory that is expandable to 64K. It also features a full-stroke typewri-



SPECTRAVIDEO'S SV-328 uses a Z80A microprocessor.



ter keyboard and is programmable in BASIC. This low-cost unit expands once with the addition of Atari's data recorder and features five text modes and 11 graphics modes with 256 colors.

The 600XL is capable of a maximum graphic resolution of 320- by 192-dots and a 40-character by 24-line text display. A serial input-output port is standard on this unit as are two game-controller ports. It has a built-in RF modulator for using a home television as the output device.

The 800XL, priced somewhere between the 600XL and the 1200XL, includes all the features of the lower-priced model, plus 64K of user memory. It also has outputs to enable you to connect the computer to either a televison set or a monitor.

This new line of computers seems to fix one of the weaknesses of the former price leader, the 400, which has been discontinued. The 400 used a membrane keyboard that has never been popular. Instead, the new machines sport keyboards with typewriter-style keys. They also include slots to accept software cartridges.

The only machine that continues in Atari's lineup is the *1200XL*, which is driven by a 6502 8-bit microprocessor. It features a keyboard with typewriter-like keys and is programmable in BASIC.

Also included in the basic outline of this machine is a parallel printer port and two game controllers. Its display capabilities include the generation of up to 256 colors and 40-character by 24-line text generation. It interfaces with a home television set.

#### **Netronics**

If you want to "roll your own" microcomputer, then you have three choices from Netronics---the Elf II, Explorer/85 and the Explorer/88-PC.

The *Elf II* is one of the oldest kit computers on the market and is driven by the venerable 1802 8-bit microcomputer from RCA. It is also one of the last microcomputers on the market to still use Tiny BASIC.

Constructed on a small PC board, the *Elf II* uses a hex keypad for machine-language programming. It generates a composite video display for interfacing with a monitor or it can interface with a home-television set through an RF modulator. An extremely expandable machine—more than half the motherboard is reserved for that—at its basic level there are only 256 bytes of user memory. However, that can be expanded to 64K. Options include a full keyboard and an A/D converter board. As you can see from the chart below, it upgrades several times in this price category.

Far more complete machines are represented by the *Explorer*/85 and the *Explorer*/88-PC.

The Explorer/85 contains an S-100 bus—100 signal-lines on the motherboard that carry data, address, and control information to the various boards plugged into it—and as a result, expansion is nearly unlimited. Various S-100 boards that are available include RAM boards, floppy-disk controllers, serial and parallel I/O boards, and more. The Explorer/85 is also capable of running the the CP/M operating system

The Explorer/88-PC is a good learning experience for those who would like to see what makes an IBM-compatible machine tick. It not only includes the motherboard and microprocessor, but also the IBM-type expansion bus. With the correct add-on board, cabinet and drives, the user has an IBM-compatible system. In fact, in one of the higher price categories, there is a full-blown kit that will produce such a machine.

#### NEC

The NEC PC-6000 is another of the computers found on the market today with an integral keyboard. Priced at \$349.95, it is driven by a Z80A-compatible microprocessor. The PC-6000 contains 16K of user RAM and is expandable to 32K with an optional cartridge

Its BASIC programming language is resident in 16K of ROM and features enhanced graphics and sound capabilities. Capable of color graphics with a resolution of up to 256- by 192-dots, the PC-6000 is useful for color graphics work. In the text mode, resolution is 32-characters by 16-lines. A composite video output is available

The PC-6000 upgrades once in this price category with the addition of the NEC-offered cassette recorder for mass storage.

#### **Multitech**

Multitech Electronics has two offerings in this pricing category, the MPF-IP and the MPF-II.

The MPF-IP is driven by an 8-bit Z80 microprocessor. It contain 4K of RAM memory that is expandable to 10K via an optional input output and memory board.

Basically a computer literacy machine, the MPF-IP has a 49-key keyboard with calculator-type keys. The keyboard will enable a user to enter programs in assembly language, machine code, BASIC, or FORTH.



MULTITECH'S MPF-IP is another Z80A machine.

The display of this device is a 20-digit, 14-segment alphanumeric green tube display that scrolls much like a Times Square billboard

It features a built-in speaker, battery-operated memory backup circuit and such options as an EPROM (Erasable Programmable Read-Only Memory) board, a speech-synthesizer board, thermal printer, and a combination I/O and memory board and accessory kit for experiments.

The MPF-II is an Apple-compatible machine driven by a 6502 8-bit microprocessor. Featuring 64K of user memory, the MPF-II is programmable in BASIC via its 53-key standardlayout keyboard with calculator-like keys. A serial port allows interfacing with peripheral devices such as modems or printers.

The MPF-II will interface with a user's choice of videodisplay device. It is capable of displaying 40-characters by 24-lines of text and six colors with a resolution of up to a 180-by 192-dots.

#### Spectravideo

Spectravideo also has two computer offerings in this price category, the SV-318 and the SV-328

The SV-318 is driven by a 3.6 MHz Z80A microprocessor and features 32K of user memory built-in. This means that nearly from the start this unit can handle sophisticated applications programs.

The keyboard, which uses a standard-keyboard layout and calculator-type keys, also features user-programmable function keys.

Programmable in BASIC, as are most of the other low-cost home computers on the market, it is capable of handling highlevel color-graphics functions. A user can address 16 colors from the keyboard with a resolution of 256- by 192-dots.

The more expensive SV-328 is also driven by a Z80A microprocessor. It features 80K of RAM-the top amount found in microcomputers in this price category-and built-in BASIC.

Further, this machine features CP/M compatibility, which increases the flexibility and usefulness of this computer, especially in a small-business setting.

It also features two built-in ROM-resident programs, a wordprocessing application and a terminal application, which make this a full-featured machine from the start.

An 87-key, full-stroke keyboard offers 10 user-definable functions, three special word-processor keys, 34 keyboardgenerated computer-graphic symbols, and a separate numeric keypad.

The screen is somewhat limited for serious business work, offering 32 characters-per-line in the graphics mode and 40 characters-per-line in the text mode, but it should easily serve the average home user.

At this level, data storage is via a built-in cassette interface, while its composite video and audio output are through an RF modulator.

#### Sord

Another of the low-priced keyboard-computers is the Sord M5, which is driven by a Z80. It upgrades once in this price category and features two joysticks and programming for household accounting and bank-loan management. Input/output is handled through a parallel printer port, while data can be saved to cassette. A home-television set is used as a display.

#### Unitronics

Driven by an 8-bit 6502 microprocessor with a Texas Instruments video-display processor for arcade quality graphics, the Sonic uses a Waferdrive (endless-loop tape) that allows full read/write capabilities and mass storage for 128K.

The Sonic includes a 16-color display, 40 column display and a 70-key typewriter-style keyboard. The keyboard includes 10 function keys.

An additional 32K of RAM can be added to this system with the addition of a RAM module. It interfaces with the Sonic's expansion port. R-E





Surprising sophistication and low cost are the characteristics of the systems in this category.

# **\$500 to \$1000**

MARC STERN

IT'S AMAZING THE AMOUNT OF SOPHISTICATION BUILT INTO today's crop of low-cost home computers. Just a few years ago, machines in this price category were fairly primitive affairs, with little user memory and few peripherals. In fact, the microcomputer world was dominated by hobbyists, rather than home users. These hobbyists put together their systems with a little bit from this source and a little bit from that source, until they had fairly decent machines.

Contrast this situation with today where anyone can go to a retail outlet or computer store and buy a machine with 64K of user memory, sophisticated peripherals, and graphics capability. Today's microcomputer market has radically changed and the consumer has benefited from that change.

In this price category, some new companies make their first appearance. Some of these companies are more widely known for their consumer-electronics goods than their computer hardware and they include Casio, Sanyo, and Toshiba. Other companies, better known in the computer peripheral business than for their home computers, have also joined and they include Epson America and Formula International. Even a widely known game manufacturer, Coleco, has an entry in this price level.

New machines also make their appearance from Commodore **Business Machines and Atari** 

At this price level, many of the machines mentioned in the under-\$500 price category start to become more powerful systems. So, without further delay, let's take a look at the new entrants in this market and then wrap up with a look at how some systems have matured.

#### Coleco

The Adam is Coleco's first entry into the computer marketplace, and it is being marketed as a complete system. It includes a standard printer in its initial configuration.

User memory stands at 80K, which is enough for most chores that a home-computer user might have and the system features a standard typewriter-like keyboard with 75 full-travel keys. Built into this system is a word-processing package. The Adam is also compatible with CP/M, which makes this system a candidate for small businesses, because of access to the rich variety of CP/M programs.

Unlike other machines in this price category, the Adam includes an integral storage device, called a digital data-pack drive, capable of 500K of mass storage. According to industry reports, it is a tape drive, much like others on the market.

This near full configuration makes this machine ideal for the person looking for a fairly complete system under \$1000. It is programmable in BASIC

#### Formula International

Long associated with the hobby-electronics world, this company is offering an Apple-compatible kit called the *Pinecom*. It is driven by a 6502 8-bit microprocessor and the kit includes the basic computer with keyboard and little more.

Programmable in BASIC, the Pinecom has 64K of user memory. Data input is via a 60-key keyboard and the unit is capable of 40-character by 24-line display for output. It also has color capability. It upgrades once in this price category with the addition of a parallel printer port.

#### Toshiba

Better known for its semiconductors and consumerelectronics products, Toshiba has introduced its T100 computer that is driven by a Z80A.

The T100, in this price category, is a pretty barebones machine. It includes 64K of user memory but mass storage is limited to cassette tape.

#### TABLE 1-\$500 to \$1000

Manufacturers	Modei	Price	CPU	Word length	Operating System	Languages
NEC Home Electronics	PC-6000	\$500	Z80A-compatible	8-bit	N/A	BASIC
Commodore Business Machines	Pet 64	\$500	6500 series	8-bit	N/A	BASIC
Atari Products	800XL	\$500 (est.)	6502C	8-bit	N/A	BASIC
Sharp Electronics	PC-1250	\$505	Custom CMOS	8-bit	N/A	BASIC
Atari Products	600XL	\$519	6502C	8-bit	N/A	BASIC
Texas Instruments	TI-99/4A	\$525	TMS9900	16-bit	N/A	BASIC
Panasonic Co.	H1400	\$538	6502	8-bit	SNAP	BASIC
Netronics Research	Explorer/85	\$539.70	8085	8-bit	N/A	machine
Radio Shack	TRS-80 Color Computer	\$549	6809E	8-bit	N/A	BASIC
NEC Home Electronics	PC-6000	\$550	Z80A-compatible	8-bit	N/A	BASIC
Texas Instruments	CC-40	\$555	7C20	8-bit	N/A	BASIC
Netronics Research	EIFII	\$559.30	1802	8-bit	N/A	machine/BASIC
Texas Instruments	TI-99/4A	\$585	TMS9900	16-bit	N/A	BASIC
Netronics Research	Explorer/85	\$589.65	8085	8-bit	N/A	machine
Commodore Business Machines	Commodore 64	\$595	6510	8-bit	N/A	BASIC
Atari Products	1200XL	\$598	6502	8-bit	N/A	BASIC
Spectravideo	SV-328	\$600	Z80A	8-bit	N/A	BASIC
Sharp Electronics	PC-1500	\$600	Custom CMOS	8-bit	N/A	BASIC
Spectravideo	SV-328	\$600 (est.)	Z80A	8-bit	N/A	BASIC
Coleco Industries	Adam	\$600 (est.)	Not announced	Not announced	N/A	BASIC, LOGO
Panasonic Co.	H1800	\$638	6502	8-bit	SNAP	BASIC
Formula International	Pinecom (kit)	\$645	6502	8-bit	N/A	Not announced
Commodore Business Machines	Commodore 64	\$670	6510	8-bit	N/A	BASIC
Netronics Research	Explorer/85	\$689.60	8085	8-bits	N/A	machine/BASIC
Texas Instruments	CC-40	\$695	7C20	8-bit	N/A	BASIC
Spectravideo	SV-328	\$700	Z80A	8-bit	N/A	BASIC
Formula International	Pinecom (kit)	\$730	6502	8-bit	N/A	Not announced
Radio Shack	TRS-80 Pocket Computer PC-2	\$759.75	Custom CMOS	8-bit	N/A	BASIC
Netronics Research Toshiba America	Explorer/85 T100	\$789.80	8085	8-bit	N/A	machine/BASIC
		\$795	Z80A	8-bit	N/A	BASIC
Epson America	HX-20	\$795	6301	8-bit	N/A	N/A
Multitech Electronics	MPF-II	\$797	6502	8-bit	Proprietary	BASIC
Radio Shack	TRS-80 Model 100	<b>\$799</b>	80C85	8-bit	N/A	BASIC

Memory/Storage	Keyboard	1/0	Display	Comments
32K/cassette recorder	71 keys, 5 multifunction keys	1 parallel, 2 game con- troller ports	256 × 192 capability, 32 × 16 text, composite video output avail.	memory expanded to 32K RAM
64K/cassette interface	standard, numeric keypad	1 serial	integral display	basic system
64K/cartridge slot	54 keys, help key, 4 special function keys	1 serial, 2 controller, ex- pansion connector	built-in video output sup- ports 256 colors, 40x24 text	basic system
9.7K cassette recorder	54 keys, reservable		24-character × 1 line lig-	interface/printer/cassette L
	keys, keypad		uid crystal display	added, user memory ex- panded 8K
16K/cassette recorder/car- tridge slot	62 keys, help key, 4 special function keys	1 serial, 2 controller, ex- pansion connector/ interface module	built-in video output sup- ports 256 colors, 40x24 text	interface module added for future expansion
48K/cassette interface	standard		16 colors	user memory upgraded by 32K
4K	65 calculator keys in typewriter arrangement, redefinable keys	input/output adapter/ex- pansion bus	1-line × 26-character liq- uid crystal display	I/O adapter
256 bytes/cassette inter- face	56 keys	N/A	12-inch monochrome CRT	S-100 card cage added fo expansion boards
32K/cassete interface	53 keys	1 serial	32 × 16 color text	user memory expanded to
			mode/256 × 192 graphics capability	32K
32K/cassette recorder	71 keys, 5 multifunction keys	1 parallel, 1 serial, 2 game controller ports	256 × 192 capability, 32 × 16 text, composite video output avail.	serial port added
22K/software cartridges	standard layout	1 serial, 1 parallel	31-character × 1 line liquid crystal display	serial and parallel ports
16K/casette interface	56 keys	1 serial, 2 parallel	home TV	keyboard, BASIC added
48K/cassette interface	standard	HEX-BUS expansion unit	16 colors	HEX-BUS expansion unit
4K cassette interface	56 keys	N/A	12-inch monochrome CRT	user memory increases to
64K/cassette interface	60 keys, 4 program- mable keys	d data Orașete Baran	16 color graphics ca- pability/text	cassette recorder
64K/cassette recorder/car- tridge slot	standard typewriter/16 special function keys	1 printer, 2 controller, ex- pansion connector	built-in video output sup- ports 256 colors, 40x24 text	Casselle lecolder
80K/cassette interface	87 keys, keypad, 10 definable keys			basic system
10.6K/cassette interface	65 keys, 10-key keypad, function keys		26-character × 1 line liq- uid crystal display	cassette interface, printer, ter added
80K/cassette interface	87 keys, 10 program- mable, numeric keypad		40 × 24 text mode ca- pability/16 colors	basic system
80K/500K memory storage drive (see text)/software	75-keys, 6 "smart" keys, detachable 12-key key-	Not announced	color graphics ca- pability/36 column	basic system
cartridges	pad			
8K	65 calculator keys in typewriter arrangement, redefinable keys	input/output adapter/ex- pansion bus	1-line × 26-character liq- uid crystal display	I/O adapter added
48K	66 keys, 14-key keypad		40 × 24 text mode/280 × 192 graphics capability	Apple-compatible kit
64K/cassette recorder	60 keys, 4 program- mable keys		16 color graphics ca- pability/text	cassette recorder
4K/cassette interface	56 keys	N/A	12-inch monochrome CRT	ROM-based BASIC adde
22K/stringy tloppy/software cartridges	standard layout	1 serial, 1 parallel	31-character × 1 line liquid crystal display	watertape drive added
80K/cassette recorder	87 keys, 10 program- mable, numeric keypad		40 × 24 text mode ca- pability/16 colors	cassette recorder
48K	66 keys, 14-key keypad	1 parallel	40 × 24 text mode/280 × 192 graphics capability	parallel port
32K	65 calculator keys, 19- key keypad, 18 defina- ble keys	60 pin bus connector	1 line 7 × 156 dot matrx liquid crystal display	memory expanded to 32 memory modules added
16K/cassette interface	56 keys	N/A	12-inch monochrome CRT	user memory expands to
64K cassette interface	89 keys, 8 special func- tion keys	1 parallel, 1 serial		basic system
16K/microcassette storage (built-in)	standard, 5 function keys, 10-key keypad	1 serial	4-line liquid crystal display	lap computer
64K/1 190K SS/DD 5 ¼" drive	52 keys	1 parallel, 1 game con- troller	supports 40 × 24 text/6 colors/ 180 × 192 resolution display is user option	
8K/cassette interface	56 keys, embedded 10- key keypad, 8 program- mable	1 parallel, 1 serial, built- in modem	40 × 8 liquid crystal dis- play	lap computer

Manufacturer	Model	Price	CPU	Word Length	<b>Operating System</b>	Languages
NEC Home Electronics	PC-6000	\$800	Z80A-compatible	8-bit	N/A	BASIC
Atari Products	1200XL	\$818	6502	8-bit	N/A	BASIC
Sharp Electronics	PC-1500	\$825	Custom CMOS	8-bit	N/A	BASIC
Texas Instruments	TI-99/4A	\$835	TMS9900	16-bit	N/A	BASIC
Panasonic Co.	JR-200	\$880	Not announced	Not announced	Not announced	BASIC
Panasonic Co.	H1400	\$938	6502	8-bit	SNAP	BASIC
Netronics Research	Explorer/85	\$939.80	8085	8-bit	N/A	machine/BASIC
Atari Products	600XL	\$969	6502C	8-bit	Atari DOS II/III	BASIC
Radio Shack	TRS-80 Pocket Computer PC-2	\$979.70	Custom CMOS	8-bit	N/A	BASIC
Sanyo	MBC 550	\$995	8088	16-bit	MS-DOS	BASIC
Commodore Business Machines	Executive 64	\$995	6500 series	8-bit	Proprietary	BASIC
Hewlett-Packard	HP75C	\$995	Not announced		N/A	BASIC
Radio Shack	TRS-80 Model 100	\$999	80C85	8-bit	N/A	BASIC
Radio Shack	TRS-80 Model 4	\$999	Z80A	8-bit	N/A	BASIC
Radio Shack	TRS-80 Model III	\$999	Z80	8-bit	N/A	BASIC
Casio, Inc.	FX-9000P	\$999	Z80A-compatible	8-bit	Not announced	BASIC

Programmable in machine language and BASIC, data entry is via the 89-key typewriter-style keyboard. This keyboard also has 8 special-function keys that are user programmable. This unit includes standard serial and parallel ports for input/output.

#### Epson

Another of the entrants on the market with lap computers, Epson America is probably better known for its microcomputer printers than it is for its small systems. However, in the last year it has come out with two, the HX-20 lap computer and its user-friendly QX-10.

In this price category, the HX-20 lap computer makes its debut. Like other lap models, this one is capable of independent operation with batteries. Its 6301 8-bit microprocessor is capable of handling sophisticated number-crunching or just about any other task it will be called on to handle.

The beauty of this type of machine is its ability to go anywhere. With 16K of user memory, it can store about 16 typewritten pages in memory, or about as much daily production as anyone in the field might generate. The machine also features a built-in microcassette storage system.

Its full-travel, keyboard has five multifunction keys. A serial port allows the HX-20 to be used with a modem so that the person in the field can upload or download files to/from a mainframe or office minicomputer system. Further, this port will allow the user to tie into any of the many information networks available today.

The HX-20's display is more limited than the competition in the lap market. Unlike other machines with 8-line liquid-crystal displays, the HX-20 has a four-line display, although this should be enough for many users.

#### Sanyo

Another of the firms that is better known for its consumer electronics products, Sanyo, also has a microcomputer, the *MBC 550.* Unlike other small-computer systems in this price category, the *MBC 550* is driven by a 8088 microprocessor. This feature alone will give the user access to the rapidly growing world of MS-DOS applications software that runs on this microprocessor. (A version of this disk operating system—PC-DOS—is what is primarily used in the IBM Personal Computer world and this is what has contributed to its lead in the 16-bit single-user system world.)

Unlike other systems in this price category, this one comes with 128K of user memory. It is one of the only microcomputers in this area to provide so much standard start-off RAM. (Sixteen bit computers can address up to 1.2 megabytes of RAM.) And, unlike other systems in this category, the *MBC 550* comes with one single-sided, double-density 160K floppy disk drive for storage. When you add in other peripherals, as we have done in other price categories, you will find this is a powerful home system.

#### **Radio Shack**

Not only does this major consumer-electronics firm have small-computer-system entries in the \$100-to-\$500 field primarily handheld and small color systems; they also have entries in this category that begin their climbs toward computing power.

The first new Radio Shack system is the *Model 100* lap computer. Another of the many lap computers that are appearing on the market, the model *100* uses a CMOS 80C85 8-bit micro-processor. It is a low-power version of the standard 8085.

This system comes with 8K of user memory, but, while that figure may seem small, it must be noted it has several powerful programs built into ROM that are accessed at the touch of a button. This means that the user memory can be used for user input without worrying about loading an applications program into memory.

Programmable in BASIC, the Model 100 sports a full-travel,

Marrie W.Charrison	Kaubaard	1/0	Display	Comments
Memory/Storage	Keyboard		Display	Comments
32K/cassette recorder	71 keys, 5 multifunction keys	1 parallel, 1 serial, 2 game controller, digi- tized touch panel	256 × 192 capability, 32 × 16 text, composite video output avall.	expansion module, digitized touch tabletradded
64K/cassette recorder/car- tridge slot	standard typewriter/16 special function keys	1 printer, 2 controller, ex- pansion connector/ interface module	built-in video output sup- ports 256 colors, $40 \times 24$ text	interface module added
10.6K/cassette interface	65 keys, 10-key keypad, function keys	1 sérial	26-character × 1 line liq- uid crystal display	serial port added
48K/cassette interface	standard	HEX-BUS expansion unit, peripheral interface	16 colors	expansion interface
32K/cassette interface	60 keys, multifunction keys	1 parallel, 1 serial	RGB CRT/RGB and com- posite video output	color CRT
14K	65 calculator keys in typewriter arrangement, redefinable keys	input/output adapter/ex- pansion bus	1-line × 26-character liq- uid crystal display	memory expanded to 14K
64K/cassette interface	56 keys	N/A	12-inch monochrome CRT	user memory expands to 64K
16K/floppy disk drive	62 keys, help key, 4 special function keys	1 serial, 2 controller, ex- pansion connector/ interface module	no std. CRT/built-in video output supports 256 col- ors, 40x24 text	floppy disk drive added
32K/cassette interface	65 calculator keys, 19- key keypad, 18 defina- ble keys	60 pin bus connector	1 line 7 × 156 dot matrix liquid crystal display	cassette interface/printer added
128K/1 160K floppy disk drive	Not announced	1 parallel, joystick port	color graphics capability (no further details)	basic system
64K/1 170K 5 1/4" floppy disk drive	standard	1 IEEE-488 serial	6-inch high-res. color dis- play	transportable business com- puter
16K/built-in card reader (see text)	61 keys, multifunctional keys	interface port for add-on options	32 character one-line LGD	basic system, includes card reader
24K/cassette interface	56 keys, embedded 10- key keypad, 8 program- mable keys	1 parallel, 1 serial, built- in modem	40 × 8 liquid crystal dis- play	memory increased to 24K
16K/cassette interface	70 keys, 3 program- mable keys, 12-key keypad	1 parallel	12-inch monochrome/80 × 24 text (64 × 16 double- sized)	basic system
16K/cassette interface	64 keys, 12-key keypad	1 parallel	12-inch monochrome	basic system
4K/cassette interface	67 keys, 16-key keypad		5.5-inch monochrome	basic system

typewriter-like keyboard. It also features a cassette-tape interface for data storage.

An interesting feature of this system is the built-in directconnect modem and software to drive it. This makes the *Model* 100 a very versatile machine for use in the field because it can act as a portable terminal from just about anywhere there is a phone. Its 40-character by 8-line display is more than adequate for most field situations. This unit upgrades once in this category with the addition of 16K of RAM.

Another offering from Radio Shack is the new *Model 4*, an all-in-one, terminal-type computer system.

At this point in its pricing, the *Model 4*, driven by an 8-bit Z80A microprocessor, relies on a cassette recorder for mass storage, has 16K of RAM (that is more than enough for average home usages), and it includes a 70-key standard typewriter-type keyboard. This keyboard contains three programmable keys and a separate 12-key pad. The beauty of an all-in-one system versus others on the

The beauty of an all-in-one system versus others on the market is that the buyer doesn't have to worry about which display unit to buy, because the system includes one. The display on the *Model 4* is a full 80 characters by 24 lines.

Similarly, the TRS-80 Model III desktop, which uses a Z80 microprocessor instead of the Z80A, is another all-in-one system. It also differs from the Model 4 in its display, which is 64-characters by 16-lines. It is an older unit and offers the same amount of basic user memory, although its keyboard is more limited.

Both systems can be expanded into fairly powerful units, as will be seen later.

Two other Radio Shack computers that were introduced in the \$100 to \$500 price category, upgrade in this price category. The *Color Computer* has its memory increased to 32K, while the *PC-2* Pocket Computer reaches 32K of RAM and its flexibility is increased with the addition of the printer/cassette interface expansion unit.

#### Commodore

Commodore is another computer manufacturer with a wide range of products. In this price category, alone, three new systems debut including the *Pet 64*, aimed at business, the *Commodore 64*, and the *Executive 64*, a tote-along system.

The Pet 64 continues Commodore's policy of making a display screen available with its microcomputer systems. Driven by a 6500-series—Commodore actually came up with this series and uses it in all its products—8-bit microprocessor, the Pet 64 has 64K of user memory standard.

With its standard typewriter-like keyboard, a user can program in BASIC and then save the results to a cassette recorder. Actually the basis of a very powerful system, the *Pet 64* comes with a standard 12-inch monochrome monitor and a serial port so the unit can interface with a printer or modem for output.

The Commodore 64, of which the Pet 64 is a variant, is another unit driven by a 6500-series microprocessor. Very expandable, it will interface with all the peripherals offered for the VIC-20. Like the VIC, the Commodore 64 has been part of the ongoing battle for dominance in the low-cost personal computer market and Commodore has cut its price. Although the price in our listing looks high, you should be able to find it substantially discounted.

Programmable in BASIC, the *Commodore 64* has a standard 64-key typewriter-like keyboard and it features 64K of RAM that makes it a highly versatile unit for many tasks. It will interface with a home television set through a built-in RF modulator and is capable of 16-color graphics and text. The system upgrades once in this price category with the addition of the digital tape recorder offered by Commodore.

Also based on the Commodore 64 is the Executive 64, another entry in the transportable market. Again driven by a 6500-series 8-bit microprocessor, the Executive 64 has one built-in 170K single-sided, double-density disk drive for mass storage. This increases the capability of the unit from the start because it is able to access and store large amounts of data very quickly.

The built-in 6-inch display is capable of high-resolution color, a departure from the usual monochrome display found on other transportable computer systems.

The *Executive* is capable of interfacing with a printer through a parallel port for hard-copy output. It is the basis of an expandable transportable system and, as we shall see, it continues to expand in other price categories.

#### Atari

Best known for its home games, Atari's line expands in this price category with the addition of the 800XL. Driven by a more advanced 6502C 8-bit microprocessor, the 800XL features 64K of RAM. Not only is it capable of high-level tasks because of its level of RAM; it is also capable of using Atari's programming cartridges through a standard cartridge port.

Programmable in BASIC, the 800XL has a standard typewriter-like keyboard for data entry. This is aided by four special-function keys and a HELP key. Its built-in video output supports 256 colors in the graphics mode or 40-characters by 24-lines in text mode. The display of 40 characters-per-line would seem to limit this unit's usefulness to casual word-processing or note writing.

In this price category the 600XL upgrades with the addition of an expansion module that permits further system expansion. A second expansion adds a disk drive.

The 1200XL upgrades twice. With the first upgrade, the Atari-offered data cassette recorder has been added to the picture for mass storage, while, with the second, the expansion interface module has been added to permit system growth.

#### **Hewlett-Packard**

Hewlett-Packard has a new entry in this price category, the *HP75C*. Actually a handheld, the *HP75C* features a "QWER-TY" type of keyboard layout. In reality, though, the small calculator keys and the rather narrow placement of the keys make this keyboard suited only to one-finger entry than touch typing. Its display is a one-line by 32 character liquid-crystal display that is limited to casual or field use.

The HP75C's forte is its portability. With 16K of built-in user memory, it is capable of most tasks one would expect it to perform in the field. However, this memory limits the sophistication of those tasks because it cannot perform functions requiring more memory. Perhaps its key feature is its built-in card reader. This allows the user to store data on magnetic cards.

Like other small-computer systems, this one is programmable in BASIC. This and other data entry is performed through the unit's 61-key keyboard. The *HP75C* also features an interface port for add-on perhipheral options.

#### NEC

The PC-6000 begins to expand to a much more powerful system in this price category. Its first expansion brings the user memory to 32K, while its second, the addition of a serial port, gives it the ability to communicate with the outside world via either a printer or modem.

The addition of the expansion module and a digitized touchtablet for graphic input gives this system more flexibility and sophistication.

#### **Texas Instruments**

The TI-99/4A expands three times in this segment. Its first expansion increases its user memory by 32K, while the second adds to its flexibility with the addition of the Hex-Bus option. The Hex-Bus allows external peripherals to be added to this unit to give it, for example, additional input/output capability through serial and parallel ports that can be added.

In its next upgrade, the expansion interface is added to increase the versatility of this system. The expansion interface is used to accommodate such items as disk drives.

TI's CC-40 also becomes more fully configured in this price

category. In its first expansion, it gains I/O capability with the addition of parallel and serial ports. With these ports, the computer can interface with either a printer or a modem for output or input. In its second expansion, the CC-40 gains greater—and faster—mass storage with the addition of the *Wafertape* continuous tape-loop data drive.

#### Pansonic

The Panasonic H1400 and H1800 begin to become more fully configured also. In the first expansion, the input/output adapter is added to each unit. This enables each unit to interface with other peripherals, as will be shown in other price categories.

In its second expansion, the H1400 becomes more useful as its user memory is increased to 14K.

The JR-200 computer also becomes a little more powerful in this price category as a color monitor is added.

#### **Netronics**

The Explorer/85 kit expands five times. In the first expansion, the S-100 card cage is added. When this is done, the user has the ability to choose from the many S-100 add-in cards available to configure his system as he wants. For instance, there are cards adding serial or parallel ports, disk controllers, analogto-digital and digital-to-analog conversion, etc.

However, the memory capacity is still lacking in this unit and the second expansion brings it up to 4K. At this level, though, it is still only capable of performing very basic functions because of the limited memory.

The third expansion adds BASIC, with the addition of the correct ROM. This simplifies the use of the *Explorer/85* because BASIC no longer has to be loaded from tape.

Expansion number 4 increases the RAM to a much more reasonable 16K. At this level, the machine is capable of performing more serious tasks. The final expansion brings memory up to 64K.

The *Elf II* expands here with the addition of a full-blown keyboard (replacing the hex pad of the earlier price level.) At the same time, the unit becomes more flexibile in its programming capabilities with the addition of BASIC. Now, a user has a choice of machine-level or BASIC programming.

#### Spectravideo

The Spectravideo SV-328, described in an earlier section of this supplement, expands once in this price category with the addition of the company-offered tape recorder. Although it was described earlier, as you will note from the chart, its basic price puts it in this category, as does its first expansion.

#### Sharp

The Sharp PC-1250 becomes a more versatile unit with the addition of a cassette interface and printer. This gives the user the opportunity of storing his work on magnetic tape or outputting it to the thermal printer built into the unit. Additionally, the unit becomes more versatile with the expansion of user memory to 8K.

The PC-1500 expands twice here. The first expansion adds the color printer, the plotter, and the cassette interface, which gives the user the option of outputting either hard text or saving the work to a cassette recorder.

In its next expansion, the PC-1500 gains the possibility of accessing a data network or mainframe computer through the addition of a serial port. To use this capability, of course, you must add a modem to pass data through the phone lines. Still, it shows this system can become a powerful workstation for someone in the field.

#### Multitech

The MPF-II becomes a more powerful unit with the addition of a minifloppy disk drive for data storage. A disk drive helps increase the flexibility of any system because it gives the user a method for quick data storage and retrieval. It is a quantum leap over the use of a cassette recorder. HOWARD W. SAMS & CO., INC. 4300 West 62nd Street P.O. Box 7092 Indianapolis, Indiana 46206

#### **Repeated By Popular Demand!**

# SAMS 20% DISCOUNT SALE

Once again, Sams helps you invest in your future with a flat 20% discount on genuine Sams Computer Books, the same ones you'll find in our latest regular catalog!

The sale includes our brandnew 1983 titles as well as our best-sellers—books about the Apple II\*, IBM\* PC, Timex Sinclair 1000\*, VIC-20, Commodore 64, TRS-80\*, and more!

If you're into computing, you need to be into a Sams Book now!

#### ELEMENTARY COMPUTING Sams/Waite Primers



#### **UNIX™ PRIMER PLUS**

Presents the elements of UNIX clearly, simply, and accurately, for ready understanding by anyone in any field who needs to learn, use, or work with this remarkable operating system. Fully illustrated By Mitchell Waite, Donald Martin, and Stephen Prata.

Ask for No. 22028 \$19.95 Now Only \$15.96

#### CP/M® PRIMER (2nd Edition)

Completely updated to give you the know-how you need to understand and work with new or old CP/M versions immediately, in *any* application. Includes CP/M terminology, operation, capabilities, internal structure, and more. By Mitchell Waite and Stephen Murtha. Ask for No. 22170 ... \$16.95

Now Only \$13.56



#### BASIC PROGRAMMING PRIMER (2nd Edition)

Improved and expanded edition gives you fundamental keywords, statements, and functions usable with the IBM® PC, Apple® II, or any other computer running a variation of Microsoft BASIC. Also contains new, advanced BASIC coverage, new game-program listings, and more. By Mitchell Waite and Michael Pardee

Ask for No. 22014 \$17.95 Now Only \$14.36



#### COMPUTER GRAPHICS PRIMER

Amaze yourself! Create computer animation and other graphics routines and techniques with this colorful Sams bestseller. Many examples, all in BASIC. By Mitchell Waite.

Ask for No. 21650 .... \$15.95 Now Only \$12.76



#### PASCAL PRIMER


You'll learn to generate powerful programs in UCSD™ Pascal as this Sams powerhouse guides you through Pascal program structure, procedures, variables, decision-making statements, and numeric functions Remarkably user-friendly, with many examples and 8 appendixes By Mitchell Waite and David Fox. Ask for No. 21793 \$17.95 Now Only \$14.35

#### MICROCOMPUTER PRIMER (2nd Edition)

Covers basic computer concepts, the electronics behind the logic, what happens inside the computer as a program runs, and a little about languages and operating systems. Excellent introductory material By Mitchell Waite and Michael Pardee Ask for No. 21653 \$14.50

Ask for No. 21653 . \$14 50 Now Only \$11.60

#### COMPUTER FUNDAMENTALS



#### HOWARD W. SAMS CRASH COURSE IN MICROCOMPUTERS (2nd Edition)

An actual self-study course in one lay-flat volume, completely updated with new chapters on 16-bit micros and BASIC programming, expanded coverage of applications software, new photos, and more. Lets you learn about microcomputers and programming fast! No previous computer knowledge necessary By Louis E. Frenzel.

Ask for No. 21985 .... \$21.95 Now Only \$17.56

#### HOW TO MAINTAIN AND SERVICE YOUR SMALL COMPUTER

Shows you simple procedures you can use to sharply reduce problems and down-time with your Apple® II, TRS-80®, or other small computer. Also shows you how to diagnose what's wrong, find the faulty part, make simple repairs yourself, and deal with the repair shop when professional servicing is necessary. By John G. Stephenson.

Ask for No. 22016 .... \$17.95 Now Only \$14.36



### MICROCOMPUTERS ON THE FARM

Gives farm-management and agribusiness professionals the information needed to make intelligent decisions about using microcomputers in farming operations Discusses programs, applications, examples, and more By Jack O Beasley

Ask for No. 22011 . . . \$14.95 Now Only \$11.96

### MEGABUCKS FROM YOUR MICROCOMPUTER

Shows you how to make money using your creative talents through your microcomputer, and includes details for doing your own writing, reviewing, and programming. By Tim Knight.

Ask for No. 22083 .... \$3.95 Now Only \$3.16



#### YOUR OWN COMPUTER (2nd Edition)

Explains and explores computer applications, buzzwords, programs, hardware, and peripherals. Compares 30 different models of personal and smallbusiness computers. Easy to read, informative, and ideal for newcomers to computing. By Mitchell Waite and Michael Pardee

Ask for No. 21860 ..... \$8.95 Now Only \$7.16



#### PERSONAL COMPUTERS HANDBOOK

You'll need this practical guide to explain the hows and whys of your micro's microprocessor, memory, peripherals, programming, and hardware/software troubleshooting. By Walter H. Buchsbaum.

Ask for No. 21724 .... \$12.95 Now Only \$10.36

#### GUIDEBOOK TO SMALL COMPUTERS

Presents an unbiased review of the capabilities of 21 popular microcomputer systems from 14 different manufacturers. Helps you make an informed choice. By William Barden, Jr.

Ask for No. 21698 ..... \$6.95 Now Only \$5.56

> Understanding and Buying a Small Business Computer



#### UNDERSTANDING AND BUYING A SMALL BUSINESS COMPUTER

A lively, practical guide for anyone considering a micro- or minicomputer for business use. Filled with useful examples, diagrams, and case studies. Nontechnical, and not a shopping guide. By Susan Blumenthal. **Ask for No. 21890** ..... \$9.95

Now Only \$7.96

#### DICTIONARIES



#### USER'S GUIDE TO MICROCOMPUTER BUZZWORDS

Handy quick-reference that provides an understanding of the basic terminology you need to become "computer literate." Contains many illustrations. By David H. Dasenbrock.

Ask f	or No.	22049		\$9.95
		Now	Only	\$7.96



#### COMPUTER DICTIONARY (3rd Edition)

More than 12,000 definitions in this paperback reference translate computing terminology into language you can easily understand. By Charles J. Sippl. **Ask for No. 21652** ..... \$16.95

Now Only \$13.56

#### MICROCOMPUTER DICTIONARY

(2nd Edition)

Most current, down-to-earth, and complete explanation of 5000+ microcomputer products, procedures, systems, techniques, and components available. By Charles J. Sippl. Ask for No. 21696 .... \$16.95 Now Only \$13.56

#### COMPUTER DICTIONARY & HANDBOOK (3rd Edition)

Largest, most complete reference book available on all phases of computers and their applications. More than 22,000 definitions, plus 14 appendixes. By Charles J. Sippl and Roger J. Sippl.

Ask for No. 21632 .... \$34.95 Now Only \$27.96

#### COMPUTER MATH



MICROCOMPUTER MATH Excellent introduction to binary,

octal, and hexadecimal number systems plus arithmetic operations on all microcomputers. Many practical examples. By William Barden, Jr.

Ask for No. 21927 .... \$11.95 Now Only \$9.56



#### BOOLEAN ALGEBRA FOR COMPUTER LOGIC

Basic introduction that covers everything from binary numbers to Karnaugh maps. No knowledge of higher math needed. By Harold E. Ennes.

Ask for No. 21554 \$7.95 Now Only \$6.36

#### PRACTICE PROBLEMS IN NUMBER SYSTEMS, LOGIC, AND BOOLEAN ALGEBRA (2nd Edition)

Sixty-four lessons covering number systems, conversions, binary and octal arithmetics, Boolean algebra, and implementation of Boolean relationships. By Edward Bukstein.

Ask for No. 21451 .... \$10.95 Now Only \$8.76

#### GENERAL PROGRAMMING

#### DON LANCASTER'S MICRO COOKBOOK, Volume 2: MACHINE LANGUAGE PROGRAMMING

Covers address space and addressing, system architecture, programming using the "those #\$!&#%\$! codes" technique, details of input/output, and more. By Don Lancaster. Ask for No. 21829 .... \$17.95

Now Only \$14.36

#### NUMERICAL BASIC

Thoroughly explains techniques for using trigonometry, vector algebra, and matrix manipulations under ordinary BASIC on a microcomputer. By Bruce Powell Douglass. Ask for No. 22048 .... \$15.95

Now Only \$12.76

#### CP/M<sup>®</sup> BIBLE: THE AUTHORITATIVE REFERENCE GUIDE TO CP/M

Gives you instant, one-stop access to all CP/M keywords, commands, utilities, and conventions. Covers CP/M-86, MP/M-80 and 86, CP/Net, and more. By Mitcheli Waite and John Angermeyer. Ask for No. 22015 .... \$19.95

Now Only \$15.96

CIRCLE 32 ON FREE INFORMATION CARD



#### SOUL OF CP/M®: HOW TO USE THE HIDDEN POWER OF YOUR CP/M SYSTEM

Teaches you how to use and modify CP/M's internal features, including how to modify BIOS, use CP/M® system calls in your own programs, and more! By Mitchell Waite and Robert Lafore.

Ask for No. 22030 .... \$18.95 Now Only \$15.16

#### ELECTRONICALLY SPEAKING: COMPUTER SPEECH GENERATION

Learn to generate synthetic speech with a microcomputer. Includes techniques, a synthesizer overview, and advice on problems. By John P. Cater.

Ask for No. 21947 .... \$14.95 Now Only \$11.96



#### INTRODUCTION TO ELECTRONIC SPEECH SYNTHESIS

Explains creation of an electronic "voice", three current speechsynthesis technologies, and speech quality vs. data rate and hardware costs. By Neil Sclater. Ask for No. 21896 ...... \$8.95

Now Only \$7.16


#### COMPUTER LANGUAGE REFERENCE GUIDE

If you know one language, this small book can help you understand six more! Seven chapters cover seven languages, and an eighth presents a keyword dictionary. By Harry L. Helms, Jr.

Ask for No. 21786 \$9.95 Now Only \$7.96

FORTH PROGRAMMING Shows you the differences between FORTH-79 and fig-FORTH, and how to write or modify software using either dialect. Includes more than 50 useful programs. By Leo J. Scanlon. Ask for No. 22007 .... \$16.95

Now Only \$13.56



#### INTRODUCTION TO FORTH

A fundamental approach to FORTH programming, using MMS FORTH in particular. Program examples are directly compared to the same program in Level II BASIC for clarity. By Ken Knecht.

Ask for No. 21842 \$10.95 Now Only \$8.76



#### **26 BASIC PROGRAMS** FOR YOUR MICRO

A series of 26 simple-to-complex games, most of which need 500 to 5000 bytes of RAM (13K is the highest). Conversion charts included. By Derrick Daines \$8.95

Ask for No. 22047 Now Only \$7.16



#### WHAT DO YOU DO AFTER YOU PLUG IT IN?

Complete tutorial covers hardware, software, languages, operating systems, data communications, and more, followed by solutions to the practical problems you'll meet while using them. By William Barden, Jr.

\$10.95 Ask for No. 22008 Now Only \$8.76

#### **EXPERIMENTS IN** ARTIFICIAL INTELLIGENCE FOR SMALL COMPUTERS

Takes you into the fascinating world of artificial intelligence, where you and your computer directly participate in sessions involving reasoning, problemsolving, creativity, and verbal communication. By John Krutch. Ask for No. 21785 \$9.95 Now Only \$7.96



#### **DON LANCASTER'S** MICRO COOKBOOK, Volume 1

Includes ground-zero basics, a real-world set of rules for the novice, pragmatic number systems and logic, usable codes, memory, and memory devices, all dedicated to helping you profit from and enjoy computing. By Don Lancaster. Ask for No. 21828 \$17.95

Now Only \$14.36



#### CHEAP VIDEO COOKBOOK

Shows you how to build and use a \$20, seven-IC circuit that lets your computer provide any alpha or graphics format, including hi-res and a four-color mode, via software control. There's more, too. By Don Lancaster.

\$7.95 Ask for No. 21524 Now Only \$6.36

#### SON OF CHEAP VIDEO

Gives you do-it-yourself specs for a low-cost, custom EPROM character generator, plus lowercase for an Apple II, cheap video for 8080/Z-80, complete video display for \$7, and more. By Don Lancaster \$10.95

Ask for No. 21723 Now Only \$8.76

#### BUSINESS PROGRAMMING



BASIC BUSINESS SOFTWARE Explains the fundamentals of application software for busi-

CIRCLE 32 ON FREE INFORMATION CARD

ness, how to evaluate it, and how to write it. Covers information storage and retrieval, inventory control, payroll, and general ledger programming. By E. G. Brooner

Ask for No. 21751 \$11.95 Now Only \$9.56



#### WORD PROCESSING FOR SMALL BUSINESSES

Tells you about doing practical word processing on a personal computer, and presents details for more than 50 wordprocessing systems, including hardware, software, and more By Steven F. Jong.

Ask for No. 21929 \$11.95 Now Only \$9.56



#### MICROCOMPUTER DATABASE MANAGEMENT


Create your own database program! Complete tutorial shows routines you can use to control and access large amounts of data with a microcomputer. Also explains operation of 3 commercial D/B programs. By E. G. Brooner.

Ask for No. 21875 \$12.95 Now Only \$10.36



#### USING COBOL IN AN MP/M® SYSTEM

Shows you how to use COBOL with a multiple-terminal CP/M system so that more than one user can access the same file at the same time without interference. Describes system design and more By Neil G. Gelb. \$12.95 Ask for No. 21936





#### COMPUTER PROGRAMS FOR MACHINE DESIGN

Ready-to-use BASIC programs to help mechanical and material engineers, machinists, technicians, and students solve the everyday problems they meet in machine technology. By Robert J. Wenzel.

Ask for No. 21960 \$21.95 Now Only \$17.56

#### **GENERAL INTERFACING**

#### ANALOG ELECTRONICS FOR MICROCOMPUTER SYSTEMS

Useful desktop reference covering power supply design, analog signal conditioning, data acquisition principles, data communication links, PID control, and other material necessary to microcomputer interfacing. By Paul Goldsbrough, Trevor Lund, and John Rayner.

Ask for No. 21821 \$19.95 Now Only \$15.96



#### COMPUTER COMMUNICATION **TECHNIQUES**

Covers data transfer techniques, hardware matching, standards and protocols, networking, videotex, teletext, software, and what's necessary to use them. By E. G. brooner and Phil Wells.

Ask for No. 21998 . \$15.95 Now Only \$12.76

THE WORLD CONNECTION



THE WORLD CONNECTION Powerful information that shows you how to select and use a



modem for sending and receiving electronic mail, making use of *CompuServe* and *The Source*, using electronic bulletin boards, and more. By Timothy Orr Knight.

Ask for No. 22042 ..... \$9.95 Now Only \$7.96



### THE S-100 AND OTHER MICROBUSES

Ask for No. 21810 \$9.95 Now Only \$7.96



#### STD BUS INTERFACING

Gives you all information and circuitry needed to interface your STD bus system easily. Much assembly language software included for Z-80, 8080/8085, 6502, and 6800-based boxes. By Christopher A. Titus, Jonathan A. Titus, and David G. Larsen.

Ask for No. 21888 ..... \$13.95 Now Only \$11.16

#### APPLE® PROGRAMMING & INTERFACING



#### POLISHING YOUR APPLE Volume 2

Guides intermediate-level programmers in making finished, commercially salable products. Demonstrates menu techniques, error-trapping, making your programs run smoothly, and more. By Herbert M. Honig. Ask for No. 22160 .... \$4.95

Now Only \$3.96

#### DISKS, FILES, AND PRINTERS FOR THE APPLE II

Provides you with outstanding explanations for Apple programming with sequentialaccess, random-access, and executive files, plus basic-toadvanced details for using disks and printers. By Brian D. Blackwood and George H. Blackwood.

Ask for No. 22163 ..... \$15.95 Now Only \$12.76

#### APPLE II APPLICATIONS

Ask for No. 22035

Real-world interfacing applications that can be modified to fit your needs. Includes serial and parallel 1/O boards, EPROM or E<sup>2</sup>PROM boards, remote data acquisition system, and more. By Marvin L. De Jong.

\$15.95

Now Only \$12.76
Applesoft LANGUAGE
to the
APPLESOFT <sup>™</sup> LANGUAGE

(2nd Edition)

The only complete Applesoft manual on the market, now with new material covering disk operations plus additional detail on numbers and number programming. Many usable routines and programs, too. By Brian D. Blackwood and George H. Blackwood.

Ask for No. 22073 .... \$13.95 Now Only \$11.16

#### POLISHING YOUR APPLE Volume 1

Clearly written, highly practical, concise assembly of all procedures needed for writing, diskfiling, and printing programs with an Apple II. Positively ends your searches through endless manuals to find the routine you need! By Herbert M. Honig. Ask for No. 22026 ..... \$4.95

Now Only \$3.96



#### ENHANCING YOUR APPLE II, Volume 1

Shows you how to mix text, LORES, and HIRES anywhere on the screen, how to open up whole new worlds of 3-D graphics and special effects with a one-wire modification, and more. Tested goodies from a trusted Sams Author! By Don Lancaster.

Ask for No. 21846 .... \$17.95 Now Only \$14.36



#### APPLE II ASSEMBLY LANGUAGE

Shows you how to use the 3-character, 56-word vocabulary of Apple's 6502 to create powerful, fast-acting programs! For beginners or those with little or no assembly language programming experience. By Marvin L. Delong.

Ask for No. 21894 .... \$15.95 Now Only \$12.76

#### MOSTLY BASIC: APPLICATIONS FOR YOUR APPLE II, Book 2

Now, a second goldmine of fascinating BASIC programs for your Apple II, featuring 3 dungeons, 11 household programs, 6 on money or investment, 2 to test your ESP level, and more— 32 in all! By Howard Berenbon. Ask for No. 21864 .... \$12.95 Now Only \$10.36

#### MOSTLY BASIC: APPLICATIONS FOR YOUR APPLE II, Book 1

An assortment of 28 useful and ready-to-use Applesoft programs including a telephone dialer, a spelling test, housebuying guide, gas mileage calculator, and many more. By Howard Berenbon.

Ask for No. 21789 .... \$13.95 Now Only \$11.16



### THE APPLE II CIRCUIT DESCRIPTION

Provides you with a detailed circuit description of all Apple II motherboards, including the keyboard and power supply. Comes complete with timing diagrams for major signals and a discussion of differences between the various revisions. By Winston D. Gayler.

Ask for No. 21959 .... \$22.95 Now Only \$18.36

#### ATARI® PROGRAMMING & INTERFACING



#### MOSTLY BASIC: APPLICATIONS FOR YOUR ATARI, Book 1

Thirty-eight fascinating and useful Atari BASIC programs you can run on any Atari 400, 800, or 1200XL computer! Includes a bar-chart generator, IRA planner, message taker, medical expense recorder, and many more. By Howard Berenbon.

Ask for No. 22075 .... \$12.95 Now Only \$10.36

#### COMMODORE PROGRAMMING & INTERFACING

#### COMMODORE SOFTWARE ENCYCLOPEDIA

(3rd Edition)

Giant, comprehensive Third Edition directory of software for the entire line of Commodore microcomputers, including the VIC 20 and Commodore 64. Covers games, business, education, and much more. By Commodore Computer.

Ask for No. 22091 .... \$19.95 Now Only \$15.96

RADIO-ELECTRONICS





#### COMMODORE 64 PROGRAMMER'S REFERENCE GUIDE

This creative programmer's working tool for the Commodore 64 includes a complete, detailed dictionary of all Commodore BASIC commands, statements, and functions, followed by BASIC program samples showing how each item works, and much, much more! By Commodore Computer.

Ask for No. 22056 .... \$19.95 Now Only \$15.96

#### COMMODORE 64 USER'S GUIDE

Shows you how to set up, program, and operate your Commodore 64, including how to do arcade-type color animation, music, and sound effects. Same book that comes packed with every Commodore 64 computer! By Commodore Computer.

Ask for No. 22010 \$12.95 Now Only \$10.36



#### VIC 20 PROGRAMMERS REFERENCE GUIDE

An easy-to-use, detailed manual that helps you program your VIC 20 like a pro in either BASIC or machine language! Includes a special section on VIC 20 I/O operations, too. By Commodore Computer.

Ask for No. 21948 .... \$16.95 Now Only \$13.56

#### MOSTLY BASIC: APPLICATIONS FOR YOUR PET<sup>®</sup>, Book 2

A second collection of ready-torun BASIC programs that includes three dungeons, eleven household programs, seven on money and investment (three of which are on the stock market), two that test your ESP level, and more! Thirty-seven in all. By Howard Berenbon.

Ask for No. 22001 ..... \$13.95 Now Only \$11.16

#### MOSTLY BASIC: APPLICATIONS FOR YOUR PET<sup>®</sup>, Book 1

Contains 28 useful BASIC programs for home, business, and entertainment. Includes a telephone dialer, spelling test, house buying guide, gas mileage calculator, and more. By Howard Berenbon.

Ask for No. 21790 .... \$13.95 Now Only \$11.16

#### IBM® PROGRAMMING & INTERFACING

#### INTERFACING TO THE IBM PERSONAL COMPUTER

Written by the lead designer and architect of the IBM PC itself, this authoritative, single-volume presentation gives you detailed technical data and operational theory for interfacing the IBM PC with a variety of hardware and software. By Lewis C. Eqgebrecht

Ask for No. 22027 \$17.95 Now Only \$14.36



#### MOSTLY BASIC: APPLICATIONS FOR YOUR IBM PC, Book 1

Brings you 38 chapters filled with useful and entertaining BASIC programs for your home and office. Helps you save money on energy usage, bar-chart your business sales, dial the telephone, learn a foreign language, and more. By Howard Berenbon. Ask for No. 22076 \$12.95 Now Only \$10.36

#### MOSTLY BASIC: APPLICATIONS FOR YOUR IBM PC, Book 2

A second collection of 32 assorted programs in IBM BASIC you can use wherever you use your IBM PC. Includes a math dungeon, two memory challengers, a student grader, a phone directory, monthly budget, and much more. By Howard Berenbon

Ask for No. 22093 \$14.95 Now Only \$11.96



#### USING YOUR IBM PERSONAL COMPUTER

Part One gets you started with off-the-shelf programs, and shows you how to use the PC's system hardware. Part Two teaches you to program in PC BASIC, and includes graphics, music, sound effects, and more. Fully indexed and illustrated. By Lon Poole.

Ask for No. 22000 .... \$16.95 Now Only \$13.56



#### 8088 ASSEMBLER LAN-GUAGE PROGRAMMING: THE IBM PC

Shows you how to program the PC with 8088 assembler language. Includes a complete functional description of the 8088 microprocessor, plus a detailed analysis of the IBM PC architecture and how to make full use of it. By David C. Willer. Ask for No. 22024 .... \$15.95 Now Only \$12.76

TEXAS INSTRUMENTS PROGRAMMING & INTERFACING

#### THE TI 99/4A® USER'S GUIDE

You'll like this badly needed guide to all aspects of the TI 99/4A! Covers everything from system setup to expansion options, including languages, software, and peripherals. By Carol Ann Casciato and Donald J. Horsfall.

Ask for No. 22071 ..... \$10.95 Now Only \$8.76

#### TIMEX SINCLAIR PROGRAMMING & INTERFACING

#### TIMEX SINCLAIR 1000™/ZX81 USER'S HANDBOOK

Keep this handy as a useful reference source and you'll have most of the answers you'll ever need on hardware and peripheral details, interfacing, machine-code programming, and possibly troublesome areas of BASIC. By Trevor J. Terrell and Robert J. Simpson.

Ask for No. 22012 .... \$13.95 Now Only \$11.16



#### TIMEX SINCLAIR 1000™/ZX81 BASIC BOOK

Neatly and effectively teaches ZX81 BASIC language, instructions, and programming techniques to owners of the ZX81 personal computer. Includes many examples and exercises. By Robin Norman.

Ask for No. 21957 ..... \$12.95 Now Only \$10.36

#### TRS-80® PROGRAMMING & INTERFACING

#### TRS-80 FOR KIDS FROM 8 TO 80, Volume 2

Assumes you've either read Volume 1 or are familiar with its concepts. Covers new topics but also gives new detail on material from Volume 1, and includes many helpful programs, hints, and techniques. By Michael P. Zabinski.

Ask for No. 22070 \$9.95 Now Only \$7.96



#### LEARNING AND TEACHING PROGRAMMING USING THE TRS-80 MODEL III

Makes it possible for parents and teachers of elementary-aged children to become computer literate enough to teach gradeschoolers the subject using Computer Aided Instruction. By Nancy Lee Olsen.

Ask for No. 22072 \$10.95 Now Only \$8.76 Battlestar BASK



#### BATTLESTAR BASIC FOR THE TRS-80

You construct an arcade-type video game program from scratch, using (and learning) new BASIC statements and commands as they become necessary to make the game gradually more complex and sophisticated. By David H. Dasenbrock.

Ask for No. 22006 \$14.95 Now Only \$11.96



#### TRS-80 FOR KIDS FROM 8 TO 80, Volume 1

Amazingly effective information suitable for beginning TRS-80 programmers of any age, especially youngsters. No special background is needed. Same principles used at National Computer Camp help you learn quickly and easily. By Michael P. Zabinski.

Ask for No. 22046 \$9.95 Now Only \$7.96



#### TRS-80 COLOR COMPUTER INTERFACING, WITH EXPERIMENTS

Teaches you the interfacing techniques, inner workings, and operation of the TRS-80 Color Computer and its highperformance 6809 microprocessor. Shows how you can control and monitor various equipment and events. By Andrew C. Staugaard, Jr.

Ask for No. 21893 .... \$14.95 Now Only \$11.96



#### TRS-80 MODEL I, III, AND COLOR COMPUTER INTERFACING PROJECTS

A unique book for beginning interfacers which includes 14 simple, useful, and easy-to-build construction projects to help you make use of your TRS-80 model 1, 3, or Color Computer in the real world. By William Barden, Jr. Ask for No. 22009 ..... \$14.95 Now Only \$11.96

#### MOSTLY BASIC: APPLICATIONS FOR YOUR TRS-80, Book 2

Now, a second goldmine of fascinating BASIC programs for your TRS-80, featuring 3 dungeons, 11 household programs, 6 on money or investment, 2 to test your ESP level, and more— 32 in all! By Howard Berenbon. Ask for No. 21865 ..... \$12.95 Now Only \$10.36

#### MOSTLY BASIC: APPLICATIONS FOR YOUR TRS-80, Book 1

Brings you 28 ready-to-use BASIC programs for your TRS-80, including a telephone dialer, spelling test, house buying guide, gas mileage calculator, and more. By Howard Berenbon. Ask for No. 21788 ..... \$12.95 Now Only \$10.36

TRS-80 ASSEMBLY LANGUAGE MADE SIMPLE Learn how to plan, write, and hand-assemble your own assembly language programs in memory, using the T-BUG and Level II BASIC ROM subroutines. Provides immediate, short-cut results for the user who can simply use existing routines. By

Earles McCaul. Ask for No. 21851 ..... \$12.95 Now Only \$10.36

#### 16-BIT MICROPROCES-SOR PROGRAMMING & INTERFACING



**16-BIT MICROPROCESSORS** Carefully steps you through the complexities of programming and designing with powerful 16-bit microprocessors. Covers the 68000, 8086, Z8001/2, 9900, and NS16000 By Christopher A. Titus, Jonathan A. Titus, Alan Baldwin, W. N. Hubin, and Leo Scanlon.

Ask for No. 21805 ..... \$15.95 Now Only \$12.76



#### THE 68000: PRINCIPLES AND PROGRAMMING

Systematically guides you through the 68000's complex architecture, instruction set, pinouts, and interfacing techniques. Excellent for design engineers, programmers, and students. By Leo J. Scanlon. Ask for No. 21853 .... \$15.95

Now Only \$12.76

#### 6502 MICROPROCESSOR PROGRAMMING & INTERFACING



#### 6502 SOFTWARE DESIGN

Shows you how to place the powerful 6502 under assembly language program control. Contains 88 debugged and usable sample programs, and a wealth of additional material. By Leo J. Scanlon.

Ask for No. 21656 ..... \$13.95 Now Only \$11.16



#### PROGRAMMING AND INTERFACING THE 6502, WITH EXPERIMENTS

Good any time, but excellent if you don't have much 6502 assembly language programming or chip-level interfacing experience. Simple I/O techniques, instructions, and interfacing that can be reinforced by a KIM, SYM, or AIM system. By Marvin L. DeJong.

Ask for No. 21651 .... \$17.95 Now Only \$14.36


#### 6800 MICROPROCESSOR PROGRAMMING & INTERFACING



#### 6809 MICROCOMPUTER PROGRAMMING AND INTERFACING, WITH EXPERIMENTS

Instructional text and applications handbook giving you a solid understanding of the 6809 high-performance chip. Covers all aspects and includes much software. By Andrew C. Staugaard, Jr.

Ask for No. 21798 .... \$14.95 Now Only \$11.96



Bug symbol is a registered trademark of The Blacksburg Group, Inc., and denotes those books in the Blacksburg Continuing Educat on Series

Apple II and Apple II Plus are registered trademarks of Apple Computer, Inc. IBM is a registered trademark of International Business Machines, Inc. TRS-80 is a registered trademark of Radio Shack, a Tandy Corporation PET is a registered trademark of Commodore Business Machines CP/M and MP/M are registered trademarks of Digital Research, Inc UCSD is a trademark of UC Regent-, San Diego campus. Timex/Sinclair 1000 is a registered trademark of Timex Computer Corporation

#### IMPORTANT— HERE'S HOW TO ORDER

1. Look through the Sams Book listings in this ad and find the books that fit your interests or the interests of someone you know

 To get your books at this special discount, and in the shortest possible time, complete and mail the handy order card attached. If the order card is missing, send us the order form on this page or staple it to your purchase or t d e r

 Charge your books to your MasterCard or VISA account, or include your check or money order for the full amount due. Be sure to add \$2 for handling

4. If you'd rather order by phone, call the Sams Order Desk at 800-428-3696 toll-free or 317-298-5566 and charge it to MasterCard or VISA Give the Order Desk operator the code number in the box at the bottom of the order form when she asks for it Order Desk hours are 8 00 AM to 4 30 PM Monday thru Friday, EST the year 'round

5. Mail your order to

### SAMS 20% DISCOUNT SALE ORDER FORM

Catalog No.	Qty.	Special Price	Total	Catalog No.	Qty.	Special Price	Total
							+
The sele						Subtota	
Check Money Ord	er		۵	dd Local Sales T	ax Wh		
						ndling Charge	
VISA Total Account Number						Expires	
· · ·							
2							
Cite					S	tate	Zip

AD453



Howard W. Sams & Co., Inc., 4300 W. 62nd St., P.O. Box 7092, Indianapolis, Indiana 46206

#### THE FIRST LOW COST 6502 COMPUTER WITH 48K RAM THAT'S COMPLETELY COMPATIBLE WITH APPLE II R

**I'S HERE AT LAS** 

Introducing the RAM-TECH\*R7 2 computer which offers you greater flexibility than the Apple II + <sup>®</sup> at a price that's easier on your finances. The R7 2 will run all software and use all peripheral hardware designed for the Apple II + .\* It's 100% Apple<sup>®</sup> compatible yet it offers you features not available on the Apple II +.®

#### **COMPARE THESE FEATURES:**

- supports upper & lower case characters from the keyboard
- high quality ABS case will not crack and is light weight
- RF modulator included in addition to composite video output
- high quality light-touch keyboard with upper/lower case key
- 15 key numeric key pad for fast data entry (optional)
- high power switching power supply (8.5 amps total) will power two
- disk drives and several peripherals easily, has internal circuit breaker
- eight expansion slots to increase flexibility with peripheral cards
- 48K RAM expandable to 64K (192K RAM upgrade card available soon)
- socketed IC's for quick and easy service
- thousands of programs (business & home) available
- operates identically to the Apple II+ " with exception of extra features on RT 2
- full 90 days parts and labor warranty with fast service turn-around

THE RAM-TECH' RT 2 IS EVERYTHING YOU ALWAYS WANTED FROM AN APPLE® (AND MORE). BUT THOUGHT YOU COULDN'T AFFORD, AND THAT'S GOOD NEWS!

BUT THE BEST NEWS IS THE PRICE:

\$525.00 + \$18.00 shipping & handling

WITH OPTIONAL NUMERIC KEYPAD: \$575.00 + \$18.00 shipping & handling

COMPARED TO APPLE II® WHICH RETAILS AT MORE THAN DOUBLE THIS PRICE AND OFFERS YOU LESS, YOU CAN SEE WHY THE RAM-TECH\* RT 2 SHOULD BE YOUR CHOICE. MAKE NO SYNTAX ABOUT IT, THE RT 2 IS FOR YOU!

**PERSONAL I.D. OPTION** — We will burn your name into ROM. When you power up your Ram-Tech your name will be displayed on the screen. AN EXTRA MEASURE OF SECURITY AGAINST THEFT.

Indicate on your order what name you wish to use (maximum 8 letters including spaces) - ADD: \$25.00 for I.D. option.

#### ALSO AVAILABLE: (sub-assemblies for do-it yourselfers) - 90 days warranty

 ABS case, high quality, Apple<sup>®</sup> look-a-like and color matched, will replace Apple<sup>®</sup> case.
 same as #1 above but with numeric keypad cutout. \$ 68 50 c - same as #1 above but with numeric keypad cutout.
3 - keyboard with upper/lower case key, direct replacement for Apple® or Ram-Tech\*
4 - same as #3 above but with numeric keypad, use in combination with #2, also fits Apple®.
5 - RF modulator with TV switch and cable, also fits Apple®.
6 - switching power supply, 8.5 amps, internal circuit breaker, high power, also fits Apple®.
7 - motherboard, completely assembled & tested, fully operational with burned ROMS.
8 - bare motherboard w/ parts discription screened on board and instructions highert parts. \$ 84.00 \$110.00 \$139.50 \$ 19.50 \$112.00 \$295.00 8 - bare motherboard w/ parts discription screened on board and instructions, highest quality G10 epoxy \$ 48.00 SHIPPING & HANDLING FOR ABOVE: cases #1 & 2 add 10%; all others add 5%

PERIPHERALS, CARDS & ACCESSORIES FOR YOUR RAM-TECH\* OR APPLE® all items #1 to 19 guaranteed for one year (disk drives for six months)

1 – 16K RAM card	.\$ 58.00	11 - interger card \$ 97.50
2 – 80 column card	\$ 94.50	12 – PAL card\$114.00
3 - clock card.		13 – language card\$ 72.50
4 – communications card	\$ 89.00	14 – RS-232 serial card \$ 84.00
5 – disk controller card	\$ 58.00	15 – Z-80 CP/M card \$ 92.00
6 – EPROM writer card		16 – VERSA card \$345.00
7 – FORTH card	\$ 98.50	17 - analog/digital card \$116.50
8 – IEEE-488 card w/cable		18 - system cooling fan \$ 63.00
9 – parallel printer card w/cable	\$112.00	19 - joy stick w/button \$ 24.50
10 - parallel printer buffer and grappler card with	n cable	\$245.00

DISK DRIVES: Guaranteed high quality for use with all Apple® compatible (or Ram-Tech\*) controllers - DOS 3.3 & 3.2 USES SPECIAL LOW POWER CONSUMPTION CIRCUITRY

> TEAC 55A SHUGART

\$325.00 \$285.00

\$370.00 with controller \$330.00 with controller

SHIPPING & HANDLING: add \$3.50 per item #1 - 19 . . . disk drives add \$10.00

#### TO ORDER

- ALL PRICES IN U.S. CURRENCY
- VISA OR MASTER CARD: SEND NUMBER, EXPIRY DATE.
- BANK NAME & CARD HOLDER'S NAME, INCLUDE PHONE NUMBER
- CHECKS & MONEY ORDERS O.K. CHECKS NEED THREE WEEKS TO CLEAR. (NO C.O.D.'S TO U.S. DUE TO POSTAL **BEGULATIONS**
- CANADIAN ORDERS ADD 25% FOR CDN FUNDS EXCHANGE.
   U.S. CUSTOMERS WILL HAVE TO PAY U.S. CUSTOMS 4.7% DUTY. DUTIES COLLECTED BY POST OFFICE.
- WE ASSUME NO LIABILITY FOR CUSTOMS CLEARANCE

Apple is a trademark of Apple Computer Inc

DEALER INQUIRIES REQUESTED

BYTE-RYTE

DEPT. RE

P.O. BOX 205, STATION CART.

MONTREAL, QUEBEC, CANADA H4K 2J5 (514) 335-1717

\*Bam-Tech is a trademark of 99506 CANADA INC





Some big-name and some new-name manufacturers join the list of companies we have already mentioned.

# \$1000 to \$1500

MARC STERN

BY NOW YOU ARE PROBABLY WONDERING WHERE ALL THE "BIG names" in the microcomputer industry are hiding. Well, this price category answers that question as such giants as IBM, Apple, and Heath join the parade of small-computer manufacturers.

At the same time, another Apple-compatible computer makes its debut, the *Ace*-series from Franklin Computer Corp., which has been the subject of controversy, but whose way seemingly has been cleared thanks to recent court actions. And, another system debuts from a manufacturer whose name has long been associated with consumer electronics: Sony.

New systems debut from manufacturers whose names we are familiar with. Atari has a new system as does NEC Home Electronics and Commodore Business Machines.

Meanwhile, systems launched in the lower-price categories begin to either become fully configured or take on new power and become much more versatile.

Let's start our exploration of this price category with the new entries on the block, moving on to the new entries from those manufacturers we have already met, and wrap it up with looks at how already-described systems take on new configurations.

#### IBM

Two key changes have occurred during the last 12 months. First, IBM increased the amount of user memory from 16K to 64K in the basic unit and second, the computer giant has dropped a standard cassette interface.

At this point in its life, the IBM *Personal Computer* is little more than the system box, motherboard, 64K of user memory, and the 83-key keyboard that boasts 10 function keys. However, this is the beginning of a truly powerful system.

Capable of interfacing with a home television set—providing the user opts for the correct monitor-interface board—the IBM PC is driven by a 16-bit 8088 microprocessor. This gives it the ability to handle up to 1.2 megabytes of RAM and, further, it also has the ability to handle complex applications programming.

In reality, these capabilities are reserved for higher price classes.

#### Franklin

Franklin was the perhaps the first domestic computer manufacturer to enter the highly lucrative Apple-compatible market last year with its *Ace*. It continues to market the *Ace 1000* this year and has expanded its offerings, as you will see in other price categories.

The Ace 1000 is driven by an 8-bit 6502 microprocessor, the same micro that drives the venerable Apple II series. This small computer comes with 64K of user memory that makes it capable of highly complex applications. It also features a cassette interface for mass storage and is programmable in BASIC.

The Ace 1000 features a full, typewriter-style keyboard with 72 keys and a 12-key numeric keypad. This feature, alone, makes this machine very usable and should enable quick data or program entry by a skilled typist.

The Ace 1000 is capable of 40-character by 24-line text display and 280- by 192-dot graphics resolution.

Although it is the basic Ace 1000 system, it is still a capable unit, whose functionality grows as we add more peripherals to it. For instance, the Ace 1000 becomes more versatile in this price category with the addition of a floppy-disk drive that uses an Apple-compatible disk operating system.

#### Apple

Apple Computer, one of the long-time leaders in the microcomputer market, apparently knew it had a good thing on its hands with the *Apple II* and *Apple II-Plus* and so rather than phasing out this long-lived series, the company upgraded it to

#### TABLE 1-\$1000-\$1500

Manufacturer	Model	Price	CPU	Word Length	Operating System	Languages
Atari Products	1400XL	\$1000 (est.)	6502C	8-bit	N/A	BASIC
Atari Products	1450XLD	\$1000 (est.)	6502C	8-bit	Atari DOS III	BASIC
Texas Instruments	TI-99/4A	\$1009	TMS9900	16-bit	N/A	BASIC
Commodore Business Machines	Commodore 64	\$1018.95	6510	8-bit	N/A	BASIC
Formula International	Pinecom (kit)	\$1029	6502	8-bit	N/A	Not announced
Panasonic Co.	H1800	\$1038	6502	8-bit	SNAP	BASIC
Toshiba America	T100	\$1050	Z80A	B-bit	N/A	BASIC
Radio Shack	TRS-80 Model III	\$1059	Z80	8-bit	N/A	BASIC
Spectravideo	SV-318	\$1079	Z80A	8-bit	N/A	BASIC
Commodore Business Machines	BX256-80	\$1095	6509/8088	8/16-bit		BASIC
Franklin Computer Corp.	Ace 1000	\$1095	6502	8-bit	N/A	BASIC
Radio Shack	TRS-80 Model 100	\$1118	80C85	8-bit	N/A	BASIC
Sord Computer c/o Mitsui	M23	\$1120	Z80A	8-bit	Proprietary, CP/M- compatible	BASIC, Pascal, FCRTRAN
Texas Instruments	TI-99/4A	\$1135	TMS9900	16-bit	N.A	BASIC
Casio, Inc.	FX-9000P	\$1144	Z80A-compatible	8-bit	Not announced	BASIC
Radio Shack	TRS-80 Color Computer	\$1148	6809E	8-bit	Proprietary	BSIC
Commodore Business Machines	VIC-20	\$1152.80	6502	8-bit	Proprietary	BASIC
Formula International	Pinecom (kit)	\$1154	6502	8-bit	NA	No anounced
Radio Shack	TRS-80 Pocket Computer PC-2	\$1179.20	Custom CMOS	8-bit	NA	BASIC
Panasonic Co.	H1400	\$1188	6502	8-bit	SNAP	BASIC
NEC Home Electronics	PC-8800	\$1199	Z80A-compatible	8-bit	N/A	BASIC
Spectravideo	SV-328	\$1200	Z80A	8 bit	N.A	BASIC
Radio Shack	TRS-80 Model III	\$1207	Z80	8-bit	N/A	BASIC
Radio Shack	TRS-80 Model III	\$1255	Z80	8-bit	NA	BASIC
Atari Products	1200XL	\$1268	6502	8-bit	Atari DOS III	BASIC
Netronics Research	Explorer/88-PC	\$1284.48	8088	16-bit	N/A	machine/BASIC
Panasonic Co.	H1800	\$1288	6502	8-bit	SNAP	BASIC

Memory/Storage		Keyboard	1/0	Display	Comments
64K/cartridge slo			1 serial, 2 controller, ex- pansion connector, modem, speech syn- thesizer	256 colors, $40 \times 24$ text	basic system
64K/1 slim line 254 DD drive	4K DS/	66 keys, 4 special func- tion, 4 programmable, 12 preprogrammed	1 serial, 2 controller, ex- pansion connector, modem, speech syn- thesizer	256 colors, 40 × 24 text	basic system
48K/cassette inte	rface	standard	1 serial, HEX-BUS ex- pansion unit, peripheral interface	16 colors	serial port
64K/cassette reco	order	60 keys, 4 program- mable	1 serial	14-inch high-res. dedicated color monitor	color monitor, serial port
48K		66 keys, 14-key keypad	1 parallel	80-column text capability/280 × 192 graphics	80-column video card
16K		65 calculator keys in typewriter arrangement, redefinable	input/output adapter/ex- pansion bus	1-line × 26-character liq- uid crystal display	memory expanded to 16K
64K/cassette inte	rface	89 keys, 8 special func- tion	1 parallel, 1 serial	80 × 25 monochrome	monitor
16K/cassette reco	order	64 keys, 12-key keypad	1 parallel	12-inch monochrome/64 $(32) \times 16$ text mode	cassette recorder
64K/cassette reco	order	71 keys, 10 program- mable, built-in joystick	1 serial, 1 parallel	256 × 192 resolution, 16 colors, television used as display	serial, parallel ports added, memory upgraded, expan- sion interface
256K		standard, numeric key- keypad	1 serial	12-inch monachrome CRT/80 × 25 text mode	basic system, dual pro- cessors
64K/cassette inte	rface	72 keys, 12-key keypad	game controller	40 × 24/280 × 192 graph- ic capability	basic system
32K/cassette inte	rface	56 keys, embedded 10- key keypad, 8 program- mable	1 parallel, 1 serial, built- in modem	40 × 8 liquid crystal dis- play	memory expanded to 32K
128K		59 keys, 20-key keypad, 9 special function	Not announced		basic system
48K cassette inte	rface	standard	1 serial, 1 parallel HEX- BUS expansion unit, pe- ripheral interface	16 colors	parallel port
8k cassette interf	ace	67 keys, 16-key keypad		5.5-inch, $32 \times 16$ mono- chrome, 256 × 128 graphics	4K RAM
32K/1 156K 5 1/4" 1 disk drive	floppy	53 keys	1 serial	32 × 16 color text mode/256 × 192 graphics capability	156K drive
29K/1 170K 5 ¼" 1 disk drive	floppy	66 keys, 4 user- programmable	1 serial	14-inch high-res. dedicated color monitor	color monitor, 170K floppy disk drive and serial port
48K		66 keys, 14-key keypad	1 parallel	9-inch monochrome CRT/280 × 192 graph- ics/80 column capability	monochrome monitor
32K/cassette inte	rface	65 calculator keys, 19- key keypad, 18 defina- ble	60 pin bus connector/ RS-232C interface	1 line 7 × 156 dot matrix liquid crystal display	communications interface
22K		65 calculator keys in typewriter arrangement, redefinable	input/output adapter/ex- pansion bus	1-line × 26-character liq- uid crystal display	memory expanded to 22K
64K/cassette inte interface	rface/disk	81 keys, 5 multifunction, 10-key keypad	1 parallel, 1 serial	RGB/composite video out- puts 640 × 400 res./80 × 25 text	basic system
80K/cassette reco	order	87 keys, 10 program- mable, numeric keypad	1 serial, 1 parallel	80 × 24 text mode ca- pability/16 colors	serial and parallel ports, 80- column display card, expan- sion interfac
32K/cassette reco	order	64 keys, 12-key keypad	1 parallel, 1 serial	12-inch monochrome/64 (32) × 16 text mode	memory expands by 16K, se rial port added
48K/cassette reco	order	64 keys, 12-key keypad	1 parallel, 1 serial	12-inch monochrome/64 (32) $\times$ 16 text mode	memory expanded to 48K
64K/floppy disk d	rive	standard typewriter/16 special function	1 printer, 2 controller, ex- pansion connector		floppy disk drive
64K/cassette inte	rface	83 keys, 10 function, nu- meric keypad	1 serial	12-inch monochrome CRT	assembled Explorer/88-PC with keyboard, color board, ROM and monitor
24K		65 calculator keys in typewriter arrangement, redefinable	input/output adapter/ex- pansion bus	1-line × 26-character liq- uid crystal display	memory expanded to 24K

And the second second second second second	in the second		and the second second			
TABLE 1—\$1000-\$1500 (cor	ntinued)					
Manufacturer	Model	Price	CPU	Word Length	Operating System	Languages
NEC Home Electronics	PC-6000	\$1350	Z80A-compatible	8-bit	Proprietary	BASIC
Formula International	Pinecom (kit)	\$1354	6502	8-bit	N/A	Not announced
івм	IBM-PC	\$1355	8088	16-bit	N/A	COBOL, FORTRAN, BASIC, Macro Assembler, Pascal
Multitech Electronics	MIC-500	\$1395	Z80A	8-bit	CP/M	BASIC, COBOL, Pascal
Apple Computer	Apple IIe	\$1395	6502A	8-bit	N/A	BASIC
Heath Company	HS-89-3 (kit)	\$1399	Z80	8-bit	HDOS'CP/M optional	BASIC
Commodore Business Machines	Commodore 64	\$1417.95	6510	8-bit	Proprietary	BASIC
Heath Company	HS-89-2 (kit)	\$1429	Z80	8-bit	HDOS/CP/M optional	BASIC
Commodore Business Machines	Commodore 64 Executive		6500 series	8-bit	Proprietary	BASIC
Hewlett-Packard	HP75C	\$1445	Not announced		N/A	BAŜIC
NEC Home Electronics	PC-8800	\$1448	Z80A-compatible	8-bit	N/A	BASIC
Sony	SMC-70	\$1475	Z80A	8-bit	N/A	BASIC, CB-80, Pilot Plus
Franklin Computer Corp.	Ace 1000	\$1494	6502	8-bit	Apple DOS 3.3 compatible	BASIC
Commodore Business Machines	CBM 8032	\$1495	6502	8-bit	N/A	BASIC
TeleVideo Systems	Teletote	\$1499	Z80A	8-bit	CP/M	Not announed

the Apple IIe that made its appearance earlier this year. Still using a 6502 microprocessor, the 8-bit Apple IIe has had its user memory upgraded to 64K. Further, it has also changed its keyboard slightly, providing 63 keys and two programmable keys.

As with other small-computer systems, this one uses BASIC as its primary user programming language and it features either low- or high-resolution graphics capability, along with a standard 40-character by 24-line text mode. The 40-character lines are fine for standard home applications, but it is limited for some applications such as word processing. If one wants to have word-processing capability, then the Apple-offered 80-column display card must be used. For output, a user can interface with a standard monitor or with a home television if he buys an RF modulator. (But not for 80 columns.)

#### Heath

For those would-be computer users who would like more than just an outside look at a microcomputer, there's the Heath line of computer kits, the *H89*-series. These computers give you an inside-out look at what makes a microcomputer tick as you put them together piece-by-piece.

Since this series, the H89-2, H89-3, comes with a single, built-in 5<sup>1</sup>/<sub>4</sub>-inch minifloppy double-sided, double-density disk, the user has fast mass storage and retrieval capabilities right from the start.

Programmable in BASIC and Z80 based, this series features an 84-key keyboard and a separate 12-key keypad. The sloped keyboard allows for quick data entry. Input/output is provided by three serial ports. These allow the *H*-89-series to interface with a variety of printers or modems.

It should be noted that this CP/M-compatible system is all-inone. It combines the CRT, system board, and keyboard into one box and looks much like the traditional type of computer workstation with which many of us are familiar.

#### TeleVideo

TeleVideo is another of the long-established firms in the computer industry and it has an entry in the transportable computer market, the *Teletote*. (Remember, the transportable market was last year's portable market, but the new generation of lap computers has changed this designation.)

The *Teletote* breaks no new ground in the computer industry, having been based around proven technology. It is driven by an 8-bit Z80A microprocessor and uses the industry-standard CP/ M operating system.

It features 64K of RAM and one 368K double-sided, doubledensity 5¼-inch minifloppy disk drive for storage. This combination gives the user a great deal of flexibility and increases the system's capabilities. Its prime drawback is that the user must use the same drive for both the application program disk and a data disk, which can make it somewhat cumbersome, especially if a file has to be copied. In this situation, the user must keep switching disks, so it's a good idea to consider investing in a second disk.

Data entry is facilitated with the 75-key typewriter-type keyboard and output is aided by 2 standard serial-ports. It is also equipped with what seems to be becoming the standard-sized monitor in the transportable field, a 9-inch monochrome unit, capable of 80-characters by 24-lines in text mode and highresolution graphics of 640- by 240-dots.

#### Sony

Sony, long a leader in consumer electronics, also has a small-computer offering in this price segment, the modular *SMC-70*. This computer contains a keyboard and easily upgrades into a powerful system. However, at this price level it is very much a basic unit.

Driven by an 8-bit Z80A microprocessor, the SMC-70 consists of a system box and keyboard. The keyboard includes 71 keys, a keypad, and nine special-function keys. It is a standard

Memory/Storage	Keyboard	I/O	Display	Comments
32K/1 floppy disk drive unit	1 floppy disk drive unit 71 keys, 5 multifunction		256 × 192 capability, 32 × 16 text, composite video output avail.	floppy disk drive
48K	66 keys, 14-key keypad 1 parallel 9-inch monochrome CRT/280 × 192 graph- ics/80 column capability		color monitor	
64K	59 keys, 10 special func- tion, 20-key keypad	N/A	N/A	basic system, includes moth er board, cpu, 64K memory, system housing and key- board only
64K/2 5 ¼" floppy disk drives	N/A	2 serial, 1 parallel	NA	basic system, terminal re- quired
64K/cassette interface	63-key typewriter, 2 programmable	game controller	low/high-res. color, 40 $\times$ 24 test mode, video output	basic system
48K/1 5 ¼″ floppy disk drive	84 keys, 12-key keypad	3 serial, 1 parallel	white monochrome dis- play/80 × 25 text mode	kit
64K/1 170K 5 ¼" floppy disk drive	60 keys, 4 program- mable	1 serial	14-inch high-res. dedicated color monitor	floppy disk drive
48K/1 5 ¼″ floppy disk drive	84 keys, 12-key keypad	3 serial, 1 parallel	green monochrome dis- play/80 × 25 text mode	kit
64K/2 170K 5 ¼" floppy disk drives	standard	1 IEEE-488 serial, 1 standard serial	6-inch high-res. color dis- play	2nd drive, standard serial port
24K/cassette recorder	61 keys, multifunctional	interface port for add-on options	32 character one-line LCD	cassette recorder
64K/cassette interface/disk interface	81 keys, 5 multifunction, 10-key keypad	1 parallel, 1 serial	14-inch monochrome CRT/80 × 25 text	monochrome display
64K cassette interface	72 keys, keypad, 9 special function	1 parallel		basic system
64K/1 5 ¼" floppy disk drive	71 keys, 12-key keypad	game controller	40 × 24/280 × 192 graph- ic capability	floppy disk drive
32K/cassette interface	standard, numeric key- keypad	1 serial	integral display	basic system
64K/1 368K DS/DD 5 1/4" floppy drive	75 keys, 16 special func- tion, 17-key keypad	2 serial	9-inch CRT/640 × 240 graphics/80 × 24 text	basic system, transportable

typewriter-style unit that should facilitate keyboarding data or BASIC programming, the language that comes with the system.

At this stage, the SMC-70 relies on a cassette interface and cassette recorder for data storage.

#### Commodore

A multi-line computer manufacturer, Commodore Business Machines has entries in many price classes and this price category is no exception. It is here that the *BX256-80* makes its appearance, as does the 8032.

The BX256-80 is a dual-processor machine, capable of handling both 8-bit and 16-bit programming. It was unveiled about a year ago.

Driven by dual 6509 and 8088 processors, the *BX256-80* is capable of sophisticated tasks. Its 256K of standard user memory assures that more than enough memory is available for almost anything a user may want to do. In fact, with some of the new generation of memory-hungry programs, 256K is needed.

It features a standard keyboard and is programmable in BAS-IC. It has a 12-inch monochrome CRT to display the machine's 80-characters by 25-lines.

The second system to debut in this category is the 8032. This long-time veteran of the computer wars is driven by an 8-bit 6502 microprocessor and it comes with 32K of RAM as standard. Mass storage at this price level is handled via cassette recorder.

Data entry is facilitated by a standard keyboard and separate numeric keypad. It is programmable in BASIC. With a standard monochrome display, this basic system should easily meet most beginning home needs for most users. The user should also be able to access any information network by attaching a modem to the standard serial port.

While these are the new systems in this price category, there are also two other systems that have been upgraded, the VIC-20 and the *Commodore* 64. The VIC-20 upgrades and becomes a

fairly sophisticated system. With 29K of RAM, the system is becoming fairly flexibile. However, it becomes even more flexible with the addition of a 170K  $5\frac{1}{4}$ -inch minifloppy disk for storage. This provides the user with a large increase in speed for both data access and retrieval. A color CRT is also added and a serial port gives this unit communications ability.

The Commodore 64 upgrades twice. First, a color CRT and serial port are added. These two additions give the user the potential for color-graphics work and communications. Of course, if a user wants to take advantage of the communications potential he must add a modem.

The second expansion gives the user access to a 170K floppy disk, with its speed and storage flexibility advantages. With this system limited to one disk, though, it is a bit cumbersome. However, help is on the way when this system gains its second disk in another price category.

The *Executive 64*, on the other hand, becomes powerful with the addition of a second drive.

#### Atari

The new Atari systems appearing in this price category are the 1400XL and 1450XLD. Although exact prices hadn't been established at press time, they are likely to be in the \$1000 range.

The 1400XL is driven by an 8-bit 6502C microprocessor and it comes with 64K of RAM. It has an integral software cartridge slot which allows it to use Atari's proprietary packaged software.

Programmable in BASIC, it features a standard typewriter keyboard that has four special-function keys, four programmable keys and 12 preprogrammed function keys.

Input/output is provided by standard serial port. However, a user doesn't have to tie up this port by connecting it to a modem because it includes a built-in modem, which is a plus.

Capable of supporting up to 256 colors, the display is limited to 40-characters by 24-lines of text, which is somewhat limiting

for serious word-processing work.

The 1450XLD is nearly identical to the 1400XL with one major exception, it includes disk storage. The -XLD includes a slim line 51/4-inch minifloppy disk as standard and this gives the user access to 254K of mass storage.

Another Atari system, the *1200XL*, has its capabilities upgraded in this segment with the addition of a disk drive.

#### NEC

Not only does the NEC PC-6000 ugrade in this price category, but the manufacturer also has another model that makes its debut here, the PC-8800, a more powerful version of last year's PC-8001-series.

What makes the new system different? At one point in its expansion, the *PC-8800* gains an 8086 co-processor, giving this unit 8-bit and 16-bit capability.

But, we're getting ahead of ourselves because at this level, the PC-8800 is roughly equivalent to last year's PC-8001. It is driven by a Z80A-compatible 8-bit microprocessor and it includes 64K of user memory. However, at this level the user is limited to cassette storage that is far slower than disk storage and far less versatile. In its favor, though, is the fact that this model includes a disk interface, which gives the user the option of equipping this system with a disk drive, if he so desires.

The 81-key typewriter-like keyboard has five multifunction keys and a separate 10-key keypad. Input/output is aided by standard serial and parallel ports that enable you to tie a printer or modem to the unit, further increasing the unit's versatility.

This computer features RGB color or composite-video output. It is capable of 640- by 400-dot resolution in the graphics mode or 80 characters by 25 lines in the text mode.

The *PC-8800* also upgrades once in this price category with the addition of a monochrome display that provides far better resolution than using a home television set.

The PC-6000 gains a minifloppy drive in this price range.

#### Sord

Sord, one of the newer names in the microcomputer business, has a new offering in this price category, the M23. Driven by a Z80A 8-bit microprocessor, the M23 comes with 128K of RAM, which is about twice the user memory offered on other systems in this price category.

Programmable in BASIC, Pascal, or Fortran, this unit has a 59-key typewriter-like keyboard with a 20-key numeric keypad and nine special-function keys.

#### Multitech

Although a relative newcomer to the microcomputer marketplace, Multitech not only has lower-priced offerings, but is also offering a full-blown small-computer system, the *MIC-500*.

Driven by a Z80A 8-bit microprocessor, the *MIC-500* is a full-featured system. It includes not only dual serial ports, but also a parallel printer port.

Its standard 64K RAM will perform many tasks the system is called upon to perform, including sophisticated applications routines. It is equipped with two disk drives and runs under the industry-standard CP/M operating system.

It must be noted, should the user opt for the MIC-500 system, that it is a micromainframe and a terminal will have to be added to handle input and output.

#### **Radio Shack**

Radio Shack has four systems that become more fully configured in this price category. For instance, the full complement of memory is added to the lap *Model 100* to bring the total memory to 32K.

The *Model III* is upgraded three times in this price category. The second and third expansions of the *Model III* make it a far more powerful system. In the first expansion, a cassette recorder is added. In the second, the memory is increased to 32K, which means the system can perform far more serious microcomputing tasks. A serial port is also added that gives this small-computer system the potential of tying into a modem and linking to other systems via the phone line. The third expansion brings this system up to its full memory complement of 48K.

The Color Computer becomes a more sophisticated system here with the addition of one 156K 5<sup>1</sup>/<sub>4</sub>-inch drive.

The PC-2 can now act as a terminal in the field with the addition of a communications interface.

#### **Hewlett-Packard**

Hewlett-Packard's handheld computer also becomes more powerful in this price segment. The lone upgrade to the *H75C* is the inclusion of a cassette recorder for data storage and retrieval.

#### Panasonic

The HHC series also upgrades in this pricing segment. For instance, the H1400 has its memory expanded to 22K. This means that you can enter longer documents or handle more complex tasks with this handheld. At the same time, the H1800 undergoes two memory upgrades.

#### **Texas Instruments**

Contrary to what one might have thought about the capabilities of the TI-99/4A system, it is much more than a simple, low-cost home computer.

In the first expansion, a serial port is added to this home computer. The second expansion adds a parallel port.

#### Formula International

The *Pinecom* kit becomes even more versatile in this price category with the addition of an 80-column card and two types of monitors. The 80-column card gives the user the ability to handle serious word-processing chores because the machine now has the ability of displaying a full page's worth of text.

The user is also given the option of choosing the type of monitor which best suits his needs. If he is interested in data and word-processing then a monochrome display is the best choice. However, if he is interested in graphics and color game-playing capability, then he should opt for the color CRT.

#### Netronics

The *Explorer/88-PC* from Netronics becomes nearly a fullblown system with the addition of a keyboard, color monitor board, ROM-based BASIC and system-monitor program, and a color CRT.

Although this system is still limited to cassette storage, a user can take advantage of cassette-based programs for applications. It should be kept in mind, though, that a cassette system is nowhere near as fast as a floppy-disk drive system for storage.

#### Spectravideo

Both the SV-318 and SV-328 upgrade in this category, too. The SV-318 becomes a far more powerful system with the addition of parallel and serial ports for input/output and with the addition of more user memory for handling programs with greater sophistication. An expansion interface is also added for future system upgrading.

The SV-328 also becomes more powerful as it gains parallel and serial interface ports. An 80-column card has also been added so that this system can handle either word-processing or sophisticated data processing chores. An expansion interface has also been added to facilitate system upgrading.

#### Toshiba

The *T100* upgrades with the addition of a monochrome display, giving the user the chance to handle sophisticated wordprocessing or data-processing applications.

#### Casio

The Casio FX-9000P becomes more versatile with the addition of 4K of RAM. This means it can now handle more sophsticated routines, although this amount of memory is somewhat limited for high-level tasks. **R-E** 



DCTOBER 1983

#### COMPUTER MANUFACTURERS

The following is a list of the manufacturers whose systems were covered in this special section. Those readers who wish to get more information about a system should contact the manufacturer directly.

Access Matrix Corp. 2159 Bering Drive San Jose, CA 95131

Albert Computers 3170 Los Feliz Drive Unit C Thousand Oaks, CA 91362

Alspa Computer 300 Harvey West Blvd Santa Cruz, CA 95060

Altos Computer Systems, 2641 Orchard Park Way San Jose, CA 95134

**Apple Computer** 20525 Mariani Drive Cupertino, CA 95014

**Atari Products** Box 50047 San Jose, CA 95150

**Athena Computer** 31952 Camino Capistrano San Juan Capistrano, CA 92675

Basis, Inc. 5435 Scotts Valley Drive Scotts Valley, CA 95066

Canon USA One Canon Plaza Lake Success, NY 11042

Casio, Inc. 15 Gardner Rd. Fairfield, NJ 07006

**Coleco Industries** 945 Asylum Ave. Hartford, CT 06105

**Columbia Data Products** 8990 Route 108 Columbia, MD 21045

Commodore Business Mach. 1200 Wilson Drive West Chester, PA 19380

Compaq Computer Corp. 20333 FM 149 Houston, TX 77070

CompuPro Box 2355 Oakland Airport, CA 94614

**Computer Devices, Inc.** 25 North Ave. Burlington, MA 01803

Cromemco, Inc. 280 Bernado Ave. Box 7400 Mountain View, CA 94039 Digital Equipment Corp. 2 Mount Royal Ave. Box 1008 Maynard, MA 01752

Docutel/Olivetti Corp. 155 White Plains Rd. Tarrytown, NY 10591

**Durango Systens** 3003 North First St. San Jose, CA 95134

Dynalogic Info-Tech Corp. 8 Colonnade Road Ottawa, CANADA, K2E 7M6

Eagle Computer, Inc. 983 University Ave. Los Gatos, CA 95030

**Epson America** 3415 Kashiwa St. Torrance, CA 90505

Formula International 12603 Crenshaw Blvd. Hawthorne, CA 90250

Franklin Computer Corp. 2138 Route 38 Cherry Hill, NJ 08002

**Fujitsu Microelectronics** 3320 Scott Blvd. Santa Clara, CA 95051

Gavilan Computer Corp. 240 Hacienda Ave. Campbell, CA 95008

**Gifford Systems** 1922 Republic Ave. San Leandro, CA 94577

**Heath Company** Benton Harbor, MI 49022

Hewlett-Packard 1000 NE Circle Blvd. Corvallis, OR 97330

Hitachi Sales Corp. West Artesia Compton, CA 90220

Honeywell, Inc. 200 Smith St. Waltham, MA 02154

IBC 21592 Marilla St. Chatsworth, CA 91311

IBM Box 1328 Boca Raton, FL 33432 **IMS International** 2800 Lockheed Way Carson City, NV 89701

Intertec Data Systems 2300 Broad River Rd. Columbia, SC 29210

Ithaca Intersystems 200 E. Buffalo, Box 91 Ithaca, NY 14851

Kaypro Division PO Box N Del Mar, CA 92014

LNW Research Corp. 2620 Walnut Tustin, CA 92680

Mattel Electronics 5150 Rosecrans Ave Hawthorne, CA 90250

Morrow Designs 600 McCormick St. San Leandro, CA 94577

**Multitech Electronics** 195 West El Camino Real Sunnyvale, CA 94086

**NEC Home Electronics** 1401 Estes Ave. Elk Grove Village, IL 60007

**NEC Information Syst.** 5 Militia Drive Lexington, MA 02173

**Netronics Research** 333 Litchfield Rd. New Milford, CT 06776

North Star Computers 14440 Catalina St. San Leandro, CA 94577

Osborne Computer Corp. 26538 Danti Court Hayward, CA 94545

Panasonic Co. One Panasonic Way Secaucus, NJ 07094

**Radio Shack** One Tandy Center Fort Worth, TX 76102

Sage Computer Tech. 35 North Edison Way, Suite 4 Reno, NV 89502

Sanyo 51 Joseph St. Moonachie, NJ 07074 Seequa Computer Corp. 209 West St. Annapolis, MD 21401

**Sharp Electronics** 10 Sharp Plaza Paramus, NJ 07652

Sony Sony Drive Park Ridge, NJ 07656

Sord Computer 200 Park Ave New York, NY 10166

Spectravideo 39 W. 37th St. New York, NY 10018

Sumicom Inc. 17862 East 17 St. Tustin, CA 92680

**TeleVideo Systems** 1170 Morse Ave Sunnyvale, CA 94086

**Texas Instruments Box 53** Lubbock, TX 79408

**Timex Computer** Box 1700 Waterbury, CT 06721

**Toshiba America** 2441 Michelle Dr. Tustin, CA 92680

Unitronics 401 Grand Ave. Suite 350 Oakland, CA 94610

Vector Graphic, Inc. 500 North Ventu Park Rd. Thousand Oaks, CA 91320-2798


Video Technology 2633 Greenleaf Ave. Elk Grove, IL 60007

Wang Laboratories One Industrial Ave. Lowell, MA 01851

Xerox Corp. 1341 West Mockingbird Lane Dallas, TX 75247

Zenith Data Systems 1000 North Milwaukee Ave Glenview, IL 60025

RADIO-ELECTRONICS





Disk drives are almost standard equipment as we move into this range. And most machines here have at least 64K RAM.

## \$1500 to \$2000

MARC STERN

IF THERE HAS BEEN ONE TRUTH ABOUT THE MICROCOMPUTER industry during the last couple of years, it is this: every day it gets more crowded. In this year's hardware guide alone, there are more than 500 entries as various machines go through their paces and upgrade.

Some estimates have put the number of small-computer systems available at more than 250, while others have put the number at more than 400. But, whatever the number, there's little doubt that it's confusing to the average buyer and our supplement is an attempt to ease that confusion.

As you look over the charts we offer, note how each system upgrades as the price climbs. And, if you pay careful attention, you should have a good idea of how much computing power you can buy and still be within your budget.

Don't let the absolute numbers confuse you because, in the final analysis, only you can judge which computer system is right for you. If we have helped you in that search, then we have succeeded in the purpose of this section.

In this price category nine new names join the list of manufacturers offering systems. But, these aren't all the new entries you will find. Other manufacturers that have already been mentioned also have new offerings to look at. Finally, existing systems continue to grow more and more powerful.

One of the more interesting things to note, as you examine the charts, is that in this category more and more systems are starting to come through with either one or two minifloppy disk drives for storage. Of course, including a drive does raise the system's price, but it also makes it much more flexible and provides speedier data retrieval and storage.

So, without further ado, let's look at the new additions to the price parade and see what each system has to offer.

#### **Morrow Design**

George Morrow is a longtime veteran of the microcomputer industry and you would expect his company to have an entry in the microcomputer field. Indeed he does. In fact, he has two----- the *Micro Decision MD1* and *MD2*. Both have their starting prices in this category.

The *Micro Decision* is a Z80-based, 8-bit system that runs under the CP/M operating system. Its 64K of user memory provides more than enough memory space for many sophisticated routines. This operating system is a natural for the average user because it allows access to a wide variety of alreadypackaged, proven programs.

Programmable in BASIC, the *MD1* includes one 200K singlesided, double-density disk drive as standard. The typewriterlike keyboard allows quick data or word-processing entry and enhances this machine.

Input/output is provided through two serial ports that Morrow includes with this system. This gives the user the option of attaching both a dedicated printer and a modem. The modem, incidentally, gives the user access to the world of database networks. bulletin boards, or other computer systems and gives him the ability to upload or download files.

The *MD1* includes basic applications software in its base price and gives the user a monochrome display for output.

The MD2 is an upgraded MD1. It adds a second single-sided, double-density disk drive. This is perhaps the most important improvement that can be made to any system, because adding a second drive so greatly improves the flexibility and productivity of any system. Using one disk limits the user to loading not only the program disk in the single drive, but also removing the program disk and loading the data. It involves an incredible amount of disk-swapping that having a second drive eliminates. Further, only having only one disk drive makes copying a program or data file cumbersome.

#### Kaypro

Although Kaypro (Non-Linear Systems) has been in the transportable computer business only a little more than a year, it has already made quite a market for itself. This firm has a long history of producing fine electronics test equipment and so its

#### TABLE 1-\$2000-\$2500

Manufacturer	Model	Price	CPU	Word Length	Operating System	Languages
NEC Home Electronics	PC-6000	\$1500	Z80A-compatible	8-bit	Proprietary	BASIC
Panasonic Co.	H1400	\$1537	6502	8-bit	SNAP	BASIC
Radio Shack	TRS-80 Color Computer	\$1547	6809E	8-bit	Proprletary	BASIC
Commodore Business Machines	VIC-20	\$1551.80	6502	8-bit	Proprietary	BASIC
Spectravideo	SV-318	\$1554	Z80A	8-bit	CP/M	BASIC
Toshiba America	T100	\$1590	Z80A	8-bit	N/A	BASIC
Morrow Design	Micro Decision (MD1)	\$1590	Z80A	8-bit	CP/M	BASIC
Kaypro Corporation	Kaypro II	\$1595	Z80	8-bit	CP/M	BASIC, Pascal, Fortran, Assembly, COBOL
Franklin Computer Corp.	Ace Professional	\$1595	6502	8-bit	Apple DOS 3.3 compatible	BASIC
Albert Computers	Albert	\$1595	Not announced	Not announced	Apple DOS 3.3 compatible	Not announced
Eagle Computer Inc.	Eagle IIE-1	\$1595	Z80A	8-bit	CP/M	BASIC
Panasonic Co.	H1800	\$1637	6502	8-bit	SNAP	BASIC
Casio, Inc.	FX-9000P	\$1637	Z80A-compatible	8-bit	Not announced	BASIC
Hewlett-Packard	HP75C	\$1640	Not announced		N/A	BASIC
Radio Shack	TRS-80 Model 4	\$1699	Z80A	8-bit	TRSDOS, LDOS, CP/M	BASIC
Atari Products	1200XL	\$1718	6502	8-bit	Atari DOS III	BASIC
NEC Home Electronics	PC-6000	\$1749	Z80A-compatible	8-bit	Proprietary	BASIC
Apple Computer	Apple IIe	\$1769	6502A	8-bit	N/A	BASIC
Netronics Research	Explorer/85	\$1784.75	8085	8-bit	CP/M	machine/BASIC
Texas Instruments	TI-99/4A	\$1785	TMS9900	16-bit	Proprietary	BASIC
Cromemco Inc.	C-10	\$1785	Z80A	8-bit	CP/M	BASIC, RATFOR, COBOL, Fortran, LISP, assembler
Panasonic Co.	H1400	\$1791	6502	8-bit	SNAP	BASIC
Franklin Computer Corp.	Ace 1000	\$1794	6502	8-biț	Apple DOS 3.3 compatible	BASIC
Sumicom Inc.	System 330	\$1795	8088	16-bit	N/A	Fortran, COBOL, Pas-
Hewiett-Packard	HP86A	\$1795	Not announced		N/A	cal, BASIC BASIC, Pascal, Fortran
Osborne Computer Corp.	Osborne I	\$1795	Z80A	8-bit	CP/M	BASIC
Commodore Business	Commodore 64	\$1816.95	6510	8-bit	Proprietary	BASIC
Machines Radio Shack	TRS-80 Model III	\$1849	Z80A	8-bit	TRSDOS	BASIC, COBOL, Fortran,
Sony	SMC-70	\$1850	Z80A	8-bit	N/A	Assembler BASIC, CB-80, Pilot Plus
		-				

Memory/Storage	Keyboard	1/0	Display	Comments
32K/1 floppy disk drive unit	71 keys, 5 multifunction	1 parallel, 1 serial, 2 game controller, digi- tized touch panel	monochrome CRT added, $32 \times 16$	monochrome (green) CRT
22К	65 calculator keys in typewriter arrangement, redefinable	input/output adapter/ex- pansion bus		
32K/2 156K 5 ¼" floppy drives	53 keys	1 serial	32 × 16 color text mode/256 × 192 graphics capability	second drive added
29K/2 170K 5 ¼" floppy disk drives	66 keys, 4 user- programmable	1 serial	14-inch high-res. dedicated color monitor	2nd drive added
64K/1 256K 5 ¼" floppy disk drive	71 keys, 10 program- mable, built-in joystick	1 serial, 1 parallel	256 × 192 resolution, 16 colors, television used as cisplay	1 256K drive
64K/cassette, 16K RAM	89 keys, 8 special func- tion	1 serial, 1 parallel	8-line by 40-char. liquid crystal display	liquid crystal display, 16K RAM cartridge
64K/1 160K 5 ¼" floppy drive	standard	1 serial, 1 parallel	monochrome CRT	basic system
64K/2 190K SS/DD 5 ¼" drives	72 keys, 14-key keypad, 20 programmable	1 serial, 1 parallel	9-inch monochrome moni- tor/80 × 25 text	portable system
64K/1 5 ¼" floppy disk drive	72 keys, 12-key keypad	game controller	80 × 24/280 × 192 graph- ic capability	system includes one drive monochrome monitor, 80-c umn card, and bundled software
64K/2 5 ¼" floppy drives	59 keys, 5 special func- tion	1 serial, 1 parallel, RS-422/423 capability	RGB outputs, 256 colors, 40 or 80- column text mode	basic system
64K/1 390K 5 ¼" floppy drive	75 keys	2 serial, 2 parallel	optional	basic system
24K	65 calculator keys in typewriter arrangement, redefinable	input/output adapter/ex- pansion bus	1-line × 26-character liq- uid crystal display/color TV adapter	color television adapter
24K/cassette interface	67 keys, 16-key keypad		5.5-inch monochrome: 32 $\times$ 16 text, 256 $\times$ 128 graphics	16K RAM added
24K/cassette recorder	61 keys, multifunction	interface port for add-on options		memory increased to 24K
64K/1 184K 5 ¼" floppy drive	70 keys, 3 program- mable keys, 12-key keypad	1 parallel	12-inch monochrome/80 × 24 text (64 × 16 double- sized)	disk drive added
64K	standard typewriter/16 special function	1 printer, 2 controller, ex- pansion connector	built-in video output supports 256 colors, $40 \times 24$ text	2nd floppy disk drive addec
32K/1 floppy disk drive unit	71 keys, 5 multifunction	1 parallel, 1 serial, 2 game controller, digi- tized touch panel	composite color CRT add- ed, 32 × 16, up to 256 × 192 graphics	color CRT
64K/cassette interface	63-key typewriter, 2 programmable	game controller	12-inch monochrome CRT/80-column card/80 × 24 text mode	CRT and 80-column card
64K/1 8" floppy disk drive	56 keys	N/A	12-inch monochrome CRT	disk drive, controller, opera ing system
48K/1 floppy disk drive	standard	1 serial, 1 parallel HEX- BUS expansion unit, pe- ripheral interface	16 colors	disk drive, plus controller
64K/1 390K 5 ¼" floppy disk drive	57 keys	1 serial, 1 parallel	12-inch monochrome/80 × 25 text/high-resolution graphics	modular system with one drive
22K	65 calculator keys in typewriter arrangement, redefinable	input/output adapter/ex- pansion bus/1 serial	1-line × 26-character liq- uid crystal display/color TV adapter	serial port
64K/1 5 1/4" floppy disk	72 keys, 12-key keypad	game controller	40 × 24/280 × 192 graph- ic capability	integral disk housing and c
128K	95 keys, 8 special func- tion, 10-key keypad	1 parallel		basic system
64K	59 keys, 20-key keypad, 14 special function	1 parallel		basic system
64K/2 102K 5 ¼" floppy drives	57 keys, 12-key keypad	1 serial, 1 IEEE-488, modem, external video connector	5 1/2" monochrome CHT/52 × 24 text mode	transportable
64K/2 170K 5 ¼" floppy disk drives	60 keys, 4 program- mable	1 serial	14-inch high-res. dedicated color monitor	2nd drive added
48K/1 184K 5 ¼" floppy drive	64 keys, 12-key keypad	1 parallel	12-inch monochrome/64 (32) $\times$ 16 text mode	184K drive added
64K/cassette	72 keys, keypad, 9 special function	1 parallel, 1 serial	home television	basic system

#### TABLE 1-\$2000-\$2500 (continued)

Model	Price	CPU	Word Length	Operating System	Languages
600XL	\$1869	6502C	8-bit	Atari DOS III	BASIC
SV-328	\$1874	Z80A	8-bit	CP/M	BASIC
H1800	\$1891	6502	8-bit	SNAP	BASIC
T100	\$1895	Z80A	8-bit	N/A	BASIC
Teletote	\$1899	Z80A	8-bit	CP/M	Not announced
Explorer/88-PC	\$1899.95	8088	16-bit	MS-DOS	machine/BASIC
HS-89-3 (kit)	\$1924	Z80	8-bit	HDOS/CP/M optional	BASIC
Apple lle	\$1934	6502A	8-bit	N/A	BASIC
HP75C	\$1935	Not announced		N/A	BASIC
TRS-80 Model III	\$1948	Z80A	8-bit	TRSDOS	BASIC, COBOL, Fortran,
SV-318	\$1953	Z80A	8-bit	CP/M	BASIC
HS-89-2 (kit)	\$1954	Z80	8-bit	HDOS/CP/M optional	BASIC
M20	\$1988	Z8001	16-bit	N/A	BASIC
Micro Decision (MD2)	\$1990	Z80A	8-bit	CP/M	BASIC
SuperPET	\$1995	6502/6809	8-bit	N/A	BASIC, APL, COBOL, For- tran, Pascal
Osborne I	\$1995	Z80A	8-bit	CP/M	BASIC
Chameleon	\$1995	Z80A/8088	8/16-bit	MS-DOS, CP/ M, CP/M-86	BASIC, Fortran, Pascal, COBOL, FORTH, LISP, as- semb., C, PL/1
Ace 1200	\$1995	6502/Z80	8-bit	Apple-compati- ble/CP/M	BASIC
T100	\$1995	Z80A	8-bit	CP/M	BASIC
LNW80 Model 2	\$1995	Z80A	8-bit	N/A	BASIC
Kaypro IV	\$1995	Z80	8-bit	CP/M	BASIC, Pascal, Fortran, As- semb., COBOL
Eagle IIE-2	\$1995	Z80A	8-bit	CP/M	BASIC
MBC 1000	\$1995	280A	8-bit	CP/M	BASIC
Eagle PC-E	\$1995	8088	16-bit	CP/M-86	
PC-8800	\$1998	Z80A-compati-	8/16-bit	N/A	BASIC
1 0-0000		ble/8086			
	600XL SV-328 H1800 T100 Teletote Explorer/88-PC HS-89-3 (kit) Apple IIe HP75C TRS-80 Model III SV-318 HS-89-2 (kit) M20 Micro Decision (MD2) SuperPET Osborne I Chameleon Ace 1200 T100 LNW80 Model 2 Kaypro IV Eagle IIE-2 MBC 1000 Eagle PC-E	600XL       \$1869         SV-328       \$1874         H1800       \$1891         T100       \$1895         Teletote       \$1899         Explorer/88-PC       \$1899.95         HS-89-3 (kit)       \$1924         Apple IIe       \$1934         FTRS-80 Model III       \$1948         SV-318       \$1953         HS-89-2 (kit)       \$1954         M20       \$1988         Micro Decision (MD2)       \$1995         SuperPET       \$1995         Osborne I       \$1995         Ace 1200       \$1995         INW80 Model 2       \$1995         Kaypro IV       \$1995         Eagle IIE-2       \$1995         MBC 1000       \$1995	600XL       \$1869       6502C         SV-328       \$1874       Z80A         H1800       \$1891       6502         T100       \$1895       Z80A         Teletote       \$1899       Z80A         Explorer/88-PC       \$1899.95       8088         HS-89-3 (kit)       \$1924       Z80         Apple IIe       \$1934       6502A         HP75C       \$1935       Not announced         TRS-80 Model III       \$1948       Z80A         SV-318       \$1953       Z80A         M20       \$1988       Z8001         Micro Decision       \$1990       Z80A         Micro Decision       \$1990       Z80A         M20       \$1988       Z8001         Micro Decision       \$1995       Z80A         Chameleon       \$1995       Z80A         Chameleon       \$1995       Z80A         LNW80 Model 2       \$1995       Z80A         Kaypro IV       \$1995       Z80A         Kaypro IV       \$1995       Z80A         Eagle IIE-2       \$1995       Z80A         Eagle IIE-2       \$1995       Z80A	600XL         \$1869         6502C         8-bit           SV-328         \$1874         Z80A         8-bit           H1800         \$1891         6502         8-bit           T100         \$1895         Z80A         8-bit           Teletote         \$1899         Z80A         8-bit           Explorer/88-PC         \$1899.95         8088         16-bit           HS-89-3 (kit)         \$1924         Z80         8-bit           Apple IIe         \$1934         6502A         8-bit           HP75C         \$1935         Not announced         16-bit           TRS-80 Model III         \$1948         Z80A         8-bit           SV-318         \$1953         Z80A         8-bit           M20         \$1988         Z801         16-bit           Micro Decision (MD2)         \$1995         Z80A         8-bit           Osborne I         \$1995         Z80A         8-bit           Chameleon         \$1995         Z80A         8-bit           T100         \$1995         Z80A         8-bit           LNW80 Model 2         \$1995         Z80A         8-bit           LNW80 Model 2         \$1995         Z80A         <	600XL         \$1869         6502C         8-bit         Atari DOS III           SV-328         \$1874         Z80A         8-bit         CP/M           H1800         \$1891         6502         8-bit         SNAP           T100         \$1895         Z80A         8-bit         N/A           Teletote         \$1899         Z80A         8-bit         CP/M           Explorer/88-PC         \$1899.95         8088         16-bit         MS-DOS           HS-89-3 (kit)         \$1924         Z80         8-bit         HDOS/CP/M optional           Apple IIe         \$1934         6502A         8-bit         N/A           HP75C         \$1935         Not announced         N/A           HP75C         \$1935         Not announced         N/A           HS-89-2 (kit)         \$1948         Z80A         8-bit         CP/M           Micro Decision         \$1995         Z80A         8-bit         CP/M           SuperPET         \$1995         6502/6809         8-bit         N/A           Chameleon         \$1995         Z80A         8-bit         CP/M           Chameleon         \$1995         Z80A         8-bit         CP/M

move into the microcomputer field is somewhat logical.

Its offering in this field, the *Kaypro II*, easily shows its heritage. Packaged in a sturdy, all-metal box, the *Kaypro II* looks as if it would be more at home on a test bench than in a computer showroom. The box is heavy-gauge metal and the components look like they mean business.

Like the all-in-one transportable Oshorne I, the Kaypro II is a fully configured system. It includes a Z80 8-bit microprocessor and a series of applications programs to complete this system. These applications include a spreadsheet, word-processing, and business BASIC programming language, plus the CP/M operating system. Its 64K of user memory lets the user take advantage of those sophisticated packages.

This system takes advantage of a disk operating system from the start as it includes two single-sided, double-density 190K 5<sup>1</sup>/<sub>4</sub>-inch minifloppy disk drives.

The *Kaypro II* features a standard, sloped typewriter-like keyboard with 72 keys, and a 14-key numeric pad plus programmable keys. The keys make a telltale beeping sound as you input data.

Input/output is handled by a standard serial and a standard parallel port. Display output is handled by a 9-inch monochrome CRT. This is rapidly becoming the standard size in the transportable field.

There's also another Kaypro model in this field, the *Kaypro IV*, whose price puts it just at the top limit of this category. The

	Memory/Storage	Keyboard	1/0	Display	Comments
	16K/2 floppy disk drives			built-in video output sup- ports 256 colors, $40 \times 24$ text	2nd floppy disk drive
	144K/1 256K 5 ¼" floppy drive	87 keys, 10 program- mable, numeric keypad	1 serial, 1 parallel	$80 \times 24$ text mode ca- pability/16 colors	64K, disk drive
	24K	65 calculator keys in typewriter arrangement, redefinable	iriput/output adapter/ex- pansion bus/1 serial	1-line × 26-character liq- uid crystal display/color TV adapter	serial port
	64K/cassette, 32K RAM cartridges	89 keys, 8 special funct.	1 serial, 1 parallel	8-line by 40-char. liquid crystal display	liquid crystal display, 32K RAM cartridge
	64K/2 368K DS/DD 5 ¼" floppy drives	75 keys, 16 special func- tion, 17-key keypad		9-inch CRT/640 × 240 graphics/80 × 24 text	2nd drive
	64K/1 5 ¼" floppy disk drive	83 keys, 10 function, nu- meric keypad	1 serial	12-inch monochrome CRT	kit form of Explorer/88-PC with drive and boards
	48K/2 5 ¼" floppy disk drives	84 keys, 12-key keypad	3 serial, 1 parallel	white monochrome dis- play/80 $\times$ 25 text mode	2nd drive
	64K cassette interface	63-key typewriter, 2 programmable	1 parallel, game control- ler	12-inch monochrome CRT/80-column card/80 × 24 text mode	parallel port added
	24K/cassette recorder	61 keys, multifunction	general purpose I/O port	32 character one-line LCD	general purpose I/D port added
	48K/1 184K 5 ¼" floppy drive	64 keys, 12-key keypad	1 parallel, 1 serial	12-inch monochrome/64 (32) $\times$ 16 text mode	serial port
1	64K/2 256K 5 ¼" floppy disk drives 71 keys, 10 progr mable, built-in joy		1 serial, 1 parallel	256 × 192 resolution, 16 colors, television used as display	2nd drive
	48K/2 5 ¼" floppy disk drives	84 keys, 12-key keypad	3 serial, 1 parallel	green monochrome dis- play/80 × 25 text mode	2nd drive
	128K/cassette interface	72 keys, 16-key keypad	1 serial, 1 parallel	12-inch high-res. mono- chrome/80 × 25 text mode	basic system
	64K/2 200K 51/4" floppy drives	standard	1 serial	monochrome CRT	second SS/DD drive added
	96K/cassette interface	standard, numeric keypad	1 serial	12-inch monochrome CRT/80 × 25 text mode	basic system
	64K/2 204K 5 1/4" floppy drives	57 keys, 12-key keypad	1 serial, 1 IEEE-488, modem, external video connector	$5 \frac{1}{2}$ monochrome CRT/52 $\times$ 24 text mode	disks now DS/DD
	128K/2 160K SS/DD 5 ¼" floppy drives	83 keys, 10 function, 17- key keypad	a serial, 1 parallel	9-inch monochrome/80 × 24 text/640 × 200 graph- ics	basic system
	128K/1 5 ¼" floppy disk drive	72 keys, 12-key keypad	1 serial, 1 parallel, game controller	80 (40) $\times$ 24/280 $\times$ 192 graphic capability	basic system
	64K/2 280K DS/DD 5 ¼" drives	89 keys, 8 special func- tion	1 parallel, 1 serial	8 lines × 40 characters, LCD	2 drives addec
	96K cassette interface	73 keys, 11-key keypad	1 parallel, 1 serial	480 × 192 color ca- pability/62 × 16 text mode	basic system
	64K/2 5 ¼" DS/DD drives	72 keys, 14-key keypad, 20 programmable	1 serial, 1 parallel	9-inch monochrome moni- tor, 80 $\times$ 25 character	DS/DD drives
	64K/2 390K 5 ¼" floppy drives	75 keys	2 serial, 2 parallel	12-inch monochrome/80 × 25 text mode	2nd drive added
	64K/1 328K DS/DD 5 ¼" floppy drive	55 keys, 5 program- mable, 10-key keypad	1 parallel, 1 serial	12-inch monochrome/ 80 × 25 text mode	basic system
	64K/1 320K 51/4" drive	105 keys	2 serial, 1 parallel	optional	basic system
	128K/cassette interface/ disk interface	81 keys, 5 multifunction, 10-key keypad	t parallel, 1 serial	14-inch monochrome CRT/80 × 25 text	8086 co-processor, 64K, high-res CRT
_	64K/2 184K 5 1/4" floppy	70 keys, 3 program-	1 parallel	12-inch monochrome	2nd drive added

Kaypro IV is essentially the same machine as the II, but with much greater memory. The amount of storage on the IV is upgraded to 800K by changing to two double-sided, double-density 5¼-inch minifloppy drives. It, too, comes with all the basic software one could need for serious computing as soon as the box is opened.

#### Osborne

The Osborne l is the machine that launched the transportable/ portable computer market. When it was introduced in 1981, it was a daring gamble. How, people asked, could the company include software, dual disk drives, and a monitor in a portable package and still remain in business? After all, it was reasoned at the time, the software cost as much as the system itself. But, Osborne did it and established a new segment of the microcomputer market.

What does this package include? For starters, there's 64K of user memory, enough to use the sophisticated software packages included with this system efficiently. Further, the system includes two 102K single-sided 5¼-inch floppy disk drives and a full keyboard with 57 keys and a separate numeric keypad.

Perhaps its prime drawback is the size of its screen. At 5.5 inches, it is one of the smallest video displays on the market. Although it is a high-resolution affair, the display is limited to 52 characters by 24 lines; and, the size of the display makes the letters somewhat hard to see at times. However, a user should

soon become acclimated to this display and it should be easy to use.

It runs under the industry-standard CP/M operating system, so a user can have access to the wide range of packaged software available. Interestingly, this unit includes one serial port, that can be used with either a printer or modem, and an IEEE-488 port. This port, serial in nature, is extensively used in the scientific computing environment and allows the Osborne to interface with a wide variety of peripherals.

You don't have to tie up the serial port with a modem, though, because a modem is included with the *Osborne I*, so the serial port can be used with a printer. The Osborne system upgrades once in this category as the disks are upgraded so they can accomodate a total of 400K of storage.

#### Eagle

A newcomer to the microcomputer field, Eagle Computers has three entries in this price category, the *Eagle 11E-1*, *Eagle 11E-2* and the *Eagle PC-E*.

The *Eagle IIE-1* is another of the many Z80A-based systems on the microcomputer market. This is important to the user looking for a wide base of existing applications software because the 8-bit Z80A, and the CP/M operating system that works with it, have a wide variety of software available. This software will fill just about any need a user might have.

This system can take advantage of CP/M from the start because it includes one 390K double-sided, double-density disk as standard. And, any time a system includes a disk, it needs a disk operating system to work correctly. The system also has more than enough user memory—64K—to take advantage of the sophisticated programs available on the market.

Input/output is aided by including two standard serial ports and two standard parallel ports. This means this machine can interface with a wide variety of peripherals.

The standard 12-inch monochrome display handles the industry-standard 80-by 25-line display, thus fulfilling the needs of users who have a great deal of serious data or word-processing work to attend to.

The *Eagle IIE-2* is essentially an upgraded *IIE-1* system. In this version, a second drive is added.

The *Eagle PC-E* represents another trend in the microcomputer field, the trend toward IBM *Personal Computer* workalikes and lookalikes. Under this trend, competing computer manufacturers are trying to build systems that operate as closely to the IBM as possible. The reason the manufacturers are taking this tack is because of the popularity of the IBM system and because of the wide software base that is rapidly building for that system.

Like the IBM, the *Eagle PC-E* is driven by a 16-bit 8088 microprocessor. It features 64K of user memory, about the minimum needed in this type of system for efficient perfor-



MORROW DESIGNS MICRO DECISION MD1 is a CP/M machine that includes bundled software.

mance. (Where 8-bit systems get along with 64K easily, 16-bit systems like a minimum of 64K, with 128K preferred, to promote efficient operation. This is because the programming is more complex.)

Running under CP/M-86 (the 16-bit version of CP/M), MS-DOS—the system used by the IBM-PC—is available as an option. The Eagle system is able to use a disk operating system because it comes with one 390K double-sided, double-density 5¼-inch minifloppy disk drive for storage. Output is provded by two standard serial ports and one parallel port. The user has the option of choosing a video-display device.

#### Docutel/Olivetti

Long a name in the office-equipment field, Olivetti introduced its M207 microcomputer system more than a year ago. It is one of the few systems marketed that uses the 16-bit Z8001 microprocessor, something the potential buyer of this system should recognize.

Currently there is little likelihood a wide software base will develop rapidly, unless other manufacturers take advantage of this microprocessor. This means the user will be limited to those packages offered by the manufacturer and to the support the manufacturer offers.

The buyer who opts for this system will find that it offers plenty of potential power. Standard user memory is 128K, or about twice the amount offered by most small computer systems, and this means the system can handle sophisticated tasks.

What limits this system in this price category is the fact that storage is via cassette. Cassettes, while they can offer nearly 500K of storage, are much slower than disk-based storage systems and, unless the system can act randomly by reading the tape back and forth, it is limited to slower serial—one file after another—operation.

The typewriter-style 72-key keyboard and 16-key pad allow quick data or numeric entry and input/output is aided with standard serial and parallel ports. The 12-inch monochrome display is a high-resolution unit, with an 80-character by 25-line text display and respectable graphics.

#### Seequa

A newcomer to the transportable microcomputer market, Seequa's *Chameleon* is an IBM *PC*-compatible unit, with a difference; it uses two CPU's, an 8-bit Z80A and a 16-bit 8088. This feature alone offers the user the best of two worlds, CP/M and MS-DOS. CP/M is the standard operating system of the 8-bit microcomputer world, while MS-DOS is rapidly becoming the standard operating system of the 16-bit world. This system can also run the alternative 16-bit system, CP/M-86.

Because the *Chameleon* gives the user access to either processor, he has the option of running any of the many programs that exist in both microcomputer segments. Its 128K of user memory also gives the user enough memory space to take advantage of those programs. With its 9-inch monochrome display, 80-character by 24-line text mode or a 640- by 200-dot graphics mode, the *Chameleon* delivers a high-resolution video output.

Input is aided by an 83-key keyboard and a 17-key keypad. Like the IBM PC, the microcomputer has 10 function keys. Unlike the PC, the Chameleon has standard serial and parallel input and output ports. The IBM-PC's are extra-cost add-ons. Programmable in a variety of high-level languages, this microcomputer, including two 160K single-sided, doubledensity drives as standard equipment, is a unit that can be used in a home or business environment.

#### Albert

Another newcomer to the microcomputer market is the *Albert*. An *Apple IIe*-compatible system, the *Albert* includes 64K of RAM and two 5<sup>1</sup>/<sub>4</sub>-inch minifloppy disk drives. Because it has disk drives, it needs an operating system and it uses Apple's.

Its 59 typewriter-style keys and five special-function keys

make short work of data input, while output is handled by standard serial and parallel ports. It has RGB output and it can display up to 256 colors, and its text-display capability includes either 40 or 80 characters-per-line.

#### Sumicom

Sumicom, another newcomer to the small-computer system world, is another manufacturer that has chosen to take the IBM-workalike route with its *System 330*. Driven by a 16-bit 8088 CPU, this system has 128K of user memory.

With a 95-key keyboard that includes 8 special-function keys, data or word-processing input should be easy. A parallel interface is included in the basic configuration.

#### LNW

LNW Research is offering another of the many Z80A-based systems on the market. As with other 8-bit Z80A systems, the user has access to a wide variety of programming when disk drives are added to the configuration. However, in this price category, the user will have to content himself with a cassette recorder for data storage. The LNW80 Model 2 comes with 96K of RAM standard.

Keyboard input is via a keyboard having 73 keys and an 11-key numeric keypad, while output is handled by standard serial or parallel ports. The monochrome display provides 80characters by 25-lines of text.

#### Cromemco

Long associated with the microcomputer industry, Cromemco has an offering in this price category, the single-user C-10 system. This is an 8-bit Z80A microprocessor-based system. It is programmable in several high-level languages.

Its 64K of standard memory and its standard 390K 5<sup>1</sup>/<sub>4</sub>-inch minifloppy disk drive provide the basics for a very powerful system. This means he can take advantage of the CP/M operating system and the wide variety of programs available that run under it. Input is handled via a 57-key keyboard while output is handled either via a standard parallel or serial port. Its 12-inch monochrome monitor displays a standard 80-character by 25-line text or high-resolution graphics.

#### Franklin

Although this Apple-compatible computer manufacturer has only been in the microcomputer field for less than two years, it has already gathered a fine reputation and has built a rather wide product line. Two of those products make their debut in this price category.

The first is the Ace Professional, a business-oriented system, based on the Apple-compatible Ace 1000. It is driven by the same 8-bit 6502 microprocessor, and is programmable in BAS-



THE KAYPRO II from Non-Linear Systems is one of the flost popular transportable computers.



IC, and shares many of the same attributes of the Ace 1000. However, this model differs in that it includes a standard  $5\frac{1}{4}$ inch minifloppy disk drive for mass storage, an 80-column card, as well as some standard applications software. Since this system runs under an Apple-compatible operating system, it is able to take advantage of the many programs available. The keyboard is a typewriter-style affair with 72 keys and a 12-key numeric keypad.

Also in this price category, the basic Ace 1000 system can be upgraded with the Ace 1100 integral disk drive and housing. Of course, that raises the price of the system.

The other new system here is the top-of-the-line Ace 1200 which offers the user a way to enjoy the best of two worlds: Apple and CP/M. Unlike other dual-processor machines on the market, that combine either two Z80's for speed or a Z80 and an 8086/88 microprocessor for access to both the 8 and 16-bit worlds of software, the Ace 1200 combines a 6502 and a Z80. This gives the user the option of running either Apple-compatible software or CP/M-compatible software.

Since it is the top-of-the-line, you would expect it to have other features that the other models don't offer and it does. The *Ace 1200* comes with a standard 128K of user memory and a built-in 5<sup>1</sup>/<sub>4</sub>-inch minifloppy disk drive for storage. It also features the same keyboard as the other machines in the *Ace* line, but adds standard serial and parallel ports to its configuration and its display output capability is 80 columns for CP/M; forty columns for Apple programs.

#### **Hewlett-Packard**

A new Hewlett-Packard system makes its appearance in this category, the first of this manufacturer's full-blown HP86A. In this price level, the system is just the basic unit and includes one parallel port. It has a 59-key keyboard, 20-key keypad and special-function keys and is programmable in several high-level languages, including BASIC.

Another of H-P's handheld systems, the HP75C, continues to become much more powerful in this price category. In its first upgrade, the user memory increases to 24K, enough to handle sophisticated routines in the field. In its second upgrade, a general-purpose I/O port is added. Don't unerestimate the importance of this second upgrade. With this port, the HP75C can now interface with a variety of peripherals and can become the heart of a very powerful portable system.

#### Commodore

As we have seen in the other price categories, Commodore Business Machines is a microcomputer manufacturer with a broad line, and its machines make their debuts in several price categories. This classification is no exception as CBM introduces the *SuperPET*, a dual-processor model driven by 8-bit 6502 and 6809 microprocessors.

The SuperPET is the basis of a powerful dual-processor development system and comes with 96K of memory as standard. Also standard, is the 12-inch monochrome display, that delivers an 80-characters by 25-lines text display. At this level, the speed of this system is somewhat limited by the need for cassette storage. But, this changes in other price categories as disk drives are added.

Its keyboard is a standard typewriter-type unit and it has a separate numeric keypad. This keyboard lets the user write programs in the high-level languages available for this machine. Those languages include: BASIC, COBOL, APL, Fortran, and Pascal.

Input/output is provided by a standard serial port a user can use to attach either a printer or a communications modem, should he have need of hard copy or communications ability.

The VIC-20 and 64 are still being manufactured in quantity. Versions are now available with two 5<sup>1</sup>/<sub>4</sub>-inch disc drives. This increases the effectiveness and flexibility of these units. When the VIC-20 is equipped with two drives it can handle both data and program disks simultaneously, and no longer is the user limited to using one disk to copy files. Instead, he can use two disks, and gain a manyfold increase in system speed and capability.

In the same way, a second disk drive is added to the Commodore 64.

#### Sanyo

The MBC 1000 is another of the many Z80A, 8-bit systems in the small-computer market and because it is, the system can take advantage of the CP/M operating system and the many programs available under it. The system comes with one standard 328K double-sided, double-density 5<sup>1</sup>/<sub>4</sub>-inch minifloppy disk.

With 64K of standard user memory, this system can perform highly sophisticated tasks. Data input is facilitated by the 55-key keyboard, that includes five multifunction keys and a 10-key numeric pad. Input/output is aided by a standard serial port and a standard parallel port. The 12-inch monochrome display handles 80-characters by 25-lines of text.

#### **Radio Shack**

Radio Shack has three systems that upgrade in this price category—the *Color Computer*, *Model 111*, and *Model 4*. The *Color Computer* becomes fully configured by adding a second disk drive.

The Model III upgrades twice. The first step is to add a 184K 5<sup>1</sup>/<sub>4</sub>-inch minifloppy drive. The second upgrade gives this system a serial port.

The Model 4, a newly introduced unit, becomes even more powerful when a 184K minifloppy-disk drive is added. The second upgrade adds a second drive to this system.

#### Toshiba

The Toshiba T100 lap computer upgrades in this price category. In the first upgrade, the T100 goes portable and its usermemory area is expanded by adding nonvolatile RAM cartrages that hold their contents even when unplugged from the system.

Also, the *T100* becomes configured with two 280K doublesided, double-density disk drives. This upgrade gives the user access to the CP/M operating system and the many programs that work under it. For the user who may not want to be limited to the liquid-crystal display, video monitors are available.

#### NEC

Both NEC systems, the *PC-6000* and *PC-8800*, include two upgrades. The first adds a green monochrome video display to the unit. This type of dedicated, high-resolution monitor lets the user take full advantage of the graphics capability of this or any other system, something a home television set can't match. The second upgrade shows you what happens to the price when the color monitor is added to the configuration.

The PC-8800 becomes a more powerful unit when we add the 8086 16-bit card. This gives the user the option of taking advantage of the rapidly growing variety of 16-bit programs. In later stages, as disks are added, the user can take advantage of either the world of CP/M or MS-DOS and the many programs available that run under those systems.

#### Apple

In its first upgrade, the Apple *lle* becomes more versatile when the screen enhancement card (80-column) and a video monitor are added. These changes, alone, give the user the advantage of the graphics capability of this system, plus letting the system handle serious word-processing or data processing chores.

The second upgrade gives this system output capabilities by adding a parallel printer port. Now the user can have hard copy backups of the material he is working on.

#### Atari

Two Atari systems upgrade in this price category, the *1200XL* and the *600XL*. The *1200XL*'s upgrade adds a second disk drive. The *600XL* also receives a second floppy disk drive.

#### Panasonic

The *HHC* series, (H1400 and H1800), of handheld minimicrocomputers become true systems in this price category with the added color display adapter. It can be used to interface with a color television, and a serial port.

#### Heath

The Heath HS-89-2(3) system reaches its full configuration in this price category by adding a second drive.

Since it is a kit, the HC-89-2(3) system is a good learning experience for the potential computer user who wants to know his system inside and out.

#### Spectravideo

The SV-318 system becomes fully configured in this price category and its first upgrade adds a 256K 5<sup>1</sup>/<sub>4</sub>-inch minifloppy disk drive. This gives the user a manyfold increase in data access and retrieval time. Adding a second drive, also in this price category, makes this system even more versatile.

For the SV-328, the user gains more memory area and a disk drive for storage, thus increasing this system's versatility.

#### Netronics

By adding a disk drive, disk-drive controller and operating system, the *Explorer*/85, an 8085-based small-computer becomes much more powerful. It now has disk storage and speed, and it can access and use the many programs that run under its operating system.

The new Netronics system, the *Explorer/88-PC*, (also a kit) is a fully configured system at this point. The user who does take the time to put the kit together will be rewarded with an intimate understanding of an IBM-compatible microcomputer system.

#### **Texas Instruments**

By this time in the price categories, the Texas Instruments TI-99/4A is becoming a very powerful system. Not only is it driven by a 16-bit microprocessor, but it now has a disk drive for mass storage; it is now a far cry from the low-cost unit that was introduced in our first price category.

#### Sony

At this point in the SMC-70's price path, it gains a serial interface for output. The RGB/composite video/RF-modulator gives the user several choices for video output.

#### **TeleVideo**

The transportable *Teletote* gains even more versatility when a second disk drive is added. This frees the user from the restriction of being tied to using only one drive.

#### Casio

The X-9000P becomes more versatile and able to perform more sophisticated tasks by adding 16K of RAM.



The computer becomes more business-like than personal as we cross the \$2000 mark.

## \$2000 to \$2500 MARC STERN

IF THERE IS ANY LINE OF DEMARCATION IN THE SMALLcomputer world, we have reached it, the \$2000 barrier. Many of the systems that had their origins in the low-cost regions of the microcomputer marketplace, have, by now, reached their full configurations and those that continue in our charts become more and more oriented toward business, rather than home use, because of the powerful levels they attain.

Access

Because of this you will find the systems that join our listings now are much more fully configured right out of the box. It's the usual practice in the industry to include at least one disk drive as standard equipment in this pricing level and to include at least 64K or more of user memory. And on those systems where disks are included as standard, the disk-operating system is also a standard or reasonable-cost option.

It's also an important line of demarcation in the type of microprocessor unit driving the system we will be discussing. In the \$2000 region, it seems that more and more of the systems are using standard 16-bit microprocessors, as opposed to 8-bit CPU's. This stands in marked contrast to a year ago when the majority of systems on the market were 8-bit systems.

Why is the industry moving toward the 16-bit CPU? The most obvious reason is because IBM has chosen to market a 16-bit microcomputer and the rest of the industry is moving to cash in on the market created by that move. But another, not so obvious reason, is because the 16-bit CPU allows small-computer systems to achieve true power. They can handle applications that, a few years ago, were limited only to mainframe and powerful minicomputers. In fact, the 16-bit microprocessors now on the market and those planned for the near future blur the distinction between the minicomputer—a more powerful, businessoriented system—and the microcomputer.

So, as we cross the line of demarcation, we find 12 new systems joining the microcomputer field. Some of them are from companies whose names are already mentioned in earlier price categories, while others are new to the field.

Let's begin our look at this price category with those systems from the new manufacturers, moving on to those from established firms, and wrap it up with a look at some of the systems that have upgraded.

#### **Access Matrix**

Access Matrix Corp. is a new entrant to the microcomputer market and its product, the *Access*, is a full-featured transportable computer, based on the near-standard 8-bit Z80A CPU. With this CPU and the features this small-computer packs, a user needs little more to fulfill his computing needs.

For starters, the Access includes two standard 184K singlesided, double-density minifloppy disk drives for storage and 64K of RAM. With this combination, the user has access to the wide variety of ready-to-run programs available under the CP/M operating system, which is another 8-bit industry standard.

Programmable in BASIC, this unit features a typewriter-style keyboard, that has 62 keys, 15 special-function keys and a 15-key numeric keypad. Input/output is provided by standard serial and parallel ports.

The 7-inch built-in amber CRT display is capable of an 80-character by 24-line text mode, which is important for serious word-processing or data entry.

TABLE 1-\$2000-\$2500						
Manufacturer	Model	Price	CPU	Word Length	Operating System	Languages
Casio, Inc.	FX-9000P	\$2015	Z80A-compatible	8-bit	N/A	BASIC
Franklin Computer Corp.	Ace 1000	\$2044	6502	8-bit	Apple DOS 3.3 compatible	BASIC
Hewlett-Packard	HP86A	\$2090	Not announced	1.62	N/A	BASIC, Pascal, FORTRAN
Panasonic Co.	H1400	\$2091	6502	8-bit	SNAP	BASIC
Apple Computer	Apple IIe	\$2129	6502A	8-bit	N/A	BASIC
Franklin Computer Corp.	Ace Professional	\$2144	6502	8-bit	Apple DOS 3.3	BASIC
Hewlett-Packard	HP75C	\$2160	Not announced		N/A	BASIC
Sord Computer	M23P	\$2185	Z80A	8-bit	Proprietary, CP/M-compatible	BASIC, Pascal, FORTRAN
Panasonic Co.	H1800	\$2191	6502	8-bit	SNAP	BASIC
NEC Home Electronics	PC-8800	\$2197	Z80A-compatible	8-bit	N/A	BASIC
Heath Company	HS-100-31	\$2199	8085/8088	8/16-bit	Proprietary ZDOS	BASIC
Toshiba America	T300	\$2200	8088	16-bit	MS-DOS, CP/ M-86	BASIC
Seequa Computer Corp.	Chameleon	\$2219	Z80A/8088	8/16-bit	MS-DOS, CP/M, CP/M-86	BASIC, FORTRAN, Pascal, COBOL, FORTH, LISP, as-
Spectravideo	SV-328	\$2273	Z80A	8-bit	CP/M	semb., C, PL/1 BASIC
Netronics Research	Explorer/85	\$2284.70		8-bit	CP/M	machine, BASIC
Texas Instruments	TI-99/4A	\$2285	TMS9900	16-bit	Proprietary	BASIC
Radio Shack	TRS-80 Model III	\$2295	Z80A	8-bit	TRSDOS	BASIC, COBOL, FORTRAN, Assembler
Commodore Business Mach.	Pet 64	\$2295	6500 series	8-bit	Proprietary	BASIC
Franklin Computer Corp.	Ace 1000	\$2343	6502	8-bit	Apple DOS 3,3 compatible	BASIC
Heath Company	HSA-120-31	\$2349	8085/8088	8/16-bit	Proprietary ZDOS	BASIC
Sord Computer	M23P	\$2380	Z80A	8-bit	Proprietary, CP/ M-compatible	BASIC, Pascal, FORTRAN
Seequa Computer Corp.	Chameleon	\$2394	Z80A/8088	8/16-bit	MS-DOS, CP/ M, CP/M-86	BASIC, FORTRAN, Pascal, COBOL, FORTH, LISP, Assembler, C, PL/1
Morrow Design	MD3	\$2395	Z80A	8-bit	CP/M	BASIC
Hewlett-Packard	HP75C	\$2455	Not announced		N/A	BASIC
Sanyo	MBC 1200	\$2495	Z80As	8-bit	CP/M	BASIC, Pascal, FORTRAN, Macro-80
Osborne Computer Corp.	Executive	\$2495	Z80A	8-bit	CP/M	BASIC
Access Matrix Corp.	Access	\$2495	Z80A	8-bit	CP/M	BASIC
Intertec Data Systems	Superbrain II - Jr.	\$2495	Z80As	8-bit	CP/M	BASIC, FORTRAN
Canon USA	AS100	\$2495	8088	16-bit	MŜ-DOS, CP/ M-86	BASIC, COBOL
Apple Computer	Apple III	\$2495	6502B	8-bit	Apple SOS	BASIC, Pascal
TeleVideo Systems Inc.	TS 803	\$2495	Z80A	8-bit	CP/M	COBOL
Toshiba America	T300	\$2495	8088	16-bit	MS-DOS, CP/ M-86	BASIC

Memory/Storage	Keyboard	I/O	Display	Comments
32K/cassette interface	67 keys, 16-key keypad		5.5-inch, $32 \times 16$ mono- chrome, $256 \times 128$ graphics	28K RAM
64K/2 5 ¼" floppy disk drives	72 keys, 12-key keypad	game controller	4C × 24/280 × 192 graph- ic capability	2nd floppy disk drive
64K	59 keys, 20-key keypad, 14 special function	1 parallel	9" monochrome CRT, 80 × 25 text	monochrome CRT
22K/cassette interface	65 calculator keys in typewriter arrangement, redefinable	input/output adapter/ex- pansion bus/1 serial/ modem	1-line × 26-character liq- uid crystal display/color TV adapter	modem/cassette interface
64K/cassette interface	63-key typewrifer, 2 programmable	1 parallel, 1 serial, game controller	12-inch monochrome CRT/80-column card/80 × 24 text mode	serial port
64K/2 5 ¼" floppy disk drives	72 keys, 12-key keypad	game controller	$40 \times 24/280 \times 192$ graph- ic capability	2nd drive
24K/cassette recorder	61 keys, multifunction	general purpose I/O port	32 character one-line LCD/ video interface	video interface
128K/290K microfloppy drives	60 keys, 20-key keypad, 9 special function	2 serial, 1 parallel		basic system
24K/cassette interface	65 calculator keys in typewriter arrangement, redefinable	input/output adapter/ex- pansion bus/1 serial	1-line × 26-character liq- uid crystal display/color TV adapter	modem/cassette interface
64K/cassette interface/disk interface	81 keys, 5 multifunction, 10-key keypad	1 parallel, 1 serial	14-inch color CRT/640 × 400 res./ 80 × 25 text	color display
192K/1 320K DS/DD 5 1/4" floppy disk drive	60 keys, 14 function keys, 18-key keypad	2 serial, 1 parallel	monochrome	basic version, includes 1 drive
192K/ 1 640K DS/DD 5 1/4" drive	67 keys, 18 special func- tion, 10 edit, 18-key keypad	1 parallel, 1 serial		basic system
192K/2 160K SS/DD 5 1/4" floppy disk drives	83 keys, 10 function, 17- key keypad	1 serial, 1 parallel	9-inch monochrome/80 × 24 text/640 × 200 graph- ics/RGB output	user memory expands to 192K, RGB output card add- ed
144K/2 256K 5 1/4" floppy drives	87 keys, 10 program- mable, numeric keypad	1 serial, 1 parallel	80 × 24 text mode ca- pability/16 colors	2nd drive
64K/2 8" floppy disk drives	56 keys	N/A	12-inch monochrome CRT	second disk drive
48K/2 floppy disk drives	standard	1 serial, 1 parallel HEX- BUS expansion unit, pe- ripheral interface	16 colors	2nd disk drive
48K/2 184K 5 ¼" floppy disk drives	64 keys, 12-key keypad	1 parallel, 1 serial	12-inch monochrome/64 (32) $\times$ 16 text mode	serial port, second drive
64K/dual 5 ¼" floppy disk drives	standard, numeric key- keypad	1 serial	integral display	standard 12-inch mono- chrome display; dual drives added
64K/2 5 ¼" floppy disk drives	72 keys, 12-key keypad	game controller	$40 \times 24/280 \times 192$ graph- ic capability	
192K/1 320K DS/DD 5 ¼" floppy disk drive	60 keys, 14 function keys, 18-key keypad	2 serial, 1 parallel	monochrome version	basic system
128K/2 290K microfloppy disk drives	60 keys, 20-key keypad, 9 special function	2 serial, 1 parallel	12-inch green CRT	CRT added
256K/2 160K SS/DD 5 1/4" floppy disk drives	83 keys, 10 function, 17- key keypad	1 serial	9-inch monochrome/80 × 24 text/640 × 200 graph- ics/RGB output	user memory expands to 256K
64K/2 320K 5 1/4" floppy disk drives	standard	1 serial, 1 parallel	monochrome CRT	drive capacity increases with DS/DD drives
24K/cassette recorder	61 keys, multifunction	general purpose I/O port	32 character one-line LCD/9" 80 × 25 CRT	CRT added
64K/1 640K slim line DS/ DD floppy disk drive	50 keys, 15 program- mable, 18-key keypad	1 parallel, 1 serial	12-inch monochrome/80 × 25 text/640 × 400 graph- ics	higher-density disk drives
64K/2 102K 5 ¼" floppy disk drives	57 keys, 12-key keypad	1 serial, 1 parallel	7-inch monochrome (am- ber)/80 × 24 text mode	basic system
64K/2 184K SS/DD floppy disk drives	62 keys, 15 special func- tion, 15-key keypad	IEEE-488	7-inch monochrome (am- ber)/80 × 25 text mode	full-featured transportable computer
64K/2 350K DS/DD 5 ¼" floppy disk drives	62 keys, 18-key keypad	2 serial	12-inch monochrome/80 × 24 text mode	
Not announced/2 640K DS/DD 5 ¼" floppy disk drives	standard		monochrome display/80 × 25 text mode	basic system
128K/1 140K SS/DD 5 ¼" floppy disk drive	61-key typewriter, 13-key keypad, 2 program- mable	1 serial, 2 game control- ler	280 × 192/560 × 192 graphics capability/80 × 24 text	basic system
64K/2 368K 5 ¼" DS/DD floppy disk drives	72 keys, 16 program- mable, 17-key keypad	2 serial	14-inch monochrome/80 × 25 text	
192K/ 1 640K DS/DD 5 ¼" drive	67 keys, 18 special funct., 10 edit, 18-key keypad	1 parallel, 1 serial	80 × 25 monochrome	display added

#### Intertec Data Systems

Although Intertec is a long-time veteran of the microcomputer wars, few consumers have probably heard of its products. The prime reason for this is that it has addressed the business market.

In this price category, we find one of its several products, the *Superbrain II Jr.*, another of the 8-bit systems on the market using the Z80A as the CPU.

However, the Superbrain II Jr. departs from standard philosophy in its use of dual processors. Although there are several systems on the market today with two mircroprocessors, the chances are very good that one will be an 8-bit device, while the other is a 16-bit device. This gives the user access to the established base of 8-bit software and the rapidly growing base of 16-bit software. The Superbrain II Jr., on the other hand, uses dual 8-bit processors for speed. While one is busy handling the processing (computing) chores, the other is handling house-keeping functions, such as keyboard input and screen output. That is a way to achieve faster throughput.

The Superbrain II Jr., is an all-in-one unit, with dual 350K double-sided, double-density minifloppy-disk drives, 64K RAM, and runs CP/M.

Programmable in high-level Fortran or BASIC, this unit features a 62-key typewriter-style keyboard with an 18-key numeric keypad. Two serial ports are also included.

Video output is via a built-in 12-inch monochrome display unit, capable of 80-characters by 24-lines in the text mode.

#### Canon

If the inclusion of the name Canon in a computer hardware supplement startles you, it shouldn't. The reason is Canon is not only big in the camera field, but also in the office-equipment field. And because it is, its development of a microcomputer system isn't really any surprise. The AS100 is a new system and like many other machines on the market, it is an IBM-workalike. It runs under MS-DOS, although Canon is also hedging its bet by providing access to CP/M-86, the 16-bit version of the CP/M operating system. This second option gives the user access to many programs that run under this operating system and, if the market swings in its direction, then the user also has this advantage, too.

That it can use an operating system indicates that this system has floppy disk drives, and it does. Canon provides the user with two 640K minifloppy disk drives for mass storage and retrieval.

Programmable in BASIC and COBOL, the AS100 has a typewriter-style keyboard for data input. Data is output to an 80-character by 25-line monochrome display, which is the standard for serious data or word-processing work.

#### Apple

Although Apple's name has appeared before, it has a new system appearing in this category, the *Apple III*, a more powerful, business-oriented system than other Apple offerings.

The Apple III system has twice the RAM of the Apple Ile with 128K and it features a standard 140K single-sided, double-density minifloppy disk drive for storage.

A sophisticated system, the *Apple III*'s operating system is also more sophisticated. Called Apple SOS, it allows the user access to not only the software written to operate under it, but the existing base of software written for other Apple computers.

Yet, despite its sophistication, the Apple III is driven by the same 6502 8-bit microprocessor that drives the other members of the Apple family. Its keyboard is a standard typewriter-like affair with 61 keys, two programmable keys and a 17-key keypad. (It was quite an improvement over the old Apple II and Apple II-Plus keyboard.)

This system also differs from the rest of the Apple lineup in two other key areas. It is provided with a standard serial port and it has a standard 80-column display capability. (Other members of the family require add-on video cards to provide this function.) This display capability also can be used to generate up to 560- by 192-dot graphics. The actual display device is a user option.

The Apple Ile becomes more flexibile in its input/output capabilities here with the addition of a serial port.

#### Heath

Heath Co. has two kits that debut in this price spectrum, both of which give the user an inside-out knowledge of his microcomputer system, the HS-100-31 and the HSA-120-31. Both microcomputers are kit versions of the Zenith Z-100 series of 8/16-bit computer systems. About the only real difference between the two systems is that the HS-100-31 is the low-profile version—no monitor included—and the HSA-120-31 is the allin-one unit—monitor, keyboard, and system unit in one box. With this in mind, what follows will apply to both.

Driven by a dual 8085/8088 processor set, this series has access to the world of 8- and 16-bit programs and, although it seems like an IBM-workalike, it doesn't run under MS-DOS. Instead, it runs under the proprietary Zenith Disk Operating System—ZDOS.

A 320K double-sided, double-density floppy is built into its standard configuration that includes 192K RAM.

Programmable in BASIC, that unit features a 60-key keyboard that includes 14 function keys and an 18-key keypad.

About the only remaining differences between the two systems is that the all-in-one HSA-120 has two serial ports and one parallel port, while the HS-100 has one serial and one parallel; and, the HSA-120 has a standard monochrome video display, while the HS-100 leaves it to the user's option.

#### Toshiba

Toshiba has another system which debuts in this price category, the T300, another IBM-workalike.

Driven by a 16-bit 8088 CPU, the T300 provides the user with 192K of standard memory. A standard 640K 5<sup>1</sup>/<sub>4</sub>-inch minifloppy disk drive is provided for data storage and retrieval.

Programmable in several high-level languages, data is entered via a typewriter-style keyboard with 67 keys. The keyboard also includes 18 special-function keys, 10 editing keys, and an 18-key numeric keypad.

Equipped with standard serial and parallel ports—extra-cost options on the IBM *PC*—the *T300* is a flexible unit. It upgrades once in this category. That upgrade provides the user with an 80-character by 25-line video display monitor. In its first configuration, that device is left to the user's option.

#### Sord

Another Z80A-based system debuts in this manufacturer's lineup, the M23P with 128K of RAM as standard. The Z80 CPU gives you access to the world of CP/M.

In a departure from usual practice, the *M23P* is equipped with a microfloppy-disk drive capable of holding 290K of data. Very few manufacturers now offer this type of drive and there is an ongoing controversy about standardization.

Sporting a typewriter-style keyboard with a 20-key pad, 60 keys and 9 special-function keys, the *M23P* relies on this device for input, either in the high-level programming languages this system recognizes or word-processing applications.

An almost fully configured system, it includes an input/output adapter, expansion bus, and a serial port. This system also upgrades once in this category with the addition of a 12-inch green monochrome video display device.

#### **TeleVide**o

Another single-user system from Tele Video makes its appearance in this price category, the TS 803.

Driven by an 8-bit 280A microprocessor unit, the modular *TS* 803 runs the industry-standard CP/M operating system. The computer includes dual 368K double-sided, double-density minifloppy disk drives for storage.

Programmable in the high-level COBOL language, the TS 803 is aimed primarily at the business community and its level of

standard features, such as 64K of user memory and two standard serial communications ports, indicates this.

Equipped with a typewriter-style keyboard containing 72 keys, 16 programmable keys and a 17-key numeric keypad, the *TS 803* also features a standard 14-inch monochrome CRT that is capable of 80-characters by 25-lines of display.

#### Osborne

Osborne Computer Corp. is the firm that kicked off the portable-computer revolution and it has a new offering that debuts in this price spectrum, the *Executive*.

Although based on its Osborne I—described elsewhere in this supplement—the *Executive* is substantially upgraded.

Still driven by the same 8-bit Z80A CPU, the *Executive* has dual single-sided, double-density disk drives, rather than the single-density drives of the *Osborne I*.

It also sports the same 62-key detachable keyboard, but its input/output capabilities have been upgraded with the addition of a second serial port and a parallel port for a printer.

Further, the video display has been upgraded to a 7-inch amber monochrome unit, capable of an 80-character by 24-line text display.

The most important improvement in this system is the ability of it to recognize a variety of disk formats and its capability of reading files generated on those systems. This means it can be used with a variety of desktop office-based systems and files can be transported.

#### Sanyo

Sanyo's *MBC 1200* upgrades in this price segment. Driven by dual Z80A 8-bit CPU's, the *MBC 1200* relies on one of those devices for information processing, while the other handles the housekeeping chores. In this version, the *MBC 1200* has more storage capacity with the addition of a higher-density half-height 640K minifloppy disk drive.

#### Morrow

The last new system that debuts in this category is the Morrow *MD3 Business Computer*, a full-featured small-business computer. Like the others in the *MD*-series, this micro is driven by an 8-bit Z80A CPU. It comes equipped with 64K of user memory as standard.

Using the industry-standard CP/M operating system, the *MD3* is sold with a powerful set of programs included in the price. These programs include the basic applications needed by a small business or serious home user and, in fact, may be all the user needs.

The *MD3* has two 320K 51/4-inch minifloppy-disk drives for storage. It also has a standard typewriter-style detachable keyboard for user input. Input/output is further provided by two serial ports. This system features a monochrome monitor.

#### Franklin

Two Franklin systems upgrade in this price category, the Ace 1000 and the Ace Professional. These systems gain a second disk drive for greater storage and this, of course, raises the price of these devices.

Why is a second drive so important? It provides a manyfold increase in the flexibility of the system because the user is no longer limited to using just one disk for program and data loading. Instead, the program can be loaded and kept in one disk drive, while the other is used to house the data disk.

#### Panasonic

The *HHC*-series of handheld computers becomes even more fully configured with the addition of a modem/cassette interface. Now this system has become a true portable, capable of acting as a workstation in the field.

#### **Hewlett-Packard**

Another handheld system, the HP75C becomes fully configured with the addition of a monochrome video-display device. The importance of this upgrade to a handheld system can't be overestimated. The reason is the user is freed from the necessity of using a one-line liquid crystal display. Now he can see his input and the system's output in a more convenient manner.

This upgrade wouldn't have been possible without the other upgrade that occurs in this segment, the addition of the video interface.

The same type of upgrade occurs to the *HP86A* microcomputer system. It has also received a monochrome display. The reason this is important is the user now gains far higher resolution by using a dedicated video device, rather than trying to use a home television with its resolution limitations.

#### Seequa

The dual-processor (Z80A, 8088) *Chameleon* upgrades twice in this price category. In its first upgrade, the buyer receives an increase in user memory to 192K. This gives it enough memory to handle most 8- or 16-bit program on the market. This expansion also gives it color graphics capability.

The second expansion brings user memory to 256K, which is becoming one of the standards of the IBM-workalike world. Yes, many of the IBM-workalikes do have less memory, but it seems that most of them are urging their buyers to upgrade memory to at least 256K.

#### **Radio Shack**

In this price category, the *TRS-80 Model III* reaches its full configuration with two drives and a serial port. This all-in-one system is a powerful unit in this configuration.

#### Commodore

The Pet 64, based on the Commodore 64 system, also becomes fully configured in this price category

The addition of dual floppy drives for data storage and access makes this a powerful system for either the business or home user.

#### **Texas Instruments**

Believe it or not, the low-cost TI-99/4A can become a highpowered home system and it does, indeed, have a version that appears in this price category.

The addition of a second drive makes the TI-99/4A a system that can be used by either the serious home user or the small businessman who needs a small computer system. The second drive adds flexibility to the system.

#### Panasonic

Panasonic's *PC-8800* series is still an 8-bit microcomputer at this point. Another upgrade or two will be needed to make it a dual-processor 8/16-bit machine. However, in this configuration a user should find it very powerful.

At this point, color graphics output capability is added to the *PC-8800* system with the addition of a high-resolution, RGB video display device.

#### Spectravideo

At this point in the price categories, the SV-328 becomes fully configured. A second drive is added at this point, which provides the user added flexibility and makes this system a full-featured choice for the small business or home user.

#### Netronics

Another system that reaches its full configuration is the *Explorer*/85 from Netronics. This upgrade adds a second disk drive to its configuration that brings with it greater storage capability and far better system flexibility.

#### Casio

Still a very basic system, the Casio FX-9000P has its memory increased to 32K at this point. It still relies on a cassette recorder for storage.



### A PRACTICAL DIGITAL ELECTRONICS KIT FOR LESS THAN \$40 ! Suitable for Beginners

Meet the challenges of today's incredibly rapid changes in electronics quickly and easily. This innovative kit is as exciting as the circuits you build and explore.

Learn the wonders of digital electronics and see how quickly you are designing your own circuits with the SUPERKIT which contains:

Digital Computer Logic & Electronics - An introduction to digital electronics designed specifically for the raw beginner. If you're just starting with Digital Electronics this is the Course for you .......\$13.95 DIGITAL COMPUTER DESIGN - A totally revised and updated Course using the programmed learning system. This book is not intended for beginners but is ideally suited to engineers, technicians and hobbyists who want to know more about digital electronics....\$17.95

VISA

#### TO ORDER BY MAIL

Just send your check or money order to the address below. Make sure you enclose your address and specify which Courses you are ordering. Payment must be in US Dollars drawn on major US Banh Mass. Residents add 5% sales tax Company Purchase Orders also accepted.

#### PHONE ORDERS · FREE

To order by phone call (617) 664-3657 with your credit card information. It won't cost you a dime, because we'll deduct the cost of the call from the cost of the Courses you order.

#### NO RISK GUARANTEE

There's absolutely no risk to you. If you're not completely satisfied, simply return your order within 30 days. We'll send you a full refund,

#### AIR MAIL

The prices shown include surface mail postage. For Airmail shipment please write for additional cost, specifying Courses to be ordered.



#### CIRCLE 35 ON FREE INFORMATION CARD



### Experience The Future With ROBOTICS AGE Your Monthly Guide to Intelligent Machines

Intelligent machines have already become a part of our world, touching our lives daily in many ways. The future is unfolding with a wealth of ideas and information. Developments in robotics and intelligent machines are happening at an incredible pace. ROBOTICS AGE is your monthly source of tutorial and practical information about experimental robotics.

ROBOTICS AGE looks to this future with articles on walking machines, pneumatic systems design, low-cost vision systems for microcomputers and domestic robots. You'll find articles on the realities of industrial automation as well as the prospect of personal robotics in the home and office environments. Explore with us the intimate relationship between hardware and software engineering. A subscription to ROBOTICS AGE is your key to the fast-paced technology of robotics.

Don't miss out on a single issue. Subscribe today and have the next issue delivered to you. You can save by subscribing now at our subscription price of \$24 for the next twelve issues. That's a full one-third off the newsstand price for the same issues. And, if you include payment, you'll receive free a reprint of the article "ODEX I: The First Functionoid."

Send in your order to: **ROBOTICS AGE 174 Concord St. Peterborough, NH 03458** Or give us a call at **(603) 924-7136** 



Sign me up for a 12-issue trial subscription...
Send an issue and bill me \$24,00 for 12 in all.
Enclosed is \$24,00 for 12 issues plus the ODEX I
reprint.
RE
Address


Town/City



Charge Card Number Exp. Date Foreign orders should be paid in U.S. funds drawn on U.S. bank, at the following rates: Canada & Mexico-\$28.00; all other Foreign-\$32.00.

Zip

**CIRCLE 87 ON FREE INFORMATION CARD** 





Seven new manufacturers join our expanding list.

## \$2500 to \$3000 MARC

MARC STERN

IF YOU THOUGHT THE MICROCOMPUTER FIELD BELOW THE \$2000 level was crowded, then take a look at the chart accompanying this article; this price area is even more crowded. Almost every week there seems to be a new microcomputer entry in this or the higher-priced categories. And, as noted in the previous story, there are more and more 16-bit machines coming cut.

With this in mind, a closer look shows that 18 new machines join the market fray. Some of them are from companies whose names are already familiar, while others are from firms whose names appear here for the first time.

Seven manufacturers join the list here, all featuring fairly well configured, powerful systems. Among them there is a fairly even split between 8- and 16-bit microprocessor units.

The other 12 new machines come from already-mentioned manufacturers, while the rest of the listing presents üpgrades of systems that were introduced in lower-priced levels.

Without further ado, let's begin our look at the new offerings from the new manufacturers. From there we'll look at what the familiar firms have to offer and we'll tie up this piece with a peek at how various systems upgrade.

#### Wang

Perhaps best known in the business field, Wang has long held a dominant position in the word-processing/minicomputer market. Its *Wangwriter* has set the standard in this field for years. Now it has an offering in the microcomputer field, its *Professional Computer*.

An IBM-workalike, it differs from the *Personal Computer* because it uses a 16-bit 8086 CPU. However, the 8086 recognizes the 8088's instruction set and will work with any software written for the 8088. With the 128K standard user memory, the buyer has a powerful system from the start.

Equipped with a standard 128K single-sided, double-density

floppy disk drive, the *Professional* runs under MS-DOS. CP/M-86 is also available.

Programmable in several high-level languages, this data can be input via a 101-key typewriter-style keyboard, that features 16 programmable keys, as well as an 18-key numeric pad. Input/output is handled via standard parallel and serial ports.

#### Compaq

One of the major newcomers in the IBM-compatible field, Compaq Computer's *Compaq* is nearly totally compatible with the IBM offering.

A transportable, the *Compaq* is driven by a 16-bit 8088 CPU, the same one used by the *PC*. It features more standard user memory: 128K.

Operating under Compaq DOS, an IBM workalike diskoperating system, the *Compaq* can use many of the programs written for the IBM-PC. Further, it comes with one doublesided, double-density 320K minifloppy disk drive as standard equipment.

Like other small-computer systems, the *Compaq* is programmable in BASIC and data are entered via an 83-key IBM-*PC*-like keyboard. Unlike the *PC*, the *Compaq* comes with a standard parallel printer port. Its built-in 9-inch monochrome display handles both an 80-character by 25-line text mode and graphics.

#### Altos

The user looking for a more business-oriented system, should check out the Altos 5-15D. A micromainframe—the system box and drives, the terminal is a user option—the 5-15D is driven by an 8-bit Z80A CPU and comes with 192K of memory.

Running under the industry-standard CP/M operating system, the 5-15D comes with two standard 1-megabyte 5<sup>1</sup>/<sub>4</sub>-inch floppy OCTOBER 1983

#### TABLE 1-\$2500-\$3000

Manufacturers	Model	Price	CPU	Word Length	Operating System	Languages
Sord Computer	M23 Mark III G	\$2530	280A	8-bit	Proprietary, CP/ M-compatible	BASIC, Pascal, FORTRAN
Franklin Computer Corp.	Ace 1200	\$2544	6502 Z80	8-bit	Apple DOS 3.3 compatible, CP/M	BASIC
NEC Home Electronics	PC-8800	\$2547	Z80A-compatible	8-bit	CP/M	BASIC
IBM	IBM-PC	\$2564	8088	16-bit	PC-DOS (MS- DOS), CP/ M-86, UCSD p- System	COBOL, FRTRN, BASIC, MACRO assembler, Pascal
Heath Company	HS-100-31	\$2594	8085/8088	8/16-bit	Proprietary ZDOS	BASIC
Texas Instruments	Professional Computer	\$2595	8088	16-bit	MS-DOS, CP/ M-86, UCSD p- System	Macro Assembler, BASIC, COBOL, FORTRAN, Pascal
Sharp Electronics	PC-5000	\$2599 (est.)	8088	16-bit	N/A	
Canon USA	AS100	\$2620	8088	16-bit	MS-DOS, CP/ M-86	BASIC, COBOL
Toshiba America	T100	\$2635	Z80A	8-bit	CP/M	BASIC
LNW Research Corp.	LNW80 Model 2	\$2645	Z80A	8-bit	CP/M, Proprie- tary	BASIC
Apple Computer	Apple Ile	\$2674	6502A	8-bit	Apple DOS 3.3	BASIC, PILOT, Logo, Pas- cai, FORTRAN, COBOL
Sony	SMC-70	\$2675	Z80A	8-bit	CP/M	BASIC, CB-80, Pilot Plus
Apple Computer	Apple III	\$2695	6502B	8-bit	Apple SOS	BASIC, Pascal
Access Matrix Corp.	Access	\$2695	Z80A	8-bit	CP/M	BASIC
Apple Computer	Apple III	\$2720	6502B	8-bit	Apple SOS	BASIC, Pascal
Heath Company	HSA-120-31	\$2744	8085/8088	8/16-bit	Proprietary ZDOS	BASIC
Canon USA	AS100	\$2745	8088	16-bit	MS-DOS, CP/ M-86	BASIC, COBOL
NEC Home Electronics	PC-8800	\$2747	Z80A-compati- ble/8086	8/16-bit	N/A	BASIC
NEC Information Syst.	APC	\$2748	8086	16-bit	CP/M-86, MS- DOS	BASIC, COBOL, FOR- TRAN, PASCAL, Assem.
Hewlett-Packard	HP85A	\$2750	Not announced		N/A	BASIC, assembler
Hewlett-Packard	HP120/125	\$2775	Z80A	8-bit	N/A	BASIC, assembler
IBM	IBM-PC	\$2788	8088	16-bit	PC-DOS (MS- DOS), CP/ M-86, UCSD p- System	COBOL, FORTRAN, BASIC, MACRO assembler, Pascal
Kaypro Division	Kaypro 10	\$2795	Z80	8-bit	CP/M	BASIC, Pascal, FORTRAN, Assembler, COBOL
Texas Instruments	Professional Computer	\$2820	8088	16-bit	MS-DOS, CP/ M-86, UCSD p- System	Macro Assembler, BASIC, COBOL, FORTRAN, Pascal
Commodore Business Machines	BX256-80	\$2890	6509/8088	8/16-bit	Proprietary	BASIC
Zenith Data Systems	ZF-100	\$2899	8085/8088	8/16-bit	CP/M, ZDOS (proprietary)	BASIC, COBOL, FORTRAN
ТВМ	IBM-PC	\$2904	8088	16-bit	PC-DOS (MS- DOS), CP/ M-86, UCSD p- System	COBOL, FORTRAN, BASIC, MACRO assembler, Pascal
Apple Computer	Apple III	\$2920	6502B	8-bit	Apple SOS	BASIC, Pascal
Sord Computer	M23P	\$2930	Z80A	8-bit	Proprietary, CP/ M-compatible	BASIC, Pascal, FORTRAN
Hewlett-Packard	HP-85A	\$2945	Not announced		Proprietary	BASIC, assembler

drivescontrollergraphic capabilityage with se drive64K/2 320K DS/DD 5 ¼" floppy drives81 keys, 5 multifunction, 10-key keypad1 parallel, 1 serial14-inch monochrome CRT/80 × 25 textdual 320K dual 320K64K/1 SS/DD 180K 5 ¼" floppy drive59 keys, 10 special func- tion, 20-key keypad1 parallel1 2-inch monochrome CRT/80 × 25 text1 drive add added192K/2 320K DS/DD 5 ¼" floppy drive60 keys, 14 function keys, 13-key keypad2 serial, 1 parallelmonochrome capability 22 text2nd drive128K/128K bubble memory standard typewriter DS/DD 5 ¼" floppy drives97 keys, 17-key keypad, 97 keys, 17-key keypad, 12 special function1 parallel12-inch monochrome CRT, 720 × 300 res., 80 × 25 displaybase syste128K/128K bubble memory standard typewriter DS/DD 5 ¼" floppy drivesstandard1 serialmonochrome display/80 × 25 text modeserial port 264K × 200 color display, 80 × 25 in text modebase syste064K 12 280K DS/DD 5 ¼" drives73 keys, 11-key keypad1 parallel, 1 serial 96KK 15 ¼" floppy drive 63-key typewriter, 2 programmable1 parallel, 1 serial 20 color ca- programmable1 parallel, 1 serial 20 × 192 and 560 × 192 20 × 192 and 560 × 192 280 × 25 text1 disk drive a video convol 280 × 192 and 560 × 192 280 × 25 text1 disk drive a video convol 280 × 192 and 560 × 192 280 × 192 and 560 × 192 280 × 192 and 560 × 192 280 × 25 text1 disk drive a video convol 280 × 192 and 560 × 192 280 × 25 text <td< th=""><th></th></td<>	
drives9 special function128K/2 5 ¼" floppy disk drives72 keys, 12-key keypad1 serial, 1 parallel, game controller80 (40) × 24/280 × 192 graphic capabilityAce 1200 g age with se drive64K/2 320K DS/DD 5 ¼" floppy drives81 keys, 5 multifunction, 10-key keypad1 parallel, 1 serial14-inch monochrome CRT/80 × 25 textdual 320K64K/1 SS/DD 180K 5 ¼" floppy drive59 keys, 10 special func- tion, 20-key keypad1 parallel12-inch monochrome CRT/80 × 25 text1 drive add added192K/2 320K DS/DD 5 ¼" floppy drive60 keys, 14 function keys, 18-key keypad2 serial, 1 parallelmonochrome capability2nd drive128K/128K bubble memory storage/cassette interface97 keys, 17-key keypad, 12 special function1 parallel12-inch monochrome CRT, base systebase syste display128K/128K bubble memory storage/cassette interfacestandard typewriter80 character x 8-line liq- uid crystal displaybase syste display064K/2 280K DS/DD 5 ¼" floppy drive88 keys, 8 special func- tion1 parallel, 1 serialmonochrome display/80 × serial port 25 text modeserial port display64K/1 51¼" floppy drive63-key typewriter, 2 rogrammable1 parallel, 1 serial1 parallel, 1 serial controller1 disk drive a display64K/1 280K microfloppy drive63-key typewriter, 3 special function1 parallel, 1 serial controller280 × 192 color ca- pability/62 × 16 text mode/ monochrome CRT1 disk drive a vable64K/1 280K microfloppy drive72 keys, keypa	dia mandrit
128K/2 5 ¼" floppy disk drives       72 keys, 12-key keypad       1 serial, 1 parallel, game controller       80 (40) × 24/280 × 192 graphic capability       Ace 1200 g age with se drive         64K/2 320K DS/DD 5 ¼"       81 keys, 5 multifunction, 10-key keypad       1 parallel, 1 serial       14-inch monochrome CRT/80 × 25 text       dual 320k         64K/1 SS/DD 180K 5 ¼"       59 keys, 10 special func- tion, 20-key keypad       1 parallel       1 serial, 1 parallel       12-inch monochrome CRT/80 × 25 text       1 drive add added         192K/2 320K DS/DD 5 ¼"       60 keys, 14 function thoppy drive       60 keys, 14 function ton, 20-key keypad       2 serial, 1 parallel       monochrome capability 22-inch monochrome CRT, 720 × 300 res., 80 × 25       base syste display         12sk/128K bubble memory storage/cassette interface       51 keys, 8 special func- tion       1 serial       monochrome display/80 × 25 text mode       base syste drive         96 K1 5 ¼" floppy drive great machine drive       53 keys, 8 special func- tion       1 parallel, 1 serial       64 × 20 color display, 80 × 25 in text mode       base syste drive         96 K1 5 ¼" floppy drive great machine       63-key typewriter, 2 programmable       1 parallel, 1 serial       1 parallel, 1 serial       1 disk drive a drive         64K/1 280K microfloppy drive       72 keys, keypad, 9 special function       1 parallel, 1 serial       12-inch monochrome (CRT/80-column card/80 × 24 text mode       1 disk drive a video convertione <th>Irives, CRT</th>	Irives, CRT
64K/2 320K DS/DD 5 ¼"       81 keys, 5 multifunction, 10-key keypad       1 parallel, 1 serial       14-inch monochrome CRT/80 × 25 text         64K/1 SS/DD 180K 5 ¼"       59 keys, 10 special function, 20-key keypad       1 parallel       12-inch monochrome CRT, monochrome CRT, toppy drives       1 drive add         192K/2 320K DS/DD 5 ¼"       60 keys, 14 function keys, 18-key keypad       2 serial, 1 parallel       monochrome capability       2nd drive         192K/2 320K DS/DD 5 ¼"       60 keys, 14 function keys, 18-key keypad       1 parallel       12-inch monochrome CRT, toppy drives       base syste         10ppy drive       12 special function       1 parallel       12-inch monochrome CRT, toppy drives       base syste         128K/128K bubble memory       standard       1 serial       monochrome display/80 × serial port       base syste         10S/DD 5 ¼" (10ppy drives       standard       1 serial       monochrome display/80 × serial port       serial port         0S/LD 5 ¼" floppy drives       89 keys, 8 special function       1 parallel, 1 serial       640 × 200 color display, color display       color display         0S/LT 5 ¼" floppy drive       63-key typewriter, 2       1 parallel, 1 serial       640 × 200 color ca- pability/62 × 16 text mode       first drive added         64K/1 5 ¼" floppy drive       63-key typewriter, 2       1 parallel, 1 serial       12-inch monochrome CRT       firs	gains further stor- econd floppy disk
64K/1 SS/DD 180K 5 ¼*       59 keys, 10 special func- tion, 20-key keypad       1 parallel       12-inch monochrome CRT/80 × 25 text       1 drive add added         192K/2 320K DS/DD 5 ¼*       60 keys, 14 function keys, 18-key keypad       2 serial, 1 parallel       monochrome capability       2nd drive         64K/1 320K DS/DD 5 ¼*       60 keys, 14 function keys, 17-key keypad, floppy drives       1 parallel       12-inch monochrome capability       2nd drive         128K/128K bubble memory storage/cassette interface       12 special function       1 parallel       12-inch monochrome CRT, 720 × 300 res., 80 × 25       base syste         Not announced/2 640K DS/DD 5 ¼*       1 serial       80 character x 8-line liq- uid crystal display       base syste         64K/1 5 ½*       89 keys, 8 special func- tion       1 parallel, 1 serial       640 × 200 color display, 80 × 25 in text mode       color display, 80 × 25 in text mode         96K/1 5 ½*       floppy drive       63-key typewriter, 2 programmable       1 parallel, 1 serial       12-inch monochrome controller       1 disk drive a pability/62 × 16 text mode/ monochrome CRT         64K/1 280K microfloppy drive       72 keys, keypad, 9 special function       1 parallel, 1 serial, 2 game control- ler       280 × 192 and 560 × 192       1 disk drive a video converter         64K/2 DS/DD floppy disk drives       62 keys, 15 special func- itor       1 serial, 2 game control- ler       280 × 192 and 560 × 192	DS/DD drives
192K/2 320K DS/DD 5 ¼"       60 keys, 14 function keys, 18-key keypad       2 serial, 1 parallel       monochrome capability       2nd drive         64K1 320K DS/DD 5 ¼"       97 keys, 17-key keypad, 12 special function       1 parallel       12-inch monochrome CRT, 720 × 300 res., 80 × 25 display       base syste         128K/128K bubble memory storage/cassette interface       standard typewriter       80-character x 8-line liq- uid crystal display       base syste         Not announced/2 640K DS/DD 5 ¼" floppy drive       standard       1 serial       monochrome display/80 × 25 text mode       serial port         64K/2 280K DS/DD 5 ¼" floppy drives       89 keys, 8 special func- tion       1 parallel, 1 serial       640 × 200 color display, 80 × 25 in text mode       color display, eolor display       color display, eolor display         64K/1 5 ¼" floppy drive       63-key typewriter, 2 programmable       1 parallel, 1 serial, game controller       12-inch monochrome CRT       1 disk drive a video convertione         64K/1 280K microfloppy drive       72 keys, keypad, 9 special function       1 parallel, 1 serial       game control- ler       280 × 192 and 560 × 192       128K mem graphics capability/80 × 24 text       128K mem graphics capability/80 × 24 text         64K/2 DS/DD floppy disk drives       62 keys, 15 special func- tion, 15-key keypad       1 serial, 1 parallel, 1       7-inch monochrome (am- graphics capability/80 × 24 text       128K mem graphics capability/80 × 24 text <td>led, display device</td>	led, display device
floppy driveskeys, 18-key keypad64K/1 320K DS/DD 5 ¼"97 keys, 17-key keypad, 12 special function1 parallel12-inch monochrome CRT, 720 × 300 res., 80 × 25 displaybase syster128K/128K bubble memory storage/cassette interfacestandard typewriter80-character × 8-line liq- uid crystal displaybase systerNot announced/2 640K DS/DD 5 ¼" floppy drivesstandard1 serialmonochrome display/80 × 25 text modeserial port 26 kK/2 280K DS/DD 5 ¼" floppy drivesstandard1 parallel, 1 serial640 × 200 color display, 80 × 25 in text modecolor display, floppy drive64K/1 280K microfloppy drive63-key typewriter, 2 programmable1 parallel, 1 serial, game controller12-inch monochrome CRT1 disk drive a ve drive a64K/1 280K microfloppy drive72 keys, keypad, 9 special function1 parallel, 1 serial, game controller12-inch monochrome CRT1 disk drive a video column card/80 × 24 text mode64K/1 280K microfloppy drive72 keys, keypad, 9 special function1 parallel, 1 serial12-inch monochrome controller1 disk drive a video column card/80 × 24 text64K/2 DS/DD 5 ½" floppy drive61-key typewriter, 13-key keypad, 2 program- mable1 serial, 2 game control- ler280 × 192 and 560 × 192 2 serial, 1 parallel, 1 2 serial, 1 parallel, 1 er//80 × 25 text mode128K mem drives	
floppy drive       12 special function       720 × 300 res., 80 × 25 display         128K/128K bubble memory storage/cassette interface       standard typewriter storage/cassette interface       base syste uid crystal display         Not announced/2 640K DS/DD 5 ¼" floppy drives       standard       1 serial       monochrome display/80 × 25 text mode       serial port         64K/2 280K DS/DD 5 ¼" drives       89 keys, 8 special func- tion       1 parallel, 1 serial       640 × 200 color display, 80 × 25 in text mode       color display, 80 × 25 in text mode         96K/1 5 ¼" floppy drive       73 keys, 11-key keypad drive       1 parallel, 1 serial       640 × 200 color ca- pability/62 × 16 text mode       first drive a pability/62 × 16 text mode/ monochrome CRT         64K/1 280K microfloppy drive       63-key typewriter, 2 programmable       1 parallel, 1 serial special function       1 parallel, 1 serial special function       1 disk drive a video convertion         64K/1 280K microfloppy drive       72 keys, keypad, 9 special function       1 parallel, 1 serial special function       1 serial, 2 game control- ler       280 × 192 and 560 × 192 graphics capability/80 × 24 text       128K mem graphics capability/80 × 24 text         64K/2 DS/DD floppy disk drives       62 keys, 15 special func- tion, 15-key keypad       2 serial, 1 parallel, 1 IEEE-488       7-inch monochrome (am- ber)/80 × 25 text mode       drives upgr	
storage/cassette interfaceuid crystal displayNot announced/2 640K DS/DD 5 ¼" floppy drivesstandard1 serialmonochrome display/80 × 25 text modeserial port 25 text mode64K/2 280K DS/DD 5 ¼" drives89 keys, 8 special func- tion1 parallel, 1 serial640 × 200 color display, 80 × 25 in text modecolor display, color display, 80 × 25 in text mode96K/1 5 ¼" floppy disk drive73 keys, 11-key keypad drive1 parallel, 1 serial480 × 192 color ca- pability/62 × 16 text mode/ monochrome CRTfirst drive a daded64K/1 5 ¼" floppy drive63-key typewriter, 2 programmable1 parallel, 1 serial, game controller12-inch monochrome CRT/80-column card/80 × 24 text mode1 disk drive a wideo convertion64K/1 280K microfloppy drive72 keys, keypad, 9 special function1 parallel, 1 serial special function1 serial, 2 game control- ler280 × 192 and 560 × 192 280 × 192 and 560 × 192 24 text128K mem graphics capability/80 × 24 text64K/2 DS/DD floppy disk drives62 keys, 15 special func- tion, 15-key keypad2 serial, 1 parallel, 1 program- mable7-inch monochrome (am- drives upgr	
Not announced/2 640K DS/DD 5 ¼" floppy drives       standard       1 serial       monochrome display/80 × 25 text mode       serial port         64K/2 280K DS/DD 5 ¼" floppy drives       89 keys, 8 special func- tion       1 parallel, 1 serial       640 × 200 color display, 80 × 25 in text mode       color display, 80 × 25 in text mode         96K/1 5 ¼" floppy disk drive       73 keys, 11-key keypad       1 parallel, 1 serial       480 × 192 color ca- pability/62 × 16 text mode/ monochrome CRT       first drive a drive         64K/1 5 ¼" floppy drive       63-key typewriter, 2 programmable       1 parallel, 1 serial, game controller       12-inch monochrome CRT/80-column card/80 × 24 text mode       1 disk drive a disk drive a video convertion         64K/1 280K microfloppy drive       72 keys, keypad, 9 special function       1 parallel, 1 serial serial, 2 game control- ler       280 × 192 and 560 × 192       128K mem graphics capability/80 × 24 text         64K/2 DS/DD floppy disk drives       62 keys, 15 special func- tion, 15-key keypad       2 serial, 1 parallel, 1       7-inch monochrome (am- ber)/80 × 25 text mode	em
64K/2 280K DS/DD 5 ¼"       89 keys, 8 special function       1 parallel, 1 serial       640 × 200 color display, 80 × 25 in text mode         96K/1 5 ¼" floppy disk drive       73 keys, 11-key keypad       1 parallel, 1 serial       480 × 192 color ca-pability/62 × 16 text mode/monochrome CRT         64K/1 5 ¼" floppy drive       63-key typewriter, 2 programmable       1 parallel, 1 serial       1 parallel, 1 serial       1 disk drive added         64K/1 280K microfloppy drive       63-key typewriter, 12 programmable       1 parallel, 1 serial       1 parallel, 1 serial       1 disk drive added         64K/1 280K microfloppy drive       61-key typewriter, 13-key keypad, 2 programmable       1 parallel, 1 serial, 2 game control-programmable       280 × 192 and 560 × 192       128K mem graphics capability/80 × 24 text         64K/2 DS/DD floppy disk drives       62 keys, 15 special functor       2 serial, 1 parallel, 1       7-inch monochrome (am-drives upgr         64K/2 DS/DD floppy disk drives       62 keys, 15 special functor       2 serial, 1 parallel, 1       7-inch monochrome (am-drives upgr         64K/2 DS/DD floppy disk drives       62 keys, 15 special functor       2 serial, 1 parallel, 1       7-inch monochrome (am-drives upgr	
96K/1 5 ¼″ floppy disk drive       73 keys, 11-key keypad drive       1 parallel, 1 serial       480 × 192 color ca- pability/62 × 16 text mode/ monochrome CRT       first drive a pability/62 × 16 text mode/ monochrome CRT         64K/1 5 ¼″ floppy drive       63-key typewriter, 2 programmable       1 parallel, 1 serial, game controller       12-inch monochrome CRT/80-column card/80 × 24 text mode       1 disk drive added         64K/1 280K microfloppy drive       72 keys, keypad, 9 special function       1 parallel, 1 serial serial, 2 game control- ler       12-inch green 80 × 25 text       disk drive a video conve video conve video conve drive         64K/2 DS/DD floppy disk drives       62 keys, 15 special func- tion, 15-key keypad       1 serial, 1 parallel, 1 serial, 1 parallel, 1       7-inch monochrome (am- ber)/80 × 25 text mode	ау
monochrome CRT         64K/1 5 ¼″ floppy drive       63-key typewriter, 2 programmable       1 parallel, 1 serial, game controller       12-inch monochrome CRT/80-column card/80 × 24 text mode       1 disk drive added         64K/1 280K microfloppy drive       72 keys, keypad, 9 special function       1 parallel, 1 serial       12-inch green 80 × 25 text       1 disk drive a video converties         128K/1 140K SS/DD 5 ¼″ floppy drive       61-key typewriter, 13-key keypad, 2 program- mable       1 serial, 2 game control- ler       280 × 192 and 560 × 192       128K mem video converties         64K/2 DS/DD floppy disk drives       62 keys, 15 special func- tion, 15-key keypad       2 serial, 1 parallel, 1 IEEE-488       7-inch monochrome (am- ber)/80 × 25 text mode       drives upgr	and monochrome
programmable       controller       CRT/80-column card/80 × 24 text mode         64K/1 280K microfloppy drive       72 keys, keypad, 9 special function       1 parallel, 1 serial       12-inch green 80 × 25 text disk drive a video convertient of the video convertent of the video convertient of the video convertient of	and controller
drive     special function     video converties       128K/1 140K SS/DD 5 ¼″     61-key typewriter, 13-key keypad, 2 program- mable     1 serial, 2 game control- ler     280 × 192 and 560 × 192 128K mem graphics capability/80 × 24 text       64K/2 DS/DD floppy disk drives     62 keys, 15 special func- tion, 15-key keypad     2 serial, 1 parallel, 1 IEEE-488     7-inch monochrome (am- ber)/80 × 25 text mode	e and controller
floppy drive         keypad, 2 program- mable         ler         graphics capability/80 × 24 text           64K/2 DS/DD floppy disk drives         62 keys, 15 special func- tion, 15-key keypad         2 serial, 1 parallel, 1 IEEE-488         7-inch monochrome (am- ber)/80 × 25 text mode	erter deleted
drives tion, 15-key keypad IEEE-488 ber)/80 × 25 text mode	and the second
	raded to DS/DD
128K/1 140K SS/DD 5 ¼"61-key typewriter, 13-key keypad, 2 program- mable1 serial, 2 game control- ler, 1 parallel280 × 192 and 560 × 192 graphics capability/80 ×128K/1 140K SS/DD 5 ¼"61-key typewriter, 13-key keypad, 2 program- mable1 serial, 2 game control- ler, 1 parallel280 × 192 and 560 × 192 graphics capability/80 ×	ort
192K/2 320K DS/DD 5 ¼″     60 keys, 14 function     2 serial, 1 parallel     monochrome version     2nd drive       floppy drives     keys, 18-key keypad	1. S.
Not announced/2 640K standard 1 serial, 1 parallel monochrome display/80 × parallel por 25 text mode	ort
128K/cassette interface/ 81 keys, 5 multifunction, 1 parallel, 1 serial 14-inch color CRT/640 × optional 80	086 card/memory to 128K color CRT
128K/1MB 8-inch half- height DS/DD drive 23 function 66 keys, 25-key keypad, 1 parallel, 1 serial 80 × 25 monochrome basic systematics and the serial 80 × 25 monochrome basic systematics and the serial 80 × 25 monochrome basic systematics and the series of the series	
16K tape cartridge     28 keys, 20-key keypad,     built-in 5" CRT, 256 × 192     portable sy       8 special function     graphics, 32 × 16 text	system
64K 58 keys, 8 special func- 2 serial, 1 IEEE-488 9" or 12"-monochrome basic syste tion CRT/80 × 25 text display, 12	em, HP120 has 9"
	lay adapter
64K/ 1 5 ¼" DS/DD drive,       72 keys, 14-key keypad,       1 serial, 1 parallel       9-inch, monochrome       basic system         10MB hard disk       20 programmable       CRT/80 × 25 text	tem
64K/1 320K DS/DD 5 ¼″       97 keys, 17-key keypad, 1 parallel, 1 serial       12-inch monochrome CRT, serial port         floppy drive       12 special function       720 × 300 res., 80 × 25	
256K/dual 5 ¼" floppy disk standard, numeric 1 serial 12-inch monochrome dual drives keypad CRT/80 × 25 text mode	15
128K/1 320K DS/DD 5 1/4" 77 keys, 18-key keypad, 2 serial, 1 parallel composite video basic syst drive 13 special function output	tem
64K/1 320K DS/DD 5 1/4" 59 keys, 10 special func- 1 parallel, 1 serial 12-inch monochrome drive beco	omes DS/DD, serial
floppy drive tion, 20-key keypad CRT/80 × 25 text port added	
256K/1 140K SS/DD 5.1/4"       61-key typewriter, 13-key       1 serial, 2 game control-       280 × 192 and 560 × 192 parallel po         floppy drive       keypad, 2 program-       ler, 1 parallel       graphics capability/80 ×       upgrades         mable       24 text	ort added, memory
128K/2 290K microfloppy       60 keys, 20-key keypad, 2 serial, 1 parallel       14-inch color monitor       color monitor         drives       9 special function	
32K/tape cartridge     58 keys, 20-key keypad, 8 special function     built-in 5" CRT, 256 × 192     16K RAM       graphics, 32 × 16 text	to 256K

Manufacturers	Model	Price	CPU	Word Length	<b>Operating System</b>	Languages
Hewlett-Packard	HP86A	\$2950	Not announced	Hord Length	UCSD p-Sys- tem, CP/M	BASIC, Pascal, FORTRAN,
Docutel/Olivetti Corp.	M20	\$2965	Z8001	16-bit	PCOS (Prof. Computer Op- erating Sys.)	BASIC
Apple Computer	Apple III	\$2969	6502B	8-bit	Apple SOS	BASIC, Pascal
ſoshiba America	T300	\$2975	8088	16-bit	MS-DOS, CP/ M-86	BASIC
Basis Inc.	Basis 108	\$2985	Z80A/6502	8-bit	CP/M, Apple DOS 3.3	BASIC, Pascal, LOGO
Altos Computer Systems	5-15D	\$2990	Z80A	8-bit	CP/M	BASIC, COBOL, Pascal, FORTRAN, SOFTBOL
Eagle Computer Inc.	Eagle PC-1	\$2995	8088	16-bit	CP/M-86, MS- DOS	
Eagle Computer Inc.	Eagle IIE-3	\$2995	Z80A	8-bit	CP/M	BASIC
Vector Graphic Inc.	Vector 4	\$2995	Z80B, 8088	8/16-bit	N/A	Not announced
Computer Devices Inc.	DOT-3000A	\$2995	8088	16-bit	MS-DOS	BASIC, FORTRAN, COBOL, Pascal, assembler
Hewlett-Packard	H85B	\$2995	Not announced		Proprietary	BASIC, assembler
Sanyo	MBC 1250	\$2995	Z80A	8-bit	CP/M	BASIC, Pascal, Fortran, Macro-80
Sumicom Inc.	System 330B	\$2995	8088	16-bit	MS-DOS/CP/ M-86	FORTRAN, COBOL, Pas- cai, BASIC
Wang Laboratories	Professional Computer	\$2995	8086	16-bit	MS-DOS, CP/M emulation	BASIC, COBOL, FORTRAN, Pascal
Hewlett-Packard	HP87XM	\$2995	Not announced		N/A	BASIC, Pascal, FORTRAN
ntertec Data Systems	Superbrain II - QD		Z80A	8-bit	СР/М	BASIC, FORTRAN
Compaq Computer Corp.	Compaq	\$2995	8088	16-bit	Compaq DOS (Similar to IBM PC-DOS)	BASIC
Columbia Data Products	1600-VP	\$2995	8088	16-bit	MS-DOS	Not announced
Basis Inc.	Basis 108	\$2995	Z80A/6502	8-bit	CP/M 3.0, Ap- ple DOS 3.3	BASIC, Pascal, LOGO
TeleVideo Systems Inc.	TS 1603	\$2995	8088	16-bit	CP/M-86, MS- DOS	COBOL
North Star Computers	Horizon	\$2999	Z80A	8-bit	TSS/C (Proprie- tary CP/M-like)	Not announced
North Star Computers	Advantage	\$2999	Z80A	8-bit	CP/M, GDOS	BASIC, FORTRAN, COBOL, Pascal

disk drives.

The 5-15D has two serial ports and one parallel port as standard.

#### **Vector Graphic**

Vector Graphic is a long-time veteran of the microcomputer marketplace. It was one of the first microcomputer manufacturers and remains in the thick of the fray with its *Vector 4* system. It has 128K of user memory and, with the addition of a couple of drives, can become a powerful system.

Driven by dual Z80B and 8088 CPU's, the system has a typewriter-style keyboard with 91 keys, 15 special-function keys and an 18-key numeric pad. Its 12-inch monochrome display delivers an 80-column by 24-line display or 640- by 312-dot graphics.

#### Basis

A newcomer to the microcomputer market, Basis Inc. sells the Basis 108 system, that takes a different tack. A dualprocessor small-computer system, it does not use Z80A's or a Z80/8086(8) combination. Instead the company has opted to make this single-user system compatible with CP/M and its many programs and Apple's disk-operating system and the many programs that run under it. Driven by a Z80A 8-bit microprocessor and a 6502, another 8-bit CPU, the *Basis 108* has 128K of user memory.

The 108 comes with two 5<sup>1</sup>/<sub>4</sub>-inch minifloppy disk drives. Input/output is provided by serial and parallel ports.

With RGB color outputs available, the *Basis 108* can generate up to 280- by 192-dot video resolution or an 80-character by 25-line text display. This system upgrades once in this price category by adding CP/M 3.0.

#### Zenith

The parent of the Heath Co., who offers kit versions of the Z-100 series, Zenith has a ready-to-go version of the same system. The ZF-100 outlined here is the low-profile version of this system.

	Memory/Storage	Keyboard	1/0	Display	Comments
	64K/1 270K 5 ¼" drive	59 keys, 20-key keypad, 14 special function	1 parallel	9" monochrome CRT/80 × 25 text	
	128K/1 360K 5 ¼″ floppy drive	1 360K 5 ¼" floppy 72 keys, 16-key keypad 1 serial, 1 parallel 12-inch high-res. mono-			one-drive added
	128K/1 140K 5 ¼″ floppy drive	61-key typewriter, 13-key keypad, 2 program- mable	1 serial, 2 game control- ler, 1 parallel	12-inch CRT/280 $\times$ 192 and 560 $\times$ 192 graphics cap./80 $\times$ 24 text	CRT added to 128K Apple III
	192K/2 640K DS/DD 5 ¼" drives	67 keys, 18 special funct., 10 edit, 18-key keypad	1 parallel, 1 serial		2nd drive added
	128K/2 5 ¼" floppy drives	58 keys, 15 program- mable, numeric keypad	1 parallel, 1 serial	RGB and composite/280 × 192 res./80 × 25 text	basic system
	192K/2 1MB DS/DD 5 ¼" floppy drives	N/A	4 serial, 1 parallel	N/A	micro-mainframe, can drive 1 to 3 terminals
	128K/1 320K DS/DD 5 ¼" floppy drive	105 keys	2 serial, 1 parallel	12-inch high-res. mono- chrome/720 × 352 capability/80 × 25 text mode	memory increases to 16K, monitor added
	64K/2 780K DS/DD 5 ¼" floppy drives	75 keys	2 serial, 2 parallel	12-inch monochrome/80 × 25 text mode	DS/DD 96-track disk drives
	128K	91 keys, 15 special func- tion, 18-key keypad	2 serial, 1 parallel	12-inch monochrome CRT/80 × 24 text/640 × 312 graphics	basic system
	64K/1 3 1/5" 280K micro floppy drive	59 keys, 10 function keys, 18-key keypad		80 × 24 text	basic system
	32K/tape drive/electronic (RAM) disk	58 keys, 20-key keypad, 8 special function		built-in 5" CRT, 256 × 192 graphics, 32 × 16 text	electronic RAM disk, 32K
	54K/2 640K slim line DS/ DD floppy drives	50 keys, 15 program- mable, 18-key keypad	1 parallel, 1 serial	12-inch monochrome/80 × 25 text/640 × 400 graph- ics	2nd high-density slim line disk
	128K/2 SS/DD 160K 5 ¼" floppy drives	95 keys, 8 special func- tion, 10-key keypad	1 serial, 1 parallel	monochrome CRT	2 SS/DD disks, CRT
	128K/1 360K DS/DD 5 ¼" lloppy drive	101 keys, 16 program- mable, 18-key keypad	1 parallel, 1 serial		basic system
	128K	59 keys, 20-key keypad, 14 special function	multipurpose port	8" monochrome CRT/80 × 25 text	basic system
(	64K/2 750K 5 ¼" floppy drives	62 keys, 18-key keypad	2 serial	12-inch monochrome/80 × 24 text mode	drives upgraded to 750K
	128K/1 320K 5 ¼″ DS/DD drive	83 keys, 10-key keypad, 10 special function	1 parallel, opt. serial	9°inch monochrome, 80 × 25 text	basic system
	128K/2 320K 5 ¼″ floppy disk drives	83 keys, 10 special func- tion, keypad	1 serial, 1 parallel	9-inch monochrome CRT/80 × 25 text	basic system
	128K/2 5 1/4" floppy drives	1/2 5 1/4" floppy drives 58 keys, 15 program- 1 parallel, 1 serial RGB and		RGB and composite/280 × 192 res./80 × 25 text	CP/M 3.0
	128K/2 half-height 1MB loppy drives	72 keys, 16 program- mable, 16-key keypad	2 serial, 1 serial RS-422 port	14-inch monochrome/80 × 25 text	16-bit system
1	64K/2 360K DS/DD 5 1/4" loppy drives	N/A	2 serial, 1 parallel	N/A	micromainframe system
(	54K/2 360K DS/DD 5 ¼" loppy drives	49 keys, 14-key keypad, 15 function keys	1 parallel, 1 serial	12-inch monochrome CRT/640 × 240 graphics res./80 × 24 text mode	all-in-one microcomputer with dual floppy disks

Driven by an 8085 8-bit processor and an 8088 16-bit processor, this system has 128K of standard user memory.

Another of the IBM-workalikes on the market, the ZF-100 operates under its own proprietary operating system and CP/M.

With one standard double-sided, double-density 320K minifloppy-disk drive available for storage, the system is almost fully configured right from the box.

Programmable in BASIC, COBOL and Fortran, this and other data are entered via a typewriter-style keyboard with 77 keys. It also features an 18-key numeric keypad and 13 specialfunction keys. Input/output is through two serial ports and one parallel port.

#### **Computer Devices**

Another of the many IBM-compatible systems now on the market, the Computer Devices *DOT-3000A*, is a transportable system. This new manufacturer is using the same CPU found in the IBM, the 16-bit 8088 to drive the *DOT*. Its 64K of user memory is the minimum needed for efficient operation of the

many programs available for MS-DOS, the DOT's operating system

The DOT can use several high-level programming languages and this data are input through a 59-key keyboard. Since it is a transportable, the DOT has a built-in display, with an 80character by 24-line text mode.

#### Columbia Data Products

Although this manufacturer is not widely known outside the computer industry, it also has a microcomputer offering, the *1600-VP*, another IBM-compatible transportable system.

Driven by the 16-bit 8088 CPU, the 1600-VP has 128K of standard user memory. It is compatible with MS-DOS and runs under it.

The 1600-VP comes with two 320K double-sided, doubledensity minifloppy disk drives for storage. The keyboard is patterned after the IBM's 83-key unit. However, unlike the IBM, the 1600-VP includes standard serial and parallel ports for interfacing with a variety of peripherals. The 9-inch monochrome screen unit has an 80-character by 25-line text display.

#### Sord

From Sord/Mitsui comes the M23 Mark III G, another of the many Z80A-based systems. A fully configured system right out of the box, it comes with 128K of user memory and a basic set of applications software, something a growing number of systems are doing.

With two standard double-sided, double-density 330K minifloppy disk drives, this system is flexible. Not only does it run under its own proprietary operating system, it is also CP/M compatible and is programmable in BASIC, Pascal, and Fortran.

Basically the M23 system, it is actually an upgraded version with the drives and 12-inch green monochrome display device included. User input is via a keyboard containing 59 keys, a 20-key numeric pad and nine special-function keys. Input/ output is handled through two serial ports and a parallel port.

The basic M23 upgrades in this price category by adding a high-resolution color video monitor.

#### **Texas Instruments**

A new personal computer joins the array from this semiconductor giant. Its the *Professional Computer*, another of the many IBM-workalikes. Driven by a 16-bit 8088 microprocessor, the same one used by IBM, this system has 64K of RAM.

Its standard 320K double-sided, double-density disk provides basic storage capability, although the addition of a second disk drive increases system flexibility. It runs under MS-DOS, but CP/M-86 and the UCSD p-System are also available.

Output is through a standard parallel port for a printer. The standard display is a 12-inch monochrome screen, with 720- by 300-dot resolution and an 80-character by 25-line text display. It upgrades once in this price category by adding a serial port.

#### Sharp

A new model joins the Sharp lineup in this price category, the lap computer PC-5000. Driven by a 16-bit 8088 microprocessor, the PC-5000 has a rather unusual feature; it relies on magnetic bubble-memory storage in place of a disk drive. Magnetic bubble memory is nonvolatile user memory that retains its contents even when the power is shut down. This type of memory can effectively eliminate the need for disks for mass storage. The unit comes with 128K of RAM. With a standard keyboard, the PC-5000 can be programmed in BASIC. Its screen is an 80-character by 8-line liquid-crystal display.

#### NEC

A new small-computer joins the NEC lineup here, the APC, another IBM workalike. Instead of using an 8088, 16-bit CPU, the APC takes advantage of its brother the 8086, that recognizes the same instruction set. It is equipped with 128K user memory and a 1-MB 8-inch half-height double-sided, double-density disk drive. It runs under MS-DOS or CP/M-86.

It is programmable in several high-level languages input via a typewriter-style keyboard with 66 keys. Twenty-three function keys and a 25-key numeric pad aid functionality. Input/output is through standard parallel and serial ports. Video output is 80-characters by 25-lines text on a monochrome display.

The PC-8800—still only a CP/M-compatible machine at this point—upgrades by adding dual 320K double-sided, double-density minifloppy disk drives. Its second upgrade makes it a true 16-bit machine with the addition of the optional 16-bit card. This gives the user the advantage of MS-DOS capability.

#### Hewlett-Packard

Two new systems join the Hewlett/Packard lineup in this price category, the 120/125 and the HP87XM. In this price category, the new HP120/125 system is in its most basic configuration. Driven by dual Z80A CPU's, the system has 64K of user memory. But no disk storage is available at this price.

Programmable in BASIC and assembler, this and other data are input via a typewriter-style keyboard with 58 keys. The keyboard includes 8 special-function keys and other soft or programmable keys. Input/output is aided by two standard serial ports as well as an IEEE-488 port, for a variety of test and measurement, and other devices. The standard display on the *HP120* is a 9-inch monochrome display, while the *HP125* has a 12-inch monochrome display.

The *HP87XM* is a very basic machine at this point. Although it has 128K of user memory and is programmable in BASIC, Fortran, Pascal, and COBOL, you will need disk drives to take full advantage of them.

The basic configuration of this system includes a typewriterstyle keyboard with 58 keys, a 20-key numeric keypad and eight special-function keys. A multipurpose port facilitates input/ output. A built-in 8-inch monochrome display rounds out the basic unit.

Other H-P small-computer systems also upgrade or are introduced in this price segment. There's the portable *HP85A*. It is not only introduced, but also has its RAM expanded to 32K. This system includes 195K of built-in tape storage and a built-in thermal printer and a built-in 5-inch monochrome CRT. It also includes 2 serial ports and an IEEE-488 port.

The *HP85B* enhances the *HP85A* system by including an electronic (RAM) disk for speed and storage and greater user memory. Meanwhile, the *HP86A* system debuts in this category and<sub>x</sub> while it has many of the attributes of the *HP85* system, it also includes a standard minifloppy disk drive for storage.

#### North Star

North Star Computers has two systems that debut in this price category, the *Horizon* and the *Advantage*. A micromainframe, the *Horizon* is driven by an 8-bit Z80A CPU. The basis of a multi-user system, it includes 64K of user memory and two standard double-sided, double-density 360K minifloppy disk drives for storage. With access to a proprietary operating system, there are many applications for this computer system, which includes two serial ports and one parallel for input/output. The terminal is a user option.

The Advantage is an all-in-one microcomputer system that includes dual floppy-disk storage. Also driven by a Z80A, it has 64K of user memory and runs CP/M. Programmable in BASIC, Fortran, COBOL, and Pascal, this and other data are entered via a typewriter-style keyboard with 49 keys. It also includes a 14-key numeric pad and 15 function keys. Input/output is aided with standard serial and parallel ports. The built-in 12-inch monochrome screen displays 640 by 240 graphics or an 80character by 24-line text mode.



THE APC from NEC is an IBM workalike.

#### TeleVideo

Many IBM workalikes have appeared on the market in the recent past from many manufacturers.

TeleVideo is no exception with its 8088-driven TS 1603 that runs CP/M or MS-DOS. It offers 128K RAM and two halfheight one-megabyte double-sided, double-density floppy-disk drives.

With two standard serial ports and an RS-422 serial port, a user has several peripheral interface options for input/output. The *TS 1603* is programmable in COBOL, so it's readily apparent this small-computer is aimed at the business market.

#### Sanyo

The *MBC 1250* expands in this category with the addition of a second high-density slim-line floppy-disk drive. This type of drive shows an important trend in the small-computer industry, miniaturization.

Unfortunately it also shows another important trend: computer manufacturers often find it hard to agree on standards. There are several computers from different companies who offer microfloppy-disk drives—each with its own "standard".

#### Kaypro

Kaypro adds to its line of Z80-based, 8-bit transportable microcomputer systems with the Kaypro 10. Like the other members of this manufacturer's line, the Kaypro 10 comes as a full-featured unit right out of the box. However, it features not only a double-sided, double-density  $5\frac{1}{4}$ " floppy-disk drive, but also a ten-megabyte hard-disk drive.

#### Intertec

Intertec's new offering in this price category is the Superbrain II-QD. Like the Superbrain II-Jr., this small-computer system is driven by dual Z80A microprocessors; one handles the actual data processing, while the other microprocessor handles the housekeeping.

The key change in this system, and the one that raises it above the *Superbrain II*—Jr. is the use of dual 750K 5<sup>1</sup>/<sub>4</sub>-inch minifloppy disk drives for storage. It has the same specifications as the Junior and is an all-in-one unit.

#### Sumicom

The System 330B expands in this price category with the addition of two 160K single-sided, double-density minifloppydisk drives. This turns it into a fully configured microcomputer system.

#### Apple

Two systems upgrade in this price category, the *Apple IIe* and the *Apple III*. The *Apple IIe* upgrades once with the addition of a minifloppy disk drive and disk-drive controller circuitry.

The business-oriented *Apple III* upgrades four times. Its first upgrade is its increase in user memory to 128K as standard, while its second upgrade gives it output capability by adding a parallel port for a printer. The third upgrade brings the user memory to 256K, and also adds a parallel port for increased output capability, while the fourth upgrade to the 128K version adds a standard video-display device.

#### IBM

The IBM *Personal Computer* becomes a far more powerful tool with its first upgrade, the addition of a minifloppy disk drive for storage. This upgrade also adds the high-resolution display that enhances serious computing. Its second upgrade adds the color display device to the one-disk drive version of the IBM-*PC*. In its third upgrade, the *PC* gains further input/output capabilities with the addition of a serial port and the disk drive becomes even more versatile as its mass-storage capabilities increase to 320K.

#### Eagle Computer

Both Eagle models, the PC-1 and IIE-3, upgrade here. The



THE BASIS 108 from Basis, Inc. is a dual microprocessor (Z80A/6502) system that runs CP/M and an Apple-compatible DOS.

*PC* gains more user memory and a standard video-display device, in addition to its complete complement of bundled (included) software. The storage capacity of the *Eagle IIE-3* increases with the addition of 96-track double-sided, double-density minifloppy disks.

#### Toshiba

The *T100* system can handle high-resolution color graphics in this price spectrum by adding a 640- by 200-dot resolution color video display device.

The T300 system gains greater mass-storage capability in this price category with the addition of a second minifloppy-disk drive to its configuration.

#### Canon

This manufacturer's offering, the AS100, has two upgrades. The first adds a serial port for greater input/output capability. The second upgrade adds a parallel port.

#### Heath

At this time, second disk drives for greater mass-storage capabilities are added to the low-profile Heath HS-100-31 kit and the HS-120-31 kit.

#### Franklin

A second disk drive is added to the Franklin Ace 1200. As you might expect, that increases the mass-storage capabilities of this unit.

#### Sony

The *SMC-70* becomes even more fully configured as a disk drive is added for mass storage and a standard video-display device is also added.

#### Commodore

The CBX256-80 becomes fully configured with the addition of two disk drives.

#### **Access Matrix**

With the addition of higher-density disks, the mass-storage capabilities of the *Access* transportable increase dramatically.

#### LNW

In this price category's configuration, the LNW80 Model 2 gains its first disk drive for storage. Further, the user gains a standard video-display device. **R-E** 

## Professional Books That Help You Get Ahead ... And Stay Ahead!

### Join the ELECTRONICS AND CONTROLENGINEERS' Sophisticated Primer for Engineers and Technicians. By BOOK CLUB and Keep up with

Sophisticated Primer for Engineers and Technicians. By T. M. Frederiksen. 208 pp., illus. Covering both the simplest and the most complicated IC designs, this lively, easy-to-read volume provides a sophisticated, nonmathematical explanation of the basic internal mechanisms common to all semiconductor devices. 219/230 \$19.95

RADIO HANDBOOK, 22/e. By W. Orr 1,136 pp., more than 1,300 illus. Here's the latest edition of what is universally regarded as the most useful reference in the industry. It's a "course" in communications. a fact-packed reference, and a how-to guide—all in a single book!

582442-6B \$39.95 (Counts as 2 of your 3 books)

**VLSI TECHNOLOGY** *By* S. M. Sze. 672 pp., 400 illus., 50 tables. An anthology from more than 3,000 technical papers, by 14 leading experts, covering everything from crystal growth to special packaging considerations.

626/863B \$32.50 (Counts as 2 of your 3 books)

ANTENNA THEORY: Analysis and Design. By C. A. Balanis. 816 pp., illus. Packed with equations design procedures, and plenty of nuts-andbolts know-how, this is the first place to turn for answers to all your antenna design questions.

582493-0B \$39.50 (Counts as 2 of your 3 books)

ELECTRONIC COMMUNICATIONS SYSTEMS. By W. D. Stanley. 566 pp., illus. The ideal working tool for practicing engineers who deal with a combination of system-level consideration and actual hardware implementation and operation. 582834-0 \$19.95



If you join now for a trial period and agree to purchase three more books—at handsome discounts—over the next year. (Publishers' prices shown)

- Keep up with current technology
- Sharpen your professional skills
- Be ready for new career opportunities
- Boost your earning power



DIGITAL COMMUNICATIONS. By J. G. Proakis. 624 pp., illus. A wealth of new material, information about spread spectrum signals, requiring a minimum of math to get through it. 509/2718 \$37.50 (Counts as 2 of your 3 books) MICROPROCESSOR APPLICATIONS HANDBOOK. Editor-in Chief, D. F. Stout. 472 pp., 284 illus. Atlast – a reference guide to microprocessor applications to help you make your systems timely, versatile, and cost-effective. 617/988B \$39.95

(Counts as 2 of your 3 books)

ELECTRONICS ENCINEERS' MANDBOOK, 2/e. Edited by D. G. Fink & D. Christiansen. 2,272 pp., 2,189 illus. This updated and enlarged edition covers the latest knowledge in the field, including new advances in integrated circuits, pulsed and logic circuits, laser technology, telecommunications, and much more. 209/812A \$79,90

(Counts as 3 of your 3 books)

MODERN ELECTRONIC CIRCUITS REFERENCE MANUAL. By J. Markus. 1,264 pp., 3,666 circuit diagrams. Complete with values of components and suggestions for revisions, plus the original source of each circuit in case you want additional performance or construction details.

404/461A \$74.95 (Counts as 3 of your 3 books) OPTICALFIBERCOMMUNICA-TIONS.ByG. Keiser.416 pp., illus.For those with little or no prior experience with optical fibers, the perfect book to walk you through a typical system.334/676B\$35.95

(Counts as 2 of your 3 books)


PCM AND DIGITAL TRANSMIS-SION SYSTEMS. By R. Owen. 320 pp., 186 illus. This useful volume allows newcomers to the field to familiarize themselves with its problems and equipment in two weeks, instead of the three months it would ordinarily take.

479/542B \$34.95 (Counts as 2 of your 3 books)

MANUAL OF ACTIVE FILTER DE-SIGN, 2/e. By J. L. Hilburn and D. E. Johnson. 225 pp., 157 easy-to-use design graphs. This ingenious manual enables you to design filter circuits for virtually any application in minutes—without making a single computation! Covers all the latest designs.

287/694B \$39.95 (Counts as 2 of your 3 books)

RADIO-ELECTRONICS



#### THE MCGRAW-HILL COMPUTER HANDBOOK.

Edited by H. L. Helms. 992 pp., 475 illus. In one volume, crammed with easy to get at information, ranging from design concepts to programming techniques from data bases to interfacing, networking, speech synthesis and recognition.

279/721A \$79.50 (Counts as 3 of your 3 books)



**ELECTRONIC COMMUNICATION**, **4/e.** By R. L. Shrader. 801 pp., 870 illus. This thoroughly updated edi-tion offers all the theory and fun-damentals you need to prepare yourself for the FCC commercial and amateur grade license exami-nations—and pass them the first time! time! 571/503 \$26.95

DIGITAL HARDWARE DESIGN. By J. B. Peatman. 428 pp., over 400 illus. Taking you beyond the microcomputer, this guide reexamines traditional techniques and focuses on the design of circuitry too fast for the micro-computer alone. 491/321B \$35.50

(Counts as 2 of your 3 books)

ELECTRONICS ENGINEERING FOR PROFESSIONAL ENGINEERS' EX-AMINATIONS. By C. R. Hafer. 336 pp., more than 200 illus. Actually two books in one—a quick prepara-tion manual to help you pass your P.E. exams on the first try and a rich source of practical electronics engineering information and know-how 254/303 \$29.95

MICROPROCESSOR SUPPORT CHIPS Theory, Design and Ap-plication. By J. J. Byers. 228 pp., 170 illus. Everything from pinouts to operating characteristics is spelled out for telecommunications, power supplies, interfaces, control, video and A/D and D/A converters. \$38.00 095/183B

(Counts as 2 of your 3 books)

**INTRODUCTION TO RADAR SYS-TEMS, 2/e.** By M. I. Skolnik. 698 pp., 244 illus. This new edition of a widely used text on radar from the systems engineer's point of view brings you full discussions of the many major changes that have oc-curred in the field recently. 579/091B \$40.95

(Counts as 2 of your 3 books)

STANDARD HANDBOOK FOR ELECTRICAL ENGINEERS, 11/e. By D. G. Fink and H. Beaty. 2,448 pp., 1,414 illus. Today's most w dely used source of electrical engineer-ion information and data serves ing information and data serves you as no other single work when you need detailed, timely, and reliable facts \$74.95 209/74XA

(Counts as 3 of your 3 books)

MCGraw-Hill'S NATIONAL ELEC-TRICAL CODE\* HANDBOOK, 17/e. By J.F. McPartland. 1,162 pp., 1,096 illus. Bigger and better than ever! This mammoth reference ex-plains and clarifies the many complex provisions of the current (1981)Code\*tohelpyou meet rules exactly and pass inspections the very first time.

456/933 \$29.95

HANDBOOK OF SEMICONDUCTOR AND BUBBLE MEMORIES. By W. A. Triebel and A. D. Chu. 416 pp., il-lus., over 50 worked-out problems. This detailed, comprehensive guide brings you right up to the minute on such newly developed devices as the PLA, FIFO, CAM, CCD, and magnetic bubble memory—as well as all the stan-dard storage devices from ROMs and RAMs to shift registers. 582376-4 \$24.95

ANALYSIS AND DESIGN OF DIGI-TAL INTEGRATED CIRCUITS. By D. A. Hodges & H. G. Jackson. 448 pp., illus. The only book available written from a quantitative point of view for those who design as well as use ICs. 291/535 \$29.50

**#** | 111 ΤĒ. SIM TI A Standard ELECTRONICS Handbook ENGINEERING for Electrical FOR PROFESSIONAL Engineers



### Why YOU should join now!

BEST AND NEWEST BOOKS IN YOUR FIELD! Books are selected from a wide range of publishers by expert editors and consultants to give you continuing access to the best and latest books in your field.

**BIG SAVINGS!** Build your library and save money too! Savings ranging up to 30% or more off publishers' list prices-usually 20% to 25%.

BONUS BOOKS! You will immediately begin to participate in our Bonus Book Plan that allows you savings up to 80% off the publisher's prices of many professional and general interest books!

**CONVENIENCE:** 12-14 times a year [about once every 3-4 weeks] you receive the Club Bulletin FREE. It fully describes the Main Selection and alternate selections. A dated Reply Card is included. If you want the Main Selection, you simply do nothing-it will be shipped automatically. If you want an alternate selection-or no book at all-you simply indicate it on the Reply Card and return it by the date specified. You will have at least 10 days to decide. If, because of late delivery of the Bulletin you receive a Main Selection you do not want, you may return it for credit at the Club's expense.

As a Club Member you agree only to the purchase of three additional books during your first year of membership. Membership may be discontinued by either you or the Club at any time after you have purchased the three additional books.

#### Other McGraw-Hill Book Clubs:

Accountants' and Controllers' Book Club \* Architects' Book Club \* Byte Book Club \* Chemical Engineers' Book Club \* Civil Engineers' Book Club \* Mechanical Engineers' Book Club

#### For more information, write to:

McGraw-Hill Book Clubs + P.O. Box 582, Hightstown, NJ 08520

#### Be sure to consider these important titles as well!

RADAR TRANSMITTERS. By G. W. Ewell 198/438 \$29.50

16-BIT MICROPROCESSOR SYS-TEMS. By Texas Instruments, Inc. 637/601B \$49.50 (Counts as 2 of your 3 books)

ELECTRONIC CIRCUITS NOTEBOOK Proven Designs for Systems Applications. Edited by S. Weber. 192/448B \$35.50 (Counts as 2 of your 3 books)

OPTICAL FIBER SYSTEMS: Tech-nology, Design, and Applica-tions. By C. K. Kao. 332/770 \$29.50

INTRODUCTION TO THE THEORY AND DESIGN OF ACTIVE FILTERS. By . P. Huelsman & P. E. Allen. 308-543B \$34.50

(Counts as 2 of your 3 books) MICROELECTRONICS. By J.

Millman. 423/27XB \$35.95 (Counts as 2 of your 3 books)

HANDBOOK OF OPERATIONAL AMPLIFIER CIRCUIT DESIGN. By D. E. Stout & M. Kaufman. \$39.50 617/97X8

(Counts as 2 of your 3 books)

MICROCOMPUTER-BASED DESIGN. By J. Peatman.

491/380B \$35.95 (Counts as 2 of your 3 books)

BIT-SLICE MICROPROCESSOR DE-SIGN. By J. Mick & J. Brick. 417/814B \$31.50 (Counts as 2 of your 3 books)

NETWORK SYSTEMS. By R. Sharma & P. DeSousa. 582557-0 \$29.95

ENGINEERING MATHEMATICS HANDBOOK, 2/e. By J. J. Tuma. \$34 50 654/298B (Counts as 2 of your 3 books)

#### MAIL THIS COUPON TODAY

McGraw-Hill Book Clubs **Electronics and Control Engineers'** Rook Club

P.O. Box 582, Hightstown, New Jersey 08520

Please enroll me as a member and send me the three choices I have listed below. Bill me only \$3.00 plus local tax, postage, and handling. If not satisfied, I may return the books within 10 days and my membership will be canceled. I agree to purchase a minimum of three additional books during my first year of membership as outlined under the Club plan described in this ad A shipping and handling charge is added to all shipments Indicate below by number the books you want. A few ex-

pensive books (noted in the descriptions) count as more than one choice

1		
1		
	•	

Name

Address Apt \_

City State Zip .

This order subject to acceptance by McGraw-Hill All prices subject to change without notice. Offer good only to new members. Orders from outside the U.S. cannot be accepted

F33628

### Your own telephone can become a 24-hour-a-day lifeguard! **The SENSAPHONE Transforms Your Telephone Into a Full-Time Monitor,** Whether You're Home Or Not.

MADE IN U.S.A. by Gulf & Western

#### TALKS TO YOU ----IN CLEAR ENGLISH

Your Sensaphone uses a standard built-in modular telephone connector. Instead of plugging your phone into the wall, plug it into the Sensaphone, then in turn plug the Sensaphone into the wall. Total time: 10 seconds.

Once installed, the Sensaphone does its job and reports its findings in clear English. For example —

- If you aren't home and a problem occurs, it calls anyone you've designated and reports that problem, in English, then arranges to quit calling once the message is acknowledged.
- If you want to know what time it is, your Sensaphone tells you in English.
- If you want to know the current temperature in the room, your Sensaphone tells you in English.
- If the backup batteries (which hold the "memory" if you have a power failure) are low. your Sensaphone tells you so — in English.
- If you call in from the outside to learn how things are, your Sensaphone reports on all conditions — in English.

YOU MAY NOT BELIEVE IT AS YOU READ THIS. BUT YOU'LL BELIEVE WHEN YOU PLUG IT IN. YOUR MONEY BACK IF WE'RE EXAG-GERATING.

#### Read This Section Carefully: Your SENSAPHONE Will Do All This —

- 1. You can call in from any phone in the world. SENSAPHONE will report every monitored condition to you.
- 2. You can listen to room sounds in your home or office through the powerful built-in microphone, from any phone in the world.
- 3. It reports **specific** unusual sounds, such as a smoke alarm's ringing or buzzing, or a burglar alarm.
- 4. It monitors and reports on any three other conditions of your choice (basement water level; door or window opening; water heater; appliance on).





won't spoil.



Senses and reports Calls problems in the home.

- 5. (Get this!) If one of the preprogrammed problems occurs, it automatically calls you or anyone you designate, then states in English what the problem is. If the first person called doesn't answer. SENSAPHONE calls up to four numbers in rotation until someone answers and acknowledges receiving the call.
- 6. It monitors your household or office electricity, so if your refrigerator or lights go out. it reports the problem.
- 7. If room temperature rises above the number you preset, or falls below it. Sensaphone tells you so.
- 8. An automatic dialer calls any of eight numbers with one-button dialing.
- 9. It tells you the correct time, in English, including whether the time is a.m. or p.m.
- 10. It tells you the exact room temperature, on request.

any phone in the world.

The Sensaphone **\$249.95 two for \$229.95 each** A FANTASTIC GIFT IDEA! add \$3.50 per total order for shipping

WE ABSOLUTELY GUARANTEE!

Plug your home or office phone (or both) into the Sensaphone. Use it for up to 30 days. If for any reason you decide you don't want to keep it. return it for a 100% refund.

For fast delivery on credit card orders, call toll-free 24 hours a day. 7 days a week:

1-800-443-0100 Ask for Extension 111


Or send check or money order.

Please add \$3.50 per total order for shipping.

The **Sensaphone** is another electronic marvel from



Dept. R1() . 5-31 Fiftieth Avenue Long Island City, NY 11101





Sixteen-bit machines begin to take a greater share of the market.

## **\$3000 to \$3500**

MARC STERN

DURING THE LAST YEAR, THE BIGGEST TREND IN THE microcomputer industry has been the swing to the 16-bit machine. And, it's no mystery why it has happened. With the arrival of IBM in the small-computer market, more and more of the computer industry has jumped aboard the bandwagon, hoping to carve out its niche.

For the person thinking of buying such a system there are a couple of benefits. The first is the ability of the 16-bit microcomputer to handle much larger amounts of memory. This means that applications programs can become more comprehensive and more powerful.

The second reason is that IBM is bringing some stability and order to this market. Just as CP/M caught on in the 8-bit market and assured some stability and rationalization and a degree of standardization, so has IBM and the operating system it has chosen—MS-DOS—brought some order to the market.

This means that the buyer will have an easier time deciding which type of machine is the best to buy, since the base of MS-DOS-compatible software is rapidly growing.

Yes, there are a great many machines that are IBMworkalikes and the search for the right one can be confusing. However, if the buyer opts for one using an 8086(88) CPU, there is a measure of order.

Don't think, though, the 8-bit CPU is dead. There are still many fine machines on the market using this type of CPU. In fact, this type of CPU is likely to be around for several years to come in single-user machines and you'll still find a wide variety of those machines available in our listings.

So let's begin our look at the new machines making their debuts here and move on to seeing how other offerings have upgraded.

#### Epson

Although Epson has long been known for its small-computer

peripheral equipment, it has also entered the microcomputer market with two offerings of its own, the HX-20 and the easy-touse QX-10. The HX-20 is a low-cost lap computer, while the QX-10 is a full-featured small system

Right from the box, the user has access to the power of an 8-bit Z80A microprocessor and 64K of RAM. This amount of memory is more than enough to handle all the user-oriented software available for this system. This system features a plain language user-interface and a one-key function access.

Fully configured, this system features the CP/M operating system and two double-sided, double-density 51/4-inch mini-floppy-disk drives.

Data are entered via a typewriter-style keyboard with 63 keys. This keyboard includes 21 special-function keys. With the push of one of these buttons, a user is able to access functions without the necessity of entering a series of "computer-like" commands.

Output is via a standard 12-inch monochrome display, capable of 640- by 400-dot graphics resolution or an 80-character by 25-line text display. Input/output is provided by standard serial and parallel ports.

#### Hitachi

Better known for its consumer electronics products, Hitachi also has an offering that makes its debut in this price range, the 16-bit *MBE 16000* system. Another of the IBM-workalikes, it is driven by an 8088 microprocessor, the same one used by IBM in its *Personal Computer*.

With 128K of user memory, this system is easily able to handle many functions a user may care to undertake. It uses MS-DOS and comes with two  $5\frac{1}{4}$ -inch minifloppy-disk drives for storage.

Although a firm price for this system hadn't been established at press time, it's likely to be about \$3000 and for this amount

TABLE 1-\$3000-\$3500						
Manufacturer	Model	Price	CPU	Word Length	Operating System	Languages
Epson America	QX-10	\$3000 (est.)	Z80A	8-bit	CP/M	Not announced
Hewiett-Packard	HP86B	\$3000 (est.)	Not announced		UCSD p-Sys-	BASIC, Pascal, FORTRAN
Hitachi Sales Corp.	MBE 16000	\$3000 (est.)	8088	16-bit	tem, CP/M MS-DOS	BASIC, FORTRAN, COBOL, Pascal, assemb.
Zenith Data Systems	Z-120	\$3038	8085/8088	8/16-bit	CP/M, ZDOS (proprietary)	BASIC, COBOL, FORTRAN
LNW Research Corp.	LNW80 Model 2	\$3045	Z80A	8-bit	CP/M, Proprie- tary	BASIC
Apple Computer	Apple IIe	\$3069	6502A	8-bit	Apple DOS 3.3	BASIC, PILOT, Logo, Pas- cal, FORTRAN, COBOL
Sord Computer	M23 Mark III C	\$3075	Z80A	8-bit	Proprietary, CP/ M-compatible	BASIC, Pascal, FORTRAN
Toshiba America	<b>T</b> 300	\$3090	8088	16-bit	MS-DOS, CP/ M-86	BASIC
NEC Home Electronics	PC-8800	\$3097	Z80A-compati- ble/8086	8/16-bit	CP/M, CP/	BASIC
Sony	SMC-70	\$3125	Z80A	8-bit	M-86, MS-DOS CP/M	BASIC, CB-80, Pilot Plus
IBM	IBM-PC	\$3148	8088	16-bit	PC-DOS (MS- DOS), CP/ M-86, UCSD p- System	COBOL, FORTRAN, BASIC, MACRO assembler, Pascal
Apple Computer	Apple III	\$3169	6502B	8-bit	Apple SOS	BASIC, Pascal
Dynalogic Info-Tech Corp.	Hyperion	\$3195	8088	16-bit	MS-DOS	BASIC, COBOL, FORTRAN, Pascal
Sony	SMC-70	\$3195	Z80A	8-bit	CP/M	BASIC, CB-80, Pilot Plus
Toshiba America	<b>T</b> 300	\$3195	8088	16-bit	MS-DOS, CP/ M-86	BASIC
Canon USA	AS100	\$3195	8088	16-bit	MS-DOS, CP/ M-86	BASIC, COBOL
Radio Shack	TRS-80 Model 12	\$3199	Z80A	8-bit	TRSDOS	BASIC
Casio, Inc.	FX-9000P	\$3214	Z80A-compatible	8-bit	Not announced	BASIC
Athena Computer	Athena I	\$3250	NSC-800 (low- power Z80)	8-bit	CP/M	Pascal
Commodore Business Mach.	CBM 8032	\$3290	6502	8-bit	Proprietary	BASIC
Hewlett-Packard	HP86A	\$3290	Not announced		UCSD p-Sys- tem, CP/M	BASIC, Pascal, FORTRAN
Computer Devices Inc.	DOT-3000X	\$3295	8088	16-bit	MS-DOS	BASIC, FORTRAN, COBOL, Pascal, assembler
Sanyo	MBC 4000	\$3295	8086	16-bit	CP/M-86	BASIC, assembler
Xerox Corp.	820-11	\$3295	Z80A	8-bit	CP/M	Not announced
NEC Home Electronics	PC-8800	\$3296	Z80A-compatible	8-bit	CP/M	BASIC
IMS International	5000SX	\$3300	Z80	8-bit	CP/M, MP/M TurboDOS	BASIC, COBOL, FORTRAN, Pascal
Canon USA	AS100	\$3320	8088	16-bit	MS-DOS, CP/ M-86	BASIC, COBOL
Hewlett-Packard	HP-85A	\$3340	Not announced	a de later	N/A	BASIC, assembler
NEC Information Syst.	APC	\$3346	8086	16-bit	CP/M-86, MS- DOS	BASIC, COBOL, FOR- TRAN, PASCAL, Assem.
Texas Instruments	Professional Computer	\$3370	8088	16-bit	MS-DOS, CP/ M-86, UCSD p- System	Macro Assembler, BASIC, COBOL, FORTRAN, Pascal
Columbia Data Products	1600-1	\$3395	8088	16-bit	MS-DOS	BASIC, assembler

	Memory/Storage	Keyboard	I/O	Display	Comments
	64K/2 340K DS/DD 5 ¼" floppy drives	63 keys, 21 special func- tion, 18-key keypad	1 serial, 1 parallel	12-inch monochrome CRT/80 $\times$ 25 text mode/640 $\times$ 400 graphics res.	basic system
	128K/1 3.5-inch 270K drive	59 keys, 20-key keypad, 14 special function	1 parallel	12" monochrome CRT/80 × 20 text	memory expands to 128K and microdrive added
	128K/2 5 1/4-inch floppy drives	61 keys, 8 special func- tion, 18-key keypad	1 serial, 1 parallel	80 × 25 text/640 × 400 graphics capability	IBM-workalike
	128K/1 320K DS/DD 5 ¼" drive	77 keys, 18-key keypad, 13 special function	2 serial, 1 parallel	80 × 25 text/green mono- chrome CRT	green monochrome display added
	96K/2 5 ¼" SS floppy disk drives		1 parallel, 1 serial	480 × 192 color ca- pability/62 × 16 text mode/ monochrome CRT	2nd drive
	64K/2 51/4" minifloppy disk-drives	63-key typewriter, 2 programmable	1 parallel, 1 serial, game controller	12-inch monochrome CRT/80-column card/80 × 24 text mode	2nd drive
	128K/2 330K 5 ¼" DS/DD drives	59 keys, 20-key keypad, 9 special function	2 serial, 1 parallel	14-inch color CRT	color display
	192K/2 640K DS/DD 5 1/4" drives	67 keys, 18 special funct., 10 edit, 18-key keypad	1 parallel, 1 serial	80 × 25 monochrome	2nd drive
	128K/2 320K DS/DD 5 1/4" floppy drives	81 keys, 5 multifunction, 10-key keypad	1 parallel, 1 serial	14-inch monochrome CRT/80 × 25 text	dual 320K DS/DD drives add-
	64K/2 280K 3.5" microflop- py drives		1 parallel, 1 serial	12-inch green CRT/80 × 25	2nd drive
	64K/1 320K DS/DD 5 ¼" floppy drive	59 keys, 10 special func- tion, 20-key keypad	1 parallel, 1 serial	12-inch high-res. color dis- play/80 × 25 text	color, serial port added
	256K/1 140K SS/DD 5 1/4" floppy drive	61-key typewriter, 13-key keypad, 2 program- mable	1 serial, 2 game control- ler, 1 parallel	12-inch CRT/280 × 192/560 × 192 graphics cap./80 × 24 text	CRT added to 256K Apple III
	256K/1 320K DS/DD 5 1/4" floppy drive	84 keys, 10 function keys, 10-key keypad	1 serial, 1 parallel	7-inch amber monochrome CRT/80 × 25 text mode/640 × 250 graphics	transportable IBM-compatible
	64K/1 280K 3.5" microflop- py drive	72 keys, keypad, 9 special function	1 parallel, 1 serial	12-inch RGB high-res. color CRT	color CRT subsituted
	192K/2 640K DS/DD 51/4" drive	67 keys, 18 special funct., 10 edit, 18-key keypad	1 parallel, 1 serial	$640 \times 200$ color display, $80 \times 25$ in text mode	color display
	Not announced/2 640K DS/DD 5 ¼" floppy drives	standard		$640 \times 400$ color graphics capability	color version with high-res. graphics capability
	80K/1 1.25MB 8" DS/DD floppy drive	82 keys, 8 program- mable keys, 19-key keypad	2 serial, 1 parallel	12-inch monochrome/80 (40) × 24 text mode	basic system
	32K/dual floppy disk drive	67 keys, 16-key keypad		5.5-inch monochrome CRT, 32 $\times$ 16, 256 $\times$ 128 graphics	28K RAM, plus disk storage added
	68K/128K of RAM-disk storage/1 DD 5 1/4" floppy included	standard	2 serial, 1 parallel	80-character × 4-line liq- uid crystal display/external CRT connector	lap computer
	32K/dual 5¼" floppy disk drivers	standard, numeric keypad	1 serial	integral display	dual drives added
	64K/1 3.5-inch micro 270K drive	59 keys, 20-key keypad, 14 special function	1 parallel	9" monochrome CRT, 80 × 25 text	3 ½-inch drive added
	128K/1 3.5" 280K micro floppy drive	59 keys, 10 function keys, 18-key keypad		monochrome monitor (built-in)/80 × 24 text	64K RAM added
	128K/1 640K slim line 5 ¼" DS/DD floppy drive	60 keys, 15 program- mable, 18-key keypad	1 parallel, 1 serial	12-inch monochrome/80 × 25 text mode	basic system
	64K/2 SS/DD 5 1/4" floppy drives	standard, 10-key keypad	2 serial, 2 parallel	monochrome CRT/80 × 24 text mode	business-oriented system
	64K/2 320K DS/DD 5 ¼" floppy drives	81 keys, 5 multifunction, 10-key keypad	1 parallel, 1 serial	14-inch color CRT/640 × 400 res./ 80 × 25 text	color display added
	64K/2 409K DS/DD half- height 5 ¼" floppy drives	N/A	2 serial, 3 parallel	N/A	micromainframe system
	Not announced/2 640K DS/DD 5 ¼" floppy drives	standard	1 serial	640 × 400 color graphics capability	serial port added
	32K/built-in tape storage, 195K	58 keys, 20-key keypad, 8 special function	1 serial	built-in 5" CRT/256 × 192 graphics/32 × 16 text	serial port added
	256K/1 1MB 8-inch half- height DS/DD drive	66 keys, 25-key keypad, 23 function	1 parallel, 1 serial	80 × 25 monochrome	128K memory added
	64K/2 320K DS/DD 5 ¼" floppy drives	97 keys, 17-key keypad, 12 special function	1 parallel, 1 serial	12-inch monochrome CRT, 720 × 300 res., 80 × 25 text	
F	128K/2 320K 5 ¼" floppy disk drives	83 keys, 10 special func- tion, keypad	2 serial, 1 parallel	12-inch monochrome CRT/80 × 25 text	basic system

TABLE 1\$3000-\$3500 (continued)						
Manufacturer	Model	Price	CPU	Word Length	Operating System	Languages
			NO LOCATION AND	5	Contraction of the local division of the loc	and the second
North Star Computers	Advantage 8/16	\$3399	Z80A/8088	8/16-bit	MS-DOS, GDOS	BASIC, FORTRAN, COBOL, Pascal
Apple Computer	Apple III	\$3404	6502B	8-bit	Apple SOS	BASIC, Pascal
IBM	IBM-PC	\$3433	8088	16-bit	PC-DOS (MS- DOS), CP/ M-86, UCSD p- System	COBOL, FORTRAN, BASIC, MACRO assembler, Pascal
Canon USA	AS100	\$3445	8088	16-bit	MS-DOS, CP/ M-86	BASIC, COBOL
NEC Home Electronics	PC-8800	\$3447	Z80A-compatible	8-bit	CP/M	BASIC
NEC Information Syst.	APC	\$3448	8086	16-bit	CP/M-86, MS- DOS	BASIC, COBOL, FOR- TRAN, PASCAL, Assem.
TeleVideo Systems Inc.	TS 802	\$3495	Z80A	8-bit	CP/M	COBOL
Alspa Computer	BC-800	\$3495	Z80A	8-bit	CP/M	
Sumicom Inc.	System 330E	\$3495	8088	16-bit	MS-DOS/CP/ M-86	FORTRAN, COBOL, Pas- cal, BASIC
Computer Devices Inc.	DOT-3000Y	\$3495	8088	16-bit	MS-DOS	BASIC, FORTRAN, COBOL, Pascal, Assembler
Eagle Computer Inc.	Eagle PC-2	\$3495	8088	16-bit	CP/M-86, MS- DOS	
Digital Equipment Corp.	Rainbow 100	\$3495	Z80/8088	8/16-bit	proprietary	Not announced
Intertec Data Systems	Superbrain II - SD		Z80A	8-bit	CP/M	BASIC, FORTRAN
NEC Information Syst.	APC	\$3498	8086	16-bit	CP/M-86, MS- DOS	BASIC, COBOL, FOR- TRAN, PASCAL, Assem.
Zenith Data Systems	ZF-110	\$3499	8085/8088	8/16-bit	CP/M/ZDOS (proprietary)	BASIC, COBOL, FORTRAN
			a second second	1000.01		

the user gains access to such high-level languages as BASIC, Fortran, COBOL, Pascal, and assembler.

The graphics resolution of this computer is 640- by 400-dots and the text display is 80-characters by 25-lines. Input/output is provided by standard parallel and serial ports to which a user can add a variety of peripherals including printers and modems.

The MBE 16000 is fully configured right out of the carton.

#### Hyperion

One of the remarkable events of the last year has been the appearance of a number of IBM-workalike transportable computers and the *Hyperion* is one of them.

Driven by a 16-bit 8088 CPU, this micro system comes with 256K of user memory as standard.

Capable of running under the near-standard MS-DOS, the *Hyperion* comes equipped with one double-sided, double-density 320K minifloppy-disk drive.

Programmable in BASIC, COBOL, Fortran and Pascal, this and other data are entered via an IBM-like 84-key low-profile keyboard. It features 10 special-function keys and a 10-key numeric keypad. Input/output is aided by standard parallel and serial ports (extra-cost options on the IBM PC).

Since it is a transportable, it has a built-in display. This video display is a 7-inch 80-character by 25-line amber unit. It is also capable of 640- by 250-dot graphics.

#### **Radio Shack**

The Model 12 debuts in this price category. A businessoriented system, the Model 12 is driven by an 8-bit Z80A microprocessor and is equipped with 80K of user memory. There is a powerful base of proprietary and second-source software available for it which gives the user access to many applications. This system uses the proprietary TRSDOS system and because it does, one can easily assume that it comes with a standard disk drive, which it does. The standard drive is a double-sided, double-density 8-inch slim-line floppy capable of 1.25MB of mass storage. This amount of storage is enough to satisfy anyone's needs at first.

Programmable in BASIC, this and other data are entered through a keyboard with 82 typewriter-style keys. This unit also features eight programmable keys and 14 special-function keys.

An all-in-one unit, the 12-inch green monochrome monitor, keyboard and system box are housed in the same cabinet. The display is 80 characters by 24-lines in the text mode. Input/ output is aided with two standard serial ports and one standard parallel port.

#### Athena

This is one of the more unusual transportables on the market because it relies on using user memory configured as a disk for high-speed storage and data access. Using memory configured as a pseudo-disk or virtual memory disk isn't a new idea in the microcomputer market, but it is usually an add-on feature, rather than a standard one. The key advantage to a *memory disk* is a manyfold increase in program execution speed. Further, the *Athena 1* relies on low-power CPU's and circuitry to have effective battery operation.

The Athena I is driven by dual NSC-800's, low-power versions of the popular Z80 8-bit microprocessor. It comes equipped with 68K of RAM and 128K of memory dedicated to the virtual memory disk.

The user doesn't have to keep this machine powered up indefinitely to retain this storage because Athena makes a double-density  $5\frac{1}{4}$ -inch floppy disk available for permenant backup. The system runs under the CP/M operating system and so the user has a wide range of already-produced programs available.

Memory/Storage	Keyboard	I/O	Display	Comments
128K/2 360K DS/DD 5 1/4" floppy drives	49 keys, 14-key keypad, 15 function keys	1 parallel, 1 serial	12-inch monochrome CRT/640 × 240 graphics res./80 × 24 text mode	basic system
128K/2 140K SS/DD 5 1/4" floppy drives	61-key typewriter, 13-key keypad, 2 program- mable	1 serial, 2 game control- ler, 1 parallel	12-inch CRT/280 × 192/560 × 192 graphics cap./80 × 24 text	2nd drive added to 128K Apple III
64K/2 320K DS/DD 5 1/4" drives	59 keys, 10 special func- tion, 20-key keypad	1 parallel, 1 serial	12-inch monochrome/80 × 25 text	2nd drive
Not announced/2 640K DS/DD 5 ¼" floppy drives	standard	1 serial, 1 parallel	640 × 400 color graphics capability	parallel port
64K/2 1 MB DS/DD 8" flop- py drives	10-key keypad	1 parallel, 1 serial	14-inch monochrome CRT/80 × 25 text	dual 8" DS/DD drives added
128K/2 1MB 8-inch half- height DS/DD drives	66 keys, 25-key keypad, 23 function	1 parallel, 1 serial	80 × 25 monochrome	1 disk drive added
64K/2 368K DS/DD 5 1/4" drives	72 keys, 16 program- mable, 17-key keypad	2 serial, 1 serial RS-422 port	14-inch monochrome/80 × 25 text	third serial port
64K/2 1.2MB floppy drives	95 keys	2 serial, 2 parallel, 1 RS-422 network port	12-inch monochrome/80 × 25 text	basic system
128K/2 720K 5 ¼" floppy dives	95 keys, 8 special func- tion, 10-key keypad	1 serial, 1 parallel	monochrome CRT	2 720K 5 ¼" drives
128K/1 3 1/5" 280K micro floppy drive	59 keys, 10 function keys, 18-key keypad		monochrome (built-in)/80 × 24 text	64K RAM added
128K/2 320K DS/DD 5 1/4" floppy drives	105 keys	2 serial, 1 parallel	12-inch high-res. mono- chrome/720 × 352 capability/80 × 25 text mode	2nd drive added
64K/2 400K 5 ¼" floppy drives	58 keys, special func- tion, 14-key keypad	1 serial, 1 RS-423 syn- chronous	monochrome CRT/80 × 25 text	basic system
64K/2 1.5MB 5 ¼" floppy drives	62 keys, 18-key keypad	2 serial	12-inch monochrome/80 × 24 text mode	750K
128K/1MB 8-inch half- height DS/DD drive	66 keys, 25-key keypad, 23 function	1 parallel, 1 serial	80 × 24 color, 640 × 200 mono res., 160 × 100 16- color, 320 × 200 4-color	color CRT added to 1 drive model
128K/2 320K DS/DD 5 ¼" drives	77 keys, 18-key keypad, 13 special function	2 serial, 1 parallel	user option	basic system

Programmable in high-level Pascal, this and other data are input via a standard typewriter-style keyboard. Input/output is provided by two standard serial ports and one parallel port. These can be used to interface with a wide variety of peripherals.

The Athena I makes one other departure from standard transportable configuration with its display. Unlike other transportables that use power-hungry CRT's, this small system uses a four-line, 80-character liquid crystal display. It seems this unit is a cross between the lap and the transportable computer. An external video output is available for a standard video display.

#### **Computer Devices**

The DOT-3000X is another of the many IBM-workalike transportables on the market.

Driven by a 16-bit 8088 microprocessor, the *DOT-3000X* comes with 128K of RAM. This amount of memory should enable the user to take advantage of the new generation of powerful 16-bit software coming to the market.

Capable of operating under MS-DOS (MicroSoft Disk Operating System), the *DOT-3000X* comes with a 3.5-inch 280K microfloppy disk drive. It is programmable in BASIC, Fortran, COBOL, Pascal, and assembler.

User input is via a typewriter-style keyboard with 59 keys. There are also 10 special-function keys and an 18-key numeric keypad. Output is via a built-in  $5\frac{1}{2}$  by 9-inch display that is capable of an 80-character by 24-line text mode.

#### Sanyo

Another of the many 16-bit machines on the market is another offering from Sanyo, the *MBC* 4000. Driven by a 16-bit 8086 CPU, the *MBC* 4000 comes equipped with 128K of RAM.

Departing from what seems like the norm today, this system runs under the 16-bit version of CP/M, CP/M-86, which, at the moment, limits the user in the amount of software that has been written for this system. However, Digital Research, the producers of CP/M-86, indicates that this will soon change and more companies will write software for this operating system.

Since it has an operating system, one can assume it also has a disk and it does. It comes equipped with a 640K slim-line double-sided, double-density minifloppy disk drive that saves a great deal of space.

Programmable in BASIC and assembler, this and other data are input via a keyboard containing 60 keys, 15 programmable keys and an 18-key numeric keypad. Input/output is provided by standard serial and parallel ports.

The standard display device for the 80-character by 25-line text display of the *MBC* 4000 is a 12-inch monochrome unit.

An upgraded system, the 3000Y, is also included in this price category. In this higher-cost version, the amount of user memory doubles.

#### Xerox

Long active in the office-product market, Xerox has an entry in the small-computer sphere, the 820-II. First released as the 820, this system was upgraded last year.

Driven by an 8-bit Z80A CPU, the 820-11 comes equipped with 64K of RAM. It features two standard single-sided, double-density minifloppy-disk drives for storage. It operates under CP/M and gives the user access to the wide variety of programs available under that operating system.

Input/output is handled by a standard serial port to which a variety of peripheral equipment can be interfaced, while video output (80 characters by 24 lines of text) is handled by a standard monochrome display.

#### **IMS International**

An S-100 micromainframe system is available from IMS International, the 5000SX.



THE HYPERION is a transportable IBM workalike.

The 5000SX is a Z80-based, 8-bit system that includes two 409K double-sided, double-density minifloppy-disk drives for mass storage. It is capable of operating under CP/M and this gives the user a wide choice of application programs.

When this disk storage is combined with the 64K of RAM, the system's power is quite evident. It will easily handle many routines a user may choose to run.

With two standard serial ports and three standard parallel ports, one can see the 5000SX is the basis of a multiuser system. With this number of input/output ports, a user can interface two terminals and three printers or a terminal, modem, and several other peripherals. Thus, more than one person can use this system, if it has more than one terminal installed. With the number of parallel ports, it can act as the mainframe driving several peripherals in an office or manufacturing setting.

#### **Columbia Data Products**

Every day it seems that one manufacturer or another is introducing an IBM-workalike small-computer system and Columbia is no exception. Its 1600-1 is driven by the same 16-bit CPU, an 8088, used by IBM and it runs under the same operating systems, MS-DOS, CP/M-86 (available for the IBM PC) and UCSD p-System (also available for the PC).

With 128K of RAM, the basic version of the 1600-1 has twice the memory of the basic PC. It also includes two 320K doublesided, double-density 5<sup>1</sup>/<sub>4</sub>-inch minifloppy disks as standard for mass storage. This system is programmable in BASIC and assembler.

Equipped with an 83-key typewriter-style keyboard, this unit includes 10 special-function keys—as does the IBM—and a numeric keypad. (The importance of a numeric keypad can't be underestimated. It speeds numeric data entry and makes the system far more flexible to use.)

With two standard serial ports and one standard parallel port, the user has a number of interfacing options. He can use the serial ports to support printers, plotters, or modems and he can use the parallel port to support a printer. IBM makes these user options.

An 80-character by 25-line text display is read on a standard 12-inch monochrome video display.

#### **North Star**

North Star's all-in-one Advantage 8/16 combines all the features of an 8-bit small computer with those of a 16-bit machine by using dual Z80A and 8088 CPU's. This gives the user access to the wide variety of programs available for each type of system.

With 128K of RAM, the *Advantage 8/16* is a versatile machine that is programmable in BASIC, Fortran, COBOL, and Pascal. It provides two standard 360K double-sided, doubledensity minifloppy disk drives for storage.

Equipped with a typewriter-style keyboard, having 49 keys, it also includes a 14-key numeric keypad and 15 special-function keys. User input is handled by this device. However, input can also come via the standard serial port. Output, on the other hand, is displayed on a standard 12-inch monochrome video screen, either as 640- by 240-dot graphics or 80-character by 25-line text. Output can also be routed through the standard parallel port to a printer.

#### **TeleVide**o

The TeleVideo TS 802 is another of this computer manufacturer's Z80A-based, single-user systems. Fully configured right from the box, it includes two standard 368K double-sided, double-density minifloppy-disk drives.

With 64K of RAM, the TS 802 is easily able to handle many tasks. When this amount of user memory is combined with the standard disk drives, one can easily see it is a powerful system, capable of running under the industry-standard CP/M operating system.

Programmable in COBOL, this and other data are entered via a typewriter-style keyboard with 72 keys. The keyboard also features 16 programmable keys and a 17-key numeric keypad. Input/output is provided by two standard serial ports and an RS-422 serial port.

Since this is a fully configured system, the video-display device is standard. It uses a 14-inch monochrome screen to display 80 characters by 24 lines of text.

#### Alspa

A newcomer to the small-computer arena, the Alspa *BC-800* includes a great deal of bundled (included) software. Relying on proven 8-bit Z80A technology, this system comes with 64K of RAM.

A fully configured system, it comes with two 1.2MB floppydisk drives for storage—a valuable asset. It operates under CP/M, which provides the user with access to a wide variety of proven application programs.

Data is input via a 95-key keyboard and it is output to a standard 12-inch monochrome display. Input/output is provided by two standard serial, two standard parallel and one serial RS-422 port.

#### Sumicom

Sumicom's *System 330E* is another of the IBM workalikes on the market and it uses the same CPU, the 16-bit 8088, that IBM chose for its *Personal Computer*.

Equipped with 128K of user memory—enough to handle the biggest of spreadsheet programs—the System 330E comes with two 720K 51/4-inch minifloppy disks for mass storage. This feature makes this system far more flexible than relying on one disk. Adding to its capabilities are the operating systems available, MS-DOS and CP/M-86.

This typewriter-style keyboard with 95 keys also includes eight special-function keys and a 14-key numeric keypad.



ZENITH'S LOW PROFILE ZF-100 is a powerful machine.

Actually a system upgrade over lower-priced versions, the *System 330E* is capable of input and output through standard serial and parallel ports. Video output via a monochrome video display device.

#### Eagle

The Eagle PC-2 is another of the IBM-workalikes on the market and uses the same CPU that is used in the IBM PC, a 16-bit 8088.

The computer comes with 128K of RAM, or twice that of the IBM. This is enough to handle any of the 16-bit applications programs on the market.

That it can run programs written under either MS-DOS or CP/M-86 indicates it has standard disk drives, and it does. The Eagle PC-2 comes equipped with dual 320K 5<sup>1</sup>/<sub>4</sub>-inch minifloppy disk drives. This feature makes it a highly versatile system.

User input is via a 105-key keyboard and input/output is handled via two standard serial ports and one standard parallel port.

A fully configured system, video output is to a standard 12-inch high-resolution monochrome display that's capable of an 80-character by 25-line text display.

#### DEC

Long the leader of the minicomputer world, Digital Equipment Corp. joined the microcomputer world a year and a half ago with its release of several small-computer systems. These systems included the *Rainbow 100*.

Equipped with Z80 and 8088 CPU's, this system uses a proprietary operating system that allows the user access to the world of CP/M and MS-DOS.

The computer comes with 64K of RAM, or enough to handle fairly complex tasks. The dual-standard minifloppy-disk drives are capable of 400K of storage apiece and add to the versatility of this system.

The main slim-line, typewriter-like keyboard has 58 keys including special-function keys and a 14-key numeric keypad. Output to the user is handled via a high-resolution monochrome video display.

Fully configured, this system includes one standard serial port and one serial RS-423 synchronous port.

#### Intertec

The Intertec Superbrain II—SD is the third upgrade of this manufacturer's all-in-one series of microcomputers. Using dual Z80A 8-bit CPU's, this system has 64K of RAM, and uses the CP/M operating system.

It upgrades in its disk storage capability. This system now has two 1.5MB super-density 5<sup>1</sup>/<sub>4</sub>-inch minifloppy-disk drives. An all-in-one unit, it includes a 12-inch monochrome display in the same cabinet with the system box and the keyboard that contains 62 typewriter-like keys, a 25-key numeric keypad and 23



COMPUTER DEVICES' DOT-3000X is another transportable IBM workalike.



special-function keys. This box also houses the two standard serial ports.

#### Zenith

The second member of the Zenith Z-100 family appears in this price category, the all-in-one version, called the Z-120. This unit combines the keyboard, system box, and video-display tube into one cabinet, much like the computer workstations with which many people are familiar. Unlike those terminals, which are usually linked to a mainframe and lack any real power of their own, the Z-100 is a full-blown small-computer system.

Driven by an 8-bit 8085 and a 16-bit 8088, this 8/16-bit system comes with 128K of RAM. An IBM-workalike, it has twice the memory of the IBM PC.

Because it uses the proprietary Zenith Disk Operating System (ZDOS) and CP/M, one can assume it has a disk drive included as standard for storage, and it does. The disk drive is a 5<sup>1</sup>/<sub>4</sub>-inch minifloppy 320K double-sided, double-density unit. This combination is powerful enough to give a user a good start in microcomputing.

Programmable in BASIC, COBOL, and Fortran, this and other data are entered via a typewriter-style keyboard with 77 keys. This keyboard includes an 18-key numeric keypad and nine special-function keys. Input/output is provided by two standard serial ports and a parallel port.

Since it's an all-in-one unit, the video-display tube is included in its basic configuration. It's a 12-inch monochrome display, capable of displaying 80-characters by 24-lines.

The low-profile system, the ZF-100, upgrades in this price category to become a full-featured system, with the exception of a standard display. This upgrade adds a second disk drive to the low-profile ZF-100 system. The video display is still a user option.

#### **Hewlett-Packard**

The *HP86B* system upgrades with the addition of more user memory—128K now—and a 3.5-inch 270K microfloppy drive. More and more manufacturers are turning to this type of drive because of the space savings. Like a minifloppy, it makes a system more versatile.

At the same time, the *HP86A* is also upgraded with the addition of the same type of 3.5-inch drive, while the *HP85A* upgrades with the addition of a serial port. This gives the *HP85A* telecommunications capability if you add a modem or the capability to interface with a serial printer, rather than relying on the built-in thermal printer.

#### IBM

The IBM *Personal Computer* becomes more powerful and capable of high-resolution color output with the addition of a color video-display tube to the double-sided, double-density drive model. In this configuration, a serial port is also added for communications capability, if you choose, or to interface with a serial printer.

The second upgrade—a second disk drive for storage—brings the IBM *Personal Computer* to its full configuration. Now it has two disk drives for added flexibility in mass storage and data access.

#### Apple

The Apple IIe is just about fully configured in this price category. In the latest upgrade, a second minifloppy-disk drive is added for greater mass storage.

At the same time, the *Apple III* upgrades twice. In the first upgrade, a standard high-resolution video display device is added to the 256K version of this small-computer system.

The 128K version of the same system becomes fully configured with the addition of a second minifloppy disk drive for mass storage.

#### NEC

The NEC APC becomes a far more powerful system with its three upgrades. The first adds 128K to the amount of RAM, while the second adds a disk drive. At once, this upgrade makes



THE ALL-IN-ONE version of Zenith's 8/16-bit computer system, the Z-100 has a non-glare green CRT and two 320K 5<sup>1</sup>/<sub>4</sub>-inch drives.



EPSON's QX-10 desktop computer features two double-sided, doubledensity disk drives and runs the CP/M operating system.

the system far more flexible. The third upgrade adds a color video-display device to the one-drive needed and gives you color-graphics capability.

The PC-8800, now an 8/16-bit system with access to both CP/M and MS-DOS, the leading operating systems of the 8-bit and 16-bit worlds, now becomes fully configured as dual 320K double-sided, double-density disk drives are added. It gains even more capability as the disk-drive capacity is increased even further with dual eight-inch floppy-disk drives.

#### Toshiba

With the two upgrades to the T300 small-computer system, it makes the transition from a monochrome microcomputer with two drives to a color computer with two drives.

The first upgrade brings the monochrome system to full configuration with the addition of a second disk drive. This increases the flexibility of this system.

Under the second upgrade, the monochrome display is changed to a high-resolution color display and this system gains color-graphics capability, if the user chooses to use it.

#### Sony

The SMC-70 system becomes quite full-featured here. With its first upgrade, a second disk drive increases this system's storage flexibility and capability. This system was the first to make use of 3.5-inch microfloppy-disk drives, which a number of other microcomputer companies are also making use of. However, this isn't yet the standard size because there are also varieties available in the 3 to 3.25-inch range.

The second upgrade substitutes a high resolution RGB color video-display device for the monochrome display and gives this system its full configuration.

#### Canon

In this price category, the Canon AS100 system upgrades three times. The first upgrade gives this system color-graphics capability with a color video-display tube capable of a 640- by 400-dot resolution.

In the second upgrade, a serial port is added to the AS100's configuration. The third upgrade, adding a parallel interface, frees the serial port for communications use solely. (The parallel port can be dedicated to a printer.)

#### **Texas Instruments**

The *Professional Computer* becomes nearly fully configured in this price category with the addition of a second double-sided, double-density 320K minifloppy-disk drive. This addition gives the user access to a second disk which speeds system operation.

#### Casio

The Casio FX-9000P has its memory increased to 32K with the addition of 28K of memory. Further, the versatility of this small system is increased with the addition of a minifloppy-disk drive.

#### **LNW Research**


The LNW80 Model II becomes a fully configured system with the addition of a second minifloppy-disk drive.

#### Sord

Although the name M23 Mark III C looks as if it might be a new system, it is, in reality, an upgraded Sord M23 system. In this configuration, the system upgrades and gains color capability with, as you might expect, the addition of a color videodisplay device.

#### Commodore

The 8032 system, which was introduced several price categories ago, makes its appearance again, now in its fully configured state. This system, which includes a standard CRT, now also has duel 5<sup>1</sup>/<sub>4</sub>-inch minifloppy-disk drives included for storage.





An innovative lap computer is among the new machines we see here.

# \$3500 to \$4000 MARC STERN

AS WE MOVE INTO THE HIGHER PRICE CATEGORIES, PERHAPS you've noticed how more and more central processing units have become 16-bit devices. This contrasts quite markedly with the situation a year ago, when the majority of higher-priced, small-computer systems on the market were still 8-bit machines.

Why has this happened? The key reason is IBM's move into the microcomputer market. It has legitimatized the microcomputer in the eyes of many and it has created a vast market of new users. Seeing this, the rest of the microcomputer industry has jumped aboard the bandwagon with new IBMworkalike or compatible systems. A second reason, that is just as important, is that the microcomputer industry has seen the power available in the 16-bit CPU and it wants to make use of that power.

In this price category, 11 new systems make their debuts. Most are from manufacturers that have already been introduced in other price categories. However, there are four new companies that make their appearances here. Let's begin our look at this market with those four new companies. Then we will explore the rest of the category and see how various systems upgrade.

#### Gavilan

The Gavilan is one of the most innovative of the r.ew generation of lap computers, now making their debuts. It is very frankly aimed at the business market and makes no bones about saying so. Because it is, this system includes a variety of bundled (included) software for word-processing, appointments and other business-oriented tasks. They are contained in plug-in capsules, as the company terms them.

Perhaps the most innovative fact about the *Gavilan* is its size. Even though it includes a microdisk drive for storage as part of its basic configuration, it easily folds up and fits into the average briefcase. If you've looked closely at the chart you've probably noticed that it only comes with 32K of RAM. Other ROM-based functions reside in another 32K of built-in memcry and this leaves a full 32K available for the user. This ROM handles much of the work that RAM is required to do in other systems. This system is driven by a 16-bit 8088 microprocessor, that makes it another of the many IBM-workalikes that are now on the market.

Because it does have a standard disk drive it needs an operating system and the one Gavilan has chosen is the near-standard 16-bit operating system, MS-DOS. Due to the extensive package of software included with this system, a user really won't have need of much more software than that included.

The Gavilan's other unique feature is its "mouse." A relatively new feature in the small-computer world, a mouse is a small device that rolls around a desk top. It interfaces with the system's memory and lets the user move the cursor all over the screen. This eliminates the need for keyboard use and lets the user pick a function from several on the screen, provided a program has this type of feature, by just moving the mouse around. But rather than relying on a true "mouse," Gavilan uses a touch-sensitive plate under the 8 line by 66-character liquidcrystal display so a user can access a particular function.

#### Fujitsu

A leading Japanese computer manufacturer, Fujitsu has an entry in the microcomputer field, the *Micro 16*, a unit with 8- and 16-bit co-processors.

Driven by either a proven 8-bit Z80A CPU or a reliable 16-bit 8086—the bigger brother of the 8088—the Micro 16 has access to the world of CP/M and its many programs, Concurrent CP/M and its multitasking capabilities, or optional MS-DOS. This gives the user access to a versatile software base.

Equipped with 128K of user memory, this system will easily handle any of the many sophisticated programs available on the market today. Its mass-storage capabilities—two standard 320K double-sided, double-density minifloppy-disk drives—is also easily up to any task given the system.

The keyboard has a total of 98 keys and a separate numeric

OCTOBER 1983

#### TABLE 1-\$3500-\$4000

Manufacturer	Model	Price	CPU	Word Length	Operating System	Languages
Athena Computer	Athena i	\$3500	NSC-800 (low-	8-bit	CP/M	Pascal
Alliena Computer	Amona	00000	power Z80)	0-01	Or / M	
Texas Instruments	Professional Computer	\$3515	8088	16-bit	MS-DOS, CP/ M-86, UCSD p- System	Macro Assembler, BASIC, COBOL, FORTRAN, Pascal
Basis Inc.	Basis 108	\$3590	Z80A/6502	8-bit	CP/M, Apple	BASIC, Pascal, LOGO
TeleVideo Systems Inc.	TS 1603	\$3590	8088	16-bit	CP/M-86, MS- DOS	COBOL
Compaq Computer Corp.	Compaq	\$3590	8088	16-bit	Compaq DOS (Similar to IBM PC-DOS)	BASIC
Zenith Data Systems	ZF-100	\$3598	8085/8088	8/16-bit	CP/M/ZDOS (proprietary)	BASIC, COBOL, FORTRAN
IBM	IBM-PC	\$3598	8088	16-bit	PC-DOS (MS- DOS), CP/ M-86, UCSD p- System	COBOL, FORTRAN, BASIC, Macro Assembler, Pascal
Zenith Data Systems	Z-120	\$3599	8085/8088	8/16-bit	CP/M/ZDOS (proprietary)	BASIC, COBOL, FORTRAN
Sage Computer Tech.	Sage II	\$3600	MC68000	16/32-bit	UCSD p-Sys- tem, CP/M-86K, Modula 2, Hyper-FORTH	BASIC, FORTRAN, Pascal, Assembler
Apple Computer	Apple III	\$3604	6502B	8-bit	Apple SOS	BASIC, Pascal
Zenith Data Systems	ZF-100	\$3638	8085/8088	8/16-bit	CP/M/ZDOS (proprietary)	BASIC, COBOL, FORTRAN
Sony	SMC-70	\$3645	Z80A	8-bit	CP/M	BASIĆ, CB-80, Pilot Plus
Texas Instruments	Professional Computer	\$3670	8088	16-bit	MS-DOS, CP/ M-86, UCSD p- System	Macro Assembler, BASIC, COBOL, FORTRAN, Pascal
IBM	IBM-PC	\$3677	8088	16-bit	PC-DOS (MS- DOS), CP/ M-86, UCSD p- System	COBOL, FORTRAN, BASIC, Macro Assembler, Pascal
Dynalogic Info-Tech Corp.	Hyperion	\$3690	8088	16-bit	MS-DOS	BASIC, COBOL, FORTRAN, Pascal
Basis Inc.	Basis 108	\$3690	Z80A/6502	8-bit	CP/M, Apple	BASIC, Pascal, LOGO
IMS International	5000IS	\$3700	Z80	8-bit	CP/M, MP/M TurboDOS	BASIC, COBOL, FORTRAN, Pascal
Sony	SMC-70	\$3700	Z80A	8-bit	CP/M	BASIC, CB-80, Pilot Plus
Compaq Computer Corp.	Compaq	\$3705	8088	16-bit	Compaq DOS (Similar to IBM PC-DOS)	BASIC
Hewlett-Packard	HP-85A	\$3735	Not announced		Proprietary	BASIC, Assembler
Sörd Computer	M23 Mark V G	\$3785	Z80A	8-bit	Proprietary, CP/ M-compatible	BASIC, Pascal, FORTRAN
Wang Laboratories	Professional Computer	\$3790		16-bit	MS-DOS, CP/M emulation	BASIC, COBOL, FORTRAN, Pascal
Hewlett-Packard	H85B	\$3790	Not announced		Proprietary	BASIC, Assembler
Commodore Business Mach.	SuperPET	\$3790	6502/6809	8-bit	Proprietary	BASIC, APL, COBOL, FOR- TRAN, Pascal
Toshiba America	T300	\$3795		16-bit	MS-DOS, CP/ M-86	BASIC
Columbia Data Products	1600-1	\$3840		16-bit	MS-DOS	BASIC, Assembler
IBM	IBM-PC	\$3842		16-bit	PC-DOS (MS- DOS), CP/ M-86, UCSD p- System	COBOL, FORTRAN, BASIC, Macro Assembler, Pascal
NEC Home Electronics	PC-8800	\$3846	Z80A-compati- ble/8086	8/16-bit	CP/M, CP/	BASIC
Hewlett-Packard	HP86A	\$3865			M-86, MS-DOS UCSD p-Sys- tem, CP/M	BASIC, Pascal, FORTRAN

Memory/Storage	Keyboard	I/O	Display	Comments
68K/256K of RAM-disk stor age/1 DD 5 ¼" floppy included	- standard	2 serial, 1 parallel	80-character × 4-line liq- uid crystal display/external CRT connector	256K RAM-disk
64K/1 320K DS/DD 5 ¼" floppy drive	97 keys, 17-key keypad, 12 special function	1 parallel, 1 serial	13-inch color CRT, 720 × 300 res., 80 × 25 text	color CRT added to 1-disk version
128K/2 5 ¼" floppy driv- es/256K memory (RAM) disk added	58 keys, 15 program- mable, number keypad	1 parallel, 1 serial	RGB and composite/280 × 192 res./80 × 25 text	256K memory RAM-disk
256K/2 half-height 368K DS/DD floppy drives	72 keys, 16 program- mable, 16-key keypad	2 serial, 1 serial RS-422 port	14-inch monochrome/80 × 25 text	memory expanded to 256K
128K/2 5 ¼″ DS/DD drives, 640K	83 keys, 10-key keypad, 10 special funct.	1 parallel, opt. serial	9-inch monochrome (built- in)/80 × 25 text	second drive added
128K/1 320K DS/DD 5 ¼" drive	77 keys, 18-key keypad, 13 special funct.	2 serial, 1 parallel	color CRT/640 × 225 high-res., 80 × 25 lines	high-res. color CRT added
128K/2 320K DS/DD 5 1/4" drives	59 keys, 10 special func- tion, 20-key keypad	1 parallel, 1 serial	12-inch monochrome/80 × 25 text	memory expanded to 128K
128K/2 320K DS/DD 5 ¼" drives	77 keys, 18-key keypad, 13 special funct.	2 serial, 1 parallel	built-in 80 × 25 mono- chrome CRT	2nd drive added
128K/1 640K 5 ¼" floppy drive	N/A	2 serial, 1 RS-488, 1 parallel	N/A	powerful MC68000-based mi cromainframe
256K/2 140K SS/DD 5 1/4" floppy drives	61-key typewriter, 13-key keypad, 2 program- mable	1 serial, 2 game control- ler, 1 parallel	12-inch CRT/280 × 192/560 × 192 graphics cap./80 × 24 text	2nd drive added to 256K Apple III
128K/2 320K DS/DD 5 ¼" drives	77 keys, 18-key keypad, 13 special funct.	2 serial, 1 parallel	green monochrome CRT/80 × 25 text	green monochorme display
64K/2 280K 3.5" microflop- py drives	72 keys, keypad, 9 special function	1 parallel, 1 serial	12-inch RGB high-res. color CRT	color CRT subsituted for dis- play
128K/2 320K DS/DD 5 1/4" floppy drives	97 keys, 17-key keypad, 12 special function	1 parallel, 1 serial	12-inch monochrome CRT, 720 × 300 res., 80 × 25 display	64K memory added to 2- drive monochrome unit
64K/2 320K DS/DD 5 ¼" drives	59 keys, 10 special func- tion, 20-key keypad	1 parallel, 1 serial	12-inch high-res. color dis- play/80 × 25 text	color display added to 2-drive DS/DD system
256K/2 320K DS/DD 5 ¼" floppy drives	84 keys, 10 function keys, 10-key keypad	1 serial, 1 parallel	7-inch amber monochrome CRT/80 × 25 text mode/640 × 250 graphics	second drive added
128K/2 5 ¼" floppy driv- es/256K memory (RAM) disk	58 keys, 15 program- mable, keypad	1 parallel, 1 serial	RGB and composite/280 × 192 res./80 × 25 text	256K memory RAM disk for greater speed added
64K/2 409K DS/DD half- height 5 ¼" floppy drives	64 keys, 14 special func- tion, 19-key keypad	1 serial	monochrome CRT/80 × 24 text mode	basic system
64K/2 280K 3.5" microflop- py drives	72 keys, keypad, 9 special function	1 parallel, 1 serial	12-inch green CRT/80 × 25 text	expansion unit
128K/2 5 ¼″ DS/DD drives, 640K	83 keys, 10-key keypad, 10 special funct.	1 parallel, 1 serial	9-Inch monochrome (built- in)/80 × 25 text	serial port
32K/built-in tape storage, 195K	58 keys, 20-key keypad, 8 special function	1 serial, 1 general pur- pose interface	built-in 5" CRT/256 × 192 graphics, 32 × 16 text	2nd port serial added
128K/2 1MB 8" drives	59 keys, 20-key keypad, 9 special function	2 serial, 1 parallel	12-inch green CRT	system upgraded to 8-inch drives with 1MB storage
128K/2 360K DS/DD 5 ¼" floppy drives	101 keys, 16 program- mable, 18-key keypad	1 parallel, 1 serial	monochrome CRT 800 × 300	second drive, display, and adapter added to Wang PC
160K/tape drive/RAM disk	58 keys, 20-key keypad, 8 special function		built-in 5" CRT/256 $\times$ 192 graphics, 32 $\times$ 16 text	RAM expanded to 160K
drives	standard, numeric key- keypad	1 serial	12-inch monochrome CRT/80 × 25 text mode	dual floppy disk drives added
192K/2 640K 5 ¼″ drives	67 keys, 18 special funct., 10 edit, 18-key keypad	1 parallel, 1 serial	640 × 200, 80 × 25 in text mode	2nd drive added to color motel
256K/2 320K 5 ¼" floppy disk drives	83 keys, 10 special func- tion, keypad	2 serial, 1 parallel	12-inch monochrome CRT/80 × 25 text	user memory increased to 256K
128K/2 320K DS/DD 5 1/4"	59 keys, 10 special func- tion, 20-key keypad	1 parallel, 1 serial	12-Inch high-res. color dis- play/80 × 25 text	memory expanded to 128K in color IBM-PC
128K/2 320K DS/DD 5 1/4" floppy drives	81 keys, 5 multifunction, 10-key keypad	1 parallel, 1 serial	14-inch color CRT/640 × 400 res./80 × 25 text	color display added to 5 ¼- inch system
64K/2 270K 3.5-inch mi-	59 keys, 20-key keypad, 14 special function	1 parallel	9" monochrome CRT/80 × 25 text	2nd drive added

OCTOBER 1983 157

#### TABLE 1-\$3500-\$4000 (continued)

Manufacturer	Model	Price	CPU	Word Length	<b>Operating System</b>	Languages
Texas Instruments	Professional Computer	\$3870	8088	16-bit	MS-DOS, CP/ M-86, UCSD p- System	Macro Assembler, BASIC, COBOL, FORTRAN, Pascal
Vector Graphic Inc.	Vector 4/10	\$3895	Z80B, 8088	8/16-bit	CP/M-86, MS- DOS (optional), CP/M	Not announced
Micro Source	M6000P	\$3900	Z80A	8-bit	CP/M	Not announced
Compaq Computer Corp.	Compaq	\$3910	8088	16-bit	Compaq DOS (Similar to IBM PC-DOS)	BASIC
ІВМ	IBM-PC	\$3928	8088	16-bit	PC-DOS (MS- DOS), CP/ M-86, UCSD p- System	COBOL, FORTRAN, BASIC, MACRO Assembler, Pascal
Digital Equipment Corp.	Professional 325	\$3945	PDP-11/238	16-bit	Proprietary, CP/M optional	Not announced
Athena Computer	Athena I	\$3950	NSC-800 (low- power Z80)	8-bit	CP/M	Pascal
Hewlett-Packard	HP120/125	\$3975	Z80A	8-bit	CP/M	BASIC, Assembler
Hewlett-Packard	HP200	\$3985	MC68000	16/32-bit	N/A	BASIC, Pascal, HPL
Computer Devices Inc.	DOT-3000Z	\$3995	8088	16-bit	MS-DOS	BASIC, FORTRAN, COBOL, Pascal, Assembler
Gavilan Computer Corp.	Gavilan	\$3995	8088	16-bit	MS-DOS	BASIC, Pascal
Sanyo	MBC 4050	\$3995	8086	16-bit	CP/M-86	BASIC, Assembler
Toshiba America	T250-4	\$3995	Z80	8-bit	CP/M	BASIC
Eagle Computer Inc.	Eagle IIE-4	\$3995	Z80A	8-bit	CP/M	BASIC
Fujitsu Microelectronics	Micro 16	\$3995	Z80A, 8086	8/16-bit	CP/M-86, Con- current CP/M/ MS-DOS op- tional	Not announced
NEC Home Electronics	PC-8800	\$3997	Z80A-compati- ble/8086	8/16-bit	CP/M, CP/ M-86, MS-DOS	BASIC
Radio Shack	TRS-80 Model 12	\$3999		8-bit	TRSDOS	BASIC

keypad, plus 10 programmable keys. This device handles user input, while input/output is handled by standard serial and parallel ports. The video display delivers 640 by 200-line highresolution graphics or an 80-character by 25-line text mode.

#### **Micro Source**

The Micro Source *M6000P* is an industry-oriented S-100 compatible transportable microcomputer system. (The industry-standard S-100 bus features a 100-line bus that accessory cards are plugged into. The micprocessor's motherboard is also tied into this bus.) The *M6000P* has 64K of RAM and operates under CP/M. Because it operates under CP/M, the operator has many programs to use with the standard 376K double-sided, double-density 5¼-inch minifloppy disk drives.

User input is via the keyboard that has a total of 83 keys, including four function keys and a separate 14-key numeric pad. Standard serial and parallel ports handle input/output. The builtin monochrome display is a 9-inch screen that displays 80 characters by 24 lines. RGB outputs are also available for color graphics.

#### Sage

The Sage II is a powerful, multiuser MC68000-based smallcomputer system. Its 16-, 32-bit MC68000 CPU makes it special, because few other systems use this powerful microprocessor chip (a situation that's likely to change in the relatively near future). Actually a micromainframe, the Sage *II* has 128K of standard user memory available, enough for a single-user system, but really not enough for an extended multiuser system.

The single 640K 5<sup>1</sup>/<sub>4</sub>-inch minifloppy disk drive gives the user of this system a great deal of initial mass storage. It can run under several high-level operating systems and the system is programmable in BASIC, Fortran, Pascal, and assembler.

Since this is the basis of a multiuser system, it includes several standard input/output ports. These include two standard serial, an RS-488 general purpose serial port, and a parallel port. The user has his choice of a terminal.

#### **IMS International**

The IMS 50001S is, at this stage, a fully configured system. Driven by a Z80 microprocessor, it runs under CP/M, MP/M (the multiuser version of CP/M) and TurboDOS, another highlevel operating system. Standard user memory is 64K and disk storage is handled by two 409K double-sided, double-density 51/4-inch minifloppy disks.

Programmable in BASIC, COBOL, Fortran, and Pascal, this and other data are input via a typewriter-style keyboard with 64 typewriter-style keys. There are also 14 special-function keys, as well as a separate 19-key numeric pad. Input/output is handled with a standard serial port so that a user can interface a printer or modem for telecommunications. The standard monochrome monitor displays 80 characters by 25 lines.

	Memory/Storage	Keyboard	VO	Display	Comments
	192K/2 320K DS/DD 5 1/4" floppy drives	97 keys, 17-key keypad, 12 special function	1 parallel, 1 serial	12-inch monochrome CRT/720 × 300 res., 80 × 25 display	2-drive monochrome version memory expanded to 192K
	128K/1 630K 5 ¼" floppy drive	91 keys, 15 special func- tion, 18-key keypad		12-inch monochrome CRT/80 × 24 text/640 × 312 graphics	1 630K 5 ¼" drive added
	64K/2 376K DS/DD 5 ¼" floppy drives	83 keys, 4 function, 14- key keypad	1 serial, 1 parallel	9-inch CRT, RGB color av- ail./80 × 24 text	basic system
	256K/2 5 ¼" DS/DD drives, 640K	83 keys, 10-key keypad, 10 special funct.	1 parallel, 1 serial	9-inch monochrome (built- in)/80 × 25 text	128K memory expansion
	256K/2 320K DS/DD 5 ¼" drives	59 keys, 10 special func- tion, 20-key keypad	1 parallel, 1 serial	12-inch monochrome/80 × 25 text	memory expanded to 256K
	256K/2 400K 5 ¼" floppy drives	58 keys, special func- tion, 14-key keypad	1 serial, 1 RS-423 syn- chronous	monochrome CRT/80 × 25 text	professional system with powerful CPU and operating system
	68K/512K of RAM-disk storage/1 DD 5 ¼" floppy included	standard	2 serial, 1 parallel	80-character × 4-line liq- uid crystal display/external CRT connector	512K RAM-disk
	64K/1 3.5-inch 248K micro- drive	58 keys, 8 special func- tions, programmable keys	2 serial, 1 IEEE-488	9" or 12"-monochrome CRT/80 × 25 text	3.5-inch drive added
	128K	57 keys, 10 definable functions on 5 keys	1 serial, 1 multipurpose IEEE-488 port	9" monochrome CFIT/80 × 25 text	base configuration
_	128K/1 3.5" 280K micro floppy drive	59 keys, 10 function keys, 18-key keypad		monochrome (built-in)/80 × 24 text	software package enhanced
	32K/1 320K 3" microfloppy disk drive	61 key board, embed- ded 10-key keypad	1 serial	66-character × 8-line liq- uid crystal display/touch panel	full-featured lap computer
	128K/2 640K slim line 5 1/4" DS/DD floppy drives	60 keys, 15 program- mable, 18-key keypad	1 parallel, 1 serial	12-inch monochrome/80 × 25 text mode	2nd drive added to MBC 4000
	64K/2 8-inch DS/DD drives	not announced	not announced	not announced	Contraction of the second second
	64K/1 780K DS/DD 5 ¼" floppy drive/1 10MB hard disk	75 keys	2 serial, 2 parallel	12-inch monochrome/80 × 25 text mode	10MB hard (Winchester) disk drive
	128K/2 320K DS/DD 5 ¼" floppy drives	98 keys, separate nu- meric keypad, 10 programmable keys	1 serial, 1 parallel	80 × 25 text mode/640 × 200 graphics	basic system
	128K/2 1MB DS/DD 8" floppy drives	81 keys, 5 multifunction, 10-key keypad	1 parallel, 1 serial	14-inch monochrome CRT/80 $\times$ 25 text	storage grows to 2MB with 8'
	80K/2 1.2MB 8" DS/DD floppy drives	82 keys, 8 program- mable keys, 19-key keypad	2 serial, 1 parallel	12-inch monochrome/80 (40) × 24 text mode	2nd drive
	To a batter		DOI SPICES DUPE LOS		

#### Toshiba

With entries in several other pricing categories, Toshiba has a new entry in this one, the T250-4. Another of the many Z80 8-bit systems on the market, it features 64K of user memory. Operating under the CP/M operating system, the T250-4 comes with two standard 8-inch double-sided, double-density floppy-disk drives for storage. Information on the display was unavailable at press time.

#### DEC

Another of the Digital Equipment small-computer offerings is the *Professional 325*, that uses a proprietary 16-bit microprocessor based on the architecture of the DEC *PDP-11/238*. Equipped with 256K of user memory, this system has two standard 400K 51/4-inch minifloppy disks for storage. It operates under a proprietary operating system, but CP/M is also available as an option.

Fully configured at this point, the *Professional* uses a slimline typewriter-style keyboard with a total of 58 typewriter keys. This keyboard also features special function keys and a separate 14-key numeric pad. While the keyboard handles user input, output is sent to a high-resolution monochrome display that has an 80-character by 25-line display. Input/output is handled by a standard serial port as well as by an RS-423 synchronous port. That port can be used for communications or can interface with a larger network.

#### Eagle

The Eagle *IIE-4* is another small-computer system that makes its appearance here. Actually an upgrade of an already existing system, the Eagle *IIE* series, that was introduced in another pricing category, the Eagle *IIE-4* is driven by the same type of 8-bit Z80A CPU. Operating under CP/M, it has one 780K double-sided, double-density minifloppy disk available for storage. Its other storage medium, also part of the system upgrade, is a 10-MB hard disk.


Programmable in BASIC, this and other data are input via the 75-key typewriter-style keyboard. Output is to a 12-inch 80character by 25-line monochrome display screen. Input/output is handled by two standard serial and two standard parallel ports, so a variety of peripherals can be attached.

#### **Vector Graphic**

The Vector 4/10 is an 8/16-bit small-computer that makes use of co-processors, a Z80B (8-bit) and an 8088 (16-bit). The Vector 4/10 runs CP/M-86—the 16-bit version of CP/M—CP/ M, with MS-DOS available as an option.

The standard disk drive is a 630K 5<sup>1</sup>/<sub>4</sub>-inch minifloppy unit. When this is combined with the standard 128K RAM, it becomes a flexible unit.

Having a total of 91 typewriter-style keys, the Vector 4/10's keyboard also has 15 special-function keys and an 18-key numeric pad. User input is via this device and output is to a



THE GAVILAN is an IBM workalike lap computer.

12-inch monochrome video tube that delivers 640 by 312 graphics or an 80-character by 24-line text display. There are two standard serial ports and one standard parallel port.

#### Sanyo

A new Sanyo offering is the *MBC* 4050 16-bit small-computer system. Driven by an 8086, 16-bit microprocessor, it has 128K of user memory. This amount of memory is enough to handle any of the complex 16-bit programs available on the market today. Unlike other 16-bit systems today, the *MBC* 4050 relies on the CP/M-86 operating system. It could be somewhat limiting to a computer user because most 16-bit programs are being written for MS-DOS. The *MBC* 4050 is equipped with two 640K slim-line minifloppy-disk drives for mass storage.

Programmable in BASIC and assembler, this and other data are input via a standard typewriter-style keyboard with 60 typewriter keys. There are also 15 separate programmable keys and a separate 18-key numeric pad. Video output (80 characters by 25 lines text) is to a standard 12-inch monochrome display. Input/ output is handled via standard serial and parallel ports. The MBC 4050 system is actually an upgrade to the MBC 4000 small-computer system. It adds a second drive for greater storage.



THE SAGE II is shown here with some of its "big brothers."

#### **Computer Devices**

The DOT-3000Z is basically an upgraded system at this point. The key change to this 8088, 16-bit CPU-based 3000Z is an enhanced software package. It still has only one 3.5-inch microfloppy drive for storage, but it does offer 128K of user memory. A transportable, it has 59 typewriter-style keys on the main keyboard and eight special-function keys, plus programmable softkeys. Its monochrome display is still a built-in 5½ by 9-inch screen.

#### **Hewlett-Packard**

A new system joins the wide-ranging Hewlett-Packard lineup in this price category, the *HP200*, one of the first smallcomputers in the reasonable-cost market to make use of the powerful MC68000 16-bit microprocessor. That CPU offers seventeen 32-bit registers and can directly address 16 megabytes.

This microcomputer uses the powerful multiuser UNIX operating system, but there is no disk storage indicated at this price level.

Programmable in BASIC, Pascal, and HPL, the system has 128K of standard user memory. The typewriter-style keyboard has 57 keys and 10 definable functions included on five multi-function keys.

In this base configuration, input/output is handled via a standard serial port or a multipurpose IEEE-488 general input/output port. Both of these ports can be interfaced with a variety of peripherals, including printers, plotters, modems, and scientific or manufacturing instruments. The standard screen is a 9-inch monochrome display that shows 80-characters by 25-lines.

For the portable *HP85A*, this upgrade adds a second serial port—a general-purpose input/output port—that lets this small-computer system be linked to a wide variety of peripheral equipment. Meanwhile, the *HP85B* has its user memory increased to 160K. That means it can handle more user input and far more complex routines and tasks.

The HP86Å, meantime, becomes fully configured with an added second 270K 3.5-inch microfloppy-disk drive for mass storage. This frees the user from the limitations imposed by only having one disk drive. The HP120/125 becomes much more versatile with one 248K 3.5-inch microfloppy-disk drive.

#### Compaq

This IBM-compatible transportable small-computer system becomes fully configured in this pricing category. With the addition of a second 320K double-sided, double-density minifloppy-disk drive, the *Compaq* gains much more power and flexibility. Its second upgrade gives it even further capability by allowing serial communications ability. The optional serial interface port is now standard and a user can tie in a variety of peripherals, including printers, plotters, and modems.

Its next upgrade adds to its full configuration by adding a full



DIGITAL EQUIPMENT CORP.'s computers-the Professional is in center.

128K of user memory, thus bringing its standard memory to a full 256K. With this much memory, this system can easily handle the memory-hungry 16-bit programs available.

#### Sony

The full-featured *SMC-70* system becomes even more versatile with the addition of a 12-inch RGB high-resolution color monitor. This system now has color-graphics capability. It becomes even more flexible in its second expansion with the addition of an expansion unit that broadens the range of peripherals to which it can be interfaced.

#### IBM

The IBM *Personal Computer* begins to become rather powerful as it approaches its fullest configuration. In its first change, the user memory capacity is increased to 128K on the monochrome version. That makes it able to handle just about any program on the market. In its second upgrade, the highresolution monochrome display is changed to a high-resolution color display.

With this second upgrade completed, the next upgrade increases the memory of the color display version of the IBM-PC to 128K. The final upgrade brings the amount of user memory up to 256K.

#### **Texas Instruments**

The one-disk version of the TI *Professional Computer* gains color-graphics capability with the addition of a 13-inch color monitor. It delivers 720 by 300 resolution. Another version, the two-drive monochrome version, has its user memory increased to 128K for more capability.

The last upgrade to the two-drive monochrome TI PC brings the amount of user memory up to 192K. Although you may think this is far too much memory, remember that the new generation of memory-hungry 16-bit programs requires great amounts of memory to function correctly.

#### Zenith

The Z-100 line becomes more powerful in this region, too. In the first expansion to the low-profile unit, a high-resolution color monitor is added to enhance the unit's graphics capability. Although this seems unlikely, adding the high-resolution green monochrome display increases the cost of the low-profile Z-100 beyond that of the color version. The prices, though, were obtained from two different Heath/Zenith sources.

The last upgrade to this line makes the all-in-one Z-100 a fully configured unit. It adds a second 320K double-sided, double-density disk drive to the all-in-one.

#### NEC

The now-dual processor *PC-8800* series receives the addition of a 14-inch, high-resolution color monitor.



NEC's POWERFUL PC-8600 is shown here.



#### Basis

The Apple/CP/M-compatible Basis 108 system becomes a speedier unit with the addition of a 256K virtual-memory disk.

#### Athena

The transportable Athena *I*, has its standard virtual-memory disk expanded to 256K for greater storage potential. It means a user can now load and use larger programs in this type of pseudo-disk system. The second expansion makes this system even more powerful as this memory disk is expanded to 512K.

#### TeleVideo

The memory capacity of the TS 1603 16-bit system is expanded to 256K, the fully configured number for this supplement. It means this system can use any of the memory-hungry 16-bit programs now coming to the market very efficiently.

#### Apple

At this stage, the Apple *III* becomes fully configured. Not only does it have a standard display and 256K of memory, but it also has a second drive for more flexible system operation.

#### Hyperion

This transportable small-computer system finds its flexibility increase in this pricing category with the addition of a second 320K double-sided, double-density minifloppy-disk drive.

#### Sord

The M23 system becomes even more powerful as it upgrades to the Mark V G model. In this configuration, the drives are upgraded to 8-inch units with 1-megabyte of storage potential per drive.

#### Wang

The *Professional Computer*—this company also makes one—gains more power and flexibility with the addition of a second 360K double-sided, double-density drive. At the same time, a high-resolution—800 by 300—monochrome display and its adapter become standard equipment.

#### Commodore


With the addition of dual 5<sup>1</sup>/<sub>4</sub>-inch disk drives, the 96K SuperPET system becomes fully configured.

#### Toshiba

The T300, now a color-capable computer, becomes even more capable with the addition of a second 640K 5<sup>1</sup>/<sub>4</sub>-inch minifloppy-disk drive.

#### **Radio Shack**

The *TRS-80 Model 12* business computer becomes even more powerful and flexibile with the addition of a second 1.2-MB 8-inch floppy-disk drive.





The major change in this price range, when compared to last year, is the inclusion of a hard-disk drive in many systems.

# \$4000 to \$4500 MARC STERN

SOMETHING INTERESTING IS BEGINNING TO OCCUR AT THIS POINT in our buyer's guide; the Winchester drive is beginning to appear more frequently. Also known as the hard disk, this storage option was, until a couple of years ago, associated only with full-sized mainframe computers or minicomputers. If any were available for the small-computer world, they were only available on high-end systems costing nearly \$10000.

Now, hard disks are available near the top-end of any affordable computer line. Their cost isn't much greater than the cost of a pair of high-density 8-inch floppy-disk drives, but their advantages are greater.

These disks are capable of much greater storage potential. Where a high-density minifloppy may store up to 700 kilobytes of data and an 8-inch floppy may now store over 1 megabyte, the smallest hard disk stores 5 megabytes or more of information.

Perhaps their greatest drawback is backup because it takes a great many floppy or minifloppy disks to back up the information on a hard disk.

In this price category, nine new machines debut and without further ado, we'll begin our look at those machines.

#### DEC

The *DECmate II* is another of the Digital Equipment Small Computer offerings that were first unveiled about a year and a half ago.

Driven by a proprietary PDP-8 16-bit microprocessor and a Z80 co-processor, the *DECmate II* features 64K of RAM in this configuration.

Capable of using CP/M-86, MS-DOS or its own proprietary operating system, this microcomputer is equipped with two standard 400K 5<sup>1</sup>/<sub>4</sub>-inch minifloppy-disk drives.

The slim-line typewriter-like keyboard of the *DECmate II* has 58 keys. It also features separate special-function keys and a 14-key numeric keypad.

Equipped with a standard serial port, which can be interfaced with a wide variety of peripherals, including printers, plotters, and modems, the *DECmate II* also features an RS-423 synchronous port. This type of port allows this machine to be tied into a larger office network and provides high-speed data communication in this setting.

User output is via a black-and-white CRT that provides an 80-character by 25-line text display.

#### IMS

The 5000X16 system is another of the micromainframe systems offered by IMS International. A micromainframe is a small-computer system that features a system box, two drives, and a number of input/output ports. A user has the option of interfacing his own terminal, a device that includes a keyboard and a display screen.

Driven by a 16-bit 8088 CPU—the same one used by the IBM *Personal Computer*, this system runs under either MS-DOS or CP/M-86.

This last feature is also one worth noting. Since the 16-bit microcomputer world seems to be standardizing around MS-DOS as the operating system, it makes sense for a microcomputer manufacturer to offer it. There is a wealth of new, powerful software being written for this operating system. At the same time, though, Digital Research, which offers CP/M-86, is becoming more aggressive in this field and it is possible another body of software will grow under this system. It just gives the user another "in case" option.

With 256K of user memory, this system can handle any of the new 16-bit programs which might be thrown at it. It can also become a multiuser machine with the addition of a hard disk.

The standard disk drives for the 5000X16 are dual 409K double-sided, double-density 51/4-inch minifloppies.

With two standard serial and three parallel ports, there are

enough input/output options for a user to interface a number of peripherals. Those will likely include, in this case, terminals, printers or plotters, and, possibly, a modem. This computer is programmable in BASIC, COBOL, Fortran, and Pascal.

Another IMS offering, the 50001S16 is also driven by a 16-bit 8088 CPU. An IBM-workalike small computer, this system also has 256K of RAM. This allows the 50001S16 to easily handle any of the sophisticated 16-bit programs now coming to the market. In fact, most of those programs require a minimum of 90 to 128K of memory for efficient operation.

Running under either MS-DOS or CP/M-86, a user has access to a wide variety of programs. The disk drives are double-sided, double-density 409K 51/4-inch minifloppies.

Programmable in BASIC, COBOL, Fortran, and Pascal, this and other data are input via a keyboard containing 64 separate typewriter-style keys. The keyboard also contains 14 special-function keys and a 19-key numeric keypad.

User output is to a monochrome monitor with an 80-character by 24-line text mode display.

Input/output is handled via a standard serial port to which a variety of peripherals can be attached.

#### **Vector Graphic**

The Vector 4/20 is a new offering from this long-established microcomputer manufacturer.

A co-processor machine, it is driven by an 8-bit Z80B CPU or an 8088 16-bit CPU. This gives the user access to the worlds of CP/M, CP/M-86 or, optionally, MS-DOS. Standard user memory is 128K.

The Vector 4/20 comes equipped with two standard 630K 51/4-inch minifloppy-disk drives.

User input is handled via a typewriter-style keyboard featuring a total of 91 keys. Included are 15 special-function keys and an 18-key numeric keypad.

Output is a 12-inch monochrome display that is capable of 640- by 312-dot graphics or an 80-character by 24-line text display. Other input/output is provided via two standard serial ports and a parallel port.

#### **Durango Systems**

The Durango *Poppy* computer takes advantage of the powerful 80186 16-bit advanced CPU.

This advanced CPU, when combined with the 128K of user memory, allows use to take advantage of the many sophisticated 16-bit programs on the market. Since it has a more powerful architecture it allows the user to have access to MS-DOS, CP/M-86, MP/M-86 and the multiuser, multitasking operating system, Xenix.

Equipped with dual 800K 5<sup>1</sup>/<sub>4</sub>-inch minifloppy disks, the *Poppy* has more than enough mass storage for most needs.

User input is via a keyboard with 64 typewriter-style keys, eight special-function keys, and a 14-key keypad. Output is to a monochrome CRT with an 80-character by 25-line text display.

Input/output is handled via standard serial and parallel ports that allow the user the ability to interface such peripherals as printers, plotters, and modems.

#### Eagle

Two new models debut in this pricing category, the Eagle 1620 and the Eagle PC-XL.

The Eagle 1620 is driven by a 16-bit 8086 CPU, the big brother to the 8088 used by the IBM Personal Computer. It comes with 128K of RAM.

Operating under MS-DOS or CP/M-86, the Eagle 1620 has two 780K double-sided, double-density 51/4-inch minifloppy disks as standard equipment.

User input is via a 105-key keyboard and output is to a 12-inch, high-resolution monochrome display. The display is capable of 720- by 352-dot graphics resolution and an 80-character by 25-line text mode.

Input/output is handled via two standard parallel ports and two standard serial ports.

The Eagle PC-XL uses essentially the same mechanical components, but differs in three key areas: CPU, storage, and input/output.

This computer also uses a 16-bit CPU, but it is an 8088, rather than the slightly faster 8086.

Further, rather than having two parallel ports and two serial ports, it only has one parallel port and two serial ports.

Finally, this system includes a standard 10 megabyte Winchester hard disk. This means this system has much greater storage capability and faster data access and retrieval.

Software is also bundled (included) in this configuration.

#### TeleVideo

A new model appears in this pricing category, the TS-1602G, driven by an 8088, 16-bit CPU. This allows the user access to the many programs now appearing for this type of device.

With 128K of RAM memory, the TS-1602G is capable of handling any of those new programs. It runs under either CP/M-86 or MS-DOS. The standard disk drives are 2 1-megabyte double-sided, double-density 5¼-inch minifloppies.

Programmable in COBOL, this system accepts this and other data input from its 72 typewriter-style keys, 16 programmable keys, and a 16-key numeric keypad. Output is to a 14-inch monochrome display tube that is capable of an 80-character by 25-line text display. Additional I/O is via two standard serial ports and one parallel port.

The 1603H, which uses the same components, is an upgraded version of the TS-1603. In this version, a 10-megabyte hard disk is added to its configuration for greater storage density.

#### **Hewlett-Packard**

The *HP85B* becomes a more completely configured system in this price range with the addition of a serial port. This gives the user the option of interfacing this small-computer system with a printer or a modem.

Meanwhile, the HP86A reaches its full configuration with the addition of a second disk drive.

The HP87XM becomes more versatile with the addition of a 270K 3.5-inch microfloppy disk for storage.

The change made to the HP120/125 system finds this smallcomputer system's drives changed to 5<sup>1</sup>/<sub>4</sub>-inches.

#### NEC

The PC-8800 is becoming fully configured at this point. In this version, the PC-8800 is still only a CP/M-compatible machine and uses dual 8-inch floppy disk drives for storage. The upgrade to this version adds a high-resolution color monitor. The 14-inch color display is capable of 640- by 400-dot color resolution or an 80-character by 25-line text mode.

#### **Texas Instruments**

Both the color version of the TI Professional Computer and the monochrome version are upgraded.

The first upgrade to the color version is the addition of a second 320K minifloppy-disk drive.

The second upgrade to that system brings the amount of user memory up to 128K.

The monochrome version reaches its fullest memory configuration—for our supplement—with its upgrade to 256K of RAM.

#### North Star

The *Horizon* micromainframe system becomes much more powerful with the addition of a 5-megabyte hard disk. The advantage of a Winchester disk is its rapid data-retrieval capability and its voluminous storage.

The Advantage also gains much more storage capability with the addition of a hard-disk system.

#### **IBM**

The IBM Personal Computer reaches its full configuration in this price category by having its on-board RAM memory in1983

DCTOBER

TABLE 1-\$4000-\$4500					-	
Manufacturer	Model	Price	CPU	Word Length	Operating System	Languages
Wang Laboratories	Professional Computer	\$4030	8086	16-bit	MS-DOS, CP/M emulation	BASIC, COBOL, Fortran, Pascal
Texas Instruments	Professional Computer	\$4065	8088	16-bit	MS-DOS, CP/ M-86, UCSD p- System	Macro Assembler, BASIC, COBOL, FORTRAN, Pascal
Texas Instruments	Professional Computer	\$4070	8088	16-bit	NIS-DOS, CP/ M-86, UCSD p- System	Macro Assembler, BASIC, COBOL, FORTRAN, Pascal
IMS International	5000×16	\$4100	8088	16-bit	MS-DOS, CP/ M-86	BASIC, COBOL, Fortran, Pascal
ТВМ	IBM-PC	\$4172	8088	16-bit	PC-DOS (MS- DOS), CP/ M-86, UCSD p- System	CO8OL, FORTRAN, BASIC, MACRO assembler, Pascal
Hewlett-Packard	HP85B	\$4185	Not announced		Proprietary	BASIC, assembler
Hewlett-Packard	HP87XM	\$4195	Not announced		UCSD p-Sys- tem, CP/M	BASIC, Pascal, Fortran
NEC Home Electronics	PC-8800	\$4196	Z80A-compatible	8-bit	CP/M	BASIC
NEC Information Syst.	APC	\$4198	8086	16-bit	CP/M-86, MS- DOS	BASIC, COBOL, FOR- TRAN, PASCAL, Assem.
Zenith Data Systems	ZF-100	\$4198	8085/8088	8/16-bit	CP/M, ZDOS (proprietary)	BASIC, COBOL, FORTRAN
Digital Equipment Corp.	DECmate II	\$4240	PDP-8 micro- processor, Z80	8/16-bit	CP/M-86, MS- DOS, Proprie- tary	Not announced
IMS International	5000IS16	\$4250	8088	15-bit	MS-DOS, CP/ M-86	BASIC, COBOL, Fortran, Pascal
Hewlett-Packard	HP120/125	\$4275	Z80A	8-bit	CP/M	BASIC, assembler
Hewlett-Packard	HP86A	\$4320	Not announced	8-bit	UCSD p-Sys- tem, CP/M	BASIC, Pascal, Fortran
Sord Computer	M23 Mark V C	\$4330	Z80A		Proprietary, CP/ M-compatible	BASIC, Pascal, Fortran
Computer Devices Inc.	DOT-3000B	\$4344	8088	16-bit	MS-DOS	BASIC, Fortran, COBOL, Pascal, assembler
Texas Instruments	Professional Computer	\$4365	8088	16-bit	MS-DOS, CP/ M-86, UCSD p- System	Macro Assembler, BASIC, COBOL, FORTRAN, Pascal
Vector Graphic Inc.	Vector 4/20	\$4395	Z80B, 8088	8/16-bit	CP/M-86, MS- DOS (optional), CP/M	Not announced
Durango Systems	Рорру	\$4395	80186	16-bit	MS-DOS, CP/ M-86, MP/ M-86, Xenix	Not announced
Sage Computer Tech.	Sage II	\$4400	MC68000	16/32-bit	UCSD p-Sys- tem, CP/M-86K, Modula 2, Hyper-FORTH	BASIC, Fortran, Pascal, as- sembler
Radio Shack	TRS-80 Model III Desktop	\$4443	Z80A	8-bit	TRSDOS	BASIC, COBOL, Fortran, Assembler
TeleVideo Systems	TS 1603H	\$4495	8088	16-bit	MS-DOS, CP/ M-86	COBOL
Eagle Computer Inc.	Eagle 1620	\$4495	8086	16-bit	MS-DOS, CP/ M-86	aptional
Eagle Computer Inc.	Eagle PC-XL	\$4495	8088	16-bit	CP/M-86, MS- DOS	optional
TeleVideo Systems Inc.	TS 1602G	\$4495	8088	16-bit	CP/M-86, MS- DOS	COBOL
North Star Computers	Horizon	\$4499	Z80A	8-bit	TSS/C (Proprie- tary CP/M-like)	Not announced
North Star Computers	Advantage	\$4499	Z80A	8-bit	CP/M, GDOS	BASIC, Fortran, COBOL, Pascal

Memory/Storage	Keyboard	I/O	Display	Comments
128K/2 360K DS/DD 5 ¼" floppy drives	101 keys, 16 program- mable, 18-key keypad	1 parallel, 1 serial	monochrome CRT/ 800 × 300 graphics capability	second drive, display and adapter, graphics adapter
64K/2 320K DS/DD 5 1/4"	97 keys, 17-key keypad,	1 parallel, 1 serial	13-inch color CRT/720 ×	2nd drive drive added to col
floppy drives	12 special function		300 res., 80 $\times$ 25 display	version
256K/2 320K DS/DD 5 1/4" floppy drives	97 keys, 17-key keypad, 12 special function	1 parallel, 1 serial	12-inch monochrome CRT/720 × 300 res., 80	64K added to 2 drive mono chrome system
256K/2 409K DS/DD half-	N/A	2 serial, 3 parallel	× 25 display N/A	basic micromainframe sys-
height 5 1/4" floppy drives				tem with dual disk drives
256K/2 320K DS/DD 5 1/4" drives	59 keys, 10 special func- tion, 20-key keypad	1 serial, 1 parallel	12-inch high-res. color dis- play/80 × 25 text	memory expanded to 256K color version
160K/tape drive/electronic (RAM) disk	58 keys, 20-key keypad, 8 special function	1 serial	built-in 5" CRT/256 × 192	serial port added
128K/1 270K 3.5-inch	59 keys, 2Q-key keypad,	multipurpose port	graphics, text monchrome CRT, 80 × 24	3 12-inch drive added
micro drive 64K/2 1 MB DS/DD 8" flop-	14 special function 81 keys, 5 multifunction,	1 parallel, 1 serial	text 14-inch color CRT/640 ×	color display added
py drives 128K/2 1MB 8-inch half-	10-key keypad		400 res./ 80 × 25 text -	
height DS/DD drives	66 keys, 25-key keypad, 23 function	1 parallel, 1 serial	color/640 × 200 mono res., 160 × 100 16-color, 320 × 200 4-color 80 × 25 text	color CAT added
128K/2 320K DS/DD 5 1/4" drives	77 keys, 18-key keypad, 13 special function	2 serial, 1 parallel	color CRT 640 × 225 high-res., 80 × 25 lines	high-res. color CRT added
64K/2 400K 5 1/4" floppy drives	58 keys, special func- tion, 14-key keypad	1 serial, 1 RS-423 syn- chronous	monochrome CRT80 × 25 text	basic system
256K/2 409K DS/DD half- height 51/4" floppy drives	64 keys, 14 special func- tion, 19-key keypad	1 serial	monochrome CET/80 × 24 text mode	basic system
64K/1 248K 5 ¼″ floppy drive	58 keys, 8 special func- tions, programmable keys	2 serial, 1 IEEE-488	9- or 12- monochrome CRT/80 × 25 text	drive changed to 5 % inches
64K/2 270K 5 1/4" drives	59 keys, 20-key keypad, 14 special function	1 parallel	9" monochrome CRT/80 ×	2nd 5 ¼ <sup>*</sup> drive added
128K/2 1MB 8" drives	59 keys, 20-key keypad,	2 serial, 1 parallel	25 text 14-inch color CRT	dual 8-inch drives
128K/2 3.5" 280K micro	9 special function 59 keys, 10 function	2 serial	monochrome (built-in)/80	2 serial ports, 2nd drive add
floppy drives 128K/2 320K DS/DD 5 1/4"	keys. 18-key keypad 97 keys, 17-key keypad,	1 parallel, 1 serial	× 24 text 13-inch color CRT/720 ×	ed 64K memory added to 2-
floppy drives	12 special function	· paranet, · certai	300 res., 80 × 25 display	drive color version
128K/ 2 630K 5 ¼" floppy drives	91 keys, 15 special func- tion, 18-key keypad	2 serial, 1 parallel	12-inch mcnochrome CRT/80 × 24 text/640 × 312 graphics	2nd 630K drive
128K/2 800K 5 ¼" floppy disk drives	64 keys, 8 special func- tion, 14-key keypad	1 serial, 1 parallel	monochrome CRT/80 × 25 text	16-bit system
128K/2 640K 5 ¼" floppy drives	NA	2 serial, 1 RS-488, 1 parallel	N/A	storage expands to 1.28MB with second drive
48K/1 184K 5 ¼" floppy drive/5MB hard disk	64 keys, 12-key keypad	1 parallel, 1 serial	12-inch monochrome/64 (32) × 16 text mode	hard disk drive (5MB) adde
128K/1 1MB DS/DD 5 ¼" floppy drive/1 5 ¼" 10MB hard c sk	72 keys, 16 program- mable, 16-key keypad	2 serial, 1 serial RS-422 port	14-inch monochrome/80 × 25 text	hard disk system added to TS 1603
128K/2 DS/DD 780K (96 tpi) 5 ¼" floppy drives	105 keys	2 serial, 2 parallel	12-inch high-res. mono- chrome/720 × 352 capability/80 × 25 text mode	base system
128K/1 320K DS/DD 5 ¼" floppy drive/1 10MB hard disk	105 keys	2 serial, 1 parallel	12-inch high-res. mono- chrome/720 × 352 capability/80 × 25 text mode	fully configured base system
128K/2 1MB DS/DD 5 1/4" floppy drives	72 keys, 16 program- mable, 16-key keypad	2 serial, 1 serial RS-422 port	14-inch monochrome/80 × 25 text	base system
64K/1 360K 5 ¼" DS/DD floppy/5MB hard disk	N/A	2 serial, 1 parallel	N/A	micromainframe storage grows with addition of 5 MB hard disk
64K/1 360K DS/DD 5 ¼" floppy drive/5MB hard disk	49 keys, 14-key keypad, 15 function keys	1 parallel, 1 serial	12-inch monochrome CRT/640 × 240 graphics res./80 × 24 text mode	hard disk added

creased to 256K. This upgrade allows the PC to take efficient advantage of the many powerful 16-bit programs now on the market. By this point in this system's expansion we have already added a color display, I/O ports, disk drives, and all the other features necessary to make it a full-featured system.

#### Zenith

The low-profile Zenith Z-100 becomes a color graphicscapable system with the addition of a high-resolution colorvideo display. Capable of a 640- by 225-dot resolution, this display is also capable of an 80-character by 25-line text mode.

#### Sord

Although the M23 Mark V C small-computer system bears another name at this point, it is actually an upgrade to the overall M23 system. At this point, the system has gained dual 1megabyte 8-inch floppy-disk drives for storage. This fully configured system is now aimed more at the business user than the home computer hobbyist and the potential 2 megabytes of storage provide more than enough to meet the needs of most small businessmen.

#### **Radio Shack**

At this point, the *Model III* system reaches its fullest configuration with the addition of a 5-megabyte hard disk. This same disk can also be added to the *Model 4*, whose price is just about the same as the *Model III*. The key advantage to a harddisk system is the increase in data access and storage speed and a secondary advantage is the massive storage capabilities of such a system.

#### Sage

The micromainframe Sage II has its potential storage capacity increased to 1.28 megabytes with the addition of a second 640K minifloppy disk.



#### **Computer Devices**


The DOT-3000B, another variation of the DOT series of transportable microcomputers, becomes fully configured at this point with the addition of two serial ports and a second disk drive.

The serial ports give this small-computer system input/output capability and allow it to be connected to a variety of peripheral devices, including printers, plotters, and modems.

#### Wang

In this configuration, the Wang *Professional Computer* reaches its full capability as a color-graphics machine. This upgrade involves more than one item and includes the addition of a second 360K double-sided, double-density minifloppy-disk drive for mass storage; an 800- by 300-dot color-graphics monitor and the adapter needed to support this monitor. **R-E** 

#### BUILD YOUR COMPUTER BREADBOARDS & INTERFACES FASTER AND EASIER WITH NEW VECTOR PLUGBORDS



<u>New</u> 4613 series – for IBM Personal Computer. Three models available.

<u>New</u> 4614, 4615 series – for VME Bus. Six models available.

4610 series – for STD-Bus. Three models available.

4608 series – for Multibus solderable, or unpatterned.

8804 series – for S-100. Seven models available.

4607 - for DEC LSI-11/PDP8-11, Heath-11.

4609 — for Apple II, Super-Kim, Pet Commodore with Expandamem.


4350 - for TI 980

Extenders

4611 series – for Motorola Exorciser

748209

VECTOR ELECTRONIC COMPANY, Inc., 12460 Gladstone Ave., P.O. Box 4336, Sylmar, CA 91342-0336; (213) 365-9661 See us at Wescon Booths 1717 & 1719





The machines we'll discuss here are the most powerful—and the most expensive.

# **Over \$4500**

MARC STERN

AT THIS POINT IN OUR BUYER'S GUIDE, YOU WILL NOTICE MORE and more systems with hard—Winchester—disks for storage. These devices offer a manyfold increase in data access and storage speed. Usually, storage densities begin at a minimum of 5-megabytes and increase rapidly from there. This is a minimum of a fifteenfold increase in data density over a 300K doublesided, double-density minifloppy disk. Since hard disks rotate much faster than the average minifloppy or even an 8-inch floppy, data access time is quicker. This means that you can load a program from a hard-disk system much quicker than you can load the same program from a floppy-disk system.

One of the most attractive features of the hard disk—besides its data-storage capability—is that a few of these devices have been trimmed down to  $5\frac{1}{4}$  inches, and are no larger than the minifloppy drives they replace.

Many new machines make their debut in this category, and there are upgrades of existing systems. Most of the new machines are from manufacturers we have already discussed in earlier sections of this report. So rather than first looking at the new machines, we'll look at all the offerings from each manufacturer, and put the new ones at the opening of each set.

#### **Hewlett-Packard**

A new machine makes its appearance in this price category, the *HP200*, the top-of-the-line HP small-computer system, for our supplement's purposes. This system is not only introduced here, but also upgrades several times in this category.

Based on the Motorola MC68000 CPU, this powerful machine has 128K of standard user memory. Operating under the powerful UNIX multiuser operating system, this system includes one 3.5-inch 270K microfloppy-disk drive as standard.

Programmable in BASIC, Pascal, and HPL, this and other data are entered via a keyboard featuring 57 typewriter keys and five keys offering a total of 10 definable functions. User output

is displayed on a standard 9-inch 80-character by 25-line monochrome display. Other input and output functions are handled via a standard serial port or an IEEE-488 generalpurpose interface port. This second port allows the *HP200* to be interfaced with a wide variety of test, measurement, scientific, and other peripherals.

This system also upgrades three times in this price realm. In its first significant change, the size of the drive increases from 3.5 inches to the more standard 5<sup>1</sup>/<sub>4</sub>-inch drive. The second upgrade adds a second 3.5-inch microfloppy-disk drive for storage. The third reconfiguration merely changes the size of the disk drive from a microdrive to a more standard 5<sup>1</sup>/<sub>4</sub>-inch unit.

The HP120/125 upgrades twice in this category. In the first upgrade, a second 248K 3.5-inch microfloppy drive is added to this system's configuration. The second reconfiguration increases the size of the disk to a more standard 5<sup>1</sup>/<sub>4</sub>-inch drive. But there's no increase in storage.

The *HP87XM* has three changes in its configuration, two of which deal with  $5\frac{1}{4}$ -inch drives, and a third that deals with a microfloppy drive. Looking at the most important change first, the *HP87XM* gains a second 270K microfloppy-disk drive.

The two changes involving  $5\frac{1}{4}$ -inch drives merely involve an increasing drive size to a more standard size configuration. The *HP85B* becomes even more versatile when an IEEE-488 port is added. It allows the user to interface this small-computer system with a number of test, measurement, and manufacturing instruments, as well as other peripherals.

For the HP86A, the upgrade increases user memory to 128K.

#### **Texas Instruments**

The TI Professional Computer undergoes four upgrades in this price category. In the first upgrade, the color PC has its user memory expanded to 192K by adding 64K of RAM. At this level a user can configure a portion of that RAM into a pseudo-disk or

#### TABLE 1-\$4500 AND UP

Manufacturer	Model	Price	CFU	Word Length	Operating System	Languages
Hewlett-Packard	HP87XM	\$4515	Not announced		UCSD p-Sys	BASIC, Pascal, FORTRAN
Hewlett-Packard	HP120/125	\$4550	Z80A	8-bit	tem, CP/M CP/M	BASIC, Assembler
Texas Instruments	Professional Computer	\$4565	8088	16-bit	MS-DOS, CP/M-86, UCSD p-System	Macro Assembler, BASIC, COBOL, FORTRAN, Pascal
Hewlett-Packard	H85B	\$4580	Not announced		Proprietary	BASIC, Assembler
Docutel/Olivetti Corp.	M20	\$4610	Z8001	16-bit	PCOS (Prot. Computer Op- erating Sys.)	BASIC
Gavilan Computer Corp.	Gavilan	\$4690	8088	16-bit	MS-DOS	BASIC, Pascal
IMS International	5000SX	\$4 <b>70</b> 0	280	8-bit	CP/M, MP/M TurboDOS	BASIC, COBOL, FORTRAN, Pascal
NEC Home Electronics	PC-8800	\$4746	Z80A-compati- ble/8086	8/16-bit	CP/M, CP/ M-86, MS-DOS	BASIC
Texas Instruments	Professional Computer	\$4765	8088	16-bit	MS-DOS, CP/M-86, UCSD p-System	Macro Assembler, BASIC, COBOL, FORTRAN, Pascal
Hewlett-Packard	HP86A	\$4770	Not announced		UCSD p-Sys- tem, CP/M	BASIC, Pascal, FORTRAN
Hewlett-Packard	HP87XM	\$4770	Not announced		UCSD p-Sys- tem, CP/M	BASIC, Pascal, FORTRAN
IMS International	8000SX	\$4780	Z80	8-bit	CP/M, MP/M TurboDOS	BASIC, COBOL, FORTRAN, Pascal
Radio Shack	TRS-80 Model III	\$4790	Z80A	8-bit	TRSDOS	BASIC, COBOL, FORTRAN, Assembler
Sony	SMC-70	\$4820	Z80A	8-bit	ĊP/M	BASIC, CB-80, Pilot Plus
Honeywell, Inc.	microSystem 6/10	\$4870	Proprietary (Micro 6)/8086	16-bit	Proprietary, MS-DOS, CP/M-86	BASIC
North Star Computers	Advantage 8/16	\$4899	Z80A/8088	8/16-bit	MS-DOS, GDOS	BASIC, FORTRAN, COBOL, Pascal
Sord Computer	M68	\$4899	M68000/Z80A	8/16/32-bit	Proprietary, CP/M-compatible	BASIC, Pascal, FORTRAN
IBC/Integrated Bus. Comp.	Cadet	\$4925	Z80	8-bit	OASIS. CP/M. MP/M, MVT- FAMOS	Not announced
Computer Devices Inc.	DOT-3000D	\$4943	8088	16-bit	MS-DOS	BASIC, FORTRAN, COBOL, Pascal, Assemble
Computer Devices Inc.	DOT-3000C	\$4943	8088	16-bit	MS-DOS	BASIC, FORTRAN, COBOL, Pascal, Assembler
Athena Computer	Athena I	\$4950	NSC-800 (low- power Z80)	8-bit	CP/M	Pascal
Gavilan Computer Corp.	Gavilan	\$4970	8088	16-bit	MS-DOS	BASIC, Pascal
Hewlett-Packard	HP120/125	\$4975	Z80A	8-bit	CP/M	BASIC, Assembler
Altos Computer Systems	ACS8000-15	\$4990	Z80A	8-bit	CP/M	BASIC, COBOL, Fortran, SOFTBOL Pascal,
ІВМ	IBM-PC XT	\$4995	8088	16-bit	PC-DOS (MS- DOS), CP/ M-86, UCSD p- System	COBOL, FORTRAN, BASIC, Macro Assembler Pascal
Durango Systems	Рорру	\$4995		16-bit	MS-DOS, CP/ M-86, MP/ M-86, Xenix	Not announced
Toshiba America	T250-5	\$4995	Z80	8-bit	CP/M	BASIC
Columbia Data Products	1600-4	\$4995	8088	16-bit	MS-DOS	BASIC, Assembler
Ithaca Intersystems	Encore	\$4995	Z80B	8-bit	CP/M	Not announced
Digital Equipment Corp.	Professional 350	\$4995		16-bit	Proprietary, CP/M optional	Not announced
The second s			microprocessor		OF/W Optional	

	Memory/Storage	Keyboard	I/O	Display	Comments
	128K/1 270K 5 ¼" drive	59 keys, 20-key keypad,	multipurpose port	8" monochrome CRT/80 ×	drive changed to 5 1/4 inches
		14 special function		25 text 9" or 12" monochrome CRT/	2nd microdrive added
	64K/2 3.5-inch 248 microdrives	58 keys, 8 special func- tions, programmable keys	2 serial, 1 IEEE-488	9" or 12" monochrome CRT/ 80 × 25 text	End microunve added
	192K/2 320K DS/DD 5 1/4"	97 keys, 17-key keypad,	1 parallel, 1 serial	13-inch color CRT/720 ×	memory expanded to 192K
	floppy drives	12 special function		300 res., 80 × 25 display	
	160K/tape drive/electronic disk	58 keys, 20-key keypad, 8 special function	1 serial, 1 general pur- pose port	graphics, 32 × 16 text	general purpose port
þ	160K/2 360K 5 ¼" floppy drives	72 keys, 16-key keypad	1 serial, 1 parallel	12-inch high-res. mono- chrome/80 × 25 text mode	2nd drive added, memory up- grade to 160K
	32K/2 320K 3" microfloppy disk drives	61 key board, 10-key keypad	1 serial	66-character × 8-line liq- uid crystal display/touch panel	second drive
	64K/1 409K DS/DD half- height 5 ¼" drive/6MB hard	N/A	2 serial, 3 parallel	N/A	micromainframe system
	disk 128K/2 1MB DS/DD 8" floppy drives	81 keys, 5 multifunction, 10-key keypad	1 parallel, 1 serial	14-inch color CRT/640 × 400 res./80 × 25 text	color display added
	256K/2 320K DS/DD 5 1/4"	97 keys, 17-key keypad,	1 parallel, 1 serial	13-inch color CRT/720 ×	memory expanded to 256K
	floppy drives	12 special function		300 res., 80 $\times$ 25 display	
		59 keys, 20-key keypad. 14 special function	1 parallel	9" monochrome CRT/80 × 25 text	
	128K/2 270K 3.5-inch mi-	59 keys, 20-key keypad,	multipurpose port	8" monochrome CRT/80 ×	2nd drive added
-	crodrives for storage 64K/2 1.2MB 8" DS/DD	14 special function	2 serial, 3 parallel	25 text N/A	micromainframe system
	half-height floppy driv- es/6MB hard disk		2 sonal, o parallel		and a state of the system
	48K/2 184K 5 ¼" floppy drives/5MB hard disk	64 keys, 12-key keypad	1 parallel, 1 serial	12-inch monochrome/64 (32) × 16 text mode	hard disk drive (5MB) added
	64K/2 280K 3.5" microflop-	72 keys, keypad, 9	1 parallel, 1 serial	12-inch green CRT/80 × 25 text	hard disk and interface unit added, 1 microdrive deleted
	py/5.7MB hard disk 128K/1 5 ¼" floppy disk	special function standard, keypad,	2 serial, 1 parallel	12-inch monochrome CRT	basic system
	drive	function keys			
	128K/1 360K DS/DD 5 1/4" floppy drive/5MB hard disk	49 keys, 14-key keypad, 15 function keys	1 parallel, 1 serial	12-inch monochrome CRT/640 × 240 graphics res./80 × 24 text mode	5MB hard disk
	256K/2 1.2M 5 ¼" drives	Typewriter style, keypad, function keys	2 serial, 1 parallel, 1 IEEE-488	12-inch green CRT/80 × 25	base configuration
	64K/1 1MB floppy disk drive	N/A	Not announced	N/A	micromainframe system
	256K/2 3.5" 280K micro floppy drives	59 keys, 10 function keys, 18-key keypad	2 serial	monochrome (built-in)/80 × 24 text	user memory expanded to 256K
	128K/2 3.5" 280K micro floppy drives	59 keys, 10 function keys, 18-key keypad	2 serial	monochrome (built-in)/80 $\times$ 24 text	integral printer, 128K memory
	68K/1MB of RAMdisk stor-	standard	2 serial, 1 parallel	80-character × 4-line liq-	1MB RAM-disk
	age/1 DD 5 1/4" floppy included			uid crystal display/external CRT connector	
	96K/2 320K 3" microfloppy disk drives	61 key board, embed- ded 10-key keypad	1 serial	66-character × 8-line liq- uid crystal display/touch panel	64K memory added
	64K/2 248K 5 ¼" drives	58 keys, 8 special func- tions, programmable keys	2 serial, 1 IEEE-488	9" or 12" monochrome CRT/80 × 25 text	2nd drive added
	208K/2 500K SS/DD flop- py drives	N/A	6 serial, 1 parallei	N/A	micromainframe
	128K/1 DS/DD 5 ¼" floppy drive/10MB hard disk	59 keys, 10 special func- tion, 20-key keypad	1 parallel		basic system
	256K/2 800K 5 ¼" floppy disk drives	64 keys, 8 special func- tion, 14-key keypad	1 serial, 1 parallel	monochrome CRT/80 × 25 text	user memory increased to 256K
	64K/ 1 8-inch DS/DD drive, 1 5MB hard disk	not announced	riot announced	not announced	hard disk added
	128K/1 320K 5 ¼" floppy disk drive/12MB hard disk	83 keys, 10 special func- tion, keypad	2 serial, 1 parallel	12-inch monochrome CRT/80 × 25 text	hard disk added for greater storage
	128K/2 SS/DD 5 1/4" floppy	N/A	Not announced	N/A	micromainframe system
	disk drives 256K/1 400K 5 ¼" floppy drive	58 keys, special func- tion, 14-key keypad	1 serial, 1 RS-423 syn- chronous	monochrome CRT/80 × 25 text	system box enlarged for hard disk
		,	The second s		

#### TABLE 1-\$4500 AND UP (continued)

lanufacturer	Model	Price	CPU		h Operating System	
anyo	MBC 3000	\$4995	Z80A	8-bit	CP/M, TS-DOS	BASIC, Pascal, FORTRAN, Macro-80
ifford Systems	100	\$4995	8085/8088	8/16-bit	CP/M, CP/M-86	Not announced
ladio Shack	Model 16	\$4999	MC68000/Z80A	8/16/32-bit	Proprietary	Assembly
eleVideo Systems Inc.	TS 1602G	\$5090	8088	16-bit	CP/M-86, MS- DOS	COBOL
MS International	5000SX	\$5090	Z80	8-bit	CP/M, MP/M	BASIC, COBOL, FORTRAN,
				Real Providence	TurboDOS	Pascal
MS International	5000IS	\$5100	Z80	8-bit	CP/M, MP/M TurboDOS	BASIC, COBOL, FORTRAN, Pascal
Apple Computer	Apple III	\$5164	6502B	8-bit	Apple SOS	BASIC, Pascal
Hewlett-Packard	HP200	\$5185	MC68000	16/32-bit	UNIX	BASIC, Pascal, HPL
Hewlett-Packard	HP87XM	\$5225	Not announced		UCSD p-Sys-	BASIC, Pascal, FORTRAN
Gavilan Computer Corp.	Gavilan	\$5240	8088	16-bit	tem, CP/M MS-DOS	BASIC, Pascal
aanan oomparet ee p	Gavian	WOL	0000	10 01	nio b c c	Drivity, russu.
Canon USA	AS100	\$5245	8088	16-bit	MS-DOS, CP/	BASIC, COBOL
					M-86	
Sony	SMC-70	\$5340	<b>Z8</b> 0A	8-bit	CP/M	BASIC, CB-80, Pilot Plus
Apple Computer	Apple III	\$5364	6502B	8-bit	Apple SOS	BASIC, Pascal
APP-10-1-1						
Columbia Data Products	1600-4	\$5440	8088	16-bit	MS-DOS	BASIC, assembler
NEC Information Syst.	APC	\$5446	8086	16-bit	CP/M-86, MS-	BASIC, COBOL, FOR-
				8-bit	DOS CP/M, MP/M	TRAN, PASCAL, Assem. BASIC, COBOL, FORTRAN,
IMS International	5000IS	\$5490	Z80	8-Dit	TurboDOS	BASIC, COBOL, FORTRAN, Pascal
Texas Instruments	Professional	\$5490	8088	16-bit	MS-DOS, CP/	Macro Assembler, BASIC,
exas mou union o	Computer	wo	0000		M-86, UCSD p-	COBOL, FORTRAN, Pascal
Altos Computer Systems	5-5D	\$5490	Z80A	8-bit	CP/M	BASIC, COBOL, Pascal,
CompuPro Division	System 816/A	\$5495		8/16-bit	CP/M, CP/M-86	FORTRAN, SOFTBOL
Vector Graphic Inc.	Vector 4/30	\$5495	Z80B/8088	8/16-bit	CP/M-86, MS- DOS (optional),	Not announced
		25.100		2110111	CP/M	
Zenith Data Systems	ZF-100	\$5499	8085/8088	8/16-bit	CP/M/ZDOS (proprietary)	BASIC, COBOL, FORTRAN
IMS International	5000X16	<b>*5500</b>	8088	16-bit	MS-DOS, CP/	BASIC, COBOL, FORTRAN,
MS International	5000210	\$5500	8088	16-Dit	MS-DOS, CP/ M-86	Pascal
Hewlett-Packard	HP2C0	\$5505	MC68000	16/32-bit	UNIX	BASIC, Pascal, HPL
Computer Devices Inc.	DOT-3000E	\$5542		16-bit	MS-DOS	BASIC, Fortran, COBOL, Pascal, assembler
IMS International	8000X16	\$5580	8088	16-bit	MS-DOS, CP/ M-86	BASIC, COBOL, FORTRAN, Pascal
Gifford Systems	100+	\$5595	5 8085/8088	8/16-bit	CP/M, CP/M-86	Not announced
Zenith Data Systems	Z-120	\$5599	8085/8088	8/16-bit	CP/M/ZDOS	BASIC, COBOL, FORTRAN
	ZF-100	6. CX		8/16-bit	(proprietary) CP/M/ZDOS	BASIC, COBOL, FORTRAN
Zenith Data Systems		\$5638			(proprietary)	
IMS International	5000IS16	\$5650	8088	16-bit	MS-DOS, CP/ M-86	BASIC, COBOL, FORTRAN, Pascal
	THE DO NT		2000	10.53		
IBM	IBM-PC XT	\$5675	5 8088	16-bit	PC-DOS (MS- DOS), CP/	COBOL, FORTRAN, BASIC, Macro Assembler,
					M-86, UCSD p-	Pascal
Hewlett-Packard	HP200	\$5760	MC68000	16/32-bit	System UNIX	BASIC, Pascal, HPL

	Memory/Storage	Keyboard	1/0	Display	Comments
	64K/2 8" DS/DD drives,	59 keys, 22 program- mable, 18-key keypad	2 serial, 1 parallel	12-inch monochrome/80 × 25 text mode	basic system
-	1MB per drive 64K/2 1.2MB 8" DS/DD 8"	N/A	1 serial	user option	micromainframe
	floppy drives				
	128K/1.25MB 8" floppy disk	76 keys, numeric keypad	2 serial, 1 parallel	12" green monochrome, 80 x 24 text	basic system
-	256K/2 1MB DS/DD 5 1/4"	72 keys, 16 program-	2 serial, 1 serial RS-422	14-inch monochrome/80 ×	256K memory added
	floppy drives	mable, 16-key keypad	port	25 text	
	64K/2 409K DS/DD half- height 5 ¼" floppy driv- es/6MB hard disk	N/A	2 serial, 3 parallel	N/A	second floppy drive added
	64K/1 409K DS/DD floppy	64 keys, 14 special func-	1 serial	monochrome CRT/80 ×	storage Increased with addi-
-	drive/6MB hard disk	tion, 19-key keypad		24 text mode	tion of 6MB hard disk
	128K/1 140K SS/DD 5 1/4" floppy drive/hard disk drive	61-key typewriter, 13-key keypad, 2 program-	1 serial, 2 game control- ler, 1 parallel	12-inch CRT/280 ×	hard disk (Winchester drive) added to 128K Apple III
	hoppy unvertiard disk unve	mable	ier, i parallel	192/560 × 192 graphics cap./80 × 24 text	added to 126K Apple III
_	128K/1 3.5-inch 270K mi-	57 keys, 10 definable	1 serial, 1 multipurpose	9" monochrome CRT/80 ×	3.5-inch microfloppy added
	crofloppy drive	functions on 5 keys	IEEE-488 port	25 text	0.1000000000000000000000000000000000000
	128K/2 270K 5 ¼" drives	59 keys, 20-key keypad, 14 special function	multipurpose port	8" monochrome CRT/80 × 25 text	2nd 5 ¼-inch drive added
	160K/2 320K 3" microflop-	61 key board, embed-	1 serial	66-character × 8-line liq-	128K of user memory added
	py disk drives	ded 10-key keypad		uid crystal display/touch panel	
	Not announced/2 640K	standard	1 serial, 1 parallel	monochrome display/80 ×	2 eight-inch floppy drives
	DS/DD 5 ¼" floppy driv- es/2 8" floppies			25 text mode	
	64K/1 280K 3.5" microflop-	72 keys, keypad, 9	1 parallel, 1 serial	12-inch RGB high-res.	color CRT subsituted for dis-
	py/5.7MB hard disk	special function		color CRT	play
	256K/1 140K SS/DD 5 1/4"	61-key typewriter, 13-key	1 serial, 2 game control-	12-inch CRT/280 ×	hard disk (Winchester drive)
	floppy drive/hard disk drive	keypad, 2 program- mable	ler, 1 parallel	192/560 × 192 graphics	added to 256K Apple III
	256K/1 320K 5 ¼" floppy	83 keys, 10 special func-	2 serial, 1 parallel	cap./80 × 24 text 12-inch monochrome	user memory increase to
	disk drive/12MB hard disk	tion, keypad		CRT/80 × 25 text	256K
	128K/1MB, half-height DS/ DD drive, 10MB hard disk	66 keys, 25-key keypad, 23 function	1 parallel, 1 serial	monochrome/80 × 25 text	hard disk added to 1 drive monochrome model
	64K/2 409K DS/DD half-	64 keys, 14 special func-	1 serial	monochrome CRT/80 ×	2nd DS/DD floppy drive add-
	height 5 ¼" floppy driv- es/6MB hard disk	tion, 19-key keypad		24 text mode	ed
	256K/1 320K 5 ¼" DS/DD drive/5MB hard disk	97 keys, 17-key keypad, 12 special function	1 parallel, 1 serial	12-inch monochrome CRT/720 × 300 res., 80 × 25 display	hard disk added to mono- chrome unit
-	192K/1 1MB DS/DD 5 1/4" floppy	N/A	4 serial, 1 parallel	N/A	micromainframe
	128K/2 8-inch floppy driv-	N/A	4 serial, 1 parallel	user option	micromainframe
	es, 2.4MB storage	Of koup 45 anastal fur	Q oprial 4 percellat	10 inch monochrome	hard (Winchester) dist
	128K/ 1 630K 5 ¼" floppy drive/5 MB hard disk drive	91 keys, 15 special func- tion, 18-key keypad	2 serial, 1 parallel	12-inch monochrome CRT/80 × 24 text/640 × 312 graphics	hard (Winchester) disk
	192K/1 320K DS/DD 5 1/4	77 keys, 18-key keypad,	2 serial, 1 parallel	user option	memory increased to 192K
	drive/11.3 MB hard disk	13 special funct.			and hard disk added, one floppy deleted
	256K/1 409K DS/DD half- height floppy drive/6MB hard disk	N/A	2 serial, 3 parallel	N/A	micromainframe
	128K/1 270K 5 ¼" drive	57 keys, 10 definable functions on 5 keys	1 serial, 1 multipurpose IEEE-488 port	9" monochrome CRT/80 × 25 text	drive changed to 5 1/1"
	256K/2 3.5" 280K micro floppy drives	59 keys, 10 function keys, 18-key keypad	2 serial	monochrome (built-in)/80 × 24 text	256K memory, printer in- cluded
	256K/2 1.2MB 8" DS/DD	N/A	2 serial, 3 parallel	N/A	micromainframe
	half-height drives 128K/2 1.2MB 8" DS/DD 8"	N/A	1 serial	user option	memory capacity increased
	floppy drives 192K/1 320K DS/DD 5 1/4	77 keys, 18-key keypad,	2 serial, 1 parallel	built-in monochrome	to 128K hard disk, 92K of memory
	drive/11.3 MB hard disk	13 special funct.		$CRT/80 \times 25 \text{ text}$	added, 1 floppy deleted
	192K/1 320K DS/DD 5 ¼ drive/11.3 MB hard disk	77 keys, 18-key keypad, 13 special funct.	2 serial, 1 parallel	green monochrome CRT/80 × 25 text	monochrome CRT added
-	256K/1 409K DS/DD half-	64 keys, 14 special func-	1 serial	monochrome CRT/80 ×	hard disk added
	height 5 1/4" floppy drive/6 MB hard disk	tion, 19-key keypad		24 text mode	
	128K/1 DS/DD 5 1/4" floppy	59 keys, 10 special func-	1 serial, 1 parallel	12-inch monochrome/80 ×	monochrome CRT
	drive/10MB hard disk	tion, 20-key keypad		25 text	
-	128K/2 3.5-inch 270K mi-	57 keys, 10 definable	1 serial, 1 multipurpose	9" CRT/80 × 25 text	2nd 3.5-inch microfloppy add-
	crofloppy drives	functions on 5 keys	IEEE-488 port		ed ed
			2 C 2 C 2 C 2 C 2 C 2 C 2 C 2 C 2 C 2 C		

#### TABLE 1-\$4500 AND UP (continued)

Manufacturer	Model	Price	CPU	Word Length	<b>Operating System</b>	Languages
IMS International	8000SX	\$5780	Z80	8-bit	CP/M, MP/M TurboDOS	BASIC, COBOL, FORTRAN, Pascal
Radio Shack	Model 16	\$5798	MC68000/Z80A	8/16/32-bit	Proprietary	assembly
Sony	SMC-70	\$5820	Z80A	8-bit	CP/M	BASIC, CB-80, Pilot Plus
Gifford Systems	100	\$5870	8085/8088	8/16-bit	CP/M, CP/M-86	Not announced
MS International	5000X16	\$5890	8088	16-bit	MS-DOS, CP/ M-86	BASIC, COBOL, FORTRAN, Pascal
ВМ	IBM-PC XT	\$5919	8088	16-bit	PC-DOS (MS- DOS), CP/ M-86, UCSD p- System	COBOL, FORTRAN, BASIC, Macro Assembler, Pascal
Canon USA	AS100	\$5945	8088	16-bit	MS-DOS, CP/ M-86	BASIC, COBOL
Fujitsu Microelectronics	Micro 16	\$5990	Z80A 8086	8/16-bit	CP/M-86, Con- current CP/M/ MS-DOS op- tional	Not announced
Vector Graphic Inc.	Vector 4/40	\$5995	Z80B/8088	8/16-bit	CP/M-86, MS- DOS (optional), CP/M	Not announced
Durango Systems	Рорру	\$5995	80186	16-bit	MS-DOS, CP/ M-86, MP/ M-86, Xenix	Not announced
ſeleVideo Systems Inc.	TS 802H	\$5995	Z80A	8-bit	CP/M	COBOL
North Star Computers	Horizon	\$5999	Z80A	8-bit	TSS/C (Proprie- tary CP/M-like)	Not announced
North Star Computers	Advantage	\$5999	Z80A	8-bit	CP/M, GDOS	BASIC, FORTRAN, COBOL, Pascal
BM	IBM-PC XŤ	\$6005	8088	16-bit	PC-DOS (MS- DOS), CP/ M-86, UCSD p- System	COBOL, FORTRAN, BASIC, MACRO assembler, Pascal
MS International	5000IS16	\$6040	8088	16-bit	MS-DOS, CP/ M-86	BASIC, COBOL, FORTRAN, Pascal
Texas Instruments	Professional Computer	\$6185	8088	16-bit	MS-DOS, CP/ M-86, UCSD p- System	Macro Assembler, BASIC, COBOL, FORTRAN, Pascal
Zenith Data Systems	Z-100	\$6198	8085/8088	8/16-bit	CP/M/ZDOS (proprietary)	BASIC, COBOL, FORTRAN
lewlett-Packard	HP200	\$6215	MC68000	16/32-bit	UNIX	BASIC, Pascal, HPL
Sony	SMC-70	\$6340	Z80A	8-bit	CP/M	BASIC, CB-80, Pilot Plus
loneywell, Inc.	microSystem 6/10	\$6370	Proprietary (Micro 6)/8086	16-bit	Proprietary, MS-DOS, CP/ M-86	BASIC
Wang Laboratories	Professional Computer	\$6400	8086	16-bit	MS-DOS, CP/M emulation	BASIC, COBOL, FORTRAN Pascal
Gifford Systems	100+	\$6470	8085/8088	8/16-bit	CP/M, CP/M-86	Not announced
Fujitsu Microelectronics	Micro 16	\$6490	Z80A/8086	8/16-bit	CP/M-86, Con- current CP/M, MS-DOS op- tional	Not announced

virtual-memory disk, provided the system has the proper software. A greater part of this report was written with the assist of such a "disk."

The second upgrade brings the PC's user memory to 256K. The third upgrade to this system involves the monochrome PC. At this stage it reaches its maximum configuration, for our purposes, with the addition of a 5-megabyte hard-disk drive. This provides the user with denser storage and truly high-speed data access, storage and retrieval. The final change brings the color PC up to its fullest configuration with the addition of the 5-megabyte 5<sup>1</sup>/<sub>4</sub>-inch hard-disk drive.

#### Zenith

Zenith has four system configuration changes here. With the first, the user memory of the ZF-100 low-profile small-computer system increases to 192K and, at the same time, the

	Memon/Storage	Keyboard	1/0	Display	Comments
-	Memory/Storage 64K/1 1,2MB 8" DS/DD	N/A	2 serial, 3 parallel	N/A	ALLE CTE
	half-height floppy drive/6MB hard disk	N/A	2 serial, 3 parallel	N/A	BMB naro disk
	128K/slim-line 1.25MB 8- inch floppy disks	76 keys, numeric key- pad	2 serial, 1 parallel	12-inch green mono- chrome/80 × 24 text	2nd drive
ŀ	64K/1 280K 3.5" microflop- py/12.1 MB hard disk	72 keys, keypad, 9 special function	1 parallel, 1 serial	12-inch green CRT/80 × 25 text	12.1M8 hard disk
	64K/2 1.2MB 8" DS/DD 8" floppy drives	N/A	1 serial	standard terminal	micromainframe with user terminal attached
	256K/2 409K DS/DD half- height floppy drives/6MB hard disk	N/A	2 serial, 3 parallel	N/A	2nd floppy disk drive
	128K/1 DS/DD 5 ¼ <sup>#</sup> floppy drive/10MB hard disk	59 keys, 10 special func- tion, 20-key keypad	1 serial, 1 parallel	12-inch high-res. color dis- play/80 × 25 text	color display and adapter
	Not announced/2 640K DS/DD 5 ¼" floppy driv- es/2 8" floppies	standard	1 serial, 1 parallel	640 × 400 color graphics capability	2 eight-inch floppy drives added
	128K/2 320K DS/DD 5 ¼" floppy drives/20MB 5 ¼" hard disk	98 keys, separate nu- meric keypad, 10 programmable keys	1 serial, 1 parallel	80 × 25 text mode/640 × 200 graphics	hard disk added
	128K/1 630K 5 1/4" floppy drive/10MB hard disk drive	91 keys, 15 special func- tion, 18-key keypad	2 serial, 1 parallel	12-inch monochrome CRT/80 × 24 text/640 × 312 graphics	hard disk capacity increased to 10 MB
	128K/1 800K 5 ¼" floppy disk drive/10MB hard disk	64 keys, 8 special func- tion, 14-key keypad	1 serial, 1 parallel	monochrome CRT/80 × 25 text	hard disk added
1	64K/1 368K 5 ¼" DS/DD floppy drive/9.6MB hard disk	72 keys, 16 program- mable, 17-key keypad	2 serial, 1 serial RS-422 port	14-inch monochrome/80 × 25 text	hard disk
	64K/1 360K 5 ¼" DS/DD floppy/15MB hard disk	N/A	2 serial, 1 parallel	N/A	15MB hard disk
	64K/1 360K DS/DD 5 ¼" floppy drive/15MB hard disk	49 keys, 14-key keypad, 15 function keys	1 parallel, 1 serial	12-inch monochrome CRT/640 × 240 graphics res./80 × 24 text mode	15 MB hard disk
	256K/1 DS/DD 5 ¼" floppy drive/10MB hard disk	59 keys, 10 special func- tion, 20-key keypad	1 serial, 1 parallel	25 text	memory expanded to 256K
	256K/2 409K DS/DD half- height floppy drives/6MB hard disk	64 keys, 14 special func- tion, 19-key keypad	1 serial	monochrome CRT/80 × 24 text mode	2nd olsk added
	256K/1 320K 5 ¼" DS/DD drive/5MB hard disk	97 keys, 17-key keypad, 12 special function	1 parallel, 1 serial	13-inch color CRT/720 × 300 res., 80 × 25 display	hard disk added to color unit
	192K/1 320K DS/DD 5 ¼ drive/11.3 MB hard disk	77 keys, 18-key keypad, 13 special funct.	2 serial, 1 parallel	high-res. color CRT/80 × 25 text mode	color CRT added
	128K/3 270K 5 1/4" drives	59 keys, 20-key keypad, 14 special function	1 serial, 1 multipurpose IEEE-488 port	9" monochrome CRT/80 × 25 text	2nd 5¼" drive added
	64K/1 280K 3.5" microflop- py/12.1 MB hard disk	72 keys, keypad, 9 special function	1 parallel, 1 serial	12-inch RGB high-res. color CRT	color CHY subsituted for dis- play
	128K/2 5 1/4" floppy disk drives	standard, keypad, function keys	2 serial, 1 parallel	12-inch monochrome CRT	second high-density disk added
	128K/1 360K DS/DD 5 ¼" floppy drive/1 10MB hard disk	101 keys, 16 program- mable, 18-key keypad	1 parallel, 1 serial	monochrome CRT/graph- ics capability	hard disk
	128K/2 1.2MB 8" DS/DD 8" floppy drives	N/A	1 serial	standard terminal	terminal added
	1MB/2 320K DS/DD 5 ¼" floppy drives	98 keys, separate nu- meric keypad, 10 programmable keys	1 serial, 1 parallel	80 × 25 text mode/640 × 200 graphics	user memory expanded to 1MB

second minifloppy drive is swapped for an 11.3-megabyte harddisk drive, with all its advantages. The all-in-one Z-120 system also has the same changes in the second reconfiguration, while the low-profile system gains a high-resolution monochrome display in the third change to the models of this system.

The low-profile, monochrome hard-disk ZF-100 reaches its fullest configuration and capability as a color graphics-capable system by adding a 640- by 225-dot high-resolution color moni-

tor. This display handles an 80-character by 25-line text mode.

#### IBM

A new version of the IBM Personal Computer debuts in this price category, the PC-XT (Extended). Having the same essential specifications as the standard IBM PC-8088 CPU, PC-DOS, double-sided, double-density minifloppy-disk drive, 59 typewriter-style keys. 10 special-function keys and numeric

keypad—the new system differs in two key areas. First is that the amount of user memory is doubled from 64K to a standard 128K. The second change is an added standard 10-megabyte 5¼-inch hard-disk drive.

This system also has three configuration changes in this price range. The first one involves adding a high-resolution monochrome green display to the *PC-XT*. This monitor delivers a flicker-free detailed text display and is ideal for serious wordprocessing. In its next change, the *XT* becomes a color-graphics machine with the addition of a color adapter card and a highresolution 12-inch color monitor. The final expansion of this system brings the user memory up to 256K.

#### Apple

The 128K version of the *Apple III* becomes a far more versatile system with an added hard-disk drive. This gives the user higher-density, high-speed data storage and access. The last change to this system brings it to its full configuration. The 256K version of the *Apple III* includes a hard disk.

#### **Computer Devices**

The DOT-3000 series has several changes in this price category. The IBM-compatible transportable DOT-3000D adds RAM for a total of 256K.

The transportable *DOT-3000C*, retains the standard 128K user memory configuration, and becomes more versatile as the optional built-in printer capability is used and a printer is added. At once, a user has a complete system at his fingertips that can close up and travel with him.

The final version of this system, the *DOT-3000E*, brings both features together. The user memory is expanded to 256K, and the printer is also included.

#### Gavilan

The innovative, IBM-compatible, 8088-driven *Gavilan* lapcomputer system upgrades three times in this price range. In its first upgrade, this system becomes more versatile and flexible by adding a second 320K 3-inch microfloppy-disk drive. The second upgrade gives the user 96K of RAM by adding a 64K RAM memory add-on cartridge. When this is combined with the dual disk drives now included, this system becomes a truly versatile lap machine. In its final upgrade, memory capacity is increased to 160K.

#### **IMS International**

This microcomputer manufacturer has a variety of new machines debuting, as well as others that upgrade, in this price category. The micromainframe 5000SX system, driven by an



RADIO-ELECTRONICS

TI's PROFESSIONAL COMPUTER gains a RAM disk in this price range.

8-bit Z80 microprocessor, debuts with a 6-megabyte hard-disk system. Immediately, this increases the versatility of the system, which also has 64K of RAM. The standard minifloppy-disk drive for this system is a 409K, half-height double-sided, double-density unit.

Capable of operating under CP/M, MP/M (the multiuser version) or TurboDOS, this system is programmable in BASIC, COBOL, Fortran, or Pascal. Since it is a micromainframe system, terminal choice is up to the user. However, this system can also support a variety of input/output devices through two standard serial ports and three standard parallel ports. The system upgrades once in this category with an added second 409K half-height minifloppy drive. This makes backing up the contents of the hard disk far easier.

The 8000SX is another version of this micromainframe system and shares many of the same features with the 5000SX. The key difference is in the amount of floppy-disk storage. Instead of relying on minifloppy-disks, this system uses half-height, 8inch floppy-disk drives for storage. Their capacity is 1.2megabytes per drive and offer the user up to 2.4-megabytes of potential storage.

In this system's upgrade, the second floppy disk is replaced by a 6-megabyte hard-disk drive. This gives the user access to high-density, high-speed data access and retrieval. The Z80based 5000/S system upgrades in this price realm, too. This system, which operates under CP/M, MP/M, and TurboDOS and is programmable in BASIC, COBOL, Fortran, and Pascal, gains a 6-megabyte hard disk.

Also added to the configuration of the 5000IS—which has a keyboard containing 64 keys, 14 special-function keys, and a 19-key numeric keypad and a serial port, plus 64K of RAM, and a monochrome CRT—is a second 409K double-sided, double-density, half-height minifloppy, disk drive. It is in addition to the already-existing minifloppy and hard-disk drives.

The 16-bit 8088-based version of the 5000 system, the 5000X16, also has a 6-megabyte hard-disk drive added to its configuration. In this configuration, it has a single 409K double-sided, double-density minifloppy-disk drive, as well as the hard disk and 256K of user memory. This system operates under MS-DOS and CP/M-86 and, since it is a micromainframe, the terminal is a user option. It is programmable in BASIC, COBOL, Fortran, and Pascal. The second upgrade to this system adds a second minifloppy to speed hard-disk backup.

The 8000X16, which shares the same basic attributes as the 5000X16, differs in that it has a pair of half-height, 1.2-megabyte 8-inch floppy-disk drives, rather than the 51/4-inch units. The 50001S16, which is has the same basic mechanical attributes as the 50001S system, differs in that it has a 16-bit 8088 CPU and operates under MS-DOS and CP/M-86.

In its first upgrade in this price realm, this machine, with its 256K of user memory, gains a 6-megabyte hard disk for storage. This is in addition to the standard 409K, half-height, double-sided, double-density disk drive. The second upgrade adds a second half-height minifloppy drive.

#### Sony

The SMC-70 small-computer system upgrades four times in this price category. In the first upgrade, the SMC-70 gains a 5.7-megabyte hard-disk drive for data storage, while in the second, the system becomes a color computer, with an added 12-inch RGB high-resolution color monitor. The third upgrade to this system brings the capacity of the hard-disk drive to 12.1-megabytes, allowing much greater storage capability on the monochrome version of this system, while the fourth upgrade brings much greater hard-disk storage capability with the addition of the 12.1-megabyte unit to the color SMC-70.

#### Canon

The AS100 upgrades twice in this price range. The first upgrade adds two 8-inch floppy-disk drives to the system configuration, giving the user access to four disk drives for storage and increasing system capability. The second upgrade adds two 8-inch floppy disk drives to the configuration of the color AS100.

#### NEC

The *PC-8800*C small-computer system upgrades in this category. The 8-inch drive version of the *PC-8800* becomes a color graphics-capable machine when a 14-inch color monitor is added that can handle 640- by 400-dot resolution and an 80-character by 25-line text display.

#### Fujitsu

The *Micro 16* upgrades twice in this price category. The first step adds a 20-megabyte  $5\frac{1}{4}$ -inch hard disk for dense, high-speed data storage and retrieval, while the second upgrade expands the user memory to a phenomenal 1 megabyte.

#### North Star

There are three systems that upgrade in this price category, the Advantage 8/16, the Horizon and the Advantage. The Advantage 8/16, driven by an 8-bit Z80A and a 16-bit 8088, has its mass-storage capabilities increase with an added 5-megabyte hard disk. This change gives the user access to dense high-speed data storage and retrieval capabilities. The micromainframe Horizon becomes a truly powerful system with an added 15megabyte hard disk. In fact, this change gives this system potential multiuser capability. A 15-megabyte hard disk gives the Advantage high-density data-storage capability and brings added versatility to this system.

#### Durango

The powerful Durango *Poppy* upgrades twice in this price category. With the first upgrade, the small-computer system has its user memory increased to 256K. This lets the system take fuller advantage of the advanced capabilities of its powerful CPU, the 80186. With the second upgrade, the *Poppy* becomes much more fully configured. This is the addition of a 10-megabyte hard disk. When the memory size and hard disk are taken into account, this system becomes a candidate for multi-user status.

#### **Vector Graphic**

The co-processor Vector 4/20 system upgrades as its name changes in this price category. With the addition of a 5megabyte hard disk for increased storage capability, this system becomes the Vector 4/30. This change provides the user with a powerful, high-speed data storage option and increases the versatility of this system by several orders of magnitude. As the hard-disk capacity increases to 10 megabytes, the system's name becomes the Vector 4/40.

#### TeleVideo

The 16-bit TS/602G becomes a much more potent machine with the addition of user memory. At this point, this small-



HEWLETT-PACKARD's HP200 features Motorola's MC68D00 microprocessor.



computer system can use any of the advanced programs on the market. With an added 9.6-megabyte hard disk, the *TS802H*, a Z80A, 64K system, becomes much more potent. It now gives the user the option of truly high-density, high-speed data storage and retrieval.

#### **Gifford Systems**

A newcomer to our buyer's guide is Gifford Systems' 100/100 + series of co-processor micromainframes. Since these are micromainframes, it's up to the user to supply the terminal—although two of our listings indicate terminals and show how these change the cost parameters for these systems.

Driven by 8-bit 8085 and 16-bit 8088 CPUs, these systems are offered only with the CP/M operating system or CP/M-86, as opposed to MS-DOS. (This could prove a drawback in the 16-bit realm because the emerging standard operating system, and the one that most software is being written for, is MS-DOS.) Equipped with 64K of user memory—somewhat limited for some 16-bit applications—this system has two standard 8-inch double-sided, double-density 1.2-megabyte floppy-disk drives for storage. This makes this system very versatile. Input/output is handled via standard serial ports, to which a variety of peripherals can be interfaced.

These systems upgrade twice. The first upgrade adds 64K to the user memory, bringing it up to 128K. This makes this system more versatile and able to handle 16-bit programs more efficiently, while the second upgrade adds a terminal offered by the manufacturer.

#### Docutel/Olivetti

At this point, the Olivetti M20 becomes fully configured. Actually two upgrades are included at once. With the first change, user memory is increased to 160K, making this system more versatile. The second change here adds a second 360K 51/4-inch minifloppy-disk drive.

#### Honeywell

This is Honeywell's first appearance in this buyer's guide with its *microSystem 6/10*. Driven by a proprietary 8-bit microprocessor—Honeywell Micro 6—teamed with an 8086, 16-bit CPU, the 6/10 has 128K of standard user memory. It works under three operating systems: MS-DOS, CP/M-86, and a proprietary system. The standard disk drive is a 51/4-inch minifloppy-disk drive for storage.

Programmable in BASIC, the 6/10 accepts this and other data input through a standard typewriter-style keyboard. The keyboard also includes a separate numeric keypad and specialfunction keys. User output is to a standard 12-inch monochrome CRT. Input/output chores are handled through two serial ports or one parallel port. To these ports a user can interface a variety of peripherals.

The system has a key upgrade in the upper end of this price guide with the addition of a second 5<sup>1</sup>/<sub>4</sub>-inch drive.

175

#### Wang

The Wang *Professional Computer* reaches its fullest configuration with the addition of a 10-megabyte hard-disk drive. It gives the user much higher-speed data access, storage, and retrieval capabilities and increases the flexibility of this system.

#### Athena

This transportable microcomputer system reaches its fullest configuration in this price category. At this point, the memory capacity is increased to a full megabyte. However, much of this memory is used as a virtual or pseudo-disk for high-speed program execution.

#### Sanyo

A new system debuts in this price range, the *MBC 3000*, driven by dual Z80A CPU's. With two operating systems available, CP/M and the proprietary TS-DOS, this system has more than enough to handle most average applications. The disk drives available are two 8-inch double-sided, double-density floppies. Each of those drives is capable of up to 1 megabyte of storage.

Programmable in BASIC, Pascal, Fortran, and Macro-80, this system accepts this and other data input through 59 typewriter-style keys. The keyboard also features 22 programmable keys and a 18-key numeric keypad. User output is to a 12-inch monochrome display that can deliver an 80-character by 25-line text mode. Input/output is handled by two standard serial ports or an RS-423 synchronous serial port.

#### Toshiba

The T250-5 system is an upgrade of the T250 system already described. It upgrades here and becomes more versatile with an added 5-megabyte hard disk. The addition of that drive gives the user the ability to have truly high-speed, high-density data access and retrieval.

#### **Columbia Data Products**

The 16-bit 1600-4, based on the 8088 CPU, upgrades twice. The first upgrade brings a 12-megabyte hard disk to this 128K system. Backup disk storage is provided by a 320K 5<sup>1</sup>/<sub>4</sub>-inch floppy disk.

This system, which runs under MS-DOS and is programmable in BASIC and assembler, upgrades again here to 256K of user memory in the second reconfiguration.

#### Sord

The M68 is this small-computer firm's top-of-the-line system. A versatile system, it is driven by a powerful MC68000 CPU, with a Z80A acting as co-processor. Running under an operating system that is CP/M-compatible, this system has 256K of user memory and two 1.2-megabyte 5¼-inch minifloppy drives for storage. This configuration is powerful enough to take advantage of the potential of this system. User input is via a typewriter-style keyboard and output is to a 12-inch monochrome CRT. Input/output is handled by two serial ports plus one parallel, and one IEEE-4888 general-purpose interface port.

#### IBC

The Cadet micromainframe uses proven 8-bit technology with a Z80 CPU. It has 64K of standard user memory and runs CP/M, MP/M and two other operating systems, MVT-FAMOS and OASIS. It is programmable in BASIC, COBOL, Fortran, and assembler. Standard disk storage is one 8-inch 1-megabyte floppy-disk drive. The terminal is a user option.

#### Altos

Another micromainframe that debuts here is the ACS8000-15. Driven by an 8-bit Z80A, it has 208K of user memory. It runs under the industry-standard CP/M operating system and has two 500K single-sided, double-density disks for storage. It is programmable in BASIC, Fortran, COBOL, and SOFTBOL and is meant to be the basis of a multi-user system. It has six standard serial ports and one parallel port as standard. Terminal choice is up to the user.

This company's 5-15D is another micromainframe system, that debuts here. Driven by a Z80B, this 8-bit system operates under the CP/M operating system. It has 192K of user memory and includes a 1-megabyte double-sided, double-density 5¼inch minifloppy-disk drive for storage. Programmable in BAS-IC, COBOL, Pascal, Fortran, and SOFTBOL, the system uses four serial ports and one parallel port for input/output. Since it is a micromainframe—a system box with a disk drive and interface ports—the terminal choice is up to the user.

#### Ithaca Intersystems

Another 8-bit micromainframe—driven by a Z80B microprocessor—is the *Encore* from Ithaca Intersystems. It operates under CP/M. Standard user memory is 128K, and storage is on two 51/4-inch single-sided, double-density disk drives. Since it is a micromainframe, the choice of terminal devices is up to the user.

#### CompuPro

Long a leader in S-100 bus products, CompuPro's System 816/A also debuts here. A micromainframe small-computer system, it is driven by co-processors, an 8-bit 8085 and a 16-bit 8088 and runs under CP/M and CP/M-86. User memory is 128K and storage is handled by two 1.2-megabyte 8-inch floppy-disk drives. Since it is a micromainframe, terminal choice is up to the user, but input/output functions are handled through four serial ports and one parallel port included as standard.

#### DEC

The last of the four single-user microcomputer systems introduced a year and a half ago makes its debut here, the *Professional 350*. Actually an upgrade of the *Professional 325*, this system includes a larger system-unit box, that is made to accept a 5<sup>1</sup>/<sub>4</sub>-inch hard-disk drive. In this version, storage is provided by a single 400K 5<sup>1</sup>/<sub>4</sub>-inch minifloppy-disk drive. User memory stands at 256K, or more than enough to handle any advanced application program.

The system is driven by a proprietary 16-bit CPU, the PDP-11/238 and operates under a proprietary operating system. CP/ M is available as an option. User input is via a slim-line keyboard which contains 58 typing keys. There are special-function keys and a separate 14-key numeric pad. User output is handled by an 80-character by 25-line black-and-white monochrome display, while input/output chores are handled by a serial port or an RS-423 synchronous port.

#### **Radio Shack**

The Model III Desktop reaches its top configuration in this price category. It becomes a full-blown business smallcomputer system with the addition of a 5-megabyte hard-disk drive. This allows the user high-speed, high-density data access and storage. A similarly equipped Model 4 would top out about the same price in this range, too.

A new model makes its appearance and becomes fully configured in this price category, the *Model 16*. Driven by the advanced MC68000, the *Model 16* also uses a Z80A to handle the housekeeping chores. This frees the main CPU to handle information-processing functions. Equipped with 128K of user memory, that is expandable, this system operates under a proprietary operating system. In its base configuration, it includes one double-sided, double-density 1.2-megabyte slim-line 8inch floppy-disk drive for mass storage.

The 76-key keyboard includes a numeric keypad. Output is to a 12-inch green monochrome video-display screen that delivers an 80-character by 24-line display. Input/output is handled via two serial ports and one parallel port, included as standard. It upgrades and becomes fully configured at the upper end of this price category with the addition of a second drive 1.25megabyte slim-line 8-inch floppy-disk drive. **R-E** 



## The Electronics Book Club

Hundreds of time- and money-saving ideas for hobbyists, experimenters and technicians!



### Select 6 fact-filled volumes for only \$295 (total value up to \$115.70)



#### 7 very good reasons to try Electronics Book Club Blue Ridge Summit, PA 17214

• Reduced Member Prices. Save 20% to 75% on books sure to increase your know-how

\* Satisfaction Guaranteed. All books returnable within 10 days without obligation

 Club News Bulletins. All about current selections — mains, alternates, extras — plus bonus offers. Comes 13 times a year with dozens of up-to-the-minute titles you can pick from
 "Automatic Order." Do nothing, and the Main selection

\* "Automatic Order." Do nothing, and the Main selection will be shipped automatically! But ... if you want an Alternate Selection—or no books at all—we'll follow the instructions you give on the reply form provided with every News Bulletin

• Continuing Benefits. Get a Dividend Certificate with every book purchased after fulfilling membership obligation, and qualify for discounts on many other volumes

 Bonus Specials. Take advantage of sales, events, and added-value promotions
 Exceptional Quality. All books are first-rate publisher's

 Exceptional Quality. All books are first-rate publisher's editions, filled with useful, up-to-the-minute information

						me \$2.95 plu	
						ed, I may retur	
						on and have m	
						4 or more book	
						ling) during th	e
next 12	months	, and r	nay res	ign any	/ time i	the <b>reafte</b> r.	
	1000	1062	1113	1160	1199	1211	
	1276	1277	1296	1332	1346	1406	
	1435	1436	1451	1465	1467	1468	
	1473	1474	1486	1497	1505	1536	
Name _				-	F	hone	_
Address			_				_
City							_
State						Zip	
Valid for ne	w membe	ers only. (	Orders ou	tside U.S	or Canac	la must be prepaid i	In

RF.1083

This order subject to acceptance by Electronics Book Club.

Blue Ridge Summit, PA 17214

Please accept my membership in Electronics Book Club and

CIRCLE 45 ON FREE INFORMATION CARD

## Radio-Electronics. Minimi=/A



- 6 rate \$550 per each insertion.
- Reaches 220,500 readers.
- Fast reader service cycle.
- Short lead time for the placement of
- ads · We typeset and layout the ad at no additional charge.

Call 212-777-6400 to reserve space. Ask for Arline Fishman, Limited number of pages available. Mail materials to: mini-ADS, RADIO-ELECTRONICS, 200 Park Ave. South. New York, NY 10003



COVER STORY AUDIO KITS from Radio Electronics 5-6/78, 2/80 and 3-4/81. Our \$89 Graphic Equalizer (.02% THD, 12 bands, 92dB S/N), \$40 PLM-1, and \$120 ASRU (Noise Filter/Expander increases dynamic range by 18dB) are attractive, excellent performers. Free shipping with prepaid orders. Free catalog with lots more. SYMMETRIC SOUND SYSTEMS, 856J Lynn Rose Ct., Santa Rosa, CA 95404, (707) 546-3895.



CONVERTERS-DESCRAMBLERS-MICROWAVES-New genuine Oak, Jerrold, Zenith, Hamlin, Sylvania, Test, Pioneer! Name it! Sine-wave, gated-sync, vari-sync, in-band, out-band. We sell 'em all! No order too big or small. Compare our prices. Send \$5.00 for new expanded catalog-now includes schematics. TV PRODUCTS CO., 635 Park Ave. Suite 222, Idaho Falls, ID 83402.



CABLE TV DESCRAMBLER KIT \$39.95 Computerized addressable gated sync type. We also have complete line of Jerrold and Oak cable TV converters and descramblers. Such as, Jerrold gated sync (SB-3), Oak sinewave (N12), and Jerrold 61 channel remote control converter descrambler (DRX-DIC-105). 90 day warranty. SEND \$2.00 for "INFORMATIVE CATALOG" for prices and availability to: J & W ELECTRONICS, INC , P.O. Box 61-X, Cumberland, RI 02864. **CIRCLE 63 ON FREE INFORMATION CARD** 



**DESCRAMBLERS** Completely assembled and tested. Compatable with ZENITH Z-TAC and SSAVI systems. No internal T.V. connections. Built in VARACTOR TUNER. \$129.00 VISA, M/C, and C.O.D, orders accepted, DE-CODER DISTRIBUTORS CO., 23400 Michigan Avenue, Suite 502, Dearborn Michigan, MI 48124 (313) 562 • 9661. Other models available, we also ship to Canada. **CIRCLE 92 ON FREE INFORMATION CARD** 

HEAR THE POWER Prrot

SPEECH SYNTHESIZER SALE!!!-Complete plug-in module interfaces to the Apple II, II + TRS 80 Models I, III - Commodore 64. Vic 20. Regularly \$89.95 NOW ONLY \$59.95 + \$4.00 Sh/Hd. Complete and Starter Kits Available. All synthesizers include: Phrase Finder program on cassette tape and a Speech Synthesis Instruction Manual - A \$15.00 VALUE FREE. Send check or M.O., C.O.D. Add \$2.00. 10 Day Money-Back Guarantee. R.I.S.T. INC., P.O. Box 499 Dept. RE1083, Ft. Hamilton Station, Brooklyn NY 11209, (212) 259-4934.





**MODERN ELECTRICS.** Miniature souvenir of the first publication ever produced by Gernsback Publications. This issue appeared in April 1908-just 75 years ago. You can own your own reprint of this unique first edition for just \$2.50 plus 75¢ P&H. It's available from R-E BOOKSTORE, Radio-Electronics, 200 Park Avenue South, New York, NY 10003

## Radio-Electronics. mini-ADS



ELECTRÓ IMPORTING CO. CATALOG. This reprint of the historic 176-page catalog No. 20 gives you an accurate look at the state of electronics in 1918. Contains everything from a Zinc Spark Gap to a 1000-Mile Receiving Outfit. You can get your own copy of this modern antique, profusely illustrated, for only \$4.95 plus \$1.00 P&H. Order yours from R-E BOOKSTORE, Radio-Electronics, 200 Park Avenue South, New York, NY 10003.



Make your own prototypes! This 14" IN-Line Press Brake is constructed of highgrade ductile iron castings and steel parts. Standard equipment includes male dies for straight or box bends from ½" to 14" plus a FREE urethane forming pad. Write or call for literature and prices on our SPECIAL Shear-Notcher-Brake package. PACIFIC ONE CORP., Suite K302, 513 Superior Ave., Newport Beach, CA. 92663; (714) 645-5962.

CIRCLE 100 ON FREE INFORMATION CARD



Introducing an ULTRASONIC ECHO RANGING KIT with up to 20 feet and greater ranging capabilities. May be interfaced to your microcomputer or used alone with analog output and 4 digit LCD display. Applications in Robotics, Alarms, Positioning, Level control and more. Complete kit #ERS400KD @\$139.50. Less enclosure and LCD display #ERS400 @\$89.50. Money orders, checks accepted. COD add 10%. TRABAND ELEC-TRONICS, INC., P.O. Box 166, Clifton Heights, PA 19018 (215) 623-2700. CIRCLE 64 ON FREE INFORMATION CARD




ONE MAN CRT FACTORY, easy operation. Process new or rebuild old CRT's for tv's, bus. machines, monitors, scopes, etc. Color, b&w, 20mm, foreign or domestic. 3×6 ft. space required. Profits??? Average CRT rebuilding cost — \$5. Sell for \$100 = \$95 profit; × 5 CRT's = \$475 daily; × 5 days = \$2375 weekly profit. Higher profits outside U.S.A. Investigate this opportunity today. We service the entire world. Write or call: CRT Factory, 1909 Louise St., Crystal Lake, II. 60014, (815) 459-0666. CIRCLE 84 ON FREE INFORMATION CARD



High precision NTSC I and Q color bar generator board. It is the main board from the Multidyne TS-1, a broadcast standard portable signal generator. Vectors are accurate to 1 degree and amplitudes to 1%. All pulses are derived from a 14.318180 temperature compensated crystal oscillator. The board is guaranteed for 1 year. It measures 73/4 × 33/4 and requires ¢ and -12 volts to produce 1 volt of video n 75 Ohms. It costs .\$198.50. A standard 14 × 17 EIA Cross-Hatch and Dots generator board matches the RETMA linearity chart and costs \$125. Add \$4.50 for insured shipping. Checks, money orders and C.O.D. only. Other NTSC boards available. Satisfaction is guaranteed. MULTIDYNE ELEC-TRONICS, P.O. Box 528, Locust Valley, N.Y. 11560, (516) 671-7278.

CIRCLE 17 ON FREE INFORMATION CARD.





CIRCLE 95 ON FREE INFORMATION CARD



FREE! Ungar's new #9100 Electronic Temperature Controlled Soldering System with each #2000A or #4000 Desoldering System purchased Sept. 15 through Dec. 15, 1982.

For Model 2000A (for use with shop air) and a free \$91.00 System #9100, order #2091 at \$365.00 sugg.

For portable Model 4000 and a *free* \$91.00 System #9100, order #4091 at \$399.00 sugg. See your Ungar distributor or contact Ungar Division of Eldon Industries, Inc., P.O. Box 6005, Compton, CA 90220, (213) 774-5950, (800) 421-1538.

**CIRCLE 65 ON FREE INFORMATION CARD** 



COMPUTER/PRINTER DESK/STAND. New, Surplus stand was part of a KSR Printer. Mfg. cost over \$100.00. Size; 27h × 24d × 27"w. Space for electronics. Very Rugged. Add top of your choice. Use Order No. R2A70585. Only \$39.99, \$150.00/4! Shipped via Truck Freight Collect. 40 pg. pictured catalog of surplus compter equipment available. BNF Enterprises, 119 Foster Street, Peabody. MA 01960, (617) 531-5774. CIRCLE 98 ON FREE INFORMATION CARD



AMATEUR MICROWAVE RECEIVER -Regularly \$99.50. Now liquidating at only \$59.95 + \$5.00 S & H. (Dealer ten pack just \$499.00 F.O.B) Complete system includes dish, probe/downconverter, coax cables, power supply, and instructions. Top quality units. Supply limited. Money order, VISA or Mastercard ONLY. (No checks or C.O.D.) T.V. PRODUCTS CO., 635 Park Ave., Dept. 222, Idaho Falls, Idaho 83402. DE-SCRAMBLERS?? We stock all types. Send \$5.00 (REFUNDABLE WITH ORDER) for new expanded catalog now including schematics.

## **MARKET CENTER**

#### FOR SALE

CABLE TV products: Wireless, corded & settop converters. Send \$3.00 for catalog ADDITIONAL OUTLET CORP., 231 E. Commercial Blvd., Ft. Lauderdale, FL 33334.


RESISTORS %&%/W5%C.F. 3 cents. 1%M.F. All values. No minimums. Volume discounts. Write JR INDUSTRIES, 5834-B Swancreek, Toledo, OH 43614

COLOR computer VIC-20 programs hardware Rtty code EPROM Progammer RS-232 FRANK LY-MAN, Box 3091, Nashua, NH 03061.

RECORDS- tapes! Discounts to 73%; all labels; no purchase obligations; newsletter; discount divi-dend certificates; 100% guarantees. Free details. **DISCOUNT MUSIC CLUB**, 650 Main Street, PO Box 2000, Dept. 3-1083, New Rochelle, NY 10801.



SPEAKER & ELECTRONICS CATALOG 1001 BARGAINS IN SPEAKERS Tel.: 1 (816) 842 5092 1901 MCGEE STREET KANSAS CITY, MO. 64108



ASK FOR OUR NEW CATALOG. CALL OR WRITE FOR INFORMATION.

TEC/WEST (USA) INC. 10889 WILSHIRE BLVD., SUITE 740 LOS ANGELES, CA 90024-4299 CA: 213/208-5529 • OUTSIDE CA: 1-800-421-7215

PRINTED-circuit boards: single side, prototype, and quantity, quick delivery. Send positive, free quotes. FABTRON, Box 925, Dept. C, Columbia, TN 38401 (615) 381-1143.

RADIO West --- still the best for SW/MW DX receivers and receiver modifications! Catalog 50 cents. RADIO WEST, 3417 Purer Road, Dept RE, Es-condido, CA 92025 (619) 741-2891.

SCANNER/monitor accessories—kits and factory assembled. Free catalog. CAPRI ELECTRONICS, Route 1R, Canon, GA 30520.

FAST, dependable mail-order! Prime semiconductors, parts, supplies. Free 55 page catalog. THE PARTSTORE, Dept. 165, 999 44th St., Mar-ion, IA 52302 (319) 373-1803.



DESCRAMBLERS! Largest supply U.S.A.— Catalog \$3.00. TV PRODUCTS CO., 635 Park Ave., Idaho Falls, ID 83402.

COMPUTER cables, RS232, VIC 20 and C64 cables, breakout boxes, and switch boxes. Morel For free catalog, write **COMPUCOMM**, Box 211, South Sioux City, NE 68776.

EPROM programmer programs 2716, 2732, 2764, and 27128. For IBM PC \$225.00 each. For Apple II, ROM version \$195.00 each, diskette version \$225.00 each. Also 64k add-on RAM card for IBM PC \$140.00 each. \$3.00 ship/hndlg. Check, money order, no COD please. Quantity discount. Dealer inquiries invited. LSG ELECTRONICS, INC., 3122 Hollowcreek Dr., Houston, TX 77082 (713) 558-3613.

SATELLITE, microwave, video, audio components and equipment. Send \$1.00 for 1983 catalog. DSCo, Department F, 3110 Evelyn Street, Rose-ville, MN 55113.

ELECTRONIC surveillance! Incredible manual, "Homebrew Bugging" outlines wiretapping, objectives (schematics included)— \$15.00. We also have manuals on remote control, covert communications, survival, weaponry, excitc alarm sys-tems, countermeasures, and an inventory of amaz-ing electronic devices. Send \$3.00 for catalog. A.T.I.S., Dept. R, 61 Gatchell St., Buffalo, NY 14212.



To run your own classified ad, put one word on each of the lines below and send this form along with your check for \$1.90 per word (minimum 15 words) to: Radio-Electronics, 200 Park Avenue South, N.Y., N.Y. 10003

#### **ORDER FORM**

PLEASE INDICATE in which category of classified advertising you wish your ad to appear. For special headings, there is a surcharge of \$15.00. Plans/Kits ) For Sale

- () Business Opportunities struction () Wanted ( Education/Instruction ) Satellite Television

Special Category: \$15.00

#### PLEASE PRINT EACH WORD SEPARATELY, IN BLOCK LETTERS.)

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35

PLEASE INCLUDE FOR OUR FILES YOUR PERMANENT ADDRESS AND PHONE NUMBER.

CLASSIFIED COMMERCIAL RATE for firms or individuals offering comercial products or services). \$1.90 per word prepaid (no charge for zip code)...MINIMUM 15 WORDS. 5% discount for 6 issues, 10% for 12 issues within one year, if prepaid.

NON-COMMERCIAL RATE (for individuals who want to buy or sell a personal item) \$1.25 per word prepaid...no minimum

ONLY FIRST WORD AND NAME set in bold caps. Additional bold face (not available as all caps) at 15¢ per word. All copy subject to publisher's approval. ADVERTISEMENT'S USING P.O. BOX ADDRESS WILL NOT BE ACCEPTED UNTIL ADVERTISER SUPPLIES PUBLISHER WITH PERMANENT ADDRESS AND PHONE NUMBER. Copy to be in our hands on the 20th of the third month preceding the data of the insure of the analysis. date of the issue (i.e., August issue closes May 20th). When normal closing date falls on Saturday, Sunday, or a holiday, issue closes on preceding working day.

#### FOR SALE

TI-99/4A software. Free price list plus newsletter. GLEN DOBBS, Box 801 RE, Santa Maria, CA 93456

TROUBLESHOOT design UHF converters video accessories latest system info \$2.00. New manual \$12.95. A&R ELECTRONICS, PO Box 381, Dedham, MA 02026

ALARM! Vic 20/ 64 CoCo Sinclair become \$1000 burglar fire system. Cassette, documentation (specify microprocessor) \$29.00. Retailers inquire Catalog. SKIDMORE'S H'N'S, 716 Walker. Greensboro, NC 27403. Sinclair piano, music program cassette all hardware \$9.00.



#### REMOVES VOCALS FROM RECORDS!

Our VOCAL ELIMINATOR can remove most or Virtually all of a lead vocal from a standard stereo record and leave most of the background unlouched! Record with your voice or perform live with the backgrounds. Used in Professional Performance yet connects easily to a home component stereo system. Not an equalizer! We can prove it works over the phone. Write or call for a free brochure and demo record.

recora. Write to: LT Sound, Dept. R-1, PO Box 338 Stone Mountain, GA 30086 In Georgia Call (404)493-1258 TOLL FREE: 1-800-241-3005 – Ext. 72


ANTIQUE radio catalog: 16 pages of tubes, parts, and literature. Send \$1.00 to ANTIQUE ELEC-TRONIC SUPPLY, 1725 W. University, Suite No. 2, Tempe, AZ 85281.

UNUSUAL UHF subscription TV kits and other un-its. Catalog 50 cents. TROJAN, 2920 Shelby, In-dianapolis, IN 46203.

VIC-20 TV-test generator cassette. Crosshatch, colorbars, dots, H&V-lines, window, 5 colored rast-ers, 3 tones. \$9.95. JERRY HILLIARD, 3223 Ellis Way, Louisville, KY 40220.

ADVENT and Kloss video parts and service avail-able from PROFESSIONAL ELECTRONICS. Call 504-467-1717 for further information.

COLOR computer owners-free hardware and software catalog. SPECTRUM PROJECTS, 93-15 86 Drive, Woodhaven, NY 11421 (212) 441-2807.





DESCRAMBLERS for downconverters, high galn. Free Information. RB ELECTRONICS, PO Box 643, Kalamazoo, MI 49005.

PRINTED-circuit boards: Your artwork, quick deliv-ery, reasonable. Quantity discounts. ATLAS CIR-CUITS, Dept. A, Box 892, Lincolnton, NC 28092 (7.04) 753-3943.



#### **BUSINESS OPPORTUNITIES**

PROJECTION TV... Make \$\$\$ assembling pro-jectors... Easy... Results comparable to \$2500.00 projectors... Your total cost less than \$20.00.... Plans, lens & dealers information \$17.50.... Illustrated information free ... MACROCOM-GBX, Washington Crossing, PA 18977. Credit card orders 24 hours. (215) 736-2880.

DESCRAMBLERS! Largest supply U.S.A.— catalog \$3.00. TV PRODUCTS CO., 635 Park Ave., Idaho Falls, ID 83402.

WHOLESALE MATV/CATV/VCR equipment, antennas, audio cables, adaptors, original/ replacement cartridges & styll, telephone accessor-ies, radios, cassette recorders, speakers, etc., send letterhead for free catalog (212) 897-0509 D&WR, 66-19 Booth, Flushing, NY 11374.

MONEY broker, commercial business loans to start, expand, etc. \$50,000 to millions. Send \$2.00 LOREDO ENTERPRISES, Box 2243 APO NY 09009

MECHANICALLY inclined individuals desiring ownership of small electronics manufacturing business-without investment. Write: BUSI-NESSES, 92-R, Brighton 11th, Brooklyn, NY 11235

LCD watches \$2.50, penwatch \$3.60, catalog \$1.00. RELIANT ENGINEERING COMPANY, PO Box 33610, Sheungwan, Hongkong.

MAKE additional income and have tax write-offs. Free into. Contact DEPT. A, PO Box 222, Harbor City, CA 90710.

SECURITY alarm industry booming. Tremndous demand. Employment—business terrific. E-Z learn. Information package \$2.00. SECURITY ELECTRONICS INTERNATIONAL, PO Box 1456-NE, Grand Rapids, MI 49501

#### **CB EQUIPMENT**

CB radio books, kits, modifications, catalog \$1.00 refundable. APS, PO 263RE, Newport, RI 02840.

#### EPROM PROGRAMMER

FOOLPROOF. Programs 2716 through 27128; 2508 through 2564; 2815/16 eeproms! Others tool Features: Stand alone single board design. Zif eprom sockets. Automatic duplication. Program verify. Regulated power supply—requires only pow-er transformer. Complete documentation. AT \$149.00 Comparel Why pay more? Manual \$2.00, refundable first order. LUBOMIR CORPORATION, PO Box 511, Rensselaer, NY 12144

#### **ROBOTIC BOOKS**

ROBOTICS books—build your own robot. Write now for free catalog. H. D. KOHN CO., RE2, Box 16265, Alexandria, VA 22302.

#### DESCRAMBLER TROUBLES

SINE wave descrambler problems? Manual includes trouble shooting, alignment, antenna hookup, improvements, theory. \$15.00. SIGNAL, Box 2512-R, Culver City, CA 90230.

#### CONVERT S/W KIT TO CABLE

CABLE sinewave descrambler from over-air. Instructions including deluxe, scrambled microwave, optional over-air, \$8.00. Manual in descrambler troubles classification, instructions, \$20.00. SIG-NAL, Box 2512-R, Culver City, CA 90230.

#### SATELLITE TELEVISION

SATELLITE antennas; build or buy 8-10-12 foot wood or metal from \$43.00 send \$2.00 PRO-TOTYPE ENGINEERS, Box 1812 Deming, NM 88030

SATELLITE TV receiver breakthrough! Build your own commercial quality receiver now! Complete instruction manual \$8.00! XANDI, Box 25647, Dept. 21P, Tempe, AZ 85282.

DESCRAMBLERSI Largest supply U.S.A-catalog \$3.00. TV PRODUCTS CO., 635 Park Ave., Idaho Falls, ID 83402.

SATELLITE TV system \$1295 completel 8' an-tenna. polar mount, 120 LNA, receiver. Handbook and buyer's guide, \$10.00. Dealers wanted. MICROWAVE SYSTEMS, 1101 E. Chestnut, Santa Ana, CA 92701

FREE! Information on 100 satellite television channels plus free catalog of proven do-it-yourself plans/ kits for easy, low-cost, attractive satellite antennas. Wholesale electronics components. GFI-5, Box 9108, Missoula, MT 59807.

THE original Howard/Coleman TVRO receiver! Instructions, schematics, layouts, printed-circult boards: ROBERT COLEMAN, Rt. 3, Box 58-ARE, Travelers Rest, SC 29690.

RECEIVE 80 channels satellite system only \$1299.00. Complete information and order forms send \$3.00 to REMINGTON'S SATELLITE SALES, RR2, Box 124, Noblesville, IN 46060.

SURPRISING news about satellite television: time to know the facts! Send \$1.50 SASE to INFINITY ELECTRONICS, 1378 Norvella, San Jose, CA 95122

SEIKO TV watch- Watch TV or listen to FM stereo. Imported direct from Japan-limited supply. \$498:00 for standard model. Money back guaran-tee. Send check or money order or use Visa, Mas-terCard. Allow 4 to 6 weeks. **THE MEUNIER COM-PANY**, Dept. R, PO Box 4235, Federal Way, WA 98003

MOST comprehensive video book and manual on the market. 150 pages. All types, UHF, cable, sat-ellite. Complete troubleshooting for Zenith systems. 24-hour COD hotline for orders. 301-668-7099 or send \$21.95 plus \$1.50 shipping to TELE-PUBLICATIONS, Dept. RE-10, PO Box 16693, Baltimore, MD 21206.

UHF types, all delux, cable units, dealers (Zenith units) excellent quantity pricing. Call (301) 882-9362. Send \$2.00 for catalog. SATELLITE ELEC-TRONICS, Dept. R-10, PO Box 9534, Baltimore, ND stores, Dept. R-10, PO Box 9534, Baltimore, MD 21237

INTERESTED in home satellite television-don't INTERESTED in home satellite television—don't buy anything until you've read Homesat Handbook & Buyer's Guide. Our book tells everything about home satellite TV and may save you hundreds, even thousands of dollars in your selection and installation of a system. \$10.00: H & G HOMESAT SERVICES, Box 422, Seaford, NY 11783.



#### HOME ROBOTS

WORLD'S largest supplier of Home Robot kits/ parts. Motors, seeing/hearing sensors, batteries, robot mounted computer for programming controls and playing video games. Inexpensive, easy con-struction. Complete kits \$99.95. Send \$3.00 (refundable with order) for information package, photos, catalog, club membership to: ROBOT SHACK, Department 10, PO Box 583, El Toro, CA 92630



#### COMPUTERS

MAX\* Z\* tech Timex hi-tech lo-price educational programs. Dataaquis. Hardware upcoming. For samples mail \$2.00 to: CASH PROG., PO Box 318R, Nfd., NJ 07435.

TI-99/4A owners. Send for free list of new and exciting, low cost software. DYNA, Box 124, Hicksville, NY 11801.

#### **EDUCATION & INSTRUCTION**

EARN your university degree through evaluation assessment, of existing education, experience, achievements. Call, (614) 863-1791, or write, ASSESSMENT, Box 13130 R, Columbus, OH 43213.

UNIVERSITY degrees by mail! Bachelors, Masters, Ph.D's... Free revealing details. COUNSELING, Box 317-RE10, Tustin, CA 92680.

YOUR own radio station! AM, FM, cable, licensed, unlicensed. Low cost transmitter kits. Free info. BROADCASTING, Box 130-F10, Paradise, CA 95969.

F.C.C. commercial radiotelephone license. Home study. Fast, inexpensive! Free details. COM-MAND, D-91, Box 2223, San Francisco, CA 94126.

#### **REEL TO REEL TAPES**

TRUCKLOAD sale Ampex high quality open reel tape, 1800' or 2400' on 7" reels, used once. Case of 40, \$45.00. Cassettes available.VALTECH ELEC-TRONICS, Box 6-RE, Richboro, PA 18954.

#### CABLE TV

CHANNEL 3- 65dB super notch filter. 63.5 mHz. \$29.00 postpald. TV PRODUCTS, 635 Park Ave., Idaho Falls, ID 83402.

DEALERS wanted: Channel 3 notch filters, send \$15 for sample and quantity price list. Moneyback guarantee. LEE KURTZ, 235 SW 87th Ter., Plantation, FL 33324.

#### LSR UHF CONVERTERS WITH AGC

GATED pulse wave (speaker box type), parts \$125.00. Sound out of the TV type: Deluxe IIB sinewave, parts \$125.00. Digital Z-type FV-4, parts \$225.00. Quantity discounts. Plans: large SASE (54 cents postage). Free shipping/handling. I-312/267-3455. LSR ENGINEERING, Dept. RE, Box 6075, Chicago, IL 60680-6075.

#### DESCRAMBLERS — CABLE — UHF — TVRO

DESCRAMBLERS! Largest supply U.S.A.-catalog \$3.00 TV PRODUCTS CO., 635 Park Ave., Idaho Falis, ID 83402.

#### WANTED

WANTED: old Western Electric, RCA, tubes, speakers, amplifiers. 713 7284343. MAURY CORB, 11122 Atwell, Houston, TX 77096.

TRANSFORMERS rewound specialist will rewind your hard to replace radio transformers, choke coils, series coils, etc. Any type. Send name and phone number to: A.T.S., PO Box 13773, Orlando, FL 32659.

RADAR equipment any type, any condition needed for experimental use. Contact A. WEINER, 207-764-6022.

VERRERE CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONT



#### **PLANS & KITS**

CATALOGI 40 pages of neat electronics parts and kits. Send 50 cents refundable first order. BEC ELECTRONICS, Box 401244R, Garland, TX 75046.

FUN kits—low cost. Easy to build educational electronics projects. Handbook /catalog \$1.00. TRIANGLE ELECTRONICS, 89 Arkay Drive, Hauppauge, NY 11788.

PRINTED-circuit boards. Quick prototypes, production, design, reflow solder send print or description for quote to KIT CIRCUITS, Box 235 Clawson, MI 48017.

PROJECTION TV... Convert your TV to project 7 foot picture. Results comparable to \$2,500 projector... total cost less than \$30.00. Plans & lens \$19.95... Illustrated information free...Credit card orders 24 hours. (215) 736-3979. MACROMA-GB, Washington Crossing, PA 18977.

ELECTRONIC touch light control ped and other products free brochure EXOTIC ELECTRONIC IDEAS, PO Box 446, Lake Bluff, IL 60044.

NEW!... Repair any TV... Easy. Anyone can do it. Write: RESEARCH, Box 517E Brea, CA 92621.

MOST advanced sine converter descrambler available. PCB and plans \$15. JIM RHODES, 1025 Ransome Ln., Kingsport, TN 37660.



Modular design featuring plug-in construction. Design your own combination of functions. Write. RODCAR ELECTRONIC SALES 214-351-9895 9983 Monroe Drive Deilas,Texas 78220

CABLE TV converters and equipment. Plans and parts. Build or buy. For information send \$2.00. C & DELECTRONICS, PO Box 21, Jenison, MI 49428.

SUBSCRIPTION TV out of set UHF sine wave type, PCB and plans \$16.50. in set UHF/VHF type, PCB and plans \$12.50. RVB INDUSTRIES, Box 663, Skokie, IL 60076.

DESCRAMBLERSI Largest supply U.S.A. catalog \$3.00. TV PRODUCTS CO., 635 Park Ave., Idaho Falis, ID 83402.

#### CBMODIFICATIONS Increase channels, range, privacy! We specialize

in frequency expanders, speech processors, FM converters, PLL & slider tricks, how-to books, plans, kits. Expert mail-in repairs & conversions. 16-page catalog \$2.

CBC INTERNATIONAL, P.O. BOX 31500RE, PHOENIX, AZ 85046 (602) 996-8700

CABLE TV descrambler kits plans \$4.00. For information send \$2.00. DOMCAN ELECTRONICS, PO Box 605, Downsview A Downsview, Ontario, Canada M3M3A9.

UP-TO-DATE design electronics kits. High quality. Unbelievable low price. Absolutely free catalog. IN-TERNATIONAL POLYTECHNIQUES, PO Box 862R, New York, NY 10002.



SPIRIT life energy detector and separator complete plans \$4.00. PO 893, Torrance, Ca 90508.

SAVE! Build your own cable TV converter. Complete manual \$3.00. JKA ENTERPRISES, Box 234, Lyman, SC 29365.

MICROWAVE television "downconverters". Exclusive new five stage design. Easily assembled. Catalog: \$2.00 (refundable). NDS, Box 12652-R, Dalias, TX 75225.

PROGRAM your own EPROMS. Build a computerized thermostat. Send SASE for free details. GLOVATRON, PO Box 559, East Detroit, MI 48021.



TOP-quality imported, domestic kits, surplus electronics, IC's, free catalog. TEKTRASONIX, 175 Fifth Ave., Suite 3194, NY, NY 10010.

Fifth Ave., Suite 3194, NY, NY 10010. 200 electronics kits, projects, plans. Send stamp for list. MATCO ELECTRONICS, Box 316R, Cadil-

lac, MI 49601. "IN band" descrambler for cable ready television sets (except Zenith) \$139.95. Kits \$99.95. Info? SASE. ALLSEN ELECTRONICS, Box 2125, Vero Beach, FL 32960.



CABLE TV descramblers. For plans send \$3.00 + SASE. ELECTRA, 610 Brasted Pl., Wavkesha, WI 53186.

TELEPHONE recording control kit, Records incoming/outgoing calls automatically. Connect to your telephone and tape recorder. Easy assembly with case. \$16.95 kit. \$20.50 assembled. Includes shipping. Guaranteed. CREATIVE ELECTRON-ICS, PO Box 4253, Thousand Oaks, CA 91360.

BUILD this electronic-tone circuit to replace that harsh telephone ringer. Gives soft tones, chirps, beeps, and buzzes with simple dipswitch settings. Fully explained schematic and creative suggestions included. Questions answered same day. PRO-FESSIONAL CIRCUITS UNLIMITED, 3509 Park Lane, Suite 1032, Midland, TX 79703. \$5.30.

LEARN copying secrets Atari Vectrex game cartridges includes schematics \$19.95. ATOMIC COMPUTERS, PO Box 177, Dyer, IN 46311.

HI-FI speaker kits, auto speaker systems and raw drivers from the world's finest manufacturers. For beginners or experts. Free literature. A&S SPEAK-ERS, Box 7462R, Deniver, CO 80207 (303) 399-8609.

LIGHT chaser/color organ kits, rack mount units. 20% off sale. DESIGN SPECIALTY, PO Box 1995, Huntington Beach, CA 92647.

CATALOG: Hobby, CB, Broadcasting. Linears, transmitters, bugging devices, scramblers, downconverters, much more. \$1.00 (refundable). PANAXIS, Box 130-F10, Paradise, CA 95969.

#### STOP



182

RADIO-ELECTRONICS

## MAKE RADIO SHACK YOUR PARTS PLACE



Cut 45%. Build a panel for charging batteries or powering projects. This quality cell, approximately 4" square, produces 0.42 VDC at 2 amps in full sun. Wire several in series for more voltage. 276-128 . Sale 9.88

"beeps" at less than 300 chms circuit resistance. "Diode check" allows testing of diodes and transis-tors. Measures AC and DC voltage, AC and DC current, and resistance up to 20 megohms. Over-load protected. 63/e x 31/2 x 13/e" With manual, spare fuse, test leads. Requires two "AA" batteries 22-191 Sale 39.95

This  $2^{1/4} \times 6^{1/2^{\prime\prime\prime}}$  builder's board is mounted on a 7 × 4^{\prime\prime\prime} "stay-put" steel base with rubber feet. Accepts DIPs, discrete components and up to 22-gauge wire. Total of 640 plug-in the points. 3 binding posts for power hookup, etc.

276-169 19.95

5.99

28-Pin DIP



A DIVISION OF TANDY CORPORATION • OVER 8600 LOCATIONS WORLDWIDE

Prices apply at participating Radio Shack stores and dealers

CIRCLE 86 ON FREE INFORMATION CARD

7400	**Number of Pins of each I.C. for easy Secket purchase	MICROPROCESSO	OR COMPONENTS	Ø Digitalker™
Sh 74(2)         IA         10         Sh 74(2)           Sh 74(2)         IA         25         Sh 74(2)           Sh 74(2)         IA         35         Sh 74(2)           Sh 74(2) <td< td=""><td>4         20         SW7416504         16         59           4         23         SW7416504         16         59           4         23         SW7416504         16         69           5         SW7416504         16         69         35           4         25         SW741604         16         69           4         69         SW741624         16         69           4         119         SW741624         16         69           5         SW741624         16         69         35           6         2.55         SW74174         16         69           5.35         SW7417344         16         69           5.35         SW7417344         16         69           4         39         SW7417344         16         69           4         39         SW741744         16         69           4         39         SW741804         16         69           4         39         SW741804         16         69           4         39         SW741804         16         69           50         39         SW741804         <t< td=""><td></td><td>Pert No.         "Provide Constraints"           1103         16         102441         1000-11         24           41161-3         16         102441         1000-11         24           41161-3         16         102441         1000-11         102-4/100           41161-3         16         102441         1000-11         102-4/100           41161-4         10         102-4/100         100-4/100         100-4/100           41161-4         10         102-4/100         100-4/100         100-4/100           41161-4         10         102441         100-11         100-4/100         100-4/100           41161-4         10         100-11         100-4/100         40-4/100         40-4/100           41161-10         10         100-11         100-4/100         40-4/100         40-4/100           41161-10         10         100-4/100         100-4/100         40-4/100         40-4/100           4110-11         10         100-4/100         100-4/100         40-4/100         40-4/100           4110-11         10         10244-1400-11         100-4/100         40-4/100         40-4/100           1101         10         22-4/100         100-4/100</td><td>The 1050         — Applications: Teaching aids, Inc. Inc. Inc. Inc. Inc. Inc. Inc. Inc.</td></t<></td></td<>	4         20         SW7416504         16         59           4         23         SW7416504         16         59           4         23         SW7416504         16         69           5         SW7416504         16         69         35           4         25         SW741604         16         69           4         69         SW741624         16         69           4         119         SW741624         16         69           5         SW741624         16         69         35           6         2.55         SW74174         16         69           5.35         SW7417344         16         69           5.35         SW7417344         16         69           4         39         SW7417344         16         69           4         39         SW741744         16         69           4         39         SW741804         16         69           4         39         SW741804         16         69           4         39         SW741804         16         69           50         39         SW741804 <t< td=""><td></td><td>Pert No.         "Provide Constraints"           1103         16         102441         1000-11         24           41161-3         16         102441         1000-11         24           41161-3         16         102441         1000-11         102-4/100           41161-3         16         102441         1000-11         102-4/100           41161-4         10         102-4/100         100-4/100         100-4/100           41161-4         10         102-4/100         100-4/100         100-4/100           41161-4         10         102441         100-11         100-4/100         100-4/100           41161-4         10         100-11         100-4/100         40-4/100         40-4/100           41161-10         10         100-11         100-4/100         40-4/100         40-4/100           41161-10         10         100-4/100         100-4/100         40-4/100         40-4/100           4110-11         10         100-4/100         100-4/100         40-4/100         40-4/100           4110-11         10         10244-1400-11         100-4/100         40-4/100         40-4/100           1101         10         22-4/100         100-4/100</td><td>The 1050         — Applications: Teaching aids, Inc. Inc. Inc. Inc. Inc. Inc. Inc. Inc.</td></t<>		Pert No.         "Provide Constraints"           1103         16         102441         1000-11         24           41161-3         16         102441         1000-11         24           41161-3         16         102441         1000-11         102-4/100           41161-3         16         102441         1000-11         102-4/100           41161-4         10         102-4/100         100-4/100         100-4/100           41161-4         10         102-4/100         100-4/100         100-4/100           41161-4         10         102441         100-11         100-4/100         100-4/100           41161-4         10         100-11         100-4/100         40-4/100         40-4/100           41161-10         10         100-11         100-4/100         40-4/100         40-4/100           41161-10         10         100-4/100         100-4/100         40-4/100         40-4/100           4110-11         10         100-4/100         100-4/100         40-4/100         40-4/100           4110-11         10         10244-1400-11         100-4/100         40-4/100         40-4/100           1101         10         22-4/100         100-4/100	The 1050         — Applications: Teaching aids, Inc. Inc. Inc. Inc. Inc. Inc. Inc. Inc.
7x5114         14         .55         7x5x2         11           CA3010H         99         CA—LIN         CA         LIN         CA305N         T         CA3060N         T         CA306N         T         CA306N <td>EAB         CA3Degn         16         1.69           3.25         CA3Degn         16         1.91           .89         CA3130E         8         1.92           1.49         CA3140E         99         91           1.49         CA3140E         1.93         93           1.49         CA3140E         1.95         93           1.49         CA3140E         1.95         93           1.49         CA3401M         1.65         93           .69         CA3401M         1.45         50           .69         CA3401M         1.43         3.95</td> <td>14 pin LP         17         15         14           16 pin LP         19         17         18           18 pin LP         26         24         23           20 pin LP         30         27         28           22 pin LP         31         28         26           24 pin LP         31         30         28</td> <td>1-0         10-000         100-000           10 pin 51         29         27         25           10 pin 51         29         27         25           10 pin 51         29         27         25           10 pin 51         34         32         30           10 pin 51         36         34         35         34           20 pin 51         36         46         43         32           20 pin 51         56         46         43         32           20 pin 51         56         57         43         36           80         WIRE WRAP SOCKETS         30         30         30</td> <td>Package         14        </td>	EAB         CA3Degn         16         1.69           3.25         CA3Degn         16         1.91           .89         CA3130E         8         1.92           1.49         CA3140E         99         91           1.49         CA3140E         1.93         93           1.49         CA3140E         1.95         93           1.49         CA3140E         1.95         93           1.49         CA3401M         1.65         93           .69         CA3401M         1.45         50           .69         CA3401M         1.43         3.95	14 pin LP         17         15         14           16 pin LP         19         17         18           18 pin LP         26         24         23           20 pin LP         30         27         28           22 pin LP         31         28         26           24 pin LP         31         30         28	1-0         10-000         100-000           10 pin 51         29         27         25           10 pin 51         29         27         25           10 pin 51         29         27         25           10 pin 51         34         32         30           10 pin 51         36         34         35         34           20 pin 51         36         46         43         32           20 pin 51         56         46         43         32           20 pin 51         56         57         43         36           80         WIRE WRAP SOCKETS         30         30         30	Package         14
CD-000         14         25         CD-010           CD-0000         14         28         CD-010         10           CD-0007         14         28         CD-010         10           CD-010         16         39         CD-014         10           CD-011         14         28         CD-014         10           CD-011         14         28         CD-014         10           CD-011         14         28         CD-014         10           CD-011         16         39         CD-015         10           CD-011         16         39         CD-015         10           CD-011         16         39         CD-015         10           CD-011         17         CD-015         10         10           CD-012         18         39         CD-015         10           CD-01	C04506         II         1 II         II         III         IIII         IIII         IIII         IIIIII         IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	40 pin LP         49         46         43           SOLDERTAIL (GOLD) STANDARD         100 pp         100 up         100 up           8 pin 55         .30         .27         .25           14 pin 50         .30         .37         .26           18 pin 55         .31         .9         .37           18 pin 55         .31         .9         .37           18 pin 55         .121         .13         .37           18 pin 55         .123         .103         .97           28 pin 55         .123         .104         .08           28 pin 55         .121         .14         .08           310.00         Minimum Order         -U.S. Funds O         California Residenta Add 61/9 % Seles T           Shipping         - Add 5% plus \$1.50 insura         Seles T         Shipping - Add 5% plus \$1.50 insura           MasterCard         MasterCard         MasterCard         MasterCard           MasterCard         1355         SHOREWAY Ref	ax Send \$1.00 Postage for your	TOBACH         14         135         LU330H         19         50         LU72BL         14         163           LW301CH         35         LW30CH         35         LW30CH         35         LW30CH         35           LW302H         1.95         LF355H         1.10         LW72H         16         35           LW302H         1.95         LF355H         1.10         LW72H         16         35           LW302H         1.95         LW37DH         14         35         LW110H         14         45           LW302H         1.95         LW170H         1.455         LW1130H         14         145           LW302H         1.75         LW302H         1.85         LW148H         14         65           LW310CH         1.75         LW302H         1.85         LW148H         14         66           LW310CH         1.75         LW302H         1.75         LW302H         1.85         LW148H         14         68           LW310CH         1.75         LW302H         1.75         LW302H         1.85         LW148H         18         1.85           LW310CH         1.75         LW302H         1.75         LW302

CIRCLE 20 ON FREE INFORMATION CARD

184

RADIO-ELECTRONICS



**CIRCLE 20 ON FREE INFORMATION CARD** 

OCTOBER 1983





CPU'S & 8251 4.50 SUPPORT 8253 5.95 CHIPS 8279-5 6.95	SCR's	TRIAC's	EPOXY GLASS VECTOR BOARD           1/16" thick with 1/10" spacing           4½" x 6½"           51.95	
1035 4.95 8255 4.50 1039 6.95 8257 (AM9617) 7.95 1039 6.95 8256 5.95	1.5A 6A 35A 110A 100 .35 .40 1.40	PRV 1A 10A 25A 100 .35 .60 1.40 200 .50 .80 1.90	14.PIN HEADERS	
0090A 2.75 8366 12.96 0095A 5.75 6602 5.75 AMD 2901 8.95 280A CPU 4.75	200         .40         .50         1.80         9.00           400         .60         .70         2.40         12.00           600         1.00         2.60         15.00	200         .50         .80         1.90           400         .70         1.00         2.60           600         1.00         1.20         3.60	40 PIN HEADERS	
212 1.90 2808 CPU 12.95 212 1.80 280A S10 10.95 214 3.60 280A S10 10.95	600 1.00 3.60 15.00		26 PIN EDGEBOARD CONN	
216 1.75 Z80A CTC 6.75 224 2.25 TMS 9927 NL 9.95 226 1.80	FACE	/MOS	TRANSISTOR SPECIALS	
166 0.06 13.30	AIVERS 4002 - 25 4 AIVERS 400665 4 4007 - 27 4	04355 458390 04456 458575 04680 74C0027 04795 74C0227	2N404A PNP GE TO-5	and
237 14.00 6809 6.95 1485 238 3.95 6821 2.95 1485	1.50 400939 4	049 - ,36 74C0436 05035 74C0630 05180 74C10 - ,27	2N8223 <sup>3</sup> NPN SWITCHING POWER	instru
748 19.95 6850 2.95 8830 755 19.95 6875 4.50 8830 250 10.95 68000L8 39.50 8834	2.50 401230 2.50 401335 401470	05375 74C2027 06080 74C3239 05545 74C42 - 1.00	TIP 2956 PNP Si 6 .70 2N2222 NPN Si TO 18 7/61.00 2N2807 PNP Si TO 18 7/61.00	
SHIFT DISC 8837	2.00 401645 5307 7.96 4017 - 60	06836 74C7450 069 - 25 74C7670 07036 74C86 - 1.40	2N3065 NPN Si TO-3. 5 .60 2N3904 NPN Si TO-92. 7/81.00 2N3906 PNP Si TO-92. 7/81.00	SPE
MEGISIENS 1771. 18.50 CRT 1M1402 1.75 1791. 25.00 CRT 1M1403 1.75 1793 35.00 MM	5037 18.95 4019 - 50 5037 18.95 4020 - 70 5369 2.50 402165	0772 - 25 74C9350 07656 74C154 - 2.50 07735 74C157 - 1.75	2N6109 PNP Si T0-220 . 9 .55 TIP 318 NPN 8i T0-220 . 5.40 TIP 328 PNP Si T0-220 . 6 .40 TIP 328 PNP Si . 9 .95	
AM1404 1.75 1796. 45.00 PT1. AM5013 2.50 1797. 45.00 PT1. AM5055 2.50 0786 45.00 AY5	1013A 3.75 4025 - 25	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	TIP 121 PNP \$i U84	120
AM5066 2.50 AM5067 2.50 AM5060 2.50 RAM's	4027 - 40 4028 - 55 4029 - 75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	DPS2000	3 0
ROM's 2101A-4 1.50 NO 21L02-3 .70 WR	0 WIRE 4034 - 1.75 P WIRE 403675	515 - 1.50 74C902 - 70 516 - 75 74C914 - 1.75 518 - 85 74C921 - 3.95 518 - 85 74C921 - 3.95	TTLIC SERIES           7400         .24         7472         .40         74612         .60           7401         .24         7473         .45         74163         .60	
16 + 5V 4.95 2114-2 1.40 ST 32 6.50 2147-3 2.50 ST	NGLC 4042 - 56	52070 74C83 - 125 528 - 1.00 539 - 1.25	7402 .24 7474 .50 74164 .60 7403 .24 7475 .50 74166 .60	XFor
32 7.95 MK4027-3 1.75 64 9.95 TMIS4060NL 2.95	74S SERIES 74 74S00 30 74	S85         1.25         74S163         1.40           S85         .60         74S169         1.75           S89         1.90         74S174         1.40	7404         .24         7476         .45         74166         .70           7405         .24         7480         .45         74170         1.60           7406         .45         7483         .50         74173         .75	Cat.
S23 1.96 MK4802 5.96 (6331) 1.96 4108-3 1.50 2.00	0 6.144 74S03 .30 74 74S04 .40 74	\$112 .85 74\$175 1.40 \$133 .50 74\$182 1.75	7407         .55         7485         .56         74174         .65           7408         .30         7486         .35         74175         .60           7409         .28         7489         1.90         74176         .75	DB
IS120 1.95 4116-15 1.50 3.57 IS130 1.95 4116-15 1.50 3.57 IS130 3.00 4118-4 5.50 4.00	9 10 000 74505 45 74 0 18 000 74508 40 74 0 18 000 74510 30 74	\$138 1.25 74\$240 1.00 \$139 1.10 74\$241 1.50	7410         24         7490         35         74180         1.90           7411         .24         7491         .45         74182         .45           7412         .30         7492         .45         74190         .70	DB 1P
M9214C 2.96 51012 2.96 6.00 256-5 1.25 26104-4 2.50 6.00 15387 1.75 6116-4 5.50	74S11 .35 74 0 20.000 74S15 .40 74 74S20 .40 74	\$140         1.70         74\$257         1.30           \$151         1.25*         74\$258         1.30           \$153         .95         74\$260         1.50	7413         35         7493         35         74191         .75           7414         .45         7494         .60         74193         .79           7416         .35         7495         .55         74194         .85	C
3242 6.00	74\$32 .40 74	\$157         1,25         74\$280         1.75           \$158         1.25         74\$373         2.25           \$161         1.75         74\$374         1.75	7417         .35         7496         .60         74195         .45           7420         .24         74107         .30         74196         .75           7425         .25         74116         1.50         74221         1.00	Joy Pac
4164-2 - \$5.50		R CIRCUITS	7426 .25 74121 .45 74273 .85 7427 25 74122 .50 74279 .60 7430 .24 74123 .55 74298 .65	-
4164-2 - 100/\$500 4116-2 - 100/\$90.0	0 TL062 CP95 LF TL064 CN - 1.50 LF	366 - 1,00 CA758 - 1.75 A35850 LM1310 - 1.60 A361 - 1.75 1456 - 80	7432         .32         74126         .45         74365         .65           7437         .32         74145         .60         74367         .65           7438         .32         74148         1.10         74390         .90	
2114-2 - 100/\$100	CO LM301/74830 LM	13/0 - 1,00 1459 - 50	7440         .24         74150         1.10         75325         1.50           7441         .75         74151         .50         75492         1.05           7442         .60         74153         .40         9601         .75	
E. TOOLOT I ET TITTTTTTTTTTTTTTTTTT	.45 LM310 - 1.10 LF	A38685 CA3018 - 1.95 A387 - 1.25 CA3018 - 1.95 A38375 CA3078AT - 1.50 A39375 CA308675	7445 .66 75154 1.10 9602 .75	SC
2N2646 UJT \$ ER 900 TRIGGER DIODES 4/s	.45 LM31875 LM	A65634 CA3089E - 1.75 A55666 AD2700LD - 4.95 8 - 3.60 CA3140 - 1.00	7448 .65 74160 .85 8T97 .90 7450 .24 74161 .65 8T98 .90	CIR
2N 6028 PROG. UJT s DISC CAPACITORS	.65 LM34890 5/ LF36166 5/	56 - 1.25 390050 56 - 1.25 LM 390980	74LS SERIES	
01UF 35V	\$8.00 \$5.00 7	97         - 1.10         4136        85           99C        35         N5596A         - 1.50           11CH        40         D6303B         - 1.75           11CV        40         R038CC         - 3.90	74LS00         35         74LS109         55         74LS240         1.10           74LS01         .36         74LS112         .50         74LS241         1.10           74LS02         .33         74LS113         .60         74LS242         1.10	
PRINTED CIRCUIT BOARD 4" x 6" DOUBLE SIDED EPOXY BOARDED "/18 6,60 ea.		HCV - 40 R038CC - 3.90 LM1308095 8700CJ - 5.95	74LS03 33 74LS114 .65 74LS243 1.10 74LS04 .40 74LS123 .85 74LS244 1.30 74LS05 38 74LS125 .60 74LS246 1.75	1
TOGGLE 1060 - SPOT80 2060 - DPDT - 1.20 SWITCHES 2069 - OPDT - CENTER	OFF \$1.40 PRV 2A 6A	25A TTL SIZE	74LS08         40         74LS126         .80         74LS446         .95           74LS09         40         74LS132         .75         74LS247         .90           74LS10         .40         74LS138         .55         74LS247         .90	
IN4148 (IN914)	100 100 100	3 30 D.P. 400 ohm coil	74LS11         40         74LS137         95         74LS251         .70           74LS12         .40         74LS138         .95         74LS253         .70           74LS13         .55         74LS139         .70         74LS257         .70	
D LED's .2"	8/\$1.00 SILICON P	OWER RECTIFIERS	74LS14         50         74LS147         1.95         74LS258         80           74LS15         .80         74LS151         .70         74LS259         1.00           74LS20         .40         74LS153         .70         74LS266         .70	
L, GREEN of AMBER LARGE LED's .2" D-GREEN BIPOLAR LED D-YELLOW BIPOLAR LED	\$ .90 PRV 1A 3A \$ .90 100 .05 14	12A 50A 125A 240A .35 .90 4.25 6.00	74LS21         .40         74LS154         2.40         74LS273         1.15           74LS22         .40         74LS155         .80         74LS279         60           74LS26         .55         74LS156         .80         74LS279         60	0
LED92 IR LED RD148 PHOTO DARL. XTOR CT2 OPTO ISOLATORS	\$ .40 \$ .50 \$ 60 200 .06 .17 .40 .09 .25	.50         1.30         5.25         9.00           .65         1.50         6.50         12.00	74LS27         40         74LS157         80         74LS28         80           74LS28         50         74LS158         .80         74LS290         90           74LS30         40         74LS168         .90         74LS293         .90	el
26 OPTO ISOLATOR. WATT ZENERS: 3.3, 4.7, 5.1, 5.6, 6.8, 3.2, 9.1, 10, 12, 15, 18, or 22V.	\$.40 <u>600</u> .11 .30 800 .13 .35	.80 2.00 8.50 15.00 1.00 2.50 10.50 18.00 1.25 3.00 12.50 26.00	74L532         A0         74L5161         .90         74L5288         .90           74L537         A0         74L5162         .90         74L5320         2.00           74L538         A0         74L5163         .90         74L5323         3.50	ec
FLAT         DIP SWITCH           RIBBON         CTS 206-4         4 POSIT	ES REC	GULATORS	74L540 40 74L5164 80 74L5365 70 74L542 86 74L5165 90 74L5366 70 74L547 80 74L5166 1.90 74L5367 70	el
GRAY CTS 206- 7 7 POSIT	ION .95 LM338K	.35 LM305G	74L554 40 74L5170 1,90 74L5373 1,20 74L573 .55 74L5173 .90 74L5373 1,20	eı li
28 gauge CTS 206-10 10 POSIT 26 conductor DIP	ION 1 25 723	.50 15, 18 or 24V \$ .75 .85 LAS1412 + 12V	74L573 .56 74L5174 90 74L5377 1.50 74L575 .56 74L5175 .90 74L5386 .60 74L576 .56 74L5181 1.95 74L5380 1.10	
.60/ft SOCKETS 20 P	IN .25 TANTALU	M CAPACITORS	74LS83         BD         74LS190         90         74LS383         1.10           74LS85         90         74LS191         .90         74LS388         2.50	I
.90/ft 14 PIN .12 24 F	IN .25 .22UF 35V 5/\$1 IN .35 .47UF 35V 5/\$1	.00 30UF6V 5/\$1.00	74LS90 55 74LS193 .90 74LS668 1.50 74LS92 .70 74LS194 90 74LS670 1.20	3
1.00 18 PIN .20 40 F	IN .40 .68UF 35V 5/\$1 1UF 20V 5/\$1	.00 47UF20V \$ .85	74LS93 .70 74LS195 .90 81LS97 1.20 74LS96 80 74LS196 .90 81LS98 1.20 74LS107 55 74LS197 .80 74LS107 55 74LS197 .00	I
PIN45 250 ma \$		.00 120UF6V \$ .75	74L5221 1.10 MULTI TURN TRIM POTS	3
PIN66 DB CONNEC PIN90 089P - \$2.00 DB2	TORS 6.8UF 20V 4/\$1 5P - 12.40 10UF 20V - \$	.00 150UF 16V \$1.30	50 OHM 5K 100 OHM 3/\$2.00 50K	c
PIN - 1.25 0893 3 3.00 082 PIN - 1.50 HOODS- 1.10 HOO	55 - 3.20 DS- 1.10 22UF 10V - \$	.30	1000 OHM 500K	I:
POSTAGE RATES ADD 10% FOR ORDERS UNDER #25.0 ADD 5% FOR ORDERS BETWEEN #25 ADD 3% FOR ORDERS ABOVE #50.00	0 OR MONE"	B CAMBRIDGE MASS SEND CI V ORDER MINIMUM TELEPH CHASE ORDER OR CHARGE 8 MAIL ORDER \$5.00.	IONE, FEATURING THANSISTURS &	la
			TEL. (617) 547-7053	E
SOL	D STATE SA OX 74 D RVILLE, MASS.	ALES	WE SHIP OVER OVER 95% OF OUR ORDERS WITHIN	1
			24 HOURS OF RECEIPT	1 1 1 1 1 1 1



CIRCLE 23 ON FREE INFORMATION CARD



**CIRCLE 73 ON FREE INFORMATION CARD** 



the following steps is painstakingly taken by a certified technician:

1. The first thing GILCO does is change the standard diode to a hot carrier diode

2. The tuner's output is then measured on our JERROLD field strength meter and compared to a computer derived chart from which we determine the correct value coll to add across the IF output for maximum pre-peaked gain.

3. The tuner is then fed a standard 10db 300 ohm antenna input and while monitoring the output on our HEWLETT PACKARD spectrum analyzer, the tuner is tuned to the desired channel and its oscillator is offset for the desired output frequency as follows: Channel 2: 58 Mhz, Channel 3: 63 Mhz, Channel 4: 68 Hhz

We call this step peaking because the tuner's output looks like a peak on our spectrum analyzer and the highest point of that peak is actually adjusted for the desired output. 4. The last step is one more measurement on the field strength meter which is again compared to our performance chart to calculate the correct value of the second coll which is added to the tuners internal connections

This procedure was developed by GILCO and it is our computer derived performance charts that make our tuner better, that's because almost every tuner gets a different value coil before it's peaked and again a different value coil after it's peaked. The combinations are endless and the way we determine the values is our secret ...

#### GILCO PARTS KIT & PRINTED CIRCUIT BOARD

- Use with GILCO **High Gain Tuner**
- **Requires NO Modification to** Your Television
- Individually Packaged and Labeled Parts Save Guesswork

• The only tools required for assembly are: screwdriver, solder-ing iron, voltmeter. No drilling is required to the P/C board.

This kit was designed to take advantage of the GILCO high gain tuner which means its circuitry is simpler

Pre-drilled. pre-screened, plated through the holes P/C board. All hardware, connectors, 22 page illustrated instruction manual, & Gilco Hy-Gain tuner. Kit assembles in just 4 hours.

4. Newest Addition: the P/C board is plated

and more efficient than those circuits that require inferior varactor tuners

FREE 22 Page Instruction Book included with each P/C Board or Parts Kit. This Instruction book will guide the builder through every step of the assembly. **Nearly every** page is illustrated. With this Instruction Book, estimated assembly time is 4 hours.

#### HERE'S WHAT YOU GET FROM GILCO 700

Part No. B21 Printed Circuit Board 1. This Printed Circuit Board uses only one resist. This prevents solder bridges. iumper, others use nine.

through the holes. This allows for easier 2. The component layout is screen printed on the component side of the P/C board.

and more positive soldered contact between 3. The solder side of the P/C board is covered with high temperature solder the parts and the P/C board

Part No. B22 Complete Electronic Parts Kit

\$**80**00 All resistors (30), Potentiometers (1-5K, 3-10K), Panel Mount Potentiometer (10K), Electrolytic Capacitors (6), Ceramic and Mylar Disc Capacitors (35), Variable Capacitors (4), All Integrated Circuits (7), Voltage Regulator, Heat Sink, Diodes (4), IC Sockets (4-8 pin, 3-14 pin), Power Transformer (24V, 1A), Coll Kit with No. 26 wire (4), Speaker (4'', 3oz.), Standoffs, Coaxial Cable, All Miscellaneous Harware, Etc. All parts are individually packaged and labeled

All components including the Wire, Hardware, Coaxlal Cable and Heat Sinks are included in the parts kit. This means your assembly time from start to finish is just 4 hours.

#A02 #A03	New 2 s	tage, lov	noise,	28db 14db	gain, oain.	& RF RF	AMPLIF Amplifier Amplifier	FIER Kit Kit	KITS	 \$1800 \$1050
							FORM -			

#B21 GILCO Pre #B22 GILCO Part #B20, B21, B22 #A02 Two stage, #A03 One stage,	Gain Modified Tuner drilled, Screen Printed, Circuit Board s Kit (Less P/C Board) Complete P/C Board and Parts Kit (all three) 28 db gain, Amplifier Kit 14db gain, Amplifier Kit	\$10 <sup>50</sup>
		Total Tax
City	StateZip	Ship
Mail Order	Only. Send check or money order to: GILCO INTERNATIONAL, INC.	Total

	GIL	UU IN	<b>IEKN</b>	ATIONA	AL, INU	
P.O.	Box	8817.	Coral	Gables,	Florida	3312

CALL (305) 823-5891 for COD orders PLEASE WRITE FOR OUR FREE CATALOG Shipping Orders under \$50 add 10%, Orders over \$50 add 5%, FL residents +5% Tax



- 10 pitch, 12 pitch & proportional space plus plotting!
- uses standard "Diablo" Daisy Wheels!
- we have MANY spare parts in stock!
- Interface (RS232 & Centronics) available too!
- Please add \$25 for packaging & handling \*This printer requires ±15VDC and +5VDC to operate.

A Micro-processor interface board for RS-232 and Centronics VO is available for	\$29500
External Diable nower supply for the above:	\$7900

External Diablo power supply for the above: ...

We Offer New & Used FLOPPY DRIVES, DISK DRIVES, PRINTERS, & MORE at BARGAIN PRICES! Write or Call for Our Latest Flyer NOW!!!



## the first name in Counters! 9 DIGITS 600 MHz \$129 95

State State	in the second
	valuer en
PRICES	
CT-90 wired   year warranty	\$129.95
CT-90 Kit, 90 day parts war-	
ranty	109.95
AC-1 AC adapter	3.95
<b>BP-1 Niced pack +AC</b>	
Adapter/Charger	12.95
OV-1, Micro-power Oven	
time have	40.05

nal time base inout

The CT-90 is the most versatile, feature packed counter available for less than \$300.00! Advanced design features include; three selectable gate times, nine digits, gate indicator and a unique display hold function which holds the displayed count after the input signal is removed Also, a 10mHz TCXO time base is used which enables easy zero beat calibration checks against WWV. Optionally; an internal nicad battery pack, external time base input and Micropower high stability crystal oven time base are available. The CT-90, performance you can count on!

SPECIFIC	
Range:	20 Hz to 600 MHz
Sensitivity:	Less than 10 MV to 150 MHz
	Less than 50 MV to 500 MHz
Resolution:	0.1 Hz (10 MHz range)
	1.0 Hz (60 MHz range)
	10.0 Hz (600 MHz range)
Display:	9 digits 0.4" LED
Time base:	Standard 10.000 mHz, 1.0 ppm 20-40°C.
	Optional Micro-power oven-0.1 ppm 20-40°C
Power.	8-15 VAC @ 250 ma

#### 7 DIGITS 525 MHz \$9995 WIRED

#### SPECIFICATIONS:

Range:	20 Hz to 525 MHz
Sensitivity:	Less than 50 MV to 150 MHz
	Less than 150 MV to 500 MHz
Resolution	1.0 Hz (5 MHz range)
	10.0 Hz (50 MHz range)
	100.0 Hz (500 MHz range)
Display:	7 digits 0.4" LED
Time base:	1.0 ppm TCXO 20-40°C
Power.	12 VAC @ 250 ma

49.95

The CT-70 breaks the price barrier on lab quality frequency counters, Deluxe features such as, three frequency ranges - each with pre- amplification, dual selectable gate times, and gate activity indication make measurements a snap. The wide frequency range enables you to accurately measure signals from audio thru UHF with 1.0 ppm accuracy - that's .0001%! The CT-70 is the answer to all your measurement needs, in the field, lab or ham shack



PRICES	
CT-70 wired, I year warranty	\$99.95
CT-70 Kit, 90 day parts war-	
ranty	84.95
AC-1 AC adapter	3.95
BP-1 Nicad pack + AC	
adapter/charger	12.95

### 7 DIGITS 500 MHz \$79 95 WIRED

PRICES	
MINI-100 wired, 1 year	
warranty	\$79.95
AC-Z Ac adapter for MINI-	
100	3.95
BP-Z Nicad pack and AC	
adapter/charger	12.95

Here's a handy, general purpose counter that provides most counter functions at an unbelievable price. The MINI-100 doesn't have the full frequency range or input impedance qualities found in higher price units, but for basic RF signal measurements, it can't be beat' Accurate measurements can be made from 1 MHz all the way up to 500 MHz with excellent sensitivity throughout the range, and the two gate times let you select the resolution desired. Add the nicad pack option and the MINI-100 makes an ideal addition to your tool box for "in-the-field" frequency checks and repairs.

#### SPECIFICATIONS:

Range 1 MHz to 500 MHz Sensitivity: Less than 25 MV Resolution 100 Hz (slow gate) 1.0 KHz (fast gate) 7 digits, 0.4" LED Display: 2.0 ppm 20-40°C Time base Power 5 VDC @ 200 ma

## 8 DIGITS 600 MHz \$159<sup>95</sup> WIRED



#### SPECIFICATIONS: Range: 20 Hz to 600 MHz

Sensitivity 1.0 Hz (60 MHz range) Resolution 10.0 Hz (600 MHz range) 8 digits 0.4" LED Time base: 2.0 ppm 20-40°C 110 VAC or 12 VDC

The CT-50 is a versatile lab bench counter that will measure up to 600 MHz Less than 25 mv to 150 MHz with 8 digit precision. And, one of its best features is the Receive Frequency Less than 150 mv to 600 MHz Adapter, which turns the CT-50 into a digital readout for any receiver. The adapter is easily programmed for any receiver and a simple connection to the receiver's VFO is all that is required for use. Adding the receiver adapter in no way limits the operation of the CT-50, the adapter can be conveniently switched on or off. The CT-50, a counter that can work double-duty!

Í		6	
	CES: 50 wired, 1 year warranty	\$15	9.95

CT-50 Kit, 90 day parts warranty 119.95 RA-1, receiver adapter kit 14.95 RA-1 wired and pre-program med (send copy of receiver schematic) 29.95

#### DIGITAL MULTIMETER \$99 95 WIRED

9.95
9.95
3.95
9.95
2.95

**inni** 

#### **AUDIO SCALER**

For high resolution audio measurements, multiplies UP in frequency.
Great for PL tones

- . Multiplies by 10 or 100
- 0.01 Hz resolution!
  - \$29.95 Kit \$39.95 Wired

ramsey electronics, inc. 2575 BAIRD RD. • PENFIELD, NY 14526

The DM-700 offers professional quality performance at a hobbyist price. Features include; 26 different ranges and 5 functions, all arranged in a convenient, easy to use format. Measurements are displayed on a large 31/2 digit, ½ inch LED readout with automatic decimal placement, automatic polarity, overrange indication and overload protection up to 1250 volts on all ranges, making it virtually goof-proof! The DM-700 looks great, a handsome, jet black, rugged ABS case with convenient retractable tilt ball makes it an ideal addition to any shop.

#### ACCESSORIES

#### Telescopic whip antenna - BNC plug. \$ 7.95 High impedance probe, light loading . 15.95 Low pass probe, for audio measurements 15.95 Direct probe, general purpose usage ..... 12.95 Tilt bail, for CT 70, 90, MINI-100 3.95 Color burst calibration unit, calibrates counter against color TV signal.

S	PEC	IFIC	ATIONS:
-	_	and the second se	the second se

F

DC/AC volts: 100 uV to 1 KV, 5 ranges DC/AC 0.1 uA to 2.0 Amps, 5 ranges current 0.1 ohms to 20 Megohms, 6 ranges Resistance Input impedance 10 Megohms, DC/AC volts 0.1% basic DC volts Accuracy Power. 4 'C' cells

#### COUNTER PREAMP

For measuring extremely weak signals from 10 to 1,000 MHz. Small size, powered by plug transformer-included. · Flat 25 db gain

BNC Connectors

TERMS

• Great for sniffing RF with pick-up loop \$34.95 Kit \$44.95 Wired

Satisfaction guaranteed examine for 10 days if not pleased, return in original form for refund. Add 5% for shipping insurance to a maximum of \$10. Overseas add 15% COD, add \$2. Orders under \$10. add \$1.50. NY residents add 7% ton.

CALL 716-586-3950 **CIRCLE 79 ON FREE INFORMATION CARD** 


**PHONE ORDERS** 

ľ

----

OCTOBER 1983

ISA AR OK DIGI KIY EGRATED	IES PLESSEY MACHINE UR TIONAL SEMIC DIGI KEY - DIGI DIGI KEY - DIGI CIRCUITS		AVID E.F.	SAVING	ERVICE — Computerized order S — Volume Discounts • OEM ( S at The Big DIGLERE) Discount note TEXAS INSTRUMENTS	n nationally recognized manufat processing and inventory contro luantity Pricing • Toll Free 800 on the Procedure (Marinow, 1997) extractional active located in extraction active located in the canactions	AS INSTRUMENTS + D-KI + A IND TOOL + UNGAR + GC C	DU - UNGAR • GC CH P PRODUCTS * DIA CHEMICALS • ARIES ISSEY • MOLEX • E IGG REY ONGEREY ONGEREY IGG REY ONGEREY ONGEREY PARASONIC EISIN DIPPED YAN CAPACITOPS
Press         74LS00           Press         Pert           764, SODN         79           79         744, SODN           79         744, SODN           79         744, SODN           79         744, SODN           744, SODN         744, SODN	Proces         Part         Proces           200         Part         Proces         Proces           300         Parts         Proces         Proces           301         Parts         Proces         Proces           301         Parts         Proces         Proces           301         Parts         Proces         Proces           302         Parts         Proces         Proces           303         Parts         Proces         Proces           303         Parts         Proces         Proces           303         Parts         Proces         Proces           304         Parts         Proces         Proces           305         Parts         Proces         Proces           305         Parts         Proces         Proces           305         Parts         Proces         Proces           305         Parts         Part	P pri         Prime           0         4000         36           0         40016         36           0         40016         36           0         40016         36           0         40016         36           0         40016         36           0         40016         31           0         40016         100           0         40016         100	Part Pro LF3425, 21 LF3115, 1 LF35304 1 LF35540 1 LF3554	Pers         Proc           5         L423894 3         97           7         L43394 4         11           2         L423904 9         9           0         L4239140         1           0         L4239140         1           0         L42391400         1           0         L42391400         1           0         L42391400         1           143391400         1         7           L43391400         1         7           L43391400         1         7           L43391400         1         7           L43391400         1         7	Buds - 98 VD powersite werk Cases on Ably contexts Accommodies standard (% eachs on the D144 these and D25 werk Cantact as damping and another to take and D25 werk Cantact as damping and another to take the loss restrict and the standard for the standard for loss restrict and there is the standard for the stand	Are parts and the method part of the central transport of the central t	NEWIKIT 310 GISC CAPACITORS Mean stable converse beinder state to converse states the converse Assertation of 11 B	NEW KIT IN TANYA LAN CAPACITORS CAPACITORS Markowski Capacitors Markowski Capacitor
43 74,500N 41 74,510N 43 74,511N 39 74,513N 48 74,513N 48 74,513N 49 74,513N 40 74,513N 40 74,513N 40 74,513N 40 74,513N 41,520N	43 7- 30 74511h 40 74514h 30 74 50 74522PN 64 74577 40 74577 30 74550 34550 40 74551h	00         4010.4         431           01         40116         37           01         40126         31           02         40130         40           03         40148         50           04         40130         40           04         40148         50           10         40156         47           10         40158         67           10         40188         49           10         40188         67	LF411_Fv S L1412 10 21412 10 21412 20 21412 20 25 15 25 25 25 25 25 25 25 25 25 2	9 LAUSS 20 1 LAUSS 20 2 LAUSS 25 2 LAUSS 20 2 LAUS	DIP SOCKETS	Ministure Aluminum Electrolytic Capaciton           rdm         A tol         Budlef           97         6/6         1         6         6           98         6/6         1         1         6         10           27         6/8         1         1         6         10         10           33         6/3         20         1         14         16         14         1/2         9.3           41         76         32         1         14         14         14         19         9.5	Particular Vs.UR1 Parssister Conducting Date: Set now has given and other of Panasonic Cersmic Date: Capacitans, including Tables of the NPO bancet NPO TYPE For Complete Specie on Physical Blas and Electrical Company and the species on Physical Blas and Electrical	OMCIREY         Case         Voit         Preso           0         44         4.7         HE         1         10           0         2001         6.3         3.16         31         2.70         22           0         2001         6.0         1.95         31         2.70         22           0         0.15         3.16         31         2.70         22           0         0.15         3.16         31         2.70         22           0         0.15         3.16         42         3.64         10           0         1.16         4.2         3.64         11         4.16
30 74L527h 44 74L528h 43 74L528h 41 74L529h 74L5329h 74L5329h 74L5329h 41 74L539h 41 74L539h 41 74L539h 41 74L539h	40 74551N 38 745640 43 745640 745740 40 745740 40 7451120 43 7451140 43 7451140 40 7451130 43 7451140	50         40196         41           50         40206         81           57         40218         81           57         40229         91           87         40228         81           87         40228         81           87         40228         81           87         40228         81           87         40228         81           86         40248         91           86         402768         81           86         402768         81	LM300N 3 LM311N 3 LM311N 3 LM317h 46 LM317L2 5 LM317MP 13 LM317T 15 LM317T 15 LM317T 15	5 LN725CN 25 5 LN725CN 25 7 LN725CN 15 17 LN741CN 5 17 LN747CN 7 8 LN747CN 7 8 LN747CN 7 9 LN747CN 7	CB211         14 per solder tall, tim         15         145         12           CC2112         15 per solder tall, tim         15         145         12           CC2012         16 per solder tall, tim         20         190         12           CC2012         16 per solder tall, tim         20         190         12           CC2012         16 per solder tall, tim         20         190         12           CC2012         12 per solder tall, tim         22         10         20           CC2012         24 per solder tall, tim         25         21         20           CC2022         24 per solder tall tim         28         29         24	0         0	Part         Ease         Vinit         9         9         6         100           VADD         100 rf         500         70         6.40         427         1           VADD         100 rf         500         70         6.40         427         1           VADD         100 rf         500         75         6.40         427         1           VADD         100 rf         500         75         6.40         407         1           VADD         100 rf         500         75         6.40         407         1           VADD         100 rf         500         75         6.40         407         1           VADD         27 or         500         75         6.40         407         1           VADD         37 or         500         75         6.40         407         1	p         P2007         00         3 15         70         6 75         5           P2008         100         1.15         B7         8 37         0           P2008         150         1.15         B7         8 37         0           P2008         150         1.16         2.27         19 50         16           P2010         2.20         1.16         2.24         220         17           P2011         4.7         8         31         270         2
30 74L547N 116 74L540N 50 74L540N 01 74L540N 01 74L551N 01 74L551N 03 74L558N 103 74L573N 103 74L573N	1 06 7451200 1 06 74519 1 06 75 364 1 1 03 7 536 39 7- 395 1451205 30 7451215 1451205 30 7451515 1451205 30 7451515 1 451555 1 451555 1 451555 1 451555 1 451555 1 451555 1 451555 1 451555 1 45155 1 451555 1 45155 1 451555 1 45155 1 451555 1 451555 1 451555 1 451555 1 451555 1 451555 1 451555 1 4515555 1 4515555 1 4515555 1 45155555 1 45155555 1 45155555 1 451555555 1 451555555 1 4515555555555 1 4515555555555555555555555555555555555	94         402296         9           105         402296         9           106         40310         1           101         40310         1           102         40348         2           101         40348         2           102         40348         2           101         40348         2           102         40348         2           101         40348         1	P P I	LM1458N 00 LM1486N 11 M1800N 12 LM1800N 12 LM1800N 12 LM1800N 16 LM1800N 16 LM1800N 16 LM1800N 36 LM1800N 36 LM1800N 36 LM1801N 36	CBB22         20 per locidize rule, im         32         2.10         271           CBB22         20 per locidize rule, im         54         2.00         271           CBB20         Add Part Solution         64         420         381           DidLD INLAY SOLDER TAIL         Min. In Min.	0         7         10         91         177         167         16         16         6         16         17         19         15         16         16         17         10         17         10         17         10         17         10         17         10         17         10         17         14         16         16         10         11         14         14         14         13         17         10         17         14 <th14< th="">         14         14         14<td>Page         30         15         6         40         47           P4008         47         75         6.40         46.71           P4008         56         15         6.40         46.71           P4010         56         15         6.40         46.71           P4010         100         1500         75         6.49         46.71           P4010         100         1500         75         6.49         46.71           P4010         100         1500         164         7.23         84.72           P4010         100         1500         54         7.23         84.72           P4100         100         1500         54         7.23         84.72           P4100         100         1500         54         84.23         40.72           P4103         100 p1         500         4.53         8.43         40.72           P4103         100 p1         500         5.5         5.43         40.72</td><td>1         PÓDI2         6.9         6.         37         3.21         3.21           2         PODI3         6.         5.27         6.         5.27         6.         5.27         1.01         7.01</td></th14<>	Page         30         15         6         40         47           P4008         47         75         6.40         46.71           P4008         56         15         6.40         46.71           P4010         56         15         6.40         46.71           P4010         100         1500         75         6.49         46.71           P4010         100         1500         75         6.49         46.71           P4010         100         1500         164         7.23         84.72           P4010         100         1500         54         7.23         84.72           P4100         100         1500         54         7.23         84.72           P4100         100         1500         54         84.23         40.72           P4103         100 p1         500         4.53         8.43         40.72           P4103         100 p1         500         5.5         5.43         40.72	1         PÓDI2         6.9         6.         37         3.21         3.21           2         PODI3         6.         5.27         6.         5.27         6.         5.27         1.01         7.01
1 03 74L S 754 39 74L S 754 39 74L S 754 30 74L S 83A 30 74L S 83A 40 74L S 83A 40 74L S 85A 52 74L S 85A 52 74L S 83N 50 74L S 83N	50         7451585         1.           51         74         150 %         3.           460         74         160 %         3.           90         74         160 %         3.           90         74         160 %         3.           90         74         160 %         3.           90         45         5.01 %         3.           90         45         5.01 %         3.           90         74         1.4 %         1.           90         74         1.4 %         1.           90         74         1.4 %         1.	19 40438 E 40448 E 54 40468 10 54 40468 10 54 40478 9 54 40478 9 54 40484 4 19 40684 4 30 40588 9 31 40588 9	M-22-12 10 M-221/W2-15-11 LM22/24 LM22/24 LM22/24 LM224/ LM224/ LM224/ LM224/ LM224/ LM224/ LM224/ LM22902	9 LA1972N 3.3 99 LA199N 2.4 14 LA2111N 1.5 14 LA2201N 1.1 14 LA2201N 1.1 14 LA2202N 1.0 11 LA2202N 1.0 11 LA2202N 1.0 11 LA2202N 1.0 11 LA2202N 1.0	CITILIA         14 per solution solution per del per d	$ \begin{array}{c} \begin{array}{c} 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 $	Parton         200 prl         500         813         61.43         407           Parton         200 prl         500         81.3         6.43         407           Parton         300 prl         500         81.4         407         20           Parton         300 prl         500         81.4         407         20           Parton         900 prl         500         81.4         407         20           Parton         900 prl         500         80.4         407         20           Parton         900 prl         500         80.4         407         20           Parton         900 prl         500         80.4         801         81         81           Parton         900 prl         500         80.0         80.1         81         81         81           Parton         900 prl         500         80.0         80.1         81         81         81           Parton         900 prl         500         80.0         80.1         81         81         81         81         81         81         81         81         81         81         81         81         81         81         81<	P         COL         2.3         1.2         1.0         2.1 <th2.1< th=""> <th2.1< th=""> <th2.1< th=""></th2.1<></th2.1<></th2.1<>
48 74,510PH 57 74,5112H 48 74,5113H 73 74,5113H 74,5122N 46 74,5122N 46 74,5123N 3 08 74,5125N 57 74,5125N	wm         P45181N         5           46         745182N         2           47         745182N         2           48         745184N         2           49         74189A         4           145194A         2         2           50         745195N         2           87         745195N         2           87         745197N         2           56         745197N         2           56         745197N         2           56         745197N         2           56         745197N         2           57         745196N         2	44 00538 9 03 40600 1.0 09 40658 4 10 4069A 3 30 40700 3 30 40718 3 17 4 10 3	LA4301% 5.3	ID         LAL2807N         2.5           III         LAL2807N         8.2         3           III         LAL2807N         8         3         3           III         LAL2807N         8         3         3           III         LAL2807N         8         2         0           III         LAL2807N         8         2         0           III         LAL2807N         8         0         0           IIII         LAL2924N         1         7         0           IIII         LAL2924N         1         7         0           IIII         LAL2924N         1         7         0           IIII         LAL2924N         1         0         0           IIIII         LAL2924N         1         0         0           IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	DIP SOCKETS	470         16         50         472         254         430         510         75.00           1000         1.4         45         500         42.1         500         42.1         510         15.00           12000         1.4         45         500         42.1         510         15.00         16.0 <td< td=""><td>Petta         1500 pl         500         100         8.58         64.31           Petto         1000 pl         500         101         11.25         8.42           Petco         1500 pl         500         500         100         94.72           Petco         1500 pl         100         58         5.01         27.67           Petco         1500 pl&lt;100</td>         58         5.01         27.67           Petco         1500 pl&lt;100</td<>	Petta         1500 pl         500         100         8.58         64.31           Petto         1000 pl         500         101         11.25         8.42           Petco         1500 pl         500         500         100         94.72           Petco         1500 pl         100         58         5.01         27.67           Petco         1500 pl<100	7 P2037 0.0 16 .46 3.90 3 7 P2030 10 16 .41 5.31 4 7 P2030 15 16 .60 5.05 4 7 P2040 22 10 82 7.06 5 7 P2041 33 10 154 13.20 11 7 P2042 87 16 2.27 10 50 10
IIII         74L S 132%           50         74L S 13384           57         74L S 13384           64         74L S 13384           74         74L S 13384           74         74L S 13384           66         74L S 1554           66         74L S 1554	64 745240 2 40 7452414 2 66 7452434 2 66 7452434 2 66 7452434 3 7452434 3 7452434 3 64 7452534 1 66 7452534 1 66 7452534 1	01         40758         9           01         40810         3           30         40828         3           30         40828         3           411         40938         5           22         40990         1           22         401668         6           22         401668         6	17         38         9           6         A(336)         9           7         M340KC b         21           8         A(340KC b)         21           8         A(340KC b)         21           8         A(340KC b)         21           9         A(340KC b)         10           0         A(340F)         1           0         LA(340F)         1           0         LA(340F)         1	10         LM3000%         1         2           1         LM3000%         1         2           1         LM3002%         6         6           1         LM3002%         6         4           1         LM3000%         8         4           14         LM3005%         8         4			PALOD         O.U         P.S         56         4.80         19.21           PALOD         O.22, eff. 25         94         59.91         44.33           PALOD         O.22, eff. 25         96         5.91         44.33           PALOD         O.22, eff. 25         96         7.96         5.10           PALOD         O.21, eff. 25         86         7.96         5.10           PALOD         O.21, eff. 25         1.70         5.51         11.53           PALOD         O.20, eff. 04         1.70         5.52         11.53         11.53           PALOD         O.10, eff. 04         1.70         1.52         11.53         11	3         CV04         4         C2         20         6         C3         20         20         20         20         20         7         20         3         20         20         20         7         4         7         25         20         20         20         7         4         7         25         4         7         6         6         10         2         2         7         10         10         2         4         7         25         4         7         6         10         4         0         2         5         4         10
04 74L 5190N 70 74L 5190N 116 74L 5190N 116 74L 5191N 90 74L 5191N 170 74L 5193N 120 74L 5194N	00         7452500+         1           00         745200+         2           91         745200+         3           95         745200+         2           96         745200+         2           97         745200+         2           98         745200+         2           99         745200+         2           90         745200+         2           91         745200+         2           92         745200+         2           93         745200+         2           94         7453734+         3           94         7453734+         2           94         745472A+         9           94         745472A+         3	22         401616         10           50         401628         10           51         401628         10           52         401748         10           53         401748         10           54         401758         10           55         401758         10           56         401758         10           56         401758         10           56         401758         10           56         401858         10	LM341P 6 LM341P-12 LM341P-15 LM341P-15 LM34P-18 LM346A 3:	Pi LM3911N 1 LM3914N 32 LM3915N 32 LM3915N 32 LM3915N 32 LM3916N 32 LM3916N 32	2         Cliffield         14 pm net weight m         50         4 300         48           Cliffield         16 pm net weight m         57         55 60         55           Cliffield         16 pm net weight m         57         55 60         55           Cliffield         16 pm net weight m         57         55 60         55           Cliffield         16 pm net weight m         57         55 60         55           Cliffield         15 pm net weight m         16         500         45           Cliffield         15 pm net weight m         16         500         45           Cliffield         16 pm net weight m         18         500         88           Cliffield         16 pm net weight m         18         500         88           Cliffield         16 pm net weight m         18         500         88           Cliffield         16 pm net weight m         14         15         13         13           Cliffield         16 pm net weight m         18         12         13         13         13	10         13         16         154         152,00         15         1.11         9,70           10         17         155         1.16         1.54         12,43         13         1.11         9,70           10         16         7,155         1.16         1.57         12,43         1.11         9,70           10         16         7,155         1.16         1.97         14,70         1.44         9,10           10         16         7,35         2.4         2.00         16,45         1.9         1.40         13,30           10         13         7,35         2.4         2.00         16,45         1.9         1.40         13,30           10         13         7,35         2.9         2.9         10,83         2.1         7.76         1.40         13,30         2.1         13,30         2.1         7.76         1.40         13,30         2.1         1.76         1.40         13,30         2.1         1.76         1.40         13,30         1.77         1.40         13,30         1.77         1.40         13,30         1.76         1.40         13,30         1.76         1.40         13,30         1.76 <td< td=""><td>PAG01         18 pri         500         87         6.87         52.33           PAG04         2.2 pri         500         81         877         52.33           PAG05         27 pri         500         81         877         52.33           PAG06         27 pri         500         81         877         52.33           PAG06         37 pri         500         81         877         52.33           PAG07         39 pri         500         10.0         8.89         69.71           PAG07         39 pri         500         10.0         8.89         69.71           PAG07         37 pri         500         13.77         11.80         85.53           PAG07         50 pri         500         1.37         11.80         85.53</td><td>3 P2062 3.3 20 22 0.50 3 P2063 4.7 35 56 4.60 4</td></td<>	PAG01         18 pri         500         87         6.87         52.33           PAG04         2.2 pri         500         81         877         52.33           PAG05         27 pri         500         81         877         52.33           PAG06         27 pri         500         81         877         52.33           PAG06         37 pri         500         81         877         52.33           PAG07         39 pri         500         10.0         8.89         69.71           PAG07         39 pri         500         10.0         8.89         69.71           PAG07         37 pri         500         13.77         11.80         85.53           PAG07         50 pri         500         1.37         11.80         85.53	3 P2062 3.3 20 22 0.50 3 P2063 4.7 35 56 4.60 4
1 36 74L51885 64 74L51885 61 74L51786 74L51786 74L51786 74L51786 74L51786 74L51786 74L51876 74L51876 74L51987 74L51936 74L51936	1.44 7453874 25 1.64 745472AN 9 64 745472AN 9 70 745473AN 9 70 745474AN 9 70 745670N 4 1.05 745570N 4 1.05 745570N 4 1.01 745571N 7 1.01 745573N 7 1.01 745573N 7	me         modulation         modulation           06         45100         1           06         45110         1           05         4522         1           06         45158         1           07         45158         1           27         45158         1           10         45184         1           10         81         45194	E.M.25/III.         7           E.M.75/II.         4           E.M.75/II.         4           E.M.256/IV.         4           E.M.256/IV.         4           E.M.256/IV.         4           E.M.256/IV.         4           E.M.256/IV.         4           E.M.256/IV.         4           F.M.276/IV.         1           F.M.277/V.         1           F.M.278/IV.         2           E.M.278/IV.         3	14 LM7812CT 12 24 LM7819CT 12 24 LM7819CT 12 20 LM7819CT 12 20 LM781205C2 4 20 LM78L12ACZ 4 20 LM78L12ACZ 4 20 LM78L3ACZ 4 20 LM78L3ACZ 4 20 LM78L5ACZ 4 20 LM7805C7 12 20 LM7805C7	Opto         Display         WRAP         Businessmall         Businessmallis         Businessmall         Bu	10         2200         /35         1,81         1,377         1,14         1         1.66         14         17         116.03           10         3300         /35         1,90         17.00         141         1.3	PATT 62 pt 500 2 05 17 59 131 8 Res The DTGH VE Creating Per Leve ORM Prices On Direc Caseschere PATASONIC LITERTIFIC POLYSSILE CAPACIDES NEWLISK KT	0         P2008         10         35         10         5         90           P2008         10         50         200
3/1         741,5196A           86         744,51907A           86         744,51907A           87         744,52196A           88         744,52196A           92         744,522196           92         744,52419           92         744,52419           98         744,52419           98         744,52419           98         744,52449           98         744,52449           98         744,52449	1 26 745941H 3 107 74C00 CMC 127 9 pt P 137 74C00 FMC 137 74 205 137 74 255 137 74 255 137 74 255	41 4622 e 11 4622 e 11 4622 b 1 4627 h 2 4627 h 2 4627 h 2 462 6 h 2 462 h 1 462 h 1 4	4 L.M.380H 8 1 6 L.M.381H 9 1 L.M.382H 3 9 M/383AT 3 9 M/383AN 1 9 M/385AN 1 1 L.M.387H 7 1 L.M.387H 7	15 M7916CT 1 2	2 01/14 24 an average gott 1.20 13.80 137 2013 29 non were vice gott 1.20 14.00 147 Child 40 non were vice gott 2.20 2.210 227 TEXAS INST UMENTS GOLD EDGEBOARD CONNECTORS 2017 227	10         4.3         750         21         1.37         1.6.77         1.6.         1.16         9.78           10         16         750         24         2.00         10.85         .10         1.35         11.20           12         750         26         27.44         19.51         .22         5.83         15.11         10.1           13         550         32         2.44         19.51         .22         5.83         15.11         10.1           13         550         32         2.44         19.51         .22         5.83         15.15         15.15	Call NO Call NO Cal	P2072 0 000 50 44 370 2 P2077 10 50 54 40 2 P2077 13 50 74 6 40 2 P2075 13 50 74 6 10 7 P2075 13 50 74 6 10 7 P2076 13 50 74 6 10 7 P2076 13 50 107 6 10 7 P2078 13 50 107 10 107 0 P2078 13 50 107 10 107 0 P2078 10 50 200 100 100 100 100 0 P2078 10 100 100 100 100 100 100 100 100 100
84 745,52474 94 745,52484 99 745,52485 99 745,52514 1 96 745,52514 1 07 745,52514 3 66 745,52514 3 66 745,52514 8 01 745,52514	74C009 1.30-74C09 1.30-74C09 1.30-74C209 74C209 74C209 74C229 74C229 74C229 74C229 74C229 74C229 74C00		AN 7818 AN 7820 AN 7820	90 AN 7805 4 80 AN 7805 4 90 AN 7805 4 90 AN 7805 4 90 AN 7805 4 90 AN 7805 9 90 AN 7805 9		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	New Parkasesic III Santa oru ministi atuminum olacitrohytic capacitors That Farmiques obsectionistics make them natrives to cantalume in meny applicati CAPACITARICE TOLEBANCE D.C. LEANAGE CURRENT, MAX. 9.7 AII & GARLES CAPACITORE WP-Corr
1.06 241,52784 86 741,52804 743,52804 90 743,52804 90 741,52804 90 90 741,52804 90 741,52804 90 741,52804 90 741,52804 90 741,52804 90 741,52804 90 741,52804 90 741,52804 90 741,52804 90 741,52804 90 741,53804 741,53804 741,5	50 741 31 50 741 741 74 784 10 74 784 10 7 74 337 10 7 74 337 1 20 74 655 1 20 74 1 20 74 74 1 20 74 74 1 20 74 74 1 20 7	58 Prime 1 62 48 48 48 48 48 48 48 48 48 48	15 12 57 12 215 15 12 57 12 215	Per Pet Or 128 512 102	Product and a constraint of the constraint		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Bits Kit
1 10 Yal S305A 76 Yal S306A 76 Yal S306A 76 Yal S308A 76 Yal S373A 64 Yal S373A 64 Yal S373A 76 S306A 76 S306A	140 42 42 42 42 42 42 42 42 42 42	Image: State State         Image: State         Image: State<		Part No. Prot 	To the Adversary Lawarding from tigging the sector of the Section S. 2000 "2000"         Control Sector Sec	50 200 /100 1.09 9.26 27.18 96 8.22 A& 42	2         21365         100         2.0         17.36         14.85         802.54           2         12165         100         4.7         17.36         14.85         102.67           1         1566         100         5.1         16.3         124.55         102.07           1         1566         100         5.1         15.3         104.6         134.27         122.05           1         1647.5         100         10.2         24.85         203.70         163.05           1         1647.5         100         10.2         24.85         203.07         163.05           1         100         10.2         24.85         203.70         163.05           1         100         10.2         23.2         24.45         203.07         163.05	4         PE05         20         10         10         10         9.56           3         PE07         .19         1.46         .19         1.46           3         PE07         10         .16         1.40         .10           4         PE07         10         .16         1.40         .10         <
76 75 76 75 2 41 0 <b>D/A</b> Photo Mile	745183N 2111 746166N 1731 146166N 1731 146166N 173 146166N 173 146168N 173 146168N 173 146168N 14 161 141 14 161 141 16 161 141 17 161 141 10 161 161 161 10 161 161 161 161 161 161 161	1982 Linear Det 1982 Linear Det 1983 Isso interface C 1980 Memory B 03 ISS2 COPS Me 04 Dets Book	latabouk		20:40 C6 20 5:30 49:30 C5 20 3:90 37 22:44 C6 22 5:40 53:50 C5-22 4:20 40 20:25:50 C6 25 5:95 57:90 C5:25 4:50 43 20:36 C6 20 5:10 41:40 C5:28 4:80 45	PARASONIC POLITESTER CAPACITORS 100 TEC plin entrus U.S. TRUBARCI NE WOLLTER KIT Caracitors		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
CN4 85 Part CN5 80 C0P402h CN5 80 C0P402h C0P404L C0P404L C0P404L C0P404L C0P404N C0P402h	7 27 74	10         1979 Special Fill           11         1979 Special Fill           12         NSC INC Micro           13         Hendbook 1987           27         Linear Applicat           12         Microproceebo	nction Databook processor Family ions Handbook Applications In ice and Industry	90578 8 90538 5 90528 18 90558 4	10         40         10         7.00<	De la contra service de la contra de la contra service de la contra de	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
CN24-75 CP1212M CN-756 DP1216A CN-756 DP1224A DP124A DP124A DP124A DP124A DP124A DP124A DP124A DP124A DP124A DP124A DP	2 52 74038 - 7463085 1 80 7463076 4 15 7463076 4 15 7463085 3 20 740895	Voltage Repute	io Handbook . Ior Handbook Mi KI.C. SOC M 52 50 5	KET PINS	Op         Description         Part No.         Description         Part No.           10         Database         Version         1         Linitize         1           10         Database         Version         1         Linitize         1           15         Database         Version         Version         2.95         Add         33           18         De         1.85         De         1.30         De         1.30         Di         3.70         Add           19         De         De         1.80         S.80         S.13         De         1.18         3.70         3.96         31         Me         2.22         4.20         S.90         S.91         Di         3.70         Mi         3.70         Mi         2.24         C.4.20         S.90         S.91         C.3.22         4.20         4.20         S.90         S.91         C.3.22         4.20         4.20         S.90         S.91         C.3.22         4.20         A.20         S.90         S.91         C.3.22         4.20         A.20         S.90         S.91         D.3.22         4.20         A.20         S.90         S.91         S.91         C.3.22         A.20 <t< td=""><td>wi122         0012         14         117         0.34         750           441152         0015         14         1.17         0.34         750           40         M41122         0016         14         1.17         0.34         750           40         M4122         0022         14         1.17         0.34         750           90         M41272         0022         14         1.17         0.34         750           91         M41272         0022         14         1.17         0.34         750</td><td>Bit 1254         150         191         415         1244         1285         234           1244         10         27         47         47         34         345         215         27         191         345         2145         216         215         216         215         216</td></t<> <td>Panasonic TSW</td>	wi122         0012         14         117         0.34         750           441152         0015         14         1.17         0.34         750           40         M41122         0016         14         1.17         0.34         750           40         M4122         0022         14         1.17         0.34         750           90         M41272         0022         14         1.17         0.34         750           91         M41272         0022         14         1.17         0.34         750	Bit 1254         150         191         415         1244         1285         234           1244         10         27         47         47         34         345         215         27         191         345         2145         216         215         216         215         216	Panasonic TSW
LCA DPIEDOAB / PEDDAA PEDDAA SEDDAA SEDDAA SEDDAA SEDDAA SEDDAA SEDDAA SEDDAA	2 20 74C912N 6 33 74C916N 5 33 74C916N 11 6 62 74C917N 11 6 62 74C917N 11 6 62 74C912N 11 6 62 74C912N	133 185 195 195 195 195 195 195 195 195 195 19	PER-S	NIC ELEMENTS NI TEL POINTS	M         C-0.0         0.00         0	000         01527         0096         14         11         18         14         15           010         01922         0010         11	Link         Link <thlink< th="">         Link         Link         <thl< td=""><td>P6600         16         2200         11,42           5         P6601         4700         170           5         P6602         6800         2.25           5         P6603         10000         2.85           5         P6604         15000         4.03</td></thl<></thlink<>	P6600         16         2200         11,42           5         P6601         4700         170           5         P6602         6800         2.25           5         P6603         10000         2.85           5         P6604         15000         4.03
Preto Intsection 3.17 INSECTION 6.44 INSECTION 4.44 INSECTION 4.30 INTSECTION 4.30 INTSECTION 4.1 2 INSECTION 4.1 2 INSECTION 4.1 2 INSECTION 4.1 2 INSECTION 4.1 2 INSECTION 5.4 20 INSECTION 5.4 30 INSECTION 5.	20 93 74C3255 N - 4 86 74C327N - 1 5 56 74C325N - 1 5 56 74C325h - 1 74C325h - 1 74C325h - 1 74C325h - 1 10 63 80C35h - 1 80C35h - 1	67 16 16 16 16 16 16 16 16 16 16	In policipalities a posterni la resona apporta seña 3 her po appa sena indo-occur Son la rende de P. Denh dunean 14 policipalities a policipa	per disk dark av skraft som om fra disk dark av skraft som om fra disk dark av skraft som om skraft som disk disk for om fra skraft som disk som disk om fra skraft som disk som disk som disk som disk om fra skraft som disk som disk som disk som disk som disk om fra skraft som disk som disk som disk som disk s	H4 SERIES 156" 8.200" EDGERDARD CONNECTORS Passman Parties Parties Parties Concept Sami Parties Parties Concept Sami Parties Parties Parties Concept Sami Parties Parties Parties Parties Concept Sami Parties	Initizza         czz         15         15         8         94         827           w1272         czz         15         15         8         94         827           w1272         czz         15         15         8         94         80           w1273         czz         15         138         940         84           w1273         czz         15         138         940         84           ***         w1473         cp17         16         125         940         84           ***         w1473         cp17         16         126         940         84           ***         w1473         cp17         16         126         940         84           ***         cp17         16         126         940         84         94         84         94         84         94         84         94         84         94         84         94         84         94         84         94         84         94         84         94         84         94         84         94         84         94         84         94         84         94         84         94	1         1         2         3         1         4         3         1         4         3         1         4         3         1	PB508         BB00         2.84           PB509         PB000         3.79           PB510         15000         3.79           PB511         35         1000         4.87           7         P6511         35         1000         1.21           37         P6512         2200         1.63         3.63           38         P6513         3000         2.19         9.94           4700         2.61         4.870         2.61         9.95
0 199 Lawse174 0 198 MSM603 9 5 25 MS C000% 086 2 St NS C000% 0 2 St NS C000% 2 St D MSC000% 2 St D MSC000% 2 St D MSC000%	AN 8 84 88C29N 9 38 88C20N 47 02 1 28 07 1 28 07 1 28 07 1 28 07 1 05 100 10 1 05 10 1		POWERAC		19 8 C1-18 37 30 52 C2-18 5 07 47 27 44 C12 2 80 34 44 29 50 C125 425 40 40 C2 25 6.18 5 78 50 C135 425 40 40 C2 25 6.18 5 78 50 C135 425 40 40 C2 55 6.18 5 78 50 C135 425 41 72 5 18 50 C135 425 41 72 5 18 50 C135 425 41 72 5 18 50 C135 425 41 72 5 19 50 C135 425 41 72 5 10 50 C135 5	Mill         Bit         Bit <td><math display="block"> \begin{array}{cccccccccccccccccccccccccccccccccccc</math></td> <td>10         P6515         68000         3.61           0         P6515         10000         4.63           75         P6917         50         1000         4.63           9         P6518         22000         2.26           9         P6519         3200         3.12           10         P6519         3200         3.12           10         P6519         3200         4.06           11         P6519         4000         4.95           15         P652         100         4.25         1.70</td>	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	10         P6515         68000         3.61           0         P6515         10000         4.63           75         P6917         50         1000         4.63           9         P6518         22000         2.26           9         P6519         3200         3.12           10         P6519         3200         3.12           10         P6519         3200         4.06           11         P6519         4000         4.95           15         P652         100         4.25         1.70
427 781 781 Volt	KEY DS1489N	10 10 10 10 10 10 10 10 10 10 10 10 10 1		na tari ayona kapan 193941 5 96.91 19 93747 8 189.91		101334         30         44         2.96         21.12         100           101394         30         97         2.92         214         214         214         214         214         214         214         214         214         214         214         214         214         214         214         214         214         214         215         2200         214         214         215         2200         214         214         215         2200         214         214         215         2200         214         214         215         2200         2114         214         214         215         2200         214         214         214         214         215         2200         214	THE CAPACITORS Hose caused planars los units and	P9523 1000 2.87 P9524 2200 4.80 P6625 200 220 2.24



**CIRCLE 39 ON FREE INFORMATION CARD** 



### THE SOLUTION COMPUTER An Affordable 64K Assembled Computer With These Features:







• Fully compatible with Apple® II +

- Original design!
- Fully assembled and tested!
- Detachable keyboard for easy use.
- Uses 64K × 1 Dynamic Ram.
- 9 on board peripheral connectors for expansion.
- Uses 6502 mpu.

#### \$675<sup>00</sup> each (Monitor not included) Add \$110 for 12" Amber Monitor. Add 5% shipping and handling.

We believe the Solution Computer will be the answer for people who realize a great product when they see one. Many other peripheral card products are available for the Solution Computer. Send for a free color brochure today.

For Information Call (312) 564-0104

To Order Call (800) 323-1327

Note: Due to the demand of this computer, delivery will vary from 2-4 weeks. VISA and MASTERCARD acceptable.

Minimum order \$15.00. Add 10% shipping on orders under \$35.00. Orders over \$35.00 add 5%. Illinois residents add 6% Illinois State Tax.

## JDR SUPER SPECIALS!

THE LEADER IN COMPUTER COMPONENTS BRINGS YOU THESE FANTASTIC SUMMERS-END CLEARANCE BARGAINS

OKI MSM58	32RS
MICROPROCE	
COMPATIB	
CLOCK/CALEND	AR CHIP
3.95 100	/3.25 ea.
32.768KHZ XTAL	.95
OTHER CRYS	TALS
3.579545MHZ	.95
5.0688MHZ	1.95
18.432MHZ	1.95



ORDER TOLL FREE 800 538-5000 800 662-6279 (CA Residents)



INNECTO	)RS	
C DIP-PL	UG .9	5
C EDGE-C	ARD 1.9	5
P "HEADE	R" .4	9
		9
CEDGE-C.	ARD 1.9	5
P VERTICA	L	
UNT	1.4	9
S VERTICA	L	
UNT	1,6	9
ANSISTO	DRS	
TO-92	100/7.9	5
TO-92	100/7.9	
TO-92	100/7.9	5
	C DIP-PL C EDGE-C P "HEADE P "HEADE C EDGE-C P VERTICA UNT S VERTICA UNT ANSIST( TO-92 TO-92	C EDGE-CARD 1.9 P "HEADER" .4 P "HEADER" .5 C EDGE-CARD 1.9 VERTICAL UNT 1.4 S VERTICAL UNT 1.6 <b>ANSISTORS</b> TO-92 100/7.9 TO-92 100/7.9



# JDRDISK DRIVE<br/>BLOW OUTS!SA 410<br/>\$11995SA 460<br/>\$14995\* ½ Mb Storage\* 1 Mb Storage

★ ½ Mb Storage
★ SS/DD

- DD \* DS/DD \* 80 Track — 96TPI
- \* 6 ms track to track
- $\star$  5<sup>1</sup>/<sub>4</sub>" Standard
  - Format
- \* 90-DAY GUARANTEE SALE ENDS SEPT. 30, 1983

Z80A-CPU	3.95
Z8DA-CTC	3.95
Z80A-PIO	3,95
Z80A-SIO/1	12.95
Z80A-DART	6.95
8086 16-BIT 5MHZ	19.95
68A00 CPU 1.5MHZ	2.95
68A10 RAM 1.5MHZ	1.95
68A21 PIA 1.5MHZ	2.95
68A50 ACIA 1.5MHZ	2.95
6520/6820 PIA	2.95

**MICROPROCESSOR** 

		11
n	IEMORY	
2102L-4	450NS-LP	.55
2111L	450NS-LP	1.49
2112	450NS	1,99
2114	450NS	.99
2114-25	250NS	1.09
TMS4027	250NS	99
	SPECIAL	_
TMS	4060/210	)7
4096 x 1 D RAMS TI C YOUR CH	RINTEL	.69

SPECIAL THANKS TO MATT FOR HIS RECENT SOFTWARE DEVELOPMENTS WHICH WILL ENABLE JDR TO BETTER SERVE OUR CUSTOMERS

	LINEAR I.C	.'8
L	LM1800	1.95
	LM1310	.99
L	MC1330	.99
L	MC1350	.89
ľ	MC1358	.99
	HARD TO FIND I CONDUCTIVE F	
	14" x 26" SHEET	12.00
Ľ	12" x 13" SHEET	6.00

and the states	
DISK CONTI	ROLLERS
1771	11.95
1791	18.95
1793	18.95
CRT CONTR DP8350 CRT5027 CRT5037	OLLER'S 19.95 9.95 9.95
D-RAM CONT	ROLLERS
8202	17.95
8203	32.95
3242	5.95

Visit Our EXPANDED Retail Store NEW SATURDAY HOURS 10-3



a 1983 JDR MICRODEVICES, INC.

#### VISIT OUR RETAIL STORE

HOURS: M-W-F 9-5 T-Th. 9-9 Sat. 10-3 PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING TERMS: For shipping include \$2 for UPS Ground or \$3 for UPS Blue Labei Air, Items over 5 pounds require additional shipping charges. Foreign orders, include sufficient amount for shipping. There is a \$2 minimum order. Bay Arra and Los Angeles Counties add 6%% Sales Tax. Other California residents add 6% Sales Tax. We reserve the right to substitute manufacturer. Not responsible for typographical errors. Prices are subject to change without notice. We will match or beat any competitor's price provided It is not below our cost.

41	64 <sup>64k</sup>	DYNAMIC	\$595		2016 2КХ	(8 STATIC 200 <u>NS</u>	5415
and the second second	TATIC RA		Z-80	8000	6800		LS00
2101 5101 2102-1 2102L-4 2102L-2 2111 2112 2114 2114-25 2114L-3 2114L-3 2114L-3 2114L-2 2147 TMS4044-4 TMS4044-3 TMM2016-100 HM6116-2 HM6116-2 HM6116-2 HM6116-2 HM6116-2 HM6116-2 Z-6132	256 x 4 (450ns) 256 x 4 (450ns) (cmo 1024 x 1 (450ns) (LP) 1024 x 1 (450ns) (LP) 1024 x 1 (250ns) (LP) 256 x 4 (450ns) 1024 x 4 (450ns) 1024 x 4 (450ns) 1024 x 4 (450ns) (LP) 1024 x 4 (250ns) (LP) 4096 x 1 (300ns) (LP) 4096 x 1 (300ns) 4096 x 1 (450ns) 2048 x 8 (250ns) 2048 x 8 (200ns) 2048 x 8 (150ns) (cmo 2048 x 8 (120ns) (cmo	1.95         0s)         3.95         .89         .99         1.49         2.99         8/9.95         8/10.95         8/12.95         8/13.45         8/13.45         8/13.45         8/13.95         4.95         3.99         4.49         9.95         4.15         4.95         5.15         6.15         9.95         4.15         4.95         9.95         4.15         8.95         9.95         9.95         4.15         8.95         9.95	2.5 Mhz           Z80-CPU         3.95           Z80-CART         1.095           Z80-DART         1.095           Z80-DART         1.095           Z80-SIO/0         16.95           Z80-SIO/0         16.95           Z80-SIO/2         16.95           Z80-SIO/2         16.95           Z80-SIO/2         16.95           Z80-SIO/2         16.95           Z80-SIO/2         16.95           Z80-CTC         4.95           Z80A-DART         11.95           Z80A-DART         16.95           Z80A-DART         16.95           Z80A-SIO/1         16.95           Z80A-SIO/2         16.95           Z80B-CPU         1.95           Z80B-CPU         1.95	B030         5.95           8039         6.95           INS-8060         17.95           INS-8073         24.95           8080         3.95           8085         5.95           8086         29.95           8087         CALL           8088         39.95           8085         6.95           8155         6.95           8155         6.95           8185         29.95           8185         29.95           8185         29.95           8185         29.95           8185         29.95           8748         24.95           8755         24.95           8202         24.95           8203         39.95           8203         39.95           8212         1.80           8214         3.85           8216         1.75           8224         2.25	GBOOD           68000         59.95           6800         3.95           6802         7.95           6808         13.90           6809E         19.95           6809         19.95           6800         4.35           6821         3.25           6822         14.95           6843         34.95           6844         25.95           6845         14.95           6843         34.95           6844         25.95           6845         14.95           6846         19.95           6852         5.75           6850         3.25           6852         5.75           6860         9.95           6862         11.95           6860         2.25           6880         2.25           6880         2.25           6880         19.95           6800         1MHZ           6800         10.95           6800         10.95           6800         10.95           6800         22.25           6800         10.95           6800 <td>74LS00 74LS01 74LS02 74LS03 74LS05 74LS05 74LS05 74LS09 74LS10 74LS11 74LS11 74LS12 74LS13 74LS13 74LS14 74LS15 74LS20 74LS20 74LS22 74LS26 74LS26 74LS28 74LS33 74LS33 74LS33 74LS30 74LS34 74LS40 74LS48</td> <td>24         74LS173         .69           25         74LS174         .55           25         74LS175         .55           25         74LS175         .55           25         74LS181         2.15           24         74LS189         8.95           25         74LS190         .89           28         74LS193         .79           25         74LS193         .79           35         74LS195         .69           45         74LS196         .79           55         74LS196         .79           57         74LS196         .79           58         74LS197         .79           35         74LS196         .79           59         74LS197         .79           35         74LS241         .99           25         74LS241         .99           25         74LS242         .99           29         74LS243         .99           25         74LS244         .29           25         74LS245         1.49           25         74LS245         .59           35         74LS245         .59</td>	74LS00 74LS01 74LS02 74LS03 74LS05 74LS05 74LS05 74LS09 74LS10 74LS11 74LS11 74LS12 74LS13 74LS13 74LS14 74LS15 74LS20 74LS20 74LS22 74LS26 74LS26 74LS28 74LS33 74LS33 74LS33 74LS30 74LS34 74LS40 74LS48	24         74LS173         .69           25         74LS174         .55           25         74LS175         .55           25         74LS175         .55           25         74LS181         2.15           24         74LS189         8.95           25         74LS190         .89           28         74LS193         .79           25         74LS193         .79           35         74LS195         .69           45         74LS196         .79           55         74LS196         .79           57         74LS196         .79           58         74LS197         .79           35         74LS196         .79           59         74LS197         .79           35         74LS241         .99           25         74LS241         .99           25         74LS242         .99           29         74LS243         .99           25         74LS244         .29           25         74LS245         1.49           25         74LS245         .59           35         74LS245         .59
Statement of the local division in which the local division in which the local division is not the local division in the local divis	NAMIC R	Quasi-Static	Z8671 39.95	8224 2.25 8226 1.80 8228 3.49 8237 19.95	68B10 6.95 68B21 6.95 68B45 19.95	74LS51 .	75 74LS266 .55 25 74LS273 1.49 29 74LS275 3.35
TMS4027 UPD411 MM5280 MK4108 MM5298 4116-300 4116-250 4116-200 4116-150 4116-120 2118 4164-200 4164-150	4096 x 1 (250ns) 4096 x 1 (300ns) 4096 x 1 (300ns) 8192 x 1 (200ns) 8192 x 1 (250ns) 16384 x 1 (250ns) 16384 x 1 (250ns) 16384 x 1 (200ns) 16384 x 1 (150ns) 16384 x 1 (120ns) 16384 x 1 (150ns) (5x 65536 x 1 (200ns) (5x 65536 x 1 (150ns) (5x 5V single 5 volt sup	1.99 3.00 1.95 1.85 8/11.75 8/12.95 8/14.95 8/14.95 8/29.95 /) 5.95 /) 5.95 /) 6.95	CRYSTALS 32,768 khz 1.95 1.0 mhz 4.95 1.8432 4.95 2.0 3.95 2.4576 3.95 3.2768 3.95 3.2768 3.95 3.579535 3.95 4.0 3.95 5.0 3.95 5.0688 3.95 5.7143 3.95 5.7143 3.95 6.144 3.95 6.5536 3.95	8237-5         21,95           8238         4,49           8243         4,45           8250         10,95           8251         4,49           8253         6,95           8255-5         7,95           8255-5         5,25           8257-5         8,95           8259-5         7,50           8259-5         7,50           8259-5         7,50           8271         39,95           8272         39,95           8275         29,95           8279         8,95	68850 5.95 68800 2 MHZ 6502 4.95 6504 6.95 6505 8.95 6505 8.95 6507 9.95 6520 4.35 6522 7.95 6532 9.95 6532 9.95 6532 9.95 6535 11.85 2 MHZ	74LS63 1. 74LS73 74LS75 74LS75 74LS76 74LS78 74LS78 74LS85 74LS85 74LS85 74LS86 74LS91 74LS91 74LS92 74LS93 74LS95 74LS95 74LS95	29         74L5279         .49           25         74L5280         1.98           39         74L5283         .69           35         74L5293         .89           39         74L5293         .89           39         74L5295         .99           49         74L5295         .99           49         74L5293         .50           39         74L5293         .50           39         74L5323         .50           39         74L5323         .50           39         74L5351         1.29           89         74L5353         1.29           55         74L5353         1.29           55         74L5363         1.35           55         74L5364         1.95           75         74L5364         4.95           75         74L5365         .49           89         74L5367         .45
1702 2708 2716 2716-1 7M52516 7M52716 7M52532 2732 2732-200 2764 2764-200 2764-200 2764-200 7M52564 MC66764 27128	EPROMS 256 x 8 (1us) 1024 x 8 (450ns) 1024 x 8 (450ns) 2048 x 8 (450ns) (5v) 2048 x 8 (450ns) (5v) 2048 x 8 (450ns) (5v) 2048 x 8 (450ns) (5v) 4096 x 8 (450ns) (5v) 4096 x 8 (250ns) (5v) 4096 x 8 (250ns) (5v) 8192 x 8 (450ns) (5v) 16384x8 Call 5v Single 5 Volt Sup	4.50 3.95 5.95 5.95 5.50 7.95 5.95 4.95 8.95 11.95 9.95 14.95 24.95 17.95 24.95 17.95 24.95 39.95 Call	8.0         3.95           10.0         3.95           10.738635         3.95           14.31818         3.95           15.0         3.95           16.0         3.95           17.430         3.95           18.0         3.95           18.432         3.95           20.0         3.95           21.1184         3.95           32.0         3.95           CRT           CONTROLLERS           6845         14.95           68845         19.95           HD4656555P         15.95           6847         11.95           MC1372         6.95           68047         24.95	b279-5         10.00           b279-5         10.00           b282         6.50           b283         6.50           b284         5.50           b284         5.50           b284         5.50           b285         6.50           b284         5.50           b285         6.50           b286         6.50           b287         6.50           b289         49.95           CONTROLLERS         1771           1791         24.95           1793         26.95           1795         49.95           2791         54.95           2793         54.95           2795         59.95           2797         59.95           2797         59.95           2797         59.95           2797         59.95           2797         59.95           2797         59.95           2797         59.95           2797         59.95           2797         59.95           2797         59.95           2797         59.95           2797         59.95 </td <td>6502A         6.95           6522A         9.95           6532A         11.95           6545A         27.95           6551A         11.95           6502B         14.95           3 MHZ         6502B           6502B         14.95           AY3-1014         6.95           AY3-1015         6.95           PT1472         9.95           TA1602         3.95           2651         8.95           TMS6011         5.95           IM6403         8.95           GENERATORS         GENERATORS</td> <td>74LS112 74LS113 74LS114 74LS122 74LS123 74LS125 74LS126 74LS126 74LS132 74LS137 74LS136 74LS137 74LS136 74LS137 74LS138 74LS139 74LS147 74LS147 74LS145 1, 74LS151 74LS151 74LS153 74LS153</td> <td>39         74LS368         45           39         74LS373         1.39           39         74LS374         1.39           39         74LS377         1.39           39         74LS377         1.39           39         74LS377         1.39           39         74LS378         1.18           79         74LS385         1.90           45         74LS386         .45           49         74LS386         .45           49         74LS393         1.19           59         74LS395         1.19           39         74LS393         1.49           99         74LS424         2.95           57         74LS424         3.99           94         74LS624         3.99           97         74LS642         2.20           35         74LS642         2.20           35         74LS645         2.20           35         74LS668         1.69           57         74LS668         1.69           57         74LS668         1.89</td>	6502A         6.95           6522A         9.95           6532A         11.95           6545A         27.95           6551A         11.95           6502B         14.95           3 MHZ         6502B           6502B         14.95           AY3-1014         6.95           AY3-1015         6.95           PT1472         9.95           TA1602         3.95           2651         8.95           TMS6011         5.95           IM6403         8.95           GENERATORS         GENERATORS	74LS112 74LS113 74LS114 74LS122 74LS123 74LS125 74LS126 74LS126 74LS132 74LS137 74LS136 74LS137 74LS136 74LS137 74LS138 74LS139 74LS147 74LS147 74LS145 1, 74LS151 74LS151 74LS153 74LS153	39         74LS368         45           39         74LS373         1.39           39         74LS374         1.39           39         74LS377         1.39           39         74LS377         1.39           39         74LS377         1.39           39         74LS378         1.18           79         74LS385         1.90           45         74LS386         .45           49         74LS386         .45           49         74LS393         1.19           59         74LS395         1.19           39         74LS393         1.49           99         74LS424         2.95           57         74LS424         3.99           94         74LS624         3.99           97         74LS642         2.20           35         74LS642         2.20           35         74LS645         2.20           35         74LS668         1.69           57         74LS668         1.69           57         74LS668         1.89
EP	ROM ERA	SERS	8275 29.95 7220 99.95 CRT5027 39.95	8272 39.95 UPD765 39.95 MB8876 29.95	BIT-RATE MC14411 11.95 BR1941 11.95	74LS157 74LS158	69 74LS682 3.20 65 74LS683 3.20 59 74LS684 3.20
PE-14 PE-14T PE-24T PL-265T PR-125T PR-320	Timer Chip (c 6 X 6 X 9 X 20 X 16 1	JW/Cm <sup>2</sup> )           5,200         83.00           5,200         119.00           6,700         175.00           6,700         255.00           5,000         349.00           5,000         595.00	CR75037         49.95           TMS9918A         39.95           DP8350         49.95           KEYBOARD         CHIPS           AY5-2376         11.95           AY5-3600         PRO 11.95           AY5-3600         PRO 11.95	MB8877         34.95           1691         17.95           2143         18.95           CONNECTORS           RS232 MALE         2.50           RS232 FEMALE         3.25           RS232 HOOD         1.25           S-100 ST         3.95	4702 12.95 COM5016 16.95 COM8116 10.95 MM5307 10.95 FUNCTION MC4024 3.95 LM566 1.49 XR2206 3.75 8038 3.95	74LS161 74LS162 74LS163 74LS164	75 81LS98 1.49 75 25LS2521 2.80
			crode	icoc	VISIT OU HOURS: M-W-F,		, 9-9 Sat. 11-3



1983 JDR MICRODEVICES, INC.

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING TERMS: For shipping include \$2 for UPS Ground or \$3 for UPS Blue Label Air. Items over 5 pounds require additional shipping charges. Foreign orders, include sufficient amount for shipping. There is a \$10 minimum order. Bay Area and Los Angeles: Countiles add 6% Sales Tax. Other California realdents add 6% Sales Tax. We reserve the right to substitute menufacturer. Not responsible for typographical errors. Prices are subject to charge without notice. We will match or beal any competitor's price provided it is not below our cost.

7400         19         74132         45           7401         19         74132         45           7402         19         74136         50           7402         19         74141         65           7403         19         74142         2.95           7404         19         74142         2.95           7405         25         74143         2.95           7406         29         74147         1.75           7407         29         74148         1.20           7408         24         74150         1.35           7409         19         74152         .65           7411         25         74153         .55           7412         30         74154         1.25           7413         35         74155         .55           7414         49         74156         .65           7420         19         74160         .85           7414         49         74156         .65           7420         19         74160         .85           7421         25         74151         .55           7417         25<	LM301 34 LM340(see 7800) LM301 34 LM340(see 7800) LM301 34 LM350(see 7800) LM301 35 LM35C 4.95 LM306 69 LM35C 4.60 LM308 115 LM35C 4.60 LM309H 1.95 LM35C 4.60 LM309H 1.95 LM35C 1.95 LM309H 1.25 LM37C 1.95 LM311 64 LM378 2.50 LM311H .89 LM378 4.50 LM311H .89 LM378 1.90 LM317K 3.95 LM384 .89 LM318 1.49 LM382 1.60 LM318 1.49 LM383 1.95 LM320 (see 7900) LM387 1.40 LM323 1.65 LM394 4.50 LM323 1.65 LM394 4.50 LM335 1.40 NE553 3.51 LM326 1.75 NE553 3.51 LM336 1.75 NE553 3.51 LM337 1.95 NE554 2.495 LM337 1.95 NE554 2.495		RCA           2.37         CA 3023         2.75         CA 3082           8.25         CA 3032         2.75         CA 3082           3.50         CA 3059         2.80         CA 3083           3.50         CA 3064         1.25         CA 3083           3.50         CA 3065         1.29         CA 3086           5.49         CA 3065         2.80         CA 3086           5.49         CA 3065         1.75         CA 3108           1.95         CA 3065         1.75         CA 3140           2.25         CA 3060         1.10         CA 3140           2.49         CA 3160         1.19         2.65           2.25         TL497         3.25         75451           98         75167         1.35         75452           2.55         75160         1.35         75453           3.95         75154         1.35         75492           3.95         75168         1.25         75492           3.95         75168         1.25         75493           3.95         75168         1.25         75493           3.95         75168         1.25         75493 <tr< th=""><th><math display="block">\begin{array}{c} \textbf{b} \\ \textbf{b} \\ \textbf{b} \\ \textbf{c} \\ </math></th></tr<>	$\begin{array}{c} \textbf{b} \\ \textbf{b} \\ \textbf{b} \\ \textbf{c} \\ $
7444.69741791.757445.6974180.757446.6974181.2257447.6974182.757448.6974182.257447.9974182.207450.19741852.007451.23741911.157453.2374192.797460.2374192.797470.3574194.857472.2974195.857473.3474196.757476.35741981.357480.59742211.3574811.10742461.357481.59742411.357483.50742811.757484.55742592.257490.3574261.757492.50742761.257493.5774263.757496.70742833.757496.7074283.35741001.7574290.9574100.3074298.8574100.45743512.2574100.45743512.2574100.45743512.2574100.45743512.2574100.4574367.6574110.45743512.2574110.4574366.6574110.55 <td>74 SOO           74 800         .32         74 5133         1.95           74 802         .35         74 5136         3.95           74 802         .35         74 5136         3.95           74 804         .35         74 5174         .95           74 805         .35         74 5175         .95           74 806         .35         74 5175         .95           74 806         .35         74 5181         3.95           74 806         .35         74 5181         3.95           74 809         .40         74 5182         2.95           74 811         .35         74 8181         3.95           74 811         .35         74 8189         6.95           74 815         .35         74 8194         1.49           74 822         .35         74 8197         1.49           74 822         .40         74 820         1.49           74 830         .35         74 8197         1.49           74 832         .40         74 820         2.20           74 838         .85         74 824         2.20           74 838         .85         74 8253         .95</td> <td>18 pin ST       20       18       76         20 pin ST       29       27       77         22 pin ST       30       27       76         24 pin ST       30       27       76         24 pin ST       30       27       76         24 pin ST       40       32       76         40 pin ST       40       32       76         40 pin ST       40       39       76         64 pin ST       4.25       call       77         8 pin WW       59       52       76         14 pin WW       69       52       76         15 pin WW       69       52       76         16 pin WW       109       96       76         20 pin WW       1.39       1.28       76         24 pin WW       1.49       1.35       76         24 pin WW       1.69       1.49       76         40 pin WW       1.69       1.80       76         40 pin WW       1.69       1.80       76         24 pin ZIF       9.55       call       76         28 pin ZIF       10.95       call       216         28 pin ZIF</td> <td>VOLTAGE REGULATORS           8057         .75         7905T           90050         .35         7908T           9017         .75         7915T           9127         .75         7915T           9127         .75         7905K           90547         .75         7905K           91247         .75         7905K           90547         .39         7915K           9154         .39         7915K           9154         .39         7915K           9154         .39         7912K           9155         .69         .7912K           9154         .39         .7912K           9155         .90         .912           9154         .39         .9105           9154         .99         .912           9155         .90         .912           9156         .99         .0478540           9.95         .7         .70-92           C</td> <td><math display="block">\begin{array}{cccccccccccccccccccccccccccccccccccc</math></td>	74 SOO           74 800         .32         74 5133         1.95           74 802         .35         74 5136         3.95           74 802         .35         74 5136         3.95           74 804         .35         74 5174         .95           74 805         .35         74 5175         .95           74 806         .35         74 5175         .95           74 806         .35         74 5181         3.95           74 806         .35         74 5181         3.95           74 809         .40         74 5182         2.95           74 811         .35         74 8181         3.95           74 811         .35         74 8189         6.95           74 815         .35         74 8194         1.49           74 822         .35         74 8197         1.49           74 822         .40         74 820         1.49           74 830         .35         74 8197         1.49           74 832         .40         74 820         2.20           74 838         .85         74 824         2.20           74 838         .85         74 8253         .95	18 pin ST       20       18       76         20 pin ST       29       27       77         22 pin ST       30       27       76         24 pin ST       30       27       76         24 pin ST       30       27       76         24 pin ST       40       32       76         40 pin ST       40       32       76         40 pin ST       40       39       76         64 pin ST       4.25       call       77         8 pin WW       59       52       76         14 pin WW       69       52       76         15 pin WW       69       52       76         16 pin WW       109       96       76         20 pin WW       1.39       1.28       76         24 pin WW       1.49       1.35       76         24 pin WW       1.69       1.49       76         40 pin WW       1.69       1.80       76         40 pin WW       1.69       1.80       76         24 pin ZIF       9.55       call       76         28 pin ZIF       10.95       call       216         28 pin ZIF	VOLTAGE REGULATORS           8057         .75         7905T           90050         .35         7908T           9017         .75         7915T           9127         .75         7915T           9127         .75         7905K           90547         .75         7905K           91247         .75         7905K           90547         .39         7915K           9154         .39         7915K           9154         .39         7915K           9154         .39         7912K           9155         .69         .7912K           9154         .39         .7912K           9155         .90         .912           9154         .39         .9105           9154         .99         .912           9155         .90         .912           9156         .99         .0478540           9.95         .7         .70-92           C	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
CIRCUITS MM5314 4.95 ICL7 MM5369 3.95 ICL7 MM5375 4.95 ICL7 MM58167 8.95 ICL8	107         12.95         9368         3.95           660         2.95         9401         9.95           038         3.95         9601         .75           '207A         5.59         9602         1.50	XR 2207 3.75 XR 2208 3.75 XR 2211 5.25	CC         .99         11C90           CC         1.25         95M90           CC         1.49         2513-001 UP           CA         1.49         2513-002 LOW           DATA ACQUISITION         ADC0800         15.55           ADC0800         15.55         DAC0808           ADC0809         4.49         DAC1022           ADC0809         4.49         DAC1022           ADC0800         4.95         MC1408L6	13.95         4520         .79         74C925         5.95           7.95         4522         1.25         74C926         7.95           9.95         4526         1.25         74C928         7.95           9.95         4526         1.25         74C929         19.95
ORDER T		BOO-538-	-5000 80	<b>D-662-6279</b> Formia residents) VOLUME QUOTES

-									
DISK		CONNEC Rs232 MAL Rs232 FEM Rs232 FEM Right AN Rs232 HOC S-100 ST	E 2.50 ALE 3.25 2NS ALE MP IGLE 5.25 2NS DD 1.25 2NS		MPS2706 .15 2N37*2 1.85 2N39#3 .25 2N39#6 .10 2N39#6 .10	TM100-1 5%" (FC TM100-2 5%" (FC	DRIVES NDON DR IBM) SS/DD 229.00 DR IBM) DS/DD 295.00 GART		
* FITS STANDARD SHUGART * INCLUDES MOUN HARDWARE AND CABINET	5 <sup>%</sup> " DRIVES, INCL. ITING FEET <b>\$79.00</b>	S-100 WW 72 pin ST 72 pin WW 50 pin ST 44 pin ST 44 pin WW 72 pin SE	4.95 2N3 6.95 2N3 7.95 2N3 4.95 PN3 2.95 PN 4.95 PN3 2.95 PN3 2.95 2N3	2219         .50           2219A         .50           2222         .25           2222         .10           \$2369         .25           2484         .25           2905         .50	2N4122 .25 2N4123 .25 2N42×9 .25 2N4304 .75 2N4401 .25 2N4402 .25 2N4403 .25	SA 400L 5%" (40 SA 400 5%" (35 TF	TRACK) SS/DD 199.95 RACK) SS/DD 189.95 MENS D		
* COMPLETE WIT SWITCH, LINE CC STANDARD POWI * DIMENSIONS: 11/ * +5V @ 1 AMP, +12 * FITS STANDARD : * PLEASE SPECIFY	0RD, FUSE & ER CONNECTOR 5 x 5% x 3'%6'' V @ 1.5 AMP 5%'' DRIVES	MUF FAN NEW UN 4,68" Squar	FIN 2N3 305 VS 2N3 -USED 2N3	2907         .25           2907         .125           3055         .79           5T         .69           3033         .30           3414         .25           3563         .40           565         .40	2N4857 1.00 PN49°6 .25 2N5066 .25 PN5129 .25 PN5129 .25 2N52C9 .25 2N5028 .35	FD200-8 8" DS/D (SHUGART 851 EC	DUIVALENT) 239.00 RTEC D 179.95		
NOTE: Please include shipping on above item	sufficient amount for	3.125 Squa OPT ISOLA	0- 0- 0- 0-	3565         .40           3565         .25           S3638         .25           S3640         .25           3643         .25           3644         .25           S3704         .15	2N6043 1.75 2N6045 1.75 MPS-a05 .25 MPS-a06 .25 MPS-a55 .25 TIP29 .65 TIP31 .75	MP-52 5%" (FOR I	ude sufficient amount		
14 WATT 5% CA STANDAR	RBON FILM ALI ID VALUES TO 10 MEG OHN ALUE .0 ALUE .0	4N26 4N27 4N28 25 4N35 2 4N35 15 MCT-2 MCT-6 MCA-7	1.00 1.10 .69 1.75 1.25 1.25 1.25 FR 0.00	OM ELCO 800 pages of n is on most con	TIP32 .79 <b>DMPUTER</b> <b>HANDBOOK</b> MP \$14.95 manufacturers data mmonly used IC's.	MODEL MOUNTED C MANUFACTUR +5 VOL	SUPPLY 2 \$3995 ON PC BOARD RED BY CONVER T 4 AMP T 1 AMP		
BYPAS .01 UF DISC .1 UF DISC .1 UF MONOLI	S CAPS 100/6.0 100/8.0 THIC 100/15.0	10 H11C5	1.25 1.25 2.75 ★ Vol 1.25 ★ Me	tage Regulate mory - RAI		NOTE: Please includ shipping on above iter	e sufficient amount for		
DISC. TAN'	FALUM AND PACITORS IN	LETE LINE O ELECTROLY I STOCK!		U support & i 00, 6500, Z80, HEAT 3 3 style 220 style	8200, e.c.	KBP04 400PIV 1.5 VM48 Dip-Bridg	ener 25 witching 25/1.00 Utifier 10/1.00 Samp bridge 45 Samp bridge .55 • .35		
	SOLDER CUP	RIGHT ANGLE PC SOLDER	IDC	ноор		RIBBON CABLE			
ORDER BY	MALE FEMALE	MALE FEMALE		BLACK C	GREY CON				
CONTACTS 9 15 25 37 50	DBxxP         DBxxS           2.08         2.66           2.69         3.63           2.50         3.25           4.80         7.11           6.06         9.24	DBxxPR         DBxxSR           1.65         2.18           2.20         3.03           3.00         4.42           4.83         6.19	IDBxxP         IDBxxS           3.37         3.69           4.70         5.13           6.23         6.84           9.22         10.08	1.25	1000 1.60 1.25 2.95 3.50	10         .50         4.40           16         .55         4.80           20         .65         5.70           25         .75         6.60           26         .75         6.60           34         .98         8.60	1.00         8.80           1.25         11,00           1.32         11,60           1.32         11,60		
		MOUNTING F				40 1.32 11.60 50 1.38 12.10	1.92 16.80		
		State State States	DC CON	NECTO	ORS		States of the local division of the local di		
DESCRIPTION	SOLDER HEADER	DIOUT ANOLE		RIGHT AND		RIBBON HEADER	RIBBON EDGE CARD		
ORDER BY CONTACTS 10 26 34 40 50	IDHxxS .82 1.29 1.68 2.20 2.58 3.24	IDHxxSR .85 1.35 1.76 2.31 2.72 3.39	IDHxxW 1.86 2.98 3.84 4.50 5.28 6.63	IDHxxWI 2.05 3.28 4.22 4.45 4.80 7.30	R IDSxx 1.15 1.86 2.43 3.15 3.73 4.65	5.50 6.25 7.00 7.50 8.50	IDExx 2.25 2.36 2.65 3.25 3.80 4.74		
header would be ID	JDR 122 800-538	Micro 24 S. Bascon San Jose, CA	<b>Devic</b> Avenue 95128 662-6279 (CA elex 171-110	es	VISIT PETAIL PLEASE USE TERMS For s Label Air then Foreign cider minimum ord Tax Other C oght to substi errors Prices		EW HOURS — M-W-F, 9-5 , 9-9 Sat. 11-3 BER WHEN ORDERING round or \$3 for UPS Bits hittonal shipping charges or shipping There is a \$10 Countee add 6 Sales ates Tax. We reserve the onsible for typographical notice We will match or		

CIRCLE 49 ON FREE INFORMATION CARD

1983 JDR MICRODEVICES. INC

#### FOR APPLE COMPUTER USERS FD-35 DISK DRIVE THOUSANDS SOLD **NEW IMPROVED** \* Direct Replacement for JDR 16K RAMCARD Apple Disk II JDR COOLING FAN Compatible with Apple \* Expand your 48K Apple to 64K \* Easy modification --- no Controller or other Apple \* Fully compatible with Apple modification of Apple required compatible controllers Language System - Use in Eliminates overheating \* Specially designed electronics place of Apple Language card problems with low power consumption Provides extra memory for Switch on front controls fan, DOS 3.3 and 3.2 compatible Visicalc\*\* Apple, and extra outlet \* Owner's Manual and Warranty \* Run FASCAL, FORTRAN Rotron whisper fan is the Card included Integer Basic with appropriate quietest, most reliable on the NOW software market Highest quality card features: WITH ONE YEAR \$22995 **NOW WITH SURGE** gold edge connector, sockets for all IC's SUPPRESSION WARRANTY WITH 2 YEAR WARRANTY CONTROLLER CARD \$89.95 \$69.95 ASSEMBLED & TESTED \$4495 WITH WARRANTY ..... WITHOUT SURGE KIT -- INCLUDES ALL SUPPRESSION 159.95 VIEWMAX-80 5**40**95 PARTS & INSTRUCTIONS **A Full Function** BARE PC CARD MONITORS 51495 80 Column Card for Apple II\* WITH INSTRUCTIONS .... \* Soft Video Switch \* Shift Key Support MONOCHROME **2 YEAR WARRANTY** NEC JB1201M - 20 MHZ GREEN \$169 APPLE COMPATIBLE ZENITH ZUM-121 - 15 MHZ GREEN \$99 NOW ONLY \$18995 POWER \$99 TAXAN 18 MHZ AMBER \$139 COLOR 51/4" DISKETTES \* Compact Switching Design AMDEK COLOR I - COMPOSITE \$335 All Outputs regulated ÷ VERBATIM DATALIFE \* Short Circuit and Overload Protection SS/DD SOFT SECTOR ..... 29.95 Complete with Apple-type ÷ ORDER TOLL FREE SS/DD 10 SECTOR HEAD .... 29.95 plug-in power cord Apple Compatible - Yet higher Nashua output allows more disk drives and cards without overheating SS/DD SOFT SECTOR WITH HUB RING \* +5V @ 5A, +12V @ 3A, \$1995 -5V @ .5A, -12V @ .5A **BEST BUY** Ask about our full Shielded enclosure: 10% x 3½" x 21/10 line of Nashua diskettes **ACCESSORIES FOR APPLE II & IIE** RISOFT

PRINTERLINK CENTRONICS

PARALLEL INTERFACE \* Simple to use - No

- configuring required Use with any centronics
- printer EPSON, OKIDATA, etc.
- \* includes Cable & Manual

\$5900

ORDER TOLI

ALL MERCHANDISE

100% GUARAN

MESSENGER SERIAL INTERFACE

ALL WITH 1 YEAR WARRANTY

- \* Connects to any RS-232 serial device
- \* 8 switch selectable drivers for printers, terminals and modems
- \* Includes Cable & Manual \$**99**00

TIMELINK REAL TIME CLOCK \* Applications in file man-

- agement, word processing, communications, etc. \* Exclusive Alarm Clock
- feature
- + Battery recharges automatically

\$8400

- **NEW BUFFERLINK** ADD-ON PRINTER BUFFER
- \* Saves Time No more waiting for printed output
- \* Connects easily to any parallel interface
- \* Expandable from 16K to 64K \$139<sup>00</sup>(16K)

800-662-6 **CALL US FOR VOLUME OUOTES** 

CIRCLE 49 ON FREE INFORMATION CARD

1969 JUR MICRODEVICES INC

800-538-5000



CIRCLE 88 ON FREE INFORMATION CARD



CIRCLE 80 ON FREE INFORMATION CARD

OCTOBER



RADIO-ELECTRONICS

CIRCLE 9 ON FREE INFORMATION CARD

CIRCLE 83 ON FREE INFORMATION CARD



### "The Deluxe II"

PC BOARD, PLANS, PARTS & ENCLOSURE \$152.99 PLUS SHIPPING \$4.95 EACH

PC BOARD & PLANS ONLY \$30.00 PLUS SHIPPING \$1.50 EACH

The ultimate in UHF sine wave converter techology with modulated audio. Easy to build with fully illustrated plans. Outstanding video clarity and stability.

UHF AMPLIFIER KIT PC BOARD, PLANS & PARTS \$19.99 PLUS SHIPPING \$1.50 EACH EASY TO BUILD & NO SPECIAL EQUIPMENT REQUIRED. IMPROVES RECEPTION WITH 12db GAIN.

PC BOARD, PLANS & PARTS \$17.50 PLUS SHIPPING \$2.50 EACH

The best in "sine suppressed" circuits.

PC BOARD ONLY \$3.00 PARTS ONLY \$14.50

REGULATED +24V & +12V

TOLL FREE 800 - 782-2701


"LEADER IN THE BEST VIDEO CIRCUITS FOR THE EXPERIMENTERS."



FITS DIRECTLY INTO YOUR DELUXE II FOR CONVENIENT CHANNEL SELECTION.

(PLUGS DIRECTLY INTO THE NE 564 POSITION) \$4.95 EACH PLUS \$1.50 SHIPPING.

"THE Z BOARD" PC BOARD, PLANS, PARTS & ENCLOSURE \$119.95 PLUS SHIPPING \$4.95 EACH



FREE POWER SUPPLY PC BOARD WITH EVERY "Z BOARD" ORDER

A powerful circuit with a challenge. The best in UHF "pulse suppressed" circuits. Suppressed horizontal synchronization with video inversion and modulated audio that mates with your Zenith M1 module. Fully illustrated plans for easy assembly.

#### QUANTITY DISCOUNTS AVAILABLE

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

CALIF. ORDERS ADD 6% SALES TAX

VISA/MST MONEY ORDERS NO PERSONAL CHECKS

CIRCLE 67 ON FREE INFORMATION CARD

PARTS INCLUDE WHAT YOU SEE

# 1001

LUS FUSE, FUSE HOLDER, SWITCH, LINE CORD & STRAIN RELIEF

NORKS GREAT WITH THE "Z BOARD," "FV4" OR "FV5"

#### YOUR SEMICONDUCTOR **CIRCUIT SPECIALISTS** SUPERMARKET 74LS00 SALE 7400 LINEAR IC'S 74LS00 74LS01 .20 .24 .24 .24 .24 74LS123 74LS125A 74LS126A 7400 .48 MC1489P MC1496P MC1723P MC1741CP1 1.10 1.48 .62 .56 .50 74LS249 74LS251 1.25 .20 7475 .50 LM301AN I M3900 .50 .60 .60 1.50 7476 7485 7486 LM3909 LM3911 1.00 7401 .38 LM307N LM308N 74LS02 74LS03 74LS05 74LS253 7402 .29 71 74LS132 74LS256 .29 .35 LM310N 2.40 LF347 2.35 2.40 .52 .52 .52 .67 .73 74LS133 74LS136 74LS137 .80 .40 1.00 .60 .60 1.25 .55 .31 .32 .38 LM311N LM318N LM319N MC3301 MC3302 MC3401 74LS257A 7404 7489 69 LF351 60 90 74LS05 74LS08 74LS09 74LS10 74LS11 74LS12 74LS13 24 24 24 24 24 74LS258A 74LS259 7405 7406 7408 7410 7411 7413 7414 7417 7420 7490 7492 LF353 2.50 99 .80 2.40 LF357 1:10 74LS137 74LS138 74LS139 74LS145 74LS147 74LS148 .80 .80 1.30 1.65 MC3403P MC1648P MC1658P 1.30 3.80 4.50 .71 .42 74LS260 .31 7493 LM324N NESSS 7493 7495 7496 74107 74121 74123 74125 74145 74145 74LS266 74LS273 74LS279 .55 1.25 .55 2.25 .30 LM325N MC1306P MC1310 3.30 4.29 .93 .69 2.30 MC1330A1P MC1349P MC1350P 1.50 MC4024P MC4044P ICM7208 .35 4.49 LM556N 1.65 .45 74LS280 .59 .32 .29 .31 .32 .30 ADEEM I 74LS14 74LS25 74LS20 74LS27 74LS26 74LS27 74LS28 74LS32 74LS32 74LS33 74LS37 74LS40 74LS42 74LS44 74LS45 74LS45 74LS151 74LS153 74LS280 74LS283 74LS290 74LS293 90 LM383T LM377N 15.95 ICM7207A .52 2.40 6.00 MC1351P 1.70 1.49 1.30 4.42 3.54 2.71 9.70 1.20 74LS155 74LS156 74LS157 MC1357P MC1358P ICM7217A ICM7205 ICM7045 9.95 12.95 15.50 7425 3.15 4.60 .85 LM378N 74145 74147 74151 74153 74154 74154 74157 74164 74165 .80 74LS295A 74LS298 74LS299 .95 7427 7430 7432 7437 1.67 LM379N LM380N LM381N MC1372P .90 2.60 .75 1.17 .75 1.05 1.05 MC1373P MC1403U MC1405L MC1413P ICL8038 ICM7555 MWA110 3.40 1.20 7.45 74LS158 .80 .31 74LS160A .85 74LS322A 4.60 .31 LM381AN 3.60 2.00 .99 74LS160A 74LS161 74LS162 74LS163A 74LS164 74LS165 7437 7438 7440 7441 7442 7446 7446 7447 7448 74LS323 74LS348 4.60 LM384N LM386N .31 7.80 8.25 8.25 .80 MWA120 .80 .80 1.25 1.25 74LS352 74LS353 74LS365A 74LS365A 1.35 2.30 1.35 2.61 2.08 .77 1 25 1.00 LM565N MC1374P MC1376P MWA130 MWA310 74165 74174 74175 74176 74177 74190 74192 1.25 .55 .55 .55 1.35 LM566N LM567N 1.00 MC1458CP1 MC1488P .83 8.65 .83 **MWA320** 74LS166 74LS168 74LS169 74LS170 .83 .80 LM1889 3.20 1.10 ZN414 2.00 1.25 74LS367A 74LS368A .80 .83 7450 7472 7473 CMOS 74LS373 74LS374 1.00 1.00 .29 .29 .42 .42 .42 .35 .99 MC14000 MC14001 MC14002 MC14006 MC14007 MC14007 MC14008 MC14012 1.25 .55 1.25 1.25 .99 CD4001 CD4007 CD4010 MC14023 MC14024 MC14024 MC14027 MC14028 MC14032 MC14032 .80 35 CD4046 CD4047 CD4049 CD4051 CD4066 CD4066 CD4069 CD4070 CD4071 CD4081 CD4093 CD4515 CD4515 CD4518 74LS173 74193 1.50 .40 1.22 74LS49 74LS51 74LS55 74LS755 74LS73A 74LS74A 74LS75 74LS173 74LS174 74LS175 74LS181 74LS182 74LS183 74LS374 74LS375 74LS377 74LS378 74LS379 74LS385 74LS385 7474 .35 74196 .32 .40 1.42 .40 1.25 .60 .55 .32 .45 .50 1.00 1.17 .32 .83 .45 .40 CD4011 CD4013 CD4016 CD4017 45 .45 1.00 .65 .32 .45 .32 .32 .32 1.25 3.50 .55 1.25 1.02 VOLT-REGS 74LS190 85 3.50 1.86 2.19 1.47 .40 .72 1.25 1.47 .72 1.25 1.15 1.47 .85 74LS390 74LS393 74LS395 CD4020 CD4023 CD4024 CD4025 MC14012 MC14013 MC14014 MC14015 MC14035 MC14038 74LS76A .45 .70 .49 .75 .90 .45 .45 .55 .65 .45 .45 .45 .45 .45 .60 .80 74L S191 74LS76A 74LS77 74LS78A 74LS83A 74LS85 74LS86 74LS192 74LS193 7805 7806 7808 .80 .80 .80 LM317T LM317K 1.00 3.75 6.95 3.25 MC14038 MC14040 MC14042 MC14043 MC14044 MC14046 MC14049 74LS395 74LS398 74LS399 74LS490 74LS540 74LS541 74LS568 74LS569 74LS569 MC14016 MC14017 MC14018 .80 LM323K .32 .60 1.06 74LS194A 74LS194A 74LS195A 74LS196 74LS197 74LS221 74LS240 74LS241 LM350T LM350K LM338K CD4025 CD4027 CD4029 CD4040 CD4044 7812 .80 .80 .80 5.50 7.60 1.90 .40 .40 .99 1.00 1.42 1.20 74LS90 74LS91 7818 2.80 MC14020 MC14021 7824 7905 7906 LM337T 80 1.25 1.30 1.30 1.30 1.30 74LS92 74LS93 78L05 MOST MOTOROLA CMOS IN STOCK 74LS241 74LS242 74LS243 74LS244 74LS245 74LS247 74LS248 74LS958 74LS107A 74LS620 7908 78L15 CIRCUIT SPECIALISTS INC. 74L S621 7912 791.05 .80 74LS107A 74LS109A 74LS112A 74LS113A 74LS114A 74LS122 74LS622 74LS623 7915 7918 79L12 79L15 .30 738 S. Perry Lane, Tempe, AZ. 85281 1.30 80 78H05KC 9.25 78H12KC 9.25 74LS640 7924 1.30 Order Phone: 1-800-528-1417 **INCLUDE \$1.25 SHIPPING** CIRCLE 7 ON FREE INFORMATION CARD 508 Central A **JAVAN CO** Bargains | | | Westfield, N.J. 07090 ACAC-1 OF ACPP-1 (201) 654-6008 YOUR PARTS SUPERMARKET T 160 2nd Ave.S.

10 ft, audio extension

**UVE1-A** Mitsumi

UHF/VHF combo

varactor tuner \$9.75

2m2

97

SPECIALSIII

cable.

\$ 1.50

**UHF-TV PREAMP** (As featured in Radio Electronics March/ May articles, 1982)

This inexpensive antenna mounted pre-amp can add more than 25 dB of gain to your system. Lots of satisfied cuatomers and repeat orders for this high quality kit, which includes all component parts, PC BD, Case, Power Supply and Balun \$34.50 Assembled Version.......\$57.50 APPLE Heart Rate Monitor KIT-\$39.95

 
 N3035(PRIME)
 2/1

 27379(PRIME)
 335)
 3/4

 555"S(TELEDVHE 335)
 3/4

 2716 EPROM(450ns)
 0.8

 NPS 6571(NPN SILICON TRANS)
 0.0

 1000T "50LDERING IRON(200)
 69

 "B00T" SOLDERING IRON(200)
 69

 "B00T" SOLDERING IRON(200)
 3/42

 LM1310.
 3/42
 2N3055 (PRIME) ..... 2N3791 (PRIME) ..... 

Have Some Fun...Fun...Fun PROGRAMMABLE MESSAGES IN SPACE, with SPACE WRITER Kit \$39.50 Signalman Mark 1 Modem-\$99

Direct connect modem/RS-232C; Built in Interface cable and connector; Light, com-pact, Bell 103 compatible Data/voice switch BMC-12A, 12" Green Phosphor Monitor \$99

POILLING SUBJECT SUBJE

MICRO-CONTROLLER BOARD (Kit/\$99.50)

Terms: MICRO-MART accepts Visa, MC and telephone COD's. Minimum order \$10.00. Shipping-U.S. orders, \$2.00. Canada and other countries \$3.50 (includes ins.). Shipping rate adjusted when applicable. NJ residents add 5% sales tax.

.3/\$1



Tennessee residents and information requests call 1-615-244-4444

assortment \$ 6.75 Out-of-state orders over \$15 call Toll Free 1-800-251-5555

Nashville, TN 37201

PCS.

PER.

KIT

72 ECKA-72 Mini-axial Kit

A AA

ECKR-72 Mini-lytic Kit \$ 6.85

SPK-100 PIEZO TWEETER \$6.75 each

This quality hi-fi horn is easily installed

ECK-251 \$9.35 assorted miniature elec-

trolytics, all good useable values, in a

1000 long lead resistors, 1/2 and 1/4 watt

or \$4.65 with \$15 order!

plastic bag. 251 PCS.

without crossover.

\$ 6.85

SAMA

Calculator keyboard switch

\$2.25

204

SN75324 IC.



**ELECTRONIC KITS** 

CIRCLE 90 ON FREE INFORMATION CARD

OCTOBER 1983 205



RADIO-ELECTRONICS

	VISIT O	ale al	Com Prod etail store santa cla	uc I	ter ts, nc.	702 708 7716 7716 7732 764 785 402 790 411 705 732 764 705 705 705 705 705 705 705 705 705 705	300ns 200ns 200ns 250ns 250ns 200ns 150ns 200ns 150ns	2.95 2.98 3.90 5.35 4.90 CALL 79 2.89 2.89 1.74 2.89 1.74 2.00 CALL CALL CALL CALL CALL CALL	2101 2102L-2 2111 2114 2114L-4 2114L-3 2114L-2 TMS4044-4 TMS4044-3 TMS4044-2 MK4118 TMM2016 HM6116-4 HM6116-2 26132	STATIC RAMS           450ns           250nsLP           450ns           450ns           450nsLP           300nsLP           200nsLP           200nsL           200ns           200ns           200ns           200ns           200ns           200ns           150ns           200ns           150ns           120ns           300ns           P = LOW POWER	1.80 1.44 2.48 1.74 1.84 1.84 1.84 3.15 3.45 3.89 9.69 4.15 4.89 5.90 6.90 6.90 8.95 32.95
8035 8039 8080A 8085A 8086 8088 8155 8155 8156	8000 4.95 8251 5.96 8253 3.89 8253-5 5.89 8255 24.95 8255-5 34.95 8255-5 34.95 8257 7.75 8259 8.75 8272 8.75 8272	4.39 6.89 7.89 4.39 5.19 7.89 6.85 39.00	1771         15.95         8           1791         27.95         8           1793         29.95         8           1796         49.95         8           1797         49.95         8           6843         32.95         0           8272         39.00         0	INTER T26 T28 T95 T96 T97 T98 M8131 F8304 \$8835	1.65 1.95 .95	SSSD SSDD DSDD	ATI		R NASHUA	the second second	18.95 22.95 27.95
8185 8202 8205 8212 8214 8216 8224 8226 8228 8228 8227 8238 8243 8243 8243	29.00         8275           27.95         8279           3.45         8279-5           1.79         8282           3.75         8283           1.69         8284           2.19         8286           3.34         8289           4.39         8741           4.39         8748           10.49         8755	29.00 8.89 9.89 6.49 6.49 6.49 6.49 6.49 24.95 39.00 34.95 14.95 29.95		S8836 ERS S ES	.99 6500 1 MHz 6502 6504 6505 6607 6520 6520 6522 6532 6545	5.25 6.65 7.60 9.85 3.95 4.95 5.95 6.95 10.95	UPGRADE YOUR APPLE or TRS-80 4116 200ns CALL	32.768 KH 1.00 Hz 1.8432 2.0 2.097152 2.4576 3.2768 3.579545 4.0 5.0 5.0 5.0 5.0688 5.185 5.7143 6.0		6.144 6.5536 8.0 10.0 12.0 14.31818 15.0 16.0 17.430 18.432 20.0 22.1184	2.69 2.69 2.69 2.69 2.69 2.69 2.69 2.69
74L500 74L501 74L502 74L503 74L506 74L506 74L510 74L511 74L512 74L513 74L513 74L515 74L522 74L522 74L526 74L527 74L522 74L522 74L523 74L533 74L533 74L533 74L533 74L534 74L547 74L547 74L551 74L551	<b>74LS00</b> 23 74LS123 23 74LS124 23 74LS126 23 74LS126 23 74LS132 23 74LS136 23 74LS137 23 74LS138 25 74LS138 25 74LS145 39 74LS145 39 74LS145 39 74LS154 23 74LS155 29 74LS155 29 74LS155 29 74LS155 29 74LS156 23 74LS156 23 74LS166 23 74LS166 23 74LS166 23 74LS166 23 74LS166 29 74LS166 20	.77 2.88 4.47 57 53 53 53 53 53 53 53 53 53 53 53 53 53	74LS253         .57           74LS257         .57           74LS258         .57           74LS259         2.73           74LS260         .57           74LS260         .57           74LS273         1.47           74LS275         3.33           74LS275         3.33           74LS279         .47           74LS280         1.96           74LS290         .87           74LS295         .97           74LS295         .97           74LS295         .97           74LS295         .97           74LS295         .97           74LS295         .97           74LS325         1.27           74LS352         1.27           74LS353         1.27           74LS363         1.33           74LS364         1.93           74LS365         .47           74LS366         .47           74LS368         .43           74LS374         1.37           74LS374         1.37           74LS379         1.33           74LS379         1.33           74LS379         1.33	8 PIN 14 PIN 16 PIN 20 PIN 22 PIN 24 PIN 28 PIN 40 PIN 5 W	O         3.35           IC         3.35           MA         12.49           ART         14.98           D/O         16.95           D/1         16.95           D/2         16.95		800) (800	) 5 ) 8 FORNIA NDISE I	38- 48- A RESIDI S 100% C		00 8 EED
74LS03 74LS73 74LS74 74LS75 74LS76 74LS76 74LS87 74LS85 74LS80 74LS90 74LS91 74LS91 74LS93 74LS96 74LS109 74LS109 74LS109 74LS112 74LS114 74LS114 74LS114	23         74 5173           23         74 LS174           28         74 LS175           1.23         74 LS175           1.23         74 LS175           1.23         74 LS181           37         74 LS189           37         74 LS190           37         74 LS191           37         74 LS192           47         74 LS193           58         74 LS196           37         74 LS196           53         74 LS196           53         74 LS196           53         74 LS240           53         74 LS241           73         74 LS242           73         74 LS242           37         74 LS243           37         74 LS243           37         74 LS245           37         74 LS245           37         74 LS248           37         74 LS249           37         74 LS249           37         74 LS249           37         74 LS245	.53 2.13 8.93 .87 .77 .77 .77 .77 .77 .77 .93 .59 .97 .97 .1.47 .73 .97 .57	74LS390         1.17           74LS393         1.17           74LS395         1.17           74LS395         1.17           74LS395         1.17           74LS424         2.93           74LS424         2.93           74LS668         1.67           74LS668         1.67           74LS668         1.67           74LS670         1.47           74LS682         3.18           74LS684         3.18           74LS685         3.18           74LS688         2.38           74LS689         3.18           74LS688         3.18           74LS685         1.47           81LS95         1.47           81LS95         1.47           81LS98         1.47           81LS98         1.47	280A-C 280A-C 280A-C 280A-C 280A-C 280A-S 280A-S 280A-S 280A-S 280A-S 280A-S 280A-S 280B-C 280A-C 280B-C 28	PIO         4.90           TTC         4.90           DMA         21.95           DART         15.95           BO/O         20.95           BO/I         18.95           SPU         14.95           IO         12.95		APPLE SUPER COO FANS 49.95 ITH SURG PRO 69.95	LING	COM DIS 2 Contr	PLE* II MPATIBLE K DRIVE 25.95 OLLER C 79.95	
0	2100 De La Cruz Santa Clara, CA (800) 538-880 Calif. Residents (800)	Blvd. 95050 0	18 BANKA	ON-FRI SAT 10: MERICARD	maste	r chai	minimur Tax, Ca reserve t manufac notice, S	\$3.00 fo n order, B lifornia re the right to turer, Prio	r UPS Blue ay Area resid sidents add b limit quant	de \$2.00 fo Label Air \$ lents add 6½% 6% Sales Ta ities and subs to change w e list.	10.00 Sales x. We stitute



#### RADIO-ELECTRONICS does not assume any responsibility for errors that may appear in the index below. Free Information Number Page Active Electronics 41, 78 CEI 26 Chaney Electronics 202 CIE, Cleveland Institute of Electronics 52-55 Circuit Specialists 204 22. 81 Computer Products Peripherals 190 Cooper Tools Cover II 170 Diamondback Electronics Digitron ... Electronic Rainbow 117 Electronic Specialists 188 Electronic Technology Today 60 Electronic Warehouse 61 Electronics Book Club 177 Enterprise Development 50 Grantham College of Engineering ...... 15 Hal-tronix 16. 37 Illinois Audio .46 ISCET. Javanco..... Jim-Pac Electronic Components ......31 J W Electronics KCS Electronics Kikisui..... L.I. Public Wholesalers 200 McGraw-Hill Book Clubs 142-145 Memo Tech. Micro-Mart 204 . 60 Microsignal..... Netronics R D Ltd. 134 Network Sales 205 New Horizons 51, 146 Newtone Electronics ....40 NRI Schools 16-19, 59 NTS Schools 34-36 PAIA Electronics .42

\_

-

\_\_\_\_

#### Pomona Electronics Bookstore 38 Radio Shack 74, 183 61.86 Ramsey Electronics .. 191 RCA RCA Distributors Special Products ..... RCA Technical Publications ......41 RCD R.I.S.T. Robotics Age Scientific Systems SCR Electronics Center 188 Sintec 30 Solid State Sales 188 Soltec .... Tektronix 7 Traband Electronics 179 Vector Electronic 166 VIZ Manufacturing 11 Westech 202 Zenith 23

ADVERTISING INDEX

-

\_\_\_\_



**CIRCLE 66 ON FREE INFORMATION CARD** 

### FOR FREE INFORMATION **USE THESE POST-PAID** CARDS

#### Print your name, address and Zip Code on one of

the attached postage-paid cards.

Circle the number (or numbers) on the card that corresponds to the number at the bottom of each advertisement or editorial item that you want information on. Advertisers' freeinformation numbers also appear in the ad index at the left on the facing page.

Mail the card. It's Postage-Paid.

#### NOTE:

Use the postcard address for Free Product Information only. Address all editorial inquiries to Editor, RADIO-ELECTRONICS. 200 Park Avenue South, New York, N.Y. 10003.

#### POSTAGE-PAID FREE INFORMATION CARD

														REA	1083	
	11	21	31	41	51	61	71	81	91	101	111	121	131	141	151	
	12	22	32	42	52	62	72	82	92	102	112	122	132	142	152	
3	13	23	33	43	53	63	73	83	93	103	113	123	133	143	153	
4	14	24	34	44	54	64	74	84	94	104	114	124	134	144	154	
5	15	25	35	45	55	65	75	85	95	105	115	125	135	145	155	
6	16	26	36	46	56	66	76	86	96	106	116	126	136	146	156	
7	17	27	37	47	57	67	77	87	97	107	117	127	137	147	157	
8	18	28	38	48	58	68	78	88	98	108	118	123	138	148	158	
9	19	29	39	49	59	69	79	89	99	109	119	129	139	149	159	
10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	

2 Please send me 12 issues of RADIO-ELECTRONICS for \$14.97 and bill me. (Canada \$17.97-US Funds only)

NAME Please print\_\_\_\_\_

COMPANY NAME (if applicable)\_\_\_\_\_

۸	D	n	D	c	c	c	
2		υ	п	L	0	0	-

CITY\_\_\_\_

VOID after December 31, 1983 Allow 6-8 weeks for delivery of first issue

IMPORTANT

Only one card per person

\_\_\_\_\_STATE\_\_\_\_\_ZIP\_\_\_\_

POSTAGE-PAID FREE INFORMATION CARD

														REA	1083
	11	21	31	41	51	61	71	81	91	101	1.11	121	131	141	151
	12	22	32	42	52	62	72	82	92	102	112	122	132	142	152
3	13	23	33	43	53	63	73	83	93	103	113	123	133	143	153
4	14	24	34	44	54	64	74	84	94	104	114	124	134	144	154
5	15	25	35	45	55	65	75	85	95	105	115	125	135	145	155
6	16	26	36	46	56	66	76	86	96	106	116	126	136	146	156
7	17	27	37	47	57	67	77	87	97	107	117	127	137	147	157
8	18	28	38	48	58	68	78	88	98	108	118	128	138	148	158
9	19	29	39	49	59	69	79	89	99	109	119	129	139	149	159
10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160

2 Please send me 12 issues of RADIO-ELECTRONICS for \$14.97 and bill me. (Canada \$17.97-US Funds only)

NAME Please print\_\_\_\_\_ COMPANY NAME (if applicable)\_\_\_\_\_ ADDRESS\_\_\_\_\_ CITY\_\_\_\_\_STATE\_\_\_\_ZIP\_\_\_\_ IMPORTANT VOID after December 31, 1983 Allow 6-8 weeks for delivery of first issue \_\_\_\_\_

**BUSINESS REPLY CARD** 


**Radio-Electronics** 

SUBSCRIPTION SERVICE P.O. Box 2520 **BOULDER, COLORADO 80321** 



DE 41000

Only one card per person



City_								
Allow	6-8	weeks	for	delivery	of	first	issue	


Offer	valid	in	US	\$ Only.

Zip

State

Subscribe Today!


# Our new 4½ digit DMM only acts expensive.



Now you can get 4½ digit resolution plus an unmatched combination of high performance features for just \$239.

#### **Performance Power**

The new Beckman Model 4410 DMM gives you precise readings with resolutions down to 10 microvolts and 10 nanoamps. The 4410 offers you 0.05% basic Vdc accuracy plus true RMS Vac capability for



accurate readings of complex waveforms. Add to this RF shielding and high input impedance, and you have superior 4½ digit performance.

**Easy to use** Built-in 10A ac/dc capability eliminates the need to carry an external shunt. For fast continuity tests, the INSTA-OHMS® continuity indicator works at the speed of a glance. For even more convenience, the single rotary switch makes function and range selection simple and sure.

#### **Built to last**

Packed with overload protection, the 4410 is designed for reliable service. It withstands 1500 Vdc or 1000 Vac on all voltage ranges as well as 6kV transients. A rugged 2A/600V fuse protects current ranges and resistance ranges against overloads up to 500 Vdc. For extra long life, the 4410 uses Beckman's custom designed switch and self-cleaning gold contacts.

With so much performance and reliability at your convenience, you'd expect the Beckman 4410 DMM to be expensive—not just \$239.

For more information, see your local distributor today. For the one nearest you, call or write: Beckman Instruments, Electronic Technologies Group/Instrumentation Products, 210 Ranger, Brea, CA 92621; (714) 993-8803.





**CIRCLE 78 ON FREE INFORMATION CARD** 



#### **Folding Meters are Better**


Not all multimeters fold. There's a reason. While other manufacturers were busy copying each others designs, BBC looked at where portable meters were used and how they could be improved.

The result is a unique approach. Folding meters with large displays (18 mm LCDs) and adjustable viewing angles. Now you can have high performance in a meter that excels in the field and on the bench.

#### Hands Free vs Handheld

In multimeters "hands free" is significantly better than "handheld." You need three hands to operate the typical "handheld" meter in the field. One for the meter and two for the probes. BBC's folding design lets you use a neck strap for the meter. This frees your hands for the probes.

On the bench, the large, adjustable displays pay off. It's a sensible design that lets you make measurements faster and more easily.



#### A Heritage of Precision

BBC's track record of expertise in precision engineering spans eight decades. All our meters are built to tough VDE and DIN safety standards. The 31/2-digit DMM's feature 0.1% basic dc accuracy and externally accessible fuses for overload protection.

CIRCLE 60 ON FREE INFORMATION CARD

#### Compact, Rugged and Affordable

M 2032

[ TOAT

To design the impact resistant case that protects these DMM's, BBC relied on the industrial design skills of the Porsche Design Studios.

When open, the display angle is easily adjustable. When closed, the display and the controls are protected, and the meters turn off automatically. Competitive pricing is another feature of BBC meters. Prices start at \$193.00.

#### Available Locally

BBC meters are available throughout the U.S. If your instrumentation supplier doesn't carry BBC yet, we'll gladly tell you who does. Call toll free:

> 1-800-821-6327 (In CO, 303-469-5231)

**BBC - METRAWATT/GOERZ** 6901 W. 117th Avenue Broomfield, CO 80020, Telex 45-4540

Engineering Excellence In Test and Measurement

