Practical Company of the State of the State

Reviews:
Apple Lisa
IBM PC XT
Spectrum games
Portable Tandy 100
BBC Buggy and Wordwise WP chip

Special feature on printers and plottershow to get hard copy from your micro



Cromemco System One

MicroCentre introduce Cromemco's new System One computer, available with an integral 5 megabyte Winchester hard disk, at a new low price.

The System One supports the full range of Cromemco interface cards, including high resolution colour graphics, and software packages. The choice of operating systems includes CDOS, CP/M and CROMIX—Cromemco's answer to Unix.

Call MicroCentre for G Cromemco

MicroCentre Ltd (Complete Micro Systems)

Britain's independent Cromemco importer • Circle No. 101

30 Dundas Street Edinburgh EH3 6JN Tel: 031-556 7354

CLIST

PRACTICAL COMPUTING AUGUST 1983

>NEWS

15 HARDWARE NEWS
Four new Atari computers
shown in Chicago, plus several new
developments among British micros.

21 SOFTWARE NEWS Smalltalk — the cult language reaches the Apple market, and software publishing meets the record business.

129 IBM PC NEWS Big Blue brings 11 enhancements to the PC, from APL to maze games.

30 COMPUTER FAIR SPECIAL REPORT
Bill Bennett braved the Earls Court crush to find the new micros, new games and interesting add-ons.

REVIEWS

92 LISA
After introducing Apple's
new micro in our March issue, Ian
Stobie reports on how usable it is in
practice.

96 PORTABLE TANDY 100
Tandy's handy new machine will compete with the Epson HX-20. Which is best?

100 BBC BUGGY
David Watt tries a threewheeled "turtle" designed to be
controlled by the BBC Micro.

102 HOME WP — PART 5 BBC WORDWISE

A word processor on a chip to rival Acorn's View, reviewed by Neville Maude.

118 SPECTRUM GAMES
Bill Bennett tackles
Football Manager and other new
Spectrum games.

130 IBM PC XT DESK-TOP TEST

Part 1: living with the new hard-disc version of the PC, with MS-DOS 2.

132 TK!SOLVER
The writers of VisiCalc
now solve more of your problems.

165 BBC BOOKS
Simon Beesley reviews
a selection of books about the BBC

CORVUS CONCEPT: The review of this 16-bit micro has been held over for next month.

>FEATURES

104 TWO IMAGES FOR THREE DIMENSIONS
Stereoscopic slicing — a fascinating

Stereoscopic slicing — a fascinating graphics technique described by Dave Watson, with a listing in Basic.

108 SOFTWARE AND THE LAW

Anne Staines explains the current state of the law on copyrighting programs.



110 FICTION
Jack is on the lookout for the perfect partner in Martin Foreman's *Autodate*.

112 FORMCALC ON THE ZX-81

Brian Law describes how to use his spreadsheet program, listed last month.

122 FLOATING-POINT NUMBERS

All you need to know about binary computation but were afraid to ask.

>REGULARS

5 EDITORIAL — DEATH OF 1,000 CUTS

With Texas Instruments heading for a \$100m loss, do we really need a price war?

7 FEEDBACK YOUR LETTERS

The column that airs your views.

29 RANDOM ACCESS
Boris Allan turns his attention to the fifth generation and beyond.

35 CHIP-CHAT
Can Zilog mount a
second attack on the 16-bit market?

137 OPEN FILE Free programs for the BBC, Commodore, Tandy, Sinclair, Atari, Apple and other micros.

173 LAST WORD
Chris Bidmead reports on the war between Digital Research and Microsoft.

>PRINTERS AND PLOTTERS

62 PRINTERS FOR BEGINNERS

Buying a printer can be confusing. Jack Schofield explains what the terms mean, and lists some of the models available.

70 OLIVETTI'S JP-101 SPARK-JET PRINTER

Chris Bidmead tests an innovatory printer that Olivetti plans to sell to lots of BBC Micro owners.

77 EPSON'S FX-80 DOT MATRIX

Chris Roper reviews Epson's replacement for the best-selling MX-80.

80 FIRST STEPS IN PLOTTERS

Bill Bennett takes a selection of plotters spanning the price range to see what they can do.

84 THE BENEFITS OF BUFFERS

Free your micro from slavery by fitting a print buffer. Paul Sutcliffe explains.

86 CONNECTIONS — THE RS-232 INTERFACE

How to hook up your printer: Mark Shepperd takes apart the most common microcomputer interface.



NOW IS THE TIME YOU SHOULD BE USING THE \$100 FOR:

UPGRADABILITY MODULARITY HIGH RELIABILITY UNMATCHED VERSATILITY AND AN INTERNATIONAL STANDARD

OUR BRITISH BUILT MIDAS S100

SYSTEMS OFFER ALL THESE ADVANTAGES TOGETHER WITH CP/M 2 CP/M 86 ** AND NOW CP/M PLUS ** 5½" and 8" FLOPPIES SINGLE OR MULTIPLE USERS FIXED AND REMOVABLE HARD DISCS





CP/M + S100 TOTAL SYSTEM FLEXIBILITY

BOARDS

We stock over 50 different S100 Boards all from quality manufacturers. Advanced Micro Digital, Godbout, SSM, Micromation, Dual, CCS, Sirton, Morrow, Pickles & Trout etc.

S100 CPU CARDS





- * Z80A 2/4 MHz, 2/4K EPROM 16/24 bit add, IEEE696
- * Z80A or B, 8K EPROM/RAM, 16/24 bit add, Int Cont, IEEE696.
- Z80A, Serial I/O, 2K Monitor
- 8085 + 8088 dual CPU Card, IEEE696.
- 8086 + 8013C, 16 bit CPU + space for 8087, IEEE696.
- 6800 + MMU, 8K ROM.
- 16032 + space for 32K ROM + 16082, 16201, 16081.

ensuring that you get what you want rather than what happens to be available Write or phone for a catalogue.

Unit 14, 29 Willow Lane, Mitcham, Surrey Telephone: 01-640 6931/2/3



No 1 of a Series

Prestigal Computing

EDITORIAL 01-661 3609 Editor Jack Schofield Deputy Editor Bill Bennett

Assistant Editor

Ian Stobie
Art Editor

Steve Miller
Production Editor
John Liebmann

Sub-editor
Sally Clark
Editorial Secretary

Julie Milligan

Consultants Chris Bidmead Peter Laurie

ADVERTISING 01-661 3612 Advertisement Manager

Advertisement Manager Ian Carter 01-661 3021 Assistant Advertisement

Manager Kenneth Walford 01-661 3139

Advertisement Executives Lynne Brennan 01-661 3468 Robert Payne 01-661 8425 David Honeyman 01-661 8626

Advertisement Secretary Janet Thorpe

Midlands office: David Harvett 021-356 4838

Northern office: Geoff Aikin 061-872 8861

PUBLISHING DIRECTOR Chris Hipwell

Published by Electrical Electronic Press, Quadrant House, The Quadrant, Sutton, Surrey SM25AS, Tel: 01-661 3500. Telex/grams 892084 BISPRS G.

Distributed by Business Press International Ltd, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

Subscriptions: U.K. £12 per annum; Overseas £18 per annum; selling price in Eire subject to currency exchange fluctuations and VAT; airmail rates available on application to Subscription Manager, Business Press International Ltd, Oakfield House, Perrymount Road, Haywards Heath, Sussex RH16 3DH. Tel: 0444 459188.

Printed in Great Britain for the proprietors Business Press International Ltd by Eden Fisher (Southend) Ltd, Southend-on-Sea. Typeset by Centrepoint Typesetters, London EC1.

© Business Press International Ltd

Would be authors are welcome to send articles to the Editor but PC cannot undertake to return them. Payment is at £30 per published page. Submissions should be typed or computer-printed and should include a tape or disc of any program, Handwritten material is liable to delay and error.

Every effort is made to check articles and listings but PC cannot guarantee that programs will run and can accept no responsibility for any errors.

The death of 1,000 cuts

YOU MIGHT think that in a booming industry, with products in short supply, manufacturers would be thinking about putting up their prices. Law of supply and demand, right? In the microcomputing industry, however, we are in the middle of a price war of unprecedented proportions.

Four major manufacturers are involved: Sinclair, Commodore, Atari and Texas Instruments. They are, between them, already responsible for the vast majority of world microcomputer sales — not by value, perhaps, but by volume.

A glance at the prices of these machines shows why. The 16K Atari 400 and 16K TI-99/4a are now around £150. The Commodore 64 and Atari 800, which are both comparable in power and facilities to the Acorn BBC Micro, are a touch under £300. In the pocket-money market, both the 16K Sinclair Spectrum and Vic-20 can be bought for under £100 — allowing for a package deal on the Vic.

Current American prices do not show the price-cutting storm subsiding. The American package-deal price puts the Vic-20 at under \$100 — around £65. Texas Instruments is giving a \$100 "rebate" or money-back offer on the TI-99/4a which brings the price down to \$159.95 — around £100.

As in the U.K. so in the U.S. The Sinclair micros are undercutting everything. With a \$15 rebate, the price of a Timex 1000 — known here as the ZX-81 — is only \$44.95, which at today's exchange rate is only £29.

How can a machine for which Texas once wanted £1,000 now cost \$150? The answer is only partly to do with volume. As a veteran of the pocket-calculator wars, Texas knows it has to stay in the market. The name of the game is market share.

Other factors are, of course, involved. Most of the companies have new machines on the

way. Commodore always has several, and Atari is about to launch four new micros. Even the current models, including the 99/4a and Commodore 64, are being heavily redesigned to use fewer chips, which will enable them to be made even cheaper.

Then there are numerous new machines lining up for the Christmas market. Many will offer 16-bit processors, including the powerful Motorola 68000. Last but not least, the two major microcomputer manufacturers — by value if not by volume — are threatening to launch new machines. Apple has a "mini Lisa", called the Macintosh, currently out with software houses. IBM is rumoured to be about to enter the small-micro market with the Peanut.

So far none of these developments has had much significance for the serious business market. The manufacturers mentioned have not reduced the prices of their peripherals and software by comparable amounts. Maybe you could expand, say, a Vic-20 or TI-99/4a to the capability of an Osborne 2 or Morrow Microdecision, but if you cost the exercise you will find them poor value in comparison. In many cases, too, neither the peripherals nor the business software exists.

But this could change. Forthcoming Atari, Commodore and even Sinclair micros could soon be offering business capabilities, including CP/M, at close to home-micro prices. Both IBM and Apple have the manufacturing capability and the high profit margins which would enable them to engage in a price war. Of course they don't want to, but they may not have a choice.

Meanwhile, the Japnaese are still waiting in the wings. The price war is not ending, it is just starting. Next it is likely to move from the home to the business market. A lot of companies are already lined up to die the death of a thousand price-cuts.

NEW FLOPPY SYSTEMS

Research Machines of Oxford has introduced new floppy disc systems for its 380Z computer.

A mini-floppy system is offered with one or two drives, each drive of 70K byte capacity. Also available is a dual double-sided, standard drive system with a capacity of 500K bytes per drive giving a total of one megabyte of on-line storage; this system can produce IBM 3740 compatible discs.

At a later date a new disc controller card will be offered which will allow existing standard drive users to upgrade to IBM

standard double density recording, doubling the capacity to one megabyte per drive.

BASF drives are used throughout and the prices of both the mini and standard disc systems include the Digital Research CP/M disc operating system which is rapidly becoming the industry standard for micrcomputers.

The price of the 380Z with 32K RAM is £1,158; the dual minifloppy disc system, MDS-2, is £895; and the dual standard system, FDS-2 is £1,695.

Practical Computing, Volume 1 Issue 3.

ELECTRONICS FORD M M

Orders. ACCESS/NESTABLISHMENTS

VAT

Herts, England Tel Watford (0923) 40588. Telex: 8956095 Watford, (PC) Cardiff Road, 33

Computer IC's

CMOS 75 Series 75107 75100 75180 75182/3 7518/9 75154/9 7518/0 75450 75450 75451/2 75451/2

~ ORIC

1180.2 P. 1180.2

16K and 48K RAM versions now available. Call in for a demonstration.

JUPITER ACE

Microcomputer that uses the Untrafast PORTH. Has 8R ROW 3K RAM, 32 × 24 display, User definable characters, timer fast cassette interface, all controlled by a Z80A CPU.

Only: £78

& UPGRADE KITS **BBC MICRO**

Upgrade your BBC Micro with our Upgrade Kits and save yourself Esss...

74S Series

£299 (incl. VAT) £399 (incl. VAT) 16K Memory (8×4816AP-100nS) Model A Model B

S) BBC1 £18.00 £6.98 £12.00 £85.00 £6.45 £6.70 £6.70 Printer User I/O Port BBCZ Complete Printer Cable 36" Disc Interface Kit BBC3 Analogue I/O Kit BBC3 Searal I/O Kit BBC5 Expansion Bus Kit BBC6 Model A to Model B Upgrade 000000

£43.00 £12 ctors & . .

Downstake (PBBC (per pair)

Complete range of Connectors & Cables available, Send SAE for list.

We specialise in BBC Peripherals, Software and Accessories, Just obone us for your requirements. We specialise in Software and phone us for your Now available BeebPlot; BeebMon; BeebProgrammer; Beeb 62 File DOS; Beeb 13 ROM Socket; BeebPlotter, etc.

426.53.2 426.53.2 43.10.15 43.10.15 43.10.16 43.10.13 45.13.60 5.23.76 5.23.76 5.23.76 5.23.76 4.83.11 4.83.

FLOPPY DISC DRIVES

E ADD 15% TO THE TOTAL am-6.00pm MONDAY TO ACAL AVAILABLE.

PLEASE ADI 3S: 9.00am-6 ING SPACE A

CUPLC.

IL COST.

EXCLUSIVE OF VAT. PLEAS.

EXCLUSIVE OF VAT. PLEAS.

G P&P. SHOP HOURS: 9 00

OF THE CAR PARKING SP.

Send Cheque, P.O.s, Cash, Bank Draft with Accepted. GOVERNMENT & EDUCATIONAL WELCOME. P&P Add 60p to all Cash Orders.

12 Months Warranty on DRIVES
 7 EAC CS-50A Single Cased 40 track Sysided 100K
 CS-50A Twin Cased 40 track Sysided 200K
 CS-50A Twin Cased 40 track Sysided 200K
 CS-50E Single Cased 80 track Sysided 200K
 CS-50E Single Cased with PSU, 80 track Sysided 200K
 CS50E — Single Cased with PSU, 80 track, 5½ D/S 400K
 CS50E — Single Cased with PSU, 80 track, 5½ D/S 400K
 CS50E — Single Cased with PSU, 80 track Syside Cosed with Cased with PSU, 80 track Syside Cased With Own PSU. 2 Megabytes £575
 O To Verbatim Diskettes 5½ DSSD £20 Warranty 10 × 5½ SSD £20 to VERBATIM DISKETTES (5 yrs warranty) 10 × 5½ SSD £28 to VERBATIM DISKETTES (5 yrs warranty) 10 × 5½ SSD £28 to VERBATIM N.B. Carriage is extra.

NEC PC8023-C

Bi-directional, 80 column, 100CPS, Logic seeking, Hi-Res, block graphic Forward and Reverse line feed, proportional spacing, rue descenders, 2K buffer, at a giveaway price. price: Only: £320 (carr. £7)

SEIKOSHA



Unihammer Printer, gives normal and double characters as well as dot phics 10" Tractor fead

Only: £235 (£7 carr.) d.£175 (£7 resolution graphics 10
Parallel interface standa
seikosha GP250x Only

Price includes FREE 2532 SOFTY-2

Softy is an intelligent EPROM Programmer & Emulator. Has Memory Map. 1V Display, RS222 & Centronics I/P & O/P. Copies, Emulates and Programs EPROMS. RS232 & Centronic routines standard. Includes PSU. Price: £169

Just 'phone your order through, we do the rest. EPSON PRINTERS An with Line

EPSON RX80 100 CPS, 9 × 9
matrix, dot addressable
graphics, Condensed &
Double width printing,
Normal, Italics & Elitectional,
logic seeking, Centronics
Interface standard. Only:
£295 (£7 car)
FX80 10" Tractor/Fiction
F e d , 1 6 0 C P S,
bidirectional, logic seeking,
9 × 9 matrix, hi-res bit
image, normal & Italics & Elite
Char. Super & subscript,
Proportional spacing. £395
(£7 carr)
MX 100F/3 136 columns,
15" carriage, plus all the
facilities of MX80FT/3.

ACCESSORIES

TEX EPROM ERASER. Erases up to

US in 15.30 min.

EX. EPROM ERASER with innor porated Safety Switch

Electronic Timer Solid state. Connects directly to above Erasers. Protects your expensive Chips from overcooking. Our timer pays for itself in no time.

Tex Eprom Eraser including the Ele

• Spare UV lamp bulbs
• Power supply regulated, overload protection variable. 5V to 15V @ HA £38
• Multirail psu ki including Case. Output: +5V 5A; +12V; -25V, -5V, -12V @ 14V at 1A.

• Attractive Begge Brown ABS CASE for Superboard UVIO or Home Brew £26
• C12 Cassettes in Library Cases 40p
• 8" Fan fold paper (1000 sheets) £7
• 9" Fan fold paper (1000 sheets) £7
• UHF Modulator 6MHZ
• UHF Modulator 8MHZ
• Stopp Patch Patc

printer Roll 259p Modulator 6MH2 350p Modulator 8MH2 450p R Pack the unique stackable twin er racking system for Computer ettes. 5 Drawers (10 sections) g 10xC12 Computer Cassettes els

Cassette including 1 and Labels

D CONNECTORS: Miniature EDGE CONNECTORS TWO ROWS 2×18way 2×22way 2×23way 2×28way 2×36way 2×36way 2×36way 2×36way 2×36way 2×36way 2×36way Solder Angle Pins Covers Solder Angle Pins 220p 285p Male Strt Angle Pms Pins 240p 300p s, Green
n select
ed £75
t" Colour
included
£249 **EURO (DIN) CONNECTORS** 175p 260p 395p VIDEO MONITORS ZENITH 12" Hi-Res, G Monitor, 40/80 column ss switch. Attractively finished
 MICROVITEC 1431. 14" Co Monitor. RGB Input. Cable incli 295p 340p 360p 385p 170p 275p PHENOL PLUGS
FIEEE 475p
Centronics ZIF DIL SOCKETS 24way 28way 40wav 40p 49p 88p 250p AMPI 24way I 36way (Parallel 14 pin 16 pin 24 pin 40 pin 10 220 220 240 440 640 640 Wire Vrap 25p 35p 42p 52p 70p 70p 80p Female Card Edge Connectors 24pin 240p 90p 99p 130p 150p 145p 166p 175p 200p 205p 236p 220p 250p 235p 270p Single Ended Lead 24" L Length 14pm 16pm 16pm 16pp 165p Double Ended Leads 6 185p 205p 12" 198p 215p 24" 210p 235p 36" 230p 250p 26way 200p JUMPER LEADS F Assembly DIL Plug 10 way 16 way 20 way 34 way 40 way 50 way CRYSTALS

Circle No. 103

350p 440p 420p 100p

210p 290p 240p 80p

Female p 160p p 215p p 180p 80p

110p 165p 150p 85p

15way 110p 210p 130p

9way 80p 160p 120p

Software

THE FIELD OF SOFTWARE and the number of people who write and sell it grows by leaps and bounds. Inevitably there will be those whose level of service leaves much to be desired, and many will fail and leave the scene

In the meanwhile the prospective purchaser falls victim. I'm sure thoughts similar to mine have already appeared in your columns. However, I think it worthwhile suggesting to software dealers three criteria required by any prospective purchaser of a

That it is received promptly after being ordered.

That it runs trouble-free when received and also meets advertised specifications and facilities.

• That it is accompanied by documentation which is accurate, clear and comprehensive. Brevity is not a prerequisite.

Am I unfortunate? I have a Sharp MZ-80B, previously I had a K, and to date I have never had all three of the above. Rarely have I had any two of them.

I have communicated with the U.K. headquarters of the Japanese manufacturer and have received no reply to two of the three letters about documentation and manuals. I have documentation and tapes outstanding from Sharp's largest international dealer from packages bought nine months ago, and cannot get any sense out of them. I have purchased packages from two Sharp software specialists who advertise in your columns, and have never had the above services. Indeed, I see a package still for sale which I returned because it does not meet the advertised specification.

Frequently I get no documentation. Often the documentation sent is for another machine or is incorrect or inadequate. How long shall we have to suffer such poor service? Or is this merely the signs of a growing infant, to have to stick with until it becomes a little more sophisticated and aware of what its market requiers?

Needless to say I have no problems with my own software but unfortunately my level of expertise does not allow me to do without some of the packages available on the market. Am I expecting too much? Do other readers have the same problem? And what can be done about it?

G C Heaviside, Bishops Itchington, Leamington Spa.

Disabled aids

WE ARE IN the process of establishing the British Database on Research into Aids for the Disabled. The emphasis of the database is on research into aids, design of prototypes and one-offs, and at present we are collecting information on projects. We think the database will be of interest to you and your readers as potential users and/or contributors.

Jane Whiteley, Handicapped Persons Research

Newcastle upon Tyne Polytechnic 1 Coach Lane. Coach Lane Campus, Newcastle upon Tyne NE7 7TW.

Or and And

ONE OF THE limitations of the PFS database is that when retrieving forms the user has only logical And at his or her disposal. At least the manual does not give any hint that there was any possibility to use logical Or in searching specifications.

Suppose that you want to retrieve all the forms which have a given word - Pascal in this example - either in field 2, or in field 3, or in field 4. The problem is that the keyword Pascal may occur in all the fields 2 to 4 or only one or two of them. If you have only logical And at your disposal, the search will retrieve either a part of the forms you want or some forms several times. But there is a way to have logical Or and the procedure is as follows:

- Make an extra back-up of the data diskette
- From menu choose 6, Remove
- Make the following retrieve spec:

Item 2: / .. Pascal .. Item 3: / ..Pascal.. Item 4: / .. Pascal ..

in PFS "/" means "not".

After pressing Ctrl-C and waiting for a while you will have a diskette with only forms which have the word Pascal as a part of either field, or of field 3, or of field 4. This principle can be used with any database which does not have logical Or as a feature but which has a Not.

Pauli Heikkinen, Liisank, Pori 10, Finland.

Reserved words?

THE APRIL edition of Practical Computing concerning languages omitted the only language known to all computer users: Profanity.

R J Dowling, King's Lynn, Norfolk.

If-Then-Else

I MUST CONGRATULATE you on the high standard of your languages section in the April issue, but I see the Pascal section has come under fire from Mr John Robinson, Feedback, May. John is not completely correct. Dr Allan says the statement

IFX = YTHENIFW = ZTHENA: = 1 ELSE B: = 1

has two possible meanings. The Else statement could correspond with either If, but then the syntax diagrams of Pascal state that an Else always refers to the last If. So in fact there is no ambiguity.

John Robinson implies that Dr Allan does not appreciate this fact, but page 119 has a syntax diagram of this compound If statement which clearly shows which If the Else refers to. John's code for version one is incorrect. Try it if you don't believe me; his statement is IF X = Y THEN IF W = Z THEN A: = 1 ELSE B : = 1

It is elementary knowledge that the semicolon is the Pascal statement terminator, so the semicolon after A := 1 terminates both If statements since neither is a compound statement, no Begin and End. Therefore the Else has no If to correspond to, because the If statements are now terminated, and so will cause an error in compilation.

One way to code version 1 is to make the second If a compound statement forcing the Else to refer to the first If: IF X = Y THEN

BEGIN

IFW = ZTHENA: = 1

END ELSE B : = 1 Once again, well done on a great magazine.

David Miller. London N3.

IF THE ELSE is to be associated with the first If, then alternatively the If statement could be rewritten as

IF X <>Y THEN B: = 1 ELSE IF W = Z THEN A: = 1;

I think this is a better solution. It is certainly an improvement on Mr Robinson's solution - it will compile.

> Neil Jones. Levenshulme, Manchester

Sticking up for Boris

MS JACKSON in the January 1983 issue is busy knocking Dr Allen's Tower of Hanoi program. I particularly liked the way in which Dr Allen gives a direct link between the move number and the required move far nicer than the messy recursive method. Admittedly, I might be impressed by the fact that it runs easily and simply under Basic.

With proper structuring and comments, and a hi-res display the entire solution expands into a program occupying less than 2K on an RML-380Z. Mr Jackson makes the point that (continued on next page)

Our Feedback columns offer readers the opportunity of bringing their computing experience and problems to the attention of others, as well as to seek our advice or to make suggestions, which we are always happy to receive. Make sure you use Feedback - it is your chance to keep in touch.

(continued from previous page)

Dr Allen's solution uses "bit twiddling" methods which is, to an extent, justified. However, Dr Allen did show how the same thing could be achieved fairly simply by repeated division by two. This method could work on any future computer, even if it functioned internally in decimal.

Next, Carl Zetie's letter in the same issue. In it, he affirms his belief that the trivial Basic program

10 A = 1

is correct. He correctly states that Sinclair Basic and Atom Basic are non-standard, and hence it does not matter if his program does not work under those versions of Basic. The implication is that, to be correct, a program must be written in a standard version of Basic, and the standard Basic in the U.K. is Microsoft.

I agreed with him on that line of thought, but taking the next logical step, he should have written his program in standard Microsoft Basic. The Microsoft assignment statement is Let. Thus, his line 10 should read

10 LET A = 1

Is this program correct now? No, a standard Microsoft program should have an End statement as the last line of the main program. Thus, there should be a line:

20 END

What I would like to ask Dr Allen is, given the alterations he and I both made to Mr Zetie's program, does he think that the altered form is correct now?

Dr Allen really cannot remain unscathed after Carl Zetie's rejection of mathematical induction, MI, in the May 1983 issue. Any mathematician should know that if P(n) is a proposition operating over some range of the integers, then if P is true for the first value of the range and P being true for n

k implies P is true for n k 1, then P(n) is true for all n in the range. This is in a very real sense a complete enumeration of instances.

The fundamental difference between MI and scientific induction, SI, is that MI only concerns abstract mathematical propositions such as does $1+2+3+4+5+\ldots+n$ equal n(n+1)/2 for all natural, positive integer, n? SI concerns real events, such as the sun has always risen before, therefore it will rise today, tomorrow and so on.

While SI may have been discredited and invalidated, MI remains an extremely useful abstract mathematical technique.

In the same issue, Carl Zetie contentedly blurbled on about axioms and what is obvious. He claims that 1+1=2 is not obvious, pointing out that 1 XOr 1 is 0. To him I issue a challenge: find a small group of normal, not pedantic, people and ask them what they think 1+1 is. If he finds any who naturally think in terms of XOr when + is mentioned, he has found a very strange bunch of people.

I suggest to him that when + is mentioned, the natural meaning is the addition of two elements taken from the set of real or integer numbers, not XOr.

On now to Euclidean geometry — the geometry of planes. Euclid's final axiom is a truism in a Euclidean space. Certainly in a non-Euclidean space, such as the surface of the Earth, any of the Euclidean axioms may fail. Thus Carl Zetie's comment that "what Boris Allen asserts to be a self-evident truth is, in fact, sometimes false" is extremely misleading, since it implies that Boris Allen has blundered. Yes his statement is correct in

Euclidean geometries, which was all he ever said.

Finally, however, Dr Allen was extremely naughty in one section of the article Mr Zetie was attacking, in it he asks "does 1 man + 1 woman = 1child?" This is unforgiveable coming from anyone who has any mathematical background - a number is totally dimensionless and abstract. To talk about 1 man + 1 woman is absolutely meaningless in mathematics. It is as bad as saying that a kilogram is the same as a litre - the units are completely different and incompatible, from a mathematical viewpoint.

> Duncan White, Little Chalfont, Buckinghamshire.

• On that last point, we suspect Dr Allen of attempting humour though his arithmetic remains incorrect: 1 man + 1 woman = 2 and one to carry, as anyone knows.

Induction

IN HIS REPLY to my letter in the May issue of *Practical Computing*, Boris Allan challenges me to give a complete enumeration of an example of mathematical induction. I propose to do so, though I suspect that Dr Allan may not like the method.

First, take the so-called induction axiom, due to Peano: "Any property belonging to zero, and also to the immediate successor of every number that has the property belongs to all numbers." "Number" here means positive integer.

Now Dr Allan may wish to reject this axiom, but if he does so he is no longer dealing with the same concept of numbers as the rest of us, as this is one of the axioms that defines the arithmetic of numbers.

Secondly, a "complete

enumeration" simply means verifying the assertion for every single case. Scientific induction cannot do this because some cases lie in the future — we cannot be certain the sun will rise tomorrow until it actually does so.

Mathematical induction does this by showing that the property holds in one particular case such as zero, and that if it holds for one number, k, it holds for k+1. The induction axiom then allows us to deduce that it holds for all numbers, that is it is completely enumerated.

Suppose we wish to prove that the sum of the first k + 1 integers is given by the formula

k+1

 $\sum n = \frac{1}{2}(k+1)(k+2)$

n=1Obviously, when k=0 the sum is just 1 so the property holds.

number with the property:

 $\sum n = \frac{1}{2}(p+1)(p+2)$

n = 1

We wish to show that the property is as necessary consequence true for its successor, p+1, so that:

Now suppose that p is some

p+2

 $\sum_{p=1}^{\infty} n = \frac{1}{2}((p+1)+1)((p+1)+2)$

n = 1

= $\frac{1}{2}$ (p + 2) (p + 3) That is, the same formula with p + 1 in place of p. To prove this we observe that:

 $\sum_{n=1}^{p+2} n = \sum_{n=1}^{p+1} n + (p+2)$

 $= \frac{1}{2}(p+1)(p+2) + (p+2)$ $= \frac{1}{2}(p^2 + 3p + 2) + (p+2)$ $= \frac{1}{2}(p^2 + 5p + 6)$

 $= \frac{1}{2}(p+2)(p+3)$

as required.

Hence, by the induction axiom, the property holds for all numbers; we have completely enumerated an example of mathematical induction. I trust this satisfies Boris Allan.

(continued on page 13)










COMPSOFT'S DMS – winner of the 1982 **RITA** Awards, 'Software Product of the Year'.

Now Compsoft announce Delta – the very powerful, very friendly database* that the world has been waiting for.

* For micro computers with CP/M, MP/M or MSDOS operating systems. Including IBM PC.

Compsoft Training Centre



If part of your microcomputer's job is to store information, you need Compsoft's software.

Compsoft DMS is already Britains No. 1 record keeping program. And with 4000 users to our credit, we can honestly say we know more about information storage & retrieval than anyone else. We listen to your comments & requests and now we've produced a world first – the Delta – a true transactional database.

If you'd like to know more, we have general brochures, full technical specifications & free

guides to DMS handling a multitude of business situations from order processing, invoicing & stock recording, through to library, personnel & hospital record management.

Find out more about the database revolution. Either telephone the office or clip the coupon now.

Compsofts Delta – taking microcomputers into the third dimension.

Compsoft Limited
Hallams Court
Shamley Green
Nr Guildford, Surrey
England GU4 802
Telephone: Guildford (0483) 898545
Telex: 859210 CMPSFT

Circle No. 104

SOFT.

Please send me further details

Company

Contact

Address

Tel No.

Designedto



The All-Purpose Computer

The MTX500

The MTX500 is a new departure in micro-computer technology. Whether your needs as a user are for personal programming, games playing, scientific or process control, educational or business use the MTX500 is already capable or very easily adaptable to almost every application. Glance through the standard features below – you'll see what we mean.

Software

The MTX500's 16k ROM contains several languages and routines which enable the novice or the experienced programmer to make full use of the machine. Standard languages are MTX BASIC, LOGO and NODDY. ROM routines include an ASSEMBLER/DISASSEMBLER with screen display of the Z80 CPU registers, memory and program which can be manipulated from the keyboard. Machine code programs can be stepped through one instruction at a time, and easily called from within BASIC

programs. A further feature is the Virtual Screen facility which enables the programmer to define sections of the screen to work independently whilst maintaining all full screen facilities. Pascal is available as an add-on ROM pack.

Hardware

As standard – 32k of user RAM expandable to 512k plus 16k of dedicated video RAM. Sixteen colours, 40 column text, 256 × 192 high resolution graphics with all sixteen colours available and easily moveable user defined graphics (Sprites) combine to make effective screen displays quick and simple to achieve. Standard outputs are centronics printer



port, two joystick ports, an uncommitted I/O port, 2400 Baud Cassette port, separate TV and Video Monitor ports, 3 voice sound with hifi output plus a dedicated games cartridge port. Other standard features include the Z80A processor running at 4MHz, real time clock, full moving key keyboard with 79 keys including eight function keys and separate numeric pad. Optional expansions include 80 column colour

For further information, please write to: Sales Dept. Memotech Limited, Station Lane Industrial Estate, Witney, Oxon. OX8 6BX. Telephone Witney (0993) 2977.

Circle No. 105

Computerise without compromise



The new All British QUANTUM 2000 computer system is outstanding among all the fine microcomputers now on the market. The explanation is simple. All microcomputer designers see Versatility on a high scale as their aim for the future. In the QUANTUM 2000 this ideal has actually been achieved, therefore it is demonstrably more advanced than any other.

QUANTUM 2000 offers every feature experts would look for in a new high technology 2.2 CP/M based microcomputer plus an

expansion potential which a few years ago would have required planning permission.

What QUANTUM means by Versatility:

- Available with 1, 2 or 3 disk drives.
- Disk drives can be 400K or 800K floppies OR 5 or 10 meg. Winchester OR A mixture of floppy and Winchester.

- 192K of extra RAM can be added, in addition to the standard 64K.

- If the standard Centronics plus RS232 ports are insufficient, just plugging in a board adds a few more.
- IEEE 488? No problem! Plug in a card.
- Other expansion cards available:

- REAL TIME CLOCK SPEECH SYNTHESIS NETWORKING (UP TO 32 TERMINALS) HIGH RES COLOUR A/D D/A CONVERSION

Quantum QM 200



(continued from page 8)

On the question of Gödel's proof, Gödel proved that: if axiomatic set theory is consistent, there exist theorems which can be neither proved nor disproved; and there is no constructive procedure which will prove axiomatic set theory to be consistent

How Dr Allan construes this to mean that no program can ever be proved correct is beyond me. Presumably he believes that, as a corollary, no mathematical theorem can ever be proved correct, including Gödel's theorem.

Finally, the "Boris bashing" completed, may I thank K M Helme - May issue - for clearing up a point that had confused me as well as him. The missing step was in my original letter, but seems to have got lost somewhere between posting and printing.

> Carl Zetie. Cambridge.

• Boris Allan replies:

Carl and Boris were stranded on a desert island. They found a crate of baked beans. Boris suggested that they try to open the cans by battering the cans with rocks; he failed. Carl solved the problem quite simply: he said, "imagine one can opener.'

I ask Carl Zetie to enumerate an inductive argument, and he cannot go through every example because he will not live that long. To prove enumerability he therefore assumes what he has to prove, that is he uses Peano's axiom of induction

If we use Peano's axiom of cosmology - that is, the sun rose on the first day and the sun rose the day following every day that the sun rose, so therefore the sun will rise every day then we have no problem with scientific induction.

Mr Zetie has not completely enumerated; he has assumed a rule. The concept of numbers, I would point out, existed long before mathematicians.

 This correspondence is now closed.

Unfair criticism

THANK YOU for your write-up in the June issue of your magazine, page 24, outlining the wide range of our application software. However, your assertion that "Superstar includes a 64K memory

is really just a good way of running some of Bromley's software" is, I think, misleading to your readers.

I would be pleased if you could point out to your readers that any CP/M compatible software can be run on the Superstar. Bromcom customers who have chosen to buy the Superstar and to use their own CP/M software include Philips, Marconi and Mount Vernon Hospital, Middlesex.

B Bartlett. Bromcom, Bromley, Kent.

Calculating pi

IN THE Feedback column in May's issue S Mehew cites my March letter, but he is discussing a different topic. The topic of my letter was rational fractions which approximate to π .

The topic of his letter was getting values of π from an Apple II using as few keystrokes as possible. Only in this context can a single division be regarded as cumbersome — his word compared with an evaluation of the inverse tangent.

R A Fairthorne, Farnborough, Hampshire.

APL neglected

IN RECENT ISSUES you have been pointing out the availability of different languages on micros. Could I point out that a reasonably cheap version of APL is available for the TRS-80 model 1 and 3 microcomputers?

APL-80 is available from Microcomputer Applications and costs just over £10 for cassette, or just over £30 for disc. The version is a substantial subset of APL and gets over the need for a special keyboard. It was written by Phelps Gates and offers insight into the language at a reasonable price.

A more comprehensive version of APL is available for the Model 3. It costs \$295 and can be obtained from STSC Inc., 2115 East Jefferson Street, Rockville, Md 20852. This version contains ROMs for generating the full APL character set.

APL is also available for the ZX-81 at a cost of \$295 from Telecompute Integrated Systems of 251 Spadina Avenue, Toronto, Ontario, Canada, M5T 2E2. I understand that the price

expansion and a 16K APL interpreter.

Details of the product were given in the June 1982 issue of the U.K. APL User Group Newsletter: "Pressure sensitive APL overlays cover the membrane keyboard. The package required to place APL on the ZX-81 includes a 64K and a 16K expansion memory and a 16K APL interpreter. The memory, called Tispac-64, sells for \$175 if purchased alone.

The interpreter, called APL-Powerpac, is priced at \$295, including Tispac-64 and the APL interpreter."

I don't know the current exchange rate, but it doesn't sound too bad. Most APL users do appear to belong to big companies. It would be nice for there to be a few more lesser mortals running it on micros. Anyone interested in APL can of course join the U.K. APL User Group by contacting Les Hollingbery, Membership Secretary, 9 Koh-I-Noor Avenue, Bushey, Hertfordshire WD2 3FI

I am sure that Les wouldn't mind a plug and I can guarantee that anyone writing to him will receive a friendly reply. APL does appear to be neglected because of its lack of cheap availability, but it is an incredible language to use.

Norman Bailey. Bracebridge Heath, Lincolnshire.

Stop ignoring Sharp

THERE IS UNDENIABLY some truth in the view that the MZ-80K and its marginally upmarket version the MZ-80A were introduced too late to make serious inroads into the popularity of their close cousin the Pet. Nevertheless, some of the blame for the apparent lack of interest in these excellent Japanese machines can be laid firmly at the feet of the computing press.

In the article Music Micro Please in the June issue Bill Bennett deals with the soundgenerating and specifically music-making capabilities of a wide range of current micros. He includes the ZX-81, which he himself says is normally "as silent as the grave", but overlooks the Sharp MZ-80K and A, both of which can make music in a rather limited but nevertheless easy-to-use way.

It is true that the Sharps have

only a single channel, and that only three octaves are available using the Music command. But what could be easier than setting the Tempo, to a value of 1 to 7, and then employing the command Music to play a string made up of the names of the notes, A to G with R for rest? A suffix number could indicate their length, 0 to 9, covering shorter than a demi-semi quaver up via various dotted notes to a breve, and a prefix character would indicate which of the three octaves they are in? And these strings, like any others, can be subjected to all the normal string manipulations.

Moreover, Poking the relevant locations, 4513, 4514, with a value from 1 to 255 and turning on the sound generator chip with USR(68) produces a continuous background noise variable in pitch over about six octaves even while the program is busy doing something else.

JPL Hooper, Colchester, Essex.

Bad handling

I AM GRATIFIED to note that your review of Apple Writer II, February 1983 issue, condemns the appalling cursor handling. I was beginning to wonder if I was the only person who had noticed. We use Apple Writer II, which I have modified for a Vision-80 card, and we actually like it

In the course of modification I located and fixed the cursor handling by taking advantage of the fact that Apple Writer makes no use of 4K of bankswitched RAM on our 64K system. That I should have had to get involved in the grubby details of the machine code, including the disc copyprotection scheme, to fix this fundamental defect in the user interface is very sad. That the problem is repeated on the Apple Writer III, supposedly a full business word processor, and the New Apple Writer II for the Apple IIe is even sadder.

Incidentally, your reviewer's comment that the cursor vertical movement is arbitrary is wrong - it moves up and down lines by exactly 80 text characters, entirely oblivious to the word wrapping that is going on on the screen.

M J A Hamel Dunedin. New Zealand.

Shopping for a Micro— BUY AN APPLE!

The Personnel Solution

APPLE IIe

Apple IIe Disk Drive with controller 80 Col Card	£899
Apple IIe	£645
Monitor	£110
Colour Monitor	£299
Disk Drive	
Without	£200
80 col + 64K	£150
Applewriter	£119
Quickfile	£ 60
Multiplan	£175
Microsoft CP/M	£200

The Business Solution

APPLE III

Apple III 256K Monitor III SOS System Software with Apple II emulation built in disk drive	£1999
Apple III 256K Computer as above plus Profile 5mbyte hard disk	£2800
Applewriter III Visicalc III Quickfile III (All 3 packages for £295)	£130 £170 £ 55

Complete range of invoicing, ledgers and stock packages available.

Tomorrow's Solution Today

LISA

We are pleased to be able to announce that we have been appointed as a Lisa information centre

PRINTERS

EPSON	FX80 RX80	£399 £280
ОКІ	NX100 82A	£405
UKI	92 92	£439

THE SUPPORT PACKAGE

- Training free half day course to take you from an appreciation of the Apple IIe to an understanding of applications packages. Specialist courses are also available.
- Installation on your premises for a small extra fee.
- Ongoing Support handholding on both software and hardware.
- One full year's guarantee on all parts and labour.
- On site maintenance contract available.
- Comprehensive range of software, supplies, listing paper, diskettes.

ALL PRICES ARE EXCLUSIVE OF VAT

For computerized solutions to business problems contact

SIMMONS MAGEE COMPUTERS LTD

13 YORK STREET, TWICKENHAM, MIDDLESEX TW1 3JZ

01.891.4477

Four new Ataris announced in U.S.

ATARI PREVIEWED four new | machines at the Consumer Electronics Show in Chicago in June. The most important thing about them is that they are software compatible with the existing 400/800 models, but all sport extra facilities and smart new cases.

The 600XL is the bottom of the new range, and features a proper keyboard and 16K of RAM for \$199. A 64K upgrade is on offer. For a change, the Basic is built in.

The 800XL will replace the current 800. Apart from the case, the major differences are that the XL has 64K built in, and only one cartridge slot.

The 1400XL and 1400XLD are replacements for the 1200, which will not now reach the with 64K of RAM plus built-in | speech synthesis, Basic and V-24 Modem interface. In addition the XLD has a single disc drive which, under the upgraded DOS 3, offers 127K of storage per side, 254K in all. The XLD casing has room for a second drive to be inserted as an upgrade.

New accessories include a track-ball, "professional" joysticks, remote-control joysticks and light-pen, with a touch tablet to follow. There are also the 1010 cassette deck, 1020 printer/plotter, 1025 dotmatrix printer, 1027 letter-quality printer and 1050 double-density disc drive. Instead of the peripheral box Atari will offer a new expansion system providing U.K. They are deluxe models eight expansion slots, two

RS-232 and a Centronics interface.

Finally, for CP/M there is the Atari CP/M Add-On. It has a Z-80 running at 4MHz plus 64K of RAM, and at under \$400 could well offer the cheapest way of running CP/M. Certainly it will undercut the current ATR-8000 CP/M maker for the Atari. As it runs on the serial interface bus, the CP/M Add-On will run with any Atari, including the current 400 model. Also, Atari will actively be promoting the conversion of standard CP/M software to its own disc format.

The new products will reach American shops between August and Christmas, but their appearance in the U.K.

will have to wait for conversion to Pal television. The launch has two interesting aspects. First, unlike many firms, Atari has decided to keep faith with existing users, instead of making their machines redundant. By offering Apple-style expansion slots the company has increased the flexibility of both new and existing products.
Second, Atari has not launched a new touchkeyboard machine to compete at the bottom end of the market, where it has sold some 10,000,000 video games machines.

For further information contact Atari (U.K.) Ltd, Atari House, Railway Terrace, Slough, Berkshire SL2 5BZ. Telephone: (0753) 33344.

Lynx expanded to 96K

A 96K VERSION of the Camputers Lynx made its first appearance at the Earls Court Computer Fair and is now available from the existing Camputers dealer network. Retailing at £299 including VAT the machine gives Basic programmers 37K to play with, and an extra 24K to machinecode programmers.

There is more to the machine than extra RAM alone. The 96K Lynx also includes a larger 20K ROM, which is 4K bigger than that included with the 48K Lynx. Extra commands provided in the ROM include a Telephone: (0223) 315063.

number of pre-formatted sound effects and drivers for both parallel and serial printers. There are also commands to draw circles, and others that allow programmers to open up that 24K of machine-code RAM to use as a data store for Basic programs.

Existing Lynx users will be able to upgrade their machine for £89.95 by going through their dealer, who will send it back to Camputers for alteration. Camputers can be found at 33a Bridge Street, Cambridge CA3 4AB.

The smallest possible disc system for the BBC Micro is based on 3in. Hitachi drive units. Cased in rigid steel, the drives come in single or double versions which cost £225 and £399 respectively. Included in that price are the relevant cables, manuals, disc utilities and EPROM as well as free discs. The discs are double sided, the "B-side" being accessed by flipping it over. Each side can hold 100K. The disc itself is completely enclosed in a plastic case, so it is secure. For details contact Advanced Memory Services Ltd, Woodside Technology Centre, Green Lane, Appleton, Warrington. Telephone: (0925) 62682.

Unix in the Club

THE CIFER CLUB is a new Winchester hard-disc based micro that is available in both eight- and 16-bit versions. The 16-bit version uses the powerful Motorola MC-68000 microprocessor running at 8MHz. On the same board is a minimum of 256K of user RAM, together with memory management. The operating system used by the machine is Unix, which is rapidly gaining ground among 16-bit micros, especially those using the 68000.

The 16-bit board is available as an option for existing Cifer micro users, and as such costs £995. Adding it to the system (0225) 706361.



does not render existing CP/M software obsolete as the upgraded machine retains the Z-80 board as an I/O processor. This function can be switched off to reveal an ordinary CP/M micro. The Club, together with Unix, costs around £4,400. Details from Cifer Systems Ltd, Avro Way, Bowerhill, Melksham, Wiltshire SN12 6TP. Telephone:

Oric picks a printer

ORIC PRODUCTS INTER-NATIONAL has chosen a printer/plotter unit as the first peripheral to wear the Oric badge. The Oric printer plugs directly into the expansion port on either the 16K or 48K Oric. It requires no accessories other than the connecting lead which is supplied with it.

The Oric Colour Printer was shown for the first time at the Earls Court Computer Fair in London, and is currently available at Oric retail outlets nationwide. Also available at these outlets will be supplies of the plain paper rolls the device uses, as well as the miniature ball-point pens.

Four colours are available on the printer — black, blue, red and green — which can be selected without any manual interference from the user. A standard Centronics interface means that the printer can be connected to a wide range of other microcomputers as well as the Oric 1.

The Oric printer retails for £169.95 and comes complete with a comprehensive manual which includes a number of example programs.

(More news on next page)



FINGERPRINT makes it easy to use all your Epson printer's capabilities.

Once installed simply tap your printer's panel buttons to instantly select:-

Double wide, Compressed, Emphasized, or Double strike modes, combinations of these, and other features.

FINGERPRINT is a plug in module which fits in your printer in minutes. -No soldering. It's compatible with all MX 80 & MX 100 printers - works with all computers, software, & interfaces.

£49.95 + VAT

R P Computer Products

40 Triton Square London NW1 3HG Phone 01 387 4549

Dealer enquiries invited

• Circle No. 108

MAILING FLOPY DISKS? The Swan Disc Pack combines great strength with simplicity of use. Made from rigid white corrugated, it is a self assembly package providing high postal security at economical rates. Free sample ring us on 01-607 9938

• Circle No. 185

Jupiter Ace now has 19K RAM

THE JUPITER ACE is now the Jupiter Ace 16+. The standard memory size of the only micro to use Forth as its native language has been boosted to 19K. The standard 3K of the original Ace has been augmented by a 16K RAM pack but the asking price for the micro is still £89.95.

The Ace 16+ is an ideal machine for users interested in control applications. To demonstrate this fact, the Jupiter Cantab stand at the Earls Court Computer Fair had a robot controlled by an Ace.

Jupiter Cantab has recently moved to a new suite of offices at Cheshunt Building, Bateman Street, Cambridge CB2 1LZ. Telephone: (0223) 313479.

NEC portable

IN JAPAN the Nippon Electric Company, NEC, has launched the PC-8021 portable micro. It appears to be almost identical to the Tandy Model 100 — reviewed on page 96 of this issue — and also features Microsoft software.

One difference is that the 16K of CMOS RAM in the NEC micro can be expanded to 64K internally. A number of other Japanese companies are rumoured to be about to enter this competitive field, which should result in prices coming down.

Contact NEC Business Systems, NEC House, 164/66 Drummond Street, London NW1 3HP. Telephone: 01-388 6100.

Process control with the BBC

BEEB-EX is an expansion system for the BBC Micro which will be of interest to those users not prepared to wait for the Tube. It is an interface card which attaches via a 34-way cable to the 1MHz bus port on the bottom of the micro. It allows BBC users access to the Cube range of Eurocards produced by Control Universal, of which there are over 300.

This system can be applied in the field of industrial control: users can develop controlling software using the BBC Micro and the relevant board. Once it is fully debugged it can then be blown to PROM and incorporated in a stand-alone system. The BBC Micro is too big and bulky for this kind of application, but a version of BBC Basic on a Eurocard is currently under development.

There are two versions of the Beeb-ex. One is a stand-alone unit which holds up to four Eurocards and costs £49. The second is designed for bigger applications: it is a rackmounted system consisting of an interface costing £41 and rack from £72.

Also available from Control Universal Ltd, supplier of the Beeb-ex and Cube cards, is the Cube modular computer system. This Eurorack computer leaves the user with infinite flexibility: it offers a choice of 6502 or 6809 processors in a number of configurations and is also compatible with Acorn Eurocards.

Control Universal can be found at Unit 2, Andersons Court, Newnham Road, Cambridge CB3 9EZ. Telephone: (0223) 358757.


Texas to go protectionist

TEXAS INSTRUMENTS plans to doctor the TI-99/4 machine in such a way that it will only run cartridge software if the cartridge contains a special chip. This will mean that TI—which makes the chip and steadfastly refuses to let anyone else make it—is the only company able to provide cartridge software for the machine.

Anyone else planning to release software for the TI-99/4 will have to go through TI. Authors will only receive a royalty. It seems that the 99/4 is being sold so cheaply that TI has had to look elsewhere to make a profit from the machine. After reporting a 77 percent drop in profits for the first quarter of 1983, TI is predicting a \$100,000,000 loss in the second quarter.

In many ways the move to protect its software represents an own goal by TI. A number of software houses have responded by pulling out of producing 99/4 software—and we all know that software sells micros.

A PERFORMANCE AND PRICE BREAKTHROUGH IN APPLE 11 & 1/e HARD DISC STORAGE



High Performance AID hard disc systems of 5-20 megabyte capacities, specifically designed for use with the Apple, are now available running under DOS, CP/M & Pascal. The units cold boot and throughput speeds are really impressive. If you want to leave others standing, try our fast DOS option!

The range features the 5+5 and 10+10 drives which enable you to configure half the drive as primary and half as secondary storage for ease of archiving.

The systems have been designed around the concepts of data reliability and convenience of operation.

They are simply the most competitive hard discs on the market. So why pay more for less.








16-bit personal computer.

The packages range from traditional accounts programs to sophisticated computer-aided design systems and there is a whole host of software for specific industries and professions.

If you're looking for a computer solution to match your business requirements, then 'phone one of the numbers above, before you look any further. They're all convinced that the ACT Sirius 1 is the best machine of its kind in the country – and they have the software that will make it work for you. And if you don't see what you want, just clip the coupon for details of more than 400 products designed for the ACT Sirius 1.

D.L.A. Computers Vuman omputing ss. System Praxis Praxistock Modelling 08926-61261 Off-line telex preparation 01-847 2331 Symbolex-Scientific Word Processor 061-273 3333 62449 Abtex Heronview IEEE488 Driver 01-628 5423 Interdata Telex-simulation 01-761 4135 Micronet Project Planning 0224-647074 Micro Supplies **Busisoft** Dairy Herd Spellbinder :obol Management 0262-77115 311 01-381 4337 **TABS Pegasus Software** Fast Data Entry 0264-58933 Invoicing 0536-522822 02 **Bristol Software** Distinct Factory Silicon Office System Coach 0937 0272-277135 Please send me the Registered Product Brochure, listing over 400 Hardware and Software products for the ACT Sirius 1. Position _ Company Address Telephone Circle No. 111 ACT (Sirius) Ltd. FREEPOST, Birmingham B63 1BR, or call 021-501 2284



Keystar puts editing on Wordstar into plain language.

Is your secretary the only person in your office who can talk to your word processor?

Wordstar is by far the most popular word processing program available. But, like all such systems, it takes time and practice to learn its language.

Keystar now puts the whole office on speaking terms with Wordstar. Good news for those of us who have to work late on that vital report. And for the temp who started

yesterday. (We like to think that it will also add a whole new dimension to your

secretary's relationship with Wordstar.)

Keystar makes Wordstar immediately accessible by providing fifty-six of its editing commands as colour-coded buttons, each labelled in

plain English.

Press the appropriate Keystar

button; Wordstar performs as commanded. And since there is no need to display help menus, there is fifty per cent more room on the screen for your documents.

Make Wordstar work for you! Contact your nearest Keystar dealer or order direct by completing and returning the order coupon.

For the technically minded, Keystar connects easily to

your microcomputer via an RS232C/V24 serial port. This port can be shared with other devices and on some systems, for example, Cromemco and Altos the device would naturally be the V.D.U.

be a prin provided	ter, a plotter o	or a m dstar	odem and spec to recognise th	, the device could cial instructions are e presence of
			INTEGRATED MICE RESCENT, EDINBU	RO APPLICATIONS LTD., JRGH EH12 5EH
	Please send m (price includes	e VAT, ca	Keystar units at rriage and insuran	t £231.75 per unit ce).
0	I will be connected microcomputer		ystar to a	
ő	ALL DESCRIPTION OF STREET	que/po	stal order for £	made payable
	Please debit m			for £
March 197	VISA	Visa	Card No	for £
Signature_				
Name				
Address				
			Tel. No.	

Wordstar is a registered trademark of Micropro Corporation International.

Circle No. 112

Another source of DEC discs

USERS OF the Digital Equipment Corporation Rainbow 100 are now freed from having to buy their blank floppy discs through DEC. The Rainbow's CP/M-86/80 operating system requires specially pre-formatted discs.

Key Computer Centres has produced a format utility so that any normal 5.25in. floppy disc can be used. The utility is available from most authorised DEC dealers or from Key Computer Centres Ltd, Enterprise House, Terrace Road, Walton-on-Thames, Surrey. Telephone: (093232)

6502 assembler for beginners

THE DR WATSON beginners' assembly-language course consists of a tape containing a 6502/6510 assembler and a stepby-step book full of exercises. This seems a good approach as the book is written to suit the assembler, leaving the beginner with only the intricacies of the 6502 instruction set to worry about.

The tape/book package costs £14.95 and is available at the moment for the Commodore Vic-20, Commodore 64 and Pet 2,3,4 and 8000 series. Contact Honeyfold Software Ltd. Standfast House, Bath Place, High Street, Barnet, Hert-fordshire. Telephone: 01-441

Vic-20 teaching games

ASK, a specialist company writing educational games for the three to 12 age group, now has 10 titles available for the Vic-20. Shape Up, for instance, is designed for very young children as a preliminary to learning the shapes of the numbers and letters. The child matches shapes to build houses and tries to catch a shape burglar. Other programs adopt a similar approach to build up literacy and numeracy.

Ask programs cost £8.95 from High Street retailers or £9.50 by mail order from Ask. They generally require 8K or 16K RAM extensions. Details from Ask, London House, 68 Upper Richmond Road, London SW15 2RP Telephone:01-874 6046.

Smalltalk out at last

SMALLTALK is at last available in the U.K. The Smalltalk programming language is the inspiration behind the current wave of systems which use a mouse, such as Apple's Lisa, Visicorp's VisiOn and Microsoft's mouse.

The Smalltalk PC system written by Chris Macie of Software Systems runs on expanded Apple II or IIe systems or Apple look-alikes like the Basis 108. It requires at least 256K of RAM plus a mouse to run. Smalltalk PC is a cut-down version of Smalltalk designed to run on relatively low-cost set-ups. It sacrifices most of Smalltalk's graphics features, but preserves the concept of multiple windows and implements most of the language.

Smalltalk is an immensely ambitious system developed over the last dozen years at Xerox's Palo Alto Research Centre, running on large Xerox minicomputers. Up to now it has not been publicly available, but Xerox has had co-operation from other manufacturers such as DEC, Hewlett-Packard and Apple in implementing research versions. An unreleased Lisa Smalltalk is known to exist already.

Smalltalk PC has been developed independently of Xerox, but relations between Chris Macie and Xerox seem to be amicable. Getting even a cutan eight-bit machine is an achievement in itself.

Xerox itself is now licensing what it calls the "virtual image" to hardware manufacturers. This is Smalltalk-80 written in a machine-independent intermediate code, actually the lowest level of Smalltalk. Hardware manufacturers then have to go off and write the "virtual machine" - an interpreter to run the code. Having done so they will be able to offer users the full-scale Smalltalk-80 system. The minimum hardware this is likely to run on is an 8066 or 6800based system with at least 0.5Mbyte of RAM and fully bit-mapped high resolution graphics.

The user interface is the most innovative feature of Smalltalk, but a major design goal has been to provide an interactive envrionment ideal for program development. Smalltalk is therefore likely to be of longterm commercial interest to companies looking for a fast way of producing prototype systems that can be progressively refined.

Smalltalk PC for the Apple is priced at £495, with the mouse and interface costing £275, from Asolve Ltd, 12-14 Church Street, Basingstoke, Hampshire RG21 1HQ. Telephone: (0256) 795746. Smalltalk PC is also available now running on the Basis 108. Details from BCD down version of Smalltalk on to Systems Ltd, 21 Mount

Ephraim Road, Tunbridge Wells, Kent. Telephone: (0892) 45266. Smalltalk PC for the IBM PC is expected soon.

Addison-Wesley has launched a series of books on Smalltalk just as Xerox has finalised arrangements for licensing the product for use on other manufacturers' hardware.

Smalltalk 80: the Language and its Implementation by Adele Goldberg and Dave Robson is in the shops now try Dillons University Bookshop in Malet Street, London WC1 if you have trouble getting hold of it. The book costs £24.95 and is available in hardback only.

Addison-Wesley plans to bring out more books this year on the subject. The Smalltalk user interface has inspired the modish mouse-andhigh-resolution-graphics approach of the Apple Lisa, VisiOn and the latest Microsoft offerings. Smalltalk 80: Creating a User Interface and Graphics Applications deals with this aspect of Smalltalk in depth.

Smalltalk does away with the distinction between language and operating system, so the process of developing programs in Smalltalk is a novel experience for most programmers. The book Smalltalk 80: the Integrated Programming Environment should create great interest among the software writing community when it appears.

Standard software is the aim

MICROSOFT HAS reached agreement with a number of Japanese and American computer manufacturers on a software standard for low-cost home computers. Called MSX, the standard has immense implications for a market characterised by a multiplicity of different machines all running entirely incompatible software.

The standard is in the form of documentation describing what hardware environment manufacturers have to provide to run MSX software. An MSX machine must be based around the Z-80 eight-bit processor and the Texas Instruments 9918 video controller. The standard

specifies other I/O features in detail, including the joystick, cassette and ROM-cartridge interfaces, and the music features to be supported. Microsoft will be licensing a 32K ROM for this standard MSX machine based on Microsoft's Advanced Basic.

Manufacturers gain by getting access to this essential system software more quickly, and their customers should gain access to a much larger base of software packages. Manufacturers are free to add machine-specific enhancements to the MSX core and can obviously lay out their circuits as they choose. Microsoft avoids the tedium of having to

churn out inumerable variations on the same theme.

Manufacturers working with Microsoft on MSX include NEC, Sony, Matsushita Panasonic, General Instruments and Spectravideo. MSX is primarily intended for machines that will be sold into the Japanese home market, hence its conservatism, but Microsoft is keen to reach agreement of this kind for other sections of the micro market. Microsoft is at present actively engaged in discussions with U.K. and European manufacturers and software writers to see if a similar arrangement can be worked out for Europe.

(More news on page 23)



HARDWARE

Atari 400 with 16K RAM (AF36P) £199.95 Atari 400 with 48K RAM (AF37S) £214.99 ★
Atari 800 with 48K RAM (AF02C) £399.00 ★ All above with BASIC and handbooks Atari Cassette Recorder (AF28F) £50.00 (AF06G) £299.95 Atari Disk Drive 48K RAM for Atari 400 (AF44X) £65.00 (AF45Y) £65.00 48K Upgrade for 400 (AF56L) £339.00 ★ Commodore 64 16K RAM for VIC20 (AF53H) £59.95 Commodore Cassette (AF48C) £44.95 Commodore Disk Drive (AF50E) £299.99 Dragon 32 (AF57M) £199.50 Dragon Joystick (BC30H) £19.95 Cassette Cable for Dragon (BC31J) £2.95 Epson Printer MX80F/T (AF40T) £447.35 MENTA (XG28F) £115.00 Floppy Disk (YX87U) £2.50 5 C12 Data Cassettes (AF61R) £1.99 Joystick Controller (AC53H) £7.50 Joysticks (Pair) (AC37S) £13.95 Le Stick AC45Y) £24.95 Full details all above in MAPLIN catalogue

* Delivery next day by Datapost

SELECTED SOFTWARE

ATARI

Attack At Ep-Cyg-4 -1E-16K-KF54J £34.95 *Baja Buggies Candy Factory -1C-16K-KB74R £22.95 -1D-32K-KF53H £21.95 Claim Jumper -1E-116K-KB67X £34.95 -1E-16K-KF10L £29.95 -1D-24K-YL29G £62.95 Defender Forth Frogger -1C-16K-KB68Y £22.95 Galaxian -1E-16K-KF11M £29 95 -1E-16K-KB44X £34.95 Gorf *Hellfire Warrior K-razy Shootout *Moon Shuttle -1C-32K-KF02C £27.45 -1E-8K-BQ63T £34.95 -1C-16K-KF22Y £27.50 Pac-Man -1E-8K-BQ71N £29.95 Paint -1D-48K-KB22Y £29 95 Picnic Paranoia 1E-16K-KF13P £34.95 -1C-16K-KB07H £21.95 -1E-16K-KF16S £29.95 Preppie Qix SAM Speech Synth -1D-32K-KB15R £47.19 Shamus Softporn Adventure -1E-16K-KB90X £34.95 -1D-40K-BQ93B £20.64 Starcross -1D-32K-KB37S £29.95 Synassembler -1D-48K-KB83F £38 95 -1C-16K-KF20W £31.50 Zaxxon Zork I -1D-32K-BQ94C £29.95 Zork II -1D-32K-BO95D £29 95 -1D-32K-KB31J £29.95 Zork III 3D-Supergraphics -1C-40K-BQ29G £31.95 Plus over 280 other titles for Atari.

COMMODORE 64

Temple Of Apshai (Part 1) -1D-BC57M £27.45 Upper Reaches (Part 2) Curse Of Ra (Part 3) -1D-BC58N £13.80 -1D-BC59P £13.80 Sword Of Fargoal -1D-BC60Q £20.75 Crush, Crumble & Chomp -1D-BC61R £20.75 Jump Man -1D-BC62S £27 45

DRAGON

-1F-BC32K £19.95 Berserk Black Sanctum -1C-BC78K £7.95 Dragon Trek Galax Attax -1C-BC82D £9.95 -1E-BC79L £19.95 Quest -1C-BC41U £7.95 Wizard War -1C-BC83E £7.95

Plus 30 other titles for Dragon

SPECTRUM The Hobbit (48K) -1C-BC88V £14.95 -1C-BC89W £6.95 -1C-BC90X £4.95 Timegate (48K) Space Intruders (16K) Meteor Storm (16K) -1C-BC91Y £4.95 Chess Player (48K) Speakeasy (48K) -1C-BC92A £6.95 -1C-BC93B £4.95

VIC20

Crush, Crumble & Chomp (+16K)

1C-KK10L £20.75 Datestones Of Ryn (+16K) -1C-KK13P £13.80 Invasion Orion (+16K) -1C-KK12N £17.25 Monster Maze -1E-KK11M £27.45 -1E-KK14Q £27.45 -1E-KK16S £29.95 Plattermania Princess & Frog Rescue At Rigel (+16K) -1C-KK08J £20.75 Ricochet (+8K) Sword Of Fargoal (+16K) -1C-KK15R £13.80 -1C-KK09K £20.75 Tank Arcade -1C-KH18U £11.95

Plus 80 other titles for VIC20

*Disk versions also available though price and memory size may be different.

Send sae now for our new software leaflet with details of all programs added since Maplin catalogue. Order As XH52G Issue 4.

MICROWRITER

The new hand-held word processor that eliminates the need for a typist You can learn the Microwriting technique in less than an hour and produce perfectly typed text the same day

Microwriter (AF62S) £485 + £72.75 VAT★ Complete Word Processor Package (Microwriter, printer and lead) (AF63T) £1,205 + £180.75 VAT Available ONLY by mail order or from WESTCLIFF shop.

* Delivery next day by Datapost







If your order contains over £120 worth of computer hardware apply now for interest free credit by telephoning: Mail-order: (0702) 552911. London Shop: 01-248 0926. Birmingham Shop: 021-356 7292. Southend shop: 0702 554000 or write to P.O. Box 3, Rayleigh, Essex SS6 8LR.

You pay 10% down, then 10% per month for a further nine months (to nearest

Credit quotations on request. This offer subject to approval which can take up to 48 hours (APR = 0%).

Mapsoft full colour catalogue. Price £1 incl. post. Maplin catalogue contains full details of all hardware and lots of software. On sale now in all branches of W. H. Smith, price £1.25 or £1.50 incl. post from PO Box 3, Rayleigh, Essex.



The brilliant new colour computer SORD M5

A superb new home computer with one of the most powerful colour video processors available. An incredible 32 sprites simultaneously and 16K of RAM dedicated to graphics alone. Powerful Z80A (3.5MHz) main processor. Three

tone generators and noise generator all with envelope control like a

mini-synthesiser. Complete with BASIC and superb handbooks for beginners. All this for just £189.95 (AF64U)

Maplin Electronic Supplies Ltd., Mail Order: P.O. Box 3, Rayleigh, Essex SS6 8LR. Tel. Southend (0702) 552911 (Sales). Demonstrations at our shops NOW.

T59-161 King St., Hammersmith, W6. Tel. 01-748 0926. 284, London Road, Westcliff-on-Sea, Essex. Tel. (0702) 554000. Lynton Square, Perry Barr, Birmingham. Tel. (021) 356 7292.

All goods delivered in UK mainland carriage paid, but add 50p if total

order less than £5 except catalogues. Orders including items marked \star , delivery next day by Datapost.

Subject to availability. All prices include VAT unless shown. Prices correct at time of going to press.

Languages for Apple Lisa

APPLE HAS ANNOUNCED Pascal, Cobol and Basic for the Lisa, with C and Fortran to follow. The languages come with a range of tools for software developers which together make up what Apple calls the Lisa Workshop.

Lisa Pascal resembles the UCSD Pascal used on the Apple II and III sufficiently closely to enable existing code to be ported across to the Lisa quite simply, and it also conforms to the ISO standard. It has been extended to allow use of the Lisa mouse, and can be used with Quickdraw, a powerful graphics utility which is part of the workshop. Pascal costs £480.

Lisa Basic resembles DEC Basic Plus, and costs £240. Lisa Cobol is a level 2 Cobol developed by U.K. software house Micro Focus. It costs £800.

These three languages will all be available when volume deliveries of the machine commence. The prices all include the software-development workshop, with its mousecontrolled text editor, 68000 assembler and various other debugging and development tools.

To write applications which use the mouse and the Lisa's 364-by-720 dot screen to full advantage, with multiple windows and so on, you will need to use Pascal for the time being. The Basic and Cobol are more limited in this respect, and do not support Quickdraw.

Already several U.K. software houses, including Vlasak and Eurobeta, have transferred commercial accounting software written in Pascal across from the Apple II and III on to the Lisa, and then used the workshop utilities including Quickdraw to rewrite the user

Quickdraw's 40,000 lines of 68000 assembly code provide the software developer with fast routines to handle window management, multiple type founts and the other features of the Lisa graphics interface. Lisa Pascal with Quickdraw was used to develop the 2Mbyte of office management software which comes with the standard Lisa system, reviewed on page 92 of this issue.

Further details from Apple Computer (U.K.) Ltd, Eastman Way, Hemel Hempstead, Hertfordshire HP2 7HQ. Telephone: (0442) 60244.

Software deal with record company

K-TEL and DK'Tronics signed a deal worth £150,000 at the Midland Computer Fair. The deal will commit the large record company, better known for its 20 Greatest Hits compilations than for computer software, to market, 75,000 cassettes supplied by the Essex-based microcomputer company.

The deal highlights the similarity between the micro software market and the record industry. Both deal with a form of software that requires hardware for its operation, and both sell to a predominantly young audience.

That K-Tel knows how to sell to this market is beyond doubt. In the run-up to the busy Christmas selling period you can expect to see a highpowered TV advertising campaign extolling the virtues of certain Spectrum software packages being distributed by the K-Tel organisation.

There is one other similarity between the two markets. They are both haunted by piracy. K-Tel will really score here since it already has a well-oiled legal department specialising in this type of case.

Virgin Games, part of the Virgin Records empire, is another software company to enter the market from the music business. It is looking for exclusive deals to market other people's software under the Virgin label. K-Tel is acting as a distribution company only, with software houses keeping control of the packaging, etc. This appears to be the better strategy, as most software houses seem reluctant to jump to the Virgin bait.

DK'Tronics is run by Managing Dirctor David Heelas and Marketing Director Peter Brownlie, who sees the micro software industry as being similar to the rock-and-roll music business in the 1950s. He likens David Heelas, the programmer, to Eddie Cochran and says he is now looking for the new Paul McCartney.

Tel: 01-242 2803 The best value in the city for .



This high speed 16 bit business computer from ACT is the best selling micro of its kind. Available from Silicon Valley from £2,399 or lease from £13 per week. 400 programs now available



Accounting systems installed and supported by Chartered Accountants

For these products

- We are established main dealers
- We give the best support
- We give the advice
- We supply the software And we are always in stock!!

Silicon Valley has on site Chartered Accountants, management consultants specialist, computer engineers to discuss and recommend solutions. We offer full training and maintenance - TRY US OUT

THE COMPLETE **BUSINESSMANS PACKAGE**

- Sirius 128K computer
- **Epson Matrix Printer**
- Exact-stock, sales, invoicing, sales ledger & purchase ledger
- All cables, consumables, installation and on site training £2,999 Price may vary due to time of year.






Software

D Base II, Wordstar, The Last One, Visicalc, plus BOS, Peachtree, Padmede, Systematics, Vlasak etc. For Sales, Service, Maintenance, Advice. Phone 01-242 2803

London: Suite 104/5. 16 Baldwins Gardens, London EC1N 7RJ Manchester: 12 Lever Street Piccadilly, Manchester





A GOOD DEAL MADE AGOOD DEALBETTER

Tel: 01-242 2803 Tel: 061-228 1686 Tel: 041-638 3487

FULL RANGE OF PRINTERS, PAPER AND DISKETTES



SM-UNITEXT utilises the full size keyboard of the EPSON HX-20 to give full size text processing:-

- full screen editing
- variable page width up to 80 columns
- auto return
- remote transmission
- text blocks
- line / character insert delete
- print out on built- in miniprinter or full size external printer
- word break suppression
- right hand justification
- integrates with SM-UNIVERSE (data base) and other products

ASK YOUR EPSON DEALER FOR A DEMONSTRATION - OR CONTACT US DIRECT

SM Software (UK) Ltd., Raglan House, 56 Long St., Dursley, Glos. 0453 46065

EPSON /

SPECIAL OFFERS

for combined hardware / software packages

• Circle No. 115

Now a hard disc system for the same price as a floppy



The Shelton 50 Met

It's here! The new hard disc system that really means business.

From the bewildering range of computers, all claiming a technical advantage, Micropute have selected the machine best suited to the needs of small and medium sized businesses. The requirements of such a system were: Integral Hard Disc, Compact Design, Extremely Competitive Price, The CP/M Operating System giving access to a vast range of programmes for data and word processing, and The Capacity For Ease Of Upgrading To Multi-User. Which all adds up to a fully comprehensive and sophisticated computer.

The price? From an incredible £ 2,695 (exVAI)

Micropute Supercover

As an extra bonus to this amazing package Micropute Supercover will provide a 12 month on site maintenance for only £99.00 parts and labour.

Faster Than a 16 BIT


BENCHMARK TIMINGS					
	PRODUCT				
	SIG/NET 8 BIT	IBM 16 BIT	SIRIUS 16 BIT		
BM. 1.	1.1	1.5	2.0		
BM. 2.	3.7	5.2	7.4		
BM.3.	9.9	12.1	17.0		
BM. 4.	9.8	12.6	17.5		
BM. 5.	10.5	13.6	19.8		
BM. 6.	18.7	23.5	35.4		
BM. 7.	29.6	37.4	55.9		
BM. 8.	5.1	3.5	4.3		

These figures are extracted from a recent article in, 'Personal Computer World' Publication.

Microput	e Ltd Catherine Street, Macclesfield, Cheshire SK1 6QY Tel: (0625) 615384
Name	Position
Company Name	
Company Addres	s
Tel. No	
	ODLITE


Circle No. 116

Anewstarisborn



pulsar

16 BIT BUSINESS SOFTWARE



PULSAR business software is the creation of ACT – the company behind the Sirius 1 and recognised leader in 16-bit personal computing.

The new PULSAR range, developed by ACT at a cost in excess of £1 million, takes full advantage of the power and expandability of 16-bit computers.

It is inherently faster and more powerful than traditional 8-bit software.

And it is a true 16-bit range, designed and developed by ACT's own software engineers.

PULSAR offers more of all the key requirements in business software:

MORE PORTABILITY

Written thoughout in machine-independent portable languages to protect your software investment.

LONGER PEDIGREE

ACT has more than 17 years experience in developing business software. Thousands of companies throughout the world use ACT packages.

GREATER INTEGRATION

All the PULSAR packages are designed to share information, avoiding duplication of files and eliminating re-entering of data.

MORE USER-FRIENDLY

ACT's unique UFO (user-friendly origination) routines allow even the inexperienced user to quickly and easily configure a PULSAR system to precise requirements.

BETTER TRAINING

Two training centres, in London and Birmingham are open to all PULSAR users.

MORE SUPPORT

A ''hot line'' telephone support scheme to instantly resolve any operating queries.

PULSAR SOFTWARE CENTERS

Only PULSAR is available through the unique network of PULSAR Software Centers. These are hand-picked computer dealers who handle a range of personal computers but who specialise purely in PULSAR to meet all business needs.

THE PULSAR RANGE

Sales Ledger	£195	Informer Database	£295
Purchase Ledger	£195	Micromodeller	£595
Nominal Ledger	£195	SuperCalc tm	£150
Payroll	£195	MultiPlan tm	£159
Stock Control	£195	WordStartm	£295
Invoicing	£195	Select tm	£295
Data Analysis	£195	MailMergetm	£95
		dBasell	£395

AVAILABLE NOW FOR SIRIUS – IBM PC and DEC Rainbow coming soon.



For more information on the new PULSAR Range clip the coupon and return to

ACT (Pulsar) Ltd FREEPOST, Birmingham B16 1BR

or call 021-454 8585

Please send	4
me further details	77
of the new PULSAR Range	e.

Name

Position


Company

Address

Tel

Circle No. 117

SCI



A complete computer system, with a 5.4 megabyte Winchester Drive for only

The new Galaxy 3 has been built to comply with the most widely accepted industry standards, so the business user can make effective use of the largest range of hardware and software options. It uses the world's best selling micro processor, the Z80A, and is based on industry standard 80BUS Boards. Interfaces include both parallel printer interfaces and RS232, enabling the user to immediately connect a wide range of compatible hardware, even to the extent of building up his own networking system.

The Galaxy 3 has CP/M as its standard operating system which gives users access to the widest range of applications software and programming languages currently available for any machine.

Central processor unit with 64K RAM ● 5.4 megabyte Winchester drive
 800K byte floppy disk drive ● Full Qwerty/numeric keyboard with function keys ● 12" green or amber monitor

There is a network of Gemini dealers throughout the country, able to offer you complete support for the Galaxy, including compatible hardware and a full range of business software. 24 hour on-site maintenance is also available. 'Phone us now for further details and the address of your nearest dealer.

Features include:

- Twin Z80 processors
- 5.4 mb Winchester
- 64K dynamic RAM
- 800 disk based storage
- 80 × 25 screen format
- **Dual printer interfaces**
- Modular design
- Networking system available Green or amber monitor
- 10 & 20 meg versions also
- available.

*Price is exclusive of VAT.



18 Woodside Road, Amersham, Bucks HP6 5EQ. Tel: (02403) 28321.

Circle No. 118

"The fundamental premise of a revolution is that the existing social structure has become incapable of solving the urgent problems of development of the nation."

Leon Trotsky

"Every revolution evaporates, leaving behind only the slime of a new bureaucracy."

Franz Kafka

TO A PEASANT in Tanzania, and for many city dwellers, a bicycle is far more useful than a Concorde. Perhaps it is fitting that the polemic of the IT82 booklet referred uncritically to Concorde; we are told IT is a revolution, and Concorde was planned in a Britain that was to be forged in the white heat of another revolution. Do the seers of IT promise another Concorde? One hopes not.

When I refer to IT, I refer to the revolutionary ideology which, as Trotsky noted, feels that our existing society is incapable of solving the nation's problems. When I refer to Information Technology, I mean the idea that there are assorted aspects of technology which can usefully be classed together - for example, computers, VTRs, and word processors. By information technology without the capitals, I mean the individual aspects, computers, etc. It is crucial to distinguish between these levels because the move now has been very much from information technologies to IT revolutions. That computers are useful does not mean that the ideology of IT is going to solve any problems.

We know that the fifth-generation computers are on the way and that the Japanese are beginning to spend, spend, spend to produce this new breed of machines. I have not been able to find a convincing explanation or definition of what is, or will be, the fifth generation. But this does not stop conferences being organised to discuss the subject.

In my search for enlightenment I decided to find out what was the definition of the fourth generation, and so I went to the second edition of the *Penguin Dictionary of Computers*. In 1977, when it was published, there was no fourth generation, but there was a third generation: "Machines built with integrated circuits. Related to first generation and second generation".

In 1977 the coming of large-scale integrated circuits was easy to predict, in fact it was happening then; obviously the compilers of the dictionary felt, sensibly, that it was going to come — but why bother to include it? The fifth generation is of a different order of things entirely: the fifth generation is not to be a hardware-led revolution, but a software-led revolution. The revolution will come with the nature of the software, the expert systems, but although with hardware one can gauge the rate of future advance with a reasonable

Even unto the fifth generation

Boris Allan ponders the future of computing.

certainty over the very short term, software predict, by scientific methods, its own is much less malleable. predict, by scientific methods, its own future results". In general terms this

Sir Leon Bagrit in *The Age of Atuomation*, the 1964 Reith Lectures, wrote: "I believe that within 25 years, automation will have made the old concept of charity obsolete. We may eventually reach a stage where the work to be done will need perhaps only a third of the population to provide fully for everyone, and still leave plenty in hand . . . ".

Together with the fifth generation — not yet with us, remember — we have a new occupation, the knowledge engineers. One of the original knowledge engineers was Aristotle, who developed apodictic logic. A more recent knowledge engineer, Karl Popper, made some apposite comments upon the development of all knowledge in Poverty of Historicism, published in 1961.

Let us first consider though what is being propounded by the ideologists: very little of any real substance. Japan is reputedly spending £250 million over 10 years to develop something, though exactly what is not certain - the all-talking, all-dancing computer perhaps. Hitachi allegedly has a prototype which can translate grammarschool English into Japanese with 60 percent accuracy, something AI experts were predicting in 1963 would happen shortly. Japan could be wasting a great deal of money, though as with the moon shots there might be technological spin-offs. They might have happened more cheaply through normal channels but the normal channels have been choked by emphasis on the moon shot or the fifth-generation project.

Popper, the knowledge engineer, noted that the course of history is strongly influenced by the growth of human knowledge and thus scientific knowledge. He also noted that we cannot predict, by rational or scientific methods, the future growth of our knowledge.

The latter assertion he had proved by logical means, and the result was "We cannot, therefore, predict the future course of human history". The logical proof is only outlined by Popper, but runs "no scientific predictor...can possibly

predict, by scientific methods, its own future results". In general terms this reduces to the argument that if there is such a thing as growing human knowledge, then we cannot anticipate today what we shall know only tomorrow.

The logical proof used by Popper is elsewhere revealed as based on Gödel's theorem, as are some of the arguments about the limitations of expert systems. For example, there is a qualitative difference between protecting a warship against Exocet by an expert system, and an intelligent computer using an expert system.

In essence — and as I write this I know others will disagree — Gödel's theorem states that in any system which is complex enought to describe itself the system is incomplete, and there are things which one can do in the system whose meaning is uncertain. Popper uses Gödel's theorem in this way: a scientific predictor is a system sufficiently complex to refer to itself, but the meaning of the statement "in two years I predict that I will predict X" is very uncertain.

There is an argument of long standing which uses supposed consequences of Gödel's theorem to claim that the human is irreconcilably different from the machine. The human has free will because the human can realise that there are things which are inherently meaningless, the human has a concept of meaninglessness.

It would seem that a reassessment of the nature of the IT predictions, and the direction of work to produce the fifth generation — a notion I find inherently strange — needs to start from a study of knowledge engineering in a wider sense. Perhaps philosophers such as Gödel and Popper have insights to offer to the new knowledge engineers. With the formation of IT committees, and committees to study the fifth generation — for example, the Alvey Committee — I begin to suspect that Kafka's prediction might be the most accurate.

Perhaps Japan will be wasting so much money that we will benefit. Can anybody tell me what is the sixth generation?

NEARLY 48,000 visitors made the Earls Court Computer Fair the biggest-ever microcomputing show this side of the Atlantic.

There was something for everyone at the Fair whether they were business users looking for software and hardware, serious enthusiasts wanting to expand, upgrade or add to their existing systems, home users looking for the latest games software to run on their machines, or beginners out to buy their first micro.

Among the machines on show for the first time was the Memotech MTX-500 and its closely related cousin the orchid. In many ways the MTX-500 micro was the star of the show. Memotech did not take any orders, but was content simply to let the public look and lick their lips. However, the response to both machines was strong, with dealers from all over the world queueing up to take a slice of the Memotech action.

Tipped by many as a replacement for the BBC Micro, the MTX-500 is based on a Z-80A running at 4MHz. It comes complete with 32K RAM, expandable up to 512K and 16K of dedicated video RAM. Basic and a dissassembler/assembler come as standard, as does Logo and a new educational language called Noddy. Pascal is available on a plug-in ROM. The keyboard is everything you could want.

The Orchid is the MTX-500's more powerful relative. It is a fully fledged business system that offers hard discs, a Z-80B running at 6MHz and a number of other features, including colour graphics. It is the fastest machine around, and claims to knock

Computer Fair 83

The Earls Court Fair broke attendance records again this year. Bill Bennett reports on the new products which drew the crowds.

spots off the Olivetti in the benchmark stakes.

Also on show for the first time at the Computer Fair was the Mattel Aquarius, a beginners' micro which is bought unit by unit in a manner familiar to hi-fi ethusiasts. For many visitors the show also provided the first glimpse of the Commodore 64, the Laser 200 — previously known as the Texet — the Comex, the Sord M-5 and the 96K Lynx.


Business users visiting the Encotel stand will have noticed Otrona, a ruggedised portable for the user on the move. The machine costs around £2,400 with WordStar and other worthy CP/M packages thrown in. Also visible was Practical Computing's exeditor Peter Laurie showing off a tasteful NCR Decision Mate V micro running the Southdata Superfile package.

Printer distributor

Appropriate Technology had the Flowwriter range on display, and Canon's colour ink-jet printer was to be seen on the Canon stand. KGB micros was showing an impressive CAD system based on the ACT Sirius micro, together with a number of other software packages. Coloured floppy discs to brighten up the office were to be found at the Counting House stand.

Home-computer software was being sold in vast quantities from numerous stands. All the big names were there, including Imagine, Quicksilva, Bug-Byte and DK'Tronics, together with some of the rising stars such as Addictive Games, Salamander and AP Software. Many of them could be found deep in the haunts of the Sinclair Village.

My favourite item was a super soccer game that was running on a Commodore 64—its graphics are like nothing seen before on this machine.



Above: The Mattel Aquarius made its first U.K. exhibition appearance by courtesy of Silica Shop.

Below left: "Take me to your leader..."

Below right: ... and here he is, PC's publisher Chris Hipwell clearly enjoying a spell on our stand.







Staff of Computer Fair sponsor Practical Computing prepare to welcome visitors.

Unfortunately the staff on the Chromasonic stand displaying the game were unable to sell it. Susan Ben-David was doing a roaring trade in selling books. They were not the conventional computer handbooks but Adventure game stories. Does the advent of this novel medium spell the end of the computer?

Robots seemed to be quite popular at the Computer Fair. There were robots on stands promotional material. There were even robots that would talk to you. To prove the virtues of Forth, the Jupiter Cantab stand was dominated by a Cyber robot arm controlled by a Jupiter Ace micro.

Elsewhere, robot rodents were battling it out in the Micromouse competition. Overall victor was Alan Dibley who trained T4, the fastest mouse on the day. He won £1,000 and a piece of brass

cheese donated by Micro Management. Next came a mouse named Knownaim, managed and trained by Dave Woodfield. Third prize went to seasoned campaigner Sterling Mouse from the Nick Smith stable.


Next year's Earls Court show will be bigger and better. And if you can't wait until then there is always the Northern Computer Fair to be staged in Manchester on November 24-26.



Above: Claudia Bayr sports a Micro Management T-shirt. Below: Stephen Vickers' Ace running a Cyber robot arm.



"No one beats Atari at their own games" — says Atari. Encotel's BMC if800 business microcomputer.



LONDON COMPUTER CENTRE

SIRIUS 1

1.2 Mb Disk Storage £2395

2.4 Mb Disk Storage £2895

10. Mb Disk Storage £4295

TELE-VIDEO 806/816

the Multi User Computer System



EPSON OX10

CP/M2.2 Multi Fonts **256K RAM** £1730 **Graphics**



TELE-VIDEO

803 Single-user to Multi-user £1850

SUPERBRAIN 2



Dedicated Wordstar Keypad from £1595

New TANDY Model 4

CP/M3.0 64K-128K RAM from £1299

New TANDY Model T100

Large 40 x 8 char display built-in word processor and modem

EPSON IX20

Portable with built in printer from £402

OSBORNE 1



Double density £1350

New ZORB



Portable full 80 x 20 display 800K disc



FLOWRITER **RP 1600** 60 CPS

Fast and reliable 8K buffer £1600

TEC F10

Diablo 620 compatible Japanese reliability £1250

New JUKI 6100 Daisywheel 18 CPS

Bi directional Adler daisywheels Diablo 630 protocols £399



TOSHIBA P1350

24 Needles - high speed drafts 190 CPS Letter Perfect Printing 100 CPS Addressable Pin Graphics £1130 Options: Tractor £87: Sheet feeder £520

EPSON FX80 160 CPS

OKI 84 200 CPS £850

MULTI SHEETFEEDER £675

Auto Feed



STANDARD SHEET FEEDER £580

New SHINWA CP 80 MATRIX PRINTER

80 CPS Friction and Tractor inc. For Most Daisy Printers interface cable and paper £275

All prices are Exclusive of VAT and Delivery. Dealer Enquiries invited on all Products. Large range of CPM Software available. Please phone for Prices. Demonstrations on all models.

> 43 GRAFTON WAY, LONDON W1P 5LA (Opposite Maples) OPENING HOURS: 11-7 MON-FRI 12-4 SAT Tel: 388 6991/2 24 hour answer phone: 01-388 5721

> > Circle No. 120

SuberSlar



LIBERATES THE CP/M USER AND PROVIDES FULL MULTI-USER CAPABILITY

EACH USER
RUNNING STANDARD
CP/M 2.2 OR CP/M 86 WITH
ZERO CPU DEGRADATION

Upgrade package

Upgrade package
is available for:
is available for:
North Star Horizon
Communicator
Vector Graphics
and other
S100 systems

The revolutionary SuperStar is the only system allowing total integration of powerful 16 bit 8086 processors with the more standard Z80 user processors. The system may be configured in any 8 bit/16 bit combination, or as a totally exclusive 16 bit system to provide the ultimate in performance and flexibility in advanced micro systems.

DESK TOP COMPUTER PACKED WITH:



Up to 16 users each with his own private processor card which contains either Z80A, 64KBytes or 8086, 128KBytes, console and a second serial port. More power and faster processing time is offered through a 16 bit private processor card based on 8086 CPU and 128KByte expandable to 1 MByte. The system automatically loads CPM 86 to the 16 bit private processors.



Integral 5.25" Winchester Disk with up to 20 MByte capacity and integral 5.25" Floppy Disk with up to 800 KByte capacity. Optional – 14 MByte cartridge tape back-up unit, up to 80 MByte Winchester Disk Unit.

HIGH PERFORMANCE

Unlike single CPU multi-user systems (e.g. MP/M, MVT/FAMOS, OASIS, etc.) where system throughout degrades as additional users are added, SuperStar has no CPU degradation at all. Each user has its own private processor, memory and console I/O running at 4MHz with Z80A and 5MHz with 8086 processors.

* PRINTER INTERFACE

1 serial and 1 parallel printer ports shared by all users. Optional private printer for each user is readily available via a second serial port. The second serial port can be programmed for communications etc.

* SYSTEM SOFTWARE

Each user processor runs its own dedicated copy of the industry standard CP/M 2.2 or CP/M 86 depending upon which processor is being used. Shared resources (Disks and Systems Printers) are controlled by DPC/OS which supports file/record locking, print spooling, multiple printers and interprocessor communications. Languages available: BASIC, COBOL, PASCAL, FORTRAN, PL/1 APL.

* APPLICATIONS SOFTWARE

Word Processing, Sales, Purchase, Nominal Ledgers, Payroll, Order Processing/Invoicing, Stock Management, Job Costing, Mailing System, and many specialised fields e.g. Bookmaking, Insurance Brokers, Property Management, etc.

BROMCOM

Bromley Computer Consultancy Ltd

417/421 Bromley Road, Bromley, Kent, BR1 4PJ. Telephone: 01-697 8933 Telex: 896691


LOW COST (FROM £1750) AND EXPANDABLE (AS YOUR NEEDS GROW)

SuperStar starts at £1750 for a single user system with 2 Quad density floppies and is field upgradable to a hard-disk system of up to 80 MByte capacity. Also by simply adding a private processor card for each user the system can be configured into a multi-user system as and when required.

The 16 bit Processor is fully compatible with the standard SuperStar multiprocessor system permitting efficient upgrading as future needs develop without sacrificing any of your extensive hardware and software investment.

SuperStar

must be the most powerful and versatile, yet low cost, multi-user system presently available. It combines the power of up to 16 Central Processors with the economy of mass produced S100 peripheral handling hardware. This combination, together with the world's most popular operating system gives you an unprecedented 'performance-per-pound spent" rating. It eliminates the usual constraints of a single-user system. Word Processing, Sales, Purchase and Nominal Ledger Accounting and Stock Control can happen simultaneously. Circle No. 243



Second front for Zilog

WITH SMOKE from the eight-bit battlefield now clearing, and the heroic deeds of the Z-80 and the 6502 now little more than ancient history to the chip designers, it is fascinating to observe how the next big battle is being stage managed by the semiconductor giants — the battle for 16 bits.

In the beginning there was the Texas 9900, a creditable first in 16-bit processors. But it was ahead of its time, with consequent deficiencies which have kept it on the sidelines, despite several efforts at modernisation. Perhaps the new 99000 family will fare better, though it is generally agreed that the three main armies to watch are those of Intel, Motorola and Zilog, all successful veterans of the eight-bit crusades.

Intel got in first with its not very lovely 8086, closely followed by Zilog with the powerful Z-8000, and then Motorola with its almost divinely inspired 68000. Of the three, the Intel device is streets ahead of the others in terms of sales, and the Z-8000 comes a poor third. Of course, the sales battle is still in full swing and the final outcome not yet decided, but already it is possible to see the sort of features which have contributed most to success, and they are not what many of us might have anticipated a few years ago when the battle had just been joined.

The 8086 is not elegant or even very powerful when compared with the other contenders, but it does have the advantages of being first; a 100 percent compatible eight-bit bus version, the 8088; a powerful peripheral chip family; and a measure of compatibility with the eight-bit 8080 family.

The 68000 is potentially a much better design than the 8086 but at the moment it lacks the advantages of an eight-bit bus version or a comprehensive family of peripheral circuits, although these things are certainly planned. Since there never was a large software base for earlier Motorola eight-bit processors like the 6800, there was no real advantage in giving the 68000 a compatible instruction set, so it wasn't given one. The 68000 may yet end up victorious, thanks to its raw power and its elegance, but the Intel bandwagon will take a lot of stopping — just look at what the IBM PC, the ACT Sirius and a host of

other 16-bit personal computers are using.

We all expected a lot from Zilog, after its amazing success with the Z-80. The Z-8000 certainly looked good at first with its neat architecture and 16Mbyte addressing range - so good, in fact, that I would have put money on it. Unfortunately Zilog neglected two important features. As the battle unfolded, it became obvious that these were near fatal omissions. First, Zilog ignored its huge existing Z-80 user base and did not make the Z-8000 software compatible. Old Z-80 users now had nothing to gain by staying with Zilog, and shopped around for the best 16-bit processor they could find. A lot of them found the 8086 - which does have a degree of compatibility with Z-80 code — and still more found the 68000.

Secondly, Zilog did not provide an eightbit bus version of the Z-8000, and since

by Ray Coles

more 8088s are sold than 8086s, thanks to the lower system and memory costs, this too was a bad mistake.

The Z-8000 is not a complete failure by any means — it has attracted sufficient support to remain viable for years to come — but neither can it ever be the rip-roaring success that Zilog desired. In typical, dashing style, Zilog has now apparently realised its mistake and, rather than sulking or applying hasty fixes to the Z-8000 family, has done the unthinkable and is about to introduce the brand-new Z-800 family of 16-bit processors. They have all the earlier omissions corrected and lots of new features added.

By opening this second front on the 16-bit battlefield Zilog is attempting a bold outflanking manoeuvre which just might gain it the initiative. Certainly the specifications of the new family seem to make it peculiarly well suited to meet the emerging needs of the 16-bit market which can now be seen in sharper focus.

The launch announcement of the new family stresses compatibility with the Z-80 and, rather craftily, does not speak of competition with the Z-8000 and other 16-bit processors. The Z-800 processors will run Z-80 code directly, and can even use the CP/M 80 operating system to gain access to the huge amounts of CP/M

software already available to many potential users. All the other 16-bit processors can run the new 16-bit versions of CP/M, such as CP/M 86, but this does not allow them to run eight-bit software.

There are four processors in the Z-800 family at present. The Z-8108 and the Z-8208 are eight-bit bus versions compatible with Z-80 hardware. The Z-8116 and the Z-8216 are 16-bit bus versions compatible with Z-8000 hardware. All four processors operate using 16-bit buses internally, and all of them have the same basic architecture and compatibility with Z-80 code.

The common architecture of the new family is based on the old Z-80 model but with the addition of an extra stack pointer and a number of new hardware facilities which include a 256-byte fast cache memory, a memory management unit, an on-chip clock oscillator, and four 16-bit counter-timers. The Z-8108 and Z-8116 are housed in 48-pin packages and can address 512K using a 19-bit address bus. The Z-8208 and Z-8216 use a 64-pin package and can address a full 16Mbyte using a 24-bit address bus.

The Z-8208 and Z-8216 also have extra on-chip facilities which put them in a class of their own and make them, literally, systems-on-a-chip. In addition to the standard Z-800 features, these two powerful processors have four-channel DMA controller and a full duplex asynchronous serial port capable of operation at up to 2Mbits per second.

On the software side, the Z-800 family has a considerably expanded instruction repertoire to enable it to compete with the other 16-bit processors. The two stack pointers provide for a System and a User mode, in true 16-bit fashion, and the IX and IY index registers have been made byte-addressable.

Add to that a new chip-fabrication process which promises to realise clock speeds of up to 25MHz, and you get a powerful 16-bit processor which can probably compete on equal terms with the 8086 and 68000 families while retaining full compatibility with the preceding eight-bit generation. It's a pity Zilog did not introduce the Z-800 earlier, instead of the Z-8000. If it had done so, Zilog's sales figures would have been very different.

*****THE NEW DBMS III (series III of the world's first 'task-robot-programs')*****

*****FEATURES*****

1400 character record sizes..... mathematical scratchpad..... record relational indexes. either-or. same as. greater. smaller 12 online file architectures.

field and record related formulae.

'Jump-to' any of 32000 records per file...
random/binary/key/multiple field search...

'If-then' questioning...

file protection/password entry...
range match. not match. integer match...
sort speed 500 records per 20 seconds... User-defineable files/field words/sizes.
endless 'either-or' matching...
formulate/recall on selection criteria...
13 interrogation question types.
short filing outpul/audit trails.
Word-star & Mbasic compatible.

DBMS III.7 NEW SWITCH MODE FACILITY ENABLES YOU TO CROSS UP TO 12 DIFFERENT FILES (32000 RECORDS PER FILE) PRE-SELECTING ANY OF UP TO 20 FIELDS PER RECORD/FILE FOR DISPLAY/PRINT OUTPUT (240 FIELDS) IN ALL. ONE MASSIVE ENQUIRY CAN PASS THROUGH 384,000 RECORDS

You might have two files whose records are directly related to each other, so that the first file (say containing names and addresses) refers to the second file (say financial and other information relating to the same record numbers in the first file) directly. Then you can simply select that in file 1 you are interested in just the name and telephone numbers, whereas in file 2, you are interested in the income, trading period and number of branches, information. Your enquiry can then pass through both files highlighting that information only. Actually there doesn't need to be a strict correlation between the same record numbers in different files, and you can also on just one JUMP command go to any record in any of the 32000 records in any of the twelve files and carry on cross-referencing from there onwards.

DBMS'S MACROS WORK FROM THE MOMENT YOU INSERT THE 'TASK DISK' IN THE COMPUTER

Simply design your file, give its fields your words, setup your report mask, and then enter your records. Switch to 'automatic drive' and formulated any task you wish to program to fulfill, the task is stored as a macro. Take a copy of the program on another 'task disk' and from then on, the task disk will function without a single key-stroke. Think of a number of such 'task disks' such as ''stock-re-order reports''; ''stock-valuation reports''; ''analysis''; ''patient history analysis''; ''research-analysis''; ''budgetting-analysis''; ''vehicle-location control''; ''librarian analysis''; ''plus more?''

Not only does this program surpass most of its kind that you might buy elsewhere, but if you buy the hardware from us, then you get it FREE . . . DBMS II (WITHOUT MACROS) AND DBMS III ARE FULLY IMPLEMENTED UNDER CPM-86 (tm) AND MS-DOS (tm) I.E.: SIRIUS/VICTOR/IBM DBMS II IS £395.00 (or £250.00 by mail order ex. training) . . . DBMS III is £575.000 (or £295.00 by mail order

MICRO-COMPUTERS

INTERTEC	Superbrain 64K RAM320K disks	1895.00
INTENTED	-Superbrain 64K RAM/700K disks	2395.00
	-Compustar 64K RAM/320K disks	2195.00
	-Compustar 64K RAM/700K disks	2595.00
NORTHSTAR	-Advantage 64K RAM/700K disks	£2195.00
(exc DOS)	-Advantage 64K RAM5.3M disks	£3095.00
TELEVIDEO	802 64K RAM/700K disks	2395.00
TELEVIDEO	-802H 64K RAM7.3M disks	3950.00
	-806 64K RAM/10M disks	5195.00
	-816 256K/750K disks	*£3350.00
ACT	Sirius 1 128K/1.2M disks	*£2395.00
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Sirius 2 128K/2.4M disks	*£2896.00
	Sirius 3 128K/10MEG disks	*£3995.00
WCTOR	4000 128K/1,2M disks	*£2395.00
EM	PC 64K RAM640K disks	*62795.00
	PC1 XXXXB40X disks	*5335200
XT 128W10MEG		005H36
ALTOS	ACSEED & BUSK ROMEN (BIRD)	86200
	ACSED NO STEWNOSMED (SEE	(E350)
MEC.	ARC 129K ROMSM (Billio	(CO)
CORPRES CORPRES GASSYO	Consuct 10 tolt cas	ersk(D)
OVERAGE	GEO BAK RAMESZIK CININ	WEBCO
280	20 OOK PAMAZIM CININ	E2000
	All consider prices before wheth as distribute	4
	Casticion Md 699 era * bestom exchan	

WE STOCK WOST OF THE BEST KINDWIN BOPYWARE ALAD WOST OF WINDERS CHOWN BRANCS OF FRINTERS & PERFMERALS PROMI WOOD TO EXCHO CHOEFSCHIORENECQUINEIANADEXISCOM

SOFTWARE COMMENT!!!
INTEGRATED SOFTWARE IS PROPERLY
REPRESENTED, when the degree of Integration
reflects the ability to refer to as many different finets
as well as employ as many different functions,
under as many different modes as possible in one
program only. This principle not being observed, will
confer upon your purchases the attribute of their
being expensive as an aggregate even though
individually they are cheap. "DBMS III.7" and "THE
KEY" are comparably worthy of such a label. KEY" are comparably worthy of such a label.

SYSTEM DEAL (our speciality) **SAVES YOU 1500.00+**

Buy any computer, any printer and 150.00 value diskettes add £85.00 for cables and testing. add 10% for return to base warranty for 1 year (optional) add £110.00 for delivery & installation (c

add £110.00 for delivery & installation (optional)
Training optional extra £120.00
and get completely *** *FREE****
cpm handbook 50 basic exercises 2000 sheets paper
DBMS III.7 magic wand w/proc magic calc
magic all diagnostics msort/dsort
recover autoloed instant basic
library boxs dist/games DT/AS/NS sorte
Total Value £1525.00
Based on 8 bit hardwara, 16 bit software wafes.
Here's a typical example of a complete system deal

1-Sirius 126k ranv/1.2 megebyte dis 2-Oki microline 80 printer 2398.00 298.00 68.00 180.00 5-price differential on maghe/wand for word-star 100.00 software described above ***** FREE ***** 3025.00

We specialise in "STANDARD MICRO-PRINTER
SYSTEMS' as well as "NETWORK SYSTEMS BASED ON
A SHARED HARD DISK".

The range of computer products (mostly ex stock) includes the most popular brands of micro-computers, printers, modems, buffers, spoolers and software.

	THE RESERVE AND ADDRESS OF THE PARTY OF THE	
ОКІ	-Microline 80	295.00
	-Microline 82A	395.00
	-Microline 83	695.00
LEU LA	-Microline 84	895.00
EPSON	-MX80/FT-3	425.00
	-MX100/FT-3	575.00
ANADEX	-DP 9000	895.00
	-DP 9501	1045.00
-	-DP 9501 (A)	1145.00 1995.00
QUME	-9/45 R/O	2195.00
	-9/55 R/O -9/35 R/O	1495.00
NEC .	-9/35 R/O	1495.00
MEC	-7710 R/O	2195.00
	-5520 KSR	2250.00
008	SESSO INVESTOR	1205.00
Care	ASO	9098.00
PENIOR	610	62500
1650	Ass	600
CHADRA	2007	1 8008.00

G.W. COMPUTERS LTD - Tel: 01-080 8810 POPULAR BRANDS OF EQUIPMENT WE SELL MICROS: Sirius/Victor/I.B.M./DEC Epson/North-star/Sanyo/Superbrain Compustar/Altos/Apple-Lisa/Televideo PRINTERS: Nec/Qume/Diablo/Oki/Epson Olympia/Ricoh/Texas/Dre/Anadex OTHERS: Corvus/Compustar Hard disks networks and multiplexors Spoolers/Modems/Buffers most of the best known brands of software

G.W.L.	-BUS V8.00 (Accounts)	275.00
	-DBMS II (Database)	*£395.00
	-DBMS II (by mail order only)	*£250.00
	-DBMS III (database)	*£575.00
	-DBMS III (by mail order only)	*£295.00
	-FORMS/TEXT/CALC/-DBMS IV	*£575.00
	-Sales Ledger	*£95.00
	-Purchase Ledger	*£95.00
	-Nominal Ledger	*£95.00
	-Stock-Control	*£95.00
	-Address-Mailer	*£95.00
	-QASort/QNSort (500 Recs/14secs)	*£95.00
MICROSOFT		*195.00
	-Fortran 80	295.00
	-Cobol 80	395.00
	-Basic Compiler	*225.00
	-MU lisp/mu star	125.00
CONCECUPRO	-Word-star	*£295.00
MANAGOT NO	-Mail-merge	*£95.00
	-Speletar	125.00
	-W-star/M-merge/Sp-Star	425.00
EMBORN	-BStam (communications)	100.00
CLANG ZERI	-BStms (tele-comms')	100.00
CROFFAL	-CBasic	75.00
CONTY PAIL	-Concurrent CPM/86	*375.00
	-CBasic86	*175.00
	-Pascel MT	225.00
LIFEBOAT	-T/Maker	155.00
MFOCUS	-CIS Cobol	420.00
	-Forms II	100.00

SORCIM Super Calc
PEACHTREE Magic Wand
-Magic Calc
VARIOUS -including tele-comms etc Software formats on all micros in our hardware list. All prices marked £ are available 8/16 bit formats.

190.00 175.00 call.00

PERIPHERALS & ACCESSORIES

CORVUS	-6 Meg hard disk -11 Meg hard disk	1950.00
	-20 Meg hard disk	3950.00
	-Multiplexor 7 station -Mirror backup card	695.00 695.00
INTERTÉC	-Compustar 10 Meg hard disk	2950.00
	-CDC 144 Meg hard diek	7950.00
N'STAR	·16 Bit wigrade	395.00
RODIME	-18 Meg hard diek	2995.00 1495.00
ANTANIA .	-0 Meg hard diek -12 Meg hard diek	1950.00
GEMIE	- BMG fixed/BMG removeable dis	
		3295.00
QUADRAM	-64K print epooler/sopier	295.00
BEECOMP	R8232/Auto-modern 1200 bould	450.00
AST	-port expanders (4 trans to 1 pri	95.00

TERMS & ETC G. W. Computers Ltd (Grama (Winter) Ltd) 55 Bedford Court Mansions Bedford Avenue London W.C.1, England. Tel: 01-636 8210: 01-631 4818: tlx 892031 twc g Boston office tlx 94-0890

24 hour answerphone-leave address for infopacks We do not operate a reader's reply card service. Terms: C.W.O. or C.O.D. Prices exclude V.A.T.. but include all non-credit discounts available. No dealers. The above lists are not exhaustive Please call at our showroom only by prior

appointment. Unless expressly agreed, all warranties are commercial 90 days return to base for parts and labour. Annual warranties and maintenance facilities available nationwide through closely related third parties

G. W. COMPUTERS LTD

G80/86 SOFTWARE

Fully implemented on MS-DOS, CPM 2.2 and CPM 86 (tm)

Works on IBM, Sirius and Victor 9000 and all micro-computers in our price list Requires the prior acquisition of DBMS 111.7

> Sales ledger (95 pounds) Purchase ledger (95 pounds) Nominal ledger (95 pounds)

Stock control-valuation/re-order (95 pounds)

The address mailer (95 pounds)

Qasort/Qnsort (500 records/15 seconds) (95 pounds)

Each module is a set of 'task disks' designed for minimal learning curve. This software derives from modules of 'DBMS III' and runs reports without your secretary having to touch a single key

Consider the advantages in these features: The user manual is contained in FIVE pages. All reports are generated by robot functions. Reliability tested (benchtest PCW June). Works in a network multi-user environment Fast easy data entry. Files are re-organised and sorted automatically. Produced by the same people that originated 'BUSiness' 'DBMS II', 'DB-CALC', 'AUTOLOAD AND RECOVER' 'ETC' and sold successfully over the past five years.

Also see our advertisement next page.

The G80/86 networks

Based upon one hard disk and multiplexor module the G80/86 networks feature full network sharing of data resources by adding different stations that may be as various as Sirius/Victor 9000f/IBM/Superbrain/Pet/N'star/Sanyo. We also have a special 'spooler module' as well as software controllable port expanders and modems for output to telephones, printers, and screens so that a number of terminals may share the resources of one printer, as well as be able to send files over the telephone at any time (day/night) to both store on the hard disk and print out as well.

only from G.W. Computers (the leaders in database)

Call us on 01-636-8210 or 01-631-4818 and leave your address for our standard 'infopacks'

G. W. COMPUTERS LTD - Tel: 01-631 4818

FORMS/TEXT/CALC/DBMS IV ALL IN ONE PROGRAM - "KEY" - at £575.00

When you budget for a complete system of software you eventually end up with a host of packages like, Sales, Parshases, Mow Deta, Text, Calc, Mallehot, Involce, Order, Workflow, Personnel, and so on.
The list is endless and the outlay several thousands of pounds.

Design a form as wide as a window of 250 characters, long as needed. Cursor movements are "talk, at up, down, delete left delete right, tab right-left-up-down' Paint your form as you like directly on the asset Features.

Text..... White a letter as you see it on the screen, edit it then simply enter 'P to print.

Calc..... Set into the form, your data fields, "££££££" and specific Me-roleted evaluation, formulae and well-delice

checks.

Enter values and see the spreadsheet colculate had

Database. Search files for data to be inserted to fields apacified. All the features of DEMS III, explained elsewhere in our ad.

Here's an example of an invoice you might design for your stationary
You could design your own spreadeheet, order form, statement, or any other kind of form that is required to fit your existing stationery.

	IN	VOICE <0>	2222	222222	3	
£<3>££ £<4>££	EEEEEEEE EEEEEEEE EEEEEEEE EEEEEEEE EEEE	133333		Fror	Bedford	d ford Court Mans. 1 Avenue 1 W.C.1. 636 8210
Date <6	33.33<	Tax point <	<7>	33.33	Agent	233<8>
Quan	tity D	escription	C	ost	Tax	Total
<9>£££ <14> ££		2222222222 22222222222 20 and so	23	<16>££		£ <13>£££ £ <18>£££
(CANADA)	Total<	19>222222		Tax<2	2222<09	

items <1> to <5> internal command to request name input, and then search an address file for details items <6> to <7> request date input and validate.

<??> item <8 > request agent number and validate range.

<??>

<9 > request quantity, validate range.
<10 > request description, search file, accept, and calculate fields <11>, <12>, <13>, # finished invoice then calculate fields <19> and <20>

Now comes the more valuable facility, you can provide the 'FORM' with file-related instructions, not only to request a 'comodie' input for a file search against names, and stock, but after the invoice is finished the fields you have selected may be passed to related files.

EG: Send fields <0 >, <1 >, <6 >, <7 >, <11 >, <12 >, <13 >, <19 >, <20 > to a sales ledger. Then send fields <9 >, <10 >, <11 >, to product analysis file. Then send fields <0 >, <1 >, <7 >, <19 >, <20 > to V.A.T. file

Then send fields <10>, <11>, <12>, <13> to Nominal ledger.

Value - MicroValue - Micro

80-BUS MULTIBOARDS

GM811 - CPU Board

- * 4MHz Z80A CPU
- ★Four 'Bytewide' Memory Sockets ★Two 8-Bit Input/Output Ports
- *8 Bit Input Port
- ★RS232 Serial Interface
- * 1200 Baud CUTS Cassette Interface




GM802–64K Dynamic Ram Board

- 64K Dynamic RAM
- 4MHz Operation
- **RAM Disable Function**
- Page Mode Operation

GM802-64K RAM

£125 (£143.75 inc VAT)



PLUTO-**Colour Graphics Processor Board**

- 640×576 Bit mapped display
- On-board 16-Bit microprocessor
- Comprehensive on-board software

IO 828 A:

192K RAM

IO 828 B: "BABY PLUTO" 96K £299

"PLUTO" £399 (£458.85 inc.VAT) (£343.85 inc.VAT)

GM803 – EPROM/ROM Board

- Up to 40K of Firmware
- 2708 or 2716 Type EPROMs
- Page Mode Operation

The Gemini GM803 EPROM/ROM board is ideal for the user requiring a large amount of firmware in his system. This board caters for up to 40K of EPROM and ROM. There are 16 sockets organised in four banks of four and, as long as each bank contains the same type of EPROM, banks may be mixed between 2708 (1K×8) and 2716 (2K×8) devices. Each may be mixed between 2708 (18 x o) units 27 to Land bank may be decoded to start at any 4K boundary.

GM803-EPROM/ROM-

EV 814 — IEEE 488 Controller

- Cost-effective Controller
- * Comprehensive software supplied

Controls equipment fitted with IEEE488 or **GP1B** interface






GM 816-**MULTI I/O Board**

- * Six 8-Bit I/O Ports
- 4 Counter/Timer Channels
- Real Time Clock
 - Further expansion capability

Daughter boards also available for further expansion




GM813-CPU/64K **RAM Board**

- * 4 MHz Z80A CPU
- ★ 64K Dynamic RAM
- RS232 Serial Interface
- * Two 8-Bit I/O Ports
- ★ 1200 Baud Cassette Interface
- ★ Extended and Page Addressing Modes

The Gemini GM813 is an 80-BUS compatible CPU card incorporating 64K dynamic RAM and utilising the powerful Z80A microprocessor running at 4MHz. Extended addressing and page mode facilities allow for future memory expansion up to 2 megabytes. Input and output capabilities include both programmable serial and parallel interfaces — RS232, 1200 baud CUTS cassette interface and the Z80A PIO. When used with the GM812 video card, the GM813's unique RP/M monitor allows the creation of cassette or EPROM based programs or files which are upwards compatible with a disk based CP/M system.

The **Microvector 256A** is a high performance graphics display interface on an 80-BUS and NASBUS compatible card. Various graphic primitives such as vector and character generation are executed in hardware by a Thompson EF9356
Graphic Display Processor. Plotting rates are typically
1 million pixels per second giving full animation capability. Various vector and character types can be selected. Characters can be scaled to give 256 different sizes.

MV 256A Suitable for TV use (PAL-UHF) £199.00 (inc. VAT) MV 256B Suitable for TV or RGB monitor £220.00 (inc. VAT)



FDC/SASI Board

- Single/Double density operation
- Single/Double sided drive operation
- Up to 4 mixed 3.5", 5.25" and 8" drives
- Industry Standard SASI hard-disk

GM812-**IVC** Board

- *80x25 Display Format *On-board Z80A Microprocessor
- * Buffered Keyboard Input
- ★ Programmable Character Generator
- ★ 160x75 Pixel Graphics *Light Pen Input

Keyboards, Mothers, Frames

With MultiBoards an almost unlimited number of system permutations are possible. There is a range of 15 available from your Microvalue dealer; together with mother boards, frames, cables, power supplies, keyboards and compatible software if required.


Ask for latest catalogue for details of suitable permutations to suit your requirements, whether building a system from scratch, or expanding your Galaxy or NASCOM computer.

Value - MicroValue - Micro

COMPUTERS Gemini Galaxy 2

"I would place the Galaxy at the top of my list" (Computing Today, April 1983)

- **★Twin Z80A Processors** *CP/M 2.2 Operating
- System *64K Dynamic RAM
- * 800K Disk Capacity
- *80x25 Video Display
- *Serial and parallel printer interfaces
- ★ Cassette and light pen interfaces
- **★** User definable function kevs
- * Numeric key pad
- *12" Monitor included




At last—a Winchester Drive for your Gemini/na/com System!

GM835 Winchester Drive Sub-system.

- ★5.4 Megabyte Formatted Capacity
- * Rodime Drive
- *Industry Standard SASI interface
- *Integral Controller and power supply





Phoenix P12 Monitor



A high quality data display monitor, ideal for all Nascom and Gemini systems. 20MHz resolution. Available in amber or green phosphor.

£110

Disk System for Gemini & na/com

GM825 Disk Drive Unit – The GM825 floppy disk housing is supplied with either one or two 5.25" single sided, double density, 96TPI high capacity Micropolis 1015F5 disk drives. These provide 400K bytes of formatical storage per drive. (Geminia QDSS format). The CP/M2.2 package available supports on-screen editing with either the normal Nascom or Gemini IVC screens, parallel or serial printers.

An optional alternative to CP/M is available for Nascom

owners wishing to support existing software.
Called POLYDOS 4, it includes an editor and assembler

and extends the Nascom BASIC to include disk commands.

Single Drive System GM825-1S

£350 (£402.50 inc. VAT) Dual Drive System


£575 (£661.25 inc. VAT)

CP/M2.2 Package (GM 532 for Gemini


£90 (£103.50 inc. VAT)

POLYDOS 4

\$90 (£103.50 inc. VAT)



SOFTWARE



CP/M Software Compas

is totally different from other compiler based Pascal systems, as it allows you to create, edit, run, and debug Pascal programs in a highly interactive manner.

'The Last One' is used in conjunction with Microsoft's MBASIC*. No knowledge of BASIC programming is required since all input is performed using question and answer routines written in plain English.

*MBASIC-MicroValue Price if purchased with

(£379.50 inc. VAT)

The Last One' -£178.95 inc.VAT

BUY FROM THE COMPUTER **PROFESSIONALS**

MICROVALUE **DEALERS:**

AMERSHAM, BUCKS Amersham Computer Centre, 18 Woodside Road, Tel: (02403) 22307

Target Electronics Ltd., 16 Cherry Lane. Tel: (0272) 421196

EGHAM, SURREY

Electrovalue Ltd., 28 St. Judes Road, Englefield Green. Tel: (07843) 3603

IPSWICH

MDW (Electronics), 47/49 Woodbridge Road East. Tel: (0473) 78295

Henry's Radio, 404 Edgware Road. Tel: 01-402 6822

LONDON SW11

OFF Records, Computer House, 58 Battersea Rise. Clapham Junction Tel: 01-223 7730

MANCHESTER M19

EV Computing, 700 Burnage Lane. Tel: 061-431 4866

NOTTINGHAM

Computerama, (Skytronics Ltd.) 357 Derby Road. Tel: (0602) 781742

Telephone orders welcome





£120 (£138 inc. VAT)

Gemini Software:

GEM PEN Text Editor GEM ZAP Assembler GEM DEBUG Debugging Utility WORDSTAR Word Processor

£45 (£51.75 inc. VAT) £45 (£51.75 inc. VAT) £30 (£34.50 inc. VAT) \$215 (£247.25 inc. VAT) GEM GRAPHIC Links with MBASIC £35 (£40.25 inc. VAT)

REAL value — from the Professionals

Introducing Perfect Software.™ Now, put the power of our remarkable new programs to work for you!

f you've been looking for powerful, flexible software that's also easy to use, take a close look at what we've got to offer.

An integrated product line with the state-of-the-art features and common-sense prices you're probably looking for.



Whether you're interested in one or all four of our revolutionary products, you owe it to yourself to find out what we have to offer:

Perfect Writer.

The most powerful and versatile word processing software for microcomputers available anywhere. Features include Virtual Memory, multiple editing of up to 7 files at once, dual display windows, automatic footnotes, table of contents and indexing.

Perfect Calc.

You get 17 application programs that are ready to use for

any planning and financial control task. Plus multiple editing of up to 7 files at once and dual display windows.

Perfect Filer

This incredible double data base management system produces personalized standard letters and versatile sort menus for generating lists or invoices. It prints labels, envelopes and more. It can even handle accounting functions!

Perfect Speller.

Now, get a 50,000 word dictionary that checks over 4,000 words a minute. It even locates and corrects document design errors!

Take a look at what you get:

- ☐ Britain's first fully-integrated product line. Learn only one set of logical commands.
- ☐ Easy-to-use, user-friendly features that are unmatched in the industry.
- Interactive teaching disks make Perfect Software easyto-learn.
- Available for both 8 and 16 bit micros, CP/M™ operating systems and the IBM PC.
- ☐ All programs maximize virtual memory architecture for all applications and multiple file display.
- ☐ True ASCII files for powerful communication capability.
- ☐ And lots, lots more.

Perfect Software, Inc.

To order or find out more, contact:

Pete & Pam Computers Telephone: 0706 227011 Telex: 635740 PETPAM G

Transam Microsystems Limited Telephone: 01-405 5240/2113 Telex: 24224 (Ref. 1422)

Tamsys Limited Telephone: Windsor 56747 Telex: 849462 TELFAC G

Software Limited Telephone: 01 387 8832 388 9927

Telex: 21879

Interam Computer Systems Ltd. Telephone: 01 622 9373

Telex: 925859

© 1983 Micro Marketing International CP/M is a trademark of Digital Research, Inc. Circle No. 125

There are some people who think that if a Printer looks like an Epson, it will perform like one.




It won't.

Imitation is the sincerest form of flattery. But there's only one Epson.

EPSON

Extraordinary product. Exceptional quality.

Epson (UK) Limited
Freepost, Wembley, Middlesex HA9 6BR
Sales Enquiries: Freefone 2730
General Enquiries: 01-902 8892
Telex: 8814169



THE RELATIONAL DATABASE SYSTEM

FOR MICROCOMPUTERS

- TRAINING?
- ADVICE, GUIDANCE, CONSULTANCY?
- PROGRAMMING?
- DATABASE 'PRIMER' MANUAL featuring 'dBASE II'

For further details, contact:

Lionel Boreham

LANTECH Information Systems Ltd. 55 Peascod St. Windosr, Berks SL4 1DE Tel: Windsor 58182/58013

LANTECH

Information Systems

Circle No. 250

LONDON COMPUTER CENTRE

8/16 bit SOFTWARE

The comprehensive range includes

SUPERCALC £170		D BASE II &		K
WORD PROCESSING SpellBinder Magic Wand Spellstar MAILMERGE Grammatik	£ 290 226 134 134 75	MBasic Co MBasic Co Fortran 80/ Cis Cobol/F Pascal M	mpiler '86	£ 210 230 325 399/105 250
FINANCIAL PLANNING	G	Pascal MT		350
Calcstar	85	ACCOUNT	NG	
Multiplan	170	SGS	from	250
Plannercalc	75	Peachtree		325
T/Maker III	175	Tabs	from	199
Microplan	200	Exact		500
D BASE CORNER		Pulsar	from	195
Autocode	195	COMMUNI	CATION	S
Quickcode	205	Bstam		130
D Base Window	150	Crosstalk		135
UTILITIES Sid £60, ZSid £76, Ma		Moveit 80/	86	90/105
EODMATS: Superbra		ridon Sirius	Canvo	Ochorno

FORMATS: Superbrain, Televideo, Sirius, Sanyo, Osborne Northstar, 8" SD, DEC, Epson QX-10, IBM

ICL HP XEROX ALTOS

All prices are exclusive of VAT



43 GRAFTON WAY, LONDON W1P SLÁ (Opposite Maples) OPENING HOURS: 11-7 MON-FRI 12-4 SAT Tel: 388 6991/2 24 hour answer phone: 01-388 5721

Circle No. 128

CAMDEN


THE COMPUTER PEOPLE

COMPUTER SYSTEMS LIMITED

462 COVENTRY ROAD, SMALL HEATH BIRMINGHAM B10 OUG

Telephone: 021-771 3636 (10 lines) Telex: 335909 (Camden G)

5MB WINCHESTER



SPECIAL OFFER

APPLE IIE PLUS MONITOR AND STAND 5 MEG WINCHESTER WITH BUILT-IN FLOPPY.

RECOMMENDED PRICE	£2810
OUR PRICE	£1995
10 MEG VERSION	£2275



	RRP	CAMDEN PRICE
APPLE IIE	845	645
80 COL CARD	80	70
80 COL + 64K	180	150
MONITOR &		
STAND	170	150
DISK WITH CON	345	270
DISK W/OUT	245	220
TRIDENT 5 MEG	1450	1150
TRIDENT 5 MEG		
PLUS FLOPPY	1700	1465



ALL PRICES EXCLUDING VAT

12 MONTHS PARTS AND LABOUR ON ALL APPLE AND TRIDENT PRODUCTS

SHINWA-CTI CP80

FULL FEATURED 80 COLUMN MATRIX PRINTER

PROBABLY THE BEST PRINTER AVAILABLE IN THE WORLD BELOW £300!!

COMPATIBLE CENTRONICS INTERFACE AND INDUSTRY STANDARD CONTROL CODES MAKES THE CP 80 IDEAL FOR:-

BBC, DRAGON, ORIC, APPLE, NEWBRAIN, SIRIUS and many more.

OPTIONAL RS232 INTERFACES AVAILABLE BOTH UNBUFFERED AND BUFFERED



FREE 24HR

SPECIFICATIONS

- + 80 COLUMN
- + FRICTION AND ADJUSTABLE TRACTOR FEED+ VERTICAL AND HORIZONTAL TABS
- + BIDIRECTIONAL LOGIC SEEKING
- + HI-RES GRAPHICS AND BLOCK GRAPHICS + SELF TEST
- AND SUPERSCRIPTS
- + 9 X 9 DOT MATRIX TRUE DESCENDERS
- + COMDENSED PRINT
- + EMPHASISED PRINT
- + GRAPHICS SET ____

+ AUTO UNDERLINING

+ BACKSPACE

- + ITALIC PRINT STYL
- +EXPANDE
- + DOUBLE PRINT
- + £ AND #


₹♥���¬ ト┤┯ ┖┙ ┃─┴┼ @ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]^_ 'abcdefghijklmno

@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\J^_'abcdefghijklmnop ! "#\$%&'() \ + , - . /0123456789;; \ = >? ! "#\$%&'() \ + , - . /01

NO DELAY! - TELEPHONE YOUR CREDIT CARD No. TODAY AND YOU CAN START PRINTING TOMORROW

- AND IF YOUR NOT SATISFIED RETURN WITHIN 14 DAYS FOR A FULL REFUND.





H.P. FACILITIES ARRANGED CAN BE DELIVERED WITHIN 24 HOURS FROM STOCK

Telephone Walton-on-Thames

TO KEY	COMPUTER CENTRES LTD
Please se	end me FREE print out samples
and liter	ature

.....Post Code.....

CONTROL COMPUTER APPLICATIONS ENGINEER

Vickers-Dawson Division are part of Vickers Engineering Products Group. The Division has manufacturing facilities in the U.K. and U.S.A. and is principally a manufacturer and supplier of bottling plant equipment to the Dairy, Brewery, and Soft Drinks industries.

We are seeking a young Engineer/Science Graduate to join a small team in a Research and Development Department.

Candidates should be practised in Basic and a Machine Language and will have a demonstrable interest in the hardware aspects of Integrated Circuitry and Logic Control Circuits.

Please apply for Application Form:

Personnel Manager, Vickers Dawson PLC, Maiden Lane, Crayford, Kent.



Telephone Crayford (0322) 526222

• Circle No. 131

IMPORTS

Take advantage of the latest low cost imports from USA

IBM PC MEMORY BOARDS

256K board WITH memory disk software	£330
512K board with 256K RS232 port and memory disk softwar	
512K board as above, with 512K	720

S100 MEMORY BOARDS

64Kb	230
256Kb 150 nanosec 24 bit addressing	670
256Kb 150 nanosec with parity, 24 bit addressing	750

OTHER S100 BOARDS

8 MHz 8086 CPU, with MS DOS (2.0)	550
S100 DMA disk controller	270
4 serial ports with interrupts	210
*Also Z80B CPU sets - phone for prices/availability	

MULTIBUS MEMORY

WIGETIDOS WIEWIC	7111
256Kb with parity	620
512Kb with parity	800

We will also quote you for any other USA imports you may require.

TERMS; Cash with order Add 15% for VAT Qty discounts available

TEL 01-989 4281

XYSTER SYSTEMS LTD

46 Preston Road Leytonstone London E11 1NN

Circle No. 132

PUT A CLIP YOUR OUNCHESTER

CLIP — Compressed Library Interchange Program

CP/M MS DOS CP/M-86 £95 RTII £150

- Backs up a Winchester on to floppies.
- Compresses text or data to less than half size
- Large files can span multiple discs
- Selective backup or retrieval, on an inclusive or exclusive basis.

CLIP has no equal in reputation, convenience, power or economy.
CLIP comes standard with the CIFER Business Management System, and with all Winchester systems supplied by COLT AND FERRARI SOFTWARE.

CLIP offers effortless backup. It will also take care of most of the chores in building an ordered file library, and can make notes of its own operations. The user can set up his own housekeeping procedures in a few minutes. Thereafter, to repeat any function just type e.g. 'BACKWIN' 'VIEWTOP5' 'RESTORE'.

With **CLIP's** powers of selection and compression, the user can expect a four-to-one saving over global copying, with no effort except to feed discs on cue. Or, **CLIP** can select just the new/updated files and reduce the backup load still further.

All prices excl. VAT, post free in U.K. Most popular disc formats from stock.



KEELE CODES LTD

University of Keele, Keele, Staffordshire, U.K. Tel: (0782) 629221 Telex: 36113 24-hour telephone service: Access accepted



Apple IIe 64k computer only £599* + VAT

Immediate Delivery!!

'(When purchased with a part-exchange)

Save an extra £39.00

by buying a bundle comprising: Apple He 64k Disk Drive with controller 80 Column Card 12" Green Screen Monitor

> Bundle price only £999*+VAT

'(When purchased with a part-exchange)

Disk Drive with Controller	£270
Disk Drive without Controller	£199
12" Green Screen Monitor	£99
Apple III Monitor with Stand	£125

Apple III Apple III 256k with monitor £2099 Profile (5Mb Hard Disk) £1495 Additional Disk Drive (143K) £270 Parallel Interface £129 OEM Prototyping Board Vinyl Carrying Case £49

Software (Apple III)	
Visicale III	£169
Mail List Manager	£99
System Software (SOS)	£175
Quickfile III	£60
Applewriter III	£133
Business Graphics III	£105
Access III	£89
Catalyst	€128
Script III	£75

Other Software prices on application

Software (Apple IIe)	
Visicale	£145
Visitrend Plot 3.3	£182
Multiplan	£160
Applewriter He	£105
Business Graphics	£109
Quickfile He	£60
Senior Analyst	£145
APM *	£137
Apple Plot	£38
Pascal	£149
Pilot	£69
Fortran	£112
Logo	£122
Super Pilot	£129
Wordstar	£230
Mailmerge	£130
Word Handler	£98
Visischedule	£180
Other Software prices on ap	oplication

Sirius equipment is available within 48 hours at unprintable prices. Please 'phone for details

0	
Operating Systems & Di	
Z80 Microsoft Card	€215
Z80 Microsoft Card (IIe)	£325
Z80 Digitek Card	€145
Videx 80 Col System	£189
40 80 Column Switch	€25
80 Column 64K	
Expander Card	£149
Prototype/Hobby Card	€12
IEEE 488 Card	£235
TV Modulator	€14

Epson Printers £279 £379 **RX80** FX80 MX100F/TType 3 FX80 Tractor Feed €420 £35 IEEE Adaptor Board £65 Serial Adaptor Board £65

Other Printers Apple dot Matrix £349 Apple Daisywheel £1150 TEC 40cps Daisywheel TEC 55cps Daisywheel £1095 £1295

Other Printer prices on application

Accessories £78 £20 Numeric Keypad Paddles Joystick £34 Cooling Fan £45 Voltage Stabiliser Acoustic Coupler £230 £200 10 Floppy Disks Listing Paper 9" £20 £20 Listing Paper 16' Monitor Stand £29 €18 Vinyl Carrying Case £17

Integer Card £99 Eurocolour Card £73 Language Card £106 Paddles £20 Joystick Numeric Keypad

Apple II Accessories

Interfaces

Serial Printer Card Parallel Printer Card Wizard 16K Buffered I/F Wizard 16K to 32K Upgrade Thunder Clock 8 Channel A/D Converter Grappler

With your old micro, working or not, taken in part exchange. (ZX80/81 welcome!!) Please 'phone us if you don't have a part exchange

£70 £139 £25 £84 £245 £99

Software (Apple II) Applewriter 1.1 £39 Apple Plot £38 Applewriter 2 £89 Circuit Analysis £23 Apple Super Pilot DOS Tool Kit £129 £41

Export Orders Welcome!!! Barclaycard & Access accepted but subject to a 5% surcharge Payment welcome by cash, bank draft, Building Society cheque. Please allow 7 days for cheque clearance. Instant credit available shortly.

HOME COMPUTERS GREAT PRICES



We are open for collection: Monday – Friday 10am – 5.30pm Saturday 9am - 5.00pm Delivery by Securicor: please add 5% Smaller items are sent by post unless otherwise requested.



10/11 Salisbury Square, Old Hatfield, Hertfordshire.

Telephone: Hatfield (07072) 65551

Cut this compon for free price list

Our spreadsheet sys But let's start with

Today, computers, micros and more importantly business planning systems are no longer considered luxuries

They allow you to make better decisions by providing better information on budgeting, cash flow, project profitability, Acquisition Appraisal, Lease vs Purchase analysis and much more.

You stay one step ahead of your business and your business stays one step ahead of the competitors.

But which system should you buy? Surely no one system can meet the needs of all businesses?

Fortunately Comshare is not like most companies. We see the need for different systems to suit different people.

NEW USERS START HERE

PlannerCalc at £85.00* is now accepted as the first choice for people new to financial planning.

Designed for 8-bit micros, it boasts the kind of features that you'd expect to pay twice as much for (Buy PlannerCalc's nearest rival and you'll have to.)

Unlike all other 'calc' products it allows you to enter calculations in a language you understand. Plain English.

For example:

LINE 1 SALES=100, 150, 175, 210

LINE 2 EXPENSES=GROW 70 BY 15% FOR 4

LINE 3 NET=SALES-EXPENSES

LINE 4 CSALES=CUM SALES

COLUMN 5 YEAR=SUM OF COL 1 THRU COL 4

So it's much easier to use.


It uses the popular "spreadsheet" approach with a window that can be rolled in all directions.

Which means you can enter new figures and rules and

C.C.E. (Europe Étd.) (0454) 321088

immediately see their effect on everything else in the model.

It comes with the best manual on the market and it's suitable for most micros with a™CP/M 2.2 operating system, 64K of memory, giving at least 900 cells, minimum screen width of 80 characters and 2 floppy disc drives.



MUCH MORE POWER, NOT MUCH MORE MONEY

MasterPlanner is the most powerful spreadsheet system currently available with its increased matrix size, 2000-3000 cells on most 64K micros. (But at £245* it certainly isn't the most expensive.)

Consolidation of models, allows you to create separate plans for each department and then combine them into an overall company

Interlex 01-943 0968

Jarrogate Ltd 01-671 6321

MGE Systems Ltd 01-439 9617

Nokia (UK) Ltd 01-900 0421

Sumlock Bond 01-250 0505

Micronics Telesystems Ltd 01-263 6926

COMSHARE DEALERS

Abtest Ltd Aldershot EMS (UK) Ltd Transfec Ltd (0272) 277462 Bury St. Edmunds S.I.R.C.S. Ltd Services Ltd (0424) 439190

Brook Office Supplies Ltd

Cranbrook
The Soft Option U.K. Ltd.

Canterbury Kent Micro Systems Bedford MSC Hiland Ltd Julea Lld (0227) 830083

Benfleet Conquest Computer Sales Ltd (03745) 50861 Birmingham Accountancy & Computer Consultants (021) 236 3455

CPS (Data Systems) Ltd

Blackburn BEC Systems Services LId

Hitchin McVeigh Business Systems Ltd (0462) 50386

Dantedale Ltd 01-519 7004 Transam Computers Ltd 01-402 8137

> Whispix Ltd 01-556-9151 Louth Comput-A-Crop

ICEN Ltd (0225) 702133

Midhurst Wordskill Automation Ltd (073081) 6641

Navan S. Triple S Ltd (046) 28472

Richmond Tritech Computer Services 01-948 4213

Slough KGB Micros Ltd

Southampton Xitan Systems Ltd (0703) 38740

Thomas & Company Ltd (0534) 77700

West Byffeet Fergusson Com Ltd (91) 41830

tems start at £85.00. why you need or

plan. Data transfer to word processing and other systems lets you incorporate figures in reports and output to a data base. It also has extensive formatting facilities which means you can produce reports that wouldn't look out of place in the board room.

It can store up to 25 standard reports to run when you need them. It's got full WHAT IF? analysis and direct editing of both spreadsheet and logic display.

JUST AS EASY TO USE

All this increased power doesn't mean you'll need a degree in advanced computing to understand MasterPlanner.

It works on exactly the same system as PlannerCalc and models written on PlannerCalc run without modification on MasterPlanner

16 BIT VERSION

A new version of Master-Planner has been specifically designed for the 16 bit micros like the Sirius 1 under ™CP/M-86 or the IBM personal using either CP/M-86 or ™MS DOS 1.1. With a vast matrix size of over 7000 cells on 128K and even more with larger memory, you'll at last be able to make the most of your micro.

ULTIMATE POWER

Fastplan is the top Comshare micro planning system.

It's file-based, allowing development of large scale models; with a staggering 18,000 cell matrix; full financial functions plus backwards iteration, file input and output; and much more. Yet, because it can be menu driven it is easy to use. For the full story, tick the Fastplan box when you return the coupon.

OVER 10 YEARS EXPERIENCE

When you invest in MasterPlanner or PlannerCalc you're not just getting the best software money can buy.



You're also getting the kind of back up and after-sales service that only a company of Comshare's track-record can guarantee.

If you'd like to know more about any product, call in at your local dealer or fill in the coupon and send it to us. *Plus VAT and post & package.

Making the computer make sense.

Qty	Product Micro		Op System	Disc Size	K	Amount £ p.	
	PlannerCalc @ £99.50 (8 bit only)		CP/M 2.2	8"/51/4"			
	MasterPlanner @ £282.95		CP/M 2.2	8"/51/4"			
	MasterPlanner	IBM PC	MS DOS 1.1	8"/51/4"			
	MasterPlanner		CP/M-86	8"/51/4"			
All	prices include VA	T and postage	& packing	TOT	AL		
Ple	ase send me inforr	nation about l	Fastplan				
onele	ose a cheque/posta	al order for \pounds_{-}	made	payable to	Cor	nshare	Lto
encie	THE WAY I THE STATE OF	Card No.		for £_			
	debit my Access						
lease	debit my Access		Marine Control	for £_			

Please allow 28 days for delivery. VAT No. 238418649. Registered No. 980406. Comshare reserve the right not to accept any orders. Any acceptance will be subject to Comshare's terms and conditions. IBM PC - full range of products available, including colour monitor, Z80 card, Winchester up grade kits, and our

> UDM range of add-on boards. ACT Sirius - plus Epson

printer or equivalent, from £2395.

1.2/2.4/10Mb machines, software, hardware add-ons, call for full list.



free 12" monitor, MailMerge,


WordStar,™ C and M Basic,

dBase II, Super Calc, and CP/M.

SUPERBRAIN II from £1495,

full range from 320K to 36 Mb,

6Mb hard disk models £2795.





EPSON QX 10 - at £1730, plus Pearl & Peachtree software and our new range of Epson printers.

Microware

For Sales, Service, Maintenance, Advice. Phone 01-272 6237/6398 or Telex 297598.

637 Holloway Road, London N19 5SS.

THE BEST SELLER OF 1982



In 1982 the RICOH 1600S outsold every other comparable printer because of its speed, reliability, intelligence, flexibility and sophistication.

Because it is compatible with all known systems and software packages.

Because of the 12 month warranty that Micropute offer.

Because Micropute are a company who care, who are constantly aware of changing needs and who can fulfill any special requirements.

Not least of all, because of the price

In 1983, there will be thousands more satisfied customers. We hope that you will be one of them.

ONLY MICROPUTE GIVE YOU SUPERCOVER

As an extra bonus Micropute Supercover will provide a 12 month on site maintenance for only £99.00 parts and labour.

DON'T FORGET THE RICOH 1300S

...a little bit slower but every bit as clever.

Please send details of the RICOH 1600S and 1300S

Name:_____

Position: ______

Company: _____

Address:

_Telephone: _____

Circle No. 139

RP2



Micropute, Catherine Street, Macclesfield, Cheshire SK11 6QY. Tel: (0625) 615384.



hen one World beater meets another.

You're bound to recognise at least one of the beautiful products above. Miss Dominican Republic was chosen to supremely reign as Miss World 1983. Certainly, a World beater in her own right.

Then there's the QX-10. A fully integrated Desktop Microcomputer System. A new member of the world beating Epson family.

But there's more to the functional yet stylish lines of the QX-10 (just to prove that beauty isn't only skin deep). The lightweight CPU, monitor and Keyboard units are very easy to use – even for a first time operator.

You could say that our system takes all the hard work out of using software, and once used...you probably will. What's more, when it comes to cost you'll find there's more power for your money.

Just look at these qualities.

192k upgradable to 256k RAM, Z80A CPU. RS-232C and parallel interfaces. CP/M and multifont BASIC come as standard.

THE HUMAN COMPATIBLE BUSINESS MICRO

Extraordinary product. Exceptional quality.

Epson (UK) Limited, Freepost, Wembley, Middlesex HA9 6BR Freefone: 2730. Telex: 8814169.

For even more power – simply slot in up to 4 optional interface cards, for EEE 488, RS-232C, plus a universal interface card for developing your own prototype interfaces. Clock and calendar with full battery back-up complete the system. The QX-10 offers an incredible graphics capability. The 80 column x 25 line display has 640 x 400 resolution and full bit image control for greater definition, 16:1 zoom and special effects. Not to mention a unique split screen facility enabling different typestyles and graphics to be shown together. A major first for educational applications. So, at last there's a desktop microcomputer system that really works together. To really work for you. As with all the other respected Epson products, you are assured of high quality. (We even manufacture the slim line disc drives ourselves.) We call it compatibility. You will call it the incredible QX-10.

Address
Company
Position
Name
□ Please send me details and the name of my local stockist.
\square I would like a demonstration of the QX-10.

PC8/10

Six Thousand Nine hundred & Nine hundred & Ninety Pounds

3 USERS. 21 MBYTES WINCHESTER. 320K RAM.

AND YOU CAN ONLY GET IT FROM COMCEN

Look at that price again. We were a little skeptical at first, too. But after checking our totals we knew we'd finally done it: developed a multi-user, 8-16 bit obsolescence-proof hard-disk computer system, complete with dBase II,TM Super-Calc-86,TM and MP/M-86TM for under £7000. Expandability's a breakthrough, too. You can add four additional users for just £500 each, plus terminal.

IS IT 8 BIT OR 16 BIT? YES.

As you would expect of a COMCEN computer system, it can run any combination of 8 and 16 bit CP/M programmes simultaneously. So, on top of all the thousands of 8 bit CP/M programmes

available, you'll also be able to take advantage of any of the more powerful 16 bit programmes . . . and run them at the same time. And when we say it works, it really works.

STOP LOOKING. AND START CUTTING

Send us the coupon and we'll send you a brochure detailing all the advantages of going with COMCEN. Such as, our exclusive networking and multi-tasking telecommunications packages, our two year warranty and the benefits of selecting an IEEE 696/S-100 bus-based system.

There's lots more to tell, but if you're a business or technical professional looking for an obsolescence-proof, multi-user hard-disk computer system that features expandability and dependability, plus complete service and support at an incredibly low price, stop looking and cut the coupon. And by all means, wait for our brochure before you make any investment.

COMCEN Computer System 321 includes:

320K Static RAM Memory 8" DS/DD Floppy 1.2 Mb Formatted Winchester Drive 21Mb

Formatted (27 Mb Unformatted)
CompuPro Enclosure 2 With:

IEEE 696/S-100 bus 9 I/O Ports 20 bus Slots

dBASE II SuperCalc-86 MP/M-86

Terminals not included. Compatible with all standard RS-232 terminals and printers.

MP/M 8-16 is a proprietary implementation of MP/M-86 and was configured for CompuPro by Gifford Computer Systems CP/M and MP/M are registered trademarks of Digital Research. Super-Calc is a trademark of Sorcim. dBase II is a trademark of Ashton-Tate. CompuPro is a trademark of Godbout Electronics. Prices and specifications subject to change.

COMCEN Technology Ltd. authorised CompuPro Systems Centre.



COMCEN Technology Ltd.

45/46 Wychtree Street, Morriston, Swansea SA6 8EX

I'd like the whole story Please send me your brochure.

Name Title
Organisation

Town...... Phone

Please have a representative to call me.

COMCEN Technology Ltd. 45/46 WYCHTREE STREET, MORRISTON, SWANSEA SA6 8EX Telephone (0792) 796000 or (0792) 798337 (24 hours). Telex 48297 Joytel.

CAMEL PRODUCTS

BLOPROM-81

A uniquely sophisticated **EPROM PROGRAMMER**



In use at various labs incl. Sinclair Research

Eprom programmer for the 2516, 27XX single supply families, yes, even the 27128 from Intel. Check, Read, Program + Verify all or part of Eprom.

part of Eprom.

So immensely user friendly you'll hardly need the manual. Designed for the beginner but includes a single key entry route for the professional. Supplied as firmware, the m/c driver routine alone is worth more than the price of BLOPROM-81. No Personality Cards or other additions, just a ZX81. Several inbuilt safety features. Onboard Vpp generation. 28pin ZIF socket. Cabled connector and extender plug. ABS case.

Note: Can provide up to 36 inputs or 40 outputs as an 1/O

£79.95

NEW IN CMOS



4KB 2532/2732 replacement in fast (200nSec) CMOS RAM with Lithium battery backup. 12" cabled connector. For any system with a 24 pin Epromsocket £35.95

MEMIC 81.2 for the ZX81

000

MEMIC 81.2 for the ZX81
MEMIC-81.2 Faster than a Floppy. Easier than an EPROM. A 4K
CMOS memory and Lithium battery unit. Saves programmes up to
10 years without external power. Plug it into the ZX81 and flick a
switch and your program is ready for retrieval. A simple PRINT
USR . . . entry loads your program into RAM. Resides in 8-12K but
can be moved to 12-16K. Comprehensive notes + example£29.95

CRAMIC-81-2
Banish the Whir, Click and Try again of ZX81 Systems.
16K CMOS RAM and Lithium battery in cabled ABS case, with expansion adaptor.

Powers off the ZX81 when running. Resides in 16-32K. Can be used like an ordinary 16K but can also retain program up to 10 years. Ingenious hardware/software allows swopping of RAMs from program.

PIO-5P

An 8+8 line parallel Input/Output card which lest the Spectrum communicate with external systems. Rugged TTL chips used, Connections on 8 pin sockets. Mating connectors supplied. £18.50

PIO-81

As PIO-5P but for the ZX81

£13.00

DREAM-81

Full 64K Rampack with link options to disable 0-8-16K. Plus a 28 pin EPROM socket for 2716/2732/2764 and even the latest 27128 from Intel. Fast/slow Eprom option, professionally built and tested, 10 as ABS case with an LED indicator.

PROMER-81

last! A low cost reliable programmer for 2516/32, 2716/32 EPROMS. This is the solution to using EPROMs instead of tape. Required 4×PP3 batteries for a regulated 25 volts. Remarkably

ROM-81

STAI

Provides two 24 pin sockets for up to 8K of EPROM memory in the 8-16K area. Eproms are permanent memory which require programmers (see below) to write to them. Can use 2516/32 or 2716/32£14.95

PRINTER/MONITOR ACCESSORIES



MSB Monitor Stand for BBC micro. Sits over the Beeb 17"×12"×3.75" P+P£3.50 £19.95 £19.95

PSS Standard printer stands for OKI, Epson etc. 15"×12"×4.5" P+P £16.95

PSL Large model 17" × 14.5" × 3.75' P+P£3.50 £19.95

PSC-3 for Epson MNX-100 etc. 21"×14"×3.75". P+P£3.50 £22.95

CUSTOM PRINTER STANDS for larger printers P.O.A.

POT Printer Output Tray for 11" fanfold paper P+P £3.50 £16.95



UK, VAT extra. No VAT on exports P+P UK, Free Europe + 5% — Overseas + 10% UK & Worldwide dealerships available


ctronics Ltd., One Milton Rd., Cambridge. CB4 1UY

Tel (0223) 314 814 Circle No. 144



88 ST BENEDICTS STREET NORWICH NR2 4AB TELEX 975201 ACOMP G

SPECIALISTS IN BUSINESS COMPUTERS



• Circle No. 142

WANT TO KNOW ABOUT BUFFERS? ASK A>LINE

add high-speed memory to your system and cut print processing time

A>Line sell and specialise in buffers

...for EPSON & IBM PC Matrix Printers ...for APPLE II & APPLE III Computers

...for virtually every micro-computer and printer configuration. For example:

Plug-in buffers for EPSON & IBM PC printers

-E/BUFFER, UK made + 1 year guarantee, 2K (Serial only) £65 + VAT, total £74.75; 16K serial or parallel, £95 + VAT, total £109.25; 32K serial or parallel, £135 + VAT, total £155.25. Dealer and quantity discounts available on application.

MICROBUFFER 8K serial/16K parallel, ex stock £125 + VAT, total £143.75 post free.

• SPRIINTER in-line buffer, fully configurable for any combination of IEEE 488 (PET)/RS232C/Centronics parallel input and output, in 2K, 4K, 8K, 16K, 32K versions.

 GRAM, ACULAB, ACG, ORANGE MICRO, WESPER, INTERACTIVE STRUCTURES, etc. send for latest catalogue and price list.

A>Line Computer Systems

1 Church Farm Lane, Willoughby, Waterleys, Leicester, LE8 3UD. Tel. 0537-58486

PLEASE NOTE OUR NEW ADDRESS

Circle No. 143

INTER



MEMOREX MEDIA

Circle No. 145

JANUS

file transfer program

CP/M



OC MS DOS

JANUS supports wildcard transfers, and even allows the receiving disc to be changed when full. JANUS requires no installation.

> Price £80. Dual licence £120 + VAT, post free in U.K.



KEELE CODES LTD University of Keele, Keele, Staffs, Tel: (0782) 629221

Circle No. 146

A good idea worth sharing. Custom **Keypanel Kits** for the Spectrum and now the



with a Custom Keypanel Kit.

Precision die-cut panels fit perfectly over your keyboard and create an instant and individual reference to all your software.

Each kit comes in a clear plastic wallet and contains: 10 matt black Keypanels plus sheets containing over 140 self-adhesive command labels, pre-printed with words and symbols – arrows, left, right, FIRE!, POWER!, etc, plus a sheet of blanks for your own designs.

SPECTRUM Keypanels (96 x 224mm)
Self-adhesive label sets are printed in 'Spectrum' bright red. A must for flight simulation and all multi-key games and applications, the first add-on for your Spectrum.

ORIC Keypanels (105 x 275mm) Self-adhesive label sets are printed in 'ORIC' light blue. Master those CTRL and ESC key combinations and create a reference to all ORIC's keyboard functions.

NOW in super ML PLASTIC. We despatch to you first class post by return. *Subject to stock availability

Post today to Softeach Limited, 25 College Road, Reading, Berkshire, RG6 1QE.

Please send me:

ORIC Keypanel Kits at £4.95 + 35p p&p each (overseas should add 25% for additional surface mail)

Lenclose a total remittance of &..cheques/postal orders payable to Softeach Limited.

NAME .

ADDRESS

MAILBOX

Inter User Communication for both CP/M and MP/M (Digital Research)

Features	CP/M	MP/M
Time and Date Stamping	As Input	Automatic
Message, Length (Lines or files)	<64000	<64000
Text File Inclusion	Yes	Yes
Specific or All Users	Yes	Yes
Multi-Disk Access	Yes	Yes
Record Locking	N/A	Yes
Multi-user Access	N/A	Yes

Available in 8" Single Density and many other Formats

£48.00p

VAT & Postage already included. Send cheque or use VISA/Barclaycard



Starwest

Computer Services Limited

20 Lime Street, Bedford Tele: (0234) 213547

● Circle No. 148

WORD PROCESSING AT A PRICE YOU CAN AFFORD

Olivetti: ET121



- *Daisywheel electronic Typewriter/Printer
- *KSR Serial Interface with memory
- *Software & Hardware Handshaking Protocol
- *Print speech of up to 45cps.

Probably the most versatile typewriter an office can buy

Other Daisywheels and Dotmatrix Printers at unbeatable prices

Smith Corona Ricoh Qume Mannesman Tally Microprism Oki microline Let Epson

 Seikosha GP100 = £175
 RX80 = £285

 Seikosha 250X = £235
 FX80 = £375

 Add VAT but Free delivery within 50 miles

ASCO BUSINESSES

43 Windmill Way, Reigate, Sy RH2 0JB Tel: (07372) 48055

Circle No. 149

GIVE YOUR VIC20 & 64 IEEE PLUS RS232

VIC and 64 users

Would you like to be able to access **any** of these peripherals from your computer?

- ½ megabyte disks (Commodore 4040 drive)
- 1 megabyte disks (Commodore 8050 drive)
- 10 megabyte disks (Commodore 9090 hard disk)
- Printers including a wide range of inexpensive IEEE and RS232 matrix and quality printers
- IEEE instruments such as volt meters, plotters etc.

Now you are no longer limited by the VIC or the 64's serial bus. Simply by attaching INTERPOD you can vastly increase the power of your VIC 20 and when used with the new 64, INTERPOD turns the computer into a really powerful system.

With INTERPOD the VIC and 64 become capable of running really professional quality software such as Word-processing, Accounting, Instrument control and many more.

INTERPOD will work with any software. No extra commands are required and INTERPOD does not affect your computer in any way.

Using INTERPOD is as easy as this:

Simply plug INTERPOD into the serial port of your computer, power-up and you are ready to communicate with any number of parallel and serial IEEE devices and any RS232 printer.

(INTERPOD

Oxford Computer Systems (Software) Ltd. Hensington Road, Woodstock, Oxford OX7 1JR, England Tel. (0993) 812700





Inside...
Latest prices round-up...
Latest software...
Order form...

Introduction

One thing's certain about the Sinclair world - there's never a dull moment.

Every month sees new software and new hardware, produced by Sinclair enthusiasts, or produced by Sinclair itself.

The magazines do a fantastic job of keeping you up to date with the input of enthusiasts. We want to keep you in touch with Sinclair's own developments.

Every month, there'll be a Sinclair

Special in this magazine.

Sometimes, inevitably, there won't be anything new to say - we want to break away from the breathless announcements of hardware and software you just can't buy


But when something new is available, we want you to have accurate information - fast. You'll find it here.

This month, we're giving you the latest information on the recommended retail prices of Sinclair equipment. They're our prices, and you may well find things cheaper (or dearer) in the shops. If they're cheaper-terrific! Snap them up. Note, however, that from us the ZX81 is down to £39.95.

We're also announcing six superb new Sinclair cassettes for the Spectrum, and three more which make full use of the ZX81. There's an order form at the back of this Special.

Next month...but there, next month is another story! Watch (as they say) this space.

Nigel Searle. Managing Director. Sinclair Research Ltd.



Spectrum-latest recommended retail prices.



16Kwas £125.00 16Know £99.95 48K was £175.00 48K now £129.95

ZX Printer was £59.95 ZX Printer now £39.95 ZX81 was £49.95 ZX81 now £39.95



Six new ways to make more of your Spectrum.

Take a look at these brand-new titles. Each is an outstanding new program using the full potential of the Spectrum, for games with stunningly animated graphics, for strategies of fiendish cunning, for masterly applications of computing capability...

Cyrus-IS-Chess Based on the Cyrus Program, which won the 2nd European Microcomputer Chess Championship and trounced the previously unbeaten Cray Blitz machine. With 8 playing levels, cursor piece-movement, replay and 'take-back' facilities, plus two-player option. The 48K version has many additional features including an extensive library of chess openings. For 16K or 48K RAM Spectrum.

Horace and the Spiders Make your way with Horace to the House of Spiders, armed only with a limited supply of antispider-bite serum. In the house, destroy the webs before the spiders can repair them. Then destroy the spiders, before they destroy Horace! Undoubtedly the creepiest Horace program ever produced! For 16K or 48K RAM Spectrum.

Computer Scrabble The famous board game, on-screen – with the whole board on view! A huge vocabulary of over 11,000 words. Full-size letter tiles, four skill levels – the highest of which is virtually unbeatable. For 1 to 4 players. For 48K RAM Spectrum.

(SCRABBLE trademark and copyright licensed by Scrabble Schutzrechte und Handels GmbH – a J.W. Spear and Sons PLC subsidiary.)

Backgammon A fast, exciting program, with traditional board display, rolling dice and doubling cube. Four skill levels. For experts – or beginners. (Rules are included – it's the quickest way to learn the game.) For 16K or 48K RAM Spectrum.

FORTH Learn a new programming language, as simple as BASIC, but with the speed of machine code. Complete with Editor and User manual. For 48K RAM Spectrum.

Small Business Accounts Speeds and simplifies accounting work, produces Balance Sheets, Profit and Loss information and VAT returns. Complete with User manual. For 48K RAM Spectrum.

Overleaf-your Sinclair order form.

Three new ways to get the best out of your ZX81.

The range of Sinclair software for the ZX81 continues to grow.

These three new cassettes offer two totally different challenges to you and your ZX81. The games – like so many ZX81 games today – really do use the ZX81's capability. The FORTH program is a fascinating extension of your own computer understanding.

Sabotage Defender or attacker? The choice is yours in this exciting game.

Be the Guard and defend the randomly placed boxes of ammunition inside the compound – or be the Sabateur and attack the ammunition!

Written by Macronics for a ZX81 with 16K RAM. Cassette price: £4.95.

City Patrol You are the Commander of a laser-firing ship. Your task is to intercept and destroy alien suicide ships descending on your city. Judge your rating as Commander by how many aliens you destroy and how much of your city survives

Written by Macronics for a ZX81 with 16K RAM. Cassette price: £4.95.

FORTH Discover a new programming language which combines the simplicity of BASIC with the speed of machine code.

FORTH's compiled code occupies less than a quarter of the equivalent BASIC program and runs ten times as fast. It is fully extendable by the addition of user-defined commands.

Free User-Manual and Editor Manual with each cassette.

Written by Artic for a ZX81 with 16K RAM. Cassette price: £14.95.

Signature

Address



How to order

Simply fill in the relevant section(s) on the order form below. Note that there is no postage or packing payable on Section B. Please allow 28 days for delivery. Orders may be sent FREEPOST (no stamp required). Credit-card holders may order by phone, calling 01-200 0200 24 hours a day. 14-day money-back option.

SIMPLE

Sinclair Research Ltd, Stanhope Road, Camberley, Surrey, GU15 3PS. Telephone: (0276) 685311.

ZX Spectrum - 16K 3002 99.95 G22/S:E ZX 81 (including 1.2A Mains Adaptor) 1003 39.95 G23/S:C 16K RAM pack for ZX81 1010 29.95 G24/S:F ZX Printer 1014 39.95 G25/S:S 1.2A Mains Adaptor, for use with 1002 7.95 L1 /S:F		5.95 9.95 5.95 15.95	Total £
Qty Item Code £ £ Qty Cassett ZX Spectrum - 48K 3000 129.95 FOR SPI ZX Spectrum - 16K 3002 99.95 G22/S:E ZX 81 (including 1.2A Mains Adaptor) 1003 39.95 G23/S:C 16K RAM pack for ZX81 1010 29.95 G24/S:F ZX Printer 1014 39.95 G25/S:S 1.2A Mains Adaptor, for use with ZX81 computer/ZX Printer com- 1002 7.95 L1 /S:F ZX81 computer/ZX Printer com- B6 /S:S	ECTRUM Backgammon 4021 Cyrus-IS-Chess 4023 Horace & the Spiders 4022 Scrabble 4024	£ 5.95 9.95 5.95 15.95	
ZX Spectrum - 16K 3002 99.95 G22/S:E ZX 81 (including 1.2A Mains Adaptor) 1003 39.95 G23/S:C 16K RAM pack for ZX81 1010 29.95 G24/S:F ZX Printer 1014 39.95 G25/S:S 1.2A Mains Adaptor, for use with ZX81 computer/ZX Printer com- 1002 7.95 L1 /S:F	Backgammon 4021 Cyrus-IS-Chess 4023 Horace & the Spiders 4022 Scrabble 4024	9.95 5.95 15.95	
ZX 81 (including 1.2A Mains Adaptor) 1003 39.95 G23/S:C 16K RAM pack for ZX81 1010 29.95 G24/S:F ZX Printer 1014 39.95 G25/S:S 1.2A Mains Adaptor, for use with ZX81 computer/ZX Printer com- 1002 7.95 L1 /S:F	Cyrus-IS-Chess 4023 Horace & the Spiders 4022 Scrabble 4024	9.95 5.95 15.95	
16K RAM pack for ZX81 1010 29.95 G24/S:F ZX Printer 1014 39.95 G25/S:S 1.2A Mains Adaptor, for use with ZX81 computer/ZX Printer com- 1002 7.95 L1 /S:F ZX81 computer/ZX Printer com- B6 /S:S	Horace & the Spiders 4022 Scrabble 4024	5.95 15.95	
ZX Printer 1014 39.95 G25/S:S 1.2A Mains Adaptor, for use with ZX81 computer/ZX Printer com- 1002 7.95 L1 /S:F B6 /S:S	Scrabble 4024	15.95	
1.2A Mains Adaptor, for use with ZX81 computer/ZX Printer com- 1002 7.95 L1 /S:F B6 /S:S		100000000000000000000000000000000000000	
ZX81 computer/ZX Printer com-	FORTH 4400	1405	
ZX81 computer/ZX Printer com- B6 /S:S		14.95	
	Small Business Accounts 4605	12.95	
TOR 2A		105	
	Sabotage 2124	4.95	
Postage and packing: orders under £90 0028 2.95 G24: 0	City Patrol 2123	4.95	
orders over £90 0029 4.95 L1: F	ORTH 2400	14.95	
TOTAL £		£ JATOT	

Mr/Mrs/Miss



NNINGTE

It takes a precision throw to hit target and an accurate decision to choose the correct printer to suit your requirements.

CAE makes your choice easier with the winning treble.

MICROPRISM

The new MicroPrism printer is produced for 'triple top' accuracy – that means quality text at low cost. Basic specification includes 80 cps correspondence quality and 110 cps data with high resolution 84 x 84 d.p.i graphics. The MicroPrism will also accept letter headed or pin feed paper.

PRISM 80 & 132

Small but efficient the Prism 80 & 132 Matrix printers are right on target. Ideal

for personal and business use, producing a quality performance every time.

Both provide the speed you require, operating at up to 9600 baud and printing at 200 cps offering the flexibility to match immediate and future needs.

Optional features include high resolution graphics, 250 sheet hopper and FULL COLOUR.



Teleprinter Equipment Ltd

Akeman Street, Tring, Herts HP23 6AJ
Tel. Tring (0442 82) 4011/5551International Tel.+44 44282 4011/5551
Telex: 82362

Associated Companies GADC/CAE/ME



MICROPRISM

Please send tul de ails of the Prism tange of princes.

Printers for beginners


Jack Schofield looks at why you might want a printer, and what to look for when it comes to choosing one.

ONE OF the more amusing aspects of microcomputing is the so-called electronic or paperless office. In fact, the average microcomputer in business is hooked up to at least one printer to produce hard copy on paper. Reams and reams of the stuff.

Even in the home, the microcomputer used for serious purposes quickly acquires a printer of some sort as a peripheral. At first the printer is used for listing programs: they are easier to check against printed listings than by comparing them with the screen. The paper listing is also easier to debug when you can see more than 24 or 40 lines of code. Your printed listing can even be submitted for publication in your favourite magazine.

Later the printer is used to print results for future use. It might be a simple shopping list or your household accounts, an index of your butterfly collection, or whatever. At this level, of course, the print quality does not matter much; if it is legible, it is useful.

More advanced uses often mean better-



Qume daisywheel — as pictured in colour on the cover of this issue.

quality printing is required. You can use a micro to write love letters, or complaining letters to your bank manager. In either case the recipient is unlikely to be impressed if it comes on the sort of narrow silver paper

produced by the Sinclair printer. For complex graphs and charts, or impressive pictorial effects, a graphics printer or plotter is required.

In business, printers are essential, not optional. A good accounting package will, for example, allow if not enforce the printing out of a complete record of the transactions, both for the auditor and your own peace of mind. Discs are fragile. Data does become corrupted and lost. Printers are useful too for writing cheques and sending out invoices, statements and letters.

There are a great many printers available to fulfil these needs. The first step in choosing one, however, is to identify and cost the application. You must identify it specifically because some applications will require particular facilities. For example, you may need to print on standard headed notepaper or produce extra-wide business plans or accounts.

You may need to be able to print scientific formulae with unusual characters

Suppliers



ACT

Dot-matrix and daisywheel models. ACT House, 111 Hagley Road, Birmingham B16 8LB.

ANADEX

American dot-matrix models. Anadex, Weaver House, Station Road, Hook, Basingstoke, Hampshire.

BROTHER

Cheap 16cps daisywheel. Brother, Jones and Brother, Shepley Street, Manchester.

CANON

Advanced colour ink-jet model under £600. Canon (U.K.), Waddon House, Stafford Road, Croydon.

CENTRONICS

Dot-matrix and daisywheels. Centronics, Petersham House, Harrington Rd, Lon don SW7.

CPU PERIPHERALS

Daisywriter. CPU peripherals, Rodd Industrial Estate, Govett Avenue, Shepperton.

DATA PRODUCTS

Dot, daisy and a thermal printer. Micro Design, 40 West Street, Crewe, Cheshire.

DATAC


40-column dot-matrix and tallyroll printers. Datac Ltd, Tudor Road, Altrincham, Cheshire.

DEC

Supplied with DEC micros or separately. Digital Equipment Co. Ltd, Imperial Way, Reading Berkshire.


DIABLO

Major daisywheel maker, a Xerox Company. Printers supplied by Rapid Recall, Rapid House, Denmark Street, High Wycombe, Buckinghamshire.



EPSON

Japanese leader in dot-matrix printers. Epson (U.K.) Dorland House, 388 High Road, Wembley, Middlesex HA9 6UH.



FACIT

Famous Swedish company with dot-matrix and daisywheel printers, supplied by Advent Data Products, Merlin Way, Bowerhill Industrial Estate, Melksham, Wiltshire.



GENERAL ELECTRIC

American dot-matrix maker. ISG Data Sales, Unit 5, Wellington Industrial Estate, Basingstoke Road, Spencers Wood, Reading, Berkshire RG7 1AW.


INTEGREX

Dot-matrix colour printer using three-colour ribbon. Integrex, Church Gresley, Burton-on-Trent, Staffordshire.

LOGABAX

Dot-matrix printers. Technology for business, 157 Farringdon Road, London EC1.

Printers and plotters



If you have an electric typewriter it can probably be converted to a slow but high-quality printer. The Printer-Adaptor is shown here under an IBM Selectric. It adds parallel and serial interfaces, and the facility to program control codes. The supplier is Pontoppidan (U.K.), 11 Hunterhill Road, Paisley, PA2 6SR, Scotland.



An acoustic hood can be invaluable in a busy office, reducing printer noise by about 80 percent. Nowadays hoods are available to suit most popular printers. The THS Model 1190 is shown here with a Qume daisywheel printer. The hood costs £235 from THS Data Products, 11 Techno Trading Estate, Bramble Road, Swindon, Wiltshire.

and sub- and superscripts. You may need to draw graphs, or produce "correspondence quality" letters which look typed rather than computer printed. Having identified such needs, you have to cost them. Is there a printer which will do what you want at a price you can afford?

Assuming you have done all this, the rest of this article will describe, in general terms, what is available and what the terms

Impact. The most obvious way to get a computer to make an image on paper is to do it the same way as a typewriter, using impact printing. A type element with a raised image strikes a ribbon against the paper, leaving behind its outline in ink.

It is tempting simply to connect a printer to a suitable typewriter. By and large this can work reasonably well as long as high-speed printing is not required. However, typewriters are generally not built to withstand the sort of punishment they get when attached to a computer, so this is not a serious option except for the home user.

Dot-matrix printers. To cope with computer speeds, two developments were made: dot-matrix and daisywheel printers. They produce quite different types of character.

The character on your video screen is made up of a collection of dots on a matrix. The dot-matrix printer works the same way. The print head consists of a set of pins, each of which can be fired at the ribbon. The pins are selected to form the character required.


The quality of the dot-matrix image depends mainly on the number of pins. A five by seven matrix is cheapest, but not enough to provide proper descenders on letters like q, p, j and y. A seven by nine matrix provides a better result, and a nine by 14 better still. Dot-matrix printers have the advantage of being reasonably cheap and fast.

Daisywheel printers. Because the golfball type of printer is too slow for computer printers the daisywheel was invented to replace it. The letters are on the end of fine

(continued on next page)



LUCAS LOGIC
Dot-matrix printer. Lucas Logic,
Welton Road, Wedgnock
Industrial Estate, Warwick.



MANNESMANN-TALLY German dot-matrix printers. Mannesmann-Tally, Molly Millars Lane, Wokingham.



MICROPERIPHERALS
Dot-matrix and cheap Juki
daisywheel printers.
Microperipherals, The Street,
Basing, Basingstoke, Hampshire
RG240BY



NEC
Japanese maker of Spinwriter
series. Thame Systems, Thame
Park Industrial Estate, Thame,
Oxfordshire.

NEWBURY DATA

Large supplier of dot-matrix and daisywheel printers, mainly to OEMs. Newbury Data, Hawthorne Road, Staines, Middlesex TW18 3BJ.

OLIVETTI

Interfaced typewriters and dotmatrix printers. Olivetti, PO Box 89 86-88 Upper Richmond Road, London SW15.

OLYMPIA

Interfaced typewriter and daisywheel. Supplied by Intelligent Interfaces, 18 Central Chambers, Wood Street, Stratford upon Avon, Worcestershire.

PERIPHERAL HARDWARE

Suppliers of AES daisywheel and Oki dot-matrix printers. Peripheral Hardware Ltd, Unit 13, Monkspath Industrial Park, Highlands Road, Shirley, West Midlands.

QANTEX


Fast dot-matrix printer.
Mellordata, Woodgates Road,
East Bergholt, Colchester.

RICOH

Japanese daisywheel printers sold under the Flowriter and OEM labels. Appropriate Technology, 2-4 Canfield Place, London NW6.

QUME

ITT subsidiary and leading maker of daisywheel printers. ISG Data Sales, Unit 5, Wellington Industrial Estate, Basingstoke Road, Reading, Berkshire.



SANYO

Cheap 16cps daisywheel printer. Sanyo Marubeni (U.K.), 8 Greycaine Road, Greycaine Estate, Watford, Hertfordshire.

(table continued on next page)

Printers for beginners

(continued from previous page)

spines around a hub — as shown on the cover of this issue. The daisywheel works by impact in the same way as a dot-matrix printer, but gives a typewriter-quality result. Average speeds are rather slower than with dot-matrix printers: 30 to 50 characters per second is typical, compared to 80 or so.

Thermal and electrostatic printers. These are a variation on dot-matrix printers, but use special paper instead of ink from a ribbon. Thermal printers use tiny spark plugs to burn away an aluminium coating on the paper so that the black underneath shows through. The Sinclair printer is the most common example of this type. Such printers are usually small, and allow only 20 to 40 characters a line, but they are cheap and are also quiet.

The laser printer is a relatively rare beast that uses a laser to burn a row of dots on a sensitised drum. The image is then transferred to paper by electrostatic means, just as in a photocopier.

Ink-jet printers. Ink-jet printers use tiny droplets of ink to form the letters. This is a fast way to print as the system does not have to cope with the mechanical inertia of normal dot-matrix printers. It is possible to print in colour just by having different coloured inks, which is much easier than using coloured ribbons.

Until quite recently ink-jet colour printers have been far too expensive for most people to consider, but Canon has



Daisywheel printers are required for high-quality correspondence, but tend to be either very slow or very expensive. The Olympia ESW-3000RO offers a good compromise: it prints bidirectionally at up to 50cps and costs around £1,100 plus VAT. Tractor feed and a single-sheet feeder are optional extras. The supplier is Olympia Business Machines Ltd, Olympia House, 199-205 Old Marylebone Road, London NW1 5QS.

recently launched a model at under £600. Others are sure to follow.

Print quality. Thermal printers give the lowest print quality, dot-matrix printers give medium quality, and daisywheel printers give typewriter-quality results. There is also a trade-off between speed, print quality and price. Higher speeds and better quality cost more.

Versatility. Of the two important types of printer, the dot-matrix is more versatile than the daisywheel. The daisywheel can provide different character sets because you can simply change the wheel; the dot-matrix printer can be programmed to produce a wide range of character styles in

software. The dot-matrix can easily provide condensed and expanded characters, or more readable emphasised characters by double striking.

Many dot-matrix printers can also print graphics, as long as each pin can be fired individually, not just in character patterns. Both types of printer may offer proportional spacing, which means that narrow letters like i take up less space than wide ones like w.

Print width. A cheap printer may only print 20 to 40 characters per line. For serious use printing at 80 full-size characters per line on A4-width paper is

(continued on page 69)



TOSHIBA

Japanese dot-matrix printer with letter-quality mode. Thame Systems, Thame Park Industrial Estate, Thame, Oxfordshire.

TREND

Fast dot-matrix printers. Trend Communications, Knaves Beech Estate, Loudwater, High Wycombe, Buckinghamshire.

TRIUMPH ADLER

Daisywheel and dot-matrix models from Triumph Adler, 27 Goswell Road, London EC1.

WALTERS MICROSYSTEMS British dot-matrix printer manufacturer. Impact Data, 1 Chilton Road, Edgware, Middlesex.

ZENITH DATA SYSTEMS American dot-matrix printer. Zenith Data Systems, Bristol Road, Gloucester.

ACT WRITERS ~right for you

The ACT Writer range is an exciting and comprehensive new series of business printers, graph plotters, and accessories from ACT, one of the UK's leading computer companies.

Designed to fulfill a wide variety of user needs the printers range from the portable, inexpensive ACT Writer 10 to the super fast near letter quality ACT Writer 20.

Whatever your particular requirements, you can

Whatever your particular requirements, you can be sure of finding a printer that is just right for your system (and your budget). Whether it's word or data processing, high speed or letter quality output, sheet fed or continuous stationery – there's an ACT Writer ideal for the job.

Also in the Writer range are the new 80 and 81 plotters, setting new standards in price/performance. Capable of precise, high quality four and six colour illustration, there is a choice of both drum or flat-bed type.

Compatible for use with virtually any computer system, each product is backed by the full ACT Warranty. And you can expect immediate ex-stock delivery.



ACT (Office Products) Limited
Freepost, Halesowen, West Midlands B63 IBR or call 021-5012284

for the right printers

The second of th

EMULATION

.....so versatile

ERGONOMICS

.....so irresistible

SO! the whole office wants them.

Now Qume offers a line of three terminals that help you face every one of your company's needs: The Qume QVT® series.

The low-cost Qume QVT 102 has all the best features of the four most popular terminals and can emulate all four with a keystroke! QVT 103 is code compatible with DEC VT100/131 and offers 80 or 132 character/line, split screen and up to four pages of memory. And QVT108 faces up to the most demanding jobs with 22 function keys, 13 editing functions and 2 pages of memory.

Qume QVT terminals all share striking ergonomic design. Tilt/swivel screens in green or amber, with screen save. Detached, low profile keyboards with palm rest and sculptured keys. Big 9 x 12 character cells. And a long list of other features to make people more comfortable and productive.

AUTHORISED DISTRIBUTORS

Access Data Communications Ltd., Uxbridge, Middlesex. Tel: (0895) 59781

Bytech Ltd., Earley, Reading, Berks, Tel: (0734) 61031

ISG Data Sales Ltd., Reading, Berks, Tel: (0734) 884666 Alphatech Computer Systems Ltd., Bourne End, Buckinghamshire. Tel: (06285) 28237

Daisy Terminals Ltd., Haywards Heath, West Sussex. Tel: (0444) 457546 London Office – Tel: 01-434 2821



Qume (UK) Limited,

Bridgewater Close, Reading, Berkshire RG3 1JT. Tel: Reading (0734) 584646. Telex: 849706

A British Company of ITT

ACT PLOTTERS for the best laid plans

Two brilliantly versatile graph plotters are now available from ACT, one of the UK's leading computer companies.

Startling quality and accuracy are achieved through the usage of the very latest techniques at a price that brings four or six colour output well within the reach of every computer user. The ACT Writer series is quick and easy to use, quickly converting scientific, technical, accounting, manufacturing or marketing data into clear, sharp 'publication-quality' plots on either paper or transparent film. There are currently 2 models available, each

fitted with industry standard parallel and serial interfaces to permit easy connection to a wide variety of computer systems.

ACT WRITER 80

A compact, space-saving roll-type plotter capable of high speed, high quality character and graphics illustration. It is an ideal tool for small graphics systems and cost sensitive applications.

A range of intelligent commands for circles, arcs, curves and lines are included.

Four pen stables are provided with automatic colour selection. Simple manual change allows further colours to be introduced for complex multicolour illustrations.

ACT WRITER 81
A versatile six colour flat-bed plotter offering an efficient combination of high contrast graphics, sharp text and fast operation.

Six interchangeable plastic pens (water or oil based) allow sophisticated designs to be created. All pens are software selectable.

Both letter size and full size plotting areas can be specified, together with a choice of horizontal format or vertical format for printer use. Simple command codes are provided for automatic axis plotting.

ACT Writer 81 Six colour flat-bed plotter

ACT Writer 80 Four colour roll-type plotter



ACT (Office Products) Limited Freepost, Halesowen, West Midlands B63 IBR or call 021-501 2284

Distributed in the Republic of Ireland by Orbis Computing.

Please send me the latest information on ACT Graph Plotters.

Name

Position

Company

Address

Telephone

FACT With internal microprocessor, 8K buffer store and total compatibility, the Ricoh Flowriter range has proved itself the most intelligent and reliable range of printers on the world

FACT Ricoh Flowriters can assume the characteristics of any popular 'intelligent' printer and plug into any hardware configuration.

FACT Ricoh Flowriters perform all your processing and printing needs while leaving the host computer free for other

FACT Ricoh Flowriters do all this, give you exceptional print quality, yet cost the same as ordinary daisy wheel printers! Built-in proportional spacing tables

Automatic margin justification, even on proportional

■ 128-character printwheels, wide choice of fonts

Wide range of accessories – sheetfeeds, tractor feeds, ribbons, printwheels

Detachable keyboard option for using Flowriter as an intelligent typewriter or KSR terminal

For intelligent printing that frees the host computer and gives you exceptional print quality and speed, find out more about the Ricoh Flowriter - the printer that knows it's a computer, yet costs the same as those that aren't!



The Ricoh

Printers and plotters

Printers for beginners

(continued from page 64)

essential. An 80-character dot-matrix printer should also offer 132 characters per line with condensed characters, which may be vital for printing out the results of spreadsheet calculations. For screen dumps, the printer should offer at least as many characters as your screen.

When it comes to dot-image printing there may not be much to be gained from a printer which can print a higher resolution than is offered by your microcomputer.

Intelligence. Intelligent printers are better than downright stupid ones, and intelligence can be shown in a number of ways. For instance, a printer is dumb if it wastes time doing nothing during a carriage return.

A smarter printer remembers a whole line at a time and provides bidirectional printing. That is, it prints lines from right to left then from left to right in turn. It may also be logic-seeking, which means it attempts to print the shortest line. A logic-seeking or space-skipping printer is useful for printing, say, forms or invoices. It skips all the unwanted spaces and moves straight to the next print position.

An intelligent printer will often have a larger memory or print buffer. It accepts a lot of text from the computer and prints it at its leisure instead of making the micro feed it a line at a time.

Paper. There are two basic forms of

paper feed: friction and tractor. A tractorfeed printer has toothed wheels to carry the paper through the printer and requires corresponding sprocket holes in the paper. This kind of paper often comes in flat sheets joined with perforations: it is called fan-fold paper. The sprocket holes may also be on perforated strips which can be torn off so that single sheets of paper result. If the perforations are micro-perforations, the edges may have a reasonably smooth finish.

Both cheaper and more expensive types of printer use friction feed. The pressure of a single roller carries the paper through the printer. The problem is that the paper tends to slip and skew, leading to disaster. Rolls of paper work reasonably well when they are narrow.

Companies often want to print on their standard headed letter paper, and this means adding a cut-sheet feeder to the friction-feed printer. Otherwise you have to feed each sheet by hand. These feeders are generally expensive and tend, in real life, to be not wonderfully reliable. One solution is to have single sheets attached to fan-fold paper. This requires special printing of the top sheets, which is economical in quantity.

Interface. Obviously, when choosing a printer, it must link to your computer. This link involves more than the physical connection, which can be tedious in itself. It also means that the characters your computer sends to the printer will be correctly interpreted by it. Unfortunately most computers seem to have their own version of control codes, and so do printers. Getting the two to work together can take even an expert weeks. A separate feature in this special section describes some of the problems.

The safest option is to buy your computer manufacturer's brand of printer.


This will probably be a standard printer which has been badge engineered — only the badge is different. Thus the IBM PC printer is actually an Epson MX-80.

Another idea is to buy the printer from the same dealer who sold you the computer, if he can demonstrate the two working together. Otherwise you can get into a situation where the printer man says it's the computer that is at fault, and the computer dealer says it's the printer. Alternatively they may both blame the software. You have been warned.


Cost and other factors. Many other things must also be considered when choosing a printer. These include noise, convenience and cost. Most printers are noisy, and to use one a busy office may require you to add an acoustic hood as a silencer. Convenience factors include the ease with which ribbons can be changed. Also, can you change the Dip-switch settings, if any, without removing the case? Dip switches may be used to set the line spacing, form length, character set, etc., though they should also be software selectable.

Your analysis of the cost of a printer should also include the cost of any cables, any stand required, the cost of special paper, if required, and the likely cost of replacement ribbons. Businesses must also consider the cost of a maintainence contract.

To judge by the quality of the results that arrive daily in this office, most printer users cannot afford ribbons. A useful tip for new users is to print a test with a new ribbon and keep it handy for comparison with later results. For the rest, some 95 percent of printer users could dramatically improve the quality of their results not by buying a super new printer, but by — please! — just investing in a box of new ribbons.



The LA-50 is a typical modern dot-matrix printer which can produce a variety of type styles with a seven by nine matrix, plus bit-map dot-addressable graphics. It prints at 100cps bidirectionally. In the enhanced typeface it overprints to provide a 13-by-nine dot character at 50 cps. It has both tractor and friction feed and can handle fan-fold, single sheets and rolls of paper. The LA-50 is from DEC but can be supplied for most small micros by Rapid Terminals, Rapid Recall Ltd, Rapid House, Denmark Street, High Wycombe, Buckinghamshire HP11 2ER.



An unusual but useful accessory for those producing a lot of hard copy is the Micro-Burster Model FT2K. It automatically separates fan-fold paper into individual sheets, and an optional accessory removes edge sprockets. The supplier is Advanced Media Ltd, Unit H, St Anthony's Way, Faggs Road, Feltham, Middlesex TW14 ONH.

NEARLY TWO YEARS AGO an ink-jet printer arrived in this office for testing. It was supposed to print at high speed, but unfortunately in attempting to keep up with the print head the rather less nippy pin-feed platen turned the paper into handfuls of confetti.

For Chris Bidmead this is the ink-jet printer with a difference — it works.

It is not easy to write an interesting review of a printer that will not actually print, so I invited its manufacturer to take the machine away and bring it back when the problem had been sorted out. I have not heard from them since.


So you can imagine that the term "inkjet printer" echoed somewhat hollow in my ear when I heard it again at the end of last year, this time from Olivetti. It quickly became clear, however, that this is an ink-jet printer with a difference. For one thing it works - with some reservations I will come to later.

Putting aside the unfortunate connotations in this office, I would not be inclined to call the Olivetti JP-101 an inkjet printer at all. For one thing, it does not actually use ink - the marking medium is a small carbon rod encapsulated in glass. Its full name is "spark ink-jet printer": the black dots are built up on the paper by a small electric discharge running from the tip of the carbon rod through the paper to an earthing plate behind it. The discharge carries over a tiny quantity of the carbon and bonds it to the paper.

This novel technology results in the smallest and lightest print head I have ever seen on an 80-column printer. There is virtually nothing to it except the replaceable carbon element, which weighs about one

gram. It looks like a 2in. nail bonded to a small plastic mount, and four of them come in a container the size of a matchbox.

You may have noticed that the 19thcentury adage "build it solid, build it big" has gone out of the window in recent years, at least as far as computer peripherals are concerned. It is not simply the recession that is driving designers to pare down their products. We are coming to realise that a kind of Occam's razor applies to hardware as much as to philosophy. "Less" is better



The replaceable carbon element weighs about one gram and is bonded into a small plastic mount.

This is a test of the Olivetti Ink Jet by Chris Bidmead

test OF the Olivetti Ink Jet printer for This is a test of Computing". the Olivetti Ink for "Practical Computing". This is a test of the Jet printer for "Practical Computing", This is printer for "Practical Olivetti Ink Jet

because there is less to go wrong, and savings at one end of a process have implications all the way down the line. A light print head demands a less powerful motor, with a lighter current consumption which means a smaller power pack with regulators that run cooler.

The Olivetti is an excellent example of the new minimalism, with unfussy external design to match. The case is dark grey and fashioned in the squared-off styling that marks out other Olivetti products. Allowing for protruding plugs at the rear the Olivetti JP-101 takes up no more than 11½in. by 15in. of desk space and stands 4½in. high, not counting the roll paper feeder.

Two interfaces were provided on the review machine: Centronics parallel and RS-232 serial. The Centronics interface worked directly when plugged into the IBM PC parallel port, and printed text without problems. Screen dumping of graphics produced nonsense, however, because the Olivetti does not understand the IBM PC's escape-code sequences. This is only to be expected.

Setting up the RS-232 interface meant removing the top half of the case to get at the DIL switches. Dismantling the machine is pretty well a foolproof operation, thanks to some very sensible design. All you have to do is turn it upside down, unscrew a bolt in each corner, turn the machine the right way up again and lift off the case.

Some Olivetti points of finesse emerged at this stage, of which other manufacturers might well take note. The four bolts are captive. Once unscrewed they stay attached to the case ready for reassembly. There is no scrabbling around the workshop floor looking for the one that got away. As you lift the case away there are no wires to disconnect, no knobs to lever off and nothing protruding from the chassis that has to be manoevred through an awkward cutout. The case lifts away cleanly, taking with it the Line Feed, Form Feed and Local push buttons, which in use simply connect

with the actual electrical switches attached to the chassis.

Once the cover is off, there is no need to probe into the mechanism to set up the interface. The three banks of Dil switches you have to reach are out in the open, directly in front of you. I recently did battle with a dot-matrix printer costing over £2,000 that required a major dismantling of the printer mechanism to reach the switch that changed the form-feed length.

There are optional settings for the full range of baud rates from 300 to 9,600, and the usual choice of parity and word length. I was pleased to see that all three major handshaking conventions are catered for: hardware handshaking on pin 20, Data Terminal Ready; XOn/XOff, and ETX/ACK.

There is also a convention I had not come across before whereby the printer sends a Break down the TX line whenever the buffer becomes three-quarters full. This could be good news if there is a Usart at the other end that can detect Break and reflect it on one of the pins. You could then set up what amounts to hardware handshaking without using a third wire.

On the other hand there may be Modemlike devices on the line that reads Break as a prompt to do something the little Olivetti is not expecting — like cease transmission and go into Reset mode. In a case like that it would be useful to be able to switch out this ingenious flourish, but unfortunately whoever put the PROM together does not give you that option. This was not the only experience I had of the unit's rather cavalier attitude to the software design.

Threading the paper into a pin-feed machine is sometimes a painful process. Although not ideal, the Olivetti makes it reasonably easy. You lift the hinged translucent half-cover and discover a release lever on the right-hand side of the print mechanism that raises the platen clear of the paper-tension springs beneath. This gives you a good look at the curious construction of the platen, which is

designed to do double duty as a friction feeder.

Where you might expect to find a solid cylinder the Olivetti makes do with a thick plastic rod on which three rubber rings are mounted. This simplified construction helps to keep down the weight of the platen, and hence the power of the motor needed to drive it, and so on. In practice the arrangement works very well, even allowing you to feed in unperforated sheets of labels, which are notorious for slipping in conventional friction-feed machines. I found it particularly useful to be able to shove in any old sheet of scrap A4 for the odd one-off dump from DDT.

The Olivetti allows for a variety of perforated paper widths by permitting the right-hand pin-wheel to slide along the platen. Once the paper is installed it can be set at the top of form by pressing a lever on the left which unlatches the platen drive, leaving it free to roll forwards or backwards.

It seems a pity that this lever cannot be accessed once the translucent hinged cover is lowered into the operating position. For work like label printing that requires precise positioning of the paper I found it best to keep the cover open, which meant devising a bent paper-clip gizmo to defeat the Cover Open switch.

Perforated paper has the disadvantage of needing a fairly well organised feed-infeed-out flow path. I have never understood why manufacturers invariably arrange for the RS-232 cable connection at the rear to be at just the point where it is going to interfere most with the paper flow. Olivetti continues to subscribe to this well-established tradition.

There is a way out if you do not mind using a continuous roll of unperforated stationery. The solution is a paper-roll holder which comes with the machine and can be clipped on at the back. I found it very useful to be able to move the printer around the office with its own built-in paper supply.

The characters on the page are built up out of an array of seven by seven dots, but unlike the more usual multi-needle dot-matrix printer the print head is only capable of delivering one dot at a time. Every line of characters therefore requires a multiple scan, with the ultra-lightweight head flashing backwards and forwards across the paper. "Flashing" may be taken literally: if you peer through the translucent lid you can actually see the tiny sparks discharging.

Seven by seven is not great resolution, but Olivetti has managed to produce a clear and rather pleasing character set by relaxing the rules and allowing capitals to descend. This gives a somewhat folksy look to the output, but I found it very legible even when compressed down to the smallest size of 18 characters to the inch. Switching on double height and double width produces useful headline-style characters.

(continued on next page)

inters and of

OLIVETTI

(continued from previous page)

Olivetti demonstrates the 110 dots-perinch graphics capability of the machine with a test printout derived from the video image of a young woman who seems to have other things than printers on her mind. Unfortunately I do not have access to the equipment necessary to follow this up - a digitiser, I mean - and I did not feel inclined to spend long hours recreating her

The A5-sized red manual tells you very clearly how to cope with the graphics. In fact there is a very good discussion of practically everything you could possibly want to know about the machine, and as far as the hardware goes it appears to be accurate. The software side of things is a slightly different story, but this is hardly the manual writer's fault. The manual describes what ought to happen; it's whoever wrote the PROM that got it wrong.

The heart of the problem seems to be in the handling of Line Feeds, If, and Carriage Returns, cr. It is one of those printers that will not do a cr without automatically throwing in an If, which is a nuisance for bold printing and underline, although a command for automatic underlining is provided. As a corollary, whenever it finds an lf following a cr in the data stream it throws it away.

Unfortunately it also throws away any following cr/lf pairs. This remarkable phenomenon will save you a great deal of paper over the course of a year because it prevents the printing of blank lines embedded in the text, rolling all the paragraphs into one — a sort of built-in compression technique.

There are other minor infestations in the software that really should have been shaken out by now, but they pale beside this splendid howler. How it has passed quality control I cannot imagine. Word processing that stores blank lines as one or more spaces will not show up this problem, so perhaps the machine works fine with the Olivetti M-20 micro.

Conclusions

- Physically the Olivetti JP-101 is a very nicely designed machine, although you might feel the need for a little "userredesigning" to enable operation with the cover open.
- Its ingenious technology is very simple and should be trouble-free. There is a tendency for the print to be a little smudgy: it is charcoal, after all.
- The printer is cheap excuse me, "lowcost" - at £365 for the Centronics-only version and £415 for the RS-232 enhanced model. It is quite fast for its price range, and commendably quiet in action.
- With full RS-232 and Centronics communications the printer should work with virtually any hardware.
- There is a rather silly problem with the current version of the PROM. The bug itself is nothing to get hung up about - it is so serious that the manufacturer will simply have to fix it to sell any machines at all - but it is terribly worrying that nobody at Olivetti seems to have spotted it.
- This JP-101 is supplied on an OEM basis to Acorn, which sells it as the JP-1 customised to the BBC Micro.
- Olivetti is at Olivetti House, PO Box 89, 86-88 Upper Richmond Road, London SW15. Telephone: 01-785 6666.

Characters Time(s.) Char./s. Walters 2000 3572 43 83.07 58 Olivetti: Ink Jet 3572 61.59 Paper Tiger 3572 63 56.70 47.63 Adcomp 3572 75 62.25 Average

TOPSAVIR **EPSON RX80-£245**

EPSON FX80 — £340

SEIKOSHA GP100A—£175

OKI M80A—£199 OKI M82A — £319 Prices exclude Vat Cheque with order

Exellent Prices also available on a range of Microcomputers, e.g. Sirius, Commodore, Olivetti etc.

PLEASE PHONE FOR DETAILS OR WRITE TO: **MAYFAIR MICROS**

65 DUKE STREET, LONDON W1, TEL: 629 2487

Circle No. 157



more details about and your special offers

] a sample copy for £1.00 and an A4 SAE (17p postage)

1 UK 12 Month Subscription for £12.00

1 1 UK 6 Month Subscription for £6.00

] 1 Overseas Surface Mail Subscription for £14.00 (air mail rates on application)

Please send the goods to: NAME ADDRESS

Please supply me with [

p made payable to LASERBUG.

I encloses cheque/PO for £ Please send the form to LASERBUG Dept. P. 10 Dawley Ride, Colnbrook, Slough, Berks., SL3 0QH.

THE ULTIMATE MICRO PRINTING MACHINE



Save the expense of a costly daisywheel. Eliminate the limited capability of cheap matrix printers. And get plotting in the process. Look at the advanced MT160 80 column and MT180 132 column multi-functional microprinters. You'll be amazed that such small printers can house so many facilities as standard.

Capability? You name it, these printers have got it. A report package puts you in the word processing world... letter quality characters, proportional spacing, margin justification, auto centering. A graphics package lets you plot whatever your micro wants to portray. The standard print mode lets you generate reports fast at speeds

up to 160 cps, and when it does this you have 8 different character widths to choose from.

There's more. Clip-on paper handling attachments let you use fan-fold forms, letterhead, or continuous roll paper. The control panel has a "menu select" for machine configuration and the MT160/180 are plug compatible to most micros. After all they have parallel and serial interfaces as standard.

In short, the MT160/180 are at the forefront of engineering excellence.

Give us a ring for full details or ask your regular microcomputer dealer for a demonstration.



Mannesmann Tally Limited, Molly Millars Lane, Wokingham, Berkshire RG11 2QT. Tel: (0734) 788711. Telex: 847028.



ORIC MCP 40 COLOUR PRINTER



Superbly styled and quality engineered to provide 4 colour hard copy, for home and business use.

Just look at these leading features:

- Quality hard copy on plain paper
- Superb graphics and text capability
- Prints 4 colours Red, Green, Blue and Black
- Designed to match the futuristic style of ORIC 1
- Plugs straight into your ORIC printer lead supplied



The ORIC MCP 40 — Setting new standards in Micro Computer Printers. ORIC The Real Computer System

ORIC PRODUCTS INTERNATIONAL LTD Coworth Park Mansion, Coworth Park, London Road, Sunninghill, Ascot, Berks. SL5 7SE

ORIC products available from:WH SMITH · DIXONS · GREENS · LASKYS · MICRO'C'
· MICRO PERIPHERALS · SPECTRUM · COMPUTERS FOR ALL
and hundreds of independent dealers.

ORIC-1 16K & 48K



ORIC-1 48K
VALUE PACK
ORIC 48K plus £40*
worth of ORIC Software
for ONLY
£169.95

*TEACH YOURSELF BASIC HOME FINANCE ORIC FLIGHT MULTI-GAMES

ORIC 1 16K & 48K Micros

Superb Styling

MULTI-GAMES

- Ergonomic keyboard with 57 moving keys
- 28 rows x 40 characters high resolution
- Teletext/Viewdata compatible graphics
- 6 Octaves of real sound plus HI*FI output
- Centronics printer interface and cassette port
- Free user manual, cassette recorder lead and Driver game included.

ORIC 1 Todays best value in real computer systems.

To be launched within the next few weeks - the revolutionary ORIC 3" MICRO FLOPPY DISK DRIVES, with incredible access time and data storage capacity.

Other peripherals to be launched this year...

It is Oric's policy to continue to expand our product range, in order to offer our customers a comprehensive, professional, Micro Computer system, at a realistic price.

We believe that with the launch of our MCP 40 colour printer, and our combined computer/software value packs, we will continue to lead the small micro market in both quality and value.

*Titles may vary subject to availability but the approximate value will not.

© Copyright ORIC PRODUCTS INTERNATIONAL 1983





using the RY Series Digital Plotter.

Stop struggling over analysing computer data.

You can now convert the information into accurate, informative reports. Our C.A.D. (computer aided design) techniques will quickly reproduce in multiple colours graphs, diagrams, charts and illustrations on A3 and A4 formats. Each low cost, fast response, desk top plotter can be interfaced with your

computer and programmed to exact requirements: it won't need a genius to operate it. For further information write to:

SYMBOL COMPUTER SERVICES LTD.,

Britannia House, 45-53, Prince of Wales Road, Norwich, Norfolk, NR1 1BL. Telephone: NORWICH (0603) 29581

Circle No. 161

Software

programs available

THE EPSON MX series of dot-matrix printers from Japan set new price/performance standards for the microcomputer industry when they were first introduced four years ago. The FX-80, which made its appearance at the beginning of this year, is designed to consolidate Epson's dominance in its chosen sector of the market without making MX owners feel that their machines are obsolete.

The new machine is scarcely more expensive than the MX-80 F/T III. It features proportional spacing though it operates only in the larger of the two basic type faces, Pica and Elite. Proportional spacing means that narrow letters, such as an i or t, do not occupy the same space as an m or w.

The FX-80's user-defined character sets allow the user to define special symbols or letters, or even to create a whole new alphabet. They have obvious applications for foreign languages or scientific use, but even ordinary British users can find it helpful if, for example, they have an American software package with dollar signs embedded in the format. It can be virtually impossible to alter these to pound signs unless you can make the printer produce the £ symbol whenever it meets the \$ symbol. But be warned, like many other features of the Epson, this facility may be compared to a conjuring trick - it looks easier than it is.

If users can define their own character sets it is not difficult for the manufacturers to include an italic set. Epson's works reasonable well, though the italic m has curiously knobbly knees. It may appeal to some users, but I have always hated italic script on typewriters and think that its only effect is to make a document harder to read.

The hex dump is a really useful troubleshooting device for the experienced programmer. It allows the user to print out all the hex values of the instructions the printer is receiving from the host computer. Given the difficulties that can be experienced with all Epson printers and their associated interface cards, it can be a useful signpost.

The reverse paper feed allows the user to line feed in both directions. It is particularly useful in formatting complex tables or charts, and in printing-out graphics in the printer's bit-image mode.

Most Japanese printer manufacturers force the user to remove the machine's entire outer casing, undoing up to four inaccessible screws, to reach the Dip switches. I reached the FX-80's switches in 15 seconds, undoing a single retaining screw on the top of the printer. In fact, you do not often need to touch the switches as all their functions can be defined or changed from the keyboard of your computer.

The FX-80 does seem more robustly built than its predecessors. Epson probably will not thank me for saying its new printer looks and feels more like an Oki Microline machine, while retaining the greater virtuosity of the old Epsons.

HASON FASON

Epson's MX-80 has almost become the industrystandard dot-matrix unit. Chris Roper looks at its successor, which features proportional spacing and user-defined characters.

The FX-80 is roughly twice as fast as the MX-80, running at 160cps. It may be useful for some applications though the importance of pure speed has been greatly reduced by the advent of buffered interface cards, which free the computer for use in a matter of seconds.

There are some other minor improvements: the leads out of the back are now positioned to avoid interference with the paper feed; the warning bell is less strident; you can tear off paper closer to the last printed line; and the manual is spirally bound, and does not fall apart after three days use.

The manual, however, looks better than it is. It still reads as if English is not the author's first language. It reminded me of trying to find my way in a Japanese street, where the houses are not numbered sequentially according to their location, but according to their date of construction. This is fine if you know where you are


going or have an encyclopaedic knowledge of Japanese architecture, but not much help to strangers.

There are a few warnings in the manual of the difficulties facing a novice:

- p.3-3: "Note that in some programming languages such as Basic, Pascal etc., there are a few codes which cannot be sent to the printer."
- p.3-5: "Basic itself is different depending on the specifications of the host computer, and there are certain versions in which certain codes (such as Chr\$(9) or Chr\$(13)) cannot be sent to the printer."

That may seem slightly cavalier, given the popularity of Basic and Pascal, but there is worse to come. The manual gives no hint as to how these deficiencies may be remedied. Such an attitude may have been justified when most microcomputer owners were programming enthusiasts/hobbyists, but is intolerable in the new market place of users

(continued on next page)



The FX-80's nine-wire head prints characters on an 11-by-nine matrix.

EPSON FX-80

(continued from previous page)

who do not know a Peek from a Poke. Epson cannot be unaware of the problem which has plagued the lives of some MX owners.

The manual is too modest in its warnings. It does not say that the interface card is likely to be an even greater source of frustration than the particular version of Basic resident in the host computer, doggedly refusing to pass control characters through to the printer.

My original guide to the mysteries of my own Epson MX-80 was Mike Glover of the Leicester Computer Centre. I turned to him

again for help with the FX-80. His experience is entirely Apple-based, but we suspect that Epson printers present similar problems when used with other equipment.

Mike Glover actually had to program an EPROM to overcome deficienceis in the interface card Epson supplies to Apple owners. The chip enjoys steady demand from other Epson dealers. He has also written machine-code routines for a variety of the more common interface cards used by Apple owners to drive their printers. These routines allow the programmer to send any character through to the printer. His final contribution to the mental health of Epson printer owners is a neat bit-image editor, which offers far simpler means of creating your own character set than the clumsy routines offered in the Epson manual.

Nevertheless, even with his special knowledge of Epson printers and using his routines, it took us the better part of an hour to convert the \$ symbol to a £. We used the hex dump to discover that the

printer card was blocking a crucial piece of code.

So when you read in the advertisements that you can create Sally's Gothic or Tom's Roman, think twice. It is not simple to do it from the manual without some additional knowledge, like an understanding of machine-code programming. Perhaps the best advice to people buying for the first time is to make sure the dealer has the printer working with the type of computer and interface you are going to use. Make sure that all the advertised features work in this configuration, and be sure you understand how they are made to work.

Epson could easily have got it right by having the manual written in the United States or Britain, and by considering the equipment most likely to be used to drive its printers. This must include Apples and CP/M machines, not to mention the BBC Micro and machines running under Pascal. It might have cost Epson £2 to £3 per machine to have provided a more helpful and more comprehensive manual, in standard English with a proper index.

The print quality of the FX-80 is probably as good as you can get from a nine-wire printing head, printing characters on a nine-by-11 matrix. Improved print quality, currently available in dot-matrix printers costing two or three times as much as the Epson, requires more wires to create more dots per letter. For Epson to match these printers would require a major redesign.

THE RESERVE TO SERVE THE PARTY OF THE PARTY	Characters per line	Width	Height
Normal/emphasised (pica)	80	2.1	3.1
	40	4.2	3.1
	137	1.05	3.1
Elite*	96	1.4	3.1
Proportional	variable	variable	3.1
	80	2.1	1.6

Character sizes and densities in normal, enlarged, condensed and elite faces.

•	This is the Standard Font This is Enlarged Standard Font This is Emphasized Standard Font This is Emphasized Enlarg. Stan
•	This is Double Character Standard Font This is D/C Enlarged Standard F This is D/C Emphasized Standard Font This is D/C Emph. Enl. Standard
•	This is the Elite Font This is Enlarged Elite Font This is Double Character Elite Font This is Double Character Enlarged Eli
•	This is the Condensed Font This is Enlarged Condensed Font This is Double Character Condensed Font This is Double Character Enlarged Condensed Font
•	This is Standard Italic Font This is Enlarged Standard Ital This is Emphasized Standard Italic Font This is Emph. Enl. Standard It
•	This is Double Character Standard Italic Font This is D/C Enl. Standard Itali This is D/C Emphasized Standard Italic Font This is D/C Emph. Enl. Std. It

Conclusions

- If you liked the MX, you will be very happy with the FX. But it is not worth trading in the MX to buy an FX. If you did not like the MX, the FX is unlikely to change your mind.
- If you are thinking about buying a printer for the first time Epson remains an outstanding product, provided you know what you are doing or have someone who does to advise you.
- Leicester Computer Centre, 67 Regent Road, Leicester will be producing its own interface card designed by Derek Bland, with interchangeable EPROMs to drive a variety of printers from the Apple without hassle.

Specification

Print speed (max.): 160 cps Print head: nine-pin dot matrix Character set: ASCII, pica and elite typefaces in roman or italic; nine international character sets Print mode: bidirectional logic seeking or

unidirectional Buffer: 2K

Paper: fan-fold, 9.5in.-10in., adjustable pin feed; cut sheet, 7.25in.-8in. friction feed with optional roll holder

Price:£438 plus VAT

U.K. distributor: Epson (U.K.) Ltd, Dorland House, 388 High Road, Wembley, Middlesex HA9 6UH, Telephone: 01-900 0466/9



Fan-fold pin feed and cut-sheet friction feed are standard on the FX-80.

This is the Elite Italic Font This is Enlarged Elite Italic Font This is Double Character Elite Italic Font D/C Enlarged Elite Italic 1 5 This is the Condensed Italic Font This is Enlarged Condensed Italic Font This is Double Character Condensed Italic Font This is Double Character Enlarged Condensed For the Letter Writers This is Standard Font with P.S. abcdefghijklmnopgrstuvwxyz This is Italic Font with P.S. abcdefqhijklmnopgrstuvwxyz also LEFT MARGIN setting !!! Scientific & the Engineers Expanded Sub/Superscripts Sub/Superscripts can be Normal, Condensed Reverse paper feed provides Overlining....eg....STROBE For Picture Drawers .: SEVEN Mode No. Dots/8" Head O Normal Density 480

Ummasking the plotters

Bill Bennett's enquiries lead from a cheap drum to a top-price flat-bed.

ADDING A PLOTTER to a microcomuter system is not something you do every day. For most purposes, a dot-matrix printer will provide adequate hard copy. If you need to produce a lot of text then a daisywheel is probably a worthwhile investment. Modern dot-matrix printers are sophisticated devices, and are capable of providing a high-quality graphic output. But the cost of a higher-resolution plotter is in the same price range.

Which device you choose will depend entirely on your application. For laboratory work or for producing slides for an overhead projecter a plotter is the obvious tool for the job. Matrix printers come into their own as aids for programmers who simply need a quick listing. On the whole, plotters are significantly slower than printers, especially when it comes to producing text. However, plotters have a much higher resolution and offer a greater degree of flexibility.

A printer usually works by something — a pin or a type head — impacting a ribbon and pushing it against the paper to form an image. A plotter operates by moving a pen to a point on the paper and then allowing the pen to touch the paper and moving again, thus marking it. This introduces a certain level of flexibility as it allows the user to exercise some choice over the pen. Many plotters are designed so that virtually any pen can be used in conjunction with it.

Such an arrangement gives the user almost infinite control over such parameters as the colour of ink being used and the size and type of nib. Some plotters allow a number of pens to be selected by the machine at any one moment. This can be done by using a carousel arrangement which carries several pens in the same unit as the one that is actually drawing. An alternative is to site the pens somewhere away from the main plotting area and let the plotter select pens from a rack.

Even those plotters which do not have a facility for automatically changing a pen often allow a manual change. If not, then it is up to the software author to include a routine which will move the pen to an unimportant point and wait for long

enough to allow the user to change the pen by hand.

Multiple-pen plotters appear to be colour-blind. They do not know which colour pen is which. If, for example, a mischievous person were to swap the red and green pens in a four-colour plotter, chaos could result. As far as the plotter is concerned colours are numbers. The plotter only knows that pen 1 is pen 1, though the software may be written assuming that pen 1 is red. Until a more sophisticated plotter which can distinguish colours is developed it is up to the user to ensure that the right colour pen is in the right place at the right time.

Felt-tip pens tend to be the first choice of plotter manufacturers. Their advantage is that they offer a wide range of colours and tips. Generally speaking, the finer the resolution of the plotter, the finer the tip of the pen which is used. However, if large

The Strobe 100 resolves to 0.05mm.

areas of colour have to be filled in, a pen with a wide tip may be preferable.

One problem of felt pens is that they dry up rather quickly. The only way of avoiding it is to ensure that the cap is replaced on the pen after use. When testing the review plotters in the *Practical Computing* office, I found that I repeatedly forgot to replace the pen caps. Another drawback of felt tips is that they can easily be distorted and become frayed with use.

The pen-up pen-down operations subject the tip of a pen to a lot of pressure, and consequent damage. This can result in blotches on the paper, but more frequently simply destroys the plotter's high resolution. What is the use of having a device that is precise to 1/1,000th of an inch, when the pen is 1/16th of an inch across?


For day-to-day plotting, the felt-tip pen is probably best. Special pens for making overhead projector slides and other specialised jobs can easily be fitted to most plotters. Higher-resolution results can be obtained with a pen like the Rotring Isometric, which can have a very fine tip and is capable of using a wide range of colour inks.

There are two main methods of moving the pen across the paper. On flat-bed plotters the paper lies flat and the pen is moved in both the x and y directions. In the other type the pen only moves in the x direction, the plotting along the y direction being achieved by moving the paper. These devices are generally known as drum plotters since the paper is fastened to a drum which rotates to give the movement in the y direction.


Strobe 100

The Strobe 100 plotter is of the drum type. For the purposes of the review it was connected to a BBC Micro via a ribbon cable between its own parallel port and that of the computer. Halfway along this cable is a resin box containing a number of resistors that perform some simple buffering function.

Unlike a number of other plotters, the Strobe is well served by software. The review system came complete with a



Rikadenki's top-of-the-line RY-10MZ — a graphics tool for office or laboratory.



The Strobe 100 drum plotter from Data Efficiency comes complete with BBC software.

demonstration program and a library of subroutines for using the plotter. The plotter costs £576, and was the crudest one reviewed as well as the cheapest.

Supplied with the Strobe were four felttip pens and a number of sheets of special glossy paper. It only took a few minutes to get the system up and running. Unfortunately the paper is not a standard size. It is only slightly wider and shorter than A4, but A4 sheets cannot be loaded on to the drum as easily as I would like.

Paper is fitted on to the drum simply by

working it under a strip of metal. In practice it is held tightly enough for printing. It is important to be careful when loading the paper to ensure that the pen does not mark it. The documentation suggests that the pen should be moved to the extreme right for this purpose; I found it best to remove the pen.

Fitting and removing pens on the Strobe is a risky business. The unit that accepts the pens is a triangle of brass with a thread cut into it. It moves from left to right and back again across the width of the paper. You

are recommended to use fibre-tip pens with a soft plastic body and to fit them by initially cutting a thread into the plastic.


There are a number of imponderables associated with this process. The first pen that I tried to thread on to the unit was not threaded deeply enough, and consequently did not manage to reach the paper when drawing. I then tightened it up a little more, only to find that I had cut right through the body of the pen, rendering it useless. Too deep a cut on the second pen I tried meant that the pen did not lift off the paper when it was supposed to be moving rather than writing.

On the positive side, it does mean that some very cheap pens can be used. Those supplied with the unit were Pilot Razorpoints, which are easy to find in the shops. I assume that an experienced user would be able to fit the pens properly without any trouble.

Data Efficiency is distributing the Strobe plotter in the U.K. and also provides a number of interfaces, software products and pens and other accessories. The strongest card in this pack is the software, which is available for a large number of machines, and includes a package which allows VisiCalc files to be plotted.

Software supplied with the Strobe for the BBC Micro includes a program called BBCPlot. It consists of a set of routines

(continued on next page)



(continued from previous page)


which drive the plotter and can be supplied either on tape or disc. It is numbered from line 30,000 onward, which leaves plenty of scope for the user's own programs, though because the BBC Micro uses vast quantities of memory for its high-resolution graphics it is not possible to use screen modes 0 to 3. That is a pity, because it means it is impossible to view a display on screen before plotting it out, though that is the fault of the micro, not the plotter.

A good manual complements the software. It explains that the stepper motors are driven by patterns of binary bits sent via a table stored in the micro's memory. The Strobe is capable of resolution of 0.002in. or 0.05mm. thanks to these motors.

ProcLabel is a procedure used by the BBC Micro to write characters on the plotter. It uses a character fount stored in the memory of the BBC, which gives it the advantage of being changeable. However this also produces the disadvantage of denying the user a lower-case character set, since there is no room for it.

Compared with the other plotters I looked at the Strobe 100 is slow. It is, however, very well supported and in this respect is ideal as a tool for a school or college when used in conjunction with the BBC Micro. Interfaces and software are

The Rikadenki RY-21 plots at a lively 200mm. per second.



The Hiplot-40 from Houston Instruments is distributed in the U.K. by Sintrom Electronics. Firmware inside the beast allows automatic generation of curves, arcs, ellipses and circles of any required size. There are 11 different styles of line, and normal or italic characters can be drawn at any of 360 angles and 255 sizes. The machine costs £865 and includes an RS-232 interface as well as a number of self-test routines.

also available for the Apple, Pet, Xerox and Osborne micros, as well as the S-100 bus and RS-232 port.

Rikadenki RY-21

The RY-21 is the bottom-level machine in a wide range of plotters which has something for every possible type of plotter user. It is A4 sized, which allows it to take

standard paper or projector film or whatever. Although it is nominally only a single-colour plotter, it is so easy to change pens that this really does not matter very much.

Plotting takes place at 200mm. per second, which is fairly fast for a plotter, and the pen certainly dashes about across the paper. It is an x,y plotter: an arm moves from left to right in the x direction, while the pen carriage slides up and down the arm


Printers and plotters



The Plotwriter from Environmental Equipments (Northern) Ltd. is both a printer and a plotter. Costing £1,531 plus interface the Plotwriter has a set of 45 commands employing a wide range of intelligent facilities. There are four pens, which are changed automatically, and three founts. Printing and plotting is performed on a 100-metre roll of paper which allows a 1.6-metre addressable



The Gould Colourwriter is a digital plotter which can add plotting to almost any computer system. It can use up to 10 pens. There is an integral buffer memory which is expandable from 2K to 16K and five character sets are included as standard.



The Pixy 3 is a three-colour plotter aimed at the personal-computer user. Its own local intelligence comes courtesy of a Z-80 processor which helps in the generation of circles, arcs and curves. There are nine character sets plus scientific symbols, nine line types with a variable pitch and 15 character sizes. Pixy 3 costs £599 from Mannesmann Tally.

in the y direction. Naturally this is all done on a flat bed. The paper is held in place by flexible strips of magnetic material.

Pens simply screw into the carriage, which is fitted with a standard thread that accepts the set of four coloured pens that is supplied. An added bonus is that it also accepts Rotring Isometric pens as well. These really do make for a much better-quality plot and come in a variety of nib sizes. There is also a range of ink colours to choose from. Ball-points can also be used.

Pens are held bolt upright by the carriage, which is the best orientation for most pens, including the Rotrings. The mechanism which brings the pen down to make contact with the paper is sprung so that pen nibs and tips are not bashed out of shape by repeated hard contact with the plotter bed. The mechanism makes a clicking sound each time it is switched on or off.

A character set is built into the RY-21. That is a godsend because, unlike the Strobe plotter which is supplied complete with software, the Rikadenki was only supplied with some example software written by the house BBC Micro enthusiast. The penalty is that some flexibility is lost, but not much, and certainly not enough to worry about as extra founts can easily be written by the user.

The resolution of the RY-21 is not as high as that of the Strobe 100, but for the most part the difference did not really show. As a test I tried plotting a sine curve right across the page width. I started by using each of the possible steps across 2,000 increments, each being 0.1mm. wide. I then plotted the same curve using 0.5mm. steps. The difference was almost invisible, except that it plotted much faster using the larger steps.

Using the RY-21 with the BBC Micro was not easy. Once again this was more the fault of the micro than the plotter, but some driver software for this unit would certainly make a lot of difference. However, to compensate the plotter does have a reasonable number of built-in plotting commands such as circle drawing and so on to make life easier.

Rikadenki RY-10MZ

Right at the top of the Rikadenki range is the RY-10MZ eight-colour plotter. It is like a robotic artist, and watching the plotter run through the test routine is entertaining. The pen moves across the paper at high speed, pausing every so often to grab another colour pen from a rack of 10 on the left-hand side.

"Intelligent" is not often used as an adjective to describe plotters, but there is a degree of intelligence incorporated in this machine in the form of an 8085 processor. There is also 2K of memory, which is quite a lot in terms of what it represents as a graphic image on the paper. The unit is similar to the RY-21 in many respects, but is A3 sized as opposed to A4. The pen

moves at 400mm. per second, which is twice as fast as the RY-21.

Like the RY-21, the RY-10MZ has three character founts in ROM: the normal English set, a Greek alphabet set which will please all those physicists and engineers, and a Japanese character set.

Again like the smaller plotter, the RY-10MZ has a selection of buttons which can move the carriage about under manual control. A function button gives each of the direction buttons a second use, including selection of the test mode. Pressing the centre and left button makes the plotter enter its print mode, when it becomes a listing device.

Unlike the smaller machine, the RY-10MZ has an extra row of buttons which are used to change the pen colour. If you press one of them in the middle of a plot, the carriage will swap the pen. You can try and confuse the plotter when it is drawing with pen 1, say, by moving pen 2 into the empty pen 1 cradle. The plotter has the good sense, having found pen 1 to be full, to look for the first empty cradle and put its pen there.

The RY-10MZ uses an electrostatic technique to hold the paper in place. It works well and the paper clings to the base like a limpet. There is also an option to attach a device which feeds a continuous roll of paper across the base area.

At a list price of £1,775 plus VAT, the RY-10MZ plotter is not a toy likely to be linked up to a ZX-81. It is a proper graphics tool that would be equally at home in the office or laboratory. Symbol Computer Services of Norwich has written a number of packages to interface the Rikadenki plotters. They will work with any micro blessed with an RS-232, Centronics or IEEE interface, using information entered manually or from existing files to plot piecharts, bar-charts or x,y plots. There are also control files which are used to drive the device.

Suppliers

Rikadenki Mitsui Electronics U.K. Ltd, Oakcroft Road, Chessington, Surrey. Telephone: 01-397 5111.

Symbol Computer Services Ltd, 45-53 Prince of Wales Road, Norwich, Norfolk. Telephone: (0603) 29581.

Data Efficiency Ltd, Finway Road, Hemel Hempstead, Hertfordshire. Telephone (0442) 60155.

Mannesmann Tally, Molly Millars Lane, Wokingham, Berkshire. Telephone: (0734) 788711.

Gould Instruments Ltd, Willow Lane, Mitcham, Surrey. Telephone: 01-640 3490.

Sintrom Electronics, 14 Arkwright Road, Reading, Berkshire. Telephone: (0734) 875464.

Environmental Equipments (Northern) Ltd, Environ House, 64 Welsh Row, Nantwich, Cheshire. Telephone: (0270) 652115.

A buffer at the

If printed output is part of your regular computing routine a buffer could be the best investment you ever make, says Paul Sutcliffe.

YOUR COMPUTER is forced to slow down to match the speed of your printer whenever you need to print. The fastest matrix printers can operate at around 100 characters per second, and a few daisywheel printers can average around 30 to 40 cps. Yet microcomputers can actually send out data at thousands of cps.

With many applications, such as program listings, mail-shots, invoices/payslips, word processing and financial modelling, your computer can spend far more time waiting for the printer than actually computing. Instantaneous printout is a remote prospect, so an interim solution is needed.


Spooling was the earliest answer to the problem. It involves sending the output to a disc and printing it later when the computer is not in use. There are also some spooler control software packages which take over

the control of printing while you have another program running.

In practice, spooling systems have two major disadvantages. The spooler clearly requires space in the computer's main memory, and reduces the space available for the program you are actually trying to run. It can also decide that it wants to print a chunk of text from the file on disc at unpredictable moments. So your program stops in its tracks until normal service is restored.

The print buffer is the best solution yet devised. It comprises a small board containing extra RAM and some built-in control software. The computer can dump output for printing into the buffer in a matter of seconds. Computing can then be resumed at once. Meanwhile the buffer's control software takes over the job of retransmitting the output to the printer.

The Practical Peripherals buffer from Northamber in versions from 8K to 32K.



This article contains about 11.5K of text. The typescript was printed out in draft form several times before completion on an Epson MX-100/II fitted with a 16K E/Buffer. The emphasised text option was used for maximum legibility.

The time taken to load the print overlay and transmit the text to the E/Buffer was a mere 23 seconds, after which the computer was back in use. But the Epson took over six minutes to print the text. Printing half a dozen drafts during the day, with no buffer, would have wasted almost 40 minutes

Of course, it is not only authors who value the ability to give a Print command without losing the use of their computer. Professional programmers also benefit from print buffers when writing, testing, and debugging programs, and no longer need to save huge batches of listings to print out on a rainy day.

General-purpose buffers — otherwise known as "in-line" or "stand-alone" — occupy a separate box between the computer and the printer. They can perform other tasks besides print buffering, including communication between otherwise incompatible computers, or indeed other peripherals.

Print buffers are buffers which have a single function — to receive output destined for the printer at the speed of the computer and then to retransmit at the speed of the printer. Some are installed inside the printer; others slot into the computer itself.

The most popular buffers are those designed to fit into the Epson printer range. Their popularity arises partly because of the vast numbers of Epsons sold and partly because Epson provides an auxiliary input slot ideal for the purpose.

There are several buffers of this type on the market. One of the price/performance leaders is the U.K.-designed and built E/Buffer, which is also marketed as the MCS Super Spooler. It offers 2K, 16K or 32K of RAM, and is backed by an impressive two-year guarantee. Another is the Microbuffer from Practical Peripherals, imported by Northamber. The Ricoh RP-1600 daisywheel can also be obtained in a modified form with up to 8K of RAM buffer installed.

As with the Epson, so with the Apple. There is a wide range of buffers currently on the market which fit directly into one of the Apple slots. Some of them require an existing printer interface card. Apple buffers include the Orange Micro

end of the line

Buffer	Manufacturer	RAM sizes	Interfaces (Note 1)	Price (inc VAT
Epson internal			(isoto-i)	(inc train
E/Buffer	MCS	U.K. 2K	S	£75
		16K	P,S	£109
		32K	P,S	£155
Microbuffer	Practical	U.S. 8K	S	£144
	Peripherals	16K	P	£144
EIPB	Gram	U.K. 32K	PS	£149
		64K	PS	£204
EB-16	ACG	U.K. 16K	S	£109
EB-60	ACG	60K	S	£161
Wizard EBI	Wesper Micro	U.S. 16K	P	£125
Apple internal (r	note 2)			
IPB	Gram	U.K. 16K	PS	£149
		64K	PS	£251
Bufferboard	Orange Micro	U.S. 16K-	пограничнован	£129
	Service Treation	64K	P	£232
Microbf'r II	Practical	U.S. 16K	P	£229
	Peripherals	32K	Р	£275
General purpose	e			
Spriinter	Mutek	U.K. 2K	P,S,I	£190
	A SOURCE OF STREET	32K	P,S,I	£282
DB16-1	Aculab	U.K. 16K	P,S	£259
DB64-1		64K	P,S	£323
SB-16	ACG	U.K. 16K	S	£172
SB-60	ACG	60K	S	£218
Pipeline	Interactive	U.S. 8K	P	£160
	Structures	128K	P	£298

Note 1. P, Centronics parallel; S, RS-232C serial; I, IEEE-488. Note 2. Some Apple buffers require printer interface card.

Bufferboard, and Practical Peripherals' Microbuffer II.

The Aculab and Spriinter buffers fall within the group of general-purpose buffers. The Mutek Spriinter, for example, provides both buffering — with 2K, 4K, 8K, 16K, 24K and 32K options — and configurable interface conversion. It can be used either as a straight-through buffer, say RS-232C computer output to RS-232C printer input, or as a buffer which converts from one interface mode to another, say from the Pet's IEEE-488 output to a Centronics parallel printer input. Moreover, the configuration can be altered simply by changing a few switch settings.

When choosing a buffer first assess the volumes you will require your buffer to hold. If you only print a screenful of data at a time at infrequent intervals, then a 2K buffer will be ample.

On the other hand, densely-packed text may need up to 4K per printed page. Regular printing of more than 16 such pages could mean either buying a very large buffer at 128K or 256K or stacking two or more smaller buffers in line. For most commercial applications you are likely to require between 8K and 64K.

Secondly, consider your present equipment and whether you are likely to change it in the near future. If you use an Epson printer or an Apple computer, I would recommend that you go for one of the purpose-built buffers. The Epsonbased buffers in particular are easy to install.

Last and least, price. Only worry about price if you really have to. The value of the time you save by using a print buffer in a commercial environment will probably exceed its cost within a month, maybe even within a week. Big savings can be made in operator time as well as computer time.

For a non-commercial application, buy the biggest buffer you can sensibly afford. As a guide, the 16K E/Buffer costs £109.25, VAT inclusive, in either parallel or serial versions.

Stacking can best be explained by considering the situation where an Epson printer fitted with a 32K E/Buffer is being operated in conjunction with a 32K Spriinter. Suppose a 68K text file has to be printed. Output from the computer first goes to the Spriinter, which immediately sends it on to the E/Buffer. The E/Buffer starts to send data to the Epson one line at a

time. Each line sent to the printer releases space at the bottom of the E/Buffer, which is still being filled at the top. Whenever the E/Buffer is completely full it sends a signal to the Spriinter, which starts to fill up in turn.

After a few seconds of this, the printer will be printing flat out and both the buffers will be full. Only then will the Spriinter signal to the computer that no more output can be handled. So for about two minutes the computer will wait for the printer to catch up. As soon as the printer has printed 4K of text, however, the computer will be available for more work.

The initial impetus for manufacturing buffers came, as usual, from the U.S. It may be some months before the U.K. manufacturers dominate their own home market. A respectable number of U.K. firms are already well entrenched in this field, and there may even be prospects of our own manufacturers securing a good proportion of the U.S. and German markets.

Just over the horizon there are some new developments in stand-alone units, which will be made available in permanently configured, and therefore cheaper, versions. Industry sources also suggest that, if interest is strong enough, a U.K.-built dedicated print buffer for the IBM PC—easier to use and much cheaper than some imported "do-everything" boards—could be available by late autumn.

If your printing takes a long time because you are running a very slow program then a buffer won't help you. On the other hand, frequent halts while a few lines of data are printed can be completely eliminated, and cumulatively this can save many hours.

Anyone thinking of buying a 16-bit processor and throwing out their eight-bit machine should seriously consider instead the effect of buffering their existing set-up. Depending on the application, better results could be obtained at a fraction of the cost of a new computer. Printer-based and general-purpose buffers have a hidden benefit: when the computer is changed in favour of a more powerful machine, it is not necessary to change the buffer or printer.

You can extend the productivity of your computer system beyond recognition with a print buffer. There are few ways in which you can upgrade your system at such low cost and receive such dramatic benefits. If you don't believe it, try and see a buffer in action, or better still borrow one — you'll be converted on the spot.

Paul Sutcliffe is managing director of A-Line Computer Systems, Nottingham.

Mark Shepperd connects with the standard serial printer interface.

THE RS-232 serial interface has become one of the commonest interfaces between microcomputers and the outside world. It is flexible enough to communicate with any peripheral device, from a printer to a Modem, providing of course that the peripheral is equipped with a similar RS-232 interface. Yet the mode of operation is virtually the same, except for the way in which the computer would perform the handshaking routines with the peripheral or indeed the communications device.

The RS-232 interface can often be recognised by the presence of a D-type 25-way connector on the rear panel of the computer. Just to make things difficult, however, several manufacturers are now using male and female equivalents of the connector for various other interfaces. In some cases RS-232 compatible interfaces lurk behing non-standard DIN-type connectors of which the nearest family is found most frequently on the rear panels of hi-fi equipment. This lack of standardisation is always inconvenient when marrying systems together.

Screened cable should always be used to connect units together, and the number of cores has to be decided with care. It is safest to use a cable 5mm. or 6mm. in diameter and carrying around 10 independent cores shrouded by the screen. You may only need three cores plus the screen, but the extra cores allow you to use eight or nine cores, if you need to, for the handshaking sequence. Figure 1 shows a 25-way connector as it is connected for printer operation. The screen braid should be connected to pin 1 of the connector at both ends.

The RS-232 interface is outlined in a set of rules and regulations compiled by the CCITT and called recommendation V-24. It describes the timing sequences to be used when trying to establish the interchange circuits between data terminal equipment and data circuit-terminating equipment. It also deals with the electrical characteristics Mark Shepperd is Technical Director of Braid Systems Ltd.

and goes into quite detailed descriptions of all the various modes of operation of the V-24 interface.

Each pin or channel in the RS-232 interface is given a CCITT interchange circuit number and a name which defines that interchange circuit. There are approximately 43 different channels defined by the recommendation. Table 1 shows some of those which are most important with respect to printer

characters are to be sent. The process of packing characters in a serial stream is called framing. In the case of the printer it is usually necessary to configure the device manually by setting DIL switches. Alternatively you set the frame at the computer to correspond to the printer's requirements. 10 11 12 13 Figure 2 shows a typical frame structure. Parity is usually set at the printer end. An additional parity bit is added to a character 22 23 24 25 or block so that the sum of the binary is either odd or even. Conventionally, odd parity is a feature of synchronous systems CCITT Telco and even parity a feature of asynchronous

> been corrupted. When you are faced with a microcomputer and a printer, both with RS-232 interfaces, take the following steps in trying to establish the connection:

systems. If the parity bit is incorrect the

receiving device knows that the data has

operation. Table 2 gives the channel

definition each beginning with the CCITT

interchange circuit number followed by the

pin number allotted to that circuit when

used with the standard 25-way D-type


When transmitting data from one device


to another in a serial format, it is important

to tell the receiving device how and when

connector.

- Check that the baud rate of both printer and computer asynchronous serial port are identical. Baud is equal to bits per second when two-state signalling is
- Check that the frames are compatible. In other words check that the printer expects to see the correct quantity of stop and start bits and that the word length is correct.
- Check that parity is set correctly at the printer end. The choice is between odd, even or no parity at all.
- Check that the form of handshaking is compatible, software or hardware. Hardware handshaking uses DTR and DSR interchange circuits most frequently. Software handshaking is achieved by the host sending control








Control Timing		Con	Bisd		Ground	Interchange circuit name	Interchange	
DCE	from	DCE	from	to fo	from			circuit number
						X	signal ground or common return	102
						X	DTE common return	102a
			- Line			X	DCE common return	102b
				WAL I			common return	102c
				X			transmitted data	103
	PIL			MATE	X		received data	104
	70 Tue	X			100	TO THE	request to send	901
			X				ready for sending	106
			X				data set ready	101
		X					connect data set to line	1/801
		X			1		data terminal ready	108/2
	#16	7 bi	X	rec		EME	data channel received line signal detector	601

Table 1. Some channels defined by recommendation V-24.



commonly known as Data Carrier Circuit 109, pin 8. This circuit is most with virtully all printers. completed. This circuit should be used circuit 103 and/or circuit 118 has been of all data previously transferred on the line, when the transmission to line conversion or similar equipment from causes the DCE to remove the signalor receive data. The Off condition 108/2 whenever it is ready to transmit present the On condition on circuit means. The DTE is permitted to been established by supplementary maintains the connection after it has similar equipment to the line, and connect the signal-conversion or ready to operate, prepares the DCE to condition, indicating that the DTE is The direction is to the DCE. The On 108/2 of the CCITT recommendations. of operation is specified in definition Ready or DTR for short. The DTR mode the name of this circuit, Data Terminal suppress data flow temporarily; hence display the buffer status and hence

a cable is run for long distances. to the screen. It becomes useful when Earth link which is usually connected Pin 1. Pin 1 on RS-232 connector is an be established. appropriate limits and a link would not

received signal is not within the

as specified in the relevant

The Off condition indicates that the

signal is within the appropriate limits.

condition indicates that the received

recommendation for the DCE. The On

within the appropriate electrical limits

The direction is from the DCE. Signals

Detector. This circuit is not often used.

Data Channel Received Line Signal

Detect, although its official name is

Received Data channel line signal is

on this line indicate whether the

DCE is ready to exchange further is connected to the line, and that the signal convertor or similar equipment The On condition indicates that the whether the DCE is ready to operate. and signals on this circuit indicate direction of the signal is from the DCE important and is usually used. The Set Ready, DSR, this circuit is Circuit 107, pin 6. Commonly called Data to accept data signals from the DTE. indicates that the DCE is not prepared DCE is pepared to accept data signals from the DTE. The Off condition The On condition indicates that the purposes under control of the DTE. data channel or for maintenance test data signals for transmission on the whether the DCE is prepared to accept DCE. Signals on this circuit indicate to Send, CTS. The direction is from the although it is sometimes called Clear this channel is Ready for Sending, Circuit 106, pin 5. The common name for hardware data transfer. achieve the correct conditions for circuit 108, Data Terminal Ready, to necessary to strap this circuit to both the DTE and DCE. It is sometimes directions on this circuit conflict at another interchange circuit if signal may have to be strapped to is again all-important in this case. This connect it. The direction of the signal

operation. It is commonly used to

that the DCE is not ready to operate. printers. The Off condition indicates Modems and is never used with is a test indicator commonly used with transfer of data, providing circuit 142 is off or not implemented. Circuit 142 control signals with the DTE to initiate

Table 2. Circuit functions.

depending on the user modes of used, but if the facility is available at modes of operation for this circuit transmitted. This circuit is not always Circuit 108/1/2, pin 20. There are two transferred on circuit 103 has been transmit mode, when all data assume the Data Channel Non-Off condition causes the DCE to the Data Channel Transmit mode. The condition causes the DCE to assume this signal is to the DCE. The On Request to Send, RTS. The direction of Circuit 105, pin 4. This channel is called the receive channel. 'transmitted data", which may mean Watch out for descriptions such as manual should show which is which. used. A quick glance at the users' two pins, depending on the equipment stream may occur at either of these reception of the serial binary data already stated, transmission and Circuit 104, pin 2 or 3. This channel is usually Receive Data. However, as essential for the communications link. connection of these two channels is connected together in this mode. The the printer will do absolutely nothing if the Transmit Data pin of the printer: of the computer to be connected to could not allow the Transmit Data pin vice-versa for the other channel. You Receive Data pin at the printer and end would have to be connected to the the Transmit Data pin at the computer are crossed over. In normal operation are Transmit Data and Receive Data occasionally channels 2 and 3 - which occur at either channel because Circuit 103, pin 2 or 3. This channel can essential for correct operation. The connection of this channel is according to CCITT recommendations. tor unbalanced interchange circuits establishes the signal common return Circuit 102, pin 7. This channel

that you have forgotten something

don't despair, try again. The chances are

If the system does not operate first time,

when the printer buffer is full, for example.

lines are activated to stop data transfer

in determining whether the correct control each line's status. A breakout box is useful

in series with the cable, and LEDs monitor functioning correctly. The unit is connected

helps to determine whether the data link is

printer. A device called a "breakout box" a reliable data link between computer and have to be maintained in order to establish Figure 3 shows the voltage levels which

long. A cable that long must always be is not to use a cable much over 150 feet capacitance of the cable used. A rough rule correctly is largely determined by the The length of cable which will work circuits which conflict in direction. handshake. Never connect interchange used in achieving the correct form of on interchange circuits which are to be directions of the RS-232 control signals printer manuals carefully, noting the • Finally, check both the computer and

characters to the printer via the data

extremely simple. Good luck.

screened.

lines

both the DEC and DTE it is best to

ACT SIRIUS 1

New Graphics Hardware and Software from Magus

- The Graphics Equivalent of a Word Processor.

Our NEW Graphics Screen Editor gives interactive access to all of our powerful graphics routines directly from the keyboard.

FEATURES: -

- Line drawing and deletion
- Shading and area deletion
- Addition and deletion of text
- Multiple character sets
- Picture save and load to and from disk
- Multiple Screens
- Generation and use of symbol libraries
- Polygon and conic section plotting
- Cursor control from the keyboard or joystick
- Full Screen dump to a printer
- Block move

USES: -

- Electrical Schematics
- Building layouts
- In fact anything that can be drawn

Also available

- The Magus Graphics Board
- Memory Boards
- Multifunction Board
- Microcosm Research's Silicon Disk
- Data Ace The Outstanding New Data Base Management System from the U.S.A.

Coming Soon – New Graphics Software from Magus

- Three Dimensional Surface Plotter
- Business Graphics Package
- Tektronix 4010 Emulator

All Magus Products Designed and Produced in Britain to the Highest Standards.

Authorised Dealer Enquiries Invited

MAGUS COMPUTER SYSTEMS LTD

Sopworth Manor, Sopworth Chippenham, Wills SN146PS Telephone: 045 423 231 and 022 122 3576

MICRO-COMPUTER MAINTENANCE



APPLE IBM SIRIUS VICTOR NATIONAL ON-SITE 24-HR. CONTRACTS

COMMERCIAL DATA SYSTEMS LTD.

Telephone: 0268-710292 (ask for Sales)

• Circle No. 163

BBC

YOUR OFFICIAL THAMES VALLEY
DEALER. CONTACT US FOR ALL YOUR BBC
MICROCOMPUTER REQUIREMENTS.

WE SUPPLY

SERVICE

SUPPORT

DEMONSTRATIONS

ADVICE

SALES

FULL RANGE OF HARDWARE AND SOFTWARE AVAILABLE FROM

P J MICROSYSTEMS

14 WOOD END CROWTHORNE BERKS RG11 6DQ Tel: (0344) 772351

Circle No. 164

DUPLEX

NOW REQUIRE

OCHUMINIUMRIACHIS

FOR OLIVETTI'S ET 121 ELECTRONIC TYPEWRITER

Duplex has successfully developed two interfaces for Olivetti's ET 121 electronic typewriter - these are currently being distributed exclusively by British Olivetti themselves in the UK and Eire. The Duplex interfaces enable the ET to be used as a letter-quality printer

and/or terminal for a computer, add an extra 4,000 characters to the ET's one-line memory, enable the ET to



GENERAL PURPOSE/WORD PROCESSING COMPUTER



DUPLEX PLUG-ON

THE OCTET 121 - KSR

(Keyboard/send/receive)

- PLUG-ON unit. (30 seconds or less to fit or remove) 2000 Char. Print Buffer RS232C Specification (TX & RX)

- Three modes of operation (1 K& K.)
 White SACE SKIP to increase print throughput up to 45 cps
 Printer Pause Resume Key
 True KSR (Keyboard/send/receive) mode
 Keyboard SET-UP mode to change operating parameters

- non-volatile)

 Xon/Xoff, DSR/DTR, ETX/ACK handshaking protocols

ET 121 + OCTET OCTET TI



If you are interested in becoming an exclusive distributor in your country for the Octet interfaces contact D. J. Winder at Duplex. Countries of particular interest include AUSTRALIA, NEW ZEALAND, HONG KONG, CANADA, USA, MIDDLE EAST and most



communicate with other Olivetti word processors and typewriters, and allow the ET 121 to be attached to a telex tape punch/reader and tape cassette interface unit to provide infinite external memory. Foreign keyboards and character sets can easily be accommodated.

TELEX TAPE COMPUTER STATION OCTET-PO/PR



THE OCTET 121 - MSR

(Memory/send/receive)


- All KSR features and
- 4000 Char. Working Memory Simple to use TEXT-EDITOR

- Simple to use 'FEXT-EDITOR
 Five modes of operation. (Normal/telex/letter/setup/Ksr)
 Battery-backup & Power-Fail-Safe. (Protects memory contents)
 Allows OCTET series products to be interconnected
 Special FORM-FILLING facility using multiple stop-codes
 Allocate up to 100 special phrases (paras or whole letters)
 Standard ET121 features retained at all times

Communications

2 Leire Lane, Dunton Bassett, Nr. Lutterworth, Leicestershire, ENGLAND. TEL: (0455) 209131. OCTET is a trade mark of Duplex Communications.

YOUR CHANCE TO WIN BUSINESS **FFICIENCY** PRIZES





SOFTWARE





AND OTHERS



30 NORWOOD HIGH STREET, **LONDON SE27 9NR** Tel: 01-761 0435/3323

Circle No. 166



REGISTERED REFERRAL CENTRE

MEMBERSHIP NOW EXCEEDS 18,000

18,000 MEMBERS CAN'T BE WRONG — BEEBUG PROVIDES THE BEST SUPPORT FOR THE BBC MICRO. BEEBUG MAGAZINE — NOW 62 PAGES INCLUDING NEW PRODUCT GUIDE SUPPLEMENT — DEVOTED EXCLUSIVELY TO THE BBC MICRO.
Programs — Hints & Tips — Major Articles — News — Reviews — Commentary. PLUS members discount scheme with National Retailers. PLUS members Software library — a growing range of software from around £3.50 per cassette. 10 Magazines a year. First issue April 1982. Reprints of all issues available to members.
June Issue: Program Features "Return of the Diamond' a 1 6k adventure game. 'Hedgehog' a well implemented 'Frogger' type game, and Ellipto. Create your own off the shelf sound effects with Sound Wizard. Plus articles on Using Files, Rotating and Expanding Characters, Using Printers, and How to multi-program the User Keys. Reviews of The Hobbit Floppy Tape System, Adventure Games, and a Comparative Review of Wordwise and View. Plus FX Call Update, Disc Program Auto-relocator, Wordwise Update, and more BBC Book Reviews. July issue: Games: Robot Attack (32k) and Anagrams, a 1 6k word game. Watching the Beeb at work. — a sample program to show your micro at work. An introduction to discs — what are they work. — a sample program to show your micro at work. An introduction to discs. — what are they avoid a program of the program of

Magazine programs now available on cassette to members at £3.50 inc: VAT & p+p — see April/May issue for details

BEEBUG NEW OPERATING SYSTEM OFFER
BEEBUG members can now obtain the new 1.2 OPERATING
SYSTEM ROM at around HALF PRICE
See BEEBUG Magazine February, March or April for details.
As a result of BEEBUG negotiations with Acorn the ROM now may

also be offered by other user groups to their members.

MEMBERS SOFTWARE LIBRARY +

BEEBUGSOFT: BEEBUG SOFTWARE LIBRARY

offers members a growing range of software from £3.50 per

offers members a growing range of software from £3.50 per cassette.

1. STARFIRE (32k). 2. MOONLANDER (16k), 3D NOUGHTS AND CROSSES (32k), 3. SHAPE MATCH (16k), MINDENDER (16k), 4. MAGIC EEL (32k), 5. Cylon Attack (32k), 6. Astro-Tracker (32k).

Utilities: 1. Disassembler (16k), Redefine (16k), Mini Text Ed (32k).

Applications: 1. Superplot (32k), 2. Masterfile (3k).

13% discount to members on the excellent wordwise word processing package — this represents a saving of over £5.00.

Send f1 00 & SAE for Sample. Membership UK (5,40 for six month f9,90 for one year

erseas one year only rope £16 00 Middle Fast £19 00 rericas & Africa £21 00 her Countries £23 00

Make cheques to BEEBUG and send to: BEEBUG Dept 5, 374 PO Box 109 Baker Street, High Wycombe, Bucks HP11 2TD St Albans, Herts, AL1 1AR

Circle No. 167



MICRO COMPUTING PROGRAMMING OPPORTUNITY

WANTE

experienced freelance assembler programmers/organisation to convert best selling Arcade games for a variety of home computers.

Interested? — Send sample of your work and details of your development equipment to:

Mrs Karen Tarvin (Dept PC) Atari Ins. (UK) Inc Atari House, Railway Terrace, Slough, Berks SL2 5BZ

Circle No. 168

WHAT USE A MICRO WITHOUT A PRINTER?



NEW A.D.M. 80 COL. DOT MATRIX WITH TRACTOR FEED. BACKED BY ONE OF BRITAINS LARGEST MANUFACTURERS, IT IS NOW STOCKED BY US.

SPECIAL LAUNCH PRICE

£311.00 + VAT. Carriage £7.50 or collect from our warehouse.

CROFTON ELECTRONICS LT

35 GROSVENOR ROAD, TWICKENHAM, MIDDX 01-891 1923/1513Telex 295093

Circle No. 169

EPROM PROGRAMMERS

NEW BBC

PET

APPLE VIC

ACORN

MODEL A 2716, 2516, 2532, 2732, 2732A, 2764, 2564, 25128, 27128 £110.00 £ 53.50 £ 53.50 ALL PROGRAMMERS CAN MODEL B 2716, 2516, 2532
MODEL C 2716, 2516, 2732
PET, VIC, ACORN MODEL A.B. or C. ALL PROGRAM
READ/PROGRAMME/VERIFY/COPY
BBC, Apple Model A only.
Full Software Tape supplied for your Computer
PET OWNERS:- Free Programme for making your own Character Sets.

PET OWNERS:- Free Programme for making your own Character Sets.

£ 52.50

Select up to 8 ROM/Eprom, RAM/ROMS from any available ROM Socket.

No Wires, Switches or Soldering Required.

Will except any combination of 2K or 4K ROM/EPROMS, RAM/ROMS.

Select upto 8 of your own Character Sets
APPLE VIA BOARDS

The Via Board contains 1 or 2 6522 Via's Single £27.90

Each 6522 Via's contains: 2 × 8 bit Programmable I/O Ports. 1 × 8 Bit Shift Register

Double £36.60

Four Handshaking Lines CA 1 CB1, CA2, CB2. Two Programmable Timers.

Full 5622 Data Sheets supplied

ACORN MONITOR CHIP (2K)

10 Commands to simplify Machine Code Programming

Full Screen Editor. Repeat Key, Auto Entry Flashing Cursor. Tape Verify.

Slow Scroll. Memory Fill, and many more. £10.50

PET IEEE PRINTER BUFFER Available soon

PET IEEE PRINTER BUFFER Available soon IEEE-Centronics — 85232

• Free Your Pet from Printing
• The Printer Buffer receives all your Printer Data in seconds (5 sheets) Then outputs your Data while you type your next letter.
• 14K printer Buffer.

14K printer Buffer.
 Full IEEE to IEEE or IEEE to Centronics output.
 IEEE to RS-232 optional extra. S.A.E. for details

CONNECTORS
PET IEEE User Port

\$5.65
VIC User Port
\$5.65
VIC Games Port £5.65
Acorn Expansion Port
\$7.00

PET Cassette Port (Crimp) Orders over 100 £1.00

CHIPS
2716 EPROM (2K)
£4.00
2532 EPROM (4K)
2764 EPROM (8K)
£8.00
6116 P.3 (2K) Static
RAM
£4.50
6522 VIA'S
£6.50

C10 Cassettes (10)

£5.00 Eprom Eraser £40.00 Eprom Eraser Timer £10.00 ALL THESE PRICES INCLUDE VAT AND P&P

Please Add 15% VAT Plus £2.50 P&P to your orders. OFFICIAL ORDERS Welcome

CID COMPUTER INTERFACE DESIGNS 4 ALBERT RD. MARGATE. KENT. (0843) 294648

• Circle No. 170

Britain's finest business software for the commodore

Fully featured ledgers and stock control - for less than £100 per package!

The Commodore 64 is the computer small businesses have been waiting for - inexpensive, reliable, with a large memory. Now there is Anagram business software for the 64, full-scale proven 40-column sales ledger, purchase ledger and stock control developed from existing Anagram packages for larger machines.

Anagram software uses no jargon, speaks to you in plain book-keeper's English, is extremely easy to understand. The packages for the 64 offer all the options and

facilities any business is likely to need.

Sales Ledger with invoice printing - £99

Anagram Sales Ledger 64 maintains comprehensive details of each customer account on an open-item basis each invoice remains on the account until it is paid. Handles up to 220 customer accounts, up to 20 lines per invoice, trade and settlement discounts. And you should see the reports!

Purchase Ledger with Nominal Analysis - £99

Anagram Purchase Ledger 64 is as comprehensive and full of features as the sales ledger, and is just as simple to use. Up to 150 supplier accounts with 50 nominals - posts invoices, credit notes and payments to each account. You can even analyse each invoice across 6 nominals plus VAT!

Easystock - £75

Easystock, like the Sales and Purchase Ledger packages for the Commodore 64, is designed to make computerisation straightforward for the businessman and his staff. Step-by-step menus ensure accurate stock records for up to 550 stock items with detailed up-to-the-minute

SEND THE COUPON FOR A LEAFLET AND DETAILS OF YOUR NEAREST DEALER

Please rush me yo leaflet and the ad	our Commodore 64 software dress of my nearest dealer
Name	ment general Problem Companies
Company	color stand or a leave to the standard or the
Address	
The managements	
First more to b	os alesta do persona le vigo de ma considera a enim incomencia e
Telephone No	
@ @	EANAGRAM SYSTEMS
些	60A, Queen Street, Horsham, West Sussex RH13 5AD Tel. (0403) 50854 58153 Telex: 877986

Circle No. 186



WITH THE MOST advanced user interface available on any micro, 2Mbyte of software coming with the machine and an £8,000 price tag, the Apple Lisa might seem a little over the top for everday office use. In the March issue of *Practical Computing I* wrote an extensive preview of the system based on a couple of visits to Apple to look at the machine. Since then I have had the opportunity to use the machine at my own desk.

Lisa comes with six software applications to do a variety of different office tasks, and they are substantial pieces of software. I have been using three of them — the word processor, the graphing and the drawing tools — to produce copy for this issue.

Physically, the Lisa does not look particularly unusual. It consists of three off-white boxes; the main unit contains the screen and floppy-disc drives; there is a separate keyboard; and a third unit contains a 5Mbyte hard disc. Inside the main unit is a 16-bit 68000 chip and 1Mbyte of internal RAM. The two built-in floppy-disc drives and the separate hard disc unit provide a total of 6.7Mbyte of on-line disc storage.

In addition to its keyboard the Lisa has a mouse pointing device. It is used in conjunction with the Lisa's high-resolution screen in almost all interactions with the machine. The mouse is a small box with a button on top. Set into the underside of the mouse is a ball which senses movement of the mouse on the desk. As you move the mouse a pointer moves on the screen; you use the mouse to control the system by pointing to and manipulating symbols on the screen.

You start a session with the Lisa by turning on the hard disc and inserting a floppy diskette into one of the drives in the main unit. The hard disc takes several seconds to get up to operating speed and check itself out. Like most hard disc drives used with micros, it has a non-removable disc permanently mounted inside it, so some discipline over keeping back-up floppies is advisable.

Turning on the main unit causes the system to carry out a series of diagnostic tests, displaying a set of graphic symbols to show how the system checks out. Then the hard disc clacks, and after a delay puts up a screen representing the Lisa desk top as you left it when you last switched off. This process can take anything up to a minute.

It is easy to print out an exact dump of (continued on page 94)




Figure 1. The screen looks something like this when you first start the system up. The grey area represents a desk top, with a number of graphic symbols called icons scattered on it.




Figure 2. Moving the pointer over the diskette icon with the mouse and clicking it opens up the diskette icon into a window revealing what is on the diskette.




Figure 3. The Lisa Review document stored on the diskette has been opened by moving the pointer over the Lisa Review item and clicking the mouse button.

Opening the Lisa Review window automatically loads the document into memory and brings the word-processing software into operation without the user having to issue any conventional operating system commands.




Figure 4. The words along the top of the screen are menu titles. When pointed to, the menu pops down and commands can be chosen to act on selected portions of the text. Here the word "workaday" is being cut from the document.




Figure 5. The Type Style menu provides a wide variety of typefaces for use with the dot-matrix printer. The ticks show the present style of the selected, highlighted, text. Any other style can be selected simply, using the mouse to highlight it.



Figure 6. The highlighted text has been changed from italic, bold 1/4 Classic to italic, bold 1/3 inch Modern. The change occurs instantly. As you release the mouse button the menu pops up out of the way to reveal the new style.




Figure 7. Lisa help and error messages are displayed in a large box across whatever you are doing on the desk top. They are very intelligent. Here the system is responding to an order to abandon an edit by checking if you really want to revert to a previous version, using the clock to jog your memory.

Using the Lisa

(continued from previous page)

whatever is on the screen on the dot-matrix printer, so we have been able to illustrate many of the points I am discussing. The grey area on the screen represents a desk top, with a number of graphic symbols called icons scattered on it. The desk top shown in figure 1 is fairly empty, because I left it tidy before switching the machine off at the end of the previous session.

The icons represent various things in the Lisa system, including physical storage devices like the diskette and hard disc, information like the system preferences currently set, tools like the Lisawrite word processor, and documents and folders.

Within the Lisa system all these things are handled within the terms of a consistent metaphor of the desk top.

The underlying philosophy here is that people are not ignorant. When they come to a computer system for the first time they bring with them all the learning and experience from other areas of their lives. If a computer system can be made to resemble something people already know then they will already know a lot about how to use it. The tool for making such computer systems is metaphor — hence the Lisa desk top.

The arrow pointer is what moves as you move the mouse around your real desk top. Moving the pointer over the diskette icon and clicking the button on top of the mouse opens up the diskette icon into a window. This reveals what is on the diskette, again represented as a set of icons. In figure 2 I have documents called Tandy Review, Tandy Spec and Lisa Review on my

diskette, plus some other things. Wordprocessing documents are represented by icons which resemble writing paper, while my graph file of general-election results is on graph paper. The diskette also contains a pad of drawing paper and a pad of writing paper, as well as some folders to file things away in.

To start word processing a document all you have to do is open it, again using the mouse. Opening the Lisa Review document, for example, automatically loads the right document into memory and brings the word-processing software into operation without any conventional operating-system commands being necessary.

The Lisa is very consistent. The window into the Lisa Review document is very similar in format to any other Lisa window. The title appears along the top, and a border contains various control boxes




Figure 8. Lisagraph paper is for preparing graphs. As values are typed into the table the graph is automatically changed and redrawn. Data can be displayed in several different ways, selected from the pull-down graph menu.




Figure 9. The graph is printed out by selecting the appropriate option from the file/print menu. Since you can try out different format charts easily you can usually find a clear way of bringing out the point you wish to make with your data.




Figure 10. The election graph can be further beautified by transferring it via the clipboard to Lisadraw paper, where all the drawing tools can be put to work on it. The symbols down the left-hand side represent different ways of using the mouse to draw.



Figure 11. The finished graph as printed out. Lisadraw has been used to move words, change type styles, thicken lines and add shading.

which allow you to control what you are viewing. The arrow boxes, for example, are used for scrolling. To move the document up one line you simply move the pointer over the appropriate arrow and click once. Two clicks move it two lines, and so on.

The page boxes next to the up and down arrows move you around a page at a time. You can also move the whole window, by pointing to the top left corner and holding the button down as you move the mouse, or shrink the window using the control box at the bottom right. It may sound complex, but you rapidly get the hang of working this way. The mouse system is like driving a car: you look at the road, not your hands on the wheel, yet you are still capable of very precise control. With the mouse you just look at the screen, and your actions become accurate and automatic within a couple of days.

The words along the top of the screen are menu titles. When you point to one of them a menu pops down, and commands can be chosen to act on selected portions of the text. You select the text you want to act on beforehand, by dragging the pointer through it with the mouse button held down. In figure 4 the word "workaday" is being cut from the document.

For the first few days the Lisa is very exhilarating to use. Not much work gets done, as it is such a fine toy to play with. But once the novelty wears off this becomes less of a problem, and it becomes just another office tool, albeit one which makes everything else seem very dull.

An abiding problem is the Lisa's response time. It may be that the development version of the software on the system we were provided with is slower than the eventual release, as it still contains diagnostic code. Loading a document could take five or six seconds, saving up to half a minute. The Lisa is doing a lot of processing to support its nice user interface.

Lisadraw documents were generally the slowest, even from the hard disc, with many disc accesses necessary to bring up a simple drawing. Once a graph, drawing or document was in memory there were few delays, but I couldn't help feeling that the Lisa, with its 1Mbyte of RAM, would be a better machine with 5Mbyte of RAM

Specification

System includes: 1 Mbyte of RAM, two 850K floppy drives, a 5Mbyte hard disc, and the Lisa's integrated office system software.

Standard Software: Lisawrite, Lisagraph, Lisadraw, Lisacalc, Lisaproject and Lisalist.

Price: £7,950.

U.K. Distributor: Apple Computer (U.K.)
Ltd, Eastman Way, Hemel Hempstead,
Hertfordshire, HP2 7HQ. Telephone:
(0442) 60244. Lisas will be available in
volume in August.

The system under review also had the Apple dot-matrix printer, price £425, and printer interface card at £160. A daisywheel printer is available from Apple at £1,350.

instead of, or as well as, a hard disc. Lisa's 68000 processor is capable of addressing up to 16Mbyte, so this enhancement is a real possibility at some future date. Lisa represents the current state of the art, but how easily we are spoiled.

I did not like the mini-floppies These double-sided 5,25in, discs are of an unusual design, with two slots cut in them instead of the usual one. Apple says this was done to make them more reliable, as the conventional arrangement for double-sided disc drives has two read/write heads pressing against the disc from opposite sides, and unequal pressure can distort the recording medium. The problem with the Apple solution is that it is easy to get your fingers all over the recording surface, which introduces dirt as another possible source of disc failure. What Apple has gained on the high-technology roundabout it has immediately lost on the human swings. It would help if the new format discs had the outer cover in a contrasting colour to the recording surface.

The Lisa encourages spontaneous methods of work because all the tools are to hand. As well as the features I have been using it includes the Lisacalc spreadsheet, Lisalist database and Lisaproject scheduling tool. It is rather like VisiCalc written very large — you can try things out and then undo them. Since this is true of all the Lisa applications, not just the spreadsheet, there is a major gain for the user.

Lisa is supposed to be a completely integrated environment, with data readily transferable between the different Lisa tools, yet I found there were things I expected to be able to do but could not. I was able to transfer a graph prepared on Lisagraph paper across to Lisadraw paper for further work, but I could not copy the same graph across to a Lisawrite document, where I actually wanted it. Instead I got a message on the screen, confirmed in the manual, that only text can be copied on to a text Lisawrite document. I hope this is a temporary limitation, as the whole design of the system leads you to expect you can do this. I checked with Apple and was told the initial August release of Lisawrite will only be able to accept data from Lisacalc.


I did have limited success in copying text from a Lisawrite document on to a piece of Lisadraw paper. The restriction here is the size and shape of the drawing paper. I kept getting messages that told me to keep text clear of the paper boundary, as the drawing tool has none of the wordwrap features found in Lisawrite.

Lisa has been criticised as overpriced, but the price is not as steep as it seems. If Apple were to sell the basic system with 1Mbyte of RAM and its two floppy drives for around £4,000, then charge for the 5Mbyte Profile hard disc and each of the application tools separately, it would not seem exceptionally expensive. Apple is probably right to bundle the prices together since the whole Lisa concept is to integrate all the software applications into a consistent user environment and hide the hardware behind a metaphor of a graphics desk top.

The main software development environment for the Lisa is to be based on Pascal. It will include an extensive library of routines to enable independent software writers to produce applications which interact with the user in a way consistent with the rest of the system. Cobol and Basic will also be available. None of these products was available for review.

Conclusions

- The Lisa is a very impressive system. It is both powerful and easy to use.
- First-time users around the office were able to do some tasks very soon after coming across the machine.
- Response time could be improved. Even with the hard disc, loading and saving some types of data took too long for what is meant to be the ultimate user-friendly system.
- The three applications reviewed Lisawrite, Lisagraph and Lisadraw — are all powerful and easy to use.
- The Lisa is a true personal computer; it makes computing power directly available to the individual user with as little fuss as possible.
- Not everyone wants or can afford the Lisa, but the ideas behind it are already reshaping the way people expect computer systems to behave.



Some examples of printed output from Lisadraw.

TANDY 100

A computer which will be there when you need it most, tested by Ian Stobie.

TANDY'S MODEL 100 is a battery-powered portable computer with a proper full-size keyboard and liquid-crystal display. By current standards of LCD technology the display is very large: it can show eight lines of 40 characters. The other distinctive thing about the Model 100 is that it comes with an unusually large amount of software in ROM, and includes a Microsoft-written text editor in addition to Basic.

The Model 100 looks a bit like the Epson HX-20 portable, the obvious machine to compare it with. The Model 100 ranges in price from just under £500 including VAT, for the minimum configuration with 8K RAM to £730 for a 32K RAM system. The Tandy is therefore slightly more expensive than the Epson, which costs £462 for a 16K machine, but then big LCD arrays are not cheap.


The Tandy is the slightly lighter machine, weighing just under 4lb, but both computers fit a full-size, full-travel keyboard on to a roughly A4 size package. Tandy has opted for the superlarge display which occupies the whole of the top part of its machine above the keyboard, in the space where Epson fits its smaller four-line by 20-character display, on-board mini-printer and optional micro cassette drive. With the Tandy machine you use an external printer and an ordinary external cassette recorder.

The large display and text-editing software makes the Tandy an obvious candidate for use as a portable word-processor. The Model 100 has an RS-232C interface as standard and built-in communications software. It should be possible to download files on to other machines for more sophisticated word processing.

It is probably fair to say that Tandy products do not have an outstanding reputation for finish, but the Model 100 is built for Tandy by Kyocera in Japan. It is very well made and generally pleasant to handle. The casing is made of strong plastic in off-white and black.

The keys themselves and the screen surround are black. To the right of the screen is the Tandy Radio Shack logo, incorporating the TRS-80 legend which seems to be becoming like Heinz's 57 varieties as an intrinsically meaningless badge of corporate identity.

Just below the badge is the battery-low indicator. When it lights up you have roughly 20 minutes of battery power left. A panel underneath the machine pulls off to reveal four AA batteries. They can be





Turning on the machine brings up the main menu, including date and time.

changed without losing the contents of memory because the Model 100 has a second set of rechargeable NiCad cells hidden away inside. The first thing the Model 100 does when a new set of AA batteries is installed is top up this reserve power source.

When you exhaust your main batteries the warning light goes on, and about 20 minutes later the machine stops functioning. The reserve NiCads give you at least a further eight days with memory preserved intact to fit some new ones, according to Tandy. The Model 100 is fitted with a 6V DC socket on the side so you can run it off an optional mains adaptor, cost £8, if you prefer.

A quick look round the outside of the machine shows that it is well provided with connections to the world, as befits a portable machine. As well as the RS-232C communications interface there is a parallel printer port and a DIN-style socket for connecting to a domestic audio cassette recorder. There is also a bar-code reader connector of the HP pattern, indicating that this is a machine designed with business as well as purely personal use in mind.

Next to the cassette socket is a closedoff hole in the casing which on U.S. machines has a direct-connect telephone Modem socket. Unfortunately this is not available in the U.K., and the circuitry to support it has been removed. One day British Telecom may give approval to this type of device, but Tandy does not seem to want anyone to jump the gun.

Underneath the machine a second panel pulls off to reveal a ROM socket and a 40-pin external bus connector. The ROM socket will take a 32K module which will switch the existing 32K of ROM out of the Model 100's 64K address space when installed, so it looks ideal for customising the Model 100 for special-purpose applications.

Turning the machine on brings up the main menu. Next to the On-Off switch at the right side of the Model 100 is a knurled wheel, which can be used to aim the display electronically to suit your viewing angle. It provides excellent contrast. Liquid-crystal displays are much less tiring to look at than TV-type cathode-ray tubes, so let's hope the technology continues to advance. Epson has recently demonstrated a pocket TV with flat, colour LCD screen, so clearly there is plenty of research going on.

The T-100 represents the current state of the display art in reasonably

inexpensive consumer products. Each character is made up on a seven-by-five matrix of dots, lower-case letters having a one-dot descender. For graphics any of the screen's 15,000-plus dots can be individually addressed, giving 64-by-240 dot graphics.

The main menu shows the current date and time — which updates every second as you watch it — and the amount of memory free to the user. It stands at 21,446 bytes free on the 24K model if you have no files of your own in memory, 5,062 bytes on the 8K model.

The menu also shows a directory of all the files in memory, both yours in RAM and the ones the system comes with in ROM. They are:

- · Basic,
- Text, the text editor,
- Schedl, the appointment scheduler,
- · Address, the address list program,
- Telcom, used with the RS-232C for computer-to-computer communications. There are 19 free slots for your own files, which can be Basic programs, text files or machine-language files.

You select from the menu by typing the name you want, or more rapidly by moving the cursor over the appropriate file name. The four cursor-control keys are on the right of the row of special keys positioned just under the display.

The keyboard has a very nice feel to it. For fast typing I prefer the Model 100 to the Epson, which also has a very good quality keyboard. The Tandy layout is closer to what appears to be the emerging standard, recognisable by the large Enter key. The numeric shift key to the right of the keyboard redefines the U,I,O,J,K,L and M keys to give numbers so that you have, in effect, a numeric keypad in the middle of the keyboard when you want it. The Graphics Shift key gives you access to 39 special graphics characters, and a set of block graphics characters can be reached with the ordinary Shift key.

The editor, called Text, is a simple but useful word-processing program. You can enter, alter, move, duplicate or delete blocks of text with it, storing the finished product in RAM or on tape, or sending it to an external printer. Text makes extensive use of the function keys F1 to F8. Hitting the key marked Label brings up on the bottom line of the display definitions of what the function keys do — Find, Load, Save, Copy, Cut, Select and Menu.

To move a block of text you position the cursor at the start, hit the Select function key, move the cursor through the text, which highlights it, and then hit the Cut key. The text disappears, but if you then move the cursor to the new position and hit the Paste key it reappears in its new location.

Text is quite a handy piece of software. You can enter any printer control code easily, and can also use it to edit Basic programs as well as ordinary documents.

(continued on next page)

Benchmarks

The table shows the time in seconds to run eight standard Basic routines. The benchmark routines test out various typical tasks, each repeating an appropriate set of Basic statements 1,000 times.

set of Basic	stater	tatements 1,000 times.								
	1 10	2	3	4	5	6	7	8	Av	
Tandy Model 100	4.8	10.1	26.7	29.7	31.4	47.5	63.6	323.0	67.1	
HP-75C	2.5	4.4	21.0	21.0	23.0	39.0	56.0	130.0	37.1	
Epson HX-20	2.6	15.2	33.4	33.2	35.2	59.6	101.0	132.0	51.5	
Sharp PC-1500	15	70	121	122	178	293	383	510	211.5	
IBM PC	1.2	4.8	11.7	12.2	13.4	23.3	37.4	31.0	16.9	

(continued from previous page)

The package lives in ROM and is therefore always available with the minimum of delay, which encourages spontaneous memo writing. Obviously there are limitations compared to a discbased word processor: you cannot do find-and-replace operations and, more seriously, you cannot have double or triple line spacing.

Schedl is a simple notebook program that lets you find messages you have written to yourself by time, date or content. The program operates on a Note file you create with Text, carefully observing the required format. When using Schedl to find messages you can search either by entering a time, date or character string, or by browsing through the file. You may have only one Note file in memory and Schedl makes no use of the built-in calendar clock, so it is a very limited program, but still useful. Hewlett-Packard's HP-75C probably remains unchallenged as the portable machine with the most powerful general diary and scheduling features built in.


Address works in a similar way to Schedl, with a text file you have to set up called Adrs. Again it is very simple, but it lets you find addresses and phone numbers easily. Because both programs reside in ROM, with their files in RAM, they are rather more useful than they sound because everything happens quickly. You simply turn the machine on, select the appropriate new option, hit a function key and type in your search string.

Telcom lets you use the Model 100 to send and receive information from another computer system. Although the U.K. model does not have the built-in telephone Modem it does have the RS-232C, so the Model 100 can be used with similarly equipped TRS-80 computers and other machines with the right interface and software - perhaps via an acoustic-coupling Modem. Text files can be transferred to a Tandy Model II and edited with Scripsit, for example.

Once you have selected Telcom from the menu you can configure the RS-232C in various ways, setting a baud rate in the range 92 to 19,200 and specifying word length, parity and stop bits. Hitting function key 4 puts you into terminal mode, where you can transfer incoming data into a standard Model 100 RAM file, echo it to an external printer, or transmit your own data.

The Model 100's Basis is a very full version similar to Microsoft's other recent Basics. The maximum numeric precision it can handle allows you numbers with exponents ranging from -64 to +62, displaying them with up to 14 significant digits. The Basic includes Print Using for business-like output formatting and On Error and On Time\$ Goto statements.

The specific Model 100 hardware is generally well complemented by the Basic.



Four AA batteries power the Tandy 100, with rechargeable back-up to maintain RAM.

The LCD screen is well supported with PSet, PReset and Line commands. The Line command even boasts a box fill parameter, so for instance

LINE (3,3) - (30,40),1,BF produces a dark rectangle at the appropriate place on the screen. The sound command includes pitch and duration parameters.

An unusual and impressive Basic statement is the On Key Gosub, which is followed by a list of line numbers. Hitting one of the eight function keys while your program is running will cause a branch to the appropriate Basic routine from the list of line numbers. This powerful feature is only really possible because the Model 100 is built around a chip with good interrupthandling features — the 80C85, which is the low power-consumption version of he 8085, itself an evolved member of the eight-bit 8080 family.

Benchmark tests show the Basic to be

quite fast, considering it is running on a CMOS machine. Although the Epson HX-20 has a better average figure, on most of the benchmark routines the Tandy was a little quicker, the average being brought down by slower trignometric functions.

The documentation to describe all these features is good. The system comes with two manuals, a comprehensive 200-page spiral-bound A4 book and a pocket-size 50-page reference guide. The larger book describes setting up and using the applications programs in a simple way, and then goes off into a detailed reference section on the Basic, followed by technical appendices. The reference guide is very clear. All that is missing is a tutorial guide to Basic, but possibly books for other Tandy machines with similar versions of the language would fulfil this need adequately.

Battery-powered portable machines are clearly becoming powerful enough to attract a whole range of users. Tandy's other portable, the PC-2, is an excellent machine which is better known in the U.K. as the Sharp PC-1500. The Model 100 may at some stage appear on the market through another channel under another brand name in a similar way.

Specification

CPU: 80C85, eight-bit CMOS 8085 lookalike, running at 2.4MHz

ROM: 32K containing Microsoft-written Basic, text editor, address list, appointment scheduler and communications software

RAM: 8K expandable to 32K Size: 300 by 215 by 51mm.

Weight: 1.36kg.

Power source: Four AA batteries or equivalent, or 6V DC. Internal NiCad back-up batteries are fitted as standard, AC adaptor is optional extra

Display: eight-line by 40-character liquid crystal, measuring 194 x 53mm. Each dot of the display is individually addressable, giving 64-by-240 dot graphics

Keyboard: full-size QWERTY layout, fulltravel keys: eight programmable function keys and eight other special keys

Manufacturer: Kyocera, Japan for Tandy Corporation

U.K. price: (inc VAT): £499 for 8K version, £649 for 24K version, £80 for 8K RAM upgrade kit

U.K. distributor: Tandy Corporation, Tameway Tower, Bridge Street, Walsall, West Midlands WS1 1LA. Telephone: (0922) 648181

Conclusions

- Battery-powered portables are becoming increasingly powerful and useful. The Model 100 with its very large eight-line by 40-character display and excellent keyboard marks the latest step forward.
- Tandy machines have not always been renowned for finish, but the Japanesemade Model 100 is generally well built and finished.
- Tandy is likely to sell the machine as an out-and-out home machine and as a personal machine for professionals. In both roles it should do well.
- The Model 100 will only be available from Tandy and Radio Shack stores, not from specialist computer dealers. This probably gives the Epson HX-20 the edge in high-volume fleet sales to large companies with special-purpose software added on.

HOW CAN YOU MAKE AN INTELLIGENT DECISION WITHOUT US?

FIRE.

Ten years is a long time in the computer business.

And ten years' success at the most demanding end of the business, the OEM market, says a lot about Cifer's capability.

The microcomputers and intelligent terminals we are making today have a power, a flexibility and an upwards capability which makes it unlikely they will be outgrown or outdated in the forseeable future. And we can see further ahead than most people.


A vast range of compatible hardware gives Cifer systems functional abilities which are well beyond the scope of other equipment in the same price bracket. In fact, you could say we start where the others leave off.

And as every piece of equipment is British designed and British made, you don't have to go halfway round the world for good customer support.

Before you make the key decisions, find out about the most intelligent terminals and microcomputers in the market.

CIPER

HOW CAN YOU MAKE AN INTELLIGENT DECISION WITHOUT US?



Northern Area Sales Tel: Nottingham (0602) 410551.

South Eastern Sales



IF YOU WATCHED Making the Most of the Micro on BBC TV you will already have seen the BBC Buggy demonstrating the principles of computer control.

The Buggy was designed by Mike Bostock, Technology Manager of the Newcastle-based Microcomputers in Education Project. Its body is a 5in. cube made from Fischer Technic parts, and it is driven by two independently controlled stepper motors. It is controlled by signals from on-board sensors and by programs run on the BBC Micro Model B. Production models of the Buggy are not yet on sale — the projected price is £165.

The sensors include two microswitch collision detectors operated by a split plastic bumper. They are intended for detecting obstacles, though quite a lot of pressure is required to operate the bumpers because of the resistance of the plastic hinges.

There is a light detector, and an infrared transceiver similar to the device used in supermarket bar-code readers, which can be used to follow black or white lines. It

protrudes in front of the bumpers and is therefore quite likely to hit obstacles before they do. The sensor has obviously been mounted to make it easy to adjust its height, but it is a point on which the design could be improved. The Buggy is equipped with a pen-up, pen-down mechanism, which allows it to hold a pen and trace its route.

The control circuitry is contained on two printed-circuit boards. One is on the top of the Buggy itself, and collects the input signals from the sensors and distributes power to the stepper motors. It is connected by a long 16-wire ribbon cable to the second board, which is in turn connected to the power outlet, user port and analogue port of the BBC Micro. It can be mounted in a rack but may conveniently be taped to the top of the BBC Micro with the cables tucked away beneath it. An eight-LED display shows the signals being sent out or received from the Buggy.


The Buggy has been constructed from readily available parts, so it should be easy to replace those lost or damaged. The whole device has been designed in a modular fashion and is easy to take apart, add to or rebuild in new configurations.


The machine is to be sold together with 13 programs, which are all easy to use if rather simple. They are intended to show you how the Buggy is used and to encourage experimentation with the Buggy. The test program checks that the Buggy is set up correctly and that all the sensors work. It may also be used to set the height of the bar-code reader, which has to be adjusted so that the value displayed by the program changes significantly when the Buggy is lowered on to a white background.

A simple program called Switch shows how to program the Buggy in Basic. You drive the Buggy using the arrow keys. If its motors are both turning in the same direction the Buggy moves either forwards or backwards. Turning the motors in opposite directions makes the Buggy spin on its axis. The prototype system seemed to have been wired incorrectly: pressing the Left Arrow key sent it turning to the right and vice versa.


BBC BUGGY

David Watt is on the move with a computer-controlled trolley to interface with the BBC Micro, and the software to run it.





The wheels are driven independently by stepper motors.



An exposed circuit board sits on top of the Buggy itself.

The program Memory Switch is very similar to Switch, except that it records the route the Buggy follows. You can instruct it to return home and then retrace the route, or follow a new route. The program demonstrates the accuracy of the stepper motors: I sent the Buggy on a route about two metres long, marked the final position, returned to the original start position and retraced the route. At the end of this sequence the Buggy was about 25mm. from the position I had marked. If you want to draw a map of the Buggy's route on the screen as it is driven around you can use the Recorder program to do so.


A program called Snail is used to prepare a series of coded instructions to drive the Buggy. For example,

L20, F10, R90

means left 20 degrees, forward 10cm. right 90 degrees. The route is then mapped on the screen as in Recorder. By using Route Planner you can plot the route on the screen first, then instruct the Buggy to follow it.

The program called Explore for Object is supposed to demonstrate some of the principles of artificial intelligence. The Buggy is programmed to use the collision detectors to locate an object and work out its size and shape. Its shape is then displayed on the screen. The object has to be firmly fixed or the Buggy is likely to push it out of position. There also is a tendency for the Buggy to slip when it hits the object because of the resistence of the bumper hinges. The bar-code reader has to be moved out of the way of the bumpers for this program. A similar program called Explore for Wall determines the size of the area in which the Buggy is placed.

According to the rather primitive documentation supplied, Sunseeker is supposed to direct the Buggy to seek out a light source, negotiating objects in the way. When I used it, the Buggy just turned in a circle until it located the direction of the brightest light; it made no attempt to



A light detector, similar to a bar-code reader, protrudes beyond the front bumpers.

negotiate any obstacles or to look for a brighter source. Man Versus Buggy is similar, but here information is displayed on the screen and you may control the Buggy with the arrow keys. The idea is to see how well you can do compared to the Sunkseeker program.

The Line Follower program was demonstrated on the TV show. It uses the bar-code reader to follow either a black line on white background or white line on black background. John Williams of Economatics, the company supplying the Buggy, advised me that the Buggy was best at following a line of black electrician's tape on a white Melamine board.

Two programs, Barplan and Tin Pan Alley, are designed to use the infrared detector to read special bar-coded cards, which were not supplied with the review Buggy. A set of cards should be included in the package when the machine goes on sale.

There were some problems with the software control of the motors. Beside the Left and Right Arrow keys being interpreted the wrong way round, pressing two keys at the same time made the Buggy

vibrate back and forth without going anywhere. The stepper motors tended to heat up after a time, though I understand the software is being adapted to switch off the motors when they are not in use.

Conclusions

- The Buggy should be attractive to schools, laboratories, universities and home enthusiasts. It is a splendid teaching aid and experimental device, particularly as it is so easy to build into different configurations.
- It might be built in different configurations for use in some light-engineering applications, for control of certain types of laboratory experiments or for developing aids for the physically handicapped.
- The circuit boards should be enclosed in plastic cases. At present the complex circuits are exposed to spilt coffee and similar environmental hazards.
- The proposed price for the Buggy is £165, which should keep it within reach of those people who have a definite use, whether educational or experimental.

WORDWISE

Neville Maude wonders whether this BBC word processor lives up to its name.

WORDWISE was the first ROM-based word processor to be announced for the BBC Micro. I ordered mine back in July 1982 but, as with all ROM-based BBC software, a series 1.0 or subsequent operating system is required; waiting for Acorn to deliver it is like waiting for Godot.

In the fullness of time, series 1.2 operating systems appeared and paged or "sideways" ROMs could be used. Plug-in ROMs are an excellent way of providing word-processor facilities on computers. Tapes take time to load and good ones swallow large amounts of precious memory.

Inserting the ROM is simple. Most people will want the machine to cold-start into Basic, so the Basic chip goes into the right-hand socket. The Wordwise ROM goes into any of the remaining four sockets and is selected simply by typing *WORDWISE

or, in practice

*W

The system is then up and running.

At any time you can go back into Basic and out again without losing any entered text. When in the main Menu mode, typing * passes the subsequent line to the operating system so commands such as * Cat, * Tape or * Disc can be entered without even going into Basic.

Wordwise first asks if there is any old text in memory. If not, the title page or menu appears with eight options. Options 1 and 3 save text on to disc or cassette, either in total or in marked sections. Option 2 loads text previously saved, and 4 loads text at a point indicated by the cursor, which can be anywhere, even in the middle of a word.

Option 5 is an editing facility giving a global or selective search for specified text items to be replaced. For example, it could search through an entire article for a name such as Barbara and either replace it with, say, "Mrs Smith" everywhere or ask if it should replace at each occurrence. This powerful tool can also be used in editing Basic or other programs.

Menu option 6 sends text to the printer. Option 7 displays the text in its formatted form. It uses an 80-column screen, mode 3, if enough memory remains unused or 40-column mode otherwise. Normal memory capacity is 27,378 characters but for 80-column display 16,000 must remain unused. Acorn's ROM-based view is similar in this respect. However, even in 40-column code it is easy to see where the page ends and so check the format.

UCROWISE


(C) Computer Concepts 1982

1) Save entire text
2) Load new text
3) Save marked text
4) Load text to cursor
5) Search and Replace
6) Print text
7) Preview text
8) Spool text
ESC Edit Mode

Please enter choice

Wordwise first asks if there is any old text in memory; if not the menu appears with eight options.

Table 1. Wo	rdwise embedd	ed commands	
Command	Range	Default	Function
LMn	0 to 150	5	Left margin
LLn	10 to 200	70	Line length
INn	0 to LL-10	0.	Indent
Tin	0 to LL-10	0	Temporary indent
CI			Cancels all indents
PLn	10 to 200	66	Number of lines per page
TSn	0 to 50	7	Top space
DHn	1 line		Define heading
HPn	0 to TS	3	Heading position
BSn	0 to 50	7	Bottom space
DFn	1 line		Define footing
FPn	0 to BS	3	Footing position
JO		On	Justification on
NJ		Off	No justification
LSn	1 to 50	1	Line spacing
SS		1	Single spacing
CEn	1 to 200	1	Centre lines
OCn, n,	0 to 255		Output control code
SPn	0 to 200	0	Space — number of blank lines
CO		On	Continuous output, no paging
EP		Off	Enable paging
BP			Begin new page
PNn	0 to 1999	1	Set page number
CPn	0 to PL		Conditional new page
DPn	0 to 255	96	Define pound sign
PCc	! to z		Define pad character
DTn, n,	0 to 200	10, 20	Define Tab stops
EM		Off	Enable paper message
DM		On	Disable paper message
PP	1 to 9999	PN	Print page number
GF"xxx"			Get file from tape or disc



In Editing mode the top line shows words typed and space left.

This display looky easier to follow when in colour on the screen for the line, showing words typed and characters from the sale blue fine commands fattles it me legate store in prom legate commands can conveniently be fed in from tabe, as constituted in the test, as the same time law is the same time. The same time law is the same time law is the same time. The ways fattle and can be presented in the same time law which the style of printing can bits be set by same time cannot be same time. It is same time to the same time law is the critical section of the same time same time the critical section of the same time same time to the same time same time the same time same time to the same time same time the same time same same action sales that with hardwise an ordinary W sorean can be seen, a manifering a same same time to the same time time time the same and the same time time time same same action.

The time same time that has been justified. The screen would had about twice this assect of test and one scralls for our freeze way beg

On a TV screen, 80-column mode is just readable.

Option 8 sends the formatted output to the filing system — it is different from option 1 in that it saves text unformatted with embedded commands. It could be used to send tapes of documents to people without a Wordwise system and could be used to send to a typing service for those without a printer.

Pressing Escape moves Wordwise into and out of Editing mode. The top line on the screen shows the number of words typed, followed by character space left. On the right is a letter I or O and Marker indication. If the top line is partly off the screen, move it down with the usual * TV255, 0. Keys have a fixed auto-repeat after the usual delay of about half a second.

The cursor is moved one character at a time by the arrow keys; in conjunction with the Ctrl key this becomes one unit, either a word horizontally or 23 lines, a page, vertically. Pressing Shift and an arrowed key moves it all the way to the end or start of the document. Delete works the usual way, while Ctrl-A deletes immediately above the cursor and Ctrl-D deletes the word and closes the gap. Ctrl-S changes the letter from upper to lower case and vice versa.

The BBC user-defined keys are used to expedite text control. Embedded commands, which control the text but are not printed, appear on the screen in green. With a monochrome monitor this becomes a light grey but is still easily distinguishable from text to be printed. A printed strip fitted under the clear plastic shows the various one-key commands. For example, fo changes the cursor function from Insert to Overwrite, as shown by letters I or O. Pressing f1 starts an embedded command and f2 finishes it.

So to start a new paragraph you could press f1, T15, f2. T15 stands for a five-character temporary indent on a new line. It appears in green with white text returning subsequently. Table 1 lists other commands.

At this point the user may appreciate how useful it is to have single-key commands but regret that the BBC Micro does not have another set of free user-definable keys to control the size and style of type used by the printer. In fact this is possible: the user-definable keys carry a second set of definitions, which are reached by pressing Shift and Ctrl at the same time.

Suppose you have an Epson 3 printer and wish to switch the condensed typeface on or off with the single-key commands. The appropriate commands in Basic for keys f1 and f2 would be

* KEY1|!!OC15|!"

* KEY2|!!OC18|!"

Similar lines could control other printer settings such as enlarged, emphasised, subscript or underlined text. Again a key could be used for a whole set of commands such as line and page lengths plus fixed margins and tabulation settings. These commands are saved on tape and fed in, perhaps with a preparatory * FX6, 0 to provide the auto line feed which the Epson needs and the BBC Micro otherwise suppresses by default.

Table 2. Editing commands.

Table 2.	Editing commands.
Key	Function
f0	Insert overwrite
f1	Embedded command Start
f2	Embedded command End
f3	Marker
f4	Move cursor to specified character
f5	Word count to specified character
f6	Delete up to specified character
f7	Delete marked section
f8	Move marked section to cursor
f9	Copy marked section to cursor
Ctrl-A	Delete character at cursor
Ctrl-S	Swap case of character at cursor
Ctrl-D	Delete word at cursor
1	Cursor up one line
→	Cursor right one character
1	Cursor down one line
4 0 (10)	Cursor left one character
Ctrl-1	Cursor up 23 lines
Ctrl-→	Cursor right one word
Ctrl-↓	Cursor down 23 lines
Ctrl-←	Cursor left one word
Shift-↑	Cursor to start of text
Shift-	Cursor to last character on line
Shift- +	Cursor to end of text
Shift-←	Cursor to first character on

Delete character to left of

Swap between Edit and Menu

Insert tab character

Delete

Tab

Esc

cursor

In practice Wordwise is easy to use and common sense solves the initial minor problems. For example, if the cursor refuses to move one character at a time, changing back to capitals from lower case restores that function; lower case makes the computer think that Shift is being pressed at the same time. If you are using the Epson with an unusual typeface, such as condensed superscript, the spacing may not conform with the formatted presentation. This is a characteristic of the printer, not the word processor, and in general this combination is admirable and any printer can be used.

There are a great many other useful commands including CE to centre lines automatically, PP for page numbering with automatic increments, JO for justification and Get to persuade the computer to print a file directly from tape or disc. There is also a word-counting command.

The maximum number of characters per line is 200. Though short of the 240 or so which most printers can handle with condensed type, it is an improvement on Acorn's View, which stops at 132. Wordwise permits immediate printout and so is much faster than View when cassettes are used. However, View offers very fast saving and loading with discs; it is the fact that text must be saved before it can be printed which slows it down for cassettes.

Computer Concepts utilised the delay imposed by the late arrival of a suitable operating system to improve the specification of Wordwise — and also to reduce the price. Since Computer Concepts is an honest firm, this price reduction was automatically credited to waiting customers, and in any case cheques were not cashed until the products were sent. Firms operating "forward financing" please note. In the mean time Acorn's View ROM appeared — see the review in the April issue of Practical Computing.

Wordwise costs £39 plus VAT and £1.50 for postage and packing, say £46 in all. Beebug has a special offer, for members only, of Wordwise plus the 1.2 system for £45 inclusive. The Wordwise package includes the ROM and fitting instructions, together with a 32-page ringbound instruction book and an introductory cassette. The book is written in a clear and sensible manner.

Conclusions

- Wordwise is simple to use, versatile and convenient. It is first-class value for money.
- It cannot access external files to produce standard letters, though they can be reproduced and changes made as required.
- It cannot handle documents longer than the RAM memory allows — about 4,000 words — but longer features could be produced in instalments.

for three dimensions

Dave Watson explains a technique for plotting data as a pair of maps which combine to form a stereoscopic image.

WEATHER MAPS, such as those seen every night on television, show patterns of isobars which interpret a set of individual pressure measurements. All too often the pattern circles round a low-pressure centre. The pattern indicates its position even though no measurement may have been made at that spot. Similarly, harbour and coastal soundings are used to develop nautical charts that display the extent of channels, anchorages and submerged reefs although each sounding itself is just a depth measurement.

In general, measurements made at particular locations are gathered on to a map of the area to display the lateral behaviour of the measured variable. Such a map is particularly useful when the sampled region is not visible, for example in oil fields where subterranean domes and other significant geological features can be revealed.

Several algorithms have been used to draw these maps automatically and some are readily implemented on microcomputers with graphics displays. The first step is to establish the spatial order among the measurements. This can be done by generating a triangular mesh on the set of data points in such a way that any measurement shares triangles with each of its immediate neighbours and any two adjacent measurements are linked by an edge.

The result is a set of triangular facets with various slopes, a sort of tent city. Then two simple operations, rotation and slicing, allow the data to be interpreted

Dave Watson is a specialist in spatial analysis and computer graphics; he is a research fellow at the Department of Geology and Geophysics, University of Sydney, Australia.




Figure 1. Stereogram of a triangulated data set with four intersecting planes viewed from directly above.




Figure 2. Stereogram of data set with hill shading and viewed from the side.




Figure 3. Stereogram with egg crating and perspective, viewed from the side.

and displayed in a simulated threedimensional form.

A stereogram is a pair of pictures with slightly different viewpoints, one for each eye. To compute these two pictures the data set and its triangular facets are rolled slightly to the left and right.

To slice the data set you compute the intersection, if any, of each triangular facet with a horizontal plane. The traces of these intersections are, in effect, slices through the data set and you can observe these trace lines in three dimensions by presenting a separate picture to each eye. Figure 1 is a stereogram of a triangulated data set with four intersecting horizontal planes.

Stereograms can be viewed by allowing the eyes to cross slightly until three images appear. The central image will have a three-dimensional appearance. Although it takes some practice to perfect the technique the possibilities offered by a video terminal make the skill well worth acquiring.

Irregular surface

Random data from the random-number generator was used to produce this illustration. It is typical of the data set obtained when an irregular surface is sampled at several scattered locations. The facets of the triangulation are a planar reconstruction of the surface. The numbers drawn from the random-number generator all lie between 0 and 1 so the set of triangular facets lies within the unit square.

The Basic program that produces the stereogram is short and easily explained. The main part, line 260 to line 730, creates the triangulated network. The Delaunay triangulation is used because it provides a list of triangles that are as nearly equilateral as possible. The next steps are to slice and rotate. Horizontal slices through the triangulated data give contours or isolines because the intersection of these slices with the triangular facets trace out lines of equal altitude. This is done in lines 820 to 1010 where each slice has altitude R, as in line 890.

Any of the three rotations of the data set about a Cartesian axis — roll, pitch and yaw — can be simply and easily done. Two rotations can provide any orientation, but only one rotation is needed for each part of the stereogram. This is done in lines 1200 to 1260 and the result is drawn as two pictures for crossed steropsis. If you prefer parallel steropsis, simply exchange left and right pictures. You will need to adapt the actual plotting instructions, lines 1230 and 1260, to suit your machine and the number of pixels on your VDU.

In figure 1 the areas in the data set that are relatively flat and level can be readily identified as regions where there is a scarcity of contour lines; the more level triangular facets tend to lie between the slices. It turns out that triangles of any

(continued on next page)

```
00010 REM STEREOSCOPIC SLICING, D.F. WATSON, 1983
 00020 DIM A1(53,3), A2(101,3), A3(101,3), X3(2,3)
 00030 DIM B1(101), B2(50,2), B4(3,3), B5(3,2), B8(7,2),
       B9(10)
 00040 DATA -1,-1,5,-1,-1,5,1,2,3,2,2,18
 00050 DATA 1,2,1,3,2,3,1,2,1
00060 DATA 0.,0.,0.,0.,0.,6.,.025,6.,0.
 00070 READ A1(1,1),A1(1,2),A1(2,1),A1(2,2),A1(3,1),A1(3,2)
 00080 READ A2(1,1),A2(1,2),A2(1,3),A3(1,1),A3(1,2),A3(1,3)
 00090 READ B5(1,1),B5(1,2),B5(2,1),B5(2,2),B5(3,1),B5(3,2)
       ,P,E,Q
00100 READ B9(1),B9(2),B9(3),B9(4),B9(5),B9(6),B9(7),B9(8),
       B9(9), B9(10)
00110 \text{ V1} = .5/B9(9)
00120 FOR G = 1 TO 7
         B8(G,1) = COS(B9(G) * .0174533)
00130
00140
         B8(G,2) = SIN(B9(G) * .0174533)
00150
         NEXT 6
00160 FOR G = 1 TO 101
00170
         B1(G) = G
00180
         NEXT G
00190 N = 23
00200 REM
           非非非
                  INPUT THE DATA
00210 FOR 6 = 4 TO N
00220
        A1(G,1) = RND(0)
00230
         A1(G,2) = RND(0)
00240
         A1(G,3) = RND(0)/B9(9)
00250
         NEXT G
00260 REN
            ***
                  GENERATE THE DELAUNAY TRIANGULATION
00270 FOR G = 4 TO N
00280
        M = 0
        FOR H = 1 TO P
00290
00300
          D = A3(H,3) - (A1(G,1) - A3(H,1))**2
00310
          IF D < 0 THEN GOTO 00530
00320
          D = D - (A1(6,2) - A3(H,2))**2
00330
          IF D < 0 THEN GOTO 00530
00340
          E = E-1
00350
          B1(E) = H
00360
          FOR I = 1 TO 3
00370
       IF N < 1 THEN GOTO 00490
00380
            L = M
00390
            FOR J = 1 TO L
00400
              IF A2(H,B5(I,1)) <> B2(J,1) OR A2(H,B5(I,2))
      <> B2(J,2) THEN GOTO 00480
00410
              M = M-1
00420
              IF J > M THEN GOTO 00520
00430
              FOR K = J TO M
00440
                B2(K,1) = B2(K+1,1)
00450
                B2(K,2) = B2(K+1,2)
00460
                NEXT K
00470
              GOTO 00520
00480
              NEXT J
00490
            M = M+1
00500
            B2(N,1) = A2(H,B5(I,1))
00510
            B2(M,2) = A2(H,B5(I,2))
00520
            NEXT I
00530
          NEXT H
00540
        FOR I = 1 TO N
                                       (listing continued on next page)
```

(continued from previous page)

particular orientation can be identified and highlighted by slicing the data set with planes of that orientation. If a single light source is imagined to be shining over your left shoulder, then those triangles most nearly perpendicular to the light rays will be the most brightly lit, the less perpendicular the triangles are, the more shaded they will be. These shady triangles will be intersected by many of the slanted slicing planes which are perpendicular to the light rays. On the VDU you get reverse contrast, of course.

In practice it is easier to rotate the whole data set and use horizontal slices than to slice with an inclined plane. To do this, change line 60 to read:

60 DATA 15., - 15.,0.,0.,15., - 15.,6.,.02,6.,0. and remove the Goto at line 740. In lines 750 to 810 the data set is rotated, then sliced as before with horizontal planes, and the traces are rotated back to the original orientation. This reverse rotation is done in lines 1030 to 1090, and you must also remove the Goto at line 1020. Then the stereogram is drawn as before - see figure 2. In addition, the data set has been rotated and tilted so that the viewpoint no longer appears to be directly above the data set. This is done in lines 1150 to 1190.

An extension of this technique called egg crating — named after the cardboard partitions used in old-style egg boxes

can be done with vertical slices in two directions. To do this, change line 60 to

60 DATA 90.,0.,0.,90.,15., - 15.,6.,.03,4..2. causing the slicing part of the program to be executed twice. A sense of perspective can be obtained by applying a foreshortening effect to the data set, as in lines 1120 to 1140. It makes the vertical slices appear to converge in the distance - see figure 3.

There are several ways that you can alter and extend this program. For instance, if

Further reading

Background information can be found in the following articles by the author: "ACORD — Automatic contouring of raw data" in Computers and Geosciences 8, (1982) 97-101. "Computing the n-dimensional Delaunay tessellation with application to Voronoi polytopes" in The Computer Journal, 24, (1981),

```
(listing continued from previous page)
00550
          K = B1(E)
00560
          E = E+1
00570
          FOR J = 1 TO 2
00580
            L = B2(I,J)
00590
            B4(J,1) = A1(L,1) - A1(G,1)
00600
            B4(J,2) = A1(L,2) - A1(G,2)
            B4(J,3) = B4(J,1) * (A1(L,1) + A1(G,1))/2
00610
            B4(J,3) = B4(J,2) * (A1(L,2) + A1(G,2))/2 + B4(J,3)
00620
00630
            NEXT J
          B = B4(1,1) * B4(2,2) - B4(1,2) * B4(2,1)
00640
          A3(K,1) = (B4(1,3) + B4(2,2) - B4(2,3) + B4(1,2))/D
00650
          A3(K,2) = (B4(1,1) * B4(2,3) - B4(2,1) * B4(1,3))/B
00660
          A3(K,3) = (A1(6,1) - A3(K,1))**2 + (A1(G,2) - A3(K,2))**2
00670
          A2(K,1) = B2(I,1)
00480
00690
          A2(K,2) = B2(I,2)
          A2(K,3) = G
00700
00710
          NEXT I
00720
        P = P+2
00730
        NEXT G
00740 GOTO 00830
00750 REM
                  ROTATE THE DATA SET
            ***
00760 FOR G = 4 TO N
        Z = (A1(G,3) - V1) * B8(Q,1) - (A1(G,1) - .5) * B8(Q,2) + V1
00770
        A1(8,1) = (A1(8,1) - .5) * B8(Q,1) + (A1(G,3) - V1) * B8(Q,2) + .5
00780
        A1(6,3) = (Z - V1) * B8(Q+1,1) + (A1(6,2) - .5) * B8(Q+1,2) + V1
00790
        A1(0,2) = (A1(0,2) - .5) * B8(Q+1,1) - (Z - V1) * B8(Q+1,2) + .5
00800
00810
                   SLICE THE DATA SET
00820 REM
            ***
00830 FOR H = 1 TO P
        IF A2(H,1) < 4 OR A3(H,3) > 1 THEN GOTO 01280
00840
00850
        T = MAX(A1(A2(H,1),3),A1(A2(H,2),3),A1(A2(H,3),3))
        S = MIN(A1(A2(H,1),3),A1(A2(H,2),3),A1(A2(H,3),3))
00840
00870
        R = -.866
        FOR I = 1 TO 100
00880
          R = R + B9(8)
00890
00900
          IF T < R OR S > R THEN GOTO 01270
          Y = 1
00910
00920
          U = 0
00930
          F = (R - A1(A2(H,B5(U,1)),3))/(A1(A2(H,B5(U,2)),3) - A1(A2(H,B5(U,1)),3)
00940
00950
          IF F < O OR F > 1 THEN GOTO 00990
          X3(Y,1) = A1(A2(H,B5(U,1)),1)+(A1(A2(H,B5(U,2)),1)-A1(A2(H,B5(U,1)),1))*
00960
```

you want to input your own data set you must scale it so that each value is between 0 and 1. Draw a square around the data set and scale all the x and y values to make the square have an edge length of 1. You must also scale the z values to an overall length of 1, independently of the scale factor used for x and y.

If you wish to use more than 50 data points you will need to increase the storage arrays. The first three rows of array A1 are reserved for initialisation. If you have data points, you will need N + 3 rows of storage for the data, array A1, and 2N + 1 rows of storage for the list of triangles, arrays A2, A3 and B1. You must also alter the initialisation loop at line 160.

You may wish to use particular contours, and this will require a list of contour values, say array 83. The values of R in line 890 would then be taken from this array.

You may change the direction of shading or egg crating by changing the angles in array B9, line 60. The first and second angles control the orientation of hill shading and the first, second, third and fourth values also control the orientation of the egg crating. The fifth and sixth control the viewing angle and the seventh angle is the stereopsis angle.

The eighth value is slice thickness, the ninth value is vertical exaggeration and the 10th causes a second set of slices to be

made. Angles have been expressed in degrees; lines 120 to 150 convert them to radians.

The surface as reconstructed here may be integrated by calculating the volume under the surface. It is done by calculating the area of each triangle and multiplying by the mean of its three altitudes. The area of a triangle, defined by the Cartesian coordinates of its vertices, is given by

 $((x_1 - x_2)(y_1 - y_3) - (x_1 - x_3)(y_1 - y_2))/2$

This program can also be adapted to higher dimensions. The extensions are just straightforward additions of appropriate lines to handle one extra variable or more. Then cross-sections are made, rotated and contoured — slices of a slice.

```
00970
          X3(Y,2) = A1(A2(H,B5(U,1)),2)+(A1(A2(H,B5(U,2)),2)-A1(A2(H,B5(U,1)),2))*F
00980
00990
          IF Y < 3 THEN GOTO 00930
          x3(1,3) = R
01000
01010
          X3(2,3) = R
01020
          GOTO 01210
01030 REM
            ***
                  REVERSE ROTATE THE INTERSECTION TRACES
01040
          FOR G = 1 TO 2
01050
            Z = (X3(6,3) - V1) * B8(Q+1,1) - (X3(G,2) - .5) * B8(Q+1,2) + V1
            X3(G,2) = (X3(G,2) - .5) * B8(Q+1,1) + (X3(G,3) - V1) * B8(Q+1,2) + .5
01040
            X3(G,3) = (Z - V1) * B8(Q,1) + (X3(G,1) - .5) * B8(Q,2) + V1
01070
01080
            X3(G,1) = (X3(G,1) - .5) * B8(Q,1) - (Z - V1) * B8(Q,2) + .5
01090
            NEXT G
01100 REN
            ***
                  APPLY PERSPECTIVE AND VIEWPOINT
          FOR G = 1 TO 2
01110
01120
            X4 = X3(6,1) * X3(6,2) * B8(6,2)
01130
            X3(6,1) = X3(6,1) + X4
01140
            X3(6,2) = X3(6,2) + X4
01150
            Y = (X3(6,2) - .5) * B8(5,1) + (X3(6,1) - .5) * B8(5,2) + .5
01160
            X3(G,1) = (X3(G,1) - .5) * B8(5,1) - (X3(G,2) - .5) * B8(5,2) + .5
01170
            X3(G,2) = (Y - .5) * B8(6,1) - (X3(G,3) - V1) * B8(6,2) + .5
            X3(6,3) = (X3(6,3) - V1) * B8(6,1) + (Y - .5) * B8(6,2) + V1
01180
01190
            NEXT G
01200 REN
                  DRAW THE STEREOGRAM PAIR
            ***
01210
          X1 = (X3(1,1) - .5) * B8(7,1) - (X3(1,3) - V1) * B8(7,2) + .5
01220
          X2 = (X3(2,1) - .5) * B8(7,1) - (X3(2,3) - V1) * B8(7,2) + .5
01230 REN LEFT PICTURE - BRAW A LINE FROM (X1, X3(1,2)) TO (X2, X3(2,2))
01240
          X1 = (X3(1,1) - .5) * B8(7,1) + (X3(1,3) - V1) * B8(7,2) + .5
          X2 = (X3(2,1) - .5) * B8(7,1) + (X3(2,3) - V1) * B8(7,2) + .5
01250
01260 REN RIGHT PICTURE - DRAW A LINE FROM (X1, X3(1,2)) TO (X2, X3(2,2))
01270
          NEXT I
01280
        NEXT H
01290 REN
                  REVERSE ROTATE THE DATA SET
            ***
01300 IF Q > B9(10) THEN GOTO 01390
01310 FOR 6 = 4 TO N
01320
        Z = (A1(G,3) - V1) * B8(Q+1,1) - (A1(G,2) - .5) * B8(Q+1,2) + V1
01330
        A1(6,2) = (A1(6,2) - .5) * B8(Q+1,1) + (A1(6,3) - V1) * B8(Q+1,2) + .5
01340
        A1(G,3) = (Z - V1) * B8(Q,1) + (A1(G,1) - .5) * B8(Q,2) + V1
01350
        A1(6,1) = (A1(6,1) - .5) * B8(0,1) - (Z - V1) * B8(0,2) + .5
01360
        NEXT G
01370 Q = Q + 2
01380 GD TO 00760
01390 END
READY.
```

Your software and the law

The legal rights of software authors are still uncertain, explains Anne Staines.

IT IS A REMARKABLE feature of United Kingdom law that there is no specific legal protection for the rights of software authors. It is remarkable not only in view of the rate at which such rights are increasing, but also in view of their unusual vulnerability to infringement.

As sales of software soar, the pirate share of the market increases. The problems of controlling piracy in the video-cassette market have been well publicised and there are some obvious parallels between the software and film industries, particularly with video games where the same problems of counterfeiting may be expected. However, software has additional characteristics which make effective legal protection even more difficult to achieve.

Software writers have rights in the intellectual property which they produce in the same way that authors have rights in their books. The analogy is sound since copyright will vest in the author of either product by virtue of the Copyright Act 1956. Although the Act makes no specific reference to software and the question has yet to be tried in this jurisdiction, there is little doubt that it is included by implication within the definition of "original literary works" protected under section 2.

Copyright attaches to a work "fixed in some material form", rather than to the idea or objective behind it. The South African Supreme Court recently upheld copyright in a suite of programs providing an accounting and administrative system for doctors and dentists "fixed", in Basic, on floppy discs and on computer printouts.

In the United Kingdom, it is assumed for the purposes of interlocotory applications that copyright attaches to both source and machine codes. Nevertheless some important questions remain to be tried which cast doubt over the effectiveness of copyright protection.

The first problem is one of definition; including software amongst literary works is awkward. Traditionally the term "literary" has been held to include non-human language, such as shorthand notation and telegraph codes. Programs in Basic, Fortran, Cobol or any other high-level language would fit comfortably by analogy.

However, there is less certainty about machine code. The common feature



Anne Staines is a barrister and senior lecturer in law at Newcastle upon Tyne Polytechnic

between Basic and shorthand code is that both are intended to be read and understood by humans trained in the language. It is arguable that machine code, on the other hand, is primarily intended to be understood by machines rather than humans. A relatively simple solution is to extend the current definition of protected works to include software explicitly. In its 1978 report the Whitford Committee suggested inclusion of work "not visible to or readable by the human eye, or directly understandable by the human brain".

Subsistence of copyright in machine code is an important question since it is possible that source and machine codes may require separate copyright. An infringement of copyright occurs on the substantial reproduction of the work in its fixed form. The lack of obvious resemblance between source and machine code raises the possibility that reproduction of the latter may not amount to infringement of copyright in the former.

The second problem is that of identifying the copyright owner. This is particularly significant in the context of video games; to what extent does copyright reside in the player to whose input the machine responds? Allied is the question of machine input: does the automatic translation of the source code by the compiler program introduce a new element into the object code, so that copyright ownership vests partly in the author of the compiler program?

Another version of the problem arises irrespective of machine input. A form of piracy to which software writers are particularly vulnerable is disguised imitation. Here A produces a program which B modifies so that its appearance is altered — thus evading copyright — while its function is retained. B markets the program as his own independent creation. How may B's input be quantified, particularly if his alterations have produced a different and vastly improved program?

Disguised imitation introduces a third problem. The overwhelming difficulty in many copyright cases is not strictly legal, but evidential. Disproving the independence of B's product may well be impossible. Evidential problems such as these will cause copyright cases in this area to be lengthy and expensive, and encourage litigants to settle out of court.

Difficulties of proof afflict the other form of software piracy, seeping, which is the culturally acceptable small-scale piracy by schoolchildren and business people who swap copies of each other's programs. Proving infringement in this case would involve unacceptable invasions of privacy, in addition to the obvious economic unreality of pursuing legal actions against individual offenders on this scale.

Software writers tend to aim for copyright as the only available legal goal. Computer programs as such are expressly excluded from the Patents Act 1977, and other methods of protection, such as contract and the law of confidence, are not tailored to suit the problem at hand. In the case of contract, only those who are party to the contract of sale will be bound by prohibitions on copying. The law of confidence will protect information given in confidence - for instance, by the author of a bespoke package in the course of precontractual negotiations. This method is clearly unsuitable where a program is intended for wide distribution. In either case there are enormous difficulties of

Copyright, on the other hand, can be tailored to suit the legal problems — on paper at least. However, the nature of software, the ease and variety of copying techniques, and above all the difficulty of proving infringement make it impossible to conclude that its impact will be great.

Whitford Committee Report

A committee under Mr Justice Whitford to consider the law on copyright and design reported in March 1977. Its findings with respect to computers were as follows:

Existing legal protection of computer programs in the United Kingdom.

479. The question of copyright protection for computer programs was not dealt with by the Gregory Committee. At the time that Committee was sitting. computers were of course very much in their infancy and there was little in the way of a programming industry. It is generally accepted, however, that the law of copyright provides some protection, certainly in relation to infringement by copying of a programmer's original written work. As long as a program has involved a sufficient measure of skill and/or labour for it to be considered as a work it is likely that a program is already protected, depending on its particular manifestation, either as a literary or artistic work. It may be that protection also extends to programs expressed in the form of punched holes and even to recordings on magnetic tapes and discs. But there is no case law and the position is uncertain.

480. The Banks Committee on the British Patent System recommended in its report of 1970 (paragraph 487) that "a computer program, that is: a set of instructions for controlling the sequence of operations of a data processing system, in whatever form the invention is presented, . . . should not be patentable". The recommendation reflected a similar approach in many other countries. It is generally accepted internationally that patents are not a suitable vehicle for computer program protection. Both the European and the Community Patent Conventions and also the recent White Paper, *Patent Law Reform*, specifically reject patent protection for computer programs.

481. It is normal practice to cover the use of a program by a contract between the supplier and the customer, normally the licensor and licensee. Such contracts usually require that the user keeps all matters relating to the particular software package confidential and so far as is possible endeavours to impose obligations of secrecy upon the user's employees. But the protection given by contracts relies to a large extent on the good faith and security arrangements of the user and the user's staff. It gives no protection against the unauthorised use of a program by a third party user who acquires a copy, in all innocence, from an unauthorised source.

482. Common law provides some protection for trade secrets and proprietary information if used in breach of confidence and this would, presumably, apply to the unauthorised use of a computer program.

INTERNATIONAL POSITION

Berne and UCC Conventions

483. Although computer programs are not specifically referred to in the list of examples of works covered by the Berne Convention it seems that they fall within the general definition in Article 2(1) which states that "the expression literary and artistic works shall include every production in the literary, scientific and artistic domain, whatever may be the mode or form of its expression". A similar situation applies in the case of the UCC.



Copyright and Designs Law

Report of the Committee to consider the Law on Copyright and Designs

Chairman
The Honourable Mr Justice Whitford

World Intellectual Property Organisation study
484. An advisory group of non-governmental experts
has been studying the question of the protection of
computer programs under the auspices of WIPO in
Geneva. A number of meetings have been held and
reports issued. The general effect of the conclusions
reached by the group is that they favour a form of
copyright protection for computer programs rather than
monopoly; the matter of registration of programs as an
optional extra is still under consideration.

United States law

The Copyright Software Act of 1980 was presented to Congress in March 1980. The bill failed. Some of its provision were:

A computer program is a set of statements or instructions to be used directly or indirectly in a computer in order to bring about a certain result.

Notwithstanding the provisions of § 106, it is not an infringement for the owner of a copy of a computer program to make or authorize the making of another copy or adaptation of that computer program provided:

• That such a new copy or adaptation is created as an essential step in the utilization of the computer program in conjunction with a machine and that it is used in no other manner, or

• That such new copy or adaptation is for archival purposes only and that all archival copies are destroyed in the event that continued possession of the computer program should cease to be rightful.

Any exact copies prepared in accordance with the provisions of this section may be leased, sold, or otherwise transferred, along with the copy from which such copies were prepared, only as part of the lease, sale, or other transfer of all rights in the program. Adaptations so prepared may be transferred only with the authoriztion of the copyright owner.

AUHODAHE

It was such a good idea that Jack wondered why no one had thought of it before, Indeed, he spent a couple of weeks looking in computer and other magazines to see whether they had and he had simply not noticed it. But no, although there were computer clubs and dating agencies — and dating agencies which no doubt used computers — no one combined the two in the way he had in mind.

Why not? Some people consider star signs and social class to be important in choosing one's mate, and they are mere accidents of birth. Work is hardly a guide to compatibility: none of the women who worked in Jack's office were the Jane Fonda type in appearance or personality. Nor is having a hobby or sport in common any guarantee of similar lifestyle. Somewhere in the world is your soulmate, but how can you distinguish him or her from the crowd?

Computing must be the ultimate personality test. Not only the superficial details of which machine to buy, whether sound or colour is a priority or the number of keys on the board. These are cosmetics, like hairstyle or choice of car. No, Jack was convinced that the way each individual interacted with his or her machine is important — it could reveal the innermost soul. For instance, how significant is the choice of language? Is Basic a sign of dull conformity or an extrovert personality always ready to communicate with the world. Can you trust a man who swears by Fortran?

Or the actual writing of programs? How much of one's character is revealed by endless If-Thens and Gotos? What sarcasm could be drawn out of a simple Return? The construction of a program must surely tell as much about its creator as a scrawled signature.

And what do the programs do? Give endless variations of invading monsters and spacecraft leaking fuel? Or cautiously explore dungeon-haunted caverns, picking up gold and weapons dropped by careless dwarves? What could be said of the man who devised ever more complicated programs to dispose of his monthly income or the woman who let the Random function continually redecorate the house?

The chain of thought that led Jack this far had started with the first yawn of the latest girl he had tried to explain his enthusiasm to. From the wish to find a companion for himself he had arrived at the idea of a dating agency based upon the compatibility of computer

techniques. Properly handled, he thought, it could bring happiness to a lot of people — and a lot of money to himself.

The first advertisements brought in an overwhelming response from men all too happy to provide, as Jack had requested, a computer portrait of themselves. That these portraits ranged from muddy faces drawn with random Xs to the driest curricula vitae bothered Jack not at all. Each in its way gave a psychological profile of its owner.

To attract women was a difficult task, but judicious advertising soon brought in a steady flow. It became very tempting for

by Martin Foreman

Jack to credit himself as being the greatest single populariser of home computing among the female sex. A sleepless fortnight was needed to devise the complicated program that extracted the common elements of each portrait offered. Most of it was intuition rather than deliberation, and the parameters were left very wide. To test it after some weeks in operation, Jack met a few dates under an assumed name. Each was pleasant enough, but they all lacked the ideal of his true mate.

More data was needed. Details of each client's machine and peripherals, an analysis of the hours they spent at the keyboard, the favourite programs they had bought or created. But Jack did not have the time and his machine did not have the capacity to deal with all the information that was necessary.

Impressing his manager with the number of cheques he had received, he obtained a loan which allowed him to leave his job and buy the most powerful micro on the market. At the same time he bought a batch of Modems which were rented out to clients. Gone were the days of typing someone's compressed, faded and bug-ridden machine code into his own computer. A simple phone call allowed everything to be transferred directly from machine to machine while he sat back with coffee and a cigar. The service became so popular that British Telecom arranged a permanent line. All Jack had to do was request the occasional printout of assignations to check the program was still functioning.

It had to be tested, of course, and he had the computer plan a series of weekly dates for him. They were more successful than his earlier attempts and for a time he almost forgot that he was looking for a

permanent relationship. He was happy to meet a different woman each week who could get as excited as he did by the ripple of fingers across a keyboard. When the program approached perfection, he knew he would meet his soulmate.


For several weeks Jack's business and social life continued in the same pleasantly relaxed vein. Cheques from new clients arrived by every post, and if he ever had any difficulty in whiling away his evening he had only to turn to the computer for a new choice of companion.

Yet he seemed as far away as ever from meeting his perfectly matched partner. In fact the women he was being introduced to were becoming less and less attractive. Usually they were computer experts like himself, but used their machines for quite different purposes. One was a giggling teenager, another about to be a grandmother. Although he had given no specific instructions about age or other details, the program as he had originally designed it was supposed to deduce such factors for itself. Now it had become so complicated that there were subroutines he did not quite understand.

It was when he was given a man's phone number that he knew something had definitely gone wrong. Not that he had any objection to gay people meeting, but to avoid embarrassment that possibility had been clearly programmed out in the early stages. Angrily, he typed the command into the computer to print that day's transactions. An error message appeared on the screen — it was in the middle of receiving and transmitting information.

Half an hour later Jack tried again, but still could not get through. Whoever was calling had a pretty big ego, unless his machine was now talking to someone else. It would be dreadful if it had caught itself in a loop. The system should be overhauled — even hard discs could not stand this use. He would start on it tomorrow.

The next day's post brought more cheques, and several complaints. Some were similar to Jack's problem, people feeling that the dates they had been given were quite unsuitable. The other letters said that their computers had malfunctioned ever since hooking up on Jack's Modem. Coincidence, he thought, and went back to his own machine. It was still in conversation. All morning he could get no response. At last, in a fit of anger, he ripped the telephone receiver from the Modem and was rewarded with an ear-



piercing scream from the micro's speaker.

how worked; the noise died solution was to put the receiver back. With the noise still in his ears, he stopped himself in time. His first reaction was to switch off, but stopped himself in time. Who knew much information might be the only lost?

long since Jack had studied it seriously that he had forgotten what many of the options meant. Trying each in turn he got a jumble of facts and figures, where the Sitting menue flickered up on the screen. It was so attention. again to call down at the keyboard, he again to call the machine's This time it worked. The main the keyboard,

> excellent idea. Making himself a large pot of the subscribers themselves. Somewhere of coffee, Jack sat down to try and trace it in that mess of information was the root of details of clients's machines seemed to fault that threatened to ruin an

closed the door on him and sat down again to hunt for the bug. information. locked had come all the way from Bristol to say that his machine and telephone seemed more letters of complaint and a client who defeated and woke the next morning to ate that night when he Ħ. a Promising a refund, permanent exchange went to bed Jack

Listing the program on his printer took

he had. Absent-mindedly plugging the machine back into the Modem, he took the pile of pages to a comfortable chair to work it out. almost half an hour and most of the paper

arranging contacts for like-n perfectly compatible machines last few weeks his computer had about he would never know, but for the was the only solution. several trials later he had to admit that it happened. He could hardly believe it, but Jack eventually discovered what had interruptions from dissatisfied clients, days later, for like-minded and e machines. and How it had come after been more

Time series on Formcalc

Brian Law shows how his spreadsheet program for the ZX-81, introduced last month, can be used to predict sales trends.

DATA WHICH APPEARS at regular intervals can be used to forecast future trends. This technique, known as time-series analysis, can easily be applied to the sales of a product. It is particularly useful where there are big seasonal fluctuations which mask long-term trends.

Time-series analysis relies heavily on two factors. First, there must be an identifiable trend, and nothing must happen in the forecast period to change the trend. Second, the variations that occur must do so in a regular pattern. If they do not, the maximum and minimum forecasts will be so far apart as to be meaningless.

Table 1 shows the sales of a particular ice cream over a three year period. The sales of the product for the preceding three years are entered for each quarter.

To obtain the moving quarterly average, MQA, which will be the existing trend smoothed of the variations, you first of all find the total of four quarters, M4QT. The result of this is centered between the second and third quarters. This process is repeated all the way down the column, as indicated by the brackets around the sales figures.

The result of this process produces figures that do not lie on any particular row, so you must repeat the process by adding two values of M4QT together to produce M8QT values, which will be

centered in the first instance on the third quarter. The MQA is found by dividing the M8QT by 8.

Variation is the difference between the sales figure and the MQA. Seasonal variation is found in table 2. The variation for a quarter in one year is added to the variation for the same quarter in the following year, and the result divided by 2 to give the average seasonal variation.

The random variation is the difference between the variation and the seasonal variation. The result is squared and then the squares are summed. This sum will be divided by 1 less than the number of values that contribute to it, and the square root is taken. This resultant figure 2.176 is the standard deviation of all the random variations.

The trend is found by taking the value of the MQA for a quarter and subtracting the value of the MQA for the previous quarter from it. The trend rate is the average increase or decrease in the amount the trend changes each quarter. The last three values for the trend are added together and then divided by 3 to establish the average quarterly trend rate.

The forecast trend is a projection of the MQA right through 1982. It is found by taking the last calculated value of the MQA and adding sufficient increments of the

trend rate to produce values of MQA for each quarter of 1982 — see table 3. The forecast maximum is found by taking the forecast trend for the first quarter, adding to it the value for seasonal variation for that quarter, -45.0625, and then adding twice the standard deviation of the random variations. The forecast minimum is found in the same way except that twice the standard deviation is subtracted.


The data and calculated values are stored by Formcalc in an array Q(R,C). The letter R refers to the row and C to the column — see table 4. Each value stored in Formcalc has a fixed position in the array and can therefore always be found by calling out its location.

Under the RF command a column is first specified. For example, 3 sets variable C equal to 3. A formula is then entered, $K1 \times K2$ for example, and is then converted into array values, $Q(R,1) \times Q(R,2)$ so that at the next step the result for each value of R is calculated and entered into Q(R,3).

It is possible to use the array form of formula construction directly to open up the possibility of more detailed data manipulation. For example, to multiply the number stored in the seventh row of column 1 by each of the values in column 2 the formula would be

 $Q(7,1) \times Q(R,2)$

Table 1.			Moving 4 quarter	Moving 8 quarter	Moving quarter			2		F	-	
Year	Quarter	Sales	total M4QT	total M8QT	average	Variation	Seasonal variation	variation	Trend	Forecast	Forecast max.	min.
1979 1980 1981	1 2 3 4 1 2 3 4 1 1 2 3 4	110 180 } 225 : 100 } 108 } 225 105 115 185 228 106	615 613 621 621 626 633 630 633 634	1228 1234 1242 1247 1259 1263 1263 1267	153.5 154.25 155.25 155.875 157.375 157.875 157.875 158.375	71.5 - 54.25 - 47.25 32.125 67.625 - 52.875 - 42.875 26.625	69.5625 - 53.5625 - 45.0625 29.375 69.5625 - 53.5625 - 45.0625 29.375	0.47	0.75 1.00 0.625 1.50 0.50 0.00 0.50			
1982	1 2 3 4	=				hisman in				159.375 159.705 160.035 160.370	118 193 233 111	109 184 224 102
			7 /4 /4				Acquir studi	33.15	uni out to	639.485	655	619



Graphical summary of table 1 showing actual sales for 1979 to 1981 and forecast maximum and minimum sales for 1982.

If two specific values are required to be multiplied together, such as $Q(7,1) \times Q(8,1)$, the same result would be printed in each row of the specified column. This could be avoided by changing the formula to read

$$(R = 8) \times Q(7,1) \times Q(8,1)$$

Now as the value was calculated for each row the expression R=8 would be untrue and yield a 0 for each row other than 8, where the expression would yield a value of 1 and hence let the calculation be printed.

If you wish to subtract the value in one row from the value in the previous row, the formula would be:

$$Q(R,1) - Q(R-1,1)$$

This would give an error code, as the portion Q(R-1,1) would result in Q(0,1) when R is equal to 1, which is outside the array. To avoid this you change this portion of the formula to:

$$Q(R - 1x(R < > 1), 1)$$

Table 5 shows the column headings and formula for the time series analysis. It is different from the format in table 1, both to save space and to allow the presentation of the data in the most convenient way for viewing on the screen.

The sales figures being used for the analysis are entered in column 7, not column 1. This arrangement has been used to avoid having to use the left and right shifts as would be required if the sales were entered in column 1 and the forecast results printed in columns 8 and 9. In this way

columns 7, 8 and 9 need be the only columns ever displayed.

Column 1 calculates the value of the MQA. It is doing all the work carried out in the three columns of table 1 headed M4QT, M8QT and MQA. The first value of MQA in row 3, 153.5 It is made up from the addition of the first four sales values in column 7, plus the next four sales values starting at row 2, then dividing the result by 8. This could be written as

 $(R1 + 2 \times R2 + 2 \times R3 + 2 \times R4 + R5)/8$ The array formula is therefore:

$$Q(R - 2,7) + 2 \times Q(R - 1,7) + 2\times Q(R,7) + 2 \times Q(R + 1,7) + Q(R + 2,7)$$

This has the problem of reaching outside the array for values of R less than 3 or more than 10, so R > 2 and R < 11 have to be used to stop it. The results could still be in error using this so you have to stop the allocation of any value outside rows 3 to 10 by multiplying the whole formula by these same two expressions.

(continued on next page)

Table 3. First quarter 158.375 + (3 × 0 Second quarter 158.375 + (4 × 0

First quarter	158.375	$+(3 \times 0.33)$
Second quarter	158.375	$+(4 \times 0.33)$
Third quarter	158.375	$+(5 \times 0.33)$
Fourth quarter	158.375	$+(6 \times 0.33)$

Table 4.		
Q 1,1	1,2	1,3
2,1	2,2	2,3
3,1	3,2	3,3
4,1	4,2	4,3
N,1	N,2	N,3

The sum of the column is stored in the bottom row referred to by the letter N, and has a value of 1 more than the number of rows in use.

Year/quarter 1979	1	2	3 71.5	4 - 54.25
1980 1981	- 47.25 - 42.875	32.125 26.625	67.625	- 52.875
Total	- 90.375	58.75	139.125	107.125
Average	- 45.0625	29.375	69.5625	- 53.5625

Table 5.

K1. Moving quarterly average, MQA:

K2. Variation:

K3. Seasonal variation:

K4. (Random variation)2:

K5. Trend average:

K6. Forecast trend:

K7 Sales:

K8. Forecast maximum:

K9. Forecast minimum:

 $(R < 11) \times (R > 2) \times ((Q(R - 2 \times (R > 2), 7) + 2 \times Q(R - 1 \times (R > 1), 7) + 2 \times Q(R, 7) + 2 \times Q(R + 1) \times (R < 11) \times (R <$

 $(R < 11),7) + Q(R + 2 \times (R < 11),7))/8)$

 $(R < 11) \times (R > 2) \times (Q(R,7) - Q(R,1))$

 $(R < 11) \times (R > 2) \times (((R < 7) \times (Q(R,2) + Q(R + 4 \times (R > 9),2))/2) + ((R > 6) \times Q(R - 4 \times (R > 6),3)))$

(ABS(Q(R,2) - Q(R,3))**2

 $(R = 12) \times (((Q(8,1) - Q(7,1)) + (Q(9,1) - Q(8,1)) + (Q(10,1) - Q(9,1)))/3)$

 $(R > 5) \times (Q(10,1) + (R + 2) \times Q(12,5))$

 $(R < 5) \times INT(Q(R,6) + Q(R + 4 \times (R > 9),3) + 2 \times SQR(Q(N,4)/7))$

 $(R > 5) \times INT(Q(R,8) - 4 \times (Q(N,4)/7))$

(continued from previous page)

Column 2 calculates the variation by subtracting the MQA from the sales figures. Once again values outside the range 3 to 10 are set to 0 by multiplying by the expressions R>2 and R<11.

Column 3 calculates the seasonal variation by adding together two corresponding quarters and then dividing the result by 2 to find the average. This average is then printed in the rows of the two quarters from which it was derived.

The formula takes, for example, the variation in the third quarter of 1979 and adds it to the variation for the third quarter of 1980 and then divides by 2 to produce the result, 69.562, which is printed in the third row of column 3. This is repeated for the next three quarters. It then goes back and picks up the values it has just calculated and prints them in the next four quarters. The basic array formula is:

 $(R < 7) \times (Q(R,2) + Q(R + 4,2)) + (R > 6) \times Q(R - 4,3)$

(R<7) is true up to row 6 so the first part of the formula produces the seasonal value, and the last portion is set to 0 because the expression is untrue until after row 6

After row 6 the roles are reversed, with the first portion being set to 0, while the second portion reads the previously calculated value into the next four rows. Values outside the range 3 to 10 are again set to 0 by the expressions R < 11 and R > 2. The expressions R > 9 and R > 6 are applied to prevent R being set to a value outside the array.

Column 4 calculates the square of the random variations. No true/false expressions are required as the calculations automatically return 0 outside the range 3 to 10. The sum of all the squared random variations is required in later calculations, so the sum of the column should be made after entering the formula.

Column 5 calculates the average trend value over the last three values of MQA. The expression R=12 prevents the calculated result being entered in any row other than 12. Column 6 calculates the forecast trend by taking the last value of the MQA, Q(10,1), and adding to it the required increments of trend rate. The result is printed on the first four rows of column 6, so (R < 5) enters a 0 for each row after 4. The expression R+2 sets the number of increments by which the trend rate is to be multiplied. The last value of the

MQA is in the third quarter of 1981, so to get the value for the first quarter of 1982 three increments are required. Hence R+2 for row 1 gives 3 as the result.

There is no formula for column 7 since the sales are entered here using the C command. Column 8 calculates the maximum sales forecast by adding the seasonal and random variations to the forecast trend for each quarter. The array formula is:

 $Q(R,6) + Q(R + 4,3) + 2, \times SQR(Q(N,4)/7)$

Help!

If you do everthing wrong and get an error code, enter

GOTO 1315

This will reprint the screen for you in the condition prior to the error. Sometimes when new numbers are printed over old numbers, parts of the old number are left. A space is printed by the computer after all numbers, so the new number is separated from the part of the old number by this space. If this happens the display can be cleared up by entering CC followed by the number of rows already on the screen. This procedure will reprint the whole screen.

If row numbers appear blanked off it is because the last column has run out of printing space and has started to print on the next row. The answer is to use CC to reduce the visible rows. To view the formula for a particular column enter O to get you into command mode then enter

PRINT A\$(column number)
The formula will appear in the form:
Q(R,1)*Q(R,2) Q(R,1)/QN,1)*100
K1*K2 K1/S1*100

To get back enter Goto 1315.
You may encounter the following error codes:

2/30 A letter was entered instead of a number

2/32 2/310

2/1610 You have entered formula before column number 2/1650 Your formula syntax is incorrect 2/1740 Your formula syntax is

incorrect

6/1650 You are trying to divide by 0. You probably have not summed the value of a column before trying to divide by it. The seasonal variation for the first quarter of 1982 has to be the previously calculated average seasonal value for the first quarter of a year. It is located in row 5 of column 3. The expression R < 5 is used to suppress any further calculations after row 4, and R < 9 is used to stop R being given a value outside the array.

Column 9 calculates the maximum forecast sales by taking the previously calculated maximum value and subtracting four times the random variation. The sums of the last two columns will give the maximum and minimum values of total sales for 1982.

After the program has been loaded ask for 12 rows, 9 columns, and 3 columns to be visible. You may be able to display more than three rows at a time, but it depends on the length of the figures you intend to enter.

Now get into the program listing using the O command and change line 35 to read DIM A\$ (M,100)

which will enlarge A\$ sufficiently to accept the long formula in column 1. Re-enter the worksheet using Goto 35.

Now use the Left Shift command to get column 7 on the screen and enter a row of sales figures; use those in the example to start with. Now return to column 1 and start entering the formulae one at a time, remembering to sum the columns where necessary.

Once all the formulae have been entered you will have made the first forecast. To change the sales figures either re-enter a new set and use the RR command to recalculate, or use the CL command to clear out all the old figures before starting afresh.

If you have columns 7,8 and 9 on the screen the actual sales figures will be displayed in column 7. At the top of column 8 will be the maximum forecast for the first quarter of the coming year, followed by the second quarter, etc. Column 9 will have the minimum forecast in the same order.

A problem may occur if the figures you enter have no random variation, in which case the sum of column 4 will be 0. The next time you enter sales figures column 4 will not be summed in the recalculation but it will retain a value of 0. If this is the case you will find that the maximum and minimum forecasts will be the same. If you suspect this has happened sum column 4 and recalculate.

MICROCOMPUTER **PRODUCTS** INTERNATIONAL LIMITED

Central House, Cambridge Road, Barking, Essex IG11 8NT. Tel: 01.591 6511 (4 lines) Telex:892395

e when under g system. e for details.

£

900

438

84

249

185

8

9

		0			1		9	<u> </u>			18	*	Different price when this operating system Please phone for de
1	Operating Systems	MARTIN TO	£				T	7	1	/	/	Telecommunication	s/Conversions
2	CP/M V2.2 CP/M-86 CP/NET MP/M V2.0 High Level Languages ADA C LISP BASIC COMPILER	Digital Research Digital Research Digital Research Digital Research Supersoft Supersoft Supersoft Supersoft	121 201 149 339 234 184 100 200	*	•		000	00000000000		•		BSTAM BSTMS BISYNC-80/3780 (EBCDIC) BISYNC-80/3780 (ASCII) BISYNC-80/3270 (BSC) BISYNC-80/HASP REFORMATTER CP/M←→ IBM REFORMATTER CP/M←→ DEC BACSCOPY BACDEBIT ICL CO3 EMULATION (Interactive) ICL CO3 EMULATION (Bulk) ICL CO3 EMULATION (Interactive & Bulk)	Byrom Software Byrom Software Micro Integration Micro Integration Micro Integration Micro Integration Microtech Exports Microtech Exports Comley Computer Services Ltd Comley Computer Services Ltd Synchro Systems Ltd Synchro Systems Ltd
0	FORTRAN RATFOR FORTHAN+RATFOR FORTH TINY PASCAL CBASIC V2.08 CBASIC COMPILER PL'1-80 FORTH CIS COBOL LEVEL-2 COBOL CORAL-66 BASIC-80 V5.21 BASIC COMPILER V5.3 FORTRAN-80 V3.44 COBOL-80 V4.60 mullSP/musTAR V2.12 muMATH/musIMP V2.12 PASCAL MT+ PASCAL MT+ SPP PASCAL MT+ SPP	Supersoft Supersoft Supersoft Supersoft Supersoft Digital Research Digital Research Digital Research MP Ltd Micro Focus Micro Focus Micro Focus Microsoft Microsoft Microsoft Microsoft Microsoft Microsoft Digital Research Digital Research Digital Research	284 67 334 57 90 366 370 100 425 965 825 241 272 344 516 138 180 242 173 346	***	•	00 0000	*****	000000000000000000000000000000000000000		••••	•	TERM II Word Processing/Text L TEX V3.0 PARAGRAB WORDSTAR MAILMERGE WORDSTAR & MAILMERGE SPELLSTAR WORDMASTER WORDMASTER WORDSTAR (APPLE II) MAILMERGE (APPLE II) EDIT-80 V2.02 LEXICON (WORD ANALYSIS) PEDIT PMATE CORRECTOR STAR EDIT	Synchro Systems Ltd Supersoft Editing/Editors Digital Research Focus Micropro Supersoft Supersoft Supersoft
3	Low Level Languages MAC MACRO-80 V3.44 PASM Utilities/System Tools	Digital Research Microsoft Phoenix Software Associates	73 138 100					00000	•••		•	Databases/Data Manage dbase-II ADDRESS BOOK RESCUE SELECTOR-V DATASTAR	Ashton Tate Decision Technology MBS Micro-Ap Micropro
	DIAGNOSTICS II DISK DOCTOR SYSTEM CHECKER DISK-EDIT UTILITIES II THE OPERATING GUIDE BT-80 DESPOOL SID V1.4 XLT86 ZSID V1.4 GUTIL (FOR DBASE-II) CLIP SPOOLER CPMSIM ANIMATOR FILESHARE FTNUMB PLINK BUG PDEVELOP PLINK-2 DISKORG LEVEL-2 ANIMATOR	Supersoft Supersoft Supersoft Supersoft Supersoft Supersoft Supersoft Supersoft Decision Systems Digital Research Digital Research Digital Research Digital Research Digital Research Digital Research Fox & Geller Keele Codes KLH Systems Magic Circle Software Micro Focus Micrology Phoenix Software Associates Phoenix Software Associates Phoenix Software Associates Phoenix Software Associates Slogger Software Micro Focus	100	* * *	• • •		••••••••••••••	••••	•	•	•• ••	DATASTAR (APPLE-II) PERSONAL PEARL INFOSTAR PERSONAL DATA BASE AGGOUNTING/BUSINESS APPLE-III TYPING MASTER (BUSINESS VERSION) TYPING MASTER (BUSINESS VERSION) PAYROLL CASHBOOK SOLICITOR'S TIME RECORDING SOLICITOR'S DATABASE DOMESTIC CONTRACTORS ESTIMATING CP/M TUTOR POLICY MASTER (MULTI-USER) POLICY MASTER (SINGLE-USER) SALES LEDGER SYSTEM SALES INVOICING STOCK CONTROL SYSTEM PURCHASE LEDGER SYSTEM NOMINAL LEDGER SYSTEM PADMEDE BUSINESS CONTROL SYSTEM PADMEDE BUSINESS CONTROL SYSTEM	Micropro Pearl International Micropro Supersoft Anthony Ashpitel Anthony Ashpitel Anthony Ashpitel Microtek Microtek Microtek Microtek Syntax Software Ltd CSA Micro Systems CSA Micro Systems CSA Micro Systems Padmede Computer Services
5	DISKMAN DISKED-2 DISKTOOLS-1 (DISKMAN & DISKORG) DISKTOOLS-2 (DISKTOOLS-1 & DISKED-2 Sorting SUPERSORT SUPERSORT (APPLE II) MSORT V1.012 Gode Generators	Slogger Software Slogger Software Slogger Software	145 139 134				0000	000000000000	000	• • • • •		GRAPH MATHSPACK STATSPACK CALCSTAR CALCSTAR CALCSTAR (APPLE II) MULTIPLAN SAPPHIRE MARS LINEAR & GOAL PROGRAMMING SCRATCH PAD STATS-GRAPH THE OPTIMIZER OSTAT	Fox & Geller MPI Ltd MPI Ltd MPI Ctd Micropro Micropro Microsoft Sapphire Systems Electronic Accounting Services Supersoft Supersoft Supersoft 1 Pivotal Software
	THE LAST ONE OUICKCODE (FOR DBASE-II) OUICKSCREEN (FOR MBASIC) OUICKSCREEN (FOR CBASIC) FORMS-2 PEARL-3 AUTOCODE LEVEL-2 FORMS-2	D.J. 'Al' Systems Fox & Geller Fox & Geller Fox & Geller Fox & Geller Micro Focus Pearl international Stemmos Micro Focus	330 215 121 121 110 295 220 110	•		00000 00		APPI APPI Black Britis CDS Com	- 8' SI E CP. Chawk h Mich	M-80 Micropos Micropos Mir	IGLE E DI 13 Sect 16 Sect polis M mi	100	C3 Olivetti M20 CP/M-86 C4 Osborne-1 R Rade 1000 SS DD RA Rade 1000 DS DD RA Rair Black Box R5 Research Machines 5.25in Robotron 5" C2 SD Systems 5.25in C2 Sharp MZ-80B
Then ore fanuals, acking f nen £1.5 eturn ser elephon .K. bank	dering CP/M software please specify the lo when purchased separately are not subje or the first liem purchased, and then £1. 15 for 0 for each extra liem required. Most software vice is thereby offered on most prepaid orde at time of purchase to continual latest price. MAIL ORDER - TELEPHONE OF TELEPHONE OF THE PROFICE	each extra item. For overseas p each extra item. For overseas p in this advertisement is availal ers. These details and prices ar es.) All payments must be in S RDER • VISIT	lease add	£6.50 p tock an	ostage per iter nd a 72 of June vn aga	hour 1983		Com. Com. Crom Cssi Dec I Direc Exidy Facit IBM I	art Coart Coart Coart Coart Coart Coart Back Rainbo T 180 Sorce 96TPI	System up w SS I SS DI I DS D	D D CP/M-8 D D	DP200	02 Sharp MZ-3500 Q2 Sharp PC-3201 R3 Shelton Signet R3 Shelton Signet R5 Torch R5 Torch R5 Torch R6 Torch MZ P1 Vector MZ P1 Vector VIP VIdeocom Apollo

ORDER INFORMATION

C3 RP RL RM RE RN N3 R3 R9 R8 RK S5 N4 N2 SF O2 O2 O2 RQ RQ S6 Rair Black Box Research Machines 5: Robotron 5' SD Systems 5:25in Sharp MZ-808 Sharp MZ-808 Sharp PC-3201 Shelton Signet Televideo DS DD Tiger 96TPI SS SD Torch Toshiba T200 DS DD Vector MZ Vector Systems B Vector VIPI Videcom Apollo Wordplex Wordplex Xerox 820 5.25in



Triumph Adler has made word proc

the WP system that stands alone

Compare the exclusive Triumph Adler Alphatext WP system with other leading systems...and one thing stands out.

At under £3,000.00 — complete — the Alphatext system stands alone.

That price includes everything

*a powerful Alphatronic P2 — part of the largest range of 'ready to use' nicros on the market. A high quality, engineered computer, able to cope with many of your computing tasks as well as word processing.

a TRD170S daisywheel printer, with rariable line spacing and choice of ypefaces.

a comprehensive systems manual, olus a unique step-by-step 'teach ourself' user manual that enables almost anyone to become competent, quickly and easily.

rand the Alphatext WP system —
lowerful yet simple, with a host of
leasy-to-use features for text
leneration, formatting and editing,
limultaneous printing and
lrocessing, text storage and so on.
li weak point in many WP systems is
line lack of a mathematical
alculation facility. Alphatext has it

Just compare the Alphatext features

+ upgradeable × video courses	Block move/ duplicate	Full headers/footers	Auto decimal tab	Auto word wrap	Auto centring	Auto pagination	Background print	Dispiay format (characters x lines)	Disk storage capacity	Optional applications software	Daisywheel printer	Audio training courses	Approximate price
AES Alphapius	1	J	1	1	1	1	1	16L x 80ch	69- 138k	+	1	No	£3995
IBM Displaywriter	1	1	1	./	1	1	1	25L x 80ch	284- 985k	1		×	£4718
Olivetti ETS 1010	1	1	1	1	1	1	1	24L x 80ch	360- 720k	1	1	1	£5983
Wangwriter	1	No	1	1	1	1	1	24L x 80ch	200- 400k	1	1	1	£3995
Wordplex 80-2	1	1	1	1	1	1	1	24L x 80ch	156k	No	1	No	£4495
Alphatext P3	1	/	1	1	1	1	1	24L x 80ch	790- 1580k	1	1	1	£3410
Alphatext P2	1	1	1	1	1	1	1	24L x 80ch	160- 360k	1	1	1	£2960

Source: Manufacturers' information as at 11th. March 1983.

— and you'll find it invaluable for invoicing and quotation preparation.

Friendly, practical support

Alphatext is exclusive to Triumph Adler — world leaders in business systems with over 80 years' experience. Triumph Adler provides complete nationwide support — installation, staff training, software testing service, stationery and supplies — in short, does everything to make sure your system runs smoothly.

Alphatext is a powerful, easy to use, WP system, based on a proven, reliable computer, backed by a leading business systems manufacturer.

If you would like to know exactly what Alphatext can offer you, complete the coupon or ring the Triumph Adler Alphatronic Hotline — 01-250 1717.

Triumph Adler (UK) Ltd., 27 Goswell Road, London EC1M 7AJ. Telephone: 01-250 1717

Please send me details of the Triumph Adler Alphatext WP system.
Name
Position
Company
Address
<u> </u>
Telephone
TRIUMPH-ADLER Computing for your future Triumph Adler (UK) Ltd., 27 Google Board Landon FCAM ZA L
27 Goswell Road, London EC1M 7AJ. Telephone: 01-250 1717 c.e.

ing refreshingly simple

League champion

Bill Bennett meets his all-time favourite game — and some other Spectrum offerings which don't quite come up to the mark.

Football Manager

FOOTBALL MANAGER is the best game I have yet seen on the Spectrum and my personal favourite of all the games on any micro. To enjoy it you need to have some feel for the game of football. I cannot really see it appealing to the hordes of arcade zappers or Adventure hackers, but to the ordinary person it is an excellent view of what can be done in the field of microcomputer games.


At the start you are asked to choose the name of the team which you wish to manage. Any name will do but if you want to manage Bayern Munich or Real Madrid you will have to live with them playing in the English league. You then reach the initial menu which, among other things, allows you to inspect your team and sell off any dead wood.


The computer then announces the first fixture of the season — there are 15 in all, and you only play each team once. Now the fun really begins, as you have to pick players from your squad to beat the opposition.

Your squad is made up of players that have been inherited or bought since the start of the game. All the names will be familiar to soccer fans, and the positions they play correspond to those in real life. Each player has a skill factor which is determined at random at the start of each season.

The crowning glory of this game is the short set piece of match highlights, which shows little stick men running around a pitch, shooting, defending and scoring. There are a lot of different highlights possible, though not enough to stop it being tiresome after a while.

As manager you will have to contend with cup matches and the finances of running a club, as well as making progress through the league. It is a compulsive game but people who cannot





take game sessions of nine hours or so which happened on one happy Sunday - will be grateful to know that there is a Save to Tape option.

Football Manager has everything it could - apart, perhaps, from the roar of the crowd and the atmosphere of a big match. The originator, Addictive Games, certainly deserves the name. Now how about a Test Match game?

Specification

Rating: 19/20

Type: non real-time strategy game Format: cassette tape Minimum RAM: 48K Author: Addictive Games, PO Box 278, Conniburrow, Milton Keynes, Buckinghamshire MK14 7NE Price: £6.95

Computer Scrabble

THIS IS a clever implementation of the game already available on the Apple II and reviewed in the January issue of Practical Computing. If anything, the Spectrum version is better than that on the Apple but it does have a couple of faults. The graphics are amazing, especially when you watch the machine thinking or juggling the letters.

The machine plays a very good game, frequently scoring in excess of 300 points. However it does so by cheating; for example, I need a lot of convincing that there is such a word as "reiner" which it managed to pluck out of thin air. Other dubious words include "nooned" "agaze" and "tyring". On the other hand, the program found fault with "vim", "eagle", "befit" and "baroness" when I tried to play them.

Some 11,000 words in the games library are squeezed into memory, and they are obviously stored in the form of a root plus suffix or prefix. Most of the time this works fine, but it does not allow you to challenge the validity of the more obscure combinations.

Despite these doubts, I have no reservations in recommending Computer Scrabble as an excellent diversion, especially for those who cannot find a human opponent. Its price may seem a little high when judged against other Spectrum software, but I consider it money well spent.

Specification

Type: board game Format: cassette tape Minimum RAM: 48K Author: Peter Turcan and Psion. Available from usual dealers Price: £15.95 Rating: 18/20

Blind Alley

THIS GAME resembles the Light Cycle game from the film Tron. You have a spaceship — which could equally be a train, light cycle or anything else for that matter — and your task is to steer it around a two-dimensional game grid. avoiding the enemy. Your ship and your enemies leave trails behind which, if touched, result in the destruction of the touching ship.


It is not a remarkably original game and does not have especially good graphics but it is eminently playable. The spaceship imagery is pointless; it is a truly abstract game and might be better presented as such. I found myself wanting to play again and again, hoping each time to improve my score.

The main attraction of Blind Alley is that although it is played in real time like an arcade game - and can even be played with a joystick — it requires as much thought as a game of strategy. It is this need to think fast combined with manual dexterity that makes Blind Alley worthwhile.

Specification

Type: real-time strategy game Format: cassette tape Minimum RAM: 16K Author: Simon Lane, Sunshine, 19 Whitcomb Street, London WC2 Price: £4.95

Rating: 11/20



Horace and the Spiders

HUNGRY HORACE and Horace goes Skiing are two classic games for the Spectrum. Both are fun, interesting to play and use the capabilities of the micro to the full. Horace and the Spiders is not really as good. It resembles the arcade games Jungle King and Space Panic, being in three stages. The first two are like Jungle King and the third like Space Panic.

You start by jumping across running spiders and progress to the second stage where you have to swing across a ravine on threads which hang down. The final stage involves you, or rather Horace, in a Space Panic-like battle with spiders in a system of webs.

Although it is cleverly programmed, the game is trite and not the least bit interesting to play. It is either crushingly easy or impossibly difficult to do anything and score points. The final stage of the game can and often does end in stalemate

when the spiders do not seem the slightest bit interested in attacking Horace, and Horace cannot get near the spiders.


Specification

Type: arcade game Format: cassette tape Minimum RAM: 16K

Author: William Tang, Psion. Available

through usual dealers

Price: £5.95 Rating: 8/20



Molar Maul

IN MOLAR MAUL you are in charge of a toothbrush, and your task is to rid a mouth of tooth-rotting bacteria. You do so, obviously enough, by loading up the brush with toothpaste and brushing the teeth. The graphics are bright, fastmoving and very clever as a number of items are constantly moving around the


The packaging, complete with the wittily written instructions, is superb and so is the on-screen presentation. What the game lacks is playability. Scoring is very slow and it only moves in single steps, so it is hard to keep improving your score. Molar Maul is almost beyond criticism. The way the keyboard is used is excellent, allowing every player to use the keys that are easiest for them. The high score is displayed, though there is no provision for a table of scores that allows you to compare scores with a rival or to monitor your own progress.


Specification

Type: real-time arcade game Format: cassette tape Minimum RAM: 16K

Author: John Gibson, Imagine Software, Masons Buildings, Exchange Street East, Liverpool L2 3PN

Price: £5.50 Rating: 12/20





The XJS smile and how we put it on Roger Smith's face

Why is Roger Smith smiling? Because he advertises in Practical Computing. And Practical Computing helped him to buy that Jaguar. Roger Smith's company, Disking International, specialises in floppy discs, selling the major brands: Maxell, Memorex and Verbatim. In two short years, Disking has become one of Britain's leading floppy-disc distributors and Practical Computing has played an important part in that success. "Compared with other leading computer magazines," says Roger, "Practical Computing

has two significant benefits. First – its quality of readership is higher – and readers are in a position where they can take important decisions quickly. Second – Practical Computing has a more lasting impact than other computer magazines. Readers hold on to Practical Computing for weeks and even months."

The result has been an excellent continuing response to
Disking's advertisements. And something to smile about for Roger Smith.
If you would like a Jaguar XJS,

call Ian Carter, Advertisement Manager, on **01-661 3021.** He will put you on the right track to getting one of your own. By advertising in Practical Computing.

Practical Computing

Electrical-Electronic Press, Business Press International, Quadrant House, The Quadrant, Sutton, Surrey, SM5 2AS

Euro CUBE 6502/6809 One small Eurocard-more computer than ever


EuroCUBE is just one, small 100×160mm Eurocard but it is an Industrial Computer of exceptional power and versatility.

The user has a choice of 6502 or 6809 microprocessors. Programs can be developed on a full CUBE development Eurorack or on any other microprocessor development system in a high level language such as Industrial BASIC or machine code.

EUROCUBE has four memory sockets whose function and position in memory is fully user selectable. For example, the first socket might contain a 4KB operating system EPROM, the second a BBC BASIC interpreter in ROM, the third the user's BASIC program in whatever size EPROM is convenient, and the fourth might contain 8KB of battery backed non-volatile CMOS RAM.

An on-board calendar clock is also supported by the battery, and provides the time of day to 1/10th second and the date correct for the whole century.

EUROCUBE communicates with the outside world through 20 digital i/o channels, RS423/RS232 serial port and the full CUBE/Acorn data bus through which the entire CUBE/Acorn range of video, disk, analog, solid state switches and other peripherals can be controlled.



£139

Exc. VAT. No charge for Operating System Software

Control Universal's new 150 page catalogue and technical overview is now available free of charge. Use the reply service for your copy, or ring one of our engineering team to discuss your application.



Unit 2, Andersons Court, Newnham Road, Cambridge CB3 9EZ Telephone (0223) 358757

Circle No. 173

11/1/2/6/1

Designed to be the world's best-selling typing tutorial Program.



KEYBOARD SKILLS TRAINING TUTOR

- Why have a computer if you cannot use it efficiently? Does lack of Keyboard Skills slow down the work you want done?
- IANKEY has been meticulously researched to provide a thorough grounding in Keyboard Skills.
- The Program is unusually easy to set up, to install and to use on almost any Micro using CP/M. You don't need more than 52 columns on your screen.
- Keyboard designs vary. IANKEY caters for yours.
- The screen displays your Keyboard. Your eyes watch this while your fingers carry on by themselves.
- If you make a mistake, the Program points it out at once. You build up speed and accuracy.
- IANKEY uses real words not meaningless strings of letters from the start.
- IANKEY costs only £29.00 (Recommended price) + £2.00 p. and p. and £4.65 VAT: total £35.65. We give a full Warranty and a no-questions-asked MONEY BACK Guarantee.

Write today to IANSYST Ltd (PC1), Omnibus Building, 41 North Road, London N7 9DP, with details of your Micro, or call (01-)607 5845. Cash with order or VISA/MASTERCARD/ACCESS.

THE FUNDAMENTAL unit of data handled by the computer is the bit. It corresponds physically to some electronic device capable of being in one of two states which are by convention designated 0 and 1, and corresponding to off and on.

In most computer programs, the smallest element of data processed is the byte, a string of eight bits. These strings are essentially meaningless, so in order to make computers useful rules must be defined by which data can be translated into bit strings which can be manipulated.

The most arbitrary notation which can be devised is to assign to the bit strings a set of discrete codes, such as the ASCII code for typographic characters. Providing the computer and its peripherals heed the same rules they will appear to handle text such as you are reading now.

Yet the bulk of computer power the world over is expended not on typographic but numerical data. The binary integer is undoubtedly the most important single class of data in computing. It is of use when whole numbers are indicated, and many problems can be couched in terms such that integers will suffice. The integer notation is simple to understand and can be manipulated very quickly.

In scientific computation it is necessary to use numbers with fractional parts which mathematicians refer to as "real" numbers. Clearly a way is needed of representing such numbers within the computer.

The first technique which comes to mind is to place something corresponding to a decimal point within the bit string. As with decimal numbers, digits to the left of this radix point represent positive powers of 2; those to the right correspond to negative powers. So the bit immediately to the radix point corresponds to 2^{-1} or $\frac{1}{2}$, the next bit corresponds to 2^{-2} or $\frac{1}{4}$ and so on. The radix point is not present in the word; instead its position is noted or fixed, and so this number representation is named "fixed point".

For many purposes this fixed-point representation of numbers is quite adequate. It has the great advantage that the numbers can be manipulated in a similar way to the integer notation and so can make use of the fast hardware provided in all computers for that purpose. It is used when the approximate size of the answer is known.


When it is not known, enough bits have to be allocated to the left of the radix point to allow for the size of the answer, and enough have to be allocated to the right of it to yield the desired accuracy.

It is an onerous task to determine the format of the necessary bit string, but the crucial objection is that it may well be impossible to determine it algorithmically. The first consideration may be a barrier: if you need to represent a very large number such as the age of the universe in seconds

Les Murray is a systems programmer with Plessey Radar

Floatingpoint arithmetic

Simple arithmetic can easily produce numbers which are out of the processor's normal range. Les Murray explains how systems programmers make sure your data is not lost when unwanted zeros overflow.



Numbers =

you will need a bit string hundreds of digits long. Such a bit string is not in itself impossible, but the accuracy with which it is possible to measure or justifiably estimate such a quantity means that there will be dozens of bits of wasted data between the least significant bit of the number and the radix point.

Less obviously, the same argument applies to tiny numbers such as Planck's constant as measured in SI units, which is of the order 10⁻¹⁴. To the right of the radix point comes bit after bit of zero data, present — or rather absent — merely as place markers. Anyone who spent hours of toil on a computer program, only to see the fruits of their labour dropping uselessly out of the right- or left-hand end of a specified fixed-point number would be justified in seizing the nearest systems programmer by the lapels and demanding to know if there were a better way. As it happens, there is.

The fundamental requirement for representing real numbers is for numbers in the entire range of interest to be held without redundant bits. Consequently the number is always held to a certain minimum accuracy, which may be made as high as necessary. This result is achieved by combining the zero place-marker bits into an integer which denotes the position within the rest of the bit string of the radix point. The point is free to wander around the bit string, or even outside it, much as it chooses. The radix point is said to float: hence "floating point" numbers.

You have almost certainly encountered floating-point numbers in decimal form. Most modern calculators other than those which lurk in the back of cheque books offer a so-called scientific notation which is automatically called into play when the result is too big for the display. Numbers then appear like:

2.998 08 which, in full, would be written: 2.998 × 10°

The digits on the left comprise the significant part of the number and are called the mantissa. Those on the right which tell you what to do with the radix point — in this case, it should be moved eight places to the right — are called the exponent. Binary floating-point numbers are similar. The mantissa is a fixed-point binary number, and the exponent is a binary integer which defines a multiplication or division by a power of 2.

Early in my career as a programmer I had the interesting job of developing a floating-point mathematical package for the 6800 microprocessor. Floating-point numbers were called for since the package was to reside in a standard ROM to be fitted to a range of industrial and scientific equipment. The required accuracy with which the package held numbers was to be not worse than 0.003 percent.

The required accuracy determines how many bits must be allocated for the mantissa of the floating-point number. It is given by the ratio of the value of the least significant bit to that of the most significant

Binary numbers

One end of the bit-string, of whatever length chosen, will be designated the left, the other the right. Each bit corresponds to a digit. In decimal, each digit may take one of 10 values since the base or radix is 10. Bits can take only two values, 0 or 1, since the radix is 2.

The right-most bit of the binary number, the least significant, has a value of 2 to the power of zero, 2°, which is equal to 1. It is usually called the "zeroth" bit of the word. Its neighbour has a value of 2' or 2. The next bit is equivalent to 2° or 4. And so on to 8, 16, 32 ... all the way to the most significant bit. The integer represented is the sum of the powers of 2 whose delegated bits are set. The vast majority of modern computers handle such binary integers.

Twos complements

Suppose you have an eight-bit number which is positive and you wish to negate it. You first complement — which means replace with its opposite — each bit of the number, then add 1 to it. For example, if the initial number is 3, the operation looks like this:

0000 0011 +3
1111 1100 complemented
1111 1101 incremented: -3
At first sight, the result looks
dubious. However, you can repeat
the process:

1111 1101 — 3
0000 0010 complemented
0000 0011 incremented: + 3
adding + 3 to - 3 should give zero:
0000 0011 + 3
+ 1111 1101 — 3

1 0000 0000 zero
So what about that 1 on the end?
We are working in an eight-bit word,
so the stray 1, the carry from the
left-most bit of the sum, is
discarded. Furthermore, if you
attempt to negate zero:

0000 0000 zero
1111 1111 complemented
1 0000 0000 incremented: and
back to zero.

Mathematically this is all very satisfying, as zero is signless. The principle can be extended to any number of bits.

bit. We chose a 16-bit mantissa, which gives an accuracy of one part in 32,767 or about 0.003 percent. The mantissa is a fixed-point number, and we chose a special case where the mantissa is a binary fraction in the range $\frac{1}{2}$ to 1. Restricting the range of the mantissa is called "normalisation" and has two important advantages: it ensures that the number of significant bits in the

mantissa is maximised, and it curbs the tendency of the radix point to meander about during arithmetic operations.

Normalisation also provides a niche for the sign of the number. The left-most bit of the mantissa, equivalent to ½ in this example, is always set since the mantissa is greater than or equal to ½. Its presence can be assumed and the sign bit can be put there instead. The bit is clear for a positive number and set for a negative one. Before operating on the floating-point numbers the sign bits must always be extracted, their values noted, and the most significant bits of the mantissa must be set. Because the most significant bit is hidden by the sign bit, the mantissa of this form is said to be "hidden-bit normalised".

The exponent was chosen as an eight-bit signed integer. It needed to be positive or negative: if positive, the position of the radix point is moved to the left; if negative, to the right. The most significant bit of the mantissa is used as the sign of the integer and the same method would work for the exponent, but it can be improved upon. We chose to use the so-called twos complement notation for the exponent since it allows positive and negative numbers to be operated upon without first separating their sign bits — see panel.

We then went on to stipulate that the sign bit of the twos complement exponent shall be complemented. It was done for one very important reason: a zero is needed in the floating-point number scheme. So far, we have a mantissa of between $\frac{1}{2}$ and 1 and an exponent: no matter what the value of the exponent, the floating-point number can never equal zero.

A special case is therefore required — we chose to use an exponent of zero. The most negative number that can be represented in an eight-bit twos complement number is $1000\ 0000\ \text{or}\ -128$. By stipulating that the sign bit of the exponent be complemented, this becomes zero.

The first step in expressing a number in floating-point binary is to normalise the mantissa. Start with an exponent of zero and divide the number by 2 repeatedly until the quotient lies in the normalised range. For each division the exponent is incremented. Very soon we have:

 $1 = 1/2 \times 2^1$

Converted to binary, and allowing for the covering of the hidden bit by the sign bit and the complementing of the sign of the exponent, this becomes:

.0000 0000 0000 0000 1000 0001 mantissa exponent

The number 1, and indeed all integral powers of 2, are easily converted to floating point. A more meaty example is the speed of light in metres per second:

 $c = 2.998 \times 10^8$

To generate a normalised mantissa you must divide by two 29 times, so the exponent is 29. In decimal, the mantissa is 0.56928 to five significant figures. Using only 16 bits to represent the mantissa, the accuracy with which it is held is, at worst,

(continued on next page)

Numbers'

Floatingpoint arithmetic

(continued from previous page)

one part in 32,767. We cannot claim to hold it to higher precision. In any case, if we divide right out, we end up with a binary fraction 29 bits long. Applying the usual rules of hidden-bit and complemented-exponent sign, we obtain:

C_{float} = .0000 1000 1000 1100 mantissa 1001 1101 exponent

If the number to be converted is less than 1 it must be repeatedly multiplied by 2, counting the exponent backwards from zero. To normalise -0.01 — it is not only less than 1 but negative to boot — multiply by 2 six times. The mantissa is therefore 0.64, and the exponent -6;

0.01_{float} = .1010 0011 1101 0111 mantissa sign 0111 1010 exponent

An interesting quirk of the way numbers work is that, although the decimal representation of 0.64 is exact, the binary fraction recurs after 21 digits.

Rational not real

As there are only 16 bits available, not an infinite number, the mantissa cannot be held exactly, but it is held to within a known amount of the actual value. Though many computer languages claim to deal in real numbers, a computer whose size is finite can only handle numbers which can be expressed as the quotient of two integers—the rational numbers. Perhaps the designers of computer languages should own up and declare a rational number type instead of real.

The range of absolute magnitudes of numbers of the floating-point notation which has just been described is approximately 0.5×2^{-127} to 2^{127} or 10^{-39} to 1.5×10^{38} . The smaller number is derived from a zero mantissa, equal to $\frac{1}{2}$ with the hidden bit set and an exponent of -127. The larger is equivalent to a mantissa of almost 1 and an exponent of 127. Few serious problems involve numbers which cannot be represented by this modest floating-point system. If more accuracy is required you can simply extend the mantissa.

Having set up the system of floatingpoint numbers it is necessary to manipulate them. Multiplication is the easiest operation between two such numbers and relies on the algebraic relationship:

 $(a \times b^c) \times (d \times b^e) = a \times d \times b^{c+e}$

If b = 2 there is an obvious relationship with floating-point numbers.

To multiply two floating-point numbers perform the following stages:

- Extract and note the signs, and set the hidden bits.
- Form the product of the mantissae.
- Form the sum of the exponents.
- Renormalise.

 Insert the sign of the result which is the logical Exclusive Or of the multiplicand signs.

Because the mantissae of the multiplicands lie between 0.5 and 1, their product must lie between 0.25 and 1. The most significant bit of the mantissa of the product is tested; if it is zero, the mantissa is shifted one digit left and the exponent decremented to compensate. You insert your sign, and there is the result.

Or is it? There are two error conditions which can arise during multiplication. The first is overflow, which occurs when the sum of the multiplicand exponents is greater than the maximum there is room for. The second is dubbed "underflow", which can occur when the sum of two negative exponents is too small and can also occur during renormalisation. It is also worth testing for zero in the multiplicands first since the product is then bound to be zero.

The stages for division are:

- Extract and note the signs, and set the hidden bits.
- Form the quotient of the mantissae.
- Subtract the exponents.
- Renormalise.
- Insert sign.

The result of the division of the mantissae will lie between 0.5 and 2 so, if necessary, the mantissa of the quotient is shifted right and its exponent incremented. Underflow and overflow are both possible and it is essential to check the divisor for zero before attempting the division.

Division of binary integers may appear fearfully complicated at first sight, but this complexity is more apparent than real. The quickest way to do it is to repeatedly subtract the divisor from the dividend, dividing the divisor by 2 between each subtraction. If the subtraction leaves a positive result, shift a 1 into the quotient's least significant end, if not, a zero. It is exactly equivalent to decimal long division, but is simplified as the result of each stage can be only 0 or 1, not 0 to 9.

Addition and subtraction of floatingpoint numbers are no more complicated than multiplication and division, but are more tedious. The processes are essentially the same: to subtract, change the sign of the subtrahend, then add.

The first stage of addition is to extract the signs and set the hidden bits. The next step is to compare the two operands. Comparison of floating-point numbers is as easy as could be: first compare the exponents and then, if they are equal, the mantissae. You need to know which operand has the smaller exponent; this operand is adjusted until its exponent is the same size as the other by incrementing the

smaller exponent and dividing its corresponding mantissa by 2 repeatedly.

A decimal example shows why this is necessary:

 $2.5 \times 10^5 + 2.5 \times 10^4 =$ $2.5 \times 10^5 + 0.25 \times 10^5 =$ 2.75×10^5

An underflow condition can occur here. If the addends differ by a factor of 2¹⁶ then, by the time the exponent of the smaller one has been rendered equal to that of the larger, all the bits of its mantissa will have vanished. If this matters there is only one recourse: a longer mantissa.

What happens next depends on the original signs of the addends. If they are the same, add the mantissae; if different, the mantissa which has been shifted, or which was naturally the smaller, is subtracted from the larger one. The result lies in the range zero to 2, so you must normalise after checking for zero to avoid entering an infinite loop. Underflow or overflow may be detected during this operation. It remains only to plug the sign into the result, which is the sign of the addend whose absolute magnitude was larger.

Complicated functions

The basic arithmetic operations can be combined to produce more complicated functions such as logarithm, sine, exponential and so on, using polynomial approximations to the appropriate series, or more devious methods. For example, to take the logarithm of a floating-point number you can utilise the fact that is is held in exponent and mantissa format. First, approximate the logarithm of the mantissa to base 2. Since the answer is limited of the range -1to zero you can use a very short polynomial and still achieve the required accuracy. For our 16-bit mantissae we used a fourthpower polynomial, which can be factorised so as to comprise just four multiplications and five additions. After processing the mantissa, convert the exponent to a floating-point number itself and add it to the logarithm of the mantissa. This is the logarithm to base 2 of the original floatingpoint number, according to the relationship:

 $\log_2(m \times 2^e) = \log_2 m + e$ Multiplication by a constant then gives the logarithm to any base.

The whole procedure, like those for the various other functions, is rather longwinded, which is why a hand calculator takes so much longer over them than over the basic arithmetic ones. If speed is vital, an alternative is to hold a table of key values in memory and interpolate between them, exactly as a set of mathematical tables — remember them? — is used.

Any representation of data within a computer is useless unless it can be converted to human-readable forms. One of the largest drawbacks with floating-point numbers is that such conversion is tedious, involving repeated division by 10, extraction of remainders, conversion of floating-point numbers to fixed point and finally, conversion of those to ASCII.



How has Comart's controlled, down to earth development strategy kept Communicator a firm favourite in the UK, and the leading candidate to reverse the tide of microcomputer imports?

New Range Additions The Communicator range has broadened to add a new 20 Megabyte 5" Winchester Hard Disk Drive System to the already well established 5 Megabyte and floppy diskette models. Another new system offers 8" floppy disk drives for compatibility of data transfer. With the associated tape and additional Winchester back up systems that adds up to eight basic models - all in the same neat, stackable, casing - all based on S100 bus construction to keep future options in memory, users, peripherals and interface requirements wide open.

New System Additions Communicator operating systems continue to broaden both in options and facilities. An improved CP/M offers enhanced diagnostics, for example, and auto boot from Hard Disk. These basic improvements are reflected in the now tried and tested Communicator multi-user MP/MII™, which also provides for full CP/M™ compatibility.

New Communications Options

Communicator now offers CP/Net™ and RBTE communications protocols. Individual Communicator



Systems can now operate as intelligent information terminals, integrated with either existing mainframe or mini computer installations, or be part of a shared resource or communications network.

New Range of Terminals Find out more about Comart's new smart VDU. It's a new advanced ergonomically designed unit. It has a 105 keyset detached keyboard, soft green phosphor tilt screen, and a low profile foot. Its a perfect complement to the Communicator in both styling and performance.

Some things don't change Communicator still has Comart's established dealer network and nationwide after sales service back up, supporting thousands of Communicators already at work throughout the UK.

And in the Future? Behind all these innovations are advanced programmes of research and development. Soon Comart will be bringing you 16 bit, multi processor and distributed processing systems. This is your guarantee that Communicator will continue to keep pace as microcomputer technology progresses.

To find out more about Communicator today, call us now on 0480 215005.

Main Dealers

Birmingham The Byteshop 94/96 Hurst Street Tel 021-622 7149
Dublin Lendac Data Systems 8 Dawson Street Tel 0001 372052
Glasgow The Byteshop Magnet House 61 Waterloo Street
Tel 041-221 7409 Leeds Holdene Bray House Leicester Place
Tel 0532 459459 London The Byteshop 324 Euston Road NW1
Tel 01-387 0505 Digitus Lading House 10/14 Bedford Street Covent
Garden WC2 Tel 01-379 6968 Jarogate 197/213 Lyham Road Brixton
SW2 Tel 01-671 6321 Manchester The Byteshop 11 Gateway House
Piccadilly Station Approach Tel 061-236 4737 Nottingham
The Byteshop 92a Upper Parliament Street Tel 0602 40576
Southampton Xitan Systems 23 Cumberland Place Tel 0703 38740

A member of the 4 Comart Group of Compa SPECIALISTS IN MICROCOMPUTERS

Comart Limited, Little End Road, Eaton Socon, St Neots, Cambs PE19 3JG Tel: 0480 215005 Telex: 32514 Comart G

Dealers

Dealers

Aberdeen MOM Offshore Tel 0224 22863 Bedford Remdex Bradley Tel 93 68561
Cambridge Cambridge Computer Store Tel 0223 65334 Edinburgh Holdere
Microsystems Tel 031 557 4060 Glernorthes Computer Services (Scotland) Tel 03
Tel 73710 Blackpool Westem Computers Tel 0253 404676 Manchester NSC Comp
Tel 061 882 2299 Norwich Anglia Computer Centre Tel 0603 23652 Worthing Act
Tel 053 25340 Morwich Anglia Computer Centre Tel 0603 23652 Worthing Act
Tel 0545 25354 Services Tel 0603 2541 Middleabrough Arzech Tel 0542 25262† Bar
Moldavia Tel 01-591 6511 Beffast Cardiac Services Co Tel 0228 255566 Wilmator
Tel 0545 25540 Morvice Tel 0545 2577 Luton M Edwikering Tel 0266 275836
Middleabridged Westcom Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Vestcom Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Vestcom Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Vestcom Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Vestcom Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Vestcom Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Vestcom Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Vestcom Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Vestcom Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Vestcom Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Vestcom Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Vestcom Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Vestcom Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Vestcom Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Tel 0462 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Tel 0460 21727 Luton M Edwikering Tel 0362 31806
Middleabridgen Tel 0460 21727

CP/M, MP/MII and CP/Net are all trademarks of Digital Research Inc

Circle No. 177

Minstrel + TurboDOS the marriage of reliability and versatility



Minstrel

The Minstrel is an exciting new British micro-computer and offers Winchester-based systems at fantastically low prices. The range extends from single-floppy single-user CP/M systems right up to a 68000-based model and includes an 8086-based range.

The Minstrel is compatible with the North Star Horizon and offers a superior alternative at a much better price.

There is a network of Minstrel dealers in the UK and Europe. Contact us for the name of your local dealer. Dealer enquiries invited.

S100 bus

The amazing versatility of the Minstrel is due to the bus used: the \$100 bus. This bus system is not only future-proof—the future is created on the \$100 bus. Every major microcomputer development appears first on the \$100 bus. Now over 150 manufacturers make \$100 products and their combined range approaches 1000 boards.

Hotel Microsystems Limited

69 Loudoun Road, London NW8 0DQ


national 01 328 8737 international +441 328 8737 telex 266828



One machine – eight computers

Yes! Inside the Minstrel microcomputer illustrated there are actually 8 Z80A single-board computers. One is dedicated to each user of the system resulting in astonishing performance. A ninth processor controls central disk storage and printers.

TurboDOS provides sophisticated spooling for multiple printers, supports 1000Mb disk drives and 128Mb files, and employs powerful disk buffering techniques.



TurboDOS

CP/M COMPATIBLE MULTI-USER OPERATING SYSTEM

TurboDOS is a popular high-performance multi-processor operating system. Each user has their own slave processor board (illustrated above). TurboDOS systems have been shown to out-perform mini-computers in the DEC PDP11/34 class at a fraction of the hardware cost.

TurboDOS is compatible with CP/M, the industry standard operating system, which means you have access to a vast range of off-the-shelf software.

The next development to TurboDOS on the Minstrel allows you to connect systems together via a Local Area Network.

ASTONISHING PRICES!

Minstrel with two 400Kb floppy drives £1790. With 1 400Kb drive and 5Mb Winchester £2615.

A sample 2-user TurboDOS system including:

Minstrel

- 1 400Kb floppy
- 15Mb Winchester
- 2 slave processor cards
- 2 KDS7362 VDU's (illus)
- 1 Epson printer

ONLY

£5465

A sample 5-userTurboDOS system with background batch processor including:

Minstrel

- 1 400Kb floppy
- 1 15Mb Winchester
- 6 slave processor cards
- 5 KDS7362 VDUs (illus)
- 1 Epson printer
- 1 OKI 84 printer

ONLY

£10310



You've a deadline to meet, the right CP/M Software package is needed, the right decision has to be made; which format, which product, when can it be delivered, at what price?

You need good advice, and just as important, you need to talk to someone who has a large enough range to be able to offer honest advice. Someone who can then deliver on time, someone whose catalogue is fast becoming the byword of the software industry.

So don't expose yourself, talk to Software Limited. Choice, advice and delivery, all aimed at meeting your deadline.

Software Limited... Because there's more to choose from, we're the only choice to make.

01-833 1173/6

Software Limited No. 2 Alice Owen Technology Centre 251 Goswell Road, London EC1

CP/M is a trademark of Digital Research



How to make a million

so YOU WANT TO become a millionaire by playing the U.S. stock market? Start by playing Millionaire, a simulation game from Blue Chip Software of California. The game is claimed to be "so realistic that it is recommended for use in maths or economics classes". The price is £70, or £60 for the Apple II version.

Four educational games for ages five to adult come from Spinnaker Software, Cambridge Mass. The titles are Granite Ghost, Disappearing Dolphin, Story Machine and Facemaker. Prices range from £25 to £33 plus VAT.

All the above are available from Pete & Pam Computers, New Hall Hey Road, Rawtenstall, Lancashire BB4 6JG. Tel: (0706) 227011.

Compatibility with Apple II

LAST MONTH we announced an 8088 board to make an Apple think like an IBM PC. This month Quadram has a plug-in card that makes an IBM PC think it's an Apple.

Not only does Quadlink run Apple software, it does it using the IBM disc drives with software to read Apple-format discs. The card carries a 6502 microprocessor and 64K of RAM.

Contact Quadram Corporation, 4357 Park Drive, Norcross, Ga 30093. Telephone: (404) 923 6666.

Engineers' selection

THE STEMMOS RANGE of desktop engineering packages is now available on the IBM PC. The most popular ones, previously available for CP/M micros, are Superframe, Superpipe and Superrig.

The packages are aids for offshore engineers in static analysis for three-dimensional space-frame structures, such as steel jack-up platforms designed to withstand extreme static and dynamic loads.

Stemmos is now operating from larger premises at 199 Uxbridge Road, London W12. Telephone: 01-740 9444.

PC goodies from IBM

IBM (U.K.) has announced 11 enhancements — both hardware and software — for the PC. They range from a new colour monitor through an APL implementation to 101 maze games.

IBM Colour Display. A high-quality direct-drive monitor for colour text and graphics, using the Colour/Graphics Monitor Adaptor in one of the expansion slots. The new monitor has a 13in. screen, weighs 12kg. and costs £520.

BSC Adaptor. The Binary Synchronous Communications adaptor is a plug-in card that allows networking using BSC protocols. Price: £230.

BSC-3270 Emulation Program. With the BSC adaptor this lets the PC pretend to be a 3270 terminal and talk to an IBM mainframe. Price: £581.

8087 maths chip. The Intel 8087 co-processor multiplies 32- and 64-bit floating-point numbers about 80 times faster

than the 8088. The option kit includes a matched pair of 8087 and 8088 chips. The 8088 replaces the one you have and the 8087 fits an existing socket on the bigboard. Price: £214.

IBM PC APL. IBM first launched this powerful language on a mainframe in 1977. The PC version requires 128K of memory, the 8087 maths co-processor and an IBM colour display. For a brief account of the power of APL see the April issue of Practical Computing, page 107. IBM's APL costs £165.

Professional Editor. Provides powerful editing and scrolling commands including search/change, block move, formatting commands and macros. Price: £113.

Basic Primer. A tutorial on a disc, the Basic Primer assumes no computer knowledge and takes you from learning the keyboard to keeping chequebook records. Price: £53.

UCSD p-system run-time the support. Provides the VAT.

appropriate software to run programs written under the UCSD p-system Version IV.03. The system supports programs written in Pascal, Basic and Fortran-77. It costs £41.

File Command. This utility is a DOS handler which allows files to be sorted by size, date, alphabetically by file name or extension, and by drive and directory path. File Command also defines the function keys under DOS. Price: £31.

Strategy Games: A set of four popular board games — draughts, elusion, battleship and reversi.

101 Monochrome Mazes. Just what it says. The mazes include black pools, trapdoors and pop-up walls. There are 10 levels of difficulty and nine game speeds. Price: £31.

All the introductions are promised for September, except the Basic Primer which should be available now. All the prices quoted exclude VAT.



If all the slots on your PC are full, maybe you need the Sup'r Extender from M&R Enterprises. It connects to the PC via two 60-line ribbon interface cables, and provides six extra expansion slots for standard plug-in boards. The price is around \$5,000. Contact M&R Enterprises, 910 George Street, Santa Clara. CA 95050. Telephone: (408) 980 0160.

As an increasing number of readers are acquiring IBM PCs and various look-alikes, we felt that — like other major micros — it should have its own place in *Practical Computing*. This is it

Computing. This is it.
In future issues, PC Bulletin will carry news, reviews and software stories. If you have any hints and enhancements, utilities or short programs, send them in.

Our aim is to make this column an extra "expansion slot" for IBM PC. But it will only expand if you join in. Send your contributions to PCB at *Practical Computing*, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

Happy families

THE SOFTWARE PUBLISHING CORP has launched a family of software for the IBM PC. The packages are PFS:File, PFS:Report, PFS:Graph and PFS:Write. The Write and Graph programs can be used with VisiCalc files. Contact S of t ware Publishing Corporation, 1,901 Landinds Drive, Mountain View, California 94043, Telephone: (415) 962 8910.

Another family of PC software is the Professional Business Library from Texasoft. It comprises Versatext, The Thinker and PCFile. The Thinker is a spreadsheet program. All three together are called the Texasoft Combo Pac by Pete & Pam, who will sell them to you for £249.

British-made software for the IBM PC now includes the Pegasus suite, which covers the spectrum of accounting needs including payroll. The packages are already well established on the Sirius and Commodore micros. If you want to see or buy them, you have to contact your local dealer.

AS A GENERAL rule, only idiots wait for the wonderful new machines that computer firms perpetually promise. And if they appear, only idiots and software writers buy them. This rule has very few exceptions, but one of them is the IBM XT, simply because it sets a standard other machines will aspire to.

The IBM Personal Computer was first launched in the United States in August 1981 and immediately became a best-seller. IBM's marketing men did it right: they had stocks in the shops, they had software, and they had an agressive price. The entry-level PC system was a 16K cassette-based micro priced to give Apple a hard time, so the PC was bought as a home micro as well as for small-business use.

The PC also had something no other machine had: the initials of the world's largest and most powerful computer firm on the front. The IBM sold massively, and estimates put its market share in 1982 somewhere between 18 and 25 percent. Not bad for starters.

The U.S. success delayed the introduction of the PC in Europe. For a while, grey imports were obtainable - American machines supplied with step-down transformers and American monitors but finally, on January 18 this year, IBM launched the British version. Again there was software and again there were already machines in the shops.

The British PC showed a number of differences from the American original. It now had 64K memory chips, and thus no 16K version. No cassette-based version was announced, and the disc drives had been upgraded to 320K. The software ran to more than 30 packages under the IBM label alone. They included CP/M-86 and the UCSD p-System, as well as MS-DOS; Cobol, Fortran and Pascal as well as Basic and assembler; a colour version of Multiplan; and a number of games.

The new PC included a U.K. keyboard with a DOS file to configure the operating system to match. Other national keyboards such as French and Italian were launched at the same time. In other words, even at its launch the IBM PC was a purchasable option.

Conservative design

Some people expressed surprise and regret that the new machine was not more revolutionary. It did not, for example, feature an 8086 full 16-bit processor instead of the 8088, nor did it sport PC-DOS version 2. The complaints were dumb. IBM had a clear view of the serious market, which is for a stable machine that works, is as bug-free as possible, has lots of software and is well supported. These are far more important aspects than the technological flashiness which some companies offer, both through novel architectures and "own brand" operating systems.

If there was something to carp about it

In the first part of this review, Jack Scholfield sets the hard-disc version of the IBM Personal Computer in context with its competitors.

than in the U.S. It was low enough to hurt only the grey importers, not the makers of IBM look-alikes. One factor was that the PC was already in short supply, so why cut the price?

At the launch, IBM announced that it was going to start manufacturing PCs for all of Europe at Greenock in Scotland. With this production facility coming on stream later this year there is every hope of

price reductions. After all, IBM has significantly reduced its American prices since the launch, and recently took 30 percent off the cost of the Displaywriter. In its current mood, IBM is capable of outmarketing anyone.

The IBM XT was launched in both the U.S. and the U.K. earlier this year, though machines did not become available here until June. The exernal appearance of the



was the price, which was far less agressive | When you power on the XT it shows it is working by signalling the checking routines.

XT is almost identical to the PC, except for the hard disc which replaces floppy drive B. This required no great feat of engineering, but essential to the XT was the availability of MS-DOS 2 to provide the operating system facilities to run the hard disc.

IBM also made a number of less obvious changes in producing the XT. For example:

- it features a new ROM and BIOS, basic input/output systems;
- the minimum RAM is 128K instead of 64K:
- the motherboard has eight expansion slots instead of five;
- the power supply is larger to support the hard disc;
- the floppy disc writes nine sectors of data per track instead of eight, giving 360K of storage per double-sided drive instead of 320K;

 the DIN socket for cassette operation is no longer fitted.

The XT is installed in exactly the same way as the PC, with the same plugs and connections. It is easy to do and there is not much to go wrong. However, while the printer and monitor cables have holding screws to prevent them being tugged out by accident, the power cable doesn't and can be. This can lead to disaster. The keyboard's DIN output port is awkwardly sited on the back of the system box instead of the front. The monitor requires separate video and power leads. Some micros combine them in one cable, but as the IBM drives the monitor from a card in an expansion slot, there is no way round this.

A major difference is obvious when you power on. Instead of playing dead like the old PC, the XT shows it is working by signalling the RAM checking on the screen. The system checks the floppy drive A, then the hard disc C, for a bootable operating system. If it does not find one it defaults to the Basic in ROM with 62,940 bytes free.

Initially you will start with a DOS 2 Master in drive A. You would expect it to

take you through making your own system master and putting Keybuk in an Autoexec. bat file . . . That way, booting DOS automatically configures the U.K. keyboard to produce the right codes. DOS 2 doesn't. There is no Keybuk file. The result is that you have a keyboard with English markings producing American output. Thus you have to press @ for "and so on. Running American software is a doddle, but that is not the idea at all.

IBM says that the DOS 2 disc it now supplies does have the Keybuk file on it, so there should be no problem. However, any U.K. user who wants to experience life with a U.S. keyboard — with U.K. markings — can do so by pressing Ctrl-Alt-F1 together.

There are a couple more areas where the XT is not quite as kosher as the standard PC. For example, the DOS 2 information and DOS 1 corrections come on separate sheets. You have to spend an hour integrating them into a DOS 1 manual to get your final documentation. When you take the lid off to fit an extra 128K of RAM you find that the board layout supplied with the chips does not match the XT board itself. Worse, the book shows two Dip switches to set to tell the XT how much memory it has, but there is only one switch on the board. You have 256K of expensive RAM chips but only 128K accessible.

However, the DOS Manual does take you step by step through copying the two DOS discs on to the hard disc so that the XT boots from it automatically when you switch on. The hidden MS-DOS files can be transferred automatically during the hard-disc formatting stage. Copying the other files is really easy using the wild cards. Simply use, from the A>7 prompt

COPY *. * C:

and it is done.

There are two DOS discs because the Samples programs are now supplied on a separate one. As DOS is larger they will



The U.K. keyboard is catered for by current versions of the DOS 2 disc.

not both fit on one 160K single-sided disc. It is a reminder that even the upgraded IBM drives do not exactly offer state-of-the-art storage.

The system uses 41,472 bytes, which leaves 10,303.5K free on the hard disc. it is a fairly comfortable amount for most single users, and this is not a multi-user disc.

The manual is also clear on dividing up the hard disc into different sections. You do not divide parts of the hard disc into different nominal drives, as you might with CP/M-80. What you can do at any time is partition the hard disc so that part is dedicated to PC-DOS, part to UCSD p-System, part to CP/M-86 and so on. You can have up to four partitions.

This facility is vital. If after six months you bought Concurrent CP/M it would be very embarrassing if the hard disc was tied to PC-DOS. You would be stuck with running a single-floppy system or embarking on a very long copying session.

What the manual does not do is properly stress the importance of organising the PC-DOS part of the disc into separate subdirectories. There is bound to be some poor user, who, after a few weeks, types Dir and sees several megabytes of small files stream endlessly by. It does explain how to create and use directories and subdirectories. DOS 2 has a tree structure like Unix, and it uses Unix or Unix-like commands. To change a directory, for example, you type Chdir or — just as in Unix — cd.

Batch files

To take this idea further, the manual is somewhat murky on the subject of setting up batch files. Suppose you divide the hard disc into separate areas for, say, The Final Word, Multiplan or VisiCalc, or Pulsar or whatever your particular brand of poison. The manual should explain how to boot them from a short set of Autoexec.bat files. An even better idea is to run this from a master menu, like a Unix-type shell. Or alternatively, run them using the function keys, as with the Dynalogic Hyperion reviewed last month.

It is easy to produce a master menu which boots automatically from an Autoexec.bat file into Basic so that you can run Basic programs this way. It is not so easy to do it in DOS using Copy.Con. I tried it but did not manage to make it work.

As delivered, DOS 2 seems to lack a way of programming the function keys within the operating system, in the Hyperion style. This must mean you have to buy the File Command utility, announced in this month's PCB News on page 129. Or if not, blame the manual!

It must be said that I thought the IBM manuals were quite good until I saw the Zenith Z-110 versions. Look out for our review of this excellent machine next month, when this IBM XT review will be continued.

TKISOLVER

Jack Schofield tries out the latest from the firm that brought you VisiCalc.

SOFTWARE ARTS wrote the world's most successful microcomputer software package, VisiCalc, with sales of over \$25,000,000. Its follow-up, TK!Solver, brings the same kind of convenience to problem solving.

The idea of TK!Solver is that you enter rules or equations on a rule sheet, then input values on a variable sheet. Press! and Hey Presto! the answers appear in the

output column.

You could get the same answer with a programmable calculator or, according to the type of problem, by using an electronic spreadsheet or by writing a quick Basic or Fortran program to do it. In that sense TK!Solver does not offer anything new. What it does is offer more:

 You do not need to be any sort of programmer to use TK!Solver. You only need to be able to type tk in response to the > A prompt.

 It will cope with a wide variety of calculations from mortgage and loan to cylindrical wall heat transfer.

 You can save, load and merge models easily. You can transfer data interchange format, Df, files too.

 TK!Solver has numerous built-in functions including the obvious trig, ones, net present value, and Poly for the value of a polynomial.

There is a built-in graph-plotting extension.

Most of these advantages also apply to VisiCalc, but TK!Solver has one further advantage: the computations are not position dependent. Beginning VisiCalc users can get dramatically wrong results by setting up sheets where calculations are done in the wrong order. Spreadsheets are not reversible, but TK!Solver is. It is OK to have cell A1 plus cell A2 equal to cell A3 in VisiCalc, but if you change cell A3 it will not calculate backwards to give a new value for A1 or A2. With TK!Solver, the rule a+b=c also implies that of necessity a=c-b. In other words, it deals with equalities not assignments.

This makes TK!Solver very friendly towards non-computerists. The one thing to watch is that the computer's convention of * for times must be adhered to.

ab + ac = a(b+c)

must be written as a*b + a*c = a*(b+c) or else ab and ac will be taken as variable names and a() as a function. This does not create problems in practice because all the variables are listed on the Variable sheet after a rule has been entered.

TK!Solver is extremely easy to use. A rule can be typed in straight away, on the Rule sheet, and on pressing Return the

St Input	Hame	= UARIABLE SHEET Output Unit	Comment
2.1 3.2	•		Simple example with only one rule
4.3 5.4	G G		
6.5	1	158.88	Note: any variable can be either input or output
========	=======	= RULE SHEET ====	

variable names are automatically listed on the Variable sheet. You can then cursor down one space and enter another rule or else press; to move to the input part of the Variable sheet. Using the cursor controls to step through the variable names, you enter the known values. Press! and the unknown values are calculated, assuming all the information is there. That's all there is to it.

After that you can start to play "What if?", as with VisiCalc, with the advantage that you can have any variable as either an input or an output. It is ideal for the student's traditional lab practice of working backwards from the answer via "experimental error" to arrive at the correct observations.

Having produced this wonderfully simple facility, Software Arts has added some extras. The Variable sheet has columns for St or status, Units and Comments too. The St column tells you if the equations are overdefined — that is, input values conflict — or are satisfied. The Comment field allows comments. The Units column allows automatic conversion between units.

Pressing = u takes you to the Units sheet, where you can enter conversion factors for all the different units. It is possible to enter your calculation in, say, an unholy mixture of cubic centilitres and U.S. fluid ounces and get an Imperial result. It may be bad for the soul, but it is wonderfully convenient.

There are four other sheets, which can also have subsheets. They are List, User Function, Table and Plot. The List sheet and subsheet provide a sort of For-Next-Step facility. Suppose you wanted to find mortgage payments for interest rates from 10 to 20 percent? The List tables will do it, and provide automatic fill, so you do not need to enter the individual values separately.

The Table and Plot sheets provide ways

of comparing lists of values. The Table sheet provides comparison tables. The Plot sheet will graph one or more sets of values on specified axes for a more visual comparison. It is somewhat like having VisiTrend and VisiPlot working in unison with VisiCalc, but at no extra cost.

Using these accessory sheets is, of course, not as straightforward as using the Rule and Variable sheets, but the massively thorough documentation takes you through the problems step by step with worked examples. The documentation includes a large colour poster, which is an invaluable quick guide to which command takes you where. For people who cannot be bothered with documentation there is an *Introductory Guide* which gets you up and running inside five minutes.

Now the bad news: TK!Solver is only available to those who have an IBM Personal Computer with a minimum of 96K, and it assumes an American keyboard. It is non-copyable, though two copies of the program disc are supplied. Versions are expected to follow for the DEC Professional and Rainbow 100.

Conclusions

- TK!Solver is an outstanding piece of software. Any scientist, engineer, high-level financial manager or student in these fields would find it invaluable.
- It is not as flexible a tool as VisiCalc and does not have the same variety of applications, so is unlikely to sell in similarly vast quantities.
- The ability to use Dif files is a valuable feature as it allows data interchange with the Visi range, Chartmaster, Graphmagic and other software.
- TK!Solver is produced by Software Arts Inc, 27 Mica Lane, Wellesley, Massachusetts 02181. Telephone: (617) 237 4000. U.K. distribution is expected to folow shortly.

The right software for your application from



Authorised Dealer Service Centre System Consultancy

€45

CONFERMINE CONTROL OF THE CONTROL OF

• Circle No. 175

COMPUTECH FINANCIAL ACCOUNTING PACKAGES

Payroll \$375
Invoicing and Stock Recording \$295
Sales, Purchases and General Ledgers each \$295
Also costing and group consolidation

COMPUTECH UTILITIES DISK

for reliable error checking copying,
diskette scan, interpret and patch, etc

VisiCalc, Applewriter and other Apple software (Prices on request)

\$20\$

COMPUTECH CHAIN MAIL

A mailing merging document processor which may be used with text files, including random files and Applewriter 1.1 binary files

COMPUTECH GRAPHICS DISK

for printing Apple pictures and graphs on Epson and Microline (free with printers purchased from Computech)£30

COMPUTECH TERMINAL UTILITIES

Apple to Apple and Apple to mainframe from £

plug it in and go! switches and jumpers provide hardware options without soldering

DIPLOMAT VIDEO DIGITISER store a frame from video camera in a fiftieth of a second, process and print £195 **DIPLOMAT PARALLEL Interface** £80 **DIPLOMAT SERIAL COMMUNICATIONS Interface** £85 **DIPLOMAT RAM 16 Memory Expansion** £95 DIPLOMAT CLOCK/CALENDAR £80 LOWER CASE Character Generator with Applewriter 1.1 enhancements MICROMUX Data Exchange (Max 16 Ports) from £850 MATRIX PRINTERS, Microline and Epson with graphics and up to 200 cps from £230 **MICROLINE** Optional Character Generator DAISY WHEEL PRINTERS, Olympia, Qume, Ricoh from under £1,000 Prices exclude VAT, Carriage and Packing

For full details phone for data sheets and a FREE demonstration

The Apple logo is a trade mark of Apple Computer Inc. VisiCalc is a trade mark of VisiCorp.

168 Finchley Road, London NW3 6HP. Tel: 01-794 0202

Although the NewBrain is conceived as a total system, the unexpanded Processor itself has a great deal to offer. It is available in two forms: Model AD, shown below, with a built-in line display; and Model A, without the line display. Both models can operate with a monitor or a television set.

MEMORY

- □ 24K bytes of ROM;
- $\ \square$ 32K bytes of RAM, at least 28K of which is available to the user.

THE SCREEN DISPLAY

- 40 or 80 characters to the line without affecting the 28K bytes of RAM at your disposal;
- □ 24 or 30 lines to the screen:
- well-formed characters, with true descenders;
- a full European character set;
- normal or reverse video, high resolution graphics on screen of controllable size, 256, 320, 512 or 640 horizontal resolution by 250 vertical lines;
- a facility to set up a "page" of up to 255 lines, with the screen acting as a "window" to display it;
- ability to maintain several such pages simultaneously, and to switch rapidly between them;
- text may be used on graphics screen as well as on parts of the video screen not used by graphics.

CHARACTER SET

□ 512 characters, including the full ASCII set, all European accented characters, Greek and graphics symbols.

GRAPHICS

- 20 powerful graphics commands;
- all text characters usable on the graphics screen;
- variable-sized graphics screen, with the rest of the screen available for text – for versatility and to save memory.

'CP/M IS A REGISTERED TRADE MARK OF DIGITAL RESEARCH INC.

SOFTWARE

Enhanced ANSI BASIC; screen editor (32 commands); mathematics package (10 significant figures); graphics commands.

- □ a very friendly screen editor a delight to use and readily adapted to text processing;
- arithmetic to 10 significant figures;
- very controllable output formatting of numbers invaluable for accounting, statistics, and scientific applications;
- a powerful, much enhanced BASIC;
- a very flexible operating system, which allows any data stream to be opened to any device.

INTERFACES

- two tape cassette ports built into the processor unit;
- a built-in printer interface;
- □ abuilt-in communications interface (V24/RS232);
- a video monitor interface;
- a TV interface;
- an expansion interface for NewBrain system expansion modules.

KEYBOARD

standard typewriter pitch, action, layout and size, with editing control and graphics keys.



If you understand the facts and figures on the left you'll soon realise that New Brain has to be one of the most powerful micros around.

However, if you find the box on the left a little hard to follow, don't worry.

We've got over 120 dealers nationwide who've got all the answers at their fingertips.

Either way you'll discover that NewBrain is the kind of micro that will stop the competition getting a look in.

At £269 it starts off with twice as much memory as most of its competitors and can expand to over thirty times that amount. So there's no chance of being left behind in the micro race.

It comes with a very powerful language (enhanced ANSI BASIC) and it'll take CP/M.* so it'll work on the same system as similar big business micros, giving you the capacity to use an almost limitless variety of tried and tested software.

But most of all NewBrain is a machine that can expand.

It's designed to take disks, printers and memory expansion modules (up to 2M bytes) plus anything else you'd expect a professional business micro to handle

So, whether you understand the box on the left or not, pay a visit to someone in the know on the right

They'll answer all your questions and give you a full demonstration.

Grundy Business Systems Ltd., Grundy House, Somerset Road, Teddington.

DEALER NETWORK

ALTRINCHAM PHARMACY COMPUTER SYSTEMS (061-928 0087) BARNSLEY
BROCK OFFICE SUPPLIES LTD
(0226 88916)
BARNSTAPLE LANDKEY-NEWLAND (0271 77883) J & A CAMERAS (0271 75037) J & ACAMERAS (0271 75037) BEDFORD MICROPOWER BUSINESS APPLICS (0234 21357) BIRMINGHAM COALISTO COMPUTERS LTD (021-632 6458) MICRO-C (BIRMINGHAM) (021-632 6303) MICRO-C (BIRMINGHAM) (021-633 105) TYPEWRITER CENTRES (021-622 5385) RUIBME TIPEMITER CENTRES (021-022-938: BOURNE MICRO-C (LINCOLNSHIRE) (077-82-4566) BRADFORD NORTHWAY COMPUTER SERVICES (0274-588236) BRIGHTON LASKYS (BRIGHTON) (0273-725625) RRISTOTI LASMYS (BRIGHTOM) (02/3 /25625 BRISTOL ELECTROPRINT COMPUTERS (0272 252375) LASKYS (BRISTOL) (0272 20421) MICRO-C (BRISTOL) (0272 650501) COLSTON COMPUTER CENTRE LTD (0272 236501) COLSTON COMPUTER CENTRE LID
(0272 276619)
BROMLEY
LASKYS (BROMLEY) (D1-464 7829)
BUCKNELL
BORDER COMPUTING &
PROGRAMMING (05474 368)
CAMBERLEY
ASYST SYSTEMS CONSULTANTS LTD CAMBERGEY
ASYST SYSTEMS CONSULTANTS LTD
(0276 28397)
CAMBRIDGE
G C C (CAMBRIDGE) LTD
(02278 38330)
CANTERBURY
M D WRIGHT DATA SERVICES LTD
(0227 69050)
CANVEY ISLAND
MERCURY MICROSYSTEMS LTD
(0228 69625)
CARDIFF
LASKYS (CARDIFF) (0222 374893)
CHALFONT ST GILES
PRINTIVITY LTD (02240 74906)
CHATTARM
MEDWAY COMPUTERS (0634 826080)
CHELTEMHAM CHELTENHAM COMPUTER SHACK LTD (0242 584343) CHESTER
BELLARD ELECTRONICS LTD (0244 380123) LASKYS (CHESTER) (0244 317667) COLCHESTER CAPRICORN COMPUTER CENTRE WARKICORN COMPUTER CENTRE (0206 68471)
CORK
CD S COMPUTING LTD (0002 23922)
CORRINGHAM CORRINGHAM
C& L COMPUTERS LTD (0375 67 5656)
COVENTRY
(0203 58942) CROTIDON
LASKYS (CROYDON) (01-681 3027)
DARLINGTON
DARLINGTON COMPUTER SHOP
(0325 487478) USZS 467478)
DERBY
FIRST BYTE COMPUTERS
(0332 49672)
DUBLIN 4
THEE C L GROUP OF COS
(0001 603497) DUNFERMLINE ANDREW THOMSON (0383 724541) EDGWARE CITADEL PRODUCTS LTD (01-951 1848) EINBURGH LASKYS (EDINBURGH) (031-556 2914) JOHN MENZIES PLC (EDINBURGH) (031-225 6555) ELSTREE (01-953 6921) GILLINGHAM MEDWAY MICRO COMPUTERS LTD (0634 576764)

(UB34 3707 47 ELASGOW VICTOR MORRIS (AUDIO VISUAL) (041-221 8958) LASKYS (GLASGOW) (041-226 3747)

GLOUCESTER
MILEOUIP COMPUTERS (0452 411010)

GREAT YARMOUTH
KAYDE ELECTRONICS LIMITED
(0/933.7867)
GUILLDFORD
M C D LTD (0/483.574659)
HAMILTON
STRATHCLYDE MICRO CENTRE
(03552.2251)
HARPENDEN
CONSULTANTS IN OFFICE POWER
(05827.66911)
HASTINGS
THE COMPUTER CENTRE (BMS) LTD
(0/242.439190) (0424 439190)
HEREFORD
HONEYSETT COMPUTERS LTD
(0432 27940)
HERTFORD
HERTFORD
HERTFORD
HIGH WITCOMS
SUM-IT COMPUTER SERVICES
(0992-5516)
LIGH WITCOMS
(0494-827 238)
HUNTLY
HONEYSERVES
HO LOSS-24.7 LSO
HUNTLY
10 E (ELECTRONICS) (0466-88 337)
ISLE OF WIGHT
VECTIS COMPUTER SERVICES
(0983 5283-45)
KIDDERMINSTER
KIRCH-MART (0562 742142)
KINGSTON
LASKYS (KIRGSTON) (01-546 1271)
VISION STORES LIMITED (01-549 4900)
LEAMINGTON SPA
WARWICKSHIRE COMPUTER CENTRE
(0926 51187.7) (0926 311873)
LEEDS
MICRO-C (LEEDS) (0532 446601)
MICROCEL LOMPUTER SYSTEMS
(0542 681366)
LEICESTER
LILEY COMPUTER SYSTEMS
(0533 553984)
MICRO-C (LEIDESTER) (0533 546224)
LINGFIELD
SNOBECH MICRO CENTRE
(0342 832476)
LIYERPOOL (0926 311873) (0342 832476)
LIYERPOOL
LYERPOOL
LYERPOOL
LYERPOOL
LONDON
DIXONS PHOTOGRAPHIC (UK) LTD
(01-491 7376)
LION MICRO COMPUTERS
(01-580 7383)
MICRO-C (LONDON NWI) (01-387 9275)
TRANSAM MICROSYSTEMS LTD
(01-405 5240)
LASKYS (OUEENSWAY) (01-229 6425)
LASKYS (TOTTENHAM COURT ROAD)
(01-636 0845)
LASKYS (OTTENHAM COURT ROAD)
(01-636 0845)
LASKYS (OTENEN)
(01-636 0845)
DFFICE INSTALLATIONS LTD
(01-679 6777) (01-579 6771) TREND VIDEO & HI-FI LTD TREND VIDEO & HI-FILLID
(01-521 6146)
MR DEAN & SONS LTD (01-723 4630)
WELBECK VIDEO (01-486 3783)
RICHBY COMPUTER SERVICES (W2)
(01-723 1382)
AUDIO MARKETING (UK) LTD AÜDIÖ MÄRKETING (UK) LTD (01-S80 2554) LOUGHBOROUGH DATA ONE SYSTEMS LTD (0509 37281) MICRO-C (LOUGHBOROUGH) (0509 37367) LUTUN LASKYS (LUTON) (0582 38302) MICRO-C (LUTON) (0582 425079) MAIDENNEAD KUMA COMPUTERS LTD (0628 371778/9) MAIDSTONE MAIDSTONE LASKYS (MAIDSTONE) (0622 678165) LASATS (MAIDS TONE) (1002 C MANCHESTER SHOPS LTD (061-832 2269) MICRO-C (MANCHESTER) (061-834 0144) LASKYS (MANCHESTER) (061-832 6087) LOMAY LTD (619 23 6167) (061-832 5087)
LOMAX LTD (061-832 6167)
MIDDLESBROUGH
MICRO-TECHNIC COMPUTER SYSTEMS
(0642 221501/2)
MILTON KEYNES
MILTON KEYNES
COMPUTER CENTRE MILTON KEYNES COMPUTER! (0908 658811) NEW MILTON SNIPE COMPUTERS LIMITED (0425 617477) KEYCASTLE-UPON-TYNE MICROCORE COMPUTERS (0632 617077)

NEWMARKET DATA BASE (0538 667311) NOTTINGHAM MICRO-C (NOTTINGHAM) (0602 412455) LASKYS (NOTTINGHAM) (0602 415150) ORMSKIRK MAITHOUSE COMPUTERS LTD (0605-78 901) MALTHOUSE COMPUTERS LTD (0695-78 901) PETERBOROUGH LASIYS (PETERBOROUGH) (0733 313513) HANDS-ON COMPUTERS (0733 312418) PLYMOUTH DISKWISE LTD (0752 267000) POTTERS BAR POTTERS BAR COMPUTERS (0707 4A412) (0707 44417)
PRESCOT
MICROSYS LTD (051-426 7271)
PRESTON
LASKYS (PRESTON) (0772 59264)
READING
LASKYS (READING) (0734 595459) RICHMOND
TANTUS MICROSYSTEMS LTD
(01-940 7299) (01-940 7299) ROYSTON CORNIX MICRO (0763 46065) RUGBY DEM COMPUTER SYSTEMS (0788 70522-4) SANDERSTEAD (0788 76527-4)
SARDERSTEAD
JR INSTRUMENTS (01-657 7646)
SARISBURY GREET
JR INSTRUMENTS (01-657 7646)
JR INSTRUMEN SURBITON COMPUTASOLVE (01-390 5135) SUBBITON
COMPUTASOLYE (01-390 5135)
SWANLEY
PETER RALPH (82 62230)
TEDDINGTON
AM PROGRAMMERS LTD (01-943 2256)
STAG TERMINALS LTD (01-943 2077)
TEIGNMOUTH
QUESTIEL COMPUTERS (062 672258)
THIRSK
AMPLAN MANAGEMENT SYSTEMS
(0845 597330)
TUNBRIDGE WELLS
RICHBY COMPUTER SERVICES (KENT)
(089 589 2060)
TUNBRIDGE WELLS
RICHBY COMPUTER SERVICES (KENT)
(089 288 2060)
TUNBRIDGE
J B MICRO (0895 57908)
WANCHON THAMES
PMFS (98 22895)
KEY COMPUTER CENTRES LTD
(989 4277778)
WAREHAM
GAMES & COMPUTERS LTD
(0928 35110)
WARFORD
MATFORD
UNSTFORD LASKYS (WATFORD) (0923 47488) WELWYN WELWYN
ANGELA ENTERPRISES (0438 812439)
WENDOVER
TARACE LTD (0296 623965)
WINDSOR
CASTLE COMPUTERS (95 58118)
YORK LASKYS (YORK) (0904 641221) MITREFINCH (0904 52995)

eft from anyone in the box on the right.

• Circle No. 179

No1 Source For Software

SOFT OPTION SOFTWARE CENTRE

When you're thinking software, think Soft Option first. Chances are we'll have the right product, in the right format, on the shelf in quantity.

We despatch fast from stock. We also offer a dealer pricing system to suit individual needs with cumulative discounts available.

Finally, we *know* about software—we can give you technical support when it's needed.

So make Soft Option your first call. We'll soon become your first choice.







CP/M 80 CP/M 86 MS-DOS

and IBM PC Software



SOURCES INCLUDE:

We hold stocks of most software manufacturers including:

MICROPRO MICROSOFT DIGITAL RESEARCH SORCIM IUS ASHTON TATE



MACHINE FORMATS INCLUDE:

Software can be made available in 8 BIT or 16 BIT formats to suit most microcomputers currently on the market including:

Superbrain
North Star Horizon
North Star Advantage
Columbia PC • IBM PC
Televideo • Apple

CP/M 8" = Rair = Sirius

PROGR

PROGRAMS INCLUDE:

Our complete list of software is too long to publish and changes by the hour but here are a few examples to whet your appetite.

WORDSTAR

MICROPRO's comprehensive word processing system.

PL/I-80 BASIC-80

DIGITAL's PL/I Compiler. MICROSOFT's popular

and powerful basic Interpreter. There is a Compiler too.

FORTRAN-80

Fortran Compiler to ANSI X3.9 1966 except COMPLETE data.

SUPERCALC

COMPLETE data. SORCIM's spread sheet and modelling

EASYFILER

system.

Data Recording

System for the IBM PC

from IUS.

dBASE II

Relational Database Management from Ashton Tate.

RING THE SOFTLINE Grantham (0476) 860171

All products are supplied complete with full originator's documentation. Please send large s.a.e. for full details.

TRADE ENOUIRIES WELCOME.



Soft option Software Centre

The Soft Option (UK) Ltd. Home Farm House Colsterworth Grantham Lincolnshire NG33 5HZ Tel: Grantham (0476) 860171

Circle No. 233

Open File


This regular section of Practical Computing appears in the magazine eachmonth, incorporating Tandy Forum, Apple Pie, Sinclair Line-up and other software interchange

pages.

Open File is the part of themagazine written by you, the readers. All aspects of microcomputing are covered, from games to serious business and technical software, and we welcome contributions on CP/M, BBC Basic, Microsoft Basic, Apple Pascal and so on, as well as the established categories.

Contributors receive £30 per published page and pro rata for part pages, with a minimum of £6. Send contributions to: Open File, Practical Computing, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

Commodore Corner: Vic accounts; Graphics on expanded Vic-20; Enhancing Rems — introduced by Mike Todd **Apple Pie:** Spelling game — introduced by John Harris Accent Atari: Flashing cursor in Basic and assembler; Slow lister to help you check Basic programs; Variable dump; 145 Hotstuff — introduced by Jack Schofield Sinclair Line-up: Data in strings; Spiral clear screen; 147 Printer control codes Tandy Forum: Fast decimal-to-binary conversion; Magicalc spreadsheet program in Basic — introduced by John 151 Wellsman BBC Bytes: Spectrum-compatible plotting; Maze game; Orbit space game; Seaspray sound demo; Saucy graphics demo 153 introduced by John Harris End of File: Epson HX-20 Morse code; Road Runner game on Sharp MZ-80K; Recovering programs on Camputers Lynx; Mouse Maze Basic routine



Guidelines for contributors

Programs should be accompanied by documentation which explains to other readers what your program does and, if possible, how it does it. It helps if documentation is typed or printed with double-line spacing — cramped or handwritten material is liable to delay and error.

Program listings should, if at all possible, be printed out. Use a new ribbon in your

printer, please, so that we can print directly from a photograph of the listing and avoid typesetting errors. If all you can provide is a typed or handwritten listing, please make it clear and unambiguous; graphics characters, in particular, should be explained.

PLEASE send a cassette or disc version of your program if at all possible. It will be returned after use. For CP/M programs use IBM-format 8in. floppy discs.

COMMODORE CORNER by Mike Todd



Vic accounts

AN EXPANDED VIC will run this homeaccounting program submitted by Mark Martin of Benfleet, Essex. The program and data storage takes just over 6.5K and so it requires a minimum of 8K expansion memory.

By omitting lines 1670 to 1970 and the Gosub1670 in line 10 you will save enough memory to allow the program to run in a Vic with only 3K of expansion memory. These lines merely generate a curious title page and set up the screen colours and are not an essential part of the program.

The program asks for your current balance. A menu is written on the screen, and pressing the appropriate key will take you into one of the nine options. The most important is the Add Data option. It gives you the current balance and then allows you to input details of the transaction, whether it is a credit or debit and the amount. Pressing * and Return will take you back to the menu.

Two listing options are provided. The first prints a complete list of transactions to the printer, and the second prints them on

the screen, with a "window" showing the current transaction. There is an opportunity here to make amendments as required. To move the down, one item at a time, use the F3 and F5 keys. To move the data five at a time use the F1 and F7 keys; * will always return to the menu.

Data can be loaded from tape, updated and saved back to tape. It is probably best to use a separate data cassette for this, as it will be necessary to rewind the tape to the start when saving updated data.

The number of transactions is limited to 50, which could cause problems with some accounts. The second Load in the menu therefore provides a facility to load only the final transaction in the data file to give you the current balance and an "empty" computer. New data items can then be added and stored as a new data file.

With extra memory the 50-transaction (continued on next page)

Open file: Commodore

(continued from previous page)

limit could be increased significantly. You would simply need to change every occurrence of 50 in the program; maybe it would be better to define a variable at the start to specify the maximum number of transactions.

Using cassettes can be very slow, especially with large quantities of data, and there is no reason why the Load and Save routines should not be adapted to cope with discs. Lines 390 and 810 would have to be changed to the equivalent disc commands.

Considerable thought has gone into the design of the program. A special input subroutine prevents the user typing in characters that ought not to be typed in. Adequate instructions are given as the program progresses, and pressing * at most points will return to the menu. Any changes introduced in the data will automatically be reflected in the current balance, and there is the ability to search all transactions for an item, specified by its name.

The name of each transaction is limited to eight characters — enough to allow cheque numbers to be included — and the amounts are limited to £9,999.99.

Lines 10 to 260 are the main routine, which sets up arrays and variables and the menu and selection for each of the command routines located at lines 270 to 1590. Formatting of the data for display on the screen is done in lines 1460 to 1500. Lines 1600 to 1660 actually format the numbers for display.

Lines 1670 to 1970 generate the title page and can be omitted to save space. Lines 1980 to 2090 contain the input subroutine. They could usefully be adapted and applied to other programs.

Because the program uses fairly sophisticated screen formatting, it is full of screen control characters and long strings of graphics characters. For instance there are 22 horizontal lines in lines 920, 950, 1240 and 1250, with 22 spaces in the middle of line 950.

The Pokes in the program are used to generate the audio tones or change the screen colours and could be omitted. The Peeks and Pokes in the input subroutine in lines 1980 to 2090 cannot be omitted as they are used to determine where on the screen the characters are to be printed when a key is pressed.

Enhance Rems

Rem statements are normally used to add remarks to a Basic program, but they can also be used to segment a program, making the listing more readable. We have received several programs which make Rem statements stand out in one way or another, and this one from G M Rossetti of Kingsbridge, South Devon, is probably the simplest.

It comes in two versions. The first is in machine code and occupies 59 bytes of the second cassette buffer. Once it has been loaded and run, Sys 826 will take any Rem which is in the form:

10 RFM###

and replace the three # characters by CHR\$(21), which in Basic 4 will delete the line, followed by two Carriage Returns. The result is a break in the program when listed. Any comments after the # marks will still appear and could be used as a block heading.

If you prefer not to use machine code, there is a Basic version which can be placed anywhere within a larger Basic (continued on page 140)

```
Vic accounts.
                                                                                                                                                                          680 DPEN4,4:PRINT"2"
690 PRINT#4,CHR$(14);"ACCOUNTS":PRINT"ACCOUNTS"
700 PRINT#4
710 FORR=0T050
720 IFES(A)="############THEN770
730 PRINT#4.E$(A)" ";:PRINTE$(A);
740 C$="B":IFM\(A)\(CSTHENC$="g" | ";:PRINTC$MID$(X$,3)"B";
750 W=RSCMINGA)\(CSTHENC$="g" | ";:PRINTC$MID$(X$,3)"B";
760 X=TT(A)\(C)\(CSUB1600\):PRINT#4,X$:PRINTX$;
770 NEXT:CLOSE4
780 RETING
  10 GOSUB1670:PRINT"2"
20 DIME$(50),MN(50),TT(50)
30 FORA=1T050:E$(A)="非故非故意非故":NEXT
778 RETURN
798 RETURN
798 REM ** SAVE DATA **
818 OPENIA": JAMME OF FILE": MX=8:GOSUB1980: NM$=IN$: PRINT: PRINT
818 OPENIA: 1.1 NM$
828 PRINT": J*
829 PRINT": J*
                                                                                                                                                                          820 PRINT"D"
830 FORA=8TO50
840 PRINT"MAMME:"NM$:PRINT"XBLOCK:"A
850 PRINT#1,E$<(A):PRINT#1,MAMA:PRINT"XBLOCK:"A
850 PRINT#1,E$<(A):PRINT#1,CC:CLOSE1:RETURN
860 NEXT:PRINT#1,CC:CLOSE1:RETURN
860 REM ** ADD DATA **
880 CC=CC+1:IFCC>50THENPRINT";DOUT OF SPACE":PRINT"XBAYE DATA":FORA=1TO3000:NEXT:
                                                                                                                                                                          GOTOS0
899 PRINT"DM = RETURN TO MENU"
900 IFCC>50THENCC=50
910 IFCC<THENCC=1
920 PRINT"SOMNORMORMORM
930 TTCCC)=TTCCC=1)
940 X=TTCCC)=GOSUB1600:PRINT"TOTAL £"X$;
950 PRINT"ROMNORMORMOR
 220 FCR-1101000:NET
230 FCR-1101000:NET
240 POKE36878,0:POKE36876,0
250 ONCHOOSUB800,330,490,650,1190,000,280,1520,530
260 OOTO50
270 REM ** RENEW BALANCE **
280 PRINT":NEW BALANCE **
 328 REM ** LOAD DATA **

328 PCM ** LOAD DATA **

339 PCME36879, 39: IFLD4C/"BRLANCE"THENLD$="DATA"

340 LD$+" FROM TAPE"

350 PRINT"D#"TAB(11-LEN(LD$)/2)\LD$

360 PRINT"D#"TAB(11-LEN(LD$)/2)\LD$

360 PRINT"D#NAME OF FILEW":MX-8: GOSUB1988: NM$=IN$: PRINT"XW"

370 PCMS26879, 42

380 PCME36879, 42: TS: PCME36876, 230: FORA=1TO508: NEXT: PCME36878, 0: PCME36876, 0: PCME36879, 127

400 PRINT"XFOUND "; NM$

410 PCME36879, 127

420 FORA=0TO50

430 INPUT#1.E$(R):E$(R)=LEFT$(E$(R), 8)

440 INPUT#1, INK(R): INPUT#1, TT(R): NEXT: INPUT#1, CC

450 CLOSE1

460 PCME36879, 59: PRINT"B"

460 PCME36879, 59: PRINT"B"
                                                                                                                                                                          1040 PRINT MODODOOGCEREDIT, SOMEBIT OR SEMDIT
                                                                                                                                                                         588 GOSUB1468
590 POKE36878,15:POKE36876,220:POKE36876,0:POKE36878,0
600 NEXT
 600 NEXT
610 PRINT*PRESS * TO EXIT*
620 GETA$:IFA$
620 GETA$:IFA$
620 GETA$:IFA$
620 GETA$:IFA$
620 GETA$:IFA$
620 RETURN
620 PRINT*DRE*
620 PRINT*DRE*
620 GETA$:IFA$
620 GETA$:IFA$
620 IFA$
620 IFA$
620 IFA$
                                                                                                                                                                          1230 NEXT
                                                                                                                                                                          -"; : 8=P0+11: G0SUB1460
                                                                                                                                                                          1250 PRINT"____";
1260 FORR=P0+12TOP0+18:IFA>50THENPRINT"
1270 GOSUB1460
                                                                                                                                                                          1280 NEXT
1290 GETR$: IFA$=""THEN1290
                                                                                                                                                                                                                                                                      (listing continued on page 140)
```

C/WP has opened a computer shop at 108 Rochester Row. London SW1 (just 5 minutes walk from Victoria) where you can see, buy and take away anything from a daisy wheel or a floppy disk to a complete computer system at those low prices which still turn others green! The shop is open from 9.00 to 5.30 Monday to Friday and 10.30 to 5.00 on Saturday. Most things are in stock most of the time, but ring 01-630 7444 to make sure. Just ask for "Shop".

SHOPPIN

APPLE ADD-ONS

ACCELERATOR

Speeds up the Apple II more than 3 times by replacing the normal 6502 processor with a much faster version. Board carries 64k memory and just plugs into Apple slot. New product.

£299 + VAT £44.85

VIDEX 80 **COLUMN CARD**

Steady well-formed 80character lines for your Apple II. A must for professional wordprocessing on the Apple (RRP \$220 + VAT)

£159 + VAT £23.85

MICROSOFT **16K RAMCARD**

Tremendous value. Gives your Apple II Plus another 16k of memory for extended Visicale or Pascal, Like Apple's "Language Card"! Not suitable for Apple IIE

£59 + VAT 58 85 UHFMODULATOR FOR IIE

Display your Apple IIE colour or mono text and graphics on your home television set. Very high quality 8MHz modulator squeezes brilliant colours into your telly. NEW.

£22 + VAT £3.30

C/WP SERIAL INTERFACE CARD

A really versatile switchable baud-rate asynchronous communica tions interface for Apple II. Can also be used as an interface for serial

£70 + VAT £10.50

C/WP PARALLEL INTERFACE CARD

A "Grappler"-like graphics interface for parallel printers such as the Epson, Microline and Star series. Allows graphics dump onto printer. State which printer you have.

£70 + VAT £10.50

MICROSOFT Z80 CP/M SYSTEM

Turns your Apple II (Plus or E) into a CP/M machine to run programs like WordStar and dBase II Hardware, software and all documentation

£199 + VAT £29.85

MICROSOFT Z80 CARD (ALONE)

As above but without software. Adds a Z80 processor to your Apple II. If you already have CP/M software, allows you to run CP/M programs on Apple II.

£79 + VAT £11.85



SILVER REED EX44

Brilliantly engineered daisy wheel typewriter/printer with self erase ribbon and extended keyboard in

typewriter mode. Marvellous quality printing, Portable, RRP £485 + VAT.

EPSON MX100 TYPE III

Wide carriage 100 cps matrix printer. Tractor and friction. The ideal printer for spread-sheets and accounts RRP £475+ VAT.

£425 + VAT £63.75

SUPERB NEW 100 CPS MATRIX PRINTER + VAT \$40.35

STAR 510 is the star of the show. Just like the Epson MX80, but faster and with extra features. More type styles. Good graphics.

EPSON FX80

Latest version of the Epson 8 inch matrix printer. Very good quality print at 160 cps. Many enhancements on the much loved MX80. Tractor and friction paper feed. Good graphics. RRP £438+VAT

£349 + VAT £52.35

Tractor and friction paper feed. The best printer at its price. Also STAR 515 for paper up to 15 inches wide. Same spec. Ask for details.

EPSON RIBBONS

For MX80

£9+ VAT £1.35

For MX100

£11 + VAT £1.65

12 INCH GREEN OR AMBER SCREEN. Elegant plastic case, 24 MHz band width. A first class monitor.

£99 + VAT £14.85

12 INCH GREEN

MONITOR in solidly built metal case. 22 MHz. Good clarity. Normally £99 + VAT.

£89 + VAT £13.35

CONTOUR 5 AND 6 MB WINCHESTERS AT GIVE-AWAY

Buy a 5 megabyte (or 6 megabyte while stocks last) Winchester disk at an outrageously low price. Fine for Apple II (Plus and E), Apple III, Cortex, Osborne, Sirius and Superbrain. CONTOUR is not only the least expensive hard disk, it is also the best. On Apple II can be used with DOS 3.3, CP/M, Pascal, and BOS 5.

QUALITY FLOPPY DISKS AT UNBEATABLE PRICES

Top quality disks by Wabash and BASF. In boxes of 10. All guaranteed. Library boxes £2.30 extra incl. VAT.

£19 + VAT £2.85 double density per box

£15 + VAT £2 25 single density per box

DISK CLEANING

The best way of having

to clean them often.

£33.35 incl. VAT.

Everything you need.

discs that serve you true is

Simple to use. Larger size

SIEMENS FLOPPY DRIVES FOR APPLE II

A really good quality compatible drive for Apple II (Plus and E). Plugs into standard Apple disk controller card. Now you can afford that second disk drive. Compare Apple's

KITS

DISKS AND DRIVES

108 Rochester Row, London SW1P 1JP Telephone: 01-828 9000

HOW TO PAY

In the shop we accept cash, building society cheques, bankers' drafts (just ask your bank for one - it costs about £2), ordinary cheques for up to £50 with a Bankers' Card, or most major credit cards (subject to a modest surcharge). If you pay in one of these ways you may take your purchases away with you. If you pay by cheque for goods worth more than £50, we will send them to you free of charge anywhere in the United Kingdom as soon as the cheque has cleared.

IF YOU ARE NOT IN LONDON

Why not order by telephone? If you give your name, address, telephone number and credit card number (again there is a small surcharge), we will send the goods to you by return. A charge of £2 for postage and packing for all orders whose value (excluding VAT) is under \$50.

Or write to us with your order and a cheque. If we cannot supply what you want within seven days, your cheque will be returned to you.

perfect one.

execute very much faster, hence the odd

Numerous Vic programs are written for Graphics on expanded Vics

characters. generator for the specially defined and 7679 to construct a new character assume that there is space between 6144 colour memory at 38400. They also the screen starts are location 7680 and the an unexpanded machine and assume that

problem, and that was to remove the has only been one way of coping with this the character generator. Until now, there colour at 37888 and there is no space for around. The screen now starts at 4096, expansion on to the Vic things change When you put 4K or more memory

"'8-LEHCINS"

program. Both programs work in the same statement in line 2. (SEI 9gad mort bouninos)

21, 13, 13. 143, 35, 35, 35 and replacing 35, 35, 35, by way, looking for the character sequence

Commodore printer, produce double-width characters for the heading. first 35 by I will, when listed to a you like, excluding zero. Replacing the sponjq not be replaced by any sequence There is no reason why these characters

all that need to be changed. loader, and line 8 of the Basic program are The 21 in line 140 of the machine-code

cunningly used a For-Next loop which will considerably. Instead, Mr Rossetti has line 9 would slow things down very end of a Basic program, a Goto 3 in If the Basic version is included at the

(851 agaq mort bauninoo gaitsil)

1938	BEHTI-32...
1938	BEHTI-32...
1938	BEHTI-32...
1938	BEHTI-32...
1939	BEHTI-32...

Enhanced Rems.

Machine-code version.

```
15 IF Q<>A THEN PRINT"CHECKSUM ERROR"
                        14 READ A
                        IZ NEXL I
                         12 0=0+A
                II BEAD A : POKE I,
                10 FOR I=826 TO 884
KFW*
  BEW ENHANCER - BASIC LOADER
                          KEM*
                          BEM*
                              Z
```

the Top of Memory pointer.

following sequence:

locations between 51 and 56, which reset

remove any Pokes in the program to

before loading any programs. It completely resets the Vic, and you should

the full graphics capabilities then use the

memory expansion and still make use of

want to take full advantage of your

this in a future Open File. However, if you

which will do this and there will be more of

machine. I have received several programs

the Vic to make it look like a downgraded

socket, so this solution is a far from

insertion and removal can damage the

memory expansion cartridge. Repeated

There are many ways of reconfiguring

POKE 648,30: POKE 642,32: SYS 64824

1,551,401,5,521,1,1771,005,27 ATAG 021 124,169,21,145,1,160,0,177,1 ATAG OP! 130 DATA 245, 169, 13, 145, 1, 136, 145, 120 DATA 177,1,201,35,208,16,192,7,208 100 DATA 165,40,135,1,145,41,133,2,160 110 DATA 4,177,1,201,143,208,23,200

170 DATA 6427 160 DATA 208,210,165,2,208,208,94

9 FOR X=4 TO 7 S 0=7 t N=bEEK (N) +bEEK (N+1) *S2P 2 2 FOR N=40 TO 0 STEP 0 B#=CHB#(142)+"###" Basic version.

A MEXT POKEN+6,13: POKEN+7,13 8 IE N WND I =0 THEN POKE N+5,21: MEXI X=X+VB2(V2C(WID*(B* X-2))-BEEK(X+N))

5000 00101000 5000 DEINIUS::INS=INS+US IFRSC(8\$)=13THENPRINT "; RETURN IFFSC(R\$)=10; PRINT" N NN"; PRINC (R\$)=20HUDLEN(IN\$)>01): PRINT" N NN"; SALA 0102 | 1996 | H=BEEK(30KE) | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 1996 | 9661 1898 MEX. 1898 MEX. 1898 DOKE36829 ((20-8)\28) #12 1898 DOKE36829 1H1(8HD(1)#10)+558 1898 DOKE36829 1H1(8HD(1)#0)+34 1898 DOKE36829 18 1898 DOKE36829 18 1898 DOKE36829 18 1898 DOKE36829 18 1898 MEX. 1838 POKEG46,8 PRINT:
1788 POKEG46,8 PRINT:
1778 POKEG646,8 PRINT:
1778 POKEG646,8 PRINT: 120 MEXT 120 MEXT 120 BOKECTOS 120 BEINL 120 BEINL 120 BEINL 1210 BEINL POKE36865,8 0291 0991 0291 PRINT "74" : POKE36879,59 1628 SH\$=" ":FXGTHENSH\$=" ".4-LEM(MID\$(STR\$(IT),2)))+MID\$(STR\$(IT),2)
1628 SH\$=" ":FXGTHENSH\$=" ",4-ER\$
1658 SH\$=" ":FRGTHENSH\$=" ",4-ER\$
1658 SH\$=" ",4-ER\$
1658 1600 N49ABS(X):IT=INT(NN):FR=INT(NN-INT(NN)+,801)*100)/100
1610 IFIT>=10000THENS#="":RETURN
1628 SH\$=" :IFXC@THENSH\$="-"
1628 SH\$=" :IFXC@THENSH\$="-" 1280 IEU#=#M.LHENBKINI#...DabababaNO...: bOKE308120:500: LOKU-1101000: NEX1: bOKE30810:0 0 1729. TEH2=""A."HEMBINI","D##MAPER":EORH=110120:BOKE3989C:SSG:BOKE3989C'8:HEXI:BNMS 1290 BOKE39812 1290 BINIT, W CHECKON" 1290 BENIT, W CHECKON " HITH 10 CON!" 1290 BENIT, W CHECKON HIRH 10 CON!" 1290 BENIT, W CREW K CITEBUR MITH BNDWOLD BNDWSLUGE BNDWSLUGE BOUN". 1280 BELINW ** CITEBUR HEWORK ** 1460 IFE\$(A)=" 1450 GOTOI200 1430 PRINT"3"; IFE\$(A)="******"THENPRINT" F0RR=01049: TT(A+1)=TT(A)+MN(A+1):NEXT:G0T01280

C/WP has introduced a special service for you. It's called "COMPLETE SYSTEM ASSURANCE" and it doesn't cost you a penny. All that you have to do is to buy the complete system, including its software, from C/WP. You tell us exactly how you want to use the system. If we say it will do the job and it cannot, you may return the complete system to us within 30 days and your money will be refunded.

We also give you two "hotline" numbers, one for software problems and one for hardware. You

PRIENDIN HANDSOME can ring anytime between 9 a.m. and 5.30p.m. weekdays to get your problems straightened out.COMPLETE SYSTEM ASSURANCE also gives you the right to buy training on your computer system in C/WP's training school at a specially reduced rate of £75 a day. Write for full details.

COMPLETE OSBORNE



£1245. That includes the Osborne fitted with double density disk drives (200k each), and with Screenpac which allows it to display 80 characters in a line. The software includes CP/M M-Basic, C-Basic, WordStar, Mailmerge and Supercalc. On its own that software would cost you well over £1000.

THE

But that's not all. The system price includes the STAR 510 (recommended price £289), a newly introduced 100 cps matrix printer,

compatible with the Epson MX 80, but with many of the refinements of the FX 80. The Star is quiet and trouble-free and includes a 2.3k

This amazing package comes with C/WP COMPLETE SYSTEM ASSURANCE. Buy it with complete confidence, knowing that it is suitable for your purpose (or have your money back). Train yourself or your staff in

WordStar or Supercalc at your privileged rate. And if anything does go wrong in the future rely on C/WP's hot-lines to get you out of

If this system doesn't fill the bill, let us suggest another. We can team Osborne up with daisy wheel printers or offer you a complete system around an Apple, a CORTEX or a SAGE computer.


COMPLETE SYSTEM ASSURANCE – THE ONLY SAFE

WAY TO BUY A MICRO



C/WP Computers 108 Rochester Row, London SW1P 1JP Telephone: 01-828 9000

Please send me details of: ☐ C/WP COMPLETE SYSTEM ASSURANCE ☐ YOUR OSBORNE OFFER	
Name	
Company	
Address	
Telephone number (day)	



Speller

DESIGNING SPELLING games needs a great deal of thought and a lot of watertight error checking. G Miles of Cronberry, Cumnock in Ayrshire has done both to create a coherent conversational program that guides the player step by random step through the available dictionary.

While the dictionary is hard-coded, it should not be overtaxing to reset to a level appropriate to the age group of the players. The Data lines 1040 to 1120, number of words NW on line 1130 and maximum table entries W\$(100) on line 1010 are all candidates for amendment.

Not the least impressive feature of the game as it stands is that all the words currently coded are spelt correctly. Whether they end up that way on your disc may be another matter.

Speller.

- TEXT : REM *** SPELLING PRO GRAM *** DIM W\$ (100): DIM PL (25):NT = 1010
- DIM W\$(100). D.M.
 O:WL = 0
 O:WL = 0
 REM W\$ IS EACH WORD,PL IS
 POSITION OF WRONG LETTER ,NT
 IS TRIES WHEN WRONG
 REM WL IS NUMBER OF WRONG 1020
- 1030
- DATA MAGAZINE, COUSIN, COMMIT TEE, SPACIOUS, DAFFODIL
- DATA TYRANNOSAURUS, ENCYCLOP AEDIA, FERTILISER, MANDEUVRE, L **IFUTENANT**
- DATA SEPARATE, DIVISION, ANTI RRHINUM, REFRIGERATOR, SPATULA
- DATA AUTOGRAPH, AWKWARD, THER MOMETER, BARBECUE, BEAUTIFUL
- DATA BOYCOTT, BRETHREN, BRONC HITIS, BRIQUETTE, QUEUE DATA CAFFEINE, CAMOUFLAGE, CA 1090
- NNIBAL, CARAVANSERAI, CARAMEL DATA CARBURETTOR, INDICATOR CUPBOARD, CATALOGUE, CARTRIDGE
- DATA DACHSHUND, DAHLIA, DAUGH 1110
- TER, DECEIT, DECOMPOSITION
 DATA EMBARRASSMENT, ESPIONAGE, EUROPEAN, INSOLUBLE, EXAGGER ATION
- 1130 NW = 45: REM *** ALTER AN D MOVE ON AS MORE WORDS ARE ADDED ***
- 1140 GOSUB 1920; REM *** INSTRUC TIONS *** 1150 FOR N = 1 TO NW: READ W\$(N)
- NEXT
- GOSUB 2060: REM ** CHOOSE S PEED **
- INT (RND (4) * NW + 1) EM ** CHOOSE A NUMBER FRO TO NUMBER OF WORDS ** REM
- 1180 HOME : VTAB 10 1190 NT = 0:WL = 0

- 1200 LW = LEN LW / 2:TC LEN (W\$(R)):TB = 20 LW / 2:TC = TB - 1: REM ** TB IS POSITION OF PRINT (VARI
 - FLASH
- HTAB TB: FOR N = 1 TO LW +
 2: PRINT " ";: NEXT : REM
 ** WORD BORDER **

- ** WORD BORDER **
 NORMAL
 PRINT : HTAB TB: FLASH : PRINT
 " "W*(R)" ": NORMAL
 HTAB TB: FLASH : FOR N = 1 TO
 LW + 2: PRINT " ";: NEXT
- NORMAL
- DRMAL = SP * 1000 500: GDSUB 50: REM ** DY IS A DELAY, 2160: REM
- 7180: REM ** DY 1S A DELAY, 3P IS SPEED(SEE2040) **

 VTAB 11: HTAB TB + 1: FOR N = 1 TO LW: PRINT " ";: NEXT : REM ** DEL WORD *

 VTAB 10: HTAB TB: FOR N = 1 TO LW + 2: INVERSE : PRINT ' ":" NEXT :
- TO LW + 2: INVERSE : FRAN.
 "";: NEXT
 PRINT : HTAB TB: PRINT " ";
 ! NORMAL : PRINT SPC (LW);:
 INVERSE : PRINT " "
 HTAB TB: FOR N = 1 TO LW +
 2: PRINT " ";: NEXT
- 1310
- NORMAL DY = 500: GOSUB 2160 1330 DY
- VTAB 3: HTAB 2: PRINT "NOW TYPE IN YOUR SPELLING OF THA T WORD"
- HTAB 2: PRINT "LETTER BY LE 1350
- 1360

- HTAB 2: PRINT "LETTER BY LE
 TTER AND WATCH THE SCREEN."
 FOR T = 1 TO LW
 VTAB 24: HTAB 1: GET A\$
 IF ASC (A\$) = 27 THEN 2200
 : REM **PRESS ESC **
 IF ASC (A\$) = 13 THEN HOME
 : GOTO 1680: REM ** PRESS RE
 TURN TO ABORT **
 IF A\$ = MID\$ (W\$(R),T,1) THEN
 1500: REM ** CHECK IF LETTER
 IS CORRECT **
 IF A\$C (A\$) < 65 OR ASC (
- IS CORRECT **

 1410 IF ASC (A\$) < 65 OR ASC (A\$) > 90 THEN 1740; REM ** CHECK IT IS A LETTER **

 1420 VTAB 16: HTAB 22

 1430 NT = NT + 1; IF NT > 2 THEN
- 1770 FLASH : PRINT " "A\$"
- G 1450 HTAB 26: PRINT " TRY AGAIN!
- 1460 NORMAL
- DY = SP * 700: GDSUB 2160 VTAB 16: HTAB 22: PRINT SPC(17);: PRINT : HTAB 26: PRINT 1470 DY 1480
- SPC(12) 60TO 1370
- REM *** CORRECT ANSWER *** VTAB 13: HTAB 4: PRINT "COR RECT
- 1520 VTAB 11: HTAB (TB + T): INVERSE
- 1530 NORMAL
- 1540 DY = SP * 250 150: GOSUB 2
- VTAB 13: HTAB 4: PRINT SPC (1550
- VIAB 13: HTAB 4: PRINT SPC(
 7):NT = 0: NEXT
 DY = SP * 200: GOSUB 2160
 HOME: VTAB 4: HTAB 3: PRINT
 "THAT'S THE WORD FINISHED, YO
 U GOT "; 1570 U GOT
- 1580 PRINT
- PRINT
 L1\$ = "LETTERS":L2\$ = "THEY
 ARE": IF WL = 1 THEN L1\$ = "
 LETTER":L2\$ = "IT IS"
 PRINT: HTAB 10: FLASH: PRINT
 ""WL" ";: NORMAL: PRINT "
 "L1\$" WRONG."
 IF WL = 0 THEN PRINT: HTAB
 (3): PRINT "WELL DONE!": PRINT
 SOID 1480
- : GOTO 1680
 PRINT : HTAB (3): PRINT L2\$
- POINTED OUT BELOW: PRINT : PRINT : HTAB TB: PRINT
- 1640
- FOR N = 1 TO WL: PRINT TAB(
 TC + PL(N))"^"; NEXT

 IF WL = LW THEN C\$ = "ALL":
 GOTO 1870 1650
- 1670
- GOTO 1870

 IF WL > LW / 2 THEN C\$ = "D

 VER HALF": GOTO 1870

 PRINT : PRINT

 PRINT : HTAB (3): PRINT "DD

 YOU WANT ANOTHER WORD?"

 PRINT : HTAB (3): PRINT "TY

 PE Y FOR YES, OR N FOR NO."

 GOSUB 2170

 IF Z\$ = "Y" THEN WL = 0: GOTO 1690
- 1710
- 1160 15 25 < > "N" THEN 1700 GOTD 2260 VTAB 18: HTAB 25: PRINT "NO T A LETTER"

- HTAB 25: PRINT "TRY AGAIN": DY = SP * 150: GOSUB 2160 VTAB 18: HTAB 25: PRINT SPC(12): VTAB 19: HTAB 25: PRINT SPC(9): GOTO 1370
- 1770 INVERSE : PRINT " ENOUGH TR
- HTAB 22: PRINT " SHOULD BE 1780
- " MID\$ (W\$(R),T,1)" " HTAB 22: PRINT SPC(15)
- 1800 NORMAL
- 1810 A\$ = MID\$ (W\$(R),T,1):NT =
- 1820 WL = WL + 1:PL(WL) = T: REM ** NUMBER OF WRONG LETTERS(W L) AND POSITION(PL) **
- DY = SP * 1000: GOSUB 2160 VTAB 16: HTAB 22: PRINT 1840
- 16) 1850
- PRINT HTAB 22: PRINT SPC(15): PRINT HTAB 22: PRINT SPC(15): GOTO
- 1870 PRINT : PRINT : PRINT : HTAB
- PRINT "YOU GOT ";: FLASH : PRINT
 - C\$;: NORMAL : PRINT " THE WO
- RD WRONG!"
 PRINT : HTAB 3: PRINT "PERH 1890 APS YOU SHOULD TRY THAT ONE
- GOSUB 2030: GOTO 1180 1900
- END
- HOME : REM *** INSTRUCTIONS 1920
- VTAB 2: HTAB 5: NORMAL PRINT "TO HELP TEST YOUR SP ELLING, A"
- 1950
- 1960
- PRINT: PRINT "WORD WILL BE
 SEEN IN THE MIDDLE OF THE"
 PRINT: PRINT "SCREEN FOR A
 SHORT TIME. YOU WILL THEN"
 PRINT: PRINT "BE ASKED TO
- TYPE IN THE WORD AND IT"
- PRINT : PRINT "WILL BE CHEC KED ONE LETTER AT A TIME." 1980 "PRES 1990
- PRINT : HTAB 5: PRINT "PRES SING 'ESC' KEY (TOP LEFT) WI
- PRINT : PRINT "STOP THE PRO 2000
- PRINT : PRINT "STOP THE PRO GRAM. PRESSINS 'RETURN'" PRINT : PRINT "(RIGHT OF KE YBOARD) WILL ONLY STOP" PRINT : PRINT "THE WORD YOU ARE DOING." 2010
- 2030 VTAB 22: HTAB 5: INVERSE : PRINT
 - "PRESS THE SPACE BAR TO GO O
- ";: NORMAL
 GOSUB 2170: IF Z\$ = " " THEN 2040
- RETURN GOTO 2040
- HOME : PRINT : HTAB 2: PRINT "CHOOSE YOUR SPEED BY TYPING 2060
- PRINT : PRINT : HTAB 5: PRINT "1.SNAIL'S PACE.": HTAB 5: PRI 2070
- "1.SNAIL'S PACE.": HTAB 5: PRINT
 "2.BALL AND CHAIN."
 HTAB 5: PRINT "3.BRITISH RA 2080
- HTAB 5: PRINT "4.SLOW.": HTAB 5: PRINT "5.MEDIUM."
- 2100
- HTAB 5: PRINT "6.QUICKENING
 .": HTAB 5: PRINT "7.IF YOU'
 RE QUITE QUICK."
 HTAB 5: PRINT "8.CONCORDE!"
 : HTAB 5: PRINT "9.BEAT ME I
 F YOU CAN!"
- GOSUB 2170 IF Z\$ < "1" OR Z\$ > "9" THEN 2120 2130
- SP = 10 SPEED ** 10 / VAL (Z\$): REM **
- RETURN 2160
- FOR DL = 1 TO DY: NEXT : RETURN : REM ** DELAY ** VTAB 24: HTAB 1: GET Z\$: REM ** WAIT FOR KEY TO BE PRESSE
- D ** IF ASC (Z\$) = 27 THEN 2200 2180 2190
- RETURN 2200
- RETURN
 HOME: PRINT "YOU PRESSED T
 HE 'ESC' KEY"
 PRINT: PRINT "IF THIS WAS
 A MISTAKE TYPE Y
 PRINT: PRINT "IF IT WAS NO
 T A MISTAKE TYPE N."
 VTAB 24: HTAB 1: GET Y\$
 IF Y\$ = "Y" THEN RUN
 IF Y\$ < > "N" THEN 2230
 HOME: PRINT "'BYE FOR NOW. 2220
- 2230 2240 2250
- 2260
- VTAB 4: FLASH : PRINT "RETU RNING TO THE MENU": NORMAL PRINT : PRINT CHR\$ (4) "RUN PRINT : P 2280

GET TO KNOW CORTEX-

THE VERY FRIENDLY COMPUTER

TEN FINGER EXERCISE

You'll be amazed how simple word processing is with CORTEX'S new version of WordStar. No more fumbling with messy key sequences.




CORTEX has 10 special keys to give 40 commands.

This is ERASE. Hit it and a letter disappears. Hit SHIFT ERASE and a word goes. Press CONTROL ERASE and the whole line is demolished. It's as easy as that. And it's free! CORTEX's £1495 price includes a copy of C/WP's WordStar 3.3.

AS BRIGHTAS A BUTTON

The twin-processor 104k CORTEX is not only smart in performance (faster in benchmark tests than Sirius or IBM-PC) – its appearance takes some beating too. Examine its slim, but solid 83-key IBM-style keyboard. Admire its bold clear 12-inch screen, set in a minimal-sized cabinet. "But where is the computer?", we are often asked. It's there in the same small cabinet, lying flat across the bottom, screened from interference and cooled naturally. without the whine of a fan. CORTEX has been designed not to dominate your desk, to leave



room for your calendar, your telephone, your in-tray and the rest. If you want it inconspicuous, buy it in conventional cream. But for the extroverts, and the fashion conscious, CORTEX comes in bright, bright colours – warm red, C/WP green, sunshine yellow, ice white and all black.

A FRIEND IN THE NUDE



Service men love CORTEX's superb modular engineering. (Yes, you can get

service anywhere in Britain.) If anything goes

If anything goes
wrong (which won't
be often) he undoes
four screws and the
computer (1) slides
out like a drawer. A
few seconds work and
the video electronics
(2) slip out, or the
power supply (3),
leaving only the "bottle" (4).

CORTEX is your friend because it's reliable.

And, if it goes wrong, it's easier and quicker to mend.

FASTEST DRAW IN ITS CLASS



It's unfair on other micros. For CORTEX has a dedicated "second computer" (as powerful as Apple II) which does nothing but handle its screen. That's why CORTEX has such dazzling quick-fire graphics.

Now CORTEX's superb graphics hardware is matched with Digital Research's CP/M Graphics software (£275). Creat bar charts, pie charts, scatter graphs in a few seconds and incorporate them into your reports or display them 2, 3 or 4 at a time on your screen. or make overhead projector or conventional slides.

ALL THIS FOR £1495 + VAT


Send me details of the 104k twin-processor CORTEX with 83-key IBM-style keyboard, 12-inch green screen, twin double-density (400k) floppy drives, CP/M and C/WP's user friendly WordStar, for £1495.

Name	The state of the s
Address and Telephone	

C/WP CORTEX

C/WP Computers, 108 Rochester Row, London SW1 Telephone 01-828 9000

• Circle No. 183



The right place The right time

Following the overwhelming success of the 1982 Northern Computer Fair, the sponsors announce that an even bigger and better show will be held again this year at Belle Vue, Manchester, from November 24th-26th.

This is the North's premier exhibition for the rapidly expanding home and small business computer market, mounted at a time now recognised as a peak buying period for this type of equipment. It is now one of a nationwide series of exhibitions designed to attract the broadest possible cross-section of both home computer enthusiasts and the rapidly increasing body of personal computer users found throughout business and the professions.

Make a date for Belle Vue, Manchester, Belle Vue, Manchester. November 24-26, 1983. November 24-26, 1983, and post the coupon below for more details.

I am interested in exhibiting.

Position

Company

Address

Telephone

The Exhibition Manager, Northern Computer Fair, Reed Exhibitions Limited, Surrey House, 1 Throwley Way, Sutton, Surrey SM1 4QQ.



Flashing cursor

ACCORDING TO a letter published in one of our sister journals *Computer Weekly*, people enter data more quickly when faced with a flashing cursor. Sadly the letter was an April Fool joke. However, for those who want a flashing cursor on the Atari, Andrew Hall has sent a short routine to provide one. Both Basic and assembler versions are printed here.

The Atari has five system timers, and this program uses system timer 1, locations 536 and 537 decimal. This timer counts backwards from 255 during the vertical blank period — 50 times a second. When it reaches zero there is a JSR to a routine whose address is 550 and 551.

The advantage is that once the routine has been executed it continues to work after you have Newed the program. You can also call it by typing

z = USR (1536).

The type of character can be changed by altering the values of Char 1 and Char 2; 0 gives a blank, 1 a normal character, 2 an

inverse space and 3 an inverse character. The flashing rate can be altered between 0.2 and 1310.7 seconds by varying the value of Time in line 140.

However, the operating system uses timer 1 for I/O routines and timing serial bus operations. This means, in my view, that it is not a good idea to use this location for timing. Serial bus operations such as cassette, disc and printer use stop the routine.

The approved place to do timing in the Atari is the real-time clock in locations 18, 19 and 20 decimal. Location 20 increments a jiffy each VBlank up to 255, then a 1 is added to location 19. When that in turn reaches 255, 1 is added to location 18. I have added a five-line program to Poke these locations to zero and then print the elapsed time in seconds on the screen. Watch out for the fact that in the U.K. a jiffy is one 50th not, as in America, one 60th of a second.

The two ideas could prompt you to produce a real-time clock which, like Andrew Hall's routine, runs merrily along unknown to Basic. If you get stuck it has, like most things, been done before: Compute! magazine published a listing in its August 1982 issue.

Slow lister

Unless you have a printer, checking Basic listings for typing errors is tedious. You can stop and start the listing using Ctrl-1, but that is not very convenient either. Hence Les Kneeling's Slow Lister program.

Type it in then save it to tape or disc using the List command. Load the program you want to slow-list, and make sure it has no line 0 and no lines over 31999. Then enter the Slow Lister and the two programs will merge. Type Run and

(continued on next page)

Slow lister. O GOTO 32000: REM SLOWLIST 10 RFM 20 RFM ************* 30 REM # 40 REM * SLOW LISTER 50 REM * BY LES KNEELING * 60 RFM * 70 REM ************* 80 RFM 32000 LST=PEEK(136)+PEEK(137) * 256 32010 NUM=PEEK (LST) +256*PEEK (L ST+1) 32020 LST=LST+PEEK (LST+2) 32030 IF NUM>=3200 THEN STOP 32040 IF NUM=0 THEN 32010 32050 LIST NUM 32060 KEY=PEEK (764) 32070 IF KEY=42 THEN POKE 764, 255: STOP 32080 IF KEY=33 THEN POKE 764, 255:? ")":GOTO 32010 32085 IF PEEK (764)=12 THEN 321 00 32090 GOTO 32060 32100 GRAPHICS 0: POSITION 2,4: ? 0:? 32000:? 32010:? 32020 32105 ? 32030:? 32040:? 32050: ? 32060:? 32070 32110 ? 32080:? 32085:? 32090: ? 32100:? 32105 32115 ? 32110:? 32115:? 32120: ? 32130:? "POKE 84,12" 32120 POSITION 2,0 32130 POKE 842,13 O REM *** TIMER *** 1000 PRINT CHR\$ (125) : POKE 752,

1000 PRINT CHR\$(125):POKE 752, 1 1001 POKE 18,0:POKE 19,0:POKE 20,0 1002 TIME=INT((PEEK(18)*65536+ PEEK(19)*256+PEEK(20))/50) 1003 POSITION 0,0:PRINT TIME 1004 GOTO 1002

Flashing cursor. 10 ; Flashing Characters 10 REM FLASHING CHARACTERS By Andrew Hall 20 REM BY ANDREW HALL 30 ; March 1983 30 RFM 40 : 100 FDR A=1536 TO 1580 0100 ¥=\$600 0110 CDTMF1 550 System timer 1 value System timer 1 jump address Character control 110 READ B 0120 CDTMA1 120 POKE A, B 536 0130 CHACT 755 130 NEXT A 0140 TIMHI 0150 TIMLO High byte of delay time 140 TIME=0.5: REM DELAY TIME IN S 25 Low byte of delay time Remove number of items on stack Set address of timer routine **ECONDS** 0160 PLA LDA #6 150 T=TIME \$50 0180 CDTMF1+1 STA 160 POKE 1548, T/256 0190 LDA 170 POKE 1553, T-256*INT(T/256) 9299 CDTMF1 STA 180 CHAR1=0: REM Type of first ch 0210 LDA #TIMHI ; Set delay time CDTMA1+1 0220 STA ar 0230 LDA #TIMLO 190 CHAR2=2: REM Type of second c 0240 0250 STA CDTMA1 har I DA CHACT ; Swap character 200 POKE 1579, CHAR1 0260 CMP CHAR1 210 POKE 1580, CHAR2 0270 SKIP 0280 LDA CHAR2 220 Z=USR (1536) 0290 STA CHACT 230 DATA 104, 169, 6, 141, 39, 2, 169, 0300 RTS 1,141,38,2,169,0,141 0310 SKIP LDA CHAR1 240 DATA 25, 2, 169, 25, 141, 24, 2, 17 0320 STA CHACT 0330 RTS 3,243,2,205,43,6,208,7 0340 CHAR1 . BYTE 250 DATA 173,44,6,141,243,2,96,1 0350 CHAR2 . BYTE 2 73, 43, 6, 141, 243, 2, 96, 0, 1 0360 . END

(continued from previous page)

each line of the program will be listed separately on a clear screen. Press the space bar to advance to the next line. To edit a line press E to stop the routine, then type Cont to continue.

Pressing Return moves you to the Automatic Delete mode. Location 842 is an interesting one in the Atari. It allows the micro to write its own Basic lines by taking input from the screen, a "forced read" mode. Here it is used to delete the unwanted utility by printing its own line numbers on the screen, then forces Returns to enter blank lines and thus remove them. Poke 842,12 returns you to the keyboard input/screen output mode.

Variable dump

Another utility from Les Kneeling works in much the same way. List it and enter it in the same way, and run the program by typing Goto 32000. Again the routine is self-modifying and self-deleting.

The program provides a list of all the variables currently in the Atari's memory. They are stored in a Variable Name table which has a start address found from locations 130 and 131 and an end address found from locations 132 and 133. Line 32040 in the program does this. The routine also indicates if the variables are strings or arrays with a \$ or) respectively.

If you just want to see the variables in the Variable Name table there is an easy way. Simply do a Save "S:" to save the tokenised version of your program to the screen. Hit the Break key quickly, and amid all the graphics characters you will see the variables listed at the top of the screen in the order you typed them in. Isn't it wonderful what flexible I/O can do for you?

Hotstuff

Even though Atari disc drives do not hold an enormous amount of data, it can be hard work keeping track of files. It is easy to print out a listing of what's on a disc: you just select A from the DOS menu, then type, P: to direct the output to the printer instead of the screen.

But wouldn't it be nice to have a disc directory in alphabetical order? That's what the modestly named Hotstuff provides. It was written by E J Knoll of the Atari Computer Enthusiasts user group of Eugene, Oregon, of which I am a member. As well as sorting, it gives you a chance to label your directories with a title and two comment lines. They all have two Up Arrows, Esc + Ctrl + Up Arrow, inside the quotes at the end of each line for screen formatting.

Lines 1020, 1030 and 1050 contain control characters for the Epson printer, to print the titles in expanded and condensed faces. As they are part of the program in graphic character form they activate the printer even when listing it. You can insert codes to suit your own printer.

Variable dump.

32000 REM **VARIABLE DUMP**

32005 REM **FIND END OF PROGRAM** 32010 D=PEEK(144)+256*PEEK(145)-1: POKE (745),0 32015 REM **FIND ABSOLUTE ADDRESS OF VARIABLESS 32020 IF PEEK(D)>127 AND PEEK(D-1) =40 THEN 32040 32030 D=D-1:GOTO 32020 32040 FOR N=PEEK(130)+256*PEEK(131 TO PEEK (132) +256*PEEK (133) 32050 IF PEEK(N)<128 THEN ? CHR\$(P FFK(N)): 32060 IF PEEK (N) >128 THEN ? CHR\$ (P EEK(N)-128);:POKE 745,PEEK(745)+1 32070 IF PEEK (N) >128 THEN POKE D,P EEK (745) +127: GOSUB 32130 32080 NEXT N 32085 REM **CLEAN UP ROUTINE**

32090 OPEN #1,4,0,"K:":? "FINISHED WITH UTILITY? Y/N":GET #1,N:IF N< >ASC("Y") THEN STOP 32095 REM IF FINISHED THEN DELETIO N ROUTINE 32096 PDKE (PEEK (132) +256*PEEK (133)),0:POKE (PEEK(132)-1+256*PEEK(13 3)),0:POKE (133),PEEK(133)-1 32100 GRAPHICS 0: POSITION 2,2:? 32 000:? 32010:? 32020:? 32030:? 3204 0:? 32050:? 32060:? 32070:? 32080: ? 32090:? 32096 32110 ? 32100:? 32110:? 32120:? 32 130:? "POKE 842,12":POSITION 2,2:P OKE 842,13 32120 POSITION 0,0:END 32125 REM **SUBROUTINE TO PRINT VA LUE OF VARIABLE ** 32130 ? ,:? D:RETURN

930 TRAP 1070: OPEN #3,8,0,"P:"

940 ? "WHAT DISK IDENTIFICATIO

Hotstuff. 600 REM "D:HOTSTUFF" DISK DIR ECTORY EJ KNOLL 4480 PINECREST DR EUGENE DR. 97405 503-343-5191 610 POKE 82,0:POKE 83,39:? ")" :DIM AL\$(2) 620 PRINT "SHALL WE ALPHABETIZ E FILES (Y or N)";:INPUT AL\$:I F AL\$<>"Y" AND AL\$<>"N" THEN P RINT ")";:GOTO 620 630 SETCOLOR 2,3,10:SETCOLOR 1 ,3,2:SETCOLOR 4,3,10 640 DIM FILE\$ (35), A\$ (1200), B\$ (55), C\$(55), X\$(12), Y\$(17), Z\$(17),FILE2\$(35) 650 TRAP 660: CLOSE #1 660 ? :? :? " DRIVE # "; 670 INPUT D 680 FILE\$="D":FILE\$(2)=STR\$(D) :FILE\$(3)=":*.* 690 TRAP 650: OPEN #1,6,0,FILE\$ 700 TRAP 40000 710 OPEN #2,8,0,"E:" 720 SETCOLOR 2,3,10:SETCOLOR 1 ,3,2:SETCOLOR 4,3,10:X=0 730 X=X+1 740 TRAP 770: INPUT #1; FILE\$: TR AP 40000 750 A\$(17*(X-1)+1, X*17)=FILE\$ 760 GDTD 730 770 N=0: IF AL\$="N" THEN 840 780 FOR I=1 TO X: IF I>X-3 THEN POP : GOTO 830 790 Y\$=A\$(17*(I-1)+1):Z\$=A\$(17 *I+1) 800 IF Y\$(3) <= Z\$(3) THEN 820 810 N=N+1:A\$(17*(I-1)+1,17*I)= Z\$: A\$ (17*I+1, 17*I+17) =Y\$ 820 NEXT I 830 IF N<>0 THEN 770 840 X=X-1:FOR I=1 TO INT(X/2): PRINT A\$(17*(I-1)+1, I*17):NEXT 850 A\$(17*(X))=" \$\$" 860 POKE 82,20:POSITION 20,0:F OR I=I TO X:PRINT A\$(17*(I-1)+ 1, I*17): NEXT I 870 POKE 82,2:POKE 83,39 880 IF X<36 THEN ? #2:? #2:? # 890 ? #2:? #2; "ENTER 1 TO RUN D: PGM, 2 TO RERUN MENU TO PRINT MENU 4 QUIT" 900 TRAP 860: INPUT X: IF X>4 TH EN GOTO 890

910 ON X GOTO 1090,1140.930

T FILE2\$ 950 FOR I=LEN(FILE2\$) TO 0 STE P -1:IF FILE2\$(I,I)=" " THEN F ILE2\$=FILE2\$(1,LEN(FILE2\$)-1): NEXT I 960 POP 970 TRAP 990:FOR C=1 TO I:IF F ILE2\$(C,C)="_" THEN FILE2\$(C,C 980 NEXT C 990 IF FILE2\$=" " THEN FILE2\$= 1000 ? "WHAT SUBTITLE 1";:? :? TRAP 1010: GDSUB 1150 1010 ? "WHAT SUBTITLE 2";:? :? TRAP 1030: GOSUB 1170 1020 LPRINT "" 1020 LPRINT ""
1030 ? #3;," "; FILE2\$
:? #3;" ":? #3;,,B\$:? #3,,C\$:?
#3;"":LPRINT :LPRINT 1040 FOR X=1 TO 60: IF A\$(17*(X -1)+1)="\$\$" THEN GOTO 1080 1050 ? #3;,,,, ""; A\$ ((1 7*(X-1)+1),X*17) 1060 NEXT X 1070 TRAP 40000: CLOSE #3:? #2; "TURN THE PRINTER ON, DUMMY!": **60TO 890** 1080 GOTO 1140 1090 ? #2; "RUN "; CHR\$ (34); "D"; STR\$ (D) : ":' 1100 INPUT X\$ 1110 As="D":A\$(2)=STR\$(D):A\$(3)=":":A\$(4)=X\$:POKE 752,3:POSI TION 1,22:? #2;" LOADIN G "; X\$; 1120 TRAP 1130: RUN A\$: TRAP 400 1130 POSITION 1,22:? #2;" CANNOT RUN "; X\$;:GOTO 890 1140 RUN 1150 INPUT B\$:TRAP 1160:FOR C= LEN(B\$) TO 0 STEP -1: IF B\$(C,C)="_" THEN B\$(C,C)=" ":B\$=B\$(1 , LEN (B\$) -1) : NEXT C 1160 POP : RETURN 1170 INPUT C\$:TRAP 1180:FOR C= LEN(C\$) TO 0 STEP -1: IF C\$(C,C)="_" THEN C\$(C,C)=" ":C\$=C\$(1,LEN(C\$)-1):NEXT C 1180 POP : RETURN

Subscribe Now!

Make sure of your copy every month. Practical Computing is mailed direct to subscribers in a strong polythene wrapper, ensuring that it arrives unfolded and in good condition.

Free information!

Make Practical Computing work for you! Use the eader enquiry service to obtain information about nardware and software products before you buy hem.

lace a regular order!

ven if you don't want to ubscribe you can still nsure a regular supply of opies. Fill in the order form nd pass it to your ewsagent to reserve your wn personal copy of ractical Computing.

Please send me **Practical Computing each** month for 12 months:

Practical Computing SUBSCRIPTION ORDER FORM

I enclose cheque/PO to the value of £12.00 (UK) £18 (Overseas). Cheques should	Job Title (if any)
be made payable to Business Press International Ltd. OR Please debit my credit card account: Enter number	Type of Business (if any)
Tick relevant box:	Do you own a computer?
Access Barclaycard/Visa Diners Club American Express	Yes No No
	Do you have access to a computer?
Signed Date	Yes No No
Name	If so please state type
Address	
	Registered in England 151537 Registered Office: Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS
Number of 1 2 3 4 5	6 7 8 9
Employees (if any) Please tick box 1-24 25-49 50-99 100-249 250-4	199 500-999 1000-1999 2000-4999 5000+
Aligiet 1000 pen open	ب سر سر سر سر ما ما در

(This card is valid for 6 months only)

To obtain free information about items advertised in this issue circle the appropriate enquiry numbers listed below:

Practical Computing READER ENQUIRY SERVICE

125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	140	
149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	148	
173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	
197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	
221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	
245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	
269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	
293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314		316	
317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	Branch C	340	
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	
365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	
389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	Sec.	412	
413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	
Joh T	itle (i	fany	K.,									B1.												
												IVE	ime		****									
lype	of Bu	sines	s (if a	ny)				nerestrene			200	Ad	dress				****	graupaka		ON SEC.	anno de	30-200		
									No E															
												(88.6	2,22,23	****	*****		****		****		****	errer.		
If so please state type																								
Please remove ☐ include ☐ my name for business direct mail.																								
10 10	24			1	2		3		4		5					7						- 10		
No of Employ	ees (if a	invi	1	04	_	10		110	- 156				100		1	1		11	8			9		
	tick box		1	24	25-4	19	00-99	1 1	10-24	19 2	250-4	99	500-	999	10	00 - 1	999	2	000-	4999		500	0+	
															200			The same of the sa	and the latest to the		-	ACCRECATE VALUE OF		

HAND THIS **CARD TO YOUR** NEWSAGENT

Practical Computing NEWSAGENT ORDER FORM

Why not place a regular monthly order for Practical Computing with your local newsagent? Just fill in the coupon and hand it to your newsagent.

Please order a copy of Practical Computing for me every month until further notice. I will call and collect it Please deliver to my home address (Tick appropriate box)

PRACTICAL COMPUTING
SUBSCRIPTION MANAGER
BUSINESS PRESS INTERNATIONAL LTD
OAKFIELD HOUSE
PERRYMOUNT ROAD
HAYWARDS HEATH
SUSSEX RH16 3DH

Postage will be paid by licensee Do not affix Postage Stamps if posted in Gt Britain, Channel Islands, N Ireland or the Isle of Man

BUSINESS REPLY SERVICE Licence No CY711

PRACTICAL COMPUTING
READER SERVICE DEPARTMENT
OAKFIELD HOUSE
PERRYMOUNT ROAD
HAYWARDS HEATH
SUSSEX RH16 3DH

2

HAND THIS CARD TO YOUR NEWSAGENT



Spiral CLS

THIS PROGRAM by Gary Nugent of Dublin clears a 22 by 32 screen. The screen is first filled by a spiral of inverse spaces, and then by a spiral of spaces. The screen is then ready for output, the Print position having been reset to 0,0. This is a novel way to clear the screen and is faster than the ZX-81's system CLS when large amounts of memory and Scroll are in use.

The routine, which is in machine code, is

91 bytes long. It should be entered into a line 1 Rem statement using any hex loader. The code is not relocatable. Should you wish to move it, all the Call addresses will have to be changed.

Poking addresses 16599 with a value less than 192 increases the speed of the spirals. A larger value decreases the speed. To make the routine clear a 24-by-32 screen, do as direct commands:

POKE 16535,23 — or 21 for a 22-by-32 screen POKE 16575,9 — or 11 for a 22-by-32

The routine is called by **RAND USR 16514.**

Printer control codes

Printer control codes

NO DOUBT many Spectrum owners will have made arrangements to hook up their machines to "proper" printers, especially now that Sinclair has reverted to ASCII, writes Gordon Grant of Radcliffe, near Manchester. To drive the thing it is most convenient to trap the stream of information generated by the Basic interpreter when LPrint is asserted, and divert it to your own output routine. Otherwise you must maintain multiple copies of programs, and convert programs that you have acquired.

This can be done most easily by substituting the address of your own routine for that normally maintained by Basic as the address for LPrint output. This address is held at 23749, and is normally 2548, but you can change it to any address you fancy. All material destined for the printer will be found to pass this way, but it is a good idea to understand what the Spectrum routine normally does with the material.

Material arrives in one or other of the following forms:


ASCII characters, which can be processed immediately.

Tokens, which may be passed back to the official routine. It will do the work of expanding them and delivering them up as a stream of ASCII characters.

Graphics characters, which most printers cannot handle, so substitute spaces instead.

Control codes, which are the tricky bit. Not only will the Basic routine not handle them to your convenience, it will often replace your address by the official one - a mean trick. You must write your own control-code handling routine which, though inconvenient, allows you extra flexibility as to format.

I have successfully used this control-code handling routine for some time.



	codes.		
	00100 /	**** SPECTRU	H LPRINT ROUTINE *****
	00110 /	e e	P. GRANT
	00130	0.	the real relations of the said and
		ROUTINE SUPPORTS	S LPRINT AND LLIST BUT NOT COPY.
			FEED TO TOP OF NEXT PAGE.
	00160 /	INITIALIZE B	Y PRINT USR 65001.
	00180 EQUAT		
1F54 000C	00190 BREAK 00200 MESS	EQU 8020 EQU 12	ROM 'TEST BREAK' ROUTINE
E837	00210 PORT	EQU 12 EQU 59447	MESSAGE - D BREAK, CONT REPEATS PRINTER I/O PORT USED HERE
09F4	00220 ROM	EQU 2548	OFFICIAL LPRINT ROUTINE
5005	90230 CHAN	EQU 23749	ADDRESS OF LPRINT OUTPUT CHANNEL
0042	00240 PAGES		LINES PER PAGE - ADJUSTABLE
0050	00250 WIDTH	EQU 66 EQU 80	COLUMNS PER LINE - ADJUSTABLE
FDE9	00260	ORG 65001	OPTION. ADJUST TO SUIT
	00270 ;		
		ALIZATION ROUTIN	NE. DON'T FORGET TO CLEAR SPACE.
EDEC 210755	00290 ;	10 10	
FDE9 2107FE FDEC 22055C	00300 INIT		ART PLACE USR ADDRESS IN CHANNEL
FDEF 2102FE	00320	LD (CHAN)	
FDF2 3E01	00330	LD HL, DCE	INITIALIZE DCB
FDF4 77	00340	LD (HL), F	TO A DESCRIPTION OF THE PARTY O
FDF5 23	00350	INC HL	
FDF6 23	00360	INC HL	
FDF7 77	00370	LD (HL), F	
FDF8 2B	00380	DEC HL	
FDF9 3E51	00390	TO WIND	
FDFB 77	00400	LD (HL),	
FDFC 23 FDFD 23	00410	INC HL	
FDFE 3E43	00420 00430	INC HL LD A PAGE	TOTAL CONTRACTOR OF THE PARTY O
FE00 77	00440	LO (HL), F	
FE01 C9	00450	RET	
		CONTROL BUFFER	
FE02 00	00470 DCB	DEFB 0	INEXT COLUMN TO PRINT AT
FE03 00	00480	DEFB 0	WIDTH + 1
FE04 00	00490	DEFB 0	CURRENT LINE BEING PRINTED
FE05 00	00500	DEFB 0	JPAGES + 1
FE06 00	00510	DEFB 0	STORE FOR TAB INFO
CCG7 CCG8		LPRINT ROUTINE	
FE07 FER5 FE09 D2F409	00530 START 00540	CP 165 JP NC.ROM	TT/O G TOUTU
FEOC FEOO	00550	CP 128	IT'S A TOKEN
FEØE 3028	00560	JR NC. GRA	PH)IT'S A GRAPHICS CHAR
FE10 FE20	00570	CP 32	741 O II GIVIF II CO CHIIR
FE12 3029	00580	JR NC. ASC	II JIT'S AN ASCII CHAR
FE14 FE06	00590	CP 6	and the second second of the second s
FE16 2848	00600	JR Z,FIEL	D JIT'S PRINT COMMA
FE18 FE09	00610	CP 9.	
FE18 281F	00620	JR Z. GRAF	'H) CURSOR ->
FE1C FE0C . FE1E 285B	00630 00640	CP 12	- FO TO TOP OF POSE
FE20 FE0D	00650	JR Z,PAGE	GO TO TOP OF PAGE
FE22 280E	00660	JR Z, CRLF)CR/LF
FE24 FE10	00670	CP 16	, CK/ LF
		JR C, WHAT	INVALID CODE
FE26 380F	00680		
	00690	CP 22	The first of the second

Data in strings

INSPIRED by the routine in the March issue of Practical Computing, J Law of Birmingham has written a closer imitation of Read and Data for the ZX-81. The subroutine reads data from the program, and returns it in Y\$. The calling program should alter neither R\$, which will contain the date nor Z\$, a dummy variable used within the machine code held in line 1.

You must not have data of over 32 characters, or error L/ will result, while running out of data will give error 0/. These error messages are displayed in the top-left corner of the screen. The routine distinguishes data from other Rem statements by putting a Graphics S immediately after Rem.

First enter the loader program and press Run. Next enter the numbers shown in the machine-code routine, delete all except line 1 of the loader program, and enter the Basic program. This contains the subroutines Read and Restore. You may then enter your own program, commencing after line 12. To read data in Y\$ use Gosub Read; to reset the data pointer use Gosub Restore.

The machine-code routine can be shortened for use when only 1K is available by omitting the error messages. In this case initially enter Line 1 as 98 full stops and alter line 10 of the loader to

10 FOR I = 16514 TO 16610 When the loader stops, Poke 16611,201, then continue as before.

Data in strings - loader program.

- 10 FOR I = 16514 to 16619 20 INPUTA
- 30 SCROLL 40 PRINT I;" ";A
- 50 POKE I,A 60 NEXT I

Data in strings - machine-code routine.

0 0 0 42 131 64 126 25 118 32 0 0 0 42 131 64 126 25 118 32 30 35 126 254 118 40 78 35 35 78 35 70 35 126 254 234 40 3 9 24 237 35 126 254 10 40 4 43 9 24 227 1 0 32 237 91 16 64 19 19 19 35 126 254 26 40 18 254 118 40 14 18 12 16 241 42 16 64 35 54 35 6 49 24 22 34 131 64 235 54 95 35 112 35 54 0 42 16 64 35 113 1 0 0 201 6 52 42 12 64 35 112 35 54 24 201

Data in strings - Basic program.

- REM (containing machine code left when loader deleted)
 LET Y\$ = "||||||| |||||" (contain 35 / chs.)
 LET READ = 6
 LET RESTORE = 8
- (contains
- **GOTO 12**
- IF USR 16517 THEN STOP
- 7 RETURN 8 POKE 16514,0 9 POKE 16515,124 10 POKE 16516,64
- RETURN
- GOSUB RESTORE
 REM Your calling program starts 20 REM here

	-			
(continued from)	previous page)			
FE2A 3871	00700	JR	C, NOTAB ONE BYTE FOLLOWS	
FE2C FE18 FE2E 3879	00710 00720	CP JR	C, TAB , TAB OR AT	
FE30 1805	00730	JR	WHAT JINVALID CODE	
FE32 2102FE FE35 1815	00740 CRLF -00750	LD JR	HL, DCB	
FE37 3E3F FE39 1802	00760 WHAT 00770	LD JR	A.63 ;OUTPUT "?" FOR INVALID CODES ASCII	
FE3B 3E20	00780 GRAPH .	LD	A,32 JOUTPUT SPACE FOR GRAPHICS	
FE3D CDCRFE FE40 1800	00790 ASCII 00800	CALL JR	PRINT : OUTPUT A BYTE UPDATE : UPDATE DCB AND RETURN	
FE42 2102FE	00810 UPDATE	LD	HL, DCB	
FE45 7E FE46 3C	00820 00830	INC	A JUPDATE POSK OF NEXT CHAR	
FE47 77 FE48 23	00840 00850	LD	(HL),A HL	
FE49 BE	99869	CP	(HL) COMPARE WITH WIDTH + 1	
FE4R C0 FF4B 2B	00870 00880	RET	NZ HL JMUST ADVANCE TO NEXT LINE	
FE4C 3E01 FE4E 3601	00890 CR	LD	A,1	
FE50 23	00900 00910	INC	HL	
FE51 23 FE52 7E	00920 00930	LD	HL B,(HL)	
FE53 3C	00940	INC	A INCREMENT LINE NUMBER	
FE54 77 FE55 23	00950 00960	INC	(HL)/A HL	
FE56 BE FE57 2804	00970 00980	CP JR	(HL) /COMPARE WITH PAGE + 1 Z/PAGEND	
FE59 3E0D	00990 FEED	LD	A,13	
FE5B 186D FE5D 2B	01000 01010 PAGEND	JR DEC	PRINT /CR/LF & RETURN	
FE5E 3E01	01020	LD	A,1	
FE60 77 FE61 18F6	01030 01040	LD JR	(HL), A ; NEXT LINE IS 1 FEED ; DON'T FORGET TO CR/LF	
FE63 2102FE FE66 7E	01050 FIELD 01060	LD LD	HL,DCB A/(HL) JGET POSH OF NEXT CHAR	
FE67 3D '	01070	DEC	A	
FE68 E6F0 FE6R C611	01090	AND	8,17 ; ADJUSTED TO NEXT FIELD	
FE6C 23 FE6D BE	01100	INC CP	HL (HL) SEE IF PAST PAGE END	
FE6E 2B	01120	DEC	HL	
FE6F 28DB FE71 96	01130 01140	JR SUB	Z,CR JCR/LR IF SO (HL) ;SUBTRACT PRESENT POSN.	
FE72 47	01150 01160 AGAIN	LD LD	B,A JSAVE COUNTER FOR SPACES A,32 JOUTPUT SPACES	
FE73 3E20 FE75 CD3DFE	01170	CALL	ASCII	
FE78 10F9 FE78 C9	01180 01190	DJNZ	AGRIN	
FE7B 2102FE	01200 PAGE	LD	HL,DCB A,(HL) ITEST FOR BYTES	
FE7E 7E FE7F 3D	01210	DEC	A IN PRINTER BUFFER	
FEBØ 2803 FEB2 CD4CFE	01230 01240	JR CALL	Z,LINOK ;OK TO JUMP IF NONE CR JELSE OUTPUT CR/LF	
FE85 2104FE	01250 LINOK	LD	HL,DCB+2 8,(HL) TEST CURRENT LINE	
FE88 7E FE89 3D	01260 01270	DEC	R	
FEBR CB FEBB 3C	01280 01290	RET	Z JEXIT IF ALREADY THERE	
FE8C 23 FE8D 96	01300 01310	INC	HL (HL) JSUBTRACT LINES+1	
FEBE ED44	01320	NEG	AND NEGATE IT TO GET	
FE90 47 FE91 3E0D	01330 01340 NEXT	LD	B,A ;LINES TO FEED A,13	
FE93 CDCRFE FE96 10F9	01350 01360	DJNZ	PRINT	
FE98 28	01370	DEC	HL	
FE99 3E01 FE9B 77	01380 01390	LD	A,1 (HL),A JASSERT LINE 1	
FE9C C9	01400 01410 NOTRB	RET	HL, POINTA JSET TEMPORARY	
FERØ 220550	01420 FETCH	LD	(CHAN), HL (CHANNEL ADDRESS	
FER3 C9 FER4 2107FE	01430 01440 POINTR	RET	HL, START) IGNORE ARGUMENT AND	
FEA7 18F7 FEA9 21AEFE	01450 01460 TAB	JR LD	FETCH ; RESTORE CHANNEL HL, POINTB ; SET TEMPORARY	
FERC 18F2 FERE 3206FE	01470 01480 POINTB	JR LD	FETCH ; CHANNEL ADDRESS (DCB+4),A ; SAVE TAB LOW ORDER	
FEB1 21B6FE	01490	10	HL, POINTC SAME AGAIN	
FEB4 18EA FEB6 2107FE	01500 01510 POINTC	JR LD	FETCH HL,START IGNORE HIGH ORDER &	
FEB9 220550 FEBC 3AØ6FE	01520 01530	LD	(CHAN), HL RESTORE CHANNEL A,(DCB+4) GET TAB LOW ORDER	
FEBF 2103FE	01540	LD	HL,DCB+1 (HL) COMPARE WIDTH+1	
FEC3 2B	01550 01560	DEC	HI	
FEC4 3086 FEC6 96	01570 01580	JR SUB	NC.CR)CR/LF IF PAST END (HL))TAB MINUS CURRENT B,A ;EQUALS SPACES TO OUTPUT	
FEC7 47 FEC8 1889	01590 01600	LD JR	B,A ;EQUALS SPACES TO OUTPUT AGAIN	
	01610 ; ILLUST	RATIVE (DUTPUT ROUTINE. SUBSTITUTE YOUR OWN HERE.	
FECR C5 FECB F5	01620 PRINT 01630	PUSH	BC ;SAVE REGISTERS AF	
FECC 0137E6 FECF ED78	01640 01650 TEST	LD IN	BC, PORT JUSER I/O PORT A,(C) JETCH PRINTER STATUS	
FED1 FE3F	01660	CP JR	63 / IS PRINTER READY? Z,GO / JUMP IF SO	
FED3 2807 FED5 CD541F		CALL	BREAK ITEST FOR BREAK HIT	
FED8 38F5 FEDR CF	01690 01700	JR RST	C, TEST , IF NOT, KEEP TRYING 8 ; ELSE BACK TO BASIC	
FEDR 0C FEDC F1	01710 01720 GO	DEFB	MESS JUITH ERROR MESSAGE AF JRETRIEVE BYTE TO SEND	
FEDD ED79	01730	OUT	(C),A JSEND IT	
FEDF C1 FEEØ C9	01740 01750	POP	BC.	
0000 00000 TOTAL	01760 ERRORS	EHD		П
				100

☐ MicroSight ☐

Use your BBC Model B as an image analyser with :-

MicroSight I



Available on BBC, Apple, Commodore, Research Machine, Sirius, etc, Includes Camera, cables, interface, software and documentation.

£495.00 + VAT

MicroScale.




Image processing software to calculate area and perimeter of objects within a specified window also to dimension features. Disk and printer dumps of binary and grey scale data.

£295.00 + VAT

MicroEye Vision Interface.



256 x 256 pixel resolution with 255 grey levels per pixel comes complete with software and documentation. Can be used for video tape digitising Satallite picture analysis etc. Available for BBC, Apple, Commodore, Research Machine, Sirius etc.

£295.00 + VAT

DIGITHURST

Digithurst Ltd.

Leaden Hill, Orwell, Royston, Herts, SG8 5QH

Tel: (0223) 208926

Circle No. 237

STEMMOS the dBASE II

experts

ITEMMOS are one of Britain's leading software houses and specialists in dBase II

TEMMOS offer a helpline for dBase II users

the only intelligent program generator for dBase II


TEMMOS hold monthly seminars in the heart of London on dBase II

 An opportunity for anyone from engineer to businessman to write their own microcomputer program.

 And for the programmer the chance to write programs in a fraction of the time.

Seminars:

4, 5, 6, July. 1, 2, 3, Aug. 5, 6, 7, Sept. 3, 4, 5, Oct. 7, 8, 9, Nov. 5, 6, 7, Dec.



STEMMOS

The Key to successful software

Please send me more information on:

dBase II Autocode I dBase II User seminars

S

Address:

Company:

Name:



STEMMOS LTD

199 Uxbridge Road, London W12.

Tel: 01-740 9444 Telex: 893003 STEMOS G

dBase II* Ashton Tate Autocode I* Stemmos Ltd

COMPUTER TRADE FORUM 4th-7th October, 1983 National Exhibition Centre, Birmingham,



Sound business sense for volume buyers

The Autumn Computer Trade Forum is the UK's largest razmatazz are all designed for profitable business. and most successful trade event and the only show that fully understands the needs of volume buyers.

It offers you a comprehensive display of minis, micros, software and peripherals in an environment that's specially made for volume business.

Who is CTF for?

Distributors. Dealers. Software houses. Systems integrators. Retailers. OEM's. In fact anyone who makes a living buying and selling computers, software and peripherals. So whether you're new to DP/WP or know the business backwards, CTF is the event you mustn't miss.

How can CTF help you sell more?

The exhibitors at the Computer Trade Forum understand your needs. That means they'll be talking your language. Quantity terms. Discounts. Marketing support programmes. Delivery schedules. The whole range of services to help you sell more.

Who will be at CTF?

Texas Instruments. Logica. DEC. Systime. DRG. Zygal. Motorola...and many more! And for every name you know there'll be many you don't-with products that could well be your next year's big seller.

Why CTF is different!

The Computer Trade Forum is the only show that understands what volume buying really means. The atmosphere, the choice of exhibitors, the absence of


CTF has been specifically designed for you and as a proven, established national event it offers you even more with the support of leading UK suppliers.

Post the coupon today

The general public is not invited to CTF. The emphasis is on volume business. And for you it's free! Just fill in the coupon and we'll send you free tickets (worth £3.00 each) by return of post.

If you need to know more, call 01-747 3131.

	uter Trade Forum
	cton Lane, London W4 5DL free tickets for myself
Name	w make
Position	
Company	
Address	
I am interested in exhibiting at CTF (No one under 18 admitted)	PC2/83



Fast conversion

THE WHOLE subject of bit recognition is well worth studying. Coupled with the use of logic operators, it can save a great deal of programming time and space. The conversion routine by S D Holloway provides a very fast way of converting decimal to binary.

Magicalc

If there is one program which has really opened people's eyes to the value of micros in business it is VisiCalc. Although written originally for the Apple II, it can now be found in a form suitable for almost any micro under the sun. A disc-based version for Tandys is available at around £60.

Mr R S Bond of Shrewsbury has written a really first-class tape-based spreadsheet which he calls Magicalc. My only comment is that the instructions that he sent with it are rather sketchy and based on an assumed familiarity with VisiCalc which many readers may not have.

When loaded and run, the appearance of the screen is very similar to the VisiCalc layout, though with slightly narrower columns. It is divided into 10 columns, numbered 0 to 9 and 13 rows, labelled A to M. In the upper left-hand corner above the horizontal headings is the message

A0 = 0

and on the sheet itself is the flashing cursor situated over position A0. Into each position, known as a cell, either text, a value or an expression can be loaded, but it is limited to five characters only.

A simple costing routine shows how the package works. The zero column can be used for labels, so type

SALES

into the present position of the cursor, A0. This must be done slowly, as the response is much slower than the normal keyboard input. The characters always appear on the right edge of the column and move over as successive entries are made.

Having put the label in cell A0, insert the amount of sales in cell A1. To do so simply press the Right Arrow on the keyboard and the cursor shifts to that position. Then simply type 200; there is no need to press

Assuming that sales costs are five percent of sales move down to the B row. You can either use the Down Arrow once and the Left Arrow once to bring you to B0, or you can type /. This will produce a line above the horizontal axis, reading "Which Function" followed by a number of characters.

Pressing G allows you to move the cursor to any position on the sheet. Enter B0 and the function line will disappear and the cursor will appear at cell B0. The current position of the cursor together with its value will be shown in the top left-hand corner. Enter SCF, for sales-cost factor, in this position, move to B1 and enter .05 for 5 percent. This value is shown above the line with the cell position. If you make a mistake, position the cursor over the error, press / and then D to delete the entry at the

(continued on next page)

Fast conversion.

10 CLEAR 100 DEFINT X, N

20 INPUT"ENTER AN INTEGER FOR

CONVERSION" : N

30 A=1;B\$="":FOR X=0 TO 14:B\$=STR\$((N

AND A) /A) +B\$

40 A=A*2:NEXT X

50 IF N(O THEN B\$="1"+B\$ ELSE

B\$="0"+B\$

60 PRINTB\$:PRINT:GOTO 20

Magicalc.

110 ' MAGICALC / MAGIPLOT (C) (P) 1983 R. S. BOND *** CLEARGOOD: ONERRORGOTD1400: DIMC\$ (10, 13). D\$(10, 13), A\$(13):X=1:Y=1 CLS: PRINT: PRINT 150 CLS:PRINITERING*
";CHR*(191);STRING*(3,143);"O";STRING*(5,143);"1";STRING*(5,143);"2";STRING*(5,143);"3";STRING*(5,143);"4";STRING*(5,143);"5";STRING*(5,143);"6";STRING*(5,143);"6";STRING*(5,143);"6";STRING*(5,143);"6";STRING*(5,143);"9";STRING*(3,143);"6";STRING*(5,143);"9";STRING*(3,143);"6";STRING*(5,143);"9";STRING*(3,143);"6";STRING*(5,143);"9";STRING*(3,143);"6";STRING*(5,143);"9";STRING*(5,143);"6";STRING*(5,143);"9";STRING*(5,143);"6";STRING*(5,143);"9";STRING*(5,143);"6";STRING*(5,143);"9";STRING*(5,143);"6";STRING*(5,143);"9";STRING*(5,143);"6";STRING*(5,143);"9";STRING*(5,143);"6";STRING*(5,143);"9";STRING*(5,143);"6";STRING*(5,143);"9" FORY1=1T013:PRINTCHR\$(64+Y1):CHR\$(191): "::FORX1=1T010:PRINTSTRING\$((5-LEN(C\$(X 1, Y1))), 32); C\$(X1, Y1); "
"; :NEXTX1: PRINTCHR\$(191); :NEXTY1 170
P=((Y+1)*64)+(((X-1)*6)+2):PRINT@P, CHR\$
(183);:PRINT@P+6, CHR\$(187);:GOSUB1410:I
FD\$(X,Y)()""THENPRINT@O, CHR\$(64+Y);X-1;
"=";D\$(X,Y);ELSEPRINT@O, CHR\$(64+Y);X-1;
"=";VAL(CB(X,Y));
180 PRINT@P," ";:PRINT@P+6," "; 180 PRINT@P, " 190 AS=INKEYS IFA\$() ""ORPEEK(14400) () OTHEN210ELSE170 IFA\$=CHR\$(8) ORPEEK(14400)=32THENX=X-1:I FX (1THENX=1:GOTO170 IFA\$=CHR\$(9) DRPEEK(14400)=64THENX=X+1:I FX) 10THENX=X-1:GOTO170 IFA\$=CHR\$ (91) DRPEEK (14400) =8THENY=Y-1:I FY (1THENY=1:GOTO170 IFA\$=CHR\$(10) DRPEEK(14400)=16THENY=Y+1: IFY) 13THENY=13:60T0170 250

IFA\$ () "/"ANDA\$) CHR\$ (31) ANDA\$ () CHR\$ (91) T
$$\label{eq:hence} \begin{split} & \text{HENC(X,Y)=$LEFT$(C(X,Y)+A,5):PRINT@P+$\\ & 1,STRING$(S-LEN(C$(X,Y)),32);C$(X,Y);:G \end{split}$$
010170 260 IFA\$ () "/"THEN170 FUNCTION 270

270 PRINT@O, "WHICH F (A.C.D.G.L.N.P.R.S.X.+,/,-,*,OR ?";CHR\$(95); 280 A\$=INKEY\$:IFA\$=""THEN280

IFA\$="D"THENC\$(X,Y)="":D\$(X,Y)="":PRINT

";:GOT0170 @P+1," 300

300
IFA\$="N"THENGDSUB1410:PRINT@0, "CDNFIRM
(Y/N) ?";CHR\$(95);:GDTD1190
310 IFA\$="C"THEN1020
320 IFA\$="X"THEN170

IFA\$="R"THENM\$=":":MM=1:GOSUB600:FORA=N TOM:FORB=N1TOM1:C\$(B,A)=C\$(PP,QQ):PRINT @((A+1)*64)+(((B-1)*6)+3), C\$(B, A); :NEXT B, A:MM=0:GOT0170 340

IFAs="*"THENMS="*":GOSUB600:GOSUB1100:G 070780

IFA\$="+"THENM\$="+":GOSUB600:GOSUB1110:G 010780

360 IFAs="/"THENMS="/":GOSUB600:GOSUB1120:G 010780

370 IFA\$="-"THENM\$="-":GOSUB600:GOSUB1130:G OT0780

380 IFA#="G"THENGOT0970 390

17A\$="A"THENM\$="@":GDSUB600:GDSUB1140:G 400

TEA\$ () "S"ANDA\$ () "_ "ANDA\$ () "H"ANDA\$ () "C" ANDA\$ () "P"THEN170 410 IFA\$="L"THEN520

420 IFA\$="P"THEN800 430 IFA\$="C"THEN1020

440 IFA\$="H"THEN1230 450

1FA\$="\$"THENGOSUB1410:R\$="":PRINT@0, "EN
TER NAME OF FILE :";:FORA=1T015
460 A\$=INKEY\$:IFA\$=""THEN460 IFAS=CHR\$ (13) THEN480ELSER\$=R\$+A\$: PRINTA S::NEXTA 480 GOSUB1410: PRINTGO, "READY CASSETTE 490 IFINKEY = ""THEN 490 500 GOSUB1410: PRINT@O, "SAVING..."; PRINT&-1, R*:FORA=1TD13:FORB=1TD10STEP2: PRINT&-1, C**(A, B), C**(A, B+1):PRINT&-1, D**(A, B), D**(A, B+1):NEXTB, A:GOSUB1410:GOTO17 R#="":GOSUB1410:PRINT@0, "ENTER NAME OF FILE :": 530 FORA=1T015 540 A\$=INKEY\$:IFA\$=""THEN540 IFA\$=CHR\$ (13) THEN560ELSER\$=R\$+A\$: PRINTA 560 GOSUB1410: PRINTED, "READY CASSETTE 570 IFINKEYS=""THEN570 INPUT£-1, R1\$: IFR\$=R1\$THEN590ELSEGDSUB14 10:PRINT@O, "INCORRECT FILE TAPE.";:FDRA=1TD2000:NEXTA:GDT0170 590 GGSUB1410:PRINT@O, "LOADING...";:FORA=1T 013:FORB=1T010STEP2:INPUT&-1,C\$(A,B),C\$ (A, B+1):INPUT£-1, D\$(A, B), D\$(A, B+1):NEXT B, A:GOSUB1410:GOTO170 GOSUB1410: IFMM=OTHENPRINT@O, CHR\$ (Y+64): X-1;"=";ELSEPRINT@0,""; 610 A\$=INKEY\$:IFA\$=""THEN610 IFA\$ ("A"DRA\$) "M"THEN610ELSEPRINTA\$::D\$(

(listing continued on next page)

(continued from previous page)

position of the cursor; then type in the correct entry.

Now move to cell C0 and type in S.C., for sales costs and move to C1. To calculate the sales costs you have to multiply the values of A1 and B1, so press / and then *. The top line clears and

C1 =

appears. Type in A1 and

A1 *

is added. Then type in B1 and

B1 ...

is added. If you want a series of values in the same column multiplied together you could enter, say, D1 if there was anything there. But if you only want A1 * B1 enter B1. Immediately the product of A1 and B1 appears in C1.

Now enter a fixed cost, F.C., in D0 and in D1 a value of 50. The total costs will be

C1 + D1 so enter T.C. in E0. Move to E1 and press / and then +. Then, as you did before enter C1, then D1 (to) D1. Now go to F0, enter

"PROF" (PROFI - E1

to find the result of 140, which is your profit.

There is also a function, R, which enables the user to duplicate the value in one cell to a range of cells elsewhere. To do this, after calling up the function as before, type in the source cell, then the range of cells to receive the values. The remaining functions are A, average, which gives the average value for all the data in the cells Xn @ Yn . . . Zn and places the result in the cursor cell.

Three parameters are required for all the maths functions as this allows the user to process information which is in a sequence with an isolated cell. For example

A1 @ B6 ... B8.

The C, calculation, works out all the maths on the sheet which should only be done when all the figures have been entered. Since the program is entirely in Basic, the process is rather slow. P, plot, constructs a histogram of any row or column of data on the sheet. S, save, and L, Load, are self-explanatory. N, New, clears the sheet for restarting and X, Exit, gets you out of the special function mode in case of error. H, Help, tells you briefly what all the functions do.

Mr Bond is to be congratulated on this program. Through lack of time and space I have been unable to experiment and provide further details, but with experience and exploration it will prove to be a very useful and powerful program.

(listing continued from previous page)

```
630 AS=INKEYS:IFAS=""THEN630
640
IFA$ ("O"ORA$) "9"THEN630ELSEPRINTA$; : D$ (
X, Y) = D$ (X, Y) + A$+"
"; M$:" "-
                               "+M$+"
650 A$=INKEY$:IFA$=""THEN650
IFA$ ("A"DRA$) "M"THEN650ELSEPRINTA$; :D$ (
X, Y) = D$ (X, Y) + A$
670 A$=INKEY$: IFA$=""THEN670
IFA$("0"DRA$)"9"THEN670ELSEPRINTA$;:D$(
X,Y)=D$(X,Y)+A$+"...":PRINT"...";
690 A$=INKEY$:IFA$=""THEN690
IFA$ ("A"DRA$) "M"THEN690ELSEPRINTA$; :D$(
X, Y)=D$(X, Y)+A$
710 A$=INKEY$:IFA$=""THEN710
IFA$ ("O"ORA$) "9"THEN710ELSEPRINTA$; :D$ (
(X, Y) = D + (X, Y) + A +
FORA=1TOLEN(D$(X,Y)):A$(A)=MID$(D$(X,Y)
N=ASC(A$(2))-47:M=ASC(A$(1))-64:R=VAL(C
$(N,M)):PP=N:OD=M
750 N=ASC(A$(6))-64:M=ASC(A$(11))-64
760 N1=ASC(A$(7))-47:M1=ASC(A$(12))-47
770 RETURN
780 GOSUB1150
790 GOTO170
800 GOSUB1410:PRINT@0,"PLOT ROW COLUMN (R/C) ?";CHR$(95);
810 A$=INKEY$:IFA$=""THENB10
820 IFA$="R"THEN850
830 IFA$="C"THEN890
           GOSUB1410: PRINTED. "WHICH
850
(A, B, C, D, E, F, G, H, I, J, K, L, M)
?";CHR$(95);
850
AS=INKEYS: IFAS=""ORAS ("A"ORAS) "M"THEN86
A=ASC(A$)-64:FORB=1T010:A$(B)=C$(B,A):N
EXTB:FORB=1T03:A$ (B+10)="":NEXTB
880 G0T0920
B90 GUSUB1410:PRINT@0, "WHICH (0-9) ?":CHR$(95);
                                              COLUMN
AS=INKEYS: IFAS=""DRAS ("O"DRAS) "9"THEN90
A=ASC(A$)-47:FORB=1T013:A$(B)=C$(A,B):N
A=0:FORB=17013:1FABS(VAL(A$(B)))) ATHENA
 VAL (AB (B)) : NEXT
930 NEXT
D=A/43:CLS:FORYY=OT045:SET(0, YY):NEXT:F

ORXX=OT0127:SET(XX, 45):NEXT:IFVAL(A$(1)

)=OANDA$(1)()""THENPRINT@1023-LEN(A$(1)
 . A$ (1) :
```

DD=0:FORTT=4T0107STEP8:DD=DD+1:C=VAL (A\$

```
(DD)):FORXX=OTOC/B:SET(TT,45-XX):SET(TT+1,45-XX):SET(TT+2,45-XX):SET(TT+3,45-XX):SET(TT+4,45-XX):NEXTXX,TT
960 IFINKEY#=""THEN960EL9E150
970 GDSUB1410: PRINT@0, "WHERE ?"; CHR$(95):
980 A$=INKEY$:IFA$=""THEN980
IFA$ ("A"DRA$) "M"THENGBOELSEPRINTCHR$ (8)
;A$;:Y=ASC(A$)-64
1000 A$=INKEY$:IFA$=""THEN1000
 FA$ ("0"ORA$) "9"THEN1000ELSEPRINTA$ : X=
ASC (A$) -47:GOTO170
GOSUB1410:PRINT@O, "CALCULATING...";:FOR YY=1T013:FORXX=1T010:X=XX:Y=YY:IFD%(XX, YY)()""GOSUB730:GOTD1040
1030 NEXTXX, YY: X=1:Y=1:G0T0170
M$=MID$(D$(XX,YY),4,1):IFM$="*"GOSUB110
O:GOSUB1150:NEXTXX,YY:X=1:Y=1:GOTC170
1050
IFM$="+"GDSUB1110:GDSUB1150:X=1:Y=1:NEX
TXX, YY:GOTD170
IFM$="-"GOSUB1130:GDSUB1150:X=1:Y=1:NEX
TXX, YY:GOT0170
IFM#="/"GDSUB1120:GDSUB1150:X=1:Y=1:NEX
TXX, YY: G0T0170
IFM$="@"GDSUB1140:GDSUB1150:X=1:Y=1:NEX
TXX, YY:60T0170
1090 60T01030
FORA=NTOM: FORB=N1TOM1: R=R*VAL(C$(B, A)):
NEXTB, A: RETURN
FORA=NTOM: FORB=N1 TOM1: R=R+VAL(C$(B, A)):
NEXTB, A: RETURN
FORA=NTOM: FORB=NITOM1: R=R/VAL(C$(B, A)):
NEXTB, A: RETURN
1130 FORB=N1TOM1:R=R-VAL(C$(B,A)):
NEXTE, A: RETURN
FORA=NTOM: FORB=N1TOM1: R=R+VAL (C$ (B, A)):
NEXTB, A:R=R/((M-N)+(M1-N1)+2):RETURN
C$(X,Y)=STR$(R):C$(X,Y)=RIGHT$(C$(X,Y),
LEN(C$(X,Y))-1)
1160 C$(X,Y)=LEFT$(C$(X,Y),5)
PRINT@((Y+1) *64)+(((X-1) *6)+3), STRING$(
5-LEN(C$(X,Y)),32);C$(X,Y);
1180 RETURN
1190 A$=INKEY$:IFA$=""THEN1190
1200 IFA$="Y"THENRUN
1210 IFA$="N"THEN170
1220 GDT01190

1230 GDSUB1410:PRINT@0, "HELP ON WHICH FUNCTION (A, C, D, G, L, N, P, R, S, X, +, /, -, *)
 ":CHR$ (95):
1240 As=INKEYs: IFAs=""THEN1240
IFA#="A"THENGOSUB1410:PRINT@O, "AVERAGE
- CALCULATES THE AVERAGE OF CELLS XN @
```


```
YN... ZN. "::FDRA=1T02000:NEXTA:60T0170
 IFA$="C"THENGOSUB1410:PRINT@O, "CALCULAT
E - PERFORMS ALL THE SHEET CALCULATIONS.";:FORA=1T02000:NEXTA:GDT0
 IFA = "D"THENGOSUB1410; PRINTOO, "DELETE
THHE "D"HENGOSUB1410: PRINTEO, "DELETE DELETE THE CONTENTS OF THE PRESENT CELL."::FORA=1T02000:NEXTA:GOT0170
1280 IFA%="G"THENGOSUB1410:PRINTEO, "GO MOVES THE CURSOR TO CELL NO XN."::FORA=1T02000:NEXTA:GOT0170
XN. "::FORA=:T02000:NEXTA:GGT0170
1290
1290
IFA=="L"THENGOSUB1410:PRINT@0, "LOAD
LOADS A DATA FILE !
TAPE. "::FDRA=:T02000:NEXTA:GOT0170
1290
IFA#="L"THENGOSUB1410:PRINT@O, "LOAD
 LOADS A DATA FILE
TAPE."::FORA=1TO2000:NEXTA:GOTO170
 1300
 FAS="N"THENBOSUB1410: PRINTED, "NEW
CLEARS
SHEET.";:FDRA=1TD2000:NEXTA:BDTD170
IFA$="P"THENGOSUB1410:PRINT@O, "PLOT
PLOTS EITHER A ROW OR A COLUMN OF
SHEET. "::FORA=1T02000:NEXT:GOT0170
 1520
IFA$="R"THENGOSUB1410:PRINT@O, "REPLICAT
E - REPLICATES THE CONTENTS OF CELL
YN...ZN.";:FDRA=1TD2000:NEXTA:GDTD170
 IFA$="S"THENGOSUB1410:PRINT@O, "SAVE
SAVES THE PRESENT SHEET TAPE. "::FDRA=1T02000:NEXTA:GOT0170
                           PRESENT
                                                             TO
  FAS="X"THENBOSUB1410: PRINTED, "EXIT
LEAVES SPECIAL FUNI
MODE."::FDRA=1T02000:NEXTA:GDT0170
1350
 IFA$="+"THENGOSUB1410:PRINT@O, "ADD
ADDS TOGETHER ALL THE CELLS IN THE RANGE XN +
YN. . . ZN. "; :FDRA=1TD2000:NEXT:GDTD170
IFA$="/"THENGOSUB1410:PRINT@O, "DIVIDE
- DIVIDES ALL THE CELLS IN THE RANGE
YN...ZN.";:FORA=1T02000:NEXT:GOT0170
IFAS="-"THENGOSUB1410:PRINT@O, "SUBTRACT
      SUBTRACTS ALL THE CELLS IN THE
YN...ZN.";:FORA=1T02000:NEXT:G0T0170
1380

IFA$="*"THENGDSUB1410:PRINT@0, "MULTIPLY
- MULTIPLIES ALL THE CELLS IN THE
RANGE XN *
RANGE XN
YN...ZN.";:FORA=1T02000:NEXT:G0T0170
1390 G0T01240
1400 G0SUB1410:PRINT@0,"ERROR
1400 GUSUBI4101PRINTED, ENTER

PLEASE

ENTER. "::FORA=1T02000:NEXTA:RESUME170

1410 PRINT@0, STRING#(64, 32);:RETURN
```



Spectrum compatible plotting

ROTATION PROGRAMS, or spirals, are thick on the ground. The advertisements for spot-resolution screens and printers abound with examples of them. What Chetan Mehta of Leicester has submitted is rather more than just a good flexible version. It is a graphics program which will work on the BBC and the Sinclair Spectrum with only minor amendments.

Be warned - I have not tried the program on a Spectrum. But on the BBC it generates very pretty pictures. As is usual it took several plays with the co-ordinates before an acceptable result showed up, but that is half the fun.

Something like three corners at 55,55; 111,222; 222,111 centred on 555,555 with a spiral and angle of 11 is as good a place as any to experiment from on the BBC. Use figures between 0 and 80 on the Spectrum, with the following amendments:

310 PLOT X(NOC), Y(NOC) 350 DRAW X(N) - X,Y(N) - Y

and lines 10 and 20 deleted.

The similarities between the Spectrum and BBC commands could result in more multi-machine listings in this column. The combined sales figures for the two machines indicate that this would cover a high proportion of the medium-resolution micros in home use. Is it worth the extra effort in documentation and design?

Maze

470

Maze games are popular, several have been printed in micro magazines and others are available commercially. But the one submitted by Andrew Armstrong of Ponteland, Newcastle-upon-Tyne, surpasses any that I have seen before.

A 10 by 10 maze contains gold bars, cages and an exit to the outside world. You also have an option to call up a 2-D map and two minutes real time to appreciate the spectacular perspective views from within the maze corridors.

Mr Armstrong's maze would now reside with Mr Beerling's Gladiator, January issue, on my games-of-the-year disc were it not for a puzzling restriction. When working on a disc-based machine Page is set by OS1.0 to &1900; cassette machines load from &E00. The difference in available memory prevents some of the programs from running on my machine, so I set up f0 and f1 with the three-line relocation routine.

When loading from disc I can press fo

IF (FNMAZE(X,Y) AND 16) <> 0 P

(continued on page 155)

```
Spectrum-compatible plotting.
```

```
10 MODEO
 20 GCOLO,1
30 INPUT"NUMBER OF CORNERS",NOC
40 DIM X(NOC+2):DIM Y(NOC+2)
50 INPUT"ANGLE OF ROTATION",ROT
60 LET ROT=ROT*3.142/180
70 INPUT"HOW MUCH SPIRAL EFFECT (16
FOR NO SPIRAL EFFECT)",SPE
    80 FOR N=1 TO NOC
90 PRINT"CORNER"; N: INPUTX(N), Y(N)
   100 NEXT N
110 INPUT"CENTRE OF ROTATION", CX, CY
   120 CLS
   130 GOSUB310
          GOSUBSIO
FOR N=1 TO NOC
LET Y=Y(N)-CY
LET X=X(N)-CX
DIST =SQR(X^2+Y^2)
IF X=OTHEN LET ANGRAD=3.142/2:
   150
   170
   180
G0T0200
              LET ANGRAD =ATN(Y/X)
IF X<OTHEN LET ANGRAD=3.142+AN
   190
   200
GRAD: GOT0220
              IF YCOTHEN LET ANGRAD=2*3.142+
   210
ANGRAD
              LET X(N)=COS(ANGRAD +ROT) *DIST
   220
+CX
230
+CY
              LET Y(N)=SIN(ANGRAD +ROT) *DIST
  240 NEXT N

240 NEXT N

250 GOSUB 310

260 FDR N=1 TD NDC

270 LET X=X(N)-CX:LET X(N)=X*(100-

270 LET X=X(N)-CX:LET X(N)=Y*(100-

270 LET Y(N)=Y*(100-
ROT/3.142/SPE*100)/100+CX
280 LET Y=Y(N)-CY:LET Y(N)=Y*(100-
RDT/3.142/SPE*100)/100+CY
   290 NEXT N
300 GOT0140
    310 PLOT69, X (NOC), Y (NOC)
320 FOR N=1 TO NOC
330 IF N=1THEN LET X=X (NOC):LET Y=
```

```
Maze
    10 *TV0,1
20 MODE1
30 *KEY0*FX12 6!M*FX11 30!M*FX4!M
         PROC_D_D_D: END
    80
                Three Dimensional Maze
                               by
   110
                   Andrew Armstrong
   130
   140
 150 DEFPROC_D_D_D
160 ENVELOPE:1,:-1,:1,:-1,:100,:100,:10
127,0,0,:-1,:127,:127
170 ENVELOPE2,:1,:-1,:-1,:-1,:0,:0,:0,:127
   3,50,-5,127,60
180 !&FE00=&10270A:*FX4,1
   190 VDU19,1,9;0;19,2,3;0;19,3,7;0;
200 VDU23,224,60,126,60,255,24,60,
   210 DIM M% (9,9), XD% (3), YD% (3), D$ (3
   220 ST%=120:MB%=0:ST$="BESTTIMER":
  ##="MOSTBARS"

230 REPEATPROCINSTS: RESTORE
   240
            *FX12 1
VDU29,640;512;:XC%=640:YC%=5
   260
12:6%=0:BL%=3
270 FOR A%=0T03:READ XD%(A%),YD%
(A%) . D$ (A%) : NEXT
            DATA0, -1, North, 1, 0, East, 0, 1,
South, -1, 0, West
             PROCMAKE
   290
             X%=SX%:Y%=SY%:D=1:TIME=O
EFL%=FALSE:REPEATPROCCELL(X%
 , Y%, D):PROCMQVE:UNTILEFL%
320 PRINTTAB(0,30) "Pre
   320 PRINTTAB(0,30) "Press (SPACE)
:REPEATUNTILGET=32
   330 UNTIL
             UNTILO
   350
   360 View generator
370
380 DEF PROCCELL(X,Y,DIR)
   390 FORA%=1T03: VDU19, A%; 0; 0: NEXT
400 CLS

410 VDU19,1,9;0;19,2,3;0;19,3,7;0;

420 PRINT"X:";X;" Y:";Y;:COLOUR2:P

RINT" You are going "D*(DIR)",";:CO


LOUR3:PRINTTAB(30)"Time:";120-(TIME
DIV 100)
   440 RDIR=DIR+1:IF RDIR>3 RDIR=0
450 LD=2^LDIR:RD=2^RDIR:DR=2^DIR
460 S=900:REPEATS=S/2:LFT%=TRUE:RH
```

T%=TRUE

```
ROCGOLD_BAR(S)
ROCGATE(S)
490 IF (FNMAZE(X,Y) AND LD)=0 PR
490 IF (FNMAZE(X,Y) AND LD)=0 PR
490 IF (FNMAZE(X,Y) AND LD)=0 PR
                  IF (FNMAZE(X,Y) AND RD)=0 PR
OCRIGHT (S) :RHT%=FALSE
510 PROCCUBE (S, LFT%, RHT%)
                   IF (FNMAZE(X,Y) AND DR) <> OPR
     520
DCENDWALL(S):S=0
530 X=X+XD%(DIR):Y=Y+YD%(DIR)
540 UNTILS<2
     540 UNTIL
     560
 570 DEF FNMAZE(X,Y)
580 IF X>=0 AND X<=9 AND Y>=0 AND
Y<=9 =M%(X,Y)
     590 =15
600
600
610 DEFPROCCUBE(SIZE, LEFT, RIGHT)
620 S1%=SIZE:SZX=SIZE*2
630 IF (FNMAZE(X,Y) AND 64)<>0 GCD
LO, 2: MDVE=SZX, -SZX: DRAWS1%, -S1%: MOVE
SZX, -SZX: DRAW-S1%, -S1%: GCOL 0,3
640 MQVE-S1%, -S1%
650 IF LEFT MOVE-S2%, -S2%: DRAW-S1%
,-S1%
460 DRAW-S1% S1%
     660 DRAW-S1%, S1%
670 IF LEFT MOVE-S2%, S2%: DRAW-S1%, S1%
     680 MDVES1%, -S1%
690 IF RIGHT MDVES2%, -S2%: DRAWS1%,
  -51%
     700 DRAWS1%,S1%
710 IF RIGHT MOVES2%,S2%:DRAWS1%,S
 1%
      720 ENDPROC
720 ENDPROC
730 DEF PROCLEFT(SIZE)
740 IF (FNMAZE(X+XDX(LDIR),Y+YDX(L
DIR)) AND 32)<>0 PROCSIDEGATE("L",S)
750 S1X=S1ZE:S2X=S1ZE*2:S3X=S1ZE/5
760 IF (FNMAZE(X+XDX(LDIR),Y+YDX(L
DIR)) AND DR)<>0 MOVE-S2X,-S1X:DRAW-S1X,-S1X:MOVE-S2X,S1X:DRAW-S1X,S1X:E
 NDPROC
770 IF (FNMAZE(X,Y) AND DR)<>0 OR
   (FNMAZE (X+XD% (LDIR) +XD% (DIR), Y+YD% (L
 DIR)+YD%(DIR)) AND RD)=0 ENDPROC
780 MOVE-S1%-S3%,S1%:MOVE-S1%,S1%:
 PLOT85, -S1%, -S1%: MOVE-S1%-S3%, -S1%: P
LOT85, -S1%-S3%, S1%
 LOT85, -S1%-S3%, S1%
790 ENDPROC
800 DEF PROCRIGHT(SIZE)
800 DEF PROCRIGHT(SIZE)
810 $1X=$1ZE:$2X=$1ZE*2:$3X=$1ZE/5
820 IF (FNMAZE(X*XDX(RDIR),Y*YDX(R
DIR)) AND $2)<>> PROCSIDEBATE("R",S)
830 IF (FNMAZE(X*XDX(RDIR),Y*YDX(R
DIR)) AND DR)<>> MOVES2X,-$1X:DRAWS1
X,-$1X:MOVES2X,$1X:DRAWS1X,$1X:ENDPR
DC
                         (listing continued on page 155)
```

As from August there could be a **NEW** magazine in your life ...

- Micro Business is designed to bridge the gap between those who are producing microcomputer hardware and software and those who are selling it.
- Micro Business is the magazine which makes sense of the micro scene, identifying the pitfalls and explaining the complexities of the microcomputer jungle.
- Micro Business is produced by the publishers of Practical Computing; Your Computer; Systems International; Computer Weekly; Electrical & Radio Trading and Electrical & Electronic Trader — Britain's leading journals in the computer and electrical retail markets.



That all adds up to an effective marketing and sales aid for companies producing microcomputer hardware and software. And an important source of market information for those at the sharp end — the retailers and dealers who are selling direct to the general public. If you fall into either of these categories please complete the coupon and return it to us, to obtain Micro Business free of charge.



To: Chris Hipwell,	Publishing Director,	Micro Business,	Room 309H,	Business Press	International Ltd.
Quadrant Hou	se. The Quadrant, Si	itton Surrey			

I am professionally involved in the production and/or sale of microcomputer hardware and/or software products.

Please tick appropriate box(es)

- Please send me a reader application card so that I can register for free copies of Micro Business.
- ☐ Please send me your advertisement brochure as I am interested in advertising in Micro Business.

Name	I IV			
(all Tiels				
Job Title				_

Company Address_____

PC

(continued from page 153)

and run as though from cassette with the full memory available - f1 is available in case I modify the program and then want to Save it to disc. On some programs this works fine, but on others, maze included, the resulting program in memory becomes corrupted on Running.

Consequently there is no option but to Chain such programs in from tape every time, setting Page equal to &E00 beforehand, which works albeit tediously. Any ideas on why or the correct approach will be gratefully received.

Orbit

A brave attempt by Michael Griffin to duplicate the programs of Nasa on a micro results in a game which is great fun to play. Orbit is set up to emulate the docking operation with a station in a decaying circular orbit around the sun.

To be in a decaying orbit involves a loss of energy from the craft. The loss can be very slow, as in tidal drag, or more rapid through hitting the increasingly less tenuous atmosphere. Ignoring tidal forces as minimal in this case, the station must be horrifyingly close to the surface of the sun

for friction to be slowing it up. At any acceptable distance the station just revolves in identical orbits without decay.

Another unusual feature arises from the orbits being circular. Before Kepler, the whole of astronomy was based on circles, and very complicated it became too. Kepler's great simplification was to say that for a given average orbit radius the circle is but one possibility out of an infinite number of elliptical orbits, and as such a special case.

Using the generalised elliptical orbit it (continued on next page)

(listing continued from page 153)

840 IF (FNMAZE(X,Y) AND DR)<>0 DR (FNMAZE(X+XDX(RDIR)+XDX(DIR),Y+YDX(R DIR)+YDX(DIR)) AND LD)=0 ENDPROC 850 MOVES1X+S3X,S1X:MOVES1X,S1X:PL

DT85, S1%, -S1%: MOVES1%+S3%, -S1%: PLOT8

5, 51%+53%, 51%

860 ENDPROC 870 DEF PROCENDWALL (SIZE)

880 S1%=S1ZE 890 IF X=OUT% AND Y=10 GCOLO,1:MOV E-S1%,-S1%:MOVES1%,-S1%:PLOTBS,-S1%, S1%:MOVES1%,S1%:PLOTBS,S1%,-S1%:GCOL

900 MOVE-S1%, -S1%: DRAWS1%, -S 910 MOVE-S1%, S1%: DRAWS1%, S1% 920 ENDPROC

930 940 950 Maze creation subroutine

960 DEF PROCMAKE:TIME=0 970 FORX%=0T09:FORY%=0T09:M%(X%,Y%)=15:NEXT:NEXT

980 X%=RND(8):Y%=RND(3):SX%=X%:SY%

990 T%=0: REPEAT: REPEATCY=0: REPEATS EPEATCX=CX+1:DX=(DX+RND(4))MOD4:NXX= XX+XDX(DX):NYX=YX+YDX(DX):UNTIL(NXX<

99 AND NXX>=0 AND NYX>=9 AND NYX>=0)
:UNTILMX(NXX,NYX)=15 OR CX>5
1000 IF CX<6 MX(XX,YX)=MX(XX,YX)
AND NOT(20DX):XX=NXX:YX=NYX:MX(XX,YX)
=MX(XX,YX) AND NOT(20^(DX+2)MOD4)):
TX=TX+1

1010

UNTILC%>5 REPEATX%=RND(8):Y%=RND(8):UN 1020 REPEATX%=RND(B):Y%=RND(B):UN TILM%(X%,Y%)<>15:UNTILT%>=95 OR TIME >4000

1030 DUT%=RND(8):L%=9:M%(BUT%,L%)=M X(OUTX,LX) AND NOT4:REPEATMX=MX(OUTX, ,LX-1):MX(OUTX,LX)=MX(OUTX,LX)AND NO T 1:LX=LX-1:MX(OUTX,LX)=MX(OUTX,LX)A ND NOT 4: UNTILM% > 15

1040 FORAX=OTOMBXMOD20: XX=RND(8): YX =RND(8): MX(XX, YX)=MX(XX, YX) OR 16: NE

1050 PROCCAGES (4,5X%,SY%) 1060 PRINTTAB(0,30) "Press any key to continue": A=GET 1070 PROCMAP(SX%,SY%) 1080 ENDPROC

1090 1100 User move subroutine

1110

1120 DEF PROCMOVE 1130 *FX15

1130 *FX15 1140 REPEATA*=INKEY*(0):PRINTTAB(35 ,0);120-(TIME DIV100)" " 1150 IF FNMAZE(X%,Y%) AND 32 SOUN

DRND(3),2,0,20 UNTILTIME>12000 DR A\$<>"": IF

TIME>12000 PROCTIMOUT

1170 IFA\$="1" PROCFORWARD

1180 IFA\$="K" D=D+1:IF D>3 D=D-4

1190 IFA\$="B" PROCBLAST:PROCCAGES(1, XX, YX)

XX, YX)
1200 IFA\$="J" D=D-1:IF D<0 D=D+4
1210 IFA\$="M" D=(D+2) MOD4
1220 IFA\$="H" PROCMAP(XX, YX)
1230 IFA\$="C" MX(XX, YX) =MX(XX, YX) 0

1240 ENDPROC

1250 DEF PROCFORWARD

1250 DEF PROCFORWARD
1260 IF FNMAZE(XX,YX) AND 2^D PRINT
"You hit the wall!!":SOUNDO, -15,6,10
:FDRAX=OTO5000:NEXT:ENDPROC
1270 IF FNMAZE(XX,YX) AND 32 PRINT"
HA Ha.. You are trapped.":EFLX=TRUE:
ENDPROC

1280 X%=X%+XD%(D):Y%=Y%+YD%(D):IF X Z=OUT% AND Y%=10 PROCESCAPE 1290 IF (FNMAZE(X%, Y%) AND 16)<>0 SD

```
UND1,1,100,20:SGUND2,1,100,20:SGUND3,1,100,20:M%(X%,Y%)=M%(X%,Y%) AND NO T 16:G%=G%+1:IFG%MGD2=1 BL%=BL%+1
  1300 ENDPROC
```

Map drawing routine 1320

1330 340 DEF PROCMAP(X,Y):LOCALXX,YX,AX

. B% 1350 CLS:PRINT"Here is a map:":S%=-32:FORAX=OTO9:FORB%=OTO9

1360 XX=AX*+64-320:YX=BX*+64+32B 1370 IFMX(AX,BX) AND 1 MOVEXX-S X,YX-SX:DRAMXX+SX,YX-SX 1380 IFMX(AX,BX) AND 2 MOVEXX-S X,YX-SX:DRAMXX-SX,YX+SX 1390 IFMX(AX,BX) AND 4 MOVEXX+S

1390 IFMX(AX,BX) AND 4 MUVEXX+5 X,YX+SX:DRAMXX-SX,YX+SX 1400 IFMX(AX,BX) AND 8 MOVEXX+S X,YX+SX:DRAMXX+SX,YX-SX 1410 IFAX=X AND BX=Y VDU5:MOVEX X-16,YX+16:PRINT"*":VDU4: 1&FE00=&102 70A

70A
1420 IFMX (AX, BX) AND 64 GCOLO, 2
:MOVEXX-SX, YX-SX: DRAWXX+SX, YX+SX: MOV
EXX+SX, YX-SX: DRAWXX-SX, YX+SX: GCOLO, 3
1430 IFMX (AX, BX) AND 16 S2X-SX
DIV 4:GCOLO, 2:MOVEXX-S2X, YX-S2X: MOVE X%+S2%, Y%-S2%: PLOT85, X%+S2%, Y%+S2%: M OVEX%-S2%, Y%+S2%: PLOT85, X%-S2%, Y%-S2 %: GCOLO, 3

1440 IFMX(AX,BX) AND 32 GCOLO,1
:S2X=SX*.8:MOVEXX-S2X,YX-S2X:DRAWXX+
S2X,YX-S2X:DRAWXX+S2X,YX+S2X:DRAWXXS2X,YX+S2X:DRAWXX+S2X,YX-S2X:GCOLO,3
1450 #FX15
1460 NEXT:NEXT:PRINTTAB(0,30)"P

MEXI:NEXT:PRINTTAB(0,30)"P
ress any key to continue.":A=GET:END
PROC

1480 Game ends

1470

1490 1500 DEF PROCESCAPE:T=TIME DIV100 1510 CLS:SOUNDO,-15,7,50:FORB%=0T03:FORA%=0T0255STEP5:SOUND1,0,4%,0:NEX

1520 PRINT"Well done! You have esca ped from the""maze." 1530 PRINT"You got out in ";T;" sec onds,"'" with ";G%;" gold bars." 1540 *FX15

1550 *FX12 6 1560 *FX11 30 1570 *FX4 1580 IF T<ST% OR G%>MB% INPUT' "Plea

1580 IF T<STX OR GX>MBX INPUT'"Plea see enter your name "N\$ 1590 IF T<STX ST\$=N\$:STX=T 1600 IF GX>MBX MB\$=N\$:MBX=GX 1610 PRINT''"Most bars by "MB\$" ("; 18X;" bars)"'?"Shortest time by "ST\$ '(";STX;" seconds)" 1620 EFLX=TRUE:ENDPROC 1630 DEFEROCTIMULTIC SEEDBSY=ATD15S MB%; '

1630 DEFPROCTIMOUT: CLS: FORSX=6T015S

1630 DEFPROCTIMOUT:CLS:FORS%=6T015S TEP3:FORA%=255T00STEP-S%
1640 SOUND1,-15,A%,1
1650 SOUND2,-15,A%,1:NEXT:NEXT:
PRINT"YOU ran out of time."
1670 EFL%=TRUE:ENDPROC
1680 DEF PROCINSTS
1690 CLS:PRINT"*** 3D Maze (C) Andy
Armstrong 1982 ***"
1700 PRINTSTRING\$(39,"_")'''You are
stuck in a maze, the exit of"'"whic

stuck in a maze, the exit of"? which is a red panel in the wall."?" You have two minutes to find this and" "escape."?" Your controls are:"TAB("escape."'' Your controls are: "TAB(20,10) "I"TAB(19,11) "J K"TAB(20,12) "M

1710 PRINT''"H(elp : Look at map."'
"B(last: Blast a wall (3 shots only)
."'"C(ross: Mark cell with a cross."

1720 PRINT' "GOOD LUCK"

1730 ENDPROC 1740

1750 Special effects

1760 1770 DEF PROCEGULD BAR(SIZE):GCOLO,2

1780 IF SIZE<10 ENDPROC 1790 S1%=SIZE*1.7:H%=SIZE/5:D%=SIZE /10:W%=SIZE/2:BW%=SIZE/2.2

1800 MOVE-W%, -S1%: MOVE-W%, -S1%+H%: P LOT85, W%, -S1%+H%

1810 MOVEWX, -51%:PLDT85, -WX, -51% 1820 MOVE-W%, -51%:HX:MOVEW%, -51%:HX :PLDT85, BW%, -51%:HX:D%

1830 MOVE-BW%, -S1%+H%+D%: PLOT85, -W%

1840 GCOLO. O: MOVE-WX. -S1X+HX: DRAWWX -S1%+H%

1850 GCOLO,3:ENDPROC 1860 DEF PROCBLAST 1870 IF (XX=9 AND D=1)OR(XX=0 AND D =3) OR (Y%=0 AND D=0) OR (Y%=9 AND D=2)

ENDPROC 1880 BL%=BL%-1:IFBL%<0ENDPRDC 1890 SDUNDO,-15,7,5:FORA%=255T0160S TEP-1:SDUND1,0,6%,0:NEXT 1900 M%(X%,Y%)=M%(X%,Y%) AND NDT (2

^D)

^D)
1910 M%(X%+XD%(D),Y%+YD%(D))=M%(X%+
XD%(D),Y%+YD%(D)) AND NOT ((2^((D+2)
MOD4))0R32)
1920 ENDPROC

1930 DEF PROCGATE(SIZE):LOCALXX 1940 S1%=SIZE*2 1950 GCGLO,1 1960 FORX%=-S1%: TO S1% STEP SIZE/2. 2:MOVEX%,Y%=S1%:DRAWXX,Y%+S1%:MOVEY% -S1%,X%:DRAWYX+S1%,X%:NEXT

-S1%, XX:DRAMYX+S1%, XX:NEXT
1970 GCOLO, 3:ENDPROC
1980 DEF PROCCAGES(N, UX, UY)
1990 LOCALX%, YX, AX
2000 FORAX=1TON:REPEATXX=RND(B):YX=
RND(B):UNTILXX<>UX OR YX<>UY:MX(XX, YX)
PMX(XX, YX) OR 32:NEXT:ENDPROC
2010 DEF PROCSIDEGATE (SIDE*, SIZE)
2020 IF S<10 ENDPROC
2030 LOCALSTX, S1%, STX, GRX
2040 GCOLO, 1

2040 GCOLO,1 2050 IFSIDE\$="L" ST%=-1 ELSE ST%=1

2060 S1%=SIZE*2*ST%: S2%=SIZE*ST% 2070 FORGR%=S1%TOS2%STEPSGN(S2%-S1% *(SIZE/8.8): MOVEGR%, -GR%: DRAWGR%, GR %: NEXT 2080 FORGR%=S1%TO-S1%STEP SGN(-S1%)

*(SIZE/2.2)
2090 MOVES1%, GR%: DRAWS2%, GR% DIV
2: NEXT: GCOLO, 3: ENDPROC

Relocation routine.

>WIDTH36 >LISTO1 >REM TO SHIFT DOS-LOADED PROGS >REM TO CASSETTE-BASED ~EOO >REM WHEN THEY WON? T OTHERWISE

>REM FIT INTO MEMORY >LOAD"SHIFT"

10 *KEY O FORAX=%1900TOTOP STEP4: !(AX-%BOO)=!(AX):NEXTAX:PAGE=%E00:MO

15 *KEY 1 FORA%=TOP TO &EOOSTEP-4
:!(AX+&BOO)=!(AX):NEXTAX:PAGE=&1900; MOLD IM

(continued from previous page)

became possible to describe the solar system as a simple series of elliptical orbits about the central sun, complicated only by moons and the interaction between planets themselves. The process of reorienting astronomy was completed by Newton when he gave the subject a mathematical basis which enabled predictions to be made.

Now, anyone who has a shot at incorporating that lot has my sympathy, though I should be fascinated to see the result. I doubt, however, whether the lack of agreement between Orbit and Nasa's version of reality makes it any less exciting to play.

Seaspray

A program from C Galbraith of

program, incorporating areas of machine code. The missing code is embodied in the sound-generating hardware, with its own microprogram. If you cannot accept the limitations which allow this program to be written there is nothing to stop you from going back to square one and programming from scratch.

Line 80 is misleading in that it does not mean what it might appear to;

65 or 70

has a single value to Basic of 71, being an Oring of the bits in the two binary numbers 100001 and 100111. Hence only one time in 98 will be selected, not two.

Saucy

This program from Jennie Page of Lathom near Ormskirk generates a graphics screen on which a sauce bottle is seen to fill with sauce. A message then appears, and on pressing a key or after a set pause the bottle suddenly empties and the cycle recommences. The listing demonstrates the use of Colour, GCol, Move and Draw in several variations and provides a useful introduction from which beginners may benefit.

Seaspray. 10 ENVELOPE1,3,0,-2,-1,2,2,30,50, -12,-2,126,126 20 REPEAT 30 D=RND(3)+3 40 FORC=1T028 50 READB 60 FORA=1TO4 70 SOUNDO,-B,D,1 80 IFRND(98)=(65 OR 71)THENSOUND1 ,200,7 90 NEXT 100 NEXT 110 RESTORE 120 UNTIL FALSE 130 DATA1,1,1,2,2,3,5,8,15,15,15,1 ,13,12,11,10,9,8,7,6,5,4,3,2,1,1,1,

```
310 PROCMOVE
  320 PROCSMOVE
  330 MOVE XX+640, YX+512: PRINTCHR$ (2
45)
  340 MOVE SXX+640, SYX+512: PRINTCHR$
  350 GOTO210
  360 END
  370 DEFPROCCIRCLE(X,Y,R)
  380 LOCAL XI,YI
390 FOR XI=X-R TO X+R STEP 4
400 YI=SQR(R*R-(X-XI)^2)
  410 MOVE XI,Y-YI
420 DRAW XI,Y+YI
430 NEXT
  440 ENDPROC
450 DEFFNDIST(Z%)=SQR(X%^2+Y%^2)
  460 DEFFNSDIST(SZ%)=SQR(SX%^2+SY%^
2)
  53U DEFPROCMOVE
  540 A$=INKEY$(0)
550 *FX15,0
560 IF A$="W" THEN Z%=Z%+10:SOUNDO
  10,4,1
570 IF A$="X" THEN Z%=Z%-10:SOUNDO
  -10,4,1
580 X%=SIN(0)*Z%
  590 Y%=COS(O) *Z%
  600 IF 0=180 THEN 0=0
610 0=0+((648000)/(2*PI*Z%)^2)
  620 ENDPROC
  630 DEFPROCSMOVE
  650 SY%=COS(P)*S7%
  660 IF P=180 THEN P=0
670 P=P+((648000)/(2*PI*SZ%)^2)
  680 ENDPROC
```

```
Saucv.
    10 REM *
20 REM *
30 REM *
40 MODE 1
                        Saucy
by J Page
(c) 1983
     50 COLOUR 131
     60 CLS
70 COLOUR 0
     80 GCOL 0,0
90 MOVE 500,100
   100 DRAW 400,100
110 DRAW 400,400
120 DRAW 500,700
   130 DRAW 500,800
140 DRAW 600,800
   150 DRAW 600,700
160 DRAW 700,400
170 DRAW 700,100
   180 DRAW 500,100
   180 DRAW 500,100
190 GCOL 0,1
200 FOR X=404 TO 698
210 MOVE X,104
220 DRAW X,400
230 NEXT X
   240 Y=700
250 X=504
   260 REPEAT
   270 MOVE X,Y-400
280 DRAW X,Y
   290 X=X+1
300 UNTIL X=600
   305 X=405
310 GCOL 0,1
   320 Y=395
330 Z=401
   340 REPEAT
   350 MOVE X,Y
360 DRAW X,Z
   370 X=X+1
380 Z=Z+3
   390 UNTIL Z>695
   400 X=X+96
   410 Z=Z-5
   420 REPEAT
   430 MOVE X,Z
440 DRAW X,Y
450 X=X+1
   460 Z=Z-3
470 UNTIL X>695
   480 GCOL 0,3
490 X=450
   500 REPEAT
510 MOVE X,150
520 DRAW X,350
   530 X=X+1
   540 UNTIL X>650
   550 GCOL
                  0,3
   560 X=500
570 Y=350
   580 REPEAT
590 MOVE X,Y
   600 DRAW X,Y+50
   610 X=X+1
   620 UNTIL X=600
   630 X=475
   650 Z=400
   660 REPEAT
   670 MOVE X,Y
680 DRAW X,Z
   690 X=X+1
700 Y=Y-1
   710 V1-1-1
710 UNTIL Y=350
720 X=625
730 Y=375
740 REPEAT
   750 MOVE X,Y
760 DRAW X,Z
770 X=X-1
   780 Y=Y-1
790 UNTIL Y=350
   800 GCOL 0,0
810 VDU 5
   820 MOVE 475,335
830 PRINT"HEINZ"
   840 MOVE 100,900
850 PRINT"Are you feeling saucy to
   860 VDU 4
   870 AS=INKEYS(1000)
  880 CLS
890 REM *** Add line 900 to keep r
  peating the program ***
900 GOTO 70
```

Orbit.

Kilmarnock shows the effect of the whitenoise generator. He suggests it might remind you of breakers in a cove. The listing demonstrates the extent to which the Sound and Envelope commands in BBC Basic allow an exact specification to be made of what, in previous levels of Basic, would have taken a lot more

```
> TREM ORBIT
20 VDU&81:PRINT"ORBIT-INSTRUCTION
      10 MODE7
      30 VDU&82:PRINT"YOU MUST DOCK WIT
THE SHARES PRINT TOO MUST BUCK WITH
THE SHARES TATION": VDU&82:PRINT"IN
THE SHORTEST POSSIBLE TIME"

40 VDU&83:PRINT"W MOVES YOUR ORBI
T OUTWARDS"
50 VDU&84:PRINT"X MOVES YOUR ORBI
T INWARDS"'''
60 VDU&86:PRINT"PRESS ANY KEY TO
START"
       70 AS=GETS
      80 MODE1
90 0=0:P=RND(18U)
90 0=0:P=RND(18U)

100 VDU23,224,32+16+8+4,16+8,255-6

5,255,255,255-65,16+8,32+16+8+4

110 VDU23,245,8+16,4+8+16+32,255-1

29,255,255,255,255-129,255-68

120 VDU19,3,1,0,0

130 GCOL1,2

140 FOR AX=1TO100
     150 PLOT 69, RND (1280), RND (1024)
     160 NEXT
     170 PROCCIRCLE(640,512,50)
     180 TIME=0
     190 XX=640-RND(1280):YX=512-RND(10
24)
     200 SXX=640-RND(1280):SYX=512-RND(
1024)
    210 Z%=FNDIST(Z%)
210 ZX=FNDIST(ZX)
220 SZX=FNSDIST(SZX)
230 IF SZX<50 THEN MODE4:PRINT"YOU
LOST, THE SATELLITE FELL INTO THE S
UN":REPEAT:UNTIL INKEY(-99):RUN
240 IF ZX<70 THEN SOUNDO,-15,5,50:
MODE4:PRINT"YOU LOSE,YOUR SHIP FELL
INTO THE SUN":REPEAT:UNTIL INKEY(-99)
     250 IF (XX-SXX<5 AND YX-SYX<5)AND(
250 IF (XX-SXX-5 AND YX-SYX-5)AND(
SXX-XX-5 AND SYX-YX-5) THEN MODE4:PR
INT'WELL DONE,YOU RESCUED THE SATELL
ITE WITH A TIME OF ";TIME/100:REPEAT
:UNTIL INKEY(-99):RUN
260 VDU5
270 GCOL2,2
280 MOVE XX+640,YX+512:PRINTCHR$(2
     290 MOVE SXX+640, SYX+512: PRINTCHR$
 (224)
     300 GCOL1,1
```

YANDSIM

Copy II Plus is a versatile software back-up system, capable of backing up all visis, as well as most other protected software.

Its fast — only 45 seconds for Fast Copy, less than three minutes for Bit Copy.

Its simple — menu driven for ease of use with full instructions on backing up dozens of popular programs.

Its comprehensive — it includes all the file handling and DOS utilities you will ever need.

Its priced right — at around half the cost of similar competing products.

Copy II Plus - only £35 + V.A.T.

Send cash with order, or quote your Access or Diners card number to: Orchard Software, 17, Wigmore Street, London W.1. Telephone 01-580-5816. Dealer enquiries welcome.


Circle No. 171

COPY II PLUS

FLOPPY DISC DRIVES

★ Superbrain ★ Apple ★ Dragon ★ BBC Micro ★ Acorn ★ Atom ★ Video Genie ★ TRS 80 ★ S 100 ★ * Cromemco * Nascom * Torch *

The Tandon professional range of 5%" and 8" disc drives complete with cabinet and power supply, plus support and backup from Europe's largest distributor of disc technology.



5%" Drives				
	Single Dri	ve	Dual Driv	e
	Capacity	£	Capacity	£
SS SD	250Kb	165	500Kb	309
DS SD	500Kb	214	1000Kb	407
SS DD	500КЬ	210	1000КЬ	400
DS DD	1000Kb	267	2000КЬ	512
8" Drives				
SS DD	800Kb	570	1600Kb	870
DS DD	1600Kb	658	3200Kb	1048

SO MUCH SPACE, WE'RE OUT OF THIS WORLD

HAL Computers Limited Invincible Road, Farnborough Hampshire, GU14 7QU Telephone (0252) 517171, Telex 858404 Order by phone or by post with Access.



COMPUTERS LIMITED



EPSON HX-20

Morse code

IF YOU THOUGHT that Morse code went out with the *Boy's Own Paper* you may be right. Yet it lives on in several demonstration routines for micros — and now M J Bates of Chelmsford, Essex has written one for the Epson portable.

Now you can send Morse messages while you are in the bath.

```
Morse code.
10 REM TAPCNT=328
20 CLS
30 DIM A(26)
40 FOR I=1 TO 26
50 READ A(I)
60 NEXT I
70 INPUT; C$
80 IF C$="" THEN STOP
90 J=1
100 A$=MID$(C$,J,1)
110 IF A$="" THEN GOTO 7
120 IF A$=" " THEN GOTO
280
130 A=ASC(A$)
140 A=A-64
150 A=A(A)
160 A$=STR$(A)
170 B$=LEFT$(A$,2)
180 FOR I=2 TO 5
190 B$=MID$(A$,I,1)
200 IF B$="2" THEN SOUND
 25,1
210 IF B$="1" THEN SOUND
 25,3
220 IF B$="" THEN GOTO 2
50
230 SOUND 0,1
240 NEXT I
250 SOUND 0,2
260 J=J+1
270 GOTO 100
280 SOUND 0,5
290 GOTO 260
300 DATA 21,1222,1212,12
2, 2, 2212, 112, 2222, 22, 211
,121,2122,11,12,111,2112
,1121,212,222,1,221,2221
,211,1221,1211,1122
```

SHARP MZ-80K

Road Runner

WE ARE regular readers of *Practical Computing* but have found few programs for the Sharp MZ-80K. So write John Bethell and Charles Henderson of Edinburgh, who remedied the situation by writing one.

Road Runner is an original game written in disc Basic. it will run on any Sharp MZ-80K and uses about 8K of memory. It could be converted for other computers.

The object is to steer your road runner along an endless track, avoiding deadly

snakes basking on the road. If you leave the track you die instantly. Fuller instructions are included in the game.

Lines 1-20. Title, ask if you want instructions.

Lines 20-36. Display instructions

Lines 37. A\$ is part of the road; C is the distance of the road from the left-hand side; F is the screen location of the road runner; J is the display code for the road runner

Lines 38-55. Display a comical picture of a road runner

Lines 56-94. Main routine

Line 59. Sets timer at 0

Lines 98-119. Display score


Lines 120-124. Display random snake and house

```
Road Runner.
         REM**** ROAD I
                                                                           RUNNER ****
S CLR
9 DC=0
10 FRINT"E"
11 FORX=0T079: SETX, 0: SETX, 49: NEXTX
12 FORY=0T049: SET0, Y: SET79, Y: NEXTY
13 CURSOR7, 12
14 PRINT"DO YOU WISH INSTRUCTIONS"
15 PRINT"BEBOBBBBBBBBBBBBBBBC (Y/N)"
16 TEMPO6
17 MUSIC""D5B7R0B5"C"D"B7R0"B7"G"
18 GETAS$
19 IFAS$="Y"THEN23
20 IFAS$="Y"THEN23
21 GOTO18
22 REM****INSTRUCTIONS****
          CLR
           REM***INSTRUCTIONS***
PRINT"**BDBBINSTRUCTIONS"
PRINT"*BDBBINSTRUCTIONS"
PRINT"*BDBBINSTRUCTIONS"
PRINT"*BDBBINSTRUCTIONS"
PRINT"*BDBBINSTRUCTIONS"
PRINT"*BDBBINSTO MOUE YOURSELF (";CHR$(99);") USE :"
CURSOR7.9
PRINT"*BURNT**COUNTER BEING CHASED BY
PRINT"*BURNT**COUNTER A ROOD-RUNNER BEING CHASED BY
PRINT
PRINT
PRINT
PRINT
PRINT
PRINT
PRINT
PRINT
PRINT
"HIM, SO THIS IS THE LEAST OF YOUR "
PRINT:PRINT
PROBLEMS. YOU HAVE TO STAY ON THE TRACK"
PRINT:PRINT
PROBLEMS. YOU HAVE TO STAY ON THE TRACK"
PRINT:PRINT
PROBLEMS. YOU HAVE TO STAY ON THE TRACK"
PRINT:PRINT
PROBLEMS. SHAKES(";CHR$(165);"), OR YOU WILL CRASH."
GETET$: IFET$=""THEN36
               PRINT"
PRINT"
PRINT"
PRINT"
PRINT"
PRINT"
PRINT"
                                                                                                              1221
                PRINT'
              PRINT"
PRINT"
TEMPOS
FORWE=1T0100:NEXTWE:MUSIC"BIR0B1"
GETHA*:IFHA*=""THEN55
 55 GETHA$:IFHA$=""THEN55
56 PRINT"6"
7 REM***MAIN ROUTINE***
58 FORO=11030:PRINTTAB(C):A$:NEXTO
59 TI$="000000"
60 B=INT(3*RND(1)+1)
61 L=INT(20*RND(1)+1)
62 IFB=11HENC=C-1
63 IFC=1THENGOTO87
64 IFC=2THENGOTO87
65 IFB=1THENGTO88
65 IFB=2THENC=C+1
67 IFC=3ZTHENGOTO90
68 IFC=3ITHENGOTO90
69 IFB=2THENGTO90
                 IFC=31THENGOTO99
IFB=2THENG#="%".
IFB=3THENG#=" NO POKEF.]
GETR$
IFR$="Z"THENGOSUB91
IFR$="C"THENGOSUB92
IFR$="M"THENGOSUB92
                  IFR#="D"THENGOSUB94
IFL=10THENGOSUB94
IFL=10THENGOTO 120
IFL=14THENGOSUB121
IFL=7THENGOSUB123
                    PRINTTAB(C):A$
                                                                                                                                                                                                                                                                                                        (continued on page 160)
```

Everything for the Acorn and BBC microcomputer user.

Cupard International Hotel

Hammersmith. 25-28 August 1983



The new Electron, the second processors for the BBC micro, the BBC Buggy, all the new software and hardware will be on show. There'll be competitions, prizes, Acorn experts to answer your technical questions, demonstrations and lots and lots of bargains.

If you are an Acorn owner, or just thinking about being one, you can't afford

Opening hours: August 25th-27th,

Admission charges: Adults £2 per ticket, Children £1 per ticket.

We have arranged for nearly every exhibitor to redeem the cost of your ticket when you buy something from their stand.

Group rates: 10% discount for parties of 10 or more.

Buses: Frequent services from central London.

Tubes: Hammersmith Broadway -Metropolitan, District and Piccadilly lines.

Car Parking: Several car parks in the immediate area.

For details of exhibition stands and advance ticket sales contact Computer Marketplace Ltd, 20 Orange Street,

London WC2H 7ED. Tel: 01-930 1612.

到为一	DVANCE BOOKING	G COUPON Miss the queue – buy	your tickets in advance
设置	Computer Marketpl	ace Ltd, 20 Orange Street, Lo	ndon WC2H 7ED.
	➤ Please send	Adult tickets at £2	Childrens tickets at £1
- I	enclose a cheque/po	ostal order value £ payable	to Computer Marketplace Ltd.
Name_		of refined the standard of	my data sentos or 0.1
Address	2 12 24 1 12 12 12	ASSESSED TO THE PARTY AND ADDRESS OF THE PARTY	
	The state of the s		PC8/83


Circle No. 188

APPLE II & IIe COMPATIBLE DRIVES

The quality of a drive from Tandon the experience, technical support and manufacturing skill of HAL Computers combine to give the best in Apple II compatible packaged drives, Single and dual units with capacities up to 3.2 Mb, full one year warranty, fully plug compatible with Apple II, and IIe.

8" FROM £931 TO £1426

Phone us now on 0252 517171 for full details.



SO MUCH SPACE, WE'RE OUT OF THIS WORLD

HAL Computers Limited Invincible Road, Farnborough Hampshire, GU14 7QU Telex 858404 Order by phone or by post with Access.



COMPUTERS LIMITED

LYNX

Recovering programs

CONTRARY to what the manual states, it is possible to recover Basic programs on the Lynx after typing New, writes Chris Cytera of Reading, Berkshire. All that is required is a machine-code program which removes a marker from the Basic text space and sets up a relevant pointer in the system RAM.

When you type New the computer inserts an End of Text marker right at the beginning of the Basic text space. The marker is the byte 80 hex, and replaces the exponent of the very first line number of the program present. A pointer at locations 61FC and 61FD, which points to the end of the program, is then reset to point to the beginning of the Basic text area. Fortunately, the contents of memory are not destroyed.

In order to recover the program that has been Newed, the first step is to replace the exponent of the first line number, removing the End of Text marker. As it is not possible to know the exponent value prior to when New was typed, a value of C0 is assumed, which multiplies the mantissa by 10° or 1. This means that the first line number may be altered.

As Basic normally starts at 694D, the statement

POKE &694D, &C0

will appear to recover Basic programs. Unfortunately this does not set up the pointer to the end of the program, which must be done if it is to be edited or if it uses arrays.

At this point the machine-code routine searches through the program for the old

R	eco	eri	ng p	oroç	gram	IS.	BUILD TO THE
63	43H	DD	2A	FA	61	LD	IX, (61FAH)
63	47H	DD	36	00	CØ	LD	(1X+00H), COH
63	4BH	06	00			LD	В,00Н
63	4DH	DD	7E	00		LD	A, (IX+00H)
63	50H	FE	80			CP	80H
63	52H	28	07			JR	₹,635BH
63	54H	DD	4E	05		ED	C,(IX+05H)
63	57H	DD	09			ADD	IX,BC
63	59H	18	F2			JR	634DH
63	5BH	DD	22	FC	61	LD	(61FCH), IX
63	5FH	C9				RET	

End of Text marker, which is still present. When it is found, its location is put into locations 61F and 61FD.

To type in the program, enter the monitor and use M6343. This address is actually within the cassette file name buffer. The machine code will be safe in this area, provided that file names are restricted to 51 characters in length.

When the hexadecimal code has been entered, go back to Basic and type in a program. Enter New to delete it. Now for the crunch: execute the machine code with Call &6343. The Basic program should be recovered, possibly with the first line number altered.

When you are satisfied that the machine code is working correctly, save it through the monitor with

D 6343 635F 6343 'OLD'

Old is the file name I have used for reasons of familiarity with two other well-known computers.

Whenever you lose a Basic program by typing New, or by resetting the Lynx it can be recovered by MLoad 'Old'. The Z-80 Reset pin is available on the socket labelled Interface. The machine code will execute automatically when it is loaded. If it is already in memory, then just Call &6343.

BASIC ROUTINE

Mouse maze

THIS MBASIC PROGRAM was inspired by the article on the direction-finding mouse by Roy Sayers in the October 1982 issue. It will run on any system that supports a 24 by 80 screen and an addressable cursor.

The program has three phases. First it builds a random maze of 20 columns by 10 rows. This is a "perfect" maze, in that there is only one shortest route, and both a left-hand wall follower and a right-hand wall follower will eventually reach the exit, having covered the whole maze between them. The program then solves the maze, using Roy Sayers' algorithm. Finally, the operator is invited to have a go at solving the maze. The operator has the same information as the mouse: the current square, the route followed so far and the position of the exit.

Two "bugs" remain in the algorithm. The mouse has no way of detecting that it has isolated a portion of the maze and need not investigate it. Assuming that the entry is at the top and the exit at the bottom, if the mouse enters the maze and eventually runs into the left wall then all turns to the left can now be eliminated. The exit must be to the right of and below the path. Adding this intelligence would make a significant contribution to the speed of the solution.

Secondly, the mouse will oscillate back and forth along a track that represents an equidistant path from the exit whenever there is unexplored territory at both ends of the path. As soon as all territory at one end of the path has been explored then the whole path will be closed off. Until this happens a considerable amount of time is wasted in back-tracking. Humans have an advantage in this situation, as they tend to explore a path to its end before backtracking, even if it appears to be leading away from the exit. Comments on both these failings are included in the description, so the hardy might like to attempt to improve the algorithm.

Line numbering is in steps of 10 so the Auto command can be used. Names have generally been kept to one letter to facilitate conversions to other Basics, but some special functions may have to be recoded. The code is fully compatible with the Microsoft Basic compiler.

Lines 1-90. Initialise. CHR\$(26) is the Clear Screen command. Line 50 is one way of generating the Randomise function

Lines 100-110. Select a starting square and draw it

Lines 120-220. Select a search direction for expanding the maze, and search for a frontier cell, -1

Lines 230-270. Search for any remaining frontier cells and 120 to 220 until none left Lines 280-330. Select entry and exit points and redraw appropriate cells

Lines 340-380. Copy the maze into the mouse's private array, then place him at the entry

Lines 390-420. Calculate the distances to

the exit of each cell adjacent to the current one

Lines 430-510. Any adjacent square that is not accessible from the current square gets a distance value of 99. The last square visited gets a distance value of 50, to discourage back-tracking

Lines 520-540. If there is only one exit from this cell set the V flag so it can be sealed off as a dead end

Lines 550-590. Select shortest path and pass the direction code to the update routine. This is the part to change if the simple shortest-straight-line algorithm is to be improved on

Lines 600-630. Check if you have escaped the maze

Lines 640-650. Delay a little then if you do not want to update the mouse's private array go back to select the next move. If you want to search the array for "encircled" cells which need not be examined by the mouse you would do so here.

Lines 660-680. Close off the entry into the path from which you just moved. The V flag indicates that it is a dead end. If you are working back along a corridor that has been fully explored then the whole corridor will be closed behind you until you reach a cell which has more than one choice

Lines 690-890. A subroutine used in maze building. Examine a random cell adjacent to the selected frontier cell; if it is a maze cell blow the wall away. Keep picking directions until you find one. The rule for setting up the maze and generating frontier cells means that it must be adjacent to a maze cell

Lines 900-980. Clear the screen, display instructions, display the mouse at the entry point and wait for input

Lines 990-1030. Accept commands. Move the mouse and display its cell until it exits

Lines 1040-1100. Display message and repeat or exit

Lines 1110-1200. Subroutine to create frontier cells around a maze cell.

Lines 1210-1330. Print the cell at maze position I, J. The routine uses the vertical bar, but a capital I works nearly as well

Lines 1340-1350. Print I\$ at screen row R and screen column S. This subroutine and CLS\$ should be the only machine-dependent parts of the code


Lines 1360-1550. Subroutine to display the move option, reposition the mouse and count the number of moves

Mouse maze. 780 A=A+1 790 IF A>4 THEN A=A-4 800 GOTO 700 810 B=A-2:IF B<1 THEN B=B+4 820 A(I,J)=16-2^(B-1) REM MAZE REM MAZE DEFINT A-Z:WIDTH 255 CLSS=CHR\$(26) PRINT CLS\$;"HIT ANY KEY TO START"; WHILE INKEYS="":I=RND:WEND DIM A(10,20),8(10,20),S(4) X=0:P=2:PRINT CLS\$;"Building the maze -"; FOR I=1 TO 10:FOR J=1 TO 20 A(1.1)=0.NFYT I.NFYT I 820 A(I,J)=10-2 (B-1) 830 GOSUB 1210 840 I1=I:J1=J 850 A(K,L)=A(K,L)-2^(A-1) 860 I=K:J=L:GOSUB 1210 870 I=I1:J=J1 90 A(I,J)=0:NEXT J:NEXT I 100 I=INT(RND*10)+1 110 A(I,I)=16:J=I:GOSUB 1110 120 A=SGN(RND*2-1) 880 GOSUB 1110 890 GOTO 120 900 R=23:S=30:I\$="Hit any Key when Ready " 910 GOSUB 1340 130 B=1:IF A>0 THEN B=10 140 C=INT(RND*10)+1 920 I\$=INPUT\$(1) 930 PRINT CLS\$;"U=up, D=down, L=left, R=right 940 R=20:S=Y*3+1:I\$="::":GOSUB 1340 140 C=INT(RND*10)+1 150 D=SGN(RND*2-1) 160 E=1:IF D>0 THEN E=20 170 F=INT(RND*20)+1 180 FOR I=C TO B STEP A 190 FOR J=F TO E STEP D 940 R=20:S=Y*3+1:I\$="::":GOSUB 1340 950 X=0:I=1:J=2 960 GOSUB 1210 970 R=I*2:S=J*3+1 980 I\$="##":GOSUB 1340 990 K\$=INPUT\$(1) 1000 IF INSTR("LRUDlrud",K\$)=0 GOTO 990 1010 IF ASC(K\$)>90 THEN K\$=CHR\$(ASC(K\$)-32) 1020 GOSUB 1360 1030 IF I<11 GOTO 960 1040 R=22:S=1:I\$="WELL DONE !. It took you"+STR\$(X)+" goes." 200 IF A(I,J)=-1 THEN 690 210 NEXT J 220 NEXT I 230 FOR I=1 TO 10 240 FOR J=1 TO 20 250 IF A(I,J)=-1 THEN 120 260 NEXT J 1040 R=22:S=1:15="WELL DONE !. It took you +5Tks(A)+ 1050 GOSUB 1340 1060 R=R+1:IS="Do you want to go again ? ":GOSUB 1340 1070 IS=INPUTS(1):IF IS="" THEN IS="Y" 1080 IF IS="Y" OTO 70 1090 IF IS<"N" AND IS<>"n" GOTO 1040 270 NEXT I 270 NEXT I 280 Y=INT(RND*20)+1 290 A(10,Y)=A(10,Y)-2 300 Z=INT(RND*20)+1 310 A(1,Z)=A(1,Z)-8 320 I=1:J=Z:GOSUB 1210 330 I=10:J=Y:GOSUB 1210 340 FOR I=1 TO 10:FOR J=1 TO 20 350 B(I,J)=A(I,J):NEXT J:NEXT I 360 I=1:J=Z 370 GOSUB 1210 380 R=I*2:S=J*3+1:IS="###":GOSUB 1090 IF IS<>"n" AND IS<>"n" GOTO 1100 SYSTEM 1110 K=I:L=J-1:GOSUB 1150 1120 L=J+1:GOSUB 1150 1130 L=J:K=I-1:GOSUB 1150 1140 K=I:L 1150 IF K<1 THEN RETURN 1160 IF K>10 THEN RETURN 1170 IF L<1 THEN RETURN 1180 IF L>20 THEN RETURN 1190 IF A(K,L)=0 THEN A(K,L)=-1 1200 RETURN 370 GOSUB 1210 380 R=I*2:S=J*3+1:I\$="##":GOSUB 1340 390 S(1)=10-I+ABS(Y-(J+1)) 400 S(2)=10-(I+I)+ABS(Y-J) 410 S(3)=10-I+ABS(Y-(J-1)) 420 S(3)=10-(I-I)+ABS(Y-J) 420 S(4)=10-(I-I)+ABS(Y-J) 430.IF I=1 THEN S(4)=99 440 N=B(I,J) 450 IF N/2=INT(N/2) THEN S(1)=99 460 IF N/2=INT(N/2) THEN S(1)=99 470 IF (N/4 AND N/9) OR N>12 THEN S(3)=99 480 IF N/2<INT(N/2) THEN N=N+1 490 IF N/4=INT(N/4) THEN S(2)=99 500 A=P-2:IF AK1 THEN A=A+4 510 IF S(A)<99 THEN S(A)=50 520 A=0:FOR K=1 TO 4:IF S(K)<99 THEN A=A+1 530 NEXT K 540 V=0:IF A=1 THEN V=50 550 C=99:FOR K=1 TO 4-560 IF S(K)<C THEN C=S(K):P=K 1200 RETURN N=A(I,J):R=I*2-1:S=J*3 I\$="| |":IF N>8 THEN I\$="|--| 1220 1220 I\$="| | ":IF N>8 THEN I\$="|--| 1230 GOSUB 1340 1240 R=R+1:I\$=" " 1250 IF N>12 THEN MID\$(I\$,1,1)="|" 1260 IF N<9 THEN IF N>4 THEN MID\$(I\$,1,1)="|" 1270 IF N/2=INT(N/2) THEN MID\$(I\$,4)="|" 1270 IF N/2=INT(N/2) THEN MIDS(IS,4 1280 GOSUB 1340 1290 R=R+1:IS="| |" 1300 IF N/2<>INT(N/2) THEN N=N+1 1310 IF N/4=INT(N/4) THEN IS="|--|" 1320 GOSUB 1340 1330 RETURN 1340 PRINT (1350 RETURN 560 IF S(K) < THEN C=S(K):P=K 570 NEXT K 580 KS=MIDS("RDLU",P,1) PRINT CHR\$ (27); "="; CHR\$ (R+32); CHR\$ (S+32); I\$; 1340 PRINT CHRS(2/);"=";CHRS(R+32);CHRS(1350 RETURN 1360 I\$=K\$:R=22:S=1:GOSUB 1340 1370 I\$="..":R=I*2:S=J*3+1:GOSUB 1340 1380 N=A(I,J) 1390 K=INSTR("RDLU",K\$) 1400 ON K GOTO 1410,1430,1460,1490 1410 IF N/2<>INT(N/2) THEN J=J+1 1420 GOTO 1500 1430 IF N/2<>INT(N/2) THEN N=N+1 1440 IF N/4<>INT(N/4) THEN I=I+1 1450 GOTO 1500 1460 IF N/9 THEN N=N+8 1470 IF N/13 THEN J=J-1 1480 GOTO 1500 1490 IF N/9 THEN I=I-1 1500 IF I(1 THEN I=I 1510 IF I>10 GOTO 1540 1520 IF J<1 THEN J=1 580 GSUB 1360 600 IF I<11 GOTO 640 610 R=22:S=1:I\$="It took me"+STR\$(X)+" goes. " 740 K=I+1:L=J 1520 IF J<1 THEN J=1 1530 IF J>20 THEN J=20 750 IF K>O AND K<11 AND L>O AND L<21 GOTO 770 760 GOTO 780 770 IF A(K,L)>0 GOTO 810 1550 RETURN



WE DISTRIBUTE HIGH QUALITY TO DEALERS OVER 1500 DEALERS BUY FROM PETE &

- NEW FROM:-



 the makers of the world famous GRAPPLER interface for the Apple.



The BUFFERED GRAPPLER+

All the features of GRAPPLER plus 16K of buffering—expandable to 64K. Your BUFFERED GRAPPLER can make your printer keep printing whilst you use your Apple to do other things £179.00



THE ORANGE INTERFACE

Has all the text features of the GRAPPLER-no graphics dumping facilty-a leader in parallel cards for only

£64.00

ALSO AVAILABLE:

The BUFFERBOARD-connect to your GRAPPLER, Epson interface or Apple parallel interface to provide instant buffering, 16K expandable to 32K

£109.00(16K)

The GRAPPLER-switch selectable for graphics dumping on Epson, NEC, Apple Dot Matrix, OKI, Anadex and Centronics printers. Sets the World standards for parallel interfaces!

£109.00

FLOPPY CAT

A program for The Apple II which reads directories of disks running under all common operating systems and stores the file names in a flexible retrieval system.

£29.95



WE'VE CUT THE PRICE OF EXCELLENCE

SATURN 128K AND 32K

MEMOR/EXPANSION BOARDS

have long been regarded as brand leaders. We've cut the price from £359 to £299 for 128K, and from £149 to £129 for 32K. Comes complete with utilities in Applesoft, C/PM and PASCAL, together with excellent documentation.

Get more memory for VisiCalc—use the 128K and 32K boards and VC Expand (£39). And, for more memory Plus 80 column display with an 80 col. board and VC Expand 80 (also works with Apple IIe) £49.00

COPY II PLUS for APPLE & COPYII PC for the IBM PC

An extremely sophisticated bit (or nibble) copy program to allow you to make back-up copies of your protected software.

Also includes:

Catalog, with file lengths, hidden characters, deleted files, Verify Disk-bad sector scan of disk, Verify Files-scan of individual files. Verify identical files-compares files on different disks, lets you know at what point they first differ.

Verify drive speed: track/sector map, Sector Editor.

COPY II PLUS £39 COPY II PC £39



TURNS AN ORDINARY EPSON MX PRINTER (80 or 100) INTO A MORE VERSATILE, HARDER-WORKING, PROBLEM SOLVING MATCH FOR YOUR COMPUTER

A plug-in module for your Epson MX Printer that puts 10 special print functions at your fingertips. Tap your printer's panel buttons to instantly select the functions you need. Hard switch selectable print functions compressed, emphasised, double, italics fine print and various combinations, complete with operating instructions, control panel reference lable and warranted for 1 full year.

£44.95

VersaForm

Business Form Processor

for

use with Apple & IBM PC
Versaform fills out your present
forms quickly, accurately and
prints on forms of your own
design. Versaform stores the
information alphabetically and
numerically giving you a database
that can track your business.

 Versaform for Apple II.
 £239

 for Apple III.
 £299

 for IBM PC.
 £295

Q-base

A new database package for Apple II and IBM PC-corrects many errors before they even happen.

£139

SUPER SUMMER CLEARANCE SALE BUY NOW WHILST STOCKS LAST

Adventure 4+5+6 17.95	Mystery House 10.95
Adventure 7+8+9 17.95	Ulysses & The Golden Fleece 11.95
Adventure 10+11+12 17.95	Wizard & Princess
Poker	Marauder
Smarterm	Cranston Manor
Supercale for ALS Z-Card 39.00	Threshold
Eurocolor Card	Mouskattack
Parallel Interface Apple IIe 69,00	The General Manager
Parallel Interface Apple He	
Universal Para Int Apple III 99.00	Frogger
Apple He 80 column card 49.00	Cannonball Blitz 12.95
Apple He 80 col card + 64K 99.00	Laffpak
Datstones of Ryn	Frogger IBM 19.95
Hellfire Warrior 19.95	Lunar Leeper
Star Warrior	Crossfire IBM
David's Midnight Magic 14.95	Transylvania
Red Alert	Multi-Disk Catalog III 10.95
Space Quarks	Back It Up
Galactic Trader 10.95	Phantoms Five
Galactic Revolution 10.95	Gamma Goblins
Dueling Digits	Sneakers
Labyrinth	Autobahn
Raster Blaster	Borg
Lower Case Adapter (Rev 7) 15.00	Space Eggs
County Fair	Copts and Robbers
County Pair	
Thief	Epoch
Swashbuckler	Hadron
Missing Ring	E-Z Draw
Pig Pen	Twerps
Space Strike for IBM 12.95	Computer Football 13.95
Terrorist	Jellyfish
Network	Fly Wars
Windfall	Cyclod
Elite 80 Col Card for Apple IIe 55.00	Audex (Sound Utility) 13.95
Russki Duck	Bandits
Phazer Fire	Minotaur
Zenith	The Blade of Balckpoole 13.95
Neptune	Call to Arms for IBM 13.95
Lazer Silk	Escape from Rungistan 13.95
High Orbit	Free Fall
Data Master 3.3	Type Attack
Job Control/Costing in Pascal	Smith Corona TP1 D/W Parallel 449.00
Transit (Utility) 19.00	Supercalc for IBM
Zork II For IBM 18.95	ACE (Applesoft Command Editor) 17.95
	Munch-a-Bug
Easyplanner for IBM 129.00	
Easywriter 40 column	Routine Machine
Easyther for IBM 199.00	AlO II Serial Paradel I/F
Juggler	ASIO Apple Serial Card 79.00
Transforth II	Mill Assembler Dev Software 45.00
Grapple	Cartels and Cutthroats
Lower Case Apart W/Shift Mod 19.95	Program Line Editor 18.95
Alien Ambush	Oddessy
The Best of Muse 17.95	Global Program Line Editor 29.00
Firebug	Kram
Frazzle	Super Kram
Pegasus	Versawriter Graph Tab IBM 139.00
Softporn Adventure	Lower Case Chip
Cross Fire	Lower Case Adapt for Pre Rev 7 17.00
Jawbreaker	Wizard SOB 16K Buff Serial I/F 149.00
Mission Asteroid 7.95	











MICRO COMPUTER PRODUCTS WORLDWIDE

PAM OPEN AN ACCOUNT - RING TODAY

Accelerator II

MAKE YOUR APPLE RUN 3.58 TIMES FASTER FOR ONLY £299!!

Over 2000 UK Apple users now waste less time by using the Accelerator in an Apple.

See what Richard King, Hardware Editor of PCN has to say about the Accelerator. (PCN 15.6.83)

"Power down, open Apple, find empty slot, insert board, shut Apple, power up. That's it well almost. There certainly can't be many add-ins to the Apple system that make such a difference in performance with so

"The Accelerator II makes such a big difference to the operation of the Apple that I wish it did more."

"So what don't I like about the Accelerator II? Not a lot, to be honest. It's simple to install, it's reliable, it's easy to use and it runs like a bat out of hell."

"For the real business user who wants a real increase in throughput, I would strongly recommend the product."

Vi Vi Videx

UltraTerm

YOU'LL LOVE THE VIEW!

With UltraTerm, the revolutionary new card from Videx, you'll enjoy sweeping panaramas of spread, sheets that you've never seen before - 128 cols x 32 lines, 132 cols x 24 lines, and even 160 cols x 24 lines. You'll also delight in the new horizon of 80 cols x 48 lines — double the lines you normally have. word processing will reveal a "depth of character" never possible before. 8 x 12 character matrix. You can differenciate those characters in several modes: normal, inverse, bright intensity and dim intensity

MAGICALC"

THE VISUAL DIFFERENCE



VisiCalc SEE FOR YOURSELF!



MAGICALC

- Apple He compatible
- 40 col, display standard
- 70 col. U & L case video
- 80 col, board video display
- Automatic support of Add-on memory boards (up to 512K)
- Individual column widths
- Protected fields and cells
- Invisible columns
- Fully compatible with VisiCalc and DIFfiles
- Command compatible with MAGIC WINDOW

MAGICALC - £109



BRITISH TELECOM APPROVED MODEMS AT A PRICE THAT WON'T BREAK YOUR BANK.

Either 300 baud full duplex on 2 wire private or PSTN circuits, CCITT V23 compatible, or 1200 baud, half duplex 2 wire/full duplex 4 wire. Available for Private or PSTN use. CCITT V23 compatible. Either Unit £219



NOW AVAILABLE

EPSON MX100	£4.45
EPSON FX80	£3.95
EPSON MX80	£3.95
When ordering ple	ase state

DUST COVERS

printers model

200.00	
Apple II	£8.95
Apple & 2 Discs	£8.95
Apple & 12" Monitor	
Apple 2 KD& 12" Monitor	£9.95
Apple 2 DK&9" Monitor	£8.95
Single Disc	
2 Stacked Discs	£4.45
9: Monitor	£5.95
Epson MX80/70	£5.95
Paper Tiger 445/60	£7.45
MX100	£9.95
Qume 5 W/Tractor	£10.95
Nec 12" Monitor	£7.45
Hitachi 12" Monitor	
Decca RGB Monitor	
Sirius Keyboard	£5.95
Sirius Proc & Monitor	£10.95
Prism Printer 560	
Anadex 9000 Series	
BBC Computer	
IBM PC Monitor & Cover	
IBM PC Keyboard	
NEC 8023B-C Printer	
Pet 4023/8023/8098	£9.45
Pet 4040/8050 Disc	
9060 Hard Disc	£8.95
Pet 4022P Printer	
Pet 8023P Printer	
Pet 8300P Printer	£9.45

The world of communications is made much easier using ASCII Express PRO, Z-Term PRO, and P-Term PRO.

ASCII - Native Apple Z-Term - Apple CP/M £99.00 P-Term - Apple Pascal

All these packages act as intelligent full-feature terminal packages for Apple - communicate with other Apples, mainframes and a host of other computers!



BASF QUALIMETRIC FLEXY DISKS

5\" SINGLE SIDED/SINGLE DENSITY

11 BOXES FOR THE PRICE OF 10!!

BUILT FOR ETERNITY WARRANTED A LIFETIME

11 boxes for £165



MX-82T Printer

The printer designed for high quality graphics — comes with Iower gearing.

Limited Quantity Available £249.00

MICROSOFT. ELECTRONIC WORKSHEET MULTIPLAN

The friendliest, most powerful electronic worksheet you can buy. Saves time in management and planning.

SPECIAL PRICE £149

SEND TODAY FOR OUR FREE BROCHURE OF COMPUTER BOOKS!!

Pete & Pam Computers

Mail Order & Distribution:
New Hall Hey Road,
Rossendale, Lancs., BB4 6JG
Phones:
The Norwegian Agent:
Otherweign 145

(0706) 212321 & 227011 Address Telex: 635740 Petpam G


Okernveien 145 Oslo 5

London Retail 103-5 Blegborough Road, London, SW16 6DL Phone: 01-677 7631 London Office Open Saturdays

dirigapple


Telephone 47 2 64 55 77 Prices do not include VAT please add 15% to your remittance Postage and Packing FREE





You know you should

Computerise...



Well it needn't be. Not any more.

Not if you're talking to people who speak the same language. And that's where we come in.

Tell us what you do and how you do it. How many buying and selling transactions you make. How you deal with stock control and despatch.

How you run your accounts and routine correspondence. How long does it take to deal with your payroll?

We'll listen carefully and come back with suggestions for speeding up and costing down all or any of these functions - and more - by matching equipment and software to your present and probable future needs. And it needn't be expensive.

We won't blind you with science or deafen you with jargon. If you accept our proposals, we'll train your

personnel until they're fully in the picture. And be at hand for as long as required in case our help is needed.

I would like to kno	d leaflets to:	
Name		
Position		
Company		
Address		
	- Contraction in	-
	Tel:	

To computerise is to improve efficiency all round, and to have a vast store of vital information always at your fingertips. You'll want all that to stay in the race.

But you need a common sense firm to start you off. And that's what we are.

We're called Chromasonic.

Call now or send the coupon to Chromasonic **Business Systems**, 48 Junction Road, Archway, London N19 5RD. Telex: 22568.

MOST OF THE new books published for home computers are pitched at a low level and seem content just to rehash the manual — an unfortunate consequence of the present computing book boom. Naturally publishers want to release their books as soon as possible after the launch of a new machine, and computing primers are the books that are written most quickly.

Probably the best of the introductory works for the BBC Microcomputer is Ian Sinclair's Introducing the BBC Micro. Ian Sinclair must surely challenge Tim Hartnell for the title of home computing's most prolific author. Over the past year he has written books on no less than six new computers — the Dragon, Spectrum, Lynx, Oric, Color Genie, and Commodore 64.

In justification of this his latest book, Ian Sinclair cites a survey which shows that 30 percent of purchasers of the BBC Micro are newcomers to computing. Most newcomers, however, will have already been introduced to the machine by the User Guide, which as manuals go is an exceptionally good one, being both clear and comprehensive.

Nonetheless Sinclair's introduction is an attractive supplement to the manual. It takes the reader over the same ground but in greater detail.

Easy programming for the BBC Micro by Eric Deeson is also for the beginner, written in what the author describes as a light style. The style turns out to be excessively chatty, full of exclamation marks and unnecessary comment. Eric Deeson likes to encourage the reader with remarks such as "easy, n'est-ce pas?" or "Hey presto, it works!". This finally becomes wearisome and tends to intrude on what are otherwise clear explanations. Again, it repeats and enlarges on material found in the User Guide.

One of the virtues of the *User Guide* is the number of program examples it provides. *Further Programming for the BBC Micro* by Alan Thomas, goes further along this line by supplying some 90 programs to illustrate the special features of the BBC. There is a brief introduction to each section and each program is accompanied by notes. Most of the programs are short and do little more than demonstrate the use of particular commands. As such they would be useful to anyone still in the dark after working through the manual.

Yet another book for the beginner is *Programming the BBC Micro* edited by Peter Williams. The idea behind the book, that six authors should contribute articles on their areas of expertise, seems a promising one but the result is rather uneven.

The early chapters contain a few nuggets of new information alongside a lot of familiar material — string handling, bits and bytes, programming dos and don'ts, and so on. The later sections pass on to more advanced topics such as

Bringing the BBC to book

Simon Beesley finds much that's familiar among a crop of guides to the BBC Micro.



assembly language and the BBC hardware; but these are not covered in sufficient detail to be of much help to the beginner.

Rather than read a cursory survey of the BBC assembler, the beginner would be better advised to plunge into Ian Birnbaum's Assembly Language Programming for the BBC Microcomputer. Ian Birnbaum has a good sense of the sort of problems someone coming to machine code from Basic will encounter. As far as possible he relates machine-code instructions to their Basic equivalents. Groups of instructions are introduced in terms of their use in specific program tasks, rather than through formal explanations.

This approach, geared to the demands of the BBC assembler and operating system, makes this course in 6502 programming unusually accessible. As a bonus the book includes a listing for a machine-code monitor as well as exercises with answers supplied.

Most of the books under review pay lip service to the idea of structured programming, periodically recommending the use of procedures over Goto statements. Roy Atherton's book Structured Programming with BBC Basic is wholely devoted to the cause. Taking graphics as its central theme it proceeds in thorough fashion to demonstrate the techniques of good programming. There is a clear discussion of the principles involved, alongside numerous examples, exercises and solutions.

In his quest for program purity Roy Atherton displays an almost obsessive concern with the dangers of the Goto statement. It should only be used, he warns, by mature and experienced programmers — and then with caution.

Given that BBC Basic is not a fully (continued on next page)

(continued from previous page)

structured language, one might wonder whether it is always so easy to avoid using Gotos, or even always desirable. For example, Roy Atherton recommends against the On Goto or Gosub construction for handling multiple decisions, and suggests instead a series of If-Then statements.

This alternative strikes me as inefficient and consequently inelegant. But overall the book makes a powerful argument for structured programming. As an unreconstructed Goto user I felt duly chastened.

It is remarkable how the same limited stock of game concepts is endlessly recycled for new machines. Games BBC Computers Play, a collection of program listings by Tim Hartnell, S M Gee and Mike James is no exception, and serves up many of the old favourites. It includes BBC versions of Breakout, Squash, Moonlander, Pontoon, Mastermind and other regulars.

Many of them appear to have been directly converted from other Basics and make little use of BBC Basic's strong features. Liberally spattered with Gotos, they would have Roy Atherton shaking his head in dismay. Few of them, however, take long to key in and as a bumper package they could well give games addicts a limited satisfaction.

Mike James's The BBC Micro, an Expert Guide can rightly claim to be just

that. It covers such topics as the operating system, the sound generator and the hardware without repeating the substance of the manual. Mike James has the gift of presenting new information clearly and concisely. Within a few pages he gives useful explanations of features, such as the way Basic stores its variables or the way the screen memory is organised.

But the book does not purport to be more than a general survey. By and large, the more experienced owner who has already spent several months becoming familiar with the BBC Micro is still poorly catered for. None of the books reviewed fully explores the BBC's potential. None of them mentions one of the machine's unique features: the ease with which the start of Basic can be moved to permit multiple programs to be stored at the same time.

I would like to see a more exhaustive and detailed treatment of the system; perhaps at the level John Leach dealt with interrupt routines in the June issue of *Practical Computing*. But books of this sort may be a while coming: they take rather longer to write and research than introductory potboilers.

Assembly Language Programming for the BBC Microcomputer by Ian Birnbaum. Published by Macmillan Computing Books, £8.95. ISBN 0 333 34585.

Introducing the BBC Micro by Ian Sinclair. Published by Granada, £5.95. ISBN 0 246 12146 7.

Structured Programming With BBC Basic by Roy Atherton. Published by Ellis Horwood, £6.50. ISBN 0 85312 548 1.

Games BBC Computers Play by Tim Hartnell, S M Gee and Mike James. Published by Interface Publications, £6.95. ISBN 0 201 14640 1.

Easy Programming for the BBC Micro by Eric Deeson. Published by Shiva Publishing, £5.95. ISBN 0 906812 21 6.

Further Programming for the BBC Micro by Alan Thomas. Published by Shiva Publishing, £5.95. ISBN 0 906812 20 8.

Programming the BBC Micro edited by Peter Williams. Published by Newnes Microcomputer Books, £6.50. ISBN 0 408 01302 8.

The BBC Micro an Expert Guide by Mike James. Published by Granada, £6.95. ISBN 0 246 12014 2.

Somewhere handy to put your

minidisks



The Willis Mini-Disk file is the idea you hoped someone would come up with. A handsome virtually indestructible file which holds your valuable programs and data files neatly filed and indexed ready for immediate use.

Disks are stored in 10 sections, each with an ingenious lift mechanism, which enables you to fan display them five at a time, using only the thumb and forefinger.

The file holds fifty 5¼" Mini Disks and you'll wonder how you ever did without it.

Just one of the items from the Willis Catalogue.

To order please use coupon. By taking advantage of this cash with order offer, you are saving £5.55 on the normal price. *Virtually indestructible with smart cream plastic base and tinted polycarbonate lid. *Lockable for security and easily transportable with carrying handles. *Each disk neatly filed even if box is not fully loaded.

(Plus £2p8

Just £35.00

Please send	Mini Disk File(s) at	£35.00 plus £2.0	00 p&p and your	colour catalog
Name		-		
Address		-	W	BARO
	Post Code			(a) VIII
The second secon	e/PO for 6 or de	bit my Access or I	Barclaycard.	1/6
Card Number				
Signature	ELLE STOLE	THUM WELL		
Card Number		India vo	3/83	

Printer Buffer for under £100 from Market Logic

Don't miss this unique opportunity of obtaining the 16k Macrobyte Intelligent Printer Buffer for less than £100.

This superb quality British designed and manufactured unit is compatible with any standard Centronic interface printer and is available in 32k and 64k at very little extra cost.

Generous discounts are available for quantity orders – just complete the coupon for more information.

EPSON

British products for the computer industry.

MARKET LOGIC LID

Interface



Lower Weaven Little Dewchurch Hereford HR2 6QB Tel: Carey (0432 70) 456 Please send me more information about the Macrobyte Printer Buffer.

Name

Address

Telephone.

Circle No. 248

How fast is FAST?

Micro-computers don't hang about—and neither do we. We like to move as fast as the products we handle. When you deal in computers you need a distribution system to match the product.

That's where we have the edge. Located at the centre of the country's communications network we can get anywhere in the UK-Fast!

Phone in your order now, we'll get the system moving!


EPSON

Extraordinary products. Exceptional quality-from

The fastest movers around!

116-118 Tennant Street, Birmingham B15 1EY. Telephone: 021-643 4419.





Walters printer. A DIY interface for the Spectrum, plus a disassembler for the BBC micro.

February 1983 Word Processing — 19 pages of info. Reviews: Victor 9000, Epson HX-20, Toshiba T-100, LVL Discs for the BBC Micro, Vic-20 games. Plus — Using BBC Graphics in the Teletext

Address as on coupon

To obtain any of these back issues please complete and return packing are UK \$1.50, Europe \$2.00, Rest of world \$2.50 (Air Mail).

Issue (month)	Year	Quantity required
	ivete -	
		THE PARTY OF THE P

To: General Sales	Dept., Room	108, Elec	ctrical &	Electronic	Press
Quadrant House,	The Quadrant	, Sutton,	Surrey	SM2 5AS.	

Please send me the back issues detailed left — for which I enclose cheque/PO for £.....payable to Business Press International Limited

Name	
realitie	l
	ess

Company Registered in England (Registered No. 151537) at Quadrant House, The Quadrant, Sutton, Surrey. SM2 5AS.

Then look below at our amazing package deals. You'll find them hard to beat!




• Circle No. 109

Osborne 80 column screen Daisywheel printer + sheetfeeder £770 Daisywheel printers from Epson FX80

£995 £375 £365

(All prices exclude VAT)

P.S. For true portability we now supply the Epson HX20.



Circle No. 127

>NEXT MONTH

>EDUCATION

The special section in the September issue deals with the fast-growing field of computers in education. We look at how micros are making an impact, from primary schools to the training of businessmen.

>REVIEWS

The Zenith Z-110 is a dual eight/16-bit micro which, thanks to superb manuals, offers a highclass route to computer literacy. Read Chris Bidmead's benchtest of the Zenith. We also examine the network-orientated Corvus Concept: how does it stand up as a stand-alone micro? Plus BBC games, Dragon books and the IBM PC XT continued.

>PORTABLES UPDATE

New portable micros have been flooding the market since our in-depth survey in the January issue, so we have had to update our listing. Ian Stobie provides an over-view.

Other features include Turtle Graphics - with listings in both Basic and Forth for the BBC Micro - and how to speed up Basic by using For-Next loops. Plus all the regulars such as fiction — about a computer called Sam - pages and pages of free software in Open File, columns, news and your letters.

Make sure you don't miss the September issue of

On sale at W H Smith and all leading newsagents after August 17.

Easier commuting to computing...

THE NEW ADDRESS OF LEEDS COMPUTER CENTRE IS 55 WADE LANE LEEDS.



In the spacious new showrooms of the Leeds Computer Centre you will be welcome to browse through a most comprehensive range of microcomputers, peripherals, books and media. Our aim is to provide the finest service possible for personal, educational, O.E.M., industrial and business users.

We offer expertise gained from years on the microcomputer scene. Also product knowledge stemming from dealerships in NASCOM, SHARP, EPSON, TEXAS, GEMINI, QUANTUM, ORIC and DRAGON which we have held ever since they first came onto the market. You will find just the help you need at the Leeds Computer Centre.

Main Dealer

Full range stocked. Full technical support. Full range of software **POCKET COMPUTERS &**

PERIPHERALS PC1251 WALLET SIZE POCKET COMPUTER

£79.95 inc VAT CE125 PRINTER & MICROCASSETTE £99.95 inc VAT

12A 19 STATISTIC & GAMES PROGRAMS £14.00 inc VAT 12B 20 ENGINEERING & GAMES

PROGRAMS £14.95 inc VAT 12C 20 MATHEMATICS & GAMES PROGRAMS £14.95 inc VAT PC 1500 PORTABLE COMPUTER

£169.95 inc VAT CE 150 X.Y. PLOTTER & PRINTER

£149.95 inc VAT CE152 CASSETTE RECORDER £39.95 inc VAT CE15A APPLICATIONS TAPE

MZ80A (48k) PERSONAL COMPUTER FREE SOFTWARE INCLUDED £549.00 inc VAT

TWIN DISK SYSTEM MZ80A £879.75 inc VAT

SHARP F/T P6 PRINTER £488.75 inc VAT

Either of the above options require

an expansion unit on the M780A

£115.00 inc VAT



LUCAS NASCOM NAS-BUS

80-BUS NASCOM FROM LUCAS LUGIC

RASCOM 2 MICROCOMPUTER

NASCOM 3 MICROCOMPUTER (48k) £631.35 inc VAT

NASCOM ADVANCED VIDEO CARD

NASCOM DISK SYSTEMS

NASCOM DISK SYSTEMS NASCOM ODISK SYSTEMS
NASCOM DISK OPERATING SYSTEM £69.00 inc VAT

NASCOM CP/M 2.2 £143.75 inc VAT

This is only a small selection from our extensive stocks! MATRIX PRINTER INTRODUCTORY PRICE £366.85 inc VAT

GEMINI
MICROCOMPUTERS LTD

MICROCOMPUTERS LINE MICROC

GM827 87 KEY KEYBOARD GM825 DISK DRIVE from

BBC CABLE DRAGON CABLE ORIC CABLE **PRINTERS**

SEIKOSHA GP 100A £247.25 inc VAT LUCAS LX80 £366.85 inc VAT

NEC 8023 £447.35 inc VAT EPSON FX80 £503.70 inc VAT BROTHER HR-1 £747.50 inc VAT

£17.25 inc VAT £17.25 inc VAT £17.25 inc VAT

MZ80K CENTRONICS INTERFACE £80.00 inc VAT MZ80A CENTRONICS INTERFACE £97.75 inc VAT MZ80B CENTRONICS INTERFACE £97.75 inc VAT



EPSON HX20 THE PORTABLE MIRACLE from £462.30 inc VAT

MONOCHROME £2064.25 inc VAT £2518.50 inc VAT **FULL COLOUR** 640 × 400 HIGH RES. OPTION £299.00 inc. VAT Prices include:-

BUSINESS COMPUTER

128K RAM; CPU; Keyboard; Display Unit: SHARP FDOS MBASIC: CP/M 2.2: PEACHCALC

> PEACHTREE BUSINESS PACKAGES ARE AVAILABLE FOR SALES, PURCHASE, NOMINAL, STOCK, PAYROLL. WORD PROCESSING etc.

Stop Press

PC3500

NEW! SHARP CASSETTE BUSINESS SOFTWARE NOW IN STOCK for the MZ80A These packages run on the standard MZ80A with

cassette. This means a complete business system, including printer, can cost £1000.00 plus VAT. Packages are:- DIRECTORY, PRICE LIST, SALES LEDGER, PURCHASE LEDGER, INVOICING AND STOCK CONTROL.

The system can be expanded to disks without the loss of data.

NEW! SHARP PC3500 BUSINESS COMPUTER AVAILABLE FROM STOCK Full range of PEACHTREE ON DEMO

NEW! LUCAS LX80 80 COLUMN DOT MATRIX PRINTER. EXCELLENT VALUE

FREE! DESK DATA SOFTWARE WORTH £46 WITH EVERY EPSON HX20

FREE! Printer Lead with any printer
SHARP MZ80K HI RES GRAPHICS FROM
QUANTUM MICROS £115.00 inc VAT

SUPERBRAIN. IF YOUR SUPERBRAIN NEEDS TRUE DESCENDERS, WE HAVE THE ANSWER

FOR £23.00 inc VAT.

NASCOM 2 GRAPHICS ON YOUR NASCOM 1 FOR ONLY £23.00 inc VAT.

Trading as Leeds Computer Centre. Please call or write for full details Leeds Computer Centre, 55 Wade Lane, Merrion Centre, Leeds VISA LS2 8NJ. Tel. 0532 458877

Circle No. 193

DISKING INTERNATIONAL FREEPOST, LIPHOOK, HANTS GU30 7BR, UK TELEPHONE (0428) 722563 TWX 849131 G



MEMOREX - Memory Excellence

When it comes to PRICE/PERFORMANCE, MEMOREX wrote the book. Their new Japanese media is very conservatively rated, and certification levels are easily surpassed in actual performance. Protected by a special anti-static lubricant, head performance and media life is also extended.

5¼" DISKETTES

Certified for Single OR Double Density and all with hub ring reinforcement.

PRICES EXC VAT 3481 S/Sided 48 tpi Soft Sect	20.90 20.90	50-90 19.90 19.90 19.90	18.90 18.90
3491 D/Sided 48 tpi Soft Sect	26.90	25.90 25.90 25.90	24.90
3504 S/Sided 96 tpi Soft Sect	27.90	26.90 26.90 26.90	25.90
3501 D/Sided 96 tpi Soft Sect	34.90	33.90 33.90 33.90	32.90

48 tpi suitable for 35 and 40 track operation 96 tpi suitable for 77 or 80 track operation

0 0	ISKETTES			
PRICI	ES EXC VAT	10-40	50-90	100+
	S/Sided S/Dens, Soft Sect		22.90	
3015	S/Sided S/Dens. 32 Hard Sect	23.90	22.90	21.90
3000	S/Sided D/Dens. Soft Sect	26 90	25.90	24 90
	S/Sided D/Dens. 32 Hard Sect		25.90	
	of diata by being out that boot	20.00	20.00	
3102	D/Sided D/Dens, Soft Sect	32.90	31.90	30.90
3191	D/Sided D/Dane 32 Hard Seat	32 90	31 90	30 90

DISKETTE CARE AND MAILING



We're fed up with being asked whether our disk drive head cleaning kit actually works. So here's the proof:-

BEFORE,	-	-	1
	1		1

Can you really risk that breakdown?

CK5 for	5¼" disk drives	14.90
CK8 for	8" disk drives	14.90

AFTER

5¼" DISKETTE MAILERS



- COPYRIGHT DESIGN Unlike the rest, this ingenious mailer has a flute crossing action when folded, resulting in a virtually unbendable mailer.
- * CAVERNOUS CAPACITY will take, one, two, three or even four diskettes WITH envelopes.
- * FULL INSTRUCTIONS Each DISKING 'SUPERMAILER' is printed with full instructions and comes complete with addressing/sealing label.

*PACKED IN 100'S - For convenience

1 PACK 2 PACKS 3+PACKS 24.90 22.90 19.90



DATALIFE by Verbatim - With Five Year Warranty

VERBATIM have not become the World's favourite floppy disks by accident. Perfect magnetic media is their stock in trade, and to prove it they now offer an unconditional FIVE YEAR warranty on all DATALIFE

54" DISKETTES

Certified for Single OR Double Density, and all with hub ring reinforcement

nub mig i	onnorcement.			
PRICES EXC MD525-01 MD525-10 MD525-16	S/S 48 tpi Soft Sect	22.90 22.90	50-90 21.90 21.90 21.90	20.90 20.90
MD550-01 MD550-10 MD550-16	D/S 48 tpi Soft Sect	29.90	28.90 28.90 28.90	27.90
MD577-01 MD577-10 MD577-16	S/S 96 tpi Soft Sect	28.90	27.90 27.90 27.90	26.90
MD557-16 48 tpi suitab	D/S 96 tpi Soft Sect	36.90	35.90 35.90 35.90	34.90

		31.90	50-90 30.90 30.90	29.90	
FD34-8000 FD32-8000	S/S D/Dens. Soft Sect S/S D/Dens. 32 Hard Sect		30.90 30.90		
DD34-4001 DD32-4000	D/S D/Dens. Soft Sect D/S D/Dens. 32 Hard Sect		35.90 35.90		

DISKETTE STORAGE AND PROTECTION

*For critical applications



The whole area of your disk, its labelling and its envelope are fully visible for INSTANT selection ANYTIME.

AVAILABLE IN TWO VERSIONS

PRICES EXC VAT	1-2	3-4	5-9	10+
SDL (For 20 minidisks)	9.95	8.95	7.95	6.95
SDLX (For 28 minidisks)	11.95	10.95	9.95	8.95
Uprating Conversion Kit	2.00			




These anti-static, ABS plastic diskette storage boxes come in four sizes, two for mini disks and two for 8" disks.
They have a white base with a transparent smoked lockable lid,

and hold 40 or 80 diskettes. They come complete with keys and dividers.

PRICES EXC VAT

M35 40 minidisk capacity M85 80 minidisk capacity	
F40 40 8" diskette capacity	

LIBRARY BOXES



The new SEE 10 is probably the best 51/4" library box around. (FREE with every ten disks ordered)



Floppy Disks

FAST!

MAXELL - The Gold Standard

Maxell consistently meet or exceed all standards, and have run disks under conditions designed to find weak points and wear. They couldn't and you won't. These diskettes are the quietest in operation we

10.40 50.00 1004

5¼" DISKETTES

Certified for Single OR Double Density 48 tpi media with hub ring

MD1-D MH1-10 MH1-16	S/Sided 48 tpi Soft Sect S/Sided 48 tpi 10 Hard Sect S/Sided 48 tpi 16 Hard Sect	24.90 24.90	23.90 23.90 23.90	22.90 22.90	
MD2-D MH2-10D MH2-16D	D/Sided 48 tpi Soft Sect	32.90	31.90 31.90 31.90	30.90	
MD1-DD	S/Sided 96 tpi Soft Sect	32.90	31.90	30.90	
MD2-DD	D/Sided 96 tpi Soft Sect	42.90	41.90	40.90	

8" DISK PRICES EX FD1-128 FH1-32		29.90	50-90 28.90 28.90	27.90
FD1-XD FH1-32D	S/S D/Dens. Soft Sect S/S D/Dens. 32 Hard Sect		33.90 33.90	
PDO VD	D/C D/D C-4 C-4	20.00	20 00	27 00

D/S D/Dens. 32 Hard Sect 39.90 38.90 37.90 D/S D/Dens. 32 Hard Sect 39.90 38.90 37.90

U.K. TERMS CONDITIONS & SHIPPING RATES INC. INS. EXC. VAT 8" DISKETTES 1-2 Packs each pack @ £1.60 3-5 Packs each pack @ £1.20 6-9 Packs each pack @ 90p 10+ Packs *POST FREE*

5%* DISKETTES
1-2 Packs each pack @ 95p
3-5 Packs each pack @ 75p
6-9 Packs each pack @ 60p
10+ Packs *POST FREE *

5%* CLEANING KITS Same postal rate as packs of 5%* disketter, 10+ POST FREE

8" CLEANING KITS Same postal rate as packs of 8" diskettes, 10+ POST FREE

S%'NEW SEE 10 LIBRARY BOXES SEE 10 1-4 off @ 40p SEE 10 5-9 off @ 30p SEE 10 10+ @ 20p

DISKING SUPERLUXE DISK LIBRARY (5%" ONLY) DISKING DISK DIRECTORIES 10-Pack 2.00 DISKING SUPERMAILERS (5%"ONLY) 100-Pack Complete with sealing labels 3.00 DISKING DISKWRITERS 50-Pack £1.00

DISALTO SOCREMENTS OF COUNTY OF THE STATE OF

We welcome Access (Mattercharge), Burcingroad (195A) & Diners Clab Intermotional, is there is welcome Access (Mattercharge), Burcingroad (195A) & Diners Clab Intermotional, is there is well and the subsequence of the control of the subsequence of the control of the subsequence of the control of the subsequence of th

I you're posting your order, cmit the word FREEPOST from our address, and use our outcode GUSO/T2 and do not target to stamp it FIRST CLASS. It you are a Covernment telefemed under NORMAL ORDERS and are telephonism your distail carder Off are an in-ternative or company using your credit cand No., please make it clear that you wish to pay for your can sent it you by FIRST CLASS POST.

0 2.50
0 2.00

DESPERATE ORDERS U.K.

conserve area passes.

Manchester.

These services put great stress on our sales order processing and p. Please therefore, spare a thought for our grids, and make sure thata) The required goods are in stock and
b) A full complement of manpower and vehicles are available at DI

de la companie de la	and and area
PRICES DISKING DATAPOST (Up to 5Kg) Per additional 1 Kg to 10Kg add Over 10 Kg up to 27.5Kg	10.90 1.00 20.00
Approximate Weights for quidance only- 100 Minidisks without LB's 100 Minidisks with LB's 100 x 8° disks without LB's 100 x 8° disks with LB's DISKING EXPRESSPOST	3Kg 6Kg 5Kg 10Kg
Distances are from Liphook Hampshire Under 20 miles Over 20 miles London Area - Special Price	15.00 20.00 15.00

PRICES SUBJECT TO EXCHANGE RATES & AVAILABILITY - JUNE 1981



Go softly on

Chris Bidead speculates on the tussle for supremacy among 16-bit operating systems.

IN FEBRUARY 1982 when I last reported on Digital Research Incorporated, DRI, the company had an annual turnover of \$14 million. Now it is \$40 million, and growing at a rate that doubles that figure every eight months. But do not be misled by big numbers with dollar signs in front of them. Bernie Cornfelt's famous company International Overseas Services, IOS, was on the point of becoming the largest controller of capital in the history of the world when it vanished almost overnight.

This not entirely flattering comparison was brought to mind by DRI's choice of the Café Royal's Dubarry Room for a recent rally of its supporters. Reflected in the huge fin de siècle gilt mirrors arching across the wall, the 450 CP/M-minded independent software vendors seemed like three times that number — some huge national sales convention being briefed before going into battle. There was an atmosphere of — well, the word bounced around by DRI was "synergy", which roughly translates as "let's work together and we'll all get rich". Cornfelt would have approved.

Though the name was not spoken, the enemy against whom this army was being recruited was Microsoft, who with MSDOS and the IBM equivalent, PC-DOS, is already beginning to claim victory in the domination of the 16-bit microcomputing field. "There is no battle between MS-DOS and CP/M-86 — MS-DOS emerged as the leader in the U.S. by late 1982." The speaker is Bill Bates, the young genius who gave the world Microsoft Basic. Now 27 years old, Bill Gates is Microsoft.

About two miles outside Heathrow Airport is a parked space freighter called the Sheraton Skyline Hotel. In the tropical jungle it carried as cargo — remember Silent Running? — Bill Gates holds his own rally for rather fewer friends and members of the press. The message, not surprisingly, is that the future lies with Microsoft's upgrade path through MS-DOS versions 1, II and III to the great Xenix in the sky. Xenix is Microsoft's own brand of the full Unix.

Like DRI, and indeed Cornfelt, Microsoft is in the business of selling you the future. Not so much an operating system, more an operating-system upgrade path — thus disarming those with experience of other operating systems who have been underwhelmed by the charms of MS-DOS 1. A recent agitated correspondent to a computer weekly, who found Microsoft's assembler "completely

unusable" because of bugs and lack of support.

Digital Research's present offering in the 16-bit market is no great shakes either. CP/M-86 is a clone of the unglamorous CP/M 80, with one or two additional features grafted on from the luke-warmly acclaimed shared-processor system, MP/M. In its defence you could call it mature, but you would also have to admit the correctness of Bill Gates' claim that it is not getting much of a look in with 16-bit manufacturers. It is because Digital Research is holding down costs by leading into a new market with old technology dual-floppy drives. MS-DOS offers faster file access on such systems because of the way it keeps its directories. Round 1 to Microsoft.

Bill Gates declares his real achievement has been to organise a programming team and a set of tools based around Xenix, which enables him to knock out high quality software in short order. Digital Research might tell you otherwise. Is Gates' whizz-kid personality causing internal friction which is holding up new output and precluding proper support of products already in the field? Certainly a few eyebrows were raised at the Sheraton when we heard that Microsoft's plans depend on recruiting 100 extra programmers this summer. Software teams have to be grown, not bought in job lots.

But on the evidence of MS-DOS 2, the upgrade now filtering through to end-users, the Microsoft high-productivity programming pool appears to be paying off. The new version is a big improvement, with many added Unix-like features including a treed directory ideal for the management of high-capacity Winchester drives.

Meanwhile the stately progress of DRI has been somewhat accelerated by all this the competition. CP/M-86, failing to repeat the success of CP/M 80, is now being shrugged off within the company as a place-marker product; something to remind the 16-bit industry of the presence of DRI while the real McCoy is honed and polished in the workshops. The real McCoy is Concurrent CP/M, a single-user multitasking operating system at present only visible on the IBM PC. "Concurrent" and "multi-tasking" describe systems capable of undertaking a number of different jobs at the same time, rather than having to execute them one after another as in ordinary single-tasking systems like the existing CP/Ms and MS-DOSs.

The simplest way to implement this idea is to allow a job to be suspended at any point, all information about the current state of the processor being saved automatically, so that the user can switch to any other job. On returning to the interrupted job the state saved is restored, and the threads picked up at the exact point where processing was suspended.

Swapping like this gives the feeling of handling all the tasks simultaneously, but in fact all except the current one are frozen. True simultaneity implies that the processor will continue to serve the background tasks; they will stay live even when the operator is not observing them, which is what actually happens to separate tasks under Concurrent CP/M.

Bill Gates argues that the average micro user will not be interested in running more than one job at a time. If switching is needed it will be between user-driven applications like spreadsheet programming and word processing, which as background tasks can comfortably be freeze-dried because they have nothing to accomplish without user input. This is the simpler multi-tasking he will be using in version 3 of MS-DOS. If you need more, he argues, you should be using Xenix.

True concurrency undoubtedly has an advantage in a program development environment where the user can get on with writing the next bit of source code while the last lot is being compiled. Networked micros will also find it valuable. But if ordinary single-user business software is to derive any benefit it will have to be rethought to take advantage of background processing. The snag is that software like this will be dependent at design level on Concurrent CP/M and will only run under that operating system.

The crunch will come early next year when MS-DOS 3 meets Concurrent CP/M on a wide range of cheap hardware. Bill Gates will have the advantage of a considerable head of steam, but may well be over-extended. DRI on the other hand has the maturity and resources to back its product to the hilt. The question is whether independent software vendors will want to venture out on a limb with DRI to develop software that cannot run under MS-DOS.

Probably there will be no clear victor. Looking back on the doldrums created around CP/M 80 by lack of any real competition, the industry will keep both parties on their toes by making sure they both survive.

dBASE II — by Ashton Tate is the top selling database package. But it from AQUA Computing Ltd, the dBASE specialists.

dBASE II £375.00 **DBPlus** £125.00 DBFLIST £30.00 **DBAccel** dBASE II User' Guide Everyman's Database Primer
Any one of the last 4 items is FREE if you buy your

copy of dBASE II from AQUA by July 1.

DBPlus COMPRESEES/DECOMPRESSES dBASE II files to 30/40% of original size; SORTS any dBASE II file up to 15 times faster; MODIFIES structures easily — complete with manual. Pays for itself in a few

Are your files scattered over several disks? DBFLIST compiles a master catalogue of all your dBASE files. Can save you hours of searching for that 'Lost file'.

DBAccel converts dBASE II. CMD file(s) into a single level format for much faster execution; Overlay control can be selective. Program size is limited only by available memory. Reduces running times by up to

dBASE II User's Guide is one of the best manuals on dBASE II; Has sold over 17,000 copies in the US; Written by Arthur Green, a leading US expert on dBASE courses. In stock now.

dBASE II Beginner's Guide, published by Ashton Tate, is essential for every serious dBASE II user.

For software products (DBASE II, DBPlus, DBFLIST, and DBAccel) add VAT to prices. Specify machine and diskette format (SD/DD, 5.25" or 8"). No extras for packing or postage in UK; add £5.00 for overseas. Further details available on all products. Pay by Cheque, PO, Access or VISA. Send to:

AQUA COMPUTING LTD (Dept PC5), 10 Barley Mow Passage, London W4 4PH (Phone: 01-994 6477).

Circle No. 194

WORDSTAR ON SITE TRAINING

Phone Mike Gardner on 01-421 0266

cats software

96 Grimsdyke Road Hatch End Pinner Middx HA5 4PW

Circle No. 195

THE 'BIG' * * FREE * * SPECIAL 3-year Warranty with all systems until 31st May 1983 OSBORNE

microcentres Itd

Telephone (0295)

North Bar, Banbury, Oxon. OX16 OTF

Circle No. 197

Established Computer Mainframe Bureau and

micro-computer retailer. Invite propositions from persons interested in writing and marketing business and game software.

Joint Venture, investment or other considered.

Please write to Box No. 1003.

Circle No. 196

The T.S.S. Technology Shop is now open and able to provide an unparalleled service for all your computer requirements.

- •Hardware/both new and second user equipment, whatever yo need at remarkable prices.
- •Supplies completely comprehensive range at unbeatable prices
- •Service on a national bisis with your satisfaction guaranteed.
- Complete used systems from £1,795. Used printers from £75. Used VDU's from £230.

New CP/M Systems from £895. Let us be the solution to your problems. Call 01-431-3100 now!

Circle No. 198

If you are interested in a particular article/special feature or advertisement in this journal

HAVE A GOOD LOOK AT OUR REPRINT SERVICE!

We ofter an excellent, reasonably priced service working to your own specifications to produce a valuable and prestigeous addition to your promotional material. (Minimum order 250 copies).

Telephone Michael Rogers on 01-661 3457 or complete and return the form below.

To: Michael Rogers, Practical Computing, Reprint Department, Quadrant House, Sutton, Surrey SM2 5AS.

I am interested incopies of article/advert. headedfeatured in this

journal on pages , issue dated Please send me full details of your reprint service by

return of post. Name

Address



The latest system complete for only £995+VAT (usual price £1495+VAT)

* Subject to availability



Cambridge Computer Store

1 Emmanuel Street Cambridge CB1 1NE Telephone (0223) 65334/5 (closed 12.30 - 1.15 except Saturday)

YOUR MICRO READ THIS?



Bar-code identification for . .

PET/CBM APPLE BBC


Bar-codes give a speedy and error free means of data entry and provide a foolproof method of identification for any item or document. Typical uses include stock control, libraries, filing systems, security & checkpoint verification, point of sale terminals, spare parts identification, etc., etc. Already most grocery products are bar-coded at source and many other areas of industry and commerce are following. Bar-codes will soon be commonplace

Our system contains all the hardware & software needed to implement a bar-code system on your computer now. Software to print bar codes on an Epson printer is included. More information on request . . . please state your micro & area of interest.

Price F199 00 + VAT



other well known Printers
... Latest Models at Lowest Prices!!
Also BBC disk drives monitors



low (or lower) an any other advertiser this magazine. EPSONs are always ex-stock & most other inters/monitors etc. can be obtained the same day and alivered to your door, often in 24 hours. We can interface to ost computers & knowledgeable advice is free if needed, emember — many suppliers have limited technical expertisel none for a quote or send a SAE for full lists. All items carry is usual warranties.

ALTEK (PC) 1 Green Lane Walton-on-Thames, Surrey
Please phone before calling (093 22) 44110



Circle No. 199

DRAGON/ATOM/ORIC-1 ADD LOW-COST I/O POWER WITH A VIA BOARD

Drive extra I/* devices, from LEDs & switches to extra peripherals. Link 2 micros for data/program transfer, spool listings to a second micro to print/save etc. (see TEVLINK below).

HARDWARE: 6522 VIA provides 16 I/O lines + control, serial port. 2 limers, interrupt register. I/O. voltage & interrupt lines taken to 26-way I/O.C plug for easy connection to peripherals etc. Connectors available to 10 ragon, Atom; Oric 65224 version should be out soon. The Board may be interfaced to most other 650/26809 micros, and may be shared between m/c's by changing the plug-in connector.

ing the plug-in connector.

SOFTWARE: 'TEVLINK' package provides 2-machine parallel link (2 Boards needed), overall speed about 8K DATA bytes/second with error checking.

A PRINT SPOULER is included (only 1 Board needed): connect printer port to VIA board on receiving micro and use normal LIST/PRINT etc.

Assembled board + Atomiconnector £16.50
Assembled board + Atomiconnector £18.75
Assembled board only - for your interface. £14.00
Atomiconnector £4.00, Oragon connector £6.00
Cable Printer port to VIA (state mic) £7.75
EVLINK Board to Board cable £4.50
TEVLINK sware: Dragon/Atomicassette £7.75
Blank cassettes (cased): 10 x C10 for C1HER SOFTWARE: Blank cassettes (cased): 10 x C10 for OTHER SOFTWARE:
CAVE QUEST: Undergrand quest for the ring of power. Dragoni/Atom/Oric cassette LASER INVADERS: Dragon joystick game 22.30
TEVROG'S KINGDOM: A real-time quest for magic powers (and survival). DragoniOric 25.75
Other softare and hardware available soon.
WANTED!! Good software (games & serious) for royalties or outright purchase. Send for details.

MAIL ORDER ONLY. SEND FOR LISTS/DETAILS

All prices fully inclusive of VAT, P/P etc.

Tevward Microtech Ltd. (Dept) 403 Dallow Road, Luton, LU1 1UL. Tel. (0582) 418906

Circle No. 200



POSEIDON COMPUTER SERVICES LTD.

Of Hampton S.W. London Dealer FOR SIRIUS 1

DEMONSTRATION BY APPOINTMENT

MOST TYPES OF PRINTERS

BESPOKE SOFTWARE A SPECIALITY

COMPETITIVE PRICES FULL UK DELIVERY



TELEPHONE: 01-941 1447/5986: **TELEX 8954665 GITS**

Circle No. 201

SCIENTIFIC SUBROUTINE LIBRARY

VOLUME 1 — STATISTICS AND FITTING FUNCTIONS

FUNCTIONS

Mean, SD, normal distribution, partial expectation, Chauvenets criterion, least squares fit to polynominal and arbitrary function, repetitive least squares fits, covariance matrix, chi-squared statistic, matrix inversion, solution of simultaneous equations.

VOLUME 2 — LINEAR PROGRAMMING

Reduction of a Simplex tableau, integer programming, partial integer programming, conversational linear programming system, least cost mix problem.

mix problem.

VOLUME 3 — FURTHER STATISTICS

VOLUME 3 — FURTHER STATISTICS
Ranking, quantiles, frequency, 2-way table, correlation coefficient, T, chi-squared and F distributions and their inverses, T test, chi-squared test, Wilcoxson test, linear and multiple regression, ANOVA 1-way and 2-way.

VOLUME 4 — TRANSFORMATIONS & SORTING ALGORITHMS
Fourier, FFT, Laplace, numerical integration and differentiation. Exchange sort, Quicksort, Shell sort, Tree sort.

Tree sort.

Manuals including full source listings with implementation notes and documentation —

BASIC £25 per volume

PASCAL £30 per volume

Software in CP/M (8" SSSD) or DEC RT-11

(RXO1) formats — £75 + VAT per volume.

CP/M TO DEC FILE TRANSER

Software to read and write RT11 format RXO1 diskettes under CP/M. Supplied on 8" SSSD diskette — £25 + VAT.

MICRO LOGIC CONSULTANTS LTD. 57, Station Rd., Southwater, Horsham, W. Sussex.

Telephone: 0403 731818

Circle No. 202

INSURE YOUR COMPUTER

Impact damage, Fire & Theft Insurance for your Computer, Equipment:

KGJ Insurance Brokers, 6 Hagley Road, Stourbridge, West Midlands, DY8 1QG Tel (03843) 5333/2545

• Circle No. 203





MicroMods Ltd.

Circle No. 204



Circle No. 205

DYNAMIC SIMULATION SYSTEM

for APPLE and CPM SYSTEMS

- Fully Interactive
- Powerful
- Machine Language
- Graphic Output

£250 Complete

FOR DETAILS CONTACT: PROCESS AUTOMATION & COMPUTER SYSTEMS LTD...

50 Gosport Street, Lymington, Hants SO4 9BE. Telephone 0590 73503.

Circle No. 206





STOCK CLEARANCE

SALE

APPLE III
Apple 128K Complete System inc Keyboard, Extrenal
Disk Drive, Monitor, VisiCalc III
Basic + SOS.
1999.00

APPLE II Accessories	
INTEGER CARD	49.00
ROM PLUS CARD	169
HEURISTIC SPEECH LAB (speech input)	49.00
A/C LINE CONTROLLER	99.00
ROMWRITER CARD	69.00
SUPERTALKER (Speech Output)	89.00

APPLE II Software	
DESK TOP PLAN	52.50
CCA DATA MANAGEMENT	45.00
MUSE DR MEMORY (Simple Wordprocessor)	20.00
MUSE SUPERTEXT (Wordprocessor)	40.00

CMB/PET Accessories	
PET IEEE-CENTRONICS INTERFACE	15.90
PETSET 1 A-D CONVERTER	123.00
PET ADA 1200 SERIAL ADAPTOR	67.50
REGENT - Multi-user system	149.00

PRINTERS and ACCESSORIES
CBM 8024 PRINTER for COMMODORE COMPUTER —
160 cps — HEAVY DUTY
NEC SPINWRITER Correspondence Quality (55cps)
1499.00
450.00

NEC SHEET FEEDER
RACAL BINDER & STAND (200cps Heavy Duty)
999.00
Por Matrix)
745.00

AMADEX DP 9501 (120cps Dot Matrix) 745.00 CX80 COLOUR PRINTER for APPLE (inc. Interface) 675.00

TTY43 KSR PINCH FEED (Dot Matrix with Keyboard)
299.00

CBM/PET Software BUDGET CONTROLLER	149.00
PURCHASE CONTROLLER	149.00
SALES CONTROLLER	149.00
LINK	49.00
PAYMASTER	120.00
COMLEDGER SALES	99.00
COMLEDGER NOMINAL	99.00
COMLEDGER PURCHASE	99.00
MONITOR (Open Item Sales)	100.00
ITEM (Open Item Purchase)	100.00
COMBIS	49.00
BISTAM for CP/M SOFTBOX	94.50
WORDPRO 2	90.00
COMSTOCK	49.00

OTHER STOCK 4116 RAM CHIPS (PACK OF 8)

10.00

ABOVE PRICES EXCLUDE VAT

JOHNSON MICROCOMPUTERS 75/79 PARK STREET, CAMBERLEY, SURREY.

TELEPHONE: (0276) 20446

TELEPHONE ORDERS ACCEPTED - VISA, ACCESS,

• Circle No. 208

WATCH OUT **FOR**

INDIG

40-42 Shields Road, Newcastle-upon-Tyne NE61DR Tel: (0632 650653)



R.G.B. MONITOR/TELEVISION

AS SUPPLIED TO EDUCATION AUTHORITIES SPECIFICATION

R.G.B. Inputs (Analogue and Digital Levels) All Models.
I Volt P.P. Composite Video (Remote Model only)
Teletext Decoder available to plug into Chassis. (Remote Model only) Remote control of Computor via Monitor.,
(Remote Model Only) Sound input gives access to Audio Amp.
All Models instantly switch back to Television

12"B.W. Monitor	£95 + VA
14in. Colour Monitor/Television	E227 + VA
16in. Colour Monitor/Television	£255+VA
16in, Colour Monitor/Remote Television.	£295+VA
20in, Colour Monitor/Remote Television	£315 + VA
22in, Colour Monitor/Remote Television	£340 + VA
26in. Colour Monitor/Remote Television	£380 + VA
Plug in Teletext Module	£75 + VA
Connecting Lead	£5+VA
Carriage and Insurance	£9.50
4 Year Guarantee Insurance	£29.6
D.C. ManitaniTV//Coundin Ann	raised)

Circle No. 210



Circle No. 211

GREAT LOW PRICES ON SUPPLIES AND PRINTERS

COMPUTER SUPPLIES

PRICE PER PAC

			100	mor , en .	70
5.25" FL	OPPY DI	SKS - PAC OF	10 1.3	4.7	8+
VERBATI	M SSSD	Soft/Hard Sec	19.78	19.26	18.78
DATALIFE	SSDD	Soft/Hard Sec	19.78	19.26	18.78
	DSDD	Soft/Hard Sec	28.12	27.38	26.69
	SSOD	Soft/Hard Sec	30.53	29.75	28.98
	DSQD	Soft/Hard Sec	36.92	35.96	35.05
WABASH	SSSD	Soft/Hard Sec	16.19	15.77	15.38
	SSDD	Soft/Hard Sec	18.30	17.81	17.37
	DSDD	Soft/Hard Sec	19.93	19.41	18.93
	SSOD	Soft/Hard Sec	21.62	21.06	20.53
	DSQD	Soft/Hard Sec	23.00	22.40	21.84
8"	SSSD	Soft/Hard Sec	20.68	20.14	19.63
	SSDD	Soft/Hard Sec	25.91	25.25	24.60
	DSDD	Soft/Hard Sec	28.07	27.34	26.64
LISTING	PAPER (5	00 SHT PAC)	1-2	3-4	5+
9.5"×11	Side Mic	ro Perfs	4.39	3.50	2.75
14.5"×1	1" Music	Ruled	5.33	4.70	4.00
MICRO L	ABELS (2	50 PAC)	1-2	3-4	5+
4.5"×711	16" 2 wit	de	4.41	4.05	3.95
Fits 9.5"	Tractor	Feed			

SUPPLIES FOR ALL MACHINES AVAILABLE IN BOTH MICRO AND NORMAL PACKS. RIBBONS, DISK BOXES, PRINTWHEELS — IN FACT ANYTHING FOR YOUR COMPUTER CALL US NOW.

PRINTERS AND PERIPHERALS

FX80	415.15
RX80	281.40
MX100	466.94

ALL OTHER PRINTERS (DOT MATRIX AND LETTER QUALITY) AND APPLE PERIPHERALS AVAILABLE.
PRICES REALISTIC. FOR FURTHER INFORMATION CALL OUR SALES OFFICE.

REMEMBER YOU PAY THE PRICE YOU SEE. INCLUDES VAT & CARRIAGE

COMPAC LTD (Micro-Pac Division) Commerce House, Stuart Street, Luton LU1 5AU, Bedfordshire. Tel: 0582 452580. (SUPPLIES). 0582 450557 (PRINTERS)

Circle No. 212

G.T	SOFTWARE	
TRS-80	& VIDEO GENIE:	
Frogger General Kong (* Mailing	ns (16K) (16K) Ledger (Disk 48K) (6K) List (Disk 48K)	£9.75 £9.75 £74.75 £9.75 £17.25
Munche Pools (or (16K)	£9.75
SINCLA ZX81 Spectru		£4.00
Chaos Frogger	R GENIE	£9.75 £7.75
1000	(All prices include V.A.T. & P&P) ys interested in programs for any of the above m	

(25% Royalties given)

KRICON LTD 11 Medway, Hailsham, East Sussex, BN27 3HE (0323) 846110

Circle No. 213

The University College of Wales, ABERYSTWYTH

THE MICROCOMPUTER REVIEWED 19-23 September 1983

A residential course demonstrating the latest languages and packages available for those wishing to make serious use of microcomputers and who already have an elementary knowledge of Basic or another language.

Large element of practical work.
Tuition in the University's Microcomputer Laboratory.
Access to ACT SIRIUS I Microcomputers and others. Beautiful location on the Cardigan Bay Coast.

Total fee (inc. tuition and accommodation): £150.

Application forms and further details from: The Dept. of Extra-Mural Studies.

9 Marine Terrace, Aberystwyth, Dyfed.

BASIC PROGRAMMERS...

Are you always short of space? . Looking for variables? Debugging programmes (other people's)? • Searching for jump sources?

YOU NEED LOWMAN: LOWMAN is LOWADD LTD's programme MANipulator. It is a suite of eight utilities used in their own program development.

THEY CONSIST OF:

1. Delete Remarks. Shrinks programmes prior to compilation.

2. Search for expressions. Will search and print locations

Search for expressions, will search and print locations of up to 20 expressions per pass.

Analyse Programme. This comprehensive programme produces a complete breakdown of addresses of all definition statements. Source and destination of all jumps. For/next and While/wend loops, and a complete list of addresses of all variables in alphabetical

4. Compare. Compare 2 ASCII source codes and print

differences.
5. Compress. Compress source to Basic 4.51 lexical convention.

6. Expand. Expand source to Basic 5.00 lexical conven-

7. Global. Search and change within ASCII code with

8. Left justify. Aligns code and inserts TAB after line

THE WHOLE SUITE CAN BE CUSTOMISED BY USER TO MATCH ANY SCREENS. Available in CPM format on IBM standard 8" floppys. Please state density required. TANDY format available shortly.

Send CHQ/PO for £39.50 to LOWADD LTD, 82 GIRTON RID, CAMBRIDGE CB3 OLN. Telephone: 0223 276243

For other formats please write.

Circle No. 215

Vatalife 5 Year Warranty by Verbatim



Boxes of 10 Datalife MiniDisks at £22.50 (plus £3.95 VAT and p+p). * SPECIAL OFFER 5 boxes (50 Disks) £112.50 (plus £19.75 VAT and p+p). FREE LOCKABLE STORAGE UNIT with every order. To order, phone 01-661 2060 or send your cheque to: ERAC Consultants (Southern) Ltd., Grove House, 6 Grove Road, Sutton, Surrey SM1 IBQ. Please allow 7 days for delivery. Personal callers welcome.

Circle No. 216

Programming & Consultancy Service

We can help with . . .

Programming 'system design' user manuals ' technical training ' hardware and software selection. We are at home on micros, minis and mainframes — in all major languages.

Mike Lewis Consultants Ltd 48 Willoughby Road London NW3 tel: 01-794 3886

Circle No. 217

WATCH OUT FOR VER-WORD

Circle No. 218

Good news for Wordstar users Forget DataStar & SuperSort **FORMSTAR**

GIVES YOU:-

*Foolproof data entry & recall

*Unique link to mailmerge

*WordStar cursor controls

*Standard screen forms or

*Simply type your own

*Any number of fields

*Use same form for many files

*Select or sort subfiles

*Clear& simple instructions

FORMSTAR by available from McMillan Computing

COMPUTER **FACILITY**

£80 + VAT

0734 867855 32 Redlands Road, Reading, Berks.

Circle No. 219

MICRO ADS

are accepted from private readers only, pre-paid and in writing, 20p per word, minimum

Please make cheques payable to Practical Computing and send to Room L310, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

APPLE II 48K, Autostart, Single Disk Drive (3.3), RS232 Interface, Desktop Plan, £650. 021-705 5003 (Evenings)

SHARP SOFTWARE. Converters MZ-90A to MZ-80K, MXZ-80K to MZ-90A, all commands translated, £6.00. MZ-80A/K renumber/append £6.00. SAE for list of sensibly prices utilities, business and games cassettes. DCS, 38 South Parade, Bramhall, Stockport. MICROLINE 83A PRINTER, serial and parallel interface 120 CPS, hardly used, with tractor and manual £400.00. 051-630 1714 daytime.



ATOM "ACETROIDS" — All usual features including High Score Table, Alien Ships, Hyperspace — £6.00. "Squares" — Game of skill against Computer — £5.00. Together £7.50. Cheques/P.O. Ace Computing, 65 Peartree Crescent, Shirley, Solihull, W. Midlands. BP90 1LE.

APPLE II SOFTWARE for sale or exchange Visidex, Apple Pascal/Writer/Plot/Post and games wanted — Logo, Moun Music Cards, Games etc. 021-744 3355. Mountain

TELETYPE 43 KSR Printer. Vgc. £375 ono. Tel. Emsworth (02434) 5740, evenings.

CLEAROUT — Northsatr format (including CP/M) software, CP/M, Worstar, M/Basic, C/Basic etc. Also APPLE software, strategy games, utilities — all cheap. 5 years back magazines PCW, Practical Computing, Creative Computing, other U.S. Pleas enquire. Crawley (0293) 515201.

OSBOURNE 1: 9 Months old, Full Software, Excellent Condition, Must be seen. Bargain at £900 . Phone: HARLOW 506124.

ORIC-1 ELECTRONIC CALENDAR: £6. Details A. Newham, 29 York House, Southampton, SO1 1RS. (S.A.E.)

RAIR 3/30 5 Mgb. Hard Disk MP/M Various Software £3,500. Optional 2 Hazeltine VDU's £200. Each Weyfringe Printer £300. Tel: Northwood 29815.

"GUARANTEED "DE-BUGGING" SERVICE. Do you have a BASIC program you can't quite complete? Does your program have an error you cannot see? Send listing, details of problem and £5 to:- Mr. B. Katz, 8 Astor Drive, Moseley, Birmingham B13 9QR. "Full refund if program not corrected." refund if program not corrected.

007 "PET SOFTWARE TO YOUR SPECIFICATIONS. Do you have PET standing idle, waiting for the correct software? Any BASIC program written to your exact specifications - speedy guaranteed serspecifications — speedy guaranteed service. Phone or write with exact requirement for immediate quotation. Mr. B. Katz. 8, Astor Drive, Moseley, Birmingham B13 9QR. Tel: 021-778-2473.

SHARP MZ-80K with MZ-80P3 Dot Printer, MZ-80FB Double Disc Drive and MZ-80 I/U Interface unit. Ideal for small Business or amateur. Offers please. sophisticated Phone (0948) 3425.

BRAND NEW APPLE /// System only £1,618 (inc. VAT) 128K memory, complete with Monitor ///, SOS, Apple II emulation software, builtin disk drive. Boxed and unused. Tel: (09277) 68211.

FOR SALE Atari 400 + 'Typewriter' keyboard. Atari 410 Cassette, 2 Joysticks + 9 Atari games. First sensible offer for complete package secures. For details telephone 01-385-3621 Eves. Mr Campbell.

FOR SALE. APPLE [] 48K. D.O.S. 3.3. Autostart Language Card, Colour Card, Programmers Aid, Joystick, Paddles. Portable 14" Ferguson Colour TV. Selection Software. £1000 ono. Phone 01-847 0139

NEWBRAIN data file system on Cassette. Facilities include: Sort, Save, print, Append, display, search, delete, change, calculate. £8.50 inclusive. SAE for full details. David Pletts, 53 Copthrone Road, Shrewsbury SY3

SIRIUS 128K 1.2MB hardly used, surplus to requirements, 9 months guarantee remaining, £1900 + VAT, Marlow (06284) 73074.

NUMERIC KEYPAD for BBC. Add a useful facility to your BBC computer to speed up entry of numerical data. For details send S.A.E. to P.T. Squire, 16 Priory Park, Bradford on Avon, Wilts, BA15 1QU.

Data Disk (Consumables) The small Company

St James Street Okehampton

0837-4346 Devon

with the big name in consumables and printers.

COMPARE THESE PRICES

"Star" DP510 Printer (RRP £289 + VAT) (80 column/ 100 CPS)

OUR PRICE ONLY £270 Including VAT "Free Delivery" No Extras

"Star" DP 515 Printer (RRP £399 + VAT) (136 Column 100 CPS

OUR PRICE ONLY £375 Including VAT "Free Delivery" No Extras

The New "JUKI" 610 Daisywheel (RRP £399 + VAT)

OUR PRICE ONLY £375 Including VAT "Free Delivery" No Extras

ALL CARRIAGE FREE

BASF Floppy Disk

 $5\frac{1}{4}$ Single Sided/Single Density = £15.00 for 10 Single Sided/Double Density = £22.00 for 10 Double Sided/Double Density = £24.00 for 10 51" Plastic Library Cases £2.00 each

Lockable Filing Trays $5\frac{1}{4}$ " 40 Capacity £15.50 each Lockable Filing Trays $5\frac{1}{4}$ " 90 Capacity £21.95 each

Contact us for all your computer needs. Anything from ribbons, listing paper, labels, disks, printers etc. etc.

Everything on mail order, enquire for our comprehensive price lists.

*Free delivery on all printers and disks * Nominal charge for all other ranges.

To Data Disk

Please supply Star DP510 Printers

@£270

Please supply Star DP515 Printers

@£375

Please supply Juki 6100 Printers

@£375

Enclosed my cheque/money order total

Delivery to:- (Name) _

Address

Telephone No.

Trade & Dealer Enquiries Welcomed

Circle No. 236


Advertisement Index

	54					Pete & Pam PJ Micros	162 88
ACT 18,19,26,27,65,6 Anagram Systems Anglia Computer Centre	71 67 91 54	D		Laserbug	72	Q Quantum Computers Qume (UK)	12 66
Appropriate Technology 6	68 56	Data Disk, consumable Digithurst	s 178 149	Leradean Lifeboat Associates	72 46	R R.P. Business	16
	90	Disking Duplex Communication	171		32,42		10
В		Duplex Communication		M		S Silicon Valley	23
BEEBUG	90	E Epson U.K.	34,41,52	Magus Computer Systems	88 73		outers Itd 14 7,5859,60
	70 33	pieron de la		Mannesman Tally Maplin Electronics	22	Sirton Computers SM Software (U.K.)	24
		Fraser Associates	169	Market Logic Memotech	167	Soft Option	136
C CAETeleprinter	61	G		Micro Business Systems	154 IFC	Softeach Software	55 128
Cambridge Micro	54	Gemini Microcompute Grundy Business		Microcentre Microcomputer Products	115	Starwest Computers Stemmos	56 149
	42	ANAGOROM I CARACTERISTA	134,135	Microperipherals Micropute	1BC 25,51	Sun Computing	Back Cover
Chromasonic Business System	ms 64	GW Computers	36,37	Microsoft	45 38,39	Swan Packaging Symbol Computers	16 76
TO THE PARTY OF TH	99	H Hal Computers	157,159	Microvalue Microware	50	+	
Comart 1:	25	Hotel Microsystems	126,127			Triumph Adler (UK) Lt	d 116,117
	53 88			N Northern Computer Fair	144	V	
Comshare 48,	49	lansyst	121	Northern Computer an		Vickers Danson	44
Compsoft 1	33	Inmap Intec	20 17	0		W	
Computer Discount Centre	47 91	K		Orchard Software Oric Products	157 74,75	Watford Electronics Westwood Distribution	on 167
Computer Trade Forum 1	50	Keele Codes	44,55	Oxford Computer Systems		Wilding	172
	21 91	t		P		x	
CWPServices 139,141,1		Lantech Information S	ystems 42	Perfect Software	40	Xyster Systems	44



ZORBA

The Portable Personal with MORE



More Storage

800 KBytes on twin 51/4" floppy disks plus 64 KBytes User Memory means you can now run Integrated Ledgers.

More Software

More Screen

Supplied as standard with every Zorba :-

Systems Software comprising CP/M 2.2 * inc. utilities M 80 **, L 80 **,

LIB 80 **, CREF 80 **.

Applications Software comprising C BASIC **, WORDSTAR ***,

MAILMERGE ***, CALCSTAR ***.

Optional Software, Spellstar, Infostar and most CP/M * packages.

Optional Software, Spellstar, I

7" GREEN VDU, with full 80 columns by 25 lines, Means NO MORE

SCROLLING. Also with blinking, block graphics & 2 intensities.

More Compatability

Reads and writes data disks in the format of :- IBM PC, Osborne, Superbrain, Xerox 820, DEC VT180 & Kaycomp.

Fully Professional and detachable Qwerty format with 19

programmable function keys.

More Expandability

More Reliability

More Keyboard

Outputs include Parallel, Serial and IEEE 488 as standard.

Sets New Industry Standard, Full 90 day Warranty and Nationwide

maintenance available.

More Value

Only £1595.00 exc VAT

A limited number of dealerships are available in the UK.