

ELECTRONICS  
AND  
TELEVISION  
&  
SHORT-WAVE WORLD  
THE FIRST TELEVISION JOURNAL IN THE WORLD

VOL. XII. No. 131 to No. 142

JANUARY TO DECEMBER 1939

Editorial Offices :  
Chansitor House  
37-38 Chancery Lane  
London, W.C.2

## GENERAL INDEX

VOL. XII.

No. 131 to No. 142.

January to December 1939

- A.B.C. of Television, 269  
 A.C. Operated Amateur-bands Frequency Meter, 48  
 „ Short-waver, Two-valve, 226  
 Adaptor, Sensitive A.C. Short-wave, 639  
 Aerial Feeders for Television, 282  
 „ Receiver, Using 1.4-volt Valves in a Frame, 430  
 „ Tuner, Simple, 319  
 „ Dipole, 400  
 Aerials and S.W. Programmes, Beam, 420  
 „ Improvised Television, 74  
 All-waver, New Cossor, 111  
 America Makes a Start, 330  
 American Receivers, Some of the first, 348  
 „ Television, 453  
 „ „ Standards, 28  
 Amplifier, Flexible Voltage, 582  
 Amplifiers for Amateurs, Low-cost, 51  
 „ The Analysis and Design of Video, 221  
 Antenna, Making the Most of the Dummy, 168  
 „ Radiation, Increasing, 604  
 Augatron Multi-stage Electron Multiplier, 540  
 Baird Cinema Equipment, 199  
 „ Colour-television System, 541  
 „ Receiver, New, 456  
 „ Television in America, 351  
 Band Checker, Useful, 498  
 Band-spreading Circuits, Some Simple, 318  
 Beam Aerials and S.W. Programmes, 420  
 Beat-note Oscillators, The Practical Design of, 681  
 Buying a Receiver, 132  
 Cathode-ray Oscillograph, Design Considerations of, 693  
 Cathode-ray Oscillograph, The Double Beam, 457  
 „ Projection, Lenses for, 391  
 „ Tubes, Preventing "Black-spot" in, 676  
 Cinema Equipment, Baird, 199  
 „ Facts and Problems for the, 467  
 Circuits for 2.5 Metres, 232  
 Colour Television System, Baird, 541  
 „ „ with Electrical Colour Filters, 73  
 Columbia Broadcasting System, Television Transmitter of, 19  
 Communication Receiver, Buying a, 290  
 Converter for 20-70 Mc., Mains-operated, 485  
 Cossor All-waver, New, 111  
 C.R. Tube Anode Support, 666  
 Crystal Calibrator, Twin-frequency, 489  
 „ Control on 5 Metres, 173  
 Crystal-oscillator Circuits for Experimenters, 229, 312  
 C.W. and Phone Monitors, 359  
 D.C. Restoring Circuit, Improved, 672  
 Dipole Aerial with New Features, 400  
 „ Light and Simple, 225  
 Direction-finding Receiver, Five-valve Portable, 353  
 DuMont Television System, 394  
 Eight-valve Amateur-band Receiver, Building, 304, 434  
 Electric Discharges at Low Gas Pressures, 641, 710  
 Electrical Activity in the Human Brain, 579  
 Electron Beam as Light Relay, 25  
 „ Engineering, Field of, 578  
 „ Multiplier of Grid Type, Improved Image, 707  
 „ Raster Microscope, 635  
 „ System, Two-speed, 460  
 Emitron Works, How the, 78  
 E.M.I. Cinema Projector, 389  
 Exciter Unit, Building Universal, 570  
 Feeders, Characteristic Impedance of, 638  
 50-watt Phone or C.W. Transmitter, Complete, 102  
 Film Transmission, American Methods of, 630  
 Five-metre Crystal-controlled Transmitter, 481  
 „ Crystal Exciter Unit, 429  
 „ Metres, Crystal Control on, 173  
 „ valve Portable Direction-finding Receiver, 353  
 5-waveband Receiver, Philips Short-wave, 122  
 Fixing Wires on Insulating Panels, 667  
 Four-valve A.C. Operated U.H.F. Receiver, 38  
 French Progress in Television, 196  
 Frequency Meter, A.C. Operated Amateur-bands, 48  
 „ Modulation for Broadcasting, 621  
 „ Multiplier, Efficient 6L6G, 180  
 „ Stability in the C.O. Stage, 568  
 Ganged Switch, New, 622  
 Germany, Television in, 538  
 Guthman "Silver-super" Receiver, 618  
 Hallicrafter Receiver, 657  
 „ U.H.F. Receiver, New, 171  
 „ Nine-valve Defiant SX-24, 496  
 High-frequency Heating, 627  
 Hints and Tips for New Set Owners, 519  
 H.M.V. 1200 All-wave Receiver, 512  
 Howard 460 Communication Receiver, 376  
 Impedance, Reactance and, 714  
 Improvised Television Aerials, 74  
 Kolorama Television, 137  
 Light-ray Control, Commercial Applications of, 677  
 Long-distance Short-wave Receiver, 417  
 Low-cost Amplifiers for Amateurs, 51  
 „ noise Regenerative Pre-selector, 109  
 „ power Transmitters, Building Simple, 368  
 Mast, Making Cheap Lattice, 352  
 Measuring Valve Characteristics, 655  
 Mechanical-optical Receiver for Home Construction, 4, 92, 139, 217, 274, 404  
 Meissner Television Kit, 334  
 Metal Rectifiers for Television, 204  
 Microphones and Pick-ups for Sound, 41  
 Microscope, Electron Raster, 635  
 Modulator, Thirteen-watt Low-cost, 494  
 Monitors, C.W. and Phone, 359  
 Multiplier, Multi-stage Electron, 540  
 Murphy Noise-limiting Circuit, 592  
 National Field Day, R.S.G.B., 428  
 „ Receiver, NC-44, 238

## GENERAL INDEX

- Noise-limiting Circuit, Murphy, 592  
 Norwegian Portable Equipment, 382  
 Nursery Wavelengths, 438, 510
- One-metre Oscillator, Building, 421  
 Orthicon, 533  
 Oscillator, Building One-metre, 421  
 „ New Scanning, 690  
 Oscillators, Signal Tracing in, 585  
 „ Practical Design of Beat-note, 681  
 Oscillograph, Design Considerations of Cathode-ray, 693  
 Oscillograph for Television Receiver Servicing, 397  
 „ Double-beam Cathode-ray, 457
- P.A., Efficient Single-valve, 233  
 Parasitic Elements, R<sub>9</sub> plus with, 107  
 Phase and Power, 660  
 Philips Short-wave 5-waveband Receiver, 122  
 Photo-cell, Transparency, Colour and Gloss Comparisons with, 626  
 Photo-electric Incendiary Bomb Detector, 634  
 Physical Society's Exhibition, 76  
 Pick-ups for Sound, Microphones and, 41  
 Portable Equipment, Norwegian, 382  
 Power, Phase and, 660  
 „ Unit, Constant-voltage, 362  
 Pre-amplifier for 7-550 metres, Switched-coil, 547  
 Pre-selector, Low-noise Regenerative, 109  
 Projection, Lenses for Cathode-ray, 391  
 Projector, E.M.I. Cinema, 389  
 „ Scopphony Big-screen, 654  
 Push-pull KT8 Transmitter, 423  
 „ Transmitter, The KT8, 500
- QSL Card, Designing, 546
- Radiolympia, Television at, 520  
 R.A.F. C.W.R., 361  
 Reactance and Impedance, 714  
 Receiver, Hallicrafter U.H.F., 171  
 „ Philips Short-wave 5-wave band, 122  
 „ Controls, Simplifying, 464  
 „ Eight-valve Amateur Band, 304, 434  
 „ for A.C. Mains, Three-valve, 63  
 „ „ Home-construction. Mechanical-optical, 4, 92, 139, 217, 274, 404  
 Receiver, Four-valve A.C. Operated U.H.F., 38  
 „ H.M.V. 1200 All-wave, 512  
 „ Improving Tube Communication, 54  
 „ Long-distance Short-wave, 417  
 „ National NC-44, 238  
 „ Guthman "Silver-super," 618  
 „ Trophy-6 Communication, 433  
 „ Using 1.4-volt Valves in Frame Aerial, 430  
 „ Works Like This, Your, 517  
 Receivers, Secondary-emission Valves in Vision, 31  
 „ Two Cossor, 448  
 Record Changer, Garrard, 172  
 Rectifiers for Television, Metal, 204  
 R<sub>9</sub> Plus with Parasitic Elements, 107
- Scanning Oscillator, New, 690  
 „ Motor, Simple 22,000 R.P.M., 324  
 Scopphony Big-screen Projector, 654
- Secondary-emission Valves in Vision Receivers, 31  
 Servicing, Practical Guide to Television Receiver, 134, 200  
 Servicing, Oscillograph for Television Receiver, 397  
 Short-wave Adaptor, Sensitive A.C., 639  
 „ Equipment, 1939/40, 550  
 „ Experimenters, New Equipment for, 365, 425, 492  
 Short-wave Radio World, 46, 112, 176, 240, 357, 431, 502, 602, 649, 705  
 Short-wave Receivers, Design Data of Six, 698  
 „ Stations, Comprehensive Guide to the World's 697  
 Short-waver, Two-valve A.C., 226  
 Signal Tracing in Superhet Oscillators, 585  
 Sine Wave, 612  
 Single-valve P.A., Efficient, 233  
 6L6G and APP4G Valves, Using the, 416  
 „ Frequency Multiplier, Efficient, 180  
 Sound, Receiver for Television, 407  
 Storage Methods in Television Reception, 68  
 Supersonic Light Relay, 337, 478  
 „ „ Valve, How to Use (Part II), 12  
 Switched-coil Pre-amplifier for 7-550 Metres, 547  
 „ „ Transmitter, 316
- Take Cover!, 583  
 Telecameras Compared, 470  
 Television, A.B.C. of, 269  
 „ Aerial Feeders for, 282  
 „ Aerials, Improvised, 74  
 „ American, 453  
 „ and the Kinema, 9  
 „ Aspects of, 588  
 „ at Radiolympia, 520  
 „ Books on, 97  
 „ Developments, 33, 90, 141, 215, 279, 346, 410, 473, 543, 607, 647, 703  
 Television for a Nation, 263  
 „ French Progress in, 196  
 „ General Electric (U.S.A.), 133  
 „ in America, Baird, 351  
 „ „ Germany, 538  
 „ „ Your Home, 154  
 „ Kit, Meissner, 334  
 „ Kolorama, 137  
 „ Metal Rectifiers for, 204  
 „ Picture Faults and Their Remedies, 14, 87, 148, 212, 278  
 Television Receiver, G.E.C., 388  
 „ „ Adjusting Mechanical-optical, 139  
 „ „ Complete Design for High-quality, 325  
 Television, Receiver for Mechanical 217, 274  
 „ „ Servicing, Practical Guide to, 134, 200  
 Television Receiver Servicing, Oscillograph for, 397  
 „ „ Home-built Mechanical-optical, 92  
 „ „ Your, 261  
 „ Receivers, U.H.F. Design Trends in, 589  
 „ Reception, Storage Methods in, 68  
 „ Society, 465  
 „ Sound at Alexandra Palace, 341  
 „ „ Receiver for, 407  
 „ Standards, American, 28

## GENERAL INDEX

- Television System, DuMont, 394  
 ,, Terms and Definitions, 35  
 ,, ,, in Four Languages, 202  
 ,, Transmitter of the Columbia Broadcasting System, 19  
 ,, with Electrical Colour Filters, Colour, 73  
 10 Metres, Peculiarities of, 116  
 Thirteen-watt Low-cost Modulator, 494  
 Three-band C.W. Transmitter, 165  
 Three-valve Receiver for A.C. Mains, 63  
 Tube Communication Receiver, Improving the, 54  
 Transmission, American Methods of Film, 630  
 Transmitter, Complete 50-watt Phone or C.W., 102  
 ,, ,, 3-band C.W., 165  
 ,, ,, Twin-triode 2.5-metre, 244  
 ,, Five-metre Crystal-controlled, 181  
 ,, of the Columbia Broadcasting System, Television, 19  
 ,, Push-pull KT8, 423, 500  
 ,, Switched-coil, 316  
 ,, Two-stage 25-watt, 44  
 ,, Two-valve Low-power, 300  
 Transmitters, Building Simple Low-power, 368  
 Transmitting Tube, New, 687  
 Trophy-6 Communication Receiver, 433, 716  
 Twin-frequency Crystal Calibrator, 489  
 ,, triode 2.5-metre Transmitter, 244  
 Two-stage, 25-watt Transmitter, 44  
 Two-valve A.C. Short-waver, 226  
 ,, Low-power Transmitter, 300  
 U.H.F. Design Trends in Television Receivers, 589  
 Universal Exciter Unit, Building, 570  
 Valves, Cathode Location in, 634  
 ,, Goodness Factor of, 476  
 ,, Inverse Feed-back with "E," 484  
 ,, in Vision Receivers, Secondary-emission, 31  
 ,, New Tungfram "Footless," 378  
 Valve Voltmeters in Theory and Practical Use, 594  
 Video Amplifiers, Analysis and Design of, 221  
 Viewers, Points for Prospective, 335  
 Vision Receiver, Make-up of, 260  
 Voltage Amplifier, Flexible, 582  
 Voltmeters in Theory and Practical Use, Valve, 594